

1. 13 miles east of Caldwell, Burleson Co., Texas (2-9-49)
 Found in rain pool - small brown & grey frog, ornate;
Pseudacris streckeri (Texas ornate peeper)
2. " " "
 3. " " "
 4. " " "
5. 2 miles south college station, Brazos Co., Texas (2-22-49)
 Found on hillside, a yellow striped snake. (18 in)
Thamnophis sirtitus proximus (Western Ribbon Snake)
6. 2 miles south College Station, Brazos Co., Texas (2-22-49)
 Found under damp log - Brown above; cream below;
Haldea striatula (southern ground snake)
7. 2 miles southwest college Station, Brazos Co., Texas (2-24-49)
 road pond - greyish green frog with dorsal spots, brown -
Rana pipiens berlandieri (Leopard Frog)
8. " " "
 9. " " "
 10. " " "
11. 3 miles west College Station, Brazos Co., Texas (2-24-49)
 found in road pond. (breeding) yellowish black warty Toad.
Bufo woodhousii fowleri (Fowler's Toad)
12. " " "
 13. " " "
14. 3 miles west college Station, Brazos Co., Texas (2-24-49).
 pond; green spotted, large eyes, tympanic membrane -
Rana catesbeiana (Bullfrog)
15. " " "
 16. " " "
 17. " " "
18. 3 miles west College Station, Brazos Co., Texas (2-24-49)
 Pond pond - no ridges, warty, belly granular; $\frac{2}{3}$ webbed
Acris crepitans (Cricket Frog)
19. " " "
 20. " " "

- No. 21 3 miles west College Station, Brazos Co., Texas (2-24-49)
 regular blotched & alternate blotched on sides - yellow belly.
 27 dorsal row scales (1:1) Found in road pond.
- Natrix erythrogaster transversa (yellowbellied water snake)
- No. 22 15 miles Southwest Bryan, Brazos Co., Texas (3-5-49)
 Scaly Lizard. Brownish above, checked white; Blue dorsa-
 ventral sides - East side of Brazos river
- Sceloporus undulatus hypoleucus (Northern Fence lizard)
- No. 23 " "
- No. 24 " "
- No. 25 12 miles west Bryan, Brazos Co., Texas (3-5-49) small
 Spotted Frogs - dark outlined - white longitudinal marks on
 upper lip - Found in rain pool.
- Pseudacris clarkii (Spotted peeper)
- No. 26 " "
- No. 27 " "
- No. 28 " "
- No. 29 10 miles west Bryan, Brazos Co., Texas (2-5-49) bank
 of Little Brazos River - Light colored pond, dark lines,
 warty, Parotoid gland starting + triangular
Bufo valliceps (Mexican Toad)
- No. 30 2 miles EAST El Campo, Wharton Co., Texas (4-2-49)
 Parotoid glands - 3 times long as broad; warty - spotted;
 Found on edge of pond -
- Bufo woodhousii fowleri (Fowler's Toad)
- No. 31 6 miles east EL CAMPO, Wharton Co., Texas. (4-2-49)
 small brown skink - window in eyelid, smooth scales
 2 Broad stripes dorsally - Found under damp loge
- No. 32 " "
- No. 33 " "
- No. 34 " "
- No. 35 6 miles east EL CAMPO, Wharton Co., Texas sun or under loge
 5 Lined Skink - young blue tinted - old males red-headed - U.F.
- No. 36 Urocces fasciatus " "
- No. 37 " "
- No. 38 " "

- No. 39. 6 miles East El Campo, Wharton Co., Texas (4-2-48)
 short chunky body - olive drab - irregular patterns on back.
 Found on creek bank under log.
Agkistrodon piscivorus (Cotton Mouth Moccasin)
- No. 40. " " "
- No. 41. 6 miles East El Campo, Wharton Co., Texas; (4-2-48)
 small - 6", small black dots on edge of ventrals, clay stripe
 4 scales wide down dorsal ridge - under wood pile -
Storeria-deKayi (De Kay's Snake)
- No. 42. " " "
- No. 43. 3 miles west El Campo, Wharton Co., Texas (4-22-48)
 green tree frog, white stripe dorsolaterally - large discs
 on digits - Found in willow tree - Hyla Cineraria
- No. 44. Hyla Cineraria (Texas Tree Frog) "
- No. 45. 8 miles southeast of Dayton, Liberty Co., Texas (7-21-48)
 Small, Copper colored snake with green tip on tail
 in spring. Fangs; Local pit. -
Agkistrodon mokasen (Copperhead)
- No. 46. 5 miles EAST El Campo, Wharton Co., Texas - Small Salamander,
 Blackish on Dorsal surface, reddish with black dots on
 belly - Found under log near water. (4-2-48)
Triturus viridescens louisianensis (Louisiana Newt)
- No. 47. " " "
- No. 48. " " "
- No. 49. " " "
- No. 50. 18 miles southeast El Campo, Wharton Co., Texas (3-18-48)
 12 in siren; 4 foed, 2 digits 35 costal grooves; grayest
 blue - Found in small lake.
Siren intermedia nettingi - (Texas Dwarf Siren)
- No. 51. 4 miles EAST El Campo, Texas - Wharton Co.; (4-2-48)
 Small Turtle - musty odor; dull grey-brown in color
 Yellow marks on side of neck and head.
Kinosternon flavescens (Yellow Necked Mud Turtle)
- No. 52. 4 Miles EAST El Campo, Wharton Co., Texas (7-3-48) ventrals 130-135,
 Cross bands reddish - Blotched on belly -
Natrix sipedon confluens (Mississippi River Water Snake)

- No. 53 5 miles west of EL CAMPO, Wharton Co., TEXAS (4-2-49)
Large blotched diamonds on Dorsal Surface - large
Head - pink & brown in color - Found in Creek.
Natrix rhombifera rhombifera (Diamond Back Water Snake)
- No. 54 " " "
No. 55 " " "
No. 56 " " "
No. 57 2 miles south of EL CAMPO, Wharton Co., TEXAS. (4-2-49)
Black Dorsally, horn on tail, red & black blotched on
belly - Found in mud in bottom of Pond.
FARancia ABACURA reinwardtii (Western Mud Snake)
- No. 58 18 miles Southeast of EL CAMPO, Broad blotches narrow,
yellow, then red, then yellow - under damp Log (4-2-49)
Micruurus fulvius tener (Texas Coral Snake)
- No. 59 4 miles EAST EL CAMPO, Wharton Co., TEXAS (4-2-49)
white or yellow spot on center of each scale - Found
under brush pile - (hibernating)
Lampropeltis getula holbrookii (Speckled King Snake)
- No. 60 7 miles east Dayton, Liberty Co., TEXAS, (8-1-48) Found
nest 100yds from bank of "LOST LAKE". Broad snout, marked
in black & white - Captured ♀ & broad f 9' 10"
- No. 61 8 miles south east of EL CAMPO, Wharton Co., TEXAS:
Squarish markings set off by light outline bands.
immaculate beneath - Found in road ditch -
(4-18-49) Natrix s. sipedon (Common Water Snake)
- No. 62 " Natrix erythrogaster flaviventer (Yellow-bellied " ")
No. 63 " "
No. 64 12 miles Southeast EL CAMPO, Wharton Co., TEXAS -
(4-18-49) small, striped, with yellow; dorsal median,
brownish - ventrals with median dark line - Found
in rice canal (not in use) Natrix grahamii
(Graham's WATER snake)

- 65 3 miles southeast EL Campo, Wharton Co., Texas
March 17, 1949, Found in muddy road ditch
Pseudemys scripta e. (Cumberland Terrapin)
- 66 Pseudemys scripta e (Cumberland Terrapin)
- 67 Pseudemys scripta e (Cumberland Terrapin)
- 68 Pseudemys scripta e (Cumberland Terrapin)
- 69 3 miles Southeast EL Campo, Wharton Co., Texas
March 17, 1949 Found in muddy road ditch
Kinosternon subrubrum (Common mud Turtle)
- 70 Kinosternon subrubrum (Common mud Turtle)
- 71 Kinosternon subrubrum (Common mud Turtle)
- 72 Kinosternon subrubrum (Common mud Turtle)
- 73 3 miles southeast EL Campo, Wharton Co., Texas
March 17, 1949, Found in Muddy ditch
Chelydra serpentina (Common snapping Turtle)
- 74 Chelydra serpentina (Common snapping Turtle)
- 75 15 miles west EL Campo, Wharton Co., Texas
March 18, 1949, Found in prairie in sandy soil
Cnemidophorus g. gularis (Eastern Spotted Racerunner)
- 76 Cnemidophorus g. gularis (Eastern Spotted Racerunner)
- 77 Cnemidophorus g. gularis (Eastern Spotted Racerunner)
- 78 7 miles EAST EL Campo, Wharton Co., Texas
March 18, 1949, Found in muddy pond -
Ambystoma texanum (Texas Salamander)
- 79 Ambystoma texanum (Texas Salamander)
- 80 Ambystoma texanum (Texas Salamander)
- 81 Ambystoma texanum (Texas Salamander)
- 82 7 miles southeast EL Campo, Wharton Co., Texas
March 18, 1949 Found in muddy Pond
Thamnophis sauritus p. (Western Ribbon snake)
- 83 Thamnophis sauritus p. (Western Ribbon (snake))
- 84 7 miles EAST EL Campo, Wharton Co., Texas
March 18, 1949, Found in Road Pond
Acris crepitans. (Cricket Frog)

- 85 3 miles northeast College Station, Brazos Co., Texas
 March 20, 1949, Found in Rain pool in Trees
Hyla versicolor (Common tree Frog)
- 86 *Hyla versicolor* (Common tree Frog)
- 87 *Hyla versicolor* (Common Tree Frog)
- 88 *Hyla versicolor* (Common tree Frog)
- 89 2½ miles west College Station, Brazos Co., Texas
 March 21, 1949, Found in rain pool
- Microhyla olivacea* (EASTERN NARROW-mouthed Frog)
- 90 *Microhyla olivacea* (EASTERN NARROW-mouthed Frog)
- 91 *Microhyla olivacea* (EASTERN NARROW-mouthed Frog)
- 92 *Microhyla olivacea* (EASTERN NARROW-mouthed Frog)
- 93 3 miles west College Station, Brazos Co., Texas
 March 25, 1949, Found in Hay meadow
Elaphe obsoleta ~~confined~~ (Common RAT SNAKE)
- 94 4 miles west College Station, Brazos Co., Texas
 March 25, 1949, Found in meadow in sand.
- Terrapene carolina* (3-toed Box Turtle)
- 95 *Terrapene carolina* (3-toed Box Turtle)
- 96 24 miles northeast Rock Springs, Edwards Co., Texas
 April 30, 1949, Found in Rocky Cliff Area
- Urosaurus ornatus* (Texas Tree Uta)
- 97 *Urosaurus ornatus* (Texas Tree Uta)
- 98 *Urosaurus ornatus* (Texas Tree Uta)
- 99 *Urosaurus ornatus* (Texas Tree Uta)
- * 100 24 miles northeast Rock Springs, Edwards Co., Texas
 April 30, 1949, Found on Rocky Canyon Floor
Elaphe bairdii (Baird's RAT SNAKE)
- 101 *Elaphe bairdii* (BAIRD'S RAT SNAKE)
- 102 24 miles northeast Rock Springs, Edwards Co., Texas
 April 30, 1949 - Found in Brush on Rocky hill
Crotalus m. molossus (Black-Tailed Rattlesnake)

JAMES R. DIXON

- 103 Headwaters SAN Marcos river, SAN Marcos, Hays Co., Texas
May 1, 1949, Headwaters of SAN Marcos River
- 104 Eurycea nana (Dwarf Eurycea)
- 104 Eurycea nana (Dwarf Eurycea)
- 105 Eurycea nana (Dwarf Eurycea)
- 106 Eurycea nana (Dwarf Eurycea)
- 107 24 miles northeast Rock Springs, Edwards Co., Texas,
April 30, 1949. Found between rock ledges on cliff
- Sceloporus poinsettii (Red Scaley Lizard)
- 108 Sceloporus poinsettii (Red Scaley Lizard)

(Specimens 1 through 108 have
been turned into the A.M. collection)

109. 13 miles east of Caldwell, Burleson Co., TEXAS
 Feb. 2, 1949 - Found in RAIN POOL
Pseudacris streckeri (Texas Ornate Peeper)
- 110 Pseudacris streckeri (Texas Ornate Peeper)
111. Pseudacris streckeri (Texas Ornate Peeper)
112. 2 miles southwest College Station, BRAZOS Co., Tex.
 Feb. 24, 1949 Found in Road Pond.
RANA pipiens (Leopard Frog)
113. RANA pipiens (Leopard Frog)
114. 3 miles west College Station, BRAZOS Co., TEXAS
 Feb. 24, 1949, Found in Road Pond
Acris crepitans (Cricket Frog)
- 115 Acris crepitans (Cricket Frog)
- 116 Acris crepitans (Cricket Frog)
- 117 Acris crepitans (Cricket Frog)
118. Acris crepitans (Cricket Frog)
- 119 12 miles west BRYAN, BRAZOS Co., TEXAS
 March 5, 1949. Found in RAIN POOL
Pseudacris nigrita (3 Lined Peeper)
- 120 12 miles west of BRYAN BRAZOS Co, TEXAS
 March 5, 1949, Found in RAIN POOL.
- 121 Pseudacris clarkii (Spotted Peeper)
- 122 Pseudacris clarkii (Spotted Peeper)
- 123 Pseudacris clarkii (Spotted Peeper)
- 124 Pseudacris clarkii (Spotted Peeper)
125. 6 miles EAST El Campo, Wharton Co, TEXAS
 April 2, 1949 Found under Logs
- 126 Leiopisma laterale (Brown Skink)
- 127 Leiopisma laterale (Brown Skink)
- 128 Leiopisma laterale (Brown Skink)
- 129 Leiopisma laterale (Brown Skink)
130. 6 miles EAST El Campo, Wharton Co, TEXAS
 April 2, 1949 Found under logs
Meces fasciatus (5-Lined Skink) 130-A

JAMES R. DIXON

131. *Umeces fasciatus* (5 Lined Skink) 131-A
 132. *Umeces fasciatus* (5 Lined Skink) 132-A
 133. *Umeces fasciatus* (5 Lined Skink)
134. 5 miles EAST EL CAMPO, Wharton Co., Texas
 April 2, 1949, Under log near water
Triturus viridescens L. (LOUISIANA Newt)
135. *Triturus viridescens* L. (LOUISIANA Newt)
136. 7 miles EAST EL CAMPO, Wharton Co., Texas
 April 18, 1949, Found in shallow muddy pond
Ambystoma texanum (TEXAS SALAMANDER)
137. *Ambystoma texanum* (TEXAS SALAMANDER)
138. *Ambystoma texanum* (TEXAS SALAMANDER)
139. *Ambystoma texanum* (TEXAS SALAMANDER)
140. 7 miles west Burnet, Burnet Co., Texas
 April 29, 1949, Found in rocky stream bed,
Bufo punctatus (Spotted Toad)
141. *Bufo punctatus* (Spotted Toad)
142. *Bufo punctatus* (Spotted Toad)
143. 24 miles Northeast Rock Springs, Edwards Co., Tex
 April 30, 1949 on Tree over rock cliff
Sceloporus undulatus (Northern Fence Lizard)
144. 24 miles northeast Rock Springs, Edwards Co., Texas
 April 30, 1949 Found on sides of Rocky Cliffs
Urosaurus ornatus o. (TEXAS TREE UTA)
145. *Urosaurus ornatus* o. (TEXAS TREE UTA)
146. *Urosaurus ornatus* o. (TEXAS TREE UTA)
147. *Urosaurus ornatus* o. (TEXAS TREE UTA)
148. *Urosaurus ornatus* o. (TEXAS TREE UTA)
149. 24 miles northeast Rock Springs, Edwards Co., Tex.
 April 30, 1949, Found on Rocky Canyon Floor
Holbrookia texana (Greater Earless Lizard)
150. *Holbrookia texana* (Greater Earless Lizard)
151. *Holbrookia texana* (Greater Earless Lizard)

- 1647
- 152 24 miles Northeast Rock Springs, Edwards Co., Texas
April 30, 1949 - Found under Large Rock.
Leptotyphlops d. dulcis (Texas Blind SNAKE)
153. 24 miles Northeast Rock Springs, Edwards Co., Texas
April 30, 1949, Found under rocks on hillside
Tantilla gracilis (Slender TANTILLA)
- 154 Tantilla gracilis (Slender TANTILLA)
- 155 Tantilla gracilis (Slender TANTILLA)
- 156 Tantilla gracilis (Slender TANTILLA)
- 157 Tantilla gracilis (Slender TANTILLA)
158. 6 miles EAST Comfort, Kendall Co., Texas
May 1, 1949 Found under rocks on hillside
Sonor a episcopa (Great Plains Ground Snake)
- 159 Sonor a episcopa (Great Plains Ground Snake)
- 160 Sonor a episcopa (Great Plains Ground Snake)
- 161 Sonor a episcopa (Great Plains Ground Snake)
- 165 180 24 miles Northeast Rock Springs, Edwards Co., Texas
April 30, 1949 Found in Rocks & Leaves -
Umeces brevilineatus (Short Lined SKINK)
- 166 188 Umeces brevilineatus (Short Lined SKINK)
- 167 198 Umeces brevilineatus (Short Lined SKINK)
- 162 168 6 miles east Comfort, Kendall Co., Texas,
May 1, 1949, Found on Rocky Hillside
Tremadophorus gularis (Eastern Spotted Racerunner)
- 163 168 Tremadophorus gularis (Eastern Spotted Racerunner)
- 164 164 Tremadophorus gularis (Eastern Spotted Racerunner)
- 173 183 9 miles south of Abilene, Taylor Co., Texas
June 23, 1949, Found on rocky hillside
Tremadophorus gularis
- 165 165 6 miles EAST Comfort, Kendall Co., Texas
May 1, 1949, Found on hillside under rocks
Crotaphytus collaris (Eastern Collared Lizard)
- 166 186 Crotaphytus collaris (Eastern Collared Lizard)
- 167 187 Crotaphytus collaris (Eastern Collared Lizard)

- 168 188. 6 miles east Comfort, Kendall Co., Texas
 May 1, 1949. Found under Rock; on Hillside
Salvadora lineata (Rio Grande Patch-nosed Snake)
- 169 189. 6 miles EAST Comfort, Kendall Co., Texas
 May 1, 1949. Found under Rock, near water;
Thamnophis sauritus (Western Ribbon Snake)
- 174 Head waters of San Marcos River, San Marcos, Hays Co., Tex.
 May 1, 1949. Found in Headwaters of River
Eurycea nana (Dwarf Eurycea)
Eurycea nana (Dwarf Eurycea)
175. 2 miles EAST Bryan, Brazos Co., Texas
 March 14, 1949. Found in rain pool in Trees,
Hyla versicolor (Common Tree Frog)
176. 2 miles Southeast Abilene, Taylor Co., Texas,
 June 22, 1949. Found in drained swamp -
Bufo insidior (Common Green Toad) Deblis
- 177 Bufo insidior (Common Green Toad) "
- 178 Bufo insidior (Common Green Toad) "
- 179 Bufo insidior (Common Green Toad) "
- 180 Bufo insidior (Common Green Toad) "
- 181 Bufo insidior (Common Green Toad) "
- 182 Bufo insidior (Common Green Toad) "
- 183 Bufo insidior (Common Green Toad) "
- 184 Bufo insidior (Common Green Toad) "
- 185 Bufo insidior (Common Green Toad) "
- 186 6 miles southeast Dayton, Liberty Co., Texas
 May 15, 1949. Found on small Trees
Anolis carolinensis (CAROLINA ANOLE)
- 187 Anolis carolinensis (CAROLINA ANOLE)
- 188 Anolis carolinensis (CAROLINA ANOLE)
- 190 2 miles southeast Abilene, Taylor Co., Texas
 June 23, 1949. Found in Drained swamp -
Pseudacris Clarkii (Spotted Peeper)
- 191 Pseudacris Clarkii (Spotted Peeper)