

MEXICO

16 Sept. - 4 Oct. 1969

M-1 Thru M-564 = JRD 15123-15693

- 30 mi N. Hermosilla, 1500', Sonora, Mexico 16 Sept. 1969. Point of F rocks on right going south
- 15123 ✓ H-1 *Ctenosaura hemionote hemilepha* (2-5 = MK1-4) ♂
 15124-40 ✓ M2-18 *Phyllodactylus homolepidurus* (6-8 = MK11-13) ♀
- 3 mi N. Guaymas, 50', Sonora, Mexico, 16 Sept. 1969
 near Catholic Shrine on rock outcrop.
- 15141-42 ✓ M19-26 *Phyllodactylus homolepidurus*
 15143 ✓ M-21 *Crotalus tigris*
- 15144 ✓ M-22 *Natrix valida* 17 Sept. 1969
 5.6 mi E, 7.2 mi N. Tuxpan, 50', Nayarit, Mexico, DOR
- 15145 ✓ M-23 *Leptodeira maculata* 17 Sept. 1969
 5.6 mi E, 4.4 mi N. Tuxpan, 50', Nayarit, Mexico, DOR
- 15146 ✓ M-24 *Sceloporus torquatus melanogaster*
 6.5 mi E Tapalpa, 7650', Jalisco, Mexico, Sept. 18, 1969
- 15147 ✓ M-25 *Sceloporus torquatus melanogaster*
 5 mi E, 2 mi N. Tapalpa, 7800', Jalisco, Mexico 18 Sept. 1969
- 15148-50 ✓ M26-28 *Phyllodactylus davisi* (26 = MK-5) (27-28 = MK9-10)
 151-32 ✓ M29-30 *Bufo marmoratus*
- 15153 ✓ M-31 *Leptodactylus labialis*
- 15154 ✓ M-32 *Trimorphodon biscutatus*
- 15155 ✓ M-33 *Ctenosaura pectinata*
 1.8 mi SW Colima, 1800', Colima, Mexico; 19 Sept. 1969
 at Casino Motel - in rain in grass, on walls
- 15156 ✓ M-34 *Gastrophryne usta* (34 = MK-C)
- 15157-74 ✓ M-35-52 *Leptodactylus melanonotus* (35-36 = MK-7-8)
 15158-76 ✓ M-53-54 *Smilisca baudini*
- 15177 ✓ M-55 *Ctenosaura pectinata*
- 15178-79 ✓ M-56-57 *Sceloporus horridus*

6mi E Tiguilpan, 5200', Michoacán, Mexico AOR

Aug 16, Sept. 20, 1969

5180 ✓ 58 Kinosternon scorpioides

15mi N. Uruapan, 7800', Michoacán, Mexico; in
Pine-oak forest, Sept. 20, 1969

5181 ✓ 59 Barisia imbricata (59 = MK 309)

5182-83 ✓ 60-61 Rhadenaea laureata

5184 ✓ 62 Conopsis biserialis

5185 ✓ 63 Eumeces dupesi (63 = MK-19 ♂)

11.7mi S. Cuatro caminos, 1700', Michoacán, Mexico,
Sept. 21, 1969.

5186-94 ✓ 64-82 Cnemidophorus communis (64 = MK 20 ♂)

5185-209 ✓ 73-87 Enyaliosaurus clarki (73-87) (93-76 = MK 14-17 ♂
97-78 = MK 25-29 ♀)

5210-14 ✓ 88-92 Phyllodactylus paucituberculatus

5215-16 ✓ 93-94 Sceloporus pyrocephalus (93 = MK-18 ♂)

5217-18 ✓ 95-96 Urosaurus gadovi

5219 ✓ 97 Trimorphodon biscutatus

5220 ✓ 98 Leptodeira latifascia

5221-31 ✓ 99-109 Bufo marmoratus

5232 ✓ 110 Smilisca baudini

5233 ✓ 111 Leptodactylus melanotus [Bat = 111a]

6mi N. Nueva Italia, Rio Marquez; 1800', on
reeks & under bridges Sept. 21, 1969

5234-47 ✓ 112-125 Phyllodactylus lanei (112-115 = MK 21-24 ♂)

5248-55 ✓ 126-133 Phyllodactylus paucituberculatus (126-127 = MK 25-26 ♂)

5256 ✓ 134 Sceloporus melanorhinus

5257 ✓ 135 Bufo marmoratus

Balaniopteryx plicata

- 35 mi W. Ciudad Hidalgo, 8800', Michoacan, Mexico,
in seep + spring; Sept. 22, 1969
- 15258-63 ✓ 136-41 Ambystoma ordinarium
- 15264 ✓ 142 Rana pipiens spectabilis
16 mi E Zitacuaro (Michoacán), 9450', Mexico, Mexico,
Sept. 23, 1969.
- 15265-66 ✓ 143-144 Sceloporus grammicus (143 = MK 27 ♂)
1 mi W Tenancingo, 6900', Mexico, Mexico, Sept. 23,
1969. DOR
- 15267 ✓ 145 Mustela frenata ♂ 455-165-43-18 Testis 22 mm
10.9 mi S. Tonatico (Mexico) 5300', Guerrero, Mexico,
Sept. 23, 1969
- 15268-71 ✓ 146-149 Cnemidophorus costatus (146 = MK-31)
16.5 mi NE Taxco, 4250', Guerrero, Mexico, Sept.
23, 1969
- 15272-73 ✓ 150-151 Cnemidophorus sacki
2.3 mi N. Taxco, 5700', Guerrero, Mexico, Sept. 23,
1969, on rock cliff
- 15274-76 ✓ 152-154 Phyllodactylus bordai 3 ♀
3.5 mi N Taxco, 5900', Guerrero, Mexico, Sept. 23
1969 on rock cliff.
- 15277 ✓ 155 Phyllodactylus bordai
3 mi N. Tierra Colorada, ca. 2000', Guerrero, Mexico,
Sept. 25, 1969 DOR
- 15278 ✓ 156 Loxocemus bicolor
1.3 mi S. Tierra Colorada; ca. 1600', Guerrero, Mexico,
Sept. 25, 1969
- 15279 ✓ 157 Trimorphodon biscutatus

2.3 mi S. Tierra Colorada, Ca, 1500', Guerrero, Mexico;
Sept. 25-26, 1969;

15280	158	<u>Leptodactylus melanonotus</u>	
15281-83	159-61	<u>Bufo marmoratus</u>	
15284-86	162-64	<u>Smilisca baudini</u>	
15287-300	165-178	<u>Cnemidophorus deppei</u>	(165 = MK 33) 168 70 alive 166 = MK
15301-08	179-186	<u>Cnemidophorus guttatus</u>	(179 = MK 32) 180 alive
15309-11	187-189	<u>Sceloporus horridus</u>	
15312	190	<u>Ctenosaura pectinata</u>	(190 = MK 52)
15313	191	<u>Crosaurus bicarinatus</u>	
15314	192	<u>Leptodeira maculata</u>	
15315	193	<u>Salvadora mexicana</u>	
15316	194	<u>Drymarchon corias</u>	
15317-42	195-225	<u>Phyllodactylus lanei</u>	(195-196 = MK 44-45)
15343	226	<u>Syrrophus pipilans</u>	

Tierra Colorada, Ca, 1700', Guerrero, Mexico, Sept. 26,
1969

15344-61	227-244	<u>Phyllodactylus de/campi</u>	(227-28 = MK 38-39) (229-230 = MK 46-47)
15362-64	245-47	<u>Phyllodactylus lanei</u>	
15365-89	248-272	<u>Anolis gadovi</u>	(250 = MK 48 251 = MK 51 248-249 = MK 42-43)
15390-436	273-319	<u>Hemidactylus frenatus</u>	(273-274 = MK-36-37) ^{7h 10} 15414
15437-38	320-321	<u>Sceloporus formosus</u>	
15439	322	<u>Bufo coeifax</u>	
15440	323	<u>Syrrophus pipilans</u>	(323 = MK 49)
15441	324	Bat. - <u>Balantiopteryx plicata</u>	

1.5 mi N. Agua del Obispo, 3300', Guerrero, Mexico;
Sept. 26, 1969

15442-43	325-326	<u>Phyllodactylus lanei</u>	
15444-51	327-334	<u>Phyllodactylus tuberculatus</u>	327-28 = MK 40-41 ^{7h 10} 15414

		1.5 mi N. Agua del Obispo, 3300', Guerrero, Mexico; Sept. 26, 1969
15452	335	<u>Syrhophus pipilans</u>
15453	336	<u>Eumeces chocteranae</u>
15454-55	337-38	<u>Sceloporus siniferus</u> (337 = MK 35)
15456	339	<u>Cnemidophorus guttatus</u> 3 mi N. Taxco, 6800', Guerrero, Mexico, Sept. 27, 1969
15457	340	<u>Eleutherodactylus augusti</u> (340 = MK 50) 7 mi NW Huajuapán de León, 6650', Oaxaca, Mexico Sept. 28, 1969
15458	341	<u>Cnemidophorus</u>
15459	342	<u>Sceloporus spinosus</u> 8.5 mi SE Huajuapán de León, 6500', Oaxaca, Mexico, Sept. 28, 1969
15460	343	<u>Cnemidophorus</u> 3.7 mi N Totolapan, Oaxaca, Mexico 3900', Sept. 29, 1969
15461	344	<u>Phyllodactylus muralis</u>
15462	345	<u>Leptotyphlops</u>
15463	346	<u>Urosaurus bicarinatus</u>
15464-69	347-52	<u>Cnemidophorus deppei</u>
15470-73	353-56	<u>Cnemidophorus guttatus</u> (353 = MK-65)
15474-79	357-62	Bats <u>Micronycteris megalotis mexicana</u> 2.6 mi N Totolapan, 3700', Oaxaca, Mexico, Sept. 29, 1969
15480-81	363-64	<u>Phyllodactylus muralis</u>
15482	365	<u>Cnemidophorus guttatus</u> = <u>deppei</u> ?

- 9.7 mi E. Totolapan, 4250', Oaxaca, Mexico,
Sept. 29, 1969
15483-84 366-67 Desmodus
- 4.7 mi NW La Reforma, 2250', Oaxaca, Mexico,
Sept. 29, 1969
15485-87 368-70 Phyllodactylus muralis (MK = 57-59)
- 8.8 mi SE La Reforma, 1500', Oaxaca, Mexico,
Sept. 29, 1969
15488 371 Coleonyx elegans
- 15489-91 372-74 Phyllodactylus muralis 379-80 = muralis
↓
- 15492-97 375-80 Phyllodactylus tuberculatus (375-76 = MK 63-64)
- 15498-99 381-82 Bufo coccifer
- 15500 383 Trimorphodon biscutatus
- 10.3 mi NW Tehuantepec, 850', Oaxaca, Mexico,
Sept. 29, 1969 DOR
- 15501 384 Bothrops dunnii
- 10.1 mi NW Tehuantepec, 500', Oaxaca, Mexico,
Sept. 29, 1969
- 15502-05 385-88 Phyllodactylus muralis (385-86 = MK 62-63)
- 33.3 mi W. Tuxtla Gutierrez, 2700', Chiapas,
Mexico. DOR; Sept. 30, 1969
- 15506 389 Oxybelis fulgidus
- 6.5 mi SE San Cristobal de Las Casas, 8000',
Chiapas, Mexico, Sept. 30, 1969
- 15507-16 390-399 Barisia moreletii
- 15517-18 400-01 Anolis haguei (400 = MK-64) orange throat FR7
- 15519-24 402-07 Sceloporus malachiticus (402-03 = MK 67-68)
- 15525-29 408-12 Adelphicos veraepacis
- 15530-42 413-25 Ninia diademata Thru 15731

- 6.5 mi SE San Cristobal de Las Casas, 8000',
Chiapas, Mexico, Sept. 30, 1969
- 16543 426 Bothrops godmani
- 5544 427 Thamnophis proximus
- 9.7 mi E Teopisca, 7500', Chiapas, Mexico,
Sept. 30, 1969
- 15545 428 Bothrops godmani
- 15546 429 Sceloporus ~~gracilis~~ serrifer = 429
- 547-48 429-31 Sceloporus malachiticus
- 24.1 mi SE Teopisca, 7400', Chiapas, Mexico,
Sept. 30, 1969
- 5549 432 Scincella (432 = MK 65)
- 15550-52 433-35 Adelphicos veraepacis
- 8 mi SSE Comitán, 5300', Chiapas, Mexico, Oct. 1,
1969.
- 15553 436 Tropidodipsas sartori
- 1.2 mi S La Trinitaria, 5300', Chiapas, Mexico
Oct. 1, 1969
- 15554 437 Conopsis stenorrhina freminvilli
- 15555-56 438-39 Sceloporus variabilis
- 2.9 mi S La Trinitaria, 5350', Chiapas, Mexico,
Oct. 1, 1969
- 15557-62 440-45 Sceloporus variabilis
- 6.8 mi SE San Cristobal de Las Casas, 8000', Chiapas
Mexico, Oct. 1, 1969
- 15563-70 446-52a Barisia moreleti (446-47 = MK 60-61, 448 = MK 66)
- 15571-72 453-54 Anolis haguei
- 15573-75 455-57 Sceloporus malachiticus
- 15576-83 458-64a Adelphicos veraepacis
- 15584 465 Ninia diademata
- 15585-90 466-70 Thamnophis proximus 470a Bothrops godmani

- 14.2 mi W. Tehuantepec, 1000', Oaxaca, Mexico
Oct. 1, 1969
- 15591 - 471 Trimorphodon biscutatus
0.3 mi E Rio Hondo, 2100', Oaxaca, Mexico,
Oct. 1, 1969
- 15592 - 472 Phyllodactylus muralis
2.6 mi W. Rio Hondo, 2700', Oaxaca, Mexico,
Oct. 1, 1969
- 15593 - 473 Elaphe triaspis
3.8 mi W. Rio Hondo, 3050', Oaxaca, Mexico,
Oct. 1, 1969
- 15594 - 474 Bothrops dunni
29.3 mi W Rio Hondo, 2600', Oaxaca, Mexico
Oct. 1, 1969
- 15595 - 475 Bothrops dunni
32.5 mi W. Rio Hondo, 2850', Oaxaca, Mexico
Oct. 1, 1969
- 15596 - 476 ~~36.3 mi W.~~ Trimorphodon biscutatus
~~Oct. 1, 1969~~ 36.3 mi W Rio Hondo, 2900', Oaxaca, Mexico
Oct. 1, 1969
- 15597 - 477 Trimorphodon biscutatus
3.6 mi E Tlacolula, 5700', Oaxaca, Mexico
Oct. 2, 1969
- 15598-602
478-82 Cnemidophorus sacki
0.3 mi E Tlacolula, 5650', Oaxaca, Mexico,
Oct. 2, 1969
- 15603-04
483-84 Cnemidophorus sacki
6 mi S Tamazulapan, 7100', Oaxaca, Mexico,
Oct. 3, 1969
- 15605 - 485 Sceloporus pictus 485 = NONE

7.6 mi N Huajuapán de León, Oaxaca, Mexico,
Oct. 3, 1969

- 15606 486 Sceloporus spinosus
 ↗
 ↘
 0.5 mi W. Laguna de Zempoala; Morelos,
 Mexico; Oct. 4, 1969, 9500'
- 15607-08 486-87 Rana pipiens
- 15609 488 Eumeces copei
- 15610-16 489-95 Chiropetrotriton chiropetrotriton
- 15617-24 496-503 Pseudoeurycea leprosa
 3.8 mi E Laguna de Zempoala, 9500', Morelos
 Mexico; Oct. 4, 1969
- 15625 504 Sceloporus aeneus
- 15626-28 505-07 Sceloporus grammicus
- 15629 508 Sceloporus torquatus
- 15630-32 509-11 Eumeces copei (509 = MK 91)
- 15633 512 Batrachoseps imbricata
- 15634-35 513-14 Storeria storerioides storerioides
- 15636 515 Crotalus triseriatus
- 15637-56 516-35 Chiropetrotriton chiropetrotriton
- 15657-63 536-42 Pseudoeurycea leprosa (543 = P. cephalica)
- 15664 543 →
 14 mi N. Villa Hidalgo, 5300', San Luis Potosí,
 Mexico, Oct. 4, 1969 AOR
- 15665 544 Crotalus scutulatus
 6.6 mi E San Roberto, 6700', Nuevo León,
 Mexico, Oct. 5, 1969
- 15666-68 545-46 Sceloporus undulatus ^{cautus} (545 = MK 69) ?
- 15669-71 547-48 Sceloporus grammicus (549 = MK 70) ?
- 15672 549 Sceloporus parvus
- 15673-77 550-54 Cnemidophorus

8 mi E San Roberto, 7000', Nuevo Leon, Mex.,
Oct. 5, 1969

15678-80 555-57 Cnemidophorus

15681-83 558-60 Sceloporus undulatus

1 mi E Iturbida, 5000', Nuevo Leon, Mexico,
Oct. 5, 1969.

15684 561 Masticophis taeniatus

2.4 mi S. Huizache junction; 5000', San Luis
Potosi, Oct. 4, 1969

15685 562 Elaphe guttata

4.2 mi N. Tres Cumbres, 10,075', Distrito
Federal; Mexico, Oct. 4, 1969

15686-87 563-64 Sceloporus torquatus

[M-1 thro 564 (+ 6a's) = JRD 15123-15693⁸⁷]