

Is Your Baby SAFE AT HOME ?



Part 1—Poison

TEXAS A&M UNIVERSITY
TEXAS AGRICULTURAL EXTENSION SERVICE
J. E. HUTCHISON, DIRECTOR, COLLEGE STATION, TEXAS

POISON!

Would you drink kerosene or laundry bleach? Eat floor wax, deodorant cream, or glue? Your baby might, because he hasn't learned the warnings of his sense of smell or taste. And your house is full of poison. . .




UNDER THE SINK



Kerosene




Bleach




Detergents




Ant cups



Paint



Turpentine



Aerosol spray



IN THE BATHROOM



Aspirin
(12 can kill
a child)



Alcohol




Deodorants



Medicine!



Medicine!



Medicine!

Be Sure That You ...

NEVER keep kerosene, gasoline, or similar products in soda or milk bottles.

NEVER use insect sprays around food.

NEVER tell a child a medicine is "candy."

NEVER keep medicine where a child can reach it or open it.

NEVER give medicine in the dark, or without measuring it as directed.

NEVER give a prescription drug except to the person it was prescribed for by the doctor.

NEVER dispose of old medicine except by flushing it down the toilet.

NEVER let your baby chew on painted furniture or toys.

NEVER LEAVE YOUR CHILD ALONE !

Reproduced by permission of The Extension Service,
University of Vermont, Burlington, Vermont.

Cooperative Extension Work in Agriculture and Home Economics, Texas A&M University and the United States Department of Agriculture cooperating. Distributed in furtherance of the Acts of Congress of May 8, 1914, as amended, and June 30, 1914.