TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use

★

2018

HHSC REGION 8 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 8. It is divided into three major sections. The first section, titled "General Substance Use Tables", focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students' likelihood to use. The second section, titled "Prevalence Tables", provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, "Margin Tables", details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students' answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students' answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was "Since School Began in the Fall", but also reported on Q19d that they had used marijuana "1-2 Times" in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	20.4%	24.2%	34.8%	65.2%
Grade 7	7.2%	9.0%	17.5%	82.5%
Grade 8	11.3%	14.3%	26.2%	73.8%
Grade 9	19.7%	23.8%	32.8%	67.2%
Grade 10	25.1%	29.3%	39.2%	60.8%
Grade 11	27.0%	31.7%	44.1%	55.9%
Grade 12	37.9%	43.6%	55.8%	44.2%
Cigarettes?				
All	6.1%	9.4%	18.3%	81.7%
Grade 7	1.9%	2.5%	6.6%	93.4%
Grade 8	2.5%	3.8%	10.8%	89.2%
Grade 9	4.7%	7.2%	14.8%	85.2%
Grade 10	7.5%	11.3%	21.2%	78.8%
Grade 11	7.9%	13.7%	24.8%	75.2%
Grade 12	14.5%	21.6%	37.7%	62.3%
Smokeless Tobacco?				
All	4.1%	5.5%	9.2%	90.8%
Grade 7	1.0%	1.3%	3.3%	96.7%
Grade 8	1.6%	2.7%	5.7%	94.3%
Grade 9	4.2%	5.7%	7.8%	92.2%
Grade 10	4.6%	6.3%	10.9%	89.1%
Grade 11	6.2%	7.7%	12.5%	87.5%
Grade 12	8.3%	11.0%	17.6%	82.4%
Electronic Vapor Products?				
All	14.7%	19.0%	28.9%	71.1%
Grade 7	3.7%	6.0%	13.5%	86.5%
Grade 8	7.7%	10.8%	20.8%	79.2%
Grade 9	14.7%	19.5%	28.1%	71.9%
Grade 10	17.9%	22.2%	31.5%	68.5%
Grade 11	20.0%	25.8%	38.0%	62.0%
Grade 12	28.2%	34.7%	47.0%	53.0%

Percentages have been weighted to reflect proportions within the population.

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once Month	About Once a Year	Less Than Once a Year
All	82.4%	2.3%	2.5%	2.4%	3.2%	3.2%	4.0%
Grade 7	94.5%	0.2%	0.7%	0.7%	0.8%	1.0%	2.1%
Grade 8	90.4%	0.5%	0.8%	1.5%	2.1%	1.8%	3.0%
Grade 9	85.7%	2.3%	2.4%	1.6%	2.5%	2.8%	2.7%
Grade 10	79.6%	2.1%	2.4%	3.2%	4.7%	3.9%	4.1%
Grade 11	76.1%	3.1%	3.9%	3.1%	4.8%	4.1%	5.0%
Grade 12	62.2%	6.7%	5.7%	5.4%	5.3%	6.6%	8.0%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.9	11.1	12.0	13.2	13.7	14.4	15.0

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	30.2%	16.9%	6.8%	9.6%	14.4%	22.1%
Grade 7	42.3%	29.8%	7.8%	7.7%	7.0%	5.4%
Grade 8	33.4%	25.5%	7.7%	10.1%	11.7%	11.5%
Grade 9	29.6%	14.5%	9.1%	11.9%	15.9%	19.0%
Grade 10	28.2%	11.8%	6.9%	11.5%	18.8%	22.9%
Grade 11	25.8%	9.9%	5.3%	9.6%	19.5%	29.9%
Grade 12	19.1%	6.3%	3.1%	5.9%	14.0%	51.6%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	64.0%	19.6%	8.3%	6.0%	2.1%
Grade 7	86.5%	9.6%	2.9%	0.9%	0.1%
Grade 8	79.0%	14.2%	4.3%	1.9%	0.5%
Grade 9	65.1%	20.7%	6.6%	5.1%	2.5%
Grade 10	56.7%	23.2%	11.4%	6.6%	2.1%
Grade 11	50.1%	24.5%	12.0%	9.3%	4.1%
Grade 12	38.5%	28.1%	14.6%	15.0%	3.9%

Percentages have been weighted to reflect proportions within the population.

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	75.2%	8.1%	7.4%	1.2%	0.7%	7.3%
Grade 7	82.8%	3.5%	3.1%	0.5%	0.7%	9.4%
Grade 8	81.9%	4.6%	4.1%	1.2%	0.5%	7.6%
Grade 9	74.2%	7.9%	7.8%	0.7%	0.9%	8.6%
Grade 10	75.1%	9.7%	7.1%	1.1%	0.5%	6.6%
Grade 11	71.7%	10.1%	9.2%	1.7%	1.1%	6.2%
Grade 12	62.4%	14.6%	14.8%	2.4%	0.7%	5.1%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	57.7%	25.9%	9.2%	2.3%	4.9%
Grade 7	73.5%	16.4%	3.8%	0.9%	5.4%
Grade 8	65.1%	21.1%	6.5%	1.7%	5.6%
Grade 9	54.8%	25.7%	9.2%	3.9%	6.4%
Grade 10	51.5%	30.1%	11.7%	2.8%	3.9%
Grade 11	52.1%	30.9%	11.1%	2.1%	3.8%
Grade 12	45.4%	34.0%	14.4%	2.4%	3.8%
Electronic Vapor Products?					
All	53.7%	13.2%	16.5%	10.7%	5.9%
Grade 7	69.2%	11.3%	8.5%	5.0%	6.0%
Grade 8	60.2%	13.9%	11.6%	8.2%	6.2%
Grade 9	50.7%	13.6%	17.9%	11.1%	6.7%
Grade 10	49.5%	15.4%	17.7%	11.3%	6.0%
Grade 11	47.1%	11.4%	21.9%	15.0%	4.7%
Grade 12	42.0%	13.8%	23.7%	15.1%	5.5%

Percentages have been weighted to reflect proportions within the population.

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	36.0%	41.9%	58.8%	41.2%
Grade 7	18.4%	21.7%	39.4%	60.6%
Grade 8	26.6%	30.2%	51.9%	48.1%
Grade 9	32.4%	39.3%	57.3%	42.7%
Grade 10	41.7%	48.6%	63.7%	36.3%
Grade 11	45.0%	53.8%	70.0%	30.0%
Grade 12	59.2%	65.7%	76.2%	23.8%
Beer?				
All	17.7%	24.7%	47.3%	52.7%
Grade 7	6.1%	8.2%	30.4%	69.6%
Grade 8	9.9%	13.5%	40.0%	60.0%
Grade 9	13.7%	21.7%	43.1%	56.9%
Grade 10	20.9%	29.9%	51.0%	49.0%
Grade 11	24.5%	34.8%	58.0%	42.0%
Grade 12	37.2%	47.6%	67.5%	32.5%
Wine Coolers?				
All	12.9%	18.8%	35.9%	64.1%
Grade 7	4.1%	5.2%	17.1%	82.9%
Grade 8	7.5%	10.5%	27.4%	72.6%
Grade 9	9.6%	15.1%	32.9%	67.1%
Grade 10	15.7%	21.6%	39.7%	60.3%
Grade 11	17.5%	27.5%	48.6%	51.4%
Grade 12	27.2%	39.3%	56.8%	43.2%
Wine?				
All	11.8%	17.7%	37.6%	62.4%
Grade 7	4.9%	6.3%	22.2%	77.8%
Grade 8	7.2%	9.7%	30.5%	69.5%
Grade 9	7.8%	14.5%	35.1%	64.9%
Grade 10	14.3%	20.0%	41.4%	58.6%
Grade 11	15.3%	24.7%	46.7%	53.3%
Grade 12	25.0%	36.5%	55.2%	44.8%
Liquor?				
All	17.4%	24.5%	42.4%	57.6%
Grade 7	4.2%	5.8%	17.9%	82.1%
Grade 8	8.2%	12.4%	30.2%	69.8%
Grade 9	13.8%	21.4%	40.5%	59.5%
Grade 10	22.6%	31.7%	50.2%	49.8%
Grade 11	24.8%	35.0%	57.3%	42.7%
Grade 12	37.2%	48.2%	66.5%	33.5%

Percentages have been weighted to reflect proportions within the population.

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	54.2%	0.3%	4.1%	10.4%	12.1%	10.3%	8.7%
Grade 7	76.5%	0.0%	1.1%	2.1%	5.6%	6.6%	8.2%
Grade 8	65.7%	0.4%	2.0%	4.3%	7.8%	9.8%	10.1%
Grade 9	57.1%	0.4%	4.3%	6.2%	11.6%	10.9%	9.4%
Grade 10	48.6%	0.3%	3.7%	14.5%	15.1%	10.3%	7.4%
Grade 11	40.1%	0.1%	5.8%	15.8%	15.5%	13.6%	8.9%
Grade 12	30.1%	0.3%	8.7%	23.2%	19.0%	11.0%	7.7%

Percentages have been weighted to reflect proportions within the population.

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

	Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer					
All	56.4%	43.6%	11.0%	20.9%	11.7%
Grade 7	72.4%	27.6%	2.1%	11.2%	14.3%
Grade 8	64.4%	35.6%	4.7%	17.3%	13.7%
Grade 9	60.5%	39.5%	8.8%	19.1%	11.7%
Grade 10	53.1%	46.9%	14.1%	22.9%	9.8%
Grade 11	45.9%	54.1%	17.6%	25.7%	10.8%
Grade 12	36.0%	64.0%	22.3%	32.6%	9.1%
Wine Coolers					
All	67.8%	32.2%	6.1%	19.3%	6.9%
Grade 7	86.0%	14.0%	1.6%	6.2%	6.1%
Grade 8	76.5%	23.5%	3.0%	13.5%	6.9%
Grade 9	70.6%	29.4%	4.2%	17.3%	7.8%
Grade 10	63.6%	36.4%	7.5%	22.6%	6.3%
Grade 11	56.3%	43.7%	10.1%	26.2%	7.4%
Grade 12	47.3%	52.7%	11.8%	34.5%	6.4%
Wine					
All	66.4%	33.6%	3.0%	18.0%	12.6%
Grade 7	80.8%	19.2%	0.8%	7.1%	11.3%
Grade 8	73.2%	26.8%	1.7%	12.3%	12.9%
Grade 9	69.8%	30.2%	2.4%	15.1%	12.7%
Grade 10	62.4%	37.6%	4.3%	20.5%	12.9%
Grade 11	58.7%	41.3%	2.9%	24.1%	14.2%
Grade 12	48.5%	51.5%	7.1%	33.1%	11.3%
Liquor					
All	60.4%	39.6%	9.7%	20.8%	9.1%
Grade 7	84.5%	15.5%	2.1%	6.2%	7.2%
Grade 8	72.4%	27.6%	4.2%	13.4%	10.0%
Grade 9	62.3%	37.7%	8.8%	18.1%	10.8%
Grade 10	52.9%	47.1%	12.7%	25.5%	8.9%
Grade 11	46.7%	53.3%	14.3%	28.7%	10.3%
Grade 12	36.0%	64.0%	19.3%	37.9%	6.8%

Percentages have been weighted to reflect proportions within the population.

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	82.9%	5.7%	4.1%	3.8%	1.7%	1.9%
Grade 7	94.5%	2.5%	1.1%	1.0%	0.2%	0.6%
Grade 8	91.3%	3.1%	1.9%	1.5%	0.7%	1.5%
Grade 9	86.1%	5.5%	3.4%	2.9%	1.1%	1.0%
Grade 10	79.2%	6.4%	6.1%	4.8%	1.6%	2.0%
Grade 11	75.8%	7.8%	6.1%	5.3%	2.7%	2.2%
Grade 12	65.5%	10.1%	7.2%	8.5%	4.4%	4.3%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.2	10.5	11.5	12.6	13.6	14.3	14.8

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	22.3%	10.9%	5.3%	11.6%	20.3%	29.6%
Grade 7	35.8%	21.8%	6.9%	9.4%	12.0%	14.2%
Grade 8	25.1%	16.3%	6.9%	12.6%	18.8%	20.3%
Grade 9	20.9%	8.5%	6.6%	12.7%	20.3%	31.0%
Grade 10	19.6%	6.1%	4.0%	12.5%	24.5%	33.2%
Grade 11	17.2%	6.3%	3.4%	10.3%	23.1%	39.6%
Grade 12	12.6%	4.4%	3.1%	12.1%	24.3%	43.6%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	94.7%	4.3%	0.6%	0.4%
Grade 7	97.3%	2.2%	0.3%	0.1%
Grade 8	95.0%	4.1%	0.2%	0.7%
Grade 9	95.1%	4.1%	0.5%	0.4%
Grade 10	93.4%	5.9%	0.6%	0.1%
Grade 11	95.0%	4.1%	0.4%	0.5%
Grade 12	91.9%	5.9%	1.8%	0.4%

Percentages have been weighted to reflect proportions within the population.

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

	Average Days Absent Due to Illness or Other Reasons
Alcohol Users	4.3
Alcohol Non-Users	3.4

	Average Days Conduct Problems Reported
Alcohol Users	2.0
Alcohol Non-Users	0.8

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	91.5%	6.3%	1.2%	1.1%
Grade 9	96.7%	2.3%	0.3%	0.6%
Grade 10	95.7%	3.5%	0.5%	0.3%
Grade 11	89.9%	7.9%	1.6%	0.6%
Grade 12	81.4%	13.0%	2.5%	3.0%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	94.6%	4.8%	0.3%	0.2%
Grade 7	97.8%	2.1%	0.1%	0.1%
Grade 8	95.9%	3.8%	0.2%	0.1%
Grade 9	95.7%	3.4%	0.3%	0.6%
Grade 10	94.1%	5.4%	0.5%	0.0%
Grade 11	92.6%	6.9%	0.4%	0.1%
Grade 12	90.4%	8.4%	0.8%	0.4%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	41.0%	24.2%	14.3%	15.1%	5.5%
Grade 7	69.8%	20.6%	6.6%	2.4%	0.6%
Grade 8	56.9%	25.7%	10.5%	5.7%	1.3%
Grade 9	40.2%	27.3%	17.2%	12.1%	3.2%
Grade 10	29.7%	26.2%	17.7%	21.2%	5.1%
Grade 11	24.0%	23.3%	18.9%	24.5%	9.4%
Grade 12	17.0%	21.2%	15.8%	29.6%	16.3%

Percentages have been weighted to reflect proportions within the population.

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	44.2%	7.1%	5.3%	10.0%	16.8%	1.9%	14.6%
Grade 7	72.0%	6.5%	3.4%	3.9%	3.1%	2.5%	8.7%
Grade 8	55.5%	10.0%	6.1%	7.2%	5.4%	2.8%	13.0%
Grade 9	42.7%	7.9%	8.2%	10.9%	10.3%	2.3%	17.9%
Grade 10	35.3%	7.0%	6.1%	13.4%	20.1%	1.3%	16.8%
Grade 11	29.2%	6.1%	4.1%	13.3%	28.6%	1.4%	17.2%
Grade 12	24.4%	4.3%	3.7%	12.0%	40.3%	1.0%	14.3%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

	Do Not Drink	Never	Seldom	Most of the Time	Always
Home?					
All	54.5%	18.6%	18.1%	6.2%	2.5%
Grade 7	67.9%	18.4%	10.0%	2.6%	1.1%
Grade 8	60.0%	18.4%	14.3%	5.4%	1.9%
Grade 9	57.7%	16.7%	16.7%	6.6%	2.3%
Grade 10	52.4%	19.6%	18.4%	6.7%	3.0%
Grade 11	47.2%	17.7%	24.2%	7.1%	3.8%
Grade 12	37.2%	21.5%	28.2%	10.0%	3.1%
Friends?					
All	52.0%	15.5%	14.4%	13.7%	4.4%
Grade 7	69.6%	20.1%	5.9%	3.6%	0.8%
Grade 8	62.1%	21.1%	9.7%	5.6%	1.4%
Grade 9	54.7%	15.0%	15.4%	10.3%	4.6%
Grade 10	46.8%	12.2%	16.9%	18.0%	6.1%
Grade 11	40.6%	12.3%	19.5%	21.1%	6.4%
Grade 12	32.2%	10.2%	21.0%	28.0%	8.6%
A Store?					
All	56.0%	31.0%	5.4%	5.0%	2.6%
Grade 7	71.2%	26.2%	1.6%	0.7%	0.3%
Grade 8	65.2%	29.8%	2.8%	1.5%	0.8%
Grade 9	58.9%	31.6%	4.7%	2.4%	2.3%
Grade 10	52.3%	32.9%	7.1%	5.7%	2.0%
Grade 11	46.5%	33.6%	7.1%	8.2%	4.6%
Grade 12	36.1%	32.7%	10.8%	13.7%	6.6%
Parties?					
All	51.4%	13.9%	10.8%	12.5%	11.4%
Grade 7	67.9%	18.6%	7.4%	3.8%	2.4%
Grade 8	60.1%	16.9%	10.7%	7.3%	5.0%
Grade 9	54.1%	15.3%	11.3%	9.5%	9.9%
Grade 10	47.1%	10.9%	11.3%	15.9%	14.9%
Grade 11	41.6%	10.3%	11.0%	18.7%	18.5%
Grade 12	32.5%	9.9%	13.9%	22.9%	20.7%
Other Sources?					
All	58.2%	23.5%	8.9%	5.2%	4.2%
Grade 7	70.1%	20.3%	5.0%	2.8%	1.8%
Grade 8	64.7%	21.2%	7.3%	3.6%	3.1%
Grade 9	61.0%	20.9%	8.2%	4.7%	5.2%
Grade 10	56.0%	23.6%	9.1%	6.9%	4.4%
Grade 11	51.1%	25.8%	11.7%	6.1%	5.3%
Grade 12	40.9%	31.7%	13.5%	7.8%	6.0%

Percentages have been weighted to reflect proportions within the population.

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	57.2%	15.5%	13.7%	5.4%	1.4%	6.8%
Grade 7	72.5%	9.0%	6.8%	1.7%	0.6%	9.3%
Grade 8	67.1%	11.2%	9.3%	3.4%	1.5%	7.6%
Grade 9	57.3%	16.8%	12.2%	4.6%	1.6%	7.5%
Grade 10	54.4%	18.2%	14.2%	6.2%	1.1%	5.9%
Grade 11	45.9%	21.2%	18.8%	6.9%	1.5%	5.7%
Grade 12	41.7%	17.4%	23.6%	11.0%	2.2%	4.2%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	44.7%	31.3%	16.7%	3.4%	4.0%
Grade 7	58.9%	22.6%	10.9%	1.9%	5.7%
Grade 8	49.3%	26.1%	16.7%	3.7%	4.2%
Grade 9	42.1%	30.3%	18.1%	4.9%	4.6%
Grade 10	38.1%	35.7%	17.9%	4.6%	3.8%
Grade 11	39.5%	38.5%	17.3%	2.0%	2.7%
Grade 12	37.5%	36.8%	20.0%	3.1%	2.6%

Percentages have been weighted to reflect proportions within the population.

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	15.9%	20.2%	25.4%	74.6%
Grade 7	4.8%	7.0%	8.6%	91.4%
Grade 8	8.8%	10.9%	14.8%	85.2%
Grade 9	14.5%	18.6%	21.8%	78.2%
Grade 10	18.0%	22.4%	27.7%	72.3%
Grade 11	24.0%	30.1%	38.7%	61.3%
Grade 12	30.1%	38.2%	48.2%	51.8%
Marijuana?				
All	15.6%	18.4%	23.8%	76.2%
Grade 7	4.5%	5.1%	6.7%	93.3%
Grade 8	8.6%	9.8%	13.5%	86.5%
Grade 9	14.2%	16.3%	19.2%	80.8%
Grade 10	17.8%	20.6%	26.6%	73.4%
Grade 11	23.6%	28.1%	37.5%	62.5%
Grade 12	29.6%	36.4%	46.9%	53.1%
Cocaine?				
All	1.6%	1.9%	3.0%	97.0%
Grade 7	0.7%	0.8%	1.0%	99.0%
Grade 8	0.8%	0.9%	1.1%	98.9%
Grade 9	1.3%	1.5%	2.1%	97.9%
Grade 10	2.4%	2.7%	4.3%	95.7%
Grade 11	2.1%	2.4%	4.4%	95.6%
Grade 12	2.9%	3.7%	6.2%	93.8%
Crack?				
All	0.5%	0.6%	0.8%	99.2%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.6%	0.6%	0.8%	99.2%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	0.3%	0.4%	0.7%	99.3%
Grade 12	0.8%	0.8%	1.3%	98.7%
Hallucinogens?				
All	1.0%	1.9%	3.7%	96.3%
Grade 7	0.5%	0.6%	1.0%	99.0%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.8%	1.6%	3.1%	96.9%
Grade 10	1.4%	2.6%	4.1%	95.9%
Grade 11	1.9%	2.6%	4.7%	95.3%
Grade 12	1.6%	4.1%	10.2%	89.8%

Percentages have been weighted to reflect proportions within the population.

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.4%	0.5%	1.0%	99.0%
Steroids?				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.2%	0.4%	0.9%	99.1%
Grade 8	0.7%	1.0%	1.9%	98.1%
Grade 9	0.2%	0.4%	0.8%	99.2%
Grade 10	0.4%	0.5%	0.9%	99.1%
Grade 11	0.7%	0.8%	1.6%	98.4%
Grade 12	0.3%	0.3%	1.1%	98.9%
Ecstasy?				
All	0.6%	0.8%	1.9%	98.1%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	1.0%	1.0%	2.0%	98.0%
Grade 10	0.5%	1.0%	2.1%	97.9%
Grade 11	0.2%	0.4%	2.0%	98.0%
Grade 12	1.3%	2.0%	4.8%	95.2%
Heroin?				
All	0.1%	0.3%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.4%	0.5%	99.5%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.1%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.2%	0.5%	99.5%
Methamphetamine?				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.4%	0.7%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.3%	0.3%	0.8%	99.2%
Grade 12	0.2%	0.4%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.4%	1.9%	4.1%	95.9%
Grade 7	0.6%	0.8%	1.8%	98.2%
Grade 8	0.9%	1.4%	2.4%	97.6%
Grade 9	2.5%	3.2%	5.0%	95.0%
Grade 10	1.2%	1.8%	4.6%	95.4%
Grade 11	1.0%	1.9%	5.5%	94.5%
Grade 12	2.3%	2.4%	5.9%	94.1%

Percentages have been weighted to reflect proportions within the population.

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	79.5%	1.8%	2.7%	3.5%	4.8%	3.7%	4.0%
Grade 7	95.0%	0.4%	0.8%	1.0%	0.9%	1.0%	0.9%
Grade 8	89.4%	0.8%	1.5%	1.6%	2.4%	1.6%	2.7%
Grade 9	83.5%	1.3%	2.6%	3.4%	3.5%	3.1%	2.6%
Grade 10	76.8%	1.9%	3.1%	4.3%	4.9%	4.8%	4.3%
Grade 11	67.1%	2.7%	3.3%	6.2%	8.0%	5.1%	7.6%
Grade 12	58.6%	4.8%	5.4%	5.1%	10.9%	8.1%	7.2%
Cocaine?							
All	97.9%	0.0%	0.1%	0.2%	0.4%	0.5%	0.8%
Grade 7	99.2%	0.0%	0.2%	0.0%	0.3%	0.1%	0.2%
Grade 8	99.4%	0.0%	0.0%	0.0%	0.2%	0.1%	0.3%
Grade 9	98.3%	0.1%	0.1%	0.1%	0.3%	0.3%	0.8%
Grade 10	96.8%	0.0%	0.2%	0.4%	0.5%	0.8%	1.3%
Grade 11	97.5%	0.0%	0.1%	0.4%	0.6%	0.4%	1.0%
Grade 12	95.3%	0.0%	0.2%	0.6%	0.8%	1.4%	1.7%
Crack?							
All	99.6%	0.0%	0.0%	0.1%	0.1%	0.1%	0.2%
Grade 7	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
Grade 8	99.6%	0.0%	0.1%	0.0%	0.1%	0.1%	0.1%
Grade 9	99.6%	0.0%	0.1%	0.1%	0.1%	0.1%	0.1%
Grade 10	99.1%	0.0%	0.0%	0.1%	0.0%	0.1%	0.6%
Grade 11	99.7%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%
Grade 12	99.6%	0.2%	0.0%	0.0%	0.1%	0.0%	0.0%
Steroids?							
All	99.5%	0.0%	0.0%	0.1%	0.1%	0.0%	0.2%
Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 8	99.1%	0.0%	0.1%	0.2%	0.2%	0.0%	0.5%
Grade 9	99.8%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%
Grade 10	99.4%	0.1%	0.0%	0.0%	0.3%	0.0%	0.1%
Grade 11	99.3%	0.0%	0.2%	0.1%	0.0%	0.0%	0.3%
Grade 12	99.4%	0.0%	0.0%	0.0%	0.2%	0.1%	0.3%
Ecstasy?							
All	98.6%	0.0%	0.1%	0.1%	0.3%	0.4%	0.6%
Grade 7	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
Grade 8	99.2%	0.0%	0.0%	0.1%	0.0%	0.4%	0.2%
Grade 9	98.7%	0.0%	0.1%	0.1%	0.6%	0.1%	0.4%
Grade 10	98.2%	0.0%	0.0%	0.2%	0.4%	0.7%	0.4%
Grade 11	98.4%	0.0%	0.0%	0.1%	0.1%	0.2%	1.1%
Grade 12	96.5%	0.0%	0.2%	0.1%	0.4%	1.1%	1.6%

Percentages have been weighted to reflect proportions within the population.

Table D-2: How Often Do You Normally Use...
(Continued)

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?							
All	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
Grade 7	99.7%	0.1%	0.0%	0.1%	0.1%	0.0%	0.0%
Grade 8	99.7%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%
Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 10	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 11	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
Grade 12	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
Methamphetamine?							
All	99.5%	0.0%	0.0%	0.0%	0.1%	0.1%	0.3%
Grade 7	99.7%	0.0%	0.0%	0.1%	0.0%	0.1%	0.1%
Grade 8	99.6%	0.0%	0.0%	0.1%	0.1%	0.1%	0.1%
Grade 9	99.4%	0.0%	0.1%	0.0%	0.2%	0.0%	0.3%
Grade 10	99.3%	0.0%	0.1%	0.0%	0.0%	0.2%	0.4%
Grade 11	99.3%	0.0%	0.1%	0.1%	0.1%	0.0%	0.5%
Grade 12	99.5%	0.0%	0.0%	0.0%	0.0%	0.3%	0.1%
Synthetic Marijuana?							
All	97.1%	0.1%	0.2%	0.3%	0.4%	0.7%	1.2%
Grade 7	98.6%	0.0%	0.1%	0.2%	0.2%	0.5%	0.3%
Grade 8	98.1%	0.0%	0.2%	0.3%	0.5%	0.4%	0.6%
Grade 9	96.1%	0.3%	0.4%	0.4%	0.6%	1.1%	1.2%
Grade 10	97.0%	0.2%	0.2%	0.4%	0.4%	0.3%	1.5%
Grade 11	96.3%	0.1%	0.1%	0.1%	0.5%	0.9%	1.9%
Grade 12	96.1%	0.2%	0.4%	0.3%	0.5%	0.9%	1.5%

Percentages have been weighted to reflect proportions within the population.

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.1	11.5	12.3	13.3	14.1	14.6	15.0
Cocaine	14.6	11.5	12.5	13.9	14.3	15.3	15.6
Crack	13.1	11.2	12.3	13.8	13.2	14.0	14.0
Steroids	12.8	10.8	11.8	10.3	14.5	15.0	15.0
Ecstasy	14.5	12.2	12.6	13.1	14.3	15.2	15.8
Heroin	13.5	9.9	12.9	12.0	14.6	14.8	17.0
Metham-phetamine	13.5	11.0	11.6	14.6	13.0	14.7	15.2
Synthetic Marijuana	14.0	11.5	12.4	13.6	14.0	14.9	15.1

Percentages have been weighted to reflect proportions within the population.

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?						
All	30.2%	18.8%	6.9%	9.9%	13.7%	20.4%
Grade 7	43.9%	34.4%	6.3%	5.8%	4.2%	5.3%
Grade 8	33.8%	28.9%	8.9%	8.9%	7.8%	11.7%
Grade 9	28.8%	17.4%	8.4%	12.0%	13.5%	19.9%
Grade 10	27.7%	11.3%	6.6%	11.8%	18.6%	24.0%
Grade 11	23.9%	9.2%	6.8%	10.8%	18.6%	30.7%
Grade 12	20.4%	7.7%	3.2%	10.5%	22.4%	35.8%
Cocaine?						
All	42.1%	27.6%	12.4%	8.6%	4.8%	4.5%
Grade 7	49.5%	37.4%	7.0%	3.0%	1.2%	1.9%
Grade 8	42.9%	37.8%	9.7%	4.7%	2.3%	2.6%
Grade 9	41.1%	25.2%	16.3%	8.7%	4.1%	4.6%
Grade 10	40.3%	23.0%	14.4%	11.0%	5.5%	5.8%
Grade 11	39.9%	21.0%	14.5%	11.1%	7.3%	6.2%
Grade 12	37.3%	17.8%	13.3%	15.3%	9.6%	6.7%
Crack?						
All	44.9%	29.0%	13.2%	6.8%	2.9%	3.1%
Grade 7	51.1%	37.5%	6.8%	2.0%	1.3%	1.3%
Grade 8	44.1%	37.9%	10.1%	3.9%	2.0%	2.0%
Grade 9	44.2%	26.1%	14.9%	8.2%	2.9%	3.7%
Grade 10	43.7%	25.5%	15.3%	7.4%	3.9%	4.1%
Grade 11	44.3%	24.1%	15.3%	9.6%	3.2%	3.6%
Grade 12	40.9%	20.4%	18.6%	11.0%	4.5%	4.6%
Steroids?						
All	46.5%	27.8%	12.1%	6.9%	3.4%	3.2%
Grade 7	53.0%	35.9%	5.2%	2.9%	1.9%	1.0%
Grade 8	45.0%	35.8%	10.3%	4.6%	2.1%	2.2%
Grade 9	45.6%	26.0%	12.3%	8.4%	3.2%	4.4%
Grade 10	46.2%	23.6%	15.2%	6.8%	4.6%	3.8%
Grade 11	45.5%	22.7%	14.6%	9.2%	4.2%	3.8%
Grade 12	42.9%	20.5%	16.3%	10.6%	5.1%	4.6%
Ecstasy?						
All	51.8%	24.3%	10.7%	6.4%	3.3%	3.5%
Grade 7	63.5%	29.0%	3.9%	1.5%	1.2%	0.9%
Grade 8	56.5%	29.3%	7.5%	3.1%	1.7%	1.9%
Grade 9	50.4%	23.4%	12.5%	6.7%	2.3%	4.7%
Grade 10	49.2%	22.3%	13.6%	6.7%	3.7%	4.5%
Grade 11	46.3%	21.6%	13.4%	9.2%	5.1%	4.3%
Grade 12	41.9%	18.4%	14.9%	13.1%	6.8%	5.0%

Percentages have been weighted to reflect proportions within the population.

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

(Continued)

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?						
All	48.9%	30.7%	12.2%	4.0%	1.8%	2.4%
Grade 7	57.0%	34.3%	5.3%	1.7%	0.8%	1.0%
Grade 8	49.5%	36.8%	7.7%	3.3%	1.0%	1.6%
Grade 9	47.3%	29.6%	13.4%	5.1%	1.7%	3.0%
Grade 10	47.5%	28.7%	14.4%	3.2%	3.2%	3.0%
Grade 11	46.9%	27.9%	15.7%	5.2%	1.5%	2.8%
Grade 12	44.2%	25.1%	18.5%	6.2%	2.7%	3.3%
Methamphetamine?						
All	51.1%	29.1%	11.3%	4.0%	1.9%	2.6%
Grade 7	60.6%	31.3%	5.4%	1.2%	0.5%	1.1%
Grade 8	52.8%	34.2%	7.1%	2.5%	1.6%	1.8%
Grade 9	49.7%	27.7%	12.3%	5.2%	1.9%	3.1%
Grade 10	49.8%	28.1%	12.1%	3.8%	3.1%	3.0%
Grade 11	48.1%	26.5%	15.2%	5.3%	1.6%	3.1%
Grade 12	43.9%	25.2%	18.0%	6.6%	2.8%	3.5%
Synthetic Marijuana?						
All	50.9%	23.4%	9.4%	6.3%	4.8%	5.2%
Grade 7	59.5%	30.7%	4.5%	2.0%	1.8%	1.5%
Grade 8	52.5%	30.4%	7.2%	4.1%	2.4%	3.4%
Grade 9	51.2%	20.3%	10.7%	5.9%	5.1%	6.7%
Grade 10	48.8%	20.3%	12.0%	7.3%	5.8%	5.8%
Grade 11	47.0%	19.0%	10.3%	9.6%	6.6%	7.5%
Grade 12	44.7%	17.7%	12.4%	10.3%	7.9%	7.0%

Percentages have been weighted to reflect proportions within the population.

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	92.3%	4.6%	1.3%	1.9%
Grade 7	97.1%	2.1%	0.3%	0.5%
Grade 8	95.1%	3.1%	0.9%	0.9%
Grade 9	92.0%	4.9%	1.7%	1.5%
Grade 10	92.9%	4.1%	1.4%	1.6%
Grade 11	88.0%	7.4%	1.9%	2.7%
Grade 12	86.9%	6.8%	1.6%	4.7%
Attended Class While High from Use of Some Other Drug?				
All	96.8%	2.2%	0.5%	0.5%
Grade 7	98.0%	1.4%	0.1%	0.5%
Grade 8	97.9%	1.7%	0.2%	0.3%
Grade 9	95.4%	2.4%	1.0%	1.1%
Grade 10	96.6%	2.7%	0.3%	0.4%
Grade 11	96.9%	2.1%	0.8%	0.2%
Grade 12	95.5%	2.9%	0.8%	0.8%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

	Average Days Absent Due to Illness or Other Reasons
Marijuana Users	4.4
Marijuana Non-Users	3.7
	Average Days Conduct Problems Reported
Marijuana Users	2.8
Marijuana Non-Users	1.1

Percentages have been weighted to reflect proportions within the population.

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	91.1%	5.4%	1.3%	2.2%
Grade 9	95.5%	3.3%	0.6%	0.5%
Grade 10	94.9%	4.0%	0.6%	0.5%
Grade 11	89.1%	6.2%	1.7%	3.1%
Grade 12	83.2%	9.0%	2.4%	5.4%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.2%	3.3%	0.3%	0.2%
Grade 7	97.9%	1.7%	0.2%	0.1%
Grade 8	97.9%	1.9%	0.1%	0.1%
Grade 9	95.5%	4.0%	0.3%	0.2%
Grade 10	95.2%	4.4%	0.2%	0.1%
Grade 11	94.8%	4.5%	0.5%	0.3%
Grade 12	95.7%	3.4%	0.3%	0.6%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	55.5%	20.0%	11.2%	10.2%	3.0%
Grade 7	81.6%	12.1%	3.6%	2.4%	0.2%
Grade 8	72.1%	16.4%	6.3%	3.8%	1.3%
Grade 9	55.5%	22.0%	10.0%	9.7%	2.8%
Grade 10	45.6%	25.1%	13.1%	12.6%	3.6%
Grade 11	38.4%	21.2%	18.8%	17.0%	4.6%
Grade 12	31.7%	25.0%	17.9%	18.9%	6.5%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	55.6%	6.2%	5.7%	7.4%	7.8%	2.7%	14.6%
Grade 7	82.0%	3.1%	1.5%	1.6%	1.1%	2.2%	8.5%
Grade 8	71.4%	4.7%	3.2%	2.7%	2.8%	2.1%	13.0%
Grade 9	55.6%	5.3%	5.6%	6.9%	5.3%	3.6%	17.7%
Grade 10	46.0%	7.5%	8.8%	8.4%	9.6%	2.9%	16.8%
Grade 11	38.3%	9.1%	8.0%	11.8%	12.6%	2.8%	17.4%
Grade 12	32.7%	8.2%	8.2%	15.7%	18.3%	2.7%	14.3%

Percentages have been weighted to reflect proportions within the population.

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	75.5%	7.3%	7.0%	1.8%	1.3%	7.1%
Grade 7	82.8%	3.2%	3.5%	0.5%	1.0%	9.1%
Grade 8	82.0%	3.8%	4.7%	1.5%	0.9%	7.1%
Grade 9	74.5%	7.5%	6.6%	1.6%	1.6%	8.2%
Grade 10	73.9%	9.5%	6.9%	2.2%	0.8%	6.7%
Grade 11	71.2%	8.3%	10.4%	2.9%	1.6%	5.7%
Grade 12	66.0%	13.4%	11.0%	2.2%	2.0%	5.3%

Percentages have been weighted to reflect proportions within the population.

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?					
All	55.4%	14.5%	13.0%	12.8%	4.3%
Grade 7	79.3%	8.3%	4.2%	3.7%	4.4%
Grade 8	67.7%	13.4%	6.8%	6.9%	5.2%
Grade 9	52.8%	17.9%	12.1%	12.4%	4.7%
Grade 10	46.5%	18.0%	16.9%	14.2%	4.5%
Grade 11	42.3%	15.4%	19.3%	19.3%	3.7%
Grade 12	37.6%	14.0%	21.7%	23.8%	3.0%
Cocaine?					
All	86.7%	6.5%	1.0%	0.5%	5.3%
Grade 7	89.6%	4.2%	0.6%	0.3%	5.3%
Grade 8	85.4%	7.0%	1.1%	0.5%	6.1%
Grade 9	83.7%	7.6%	1.4%	1.1%	6.1%
Grade 10	85.8%	7.5%	1.2%	0.5%	5.1%
Grade 11	87.9%	6.5%	0.8%	0.5%	4.2%
Grade 12	88.1%	6.1%	1.0%	0.3%	4.5%
Crack?					
All	87.6%	5.3%	0.8%	0.5%	5.8%
Grade 7	89.0%	4.0%	0.7%	0.4%	5.9%
Grade 8	85.2%	6.3%	1.2%	0.4%	6.9%
Grade 9	84.4%	6.5%	1.5%	1.1%	6.4%
Grade 10	87.3%	6.0%	0.6%	0.6%	5.5%
Grade 11	89.8%	4.7%	0.3%	0.3%	5.0%
Grade 12	91.2%	3.8%	0.4%	0.3%	4.3%
Ecstasy?					
All	81.2%	7.6%	2.2%	0.8%	8.2%
Grade 7	84.9%	4.6%	0.9%	0.3%	9.3%
Grade 8	81.1%	6.9%	1.4%	0.7%	9.9%
Grade 9	76.9%	8.6%	2.6%	1.8%	10.1%
Grade 10	80.6%	9.2%	2.2%	0.6%	7.4%
Grade 11	82.3%	8.0%	3.0%	0.6%	6.1%
Grade 12	81.7%	9.0%	3.1%	0.8%	5.3%
Steroids?					
All	77.4%	11.6%	3.2%	0.9%	6.9%
Grade 7	82.3%	8.7%	1.6%	0.5%	6.9%
Grade 8	74.5%	12.2%	3.8%	1.1%	8.5%
Grade 9	76.1%	10.8%	4.0%	1.6%	7.6%
Grade 10	76.1%	12.2%	4.0%	0.6%	7.1%
Grade 11	77.7%	12.1%	3.6%	0.8%	5.7%
Grade 12	77.6%	14.2%	1.8%	0.9%	5.5%

Percentages have been weighted to reflect proportions within the population.

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?					
All	88.3%	4.1%	0.7%	0.5%	6.3%
Grade 7	87.4%	4.0%	1.0%	0.2%	7.5%
Grade 8	84.8%	6.2%	0.8%	0.5%	7.6%
Grade 9	85.5%	5.0%	1.1%	1.1%	7.2%
Grade 10	88.3%	4.1%	0.5%	0.6%	6.4%
Grade 11	92.9%	2.3%	0.3%	0.3%	4.2%
Grade 12	92.3%	2.4%	0.5%	0.4%	4.4%
Methamphetamine?					
All	87.9%	4.2%	0.7%	0.5%	6.7%
Grade 7	87.8%	3.8%	0.5%	0.2%	7.7%
Grade 8	85.1%	5.3%	1.0%	0.5%	8.1%
Grade 9	84.5%	5.5%	1.0%	1.2%	7.8%
Grade 10	88.1%	4.4%	0.7%	0.5%	6.3%
Grade 11	91.3%	3.3%	0.5%	0.2%	4.8%
Grade 12	92.1%	2.5%	0.4%	0.4%	4.6%
Synthetic Marijuana?					
All	80.6%	7.8%	2.4%	1.1%	8.0%
Grade 7	86.1%	4.3%	1.4%	0.5%	7.7%
Grade 8	81.4%	7.3%	1.8%	1.1%	8.4%
Grade 9	75.9%	9.5%	3.0%	2.1%	9.4%
Grade 10	78.1%	10.0%	2.3%	1.3%	8.4%
Grade 11	80.7%	8.5%	2.9%	1.0%	6.9%
Grade 12	81.6%	7.6%	3.5%	0.7%	6.6%

Percentages have been weighted to reflect proportions within the population.

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	7.7%	11.2%	18.1%	81.9%
Grade 7	5.7%	7.9%	14.3%	85.7%
Grade 8	7.8%	10.3%	16.9%	83.1%
Grade 9	8.0%	11.7%	16.9%	83.1%
Grade 10	8.5%	11.9%	17.8%	82.2%
Grade 11	8.4%	12.3%	20.6%	79.4%
Grade 12	8.2%	13.9%	23.9%	76.1%
Codeine Cough Syrup?				
All	4.0%	6.8%	12.6%	87.4%
Grade 7	3.7%	5.5%	10.1%	89.9%
Grade 8	4.8%	7.2%	12.3%	87.7%
Grade 9	4.2%	7.4%	13.6%	86.4%
Grade 10	4.4%	7.3%	12.6%	87.4%
Grade 11	4.0%	7.2%	13.8%	86.2%
Grade 12	2.6%	6.1%	14.0%	86.0%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.9%	1.7%	3.5%	96.5%
Grade 7	0.6%	1.0%	1.8%	98.2%
Grade 8	0.8%	1.4%	2.3%	97.7%
Grade 9	0.4%	0.7%	2.1%	97.9%
Grade 10	1.3%	1.9%	3.4%	96.6%
Grade 11	1.5%	3.1%	5.8%	94.2%
Grade 12	1.0%	2.6%	6.8%	93.2%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.8%	3.1%	5.5%	94.5%
Grade 7	0.6%	0.9%	1.8%	98.2%
Grade 8	1.0%	1.5%	3.1%	96.9%
Grade 9	1.8%	3.4%	5.5%	94.5%
Grade 10	2.7%	4.3%	6.6%	93.4%
Grade 11	2.3%	4.1%	6.9%	93.1%
Grade 12	2.6%	5.2%	10.4%	89.6%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.9%	3.1%	5.1%	94.9%
Grade 7	0.5%	0.6%	1.1%	98.9%
Grade 8	0.7%	1.3%	2.5%	97.5%
Grade 9	2.1%	2.8%	3.5%	96.5%
Grade 10	2.7%	3.6%	5.4%	94.6%
Grade 11	2.6%	4.0%	8.1%	91.9%
Grade 12	3.7%	7.4%	11.8%	88.2%

Percentages have been weighted to reflect proportions within the population.

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.1%	4.1%	7.4%	92.6%
Grade 7	2.9%	4.1%	7.7%	92.3%
Grade 8	3.3%	4.2%	9.0%	91.0%
Grade 9	3.0%	3.9%	6.1%	93.9%
Grade 10	3.7%	4.5%	7.6%	92.4%
Grade 11	3.0%	4.0%	7.0%	93.0%
Grade 12	2.3%	3.7%	7.1%	92.9%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.2%	1.9%	3.6%	96.4%
Grade 7	1.7%	2.6%	4.2%	95.8%
Grade 8	2.2%	2.9%	5.2%	94.8%
Grade 9	0.5%	1.5%	3.0%	97.0%
Grade 10	1.0%	1.6%	2.4%	97.6%
Grade 11	0.9%	1.1%	3.4%	96.6%
Grade 12	0.7%	1.3%	3.2%	96.8%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	74.9%	13.0%	4.1%	1.4%	6.6%
Grade 7	80.7%	8.0%	3.1%	0.9%	7.3%
Grade 8	76.1%	11.5%	4.1%	1.4%	6.9%
Grade 9	70.9%	14.4%	4.6%	2.3%	7.8%
Grade 10	72.6%	14.4%	4.4%	1.1%	7.5%
Grade 11	75.0%	14.7%	4.0%	1.0%	5.3%
Grade 12	73.5%	16.1%	4.6%	1.4%	4.4%

Percentages have been weighted to reflect proportions within the population.

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.4%	5.9%	12.0%	88.0%
Grade 7	5.9%	6.9%	13.8%	86.2%
Grade 8	6.2%	8.4%	16.4%	83.6%
Grade 9	3.7%	6.3%	10.8%	89.2%
Grade 10	4.0%	4.8%	9.4%	90.6%
Grade 11	2.9%	4.0%	10.8%	89.2%
Grade 12	3.2%	4.3%	9.8%	90.2%
Spray Paint?				
All	0.6%	0.7%	2.0%	98.0%
Grade 7	0.6%	0.7%	1.5%	98.5%
Grade 8	0.7%	0.7%	2.2%	97.8%
Grade 9	0.5%	0.5%	2.2%	97.8%
Grade 10	0.2%	0.6%	1.6%	98.4%
Grade 11	0.5%	0.7%	1.9%	98.1%
Grade 12	1.1%	1.2%	2.5%	97.5%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.0%	1.5%	4.4%	95.6%
Grade 7	1.5%	1.8%	5.8%	94.2%
Grade 8	1.5%	2.5%	6.7%	93.3%
Grade 9	0.8%	1.5%	4.5%	95.5%
Grade 10	0.6%	1.1%	3.4%	96.6%
Grade 11	0.8%	0.9%	3.2%	96.8%
Grade 12	0.7%	0.9%	2.0%	98.0%
Computer Dusting Sprays?				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.4%	0.5%	0.9%	99.1%
Grade 11	0.2%	0.5%	1.0%	99.0%
Grade 12	0.5%	0.9%	1.8%	98.2%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.7%	2.4%	6.4%	93.6%
Grade 7	2.2%	2.9%	7.4%	92.6%
Grade 8	2.1%	3.0%	7.3%	92.7%
Grade 9	1.7%	2.4%	6.0%	94.0%
Grade 10	1.5%	1.9%	5.0%	95.0%
Grade 11	0.8%	1.5%	5.6%	94.4%
Grade 12	1.5%	2.3%	6.7%	93.3%

Percentages have been weighted to reflect proportions within the population.

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.3%	0.5%	1.5%	98.5%
Grade 8	0.5%	0.8%	1.8%	98.2%
Grade 9	0.4%	0.6%	1.2%	98.8%
Grade 10	0.2%	0.5%	0.8%	99.2%
Grade 11	0.1%	0.2%	0.5%	99.5%
Grade 12	0.9%	1.2%	1.4%	98.6%
Toluene, Paint Thinner, or Other Solvents?				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.1%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.8%	1.3%	98.7%
Grade 9	0.7%	0.8%	1.6%	98.4%
Grade 10	0.4%	0.6%	0.9%	99.1%
Grade 11	0.5%	0.7%	1.1%	98.9%
Grade 12	0.8%	0.8%	1.2%	98.8%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.6%	0.8%	1.9%	98.1%
Grade 7	0.8%	0.9%	1.5%	98.5%
Grade 8	0.4%	0.8%	2.5%	97.5%
Grade 9	0.3%	0.7%	1.5%	98.5%
Grade 10	0.3%	0.4%	1.4%	98.6%
Grade 11	0.8%	1.0%	2.1%	97.9%
Grade 12	1.0%	1.3%	2.2%	97.8%
Other Aerosols/Sprays?				
All	0.5%	0.8%	1.8%	98.2%
Grade 7	0.5%	0.6%	2.0%	98.0%
Grade 8	0.7%	1.0%	2.8%	97.2%
Grade 9	0.4%	1.0%	1.8%	98.2%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 11	0.2%	0.5%	0.8%	99.2%
Grade 12	0.9%	1.0%	2.0%	98.0%

Percentages have been weighted to reflect proportions within the population.

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.9%	0.1%	0.3%	0.3%	0.5%	0.6%	1.3%
Grade 7	96.3%	0.0%	0.5%	0.3%	0.3%	0.7%	1.9%
Grade 8	95.6%	0.4%	0.5%	0.6%	1.1%	0.9%	0.9%
Grade 9	96.5%	0.0%	0.5%	0.1%	0.7%	0.7%	1.5%
Grade 10	97.9%	0.0%	0.0%	0.3%	0.3%	0.6%	0.8%
Grade 11	97.9%	0.0%	0.0%	0.1%	0.2%	0.1%	1.6%
Grade 12	97.9%	0.0%	0.0%	0.2%	0.6%	0.2%	1.1%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	90.0%	5.9%	2.8%	1.3%
Grade 7	87.8%	7.6%	3.8%	0.8%
Grade 8	86.7%	7.9%	3.8%	1.6%
Grade 9	90.9%	4.7%	3.1%	1.4%
Grade 10	92.3%	4.3%	2.4%	1.0%
Grade 11	91.3%	5.7%	1.8%	1.2%
Grade 12	91.6%	4.8%	1.6%	2.0%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.7	10.5	10.9	10.4	12.7	13.8	14.2

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.0%	0.7%	0.2%	0.1%
Grade 7	99.3%	0.5%	0.2%	0.1%
Grade 8	98.3%	1.2%	0.4%	0.2%
Grade 9	98.4%	1.1%	0.3%	0.2%
Grade 10	99.1%	0.8%	0.0%	0.0%
Grade 11	99.6%	0.3%	0.1%	0.1%
Grade 12	99.7%	0.1%	0.2%	0.1%

Percentages have been weighted to reflect proportions within the population.

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

	Average Days Absent Due to Illness or Other Reasons
Inhalant Users	4.2
Inhalant Non-Users	3.8

	Average Days Conduct Problems Reported
Inhalant Users	3.9
Inhalant Non-Users	1.3

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	92.6%	5.2%	1.4%	0.5%	0.2%
Grade 7	90.9%	7.3%	1.5%	0.4%	0.0%
Grade 8	91.9%	5.6%	2.1%	0.3%	0.1%
Grade 9	91.6%	5.4%	1.6%	0.9%	0.5%
Grade 10	93.5%	4.9%	0.8%	0.7%	0.2%
Grade 11	94.5%	3.4%	1.5%	0.3%	0.3%
Grade 12	94.1%	4.3%	1.1%	0.3%	0.2%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	71.7%	14.3%	4.7%	1.5%	7.8%
Grade 7	77.3%	10.4%	4.1%	1.3%	7.0%
Grade 8	70.5%	14.8%	5.1%	1.7%	7.9%
Grade 9	66.8%	17.5%	5.1%	2.7%	7.9%
Grade 10	70.5%	16.3%	4.7%	1.6%	6.9%
Grade 11	71.6%	13.4%	5.3%	0.8%	9.0%
Grade 12	73.8%	13.4%	3.7%	0.8%	8.3%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	45.1%	14.3%	4.2%	5.0%	8.6%	22.9%
Grade 7	50.4%	23.9%	4.0%	3.7%	5.6%	12.5%
Grade 8	44.5%	19.7%	4.5%	4.8%	7.8%	18.7%
Grade 9	42.8%	11.9%	5.0%	6.4%	8.8%	25.3%
Grade 10	44.0%	11.5%	4.9%	5.5%	10.7%	23.3%
Grade 11	45.5%	9.4%	4.0%	4.8%	9.8%	26.4%
Grade 12	42.9%	6.8%	2.7%	4.5%	9.0%	34.1%

Percentages have been weighted to reflect proportions within the population.

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	45.0%
	Grade 7	38.9%
	Grade 8	41.2%
	Grade 9	45.3%
	Grade 10	50.2%
	Grade 11	48.1%
	Grade 12	46.9%
An Assembly Program		
	All	42.4%
	Grade 7	49.1%
	Grade 8	49.9%
	Grade 9	42.4%
	Grade 10	36.3%
	Grade 11	35.9%
	Grade 12	39.4%
Guidance Counselor		
	All	26.9%
	Grade 7	28.8%
	Grade 8	28.6%
	Grade 9	29.2%
	Grade 10	25.3%
	Grade 11	24.5%
	Grade 12	24.0%
School Nurse		
	All	20.0%
	Grade 7	22.3%
	Grade 8	17.8%
	Grade 9	22.4%
	Grade 10	18.7%
	Grade 11	18.2%
	Grade 12	20.5%
Science or Social Studies Class		
	All	29.1%
	Grade 7	27.1%
	Grade 8	23.3%
	Grade 9	33.3%
	Grade 10	28.0%
	Grade 11	29.0%
	Grade 12	35.4%

Percentages have been weighted to reflect proportions within the population.

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

(Continued)

		Yes
Student Group or Club Meeting at School		
	All	18.0%
	Grade 7	13.8%
	Grade 8	12.6%
	Grade 9	18.2%
	Grade 10	20.9%
	Grade 11	22.3%
	Grade 12	21.3%
An Invited School Guest		
	All	30.9%
	Grade 7	30.7%
	Grade 8	36.6%
	Grade 9	32.0%
	Grade 10	29.4%
	Grade 11	26.7%
	Grade 12	29.1%
Another Source at School		
	All	31.3%
	Grade 7	27.7%
	Grade 8	26.6%
	Grade 9	35.4%
	Grade 10	33.9%
	Grade 11	32.6%
	Grade 12	32.0%
Any School Source		
	All	69.2%
	Grade 7	68.4%
	Grade 8	71.2%
	Grade 9	70.2%
	Grade 10	68.8%
	Grade 11	66.7%
	Grade 12	69.7%

Percentages have been weighted to reflect proportions within the population.

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	40.4%
	Grade 7	52.4%
	Grade 8	43.8%
	Grade 9	35.8%
	Grade 10	38.1%
	Grade 11	35.6%
	Grade 12	35.7%
School Nurse		
	All	24.0%
	Grade 7	34.6%
	Grade 8	23.9%
	Grade 9	23.4%
	Grade 10	22.1%
	Grade 11	20.5%
	Grade 12	18.6%
Another Adult In School		
	All	43.2%
	Grade 7	50.4%
	Grade 8	43.9%
	Grade 9	40.5%
	Grade 10	41.8%
	Grade 11	41.2%
	Grade 12	41.0%
Counselor/Program Outside-School		
	All	42.1%
	Grade 7	44.9%
	Grade 8	42.5%
	Grade 9	40.0%
	Grade 10	41.6%
	Grade 11	43.2%
	Grade 12	40.2%
Your Parents		
	All	71.8%
	Grade 7	77.6%
	Grade 8	73.0%
	Grade 9	70.9%
	Grade 10	69.1%
	Grade 11	69.8%
	Grade 12	69.6%

Percentages have been weighted to reflect proportions within the population.

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

(Continued)

		Yes
A Medical Doctor		
	All	58.8%
	Grade 7	65.8%
	Grade 8	60.2%
	Grade 9	58.0%
	Grade 10	55.0%
	Grade 11	56.3%
	Grade 12	56.7%
Your Friends		
	All	65.1%
	Grade 7	53.3%
	Grade 8	58.4%
	Grade 9	63.0%
	Grade 10	73.1%
	Grade 11	72.5%
	Grade 12	72.9%
Another Adult		
	All	59.9%
	Grade 7	63.4%
	Grade 8	61.7%
	Grade 9	57.7%
	Grade 10	58.0%
	Grade 11	57.8%
	Grade 12	60.7%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

	Yes
All	7.8%
Grade 7	7.5%
Grade 8	7.7%
Grade 9	9.1%
Grade 10	8.1%
Grade 11	6.8%
Grade 12	7.6%

Percentages have been weighted to reflect proportions within the population.

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	5.2%	19.9%	21.7%	38.1%	15.1%
Grade 7	6.7%	16.3%	18.7%	37.2%	21.1%
Grade 8	6.0%	20.5%	20.1%	37.0%	16.4%
Grade 9	5.2%	20.5%	23.1%	36.3%	14.9%
Grade 10	5.0%	21.4%	24.5%	36.0%	13.1%
Grade 11	4.1%	19.3%	22.8%	41.8%	12.0%
Grade 12	3.5%	22.2%	21.0%	41.5%	11.8%
Sometimes Carry Weapons?					
All	78.7%	13.8%	4.6%	1.9%	1.1%
Grade 7	84.2%	10.8%	2.8%	1.2%	1.0%
Grade 8	82.6%	10.4%	4.8%	1.2%	1.1%
Grade 9	79.0%	13.6%	4.5%	2.0%	0.8%
Grade 10	75.9%	15.8%	4.0%	2.5%	1.8%
Grade 11	75.1%	14.9%	6.3%	2.7%	1.0%
Grade 12	73.4%	18.6%	5.7%	1.7%	0.6%
Care About Making Good Grades?					
All	2.3%	11.4%	23.0%	42.9%	20.5%
Grade 7	2.7%	12.4%	23.8%	38.5%	22.6%
Grade 8	2.2%	14.0%	26.3%	36.1%	21.4%
Grade 9	3.0%	12.5%	22.0%	42.8%	19.7%
Grade 10	2.4%	10.4%	22.6%	44.4%	20.2%
Grade 11	1.3%	9.2%	23.0%	47.5%	19.1%
Grade 12	2.0%	9.1%	19.0%	50.6%	19.3%
Belong/Want to Belong to a Gang?					
All	85.7%	9.9%	2.5%	1.1%	0.8%
Grade 7	83.1%	11.9%	2.6%	1.4%	0.9%
Grade 8	82.3%	12.2%	3.1%	1.3%	1.2%
Grade 9	85.0%	9.6%	3.2%	1.7%	0.6%
Grade 10	86.3%	9.8%	2.9%	0.5%	0.5%
Grade 11	89.1%	7.9%	1.4%	0.7%	0.9%
Grade 12	89.7%	7.2%	1.8%	0.8%	0.5%
Wish They Could Drop Out of School?					
All	53.3%	28.8%	11.1%	4.4%	2.4%
Grade 7	58.1%	26.5%	8.9%	4.2%	2.4%
Grade 8	56.6%	27.8%	9.0%	5.1%	1.5%
Grade 9	50.9%	31.0%	11.2%	5.4%	1.6%
Grade 10	49.5%	29.5%	13.1%	4.3%	3.6%
Grade 11	50.0%	29.3%	13.7%	4.2%	2.8%
Grade 12	54.3%	29.0%	11.6%	2.7%	2.4%

Percentages have been weighted to reflect proportions within the population.

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	87.5%	11.1%	0.6%	0.1%	0.7%
Grade 7	87.6%	10.9%	0.7%	0.1%	0.6%
Grade 8	84.3%	13.7%	0.6%	0.3%	0.9%
Grade 9	86.3%	12.2%	0.8%	0.1%	0.5%
Grade 10	87.6%	10.7%	0.5%	0.2%	1.0%
Grade 11	88.9%	10.1%	0.4%	0.0%	0.6%
Grade 12	91.3%	8.1%	0.2%	0.0%	0.4%
Out In Your Neighborhood?					
All	48.0%	43.2%	5.6%	1.0%	2.1%
Grade 7	43.2%	45.7%	7.2%	1.4%	2.4%
Grade 8	40.8%	46.6%	7.6%	1.8%	3.2%
Grade 9	45.6%	46.0%	5.6%	0.9%	1.9%
Grade 10	47.5%	44.5%	5.4%	0.7%	1.9%
Grade 11	56.9%	38.2%	2.9%	0.8%	1.2%
Grade 12	57.5%	36.2%	4.2%	0.2%	1.8%
At School?					
All	36.6%	46.8%	9.5%	3.5%	3.5%
Grade 7	42.5%	42.5%	9.0%	2.6%	3.4%
Grade 8	37.9%	47.2%	8.1%	3.1%	3.6%
Grade 9	31.5%	49.3%	11.4%	4.7%	3.1%
Grade 10	31.0%	48.7%	12.2%	4.0%	4.0%
Grade 11	35.3%	47.8%	8.8%	3.9%	4.1%
Grade 12	42.4%	44.8%	7.3%	2.7%	2.7%

Percentages have been weighted to reflect proportions within the population.

2   Prevalence Tables

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	20.4%	24.2%	34.8%	65.2%
Grade 7	7.2%	9.0%	17.5%	82.5%
Grade 8	11.3%	14.3%	26.2%	73.8%
Grade 9	19.7%	23.8%	32.8%	67.2%
Grade 10	25.1%	29.3%	39.2%	60.8%
Grade 11	27.0%	31.7%	44.1%	55.9%
Grade 12	37.9%	43.6%	55.8%	44.2%
Any Alcohol Product				
All	36.0%	41.9%	58.8%	41.2%
Grade 7	18.4%	21.7%	39.4%	60.6%
Grade 8	26.6%	30.2%	51.9%	48.1%
Grade 9	32.4%	39.3%	57.3%	42.7%
Grade 10	41.7%	48.6%	63.7%	36.3%
Grade 11	45.0%	53.8%	70.0%	30.0%
Grade 12	59.2%	65.7%	76.2%	23.8%
Any Illicit Drug				
All	15.9%	20.2%	25.4%	74.6%
Grade 7	4.8%	7.0%	8.6%	91.4%
Grade 8	8.8%	10.9%	14.8%	85.2%
Grade 9	14.5%	18.6%	21.8%	78.2%
Grade 10	18.0%	22.4%	27.7%	72.3%
Grade 11	24.0%	30.1%	38.7%	61.3%
Grade 12	30.1%	38.2%	48.2%	51.8%
Any Prescription Drug				
All	7.7%	11.2%	18.1%	81.9%
Grade 7	5.7%	7.9%	14.3%	85.7%
Grade 8	7.8%	10.3%	16.9%	83.1%
Grade 9	8.0%	11.7%	16.9%	83.1%
Grade 10	8.5%	11.9%	17.8%	82.2%
Grade 11	8.4%	12.3%	20.6%	79.4%
Grade 12	8.2%	13.9%	23.9%	76.1%
Any Inhalant				
All	4.4%	5.9%	12.0%	88.0%
Grade 7	5.9%	6.9%	13.8%	86.2%
Grade 8	6.2%	8.4%	16.4%	83.6%
Grade 9	3.7%	6.3%	10.8%	89.2%
Grade 10	4.0%	4.8%	9.4%	90.6%
Grade 11	2.9%	4.0%	10.8%	89.2%
Grade 12	3.2%	4.3%	9.8%	90.2%

Percentages have been weighted to reflect proportions within the population.

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.7%	19.0%	28.9%	71.1%
Grade 7	3.7%	6.0%	13.5%	86.5%
Grade 8	7.7%	10.8%	20.8%	79.2%
Grade 9	14.7%	19.5%	28.1%	71.9%
Grade 10	17.9%	22.2%	31.5%	68.5%
Grade 11	20.0%	25.8%	38.0%	62.0%
Grade 12	28.2%	34.7%	47.0%	53.0%
Marijuana				
All	15.6%	18.4%	23.8%	76.2%
Grade 7	4.5%	5.1%	6.7%	93.3%
Grade 8	8.6%	9.8%	13.5%	86.5%
Grade 9	14.2%	16.3%	19.2%	80.8%
Grade 10	17.8%	20.6%	26.6%	73.4%
Grade 11	23.6%	28.1%	37.5%	62.5%
Grade 12	29.6%	36.4%	46.9%	53.1%
Marijuana Only				
All	9.2%	11.3%	15.9%	84.1%
Grade 7	2.4%	2.8%	4.1%	95.9%
Grade 8	5.3%	6.4%	9.4%	90.6%
Grade 9	8.3%	10.1%	12.8%	87.2%
Grade 10	10.8%	12.8%	17.9%	82.1%
Grade 11	15.0%	18.4%	26.4%	73.6%
Grade 12	15.9%	20.9%	29.6%	70.4%
Cocaine or Crack				
All	1.8%	2.1%	3.2%	96.8%
Grade 7	0.8%	0.9%	1.2%	98.8%
Grade 8	0.9%	0.9%	1.1%	98.9%
Grade 9	1.3%	1.5%	2.3%	97.7%
Grade 10	2.5%	2.9%	4.5%	95.5%
Grade 11	2.2%	2.5%	4.5%	95.5%
Grade 12	3.5%	4.3%	6.8%	93.2%
Cocaine				
All	1.6%	1.9%	3.0%	97.0%
Grade 7	0.7%	0.8%	1.0%	99.0%
Grade 8	0.8%	0.9%	1.1%	98.9%
Grade 9	1.3%	1.5%	2.1%	97.9%
Grade 10	2.4%	2.7%	4.3%	95.7%
Grade 11	2.1%	2.4%	4.4%	95.6%
Grade 12	2.9%	3.7%	6.2%	93.8%

Percentages have been weighted to reflect proportions within the population.

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	0.8%	99.2%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.6%	0.6%	0.8%	99.2%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	0.3%	0.4%	0.7%	99.3%
Grade 12	0.8%	0.8%	1.3%	98.7%
Hallucinogens				
All	1.0%	1.9%	3.7%	96.3%
Grade 7	0.5%	0.6%	1.0%	99.0%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.8%	1.6%	3.1%	96.9%
Grade 10	1.4%	2.6%	4.1%	95.9%
Grade 11	1.9%	2.6%	4.7%	95.3%
Grade 12	1.6%	4.1%	10.2%	89.8%
Synthetic Cathinones				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.4%	0.5%	1.0%	99.0%
Steroids				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.2%	0.4%	0.9%	99.1%
Grade 8	0.7%	1.0%	1.9%	98.1%
Grade 9	0.2%	0.4%	0.8%	99.2%
Grade 10	0.4%	0.5%	0.9%	99.1%
Grade 11	0.7%	0.8%	1.6%	98.4%
Grade 12	0.3%	0.3%	1.1%	98.9%
Ecstasy				
All	0.6%	0.8%	1.9%	98.1%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	1.0%	1.0%	2.0%	98.0%
Grade 10	0.5%	1.0%	2.1%	97.9%
Grade 11	0.2%	0.4%	2.0%	98.0%
Grade 12	1.3%	2.0%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.3%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.4%	0.5%	99.5%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.1%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.2%	0.5%	99.5%
Synthetic Marijuana				
All	1.4%	1.9%	4.1%	95.9%
Grade 7	0.6%	0.8%	1.8%	98.2%
Grade 8	0.9%	1.4%	2.4%	97.6%
Grade 9	2.5%	3.2%	5.0%	95.0%
Grade 10	1.2%	1.8%	4.6%	95.4%
Grade 11	1.0%	1.9%	5.5%	94.5%
Grade 12	2.3%	2.4%	5.9%	94.1%
Methamphetamine				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.4%	0.7%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.3%	0.3%	0.8%	99.2%
Grade 12	0.2%	0.4%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	23.2%	27.0%	37.0%	63.0%
Grade 7	8.9%	10.9%	19.3%	80.7%
Grade 8	11.4%	14.6%	25.7%	74.3%
Grade 9	22.3%	26.6%	34.3%	65.7%
Grade 10	28.7%	33.2%	41.3%	58.7%
Grade 11	29.7%	34.4%	48.0%	52.0%
Grade 12	43.6%	48.2%	59.7%	40.3%
Any Alcohol Product				
All	35.4%	41.3%	57.7%	42.3%
Grade 7	17.8%	21.8%	39.8%	60.2%
Grade 8	25.6%	29.0%	50.2%	49.8%
Grade 9	30.0%	36.3%	53.7%	46.3%
Grade 10	41.9%	48.5%	64.6%	35.4%
Grade 11	44.1%	53.4%	67.9%	32.1%
Grade 12	59.6%	65.5%	75.0%	25.0%
Any Illicit Drug				
All	17.7%	22.3%	27.2%	72.8%
Grade 7	6.1%	7.7%	9.9%	90.1%
Grade 8	8.4%	10.7%	14.6%	85.4%
Grade 9	16.9%	22.2%	24.7%	75.3%
Grade 10	17.2%	22.6%	28.2%	71.8%
Grade 11	27.2%	33.3%	40.6%	59.4%
Grade 12	34.2%	42.1%	51.2%	48.8%
Any Prescription Drug				
All	8.1%	12.0%	19.2%	80.8%
Grade 7	6.7%	9.0%	14.8%	85.2%
Grade 8	8.0%	9.6%	16.6%	83.4%
Grade 9	8.0%	12.8%	18.6%	81.4%
Grade 10	7.8%	12.1%	18.6%	81.4%
Grade 11	9.2%	13.0%	21.5%	78.5%
Grade 12	9.0%	16.6%	27.1%	72.9%
Any Inhalant				
All	4.1%	5.2%	11.2%	88.8%
Grade 7	4.8%	5.7%	11.8%	88.2%
Grade 8	5.8%	7.5%	15.3%	84.7%
Grade 9	3.5%	5.1%	8.9%	91.1%
Grade 10	4.1%	5.1%	9.3%	90.7%
Grade 11	2.7%	3.4%	10.8%	89.2%
Grade 12	3.3%	4.2%	10.4%	89.6%

Percentages have been weighted to reflect proportions within the population.

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	16.0%	20.7%	30.9%	69.1%
Grade 7	4.1%	6.7%	14.8%	85.2%
Grade 8	7.4%	10.6%	20.6%	79.4%
Grade 9	16.6%	22.1%	30.4%	69.6%
Grade 10	20.0%	24.8%	33.1%	66.9%
Grade 11	20.4%	27.4%	41.0%	59.0%
Grade 12	31.4%	37.2%	50.4%	49.6%
Marijuana				
All	17.2%	20.2%	25.6%	74.4%
Grade 7	5.5%	6.2%	8.6%	91.4%
Grade 8	8.1%	10.0%	13.5%	86.5%
Grade 9	16.5%	19.2%	21.7%	78.3%
Grade 10	17.0%	20.3%	26.6%	73.4%
Grade 11	26.6%	30.3%	39.2%	60.8%
Grade 12	33.4%	39.7%	49.8%	50.2%
Marijuana Only				
All	9.8%	12.1%	16.6%	83.4%
Grade 7	2.9%	3.4%	5.3%	94.7%
Grade 8	5.2%	7.0%	10.2%	89.8%
Grade 9	10.6%	13.1%	15.3%	84.7%
Grade 10	9.7%	12.2%	17.5%	82.5%
Grade 11	16.3%	19.0%	26.6%	73.4%
Grade 12	15.8%	20.1%	28.3%	71.7%
Cocaine or Crack				
All	2.1%	2.4%	3.8%	96.2%
Grade 7	0.8%	0.9%	1.2%	98.8%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	1.8%	2.0%	2.8%	97.2%
Grade 10	2.9%	3.0%	4.7%	95.3%
Grade 11	2.9%	3.4%	6.1%	93.9%
Grade 12	4.2%	5.6%	9.0%	91.0%
Cocaine				
All	1.9%	2.2%	3.6%	96.4%
Grade 7	0.8%	0.8%	1.0%	99.0%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	1.8%	2.0%	2.5%	97.5%
Grade 10	2.7%	2.8%	4.5%	95.5%
Grade 11	2.8%	3.2%	5.9%	94.1%
Grade 12	3.5%	4.8%	8.4%	91.6%

Percentages have been weighted to reflect proportions within the population.

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.6%	1.0%	99.0%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.8%	0.8%	1.2%	98.8%
Grade 10	0.8%	0.8%	1.5%	98.5%
Grade 11	0.4%	0.5%	0.9%	99.1%
Grade 12	0.9%	0.9%	1.6%	98.4%
Hallucinogens				
All	1.3%	2.4%	4.7%	95.3%
Grade 7	0.9%	1.1%	1.5%	98.5%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.8%	1.4%	3.0%	97.0%
Grade 10	2.1%	3.2%	4.9%	95.1%
Grade 11	2.6%	3.7%	6.6%	93.4%
Grade 12	1.8%	5.5%	13.9%	86.1%
Synthetic Cathinones				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.4%	0.5%	0.7%	99.3%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.6%	0.9%	1.2%	98.8%
Steroids				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.3%	0.6%	0.9%	99.1%
Grade 8	0.6%	0.8%	1.9%	98.1%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.6%	0.6%	0.9%	99.1%
Grade 11	0.9%	1.1%	1.7%	98.3%
Grade 12	0.1%	0.2%	0.8%	99.2%
Ecstasy				
All	0.6%	0.9%	2.2%	97.8%
Grade 7	0.0%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	1.4%	1.4%	2.6%	97.4%
Grade 10	0.4%	0.9%	1.3%	98.7%
Grade 11	0.3%	0.5%	1.8%	98.2%
Grade 12	1.3%	2.5%	6.7%	93.3%

Percentages have been weighted to reflect proportions within the population.

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.1%	0.2%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	1.3%	1.8%	4.2%	95.8%
Grade 7	0.5%	0.7%	2.2%	97.8%
Grade 8	1.0%	1.3%	2.2%	97.8%
Grade 9	1.6%	2.6%	4.6%	95.4%
Grade 10	1.0%	1.4%	5.1%	94.9%
Grade 11	1.1%	2.2%	5.5%	94.5%
Grade 12	2.6%	2.7%	6.3%	93.7%
Methamphetamine				
All	0.3%	0.5%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.7%	1.0%	1.0%	99.0%
Grade 10	0.2%	0.2%	1.1%	98.9%
Grade 11	0.5%	0.5%	0.9%	99.1%
Grade 12	0.4%	0.7%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.5%	21.4%	32.4%	67.6%
Grade 7	5.5%	7.3%	15.5%	84.5%
Grade 8	11.3%	14.1%	26.9%	73.1%
Grade 9	17.0%	21.1%	31.0%	69.0%
Grade 10	21.5%	25.4%	36.9%	63.1%
Grade 11	23.7%	28.4%	39.7%	60.3%
Grade 12	31.2%	38.1%	51.2%	48.8%
Any Alcohol Product				
All	36.5%	42.4%	59.7%	40.3%
Grade 7	19.1%	21.7%	39.1%	60.9%
Grade 8	27.8%	31.7%	54.0%	46.0%
Grade 9	34.8%	42.1%	60.7%	39.3%
Grade 10	41.3%	48.2%	62.7%	37.3%
Grade 11	45.7%	54.0%	71.8%	28.2%
Grade 12	58.7%	65.7%	77.6%	22.4%
Any Illicit Drug				
All	14.2%	18.1%	23.5%	76.5%
Grade 7	3.5%	6.2%	7.2%	92.8%
Grade 8	9.3%	11.3%	15.1%	84.9%
Grade 9	12.2%	15.2%	19.2%	80.8%
Grade 10	18.8%	21.9%	27.1%	72.9%
Grade 11	20.4%	26.2%	36.3%	63.7%
Grade 12	25.1%	33.7%	44.6%	55.4%
Any Prescription Drug				
All	7.3%	10.3%	16.9%	83.1%
Grade 7	4.8%	6.9%	13.7%	86.3%
Grade 8	7.6%	11.1%	17.2%	82.8%
Grade 9	8.0%	10.7%	15.3%	84.7%
Grade 10	8.7%	11.6%	17.0%	83.0%
Grade 11	7.6%	10.8%	19.1%	80.9%
Grade 12	7.3%	10.9%	20.4%	79.6%
Any Inhalant				
All	4.7%	6.5%	12.7%	87.3%
Grade 7	7.1%	8.1%	15.7%	84.3%
Grade 8	6.6%	9.4%	17.5%	82.5%
Grade 9	3.9%	7.7%	12.8%	87.2%
Grade 10	3.5%	4.3%	9.1%	90.9%
Grade 11	3.0%	4.2%	10.0%	90.0%
Grade 12	3.2%	4.4%	9.2%	90.8%

Percentages have been weighted to reflect proportions within the population.

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.2%	17.2%	26.7%	73.3%
Grade 7	3.3%	5.4%	12.2%	87.8%
Grade 8	8.0%	11.1%	21.2%	78.8%
Grade 9	12.9%	17.0%	25.8%	74.2%
Grade 10	15.8%	19.9%	29.9%	70.1%
Grade 11	19.0%	23.5%	34.4%	65.6%
Grade 12	24.3%	31.5%	42.9%	57.1%
Marijuana				
All	14.1%	16.5%	21.9%	78.1%
Grade 7	3.5%	3.9%	4.7%	95.3%
Grade 8	9.2%	9.7%	13.4%	86.6%
Grade 9	12.1%	13.5%	16.9%	83.1%
Grade 10	18.6%	20.5%	26.3%	73.7%
Grade 11	20.4%	25.3%	35.4%	64.6%
Grade 12	25.1%	32.5%	43.5%	56.5%
Marijuana Only				
All	8.5%	10.5%	15.2%	84.8%
Grade 7	1.9%	2.3%	2.9%	97.1%
Grade 8	5.3%	5.8%	8.7%	91.3%
Grade 9	6.1%	7.2%	10.4%	89.6%
Grade 10	11.8%	13.3%	18.3%	81.7%
Grade 11	13.4%	17.5%	26.3%	73.7%
Grade 12	15.7%	21.6%	31.0%	69.0%
Cocaine or Crack				
All	1.5%	1.6%	2.6%	97.4%
Grade 7	0.8%	0.9%	1.2%	98.8%
Grade 8	1.3%	1.4%	1.7%	98.3%
Grade 9	0.8%	1.0%	1.8%	98.2%
Grade 10	2.2%	2.4%	4.0%	96.0%
Grade 11	1.5%	1.6%	2.9%	97.1%
Grade 12	2.7%	2.9%	4.4%	95.6%
Cocaine				
All	1.3%	1.5%	2.4%	97.6%
Grade 7	0.6%	0.8%	1.0%	99.0%
Grade 8	1.2%	1.3%	1.5%	98.5%
Grade 9	0.8%	1.0%	1.7%	98.3%
Grade 10	2.2%	2.3%	3.8%	96.2%
Grade 11	1.5%	1.6%	2.8%	97.2%
Grade 12	2.1%	2.4%	3.8%	96.2%

Percentages have been weighted to reflect proportions within the population.

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.5%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.7%	0.7%	1.0%	99.0%
Hallucinogens				
All	0.8%	1.4%	2.7%	97.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.5%	0.8%	1.5%	98.5%
Grade 9	0.7%	1.9%	3.3%	96.7%
Grade 10	0.8%	2.1%	3.5%	96.5%
Grade 11	1.2%	1.4%	2.7%	97.3%
Grade 12	1.4%	2.4%	5.9%	94.1%
Synthetic Cathinones				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.3%	0.4%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.9%	99.1%
Steroids				
All	0.3%	0.6%	1.1%	98.9%
Grade 7	0.0%	0.2%	0.9%	99.1%
Grade 8	0.8%	1.3%	1.9%	98.1%
Grade 9	0.0%	0.4%	0.6%	99.4%
Grade 10	0.3%	0.5%	1.0%	99.0%
Grade 11	0.4%	0.5%	1.1%	98.9%
Grade 12	0.5%	0.5%	1.5%	98.5%
Ecstasy				
All	0.5%	0.6%	1.7%	98.3%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.6%	0.6%	1.3%	98.7%
Grade 9	0.6%	0.6%	1.6%	98.4%
Grade 10	0.7%	1.0%	2.8%	97.2%
Grade 11	0.1%	0.3%	1.9%	98.1%
Grade 12	1.3%	1.3%	2.6%	97.4%

Percentages have been weighted to reflect proportions within the population.

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.1%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.0%	0.5%	0.6%	99.4%
Synthetic Marijuana				
All	1.5%	2.0%	4.0%	96.0%
Grade 7	0.7%	0.9%	1.5%	98.5%
Grade 8	0.9%	1.5%	2.5%	97.5%
Grade 9	3.4%	3.9%	5.5%	94.5%
Grade 10	1.4%	2.1%	4.2%	95.8%
Grade 11	0.9%	1.6%	5.2%	94.8%
Grade 12	1.9%	2.0%	5.5%	94.5%
Methamphetamine				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.1%	0.5%	0.5%	99.5%
Grade 10	0.3%	0.3%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.5%	99.5%

Percentages have been weighted to reflect proportions within the population.

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	28.8%	33.5%	41.1%	58.9%
Grade 7	5.7%	8.0%	14.1%	85.9%
Grade 8	12.5%	16.0%	23.6%	76.4%
Grade 9	23.0%	28.2%	36.0%	64.0%
Grade 10	40.9%	48.2%	56.5%	43.5%
Grade 11	40.1%	44.1%	52.1%	47.9%
Grade 12	55.5%	61.8%	70.1%	29.9%
Any Alcohol Product				
All	39.7%	46.2%	64.2%	35.8%
Grade 7	16.5%	21.8%	43.7%	56.3%
Grade 8	21.3%	27.3%	50.2%	49.8%
Grade 9	29.6%	36.3%	62.0%	38.0%
Grade 10	48.9%	56.4%	69.6%	30.4%
Grade 11	57.7%	66.4%	80.5%	19.5%
Grade 12	70.1%	74.8%	83.2%	16.8%
Any Illicit Drug				
All	18.4%	23.3%	28.9%	71.1%
Grade 7	1.9%	2.8%	4.7%	95.3%
Grade 8	5.7%	7.9%	12.6%	87.4%
Grade 9	13.1%	19.6%	21.2%	78.8%
Grade 10	23.4%	27.3%	34.0%	66.0%
Grade 11	33.2%	39.9%	49.1%	50.9%
Grade 12	36.6%	47.2%	56.9%	43.1%
Any Prescription Drug				
All	8.1%	13.4%	21.1%	78.9%
Grade 7	5.5%	7.7%	14.3%	85.7%
Grade 8	8.5%	11.0%	18.0%	82.0%
Grade 9	5.1%	11.2%	15.9%	84.1%
Grade 10	8.0%	15.1%	21.7%	78.3%
Grade 11	12.6%	17.3%	29.5%	70.5%
Grade 12	9.6%	19.3%	29.4%	70.6%
Any Inhalant				
All	2.6%	4.3%	11.0%	89.0%
Grade 7	5.4%	5.7%	11.4%	88.6%
Grade 8	4.5%	7.5%	13.5%	86.5%
Grade 9	2.7%	4.7%	7.9%	92.1%
Grade 10	0.9%	2.0%	6.3%	93.7%
Grade 11	0.5%	1.8%	13.7%	86.3%
Grade 12	1.2%	3.7%	13.2%	86.8%

Percentages have been weighted to reflect proportions within the population.

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	24.5%	29.8%	37.6%	62.4%
Grade 7	2.1%	4.9%	11.3%	88.7%
Grade 8	8.2%	11.3%	18.4%	81.6%
Grade 9	18.2%	25.6%	33.5%	66.5%
Grade 10	36.6%	44.1%	51.7%	48.3%
Grade 11	34.0%	38.9%	47.6%	52.4%
Grade 12	52.6%	58.6%	68.1%	31.9%
Marijuana				
All	18.1%	21.5%	27.0%	73.0%
Grade 7	1.6%	1.6%	3.3%	96.7%
Grade 8	5.7%	7.1%	10.5%	89.5%
Grade 9	12.3%	15.0%	16.0%	84.0%
Grade 10	23.4%	26.5%	33.9%	66.1%
Grade 11	33.2%	38.3%	48.3%	51.7%
Grade 12	36.0%	45.3%	55.7%	44.3%
Marijuana Only				
All	11.1%	14.1%	18.8%	81.2%
Grade 7	1.1%	1.1%	2.3%	97.7%
Grade 8	3.3%	4.6%	7.0%	93.0%
Grade 9	8.3%	10.9%	12.0%	88.0%
Grade 10	15.4%	18.0%	24.0%	76.0%
Grade 11	20.1%	24.6%	34.6%	65.4%
Grade 12	20.9%	28.4%	37.1%	62.9%
Cocaine or Crack				
All	1.0%	1.4%	2.3%	97.7%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.5%	0.5%	99.5%
Grade 10	1.0%	1.4%	2.8%	97.2%
Grade 11	1.6%	2.1%	4.5%	95.5%
Grade 12	1.9%	3.1%	5.3%	94.7%
Cocaine				
All	0.9%	1.3%	2.2%	97.8%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.5%	0.5%	99.5%
Grade 10	1.0%	1.4%	2.6%	97.4%
Grade 11	1.6%	2.1%	4.5%	95.5%
Grade 12	1.2%	2.5%	4.7%	95.3%

Percentages have been weighted to reflect proportions within the population.

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.6%	0.6%	1.2%	98.8%
Hallucinogens				
All	1.4%	2.9%	5.1%	94.9%
Grade 7	0.0%	0.5%	0.9%	99.1%
Grade 8	0.6%	0.6%	1.0%	99.0%
Grade 9	0.0%	1.3%	1.9%	98.1%
Grade 10	2.0%	4.0%	6.1%	93.9%
Grade 11	4.9%	5.4%	7.6%	92.4%
Grade 12	1.2%	6.2%	14.7%	85.3%
Synthetic Cathinones				
All	0.2%	0.3%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	0.9%	0.9%	1.0%	99.0%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	0.0%	0.6%	1.2%	98.8%
Steroids				
All	0.5%	0.9%	1.1%	98.9%
Grade 7	0.0%	0.9%	0.9%	99.1%
Grade 8	1.0%	1.9%	1.9%	98.1%
Grade 9	0.0%	0.5%	0.5%	99.5%
Grade 10	0.8%	0.8%	1.2%	98.8%
Grade 11	0.8%	1.3%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.6%	99.4%
Ecstasy				
All	0.3%	0.5%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.7%	0.7%	1.4%	98.6%
Grade 9	0.5%	0.5%	1.0%	99.0%
Grade 10	0.0%	0.8%	2.0%	98.0%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.6%	1.2%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.6%	99.4%
Synthetic Marijuana				
All	1.0%	1.4%	3.4%	96.6%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	1.3%	1.3%	2.5%	97.5%
Grade 9	2.4%	2.4%	3.4%	96.6%
Grade 10	0.5%	0.9%	4.5%	95.5%
Grade 11	0.6%	2.8%	6.1%	93.9%
Grade 12	1.2%	1.2%	3.1%	96.9%
Methamphetamine				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.6%	0.6%	0.6%	99.4%

Percentages have been weighted to reflect proportions within the population.

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.7%	13.1%	29.1%	70.9%
Grade 7	4.0%	4.0%	16.6%	83.4%
Grade 8	8.2%	9.6%	30.5%	69.5%
Grades 9-10	11.8%	17.6%	35.3%	64.7%
Grade 11	17.8%	17.8%	23.1%	76.9%
Grade 12	38.2%	38.2%	59.5%	40.5%
Any Alcohol Product				
All	24.8%	34.3%	54.1%	45.9%
Grade 7	19.0%	22.7%	43.7%	56.3%
Grade 8	17.4%	26.7%	49.0%	51.0%
Grades 9-10	29.4%	47.1%	58.8%	41.2%
Grade 11	31.4%	39.6%	61.5%	38.5%
Grade 12	50.0%	65.5%	84.5%	15.5%
Any Illicit Drug				
All	11.0%	14.2%	18.5%	81.5%
Grade 7	7.8%	10.0%	10.0%	90.0%
Grade 8	8.1%	13.2%	16.0%	84.0%
Grades 9-10	5.9%	11.8%	23.5%	76.5%
Grade 11	5.3%	5.3%	17.8%	82.2%
Grade 12	44.1%	44.1%	44.1%	55.9%
Any Prescription Drug				
All	4.2%	4.7%	13.3%	86.7%
Grade 7	0.0%	0.0%	10.6%	89.4%
Grade 8	5.0%	6.5%	14.7%	85.3%
Grades 9-10	6.3%	6.3%	12.5%	87.5%
Grade 11	5.3%	5.3%	14.8%	85.2%
Grade 12	10.6%	10.6%	17.1%	82.9%
Any Inhalant				
All	6.3%	6.6%	13.1%	86.9%
Grade 7	3.7%	3.7%	11.2%	88.8%
Grade 8	5.4%	6.2%	20.1%	79.9%
Grades 9-10	5.9%	5.9%	5.9%	94.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	25.0%	25.0%	25.0%	75.0%
Electronic Vapor Products				
All	9.7%	12.1%	24.8%	75.2%
Grade 7	0.0%	0.0%	11.7%	88.3%
Grade 8	8.3%	9.7%	22.5%	77.5%
Grades 9-10	11.8%	17.6%	35.3%	64.7%
Grade 11	17.8%	17.8%	23.1%	76.9%
Grade 12	28.6%	38.2%	53.6%	46.4%

Percentages have been weighted to reflect proportions within the population.

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students

(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana				
All	11.0%	12.6%	16.8%	83.2%
Grade 7	7.8%	10.0%	10.0%	90.0%
Grade 8	8.1%	11.0%	13.8%	86.2%
Grades 9-10	5.9%	5.9%	17.6%	82.4%
Grade 11	5.3%	5.3%	17.8%	82.2%
Grade 12	44.1%	44.1%	44.1%	55.9%
Marijuana Only				
All	7.5%	9.1%	13.3%	86.7%
Grade 7	5.9%	8.1%	8.1%	91.9%
Grade 8	5.3%	8.2%	11.0%	89.0%
Grades 9-10	5.6%	5.6%	16.9%	83.1%
Grade 11	5.3%	5.3%	17.8%	82.2%
Grade 12	25.0%	25.0%	25.0%	75.0%
Cocaine or Crack				
All	1.0%	1.0%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	9.5%	9.5%	9.5%	90.5%
Cocaine				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Crack				
All	1.0%	1.0%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	9.5%	9.5%	9.5%	90.5%
Hallucinogens				
All	0.0%	1.0%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	9.5%	9.5%	90.5%

Percentages have been weighted to reflect proportions within the population.

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students

(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones				
All	0.0%	0.0%	1.6%	98.4%
Grade 7	0.0%	0.0%	1.9%	98.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	9.5%	90.5%
Steroids				
All	1.0%	1.0%	2.5%	97.5%
Grade 7	0.0%	0.0%	4.0%	96.0%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	9.5%	9.5%	9.5%	90.5%
Ecstasy				
All	1.0%	1.0%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	9.5%	9.5%	19.1%	80.9%
Heroin				
All	0.0%	1.0%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	9.5%	9.5%	90.5%
Synthetic Marijuana				
All	1.0%	1.0%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	9.5%	9.5%	9.5%	90.5%
Methamphetamine				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.3%	22.0%	33.2%	66.8%
Grade 7	7.8%	9.6%	18.3%	81.7%
Grade 8	11.4%	14.3%	26.6%	73.4%
Grade 9	18.9%	22.7%	31.8%	68.2%
Grade 10	20.5%	23.7%	33.8%	66.2%
Grade 11	22.7%	27.8%	42.4%	57.6%
Grade 12	32.2%	38.2%	51.3%	48.7%
Any Alcohol Product				
All	35.8%	41.4%	57.6%	42.4%
Grade 7	18.9%	21.6%	37.8%	62.2%
Grade 8	29.0%	31.5%	52.7%	47.3%
Grade 9	34.4%	41.5%	56.6%	43.4%
Grade 10	40.1%	46.1%	62.4%	37.6%
Grade 11	41.2%	50.4%	67.3%	32.7%
Grade 12	56.9%	63.5%	73.9%	26.1%
Any Illicit Drug				
All	15.4%	19.6%	24.9%	75.1%
Grade 7	5.3%	7.8%	9.6%	90.4%
Grade 8	9.8%	11.6%	15.4%	84.6%
Grade 9	15.1%	18.7%	22.4%	77.6%
Grade 10	17.0%	21.3%	25.7%	74.3%
Grade 11	21.0%	27.5%	36.2%	63.8%
Grade 12	27.6%	35.3%	45.9%	54.1%
Any Prescription Drug				
All	7.7%	10.7%	17.4%	82.6%
Grade 7	6.1%	8.3%	14.4%	85.6%
Grade 8	7.7%	10.2%	16.8%	83.2%
Grade 9	9.2%	12.0%	17.6%	82.4%
Grade 10	8.6%	11.0%	16.5%	83.5%
Grade 11	6.9%	10.5%	17.6%	82.4%
Grade 12	7.9%	12.6%	22.4%	77.6%
Any Inhalant				
All	4.9%	6.4%	12.0%	88.0%
Grade 7	6.3%	7.5%	14.5%	85.5%
Grade 8	7.0%	9.2%	17.5%	82.5%
Grade 9	4.0%	6.8%	11.8%	88.2%
Grade 10	4.5%	5.3%	9.6%	90.4%
Grade 11	3.7%	4.7%	9.4%	90.6%
Grade 12	3.3%	3.9%	8.0%	92.0%

Percentages have been weighted to reflect proportions within the population.

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.8%	16.0%	26.4%	73.6%
Grade 7	4.3%	6.7%	14.1%	85.9%
Grade 8	7.5%	10.8%	21.5%	78.5%
Grade 9	13.8%	17.7%	26.2%	73.8%
Grade 10	12.1%	15.5%	25.3%	74.7%
Grade 11	15.3%	21.6%	35.5%	64.5%
Grade 12	19.9%	26.8%	39.9%	60.1%
Marijuana				
All	15.1%	17.7%	23.2%	76.8%
Grade 7	5.0%	5.5%	7.2%	92.8%
Grade 8	9.5%	10.4%	14.3%	85.7%
Grade 9	15.0%	17.0%	20.4%	79.6%
Grade 10	16.7%	19.2%	24.5%	75.5%
Grade 11	20.6%	25.2%	34.8%	65.2%
Grade 12	27.2%	33.3%	44.5%	55.5%
Marijuana Only				
All	8.7%	10.6%	15.3%	84.7%
Grade 7	2.3%	2.8%	4.3%	95.7%
Grade 8	6.0%	6.8%	10.1%	89.9%
Grade 9	8.5%	10.1%	13.2%	86.8%
Grade 10	10.1%	11.9%	16.4%	83.6%
Grade 11	13.3%	16.5%	24.2%	75.8%
Grade 12	14.0%	18.2%	27.5%	72.5%
Cocaine or Crack				
All	2.1%	2.3%	3.5%	96.5%
Grade 7	0.8%	0.9%	1.3%	98.7%
Grade 8	1.0%	1.1%	1.4%	98.6%
Grade 9	1.8%	1.9%	2.9%	97.1%
Grade 10	3.2%	3.2%	5.1%	94.9%
Grade 11	2.5%	2.7%	4.2%	95.8%
Grade 12	4.0%	4.5%	7.3%	92.7%
Cocaine				
All	2.0%	2.2%	3.3%	96.7%
Grade 7	0.6%	0.8%	1.1%	98.9%
Grade 8	0.9%	1.0%	1.3%	98.7%
Grade 9	1.8%	1.9%	2.6%	97.4%
Grade 10	3.0%	3.1%	4.8%	95.2%
Grade 11	2.4%	2.6%	4.1%	95.9%
Grade 12	3.6%	4.1%	6.9%	93.1%

Percentages have been weighted to reflect proportions within the population.

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.6%	0.9%	99.1%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	0.8%	0.8%	1.2%	98.8%
Grade 10	0.8%	0.8%	1.5%	98.5%
Grade 11	0.4%	0.4%	0.7%	99.3%
Grade 12	0.6%	0.6%	1.1%	98.9%
Hallucinogens				
All	1.0%	1.5%	3.3%	96.7%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	0.2%	0.4%	0.9%	99.1%
Grade 9	0.9%	1.7%	3.4%	96.6%
Grade 10	1.3%	2.2%	3.6%	96.4%
Grade 11	1.0%	1.5%	3.5%	96.5%
Grade 12	1.9%	3.1%	8.5%	91.5%
Synthetic Cathinones				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.3%	0.4%	0.5%	99.5%
Grade 10	0.2%	0.3%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.5%	0.5%	0.7%	99.3%
Steroids				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.7%	0.9%	2.1%	97.9%
Grade 9	0.2%	0.4%	1.0%	99.0%
Grade 10	0.4%	0.5%	0.8%	99.2%
Grade 11	0.7%	0.7%	1.9%	98.1%
Grade 12	0.1%	0.2%	1.0%	99.0%
Ecstasy				
All	0.7%	0.9%	2.0%	98.0%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	1.2%	1.2%	2.5%	97.5%
Grade 10	0.7%	1.1%	2.1%	97.9%
Grade 11	0.4%	0.5%	2.0%	98.0%
Grade 12	1.3%	2.1%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.3%	0.4%	99.6%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.2%	0.3%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.2%	99.8%
Synthetic Marijuana				
All	1.6%	2.1%	4.6%	95.4%
Grade 7	0.8%	1.2%	2.3%	97.7%
Grade 8	0.9%	1.5%	2.6%	97.4%
Grade 9	2.7%	3.7%	5.7%	94.3%
Grade 10	1.5%	2.1%	4.8%	95.2%
Grade 11	1.2%	1.7%	5.7%	94.3%
Grade 12	2.3%	2.4%	6.8%	93.2%
Methamphetamine				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.5%	1.0%	1.0%	99.0%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	0.3%	0.4%	0.8%	99.2%
Grade 12	0.1%	0.3%	0.9%	99.1%

Percentages have been weighted to reflect proportions within the population.

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.1%	20.8%	30.3%	69.7%
Grade 7	2.8%	5.1%	11.5%	88.5%
Grade 8	7.4%	9.3%	20.9%	79.1%
Grade 9	12.6%	16.2%	24.5%	75.5%
Grade 10	20.6%	24.4%	34.1%	65.9%
Grade 11	24.0%	28.2%	36.6%	63.4%
Grade 12	36.2%	42.5%	55.3%	44.7%
Any Alcohol Product				
All	31.5%	38.3%	56.4%	43.6%
Grade 7	12.0%	15.9%	35.0%	65.0%
Grade 8	21.5%	25.0%	47.4%	52.6%
Grade 9	25.1%	32.0%	53.6%	46.4%
Grade 10	35.6%	42.9%	57.7%	42.3%
Grade 11	40.5%	50.2%	69.3%	30.7%
Grade 12	55.4%	64.7%	75.7%	24.3%
Any Illicit Drug				
All	11.6%	15.4%	20.5%	79.5%
Grade 7	1.1%	2.9%	4.2%	95.8%
Grade 8	3.1%	4.6%	8.5%	91.5%
Grade 9	8.9%	11.1%	13.5%	86.5%
Grade 10	12.4%	16.2%	20.7%	79.3%
Grade 11	18.3%	24.1%	32.5%	67.5%
Grade 12	26.6%	35.0%	45.4%	54.6%
Any Prescription Drug				
All	6.5%	9.7%	15.6%	84.4%
Grade 7	4.4%	6.8%	12.6%	87.4%
Grade 8	6.0%	7.6%	14.3%	85.7%
Grade 9	6.9%	9.7%	13.6%	86.4%
Grade 10	7.0%	10.2%	14.2%	85.8%
Grade 11	6.4%	10.3%	19.4%	80.6%
Grade 12	7.7%	13.6%	20.0%	80.0%
Any Inhalant				
All	2.4%	3.5%	9.0%	91.0%
Grade 7	3.3%	3.9%	7.7%	92.3%
Grade 8	4.0%	5.9%	14.1%	85.9%
Grade 9	1.8%	3.4%	8.6%	91.4%
Grade 10	2.2%	2.5%	6.7%	93.3%
Grade 11	2.1%	2.6%	9.8%	90.2%
Grade 12	1.1%	2.7%	6.6%	93.4%

Percentages have been weighted to reflect proportions within the population.

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.8%	17.7%	25.6%	74.4%
Grade 7	1.8%	4.2%	9.8%	90.2%
Grade 8	4.8%	6.8%	14.9%	85.1%
Grade 9	9.5%	13.9%	20.5%	79.5%
Grade 10	16.8%	21.0%	28.7%	71.3%
Grade 11	19.3%	23.7%	32.5%	67.5%
Grade 12	31.5%	37.4%	48.0%	52.0%
Marijuana				
All	11.4%	14.2%	19.2%	80.8%
Grade 7	1.1%	1.1%	2.1%	97.9%
Grade 8	3.1%	4.1%	7.2%	92.8%
Grade 9	8.4%	9.6%	11.5%	88.5%
Grade 10	12.3%	15.0%	20.2%	79.8%
Grade 11	18.2%	22.9%	31.7%	68.3%
Grade 12	26.5%	33.7%	44.5%	55.5%
Marijuana Only				
All	7.6%	10.0%	14.4%	85.6%
Grade 7	0.6%	0.6%	1.6%	98.4%
Grade 8	3.0%	3.8%	6.3%	93.7%
Grade 9	5.3%	6.4%	8.2%	91.8%
Grade 10	8.3%	10.1%	14.8%	85.2%
Grade 11	13.3%	17.5%	25.0%	75.0%
Grade 12	15.8%	22.6%	31.8%	68.2%
Cocaine or Crack				
All	0.7%	1.1%	1.6%	98.4%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.7%	0.7%	1.3%	98.7%
Grade 10	1.5%	2.3%	2.7%	97.3%
Grade 11	0.4%	0.8%	2.1%	97.9%
Grade 12	1.4%	2.5%	3.2%	96.8%
Cocaine				
All	0.7%	1.1%	1.4%	98.6%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.7%	0.7%	0.9%	99.1%
Grade 10	1.3%	2.1%	2.3%	97.7%
Grade 11	0.4%	0.8%	2.1%	97.9%
Grade 12	1.4%	2.5%	3.0%	97.0%

Percentages have been weighted to reflect proportions within the population.

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.3%	0.9%	1.1%	98.9%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.2%	99.8%
Hallucinogens				
All	0.8%	1.5%	2.7%	97.3%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.6%	1.5%	1.7%	98.3%
Grade 10	1.1%	1.7%	2.0%	98.0%
Grade 11	1.7%	2.4%	3.9%	96.1%
Grade 12	1.6%	3.5%	8.3%	91.7%
Synthetic Cathinones				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.9%	0.9%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.1%	0.1%	0.1%	99.9%
Steroids				
All	0.2%	0.5%	0.9%	99.1%
Grade 7	0.1%	0.5%	0.7%	99.3%
Grade 8	0.3%	0.8%	1.6%	98.4%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	0.6%	0.6%	1.2%	98.8%
Grade 11	0.5%	0.6%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.3%	99.7%
Ecstasy				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	1.2%	1.2%	1.6%	98.4%
Grade 10	0.0%	0.7%	1.5%	98.5%
Grade 11	0.3%	0.4%	2.3%	97.7%
Grade 12	0.9%	1.3%	3.0%	97.0%

Percentages have been weighted to reflect proportions within the population.

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.8%	1.0%	2.0%	98.0%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	1.4%	1.8%	2.9%	97.1%
Grade 10	0.9%	1.7%	2.9%	97.1%
Grade 11	0.6%	0.6%	2.1%	97.9%
Grade 12	1.3%	1.3%	3.2%	96.8%
Methamphetamine				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.6%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.2%	0.2%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.4%	99.6%

Percentages have been weighted to reflect proportions within the population.

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	21.0%	25.0%	36.3%	63.7%
Grade 7	8.2%	10.3%	19.7%	80.3%
Grade 8	13.6%	17.4%	29.5%	70.5%
Grade 9	23.4%	27.6%	37.7%	62.3%
Grade 10	26.9%	31.3%	40.8%	59.2%
Grade 11	25.5%	30.1%	44.9%	55.1%
Grade 12	37.1%	42.7%	55.1%	44.9%
Any Alcohol Product				
All	37.9%	43.2%	59.4%	40.6%
Grade 7	20.9%	24.3%	42.2%	57.8%
Grade 8	30.4%	34.3%	55.0%	45.0%
Grade 9	37.8%	44.6%	59.7%	40.3%
Grade 10	44.5%	51.3%	66.7%	33.3%
Grade 11	44.7%	52.4%	67.2%	32.8%
Grade 12	60.3%	64.7%	75.1%	24.9%
Any Illicit Drug				
All	18.2%	22.7%	27.9%	72.1%
Grade 7	6.2%	8.8%	10.3%	89.7%
Grade 8	12.3%	14.7%	18.8%	81.2%
Grade 9	17.8%	23.4%	27.6%	72.4%
Grade 10	21.9%	26.2%	32.5%	67.5%
Grade 11	25.9%	31.9%	40.4%	59.6%
Grade 12	32.9%	40.9%	49.7%	50.3%
Any Prescription Drug				
All	8.4%	11.6%	18.9%	81.1%
Grade 7	6.3%	8.2%	15.2%	84.8%
Grade 8	8.4%	11.4%	18.0%	82.0%
Grade 9	9.2%	12.7%	18.4%	81.6%
Grade 10	10.3%	13.5%	20.1%	79.9%
Grade 11	7.4%	11.2%	19.3%	80.7%
Grade 12	9.3%	13.7%	25.2%	74.8%
Any Inhalant				
All	5.7%	7.5%	13.8%	86.2%
Grade 7	7.0%	7.9%	16.2%	83.8%
Grade 8	7.4%	10.0%	17.9%	82.1%
Grade 9	5.5%	9.1%	13.5%	86.5%
Grade 10	5.1%	6.3%	11.1%	88.9%
Grade 11	3.3%	5.0%	10.1%	89.9%
Grade 12	4.9%	5.7%	11.9%	88.1%

Percentages have been weighted to reflect proportions within the population.

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.6%	18.2%	29.2%	70.8%
Grade 7	4.2%	6.6%	14.8%	85.2%
Grade 8	9.1%	13.1%	24.3%	75.7%
Grade 9	16.8%	21.4%	31.7%	68.3%
Grade 10	16.7%	21.1%	30.9%	69.1%
Grade 11	17.7%	23.7%	37.5%	62.5%
Grade 12	22.6%	29.7%	44.3%	55.7%
Marijuana				
All	17.8%	20.5%	26.0%	74.0%
Grade 7	5.8%	6.6%	8.2%	91.8%
Grade 8	11.9%	13.1%	17.2%	82.8%
Grade 9	17.7%	20.3%	24.4%	75.6%
Grade 10	21.7%	24.2%	31.0%	69.0%
Grade 11	25.3%	29.6%	39.1%	60.9%
Grade 12	32.0%	38.3%	48.0%	52.0%
Marijuana Only				
All	9.9%	11.7%	16.4%	83.6%
Grade 7	2.8%	3.6%	4.8%	95.2%
Grade 8	6.6%	7.7%	11.0%	89.0%
Grade 9	9.3%	11.4%	15.2%	84.8%
Grade 10	12.7%	14.4%	19.9%	80.1%
Grade 11	15.7%	18.5%	26.6%	73.4%
Grade 12	16.2%	19.6%	27.7%	72.3%
Cocaine or Crack				
All	2.5%	2.7%	4.1%	95.9%
Grade 7	0.8%	1.0%	1.4%	98.6%
Grade 8	1.5%	1.5%	1.8%	98.2%
Grade 9	1.9%	2.1%	3.2%	96.8%
Grade 10	3.1%	3.2%	5.5%	94.5%
Grade 11	3.3%	3.6%	5.2%	94.8%
Grade 12	5.8%	6.3%	10.0%	90.0%
Cocaine				
All	2.2%	2.4%	3.8%	96.2%
Grade 7	0.6%	0.8%	1.1%	98.9%
Grade 8	1.3%	1.4%	1.7%	98.3%
Grade 9	1.9%	2.1%	3.1%	96.9%
Grade 10	3.0%	3.1%	5.4%	94.6%
Grade 11	3.2%	3.5%	5.2%	94.8%
Grade 12	4.5%	5.0%	8.8%	91.2%

Percentages have been weighted to reflect proportions within the population.

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**

(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.7%	1.0%	99.0%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.7%	0.7%	0.8%	99.2%
Grade 9	0.6%	0.6%	0.7%	99.3%
Grade 10	0.9%	0.9%	1.8%	98.2%
Grade 11	0.4%	0.5%	0.7%	99.3%
Grade 12	1.8%	1.8%	2.5%	97.5%
Hallucinogens				
All	1.0%	1.8%	4.1%	95.9%
Grade 7	0.6%	0.7%	1.2%	98.8%
Grade 8	0.5%	0.7%	1.4%	98.6%
Grade 9	1.0%	1.8%	4.3%	95.7%
Grade 10	1.4%	2.6%	5.3%	94.7%
Grade 11	1.3%	2.0%	4.3%	95.7%
Grade 12	1.8%	3.9%	11.0%	89.0%
Synthetic Cathinones				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.5%	0.8%	1.8%	98.2%
Steroids				
All	0.5%	0.6%	1.4%	98.6%
Grade 7	0.1%	0.2%	0.8%	99.2%
Grade 8	0.6%	0.9%	1.9%	98.1%
Grade 9	0.4%	0.4%	1.2%	98.8%
Grade 10	0.5%	0.6%	1.0%	99.0%
Grade 11	0.9%	0.9%	1.9%	98.1%
Grade 12	0.6%	0.7%	1.8%	98.2%
Ecstasy				
All	0.7%	1.0%	2.3%	97.7%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grade 9	1.0%	1.0%	2.4%	97.6%
Grade 10	1.0%	1.4%	2.7%	97.3%
Grade 11	0.3%	0.5%	1.9%	98.1%
Grade 12	1.7%	2.9%	6.3%	93.7%

Percentages have been weighted to reflect proportions within the population.

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average

(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.1%	0.2%	0.4%	99.6%
Grade 12	0.0%	0.5%	0.9%	99.1%
Synthetic Marijuana				
All	1.9%	2.6%	5.4%	94.6%
Grade 7	0.8%	1.1%	2.2%	97.8%
Grade 8	1.6%	2.2%	3.9%	96.1%
Grade 9	3.7%	4.8%	7.3%	92.7%
Grade 10	1.6%	2.1%	6.2%	93.8%
Grade 11	0.9%	2.6%	7.0%	93.0%
Grade 12	3.1%	3.3%	7.7%	92.3%
Methamphetamine				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.5%	0.6%	0.7%	99.3%
Grade 9	0.3%	0.8%	0.8%	99.2%
Grade 10	0.4%	0.4%	1.3%	98.7%
Grade 11	0.4%	0.4%	0.6%	99.4%
Grade 12	0.4%	0.8%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	19.5%	23.1%	32.1%	67.9%
Grade 7	5.2%	7.3%	14.9%	85.1%
Grade 8	10.9%	13.2%	21.9%	78.1%
Grade 9	19.7%	23.5%	31.7%	68.3%
Grade 10	22.4%	27.0%	35.4%	64.6%
Grade 11	25.8%	30.2%	40.5%	59.5%
Grade 12	38.3%	42.9%	54.4%	45.6%
Any Alcohol Product				
All	34.7%	40.5%	56.3%	43.7%
Grade 7	15.9%	18.9%	36.1%	63.9%
Grade 8	24.7%	28.9%	47.6%	52.4%
Grade 9	31.9%	37.4%	55.7%	44.3%
Grade 10	39.8%	46.9%	61.6%	38.4%
Grade 11	44.2%	53.3%	68.1%	31.9%
Grade 12	58.9%	65.4%	74.4%	25.6%
Any Illicit Drug				
All	13.2%	17.2%	22.2%	77.8%
Grade 7	3.2%	5.2%	6.7%	93.3%
Grade 8	6.6%	7.8%	11.5%	88.5%
Grade 9	12.4%	16.4%	19.3%	80.7%
Grade 10	13.7%	17.5%	23.0%	77.0%
Grade 11	20.4%	25.9%	34.9%	65.1%
Grade 12	27.0%	35.8%	44.6%	55.4%
Any Prescription Drug				
All	6.9%	9.9%	16.2%	83.8%
Grade 7	5.7%	8.0%	14.1%	85.9%
Grade 8	6.0%	8.3%	14.9%	85.1%
Grade 9	8.4%	11.5%	16.0%	84.0%
Grade 10	6.5%	8.9%	14.6%	85.4%
Grade 11	7.1%	9.7%	17.2%	82.8%
Grade 12	7.8%	13.5%	21.8%	78.2%
Any Inhalant				
All	3.8%	5.2%	10.9%	89.1%
Grade 7	6.4%	7.3%	13.4%	86.6%
Grade 8	4.9%	7.0%	14.4%	85.6%
Grade 9	3.3%	5.7%	9.9%	90.1%
Grade 10	2.9%	3.4%	7.8%	92.2%
Grade 11	2.3%	3.1%	10.2%	89.8%
Grade 12	2.7%	3.8%	9.0%	91.0%

Percentages have been weighted to reflect proportions within the population.

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.1%	18.3%	26.7%	73.3%
Grade 7	2.4%	4.7%	11.0%	89.0%
Grade 8	7.4%	10.1%	17.8%	82.2%
Grade 9	14.4%	19.1%	27.2%	72.8%
Grade 10	15.7%	20.0%	28.0%	72.0%
Grade 11	19.8%	25.2%	35.0%	65.0%
Grade 12	29.2%	35.5%	46.8%	53.2%
Marijuana				
All	12.9%	15.4%	20.6%	79.4%
Grade 7	3.0%	3.3%	4.4%	95.6%
Grade 8	6.3%	6.9%	10.4%	89.6%
Grade 9	12.1%	13.8%	16.5%	83.5%
Grade 10	13.5%	15.7%	21.9%	78.1%
Grade 11	19.9%	23.5%	33.6%	66.4%
Grade 12	26.8%	34.2%	43.3%	56.7%
Marijuana Only				
All	8.0%	9.9%	14.3%	85.7%
Grade 7	1.5%	1.7%	2.7%	97.3%
Grade 8	4.3%	4.8%	7.5%	92.5%
Grade 9	6.7%	8.4%	10.9%	89.1%
Grade 10	9.1%	10.9%	16.1%	83.9%
Grade 11	13.9%	16.4%	25.1%	74.9%
Grade 12	15.1%	20.4%	28.0%	72.0%
Cocaine or Crack				
All	1.4%	1.6%	2.5%	97.5%
Grade 7	0.9%	0.9%	1.1%	98.9%
Grade 8	0.7%	0.8%	1.1%	98.9%
Grade 9	0.8%	1.2%	1.5%	98.5%
Grade 10	1.9%	1.9%	3.1%	96.9%
Grade 11	1.8%	2.0%	3.3%	96.7%
Grade 12	2.5%	3.4%	5.8%	94.2%
Cocaine				
All	1.3%	1.5%	2.3%	97.7%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.6%	0.7%	1.0%	99.0%
Grade 9	0.8%	1.2%	1.3%	98.7%
Grade 10	1.8%	1.8%	3.0%	97.0%
Grade 11	1.7%	1.9%	3.2%	96.8%
Grade 12	2.5%	3.4%	5.5%	94.5%

Percentages have been weighted to reflect proportions within the population.

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.7%	99.3%
Hallucinogens				
All	0.7%	1.3%	2.7%	97.3%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.5%	99.5%
Grade 9	0.5%	1.4%	2.5%	97.5%
Grade 10	0.7%	1.1%	2.0%	98.0%
Grade 11	1.3%	1.8%	3.6%	96.4%
Grade 12	1.3%	3.7%	8.8%	91.2%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.3%	0.4%	0.7%	99.3%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.1%	0.3%	0.4%	99.6%
Steroids				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.2%	0.6%	1.1%	98.9%
Grade 8	0.6%	0.9%	1.9%	98.1%
Grade 9	0.1%	0.3%	0.6%	99.4%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	1.0%	1.0%	1.8%	98.2%
Grade 12	0.1%	0.2%	1.2%	98.8%
Ecstasy				
All	0.4%	0.5%	1.4%	98.6%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	1.0%	1.0%	2.1%	97.9%
Grade 10	0.2%	0.3%	1.0%	99.0%
Grade 11	0.2%	0.4%	1.5%	98.5%
Grade 12	0.8%	1.4%	3.5%	96.5%

Percentages have been weighted to reflect proportions within the population.

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.3%	99.7%
Synthetic Marijuana				
All	1.2%	1.6%	3.2%	96.8%
Grade 7	0.3%	0.5%	1.0%	99.0%
Grade 8	0.8%	1.0%	1.7%	98.3%
Grade 9	2.2%	3.1%	4.7%	95.3%
Grade 10	0.9%	1.4%	3.0%	97.0%
Grade 11	0.9%	1.6%	3.7%	96.3%
Grade 12	2.2%	2.3%	5.6%	94.4%
Methamphetamine				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.3%	0.4%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.2%	0.5%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	22.3%	26.6%	39.8%	60.2%
Grade 7	11.1%	12.7%	22.9%	77.1%
Grade 8	12.4%	16.2%	33.0%	67.0%
Grade 9	20.0%	24.7%	34.6%	65.4%
Grade 10	29.5%	32.9%	45.6%	54.4%
Grade 11	29.1%	34.3%	50.5%	49.5%
Grade 12	37.0%	44.8%	58.4%	41.6%
Any Alcohol Product				
All	38.6%	44.5%	63.3%	36.7%
Grade 7	23.9%	27.9%	46.5%	53.5%
Grade 8	29.6%	32.5%	59.2%	40.8%
Grade 9	33.4%	42.0%	59.5%	40.5%
Grade 10	45.3%	51.2%	67.2%	32.8%
Grade 11	46.4%	54.5%	73.3%	26.7%
Grade 12	60.4%	66.2%	79.5%	20.5%
Any Illicit Drug				
All	21.0%	25.8%	31.3%	68.7%
Grade 7	7.9%	10.5%	12.3%	87.7%
Grade 8	12.4%	16.0%	20.3%	79.7%
Grade 9	18.7%	23.0%	27.0%	73.0%
Grade 10	25.7%	30.7%	35.8%	64.2%
Grade 11	30.4%	37.5%	45.5%	54.5%
Grade 12	36.2%	43.0%	55.1%	44.9%
Any Prescription Drug				
All	9.2%	13.6%	21.7%	78.3%
Grade 7	5.9%	8.1%	15.3%	84.7%
Grade 8	11.0%	13.7%	20.3%	79.7%
Grade 9	7.4%	12.3%	19.0%	81.0%
Grade 10	11.6%	16.7%	23.0%	77.0%
Grade 11	10.4%	16.7%	26.5%	73.5%
Grade 12	9.0%	14.4%	27.7%	72.3%
Any Inhalant				
All	5.5%	7.4%	14.1%	85.9%
Grade 7	5.3%	6.4%	15.1%	84.9%
Grade 8	8.7%	11.3%	20.3%	79.7%
Grade 9	4.4%	7.7%	12.6%	87.4%
Grade 10	5.4%	6.9%	11.8%	88.2%
Grade 11	3.8%	5.6%	11.7%	88.3%
Grade 12	4.2%	5.3%	11.2%	88.8%

Percentages have been weighted to reflect proportions within the population.

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents

(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.9%	20.7%	33.3%	66.7%
Grade 7	6.3%	8.9%	18.6%	81.4%
Grade 8	8.4%	12.3%	26.5%	73.5%
Grade 9	15.7%	20.5%	29.6%	70.4%
Grade 10	22.1%	26.5%	38.2%	61.8%
Grade 11	20.1%	26.7%	43.5%	56.5%
Grade 12	26.6%	33.5%	47.8%	52.2%
Marijuana				
All	20.7%	23.9%	29.8%	70.2%
Grade 7	7.5%	8.5%	11.0%	89.0%
Grade 8	12.3%	14.2%	18.2%	81.8%
Grade 9	18.5%	21.1%	24.7%	75.3%
Grade 10	25.5%	28.8%	34.6%	65.4%
Grade 11	30.4%	36.3%	44.6%	55.4%
Grade 12	35.4%	40.6%	53.7%	46.3%
Marijuana Only				
All	11.4%	13.9%	19.0%	81.0%
Grade 7	3.9%	4.9%	6.7%	93.3%
Grade 8	6.7%	8.5%	12.2%	87.8%
Grade 9	11.5%	13.3%	16.6%	83.4%
Grade 10	14.1%	16.5%	21.4%	78.6%
Grade 11	17.0%	21.5%	28.7%	71.3%
Grade 12	17.8%	22.1%	32.9%	67.1%
Cocaine or Crack				
All	2.5%	2.8%	4.4%	95.6%
Grade 7	0.7%	1.0%	1.4%	98.6%
Grade 8	1.3%	1.3%	1.3%	98.7%
Grade 9	2.2%	2.2%	3.8%	96.2%
Grade 10	3.7%	4.1%	6.6%	93.4%
Grade 11	3.0%	3.4%	6.6%	93.4%
Grade 12	5.0%	5.8%	8.3%	91.7%
Cocaine				
All	2.2%	2.5%	4.1%	95.9%
Grade 7	0.7%	0.9%	1.3%	98.7%
Grade 8	1.2%	1.2%	1.2%	98.8%
Grade 9	2.2%	2.2%	3.6%	96.4%
Grade 10	3.4%	3.9%	6.2%	93.8%
Grade 11	3.0%	3.4%	6.6%	93.4%
Grade 12	3.2%	4.0%	7.1%	92.9%

Percentages have been weighted to reflect proportions within the population.

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.9%	0.9%	1.3%	98.7%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	1.0%	1.0%	1.2%	98.8%
Grade 10	1.1%	1.1%	2.2%	97.8%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	2.3%	2.3%	2.5%	97.5%
Hallucinogens				
All	1.7%	2.9%	5.6%	94.4%
Grade 7	1.0%	1.0%	2.1%	97.9%
Grade 8	0.7%	1.1%	1.8%	98.2%
Grade 9	1.2%	2.2%	4.3%	95.7%
Grade 10	2.4%	5.1%	7.8%	92.2%
Grade 11	3.0%	4.1%	6.7%	93.3%
Grade 12	2.2%	4.9%	13.0%	87.0%
Synthetic Cathinones				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.9%	0.9%	1.2%	98.8%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	1.0%	1.0%	2.4%	97.6%
Steroids				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.0%	0.1%	0.7%	99.3%
Grade 8	0.9%	1.2%	2.0%	98.0%
Grade 9	0.2%	0.5%	1.3%	98.7%
Grade 10	1.1%	1.3%	1.7%	98.3%
Grade 11	0.0%	0.5%	1.4%	98.6%
Grade 12	0.7%	0.7%	1.0%	99.0%
Ecstasy				
All	0.8%	1.2%	2.9%	97.1%
Grade 7	0.0%	0.3%	0.4%	99.6%
Grade 8	0.8%	0.8%	2.0%	98.0%
Grade 9	1.0%	1.0%	2.0%	98.0%
Grade 10	1.1%	2.2%	4.1%	95.9%
Grade 11	0.3%	0.4%	2.9%	97.1%
Grade 12	2.2%	3.2%	7.3%	92.7%

Percentages have been weighted to reflect proportions within the population.

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**

(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.5%	0.6%	0.7%	99.3%
Grade 8	0.4%	0.5%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.0%	0.1%	0.6%	99.4%
Grade 11	0.1%	0.2%	0.5%	99.5%
Grade 12	0.0%	0.7%	0.9%	99.1%
Synthetic Marijuana				
All	1.8%	2.4%	5.8%	94.2%
Grade 7	1.1%	1.6%	3.4%	96.6%
Grade 8	1.3%	2.0%	3.8%	96.2%
Grade 9	3.1%	3.6%	5.7%	94.3%
Grade 10	1.9%	2.5%	7.3%	92.7%
Grade 11	1.2%	2.3%	8.8%	91.2%
Grade 12	2.4%	2.6%	6.6%	93.4%
Methamphetamine				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	0.4%	0.6%	1.1%	98.9%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.6%	1.3%	1.3%	98.7%
Grade 10	0.3%	0.3%	1.5%	98.5%
Grade 11	0.2%	0.3%	1.1%	98.9%
Grade 12	0.2%	0.2%	0.4%	99.6%

Percentages have been weighted to reflect proportions within the population.

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	19.3%	23.2%	33.3%	66.7%
Grade 7	6.0%	7.5%	15.2%	84.8%
Grade 8	9.9%	12.7%	23.2%	76.8%
Grade 9	17.0%	21.4%	30.5%	69.5%
Grade 10	24.4%	28.5%	38.2%	61.8%
Grade 11	25.6%	30.8%	42.7%	57.3%
Grade 12	38.2%	43.9%	56.2%	43.8%
Any Alcohol Product				
All	34.8%	40.6%	57.9%	42.1%
Grade 7	16.9%	20.0%	37.7%	62.3%
Grade 8	24.1%	27.1%	49.1%	50.9%
Grade 9	30.2%	37.4%	56.6%	43.4%
Grade 10	41.0%	47.6%	63.0%	37.0%
Grade 11	43.7%	52.9%	69.7%	30.3%
Grade 12	59.6%	65.7%	76.8%	23.2%
Any Illicit Drug				
All	14.7%	18.8%	23.9%	76.1%
Grade 7	3.7%	5.7%	7.2%	92.8%
Grade 8	6.5%	8.1%	12.0%	88.0%
Grade 9	12.9%	16.9%	19.9%	80.1%
Grade 10	17.6%	21.9%	27.1%	72.9%
Grade 11	22.9%	28.9%	37.1%	62.9%
Grade 12	28.5%	36.5%	46.7%	53.3%
Any Prescription Drug				
All	7.2%	10.6%	17.2%	82.8%
Grade 7	6.0%	8.2%	14.0%	86.0%
Grade 8	6.1%	8.2%	14.4%	85.6%
Grade 9	7.0%	10.1%	15.7%	84.3%
Grade 10	8.7%	12.4%	18.2%	81.8%
Grade 11	8.1%	12.0%	20.1%	79.9%
Grade 12	7.9%	13.6%	22.5%	77.5%
Any Inhalant				
All	3.7%	5.0%	11.0%	89.0%
Grade 7	5.2%	6.0%	12.5%	87.5%
Grade 8	4.9%	6.8%	14.1%	85.9%
Grade 9	3.2%	5.1%	10.0%	90.0%
Grade 10	4.0%	4.9%	9.4%	90.6%
Grade 11	2.5%	3.4%	10.2%	89.8%
Grade 12	2.1%	3.2%	8.9%	91.1%

Percentages have been weighted to reflect proportions within the population.

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.3%	18.5%	28.0%	72.0%
Grade 7	3.0%	5.1%	12.0%	88.0%
Grade 8	7.3%	9.7%	18.8%	81.2%
Grade 9	12.8%	18.0%	26.4%	73.6%
Grade 10	17.7%	21.8%	31.3%	68.7%
Grade 11	19.5%	25.6%	37.3%	62.7%
Grade 12	29.2%	35.4%	47.4%	52.6%
Marijuana				
All	14.5%	17.3%	22.5%	77.5%
Grade 7	3.6%	3.8%	5.1%	94.9%
Grade 8	6.4%	7.3%	10.8%	89.2%
Grade 9	12.8%	15.0%	17.7%	82.3%
Grade 10	17.4%	20.3%	26.1%	73.9%
Grade 11	22.7%	27.0%	36.2%	63.8%
Grade 12	28.4%	35.3%	45.9%	54.1%
Marijuana Only				
All	9.0%	11.2%	15.8%	84.2%
Grade 7	2.1%	2.4%	3.4%	96.6%
Grade 8	4.2%	5.1%	8.1%	91.9%
Grade 9	8.4%	10.3%	12.8%	87.2%
Grade 10	10.9%	12.8%	17.6%	82.4%
Grade 11	15.4%	18.9%	27.1%	72.9%
Grade 12	15.6%	21.0%	30.2%	69.8%
Cocaine or Crack				
All	1.5%	1.8%	2.9%	97.1%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.8%	0.8%	1.0%	99.0%
Grade 9	1.1%	1.1%	2.2%	97.8%
Grade 10	2.0%	2.4%	4.1%	95.9%
Grade 11	2.1%	2.4%	3.8%	96.2%
Grade 12	3.2%	4.2%	6.3%	93.7%
Cocaine				
All	1.4%	1.7%	2.7%	97.3%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	1.1%	1.1%	1.9%	98.1%
Grade 10	1.9%	2.3%	3.9%	96.1%
Grade 11	2.0%	2.4%	3.7%	96.3%
Grade 12	2.6%	3.6%	5.7%	94.3%

Percentages have been weighted to reflect proportions within the population.

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.6%	0.6%	0.9%	99.1%
Grade 10	0.5%	0.8%	1.3%	98.7%
Grade 11	0.2%	0.3%	0.4%	99.6%
Grade 12	0.7%	0.7%	1.1%	98.9%
Hallucinogens				
All	0.9%	1.6%	3.3%	96.7%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.7%	1.1%	2.4%	97.6%
Grade 10	1.4%	2.7%	4.1%	95.9%
Grade 11	1.4%	1.8%	3.9%	96.1%
Grade 12	1.4%	4.1%	9.3%	90.7%
Synthetic Cathinones				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.5%	99.5%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.1%	0.1%	0.5%	99.5%
Steroids				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.2%	0.8%	99.2%
Grade 8	0.3%	0.7%	1.3%	98.7%
Grade 9	0.1%	0.2%	0.8%	99.2%
Grade 10	0.6%	0.6%	0.8%	99.2%
Grade 11	0.8%	0.8%	1.3%	98.7%
Grade 12	0.3%	0.3%	0.9%	99.1%
Ecstasy				
All	0.5%	0.7%	1.6%	98.4%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	1.0%	1.0%	1.6%	98.4%
Grade 10	0.6%	1.1%	2.3%	97.7%
Grade 11	0.1%	0.2%	1.7%	98.3%
Grade 12	1.4%	1.8%	4.1%	95.9%

Percentages have been weighted to reflect proportions within the population.

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.2%	0.3%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.0%	0.3%	0.4%	99.6%
Synthetic Marijuana				
All	1.1%	1.5%	3.4%	96.6%
Grade 7	0.4%	0.6%	1.4%	98.6%
Grade 8	0.5%	0.9%	1.6%	98.4%
Grade 9	1.7%	2.4%	3.8%	96.2%
Grade 10	1.1%	1.6%	4.7%	95.3%
Grade 11	0.9%	1.5%	4.3%	95.7%
Grade 12	2.3%	2.4%	5.4%	94.6%
Methamphetamine				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.5%	0.8%	0.8%	99.2%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.0%	0.1%	0.4%	99.6%

Percentages have been weighted to reflect proportions within the population.

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	27.0%	31.0%	44.3%	55.7%
Grade 7	14.6%	16.7%	30.9%	69.1%
Grade 8	16.9%	21.8%	41.7%	58.3%
Grade 9	32.1%	35.3%	43.8%	56.2%
Grade 10	29.0%	34.1%	46.7%	53.3%
Grade 11	35.0%	37.5%	49.2%	50.8%
Grade 12	35.4%	41.9%	55.8%	44.2%
Any Alcohol Product				
All	45.8%	52.4%	66.7%	33.3%
Grade 7	33.3%	39.5%	55.3%	44.7%
Grade 8	40.2%	46.3%	66.4%	33.6%
Grade 9	43.4%	49.7%	61.5%	38.5%
Grade 10	49.0%	56.5%	71.1%	28.9%
Grade 11	52.9%	57.6%	71.5%	28.5%
Grade 12	59.9%	69.5%	77.5%	22.5%
Any Illicit Drug				
All	23.5%	29.4%	35.0%	65.0%
Grade 7	11.3%	15.8%	17.0%	83.0%
Grade 8	19.8%	25.6%	29.3%	70.7%
Grade 9	21.0%	26.8%	31.8%	68.2%
Grade 10	22.0%	26.3%	33.7%	66.3%
Grade 11	32.3%	38.9%	48.2%	51.8%
Grade 12	38.6%	48.0%	55.4%	44.6%
Any Prescription Drug				
All	9.9%	14.1%	22.2%	77.8%
Grade 7	6.2%	8.6%	17.1%	82.9%
Grade 8	16.1%	19.4%	27.9%	72.1%
Grade 9	11.9%	18.7%	22.5%	77.5%
Grade 10	7.1%	9.8%	15.1%	84.9%
Grade 11	9.6%	14.1%	23.9%	76.1%
Grade 12	6.6%	12.1%	27.3%	72.7%
Any Inhalant				
All	7.3%	10.4%	16.8%	83.2%
Grade 7	10.0%	12.8%	23.4%	76.6%
Grade 8	12.0%	16.5%	27.4%	72.6%
Grade 9	5.7%	12.1%	15.0%	85.0%
Grade 10	2.9%	3.9%	8.0%	92.0%
Grade 11	5.5%	8.1%	13.9%	86.1%
Grade 12	8.1%	8.1%	12.8%	87.2%

Percentages have been weighted to reflect proportions within the population.

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	17.4%	22.5%	34.5%	65.5%
Grade 7	8.0%	10.8%	23.1%	76.9%
Grade 8	9.0%	15.6%	30.3%	69.7%
Grade 9	21.8%	25.3%	33.8%	66.2%
Grade 10	18.8%	24.9%	34.7%	65.3%
Grade 11	24.1%	29.3%	42.3%	57.7%
Grade 12	22.8%	29.7%	44.8%	55.2%
Marijuana				
All	22.9%	26.0%	31.9%	68.1%
Grade 7	10.9%	13.0%	15.1%	84.9%
Grade 8	18.9%	22.0%	26.3%	73.7%
Grade 9	20.3%	22.0%	26.5%	73.5%
Grade 10	21.6%	23.4%	32.0%	68.0%
Grade 11	32.3%	37.4%	45.9%	54.1%
Grade 12	37.0%	43.0%	51.1%	48.9%
Marijuana Only				
All	11.4%	13.5%	18.4%	81.6%
Grade 7	4.7%	6.2%	7.9%	92.1%
Grade 8	8.9%	11.6%	15.5%	84.5%
Grade 9	8.6%	10.3%	14.4%	85.6%
Grade 10	12.5%	14.4%	22.6%	77.4%
Grade 11	16.8%	19.1%	24.8%	75.2%
Grade 12	19.4%	21.9%	27.8%	72.2%
Cocaine or Crack				
All	3.2%	3.5%	5.1%	94.9%
Grade 7	2.4%	3.3%	3.5%	96.5%
Grade 8	1.8%	2.0%	2.3%	97.7%
Grade 9	2.5%	3.3%	3.3%	96.7%
Grade 10	5.4%	5.4%	7.0%	93.0%
Grade 11	3.2%	3.2%	7.3%	92.7%
Grade 12	4.3%	4.3%	8.4%	91.6%
Cocaine				
All	3.0%	3.3%	4.8%	95.2%
Grade 7	2.4%	3.3%	3.3%	96.7%
Grade 8	1.5%	1.8%	2.0%	98.0%
Grade 9	2.5%	3.3%	3.3%	96.7%
Grade 10	5.4%	5.4%	7.0%	93.0%
Grade 11	3.2%	3.2%	7.3%	92.7%
Grade 12	3.0%	3.0%	7.2%	92.8%

Percentages have been weighted to reflect proportions within the population.

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.9%	0.9%	1.1%	98.9%
Grade 7	1.2%	1.2%	1.5%	98.5%
Grade 8	0.9%	0.9%	1.2%	98.8%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.8%	0.8%	1.7%	98.3%
Grade 12	1.7%	1.7%	1.7%	98.3%
Hallucinogens				
All	2.0%	3.5%	6.3%	93.7%
Grade 7	2.2%	3.2%	3.8%	96.2%
Grade 8	0.9%	1.6%	2.0%	98.0%
Grade 9	1.1%	4.1%	6.2%	93.8%
Grade 10	1.8%	3.0%	4.8%	95.2%
Grade 11	4.5%	6.8%	9.5%	90.5%
Grade 12	1.7%	2.0%	13.7%	86.3%
Synthetic Cathinones				
All	0.2%	0.2%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.2%	0.5%	0.9%	99.1%
Grade 11	0.0%	0.0%	1.9%	98.1%
Grade 12	0.3%	0.3%	1.9%	98.1%
Steroids				
All	0.8%	1.2%	2.5%	97.5%
Grade 7	1.0%	1.9%	2.8%	97.2%
Grade 8	2.7%	2.7%	5.6%	94.4%
Grade 9	0.6%	1.4%	1.4%	98.6%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.8%	3.9%	96.1%
Grade 12	0.0%	0.0%	0.7%	99.3%
Ecstasy				
All	0.8%	0.9%	3.2%	96.8%
Grade 7	0.3%	0.3%	1.3%	98.7%
Grade 8	1.4%	1.4%	4.1%	95.9%
Grade 9	1.2%	1.2%	2.8%	97.2%
Grade 10	0.7%	0.7%	1.8%	98.2%
Grade 11	0.7%	1.3%	3.9%	96.1%
Grade 12	0.0%	0.3%	6.3%	93.7%

Percentages have been weighted to reflect proportions within the population.

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	0.8%	1.0%	99.0%
Grade 7	1.2%	1.5%	1.6%	98.4%
Grade 8	1.2%	1.2%	1.8%	98.2%
Grade 9	0.0%	1.2%	1.2%	98.8%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.5%	99.5%
Synthetic Marijuana				
All	2.8%	4.0%	7.8%	92.2%
Grade 7	1.9%	3.1%	5.1%	94.9%
Grade 8	3.6%	4.6%	7.3%	92.7%
Grade 9	6.1%	7.1%	10.3%	89.7%
Grade 10	1.7%	2.3%	4.4%	95.6%
Grade 11	1.7%	4.5%	13.1%	86.9%
Grade 12	0.5%	1.0%	6.0%	94.0%
Methamphetamine				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	1.2%	1.2%	2.1%	97.9%
Grade 8	0.7%	0.7%	1.4%	98.6%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	0.5%	0.5%	3.1%	96.9%
Grade 12	0.5%	0.8%	2.0%	98.0%

Percentages have been weighted to reflect proportions within the population.

3   Margin Tables

Gender

Q1	Frequency	Percent
Male	109,505	50.3%
Female	108,295	49.7%
Frequency Missing	1,188	

Grade

Q2	Frequency	Percent
Grade 7	39,341	18.0%
Grade 8	40,110	18.4%
Grade 9	38,307	17.5%
Grade 10	36,146	16.5%
Grade 11	35,129	16.1%
Grade 12	29,385	13.5%
Frequency Missing	570	

Live with Both Parents

Q3	Frequency	Percent
No	77,287	35.7%
Yes	139,230	64.3%
Frequency Missing	2,470	

Age

Q4	Frequency	Percent
11 or younger	181	0.1%
12	14,719	6.7%
13	38,191	17.5%
14	38,379	17.6%
15	37,616	17.2%
16	35,942	16.5%
17	34,331	15.7%
18	17,163	7.9%
19 or older	1,621	0.7%
Frequency Missing	844	

Hispanic or Latino

Q5a	Frequency	Percent
No	62,777	29.3%
Yes	151,821	70.7%
Frequency Missing	4,389	

Ethnicity

Q5b	Frequency	Percent
American Indian	5,085	2.6%
Asian American	1,690	0.9%
African American	9,892	5.1%
Pacific Islander	985	0.5%
White	104,767	54.0%
Other	42,939	22.1%
More Than One Race	28,716	14.8%
Frequency Missing	24,912	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	672	0.4%
Mostly D's	2,226	1.2%
Mostly C's	22,652	11.8%
Mostly B's	90,678	47.3%
Mostly A's	75,401	39.3%
Frequency Missing	27,359	

Do You Have a Job

Q7	Frequency	Percent
No	165,025	85.5%
Yes	27,977	14.5%
Frequency Missing	25,985	

Percentages and frequencies have been weighted to reflect proportions within the population.

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	57,433	30.0%
Yes	75,778	39.6%
Don't Know	58,206	30.4%
Frequency Missing	27,570	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	147,711	91.8%
Yes	13,169	8.2%
Frequency Missing	58,108	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	79,114	43.8%
Yes	101,350	56.2%
Frequency Missing	38,524	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	121,335	73.0%
Yes	44,800	27.0%
Frequency Missing	52,852	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	122,375	72.7%
Yes	45,887	27.3%
Frequency Missing	50,725	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	115,920	70.2%
Yes	49,249	29.8%
Frequency Missing	53,818	

Participate in School Choir

Q9c	Frequency	Percent
No	152,916	95.4%
Yes	7,420	4.6%
Frequency Missing	58,651	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	108,824	64.8%
Yes	59,135	35.2%
Frequency Missing	51,028	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	148,376	91.8%
Yes	13,333	8.2%
Frequency Missing	57,278	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	117,828	71.5%
Yes	47,062	28.5%
Frequency Missing	54,098	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	190,330	87.5%
Somewhat Safe	24,174	11.1%
Not Very Safe	1,221	0.6%
Not Safe At All	309	0.1%
Don't Know	1,499	0.7%
Frequency Missing	1,454	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	13,249	6.5%
Some High School	22,147	10.8%
Finished High School	39,041	19.0%
Some College	28,928	14.1%
Finished College	48,745	23.8%
Post-Secondary	34,483	16.8%
Don't Know or N/A	18,502	9.0%
Frequency Missing	13,892	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	103,766	48.0%
Somewhat Safe	93,375	43.2%
Not Very Safe	12,084	5.6%
Not Safe At All	2,232	1.0%
Don't Know	4,532	2.1%
Frequency Missing	2,998	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	121,792	62.6%
Yes	72,719	37.4%
Frequency Missing	24,476	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	79,125	36.6%
Somewhat Safe	101,010	46.8%
Not Very Safe	20,612	9.5%
Not Safe At All	7,603	3.5%
Don't Know	7,627	3.5%
Frequency Missing	3,010	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	11,133	5.2%
A Few	42,819	19.9%
Some	46,508	21.7%
Most	81,894	38.1%
All	32,425	15.1%
Frequency Missing	4,207	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	13,911	6.8%
Some High School	23,769	11.7%
Finished High School	42,985	21.1%
Some College	22,567	11.1%
Finished College	37,943	18.6%
Post-Secondary	32,755	16.1%
Don't Know or N/A	29,747	14.6%
Frequency Missing	15,311	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	4,909	2.3%
A Few	24,490	11.4%
Some	49,296	23.0%
Most	92,001	42.9%
All	43,900	20.5%
Frequency Missing	4,392	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	112,226	53.3%
A Few	60,646	28.8%
Some	23,439	11.1%
Most	9,197	4.4%
All	4,957	2.4%
Frequency Missing	8,523	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	204,634	95.6%
In Your Lifetime	6,237	2.9%
Since School Began	1,098	0.5%
In the Past Month	2,129	1.0%
Frequency Missing	4,891	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	167,679	78.7%
A Few	29,327	13.8%
Some	9,842	4.6%
Most	3,967	1.9%
All	2,295	1.1%
Frequency Missing	5,878	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	210,496	99.0%
In Your Lifetime	1,078	0.5%
Since School Began	332	0.2%
In the Past Month	669	0.3%
Frequency Missing	6,412	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	183,368	85.7%
A Few	21,235	9.9%
Some	5,424	2.5%
Most	2,321	1.1%
All	1,630	0.8%
Frequency Missing	5,010	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	200,363	93.6%
In Your Lifetime	8,528	4.0%
Since School Began	1,531	0.7%
In the Past Month	3,533	1.7%
Frequency Missing	5,034	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	210,552	98.0%
In Your Lifetime	2,642	1.2%
Since School Began	311	0.1%
In the Past Month	1,244	0.6%
Frequency Missing	4,238	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	211,211	98.8%
In Your Lifetime	1,304	0.6%
Since School Began	457	0.2%
In the Past Month	866	0.4%
Frequency Missing	5,150	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	211,028	98.9%
In Your Lifetime	978	0.5%
Since School Began	400	0.2%
In the Past Month	964	0.5%
Frequency Missing	5,616	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	209,530	98.1%
In Your Lifetime	2,218	1.0%
Since School Began	497	0.2%
In the Past Month	1,258	0.6%
Frequency Missing	5,484	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	210,036	98.2%
In Your Lifetime	2,148	1.0%
Since School Began	539	0.3%
In the Past Month	1,110	0.5%
Frequency Missing	5,153	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	175,113	81.7%
In Your Lifetime	19,197	9.0%
Since School Began	7,061	3.3%
In the Past Month	13,085	6.1%
Frequency Missing	4,531	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	193,009	90.8%
In Your Lifetime	7,843	3.7%
Since School Began	3,074	1.4%
In the Past Month	8,621	4.1%
Frequency Missing	6,439	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	120,644	57.5%
In Your Lifetime	35,685	17.0%
Since School Began	15,145	7.2%
In the Past Month	38,348	18.3%
Frequency Missing	9,166	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	146,941	69.6%
In Your Lifetime	23,610	11.2%
Since School Began	12,871	6.1%
In the Past Month	27,812	13.2%
Frequency Missing	7,753	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	139,132	66.5%
In Your Lifetime	31,931	15.3%
Since School Began	12,697	6.1%
In the Past Month	25,425	12.2%
Frequency Missing	9,802	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	130,641	61.7%
In Your Lifetime	28,079	13.3%
Since School Began	15,208	7.2%
In the Past Month	37,669	17.8%
Frequency Missing	7,390	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	209,131	97.4%
In Your Lifetime	2,759	1.3%
Since School Began	1,036	0.5%
In the Past Month	1,788	0.8%
Frequency Missing	4,272	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	206,040	96.5%
In Your Lifetime	4,590	2.1%
Since School Began	978	0.5%
In the Past Month	2,000	0.9%
Frequency Missing	5,380	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	212,379	99.4%
In Your Lifetime	617	0.3%
Since School Began	170	0.1%
In the Past Month	588	0.3%
Frequency Missing	5,233	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	152,126	71.1%
In Your Lifetime	21,089	9.9%
Since School Began	9,340	4.4%
In the Past Month	31,354	14.7%
Frequency Missing	5,079	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	205,953	96.3%
In Your Lifetime	3,921	1.8%
Since School Began	1,827	0.9%
In the Past Month	2,219	1.0%
Frequency Missing	5,067	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	166,441	77.5%
In Your Lifetime	17,011	7.9%
Since School Began	9,196	4.3%
In the Past Month	22,096	10.3%
Frequency Missing	4,243	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	212,942	99.4%
In Your Lifetime	716	0.3%
Since School Began	113	0.1%
In the Past Month	393	0.2%
Frequency Missing	4,823	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	212,153	99.0%
In Your Lifetime	1,030	0.5%
Since School Began	346	0.2%
In the Past Month	692	0.3%
Frequency Missing	4,766	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	206,317	96.5%
In Your Lifetime	4,061	1.9%
Since School Began	843	0.4%
In the Past Month	2,510	1.2%
Frequency Missing	5,255	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	209,742	98.3%
In Your Lifetime	2,315	1.1%
Since School Began	226	0.1%
In the Past Month	1,131	0.5%
Frequency Missing	5,573	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	185,762	87.4%
In Your Lifetime	12,406	5.8%
Since School Began	5,944	2.8%
In the Past Month	8,506	4.0%
Frequency Missing	6,370	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	213,564	99.7%
In Your Lifetime	258	0.1%
Since School Began	249	0.1%
In the Past Month	199	0.1%
Frequency Missing	4,717	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	204,527	96.5%
In Your Lifetime	3,826	1.8%
Since School Began	1,758	0.8%
In the Past Month	1,885	0.9%
Frequency Missing	6,991	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	212,788	99.4%
In Your Lifetime	580	0.3%
Since School Began	179	0.1%
In the Past Month	557	0.3%
Frequency Missing	4,883	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	200,517	94.5%
In Your Lifetime	4,947	2.3%
Since School Began	2,858	1.3%
In the Past Month	3,781	1.8%
Frequency Missing	6,885	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	200,864	94.9%
In Your Lifetime	4,192	2.0%
Since School Began	2,373	1.1%
In the Past Month	4,122	1.9%
Frequency Missing	7,436	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	145,589	68.6%
1-2 times	38,760	18.3%
3-10 times	20,274	9.6%
11+ times	7,572	3.6%
Frequency Missing	6,793	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	195,781	92.6%
In Your Lifetime	7,117	3.4%
Since School Began	2,157	1.0%
In the Past Month	6,486	3.1%
Frequency Missing	7,446	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	208,741	98.5%
1-2 times	2,492	1.2%
3-10 times	394	0.2%
11+ times	328	0.2%
Frequency Missing	7,033	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	204,988	96.4%
In Your Lifetime	3,738	1.8%
Since School Began	1,399	0.7%
In the Past Month	2,551	1.2%
Frequency Missing	6,311	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	181,064	85.1%
1-2 times	16,345	7.7%
3-10 times	6,873	3.2%
11+ times	8,513	4.0%
Frequency Missing	6,192	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	188,422	88.4%
1-2 times	11,796	5.5%
3-10 times	5,677	2.7%
11+ times	7,235	3.4%
Frequency Missing	5,858	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	210,062	98.6%
1-2 times	2,078	1.0%
3-10 times	650	0.3%
11+ times	268	0.1%
Frequency Missing	5,928	

Percentages and frequencies have been weighted to reflect proportions within the population.

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	211,841	99.6%
1-2 times	580	0.3%
3-10 times	67	0.0%
11+ times	142	0.1%
Frequency Missing	6,358	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	117,691	55.5%
A few	42,447	20.0%
Some	23,730	11.2%
Most	21,681	10.2%
All	6,349	3.0%
Frequency Missing	7,089	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	136,175	64.0%
A few	41,639	19.6%
Some	17,603	8.3%
Most	12,786	6.0%
All	4,463	2.1%
Frequency Missing	6,321	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	169,860	81.4%
8 or younger	1,563	0.7%
9 years old	710	0.3%
10 years old	1,487	0.7%
11 years old	1,530	0.7%
12 years old	3,967	1.9%
13 years old	5,127	2.5%
14 years old	7,297	3.5%
15 years old	7,461	3.6%
16 years old	5,848	2.8%
17 years old	3,023	1.4%
18 or older	725	0.3%
Frequency Missing	10,392	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	86,856	41.0%
A few	51,209	24.2%
Some	30,232	14.3%
Most	31,972	15.1%
All	11,630	5.5%
Frequency Missing	7,089	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	106,010	51.3%
8 or younger	9,185	4.4%
9 years old	3,337	1.6%
10 years old	4,436	2.1%
11 years old	4,928	2.4%
12 years old	11,295	5.5%
13 years old	14,309	6.9%
14 years old	16,981	8.2%
15 years old	18,108	8.8%
16 years old	11,911	5.8%
17 years old	4,740	2.3%
18 or older	1,497	0.7%
Frequency Missing	12,250	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	195,534	92.6%
A few	10,994	5.2%
Some	3,032	1.4%
Most	1,032	0.5%
All	482	0.2%
Frequency Missing	7,913	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	199,769	96.4%
8 or younger	1,231	0.6%
9 years old	654	0.3%
10 years old	749	0.4%
11 years old	721	0.3%
12 years old	1,105	0.5%
13 years old	1,198	0.6%
14 years old	568	0.3%
15 years old	445	0.2%
16 years old	499	0.2%
17 years old	182	0.1%
18 or older	19	0.0%
Frequency Missing	11,847	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	203,404	97.5%
8 or younger	88	0.0%
9 years old	146	0.1%
10 years old	76	0.0%
11 years old	89	0.0%
12 years old	340	0.2%
13 years old	272	0.1%
14 years old	1,014	0.5%
15 years old	1,375	0.7%
16 years old	1,052	0.5%
17 years old	744	0.4%
18 or older	28	0.0%
Frequency Missing	10,358	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	161,865	77.7%
8 or younger	1,004	0.5%
9 years old	577	0.3%
10 years old	1,182	0.6%
11 years old	1,426	0.7%
12 years old	4,002	1.9%
13 years old	6,892	3.3%
14 years old	9,769	4.7%
15 years old	10,836	5.2%
16 years old	7,059	3.4%
17 years old	2,799	1.3%
18 or older	852	0.4%
Frequency Missing	10,724	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	207,705	99.5%
8 or younger	40	0.0%
9 years old	49	0.0%
10 years old	25	0.0%
11 years old	166	0.1%
12 years old	97	0.0%
13 years old	171	0.1%
14 years old	88	0.0%
15 years old	213	0.1%
16 years old	130	0.1%
17 years old	37	0.0%
18 or older	0	0.0%
Frequency Missing	10,266	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	206,408	99.1%
8 or younger	194	0.1%
9 years old	79	0.0%
10 years old	117	0.1%
11 years old	189	0.1%
12 years old	247	0.1%
13 years old	177	0.1%
14 years old	326	0.2%
15 years old	143	0.1%
16 years old	105	0.1%
17 years old	217	0.1%
18 or older	13	0.0%
Frequency Missing	10,772	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	208,061	99.8%
8 or younger	22	0.0%
9 years old	37	0.0%
10 years old	0	0.0%
11 years old	41	0.0%
12 years old	60	0.0%
13 years old	117	0.1%
14 years old	31	0.0%
15 years old	74	0.0%
16 years old	31	0.0%
17 years old	0	0.0%
18 or older	70	0.0%
Frequency Missing	10,444	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	204,539	98.5%
8 or younger	0	0.0%
9 years old	15	0.0%
10 years old	27	0.0%
11 years old	172	0.1%
12 years old	205	0.1%
13 years old	334	0.2%
14 years old	668	0.3%
15 years old	787	0.4%
16 years old	608	0.3%
17 years old	313	0.2%
18 or older	57	0.0%
Frequency Missing	11,262	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	207,665	99.5%
8 or younger	69	0.0%
9 years old	47	0.0%
10 years old	82	0.0%
11 years old	14	0.0%
12 years old	65	0.0%
13 years old	163	0.1%
14 years old	149	0.1%
15 years old	343	0.2%
16 years old	145	0.1%
17 years old	19	0.0%
18 or older	10	0.0%
Frequency Missing	10,217	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	200,995	96.6%
8 or younger	208	0.1%
9 years old	76	0.0%
10 years old	130	0.1%
11 years old	364	0.2%
12 years old	678	0.3%
13 years old	1,042	0.5%
14 years old	1,341	0.6%
15 years old	1,698	0.8%
16 years old	933	0.4%
17 years old	599	0.3%
18 or older	61	0.0%
Frequency Missing	10,863	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	63,602	30.2%
Impossible	35,551	16.9%
Very Difficult	14,364	6.8%
Somewhat diff	20,156	9.6%
Somewhat easy	30,216	14.4%
Very easy	46,416	22.1%
Frequency Missing	8,682	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	46,648	22.3%
Impossible	22,846	10.9%
Very Difficult	11,057	5.3%
Somewhat diff	24,232	11.6%
Somewhat easy	42,372	20.3%
Very easy	61,769	29.6%
Frequency Missing	10,064	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	93,799	45.1%
Impossible	29,662	14.3%
Very Difficult	8,800	4.2%
Somewhat diff	10,331	5.0%
Somewhat easy	17,802	8.6%
Very easy	47,640	22.9%
Frequency Missing	10,954	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	63,215	30.2%
Impossible	39,405	18.8%
Very Difficult	14,344	6.9%
Somewhat diff	20,720	9.9%
Somewhat easy	28,700	13.7%
Very easy	42,738	20.4%
Frequency Missing	9,865	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	87,827	42.1%
Impossible	57,585	27.6%
Very Difficult	25,977	12.4%
Somewhat diff	18,043	8.6%
Somewhat easy	9,934	4.8%
Very easy	9,421	4.5%
Frequency Missing	10,199	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	93,620	44.9%
Impossible	60,571	29.0%
Very Difficult	27,584	13.2%
Somewhat diff	14,161	6.8%
Somewhat easy	6,060	2.9%
Very easy	6,531	3.1%
Frequency Missing	10,460	

Percentages and frequencies have been weighted to reflect proportions within the population.

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	96,724	46.5%
Impossible	57,891	27.8%
Very Difficult	25,147	12.1%
Somewhat diff	14,355	6.9%
Somewhat easy	7,117	3.4%
Very easy	6,751	3.2%
Frequency Missing	11,002	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	106,299	50.9%
Impossible	48,877	23.4%
Very Difficult	19,519	9.4%
Somewhat diff	13,180	6.3%
Somewhat easy	9,958	4.8%
Very easy	10,884	5.2%
Frequency Missing	10,270	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	107,930	51.8%
Impossible	50,605	24.3%
Very Difficult	22,374	10.7%
Somewhat diff	13,295	6.4%
Somewhat easy	6,837	3.3%
Very easy	7,206	3.5%
Frequency Missing	10,741	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	4,749	2.3%
Several times/wk	5,173	2.5%
Several times/mo	5,102	2.4%
About once/month	6,761	3.2%
About once/year	6,714	3.2%
Less than once/year	8,308	4.0%
Never used	172,058	82.4%
Frequency Missing	10,122	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	102,300	48.9%
Impossible	64,174	30.7%
Very Difficult	25,427	12.2%
Somewhat diff	8,404	4.0%
Somewhat easy	3,688	1.8%
Very easy	5,051	2.4%
Frequency Missing	9,944	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	556	0.3%
Several times/wk	8,416	4.1%
Several times/mo	21,520	10.4%
About once/month	25,082	12.1%
About once/year	21,413	10.3%
Less than once/year	18,023	8.7%
Never used	112,606	54.2%
Frequency Missing	11,371	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	106,898	51.1%
Impossible	60,765	29.1%
Very Difficult	23,714	11.3%
Somewhat diff	8,293	4.0%
Somewhat easy	3,990	1.9%
Very easy	5,370	2.6%
Frequency Missing	9,958	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	178	0.1%
Several times/wk	559	0.3%
Several times/mo	582	0.3%
About once/month	1,124	0.5%
About once/year	1,182	0.6%
Less than once/year	2,728	1.3%
Never used	201,951	96.9%
Frequency Missing	10,682	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	95	0.0%
Several times/wk	72	0.0%
Several times/mo	120	0.1%
About once/month	111	0.1%
About once/year	140	0.1%
Less than once/year	368	0.2%
Never used	207,560	99.6%
Frequency Missing	10,520	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	3,836	1.8%
Several times/wk	5,553	2.7%
Several times/mo	7,248	3.5%
About once/month	9,983	4.8%
About once/year	7,782	3.7%
Less than once/year	8,366	4.0%
Never used	165,859	79.5%
Frequency Missing	10,361	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	51	0.0%
Several times/wk	81	0.0%
Several times/mo	133	0.1%
About once/month	265	0.1%
About once/year	94	0.0%
Less than once/year	452	0.2%
Never used	207,209	99.5%
Frequency Missing	10,702	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	61	0.0%
Several times/wk	240	0.1%
Several times/mo	481	0.2%
About once/month	895	0.4%
About once/year	1,011	0.5%
Less than once/year	1,741	0.8%
Never used	203,989	97.9%
Frequency Missing	10,569	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	0	0.0%
Several times/wk	118	0.1%
Several times/mo	240	0.1%
About once/month	561	0.3%
About once/year	833	0.4%
Less than once/year	1,255	0.6%
Never used	205,009	98.6%
Frequency Missing	10,971	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	35	0.0%
Several times/wk	23	0.0%
Several times/mo	48	0.0%
About once/month	81	0.0%
About once/year	154	0.1%
Less than once/year	166	0.1%
Never used	208,256	99.8%
Frequency Missing	10,224	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	118,248	56.4%
12+ drinks	5,958	2.8%
9-11 drinks	4,855	2.3%
5-8 drinks	12,246	5.8%
3-4 drinks	15,210	7.3%
2 drinks	13,376	6.4%
1 drink	15,260	7.3%
Less than 1 drink	24,545	11.7%
Frequency Missing	9,289	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	27	0.0%
Several times/wk	85	0.0%
Several times/mo	99	0.0%
About once/month	134	0.1%
About once/year	225	0.1%
Less than once/year	542	0.3%
Never used	207,445	99.5%
Frequency Missing	10,431	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	141,615	67.8%
12+ drinks	2,979	1.4%
9-11 drinks	2,815	1.3%
5-8 drinks	6,883	3.3%
3-4 drinks	12,879	6.2%
2 drinks	13,597	6.5%
1 drink	13,881	6.6%
Less than 1 drink	14,324	6.9%
Frequency Missing	10,013	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	304	0.1%
Several times/wk	474	0.2%
Several times/mo	586	0.3%
About once/month	922	0.4%
About once/year	1,396	0.7%
Less than once/year	2,395	1.2%
Never used	201,702	97.1%
Frequency Missing	11,208	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	138,281	66.4%
12+ drinks	1,627	0.8%
9-11 drinks	1,110	0.5%
5-8 drinks	3,554	1.7%
3-4 drinks	8,833	4.2%
2 drinks	10,750	5.2%
1 drink	17,896	8.6%
Less than 1 drink	26,168	12.6%
Frequency Missing	10,768	

Percentages and frequencies have been weighted to reflect proportions within the population.

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	126,163	60.4%
12+ drinks	5,341	2.6%
9-11 drinks	4,129	2.0%
5-8 drinks	10,884	5.2%
3-4 drinks	16,353	7.8%
2 drinks	14,818	7.1%
1 drink	12,290	5.9%
Less than 1 drink	18,985	9.1%
Frequency Missing	10,024	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	114,231	55.1%
0 days	57,694	27.8%
1 day	11,819	5.7%
2 days	8,577	4.1%
3 to 5 days	7,839	3.8%
6 to 9 days	3,425	1.7%
10 or more days	3,873	1.9%
Frequency Missing	11,530	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	113,595	54.5%
Never	38,735	18.6%
Seldom	37,770	18.1%
Most of the Time	12,981	6.2%
Always	5,200	2.5%
Frequency Missing	10,706	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	108,242	52.0%
Never	32,202	15.5%
Seldom	29,956	14.4%
Most of the Time	28,572	13.7%
Always	9,247	4.4%
Frequency Missing	10,770	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	115,896	56.0%
Never	64,187	31.0%
Seldom	11,250	5.4%
Most of the Time	10,301	5.0%
Always	5,334	2.6%
Frequency Missing	12,019	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	106,920	51.4%
Never	28,826	13.9%
Seldom	22,441	10.8%
Most of the Time	25,946	12.5%
Always	23,699	11.4%
Frequency Missing	11,155	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	119,173	58.2%
Never	48,190	23.5%
Seldom	18,234	8.9%
Most of the Time	10,613	5.2%
Always	8,622	4.2%
Frequency Missing	14,155	

Percentages and frequencies have been weighted to reflect proportions within the population.

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	120,200	57.7%
Somewhat	53,934	25.9%
Not very	19,136	9.2%
Not at all	4,769	2.3%
Don't know	10,184	4.9%
Frequency Missing	10,764	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	179,748	86.7%
Somewhat	13,491	6.5%
Not very	2,130	1.0%
Not at all	1,110	0.5%
Don't know	10,927	5.3%
Frequency Missing	11,580	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	92,680	44.7%
Somewhat	64,896	31.3%
Not very	34,568	16.7%
Not at all	7,022	3.4%
Don't know	8,290	4.0%
Frequency Missing	11,531	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	181,803	87.6%
Somewhat	10,947	5.3%
Not very	1,679	0.8%
Not at all	1,090	0.5%
Don't know	11,935	5.8%
Frequency Missing	11,534	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	147,826	71.7%
Somewhat	29,513	14.3%
Not very	9,683	4.7%
Not at all	3,116	1.5%
Don't know	16,063	7.8%
Frequency Missing	12,786	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	168,162	81.2%
Somewhat	15,805	7.6%
Not very	4,452	2.2%
Not at all	1,707	0.8%
Don't know	16,921	8.2%
Frequency Missing	11,940	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	114,627	55.4%
Somewhat	29,951	14.5%
Not very	26,995	13.0%
Not at all	26,592	12.8%
Don't know	8,891	4.3%
Frequency Missing	11,932	

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	160,121	77.4%
Somewhat	24,023	11.6%
Not very	6,568	3.2%
Not at all	1,891	0.9%
Don't know	14,382	6.9%
Frequency Missing	12,002	

Percentages and frequencies have been weighted to reflect proportions within the population.

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	182,767	88.3%
Somewhat	8,503	4.1%
Not very	1,513	0.7%
Not at all	1,094	0.5%
Don't know	13,108	6.3%
Frequency Missing	12,002	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	111,020	53.7%
Somewhat	27,329	13.2%
Not very	34,093	16.5%
Not at all	22,083	10.7%
Don't know	12,121	5.9%
Frequency Missing	12,342	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	182,020	87.9%
Somewhat	8,748	4.2%
Not very	1,438	0.7%
Not at all	989	0.5%
Don't know	13,844	6.7%
Frequency Missing	11,949	

Days Skipped Since September

Q28a	Frequency	Percent
None	166,968	80.6%
1-3 days	30,686	14.8%
4-9 days	6,049	2.9%
10+ days	3,558	1.7%
Frequency Missing	11,727	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	166,473	80.6%
Somewhat	16,170	7.8%
Not very	5,055	2.4%
Not at all	2,368	1.1%
Don't know	16,452	8.0%
Frequency Missing	12,469	

Days Ill Since September

Q28b	Frequency	Percent
None	69,452	33.6%
1-3 days	104,970	50.7%
4-9 days	26,435	12.8%
10+ days	6,052	2.9%
Frequency Missing	12,078	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	77,886	37.9%
1-3 days	103,657	50.5%
4-9 days	17,894	8.7%
10+ days	5,924	2.9%
Frequency Missing	13,628	

Dangerous for Kids to Use Any Prescription

Q27l	Frequency	Percent
Very	154,706	74.9%
Somewhat	26,919	13.0%
Not very	8,494	4.1%
Not at all	2,828	1.4%
Don't know	13,720	6.6%
Frequency Missing	12,319	

Percentages and frequencies have been weighted to reflect proportions within the population.

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	181,994	87.8%
1-3 days	19,004	9.2%
4-9 days	3,893	1.9%
10+ days	2,364	1.1%
Frequency Missing	11,733	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	198,804	96.2%
1-3 times	6,782	3.3%
4-9 times	527	0.3%
10+ times	464	0.2%
Frequency Missing	12,410	

Someone Called Home Since September

Q28e	Frequency	Percent
None	188,173	90.9%
1-3 days	14,850	7.2%
4-9 days	2,150	1.0%
10+ days	1,865	0.9%
Frequency Missing	11,949	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	193,703	93.9%
1-3 times	7,661	3.7%
4-9 times	1,932	0.9%
10+ times	2,935	1.4%
Frequency Missing	12,757	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	196,063	94.6%
1-3 times	10,004	4.8%
4-9 times	705	0.3%
10+ times	405	0.2%
Frequency Missing	11,810	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	195,488	94.7%
1-3 days	8,886	4.3%
4-9 days	1,200	0.6%
10+ days	772	0.4%
Frequency Missing	12,641	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	194,025	93.9%
1-3 times	9,465	4.6%
4-9 times	1,675	0.8%
10+ times	1,531	0.7%
Frequency Missing	12,291	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	189,831	92.3%
1-3 days	9,405	4.6%
4-9 days	2,620	1.3%
10+ days	3,860	1.9%
Frequency Missing	13,272	

Percentages and frequencies have been weighted to reflect proportions within the population.

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	203,200	99.0%
1-3 days	1,380	0.7%
4-9 days	378	0.2%
10+ days	248	0.1%
Frequency Missing	13,781	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	174,027	92.2%
Yes	14,796	7.8%
Frequency Missing	30,164	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	198,042	96.8%
1-3 days	4,472	2.2%
4-9 days	1,081	0.5%
10+ days	1,084	0.5%
Frequency Missing	14,308	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	120,208	59.6%
Yes	81,615	40.4%
Frequency Missing	17,164	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	152,240	76.0%
Yes	48,203	24.0%
Frequency Missing	18,545	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	91,315	44.2%
Seldom	14,680	7.1%
Half the time	11,012	5.3%
Most of the Time	20,537	10.0%
Always	34,733	16.8%
Don't Know	3,992	1.9%
Didn't attend	30,135	14.6%
Frequency Missing	12,583	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	113,542	56.8%
Yes	86,432	43.2%
Frequency Missing	19,013	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	114,474	55.6%
Seldom	12,738	6.2%
Half the time	11,791	5.7%
Most of the Time	15,286	7.4%
Always	16,021	7.8%
Don't Know	5,585	2.7%
Didn't attend	29,981	14.6%
Frequency Missing	13,111	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	57,158	28.2%
Yes	145,465	71.8%
Frequency Missing	16,365	

Percentages and frequencies have been weighted to reflect proportions within the population.

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	82,296	41.2%
Yes	117,488	58.8%
Frequency Missing	19,202	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	108,841	55.0%
Yes	88,931	45.0%
Frequency Missing	21,215	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	69,849	34.9%
Yes	130,140	65.1%
Frequency Missing	18,998	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	113,192	57.6%
Yes	83,384	42.4%
Frequency Missing	22,411	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	80,332	40.1%
Yes	120,036	59.9%
Frequency Missing	18,619	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	142,961	73.1%
Yes	52,618	26.9%
Frequency Missing	23,408	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	115,887	57.9%
Yes	84,297	42.1%
Frequency Missing	18,804	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	156,099	80.0%
Yes	38,987	20.0%
Frequency Missing	23,901	

Would Not Seek Help

Q33i	Frequency	Percent
No	158,639	81.1%
Yes	36,890	18.9%
Frequency Missing	23,459	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	137,721	70.9%
Yes	56,563	29.1%
Frequency Missing	24,703	

Percentages and frequencies have been weighted to reflect proportions within the population.

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	159,251	82.0%
Yes	34,943	18.0%
Frequency Missing	24,793	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	134,558	69.1%
Yes	60,241	30.9%
Frequency Missing	24,188	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	133,539	68.7%
Yes	60,806	31.3%
Frequency Missing	24,643	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	155,091	75.2%
Mild disapprove	16,682	8.1%
Neither	15,206	7.4%
Mildly approve	2,505	1.2%
Strongly approve	1,518	0.7%
Don't know	15,146	7.3%
Frequency Missing	12,839	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	117,824	57.2%
Mild disapprove	31,831	15.5%
Neither	28,241	13.7%
Mildly approve	11,113	5.4%
Strongly approve	2,850	1.4%
Don't know	14,055	6.8%
Frequency Missing	13,074	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	155,350	75.5%
Mild disapprove	15,110	7.3%
Neither	14,423	7.0%
Mildly approve	3,634	1.8%
Strongly approve	2,693	1.3%
Don't know	14,572	7.1%
Frequency Missing	13,204	

Percentages and frequencies have been weighted to reflect proportions within the population.

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and receny of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall "Any Tobacco Product" category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	**Updating Rule**
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall "Any Alcohol Product" category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	**Updating Rule**
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	**Updating Rule**
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	**Updating Rule**
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	**Updating Rule**
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Any Alcohol Product
This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.

Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Alcohol (Q23b : alc_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for all responses to this question other than "Never 5+ at Time" or "0 Days".
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	**Updating Rule**
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	**Updating Rule**
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	**Updating Rule**
Crack Use in Past Month (Q19f : crack_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Crack (Q21f : crack_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	

Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	**Updating Rule**
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Heroin
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.

Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	**Updating Rule**
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	**Updating Rule**
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	**Updating Rule**
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used "Marijuana Only". Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey ("Codeine", "Percocets etc", "Benzodiazepines etc", "Adderall etc", and "Other Prescriptions"). However, the category of "DXM, Triple Cs etc" is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall "Any Inhalant" category is updated as described below.

Any Inhalant	
This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.	
Question	**Updating Rule**
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".