Texas School Survey of Drug and Alcohol Use: 2012 Border: Grades 4-6

# **Table of Contents**

1. General Substance Tables	Page 5
Tobacco Alcohol Drugs Inhalants Miscellaneous	
2. Prevalence Tables	Page 31
Table B1: All Students Table B2: Male Students Table B3: Female Students Table B4: White Students Table B5: African/American Students Table B6: Mexican/American Students Table B7: Students Reporting A Grades Table B8: Students Reporting Grades Lower Than an A Table B9: Students Living With 2 Parents Table B10: Students Not Living With 2 Parents Table B11: Students Living in Town More Than 3 Years Table B12: Students Living in Town 3 Years or Less	
3. Margin Tables	Page 45

1. General Substance Tables

Table T-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Any tobacco product?					
	All	3.6%	2.1%	1.5%	96.4%
	Grade 4	2.2%	1.3%	0.9%	97.8%
	Grade 5	3.1%	1.5%	1.5%	96.9%
	Grade 6	5.9%	3.8%	2.1%	94.1%
Cigarettes?					
	All	3.2%	1.9%	1.3%	96.8%
	Grade 4	1.8%	0.9%	0.9%	98.2%
	Grade 5	2.5%	1.3%	1.2%	97.5%
	Grade 6	5.7%	3.7%	2.0%	94.3%
Smokeless tobacco?					
	All	0.8%	0.5%	0.3%	99.2%
	Grade 4	0.8%	0.5%	0.3%	99.2%
	Grade 5	0.9%	0.4%	0.5%	99.1%
	Grade 6	0.8%	0.5%	0.2%	99.2%

Table T-2: Average number of times selected tobacco products were used by those who reported use of ..

	School Year	Lifetime
All	3.2	3.2
Grade 4	3.8	3.6
Grade 5	2.6	2.5
Grade 6	3.2	3.3

Table T-3: Average age of first use of tobacco:

Grade 4	Grade 5	Grade 6
Cigarettes		
8.5	9.2	10.1
Smokeless Tol	оассо	
8.2	9.2	10.5
Any Tobacco		
8.3	9.1	10.1

Table T-4: Age of first use of tobacco by family situation:

		Under					Over
	Never	8	8	9	10	11	11
Two Parent Family							
All	96.7%	0.7%	0.4%	0.4%	0.7%	0.7%	0.4%
Grade 4	98.0%	0.7%	0.5%	0.3%	0.3%	0.1%	0.0%
Grade 5	97.1%	0.7%	0.2%	0.5%	0.9%	0.5%	0.0%
Grade 6	94.3%	0.8%	0.5%	0.4%	0.9%	1.7%	1.5%
Other Family Situation							
All	95.3%	1.0%	0.4%	1.0%	0.8%	1.1%	0.5%
Grade 4	96.7%	1.3%	0.3%	1.0%	0.5%	0.1%	0.1%
Grade 5	96.1%	0.9%	0.4%	1.2%	0.8%	0.4%	0.3%
Grade 6	93.0%	0.7%	0.4%	0.7%	1.1%	3.0%	1.0%

Table T-5: About how many of your close friends use ...

	Never Heard			
	Of	None	Some	Most
Any tobacco product?				
All	4.9%	83.6%	10.4%	1.1%
Grade 4	6.8%	85.6%	6.7%	0.8%
Grade 5	4.8%	84.9%	9.4%	0.9%
Grade 6	2.6%	79.6%	16.1%	1.8%
Cigarettes?				
All	7.4%	82.2%	9.5%	0.9%
Grade 4	10.2%	83.0%	6.3%	0.6%
Grade 5	7.5%	83.5%	8.3%	0.7%
Grade 6	3.7%	79.7%	15.1%	1.5%
Smokeless tobacco?				
All	11.8%	84.8%	3.0%	0.4%
Grade 4	18.0%	80.0%	1.6%	0.4%
Grade 5	10.6%	86.2%	2.8%	0.3%
Grade 6	5.3%	89.1%	5.0%	0.7%

Table T-6: Have you ever been offered ...

	,	Never Heard Of	Yes	No
A+-1		Heard Or	res	NO
Any tobacco product?				
	All	5.9%	8.6%	85.4%
	Grade 4	7.7%	6.3%	86.0%
	Grade 5	5.9%	7.6%	86.5%
	Grade 6	3.7%	12.8%	83.5%
Cigarettes?				
	All	8.1%	7.8%	84.1%
	Grade 4	10.1%	5.6%	84.3%
	Grade 5	8.7%	6.7%	84.6%
	Grade 6	4.9%	11.8%	83.3%
Smokeless tobacco?				
	All	12.4%	2.5%	85.1%
	Grade 4	18.3%	1.7%	80.0%
	Grade 5	11.5%	2.2%	86.4%
	Grade 6	6.1%	3.9%	90.0%

Table T-7: How dangerous do you think it is for kids your age to use ...

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
Any tobacco product?					
All	3.6%	76.6%	14.2%	0.9%	4.8%
Grade 4	5.1%	78.5%	11.1%	0.7%	4.6%
Grade 5	3.2%	78.5%	13.1%	0.7%	4.5%
Grade 6	2.0%	71.9%	19.4%	1.5%	5.2%
Cigarettes?					
All	5.3%	66.6%	21.0%	1.2%	5.9%
Grade 4	7.4%	70.1%	16.2%	0.9%	5.4%
Grade 5	5.2%	68.1%	20.1%	1.0%	5.6%
Grade 6	2.6%	60.5%	28.0%	2.1%	6.8%
Smokeless tobacco?					
All	8.9%	69.1%	14.6%	0.9%	6.5%
Grade 4	14.3%	68.0%	10.6%	0.6%	6.3%
Grade 5	7.5%	71.6%	13.9%	0.7%	6.2%
Grade 6	3.8%	67.4%	20.3%	1.5%	7.0%

Table T-8: How do your parents feel about kids your age smoking cigarettes?

	Don't Like	Don't Care	Think It's OK	Don't know
All	87.1%	1.3%	0.5%	11.1%
Grade 4	85.4%	1.3%	0.4%	12.9%
Grade 5	87.8%	1.3%	0.2%	10.6%
Grade 6	88.2%	1.3%	1.0%	9.4%

Table A-1: How recently, if ever, have you used..

		Ever	School	Not Past	Never
		Used	Year	Year	Used
Any alcohol product?					
	All	14.0%	9.3%	4.7%	86.0%
	Grade 4	9.3%	6.4%	2.9%	90.7%
	Grade 5	13.4%	8.7%	4.7%	86.6%
	Grade 6	20.6%	13.7%	6.9%	79.4%
Beer?					
	All	9.2%	5.4%	3.8%	90.8%
	Grade 4	5.7%	3.8%	2.0%	94.3%
	Grade 5	8.7%	4.9%	3.7%	91.3%
	Grade 6	14.1%	7.9%	6.3%	85.9%
Wine coolers?					
	All	5.4%	3.6%	1.8%	94.6%
	Grade 4	3.5%	2.4%	1.1%	96.5%
	Grade 5	4.5%	3.0%	1.5%	95.5%
	Grade 6	8.9%	5.8%	3.1%	91.1%
Wine?					
	All	5.4%	3.4%	2.1%	94.6%
	Grade 4	3.2%	2.0%	1.2%	96.8%
	Grade 5	4.8%	3.1%	1.7%	95.2%
	Grade 6	8.9%	5.4%	3.6%	91.1%
Liquor?	diade 0	0.070	0.470	3.070	01.170
Liquoi :	All	3.2%	2.1%	1.1%	96.8%
	Grade 4	1.6%	1.0%	0.5%	98.4%
	Grade 5	2.5%	1.5%	1.0%	97.5%
	Grade 6	5.9%	4.0%	1.9%	94.1%

Table A-2: Average number of times selected alcohol products were used by those who reported use of ..

		School	T.C.:
		Year	Lifetime
Beer			
	All	2.5	2.6
	Grade 4	2.5	2.6
	Grade 5	2.2	2.3
	Grade 6	2.7	2.8
Liquor			
	All	2.6	2.6
	Grade 4	3.0	2.8
	Grade 5	2.5	2.3
	Grade 6	2.5	2.7
Wine			
	All	2.1	2.2
	Grade 4	2.1	2.4
	Grade 5	2.0	2.3
	Grade 6	2.2	2.1

Table A-3: In the past year, how many times have you had two or more drinks at one time of ..

	Never	1 Time	2 Times	3+ Times	Ever
Beer?					
All	90.5%	5.8%	2.1%	1.6%	9.5%
Grade 4	92.4%	4.8%	1.6%	1.2%	7.6%
Grade 5	91.8%	5.1%	1.9%	1.2%	8.2%
Grade 6	86.7%	8.1%	2.8%	2.5%	13.3%
Wine Coolers?					
All	97.0%	1.8%	0.6%	0.6%	3.0%
Grade 4	98.4%	0.9%	0.4%	0.3%	1.6%
Grade 5	98.0%	1.3%	0.4%	0.3%	2.0%
Grade 6	94.1%	3.3%	1.1%	1.4%	5.9%
Wine?					
All	94.7%	3.5%	1.1%	0.8%	5.3%
Grade 4	96.4%	2.5%	0.7%	0.5%	3.6%
Grade 5	95.4%	3.1%	0.8%	0.6%	4.6%
Grade 6	91.8%	5.1%	1.8%	1.4%	8.2%
Liquor?					
All	97.0%	1.9%	0.5%	0.6%	3.0%
Grade 4	98.7%	0.8%	0.2%	0.3%	1.3%
Grade 5	97.5%	1.7%	0.4%	0.4%	2.5%
Grade 6	94.2%	3.4%	1.1%	1.3%	5.8%

Table A-4: Average age of first use of alcohol:

Grade 4	Grade 5	Grade 6
Beer		
8.1	8.7	9.5
Wine Coolers		
8.4	9.3	10.3
Wine		
8.6	9.4	10.3
Liquor		
8.6	9.7	10.5
Any Alcohol		
8.2	8.8	9.6

Table A-5: Age of first use of alcohol by family situation:

		Under				-	Over
	Never	8	8	9	10	11	11
Two Parent Family							,
All	87.7%	3.5%	1.8%	2.1%	2.1%	1.7%	1.1%
Grade 4	90.8%	3.7%	2.0%	2.1%	1.0%	0.1%	0.2%
Grade 5	88.5%	3.1%	1.8%	2.4%	2.4%	1.5%	0.3%
Grade 6	82.3%	3.8%	1.5%	1.8%	3.1%	4.1%	3.5%
Other Family Situation							
All	83.7%	4.9%	2.1%	2.5%	2.8%	2.7%	1.3%
Grade 4	89.8%	4.4%	1.2%	3.0%	0.9%	0.6%	0.1%
Grade 5	85.5%	5.0%	1.9%	1.9%	3.6%	1.6%	0.5%
Grade 6	75.4%	5.2%	3.3%	2.6%	3.8%	6.2%	3.6%

Table A-6 : Lifetime prevalence of use of alcohol by reported conduct problems this school year:

No	-	,	
Absences or			
Conduct		Sent to	
Problems	Cut School	Principal	Both
10.3%	39.0%	25.3%	41.2%

Table A-7: When you drink alcohol, do you get it from ..

	Don't Drink	Yes	No
Home?			
All	80.5%	4.5%	15.1%
Grade 4	81.1%	2.7%	16.2%
Grade 5	81.6%	4.2%	14.2%
Grade 6	78.4%	7.0%	14.6%
Friends?			
All	79.5%	2.0%	18.6%
Grade 4	79.3%	1.2%	19.5%
Grade 5	81.1%	1.4%	17.4%
Grade 6	77.7%	3.5%	18.8%
Somewhere else?			
All	78.9%	5.0%	16.1%
Grade 4	79.0%	3.7%	17.3%
Grade 5	80.3%	4.4%	15.2%
Grade 6	77.2%	7.2%	15.6%

Table A-8: About how many of your close friends use ..

	Never			
	Heard Of	None	Some	Most
A	Oi	None	Some	MOSt
Any alcohol product?				
All	3.3%	78.4%	15.4%	2.8%
Grade 4	4.3%	82.4%	10.9%	2.4%
Grade 5	3.3%	80.4%	14.0%	2.3%
Grade 6	2.0%	71.1%	22.9%	4.0%
Beer?				
All	4.1%	81.5%	12.6%	1.7%
Grade 4	5.4%	84.3%	8.9%	1.4%
Grade 5	4.3%	83.0%	11.5%	1.3%
Grade 6	2.4%	76.1%	18.8%	2.7%
Wine coolers?				
All	15.1%	77.9%	5.8%	1.2%
Grade 4	20.4%	75.0%	3.6%	1.0%
Grade 5	14.9%	79.9%	4.3%	0.9%
Grade 6	8.7%	79.3%	10.2%	1.9%
Wine?				
All	7.8%	84.8%	6.4%	0.9%
Grade 4	11.5%	83.4%	4.4%	0.6%
Grade 5	7.4%	86.4%	5.5%	0.7%
Grade 6	3.7%	84.8%	10.0%	1.5%
Liquor?				
All	12.4%	82.3%	4.4%	0.9%
Grade 4	19.3%	77.8%	2.3%	0.6%
Grade 5	11.1%	84.7%	3.7%	0.5%
Grade 6	5.3%	85.2%	7.7%	1.8%

Table A-9: Have you ever been offered ..

	Never Heard Of	Yes	No
Any alcohol product?			
All	4.1%	16.2%	79.7%
Grade 4	4.8%	13.9%	81.2%
Grade 5	4.2%	15.1%	80.7%
Grade 6	3.1%	20.5%	76.5%
Beer?			
All	4.6%	13.2%	82.2%
Grade 4	5.4%	11.6%	83.0%
Grade 5	4.8%	12.2%	83.0%
Grade 6	3.4%	16.4%	80.2%
Wine coolers?			
All	15.3%	4.9%	79.9%
Grade 4	19.8%	3.4%	76.9%
Grade 5	15.9%	3.9%	80.2%
Grade 6	8.9%	7.8%	83.2%
Wine?			
All	8.0%	6.0%	86.0%
Grade 4	10.5%	4.3%	85.2%
Grade 5	8.0%	5.4%	86.5%
Grade 6	4.8%	8.7%	86.4%
Liquor?			
All	12.9%	3.9%	83.1%
Grade 4	19.1%	2.4%	78.6%
Grade 5	11.9%	3.0%	85.1%
Grade 6	6.4%	7.0%	86.6%

Table A-10: How do your parents feel about kids your age drinking beer?

	Don't Like	Don't Care	Think It's OK	Don't know
All	85.0%	1.9%	1.0%	12.1%
Grade 4	84.2%	1.8%	0.7%	13.3%
Grade 5	85.8%	1.6%	0.9%	11.7%
Grade 6	85.1%	2.4%	1.3%	11.2%

Table A-11: How dangerous do you think it is for kids your age to use ..

	Never	Very		Not at All	Do Not
	Heard Of	Dangerous	Dangerous	Dangerous	Know
Any alcohol product?					
All	2.3%	74.9%	16.0%	1.8%	5.0%
Grade 4	3.1%	78.6%	12.3%	1.2%	4.8%
Grade 5	2.2%	76.9%	15.0%	1.4%	4.5%
Grade 6	1.5%	67.9%	21.9%	2.9%	5.8%
Beer?					
All	2.7%	56.3%	29.1%	3.9%	8.0%
Grade 4	3.7%	60.3%	25.3%	2.7%	8.1%
Grade 5	2.6%	58.7%	28.0%	3.6%	7.2%
Grade 6	1.7%	48.7%	35.2%	5.7%	8.7%
Wine coolers?					
All	11.3%	58.2%	18.6%	2.8%	9.1%
Grade 4	16.0%	61.6%	12.4%	1.9%	8.1%
Grade 5	10.5%	60.0%	18.1%	2.1%	9.3%
Grade 6	6.6%	51.9%	26.9%	4.7%	9.9%
Wine?					
All	5.1%	59.1%	23.1%	3.8%	8.9%
Grade 4	7.6%	63.9%	18.2%	2.4%	7.9%
Grade 5	4.7%	60.6%	22.4%	3.2%	9.1%
Grade 6	2.5%	51.3%	29.9%	6.4%	9.9%
Liquor?					
All	8.8%	66.0%	16.5%	1.6%	7.1%
Grade 4	14.1%	67.5%	11.3%	0.7%	6.3%
Grade 5	7.4%	68.3%	15.9%	1.4%	6.9%
Grade 6	3.9%	61.5%	23.6%	2.8%	8.3%

Table D-1: How recently, if ever, have you used Marijuana?

	Ever Used	School Year	Not Past Year	Never Used
All	1.6%	1.1%	0.4%	98.4%
Grade 4	0.9%	0.5%	0.4%	99.1%
Grade 5	0.8%	0.5%	0.3%	99.2%
Grade 6	3.3%	2.6%	0.7%	96.7%

Table D-2: Average number of times marijuana was used by those reporting usage:

	School Year	Lifetime
All	4.7	4.3
Grade 4	4.8	3.3
Grade 5	3.6	3.9
Grade 6	4.9	4.8

Table D-3: Average age of first use of marijuana:

Grade 4	Grade 5	Grade 6
9.1	10.0	10.5

Table D-4: Age of first use of marijuana by family situation:

		Under					Over
	Never	8	8	9	10	11	11
Two Parent Family							
All	98.8%	0.2%	0.1%	0.1%	0.2%	0.2%	0.4%
Grade 4	99.3%	0.1%	0.1%	0.3%	0.2%	0.0%	0.0%
Grade 5	99.5%	0.0%	0.0%	0.0%	0.2%	0.2%	0.0%
Grade 6	97.3%	0.4%	0.3%	0.0%	0.2%	0.6%	1.2%
Other Family Situation							
All	97.8%	0.2%	0.2%	0.2%	0.4%	0.7%	0.5%
Grade 4	99.1%	0.1%	0.3%	0.1%	0.2%	0.1%	0.1%
Grade 5	98.5%	0.0%	0.1%	0.4%	0.4%	0.4%	0.1%
Grade 6	95.6%	0.4%	0.2%	0.2%	0.6%	1.6%	1.3%

Table D-5: Lifetime prevalence of use of marijuana by reported conduct problems this school year:

No			
Absences or			
Conduct		Sent to	
Problems	Cut School	Principal	Both
0.6%	14.0%	5.0%	14.9%

Table D-6: About how many of your close friends use marijuana?

	Never Heard Of	None	Some	Most
All	14.3%	79.5%	5.0%	1.2%
Grade 4	20.9%	76.0%	2.5%	0.6%
Grade 5	13.9%	81.5%	3.9%	0.7%
Grade 6	6.5%	81.3%	9.5%	2.6%

Table D-7: Have you ever been offered marijuana?

	Never	Ves	No
	Heard Of	Yes	No
All	13.9%	4.4%	81.7%
Grade 4	19.2%	2.6%	78.2%
Grade 5	13.8%	3.4%	82.8%
Grade 6	7.3%	7.8%	84.9%

Table D-8: How do your parents feel about kids your age smoking marijuana?

	Don't Like	Don't Care	Think It's OK	Don't know
All	86.6%	1.2%	0.4%	11.8%
Grade 4	84.2%	1.3%	0.4%	14.1%
Grade 5	87.2%	1.1%	0.2%	11.5%
Grade 6	89.0%	1.1%	0.7%	9.2%

Table D-9: How dangerous do you think it is for kids your age to use marijuana?

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	9.7%	74.6%	9.1%	1.2%	5.3%
Grade 4	14.7%	72.3%	7.1%	0.8%	5.1%
Grade 5	8.8%	76.2%	8.9%	1.0%	5.2%
Grade 6	4.6%	75.7%	11.8%	2.2%	5.7%

Table I-1: How recently, if ever, have you used Inhalants?

	Ever Used	School Year	Not Past Year	Never Used
All	10.3%	7.2%	3.1%	89.7%
Grade 4	11.2%	7.5%	3.7%	88.8%
Grade 5	8.4%	5.8%	2.6%	91.6%
Grade 6	11.2%	8.2%	3.0%	88.8%

Table I-2: Have you ever sniffed any of the following inhalants to get high?

	Not Used	Used
Correction Fluid/Whiteout		
All	93.8%	6.2%
Grade 4	94.1%	5.9%
Grade 5	95.1%	4.9%
Grade 6	91.7%	8.3%
Gasoline		
All	97.3%	2.7%
Grade 4	96.8%	3.2%
Grade 5	97.6%	2.4%
Grade 6	97.5%	2.5%
Glue		
All	96.1%	3.9%
Grade 4	94.9%	5.1%
Grade 5	96.7%	3.3%
Grade 6	97.0%	3.0%
Paint Thinner		
All	97.7%	2.3%
Grade 4	97.2%	2.8%
Grade 5	98.2%	1.8%
Grade 6	97.6%	2.4%
Spray Paint		
All	96.9%	3.1%
Grade 4	96.2%	3.8%
Grade 5	97.7%	2.3%
Grade 6	97.0%	3.0%
Computer dusting sprays		
All	97.5%	2.5%
Grade 4	96.2%	3.8%
Grade 5	98.2%	1.8%
Grade 6	98.3%	1.7%
Other Inhalants		
All	96.6%	3.4%
Grade 4	96.4%	3.6%
Grade 5	97.5%	2.5%
Grade 6	95.9%	4.1%

Table I-3: Average number of times inhalants were used by those reporting usage:

	School Year	Lifetime
All	3.3	3.2
Grade 4	3.4	3.1
Grade 5	3.1	3.2
Grade 6	3.3	3.3

Table I-4: Number of different kinds of inhalants used:

	None	One	Two to Three	Four Plus
All	89.4%	4.8%	4.1%	1.6%
Grade 4	88.7%	4.1%	5.1%	2.0%
Grade 5	91.3%	4.3%	3.1%	1.3%
Grade 6	88.1%	6.2%	4.0%	1.6%

Table I-5: Average age of first use of inhalants:

Grade 4	Grade 5	Grade 6
8.4	9.4	10.3

Table I-6: Age of first use of inhalants by family situation:

		Under					Over
	Never	8	8	9	10	11	11
Two Parent Family							
All	96.9%	0.6%	0.4%	0.4%	0.7%	0.6%	0.3%
Grade 4	97.6%	0.8%	0.5%	0.6%	0.3%	0.0%	0.1%
Grade 5	97.6%	0.4%	0.4%	0.3%	0.7%	0.5%	0.0%
Grade 6	95.2%	0.6%	0.3%	0.4%	1.2%	1.4%	0.9%
Other Family Situation							
All	95.7%	0.7%	0.4%	0.9%	0.5%	1.0%	0.8%
Grade 4	96.7%	1.0%	0.7%	0.9%	0.5%	0.0%	0.1%
Grade 5	97.2%	0.5%	0.3%	0.8%	0.4%	0.6%	0.2%
Grade 6	93.0%	0.7%	0.1%	0.9%	0.6%	2.5%	2.2%

Table I-7: Lifetime prevalence of use of inhalants by reported conduct problems this school year:

No	,		
Absences or			
Conduct		Sent to	
Problems	Cut School	Principal	Both
2.4%	16.0%	7.1%	16.0%

Table I-8: About how many of your close friends use inhalants?

	Never Heard Of	None	Some	Most
All	11.8%	80.8%	6.0%	1.4%
Grade 4	17.9%	78.7%	2.6%	0.8%
Grade 5	11.3%	83.0%	4.7%	1.0%
Grade 6	4.9%	80.8%	11.9%	2.4%

Table I-9: Have you ever been offered inhalants?

	Never Heard Of	Yes	No
All	12.4%	4.6%	83.0%
Grade 4	17.6%	2.8%	79.7%
Grade 5	12.2%	3.9%	83.9%
Grade 6	6.1%	7.8%	86.1%

Table I-10: How dangerous do you think it is for kids your age to use inhalants?

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	8.9%	65.4%	15.8%	2.0%	7.8%
Grade 4	13.9%	65.8%	11.6%	1.3%	7.4%
Grade 5	8.0%	66.3%	15.5%	2.2%	8.0%
Grade 6	3.7%	64.0%	21.5%	2.7%	8.1%

Table X-1: Since school began in the fall, have you gotten information on drugs or alcohol from ..

CATEGORY		Yes
An Assembly Program?	All	62.1%
	Grade 4	59.7%
	Grade 5	63.4%
	Grade 6	63.6%
Guidance Counselor?	All	67.0%
	Grade 4	68.5%
	Grade 5	69.3%
	Grade 6	62.2%
Visitor to Class?	All	50.9%
	Grade 4	46.7%
	Grade 5	52.1%
	Grade 6	54.6%
Someone Else at	All	45.7%
School?		
	Grade 4	44.9%
	Grade 5	45.0%
	Grade 6	47.5%
Your Teacher?	All	57.9%
	Grade 4	55.3%
	Grade 5	56.3%
	Grade 6	63.1%
Any School Source?	All	83.9%
	Grade 4	82.2%
	Grade 5	84.2%
	Grade 6	85.8%

2. Prevalence Tables

Table B1: Prevalence and recency of use of selected substances by grade All Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	3.6%	2.1%	1.5%	96.4%
	Grade 4	2.2%	1.3%	0.9%	97.8%
	Grade 5	3.1%	1.5%	1.5%	96.9%
	Grade 6	5.9%	3.8%	2.1%	94.1%
Alcohol					
	All	14.0%	9.3%	4.7%	86.0%
	Grade 4	9.3%	6.4%	2.9%	90.7%
	Grade 5	13.4%	8.7%	4.7%	86.6%
	Grade 6	20.6%	13.7%	6.9%	79.4%
Inhalants					
	All	10.3%	7.2%	3.1%	89.7%
	Grade 4	11.2%	7.5%	3.7%	88.8%
	Grade 5	8.4%	5.8%	2.6%	91.6%
	Grade 6	11.2%	8.2%	3.0%	88.8%
Marijuana					
	All	1.6%	1.1%	0.4%	98.4%
	Grade 4	0.9%	0.5%	0.4%	99.1%
	Grade 5	0.8%	0.5%	0.3%	99.2%
	Grade 6	3.3%	2.6%	0.7%	96.7%

Table B2: Prevalence and recency of use of selected substances by grade Male Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	4.3%	2.5%	1.8%	95.7%
	Grade 4	3.0%	1.7%	1.3%	97.0%
	Grade 5	3.5%	1.9%	1.6%	96.5%
	Grade 6	6.8%	4.0%	2.8%	93.2%
Alcohol					
	All	16.2%	10.1%	6.0%	83.8%
	Grade 4	12.0%	8.3%	3.8%	88.0%
	Grade 5	15.6%	10.0%	5.5%	84.4%
	Grade 6	22.0%	12.6%	9.4%	78.0%
Inhalants					
	All	10.9%	7.3%	3.6%	89.1%
	Grade 4	12.9%	8.4%	4.5%	87.1%
	Grade 5	9.1%	6.3%	2.8%	90.9%
	Grade 6	10.6%	7.1%	3.5%	89.4%
Marijuana					
	All	2.0%	1.4%	0.6%	98.0%
	Grade 4	1.1%	0.6%	0.5%	98.9%
	Grade 5	0.8%	0.5%	0.3%	99.2%
	Grade 6	4.4%	3.4%	1.0%	95.6%

Table B3: Prevalence and recency of use of selected substances by grade Female Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco		- CSCA	1001	Tour	- CSCA
	All	2.9%	1.8%	1.1%	97.1%
	Grade 4	1.5%	0.9%	0.6%	98.5%
	Grade 5	2.6%	1.2%	1.4%	97.4%
	Grade 6	5.1%	3.6%	1.5%	94.9%
Alcohol					
	All	12.0%	8.6%	3.5%	88.0%
	Grade 4	6.8%	4.7%	2.1%	93.2%
	Grade 5	11.4%	7.5%	4.0%	88.6%
	Grade 6	19.3%	14.7%	4.6%	80.7%
Inhalants					
	All	9.7%	7.0%	2.6%	90.3%
	Grade 4	9.7%	6.8%	2.9%	90.3%
	Grade 5	7.7%	5.3%	2.4%	92.3%
	Grade 6	11.9%	9.3%	2.6%	88.1%
Marijuana					
	All	1.2%	0.9%	0.3%	98.8%
	Grade 4	0.6%	0.4%	0.3%	99.4%
	Grade 5	0.8%	0.6%	0.2%	99.2%
	Grade 6	2.3%	1.9%	0.4%	97.7%

Table B4: Prevalence and recency of use of selected substances by grade White Students

	,	Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	3.8%	2.3%	1.4%	96.2%
	Grade 4	3.6%	1.6%	2.0%	96.4%
	Grade 5	2.6%	1.4%	1.2%	97.4%
	Grade 6	6.1%	5.4%	0.7%	93.9%
Alcohol					
	All	14.2%	9.3%	4.9%	85.8%
	Grade 4	9.8%	6.6%	3.2%	90.2%
	Grade 5	13.7%	9.7%	4.0%	86.3%
	Grade 6	24.5%	14.3%	10.2%	75.5%
Inhalants					
	All	11.7%	8.1%	3.6%	88.3%
	Grade 4	13.6%	8.8%	4.8%	86.4%
	Grade 5	8.8%	6.1%	2.7%	91.2%
	Grade 6	12.5%	9.8%	2.7%	87.5%
Marijuana					
	All	1.8%	1.4%	0.5%	98.2%
	Grade 4	1.3%	0.7%	0.6%	98.7%
	Grade 5	0.8%	0.8%	0.0%	99.2%
	Grade 6	4.7%	3.8%	0.9%	95.3%

Table B5: Prevalence and recency of use of selected substances by grade African/American Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco			1041	1041	
	All	5.9%	4.2%	1.8%	94.1%
	Grade 4	5.0%	4.4%	0.6%	95.0%
	Grade 5	6.7%	3.1%	3.6%	93.3%
	Grade 6	6.4%	5.8%	0.6%	93.6%
Alcohol					
	All	14.4%	8.9%	5.5%	85.6%
	Grade 4	8.3%	4.6%	3.6%	91.7%
	Grade 5	18.2%	11.6%	6.6%	81.8%
	Grade 6	20.0%	12.7%	7.3%	80.0%
Inhalants					
	All	17.3%	12.2%	5.1%	82.7%
	Grade 4	17.6%	9.9%	7.7%	82.4%
	Grade 5	13.5%	8.8%	4.7%	86.5%
	Grade 6	23.9%	23.3%	0.6%	76.1%
Marijuana					
	All	1.7%	1.2%	0.5%	98.3%
	Grade 4	1.6%	1.2%	0.4%	98.4%
	Grade 5	0.9%	0.3%	0.6%	99.1%
	Grade 6	3.5%	3.1%	0.5%	96.5%

Table B6: Prevalence and recency of use of selected substances by grade Mexican/American Students

	·	Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	3.5%	2.0%	1.5%	96.5%
	Grade 4	1.9%	1.1%	0.8%	98.1%
	Grade 5	3.0%	1.5%	1.5%	97.0%
	Grade 6	5.9%	3.7%	2.3%	94.1%
Alcohol					
	All	14.0%	9.4%	4.7%	86.0%
	Grade 4	9.3%	6.5%	2.9%	90.7%
	Grade 5	13.3%	8.5%	4.8%	86.7%
	Grade 6	20.4%	13.7%	6.7%	79.6%
Inhalants					
	All	9.8%	6.9%	3.0%	90.2%
	Grade 4	10.6%	7.3%	3.3%	89.4%
	Grade 5	8.0%	5.6%	2.4%	92.0%
	Grade 6	10.9%	7.8%	3.1%	89.1%
Marijuana					
	All	1.6%	1.1%	0.4%	98.4%
	Grade 4	0.8%	0.4%	0.4%	99.2%
	Grade 5	0.8%	0.5%	0.3%	99.2%
	Grade 6	3.3%	2.6%	0.7%	96.7%

Table B7: Prevalence and recency of use of selected substances by grade Students Reporting A Grades

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	1.6%	0.7%	0.9%	98.4%
	Grade 4	1.4%	0.5%	0.9%	98.6%
	Grade 5	1.5%	0.7%	0.8%	98.5%
	Grade 6	2.1%	1.2%	0.9%	97.9%
Alcohol					
	All	10.6%	6.5%	4.1%	89.4%
	Grade 4	8.5%	5.3%	3.2%	91.5%
	Grade 5	10.4%	6.4%	4.0%	89.6%
	Grade 6	14.0%	8.3%	5.7%	86.0%
Inhalants					
	All	6.8%	4.6%	2.2%	93.2%
	Grade 4	8.7%	5.7%	3.0%	91.3%
	Grade 5	4.8%	3.4%	1.4%	95.2%
	Grade 6	6.2%	4.3%	1.9%	93.8%
Marijuana					
	All	0.6%	0.3%	0.3%	99.4%
	Grade 4	0.6%	0.1%	0.5%	99.4%
	Grade 5	0.2%	0.0%	0.1%	99.8%
	Grade 6	1.3%	1.0%	0.3%	98.7%

Table B8: Prevalence and recency of use of selected substances by grade Students Reporting grades lower than A

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	4.3%	2.7%	1.7%	95.7%
	Grade 4	2.6%	1.7%	0.9%	97.4%
	Grade 5	3.6%	1.9%	1.7%	96.4%
	Grade 6	7.1%	4.7%	2.5%	92.9%
Alcohol					
	All	15.4%	10.4%	4.9%	84.6%
	Grade 4	9.8%	7.0%	2.8%	90.2%
	Grade 5	14.6%	9.6%	5.0%	85.4%
	Grade 6	22.8%	15.4%	7.4%	77.2%
Inhalants					
	All	11.7%	8.2%	3.4%	88.3%
	Grade 4	12.4%	8.4%	4.0%	87.6%
	Grade 5	9.9%	6.9%	3.0%	90.1%
	Grade 6	12.8%	9.5%	3.3%	87.2%
Marijuana					
-	All	1.9%	1.4%	0.5%	98.1%
	Grade 4	1.0%	0.6%	0.3%	99.0%
	Grade 5	1.0%	0.7%	0.3%	99.0%
	Grade 6	4.0%	3.2%	0.8%	96.0%

Table B9: Prevalence and recency of use of selected substances by grade Students Living With 2 Parents

	· · ·	Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	3.2%	1.7%	1.5%	96.8%
	Grade 4	1.9%	1.0%	0.9%	98.1%
	Grade 5	2.8%	1.3%	1.5%	97.2%
	Grade 6	5.5%	3.4%	2.1%	94.5%
Alcohol					
	All	13.0%	8.6%	4.4%	87.0%
	Grade 4	9.2%	6.4%	2.9%	90.8%
	Grade 5	12.5%	8.0%	4.5%	87.5%
	Grade 6	18.7%	12.4%	6.3%	81.3%
Inhalants					
	All	10.4%	7.1%	3.3%	89.6%
	Grade 4	11.9%	8.1%	3.8%	88.1%
	Grade 5	8.5%	5.9%	2.6%	91.5%
	Grade 6	10.9%	7.3%	3.6%	89.1%
Marijuana					
	All	1.4%	0.9%	0.4%	98.6%
	Grade 4	0.9%	0.4%	0.5%	99.1%
	Grade 5	0.5%	0.3%	0.2%	99.5%
	Grade 6	3.0%	2.3%	0.7%	97.0%

Table B10: Prevalence and recency of use of selected substances by grade Students Not Living With 2 Parents

	-	Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	4.4%	3.0%	1.4%	95.6%
	Grade 4	3.0%	2.2%	0.8%	97.0%
	Grade 5	3.7%	2.2%	1.5%	96.3%
	Grade 6	6.7%	4.8%	1.9%	93.3%
Alcohol					
	All	16.7%	11.2%	5.5%	83.3%
	Grade 4	9.8%	6.7%	3.2%	90.2%
	Grade 5	15.3%	10.4%	4.9%	84.7%
	Grade 6	25.2%	16.7%	8.5%	74.8%
Inhalants					
	All	10.0%	7.5%	2.5%	90.0%
	Grade 4	9.3%	6.1%	3.2%	90.7%
	Grade 5	8.5%	6.0%	2.4%	91.5%
	Grade 6	12.3%	10.3%	1.9%	87.7%
Marijuana					
	All	2.1%	1.7%	0.4%	97.9%
	Grade 4	0.8%	0.6%	0.2%	99.2%
	Grade 5	1.5%	1.1%	0.3%	98.5%
	Grade 6	4.1%	3.4%	0.7%	95.9%

Table B11: Prevalence and recency of use of selected substances by grade Students Living in Town More Than 3 Years

		Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	3.5%	2.1%	1.4%	96.5%
	Grade 4	2.2%	1.2%	0.9%	97.8%
	Grade 5	3.1%	1.6%	1.4%	96.9%
	Grade 6	5.5%	3.6%	1.9%	94.5%
Alcohol					
	All	14.2%	9.6%	4.6%	85.8%
	Grade 4	9.4%	6.4%	3.0%	90.6%
	Grade 5	13.6%	9.1%	4.6%	86.4%
	Grade 6	20.3%	13.9%	6.4%	79.7%
Inhalants					
	All	10.1%	7.2%	3.0%	89.9%
	Grade 4	11.1%	7.5%	3.6%	88.9%
	Grade 5	8.6%	6.1%	2.5%	91.4%
	Grade 6	10.8%	8.1%	2.8%	89.2%
Marijuana					
	All	1.5%	1.1%	0.4%	98.5%
	Grade 4	0.9%	0.4%	0.4%	99.1%
	Grade 5	0.8%	0.6%	0.3%	99.2%
	Grade 6	2.9%	2.4%	0.5%	97.1%

Table B12: Prevalence and recency of use of selected substances by grade Students Living in Town 3 Years or Less

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	4.1%	2.4%	1.8%	95.9%
	Grade 4	1.5%	1.2%	0.3%	98.5%
	Grade 5	2.9%	1.1%	1.8%	97.1%
	Grade 6	9.1%	5.5%	3.7%	90.9%
Alcohol					
	All	16.7%	10.0%	6.7%	83.3%
	Grade 4	11.3%	8.1%	3.2%	88.7%
	Grade 5	15.7%	8.5%	7.1%	84.3%
	Grade 6	24.9%	14.2%	10.7%	75.1%
Inhalants					
	All	10.2%	5.9%	4.3%	89.8%
	Grade 4	11.5%	6.7%	4.8%	88.5%
	Grade 5	6.9%	3.8%	3.1%	93.1%
	Grade 6	12.8%	7.4%	5.3%	87.2%
Marijuana					
	All	2.2%	1.2%	1.0%	97.8%
	Grade 4	0.8%	0.2%	0.6%	99.2%
	Grade 5	0.6%	0.3%	0.3%	99.4%
	Grade 6	5.8%	3.4%	2.4%	94.2%

3. Margin Tables

	SFRING 2012	
GENDER	WHAT GRADES DO YOU	EVER INHALED - GASOLINE
Q1 Frequency Percent	USUALLY GET	Q11a Frequency Percent
Female 87,330 51.5%	Q6 Frequency Percent	Not Used 159,390 97.3%
Male 82,300 48.5%	Mostly A's 45,433 27.3%	Used 4,485 2.7%
requency Missing = 612.77809618	Mostly B's 81,816 49.2%	Frequency Missing = 6367.1981422
	Mostly C's 30,341 18.3%	
	Mostly D's 6,464 3.9%	
GRADE LEVEL	Mostly F's 2,157 1.3%	EVER INHALED - PAINT
Q2 Frequency Percent	Frequency Missing = 4031.4517392	THINNER
Grade 4 62,651 36.8%		Q11b Frequency Percent
Grade 5 58,286 34.2%		Not Used 158,144 97.7%
Grade 6 49,306 29.0%	LIVED IN THIS TOWN FOR	Used 3,775 2.3%
Grade 0 49,300 29.0%	MORE THAN 3 YEARS	Frequency Missing = 8323.049642
	Q7 Frequency Percent	. requere, inicensity course is
LIVE WITH BOTH	Don't Know 17,458 10.4%	
PARENTS	No 15,938 9.5%	
Q3 Frequency Percent	Yes 135,125 80.2%	EVER INHALED - GLUE
No 48,038 28.7%	Frequency Missing = 1720.4506087	Q11c Frequency Percent
Yes 119,562 71.3%		Not Used 154,623 96.1%
requency Missing = 2641.7446019		Used 6,256 3.9%
	EITHER PARENT GRADUATE FROM COLLEGE	Frequency Missing = 9362.1214229
AGE	Q8 Frequency Percent	
Q4 Frequency Percent	Don't Know 69,121 41.2%	EVER INHALED - WHITEOUT
or younger 82 0.0%	No 36,612 21.8%	Q11d Frequency Percent
9 24,935 14.7%	Yes 62,023 37.0%	Not Used 151,333 93.8%
10 55,508 32.7%	Frequency Missing = 2484.9313801	Used 10,079 6.2%
11 53,453 31.5%		Frequency Missing = 8829.5719693
12 30,869 18.2%		
13 or older 4,799 2.8%	OTALIES EOD EDEE (DEDUCED	
Frequency Missing = 595.58112354	QUALIFY FOR FREE/REDUCED PRICE LUNCH	
requericy Missing - 393.36112334	Q9 Frequency Percent	EVER INHALED - SPRAY PAINT
	Don't Know 56,350 34.1%	Q11e Frequency Percent
	No 23,764 14.4%	Not Used 155,035 96.9%
ETHNICITY	Yes 85,018 51.5%	Used 4,907 3.1%
Frequency Percent	Frequency Missing = 5109.8787198	Frequency Missing = 10299.212392
can/American 6,453 3.9%	requestey intenting a receiver or rec	Frequency Missing - 10299.212392
n/American 346 0.2%		
ican/American 143,708 86.0%		
ve/American 1,486 0.9%	PARENTS ATTEND PTA	EVER INHALED - COMPUTER
er 2,464 1.5%	MEETINGS	DUSTING SPRAYS
te 12,562 7.5%	Q10 Frequency Percent	Q11f Frequency Percent
Frequency Missing = 3223.166531	No 68,638 42.1%	Not Used 156,175 97.5%
	Yes 94,586 57.9%	Used 3,988 2.5%

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

Frequency Missing = 7018.0368636

Frequency Missing = 10078.747197

EVE	R INHALED INF	- OTHER IALANTS		WINE CO	OOLER USE L	DURING IFETIME
Q11g	Frequency	Percent		Q12D	Frequency	Percent
Not Used	155,359	96.6%	Never	heard of	36,812	22.5%
Used	5,427	3.4%	Ne	ver used	118,551	72.4%
requency N	Missing = 9456	6.1090941	1	-2 times	6,153	3.8%
			3-	10 times	1,206	0.7%
			1	l+ times	1,007	0.6%

MARIJUANA USE DURING				
	L	IFETIME		
Q12I	Frequency	Percent		
Never heard of	32,556	19.9%		
Never used	128,326	78.6%		
1-2 times	1,516	0.9%		
3-10 times	357	0.2%		
11+ times	532	0.3%		

Frequency Missing = 6511.4891971

Frequency	Missing =	6953.5563596
-----------	-----------	--------------

CIGARETTE USE DURING LIFETIME				
Q12A F	requency	Percent		
Never heard of	16,258	9.8%		
Never used	145,414	87.3%		
1-2 times	3,620	2.2%		
3-10 times	836	0.5%		
11+ times	421	0.3%		
Frequency Missing = 3694.0932216				

WINE USE DURING LIFETIME				
Q12E F	requency	Percent		
Never heard of	15,000	9.5%		
Never used	134,689	85.3%		
1-2 times	7,233	4.6%		
3-10 times	663	0.4%		
11+ times	281	0.2%		

CIGARETTE USE	E IN PAST	SCHOOL YEAR
Q13A F	requency	Percent
Never heard of	15,075	9.1%
Never used	146,724	89.0%
1-2 times	2,370	1.4%
3-10 times	397	0.2%
11+ times	346	0.2%
Eroguanay Missin	a = 5330 17	764367

Frequency Missing = 12375.836069

Frequency Missing = 5330.1764367

SNUFF/CHEWING TOBACCO USE
IN LIFETIME

Q12B	Frequency	Percent
Never heard of	31,244	19.0%
Never used	132,332	80.4%
1-2 times	953	0.6%
3-10 times	101	0.1%
11+ times	61	0.0%

Frequency Missing = 5549.4898613

LIQUOR USI	E DURING L	IFETIME
Q12F	Frequency	Percent
Never heard of	26,446	16.2%
Never used	131,561	80.8%
1-2 times	3,902	2.4%
3-10 times	636	0.4%
11+ times	230	0.1%

Frequency Missing = 7466.0504927

SNUFF/CHEWING TOBACCO USE IN PAST YEAR				
Q13B F	requency	Percent		
Never heard of	27,576	16.9%		
Never used	135,022	82.6%		
1-2 times	600	0.4%		
3-10 times	114	0.1%		
11+ times	85	0.1%		

Frequency Missing = 6845.2890193

E DURING L	IFETIME
Frequency	Percent
6,651	4.1%
139,526	87.0%
11,795	7.4%
1,748	1.1%
698	0.4%
	139,526 11,795 1,748

Frequency Missing = 9824.289591

INHALANT USE DURING LIFETIME				
Q12H	Frequency	Percent		
Never heard of	26,332	16.2%		
Never used	131,029	80.4%		
1-2 times	4,180	2.6%		
3-10 times	953	0.6%		
11+ times	512	0.3%		

Frequency Missing = 7235.8607667

BEER USE IN PAST SCHOOL YEAR				
Q13C 1	Frequency	Percent		
Never heard of	6,384	4.0%		
Never used	144,465	90.4%		
1-2 times	7,557	4.7%		
3-10 times	977	0.6%		
11+ times	429	0.3%		

Frequency Missing = 10430.778861

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

			SPRIN	G 2012				
WINE CO	OLER USE		MARIJUANA USE	IN PAST S		AGE WHEN	I FIRST US	ED BEER
		OL YEAR			YEAR	Q14C	Frequency	Percent
	requency			requency		7 or younger	4,611	2.9%
Never heard of	32,692	20.1%	Never heard of	29,611	18.3%	8 years old	2,187	1.4%
Never used	123,645	76.2%	Never used	129,910	80.5%	9 years old	2,335	1.5%
1-2 times	4,527	2.8%	1-2 times	1,066	0.7%	10 years old	2,048	1.3%
3-10 times	864	0.5%	3-10 times	387	0.2%	11 years old	2,089	1.3%
11+ times	619	0.4%	11+ times	432	0.3%	12 or older	1,308	0.8%
Frequency Missir	ng = 7895.98	377137	Frequency Missing	g = 8835.918	31968	Never heard/used	144,298	90.8%
						Frequency Missin	g = 11365.66	7997
WINE USE IN PA	AST SCHO	OL YEAR	AGE WHEN FIRST	USED CIG	ARETTES			
Q13E F	requency	Percent	Q14A	Frequency	Percent	AGE WHEN	N FIRST US	ED WINE
Never heard of	14,353	9.1%	7 or younger	1,104	0.7%		C	COOLERS
Never used	138,612	87.4%	8 years old	613	0.4%	Q14D	Frequency	Percent
1-2 times	4,979	3.1%	9 years old	898	0.5%	7 or younger	1,304	0.8%
3-10 times	435	0.3%	10 years old	1,111	0.7%	8 years old	856	0.5%
11+ times	146	0.1%	11 years old	1,160	0.7%	9 years old	1,179	0.7%
Frequency Missir	ng = 11717.6	54529	12 or older	698	0.4%	10 years old	1,497	0.9%
			Never heard/used	157,868	96.6%	11 years old	1,588	1.0%
			Frequency Missing	g = 6789.752	24391	12 or older	923	0.6%
TIOUGD HO	E IN DACE	GGLIOOI				Never heard/used	153,735	95.4%
LIQUOR USI		YEAR				Frequency Missin	g = 9159.844	4018
Q13F F Never heard of	Frequency 26,175	Percent 16.2%		WHEN FIR FF/CHEW T				
Never used	131,860	81.7%	Q14B	Frequency	Percent	AGE WHEN	N FIRST US	ED WINE
1-2 times	2,848	1.8%	7 or younger	251	0.2%	Q14E	Frequency	Percent
3-10 times	391	0.2%	8 years old	117	0.1%	7 or younger	980	0.6%
11+ times	195	0.1%	9 years old	125	0.1%	8 years old	713	0.5%
Frequency Missir	ng = 8773.38	98109	10 years old	160	0.1%	9 years old	1,437	0.9%
			11 years old	293	0.2%	10 years old	2,146	1.4%
			12 or older	126	0.1%	11 years old	1,480	0.9%
INITIAL ANTELIO	E IN DACT	CCLIOOL	Never heard/used	160,311	99.3%	12 or older	866	0.6%
INHALANT USI	L IN PASI	SCHOOL YEAR	Frequency Missing	g = 8858.122	24165	Never heard/used	149,708	95.2%
Q13H F	requency					Frequency Missin	g = 12912.46	1911

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

Never heard of

Never used

3-10 times

11+ times

1-2 times

24,280

133,082

Frequency Missing = 8563.9404027

3,127

788

400

15.0%

82.3%

1.9%

0.5%

0.2%

_			
	LIQUOR	FIRST USED	AGE WHEN I
	Percent	Frequency	Q14F
- N.T	0.4%	574	7 or younger
Ne	0.2%	318	8 years old
	0.3%	465	9 years old
	0.5%	867	10 years old
	0.7%	1,184	11 years old
F	0.5%	876	12 or older
	97.3%	155,898	Never heard/used

Frequency Missing = 10059.48463

CLOSE FRIENDS USE CIGARETTES						
Q15A	Q15A Frequency Percen					
Never heard of	12,135	7.4%				
None	134,699	82.2%				
Some	15,578	9.5%				
Most	Most 1,475 0.99					
Frequency Miss	sing = 6355 16	70010				

requency Missing = 6355.1670019

	CLOSE	FRIENDS U	SE WINE
	Q15E	Frequency	Percent
Ne	ver heard of	12,414	7.8%
	None	134,239	84.8%
	Some	10,164	6.4%
	Most	1,450	0.9%

Frequency Missing = 11974.169922

AGE WHEN FIRST	AGE WHEN FIRST USED INHALANT				
Q14H 1	Frequency	Percent			
7 or younger	1,012	0.6%			
8 years old	646	0.4%			
9 years old	884	0.6%			
10 years old	1,022	0.6%			
11 years old	1,147	0.7%			
12 or older	714	0.4%			
Never heard/used	154,182	96.6%			

Frequency Missing = 10634.826938

CLOSE FRIENDS US SNUFF/CHEWING TOBACC				
Q15B Frequency Perce				
Never heard of	19,075	11.8%		
None	136,940	84.8%		
Some	4,851	3.0%		
Most	709	0.4%		

Frequency Missing = 8667.5922871

CLOSE FRIENDS USE LIQUOF						
Q15F	Frequency	Percent				
Never heard of	19,904	12.4%				
None	132,093	82.3%				
Some	7,003	4.4%				
Most	1,483	0.9%				
	.i 0750 47	77700				

Frequency Missing = 9759.1777328

AGE WHEN FIRST USED MARIJUANA				
Q14I Frequency Percen				
7 or younger	265	0.2%		
8 years old	206	0.1%		
9 years old	271	0.2%		
10 years old	401	0.3%		
11 years old	597	0.4%		
12 or older	636	0.4%		
Never heard/used	156,616	98.5%		

Frequency Missing = 11248.913013

CLOSE FRIENDS USE BEEI					
Q15C	Frequency	Percent			
Never heard of	6,614	4.1%			
None	129,863	81.5%			
Some	20,159	12.6%			
Most	2,745	1.7%			

Frequency Missing = 10860.627389

CLOSE FRIENDS USE INHALANT				
Q15H	Percent			
Never heard of	18,917	11.8%		
None	129,487	80.8%		
Some	9,684	6.0%		
Most	2,166	1.4%		
	.: 0000 70	10010		

Frequency Missing = 9988.7240042

CLOSE FRIENDS USE WINE COOLERS					
Q15D Frequency Percer					
Never heard of	24,301	15.1%			
None	125,594	77.9%			
Some	9,293	5.8%			
Most	1,940	1.2%			

Frequency Missing = 9113.7397667

	CLOSE FRIENDS USE MARIJUANA						
Q15I Frequency Perce							
	Never heard of	Never heard of 23,029					
	None	127,778	79.5%				
	Some	8,041	5.0%				
	Most	1,978	1.2%				
	Frequency Missi	na = 9415.80	11026				

Frequency Missing = 9415.8011026

		ER BEEN OFFERED CIGARETTES		
Q16a	Frequency			
Never heard	of 13,291	8.1%		
No	137,937	84.1%		
Yes	12,759	7.8%		

Frequency Missing = 6255.1690304

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

# Border: Grades 4-6

				r: Grades 4- RING 2012	.6			
CNITE	EVER BEEN O		EVER BEEN C	FFERED INF	HALANTS	DANGEROUS		
	FF/CHEWING TO		Q16h	Frequency		0104		RETTES
Q16b	Frequency		Never heard of		12.4%		requency	
Never heard		12.4%	No	131,501	83.0%	Very dangerous	108,468	66.6%
No	137,453	85.1%	Yes	7,320	4.6%	Dangerous	34,161	21.0%
Yes	4,035	2.5%	Frequency Mis	ssing = 11812.8	396187	Not at all	2,034	1.2%
Frequency N	Missing = 8727.13	00603				Don't know	9,569	5.9%
						Never heard of	8,565	5.3%
				VER BEEN O	FEEDED	Frequency Missir	ıg = 7443.38	01182
EVER	BEEN OFFERE	ED BEER	E		RIJUANA			
Q16c	Frequency		Q16i	Frequency				
Never heard		4.6%	Never heard of		13.9%	DANGEROUS	FOR KIDS	TO USE
No	131,450	82.2%	No	130,093	81.7%	SNUFF/C	HEWING T	OBACCO
Yes	21,114	13.2%	Yes	6,979	4.4%	Q18B I	requency	Percent
	Missing = 10308.0		Frequency Mis	ssing = 11070.2		Very dangerous	110,746	69.1%
r roquericy r	incomig roccio	00.02	r requeries mic	7011.g		Dangerous	23,393	14.6%
						Not at all	1,498	0.9%
						Don't know	10,420	6.5%
EVER	R BEEN OFFERI		IS ALCOH	OL OBTAINE		Never heard of	14,283	8.9%
0101		OOLERS	0.17	Г	HOME	Frequency Missir	ıg = 9902.35	52188
Q16d	Frequency		Q17a	Frequency				
Never heard		15.3%	Do Not Drink		80.5%			
No	127,526	79.9%	No	24,359	15.1%	DANGEROUG	EOD KIDG	TO LICE
Yes	7,754	4.9%	Yes	7,246	4.5%	DANGEROUS	FOR KIDS	BEER
Frequency N	Missing = 10542.0	172851	Frequency Mis	ssing = 8550.88	3///13	Q18C I	requency	
						Very dangerous	89,420	56.3%
						Dangerous	46,243	29.1%
EVER	R BEEN OFFERI	ED WINE	IS ALCOHO	OL OBTAINE	D FROM	Not at all	6,174	3.9%
Q16e	Frequency	Percent			RIENDS	Don't know	12,642	8.0%
Never heard	of 12,510	8.0%	Q17b	Frequency		Never heard of	4,341	2.7%
No	134,805	86.0%	Do Not Drink	125,805	79.5%	Frequency Missir		
Yes	9,385	6.0%	No	29,432	18.6%	r requeries whosh	9 11121.0	21700
Frequency N	Missing = 13541.2	77095	Yes	3,093	2.0%			
, ,	Ü		Frequency Mis	ssing = 11912.6	390404			
						DANGEROUS		TO USE OOLERS
EVED B	EEN OFFERED	LIOUOP				Ω18D F	Frequency	
Q16f	Frequency		IS A	ALCOHOL OB		Very dangerous	92,807	58.2%
Never heard		12.9%		SOMEWHER		Dangerous	29,654	18.6%
No	131,542	83.1%	Q17c	Frequency		Not at all	4,443	2.8%
Yes	6,239	3.9%	Do Not Drink	126,016	78.9%	Don't know	14,451	9.1%
			No	25,679	16.1%	Never heard of	18,091	11.3%
Frequency N	Missing = 12037.5	29169	Yes	7,948	5.0%	Francisco Missis		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

Frequency Missing = 10598.35466

Frequency Missing = 10796.427858

			SF	RING 20	12			
DANGEROUS	FOR KIDS	TO USE WINE		ALC INF		TWO	WINE CO	AT ONE
Q18E F	requency		Q19b Fi	requency	Percent	0.001		TIME
Very dangerous	93,690	59.1%	No	76,141	49.1%		requency	
Dangerous	36,645	23.1%	Yes	78,856	50.9%	Never	155,817	97.0%
Not at all	6,071	3.8%	Frequency M	vissing = 15	5244.58708	1 time	2,831	1.8%
Don't know	14,108	8.9%				2 times	982	0.6%
Never heard of	8,118	5.1%				3+ times	1,031	0.6%
Frequency Missing	g = 11610.3	88917	ASS	ALC INF	ROGRAM	Frequency M	issing = 958	0.593096
			No No	requency 58,769	37.9%			WINE,
DANGEROUS	FOR KIDS				62.1%	TWO	OR MORE	
O10E E	·	LIQUOR	Yes	96,328				TIME
Very dangerous	requency 105,492	66.0%	Frequency M	lissing = 15	145.026243	Q20c F	requency	Percent
Dangerous	26,314	16.5%				Never	151,757	94.7%
Not at all	2,513	1.6%				1 time	5,547	3.5%
Don't know	11,339	7.1%	DRUG	ALC INF	O FROM	2 times	1,706	1.1%
Never heard of	14,066	8.8%	SCH	IOOL COU	NSELOR	3+ times	1,250	0.8%
Frequency Missing	g = 10517.2	43823	No Yes Frequency M	requency 51,758 104,861 dissing = 13	33.0% 67.0%	Frequency Mi	•	
DANGEROUS		TO USE RIJUANA		·		TWO	OR MORE	LIQUOR, AT ONE TIME
	requency		DDIIC	J/ALC INF	O FDOM	Q20d F	requency	Percent
Very dangerous	119,097	74.6%		OMEONE		Never	155,233	97.0%
Dangerous	14,515	9.1%			SCHOOL	1 time	3,005	1.9%
Not at all	1,993	1.2%	Q19e Fr	requency	Percent	2 times	856	0.5%
Don't know	8,491	5.3%	No	84,013	54.3%	3+ times	983	0.6%
Never heard of	15,467	9.7%	Yes	70,666	45.7%	Frequency Mis	ssing = 1016	55.753448
Frequency Missin			Frequency M	lissing = 15	563.399517	N	MISSED SC	HOOL
	LCOHOL II OM TEACI		TWO	OR MOR	BEER, E AT ONE	WIT	HOUT PAR COM	ENT'S NSENT
Q19a Freque	ency Perc	ent			TIME	Q21 Fre	quency P	ercent
No 65	5,946 42	2.1%			y Percent	No 1	60,415	97.3%
Yes 90	),788 57	'.9%	Never	148,029	90.5%	Yes	4,430	2.7%
Frequency Missing	g = 13508.6	32308	1 time 2 times	9,547 3,367		Frequency Mis	ssing = 5397	7.1239916
			3+ times	2,568				
				,. 0				

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

Frequency Missing = 6731.5592499

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER

Q22	Frequency	Percent
No	134,884	82.0%
Yes	29,513	18.0%

Frequency Missing = 5844.4158857

PARENTS FEEL ABOUT KIDS SMOKING CIGARETTES				
Q23	Frequency	Percent		
Don't like it	142,876	87.1%		
Don't care	2,146	1.3%		
Think it's O.K.	865	0.5%		
Don't know	18,234	11.1%		

Frequency Missing = 6120.6410151

PARENTS FEEL ABOUT KIDS DRINKING BEER				
Q24	Frequency	Percent		
Don't like it	139,275	85.0%		
Don't care	3,142	1.9%		
Think it's O.K.	1,566	1.0%		
Don't know	19,855	12.1%		

Frequency Missing = 6404.0724981

PARENTS FEEL ABOUT KIDS USING MARIJUANA				
q25	Frequency	Percent		
Don't like it	142,089	86.6%		
Don't care	1,920	1.2%		
Think it's O.K.	675	0.4%		
Don't know	19,395	11.8%		

Frequency Missing = 6163.2495486

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.