

Revised Border - Grades 4-6
Spring 1998

AA

Table T-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
AA					
Any tobacco product	All	15.3%	9.9%	5.3%	84.7%
	Grade 4	7.5%	4.4%	3.0%	92.5%
	Grade 5	13.8%	8.6%	5.2%	86.2%
	Grade 6	24.4%	16.6%	7.8%	75.6%
AA					
Cigarettes	All	14.6%	9.5%	5.1%	85.4%
	Grade 4	6.9%	4.1%	2.8%	93.1%
	Grade 5	13.3%	8.3%	5.0%	86.7%
	Grade 6	23.6%	16.0%	7.6%	76.4%
AA					
Smokeless tobacco	All	1.9%	1.1%	0.9%	98.1%
	Grade 4	1.3%	0.7%	0.6%	98.7%
	Grade 5	1.6%	0.9%	0.7%	98.4%
	Grade 6	2.9%	1.7%	1.2%	97.1%

AA

Table T-2: Average number of times selected tobacco products were used by those who reported use of ...

Any tobacco product

	School Year	Li fetime
All	3.5	3.4
Grade 4	2.7	2.7
Grade 5	3.2	3.0
Grade 6	3.9	3.9

Cigarettes

	School Year	Li fetime
All	3.3	3.2
Grade 4	2.5	2.5
Grade 5	3.0	2.9
Grade 6	3.7	3.7

Smokeless tobacco

	School Year	Li fetime
All	3.0	2.8
Grade 4	2.9	2.5
Grade 5	2.8	2.6

Grade 6 98Bord456.out
3.1 3.0

±

Revised Border - Grades 4-6
Spring 1998

AA

Table T-3: Average age of first use of tobacco:

	Grade 4	Grade 5	Grade 6
Tobacco	8.4	9.3	10.1

AA

Table T-4: Average age of first use of tobacco by family situation:

Two Parent Family

	Never	7 or Under	8	9	10	11	12 or Over
All	86.5%	2.0%	1.5%	2.2%	3.2%	3.1%	1.4%
Grade 4	93.5%	1.8%	1.4%	2.0%	1.1%	0.1%	0.0%
Grade 5	87.4%	2.2%	1.5%	2.3%	4.4%	2.0%	0.2%
Grade 6	78.4%	2.1%	1.6%	2.3%	4.3%	7.2%	4.0%

Other Family Situation

	Never	7 or Under	8	9	10	11	12 or Over
All	78.3%	3.5%	2.8%	3.6%	4.9%	4.5%	2.4%
Grade 4	88.6%	3.0%	2.5%	3.6%	2.1%	0.2%	0.0%
Grade 5	81.2%	2.7%	3.1%	3.6%	5.8%	3.2%	0.5%
Grade 6	67.1%	4.8%	2.7%	3.6%	6.4%	9.4%	6.1%

AA

Table T-5: About how many of your close friends use ...

Any tobacco product?

	Never Heard of	None	Some	Most
All	3.0%	67.5%	25.7%	3.7%
Grade 4	4.1%	78.6%	15.5%	1.9%
Grade 5	2.9%	69.7%	24.7%	2.7%
Grade 6	2.0%	54.5%	36.8%	6.6%

Cigarettes?

	Never Heard of	None	Some	Most
All	4.1%	67.3%	25.2%	3.4%
Grade 4	5.6%	78.1%	14.6%	1.6%
Grade 5	3.9%	69.6%	24.1%	2.4%

	Grade 6	2.8%	98Bord456.out 54.5%	36.5%	6.2%
Smokel ess tobacco?					
		Never Heard of	None	Some	Most
All		6.8%	86.3%	5.9%	1.0%
Grade 4		10.0%	85.9%	3.5%	0.5%
Grade 5		6.0%	88.2%	5.1%	0.7%
Grade 6		4.5%	84.8%	9.2%	1.6%

♀

Revised Border - Grades 4-6
Spring 1998

AA

Table T-6: Have you ever been offered ...

Any tobacco product?

	Never Heard of	Yes	No
All	2.7%	24.0%	73.4%
Grade 4	3.5%	15.6%	80.9%
Grade 5	2.4%	22.2%	75.4%
Grade 6	2.1%	33.9%	64.0%

Ci garettes?

	Never Heard of	Yes	No
All	3.5%	23.1%	73.4%
Grade 4	4.6%	14.8%	80.7%
Grade 5	3.1%	21.4%	75.5%
Grade 6	2.7%	33.0%	64.3%

Smokel ess tobacco?

	Never Heard of	Yes	No
All	6.7%	5.1%	88.3%
Grade 4	9.4%	3.2%	87.4%
Grade 5	5.6%	4.4%	90.1%
Grade 6	5.1%	7.6%	87.4%

AA

Table T-7: How dangerous do you think it is for kids your age to use ...

Any tobacco product?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
--	-------------------	-------------------	-----------	-------------------------	----------------

		98Bord456. out			
All	1.7%	69.0%	20.9%	1.6%	6.7%
Grade 4	2.3%	76.8%	13.8%	1.1%	6.0%
Grade 5	1.7%	71.5%	19.7%	1.4%	5.8%
Grade 6	1.2%	58.9%	29.3%	2.5%	8.2%

Cigarettes?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	2.6%	54.0%	31.7%	2.5%	9.2%
Grade 4	3.6%	64.0%	22.6%	1.5%	8.4%
Grade 5	2.5%	56.1%	31.4%	1.9%	8.0%
Grade 6	1.8%	42.1%	41.0%	4.0%	11.2%

Smokeless tobacco?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	4.3%	62.2%	21.4%	1.6%	10.5%
Grade 4	6.5%	68.5%	14.8%	1.0%	9.1%
Grade 5	3.7%	65.0%	20.8%	1.4%	9.2%
Grade 6	2.8%	53.1%	28.4%	2.5%	13.1%

10-0

Revised Border - Grades 4-6
Spring 1998

AA

Table A-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Any alcohol product	All	31.5%	22.8%	8.7%	68.5%
	Grade 4	21.0%	14.7%	6.3%	79.0%
	Grade 5	30.4%	21.7%	8.7%	69.6%
	Grade 6	43.1%	32.1%	11.0%	56.9%
Beer	All	21.2%	14.1%	7.1%	78.8%
	Grade 4	14.4%	9.2%	5.1%	85.6%
	Grade 5	19.9%	12.8%	7.1%	80.1%
	Grade 6	29.2%	20.1%	9.1%	70.8%
Wine coolers	All	18.8%	13.2%	5.7%	81.2%
	Grade 4	9.7%	6.8%	2.9%	90.3%
	Grade 5	17.9%	12.5%	5.4%	82.1%
	Grade 6	28.7%	20.0%	8.7%	71.3%
Wine	All	13.2%	8.5%	4.7%	86.8%
	Grade 4	7.1%	4.5%	2.6%	92.9%
	Grade 5	12.2%	7.9%	4.3%	87.8%
	Grade 6	20.2%	13.0%	7.2%	79.8%
Liquor	All	7.8%	5.1%	2.7%	92.2%
	Grade 4	3.2%	1.8%	1.4%	96.8%

	98Bord456.out			
Grade 5	6.5%	4.2%	2.3%	93.5%
Grade 6	13.7%	9.3%	4.5%	86.3%

AA

Table A-2: Average number of times selected alcohol products were used by those who reported use of ...

Any alcohol product

	School Year	Li fetime
All	4.9	5.3
Grade 4	3.6	3.8
Grade 5	4.5	4.8
Grade 6	5.8	6.5

Beer

	School Year	Li fetime
All	2.8	2.9
Grade 4	2.4	2.4
Grade 5	2.8	2.8
Grade 6	3.1	3.3

Li quor

	School Year	Li fetime
All	2.8	2.8
Grade 4	2.4	2.4
Grade 5	2.7	2.6
Grade 6	3.0	3.1

Revised Border - Grades 4-6
Spring 1998

AA

Wi ne

	School Year	Li fetime
All	2.5	2.6
Grade 4	2.3	2.3
Grade 5	2.4	2.4
Grade 6	2.7	2.9

Wi ne cool ers

	School Year	Li fetime
All	2.9	3.0

	98Bord456.out	
Grade 4	2.4	2.5
Grade 5	2.6	2.7
Grade 6	3.2	3.3

AA

Table A-3: In the past year, how many times have you had two or more drinks at one time of ...

Beer?

	Never	1 Time	2 Times	3+ Times	Ever
All	81.2%	10.1%	4.4%	4.3%	18.8%
Grade 4	85.6%	8.7%	3.1%	2.6%	14.4%
Grade 5	83.4%	9.3%	3.9%	3.5%	16.6%
Grade 6	74.8%	12.3%	6.1%	6.8%	25.2%

Wine Coolers?

	Never	1 Time	2 Times	3+ Times	Ever
All	82.5%	8.6%	4.6%	4.3%	17.5%
Grade 4	90.2%	5.4%	2.4%	2.0%	9.8%
Grade 5	83.5%	8.6%	4.5%	3.4%	16.5%
Grade 6	73.9%	11.8%	6.9%	7.5%	26.1%

Wine?

	Never	1 Time	2 Times	3+ Times	Ever
All	88.0%	6.8%	3.0%	2.2%	12.0%
Grade 4	92.9%	4.3%	1.6%	1.2%	7.1%
Grade 5	89.3%	6.2%	2.7%	1.9%	10.7%
Grade 6	81.9%	9.8%	4.7%	3.6%	18.1%

Liquor?

	Never	1 Time	2 Times	3+ Times	Ever
All	92.5%	3.7%	1.7%	2.0%	7.5%
Grade 4	97.1%	1.8%	0.5%	0.6%	2.9%
Grade 5	94.1%	3.2%	1.3%	1.4%	5.9%
Grade 6	86.6%	6.2%	3.3%	3.9%	13.4%

†

Revised Border - Grades 4-6
Spring 1998

AA

Table A-4: Average age of first use of alcohol:

	Grade 4	Grade 5	Grade 6
Alcohol	8.2	9.0	9.7
Beer	8.1	8.8	9.6
Wine Coolers	8.7	9.4	10.2
Wine	8.7	9.5	10.2
Liquor	8.6	9.6	10.6

AA

Table A-5: Average age of first use of alcohol by family situation:

Two Parent Family

	Never	7 or Under	8	9	10	11	12 or Over
All	71.7%	7.1%	3.8%	5.0%	5.7%	4.6%	2.2%
Grade 4	81.1%	7.2%	3.9%	5.1%	2.5%	0.2%	0.1%
Grade 5	72.8%	6.9%	3.5%	5.2%	7.5%	3.6%	0.4%
Grade 6	60.7%	7.1%	3.9%	4.8%	7.3%	10.1%	6.2%

Other Family Situation

	Never	7 or Under	8	9	10	11	12 or Over
All	62.6%	9.3%	5.1%	6.2%	7.7%	6.0%	3.1%
Grade 4	73.6%	9.8%	5.5%	6.4%	4.2%	0.6%	0.0%
Grade 5	65.1%	8.5%	5.3%	5.8%	9.2%	5.3%	0.7%
Grade 6	50.9%	9.6%	4.5%	6.5%	9.3%	11.4%	7.8%

AA

Table A-6: Lifetime prevalence of use of alcohol by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Alcohol	22.2%	66.9%	47.2%	73.1%

AA

Table A-7: When you drink alcohol, do you get it from ...

Home?

	Don't Drink	Yes	No
All	65.9%	12.1%	22.0%
Grade 4	71.5%	8.9%	19.5%
Grade 5	67.7%	11.7%	20.6%
Grade 6	58.4%	15.8%	25.8%

Friends?

	Don't Drink	Yes	No
All	65.0%	8.6%	26.4%
Grade 4	70.8%	3.3%	25.9%
Grade 5	67.2%	6.7%	26.1%
Grade 6	57.1%	15.6%	27.2%

AA

Somewhere else?

	Don't Drink	Yes	No
All	64.1%	13.4%	22.5%
Grade 4	70.0%	7.6%	22.4%
Grade 5	65.9%	12.5%	21.6%
Grade 6	56.5%	20.0%	23.5%

AA

Table A-8: About how many of your close friends use ...

Any alcohol product?

	Never Heard of	None	Some	Most
All	2.6%	58.7%	29.8%	8.8%
Grade 4	3.5%	70.0%	21.7%	4.8%
Grade 5	2.6%	60.5%	30.0%	6.8%
Grade 6	1.9%	45.9%	37.7%	14.6%

Beer?

	Never Heard of	None	Some	Most
All	2.9%	64.9%	26.2%	6.0%
Grade 4	3.7%	74.7%	18.3%	3.3%
Grade 5	2.9%	67.1%	25.3%	4.7%
Grade 6	2.1%	53.3%	34.7%	9.8%

Wine coolers?

	Never Heard of	None	Some	Most
All	8.8%	66.4%	19.8%	5.0%
Grade 4	13.1%	73.6%	11.3%	2.0%
Grade 5	8.6%	68.5%	19.2%	3.7%
Grade 6	4.9%	57.5%	28.6%	9.1%

Wine?

	Never Heard of	None	Some	Most
All	5.6%	76.8%	14.7%	2.9%
Grade 4	7.8%	82.5%	8.3%	1.4%
Grade 5	5.6%	78.7%	13.7%	2.0%
Grade 6	3.5%	69.5%	21.7%	5.2%

Liquor?

	Never Heard of	None	Some	Most
All	8.7%	78.1%	10.7%	2.4%
Grade 4	13.3%	81.1%	4.6%	1.0%
Grade 5	8.1%	80.8%	9.7%	1.4%
Grade 6	4.9%	72.5%	17.7%	4.9%

Revised Border - Grades 4-6
Spring 1998

AA

Table A-9: Have you ever been offered ...

Any alcohol product?

	Never Heard of	Yes	No
All	2.2%	34.1%	63.7%
Grade 4	3.0%	25.2%	71.8%
Grade 5	1.9%	33.1%	65.0%
Grade 6	1.7%	43.8%	54.5%

Beer?

	Never Heard of	Yes	No
All	2.3%	28.3%	69.4%
Grade 4	2.9%	20.9%	76.1%
Grade 5	2.2%	26.9%	70.9%
Grade 6	1.9%	36.7%	61.4%

Wine coolers?

	Never Heard of	Yes	No
All	8.3%	18.3%	73.4%
Grade 4	12.3%	9.8%	77.9%
Grade 5	7.8%	16.9%	75.3%
Grade 6	4.8%	27.9%	67.3%

Wine?

	Never Heard of	Yes	No
All	4.9%	13.1%	81.9%
Grade 4	7.1%	7.2%	85.6%
Grade 5	4.4%	12.3%	83.3%
Grade 6	3.4%	19.7%	77.0%

Liquor?

Never

	98Bord456.out		
	Heard of	Yes	No
All	7.9%	9.1%	83.0%
Grade 4	12.1%	4.1%	83.9%
Grade 5	7.1%	7.6%	85.3%
Grade 6	4.5%	15.5%	80.0%

AA

Table A-10: How do your parents feel about kids your age drinking beer?

	Don't Like It	Don't Care	Think It's OK	Don't Know
All	80.3%	2.1%	1.1%	16.6%
Grade 4	80.9%	1.6%	0.9%	16.5%
Grade 5	81.1%	2.0%	0.9%	15.9%
Grade 6	78.7%	2.6%	1.4%	17.2%

♀

Revised Border - Grades 4-6
Spring 1998

AA

Table A-11: How dangerous do you think it is for kids your age to use ...

Any alcohol product?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	1.5%	66.7%	22.4%	2.9%	6.6%
Grade 4	2.0%	74.6%	15.5%	1.7%	6.2%
Grade 5	1.4%	68.9%	21.8%	2.1%	5.7%
Grade 6	1.0%	56.7%	29.8%	4.8%	7.7%

Beer?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	1.5%	42.5%	38.8%	6.7%	10.5%
Grade 4	2.1%	50.6%	32.6%	4.2%	10.5%
Grade 5	1.5%	44.2%	39.7%	5.4%	9.2%
Grade 6	1.0%	32.9%	43.8%	10.5%	11.8%

Wine coolers?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	6.7%	39.0%	30.1%	9.8%	14.5%
Grade 4	9.8%	49.4%	23.3%	4.9%	12.7%
Grade 5	6.8%	39.8%	30.9%	8.7%	13.8%
Grade 6	3.6%	27.9%	36.0%	15.7%	16.8%

Wine?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	3.3%	47.0%	31.0%	5.8%	12.9%
Grade 4	4.9%	56.1%	24.0%	3.2%	11.8%
Grade 5	3.2%	48.6%	31.4%	5.0%	11.8%
Grade 6	1.8%	36.5%	37.5%	9.0%	15.2%

Li quor?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	5.7%	60.6%	21.3%	2.4%	10.0%
Grade 4	9.2%	66.7%	13.7%	1.2%	9.3%
Grade 5	5.3%	63.1%	21.0%	1.7%	8.9%
Grade 6	2.7%	52.2%	29.0%	4.4%	11.7%

Revised Border - Grades 4-6
Spring 1998

AA

Table D-1: How recently, if ever, have you used...

	Ever Used	School Year	Not Past Year	Never Used	
Marijuana	All	3.6%	2.7%	0.9%	96.4%
	Grade 4	1.2%	0.7%	0.4%	98.8%
	Grade 5	2.5%	2.0%	0.5%	97.5%
	Grade 6	7.1%	5.2%	1.9%	92.9%

AA

Table D-2: Average number of times marijuana was used by those reporting usage:

	School Year	Lifetime
All	4.1	4.1
Grade 4	3.4	3.3
Grade 5	3.6	3.8
Grade 6	4.4	4.3

AA

Table D-3: Average age of first use of marijuana:

	Grade 4	Grade 5	Grade 6
Marijuana	8.7	9.7	10.6

AA

Table D-4: Average age of first use of marijuana by family situation:

Two Parent Family

98Bord456. out

	Never	7 or Under	8	9	10	11	12 or Over
All	97.4%	0.3%	0.1%	0.2%	0.6%	0.7%	0.7%
Grade 4	99.2%	0.3%	0.1%	0.1%	0.2%	0.0%	0.0%
Grade 5	98.2%	0.2%	0.1%	0.3%	0.7%	0.4%	0.1%
Grade 6	94.7%	0.5%	0.2%	0.3%	0.9%	1.6%	1.9%

Other Family Situation

	Never	7 or Under	8	9	10	11	12 or Over
All	94.0%	0.5%	0.4%	0.6%	1.2%	1.7%	1.5%
Grade 4	97.8%	0.5%	0.4%	0.5%	0.7%	0.1%	* %
Grade 5	96.1%	0.3%	0.3%	0.6%	1.2%	1.2%	0.4%
Grade 6	89.1%	0.8%	0.5%	0.7%	1.6%	3.5%	3.7%

♀

Revised Border - Grades 4-6
Spring 1998

AA

Table D-5: Lifetime prevalence of use of marijuana by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Marijuana	1.1%	22.1%	8.4%	27.6%

AA

Table D-6: About how many of your close friends use marijuana?

	Never Heard of	None	Some	Most
All	7.3%	79.9%	9.6%	3.2%
Grade 4	11.4%	83.2%	4.0%	1.3%
Grade 5	6.1%	84.1%	7.8%	2.0%
Grade 6	4.5%	72.8%	16.6%	6.1%

AA

Table D-7: Have you ever been offered marijuana?

	Never Heard of	Yes	No
All	6.4%	9.6%	84.1%
Grade 4	9.8%	5.0%	85.1%
Grade 5	5.1%	7.5%	87.4%
Grade 6	4.3%	15.9%	79.8%

AA

Table D-8: How do your parents feel about kids your age smoking marijuana?

	Don't Like It	Don't Care	Think It's OK	Don't Know
All	83.9%	1.7%	0.5%	13.8%
Grade 4	83.1%	1.4%	0.5%	15.0%
Grade 5	84.7%	1.5%	0.5%	13.3%
Grade 6	84.1%	2.3%	0.6%	13.1%

AA

Table D-9: How dangerous do you think it is for kids your age to use marijuana?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	4.1%	78.7%	9.1%	1.4%	6.6%
Grade 4	6.8%	78.3%	7.5%	0.7%	6.7%
Grade 5	3.6%	81.4%	8.5%	0.8%	5.7%
Grade 6	2.1%	76.6%	11.3%	2.6%	7.4%

‡

Revised Border - Grades 4-6
Spring 1998

AA

Table I-1: How recently, if ever, have you used...

	Ever Used	School Year	Not Past Year	Never Used	
Inhalants	All	14.2%	10.9%	3.3%	85.8%
	Grade 4	13.3%	9.9%	3.3%	86.7%
	Grade 5	12.6%	9.6%	3.1%	87.4%
	Grade 6	16.7%	13.2%	3.5%	83.3%

AA

Table I-2: Have you ever sniffed any of the following inhalants to get high?

Correction Fluid/Whitout

	Not Used	Used
All	94.6%	5.4%
Grade 4	95.9%	4.1%
Grade 5	95.4%	4.6%
Grade 6	92.5%	7.5%

Gasoline

	Not Used	Used
All	96.6%	3.4%
Grade 4	96.3%	3.7%
Grade 5	96.9%	3.1%
Grade 6	96.5%	3.5%

98Bord456. out

Glue

	Not Used	Used
All	94.8%	5.2%
Grade 4	94.0%	6.0%
Grade 5	95.3%	4.7%
Grade 6	95.0%	5.0%

Paint Thinner

	Not Used	Used
All	97.0%	3.0%
Grade 4	96.6%	3.4%
Grade 5	97.6%	2.4%
Grade 6	96.8%	3.2%

Spray Paint

	Not Used	Used
All	95.1%	4.9%
Grade 4	95.2%	4.8%
Grade 5	95.9%	4.1%
Grade 6	94.2%	5.8%

Other Inhalants

	Not Used	Used
All	93.8%	6.2%
Grade 4	94.9%	5.1%
Grade 5	94.8%	5.2%
Grade 6	91.9%	8.1%

♀

Revised Border - Grades 4-6
Spring 1998

AA

Table I-3: Average number of times inhalants were used by those reporting usage:

	School Year	Lifetime
All	3.2	3.2
Grade 4	3.1	3.0
Grade 5	3.2	3.2
Grade 6	3.2	3.4

AA

Table I-4: Number of different kinds of inhalants used:

	0	1	2-3	4+
All	86.7%	6.4%	5.3%	1.6%

	98Bord456.out			
Grade 4	87.6%	5.9%	4.8%	1.7%
Grade 5	88.2%	5.8%	4.7%	1.2%
Grade 6	84.2%	7.5%	6.5%	1.9%

AA

Table I-5: Average age of first use of inhalants:

	Grade 4	Grade 5	Grade 6
Inhalants	8.4	9.3	10.2

AA

Table I-6: Average age of first use of inhalants by family situation:

Two Parent Family

	Never	7 or Under	8	9	10	11	12 or Over
All	93.7%	1.1%	0.6%	1.0%	1.5%	1.5%	0.7%
Grade 4	96.4%	1.2%	0.8%	0.9%	0.6%	0.1%	0.0%
Grade 5	94.5%	1.1%	0.6%	1.0%	1.7%	1.0%	0.1%
Grade 6	90.1%	0.9%	0.4%	1.0%	2.2%	3.3%	2.1%

Other Family Situation

	Never	7 or Under	8	9	10	11	12 or Over
All	91.3%	1.2%	0.9%	1.5%	2.2%	1.8%	1.0%
Grade 4	94.4%	1.3%	1.0%	1.8%	1.4%	0.1%	0.1%
Grade 5	92.8%	1.0%	0.7%	1.1%	2.5%	1.7%	0.2%
Grade 6	87.4%	1.4%	1.0%	1.7%	2.6%	3.3%	2.6%

AA

Table I-7: Lifetime prevalence of use of inhalants by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Inhalants	4.2%	23.0%	12.7%	26.7%

♀

Revised Border - Grades 4-6
Spring 1998

AA

Table I-8: About how many of your close friends use inhalants?

	Never Heard of	None	Some	Most
All	8.1%	77.0%	11.7%	3.1%
Grade 4	11.9%	80.6%	6.2%	1.3%
Grade 5	7.4%	79.5%	10.8%	2.3%

Grade 6 5.2% 98Bord456.out 71.2% 17.9% 5.7%

AA

Table I-9: Have you ever been offered inhalants?

	Never Heard of	Yes	No
All	7.4%	9.0%	83.6%
Grade 4	11.1%	5.0%	84.0%
Grade 5	6.1%	8.0%	85.9%
Grade 6	5.0%	13.9%	81.1%

AA

Table I-10: How dangerous do you think it is for kids your age to use inhalants?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	5.2%	61.3%	20.6%	2.8%	10.1%
Grade 4	8.5%	63.6%	16.3%	1.8%	9.9%
Grade 5	4.6%	63.3%	20.7%	2.1%	9.4%
Grade 6	2.7%	57.2%	24.8%	4.4%	11.0%

p-10

Revised Border - Grades 4-6
Spring 1998

AA

Table X-1: Since school began in the fall, have you gotten information on drugs or alcohol from ...

An Assembly Program?

	No	Yes
All	26.9%	73.1%
Grade 4	25.0%	75.0%
Grade 5	22.8%	77.2%
Grade 6	32.9%	67.1%

Guidance Counselor?

	No	Yes
All	29.4%	70.6%
Grade 4	26.5%	73.5%
Grade 5	24.9%	75.1%
Grade 6	36.5%	63.5%

Visitor to Class?

	No	Yes
All	27.8%	72.2%

	98Bord456.out	
Grade 4	32.2%	67.8%
Grade 5	19.2%	80.8%
Grade 6	31.9%	68.1%

Someone Else at School ?

	No	Yes
All	45.8%	54.2%
Grade 4	46.0%	54.0%
Grade 5	43.6%	56.4%
Grade 6	47.7%	52.3%

Your Teacher?

	No	Yes
All	24.3%	75.7%
Grade 4	23.4%	76.6%
Grade 5	24.4%	75.6%
Grade 6	25.2%	74.8%

Any School Source?

	No	Yes
All	7.1%	92.9%
Grade 4	8.4%	91.6%
Grade 5	5.1%	94.9%
Grade 6	7.8%	92.2%

Revised Border - Grades 4-6
Spring 1998

Table B1: Prevalence and recency of use of selected substances by grade
--> All Students

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	15.3%	9.9%	5.3%	84.7%
	Grade 4	7.5%	4.4%	3.0%	92.5%
	Grade 5	13.8%	8.6%	5.2%	86.2%
	Grade 6	24.4%	16.6%	7.8%	75.6%
AA					
Alcohol	All	31.5%	22.8%	8.7%	68.5%
	Grade 4	21.0%	14.7%	6.3%	79.0%
	Grade 5	30.4%	21.7%	8.7%	69.6%
	Grade 6	43.1%	32.1%	11.0%	56.9%
AA					
Inhalants	All	14.2%	10.9%	3.3%	85.8%
	Grade 4	13.3%	9.9%	3.3%	86.7%
	Grade 5	12.6%	9.6%	3.1%	87.4%
	Grade 6	16.7%	13.2%	3.5%	83.3%
AA					
Marijuana	All	3.6%	2.7%	0.9%	96.4%
	Grade 4	1.2%	0.7%	0.4%	98.8%
	Grade 5	2.5%	2.0%	0.5%	97.5%
	Grade 6	7.1%	5.2%	1.9%	92.9%

AA

Table B2: Prevalence and recency of use of selected substances by grade
--> Male Students

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	18.6%	11.7%	6.9%	81.4%
	Grade 4	10.3%	5.8%	4.5%	89.7%
	Grade 5	17.6%	11.0%	6.5%	82.4%
	Grade 6	27.8%	18.2%	9.6%	72.2%
AA					
Alcohol	All	37.0%	26.4%	10.6%	63.0%
	Grade 4	26.6%	18.5%	8.0%	73.4%
	Grade 5	36.3%	25.5%	10.7%	63.7%
	Grade 6	48.1%	35.1%	13.0%	51.9%
AA					
Inhalants	All	16.1%	12.0%	4.1%	83.9%
	Grade 4	16.0%	11.8%	4.2%	84.0%
	Grade 5	15.0%	11.1%	3.9%	85.0%
	Grade 6	17.3%	13.1%	4.2%	82.7%
AA					
Marijuana	All	4.9%	3.6%	1.3%	95.1%
	Grade 4	1.7%	1.1%	0.6%	98.3%
	Grade 5	3.5%	2.8%	0.7%	96.5%
	Grade 6	9.3%	6.8%	2.5%	90.7%
AA					

Revised Border - Grades 4-6
Spring 1998

Table B3: Prevalence and recency of use of selected substances by grade
--> Female Students

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	12.0%	8.2%	3.8%	88.0%
	Grade 4	4.8%	3.2%	1.6%	95.2%
	Grade 5	10.2%	6.3%	3.9%	89.8%
	Grade 6	21.1%	15.1%	6.0%	78.9%
AA					
Alcohol	All	26.2%	19.4%	6.8%	73.8%
	Grade 4	15.6%	10.9%	4.7%	84.4%
	Grade 5	24.6%	18.0%	6.6%	75.4%
	Grade 6	38.2%	29.1%	9.1%	61.8%
AA					
Inhalants	All	12.4%	9.8%	2.6%	87.6%
	Grade 4	10.7%	8.2%	2.5%	89.3%
	Grade 5	10.3%	8.0%	2.3%	89.7%
	Grade 6	16.1%	13.2%	2.9%	83.9%
AA					
Marijuana	All	2.4%	1.8%	0.6%	97.6%
	Grade 4	0.6%	0.4%	0.3%	99.4%
	Grade 5	1.5%	1.2%	0.3%	98.5%
	Grade 6	5.0%	3.7%	1.2%	95.0%
AA					

Table B4: Prevalence and recency of use of selected substances by grade
--> White Students

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	13.6%	8.5%	5.1%	86.4%
	Grade 4	6.8%	4.2%	2.6%	93.2%
	Grade 5	12.9%	7.7%	5.2%	87.1%
	Grade 6	22.5%	14.5%	8.1%	77.5%
AA					
Alcohol	All	23.7%	16.7%	6.9%	76.3%
	Grade 4	16.0%	10.8%	5.2%	84.0%
	Grade 5	23.2%	16.2%	7.0%	76.8%
	Grade 6	33.3%	24.4%	8.9%	66.7%
AA					
Inhalants	All	12.3%	9.4%	2.8%	87.7%
	Grade 4	14.2%	10.2%	3.9%	85.8%
	Grade 5	10.2%	8.7%	1.5%	89.8%
	Grade 6	12.1%	9.2%	2.9%	87.9%
AA					
Marijuana	All	2.0%	1.5%	0.6%	98.0%
	Grade 4	0.5%	0.3%	0.1%	99.5%
	Grade 5	1.8%	1.6%	0.2%	98.2%
	Grade 6	4.2%	2.8%	1.4%	95.8%
AA					

Revised Border - Grades 4-6
Spring 1998

Table B5: Prevalence and recency of use of selected substances by grade
--> African/American Students

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	16.5%	9.7%	6.8%	83.5%
	Grade 4	9.1%	6.3%	2.9%	90.9%
	Grade 5	11.4%	7.0%	4.4%	88.6%
	Grade 6	32.1%	17.4%	14.7%	67.9%
AA					
Alcohol	All	37.2%	23.1%	14.1%	62.8%
	Grade 4	28.3%	15.2%	13.1%	71.7%
	Grade 5	29.9%	21.0%	8.9%	70.1%
	Grade 6	57.4%	36.2%	21.2%	42.6%
AA					
Inhalants	All	15.5%	13.2%	2.3%	84.5%
	Grade 4	16.4%	13.6%	2.8%	83.6%
	Grade 5	7.8%	6.8%	1.0%	92.2%
	Grade 6	22.2%	19.2%	3.0%	77.8%
AA					
Marijuana	All	5.5%	2.6%	2.9%	94.5%
	Grade 4	1.6%	0.5%	1.1%	98.4%
	Grade 5	3.5%	3.5%	* %	96.5%
	Grade 6	12.7%	4.3%	8.4%	87.3%
AA					

Table B6: Prevalence and recency of use of selected substances by grade
 --> Mexican/American Students

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	15.5%	10.2%	5.4%	84.5%
	Grade 4	7.5%	4.4%	3.1%	92.5%
	Grade 5	14.1%	8.9%	5.2%	85.9%
	Grade 6	24.8%	17.0%	7.7%	75.2%
AA					
Alcohol	All	32.2%	23.5%	8.7%	67.8%
	Grade 4	21.3%	15.1%	6.2%	78.7%
	Grade 5	31.2%	22.4%	8.8%	68.8%
	Grade 6	43.7%	32.8%	10.9%	56.3%
AA					
Inhalants	All	14.4%	11.1%	3.3%	85.6%
	Grade 4	13.2%	9.9%	3.3%	86.8%
	Grade 5	13.0%	9.8%	3.1%	87.0%
	Grade 6	17.0%	13.4%	3.5%	83.0%
AA					
Marijuana	All	3.7%	2.8%	0.9%	96.3%
	Grade 4	1.2%	0.8%	0.4%	98.8%
	Grade 5	2.6%	2.1%	0.5%	97.4%
	Grade 6	7.2%	5.4%	1.8%	92.8%
AA					

Revised Border - Grades 4-6
 Spring 1998

Table B7: Prevalence and recency of use of selected substances by grade
 --> Students Reporting A and B Grades

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	13.7%	8.6%	5.0%	86.3%
	Grade 4	6.4%	3.7%	2.7%	93.6%
	Grade 5	13.2%	8.2%	5.0%	86.8%
	Grade 6	21.8%	14.3%	7.5%	78.2%
AA					
Alcohol	All	29.5%	21.0%	8.5%	70.5%
	Grade 4	19.8%	13.6%	6.2%	80.2%
	Grade 5	29.1%	20.6%	8.5%	70.9%
	Grade 6	40.1%	29.3%	10.8%	59.9%
AA					
Inhalants	All	12.8%	9.8%	3.1%	87.2%
	Grade 4	12.4%	9.2%	3.2%	87.6%
	Grade 5	11.1%	8.3%	2.8%	88.9%
	Grade 6	15.1%	11.9%	3.2%	84.9%
AA					
Marijuana	All	2.7%	2.0%	0.8%	97.3%
	Grade 4	0.9%	0.6%	0.3%	99.1%
	Grade 5	2.0%	1.6%	0.4%	98.0%
	Grade 6	5.4%	3.8%	1.6%	94.6%
AA					

Table B8: Prevalence and recency of use of selected substances by grade
 --> Students Reporting C, D, and F Grades

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	20.6%	14.3%	6.3%	79.4%
	Grade 4	11.3%	7.2%	4.2%	88.7%
	Grade 5	16.2%	10.3%	5.9%	83.8%
	Grade 6	32.1%	23.6%	8.5%	67.9%
AA					
Alcohol	All	38.3%	29.1%	9.2%	61.7%
	Grade 4	24.9%	18.4%	6.5%	75.1%
	Grade 5	35.0%	26.1%	9.0%	65.0%
	Grade 6	52.2%	40.6%	11.7%	47.8%
AA					
Inhalants	All	19.0%	14.8%	4.1%	81.0%
	Grade 4	17.0%	12.9%	4.0%	83.0%
	Grade 5	18.2%	14.0%	4.1%	81.8%
	Grade 6	21.3%	17.1%	4.2%	78.7%
AA					
Marijuana	All	6.5%	5.0%	1.5%	93.5%
	Grade 4	2.1%	1.4%	0.8%	97.9%
	Grade 5	4.1%	3.3%	0.8%	95.9%
	Grade 6	12.0%	9.4%	2.6%	88.0%
AA					

Revised Border - Grades 4-6
 Spring 1998

Table B9: Prevalence and recency of use of selected substances by grade
 --> Students Living With 2 Parents

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	13.1%	8.5%	4.6%	86.9%
	Grade 4	6.3%	3.8%	2.5%	93.7%
	Grade 5	12.1%	7.6%	4.5%	87.9%
	Grade 6	21.2%	14.4%	6.9%	78.8%
AA					
Alcohol	All	29.1%	21.1%	8.0%	70.9%
	Grade 4	19.2%	13.6%	5.6%	80.8%
	Grade 5	28.4%	20.1%	8.3%	71.6%
	Grade 6	40.2%	29.8%	10.3%	59.8%
AA					
Inhalants	All	13.5%	10.2%	3.3%	86.5%
	Grade 4	12.7%	9.4%	3.3%	87.3%
	Grade 5	12.1%	9.1%	3.0%	87.9%
	Grade 6	15.7%	12.3%	3.5%	84.3%
AA					
Marijuana	All	2.7%	1.9%	0.8%	97.3%
	Grade 4	0.9%	0.5%	0.4%	99.1%
	Grade 5	1.9%	1.5%	0.5%	98.1%
	Grade 6	5.5%	3.8%	1.7%	94.5%
AA					

Table B10: Prevalence and recency of use of selected substances by grade

98Bord456.out
 --> Students Not Living With 2 Parents

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	21.6%	14.1%	7.5%	78.4%
	Grade 4	11.1%	6.5%	4.6%	88.9%
	Grade 5	19.0%	11.8%	7.2%	81.0%
	Grade 6	32.8%	22.5%	10.3%	67.2%
AA					
Alcohol	All	38.8%	28.2%	10.5%	61.2%
	Grade 4	26.9%	18.2%	8.7%	73.1%
	Grade 5	36.4%	26.5%	9.9%	63.6%
	Grade 6	51.1%	38.3%	12.7%	48.9%
AA					
Inhalants	All	16.4%	12.9%	3.5%	83.6%
	Grade 4	15.3%	11.9%	3.4%	84.7%
	Grade 5	14.2%	11.0%	3.2%	85.8%
	Grade 6	19.2%	15.6%	3.7%	80.8%
AA					
Marijuana	All	6.1%	4.9%	1.1%	93.9%
	Grade 4	2.2%	1.6%	0.5%	97.8%
	Grade 5	4.0%	3.5%	0.5%	96.0%
	Grade 6	11.2%	9.0%	2.2%	88.8%
AA					

Revised Border - Grades 4-6
 Spring 1998

Table B11: Prevalence and recency of use of selected substances by grade
 --> Students Living in Town More Than 3 Years

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	15.6%	10.2%	5.4%	84.4%
	Grade 4	7.5%	4.5%	3.1%	92.5%
	Grade 5	14.0%	8.8%	5.2%	86.0%
	Grade 6	24.6%	16.8%	7.8%	75.4%
AA					
Alcohol	All	32.5%	23.6%	8.9%	67.5%
	Grade 4	21.6%	15.0%	6.5%	78.4%
	Grade 5	30.9%	21.9%	8.9%	69.1%
	Grade 6	44.1%	33.1%	11.0%	55.9%
AA					
Inhalants	All	14.3%	10.9%	3.4%	85.7%
	Grade 4	13.1%	9.7%	3.4%	86.9%
	Grade 5	12.4%	9.4%	3.0%	87.6%
	Grade 6	17.1%	13.4%	3.7%	82.9%
AA					
Marijuana	All	3.7%	2.7%	0.9%	96.3%
	Grade 4	1.2%	0.7%	0.5%	98.8%
	Grade 5	2.4%	1.9%	0.5%	97.6%
	Grade 6	7.1%	5.4%	1.8%	92.9%
AA					

Table B12: Prevalence and recency of use of selected substances by grade
 --> Students Living in Town 3 Years or Less

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	16.1%	10.1%	6.1%	83.9%
	Grade 4	8.5%	4.8%	3.8%	91.5%
	Grade 5	15.2%	8.6%	6.6%	84.8%
	Grade 6	25.2%	17.2%	8.0%	74.8%
AA					
Alcohol	All	30.2%	21.0%	9.2%	69.8%
	Grade 4	21.8%	14.8%	6.9%	78.2%
	Grade 5	31.1%	22.0%	9.1%	68.9%
	Grade 6	38.4%	26.6%	11.8%	61.6%
AA					
Inhalants	All	14.5%	11.2%	3.3%	85.5%
	Grade 4	15.5%	11.5%	3.9%	84.5%
	Grade 5	14.3%	10.4%	3.8%	85.7%
	Grade 6	13.6%	11.5%	2.1%	86.4%
AA					
Marijuana	All	3.8%	2.8%	1.0%	96.2%
	Grade 4	1.1%	0.8%	0.3%	98.9%
	Grade 5	3.5%	2.8%	0.8%	96.5%
	Grade 6	7.0%	5.0%	2.0%	93.0%
AA					

Revised Border - Grades 4-6
Spring 1998

GENDER

Q1	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Female	55250.11	50.5
Male	54192.75	49.5

Frequency Missing = 160.14028443

GRADE LEVEL

Q2	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Grade 4	36810	33.6
Grade 5	36073	32.9
Grade 6	36720	33.5

DO YOU LIVE WITH BOTH PARENTS?

Q3	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	27535.62	25.3
Yes	81202.45	74.7

Frequency Missing = 864.92927773

AGE

Q4	Frequency	Percent
8 or younger	104.8968	0.1
9	10544.21	9.7
10	33378.91	30.6
11	33817.64	31.0
12	26816.51	24.6
13 or older	4293.344	3.9

Frequency Missing = 647.48200612

ETHNICITY

Q5	Frequency	Percent
African/American	1277.709	1.2
Asian/American	445.3515	0.4
Mexican/American	95349.06	88.9
Native/American	1470.379	1.4
Other	2994.061	2.8
White	5735.43	5.3

Frequency Missing = 2331.0146174

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties Revised Border - Grades 4-6 Spring 1998

WHAT GRADES DO YOU USUALLY GET

Q6	Frequency	Percent
Mostly A's	30368.08	28.3
Mostly B's	52329.8	48.7
Mostly C's	19510.45	18.2
Mostly D's	3358.048	3.1
Mostly F's	1810.908	1.7

Frequency Missing = 2225.7190433

LIVED IN THIS TOWN FOR
MORE THAN 3 YEARS

Q7	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Don' t Know	7792.77	7.2
No	10988.29	10.1
Yes	89905.23	82.7

Frequency Mi ssi ng = 916.71006702

EITHER PARENT GRADUATE
FROM COLLEGE

Q8	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Don' t Know	47489.88	43.8
No	27699.43	25.5
Yes	33270.43	30.7

Frequency Mi ssi ng = 1143.2598764

QUALIFY FOR A FREE/REDUCED
PRICE LUNCH?

Q9	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Don' t Know	23015.89	21.5
No	17461.67	16.3
Yes	66544.3	62.2

Frequency Mi ssi ng = 2581.1454225

PARENTS ATTEND PTA MEETINGS?

Q10	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Don' t Know	240.5118	0.2
No	40902.29	37.9
Yes	66786.48	61.9

Frequency Mi ssi ng = 1673.7164649

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 4-6
Spring 1998

†

EVER INHALED GASOLINE
TO GET HIGH?

Q11A	Frequency	Percent
Not Used	102075.4	96.6
Used	3627.75	3.4

Frequency Missing = 3899.8720105

EVER INHALED PAINT THINNER
TO GET HIGH?

Q11B	Frequency	Percent
Not Used	100236.7	97.0
Used	3082.179	3.0

Frequency Missing = 6284.1483761

EVER INHALED GLUE TO GET HIGH?

Q11C	Frequency	Percent
Not Used	97829.66	94.8
Used	5378.963	5.2

Frequency Missing = 6394.3745451

EVER INHALED WHITEOUT
TO GET HIGH?

Q11D	Frequency	Percent
Not Used	96936.6	94.6
Used	5568.859	5.4

Frequency Missing = 7097.5416362

EVER INHALED SPRAY

98Bord456.out
PAINT TO GET HIGH?

Q11E	Frequency	Percent
Not Used	97851.67	95.1
Used	5041.191	4.9

Frequency Missing = 6710.1437156

EVER USED OTHER INHALANTS
TO GET HIGH?

Q11F	Frequency	Percent
Not Used	96063.68	93.8
Used	6299.185	6.2

Frequency Missing = 7240.1300716

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 4-6
Spring 1998

CIGARETTE USE DURING LIFETIME

Q12A	Frequency	Percent
Never heard of	4263.25	4.0
Never used	87232.38	81.9
1-2 times	10853.2	10.2
3-10 times	2765.318	2.6
11+ times	1368.805	1.3

Frequency Missing = 3120.0417829

SNUFF/CHEWING TOBACCO
USE IN LIFETIME

Q12B	Frequency	Percent
Never heard of	10539.61	10.0
Never used	92506.86	88.2
1-2 times	1521.988	1.5
3-10 times	226.8874	0.2
11+ times	107.925	0.1

Frequency Missing = 4699.7273121

BEER USE DURING LIFETIME

98Bord456.out

Q12C	Frequency	Percent
Never heard of	2170.374	2.1
Never used	80863.01	77.6
1-2 times	16295.45	15.6
3-10 times	3450.937	3.3
11+ times	1461.721	1.4

Frequency Missing = 5361.5120968

WINE COOLER USE DURING LIFETIME

Q12D	Frequency	Percent
Never heard of	11474.51	11.2
Never used	72671.31	70.6
1-2 times	14199.9	13.8
3-10 times	3244.669	3.2
11+ times	1280.877	1.2

Frequency Missing = 6731.7336604

WINE USE DURING LIFETIME

Q12E	Frequency	Percent
Never heard of	5675.927	5.6
Never used	83248.14	81.8
1-2 times	10460.44	10.3
3-10 times	1814.311	1.8
11+ times	601.4455	0.6

Frequency Missing = 7802.739258

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 4-6
Spring 1998

LIQUOR USE DURING LIFETIME

Q12F	Frequency	Percent
Never heard of	11385.43	11.0
Never used	84243.65	81.5
1-2 times	5996.961	5.8
3-10 times	1288.894	1.2
11+ times	456.2021	0.4

Frequency Missing = 6231.863895

INHALANT USE DURING LIFETIME

Q12H	Frequency	Percent
Never heard of	9447.714	9.2
Never used	86404.45	84.0
1-2 times	5189.17	5.0
3-10 times	1295.335	1.3
11+ times	586.6985	0.6

Frequency Missing = 6679.6374

MARIJUANA USE DURING LIFETIME

Q12I	Frequency	Percent
Never heard of	8137.321	7.9
Never used	90804.09	88.6
1-2 times	2175.944	2.1
3-10 times	731.594	0.7
11+ times	627.0386	0.6

Frequency Missing = 7127.0085509

CIGARETTE USE IN PAST SCHOOL YEAR

Q13A	Frequency	Percent
Never heard of	3995.174	3.8
Never used	91366.17	86.5
1-2 times	7364.772	7.0
3-10 times	1919.61	1.8
11+ times	976.7412	0.9

Frequency Missing = 3980.5320998

SNUFF/CHEWING TOBACCO
USE IN PAST YEAR

Q13B	Frequency	Percent
Never heard of	8670.61	8.4
Never used	93421.58	90.5
1-2 times	886.2668	0.9
3-10 times	198.6383	0.2
11+ times	80.71206	0.1

Frequency Missing = 6345.1906053

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 4-6
 Spring 1998

♀

BEER USE IN PAST SCHOOL YEAR

Q13C	Frequency	Percent
Never heard of	1937.458	1.9
Never used	83158.19	83.0
1-2 times	11704.08	11.7
3-10 times	2398.383	2.4
11+ times	937.8969	0.9

Frequency Missing = 9466.9957289

WINE COOLER USE IN PAST SCHOOL YEAR

Q13D	Frequency	Percent
Never heard of	10341.88	10.5
Never used	74275.87	75.4
1-2 times	10755.57	10.9
3-10 times	2391.201	2.4
11+ times	796.8512	0.8

Frequency Missing = 11041.629848

WINE USE IN PAST SCHOOL YEAR

Q13E	Frequency	Percent
Never heard of	5265.526	5.3
Never used	84612.52	85.6
1-2 times	7500.982	7.6
3-10 times	1122.192	1.1
11+ times	398.5242	0.4

Frequency Missing = 10703.256061

LIQUOR USE IN PAST SCHOOL YEAR

Q13F	Frequency	Percent
Never heard of	10381.91	10.2
Never used	85901.36	84.5
1-2 times	4183.717	4.1

	98Bord456.out	
3-10 times	930.8528	0.9
11+ times	319.3014	0.3

Frequency Mi ssi ng = 7885.860628

INHALANT USE IN PAST SCHOOL YEAR

	Q13H	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA			
Never heard of	8936.742		8.8
Never used	86686.07		85.3
1-2 times	4418.205		4.3
3-10 times	1126.812		1.1
11+ times	452.9322		0.4

Frequency Mi ssi ng = 7982.2418023

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 4-6
Spring 1998

MARIJUANA USE IN PAST SCHOOL YEAR

	Q13I	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA			
Never heard of	7650.56		7.6
Never used	89798.02		89.5
1-2 times	1718.774		1.7
3-10 times	638.3821		0.6
11+ times	474.4719		0.5

Frequency Mi ssi ng = 9322.7931769

AGE WHEN FIRST USED CIGARETTES

	Q14A	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA			
7 or younger	2298.751		2.2
8 years old	1877.938		1.8
9 years old	2578.436		2.5
10 years old	3827.469		3.7
11 years old	3515.68		3.4
12 or older	1767.682		1.7
Never heard/use	88247.99		84.8

Frequency Mi ssi ng = 5489.0536391

98Bord456.out
 AGE WHEN FIRST USED
 SNUFF/CHEW TOBACCO

Q14B	Frequency	Percent
7 or younger	339.2786	0.3
8 years old	195.9256	0.2
9 years old	299.6606	0.3
10 years old	368.8876	0.4
11 years old	415.7858	0.4
12 or older	224.8983	0.2
Never heard/use	99622.79	98.2

Frequency Missing = 8135.7781298

AGE WHEN FIRST USED BEER

Q14C	Frequency	Percent
7 or younger	6238.389	6.4
8 years old	2947.554	3.0
9 years old	3519.211	3.6
10 years old	4029.914	4.1
11 years old	3073.518	3.2
12 or older	1741.936	1.8
Never heard/use	75578.84	77.8

Frequency Missing = 12473.635793

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 4-6
 Spring 1998

AGE WHEN FIRST USED WINE COOLERS

Q14D	Frequency	Percent
7 or younger	2096.602	2.2
8 years old	2001.801	2.1
9 years old	3262.065	3.4
10 years old	4701.915	4.9
11 years old	3914.464	4.1
12 or older	2267.153	2.4
Never heard/use	77677.81	81.0

98Bord456.out
Frequency Missing = 13681.19418

AGE WHEN FIRST USED WINE

Q14E	Frequency	Percent
7 or younger	1407.342	1.5
8 years old	1401.84	1.5
9 years old	2230.483	2.3
10 years old	3034.917	3.1
11 years old	2757.37	2.9
12 or older	1518.033	1.6
Never heard/use	84230.56	87.2

Frequency Missing = 13022.452888

AGE WHEN FIRST USED LIQUOR

Q14F	Frequency	Percent
7 or younger	728.7463	0.7
8 years old	499.9997	0.5
9 years old	934.6803	0.9
10 years old	1636.073	1.6
11 years old	1765.855	1.8
12 or older	1387.018	1.4
Never heard/use	93766.39	93.1

Frequency Missing = 8884.2405517

AGE WHEN FIRST USED INHALANTS

Q14H	Frequency	Percent
7 or younger	1107.482	1.1
8 years old	677.8944	0.7
9 years old	1125.903	1.1
10 years old	1682.444	1.7
11 years old	1538.475	1.5
12 or older	812.8616	0.8
Never heard/use	93637.51	93.1

Frequency Missing = 9020.4269812

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 4-6
 Spring 1998

♀

AGE WHEN FIRST USED MARIJUANA

Q14I	Frequency	Percent
7 or younger	383.2514	0.4
8 years old	190.5359	0.2
9 years old	312.0621	0.3
10 years old	730.0064	0.7
11 years old	970.6289	1.0
12 or older	862.2072	0.9
Never heard/use	95645.91	96.5

Frequency Missing = 10508.399969

CLOSE FRIENDS USE CIGARETTES

Q15A	Frequency	Percent
Never heard of	4269.686	4.1
None	70365.85	67.3
Some	26306.47	25.2
Most	3562.818	3.4

Frequency Missing = 5098.1847063

CLOSE FRIENDS USE SNUFF/CHEWING TOBACCO

Q15B	Frequency	Percent
Never heard of	6900.639	6.8
None	87465.53	86.3
Some	6029.45	5.9
Most	972.4899	1.0

Frequency Missing = 8234.8879842

CLOSE FRIENDS USE BEER

Q15C	Frequency	Percent
Never heard of	2890.261	2.9
None	64430.84	64.9

	98Bord456.out	
Some	26035.61	26.2
Most	5927.673	6.0

Frequency Missing = 10318.617129

CLOSE FRIENDS USE WINE COOLERS

	Q15D	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA			
Never heard of	8556.682		8.8
None	64481.8		66.4
Some	19233.14		19.8
Most	4837.699		5.0

Frequency Missing = 12493.680839

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 4-6
Spring 1998

CLOSE FRIENDS USE WINE

	Q15E	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA			
Never heard of	5459.442		5.6
None	74674.58		76.8
Some	14260.03		14.7
Most	2806.992		2.9

Frequency Missing = 12401.960062

CLOSE FRIENDS USE LIQUOR

	Q15F	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA			
Never heard of	8654.218		8.7
None	77481.82		78.1
Some	10653.25		10.7
Most	2430.646		2.4

Frequency Missing = 10383.065901

CLOSE FRIENDS USE INHALANTS

	Q15H	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA			

	98Bord456.out	
Never heard of	8064.001	8.1
None	76388.31	77.0
Some	11656.12	11.7
Most	3118.838	3.1

Frequency Missing = 10375.722423

CLOSE FRIENDS USE MARIJUANA

	Q15I	Frequency	Percent
AAAAA
Never heard of	7223.318	7.3	
None	79298.31	79.9	
Some	9553.878	9.6	
Most	3144.156	3.2	

Frequency Missing = 10383.337928

EVER BEEN OFFERED CIGARETTES

	Q16A	Frequency	Percent
AAAAA
Never heard of	3611.171	3.5	
No	76752.79	73.4	
Yes	24138.19	23.1	

Frequency Missing = 5100.8485764

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties Revised Border - Grades 4-6 Spring 1998

EVER BEEN OFFERED SNUFF/CHEWING TOBACCO

	Q16B	Frequency	Percent
AAAAA
Never heard of	6814.619	6.7	
No	90189.12	88.3	
Yes	5165.943	5.1	

Frequency Missing = 7433.315599

EVER BEEN OFFERED BEER

Q16C	Frequency	Percent
AA		
Never heard of	2365.473	2.3
No	70193.14	69.4
Yes	28613.43	28.3

Frequency Missing = 8430.9571726

EVER BEEN OFFERED WINE COOLERS

Q16D	Frequency	Percent
AA		
Never heard of	8182.575	8.3
No	72679.93	73.4
Yes	18141.85	18.3

Frequency Missing = 10598.65398

EVER BEEN OFFERED WINE

Q16E	Frequency	Percent
AA		
Never heard of	4937.08	4.9
No	81707.33	81.9
Yes	13095.27	13.1

Frequency Missing = 9863.3243149

EVER BEEN OFFERED LIQUOR

Q16F	Frequency	Percent
AA		
Never heard of	7923.922	7.9
No	83629.09	83.0
Yes	9207.117	9.1

Frequency Missing = 8842.8719572

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 4-6
 Spring 1998

‡

EVER BEEN OFFERED INHALANTS

Q16H	Frequency	Percent
Never heard of	7462.453	7.4
No	84503.91	83.6
Yes	9092.092	9.0

Frequency Missing = 8544.5472842

EVER BEEN OFFERED MARIJUANA

Q16I	Frequency	Percent
Never heard of	6414.808	6.4
No	84520.63	84.1
Yes	9615.423	9.6

Frequency Missing = 9052.1430553

IS ALCOHOL OBTAINED FROM HOME

Q17A	Frequency	Percent
Do Not Drink	67623.39	65.9
No	22529.56	22.0
Yes	12432.72	12.1

Frequency Missing = 7017.3267879

IS ALCOHOL OBTAINED FROM FRIENDS

Q17B	Frequency	Percent
Do Not Drink	62858.76	65.0
No	25562.84	26.4
Yes	8304.566	8.6

Frequency Missing = 12876.831984

98Bord456.out
IS ALCOHOL OBTAINED SOMEWHERE ELSE

Q17C	Frequency	Percent
Do Not Drink	62506.36	64.1
No	21992.55	22.5
Yes	13079.15	13.4

Frequency Missing = 12024.940966

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 4-6
Spring 1998

DANGEROUS FOR KIDS TO USE CIGARETTES

Q18A	Frequency	Percent
Very dangerous	56437.74	54.0
Dangerous	33121.79	31.7
Not at all	2566.12	2.5
Don't know	9616.23	9.2
Never heard of	2738.309	2.6

Frequency Missing = 5122.8072994

DANGEROUS TO USE SNUFF/CHEWING TOBACCO

Q18B	Frequency	Percent
Very dangerous	63398.67	62.2
Dangerous	21815.02	21.4
Not at all	1665.562	1.6
Don't know	10706.89	10.5
Never heard of	4416.888	4.3

Frequency Missing = 7599.9736708

DANGEROUS FOR KIDS TO USE BEER

98Bord456.out

Q18C	Frequency	Percent
Very dangerous	42195.23	42.5
Dangerous	38489.2	38.8
Not at all	6686.91	6.7
Don't know	10432.36	10.5
Never heard of	1521.653	1.5

Frequency Missing = 10277.6506

DANGEROUS FOR KIDS
TO USE WINE COOLERS

Q18D	Frequency	Percent
Very dangerous	37959.07	39.0
Dangerous	29326.06	30.1
Not at all	9544.325	9.8
Don't know	14090.15	14.5
Never heard of	6529.247	6.7

Frequency Missing = 12154.153801

DANGEROUS FOR KIDS TO USE WINE

Q18E	Frequency	Percent
Very dangerous	45640.93	47.0
Dangerous	30176.93	31.0
Not at all	5613.633	5.8
Don't know	12575.87	12.9
Never heard of	3182.925	3.3

Frequency Missing = 12412.710931

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the border counties
Revised Border - Grades 4-6
Spring 1998

DANGEROUS FOR KIDS TO USE LIQUOR

Q18F	Frequency	Percent
Very dangerous	60457.44	60.6
Dangerous	21231.55	21.3
Not at all	2439.797	2.4
Don't know	9961.471	10.0
Never heard of	5659.032	5.7

Frequency Missing = 9853.7113367

DANGEROUS FOR KIDS TO USE INHALANTS

Q18H	Frequency	Percent
Very dangerous	60759.19	61.3
Dangerous	20463.71	20.6
Not at all	2743.618	2.8
Don't know	10001.52	10.1
Never heard of	5171.774	5.2

Frequency Missing = 10463.189881

DANGEROUS FOR KIDS TO USE MARIJUANA

Q18I	Frequency	Percent
Very dangerous	76954.09	78.7
Dangerous	8910.673	9.1
Not at all	1355.182	1.4
Don't know	6452.996	6.6
Never heard of	4047.043	4.1

Frequency Missing = 11883.019641

DRUG/ALCOHOL INFO FROM TEACHER

Q19A	Frequency	Percent
No	24721.49	24.3
Yes	76812.84	75.7

Frequency Missing = 8068.6664732

DRUG/ALC INFO FROM VISITOR TO CLASS

Q19B	Frequency	Percent
No	27033.15	27.8
Yes	70191.32	72.2

Frequency Missing = 12378.528778

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 4-6
 Spring 1998

‡

DRUG/ALC INFO FROM
 ASSEMBLY PROGRAM

Q19C	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	26244.91	26.9
Yes	71145.36	73.1

Frequency Missing = 12212.725321

DRUG/ALC INFO FROM
 GUIDE COUNSELOR

Q19D	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	28367.2	29.4
Yes	68242.2	70.6

Frequency Missing = 12993.596117

DRUG/ALC INF FROM SOMEONE
 ELSE AT SCHOOL

Q19E	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	44409.48	45.8
Yes	52562.09	54.2

Frequency Missing = 12631.433202

BEER, TWO OR MORE AT ONE TIME

Q20A	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Never	85244.75	81.2
1 time	10585.86	10.1
2 times	4592.522	4.4
3+ times	4518.036	4.3

Frequency Missing = 4661.8372253

98Bord456.out

WINE COOLERS, TWO OR
MORE AT ONE TIME

Q20B	Frequency	Percent
Never	83444.85	82.5
1 time	8734.194	8.6
2 times	4638.744	4.6
3+ times	4374.494	4.3

Frequency Missing = 8410.7143058

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the border counties
Revised Border - Grades 4-6
Spring 1998

WINE, TWO OR MORE AT ONE TIME

Q20C	Frequency	Percent
Never	88683.34	88.0
1 time	6830.903	6.8
2 times	3038.391	3.0
3+ times	2260.147	2.2

Frequency Missing = 8790.2172382

LIQUOR, TWO OR MORE
AT ONE TIME

Q20D	Frequency	Percent
Never	92186.97	92.5
1 time	3719.555	3.7
2 times	1737.704	1.7
3+ times	1986.013	2.0

Frequency Missing = 9972.7601654

MI SSED SCHOOL WITHOUT
PARENT' S CONSENT

98Bord456.out
 Q21 Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 No 100914 95.2
 Yes 5097.747 4.8

Frequency Missing = 3591.2390537

SENT TO PRINCIPAL/DEAN
 SINCE SEPTEMBER

Q22 Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 No 73947.9 69.7
 Yes 32149.35 30.3

Frequency Missing = 3505.7503726

PARENTS FEEL ABOUT KIDS DRINKING BEER

Q23 Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Don't like it 84049.85 80.3
 Don't care 2195.069 2.1
 Think it's O.K. 1131.51 1.1
 Don't know 17356.43 16.6

Frequency Missing = 4870.1386493

The frequencies have been weighted so that the
 analysis reflects the distribution of students by grade
 level in the border counties
 Revised Border - Grades 4-6
 Spring 1998

PARENTS FEEL ABOUT KIDS
 USING MARIJUANA

Q24 Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Don't like it 88099.96 83.9
 Don't care 1812.556 1.7
 Think it's O.K. 572.1296 0.5
 Don't know 14471.2 13.8

Frequency Missing = 4647.1516154

‡

98Bord456.out

98Bord456.out

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties