

# INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

SUPPLEMENT 22, PART 5

PARASITE-SUBJECT CATALOGUE  
PARASITES: ARTHROPODA AND MISCELLANEOUS PHYLA



UNITED STATES  
DEPARTMENT OF  
AGRICULTURE

PREPARED BY  
SCIENCE AND  
EDUCATION  
ADMINISTRATION



# **INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY**

SUPPLEMENT 22, PART 5

## **PARASITE-SUBJECT CATALOGUE PARASITES: ARTHROPODA AND MISCELLANEOUS PHYLA**

By

SHIRLEY J. EDWARDS, In Charge

MARTHA W. HOOD, Zoologist

JUDITH H. SHAW, Zoologist

JANE D. RAYBURN, Technical Information Specialist

MARGIE D. KIRBY, Technical Information Specialist

DEBORAH T. HANFMAN, Technical Information Specialist


JUDITH A. ZIDAR, Technical Information Specialist



UNITED STATES  
DEPARTMENT OF  
AGRICULTURE

PREPARED BY  
SCIENCE AND  
EDUCATION  
ADMINISTRATION

ISSUED MARCH 1981



## PREFACE

The Index-Catalogue of Medical and Veterinary Zoology is an index to the world's literature on animal parasites of animals, including man. The Catalogue is distributed to qualified individuals and libraries throughout the world without charge. It has been maintained in cumulative files since 1892. Only the Author Catalogue has been published in its entirety. A revision of the Author Catalogue of the Index-Catalogue of Medical and Veterinary Zoology, consisting of Parts 1 to 18, was published during the period 1932-52. Beginning in 1953, a series of supplements designed to publish the backlog was initiated. This was completed with Supplement 6, published in 1956. From 1956 to 1964, supplements covering authors A to Z were issued on an annual basis.

Beginning with Supplement 15, the Parasite-Subject Catalogues, containing indices to the author references, have been issued. The Author Catalogues of Supplements 15-21 continued the format of previous supplements. Users should note that for each reference in the Author Catalogues of these supplements the author(s) plus the date and letter (e.g., Smith, J.; and Doe, L., 1978 b) are the key to all items in the Parasite-Subject Catalogues derived from that reference. In other words, when using the Parasite-Subject Catalogues of Supplements 15-21, it is necessary to consult the Author Catalogue of the corresponding supplement for complete bibliographic information.

Commencing with Supplement 22, basic bibliographic information is included with each entry in Parts 2-7. It should be emphasized, however, that it will still be useful to consult the Author Catalogue for a variety of other information that may be found there: Title of the reference, translated title, language of text and summaries, issue date, library from which the original may be obtained, published corrections, related references by the same author, and other miscellaneous information.

Each supplement consists of the following parts:

- Part 1, Authors: A-Z
- Part 2, Parasite-Subject Catalogue: Parasites: Protozoa
- Part 3, Parasite-Subject Catalogue: Parasites: Trematoda and Cestoda
- Part 4, Parasite-Subject Catalogue: Parasites: Nematoda and Acanthocephala
- Part 5, Parasite-Subject Catalogue: Parasites: Arthropoda and Miscellaneous Phyla
- Part 6, Parasite-Subject Catalogue: Subject Headings and Treatment
- Part 7, Parasite-Subject Catalogue: Hosts

Users should bear in mind that this is an Index-Catalogue, not a treatise, and should not expect to find reasons for any given entry. Nor does citing of synonymy mean that it is necessarily correct. The same statement holds for hosts, locations, localities, authorship of taxa, designation of new taxa, etc. These items are cited as given by the author(s) of the publication being indexed.

The information included in any given supplement represents only the publications that have been indexed in that supplement; and therefore, exclusion of, or limited entries for, any given author or parasite has no significance. No pretension is made for completeness, and assistance in correcting errors or obtaining additional information is appreciated. Reprints of papers on parasitology are requested.


## EXPLANATORY NOTE

### Author Catalogue

The Author Catalogue (Part 1 of each supplement) contains full bibliographic information for each publication indexed during the compilation of that supplement. A symbol for the library from which the original publication may be obtained is given at the end of each entry, e.g., Wa, Wm, Wc, etc. A key to these library symbols may be found in Supplements 10 and 20. A list of serial abbreviations new to our files is published at the beginning of each Author Catalogue.

### Parasite Catalogues

The Parasite Catalogues (Parts 2-5 of each supplement) are divided by parasite phyla (Protozoa, Trematoda, etc.). They are arranged alphabetically by genera, parasitic diseases, and higher taxa and then alphabetically by species within genera. Entries under each heading are in turn arranged alphabetically by authors and then chronologically for each author. Each entry consists of the name of the parasite or parasitic disease, the author(s) of the publication, date, abbreviated title of the publication, volume, number, inclusive pages, and a subheading. Illustrations of parasites are indicated by the word illus. following the name of the parasite.



A variety of information is found indented beneath the author line(s) of each entry: Classification, hosts, synonymy, keys, treatment, etc. Subheadings are guides to the subject matter of the publication.

(1) **Classification:** In entries based on systematic articles, the subheading may give the higher taxa in which the taxon has been placed or it may list the lower taxa included in a higher taxon.

(2) **Hosts:** The only hosts recorded are those that pertain directly to the author's own work. Scientific host names are used unless the author gives only common names, in which case the host names are given exactly as in the original publication.

However, when host common names are in Cyrillic alphabet languages, host Latin names are assigned and listed instead of the common name; these are in square brackets [ ].

Locations of parasites in or on hosts are given in parentheses ( ). Where a host-parasite relationship is well known, a host may be given under a parasite name and not in the Host Catalogue; this applies particularly to parasites of medical and veterinary importance and of worldwide distribution. A + before the host name on the parasite entry means that no host entry was made for this particular reference.

(3) **Synonymy:** Usually only those synonyms which the author indicates as new, or which are new to the files of the Index-Catalogue of Medical and Veterinary Zoology, are given.

(4) **Keys:** The subheading "key" indicates that the name is included in a taxonomic key.

(5) **Treatment:** When there are several antiparasitic agents mentioned in a publication, a general term is used in the subheading, e.g., anthelmintics, insecticides, protozoacides. However, in the Treatment Catalogue, all agents tested by the investigator(s) are listed.

(6) **Geographic Distribution:** When there are multiple hosts and geographic localities, the appropriate locality is

recorded after each host name; when the hosts of a parasite are all from one locality, they are recorded as "all from" this locality.

- (7) **Other Subject Matter:** Phrases indicate other subject matter discussed (e.g., immunity, metabolism, morphology, etc.).

### Subject Headings Catalogue

The Subject Headings Catalogue (the first section of Part 6 of each supplement) is an alphabetic arrangement of entry terms from a controlled list of subject headings. Each entry consists of the subject heading, bibliographic information, and a subheading reflecting the information contained in the paper. Subject headings with numerous entries are separated into alphabetized subdivisions, e.g.,

Immunity  
Immunity, Agglutination  
Immunity, Allergy

### Treatment Catalogue

In the Treatment Catalogue (a section of Part 6 of each supplement), all entries referring to one antiparasitic agent are grouped under one heading (regardless of the name used by the investigator) and are then listed alphabetically by author. Other names for the same agent are cross-referenced to the name used for filing. When generic and chemical names are available, preference is given to those names as headings rather than to trade names or code numbers and letters. Code number designations for compounds are entered in the Number Index in numerical order and cross-referenced to the name under which they are listed in the alphabetical section. Salts of a compound are usually grouped together, e.g., piperazine adiphate, piperazine citrate, etc., are all listed under Piperazine. Sometimes verifying synonymy of drug names is impossible; consequently, groupings and cross-references are not always authenticated although as many as possible have been checked with reliable sources. In some instances, the cross-references are based entirely on information in papers indexed and verification was not possible. Foreign language terminology has been anglicized

where feasible. Chemosterilants, Molluscicides, and Repellents are entered under these three collective headings and not under the individual chemical. The format is the same as the parasite entries: Entry term (in this case, drug name), bibliographic information, and subheading.

### Host Catalogue

The Host Catalogue (Part 7 of each supplement) is arranged alphabetically by genera, common names, and higher taxa and then alphabetically by species within genera. Nominate subspecies are interfiled with the species. Entries under each heading are in turn arranged alphabetically by author(s) and then chronologically for each author. The format is the same as in the other Catalogues, i.e., entry term (in this case, host name), bibliographic information, and subheading. Indented beneath the author line(s) of each host entry are all the parasites of a particular phylum that were reported from this host in the paper in question. Body locations of these parasites will be found in parentheses ( ) either in the subheading or with the host name. Experimental infection is reported as such. When there are multiple parasites and geographic localities, the appropriate locality is recorded after each parasite name; when the parasites from this host are all from one locality, they are recorded as "all from" this locality. When authors use only common names of hosts, scientific names are cautiously supplied from authoritative sources after careful consideration. Cross-references from the common name used by the author to the scientific name supplied by the Index-Catalogue are filed among the host entries. Such supplied names are given in square brackets [ ]. If a scientific name cannot be supplied, English common names are used. Scientific names or English common names are always supplied for common names in Cyrillic alphabet languages, and no cross-references are made. Surveys of parasites of humans and domestic animals are often indexed under geographic headings and entered in Part 6, Subject Headings, in addition to appearing in the Host Catalogue. In this case, all parasite phyla are grouped under the same host entry, and individual parasite entries are not included in the Parasite Catalogue.

Visitors are welcome to come to the Animal Parasitology Institute to use the cumulative files. Arrangements should be made in advance for lengthy visits.

All correspondence should be addressed to:

Index-Catalogue of Medical and Veterinary Zoology  
Animal Parasitology Institute  
USDA, SEA-AR, BARC-East, Building 1180  
Beltsville, Maryland 20705 U.S.A.

It is hoped that these Catalogues will serve as a useful tool to workers in the field of parasitology. Users are requested to preserve the Catalogues, since they are not designed for general distribution and the edition is limited.

---

The compilers thank the staffs of the Technical Information Systems of the Science and Education Administration, the National Library of Medicine, and all other libraries who have aided us invaluabley by making publications available to us.

Trade names are used in this publication solely for the purpose of providing specific information. Mention of a trade name does not constitute a guarantee or warranty of the product by the U.S. Department of Agriculture or an endorsement by the Department over other products not mentioned.

- Abrocomophaga n. gen. (type genus of fam.)  
 Emerson, K. C.; and Price, R. D., 1976, Florida  
 Entom., v. 59 (4), 425-428  
 Abrocomophagidae n. fam.  
 tod: A. chilensis n. sp.
- Abrocomophaga chilensis n. sp., illus. (tod)  
 Emerson, K. C.; and Price, R. D., 1976, Florida  
 Entom., v. 59 (4), 425-428  
 Abrocoma bennetti: Til, Til, Santiago, Chile
- Abrocomophagidae n. fam.  
 Emerson, K. C.; and Price, R. D., 1976, Florida  
 Entom., v. 59 (4), 425-428  
 Amblycerca  
 key, type genus: Abrocomophaga n. gen.
- Acanthochondria soleae? (Kroyer)  
 Ho, J.-S., 1975, Fish Bull. (165), State  
 Calif., Resources Agency, Dept. Fish and Game,  
 69-72  
 Paralichthys californicus (urohyoid): Ana-  
 heim Bay
- Acanthonyssus Yunker & Radovsky, 1966  
 Yunker, C. E.; and Saunders, R. C., 1973, J.  
 Med. Entom., v. 10 (4), 371-381  
 diagnosis
- Acanthonyssus dentipes (Strandtmann & Eads),  
 illus.  
 Yunker, C. E.; and Saunders, R. C., 1973, J.  
 Med. Entom., v. 10 (4), 371-381
- Acanthonyssus proechimys, n. sp., illus.  
 Yunker, C. E.; and Saunders, R. C., 1973, J.  
 Med. Entom., v. 10 (4), 371-381  
 Proechimys semispinosus: Zulia, 10 km S,  
 18 km W Machiques (at Rancho Kasmera, near  
 Sierra de Perija), Venezuela  
 P. guyannensis  
 Proechimys sp.  
 Heteromys anomalus  
 Sigmodon hispidus  
 Zygodontomys brevicauda  
 squirrel  
 marsupials  
 bat  
 all from Venezuela
- Acanthophthirius sp.  
 Whitaker, J. O., jr.; and Easterla, D. A.,  
 1975, Southwest. Nat., v. 20 (2), 241-254  
 Eumops perotis: Big Bend National Park,  
 Texas
- Acanthophthirius caudata  
 Whitaker, J. O., jr.; and Easterla, D. A.,  
 1975, Southwest. Nat., v. 20 (2), 241-254  
 Eptesicus fuscus: Big Bend National Park,  
 Texas
- Acanthophthirius caudata (Banks, 1910)  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 Syn.: Myobia canadensis Banks, 1910
- Acanthophthirius dasypterus sp. n.  
 Fain, A., 1973, Rev. Zool. et Botan. Afri-  
 caines, v. 87 (3), 614-621  
 Dasypterus ega: Trinidad
- Acanthophthirius (Myotimyobia) dolichophallus  
 Fain, 1972 tax. nov., illus.  
 Fain, A., 1976, Acta Zool. et Path. Antverpi-  
 ensia (64), 3-32  
 Syn.: Acanthophthirius (Acanthophthirius)  
 dolichophallus Fain, 1972  
 Myotis daubentonii (poils du patagium): Raide  
 de Geneve, Suisse
- Acanthophthirius (Acanthophthirius) dolicho-  
 phallus Fain, 1972  
 Fain, A., 1976, Acta Zool. et Path. Antverpi-  
 ensia (64), 3-32  
 as syn. of Acanthophthirius (Myotimyobia)  
 dolichophallus Fain, 1972 tax. nov.
- Acanthophthirius (Acanthophthirius) lasiurus Fain et  
 Whitaker sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpi-  
 ensia (64), 3-32  
 Lasiurus borealis: Donnehues, U. S. A.
- Acanthophthirius mimetilli sp. n.  
 Fain, A., 1973, Rev. Zool. et Botan. Afri-  
 caines, v. 87 (3), 614-621  
 Mimettillus moloney: Zaire
- Acanthophthirius (Thyromyobia) peruvianus spec.  
 nov., illus. (tod of subgen.)  
 Fain, A., 1976, Acta Zool. et Path. Antverpi-  
 ensia (64), 3-32  
 Thyroptera discifera (poil du dos): Cumeria,  
 Loreto, Haut Ucayala, Peru
- Acanthophthirius rhinolophi sp. n.  
 Fain, A., 1973, Rev. Zool. et Botan. Afri-  
 caines, v. 87 (3), 614-621  
 Rhinolophus hipposideros: Namur, Belgique
- Acanthophthirius (Myotimyobia) spinipes spec.  
 nov., illus.  
 Fain, A., 1976, Acta Zool. et Path. Antverpi-  
 ensia (64), 3-32  
 Myotis longipes (tete): Bhamajo Cave, near  
 Achabad, Cachemire
- Acanthopsylla Jordan and Rothschild, 1922  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
 Austral. J. Zool., Suppl. s. (30), 1-273  
 synonymy, key, key to Australian species and  
 subspecies
- Acanthopsylla dunneti Holland, 1971, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
 Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis  
 Antechinus swainsonii: Tasmania
- Acanthopsylla franklinensis M. Rothschild, 1936,  
 illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
 Austral. J. Zool., Suppl. s. (30), 1-273  
 synonymy, key, diagnosis  
 "Conilurus albipes did not occur on Franklin  
 I. The correct host name is Leporillus  
 jonesi Thomas, 1921, now Leporillus conditor  
 jonesi."

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

*Acanthopsylla incerta* Holland, 1971, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis  
*Antechinus godmani*  
*Antechinus sp.*  
*Rattus leucopus*  
*Uromys caudimaculatus*  
 all from Queensland

*Acanthopsylla jordani* Mardon, 1973, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis

*Acanthopsylla pavida* (Rothschild, 1916), illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis, syn.: *Pygiopsylla pavida*.  
 Rothschild, 1916  
*Macropus thetides*: Queensland  
*Dendrolagus lumholtzi*: Queensland  
*Trichosurus johnstonii*: Queensland  
*T. vulpecula johnstoni*: "  
*T. caninus*: New South Wales  
*Pseudocheirus peregrinus*: New South Wales  
*P. laniginosus*: " " "  
*Petaurus breviceps*: Queensland  
*Acrobates pygmaeus*: Victoria  
*Perameles nasuta*: New South Wales  
*Phascogale sp.*: Queensland  
*Rattus assimilis*: New South Wales; Queens-  
 land  
*Uromys caudimaculatus*: Queensland  
 grey scrub rat: "

*Acanthopsylla rothschildi multidentata* Holland,  
 1971, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis  
*Sminthopsis crassicaudata*: Adelaide, South  
 Australia; Ararat, Victoria

*Acanthopsylla rothschildi nereis* Jordan and  
 Rothschild, 1922, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 diagnosis  
*Potorous tridactylus*: Tasmania

*Acanthopsylla rothschildi rothschildi* (Rainbow)  
 Beveridge, I.; and Barker, I. K., 1976,  
*Austral. J. Zool.*, v. 24 (2), 265-272  
 helminths and arthropods, *Antechinus stu-*  
*artii*, seasonal and sex-related variations  
 in numbers of helminths, parasites unlikely  
 directly involved in seasonal mortality of  
 male host; ectoparasites may contribute to  
 anemia in hosts: Powelltown, Victoria

*Acanthopsylla rothschildi rothschildi* (Rainbow,  
 1905), illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 synonymy, key, diagnosis  
*Macropus thetides*: Queensland  
*Potorous tridactylus*: Victoria  
*Trichosurus vulpecula*: Tasmania; Victoria  
*Pseudocheirus convolutor*: Tasmania  
*P. peregrinus*: Victoria  
*Gymnobelideus leadbeateri*: Victoria  
*Acrobates pygmaeus*: Victoria  
*Cercartetus nanus*: "  
*Eudromicia lepida*: Tasmania  
*Burramys parvus*: New South Wales  
*Perameles nasuta*: New South Wales; Victoria  
*Dasyurops maculatus*: Tasmania; Victoria  
*Dasyurus maculatus*: New South Wales; Tas-  
 mania  
*D. viverrinus*: New South Wales; Tasmania;  
 Victoria  
*D. quoll*: Tasmania  
*Antechinus flavipes*: New South Wales; Queens-  
 land; Victoria  
*A. stuartii*: Victoria  
*Phascogale swainsonii*: Victoria  
*Antechinus swainsonii*: Australian Capital  
 Territory; New South Wales; Victoria  
*A. s. maritima*: Victoria  
*A. minimus*: Victoria  
*Sminthopsis crassicaudata*: Victoria  
*Rattus assimilis*: Australian Capital Terri-  
 tory; New South Wales; Victoria  
*R. fuscipes assimilis*: Victoria  
*R. fuscipes*: Victoria  
*R. f. greyi*: Victoria  
*R. lutreolus velutinus*: Tasmania  
*R. lutreolus*: Tasmania; Victoria  
*Hydromys chrysogaster*: Victoria  
*Gyomys fumeus*: Victoria  
*Pseudomyshigginsi*: Tasmania

*Acanthopsylla rothschildi victoriana*. Jordan and  
 Rothschild, 1922  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 as syn. of *Acanthopsylla r. rothschildi*  
 (Rainbow, 1905)

*Acanthopsylla saphes* Jordan and Rothschild, 1922  
 illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis  
*Dasyurus viverrinus*  
 native cat  
 all from Victoria

*Acanthopsylla scintilla* (M. Rothschild).  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 as syn. of *Acanthopsylla s. scintilla*  
 (M. Rothschild, 1936)

*Acanthopsylla scintilla*  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 "Unidentifiable to Subspecies"  
*Cercartetus nanus*  
*Antechinus swainsonii*  
 all from Victoria

*Acanthopsylla scintilla rectangulata* Holland, 1971, illus.  
*Dunnet, G. M.; and Mardon, D. K.*, 1974,  
*Austral. J. Zool., Suppl. s. (30)*, 1-273  
 key, diagnosis  
*Cercartetus nanus*: New South Wales;  
 Victoria

*Acanthopsylla scintilla scintilla* (M. Rothschild, 1936), illus.  
*Dunnet, G. M.; and Mardon, D. K.*, 1974,  
*Austral. J. Zool., Suppl. s. (30)*, 1-273  
 synonymy, key, diagnosis  
*Dromicia concinna*: Western Australia  
*Cercartetus concinnus*: South Australia  
*Dromicia*

*Acanthopsylla scintilla tasmanica* Holland, 1971, illus.  
*Dunnet, G. M.; and Mardon, D. K.*, 1974,  
*Austral. J. Zool., Suppl. s. (30)*, 1-273  
 key, diagnosis  
*Eudromicia lepidus*  
*Dasyurus quoll*  
 all from Tasmania

*Acanthopsylla woodwardi* (Rothschild, 1904), illus.  
*Dunnet, G. M.; and Mardon, D. K.*, 1974,  
*Austral. J. Zool., Suppl. s. (30)*, 1-273  
 synonymy, key, diagnosis  
*Dasyurus geoffroyi*: Western Australia

**Acari**  
*Whitaker, J. O., jr.; and Wilson, N.*, 1974,  
*Am. Midland Naturalist*, v. 91 (1), 1-67  
 host and distribution lists of mites (Acari),  
 parasitic and phoretic, in the hair of wild  
 mammals of North America, north of Mexico

**Acariasis**  
*Kim, J. C. S.*, 1977, *Vet. Bull.*, Weybridge,  
 v. 47 (4), 249-255  
 pulmonary acariasis in Old World monkeys,  
 prevalence, life cycle, clinical signs,  
 pathology, immunity, review

**Acaridae [sp.]**  
*Basolo, F., jr.; and Funk, R. C.*, 1974, Tr.  
*Illinois State Acad. Sc.*, v. 67 (2), 211-221  
*Peromyscus leucopus noveboracensis*  
*Cryptotis parva parva*  
 all from Coles County, Illinois

**Acarina**  
*Theis, J. H.; and Ettleman, D. S.*, 1975, *Am. J. Vet. Research*, v. 36 (4), Part 1, 469-470  
 dogs, surgical technique for cannulating  
 right cervical lymphatic duct, use in study  
 of lymph changes induced by feeding ticks

**Acarology.** See Part 6, Subject Headings.

**Acedestia** Jordan, 1937  
*Dunnet, G. M.; and Mardon, D. K.*, 1974,  
*Austral. J. Zool., Suppl. s. (30)*, 1-273  
 key, diagnosis

*Acedestia chera* Jordan, 1937, illus.  
*Dunnet, G. M.; and Mardon, D. K.*, 1974,  
*Austral. J. Zool., Suppl. s. (30)*, 1-273  
 diagnosis  
*Potorous tridactylus*: Victoria  
*Isoodon obesus*: Victoria; Western  
 Australia

**Achelidelphys** gen. n.  
*Lafargue, F.; and Laubier, L.*, 1977, *Arch. Zool. Exper. et Gen.*, v. 118 (2), 173-196  
*Notodelphyidae*  
 tod: *A. steinitzii* sp. n.

**Achelidelphys ampla** sp. n., illus.  
*Lafargue, F.; and Laubier, L.*, 1977, *Arch. Zool. Exper. et Gen.*, v. 118 (2), 173-196  
*Didemnum moseleyi*  
*D. cretaceum*  
*D. candidum*  
*D. spongiodoides*  
 all from Golfe d'Eilat (Mer Rouge)

**Achelidelphys nigra** sp. n., illus.  
*Lafargue, F.; and Laubier, L.*, 1977, *Arch. Zool. Exper. et Gen.*, v. 118 (2), 173-196  
*Didemnum psammatodes*: Golfe d'Eilat (Mer Rouge)

**Achelidelphys steinitzii** sp. n. (tod), illus.  
*Lafargue, F.; and Laubier, L.*, 1977, *Arch. Zool. Exper. et Gen.*, v. 118 (2), 173-196  
*Didemnum candidum*: Golfe d'Eilat (Mer Rouge)

**Achtheinus oblongus** Wilson  
*Ho, J.-S.*, 1975, *Fish Bull.* (165), State Calif., Resources Agency, Dept. Fish and Game, 69-72  
*Rhinobatos productus*  
*Mustelus californicus*  
 all from Anaheim Bay

**Achtheres micropteri** Wright, 1882  
*Baker, J. C.; and Crites, J. L.*, 1976, *Proc. Helminth. Soc. Washington*, v. 43 (1), 37-39  
*Ictalurus punctatus* (gills): island region of western Lake Erie

**Achtheres micropteri** Wright  
*Cloutman, D. G.; and Becker, D. A.*, 1977, *J. Parasitol.*, v. 63 (2), 372-376  
*Micropterus salmoides*  
*M. punctulatus*  
 (gills of all): all from Lake Fort Smith, Crawford County, Arkansas

**Achtheres micropteri**  
*Gruninger, T. L.; Murphy, C. E.; Britton, J. C.*, 1977, *Southwest. Nat.*, v. 22 (4), 525-535  
*Ictalurus punctatus*  
*Micropterus salmoides*  
 all from Eagle Mountain Lake, Texas

**Acomatacarus** Ewing 1942  
*Brennan, J. M.; and Goff, M. L.*, 1977, *J. Parasitol.*, v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Acomatacarus (*Xenacarus*) brevicalcar (sic): Crossley, 1960  
 Loomis, R. B.; and Goff, M. L., 1973, J. Med. Entom., v. 10 (2), 113-117  
 as syn. of *Xenodontacarus brevicalcar* (Brennan & Jones, 1954)
- Acomatacarus brevicalcar Brennan & Jones, 1954  
 Loomis, R. B.; and Goff, M. L., 1973, J. Med. Entom., v. 10 (2), 113-117  
 as syn. of *Xenodontacarus brevicalcar* (Brennan & Jones, 1954)
- Acomatacarus (*Xenacarus*) plumosus Greenberg, 1951  
 Loomis, R. B.; and Goff, M. L., 1973, J. Med. Entom., v. 10 (2), 113-117  
 as syn. of *Xenodontacarus plumosus* (Greenberg, 1951) n. comb.
- Aconothobius n. gen.  
 Smit, F. G. A. M., 1975, Senckenbergiana Biol., v. 56 (4-6), 247-256  
*Leptopsyllidae, Amphipsyllinae*, key, tod:  
*A. orientalis* (Lewis, Kulkarni & Bhat, 1972)  
 [n. comb.]
- Aconothobius anthobius n. sp., illus.  
 Smit, F. G. A. M., 1975, Senckenbergiana Biol., v. 56 (4-6), 247-256  
 Nepal
- Aconothobius martensi (Smit, 1975) [n. comb.]  
 Smit, F. G. A. M., 1975, Senckenbergiana Biol., v. 56 (4-6), 247-256
- Aconothobius orientalis (Lewis, Kulkarni & Bhat, 1972) [n. comb.] (tod)  
 Smit, F. G. A. M., 1975, Senckenbergiana Biol., v. 56 (4-6), 247-256
- Actornithophilus bicolor (Piaget, 1880)  
 Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
*Arenaria i. interpres*: Midway Atoll, Pacific Ocean
- Actornithophilus ceruleus (Timmermann, 1954)  
 Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
*Anous minutus melanogenys*: Sand Island, Midway Atoll, Pacific Ocean
- Actornithophilus incisus (Piaget, 1880)  
 Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
*Anous stolidus pileatus*: Eastern Island, Midway Atoll, Pacific Ocean
- Aega macronema Bleeker, 1857  
 Monod, T., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (319), Zool. (226), 999-1004  
 as syn. of *Argathona macronema* (Bleeker, 1857)
- Aegathoa excisa Richardson, 1901  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 as syn. of *Nerocila excisa* (Richardson, 1901)
- Aeromychirus g. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Listrophoridae*  
 tod: *Afrolistrophorus aeromys* Fain, 1970  
 [comb. with *Aeromychirus* not made]
- Aetacarus nisi (Canestrini, 1878)  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Accipiter nisus*  
*Erythropus vespertinus*  
 all from Moldavian SSR
- Aethon garricki Hewitt  
 Vooren, C. M.; and Tracey, D., 1976, N. Zealand J. Marine and Freshwater Research, v. 10 (3), 499-509  
 incidence, intensity, age of host  
*Cheilodactylus macropterus* (gills): New Zealand
- Afrolistrophorus aeromys Fain, 1970, to *Aeromychirus* g. n. [comb. not made] (tod)  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67
- Afrolistrophorus hornensis sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Euneomys ultimus*: Orange Bay, Cap Horn, Amerique du Sud
- Afrolistrophorus inca sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Lestoros inca*: Torontoy, Machu Pichu, Peru
- Afrolistrophorus maculatus sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Rattus sabanus vociferans*: Gunong Benom, Pahang, Malaysia
- Afrolistrophorus maculatus ssp. *rattus* ssp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Rattus rattus*: Lelydorp, Surinam  
*Rattus rattus frugivorus*: Brokubaka, Surinam
- Afrolistrophorus mediolineatus sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*bandicoot rat*: Ban Thenon, 18 Km NW Kieng-Kwang, Laos
- Afrolistrophorus musculus (Wilson & Lawrence)  
 Goff, M. L., 1975, J. Med. Entom., v. 12 (1), 52-54  
*Mus musculus*: Midway Islands
- Afrolistrophorus pakistanicus sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Mus* sp.: Swat State, 4 mile S. Kulam Rest House, Pakistan

## ARTHROPODA

- Agarna carinata* Schioedte et Meinert, 1884  
 Trilles, J.-P.; and Vala, J.-C., 1975, Bull.  
 Mus. National Hist. Nat., Paris, 3. s. (318),  
*Zool.* (225), 967-976  
 as syn. of *Agarna cumulus* (Haller, 1880)  
 Richardson, 1911
- Agarna cumulus* (Haller, 1880) Richardson, 1911,  
 illus.  
 Trilles, J.-P.; and Vala, J.-C., 1975, Bull.  
 Mus. National Hist. Nat., Paris, 3. s. (318),  
*Zool.* (225), 967-976  
 synonymous  
*Acanthurus chirurgus* (cavite branchiale  
 droite): St. Anne, Guadeloupe
- Aitkenius* Brennan 1970  
 Brennan, J. M.; and Goff, M. L., 1977, *J. Parasitol.*, v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in  
 the Western Hemisphere
- Akmepsylla* Wagner, 1933  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 as syn. of *Acanthopsylla* Jordan and Rothschild, 1922
- Alabidocarpus Ewing*, 1920  
 McDaniel, B., 1971, *Acarologia*, v. 12 (4),  
 803-823  
 key, diagnosis
- Alabidocarpus Ewing*  
 McDaniel, B., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (2), 15-32  
 key
- Alabidocarpus calcaratus* Lawrence, 1952  
 McDaniel, B., 1971, *Acarologia*, v. 12 (4),  
 803-823  
*Myotis n. nigricans*: Nicaragua (Nueva Segovia; Chontales)
- Alabidocarpus calcaratus* Lawrence, 1952  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
*Am. Midland Naturalist*, v. 91 (1), 1-67  
 Syn.: *Alabidocarpus longipilus* Pinichpongse, 1963
- Alabidocarpus furmani* Pinichpongse, 1963, illus.  
 McDaniel, B., 1971, *Acarologia*, v. 12 (4),  
 803-823  
*Glossophaga soricina leachii*: Chontales,  
 Nicaragua  
*Anoura geoffroyi lasiopyga*: Nueva Segovia,  
 Nicaragua
- Alabidocarpus furmani* Pinichpongse, 1963  
 McDaniel, B., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (2), 15-32  
 redescription  
*Glossophaga longirostris*  
*Carollia perspicillata*  
*C. brevicauda*  
*Vampyrops helleri*  
*Anoura caudifera*  
*Pteronotus parnellii*  
 all from Venezuela
- Alabidocarpus glauconycteris* sp. n.  
 Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
*Glauconycteris argentata*: Mwanda, Kivu, Zaire
- Alabidocarpus hilli* sp. n.  
 Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
 Megadermatidae, non identifie: Cameroun
- Alabidocarpus jonesi* n. sp., illus.  
 McDaniel, B., 1971, *Acarologia*, v. 12 (4),  
 803-823  
*Vampyrops helleri*: 1 km. N., 2.5 km. W. Villa Somoza, Chontales, Nicaragua
- Alabidocarpus jonesi* McDaniel, 1970, illus.  
 McDaniel, B., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (2), 15-32  
 redescription  
*Vampyrops helleri*: Venezuela
- Alabidocarpus laoensis* sp. n.  
 Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
*Hipposideros* (?): Province Vientiene, Laos
- Alabidocarpus laviae* sp. n.  
 Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
*Lavia frons*: Dubulu, Zaire
- Alabidocarpus longipilus* Pinichpongse, 1963  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
*Am. Midland Naturalist*, v. 91 (1), 1-67  
 as syn. of *Alabidocarpus calcaratus* Lawrence, 1952
- Alabidocarpus megalonyx* ssp. *lankadivae* ssp. n.  
 Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
*Hipposideros lankadiva*: Grotte de Pitakele, Ceylan
- Alabidocarpus nicaraguae* n. sp., illus.  
 McDaniel, B., 1971, *Acarologia*, v. 12 (4),  
 803-823  
*Uroderma bilobatum molaris*: Santa Rosa,  
 17 km. N., 15 km. E. Boaco, Boaco, Nicaragua
- Alabidocarpus nicaraguae* McDaniel, 1970, illus.  
 McDaniel, B., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (2), 15-32  
 redescription  
*Uroderma magnirostrum*: Venezuela
- Alabidocarpus parryae* sp. n.  
 Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
*Myotis (Leuconoe) aduersus moluccarum*: Aore Is., Nouvelles-Hebrides
- Alabidocarpus vietnamensis* sp. n.  
 Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
*Rhinolophus episcopus caldwelli*: Chapa, Tonkin, Vietnam

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Albeckia* Vercammen-Grandjean and Watkins 1966  
*Brennan, J. M.; and Goff, M. L.*, 1977, *J. Parasitol.*, v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Albeckia senase* (Greenberg)  
*Reisen, W. K.; Kennedy, M. L.; and Reisen, N. T.*, 1976, *J. Parasitol.*, v. 62 (4), 628-635  
 winter ecology of ectoparasites collected from hibernating *Myotis velifer* (incidence, intensity, monthly changes, parasite and host sex ratio, interspecific associations, parasite age structure, etc.)  
*Myotis velifer*  
*Plecotus townsendii*  
 all from Harmon County, southwestern Oklahoma
- Alcedoecus annulatus*  
*Rak, H.; Anwar, M.; and Niak, A.*, 1975, *Bull. Soc. Path. Exot.*, v. 68 (6), 588-591  
*Alcedo athis*: Iran
- Alectopsylla nov. gen.*  
*Mahnert, V.*, 1976, *Rev. Suisse Zool.*, v. 83 (3), 769-776  
*Ischnopsyllidae, Ischnopsyllinae*  
 key, mt: *A. unisetosa* n. sp.
- Alectopsylla unisetosa* n. sp. (mt), illus.  
*Mahnert, V.*, 1976, *Rev. Suisse Zool.*, v. 83 (3), 769-776  
*Myotis aff. levis*: El Hoyo de Epuyen, 12 km south of El Bolson, prov. Chubut, Argentina
- Alectorobius* subgenus spp.  
*Converse, J. D.; et al.*, 1975, *Am. J. Trop. Med. and Hyg.*, v. 24 (6, pt. 1), 1010-1018  
 vectors of Soldado virus: Wales
- Alectorobius talaje* Pocock, 1907  
*Jones, E. K.; et al.*, 1972, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 17 (4), 40 pp.  
 as syn. of *Ornithodoros (Alectorobius) talaje* (Guerin-Meneville, 1849)
- Alexfainia* Yunker and Jones 1961  
*Brennan, J. M.; and Goff, M. L.*, 1977, *J. Parasitol.*, v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Alleustathia ungulata* Gaud and Atyeo, 1967  
*Marshall, A. G.*, 1976, *Ecol. Entom.*, v. 1 (3), 189-199  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Collocalia vanikorensis*  
*C. esculenta*  
 all from New Hebrides
- Alliphis* sp. Halbert  
*Amanniazova, R. D.*, 1975, *Izvest. Akad. Nauk Turkmensk. SSR, s. Biol. Nauk* (6), 48-54  
 seasonal distribution in different landscapes  
*Rhombomys opimus*: Turkmenistan
- Allodermanyssus muris*  
*Okereke, T. A.*, 1971, *Bull. Entom. Soc. Nigeria*, v. 3 (1), 50-55  
*Rattus rattus*  
*Rattus rattus frugivorus*  
*Lophuromys sikapusi*  
*Uranomys foxi*  
 all from Ibadan Area, Western Nigeria
- Allodermanyssus sanguineus* (Hirst)  
*Sandhu, P. S.; and Kapoor, V. C.*, 1976, *Entom. News*, v. 87 (9-10), 292-294  
*Funambulus pennanti*: Village Barewal (Ludhiana District), India
- Allogyropus* Ewing, 1924  
*Emerson, K. C.; and Price, R. D.*, 1975, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 20 (3), 1-77  
 as syn. of *Gyropus* Nitzsch, 1818
- Alloptes megamerus*, Canestrini and Kramer, 1899  
*Atyeo, W. T.; and Gaud, J.*, 1976, *J. Kansas Entom. Soc.*, v. 49 (4), 489-491  
 as syn. of *Anorthalloptes megamerus* Trouessart n. comb.
- Alloptidae* Gaud  
*Peterson, P. C.*, 1972, *Steenstrupia*, v. 2 (14), 197-205  
*Alloptidae and Proctophyllodidae*, associations between orders of birds and feather mite families
- Altericornu* Tendeiro, 1969  
*Tendeiro, J.*, 1975, *Garcia de Orta, s. Zool.*, v. 4 (1), 57-69  
*Goniodidae*  
 key, phylogenetic position
- Altericornu coloceroides* Tendeiro, illus.  
*Tendeiro, J.*, 1975, *Garcia de Orta, s. Zool.*, v. 4 (1), 57-69
- Altericornu marshalli* Tendeiro, 1972  
*Marshall, A. G.*, 1976, *Ecol. Entom.*, v. 1 (3), 189-199  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Ducula bakeri*: New Hebrides
- Altericornu marshalli* Tendeiro, illus.  
*Tendeiro, J.*, 1975, *Garcia de Orta, s. Zool.*, v. 4 (1), 57-69
- Alveonasus canestrini*  
*Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev, A. M.*, 1976, *Zool. Zhurnal*, v. 55 (9), 1308-1317  
 ixodid and argasid ticks, fine structure and function of palpal receptor organ
- Alveonasus lahorensis*  
*Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev, A. M.*, 1976, *Zool. Zhurnal*, v. 55 (9), 1308-1317  
 ixodid and argasid ticks, fine structure and function of palpal receptor organ

**ARTHROPODA**

7

- Alveonasus lahorensis, illus.**  
 Sidorov, V. E., 1977, Zhurnal Obsh. Biol., v. 38 (6), 934-939  
**Alveonasus lahorensis, formation of substances in hemocytes leading to deposition of membrana propria and other connective membranes and to deposition of cuticle**
- Amalaraeus penicilliger (Grube 1851)**  
 Beaournu, J. C., 1976, Ann. Soc. Entom. France, n. s., v. 12 (2), 199-213  
**Ceratophyllidae of French mammals, geographic distribution, ecology, sex ratio, epidemiological role, review: France**
- Amblycera**  
 Emerson, K. C.; and Price, R. D., 1976, Florida Entom., v. 59 (4), 425-428  
**Mallophaga**  
 key, key to families, includes: Trimenoponidae; Boopidae; Menoponidae; Ricinidae; Laemobothriidae; Gyropidae (Protogyropinae); Gyropidae (Gliricolinae); Gyropidae (Gyropinae); Abrocomophagidae
- Amblyomma Koch, 1844**  
 Camicas, J. L., 1970, Acarologia, v. 12 (1), 71-102  
 key to species from Senegal
- Amblyomma**  
 Cerny, V., 1969, Torreia, n. s. (21), 3-8  
 key to species: Cuba  
 includes: Amblyomma albopictum; A. cajennense; A. dissimile; A. torrei
- Amblyomma Koch, 1844**  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 key to species of Western Hemisphere
- Amblyomma sp.**  
 Clifford, C. M.; Flux, J. E. C.; and Hoogstraal, H., 1976, J. Med. Entom., v. 13 (1), 40-47  
 Ixodidae on Lepus, seasonal and regional abundance, age and sex of host  
 Lepus capensis: Kenya  
 L. crawshayi: Kenya; Uganda
- Amblyomma sp.**  
 d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
 Potamochoerus  
 Hylochoerus meinertzhageni  
 all from Africa
- Amblyomma spp.**  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 Agouti paca  
 Cebus nigrivittatus  
 Cerdocyon thous  
 Coendou prehensilis  
 Dasyprocta sp.  
 Echimys semivillosus  
 Hydrochaeris hydrochaeris  
 Homo sapiens  
 Mazama americana  
 Proechimys semispinosus  
 Tayassu pecari  
 Tayassu tajacu  
 Akodon urichi  
 Myotis keaysi
- Amblyomma spp.-- Continued.**  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
*Sciurus granatensis*  
*Sigmodon hispidus*  
*Uroderma bilobatum*  
*Carollia perspicillata*  
*Cebus albifrons*  
*Didelphis* sp.  
*Didelphis marsupialis*  
*Dasypus* sp.  
*Dasypus kappleri*  
*Dasyprocta aguti*  
*Holochilus brasiliensis*  
*Lutreolina crassicaudata*  
 lizard  
*Myrmecophaga tridactyla*  
*Mazama gouazoubira*  
*Monodelphis brevicaudata*  
*Marmosa cinerea*  
*Marmosa murina*  
*Neacomys tenuipes*  
*Nectomys squamipes*  
*Nasua nasua*  
*Noctilio labialis*  
*Odocoileus virginianus*  
*Oryzomys* sp.  
*Oryzomys fulvescens*  
*Oryzomys concolor*  
*Proechimys guyannensis*  
*Proechimys hoplomyoides*  
*Pithecia pithecia*  
*Philander opossum*  
*Rhipidomys macconnelli*  
*Sciurus igniventris*  
*Sturnira lilium*  
*Sturnira tildae*  
*Sylvilagus brasiliensis*  
*Tapirus terrestris*  
*Zygodontomys brevicauda*  
*Glossophaga soricina*  
*Carollia brevicauda*  
*Eptesicus montosus*  
*Felis pardalis*  
*Glossophaga longirostris*  
*Alouatta seniculus*  
*Heteromys anomalus*  
*Saccopteryx bilineata*  
*Tamandua longicaudata*  
*Artibeus jamaicensis*  
*Marmosa robinsoni*  
*Sylvilagus floridanus*  
 bird  
*Bradypterus infuscatus*  
*Vampyrops helleri*  
*Dasyurus novemcinctus*  
*Felis yagouaroundi*  
*Galictis vittatus*  
*Sigmomys alstoni*  
 snake  
*Oryzomys bicolor*  
*Pteronotus parnellii*  
*Rattus rattus*  
*Bassaricyon gabbi*  
*Callicebus torquatus*  
*Chiropotes satanas*  
*Dasyprocta fuliginosa*  
*Echimys armatus*  
*Isothrix bistriata*  
*Molossops planirostris*  
*Molossus ater*  
*Myoprocta pratti*  
*Sciurus gilvingularis*  
*Ameiva* sp.  
*Artibeus lituratus*  
*Desmodus rotundus*

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Amblyomma spp.--Continued.**
- Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.
- Iguana sp.
  - Metachirus nudicaudatus
  - Chiroderma villosum
  - Chironectes minimus
  - Agouti sp.
  - Aotus trivirgatus
  - Conepatus semistriatus
  - Dasyprocta variegata
  - Eira barbara
  - Orzomys capito
  - Proechimys canicollis
  - Tamandua tetradactyla
  - squamata
  - all from Venezuela
- Amblyomma [sp.], probably cajennense**
- Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.
- Hydrochaeris hydrochoeris
  - Dasyprocta aguti
  - all from Venezuela
- Amblyomma [sp.], probably extraoculatum**
- Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.
- Hydrochaeris hydrochoeris: Venezuela
- Amblyomma [sp.], probably longirostre**
- Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.
- Sciurus granatensis: Venezuela
- Amblyomma [sp.], probably ovale**
- Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.
- Zygodontomys brevicaudata
  - Oryzomys concolor
  - all from Venezuela
- Amblyomma spp.**
- Lim, B. L., 1972, Southeast Asian J. Trop. Med. and Pub. Health, v. 3 (4), 605-612
- Rattus muelleri: rainforests in West Malaysia
- Amblyomma sp.**
- Varma, M. G. R., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (1), 92-102
- Iguana iguana
  - Homo sapiens
  - Dasypus novemcinctus
  - Sciurus yucatanensis
  - Coendou mexicanus
  - Canis familiaris
  - Urocyon cinereoargenteus
  - Equus caballus
  - Sus scrofa
  - Bos taurus
  - all from British Honduras
- Amblyomma albolimbatum Neumann**
- Bull, M.; and Smyth, M., 1973, Austral. J. Zool., v. 21 (1), 103-110
- Aponomma hydrosauri, Amblyomma albolimbatum, A. limbatum, abutting allopatric distributions, water balance of nymphs and adults in relation to distribution: South Australia
- Amblyomma albolimbatum Neumann**
- Smyth, M., 1973, Austral. J. Zool., v. 21 (1), 91-101
- Aponomma hydrosauri, Amblyomma albolimbatum, A. limbatum, survey, distributions overlap remarkably little over long boundaries, roughly correlated with climate, vegetation, and, in one case, soil
  - Amphibolurus barbatus: South Australia
  - A. ornatus
  - Moloch horridus
  - Egernia multiscutata: South Australia
- Amblyomma albopictum Newmann, 1899, illus.**
- Cerny, V., 1969, Torreia, n. s. (21), 3-8
- description, morphology of adults, key
  - Cyclura m. macleayi
  - Epirates a. angulifer
  - all from Cuba
- Amblyomma albopictum**
- Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.
- Amblyomma americanum (L.)**
- Barker, R. W.; et al., 1973, J. Med. Entom., v. 10 (2), 198-201
- Amblyomma americanum, oral secretions collected after 3 stimulation techniques (infrared heat, pilocarpine injection, and electrical stimulation), comparison of composition, volume, and freezing point depression
- Amblyomma americanum**
- Berger, R. S., 1972, Science (4050), v. 177, 704-705
- Amblyomma americanum females, identification of 2,6-dichlorophenol, possible sex pheromone
- Amblyomma americanum (Linnaeus)**
- Berger, R. S.; Dukes, J. C.; and Chow, Y. S., 1971, J. Med. Entom., v. 8 (1), 84-86
- Amblyomma americanum, A. maculatum, Dermacentor variabilis, pheromone from female extracts excited males and resulted in responses reminiscent of mating behavior, males must reach state of maturity initiated by feeding before they will respond; chemical properties indicate it is a weak acid, possibly a phenol, site of extract production appears to be female reproductive organs
- Amblyomma americanum**
- Brown, D. J.; Sauer, J. R.; and Needham, G. R., 1975, Ann. Entom. Soc. Am., v. 68 (4), 768-770
- Amblyomma americanum, comparison of extracellular fluid volume (inulin space) of salivary glands incubated with and without adrenaline, total tissue water content increased in adrenaline-incubated glands, significance to mechanisms of fluid transport across tick salivary glands discussed
- Amblyomma americanum**
- Crawford, K. L., 1971, Maryland State Med. J., v. 20 (11), 95-96
- diagnostic differentiation of common ticks of Maryland, ticks as disease vectors, control and treatment measures

- Amblyomma americanum (L.)**
- Darrow, D. I.; Gladney, W. J.; and Dawkins, C. C., 1976, Ann. Entom. Soc. Am., v. 69 (1), 106-108  
*Amblyomma americanum*, males, adverse effects of irradiation on mating capacity and mating competitiveness indicates sterilization by this method does not appear to be feasible way to produce competitive ticks for use in sterile male technique
- Amblyomma americanum (Linnaeus)**
- Dukes, J. C.; and Rodriguez, J. G., 1976, J. Kansas Entom. Soc., v. 49 (4), 562-566  
*Dermacentor variabilis*, *Amblyomma americanum*, *Rhipicephalus sanguineus*, choice tube bioassay to measure responses to various host odors and several chemical compounds
- Amblyomma americanum**
- Durham, K. A.; Corstvet, R. E.; and Hair, J. A., 1976, J. Parasitol., v. 62 (6), 1000-1002  
 fluorescent antibody technique suitable for identification of *Theileria cervi* in salivary glands or oral secretions of *Amblyomma americanum* (laboratory infected and field collected), high infection rates of field collected ticks indicate potentially a very efficient vector: eastern Oklahoma
- Amblyomma americanum (L.)**
- Gladney, W. J.; Ernst, S. E.; and Drummond, R. O., 1974, J. Med. Entom., v. 11 (5), 569-572  
*Amblyomma americanum*, *Rhipicephalus sanguineus*, *Dermacentor andersoni*, guinea pigs (exper.), topical chlordimeform highly effective as tick detachment agent (more effective against adults than nymphs) and caused a slow and incomplete kill of detached ticks (more toxic to nymphs than to adults)
- Amblyomma americanum**
- Grothaus, R. H.; Reed, J. T.; and Passingham, L. H., 1976, Am J. Trop. Med. and Hyg., v. 25 (5), 747-750  
*Amblyomma americanum*, field evaluation of deet and 3 acetyl-2-(dimethyl-5-heptenyl)-oxazolidine-impregnated ground cloths as arthropod repellents
- Amblyomma americanum (L.)**
- Hair, J. A.; Sauer, J. R.; and Durham, K. A., 1975, J. Med. Entom., v. 12 (1), 37-47  
*Amblyomma americanum*, *A. maculatum*, *Derma-centor variabilis*, critical equilibrium humidity, effects of low and high humidities on rates of weight change, total water content, hemolymph volume, and humidity preference, correlation with geographical distribution and resistance to dehydration
- Amblyomma americanum**
- Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp. key
- Amblyomma americanum**
- Krinsky, W. L.; and Burgdorfer, W., 1976, J. Parasitol., v. 62 (5), 824-825  
 trypansomes, similar to *Trypanosoma theileri*-like forms in naturally infected *Amblyomma americanum* and experimentally infected *Ornithodoros moubata* (hemolymph of both)  
*Odocoileus virginianus*: Cherokee County, Oklahoma
- Amblyomma americanum**
- McMullen, H. L., 1976, J. Kansas Entom. Soc., v. 49 (4), 530 [Abstract]  
*Amblyomma americanum*, mouth as site of water vapor uptake, possible mechanisms
- Amblyomma americanum**
- McMullen, H. L.; Sauer, J. R.; and Burton, R. L., 1976, J. Insect Physiol., v. 22 (9), 1281-1285  
*Amblyomma americanum*, mouth confirmed as site of water vapor absorption, movement of chloride ions traced in desiccated and rehydrated ticks, suggests possible role of salivary glands in water vapor uptake
- Amblyomma americanum**
- Miller, R. M.; Price, M. A.; and Kuttler, K. L., 1976, Southwest Entom., v. 1 (3), 107-110  
*Amblyomma americanum*, *A. cajennense*, nymphs feeding on *Anaplasma marginale* and *Theileria* infected cattle, attempted transstadial transmission to splenectomized calves, unsuccessful
- Amblyomma americanum**
- Mount, G. A.; et al., 1976, J. Econom. Entom., v. 69 (2), 257-259  
*Amblyomma americanum*, control with granules or concentrated sprays of diazinon, propoxur, and chlorpyrifos, drug efficacy: wooded plots at Camp Lejeune, North Carolina
- Amblyomma americanum**
- Needham, G. R.; and Sauer, J. R., 1975, J. Insect Physiol., v. 21 (12), 1893-1898  
*Amblyomma americanum*, salivary fluid secretion from isolated salivary glands, stimulating and inhibiting effects of various substances, mechanisms and control of glandular function
- Amblyomma americanum**
- Oliver, J. H., jr.; Murphy, R. W.; and Oben-chain, F. D., 1975, J. Parasitol., v. 61 (4), 782-784  
*Amblyomma americanum*, effects of mechanical and chemical stimulation on rapid engorgement behavior and subsequent egg development in unmated females
- Amblyomma americanum (L.)**
- Patrick, C. D.; and Hair, J. A., 1975, J. Med. Entom., v. 12 (3), 389-390  
 multi-host ticks, laboratory rearing procedures and equipment

- Amblyomma americanum (L.)**
- Patrick, C. D.; and Hair, J. A., 1977, Environment. Entom., v. 6 (2), 263-269  
*Amblyomma americanum*, seasonal abundance of adults, nymphs and larvae on *Odocoileus virginianus*: Cookson Hills State Game Refuge, eastern Oklahoma
- Amblyomma americanum (L.)**
- Robertson, A. S.; et al., 1975, J. Med. Entom., v. 12 (5), 525-529  
*Amblyomma americanum*, unfed male and female adults, daily and seasonal behavior in relation to temperature, humidity, and photoperiod in different habitats, behavioral patterns suggest activity regulation by body water content: Cookson Hills State Game Refuge, Cherokee County, Oklahoma
- Amblyomma americanum (L.)**
- Robertson, A. S.; et al., 1975, J. Med. Entom., v. 12 (5), 530-534  
*Amblyomma americanum*, molting behavior of engorged nymphs and larvae in 2 contrasting habitats, effect of environmental conditions on molting time and post-molt activity: Cherokee Co., Oklahoma
- Amblyomma americanum**
- Sauer, J. R.; Mincola, P. M.; and Needham, G. R., 1976, Comp. Biochem. and Physiol., v. 53 (2C), 63-66  
*Amblyomma americanum*, isolated salivary glands, effects of adrenaline, cyclic AMP, and inhibitors on function (uptake of chloride and fluid secretion)
- Amblyomma americanum**
- Semtner, P. J.; and Hair, J. A., 1973, J. Med. Entom., v. 10 (4), 337-344  
*Amblyomma americanum* adults, daily and seasonal activity patterns, vertical migration, climatic conditions, different habitat types
- Amblyomma americanum (L.)**
- Semtner, P. J.; Sauer, J. R.; and Hair, J. A., 1973, J. Med. Entom., v. 10 (2), 202-205  
*Amblyomma americanum*, molting time of replete nymphs under field conditions, seasonal variance; post-molt behavior of adults during first and second summer in different habitats, survival, overwintering success
- Amblyomma americanum (L.)**
- Strother, G. R.; Burns, E. C.; and Smart, L. I., 1974, J. Med. Entom., v. 11 (5), 559-563  
*Amblyomma americanum*, purebred Brahman cattle and Brahman x Hereford crossbreds considerably more resistant than purebred Herefords as measured by average yield and weight of replete female ticks and egg hatchability
- Amblyomma americanum**
- Thornton, J. E.; et al., 1973, J. Wildlife Dis., v. 9 (2), 160-162  
*Antilope cervicapra*: Texas
- Amblyomma americanum (Linnaeus 1758)**
- Towell, D. E.; and Price, M. A., 1976, South. West. Entom., v. 1 (1), 20  
*Bassariscus astutus flavus*: Kerr County, Texas
- Amblyomma americanum**
- Whitaker, J. O., jr.; Spicka, E. J.; and Schmeltz, L. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 431-436  
*Sciurus niger*  
*S. carolinensis*  
 all from Indiana
- Amblyomma americanum**
- Wood, W. F.; et al., 1975, J. Chem. Ecol., v. 1 (4), 501-509  
 ixodid ticks, phenolic compounds as pheromones, sexual attractants, chemical extraction and bioassay
- Amblyomma antillorum**
- Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp. key
- Amblyomma auricularium (Conil, 1878) Lahille, 1905**
- Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp. key  
 Syn.: *Ixodes auricularius* Conil, 1878  
*Cerdocyon thous*  
*Tamandua longicaudata*  
*Dasyurus novemcinctus*  
*Conepatus semistriatus*  
*Galictis vittatus*  
*Dasyurus sabanicola*  
 all from Venezuela
- Amblyomma auricularium**
- Varma, M. G. R., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (1), 92-102  
*Dasyurus novemcinctus*  
*Coendou mexicanus*  
*Urocyon cinereoargenteus*  
 all from British Honduras
- Amblyomma avicola Neumann, 1899**
- Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Amblyomma longirostre* (Koch, 1844)
- Amblyomma boneti Hoffmann, 1946**
- Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Amblyomma scutatum* Neumann, 1899
- Amblyomma bouthieri Senevet, 1940**
- Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Amblyomma tigrinum* Koch, 1844
- Amblyomma brasiliense**
- Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp. key
- Amblyomma cajennense (Fabricius), illus.**
- Audy, J. R.; Radovsky, F. J.; and Vercammen-Grandjean, P. H., 1972, J. Med. Entom., v. 9 (6), 487-494
- Amblyomma cajennense**
- Coombs, D. W.; and Springer, M. D., 1974, J. Wildlife Dis., v. 10 (4), 436-441  
*Sus scrofa domesticus* x *Sus scrofa cristatus*: Aransas National Wildlife Refuge, southern Texas

- Amblyomma cajennense* (Fabricius, 1787)  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 key  
*Syn.: Ixodes cajennensis* Fabricius, 1794  
*Cerdocyon thous*  
*Tapirus terrestris*  
*Tayassu pecari*  
*Tayassu tajacu*  
*Dasyprocta aguti*  
*Choeroniscus minor*  
*Tamandua longicaudata*  
*Myrmecophaga tridactyla*  
*Sigmodon hispidus*  
*Alouatta seniculus*  
*Procyon cancrivorus*  
*Dasyurus novemcinctus*  
*Priodontes maximus*  
*Hydrochaeris hydrochoeris*  
 human  
 all from Venezuela
- Amblyomma cajennense* (F.)  
 Meleney, W. P., 1975, J. Parasitol., v. 61 (3), 530-534  
*Tayassu tajacu:* Texas (West Ranch, Live Oak County; 8 miles NW of Raymondville, Willacy County; King Ranch, Armstrong, Kennedy County)
- Amblyomma cajennense*  
 Miller, R. M.; Price, M. A.; and Kuttler, K. L., 1976, Southwest Entom., v. 1 (3), 107-110  
*Amblyomma americanum*, *A. cajennense*, nymphs feeding on *Anaplasma marginale* and *Theileria* infected cattle, attempted transstadial transmission to splenectomized calves, unsuccessful
- Amblyomma cajennense* (Fabricius)  
 Patrick, C. D.; and Hair, J. A., 1975, J. Med. Entom., v. 12 (3), 389-390  
 multi-host ticks, laboratory rearing procedures and equipment
- Amblyomma cajennense*  
 Prieto, R.; and Delgado, A., 1975, Rev. Cubana Cien. Vet., v. 5 [on cover], v. 6 [on title page] (1-2), 57-62  
 cattle, incidence and geographic distribution: Cuba
- Amblyomma cajennense* (F.)  
 Rawlins, S. C.; and Mansingh, A., 1977, J. Econom. Entom., v. 70 (6), 697-698  
*Boophilus microplus*, *Amblyomma cajennense*, and *Anocentor nitens*, susceptibility of Jamaican strains to various acaricides
- Amblyomma cajennense*  
 Smith, M. W., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (1), 36 [Demonstration]  
 ecology: Trinidad
- Amblyomma cajennense* (Fabricius 1787)  
 Smith, M. W., 1975, Ann. Trop. Med. and Parasitol., v. 69 (1), 121-129  
*Amblyomma cajennense*, distribution, populations, host range, distribution relative to several factors (temperature, relative humidity, rainfall, soil type, soil drainage, grass length, land utilization, livestock movements), seasonal variations, life cycle under controlled laboratory conditions, implications of findings for tick control: Trinidad
- Amblyomma cajennense*  
 Varma, M. G. R., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (1), 92-102  
*Homo sapiens*  
*Dasyurus novemcinctus*  
*Canis familiaris*  
*Urocyon cinereoargenteus*  
*Equus caballus*  
*Sus scrofa*  
*Bos taurus*  
 all from British Honduras
- Amblyomma cajennense*  
 Whitaker, J. O., jr.; and Mumford, R. E., 1977, Entom. News, v. 88 (9-10), 255-258  
*Tapirus terrestris*: zoo in Belem, Para, Brazil
- Amblyomma calcaratum* Neumann, 1899  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 key  
*Tamandua longicaudata*: Venezuela  
*Vampyrops oratus*: Venezuela  
*Myrmecophaga tridactyla*: Venezuela  
*Tamandua tetradactyla*: Venezuela  
*Macrophyllum macrophyllum*: Venezuela  
 [no host]: French Guiana; Ecuador; Brazil; Bolivia
- Amblyomma coelebs* Neumann, 1899  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 synonymy, key  
*Tapirus terrestris*: Venezuela  
*Hydrochaeris hydrochoeris*: Venezuela  
*Myrmecophaga tridactyla*: Colombia
- Amblyomma coelebs*  
 Varma, M. G. R., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (1), 92-102  
*Homo sapiens*: British Honduras
- Amblyomma cohaerens*  
 Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
 Argasidae and Ixodidae, geographic distribution in Ethiopia  
 ane  
 cheval  
 mouton  
 zebu  
 all from Ethiopia
- Amblyomma cohaerens* Doenitz, 1909  
 d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
*Hylochoerus meinertzhageni*: Africa
- Amblyomma cooperi* Nuttall & Warburton, 1908  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 key  
*Syn.: Amblyomma lutzi* Aragao, 1908
- Amblyomma crassum* Robinson, 1926  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 key
- Amblyomma cruciferum*  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 key

- Amblyomma cruciferum** Neumann  
*Maldonado Capriles, J.; and Medina-Gaud, S., 1977, J. Agric. Univ. Puerto Rico, v. 61 (3), 402-404*  
*Cyclura stejnegeri:* Mona Island
- Amblyomma cuneatum** Neumann, 1899  
*d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424*  
*Hylochoerus meinertzhageni:* Africa
- Amblyomma cyprium cyprium** Neumann, 1899  
*Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199*  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Rattus exulans*  
 pig  
 man  
*Gallus gallus*  
*Chalcochaps indica*  
*Halcyon chloris*  
 all from New Hebrides
- Amblyomma darwini**  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp. key*
- Amblyomma dissimile** Koch, 1844  
*Cerny, V., 1969, Torreia, n. s. (21), 3-8*  
 key  
*Bufo peltacephalus*  
*B. peltacephalus fustiger*  
 all from Cuba
- Amblyomma dissimile** Koch, 1844  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp. key*  
 Syn.: *Amblyomma irroratum* Koch, 1844  
 lizard  
 squamata  
 iguana  
 rattlesnake  
 toads  
 Boa  
*Boa constrictor*  
*Bufo*  
*taequ*  
*Proechimys semispinosus*  
 snake  
 all from Venezuela
- Amblyomma dissimile**  
*Varma, M. G. R., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (1), 92-102*  
*Iguana iguana:* British Honduras
- Amblyomma eburneum**  
*Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299*  
 Argasidae and Ixodidae, geographic distribution in Ethiopia  
 chevre  
 mouton  
 zebu  
 all from Ethiopia
- Amblyomma eburneum**  
*Converse, J. D.; et al., 1974, Tr. Roy. Soc. Trop. Med. and Hyg., v. 68 (5), 411-412 [Letter]*  
*Cameroon*
- Amblyomma extraoculatum** Neumann, 1899  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
 synonymy, key  
*Hydrochaeris hydrochoeris:* Dutch Guiana; Venezuela  
*Didelphis marsupialis:* Venezuela
- Amblyomma fulvum**  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp. key*
- Amblyomma geayi**  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp. key*
- Amblyomma gemma**  
*Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299*  
 Argasidae and Ixodidae, geographic distribution in Ethiopia  
 dromadaire  
 mouton  
 zebu  
 all from Ethiopia
- Amblyomma gemma** Donitz  
*Pester, F. R. N.; and Laurence, B. R., 1974, J. Zool., London, v. 174 (3), 397-406*  
*Giraffa camelopardalis tippelskirchi:* Kenya
- Amblyomma geoemydae**  
*Kitaoka, S.; and Suzuki, H., 1974, Eisei Dobutsu (Japan. J. San. Zool.), v. 25 (1), 21-26*  
 seasonal prevalence  
*Trimeresurus flavoviridis:* southern Amami-oshima Islands
- Amblyomma geoemydae**  
*Lim, B. L., 1972, Southeast Asian J. Trop. Med. and Pub. Health, v. 3 (4), 605-612*  
*Rattus rajah:* rainforests in West Malaysia
- Amblyomma giganteum** Neumann, 1899  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
 as syn. of *Amblyomma longirostre* (Koch, 1844)
- Amblyomma goeldii**  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp. key*
- Amblyomma goeldii** Neumann, 1899 (pro parte)  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
 as syn. of *Amblyomma rotundatum* Koch, 1844
- Amblyomma hebraeum** (Koch)  
*Baker, J. A. F.; Thompson, G. E.; and Miles, J. O., 1977, J. South African Vet. Ass., v. 48 (1), 59-65*  
*Amblyomma hebraeum,* resistance to toxaphene, in vitro and in vivo trials: Republic of South Africa; Swaziland; Transkei

## ARTHROPODA

- Amblyomma hebraeum**  
 Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
 Argasidae and Ixodidae, geographic distribution in Ethiopia  
 zebu: Ethiopia
- Amblyomma hebraeum Koch**  
 Kaufman, W., 1976, J. Exper. Biol., London, v. 64 (3), 727-742  
 fluid secretion by in vitro salivary glands of ixodid ticks with progression of feeding, control of salivation is probably neural rather than hormonal
- Amblyomma hebraeum Koch**  
 Kaufman, W. R., 1977, European J. Pharmacol., v. 45 (1), 61-68  
 Dermacentor andersoni, Amblyomma hebraeum, isolated salivary glands, influence of adrenergic agonists and their antagonists on salivary fluid secretion
- Amblyomma hebraeum (Koch)**  
 Kaufman, W. R.; Diehl, P. A.; and Aeschlimann, A. A., 1976, Experientia, v. 32 (8), 986-987  
 Amblyomma hebraeum, increased Na, K-ATPase activity in salivary glands of feeding females, no activity changes in feeding males
- Amblyomma hebraeum**  
 McConnell, E. E.; et al., 1974, Onderstepoort J. Vet. Research, v. 41 (3), 97-168  
 pathological and parasitological survey of 100 free-ranging chacma baboons  
 Papio ursinus (skin): Kruger National Park, Transvaal
- Amblyomma hebraeum**  
 Mathewson, M. D.; and Baker, J. A. F., 1975, J. South African Vet. Ass., v. 46 (4), 341-344  
 arsenic resistance: Republic of South Africa; Swaziland
- Amblyomma hebraeum**  
 Norval, R. A. I., 1976, Rhodesian Vet. J., v. 7 (3), 63  
 Haemaphysalis leachii muhsami, Amblyomma nuttalli, A. hebraeum, lizards as opportunist tick predators, ticks found in lizard stomachs or lizards observed feeding on ticks
- Amblyomma hebraeum Koch 1844**  
 Norval, R. A. I., 1977, J. Parasitol., v. 63 (4), 734-739  
 Amblyomma hebraeum, distribution of larvae in relation to vegetation and microclimate, seasonal activity of all stages in relation to macroclimate, life cycle normally of 3 years duration, adult and nymphal activity correlated with daylength, temperature, and rainfall: Eastern Cape Province, South Africa
- Amblyomma hebraeum**  
 Norval, R. A. I., 1977, J. Parasitol., v. 63 (4), 740-747  
 Amblyomma hebraeum, survival and rate of development in relation to temperature and humidity under laboratory and field conditions, longevity of unfed ticks, ecological implications of results
- Amblyomma hebraeum (Koch), illus.**  
 Rechav, Y.; Whitehead, G.B.; and Knight, M.M., 1976, Nature, London (5544), v. 259, 563-564  
 Amblyomma hebraeum, aggregation response of nymphs to pheromone(s) produced by males
- Amblyomma humerale**  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp. key
- Amblyomma imitator**  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp. key
- Amblyomma imitator Kohls**  
 Meleney, W. P., 1975, J. Parasitol., v. 61 (3), 530-534  
 Tayassu tajacu: Mexico
- Amblyomma incisum Neumann, 1906**  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp. synonymy, key  
 Tapirus terrestris: Venezuela
- Amblyomma inornatum (Banks), illus.**  
 Eads, R. B.; and Borom, M., 1975, J. Med. Entom., v. 12 (5), 493-496  
 synonymy, description of larva and nymph, evidence that breeding occurs throughout year  
 Sigmodon hispidus: Jutiapa, Guatemala; Durango, Mexico; Cameron County, Texas  
 Odocoileus virginianus: Sinton, Texas  
 Angora goat: Uvalde, Texas  
 leopard cat: Willacy Co., Texas  
 "wild cat": Brownsville, Texas  
 Taxostoma curvirostre: Cameron County, Texas  
 Spermophilus mexicanus: Cameron County, Texas  
 Geococcyx californianus: Cameron County, Texas  
 Dasypus novemcinctus: Cameron County, Texas
- Amblyomma inornatum**  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp. key
- Amblyomma irroratum Koch, 1844**  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp. as syn. of Amblyomma dissimile Koch, 1844
- Amblyomma lepidum**  
 Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
 Argasidae and Ixodidae, geographic distribution in Ethiopia  
 chevre  
 dromadaire  
 zebu  
 all from Ethiopia
- Amblyomma limbatum Neumann**  
 Bull, M.; and Smyth, M., 1973, Austral. J. Zool., v. 21 (1), 103-110  
 Aponomma hydrosauri, Amblyomma albolimbatum, A. limbatum, abutting allopatric distributions, water balance of nymphs and adults in relation to distribution: South Australia

- Amblyomma limbatum* Neumann  
 Smyth, M., 1973, *Austral. J. Zool.*, v. 21 (1), 91-101  
*Aponomma hydrosauri*, *Amblyomma albolimbatum*,  
*A. limbatum*, survey, distributions overlap  
 remarkably little over long boundaries,  
 roughly correlated with climate, vegetation,  
 and, in one case, soil
- Amphibolurus barbatus*  
*A. cristatus*  
*A. pictus*  
*Gymnodactylus milii*  
*Egernia margaretae personata*  
*Tiliqua occipitalis*  
*Varanus giganteus*  
*Demansia nuchalis*  
*D. textilis*  
 all from South Australia
- Amblyomma loculosum*  
 Converse, J. D.; et al., 1975, *Am. J. Trop. Med. and Hyg.*, v. 24 (6, pt. 1), 1010-1018  
 +(litter under coconut trees): Seychelles,  
 Indian Ocean
- Amblyomma loculosum* Neumann 1907, illus.  
 Hoogstraal, H.; et al., 1976, *Ann. Entom. Soc. Am.*, v. 69 (1), 3-14  
*Amblyomma loculosum*, diagnosis of adult,  
 nymphal, and larval stages, hosts and geo-  
 graphic distribution, possible role as vec-  
 tor of human and wildlife viral infections,  
 life cycle in laboratory  
 domestic rabbits (exper.)
- Fregata a. ariel*: Tanzania, Indian Ocean;  
 Cocos Keeling, Indian Ocean; Australia,  
 Queensland, Coral Sea
- Phaethon t. lepturus*: Seychelles, Indian  
 Ocean
- Sterna dougallii arideensis* (feet): Sey-  
 chelles, Indian Ocean
- S. fuscata nubilosa* (wing joint, gular skin):  
 Seychelles, Indian Ocean
- Sula leucogaster plotus* (foot): Seychelles,  
 Indian Ocean; Australia, Queensland, Coral  
 Sea
- +*S. dactylatra melanops* (nest): Seychelles
- Mabuya wrightii*: Seychelles, Indian Ocean
- Anous stolidus antelius*: Mauritius, Indian  
 Ocean; Australia, Queensland, Coral Sea
- Sula dactylatra bedouti*: Cocos Keeling,  
 Indian Ocean
- Fregata m. minor*: Cocos Keeling, Indian  
 Ocean
- humans (arm): Australia, Queensland, Coral  
 Sea; Caroline Atoll, Palau, Pacific Ocean
- goats: Australia, Queensland, Coral Sea
- Fregata minor peninsulæ*: Australia, Queens-  
 land, Coral Sea
- Puffinus pacificus chlororhynchos*: Austra-  
 lia, Queensland, Coral Sea
- Sula sula rubripes*: Australia, Queensland,  
 Coral Sea; Caroline Atoll, Palau, Pacific  
 Ocean
- Sterna fuscata serrata*: Caroline Atoll,  
 Palau, Pacific Ocean
- Amblyomma longirostre* (Koch, 1844)  
 Jones, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 17 (4), 40 pp.  
 synonymy, key  
*Coendou prehensilis*: Venezuela  
*Artibeus lituratus*: Venezuela  
*Sciurus granatensis*: Venezuela  
 birds: Butler, Pennsylvania
- Amblyomma longirostre*  
 Varma, M. G. R., 1973, *Tr. Roy. Soc. Trop. Med. and Hyg.*, v. 67 (1), 92-102  
*Coendou mexicanus*: British Honduras
- Amblyomma lutzi* Aragao, 1908  
 Jones, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 17 (4), 40 pp.  
 as syn. of *Amblyomma cooperi* Nuttall &  
 Warburton, 1908
- Amblyomma maculatum* Koch  
 Ahrens, E. H.; et al., 1977, *J. Econom. Entom.*, v. 70 (5), 581-585  
*Amblyomma maculatum*, cattle, field trials to  
 evaluate effectiveness of insecticide-im-  
 pregnated ear tags, ear bands, neck bands,  
 and asphalt-base aerosols, prevention of  
 screwworm infestations by controlling ticks
- Amblyomma maculatum*  
 Barker, D. M.; Guenther, P. E.; and Sauer, J. R., 1977, *Comp. Biochem. and Physiol.*, v. 57 (1C), 17-23  
*Amblyomma maculatum*, development of simple  
 in vitro technique enabling measurement of  
 transepithelial electrical potential across  
 isolated tick gut
- Amblyomma maculatum* Koch  
 Berger, R. S.; Dukes, J. C.; and Chow, Y. S., 1971, *J. Med. Entom.*, v. 8 (1), 84-86  
*Amblyomma americanum*, *A. maculatum*, *Derma-*  
*centor variabilis*, pheromone from female ex-  
 tracts excited males and resulted in re-  
 sponses reminiscent of mating behavior,  
 males must reach state of maturity initiated  
 by feeding before they will respond; chemi-  
 cal properties indicate it is a weak acid,  
 possibly a phenol, site of extract produc-  
 tion appears to be female reproductive or-  
 gans
- Amblyomma maculatum*  
 Coombs, D. W.; and Springer, M. D., 1974,  
*J. Wildlife Dis.*, v. 10 (4), 436-441  
*Sus scrofa domesticus* x *Sus scrofa cris-*  
*tatus*: Aransas National Wildlife Refuge,  
 southern Texas
- Amblyomma maculatum* Koch  
 Gladney, W. J., 1976, *J. Econom. Entom.*, v. 69 (6), 757-760  
 insecticides, field trials in controlled-  
 release devices for control of *Amblyomma*  
*maculatum* and *Cochliomyia hominivorax*,  
 cattle: northeastern Starr Co., Texas
- Amblyomma maculatum* Koch  
 Graham, O. H.; Gladney, W. J.; and Beltran G., L. G., 1975, *Folia Entom. Mexicana* (33), 66-67  
*Amblyomma maculatum*, comparison of distribu-  
 tion and economic importance, in Mexico and  
 United States
- Amblyomma maculatum*  
 Guenther, P. E.; Sauer, J. R.; and Barker, D. M., 1977, *Comp. Biochem. and Physiol.*, v. 57 (1C), 25-30  
*Amblyomma maculatum*, effect of drugs on  
 transepithelial potential across isolated  
 tick gut tissue

*Amblyomma maculatum* Koch

Hair, J. A.; Sauer, J. R.; and Durham, K. A., 1975, *J. Med. Entom.*, v. 12 (1), 37-47

*Amblyomma americanum*, *A. maculatum*, *Dermacentor variabilis*, critical equilibrium humidity, effects of low and high humidities on rates of weight change, total water content, hemolymph volume, and humidity preference, correlation with geographical distribution and resistance to dehydration

*Amblyomma maculatum* Koch, 1844

Jones, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (4), 40 pp. key

Syn.: *Amblyomma rubripes* Koch, 1844  
horses  
*Cerdocyon thous*  
all from Venezuela

*Amblyomma maculatum* Koch

Patrick, C. D.; and Hair, J. A., 1975, *J. Med. Entom.*, v. 12 (3), 389-390  
multi-host ticks, laboratory rearing procedures and equipment

*Amblyomma maculatum* Koch

Semtner, P. J.; and Hair, J. A., 1975, *J. Med. Entom.*, v. 12 (1), 137-138

*Amblyomma maculatum*, *Dermacentor variabilis*, population sampling using carbon dioxide-baited traps compared with sweep sampling technique, traps appear to be useful survey tool: Oklahoma

*Amblyomma maculatum* Koch

Wanchinga, D. M., 1977, *Virginia J. Sc.*, v. 28 (2), 69 [Abstract]

*Amblyomma maculatum*, attachment and development on host albino rats deficient in vitamins (A, K, thiamine) and minerals (Ca, Na)

*Amblyomma maculatum* Koch

Williams, R. E.; and Hair, J. A., 1976, *Ann. Entom. Soc. Am.*, v. 69 (3), 403-404

*Amblyomma maculatum*, eastern meadowlarks, statistical analysis showed no significant correlations to exist between measured parameters (weight, total solid plasma protein, hemoglobin, packed cell volume) and tick infestation levels  
*Sturnella magna*: Oklahoma

*Amblyomma maculatum* Koch

Williams, R. E.; Hair, J. A.; and Buckner, R. G., 1977, *J. Econom. Entom.*, v. 70 (2), 229-233

*Amblyomma maculatum*, effects of high and low tick infestations on blood composition and weights of steers fed a standardized diet; decreased numbers of ticks on cattle over time, possibly due to acquired resistance

*Amblyomma marmoreum*

Bergeon, P.; and Balis, J., 1974, *Rev. Elevage et Med. Vet. Pays Trop.*, n.s., v. 27 (3), 285-299

Argasidae and Ixodidae, geographic distribution in Ethiopia

*Amblyomma marmoreum* Koch 1844

Norval, R. A. I., 1975, *J. Parasitol.*, v. 61 (4), 737-742

*Amblyomma marmoreum*, ecology: habitat preference, seasonal activity, seasonal occurrence on hosts, life cycle in laboratory correlated with field observations, temperature dependence of feeding time, effects of host seasonal behavior

*Geochelone pardalis*

*Bitis arietans*

*Dispholidus typhus*

*Varanus albigularis*

*Numida meleagris*

*Hagedashia hagedash*

*Lophoceros flavirostris*

*Streptopelia capicola*

*Emberiza flaviventris*

*Mirafra africana*

*Lepus* sp.

*Procavia capensis*

*Sylvicapra grimmia*

*Tragelaphus scriptus*

*Canis mesomelas*

*Felis caracal*

all from Paardekraal Farm, Kowie River Valley, 15 km SE of Grahamstown, Eastern Cape Province, South Africa

*Amblyomma multipunctum* Neumann, 1899

Jones, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (4), 40 pp. key

*Amblyomma naponense* (Packard, 1869)

Jones, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (4), 40 pp.

key

Syn.: *Ixodes naponensis* Packard, 1869

*Tayassu tajacu*

*Tayassu pecari*

*Agouti paca*

all from Venezuela

*Amblyomma neumannii*

Jones, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (4), 40 pp. key

*Amblyomma nitidum*

Kitaoka, S.; and Suzuki, H., 1974, *Eisei Dobutsu* (Japan. *J. San. Zool.*), v. 25 (1), 21-26

seasonal prevalence

*Laticauda laticaudata*: southern Amami-oshima Islands

*Amblyomma nodosum* Neumann, 1899

Jones, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (4), 40 pp. key

Syn.: *Amblyomma uncatum* Nuttall & Warburton, 1908

*Tamandua longicaudata*

*Myrmecophaga tridactyla*

all from Venezuela

*Amblyomma nuttalli*

Bergeon, P.; and Balis, J., 1974, *Rev. Elevage et Med. Vet. Pays Trop.*, n.s., v. 27 (3), 285-299

Argasidae and Ixodidae, geographic distribution in Ethiopia

zebu: Ethiopia

- Amblyomma nuttalli* Donitz, 1909, illus.  
*Camicas*, J. L., 1970, *Acarologia*, v. 12 (1), 71-102  
 key, larva described, measurements  
*Francolinus bicalcaratus*  
*Hystrix cristata*  
*Euxerus erythropus*  
*Genetta genetta senegalensis*  
*Centropus senegalensis*  
 all from Senegal
- Amblyomma nuttalli*  
*Norval*, R. A. I., 1976, *Rhodesian Vet. J.*, v. 7 (3), 63  
*Haemaphysalis leachii muhsami*, *Amblyomma nuttalli*, *A. hebraicum*, lizards as opportunist tick predators, ticks found in lizard stomachs or lizards observed feeding on ticks
- Amblyomma oblongoguttatum* Koch, 1844  
*Jones*, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (4), 40 pp.  
 key  
 Syn.: *Amblyomma vittatum* Neumann, 1899  
*Homo sapiens*  
*Tayassu tajacu*  
*Tayassu pecari*  
*Hydrochaeris hydrochoeris*  
*Tapirus terrestris*  
*tapir*  
 all from Venezuela
- Amblyomma oblongoguttatum*  
*Varma*, M. G. R., 1973, *Tr. Roy. Soc. Trop. Med. and Hyg.*, v. 67 (1), 92-102  
*Canis familiaris*  
*Urocyon cinereoargenteus*  
 both from British Honduras
- Amblyomma ovale* Koch, 1844  
*Jones*, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (4), 40 pp.  
 synonymy, key  
*Cerdocyon thous*  
*Eira barbara*  
*Proechimys semispinosus*  
*Tapirus terrestris*  
*Proechimys guyannensis*  
*Holochilus brasiliensis*  
*Zygodontomys brevicauda*  
*Procyon cancrivorus*  
*Heteromys anomalus*  
*Felis onca*  
*Homo sapiens*  
*Conepatus semistriatus*  
*Proechimys canicollis*  
 all from Venezuela
- Amblyomma ovale*  
*Varma*, M. G. R., 1973, *Tr. Roy. Soc. Trop. Med. and Hyg.*, v. 67 (1), 92-102  
*Canis familiaris*: British Honduras
- Amblyomma ovatum* Koch, 1844  
*Jones*, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (4), 40 pp.  
 as syn. of *Amblyomma tigrinum* Koch, 1844
- Amblyomma pacae* Aragao, 1911  
*Jones*, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (4), 40 pp.  
 synonymy, key  
*Proechimys semispinosus*  
*Agouti pacá*  
*Tamandua tetradactyla*  
 all from Venezuela
- Amblyomma parvitarsum*  
*Jones*, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (4), 40 pp.  
 key
- Amblyomma parvum* Aragao, 1908  
*Jones*, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (4), 40 pp.  
 key  
*Carollia brevicauda*  
*Sylvilagus floridanus*  
*Procyon cancrivorus*  
 all from Venezuela
- Amblyomma paulopunctatum* Neumann, 1899  
*d'Huart*, J. P., 1973, *Rev. Zool. et Botan. Africains*, v. 87 (2), 421-424  
*Phacochoerus*  
*Potamochoerus*  
*Hylochoerus meinertzhageni*  
 all from Africa
- Amblyomma pecarium*  
*Jones*, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (4), 40 pp.  
 key
- Amblyomma pictum*  
*Jones*, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (4), 40 pp.  
 key
- Amblyomma pilosum*  
*Jones*, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (4), 40 pp.  
 key
- Amblyomma pomposum* Doenitz, 1909  
*d'Huart*, J. P., 1973, *Rev. Zool. et Botan. Africains*, v. 87 (2), 421-424  
*Phacochoerus*: Africa
- Amblyomma pseudoconcolor*  
*Jones*, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (4), 40 pp.  
 key
- Amblyomma rhinocerotis* (De Geer, 1778)  
*d'Huart*, J. P., 1973, *Rev. Zool. et Botan. Africains*, v. 87 (2), 421-424  
*Phacochoerus*: Africa
- Amblyomma rotundatum* Koch, 1844  
*Jones*, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (4), 40 pp.  
 key  
 Syn.: *Amblyomma goeldii* Neumann, 1899 (pro parte)  
*Choeroniscus minor*  
*Bufo marinus*  
 all from Venezuela
- Amblyomma rubripes* Koch, 1844  
*Jones*, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (4), 40 pp.  
 as syn. of *Amblyomma maculatum* Koch, 1844
- Amblyomma sabanerae*  
*Jones*, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, *Biol. ser.*, v. 17 (4), 40 pp.  
 key

- Amblyomma sculpturatum* Neumann, 1906  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 synonymy, key  
*Tapirus terrestris*  
*Myrmecophaga tridactyla*  
 all from Venezuela
- Amblyomma scutatum* Neumann, 1899  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 key  
 Syn.: *Amblyomma boneti* Hoffmann, 1946
- Amblyomma sparsum* Neumann, 1899, illus.  
 Camicas, J. L., 1970, Acarologia, v. 12 (1), 71-102  
 key, larva described, measurements
- Amblyomma splendidum* Giebel, 1877  
 d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
 Potamochoerus: Africa
- Amblyomma striatum*  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 key
- Amblyomma tapirellum*  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 key
- Amblyomma tapirellum*  
 Varma, M. G. R., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (1), 92-102  
 British Honduras
- Amblyomma testudinarium*  
 Fujisaki, K.; Kitaoka, S.; and Morii, T., 1976, National Inst. Animal Health Quart., v. 16 (3), 122-128  
 comparative observations, feeding, molting, oviposition and hatching, ixodid ticks, laboratory cultural conditions
- Amblyomma testudinarium*  
 Kitaoka, S.; and Fujisaki, K., 1976, National Inst. Animal Health Quart., v. 16 (3), 114-121  
 tick larvae, nymphs, accumulating process, concentration ratios, ingested blood meals
- Amblyomma testudinarium*  
 Kitaoka, S.; and Suzuki, H., 1974, Eisei Dobutsu (Japan. J. San. Zool.), v. 25 (1), 21-26  
 seasonal prevalence  
*Sus riuikuianus*  
*Canis familiaris*  
*Pentalagus furnessi*  
*Scolopax rusticola mira*  
 all from southern Amami-oshima Islands
- Amblyomma testudinis*  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 key
- Amblyomma tholloni* Neumann, 1899  
 d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
 Potamochoerus: Africa
- Amblyomma tigrinum* Koch, 1844  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 synonymy, key  
*Cerdcoyon thous*  
*Oryzomys fulvescens*  
*Hydrochaeris hydrochoeris*  
 all from Venezuela
- Amblyomma torrei* Perez Vigueras, 1934, illus.  
 Cerny, V., 1969, Torreia, n. s. (21), 3-8  
 description, morphology of adults, key  
*Cyclura m. macleayi*  
*Leiocephalus macropus*  
 all from Cuba
- Amblyomma torrei*  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 key
- Amblyomma torrei* Vigueras  
 Maldonado Capriles, J.; and Medina-Gaud, S., 1977, J. Agric. Univ. Puerto Rico, v. 61 (3), 402-404  
*Cyclura stejnegeri*: Mona Island dogs: Mayaguez, Puerto Rico
- Amblyomma triste*  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 key
- Amblyomma tuberculatum*  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 key
- Amblyomma tuberculatum* Marx, illus.  
 Obenchain, F. D.; and Oliver, J. H., jr., 1976, J. Parasitol., v. 62 (5), 811-817  
*Amblyomma tuberculatum*, *Argas radiatus*, peripheral nervous system
- Amblyomma uncatum* Nuttall & Warburton, 1908  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Amblyomma nodosum* Neumann, 1899
- Amblyomma variegatum*  
 Al-Janabi, B. M., 1976, Tr. Roy. Soc. Trop. Med. and Hyg., v. 70 (4), 284 [Demonstration]  
*Amblyomma variegatum*, *Hyalomma anatolicum excavatum*, transmission of Nocardia farcinica from rabbit to rabbit
- Amblyomma variegatum*  
 Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
 Argasidae and Ixodidae, geographic distribution in Ethiopia  
 cheval  
 chevre  
 dromadaire  
 mouton  
 zebu  
 all from Ethiopia

*Amblyomma variegatum*

Butler, M. C., 1975, State Vet. J., Min. Agric., Fish. and Food (90), v. 30, 279-283  
*Dermatophilus congolense* outbreak, transmitted by *Amblyomma variegatum* to cattle, sheep and goats: St. Lucia, West Indies

*Amblyomma variegatum* (Fabricius, 1794), illus.

Camicas, J. L., 1970, Acarologia, v. 12 (1), 71-102

key, larva described, measurements  
*Egretta alba melanorhyncha*  
*Phoeniculus purpureus*  
*Centropus senegalensis*  
*Cercopithecus aethiops sabaeus*  
*Atelerix albiventris*  
*Felis serval*  
*Atilax sp.*  
*Genetta genetta senegalensis*  
*Canis aureus*  
*Euxerus erythropus*  
*Lepus aegyptius*  
*chevres*  
*bovines*  
*Laniarius barbarus*  
*Macronyx croceus*  
*Tockus erythrorhynchus*  
 all from Senegal

*Amblyomma variegatum*

Converse, J. D.; et al., 1974, Tr. Roy. Soc. Trop. Med. and Hyg., v. 68 (5), 411-412 [Letter]

*Amblyomma variegatum*, isolation of Dugbe virus from ticks removed from cattle in abattoir: Cameroun

*Amblyomma variegatum*

David-West, T. S., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (4), 438 [Demonstration]  
*Amblyomma variegatum*, isolation of new tick-borne arbovirus (Dugbe virus): Nigeria

*Amblyomma variegatum*

Dipeolu, O. O., 1975, Nigerian J. Animal Prod., v. 2 (2), 222-226  
 pigs (flanks, perineal region): Ibadan and Eruwa, Western Nigeria

*Amblyomma variegatum*

Dipeolu, O. O., 1976, Ztschr. Parasitenk., v. 49 (3), 293-295  
*Amblyomma variegatum*, cause of tick paralysis in sheep experimentally infected with ticks, first case reported, case history, possibility of natural cases appearing, need for diagnostic awareness: Nigeria

*Amblyomma variegatum*

Dipeolu, O. O.; and Ogunji, F. O., 1977, Bull. Animal Health and Prod. Africa, v. 25 (1), 25-31

*Amblyomma variegatum*, *Hyalomma rufipes*, sheep (exper.), haematological changes, more pronounced in adult than in nymphal feeding, estimated weight of blood engorged by ticks

*Amblyomma variegatum* (Fabricius, 1794)

d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
*Phacochoerus*: Africa

*Amblyomma variegatum*

Ilemobade, A. A.; and Leeflang, P., 1977, Rev. Elevage et Med. Vet. Pays Trop., n. s., v. 30 (2), 149-155

*Amblyomma variegatum*, brown goats, cross-bred Friesian-Zebu calves, sheep, conclusive proof of incrimination as vector of heart-water under controlled and natural conditions: Nigeria

*Amblyomma variegatum*

Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp. key

*Amblyomma variegatum*

Leeflang, P.; and Ilemobade, A. A., 1977, Trop. Animal Health and Prod., v. 9 (4), 211-218 confirmed as vector of *Cowdria ruminantium*: northern Nigeria

*Amblyomma variegatum*

Macadam, I., 1977, Vet. Rec., v. 100 (19), 411 [Letter]

*Amblyomma variegatum* on sheep with lesions caused by *Dermatophilus congolensis*, control by isolation of clean animals, vector control: Gambia, West Africa

*Amblyomma variegatum* (F.)

MacLeod, J.; et al., 1977, Bull. Entom. Research, v. 67 (1), 161-173 seasonal activity and attachment sites of ticks on cattle, infestation patterns on other domestic and wild animals: Central Province of Zambia

*Amblyomma variegatum* (F.)

MacLeod, J.; and Colbo, M. H., 1976, Bull. Entom. Research, v. 66 (1), 65-74 role of cattle in maintaining immature stages of *Amblyomma variegatum* and *Rhipicephalus appendiculatus*, relationship of larva-nymph ratios to seasonal periodicity and body localization: Zambia

*Amblyomma variegatum Arushcha*

Maldonado Capriles, J.; and Medina-Gaud, S., 1977, J. Agric. Univ. Puerto Rico, v. 61 (3), 402-404 cattle: Cidra, Bo. Rio Abajo, Puerto Rico

*Amblyomma variegatum*

Medina-Gaud, S.; and Garcia Tuduri, J., 1977, J. Agric. Univ. Puerto Rico, v. 61 (3), 409-412 cattle: Cidra, Bo. Rio Abajo, Puerto Rico

*Amblyomma variegatum*

Nayar, M. A.; and Isa, J. F. W., 1973, Bull. Epizoot. Dis. Africa, v. 21 (2), 153-157 *Rhipicephalus evertsii* and *Amblyomma variegatum* larvae, acaricides

*Amblyomma variegatum*

Ogunji, F. O.; and Dipeolu, O. O., 1977, Ztschr. Parasitenk., v. 51 (3), 285-288

*Amblyomma variegatum*, *Hyalomma rufipes*, *Boophilus decoloratus*, larval feeding on scrotum of sheep better than on ears, economical for rearing large numbers of ticks; greatest number of larvae engorged when fed within 1-4 days of hatching

- Amblyomma variegatum* Fab.  
Pester, F. R. N.; and Laurence, B. R., 1974,  
*J. Zool.*, London, v. 174 (3), 397-406  
*Equus burchelli*: Kenya
- Amblyomma variegatum*  
Purnell, R. E.; et al., 1975, *J. Parasitol.*,  
v. 61 (4), 725-729  
comparison of development of *Theileria mutans*  
in adult *Amblyomma variegatum* with *T. parva*  
in *Rhipicephalus appendiculatus*
- Amblyomma variegatum*  
Rudolph, D.; and Knuelle, W., 1974, *Nature*  
(5452), v. 249, 84-85  
ixodid ticks, water vapor uptake from at-  
mosphere, site (mouthparts) and mechanism  
(may be related to hygroscopic properties  
of salivary secretion)
- Amblyomma variegatum*, illus.  
Schreuder, B. E. C.; and Uilenberg, G., 1976,  
*Tropenmed. u. Parasitol.*, v. 27 (4), 422-426  
technique for infecting ticks (*Amblyomma*  
*variegatum* and *Rhipicephalus appendiculatus*)  
with cattle *Theileriidae* by injecting bovine  
blood with high parasitemia through cuticle  
into fully engorged nymphs, after moulting  
ticks transmitted parasite to susceptible  
calf
- Amblyomma variegatum* Fabricius 1794  
Smith, M. W., 1973, *Ann. Trop. Med. and Para-*  
*sitol.*, v. 67 (4), 483-492  
*Rhipicephalus appendiculatus*, *Amblyomma*  
*variegatum*, immature stages, effect of im-  
mersion in water (in laboratory but under  
field conditions), implications for corre-  
lation of seasonal periodicity with rain-  
fall
- Amblyomma variegatum*  
Uilenberg, G., 1975, *Rev. Elevage et Med. Vet.*  
*Pays Trop.*, n. s., v. 28 (3), 405-408  
*Amblyomma variegatum*, strain resistant to  
sodium arsenite in Madagascar, where arsenic  
has been used as dip for 40 years; suscep-  
tible strain from Dar-es-Salaam, Tanzania
- Amblyomma variegatum* (Fabricius, 1794)  
Uilenberg, G.; Robson, J.; and Pedersen, V.,  
1974, *Tropenmed. u. Parasitol.*, v. 25 (2),  
207-216  
*Amblyomma variegatum*, successful transstadial  
transmission of *Theileria mutans*, doubtful  
transmission of *Theileria parva*; *Ripi-*  
*cephalus appendiculatus*, successful trans-  
mission of *Theileria parva* but transmission  
of *Theileria mutans* needs confirmation
- Amblyomma variegatum*  
Uilenberg, G.; and Schreuder, B. E. C., 1976,  
*Tropenmed. u. Parasitol.*, v. 27 (1), 106-111  
successful transstadial transmission of  
*Haematoxenus veliferus* by *Amblyomma varie-*  
*gatum* in exper. cattle; *Theileria mutans* and  
rickettsial organism transmitted at the same  
time
- Amblyomma variegatum*  
Uilenberg, G.; and Schreuder, B. E. C., 1977,  
*Tropenmed. u. Parasitol.*, v. 28 (2), 181-184  
*Rhipicephalus evertsi*, successful transmis-  
sion of *Theileria parva* from engorged nymphs  
to cross-bred steers (exper.) confirms the  
potential of *R. evertsi* as vector of East  
Coast fever; similar trials with *Amblyomma*  
*variegatum* were unsuccessful
- Amblyomma variegatum*  
Uilenberg, G.; Schreuder, B. E. C.; and Mpan-  
gala, C., 1976, *Tropenmed. u. Parasitol.*, v.  
27 (3), 323-328  
*Theileria mutans*, successful experimental  
transmission to cattle by *Amblyomma varie-*  
*gatum*; attempted transmission using *Ripi-*  
*cephalus appendiculatus* unsuccessful in 7  
trials, suggests possibility that *T. mutans*  
in East Africa is different species from  
that of South Africa
- Amblyomma variegatum* (Fabricius)  
Wills, W.; and Larouze, B., 1976, *Melsheimer*  
*Entom. Ser.* (21), 1-4  
cow: Djikoroni, Mali  
goat (neck): Pakala, Senegal
- Amblyomma variegatum*  
Wood, W. F.; et al., 1975, *J. Chem. Ecol.*, v.  
1 (4), 501-509  
ixodid ticks, phenolic compounds as phero-  
mones, sexual attractants, chemical extrac-  
tion and bioassay
- Amblyomma varium* Koch, 1844  
Jones, E. K.; et al., 1972, *Brigham Young*  
*Univ. Sc. Bull., Biol. ser.*, v. 17 (4), 40 pp.  
synonymy, key
- Amblyomma vittatum* Neumann, 1899  
Jones, E. K.; et al., 1972, *Brigham Young*  
*Univ. Sc. Bull., Biol. ser.*, v. 17 (4), 40 pp.  
as syn. of *Amblyomma oblongoguttatum* Koch,  
1844
- Amblyomma williamsi*  
Jones, E. K.; et al., 1972, *Brigham Young*  
*Univ. Sc. Bull., Biol. ser.*, v. 17 (4), 40 pp.  
key
- Amorphacarus Ewing*, 1938  
Fain, A., 1976, *Acta Zool. et Path. Antverpi-*  
*ensis* (64), 3-32  
key
- Amorphacarus hengererorum*  
Whitaker, J. O., jr.; Jones, G. S.; and  
Pascal, D. D., jr., 1975, *J. Elisha Mitchell*  
*Scient. Soc.*, v. 91 (1), 13-17  
*Sorex cinereus*: Fires Creek area, Nantahala  
Mountains, North Carolina
- Amphalius runatus* J. et R.  
Letov, G. S.; and Letova, G. I., 1973, *Zool.*  
*Zhurnal*, v. 52 (4), 525-531  
fleas, geographic distribution in relation  
to epizootiology of plague  
*Citellus undulatus*: Tuva

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Amphalius spirataenius* Liu, Wu & Wu, 1966, illus.  
*Smit, F. G. A. M.*, 1974, *Senckenbergiana Biol.*, v. 55 (4-6), 357-398  
 description of male and female  
*Ochotona* sp.: Nepal
- Amphipsylla* sp., illus.  
*Smit, F. G. A. M.*, 1974, *Senckenbergiana Biol.*, v. 55 (4-6), 357-398  
*Alticola stoliczkanus*: Nepal
- Amphipsylla kuznetzovi*  
*Avetisian, G. A.*; and *Ezekelian, V. Kh.*, 1975, *Biol. Zhurnal Armenii*, v. 28 (8), 56-63  
 fleas, seasonal and geographic distribution  
*Microtus nivalis*: Armenia
- Amphipsylla longispina* Scalon  
*Letov, G. S.*; and *Letova, G. I.*, 1973, *Zool. Zhurnal*, v. 52 (4), 525-531  
 fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Amphipsylla primaris* J. et R.  
*Letov, G. S.*; and *Letova, G. I.*, 1973, *Zool. Zhurnal*, v. 52 (4), 525-531  
 fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Amphipsylla primaris* ssp.  
*Smit, F. G. A. M.*, 1974, *Senckenbergiana Biol.*, v. 55 (4-6), 357-398  
*Alticola stoliczkanus*: Nepal
- Amphipsylla rossica*  
*Avetisian, G. A.*; and *Ezekelian, V. Kh.*, 1975, *Biol. Zhurnal Armenii*, v. 28 (8), 56-63  
 fleas, seasonal and geographic distribution  
*Microtus socialis*  
*M. nivalis*  
*Arvicola terrestris*  
 all from Armenia
- Amphipsylla rossica* Wagn.  
*Marapulets, L. A.*; and *Cherchenko, I. I.*, 1970, *Parazitologija*, Leningrad, v. 4 (3), 271-273  
 feeding activity on man of 6 spp. of fleas from the common vole, evaluation of probable importance in plague epidemiology
- Amphipsylla rossica* Wagn.  
*Poliakov, V. K.*; et al., 1976, *Zool. Zhurnal*, v. 55 (10), 1538-1551  
 rodent fleas, zoological, parasitological, epidemiological and ecological characteristics of steppe, desert-steppe and desert regions of Transural plague focus  
*Meriones tamariscinus*  
*M. meridianus*  
 all from northeastern part of Caspian low-land
- Amphipsylla sibirica* (Wagner, 1898)  
*Skuratowicz, W.*; *Bartkowska, K.*; and *Mitev, D.*, 1976, *Bull. Acad. Polon. Sc., Cl. II.*, s. Sc. Biol., v. 24 (12), 741-746  
*Pitymys subterraneus*: Lakatnik, 60 km north of Sofia, Bulgaria
- Amphipsylla sibirica hetera* J., illus.  
*Brinck-Lindroth, G.*; and *Smit, F. G. A. M.*, 1973, *Entom. Scand.*, v. 4 (4), 302-322  
 castration and intersexuality due to hyperparasitism by nematodes: Czechoslovakia
- Amphipsylla sibirica sibirica* Wagn., illus.  
*Brinck-Lindroth, G.*; and *Smit, F. G. A. M.*, 1973, *Entom. Scand.*, v. 4 (4), 302-322  
*Amphipsylla sibirica sibirica* from small mammals, castration and intersexuality due to hyperparasitism by nematodes, morphological changes  
*Microtus oeconomus*: Vittangi area, Sweden  
*Clethrionomys rutilus*: Vittangi area and Stora Sjofallet National Park, Sweden  
*C. glareolus*: Stora Sjofallet National Park, Sweden  
*C. rufocanus*: Stora Sjofallet National Park, Sweden; Straumsnes, Norway  
*Sorex araneus*: Stora Sjofallet National Park, Sweden; Straumsnes, Norway  
*S. caecutiens*: Stora Sjofallet National Park, Sweden  
*S. minutus*: Stora Sjofallet National Park, Sweden  
*Microtus agrestis*: Stora Sjofallet National Park, Sweden; Straumsnes, Norway  
*Mustela nivalis*: Straumsnes, Norway
- Amphipsylla vinogradovi* Ioff  
*Letov, G. S.*; and *Letova, G. I.*, 1973, *Zool. Zhurnal*, v. 52 (4), 525-531  
 fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Amphipsyllidae* Dampf  
*Sanford, L. G.*; and *Hays, K. L.*, 1974, *Bull. (458) Alabama Agric. Exper. Station*, 3-42  
 brief description
- Amyrsidea* Ewing, 1927 sensu lato  
*Scharf, W. C.*; and *Price, R. D.*, 1977, *Ann. Entom. Soc. Am.*, v. 70 (5), 815-822  
 key to subgenera, includes: *Amyrsidea*; *Cracimenopon*; *Desumenopon*; *Numidimenopon* n. subgen.; *Argimenopon*
- Amyrsidea* Ewing  
*Scharf, W. C.*; and *Price, R. D.*, 1977, *Ann. Entom. Soc. Am.*, v. 70 (5), 815-822  
 subgen. of *Amyrsidea*  
 key, description, key to species
- Amyrsidea* Ewing, 1927  
*Zlotorzycka, J.*; *Eichler, W.*; and *Ludwig, H. W.*, 1974, *Parasitol. Schriftenr.*, v. 22, 1-160  
 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *A. minuta* Emerson, 1961; *A. phaeostoma* (Nitzsch, 1866)
- Amyrsidea* (Numidimenopon) desousai (Keler) (tod of subgen.), illus.  
*Scharf, W. C.*; and *Price, R. D.*, 1977, *Ann. Entom. Soc. Am.*, v. 70 (5), 815-822  
 synonymy, key, description  
*Numida meleagris*: Zululand  
*N. sp.*: Africa; British East Africa  
*N. ptilorhyncha*: British East Africa

*Amyrsidea (A.) elbeli* Emerson & Stojanovich, 1963, illus.  
*Scharf*, W. C.; and Price, R. D., 1977, Ann. Entom. Soc. Am., v. 70 (5), 815-822  
 key, description  
*Arborophila brunneopectus erythrophrys*:  
 Borneo  
*A. torqueola torqueola*: Assam  
*A. rufogularis*: Nepal; Cambodia; Thailand  
*Ithaginis cruentus*: Nepal

*Amyrsidea fulvomaculata*  
*Rak*, H.; Anwar, M.; and Niak, A., 1975, Bull. Soc. Path. Exot., v. 68 (6), 588-591  
*Coturnix coturnix*: Iran

*Amyrsidea hexapilosus*  
*Rak*, H.; Anwar, M.; and Niak, A., 1975, Bull. Soc. Path. Exot., v. 68 (6), 588-591  
*Phasianus colchicus*: Iran

*Amyrsidea (Numidimenopon) lopesi* (Tendeiro), illus.  
*Scharf*, W. C.; and Price, R. D., 1977, Ann. Entom. Soc. Am., v. 70 (5), 815-822  
 key, description  
*Guttera edouardi sethsmithi*: Kenya  
*G. pucherani*: Kenya

*Amyrsidea (A.) oculeae* Price & Elbel, 1969, illus.  
*Scharf*, W. C.; and Price, R. D., 1977, Ann. Entom. Soc. Am., v. 70 (5), 815-822  
 key, description  
*Caloperdix oculea oculea*: Thailand

*Amyrsidea (Numidimenopon) plumiferae n. sp.*, illus.  
*Scharf*, W. C.; and Price, R. D., 1977, Ann. Entom. Soc. Am., v. 70 (5), 815-822  
 key  
*Guttera plumifera plumifera*: Arnbam, French Cameroons  
*Phasidus niger*: French Cameroons

*Amyrsidea (A.) ventralis* (Nitzsch), illus.  
*Scharf*, W. C.; and Price, R. D., 1977, Ann. Entom. Soc. Am., v. 70 (5), 815-822  
 key, description  
 Syn.: *Menopon ventrale* Nitzsch, 1866  
*Argusianus argus*: Malaya; England  
*Rheinardia ocellata*: Annam

*Amyrsidea (Numidimenopon) vulturini n. sp.*, illus.  
*Scharf*, W. C.; and Price, R. D., 1977, Ann. Entom. Soc. Am., v. 70 (5), 815-822  
 key  
*Acryllium vulturinum*: Marsabit, Kenya

*Anaclavella sillaginoides* Heegaard, 1940, illus.  
*Kabata*, Z., 1968, J. Nat. Hist., v. 2 (4), 505-523  
 description of female  
*Epinephelus merra*  
*Sillaginodes punctatus*  
 (gills of all): all from off Heron Island, Queensland

*Anahuacia Hoffmann 1963*  
*Brennan*, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere

*Anahuacia [sp.]*  
*Loomis*, R. B.; and Goff, M. L., 1973, J. Med. Entom., v. 10 (2), 113-117  
*Peromyscus boylii*: NE of Santa Lucia, Sinaloa, Mexico

*Analges* sp.  
*Brown*, N. S.; and Wilson, G. I., 1975, Am. Midland Naturalist, v. 94 (1), 154-165  
 comparison of ectoparasites from North America and Europe  
*Passer domesticus*: Boston, Mass.; Stockton-on-Tees, England

*Analges* sp.  
*Shumilo*, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Dendrocopos medius*: Chernovtzy oblast, Ukrainian SSR

*Analges mucronatus* (Buchholz, 1869)  
*Shumilo*, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Dendrocopos major*: Moldavian SSR

*Analges picicola* Cerny et Schumilo, 1973  
*Shumilo*, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Picus canus*: Moldavian SSR

*Analgoidea*  
*Peterson*, P. C., 1975, Misc. Publication Entom. Soc. Am., v. 9 (5), 237-242  
 feather mites of birds, host-parasite distribution by taxa, feather anatomy, mathematical analysis of barb width and location in relation to mite distribution, basis for further studies of host-parasite evolution

*Anastrebla* new species  
*Whitaker*, J. O., jr.; and Mumford, R. E., 1977, Entom. News, v. 88 (9-10), 255-258  
*Anoura caudifera*: Minas Gerais, Brazil

*Anastrebla modestini*  
*Whitaker*, J. O., jr.; and Mumford, R. E., 1977, Entom. News, v. 88 (9-10), 255-258  
*Anoura geoffroyi*: Minas Gerais, Brazil

*Anaticola Clay, 1936*  
*Zlotorycka*, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *A. anseris anseris* (Linnaeus, 1758); *A. crassicornis crassicornis* (Scopoli, 1763); *A. crassicornis cairinensis* (Castro, 1933)

*Anaticola anatis* (Schrank, 1781)  
*Martin Mateo*, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
 as syn. of *A. crassicornis* (Scopoli, 1763)

*Anaticola anseris* (Linne, 1758)  
*Martin Mateo*, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
 key, synonymy

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Anaticola anseris* (Linnaeus, 1758)  
 Ward, R. A.; and Downey, J. C., 1973, *J. Med. Entom.*, v. 10 (4), 391-396  
*Anser albifrons*: Eastern Island, Midway Atoll, Pacific Ocean
- Anaticola bishoppii* (Mc. Gregor, 1917)  
 Martin Mateo, M. P., 1975, *Rev. Iber. Parasitol.*, v. 35 (1-2), 41-79  
 as syn. of *Anaticola anseris* (Linne, 1758)
- Anaticola crassicornis* (Scopoli, 1763), illus.  
 Martin Mateo, M. P., 1975, *Rev. Iber. Parasitol.*, v. 35 (1-2), 41-79  
 key, synonymy  
*Anas platyrhynchos*  
*Melanitta nigra*  
 all from Spain
- Anaticola crassicornis*  
 Rak, H.; Anwar, M.; and Niak, A., 1975, *Bull. Soc. Path. Exot.*, v. 68 (6), 588-591  
*Anas clypeata*: Iran
- Anaticola crassicornis* (Scopoli)  
 Turner, B. C.; and Threlfall, W., 1975, *Proc. Helminth. Soc. Washington*, v. 42 (2), 157-169  
 parasites of *Anas crecca* and *A. discors*, incidence and intensity, age and sex of host  
*Anas crecca*  
*A. discors*  
 all from eastern Canada
- Anaticola domestici* (Wundrig, 1936)  
 Martin Mateo, M. P., 1975, *Rev. Iber. Parasitol.*, v. 35 (1-2), 41-79  
 as syn. of *Anaticola anseris* (Linne, 1758)
- Anaticola squalidus* (Nitzsch, 1818)  
 Martin Mateo, M. P., 1975, *Rev. Iber. Parasitol.*, v. 35 (1-2), 41-79  
 as syn. of *A. crassicornis* (Scopoli, 1763)
- Anatoecus Cummings*, 1916  
 Zlotorycka, J.; Eichler, W.; and Ludwig, H. W., 1974, *Parasitol. Schriftenr.*, v. 22, 1-160  
 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *A. (A.) adustus* (Nitzsch in Giebel, 1874); *A. (A.) icterodes*; *A. (Benatoecus) dentatus*
- Anatoecus cygni* (Denny, 1842)  
 Martin Mateo, M. P., 1975, *Rev. Iber. Parasitol.*, v. 35 (1-2), 41-79  
 key, Syn.: *Docophorus cygni* Denny, 1842
- Anatoecus dentatus* (Scopoli)  
 Turner, B. C.; and Threlfall, W., 1975, *Proc. Helminth. Soc. Washington*, v. 42 (2), 157-169  
 parasites of *Anas crecca* and *A. discors*, incidence and intensity, age and sex of host  
*Anas crecca*  
*A. discors*  
 all from eastern Canada
- Anatoecus fuligulae* (Denny, 1852)  
 Martin Mateo, M. P., 1975, *Rev. Iber. Parasitol.*, v. 35 (1-2), 41-79  
 as syn. of *Anatoecus icterodes* (Nitzsch, 1818)
- Anatoecus icterodes* (Nitzsch, 1818), illus.  
 Martin Mateo, M. P., 1975, *Rev. Iber. Parasitol.*, v. 35 (1-2), 41-79  
 key, synonymy  
*Anas platyrhynchos*: Spain
- Anatoecus mergi* (Guerin, 1818)  
 Martin Mateo, M. P., 1975, *Rev. Iber. Parasitol.*, v. 35 (1-2), 41-79  
 as syn. of *Anatoecus icterodes* (Nitzsch, 1818)
- Ancistrodes Keler*, 1939  
 Tendeiro, J., 1975, *Garcia de Orta, s. Zool.*, v. 4 (1), 57-69  
*Goniodiidae*  
 key, phylogenetic position
- Ancistropsyllidae* Toumanoff & Fuller, 1947  
 Lewis, R. E., 1974, *J. Med. Entom.*, v. 11 (5), 525-540  
*Ancistropsyllidae*, *Chimaeropsyllidae*, *Ischnopsyllidae*, *Leptopsyllidae*, and *Macropsyllidae*, geographic distribution and host preferences, list of genera and species
- Andreacarus petersi*  
 Okereke, T. A., 1971, *Bull. Entom. Soc. Nigeria*, v. 3 (1), 50-55  
*Cricetomys gambianus*: Ibadan Area, Western Nigeria
- Andreacarus zumpti*  
 Okereke, T. A., 1971, *Bull. Entom. Soc. Nigeria*, v. 3 (1), 50-55  
*Cricetomys gambianus*: Ibadan Area, Western Nigeria
- Androlaelaps sp.*  
 Diusembaev, E. B.; and Chelebiev, K. A., 1975, *Zool. Zhurnal*, v. 54 (1), 124-127  
 \**Lagurus lagurus* (nest): Karagandinsk oblast
- Androlaelaps sp. 1*  
 Sandhu, P. S.; and Kapoor, V. C., 1976, *Entom. News*, v. 87 (9-10), 292-294  
*Funambulus pennanti*: Village Barewal (Ludhiana District), India
- Androlaelaps sp. 2*  
 Sandhu, P. S.; and Kapoor, V. C., 1976, *Entom. News*, v. 87 (9-10), 292-294  
*Funambulus pennanti*: Ludhiana, India
- Androlaelaps arvicanthis*  
 Okereke, T. A., 1971, *Bull. Entom. Soc. Nigeria*, v. 3 (1), 50-55  
*Myomys daltoni*  
*Mastomys sp.*  
*Lemniscomys striatus*  
*Uranomys foxi*  
*Tatera kempii*  
 all from Ibadan Area, Western Nigeria
- Androlaelaps casalis*  
 Whitaker, J. O., jr.; Spicka, E. J.; and Schmeltz, L. L., 1976, *Proc. Indiana Acad. Sc.*, v. 85, 1975, 431-436  
*Sciurus niger*  
*S. carolinensis*  
 all from Indiana

## ARTHROPODA

*Androlaelaps casalis* (Berlese, 1887)  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 Syn.: *Atricholaelaps megaventralis* Strandt-  
 mann, 1947

*Androlaelaps casalis* (Berlese)  
 Wilson, N.; and Bull, E. L., 1977, Bird-  
 Banding, v. 48 (2), 171-173  
 +squirrel (nest): Starkey Experimental  
 Forest, 35-40 km southwest of La Grande,  
 Union Co., Oregon

*Androlaelaps fahrenholzi* (Berlese)  
 Amin, O. M., 1976, Great Lakes Entom.,  
 v. 9 (4), 195-198  
 Syn.: *Haemolaelaps glasgowi* [of] Amin, 1973  
*Tamias striatus ohionensis*  
*Microtus p. pennsylvanicus*  
*M. o. ochrogaster*  
*Didelphis virginiana*  
*Peromyscus leucopus noveboracensis*  
 all from Kenosha County, Wisconsin

*Androlaelaps fahrenholzi*  
 Basolo, F., jr.; and Funk, R. C., 1974, Tr.  
 Illinois State Acad. Sc., v. 67 (2), 211-221  
*Microtus ochrogaster ochrogaster*  
*Peromyscus leucopus noveboracensis*  
*Cryptotis parva parva*  
 all from Coles County, Illinois

*Androlaelaps fahrenholzi*  
 Buckner, R. L.; and Gleason, L. N., 1974, Tr.  
 Kentucky Acad. Sc., v. 35 (3-4), 70-75  
 seasonal occurrences  
*Microtus ochrogaster*  
*Peromyscus leucopus*  
 all from Warren County, Kentucky

*Androlaelaps fahrenholzi* (Berlese)  
 Miller, B. E.; et al., 1975, J. Med. Entom.,  
 v. 12 (4), 425-430  
 Polygenis gwyni, infected *Sigmodon hispidus*  
*berlandieri*, bait with oral systemic in-  
 secticide, phoxim, field conditions, effec-  
 tive control; some unmeasured control of  
 natural mite infections; advantages for con-  
 trol of fleas in active plague foci

*Androlaelaps fahrenholzi* (Berlese)  
 Reisen, W. K.; et al., 1975, Kalikasan, v. 4  
 (2), 145-154  
*Rattus norvegicus caraco*: Korea

*Androlaelaps fahrenholzi*  
 Spicka, E. J., 1976, Proc. Indiana Acad. Sc.,  
 v. 85, 1975, 418-422  
*Mus musculus*: Pike County, Indiana

*Androlaelaps fahrenholzi*  
 Whitaker, J. O., jr.; Jones, G. S.; and  
 Pascal, D. D., jr., 1975, J. Elisha Mitchell  
 Scient. Soc., v. 91 (1), 13-17  
*Sorex fumeus*  
*Peromyscus leucopus*  
*P. maniculatus*  
*Ochrotomys nuttalli*  
*Clethrionomys gapperi*  
*Napaeozapus insignis*  
 all from Fires Creek area, Nantahala Moun-  
 tains, North Carolina

*Androlaelaps fahrenholzi* (Berlese)  
 Whitaker, J. O., jr.; and Schmeltz, L. L.,  
 1974, Proc. Indiana Acad. Sc., v. 83, 1973,  
 478-481  
*Scalopus aquaticus* (fur): Indiana

*Androlaelaps fahrenholzi*  
 Whitaker, J. O., jr.; Spicka, E. J.; and  
 Schmeltz, L. L., 1976, Proc. Indiana Acad.  
 Sc., v. 85, 1975, 431-436  
*Sciurus niger*  
*S. carolinensis*  
 all from Indiana

*Androlaelaps fahrenholzi* (Berlese, 1911)  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 synonymy

*Androlaelaps galagus*  
 Okereke, T. A., 1971, Bull. Entom. Soc. Nig-  
 eria, v. 3 (1), 50-55  
*Cricetomys gambianus*: Ibadan Area, Western  
 Nigeria

*Androlaelaps geomys* (Strandtmann, 1949)  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 Syn.: *Atricholaelaps sigmodoni* Randolph &  
 Eads, 1946 (in part) (not Strandtmann, 1946)

*Androlaelaps himehimizu* sp. n., illus.  
 Uchikawa, K.; and Asanuma, K., 1974, Eisei  
 Dobutsu (Japan. J. San. Zool.), v. 25 (1),  
 65-77  
*Dymecodon pilirostris*: Hoppo-one, Hakuba  
 Village, Nagano Prefecture, Japan; northern  
 slope of Mt. Fuji, Yamanashi Prefecture,  
 Japan

*Androlaelaps himizu* (Jameson, 1966) [= n. comb.],  
 illus.  
 Uchikawa, K.; and Asanuma, K., 1974, Eisei Do-  
 butsu (Japan. J. San. Zool.), v. 25 (1), 65-77  
 description  
*Urotrichus talpoides*: Hakuba Village, Naga-  
 no Prefecture, Japan; Asagiri Heights,  
 Shizuoka Prefecture, Japan  
*Crocidura dsinezumi*: Hakuba Village, Nagano  
 Prefecture, Japan  
*Rattus norvegicus*: Nagoya City, Japan; Haku-  
 ba Village, Nagano Prefecture, Japan  
*Eothenomys smithi*: Hakuba Village, Nagano  
 Prefecture, Japan

*Androlaelaps marshalli*  
 Okereke, T. A., 1971, Bull. Entom. Soc. Nig-  
 eria, v. 3 (1), 50-55  
*Myomys daltoni*  
*Lemniscomys striatus*  
*Lophuromys sikapusi*  
*Tatera kempii*  
 all from Ibadan Area, Western Nigeria

*Androlaelaps micropteropi*  
 Okereke, T. A., 1971, Bull. Entom. Soc. Nig-  
 eria, v. 3 (1), 50-55  
*Micropteropus pusillus*: Ibadan Area, Western  
 Nigeria

- Androlaelaps murinus**  
 Okereke, T. A., 1971, Bull. Entom. Soc. Nigeria, v. 3 (1), 50-55  
 Myomys daltoni  
 Mastomys sp.  
*Rattus rattus frugivorus*  
*Lemniscomys striatus*  
*Arvicantis niloticus*  
*Dasyurus incomitus*  
*Lophuromys sikapusi*  
*Uranomys foxi*  
*Tatera kempii*  
*Heliosciurus gambianus*  
*Crocidura manni*  
 all from Ibadan Area, Western Nigeria
- Androlaelaps pavlovskii**  
 Volkova, G. N., 1975, Ekologija, Sverdlovsk (5), 100-102  
 Androlaelaps pavlovskii, feeding, reproduction, and development under laboratory conditions
- Androlaelaps tateronis**  
 Okereke, T. A., 1971, Bull. Entom. Soc. Nigeria, v. 3 (1), 50-55  
 Myomys daltoni  
*Lemniscomys striatus*  
*Lophuromys sikapusi*  
*Tatera kempii*  
 all from Ibadan Area, Western Nigeria
- Androlaelaps zulu**  
 Okereke, T. A., 1971, Bull. Entom. Soc. Nigeria, v. 3 (1), 50-55  
 Myomys daltoni  
*Pryomys tullbergi*  
*Mastomys sp.*  
*Hylomyscus sp.*  
*Rattus rattus*  
*Rattus rattus frugivorus*  
*Lemniscomys striatus*  
*Arvicantis niloticus*  
*Dasyurus incomitus*  
*Lophuromys sikapusi*  
*Uranomys foxi*  
*Mus (Leggada) musculoides*  
*Tatera kempii*  
*Cricetomys gambianus*  
*Crocidura occidentalis nigeriae*  
*Crocidura manni*  
 all from Ibadan Area, Western Nigeria
- Androlaelaps zuluensis**  
 Okereke, T. A., 1971, Bull. Entom. Soc. Nigeria, v. 3 (1), 50-55  
*Rattus rattus*  
*Tatera kempii*  
 all from Ibadan Area, Western Nigeria
- Androlaelaps zuluensis (Zumpt)**  
 Sandhu, P. S.; and Kapoor, V. C., 1976, Entom. News, v. 87 (9-10), 292-294  
*Funambulus pennanti*: Ludhiana, India
- Anepigynia sp.**  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Merops apiaster*: Moldavian SSR
- Aniatrus Brennan and Jones 1961**  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Anilocra alloceraea Koelbel, 1878**  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 as syn. of *Anilocra leptosoma* Bleeker, 1857
- Anilocra asilus Walker et Hornell, 1896**  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 as syn. of *Anilocra frontalis* Edwards, 1840
- Anilocra bivittata: Risso, 1826**  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 as syn. of *Nerocila bivittata* (Risso, 1816)
- Anilocra capensis Leach, 1818, illus.**  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 synonymy  
*Serranus canenier*: Sudan  
 [no host]: ile de la Reunion; baie du Levrier (Port-Etienne); Fedhala (Maroc); cap Blanc, Mauritanie, Afrique occidentale
- Anilocra cavicauda Richardson, 1910**  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 as syn. of *Anilocra longicauda* Schioedte et Meinert, 1881
- Anilocra cuvieri Leach, 1818**  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 as syn. of *Anilocra physodes* (L., 1758)
- Anilocra dimidiata Bleeker, 1857, illus.**  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 [no host]: Batavia; Nouvelle-Guinee
- Anilocra edwardsii St Loup, 1885**  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 as syn. of *Anilocra physodes* (L., 1758)
- Anilocra frontalis Edwards, 1840, illus.**  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 [no host]: France; Porto Ingles, ile Maior; Nice; Ivica; Villefranche; Maroc; Monaco  
*poisson*: Tanger  
*Motella (pectoralis)*: Baie du mont St-Michel  
*Crenilabrus quinquemaculatus (dos)*: Castiglione, Algerie  
*Labrus viridis (tete)*: Castiglione (Alger)  
*Mugil auratus*: Castiglione (Algerie)  
*Melops*: cote sud de Bretagne
- Anilocra frontalis Edwards, 1840, illus.**  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 synonymy, geographical distribution, systematic and ecologic remarks, size, review

*Anilocra frontalis*: Monod, 1923  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 as syn. of *Anilocra physodes* (L., 1758)

*Anilocra gigantea* (Herklotz, 1870), illus.  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 Syn.: *Epichthys giganteus* Herklots, 1870 [no host]: Nouvelle-Caledonie

(?) *Anilocra laevis* Miers, 1877  
 Trilles, J. P.; and Vala, J. C., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 967-976  
 as syn. of *Anilocra laticauda* Edwards, 1840

*Anilocra laticauda* Edwards, 1840, illus.  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 synonymy  
 poisson: ile St-Vincent  
 [no host]: ile St-Thomas; La Martinique; Cuba; Jamaique

*Anilocra laticauda* Edwards, 1840, illus.  
 Trilles, J. P.; and Vala, J. C., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 967-976  
 synonymy  
*Cephalopholis fulva* (tete): Guadeloupe

*Anilocra laticauda*: Causey, 1956  
 Trilles, J. P.; and Vala, J. C., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 967-976  
 not a syn. of *Anilocra laticauda* Edwards, 1840

*Anilocra leachii*: Schioedte, 1866  
 Trilles, J. P.; and Vala, J. C., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 967-976  
 as syn. of *Anilocra laticauda* Edwards, 1840

*Anilocra leptosoma* Bleeker, 1857, illus.  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 Syn.: *Anilocra alloceraea* Koelbel, 1878  
*Clupeid[ae]*: en face Port-Dayot

*Anilocra longicauda* Schioedte et Meinert, 1881, illus.  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 Syn.: *Anilocra cavicauda* Richardson, 1910  
 poissons: Poulo Condor (Cochinchine)  
 [no host]: Cochinchine; Mouillage de Cauda

*Anilocra mediterranea* Leach, 1818  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 as syn. of *Anilocra physodes* (L., 1758)

*Anilocra mediterranea*: Norman, 1868 [et auct.]  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 as syn. of *Anilocra frontalis* Edwards, 1840

*Anilocra mexicana* de Saussure, 1857  
 Trilles, J. P.; and Vala, J. C., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 967-976  
 as syn. of *Anilocra laticauda* Edwards, 1840

*Anilocra physodes*  
 Romestand, B.; Janicot, M.; and Trilles, J. P., 1977, Ann. Parasitol., v. 52 (2), 171-180  
 tissue alterations and defense reactions in fish parasitized by Cymothoidae  
*Boops boops*  
*Maena maena*  
*Pagellus erythrinus*  
 ( tegument of all): all from Herault, France

*Anilocra physodes* (L., 1758), illus.  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 [no host]: France; Nice; Mediterranee; Algerie, golfe de Philippeville; Alger; Cotes de Tunisie; Baie d'Algesiras; Monaco; Port-Said; Lagune de Moulay bou Selham; Maroc; Pecherie d'Alger; Agay (Var); golfe d'Alexandrette, Mission Gruvel, Syrie  
 poisson: Rade de Sfax; Melita  
*Diplodus (sargus) fasciatus*: Castiglione (Algerie)  
*Zeus faber*: entre Casablanca et Mazagam  
*Spondyliosoma cantharus*: Castiglione; rade Agay  
*Scorpaena porcus*: Castiglione (Algerie)

*Anilocra physodes* (L., 1758), illus.  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 synonymy, geographical distribution, systematic and ecologic remarks, size, review

*Anilocra physodes*: Norman, 1907 [et auct.]  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 as syn. of *Anilocra frontalis* Edwards, 1840

*Anilocra trichiura* Miers, 1877  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 as syn. of *Nerocila trichiura* (Miers, 1877)

*Anilocra vittata* Lucas, 1849  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 as syn. of *Nerocila maculata* Edwards, 1840

*Anocentor nitens* (Neumann, 1897)  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 Syn.: *Otocentor nitens* Cooley, 1938  
*Cerdocyon thous*  
*horses*  
 all from Venezuela

- Anocentor nitens  
 Prieto, R.; and Delgado, A., 1975, Rev. Cubana Cien. Vet., v. 5 [on cover], v. 6 [on title page] (1-2), 57-62  
 cattle, incidence and geographic distribution: Cuba
- Anocentor nitens (Neumann)  
 Rawlins, S. C.; and Mansingh, A., 1977, J. Econom. Entom., v. 70 (6), 697-698  
*Boophilus microplus*, *Amblyomma cajennense*, and *Anocentor nitens*, susceptibility of Jamaican strains to various acaricides
- Anocentor nitens  
 Varma, M. G. R., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (1), 92-102  
*Equis caballus*  
*Bos taurus*  
 both from British Honduras
- Anocentor nitens  
 Whitaker, J. O., jr.; and Mumford, R. E., 1977, Entom. News, v. 88 (9-10), 255-258  
*Equis caballus* (ears): Minas Gerais, Brazil
- Anoetidae [sp.]  
 Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Sorex fumeus*  
*Blarina brevicauda*  
*Peromyscus maniculatus*  
 all from Fires Creek area, Nantahala Mountains, North Carolina
- Anomalaspis Brennan 1952  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Anomiopsylla amphibolus  
 Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480  
 fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Peromyscus crinitus pergracilis*  
*Microtus longicaudus latus*  
*Neotoma lepida lepida*  
 all from western Utah
- Anomiopsyllus falsicalifornicus  
 Coultrip, R. L.; et al., 1973, J. Med. Entom., v. 10 (3), 303-309  
 fleas, ticks, mammals, survey for vectors and reservoir hosts of Rocky Mountain spotted fever and sylvatic plague, serological evidence for presence of rickettsial agent but presence of plague not demonstrated  
*Didelphis marsupialis*  
*Peromyscus californicus*  
*P. maniculatus*  
*Neotoma fuscipes*  
 all from Fort Ord, California
- Anomiopsyllus novomexicanensis Williams & Hoff Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*+Neotoma albigena?* (nest of uncertain origin): west of Rio Grande in and near Jemez Mts., New Mexico
- Anomiopsyllus nudatus-A. princei complex  
 Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Eutamias minimus*  
*E. quadrivittatus*  
*Sciurus aberti*  
*Peromyscus maniculatus*  
*P. truei*  
*Neotoma albigena*  
*+N. cinerea*  
*Microtus longicaudus*  
 all from west of Rio Grande in and near Jemez Mts., New Mexico
- Anomiopsyllus princei-A. nudatus complex  
 Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Eutamias minimus*  
*E. quadrivittatus*  
*Sciurus aberti*  
*Peromyscus maniculatus*  
*P. truei*  
*Neotoma albigena*  
*+N. cinerea*  
*Microtus longicaudus*  
 all from west of Rio Grande in and near Jemez Mts., New Mexico
- Anoplura  
 Edler, A.; and Nilsson, A., 1973, Entom. Scand., v. 4 (4), 274-282  
 ectoparasites of small mammals from two woodland habitats, seasonal variation, frequency and intensity of infestation, numerical comparison of ectoparasitic groups: southern Sweden
- Anoplura  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 key to genera of rodent-infesting Anoplura of Venezuela  
 includes: *Enderleinellus*; *Fahrenholzia*; *Hoplopleura*; *Neohaematopinus*; *Polyplax*
- Anoplura  
 Zlotorycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe
- Anoplura sp.  
 Harinasuta, C.; Guptavani, P.; and Vasuvat, C., 1974, Southeast Asian J. Trop. Med. and Pub. Health, v. 5 (1), 105-127  
*Rattus* spp.  
*R. rattus*  
 all from mangrove areas of Thailand

- Anoplura [sp.]**  
Pester, F. R. N.; and Laurence, B. R., 1974,  
J. Zool., London, v. 174 (3), 397-406  
*Gazella thomsonii* (axilla): Kenya
- Anorthalloptes n. gen.**  
Atyeo, W. T.; and Gaud, J., 1976, J. Kansas  
Entom. Soc., v. 49 (4), 489-491  
Proctophyllodidae, Proctophyllodinae  
tod: A. megamerus Trouessart n. comb.
- Anorthalloptes megamerus Trouessart n. comb.**  
(tod)  
Atyeo, W. T.; and Gaud, J., 1976, J. Kansas  
Entom. Soc., v. 49 (4), 489-491  
description  
Syns.: Proctophyllodes (Alloptes) megamerus  
Trouessart, 1887; Alloptes megamerus, Canes-  
trini and Kramer, 1899  
*Psittrichas fulgidus*: New Guinea  
*Alisterus c. chloropterus*: Papua New Guinea  
(Gulf of Papua; near Okaba)
- Anseriphilus Eichler, 1949**  
Zlotorycka, J.; Eichler, W.; and Ludwig, H.  
W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
lice of domestic animals, keys to species  
and subspecies, descriptions, illustrations,  
hosts, economic and epidemiological impor-  
tance, extensive compilation: Central Europe  
includes: *A. pectiniventris* pectiniventris  
(Harrison, 1916)
- Antarctophthirus callorhini**  
Kurtz, D. A.; and Kim, K. C., 1976, Pesticides  
Monit. J., v. 10 (3), 79-83  
*Antarctophthirus callorhini*, Proechinophthir-  
us fluctus, sucking lice of northern fur  
seals, residues of DDT, dieldrin and PCB in  
lice and seals: Pribilof Islands, Alaska
- Antricola sp., probably silvai**  
Jones, E. K.; et al., 1972, Brigham Young  
Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
*Leptonycteris curasoae*  
*Pteronotus davyi*  
all from Venezuela
- Antricola (Antricola) silvai Cerny, 1967**  
Jones, E. K.; et al., 1972, Brigham Young  
Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
*Pteronotus davyi*  
*Mormoops megalophylla*  
*Pteronotus psilotis*  
all from Venezuela
- Aotiella Eichler, 1949**  
Emerson, K. C.; and Price, R. D., 1975, Brig-  
ham Young Univ. Sc. Bull., Biol. ser., v. 20  
(3), 1-77
- Aotiella aotophilus (Ewing), illus.**  
Emerson, K. C.; and Price, R. D., 1975, Brig-  
ham Young Univ. Sc. Bull., Biol. ser., v. 20  
(3), 1-77  
key, syn.: *Gyropus aotophilus* Ewing, 1924  
*Aotus trivirgatus*: Venezuela
- Apaulina sp.**  
Pinkowski, B. C., 1977, J. Wildlife Management,  
v. 41 (2), 272-276  
Apaulina sp., prevalence in natural and  
artificial nesting sites, seasonal variation  
+*Sialia sialis* (nest): Michigan
- Aplodontopinae Fain 1969**  
Fain, A.; and Spicka, E. J., 1977, J. Para-  
sitol., v. 63 (1), 137-140  
as syn. of Chortoglyphidae Berlese 1897
- Aplodontopus Fain 1967**  
Fain, A.; and Spicka, E. J., 1977, J. Para-  
sitol., v. 63 (1), 137-140  
reclassification, transferred to family  
Chortoglyphidae
- Aplodontopus micronyx sp. n., illus.**  
Fain, A.; and Spicka, E. J., 1977, J. Para-  
sitol., v. 63 (1), 137-140  
*Spermophilus tridecemlineatus* (tail-hair  
follicles): Vigo County, Indiana
- Aplodontopus sciuricola Hyland & Fain 1968,**  
illus.  
Fain, A.; and Spicka, E. J., 1977, J. Para-  
sitol., v. 63 (1), 137-140  
corrigenda for original figures
- Apolonia Torres and Braga 1938**  
Brennan, J. M.; and Goff, M. L., 1977, J. Par-  
asitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in  
the Western Hemisphere
- Apoloniinae Wharton 1947**  
Brennan, J. M.; and Goff, M. L., 1977, J. Par-  
asitol., v. 63 (3), 554-566  
Trombiculidae  
key; key to genera
- Aponomma sp.**  
Nagar, S. K.; Raizada, R. N.; and Saxena,  
V. K., 1977, Indian J. Animal Sc., v. 47 (10),  
654-663  
snake: Territory of Delhi
- Aponomma auruginans**  
Moorhouse, D. E.; and Heath, A. C. G., 1975,  
J. Med. Entom., v. 12 (5), 571-572  
evidence of parasitism of female ticks by  
males of the genus *Ixodes*, possible implica-  
tions for transmission of disease agents
- Aponomma concolor**  
Treverrow, N. L.; Stone, B. F.; and Cowie, M.,  
1977, Experientia, v. 33 (5), 680-682  
*Ixodes holocyclus*, Aponomma concolor, aggre-  
gation pheromones demonstrated
- Aponomma exornatum**  
Bergeon, P.; and Balis, J., 1974, Rev. Elevage  
et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-  
299  
*Argasidae* and *Ixodidae*, geographic distri-  
bution in Ethiopia
- Aponomma exornatum**  
d'Huart, J. P., 1973, Rev. Zool. et Botan.  
Africains, v. 87 (2), 421-424  
*Phacochoerus*: Africa
- Aponomma gervaisi**  
Nagar, S. K.; Raizada, R. N.; and Saxena,  
V. K., 1977, Indian J. Animal Sc., v. 47 (10),  
654-663  
monitor lizard  
snake  
all from Union Territory of Delhi

- Aponomma hydrosauri* (Denny)  
 Bull, M.; and Smyth, M., 1973, *Austral. J. Zool.*, v. 21 (1), 103-110  
*Aponomma hydrosauri*, *Amblyomma albolimbatum*,  
*A. limbatum*, abutting allopatric distributions, water balance of nymphs and adults in relation to distribution: South Australia
- Aponomma hydrosauri* (Denny)  
 Smyth, M., 1973, *Austral. J. Zool.*, v. 21 (1), 91-101  
*Aponomma hydrosauri*, *Amblyomma albolimbatum*,  
*A. limbatum*, survey, distributions overlap remarkably little over long boundaries, roughly correlated with climate, vegetation, and, in one case, soil  
*Egernia whitei*: South Australia  
*Leioploisma metallicum*  
*Tiliqua occipitalis*: South Australia  
*Acanthophis antarcticus*: South Australia
- Aponomma ophiophilum* (Muller 1831) "for which some workers believe *Aponomma gervaisi* (Lucas 1847) to be the proper taxon"  
 Nagar, S. K.; and Raizada, R. N., 1977, *J. Parasitol.*, v. 63 (5), 860  
*Aponomma ophiophilum* larvae found on *Calliphora erythrocephala*, possible phoretic association for distribution of parasite: Delhi, India
- Aponomma quadricavum* Schulze, 1941  
 Cerny, V., 1969, *Torreia*, n. s. (21), 3-8  
*Epicrates a. angulifer*: Cuba
- Aponomma sphenodonti* Dumbleton  
 Heath, A. C. G., 1977, *Tuatara*, v. 23 (1), 26-39  
 zoogeography of the New Zealand tick fauna, possible origins, collection and preservation
- Archaeopodella* gen. n.  
 Athias-Henriot, C., 1977, *J. Austral. Entom. Soc.*, v. 16 (3), 225-235  
*Liroaspidae*  
 tod: *A. scopulifera* sp. n.
- Archaeopodella scopulifera* sp. n. (tod), illus.  
 Athias-Henriot, C., 1977, *J. Austral. Entom. Soc.*, v. 16 (3), 225-235  
*Rattus fuscipes*: Olsen's Bridge, Victoria; White's River, Mount Kosciusko, New South Wales
- Archaeopsylla erinacei* (Bouche 1835)  
 Artz, V., 1975, *Entom. Germanica*, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Mustela putorius*  
*Vulpes vulpes*  
 all from Schleswig-Holstein
- Archaeopsylla erinacei*  
 Isenbuegel, E., 1976, *Prakt. Tierarzt*, v. 57, Sondernummer, 21-27  
 Alugan, Vinx  
 Igel
- Archaeopsylla erinacei erinacei*  
 Aubert, M. F. A.; and Beaucournu, J. C., 1976, *Ann. Parasitol.*, v. 51 (1), 143-156  
 survey of *Siphonaptera* of some carnivores with brief notes on biology and chorology  
*Vulpes vulpes*  
*Felis silvestris*  
*Meles meles*  
*Martes foina*  
 all from Nord-Est de la France
- Archaeopsylla erinacei erinacei* (Bouche, 1835)  
 Mehl, R., 1972, *Fauna*, Oslo, v. 25 (4), 247-257  
*Vulpes vulpes*: Norge
- Archaeopsylla erinacei erinacei*  
 Mehl, R., 1972, *Fauna*, Oslo, v. 25 (4), 265-274  
*Meles meles*: Norge
- Archaeopsylla e. erinacei*  
 Vaughan, J. A., 1977, *Entom. Month. Mag.* (1340-1343), v. 112, 1976, 45-48  
 straggler fleas on rabbits, *Oryctolagus cuniculus*, from Surrey and on myxomatous rabbits throughout Britain
- Archemyobia* Jameson, 1955 (type genus of subfam.)  
 Fain, A., 1973, *Rev. Zool. et Botan. Africaines*, v. 87 (3), 614-621  
*Archemyobiinae*
- Archemyobia* (Archemyobia) brasiliensis ssp. dimidiata ssp. n.  
 Fain, A., 1973, *Rev. Zool. et Botan. Africaines*, v. 87 (3), 614-621  
*Monodelphis dimidiata*: San Lorenzo, Rio Gde do Sul, Bresil
- Archemyobia* (Dromicimyobia) dromiciops sp. n.  
 (tod of subg.)  
 Fain, A., 1973, *Rev. Zool. et Botan. Africaines*, v. 87 (3), 614-621  
*Dromiciops australis*: Valdivia, Chili
- Archemyobia necopina* Domrow  
 Beveridge, I.; and Barker, I. K., 1976, *Austral. J. Zool.*, v. 24 (2), 265-272  
 helminths and arthropods, *Antechinus stuartii*, seasonal and sex-related variations in numbers of helminths, parasites unlikely directly involved in seasonal mortality of male host; ectoparasites may contribute to anemia in hosts: Powelltown, Victoria
- Archemyobiinae* subfam. nov.  
 Fain, A., 1973, *Rev. Zool. et Botan. Africaines*, v. 87 (3), 614-621  
*Myobiidae*  
 type genus: *Archemyobia* Jameson, 1955
- Archinystieribia octophthalma* Theodor, 1967  
 Theodor, O., 1973, *J. Med. Entom.*, v. 10 (6), 556-569  
*Penthetor lucasi*: Gunong Benom and Janda Baik, Pahang; Singapore, Bukit Lagong
- Ardeicola*  
 Tandan, B. K., 1976, *System. Entom.*, v. 1 (1), 75-87  
 key to species on *Threskiornis*

## ARTHROPODA

- Ardeicola ababae* sp. n.  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Bostrychia carunculata*: Ethiopia  
[previously published as n. sp. by Hajela and Tandan, 1970]
- Ardeicola ajajae* Carriker, 1961  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Ajaja ajaja*: Florida, U. S. A.; Rupununi, British Guyana (now Guyana); San Joaquin, Bolivia
- Ardeicola asiaticus* sp. n.  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Xenorhynchus a. asiaticus*: Rajputana, India  
[previously published as n. sp. by Kumar and Tandan, 1971]
- Ardeicola bicolor* (Piaget, 1888)  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Sphenorhynchus abdimi*: Cameroons (zoo); N. Rhodesia (now Zambia); Kenya; Sudan; Ethiopia
- Ardeicola burmanus* sp. n.  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Pseudibis davisoni*: Burma  
[previously published as n. sp. by Hajela and Tandan, 1970]
- Ardeicola buttikeri* sp. n.  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Melanophoyx ardesiaca*: Botswana  
[previously published as n. sp. by Kumar and Tandan, 1968]
- Ardeicola casteneus* (Piaget, 1885)  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
brief description  
*Ciconia leucocephala* (=*Dissoura episcopus neglecta*)  
*Dissoura episcopus*: Burma
- Ardeicola ciconiae* (Linn., 1758)  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
variation in setae  
*Ciconia c. ciconia*: Kenya; Sudan
- Ardeicola clayae* Brelih  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
key, distinguishing female characters
- Ardeicola clayae* Brelih, 1965, illus.  
Tandan, B. K., 1976, System. Entom., v. 1 (1), 75-87  
key, description  
*Threskiornis aethiopicus aethiopicus*: Kenya; Naivasha; Transvaal: Benouï
- Ardeicola dennelli* Hajela & Tandan, 1967  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Pseudibis papillosa*
- Ardeicola dissourae* sp. n.  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Dissoura episcopus microscelis*: Sudan  
[previously published as n. sp. by Kumar and Tandan, 1971]
- Ardeicola emersoni* sp. n.  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Cercibis oxycerca*: Guyana, near Lethem, Rupunini  
[previously published as n. sp. by Hajela and Tandan, 1968]
- Ardeicola epiphanes* (Kellogg & Paine, 1911)  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Theristicus branickii*: Peru; Ecuador
- Ardeicola fissomaculatus* (Giebel, 1874)  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Leptoptilos crumeniferus*: Bombo, Buganda, Uganda; Somaliland; Kenya
- Ardeicola freemani* sp. n., illus.  
Tandan, B. K., 1976, System. Entom., v. 1 (1), 75-87  
key  
*Threskiornis aethiopicus abbotti*: Aldabra Is.: Cinq Cases and Takamaka, South Island; Aldabra Atoll: East Channel
- Ardeicola geronticorum* Brinck, 1955  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Geronticus eremita*: Morocco
- Ardeicola hardayali* Tandan & Kumar, 1969  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Leptoptilos javanicus*: India
- Ardeicola harrisoni* sp. n.  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Platibis flavipes*: Australia  
[previously published as n. sp. by Hajela and Tandan, 1970]
- Ardeicola hopkinsi* Kumar & Tandan, 1968  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Euxenura galeata*: Argentine
- Ardeicola ibis* (Le Souef & Bullen)  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
key, distinguishing female characters

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Ardeicola ibis* (Le Souef & Bullen), illus.  
Tandan, B. K., 1976, System. Entom., v. 1 (1),  
75-87  
key, description  
synonymy  
*Threskiornis molucca strictipennis*: Australia:  
Lake Cowal, New South Wales  
*T. m. pygmaeus*: Rennell Is., Solomon Is.  
*T. m. molucca*: Malaya (now Malaysia)  
*T. molucca*: New Guinea: Wando District,  
Papua
- Ardeicola indicus* Brelih  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
key, distinguishing female characters
- Ardeicola indicus* Brelih  
Tandan, B. K., 1976, System. Entom., v. 1 (1),  
75-87  
key
- Ardeicola intermedia* sp. n., illus.  
Tandan, B. K., 1976, System. Entom., v. 1 (1),  
75-87  
key  
*Threskiornis aethiopicus bernieri*: Madagascar  
(now Malagasy Republic): Soalala, Bekopaka,  
and Ampotaka
- Ardeicola keleri* sp. n.,  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Ibis ibis*: Limuru, Kenya  
[previously published as n. sp. by Kumar and  
Tandan, 1971]
- Ardeicola lepidus* (Nitzsch, 1866)  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Anastomus oscitans*: Moirang, Manipur and  
Unao, U. P., India
- Ardeicola leucosoma* Kumar & Tandan, 1968  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
brief description  
*Mycteria americana*: Rupununi Good Hope,  
British Guiana (now Guyana)
- Ardeicola loculator* (Giebel, 1874)  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Mycteria americana*: Tlacotalpan,  
Mexico; Florida and Arizona, U. S. A.
- Ardeicola maculatus* (Nitzsch, 1866)  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Ciconia nigra*: Caucasus, Russia
- Ardeicola melanopis* sp. n.  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Theristicus melanopis*: Chile  
[previously published as n. sp. by Hajela and  
Tandan, 1970]
- Ardeicola nippon* sp. n.  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
key, distinguishing female characters  
[previously published as n. sp. by Hajela and  
Tandan, 1968]
- Ardeicola nippon* Hajela & Tandan  
Tandan, B. K., 1976, System. Entom., v. 1 (1),  
75-87  
key
- Ardeicola senegalensis* sp. n.  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Ephippiorhynchus senegalensis*: Lugangwa  
Valley, Mpika, Zambia  
[previously published as n. sp. by Kumar and  
Tandan, 1971]
- Ardeicola smithersi* Buttiker, 1967  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Platalea alba*: Bechuanaland (now Botswana)
- Ardeicola tantali* (J. C. Fabricius, 1798)  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Ibis leucocephalus*: Rajputana and Lucknow,  
India
- Ardeicola theristicus* (Pessoa & Guimaraes, 1935)  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
*Theristicus caudatus*: Paraguay
- Argas (Persicargas) arboreus* Kaiser, Hoogstraal  
& Kohls  
Hamdy, B. H., 1973, J. Med. Entom., v. 10 (1),  
53-57  
*Argas arboreus*, excretory cycle, seasonal  
effects (excretory rhythm of 3rd instar  
nymphs, adult males, and adult females did  
not differ significantly, but quantities ex-  
creted in each season differed distinctly),  
guanine and hematin as major excretory  
products
- Argas (Persicargas) arboreus*  
Kemp, G. E.; Lee, V. H.; and Moore, D. L.,  
1975, J. Med. Entom., v. 12 (5), 535-537  
*Argas arboreus*, isolation of Nyamanini and  
Quaranfil viruses from specimens collected  
from trees frequented by *Bubulcus ibis ibis*:  
North Eastern State, Nigeria
- Argas (Persicargas) arboreus*  
Khalil, G. M., 1976, Exper. Parasitol., v. 40  
(2), 232-237  
*Argas arboreus*, field-collected females, in-  
fluence of short and long photoperiod before  
and/or after feeding on diapause induction  
and termination respectively
- Argas (Persicargas) arboreus* Kaiser, Hoogstraal  
& Kohls  
Khalil, G. M.; and Shanbaky, N. M., 1975, J.  
Med. Entom., v. 12 (1), 47-51  
*Argas arboreus*, egg development and oviposi-  
tion, effect of mating with homologous males  
or with *A. persicus* and of other mechanical  
stimulation, effect of inoculating male ac-  
cessory gland material and/or testis extracts  
into female hemocoel

- Argas (Persicargas) arboreus* Kaiser, Hoogstraal and Kohls  
 Khalil, G. M.; and Shanbaky, N. M., 1976, Exper. Parasitol., v. 39 (3), 431-437  
*Argas arboreus*, field-collected vs. laboratory-reared F<sub>1</sub> and F<sub>2</sub> females, diapause incidence (% diapause females) and intensity (duration of preoviposition period), effect of constant 26, 30, 34, or 37°C temperatures, results suggest that laboratory rearing caused increased sensitivity of diapause females to high temperature
- Argas (Persicargas) arboreus* Kaiser, Hoogstraal, and Kohls, illus.  
 Roshdy, M. A.; and Coons, L. B., 1975, J. Parasitol., v. 61 (4), 743-752  
*Argas arboreus*, salivary glands of unfed adults, fine structure
- Argas (Persicargas) arboreus* Kaiser, Hoogstraal & Kohls  
 Varma, M. G. R.; and Converse, J. D., 1976, J. Med. Entom., v. 13 (1), 65-70  
 Keterah virus infections in *Argas* spp.
- Argas brumpti* Neumann  
 Leahy, (Sr.) M. G.; et al., 1975, J. Med. Entom., v. 12 (4), 413-414  
 assembly pheromones from *Ornithodoros* and *Argas* species, interspecific responses; feeding increased pheromone production and decreased response; possible function in host location
- Argas cooleyi* Kohls & Hoogstraal  
 Howell, F. G., 1976, J. Med. Entom., v. 13 (1), 99-106  
*Argas cooleyi*, behavior responses to directed and undirected light, daily light cycle, effect of low temperature
- Argas cooleyi*  
 Howell, F. G.; and Chapman, B. R., 1976, Southwest. Nat., v. 21 (3), 275-280  
*Petrochelidon pyrrhonota*: northwestern Texas
- Argas cooleyi*  
 Howell, F. G.; and George, J. E., 1973, J. Med. Entom., v. 10 (5), 459-469  
*Argas cooleyi*, behavior and water balance, various relative humidities
- Argas (Argas) dalei* n. sp., illus.  
 Clifford, C. M.; et al., 1976, Ann. Entom. Soc. Am., v. 69 (5), 917-925  
*Speotyto cunicularia* nanodes: Lima, Peru
- Argas hasei* Schulze, 1935  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Ornithodoros (Alectorobius) hasei* (Schulze, 1935)
- Argas (Argas) hermanni* (Audouin)  
 Varma, M. G. R.; and Converse, J. D., 1976, J. Med. Entom., v. 13 (1), 65-70  
 Keterah virus infections in *Argas* spp.
- Argas japonicus*  
 Kitaoka, S.; and Fujisaki, K., 1976, National Inst. Animal Health Quart., v. 16 (3), 114-121  
 tick larvae, nymphs, accumulating process, concentration ratios, ingested blood meals
- Argas japonicus* Yamaguti, Clifford and Tipton Uchikawa, K., 1975, Eisei Dobutsu (Japan. J. San. Zool.), v. 26 (4), 207-212  
*Argas japonicus*, biological data, laboratory reared on chickens, development, idiosomal lengths in various stages, age composition, sex ratio, size distribution
- Argas latus*  
 Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317  
 ixodid and argasid ticks, fine structure and function of palpal receptor organ
- Argas (Carios) macrodermae* n. sp., illus.  
 Hoogstraal, H.; et al., 1977, Ann. Entom. Soc. Am., v. 70 (6), 861-870  
*Macroderma gigas* (wing and tail membranes): caves near Rockhampton, Queensland, Australia
- Argas megnini* Duges, 1884  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Otobius megnini* (Duges, 1884)
- Argas miniatus* Kock  
 Maldonado Capriles, J.; and Medina-Gaud, S., 1977, J. Agric. Univ. Puerto Rico, v. 61 (3), 402-404  
 chickens: Penuelas, Bo. Quebrada Ceiba, Puerto Rico
- Argas (Argas) monachus*, n. sp., illus.  
 Keirans, J. E.; Radovsky, F. J.; and Clifford, C. M., 1973, J. Med. Entom., v. 10 (5), 511-516  
 +*Myiopsitta monachus* (nest)  
 +mammal (nest)  
 all from Los Leones, 30°20' S, 65°10' W,  
 70 km NW Cruz del Eje, Cordoba Province, Argentina
- Argas persicus*, illus.  
 Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317  
 ixodid and argasid ticks, fine structure and function of palpal receptor organ
- Argas persicus*  
 Bijwal, D. L.; and Dhawedkar, R. G., 1977, Indian Vet. J., v. 54 (5), 412  
*Argas persicus*, establishment of spirochaete-free tick colony by xenodiagnosis (feeding on susceptible fowl) to distinguish spirochaete-free ticks
- Argas persicus*  
 Borut, S.; and Feldman-Muhsam, B., 1976, J. Parasitol., v. 62 (2), 318-320  
*Argasidae* spp., *Ixodidae* spp., in vitro spermiogenesis

- Argas (Persicargas) persicus (Oken)**
- Hoogstraal, H.; Kaiser, M. N.; and McClure, H. E., 1974, J. Med. Entom., v. 11 (5), 513-524  
 domestic chicken houses  
 \*Kakatoe roseicapilla (nests)  
 all from New South Wales, Australia
- Argas (Persicargas) persicus (Oken)**
- Khalil, G. M.; and Shanbaky, N. M., 1975, J. Med. Entom., v. 12 (1), 47-51  
*Argas arboreus*, egg development and oviposition, effect of mating with homologous males or with *A. persicus* and of other mechanical stimulation, effect of inoculating male accessory gland material and/or testis extracts into female hemocoel
- Argas persicus (Oken)**
- Leahy, (Sr.) M. G.; et al., 1975, J. Med. Entom., v. 12 (4), 413-414  
 assembly pheromones from *Ornithodoros* and *Argas* species, interspecific responses; feeding increased pheromone production and decreased response; possible function in host location
- Argas persicus**
- Leeflang, P.; and Illemobade, A. A., 1977, Trop. Animal Health and Prod., v. 9 (4), 211-218  
 confirmed as vector of *Borrelia anserina* and *Aegyptianella pullorum*: northern Nigeria
- Argas persicus Oken**
- Maldonado Capriles, J.; and Medina-Gaud, S., 1977, J. Agric. Univ. Puerto Rico, v. 61 (3), 402-404  
 chickens: San Juan market place, Puerto Rico
- Argas persicus Oken, illus.**
- Moorhouse, D. E., 1975, Ztschr. Parasitenk., v. 48 (1), 65-71  
*Argas persicus*, larvae, feeding on chickens, histological studies, penetration by lysis, foreign body reaction, whole blood as diet throughout feeding, emigration of heterophils to surround mouthparts and mask them against foreign body reaction, example of adaptation tolerance; immunological response to salivary secretions not suppressed
- Argas persicus**
- Petrov, D.; and Gecheva, G., 1975, Vet. Med. Nauk., v. 12 (8), 25-32  
*Argas persicus*, optimal temperatures for development 22-38° C, direct transformation of second stage nymphs to adults under favorable conditions, adult females laying eggs for first time have higher potential fertility than those having passed through several gonotrophic cycles, biological cycle continues throughout year in optimal conditions, adult engorges about 30 mg of blood at each feeding
- Argas persicus**
- Rosenstein, M., 1976, Avian Dis., v. 20 (2), 407-409  
*Argas persicus* larvae, paralyzed chickens, case report, malathion
- Argas persicus Oken**
- Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397  
 seasonal distribution  
*Bubalus bubalis* (hair)  
*Gallus gallus* (body)  
 all from Hissar and suburbs, India
- Argas persicus Oken, 1818**
- Stefanov, V.; Matev, I.; and Balimezov, I., 1975, Vet. Med. Nauki, v. 12 (5), 45-50  
*Argas persicus*, vectors of pullorum disease
- Argas persicus (Oken)**
- Sternberg, S.; Peleg, B. A.; and Galun, R., 1973, J. Med. Entom., v. 10 (2), 137-142  
*Argas persicus*, irradiation of males produces decreased fertility and egg hatching, not effective as tick control due to lowered competitiveness after first round of mating and aspermia; irradiated *Ornithodoros tholozani* males also ceased to mate after the first or second mating
- Argas pusillus, illus.**
- Stiller, D.; and Ranchitham, S. T., 1975, Southeast Asian J. Trop. Med. and Pub. Health, v. 6 (3), 445-447 [Demonstration]  
 production of cement substance at site of attachment by *Argas pusillus* larvae; no production of cement substance noted with *Ornithodoros batuensis*
- Argas radiatus Railliet, illus.**
- Öbenchain, F. D.; and Oliver, J. H., jr., 1976, J. Parasitol., v. 62 (5), 811-817  
*Amblyomma tuberculatum*, *Argas radiatus*, peripheral nervous system
- Argas reflexus**
- Balashov, Ju. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317  
 ixodid and argasid ticks, fine structure and function of palpal receptor organ
- Argas (Argas) reflexus**
- Gothe, R.; and Imhoff, N., 1975, Berl. u. Munchen. Tierarztl. Wchnschr., v. 88 (22), 431-436  
 arthropods, incidence in carrier pigeons, variation with host age: Germany
- Argas reflexus**
- Roman, E.; and Pichot, J., 1976, Bull. Mens. Soc. Linn. Lyon, v. 45 (9), 294-296  
 Lyon
- Argas (Persicargas) robertsi Hoogstraal, Kaiser and Kohls (1968)**
- Hoogstraal, H.; et al., 1975, Southeast Asian J. Trop. Med. and Pub. Health, v. 6 (4), 532-539  
*Argas robertsi*, life cycle and development using domestic pigeons as experimental hosts, comparison of population samples from Taiwan, Thailand, Indonesia, Australia and Sri Lanka

- Argas (Persicargas) robertsi* Hoogstraal, Kaiser & Kohls, illus.  
Hoogstraal, H.; Kaiser, M. N.; and McClure, H. E., 1974, J. Med. Entom., v. 11 (5), 513-524  
Argas robertsi, geographic distribution, habitats, host range and movements, virus infections  
domestic chickens: Queensland, Australia  
+*Phalacrocorax* sp. (nest): Northern Territory, Australia  
+domestic chicken (cage): Sri Lanka  
*Phalacrocorax carbo novaehollandiae*: New South Wales, Australia  
+*Threskiornis molucca* (nest): Northern Territory, Australia  
+*Egretta alba* (nest): Northern Territory, Australia  
+*Ardea picata* (nest): Northern Territory, Australia  
human: West Java, Indonesia  
*Egretta garzetta nigripes*: West Java, Indonesia  
+*Bubulcus ibis* (nest): West Java, Indonesia  
*Anastomus oscitans*: Thailand  
*Otus bakkamoena*: Thailand  
*Pelecanus philippensis philippensis*: Thailand  
under bark of neem trees: West Bengal, India  
+*Ardea cinerea rectirostris* (trees with nests of): Sri Lanka  
+*Anastomus oscitans* (trees with nests of): Sri Lanka  
+*Phalacrocorax* sp. (trees with nests of): Sri Lanka  
*Nycticorax nycticorax*: Taiwan  
+*Nycticorax nycticorax* (below rookery): Thailand
- Argas (Secretargas) transgariepinus* (White)  
Varma, M. G. R.; and Converse, J. D., 1976, J. Med. Entom., v. 13 (1), 65-70  
Keterah virus infections in Argas spp.
- Argas vespertilionis* Latreille, 1796  
Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Argas (Carios) vespertilionis* (Latreille)  
Varma, M. G. R.; and Converse, J. D., 1976, J. Med. Entom., v. 13 (1), 65-70  
Keterah virus infections in Argas spp.
- Argas vulgaris*  
Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317  
ixodid and argasid ticks, fine structure and function of palpal receptor organ
- Argas (Persicargas) walkerae*  
Gothe, R.; and Kunze, K., 1974, Proc. 6. Internat. Conf. World Ass. Adv. Vet. Parasitol. (Vienna, Austria, Sept. 18-20, 1973), 369-382  
Argas walkerae larvae causing tick paralysis in chicken, neuropharmacological investigation to assess whether the assumed toxin has an action on the acetylcholine system and whether such action has a role in pathogenesis of tick paralysis
- Argas (Persicargas) walkerae*  
Gothe, R.; and Kunze, K., 1976, Ztschr. Parasitenk., v. 50 (2), 188  
Argas walkerae-induced paralysis, vulnerability of nervus ischiadicus
- Argasidae*  
Edwards, M. A., 1975, Tr. Zool. Soc. London, v. 33 (1), 1-75  
chaetotaxy of the pedipalps and legs of larval Argasidae
- Argasidae*  
Lancaster, J. L., jr., 1973, Bull. (779), Arkansas Agric. Exper. Station, 39 pp.  
Ixodidae and Argasidae, guide to ticks of Arkansas
- Argathona macronema* (Bleeker, 1857), illus.  
Monod, T., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (319), Zool. (226), 999-1004  
synonymy  
*Chelonia mydas* (oeil): Ras Ngomeni, Kenya
- Argathona similis* Richardson, 1910  
Monod, T., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (319), Zool. (226), 999-1004  
as syn. of *Argathona macronema* (Bleeker, 1857)
- Argimenopon* Eichler, 1946  
Scharf, W. C.; and Price, R. D., 1977, Ann. Entom. Soc. Am., v. 70 (5), 815-822  
subgen. of Amyrsidea key
- Argitis*, n. gen.  
Yunker, C. E.; and Saunders, R. C., 1973, J. Med. Entom., v. 10 (4), 371-381  
Macronyssidae, tod: *A. oryzomys*, n. sp.
- Argitis oryzomys*, n. sp., illus. (tod)  
Yunker, C. E.; and Saunders, R. C., 1973, J. Med. Entom., v. 10 (4), 371-381  
Oryzomys concolor: Bolivar, 12 km S, 43 km E Caicara (Hato La Florida), Venezuela  
*O. bicolor*: Sucre, 7 km N, 5 km E guiria (Ensenada Cauranta), Venezuela
- Argulus*  
Gerard, J. P., 1976, Bull. Franc. Piscicult. (262), 1-4  
masoten treatment of fish parasites, toxicity
- Argulus Muller*  
Thomas, M. M.; and Devaraj, M., 1977, Indian J. Fish., v. 22 (1-2), 1975, 215-220  
key to Indian species  
includes: *A. siamensis*; *A. puthenveliensis*; *A. fluvialis* sp. n.; *A. siamensis peninsularis*; *A. giganteus*; *A. indicus*; *A. bengalensis*
- Argulus cauveriensis* sp. nov., illus.  
Thomas, M. M.; and Devaraj, M., 1977, Indian J. Fish., v. 22 (1-2), 1975, 215-220  
caught free: Hoginekal, Cauvery river, South India

- Argulus chesapeakensis* sp. n. Cressey  
 Rawson, M. V., jr., 1977, *J. Fish Biol.*, v. 10 (5), 441-451  
 crustacean parasites of *Mugil cephalus*, prevalence and intensity of infection, seasonal abundance, distribution on yearlings indicates a high degree of habitat subdivision on gill arches: Sapelo Island, Georgia
- Argulus coregonum*  
 Wissmath, P., 1975, *Fisch u. Umwelt* (1), 127-134  
 parasitic Crustacea of freshwater fish, descriptions, life cycles, pathology, control, review: Germany
- Argulus flavescens*  
 Gruninger, T. L.; Murphy, C. E.; Britton, J. C., 1977, *Southwest. Nat.*, v. 22 (4), 525-535  
*Ictalurus punctatus*  
*Aplodinotus grunniens*  
*Micropterus salmoides*  
*Lepomis macrochirus*  
 all from Eagle Mountain Lake, Texas
- Argulus fluviatilis* sp. nov., illus.  
 Thomas, M. M.; and Devaraj, M., 1977, *Indian J. Fish.*, v. 22 (1-2), 1975, 215-220  
 key  
 caught free: Hoginekal, Cauvery river, 33 miles by river above Mettur Dam, South India
- Argulus foliaceus* (L.)  
 Dabrowska, Z., 1970, *Acta Parasitol. Polon.*, v. 17 (20-38), 189-193  
*Abramus brama* (gills): Vistula River near Warsaw
- Argulus foliaceus*, illus.  
 Haase, W., 1975, *Ztschr. Morphol. Tiere*, v. 81 (4), 343-353  
*Argulus foliaceus*, ultrastructural changes in fields of carapace with changes of ion concentration in habitat, acute changes when put into distilled water or 1% sodium chloride solution, small changes with gradual adaptation to lower concentrations
- Argulus foliaceus* (L. 1758)  
 Lee, R. L. G., 1977, *Lond. Naturalist* (1976) (56), 57-70  
*Rutilus rutilus* (gills)  
*Perca fluviatilis* (epidermis)  
 all from Serpentine lake, Hyde Park and Kensington Gardens, central London
- Argulus foliaceus*, illus.  
 Wissmath, P., 1975, *Fisch u. Umwelt* (1), 127-134  
 parasitic Crustacea of freshwater fish, descriptions, life cycles, pathology, control, review: Germany
- Argulus funduli*  
 Rawson, M. V., jr., 1977, *J. Fish Biol.*, v. 10 (5), 441-451  
 crustacean parasites of *Mugil cephalus*, prevalence and intensity of infection, seasonal abundance, distribution on yearlings indicates a high degree of habitat subdivision on gill arches: Sapelo Island, Georgia
- Argulus giordanii*  
 Marcato, P. S.; and Andreucci, A., 1973, 3. Conveg. Problemi Pesca (Cesenatico, June 3-4, 1972), 21-65  
*Trichodina*, *Argulus giordanii*, pathology, breeding of marine fish, review
- Argulus longicaudatus*  
 Gruninger, T. L.; Murphy, C. E.; Britton, J. C., 1977, *Southwest. Nat.*, v. 22 (4), 525-535  
*Pomoxis annularis* (general body surface, opercular region): Eagle Mountain Lake, Texas
- Argulus maculosus* Wilson  
 Knuckles, J. L., 1977, *J. Parasitol.*, v. 63 (2), 383  
*Lepomis macrochirus*: Sand Hole, Lumberton, North Carolina
- Arisocerus* Brennan 1970  
 Brennan, J. M.; and Goff, M. L., 1977, *J. Parasitol.*, v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Armillifer armillatus*  
 Amy, D.; et al., 1974, *Medecine Trop.*, v. 34 (2), 273-278  
*Armillifer armillatus* resulting in human pentastomiasis, need for diagnostic awareness in non-endemic areas, clinical aspects: France
- Armillifer armillatus*  
 Cappuccinelli, P., 1972, *Parassitologia*, v. 14 (2-3), 255-260  
*Armillifer armillatus*, antigens, complement fixation and immunodiffusion studies of antibody response in rabbit; identification of active fractions by immunoelectrophoresis; immunodiffusion tests against *Echinococcus granulosus*, *Fasciola hepatica*, *Dicrocoelium dendriticum*, *Onchocerca volvulus* and *Ascaris suum*, no common antigens found
- Armillifer armillatus* Wyman 1847  
 Cappuccinelli, P.; and Maetinetto, P., 1972, *Parassitologia*, v. 14 (2-3), 251-254  
*Armillifer armillatus*, nymph homogenate, disc electrophoresis fractionation, protein, glycoprotein, lipoprotein, mucopolysaccharide and RNA fractions  
*Cercopithecus sabaeus*: Liberia (West Africa)
- Armillifer armillatus*  
 Discamps, G.; and Albert, J. P., 1974, *Medecine Trop.*, v. 34 (2), 279-285  
*Armillifer armillatus* causing human pentastomiasis, pathological and clinical findings, diagnosis
- Armillifer armillatus*, illus.  
 Smith, J. A.; et al., 1975, *Ann. Trop. Med. and Parasitol.*, v. 69 (4), 503-512  
*Armillifer armillatus*, human, case report of severe disseminated porocephalosis with paraplegia and gangrene and coexisting Hodgkin's disease; review of 60 other cases shows *Armillifer* infestation as 3rd commonest cause of hepatic granulomata, possible congenital case as well as 1st cutaneous involvement are reported, malignant tumors were associated with 33% of the cases, suggested that pentastomes may be able to cause neoplasia

*Armillifer armillatus*

Young, E., 1975, J. South African Vet. Ass., v. 46 (4), 335-336  
*Panthera pardus*: Kruger National Park

*Armillifer moniliformis*

Banaja, A. A.; James, J. L.; and Riley, J., 1977, Internat. J. Parasitol., v. 7 (1), 27-40  
*Reighardia sternai*, *Porocephalus crotali*,  
*Armillifer moniliformis*, tegumental chloride  
 cells (previously termed cuticular cells),  
 ultrastructure, osmoregulatory function

*Armillifer moniliformis heymonsi*, illus.

Kugi, G., 1977, Nippon Zuyusi-Kai Zassi, (J. Japan Vet. Med. Ass.), v. 30 (3), 152-153  
*Python reticulatus* (lung): captured in Southeast Asia, died in "Amazonland", Beppu, Oita Prefecture

## Arthropoda

Andreiko, O. F., 1973, [Parasites of mammals of Moldavia], 184 pp., illus.  
 parasites of mammals, parasite lists, descriptions, host lists, ecology, geographic distribution, epidemiological and epizootiological distribution, monographic review: Moldavian SSR

## Arthropoda

Beesley, W. N., 1974, Proc. 6. Internat. Conf. World Ass. Adv. Vet. Parasitol. (Vienna, Austria, Sept. 18-20, 1973), 349-368  
 review of arthropods which may affect man as zoonoses

## Arthropoda

Benjamini, E.; and Feingold, B. F., 1970, Immun. Parasitic Animals (Jackson, Herman and Singer), v. 2, 1061-1134  
 immunity to arthropods, review

## Arthropod[a] sp.

Cheong, W. H.; Wee, T. S.; and Stiller, D., 1975, Southeast Asian J. Trop. Med. and Pub. Health, v. 6 (3), 453-454 [Demonstration]  
 Arthropod[a] sp. removed from scalp lesion of young child, further identification not possible: Kemaman, Trengganu

## Arthropod[a sp.], unidentified

Harinasuta, C.; Guptavanij, P.; and Vasuvat, C., 1974, Southeast Asian J. Trop. Med. and Pub. Health, v. 5 (1), 105-127  
*Tupaia glis*: mangrove areas of Thailand

## Ascidae [sp.]

Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Peromyscus leucopus noveboracensis*: Coles County, Illinois

## Ascodipteron, illus.

Audy, J. R.; Radovsky, F. J.; and Vercammen-Grandjean, P. H., 1972, J. Med. Entom., v. 9 (6), 487-494

## Ascodipteron minor, n. sp., illus.

Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Miniopterus minor* (near orbit of eye): Am-boni caves, Tanza, Tanzania

## Ascodipteron phyllorhinae Adensamer, 1896

Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569

*Hipposideros diadema*: Batu caves, Selangor

## Ascoschoengastia (L[aurentella]) indica (Hirst)

Dohany, A. L.; Phang, O. W.; and Rappmund, G., 1977, Southeast Asian J. Trop. Med. and Pub.

Health, v. 8 (2), 200-206

*Rattus tiomanicus*

*R. muelleri*

*R. whiteheadi*

*Callosciurus notatus*

*Rattus exulans*

*R. r. diardii*

all from North Borneo

## Ascoschoengastia indica

Hadi, T. R.; et al., 1976, Southeast Asian J. Trop. Med. and Pub. Health, v. 7 (1), 113-114

*Rattus rattus diardii*

*R. norvegicus*

*Suncus murinus*

all from Jakarta, Indonesia

## Ascoschoengastia (Laurentella) indica

Hadi, T. R.; et al., 1976, Southeast Asian J. Trop. Med. and Pub. Health, v. 7 (3), 487-489

*Rattus argentiventer*

*R. norvegicus*

*R. r. diardii*

*Mus musculus*

all from Ancol, Jakarta, Indonesia

## Ascoschoengastia indica (Hirst)

Reisen, W. K.; et al., 1975, Kalikasan, v. 4 (2), 145-154

*Rattus luzonicus*: Luzon, Philippines

## Ascoschoengastia latyschevi Schluger

Gopachenko, I. M.; Volkov, V. I.; and Chernykh, P. A., 1976, Zool. Zhurnal, v. 55 (8), 1157-1162

*Clethrionomys rufocanus*: Priamurie

## Ascoschoengastia latyshevi, illus.

Sixl, W.; Jakopic, E.; and Waltinger, H., 1973, Mikroskopie, v. 29 (5-6), 187-191

Ascoschoengastia latyshevi larvae, gold coating technique for scanning electron microscopy

## Ascoschoengastia (L[aurentella]) loriensis (Gunther)

Dohany, A. L.; Phang, O. W.; and Rappmund, G., 1977, Southeast Asian J. Trop. Med. and Pub.

Health, v. 8 (2), 200-206

collected during chigger survey of North Borneo

## Astellus oestrum: Olivier, 1789

Trilles, J.-P.; and Vala, J.-C., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 967-976

as syn. of *Cymothoa oestrum* (L., 1758) Fabricius, 1793

## Astellus physodes: Olivier, 1789

Trilles, J. P., 1975, Bull. Mus. National

Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377

as syn. of *Anilocra physodes* (L., 1758)

- Asiochirus blarina**  
 Whitaker, J. O., jr.; Jones, G. S.; and  
 Pascal, D. D., jr., 1975, J. Elisha Mitchell  
 Scient. Soc., v. 91 (1), 13-17  
*Blarina brevicauda*: Fires Creek area, Nan-  
 tahala Mountains, North Carolina
- Asiochirus chimarragale sp. n.**  
 Fain, A., 1976, Acta Zool. et Path. Antverpi-  
 ensia (64), 37-67  
*Chimarragale himalayica*: Mont Carin, Birmanie
- Asiochirus crocidurae sp. n.**  
 Fain, A., 1976, Acta Zool. et Path. Antverpi-  
 ensia (64), 37-67  
*Crocidura hodgsoni*: Katmandu, Nepal
- Aspidoptera new species**  
 Whitaker, J. O., jr.; and Mumford, R. E.,  
 1977, Entom. News, v. 88 (9-10), 255-258  
*Sturnira lilium*: Minas Gerais, Brazil
- Asternolaelaps Berlese**  
 Athias-Henriot, C., 1977, J. Austral. Entom.  
 Soc., v. 16 (3), 225-235  
*Liroaspidae*
- Astigmata**  
 Edler, A.; and Nilsson, A., 1973, Entom.  
 Scand., v. 4 (4), 274-282  
 ectoparasites of small mammals from two  
 woodland habitats, seasonal variation, fre-  
 quency and intensity of infestation, numer-  
 ical comparison of ectoparasitic groups:  
 southern Sweden
- Astrida (Cerylonysus) chlorocerylei nov. spec.**  
 (tod of subgen.), illus.  
 Fain, A.; and Aitken, T. H. G., 1970, Acarolo-  
 gia, v. 12 (2), 326-338  
*Chloroceryle aenea* (fosses nasales): Sapu-  
 cajuba, IPEAN, Belem, Bresil
- Astrida coccyzae Pence 1972**  
 Pence, D. B.; and Casto, S. D., 1976, J. Para-  
 sitol., v. 62 (3), 466-469  
*Coccyzus americanus*: near Millett, La Salle  
 County, Texas
- Atelopalme Brennan and Reed 1973**  
 Brennan, J. M.; and Goff, M. L., 1977, J. Para-  
 sitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in  
 the Western Hemisphere
- Atopomelinae**  
 Domrow, R., 1970, Acarologia, v. 12 (2), 415-  
 420  
 as syn. of Chirodiscinae
- Atricholaelaps megaventralis Strandtmann, 1947**  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of Androlaelaps casalis (Berlese,  
 1887)
- Atricholaelaps sigmodoni Strandtmann, 1946**  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of Androlaelaps fahrenholzi (Berlese,  
 1911)
- Atricholaelaps sigmodoni Randolph & Eads, 1946**  
 (in part) (not Strandtmann, 1946)  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of Androlaelaps geomys (Strandtmann,  
 1949)
- Atyphloceras echis**  
 Bigescue, H. J., 1976, Great Basin Nat., v. 36  
 (4), 475-480  
 fleas of Peromyscus maniculatus sonoriensis  
 and 3 sympatric rodents compared, degree of  
 flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Microtus longicaudus latus*  
 all from western Utah
- Atyphloceras echis echis Jordan & Rothschild**  
 Haas, G. E.; et al., 1973, J. Med. Entom.,  
 v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geo-  
 graphic distribution, host and nest prefer-  
 ence, sex ratio, degree of plague infection  
*Peromyscus truei*: west of Rio Grande in and  
 near Jemez Mts., New Mexico
- Atyphloceras multidentatus**  
 Coultrip, R. L.; et al., 1973, J. Med. Entom.,  
 v. 10 (3), 303-309  
 fleas, ticks, mammals, survey for vectors  
 and reservoir hosts of Rocky Mountain spot-  
 ted fever and sylvatic plague, serological  
 evidence for presence of rickettsial agent  
 but presence of plague not demonstrated  
*Peromyscus californicus*  
*P. truei*  
*Neotoma fuscipes*  
*Microtus californicus*  
 all from Fort Ord, California
- Atyphloceras multidentatus**  
 Nelson, B. C.; and Smith, C. R., 1976, J. Med.  
 Entom., v. 13 (1), 51-61  
*Neotoma cinerea*: Lava Beds National Monu-  
 ment, California
- Atyphloceras nuperum (Jord.)**  
 Haitlinger, R., 1975, Polskie Pismo Entom., v.  
 45 (2), 373-396  
 seasonal variance  
*Clethrionomys glareolus*: Gory Sowie
- Audya nasicola Vercammen-Grandjean, 1956**  
 Vercammen-Grandjean, P. H., 1975, Rev. Zool.  
 Africaine, v. 89 (2), 397-439  
 as syn. of Schoengastiella (Audya) nasicola  
 (Vercammen-Grandjean)
- Aurelianaria trichoglossi nov. spec., illus.**  
 Fain, A., 1970, Acarologia, v. 12 (2), 313-325  
*Trichoglossus haematocephalus forsteni* (fosses  
 nasales): originaire de Nouvelle-Guinee et  
 mort a Anvers
- Auricotes Keler, 1939**  
 Tendeiro, J., 1975, Garcia de Orta, s. Zool.,  
 v. 4 (1), 57-69  
*Goniodidae*  
 key, phylogenetic position
- Auricotes sp., illus.**  
 Tendeiro, J., 1975, Garcia de Orta, s. Zool.,  
 v. 4 (1), 57-69

- Australomyobia* g. n. (type genus of tribe)  
 Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621  
*Myobiidae, Myobiinae, Australomyobiini tr.nov.*  
 tod: *A. dasycercus* spec. nov.
- Australomyobia dasycercus* spec. nov. (tod)  
 Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621  
*Dasyurus cristicauda:* Charlotta Waters,  
 Central Australia
- Australomyobiini* tr. nov.  
 Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621  
*Myobiinae*  
 type genus: *Australomyobia* g. n.
- Austromenopon* sp.  
 Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Halcyon chloris:* New Hebrides
- Austromenopon beckii* (Kellogg, 1906)  
 Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
*Phaethon rubricauda rothschildi:* Eastern Island, Midway Atoll, Pacific Ocean
- Austromenopon paululum* (Kellogg & Chapman, 1899)  
 Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
*Puffinus nativitatis:* Eastern Island, Midway Atoll, Pacific Ocean
- Austromyobia* Lawrence, 1954  
 Fain, A.; and Lukoschus, F., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 622-632  
 subgen. of *Radfordia*
- Austropsylla* Holland, 1971  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis
- Austropsylla brevipecten* Holland, 1971, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 diagnosis
- Aviaogadenus* n/sg [nomen nudum]  
 Pospelova-Shtrom, M. V., 1969, Acarologia, v. 11 (1), 1-22 [Author reference published in Supplement 21 as 1969 a]
- Aviaogadenus* Pospelova-Shtrom, 1969, subgenus  
 Keirans, J. E.; Hoogstraal, H.; and Clifford, C. M., 1977, Ann. Entom. Soc. Am., v. 70 (2), 221-228  
 nomen nudum
- Axiogastia* Loomis 1966  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere

- Babiangia** (*Iguanacarus*) *danieli* sp. n., illus.  
Dusbabek, F.; and Cerny, V., 1970, *Acarologia*,  
v. 12 (2), 269-281
- Crocethia alba* (nasal cavity): Island Tio  
Pepe, Prov. of Las Villas, Cuba
- Squatarola squatarola* (nasal cavity): Cayo  
Monas Island, Prov. of Las Villas, Cuba
- Larus argentatus smithsonianus* (nasal cavity): Cayo Lanzanillo Island, Prov. of Las  
Villas, Cuba
- Thalasseus sandvicensis acuflavidus* (nasal cavity): El Socorro Island, Prov. of Las  
Villas, Cuba
- Thalasseus maximus maximus* (nasal cavity):  
El Socorro Island, Prov. of Las Villas,  
Cuba
- Babiangia parvifera* (Womersley)  
Nadchatram, M.; and Kethley, J., 1974, *J. Med.*  
*Entom.*, v. 11 (5), 581-587
- Riopa bowringi* (tail; between fore and hind  
legs): northeastern Thailand
- Bakericheyla chanayi* (Berlese & Trouessart)  
McGroarty, D. L.; and Dobson, R. C., 1974, *Am.*  
*Midland Naturalist*, v. 91 (2), 479-486
- ectoparasites, seasonal fluctuations  
*Passer domesticus*: northwestern Indiana
- Bakerocoptes cynopteris*  
Lavoipierre, M. M. J.; Rajamanickam, C.; and  
Ward, P., 1965, *Med. J. Malaya*, v. 20 (2), 173
- zoocoecidia induced in wing membrane of  
*Cynopterus brachyotis* by *Bakerocoptes cynop-*  
*teris*: Singapore
- Bariaka Cressey*, 1966  
Cressey, R. F., 1977, *Tr. Am. Micr. Soc.*,  
v. 96 (4), 467-476
- Syn.*: *Protodactylina Laubier*, Maillard &  
Oliver
- Bariaka pamelae* (Laubier, Maillard & Oliver)  
[n. comb.], illus.  
Cressey, R. F., 1977, *Tr. Am. Micr. Soc.*,  
v. 96 (4), 467-476
- redescription  
[Syn.]: *Protodactylina pamelae* Laubier,  
Maillard & Oliver
- Notorhynchus maculatus* (gill bar): 1/2 mile  
off Oyster Point, San Francisco Bay, California
- Basilia** new species  
Whitaker, J. O., jr.; and Mumford, R. E.,  
1977, *Entom. News*, v. 88 (9-10), 255-258
- Myotis riparius*: Minas Gerais, Brazil
- Basilia antrozoi**  
Whitaker, J. O., jr.; and Easterla, D. A.,  
1975, *Southwest. Nat.*, v. 20 (2), 241-254
- Lasiurus cinereus*  
*Antrozous pallidus*  
all from Big Bend National Park, Texas
- Basilia** (*Tripselia*) *blainvillii amiculata*  
(Speiser, 1907)  
Theodor, O., 1973, *J. Med. Entom.*, v. 10 (6),  
556-569
- Taphozous longimanus*  
*T. saccolaimus*  
all from Bukit Lagong forest reserve, Selangor
- Basilia borneensis** Theodor, 1967  
Theodor, O., 1973, *J. Med. Entom.*, v. 10 (6),  
556-569
- Murina huttoni*: Gunong Benom, Pahang
- Basilia** (*Conotibia*) *compar* Theodor, 1967  
Theodor, O., 1973, *J. Med. Entom.*, v. 10 (6),  
556-569
- Kerivoula hardwickei*  
*Myotis mystacinus muricola*  
all from Bukit Lagong forest reserve,  
Selangor
- \* \* \*
- Basilia** (*Tripselia*) *coronata indivisa* Theodor,  
1967  
Theodor, O., 1973, *J. Med. Entom.*, v. 10 (6),  
556-569
- unidentified bat: Selangor
- Basilia corynorhini**  
Whitaker, J. O., jr.; and Easterla, D. A.,  
1975, *Southwest. Nat.*, v. 20 (2), 241-254
- Leptonycteris nivalis*  
*Plecotus townsendii*  
all from Big Bend National Park, Texas
- Basilia forcipata**  
Whitaker, J. O., jr.; and Easterla, D. A.,  
1975, *Southwest. Nat.*, v. 20 (2), 241-254
- Myotis thysanodes*: Coahuila, Mexico  
*M. volans*: Coahuila, Mexico  
*Eptesicus fuscus*: Coahuila, Mexico  
*Euderma*: Rio Arriba Co., New Mexico
- Basilia hispida** Theodor, 1967  
Theodor, O., 1973, *J. Med. Entom.*, v. 10 (6),  
556-569
- Tylonycteris pachypus*  
*T. robustula*  
all from Selangor (Java)
- Basilia kerivoulae**, n. sp., illus.  
Theodor, O., 1973, *J. Med. Entom.*, v. 10 (6),  
556-569
- Kerivoula lanosa*: King William's Town,  
South Africa
- Basilia magnocula** (Schuurmans Stekhoven, 1942)  
Theodor, O., 1973, *J. Med. Entom.*, v. 10 (6),  
556-569
- Myotis horsfieldi*: Selangor
- Basilia meridionalis** Theodor, 1956  
Theodor, O., 1973, *J. Med. Entom.*, v. 10 (6),  
556-569
- near King William's Town, South Africa
- Basilia monocula** Theodor, 1967  
Theodor, O., 1973, *J. Med. Entom.*, v. 10 (6),  
556-569
- Pipistrellus* sp.: Selangor
- Basilia pudibunda** Schuurmans Stekhoven, 1941  
Theodor, O., 1973, *J. Med. Entom.*, v. 10 (6),  
556-569
- Myotis aduersus*: Singapore

- Basilia rondanii*  
Whitaker, J. O., jr.; and Easterla, D. A.,  
1975, Southwest. Nat., v. 20 (2), 241-254
- Myotis yumanensis*  
*M. volans*  
*Pipistrellus hesperus*  
*Eudermia maculatum*  
*Antrozous pallidus*  
all from Big Bend National Park, Texas
- Basilia (Paracyclopodia) royliei* (Westwood, 1835)  
Theodor, O., 1973, J. Med. Entom., v. 10 (6),  
556-569  
*Scotophilus temmincki*: Bukit Besar; Jalor,  
Biserat; Perak
- Basilia rybini japonica*, n. subsp., illus.  
Theodor, O., 1973, J. Med. Entom., v. 10 (6),  
556-569  
*Myotis frater*: Sarubetsu, Hokkaido, Japan
- Basilia saccata* Theodor, 1968  
Theodor, O., 1973, J. Med. Entom., v. 10 (6),  
556-569  
*Tylonycteris pachypus*: Tenasserim, southern  
end of Burma on Kra Isthmus
- Basilia (Tripselia) triseriata* Theodor, 1967  
Theodor, O., 1973, J. Med. Entom., v. 10 (6),  
556-569  
*Nyctalus stenopterus*: Kuala Lumpur, Selangor
- Beamerella* Brennan 1958  
Brennan, J. M.; and Goff, M. L., 1977, J. Par-  
asitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in  
the Western Hemisphere
- Bedfordia Keler*, 1938 (nec Fahrenholz)  
Emerson, K. C.; and Price, R. D., 1975, Brig-  
ham Young Univ. Sc. Bull., Biol. ser., v. 20  
(3), 1-77  
as syn. of *Suricatoecus Bedford*, 1932
- Berlesella* sp.  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),  
189-199  
arthropods ectoparasitic upon mammals and  
birds, factors affecting host specificity  
*Collocalia esculenta*: New Hebrides
- Bernia Allred & Beck*, 1966  
Tanigoshi, L. K.; and Loomis, R. B., 1974,  
Melanderia, v. 17, 1-27  
as syn. of *Hyponeocula Vercammen-Grandjean*,  
1960, new status
- Bernia marita Allred & Beck*, 1966  
Tanigoshi, L. K.; and Loomis, R. B., 1974,  
Melanderia, v. 17, 1-27  
as syn. of *Hyponeocula arenicola* (Loomis)  
n. comb.
- Bewsiella fiedermaus* Domrow, 1958  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),  
189-199  
arthropods ectoparasitic upon mammals and  
birds, factors affecting host specificity  
*Hippobosca galeritus*: New Hebrides
- Binuncus (Metabinuncus)* Fain, 1972  
Fain, A., 1976, Acta Zool. et Path. Antverpi-  
ensia (64), 3-32  
as syn. of *Metabinuncus bougainvilleensis*  
(Fain, 1972) comb. nov.
- Binuncus (Metabinuncus) corbetti* sp. n.  
Fain, A., 1973, Rev. Zool. et Botan. Afri-  
caines, v. 87 (3), 614-621  
*Hippobosca calcaratus*: Iles Salomon
- Binuncus (Metabinuncus) corbetti* Fain, 1973  
Fain, A., 1976, Acta Zool. et Path. Antverpi-  
ensia (64), 3-32  
as syn. of *Metabinuncus bougainvilleensis*  
(Fain, 1972) comb. nov.
- Binuncus novaeguineae* Fain, 1972  
Fain, A., 1976, Acta Zool. et Path. Antverpi-  
ensia (64), 3-32  
as syn. of *Metabinuncus novaeguineae* (Fain,  
1972) comb. nov.
- Blankaartia Oudemans* 1911  
Brennan, J. M.; and Goff, M. L., 1977, J. Par-  
asitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in  
the Western Hemisphere
- Blankaartia acuscutellaris* (Walch)  
Dohany, A. L.; Phang, O. W.; and Rapmund, G.,  
1977, Southeast Asian J. Trop. Med. and Pub.  
Health, v. 8 (2), 200-206  
*Rattus muelleri*: North Borneo
- Blarinobia Jameson*, 1955  
Fain, A., 1976, Acta Zool. et Path. Antverpi-  
ensia (64), 3-32  
key
- Blarinobia simplex*  
Basolo, F., jr.; and Funk, R. C., 1974, Tr.  
Illinois State Acad. Sc., v. 67 (2), 211-221  
*Cryptotis parva parva*: Coles County,  
Illinois
- Blix* Brennan and Yunker 1966  
Brennan, J. M.; and Goff, M. L., 1977, J. Par-  
asitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in  
the Western Hemisphere
- Blowfly*  
Morley, F. H. W.; et al., Austral. Vet. J.,  
v. 52 (7), 325-329  
blowfly strike incidence in breech region  
of radically mulesed weaner sheep, predispo-  
sition to flystrike resulted from helminths  
causing diarrhoea and soiling of wool
- Bomolochus concinnus*  
Rawson, M. V., jr., 1977, J. Fish Biol., v.  
10 (5), 441-451  
crustacean parasites of *Mugil cephalus*,  
prevalence and intensity of infection, sea-  
sonal abundance, distribution on yearlings  
indicates a high degree of habitat subdivi-  
sion on gill arches: Sapelo Island, Georgia

- Bomolochus cuneatus* Fraser, 1920  
 Hanan, D. A., 1976, Bull. South. Calif. Acad. Sc., v. 75 (1), 22-28  
*Cymatogaster aggregata*  
*Embiotoca jacksoni*  
*Phanerodon furcatus*  
*Damalichthys vacca*  
 all from Anaheim Bay and Huntington Harbor, California
- Bomolochus kanagurta* Pillai, 1965  
 Avdeev, G. V., 1977, Biol. Moria, Vladivostok (6), 12-30  
 as syn. of *Nothobomolochus kanagurta* (Pillai, 1965)
- Bomolochus sardinellae* sp. nov., illus.  
 Bennet, P. S., 1964, J. Marine Biol. Ass. India, v. 6 (1), 84-88  
*Sardinella gibbosa* (eye ball): Mandapam, South India
- Bonomiella Conci*, 1942  
 Złotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *B. columbae* Emerson, 1957
- Bonomiella columbae* Emerson  
 Fedorenko, I. A.; and Kharchenko, V. I., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (3), 84-85  
 [pigeons]: Veliko-Novoselkovsk region, Donetsk oblast, Ukrainian SSR
- Bonomiella columbae* Emerson, 1957, illus.  
 Lunkashu, M. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 214-226  
 description  
 [domestic pigeon]: Moldavian SSR
- Boophilus* sp.  
 Dwivedi, S. K.; Sharma, S. P.; and Gautam, O. P., 1976, Indian Vet. J., v. 53 (6), 469-472  
*Babesia bigemina*, exotic and cross-bred cattle, 3 clinical cases, berenil with belamyl as supportive therapy; *Boophilus* sp. tick recovered from one cow: India
- Boophilus annulatus*  
 Converse, J. D.; et al., 1974, Tr. Roy. Soc. Trop. Med. and Hyg., v. 68 (5), 411-412 [Letter]  
 Cameroun
- Boophilus annulatus* (Say)  
 Drummond, R. O.; et al., 1976, J. Econom. Entom., v. 69 (1), 37-40  
*Boophilus annulatus*, *B. microplus*, acaricides, laboratory tests, spray and dip tests with cattle
- Boophilus annulatus*  
 Gladney, W. J., 1976, ARS-S (102), 5 pp.  
*Boophilus annulatus*, *B. microplus*, tests of fumigants for quarantine station control, particularly for hunting trophies, methyl bromide superior to dichlorvos
- Boophilus annulatus* (Say)  
 Gladney, W. J.; et al., 1973, J. Med. Entom., v. 10 (2), 123-130  
*Boophilus annulatus*, Holstein cattle (exper.), high protein and fat diet vs. low protein and fat diet, effect on host resistance, hematocrit, and serum cholesterol values, and on tick development and numbers; host resistance primarily physiological rather than behavioral (self grooming)
- Boophilus annulatus* (Say)  
 Graham, O. H.; Price, M. A.; and Trevino, J. L., 1972, J. Med. Entom., v. 9 (6), 531-537  
*Boophilus annulatus* and *B. microplus*, cross-mating successful, sterility of males and reduced fertility of females of hybrid offspring, close relationship of species, reproductive isolation
- Boophilus annulatus* Say, 1821  
 Hiregoudar, L. S., 1976, Indian Vet. J., v. 53 (3), 237  
*Axis axis* (neck, shoulders): Gir forest, Gujarat State, India
- Boophilus annulatus* (Say)  
 Meleney, W. P., 1975, J. Parasitol., v. 61 (3), 530-534  
*Tayassu tajacu*: King Ranch, Texas
- Boophilus annulatus* (Say)  
 Wills, W.; and Larouze, B., 1976, Melsheimer Entom. Ser. (21), 1-4  
 cow: Djikoroni, Mali
- Boophilus annulatus* var. *microplus* Neumann, 1901  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Boophilus microplus* (Canestrini, 1887)
- Boophilus annulatus* *microplus* Travis, 1941  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Boophilus microplus* (Canestrini, 1887)
- Boophilus calcaratus*  
 Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317  
 ixodid and argasid ticks, fine structure and function of palpal receptor organ
- Boophilus calcaratus* Birula 1895  
 Mikacic, D., 1972, Acta Parasitol. Jugoslavica, v. 3 (1), 49-54  
 seasonal occurrence: Rab
- Boophilus calcaratus*  
 Trifonov, T., 1975, Vet. Med. Nauki, v. 12 (5), 70-79  
 ticks of farm and wild animals, seasonal distribution: Burgas district [and/or] Michurin
- Boophilus decoloratus*  
 Ashford, R. W.; et al., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (4), 568-601  
 cows: Kutaber area, Ethiopia

- Boophilus decoloratus**  
Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
Argasidae and Ixodidae, geographic distribution in Ethiopia  
zebu: Ethiopia
- Boophilus decoloratus**  
Bwangamoi, O., 1972, Bull. Epizoot. Dis. Africa, v. 20 (3), 211-220  
ringworm (*Trichophyton equinum*) of horses, concurrent heavy infestation with *Boophilus decoloratus* and one case of *Besnoitia bennetti*, case reports; Uasin Gishu Skin Disease is a misleading name and should be abandoned because it refers to clinical syndrome produced by different causal organisms: Kahawa, Kenya
- Boophilus decoloratus**  
Carmichael, I. H., 1976, Onderstepoort J. Vet. Research, v. 43 (1), 27-29  
*Syncerus caffer*: Ngamiland, Botswana
- Boophilus decoloratus**  
Converse, J. D.; et al., 1974, Tr. Roy. Soc. Trop. Med. and Hyg., v. 68 (5), 411-412 [Letter]  
Cameroun
- Boophilus decoloratus**  
Leeflang, P.; and Illembade, A. A., 1977, Trop. Animal Health and Prod., v. 9 (4), 211-218  
confirmed as vector of *Babesia bigemina*: northern Nigeria
- Boophilus decoloratus** (Koch, 1844)  
Londt, J. G. H., 1976, Onderstepoort J. Vet. Research, v. 43 (3), 143-145  
*Boophilus decoloratus*, fertilization capacity of males
- Boophilus decoloratus** (Koch, 1844), illus.  
Londt, J. G. H.; and Spickett, A. M., 1976, Onderstepoort J. Vet. Research, v. 43 (3), 79-96  
*Boophilus decoloratus*, growth of reproductive organs and gametogenesis in male and female, timing of meiosis, spermiogenesis, mating and sperm relocation in female
- Boophilus decoloratus** (Koch)  
MacLeod, J.; et al., 1977, Bull. Entom. Research, v. 67 (1), 161-173  
seasonal activity and attachment sites of ticks on cattle, infestation patterns on other domestic and wild animals: Central Province of Zambia
- Boophilus decoloratus** (Koch)  
Matthewson, M. D.; Wilson, R. G.; and Hammant, C. A., 1976, Bull. Entom. Research, v. 66 (4), 553-560  
*Boophilus decoloratus*, resistance of 8 strains to organophosphorus and carbamate ixodicides, comparison with Berlin strain of *B. decoloratus* and Biarra strain of *B. microplus*: Rhodesia
- Boophilus decoloratus**  
Matson, B. A.; and Norval, R. A. I., 1977, Rhodesian Vet. J., v. 8 (1), 2-6  
seasonal occurrence of adult ixodid ticks on cattle on a highveld farm: Rhodesia
- Boophilus decoloratus**  
Morzaria, S. P.; and Young, A. S., 1977, Research Vet. Sc., v. 23 (1), 55-58  
*Babesia bigemina*, identification of developmental stages in the haemolymph of *Boophilus decoloratus* using indirect fluorescent antibody technique
- Boophilus decoloratus**  
Morzaria, S. P.; Young, A. S.; and Hudson, E. B., 1977, Parasitology, v. 74 (3), 291-298  
*Babesia bigemina*, successful experimental transmission of a Kenyan strain by *Boophilus decoloratus*, production of tick-derived stabilates
- Boophilus decoloratus**  
Ogunji, F. O.; and Dipeolu, O. O., 1977, Ztschr. Parasitenk., v. 51 (3), 285-288  
*Amblyomma variegatum*, *Hyalomma rufipes*, *Boophilus decoloratus*, larval feeding on scrotum of sheep better than on ears, economical for rearing large numbers of ticks; greatest number of larvae engorged when fed within 1-4 days of hatching
- Boophilus decoloratus** Koch  
Pester, F. R. N.; and Laurence, B. R., 1974, J. Zool., London, v. 174 (3), 397-406  
*Connochaetes taurinus*  
*Giraffa camelopardalis tippelskirchi*  
*Equus burchelli*  
all from Kenya
- Boophilus decoloratus** (Koch)  
Rechav, Y.; and von Maltzahn, H. C., 1977, Ann. Entom. Soc. Am., v. 70 (5), 768-770  
*Boophilus decoloratus*, *Rhipicephalus evertsii*, water loss from eggs at various temperatures and relative humidities and correlation between weight loss, hatching, and saturation deficits
- Boophilus geigyi** Aeschlimann and Morel  
Wills, W.; and Larouze, B., 1976, Melsheimer Entom. Ser. (21), 1-4  
cow: Djikoroni, Mali
- Boophilus microplus**  
Bigg, D. C. H.; and Purvis, S. R., 1976, Nature, London (5565), v. 262, 220-222  
8 muscarinic agonists (compared with nicotine and pyrimithate), activity against *Boophilus microplus*, possible new class of acaricide
- Boophilus microplus**  
Binnington, K. C.; and Rice, M. J., 1977, J. Austral. Entom., v. 16 (1), 80  
*Boophilus microplus*, BTS-27271, rapid transient increase of spike frequency in a coxal nerve, increased motor activity following treatment linked with tendency of tick to detach from host

- Boophilus microplus**, illus.  
Binnington, K. C.; and Stone, B. F., 1977,  
Comp. Biochem. and Physiol., v. 58 (1C), 21-28  
*Boophilus microplus*, anatomical distribution  
of catecholamines
- Boophilus microplus**  
Callow, L. L., 1976, World Animal Rev. (18),  
9-15  
*Anaplasma centrale*, *Babesia argentina*, *B.*  
*bigemina*, cattle, factors in transmission by  
*Boophilus microplus*, immunization with  
strains from splenectomized calves, review:  
Australia
- Boophilus microplus**  
Callow, L. L.; et al., 1976, Austral. Vet.  
J., v. 52 (10), 446-450  
*Babesia argentina*, unvaccinated cattle,  
serological testing by indirect fluorescent  
antibody, strong correlation between infec-  
tion rate and incidence of *Boophilus micro-*  
*plus*: southeastern Queensland
- Boophilus microplus**  
Cherry, L. M., 1976, Insect Biochem., v. 6  
(6), 587-594  
*Boophilus microplus*, utilization of chole-  
sterol, cholesterol economy in the engorged  
female adult
- Boophilus microplus**  
Dalglish, R. J.; and Stewart, N. P., 1976,  
Austral. Vet. J., v. 52 (11), 543 [Letter]  
*Babesia bovis*, development of infective  
forms in unfed *Boophilus microplus* larvae,  
various temperature conditions, possible  
use for vaccine
- Boophilus microplus**  
Dickinson, R. G.; et al., 1976, Austral. J.  
Exper. Biol. and Med. Sc., v. 54 (5), 475-486  
*Boophilus microplus*, characterisation of  
prostaglandin, active component in saliva,  
probable role in establishing feeding lesion
- Boophilus microplus (Canestrini)**  
Drummond, R. O.; et al., 1976, J. Econom. En-  
tom., v. 69 (1), 37-40  
*Boophilus annulatus*, *B. microplus*, acari-  
cides, laboratory tests, spray and dip tests  
with cattle
- Boophilus microplus**  
Fadzil, M.; and Cheah, T. S., 1977, Southeast  
Asian J. Trop. Med. and Pub. Health, v. 8 (1),  
132 [Demonstration]  
trypanosomes discovered in one larva of  
*Boophilus microplus* during survey for Babes-  
ia infection rate in the ticks: Malaysia
- Boophilus microplus**  
Fujisaki, K.; Kitacka, S.; and Morii, T.,  
1976, National Inst. Animal Health Quart., v.  
16 (3), 122-128  
comparative observations, feeding, molting,  
oviposition and hatching, ixodid ticks,  
laboratory cultural conditions
- Boophilus microplus**  
Gladney, W. J., 1976, ARS-S (102), 5 pp.  
*Boophilus annulatus*, *B. microplus*, tests of  
fumigants for quarantine station control,  
particularly for hunting trophies, methyl  
bromide superior to dichlorvos
- Boophilus microplus**  
Gothe, R.; and Hartig, M., 1976, Zentralbl.  
Vet.-Med., Reihe B, v. 23 (3), 243-254  
*Boophilus microplus*, organophosphorus-  
resistant strains, clenpyrin, chlordimeform,  
and chlormethiuron active
- Boophilus microplus (Canestrini)**  
Graham, O. H.; Price, M. A.; and Trevino,  
J. L., 1972, J. Med. Entom., v. 9 (6), 531-537  
*Boophilus annulatus* and *B. microplus*, cross-  
mating successful, sterility of males and  
reduced fertility of females of hybrid off-  
spring, close relationship of species, re-  
productive isolation
- Boophilus microplus**  
Hewetson, R. W.; and Lewis, I. J., 1976, J.  
Parasitol., v. 62 (2), 307-311  
*Boophilus microplus*, cattle, development of  
resistance, comparison of effect of two regi-  
mens of infestation (small doses daily vs.  
large doses intermittently) on total tick  
drop and on repeatability of rankings made  
on animals for tick resistance
- Boophilus microplus**  
Joyner, L. P., 1971, Symposia Brit. Soc. Para-  
sitol., v. 9, 1-37  
laboratory maintenance of tick-borne *Babesia*  
and *Theileria*, extensive review: collection  
of field material and infection of labora-  
tory animals; management and preparation of  
experimental animals; cyclical maintenance;  
mechanical transmission; tissue culture;  
low-temperature preservation
- Boophilus microplus (Canestrini)**  
Higgs, G. A.; et al., 1976, Bull. Entom.  
Research, v. 66 (4), 665-670  
*Boophilus microplus*, prostaglandins in  
saliva, role in feeding mechanisms
- Boophilus microplus (Canestrini, 1887)**  
Jones, E. K.; et al., 1972, Brigham Young  
Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
synonymy  
*Cerdocycon thous*  
*Odocoileus virginianus*  
*Tayassu tajacu*  
*Mazama gouazoubira*  
horse  
*Carollia perspicillata*  
*Sturnira lilium*  
all from Venezuela
- Boophilus microplus Canestrini**  
Kaufman, W., 1976, J. Exper. Biol., London,  
v. 64 (3), 727-742  
fluid secretion by in vitro salivary glands  
of ixodid ticks with progression of feeding,  
control of salivation is probably neural  
rather than hormonal

- Boophilus microplus**  
 Kemp, D. H.; et al., 1976, Parasitology, v. 73 (1), 123-136  
*Boophilus microplus* on British breed cattle with different resistance levels, growth and attachment behaviour of larvae, desiccation of larvae in environment of host skin, movement to and accumulation in favored sites
- Boophilus microplus**  
 Kitaoka, S.; and Suzuki, H., 1974, Eisei Dobutsu (Japan. J. San. Zool.), v. 25 (1), 21-26  
 seasonal prevalence  
*Bos taurus*: southern Amami-oshima Islands
- Boophilus microplus**  
 Kuttler, K. L.; Graham, O. H.; and Trevino, J. L., 1975, Research Vet. Sc., v. 18 (2), 198-200  
 imidocarb treatment of calves at varying intervals before or after exposure to Babesia-infected *Boophilus microplus*, at certain times prevented development of clinical infection or rendered next generation of tick larvae incapable of transmitting Babesia infection
- Boophilus microplus**  
 Leatch, G., 1973, Austral. Vet. J., v. 49 (1), 16-19  
 Anaplasma marginale experimentally transmitted by transfer of various stages of *Boophilus microplus* from an infected calf to uninfected calves; transovarial transfer of infection did not occur
- Boophilus microplus (Canestrini)**  
 McCamish, M.; Cannell, G. R.; and Cherry, L. M., 1977, Lipids, v. 12 (2), 182-187  
*Boophilus microplus*, identity of nonpolar egg wax lipids
- Boophilus microplus**  
 Mahoney, D. F.; and Mirre, G. B., 1974, Research Vet. Sc., v. 16 (1), 112-114  
 extraction of infective material of Babesia argentina from larval stages of *Boophilus microplus*, use in infecting calves, potential source of erythrocyte-free parasites for vaccination and study of antigens
- Boophilus microplus**  
 Mahoney, D. F.; and Mirre, G. B., 1977, Research Vet. Sc., v. 23 (1), 126-127  
*Babesia bovis*, observations on dynamics of transovarial transmission by *Boophilus microplus* allowed selection of larval tick cultures containing a high proportion of infected individuals
- Boophilus microplus**  
 Mansingh, A.; and Rawlins, S. C., 1977, Naturwissenschaft., v. 64 (1), 41  
*Boophilus microplus*, antigenadotropism action of insect hormone analogues, inhibition of oviposition, mortality
- Boophilus microplus**  
 Matthewson, M. D.; Wilson, R. G.; and Hammant, C. A., 1976, Bull. Entom. Research, v. 66 (4), 553-560  
*Boophilus decoloratus*, resistance of 8 strains to organophosphorus and carbamate ixodicides, comparison with Berlin strain of *B. decoloratus* and Biarra strain of *B. microplus*: Rhodesia
- Boophilus microplus, illus.**  
 Megaw, M. W. J., 1977, Cell and Tissue Research, v. 184 (4), 551-558  
*Boophilus microplus*, innervation of salivary gland
- Boophilus microplus, illus.**  
 Moorhouse, D. E.; and Heath, A. C. G., 1975, J. Med. Entom., v. 12 (5), 571-572  
 evidence of parasitism of female ticks by males of the genus *Ixodes*, possible implications for transmission of disease agents
- Boophilus microplus**  
 Nagar, S. K.; Raizada, R. N.; and Saxena, V. K., 1977, Indian J. Animal Sc., v. 47 (10), 654-663  
 cow, undef. breed, Haryana, Sahiwal; Holstein-Friesian, cross-bred (Sahiwal x Friesian)  
 buffalo  
 goat  
 all from Territory of Delhi
- Boophilus microplus**  
 Nolan, J.; and Bird, P. E., 1977, J. Austral. Entom. Soc., v. 16 (3), 252  
*Boophilus microplus*, organophosphorus-resistant strains, effective control of ticks with addition of small quantities of synthetic pyrethroids to organophosphorus acaricides; coefficients of co-toxicity
- Boophilus microplus**  
 Nolan, J.; and Schnitzerling, H. J., 1976, Pesticide Biochem. and Physiol., v. 6 (2), 142-147  
*Boophilus microplus*, acaricide-resistant vs. -susceptible strains, substrate specificity and catalytic efficiency of critical acetyl-cholinesterase component
- Boophilus microplus (Canestrini), illus.**  
 O'Hagan, J. E., 1977, Proc. 15. Internat. Cong. Entom. (Washington, D.C., Aug. 19-27, 1976), 266-276  
*Boophilus microplus*, feeding process, chemical exchanges between mouth parts of ticks and their hosts, oral secretion and morphology of tick salivary gland, review
- Boophilus microplus**  
 O'Kelly, J. C.; and Spiers, W. G., 1976, J. Parasitol., v. 62 (2), 312-317  
*Boophilus microplus*, infestation of British vs. zebu calves in early life (nat. and exper.), differences in resistance, changes in blood composition
- Boophilus microplus**  
 Palmer, W. A., 1976?, Tech. Bull. (12), Dept. Agric. N. South Wales, 1-12  
*Boophilus microplus*, laboratory bioassay of adults for monitoring field dips for efficiency, results show method unsuitable

- Boophilus microplus**  
 Palmer, W. A.; Treverrow, N. L.; and O'Neill, G. H., 1976, *Austral. Vet. J.*, v. 52 (7), 321-324  
 Boophilus microplus, factors affecting probability of detecting infestation of cattle (number of infested cattle in herd, probability of ticks being present on areas of animal examined, efficiency of examination and proportion of herd examined), mathematical expression
- Boophilus microplus**  
 Potgieter, F. T.; and Els, H. J., 1976, *Onderstepoort J. Vet. Research*, v. 43 (3), 123-128  
 Babesia bovis, merozoite development in salivary glands of Boophilus microplus larvae, ultrastructure
- Boophilus microplus**  
 Potgieter, F. T.; Els, H. J.; and van Vuuren, A. S., 1976, *Onderstepoort J. Vet. Research*, v. 43 (1), 1-9  
 Babesia bovis, fine structure of merozoites, in gut epithelium of Boophilus microplus
- Boophilus microplus**  
 Prieto, R.; and Delgado, A., 1975, *Rev. Cubana Cien. Vet.*, v. 5 [on cover], v. 6 [on title page] (1-2), 57-62  
 cattle, incidence and geographic distribution: Cuba
- Boophilus microplus, illus.**  
 Pudney, M.; Varma, M. G. R.; and Leake, C. J., 1973, *J. Med. Entom.*, v. 10 (5), 493-496  
 Boophilus microplus, culture of embryonic cells
- Boophilus microplus (Canestrini)**  
 Rawlins, S. C.; and Mansingh, A., 1977, *J. Econom. Entom.*, v. 70 (6), 697-698  
 Boophilus microplus, Amblyomma cajennense, and Anocentor nitens, susceptibility of Jamaican strains to various acaricides
- Boophilus microplus**  
 Rawlins, S. C.; and Mansingh, A., 1977, *PANS*, v. 23 (2), 137-142  
 Boophilus microplus, Jamaican strain, susceptibility to 35 acaricides, carbamates more effective than organophosphates or formamidines, chlorinated hydrocarbons least effective, comparison of resistance pattern with susceptible and resistant Australian strains
- Boophilus microplus**  
 Roberts, J. A.; and Kerr, J. D., 1976, *J. Parasitol.*, v. 62 (3), 485-488  
 plasma from cattle highly resistant to Boophilus microplus conferred some resistance to unexposed calves, plasma from hosts of low resistance had no significant effect
- Boophilus microplus**  
 Roulston, W. J.; et al., 1977, *Austral. J. Agric. Research*, v. 28 (2), 345-354  
 Boophilus microplus, characterization of three strains of organophosphorus-resistant cattle ticks, resistance to organophosphorus and carbamate acaricides: Bajool, Tully and Ingham, northern Queensland
- Boophilus microplus**  
 Roychoudhury, G. K.; Kalita, C. C.; and Roychoudhury, R. K., 1976, *Indian Vet. J.*, v. 53 (5), 364-367  
 Babesia argentina, exotic calves, clinical symptoms, Berenil, good results, Boophilus microplus recovered from herds: Instructional Livestock Farm, Assam Agricultural University, Khanapara
- Boophilus microplus**  
 Schleger, A. V.; et al., 1976, *Austral. J. Biol. Sc.*, v. 29 (5-6), 499-512  
 Boophilus microplus larvae on cattle, cellular responses, degree of mast cell disruption, eosinophil concentration and degranulation and extent of epidermal vesiculation all greater in highly resistant hosts, possible immune mechanisms and effects on attachment and feeding
- Boophilus microplus, illus.**  
 Schleger, A. V.; and Lincoln, D. T., 1976, *Austral. J. Biol. Sc.*, v. 29 (5-6), 487-497  
 Boophilus microplus larvae feeding on calves, demonstration and characterization of tick enzymes secreted into host at attachment site, probable role as antigens
- Boophilus microplus**  
 Schuntner, C. A.; Roulston, W. J.; and Wharton, R. H., 1974, *Nature* (5455), v. 249, 386  
 Boophilus microplus, Biarra strain, cattle, carbaryl, piperonyl butoxide, alone or in combination, results show that piperonyl butoxide alone is lethal to all stages of tick when used at relatively high concentrations and that it restores full effectiveness to carbaryl against carbaryl-resistant strain of tick
- Boophilus microplus**  
 Schuntner, C. A.; and Thompson, P. G., 1977, *J. Austral. Entom. Soc.*, v. 15 (4), 1976, 388  
 Boophilus microplus larvae, formamidine derivatives, inhibition of carbaryl oxidizing enzyme as primary lesion in lethal action
- Boophilus microplus**  
 Smallman, B. N.; and Riddles, P. W., 1977, *Pesticide Biochem. and Physiol.*, v. 7 (4), 355-359  
 Boophilus microplus, choline acetyltransferase activity uniform between organophosphorus-resistant and -susceptible strains, concluded that two enzymic components of cholinergic system are controlled independently
- Boophilus microplus**  
 Stone, B. F.; Nolan, J.; and Schuntner, C. A., 1976, *Austral. J. Biol. Sc.*, v. 29 (3), 265-279  
 Boophilus microplus, 3 strains, biochemical genetics of resistance to organophosphorus acaricides: inheritance of decreased brain acetylcholinesterase activity, inheritance of decreased AChE sensitivity, inheritance of increased detoxication

*Boophilus microplus*

Stone, B. F.; Wilson, J. T.; and Youlton, N. J., 1976, *Austral. J. Biol. Sc.*, v. 29 (3), 251-263

*Boophilus microplus*, 3 strains, linkage and dominance characteristics of genes for resistance to organophosphorus acaricides and allelic inheritance of decreased brain cholinesterase activity

*Boophilus microplus*

Thompson, K. C., 1976, *Vet. Parasitol.*, v. 2 (2), 223-229

*Boophilus microplus*, establishment and maintenance of colony free of infection with *Anaplasma marginale* and *Babesia* spp., subsequent infection with pure isolate of *Babesia bigemina*; description of life cycle of *Boophilus microplus*

*Boophilus microplus*

Todorovic, R. A.; and Gonzalez, E. F., 1975, *Rev. Inst. Colomb. Agropec.*, v. 10 (2), 243-254

*Babesia bigemina*, *B. argentina*, Holstein-Friesian calves immunized with blood from carrier animals or from inoculated, splenectomized calves, challenge by *Babesia*-infected *Boophilus microplus*, weight gain records; better results with carrier blood

*Boophilus microplus*

Todorovic, R. A.; Gonzalez, E. F.; and Adams, L. G., 1973, *Trop. Animal Health and Prod.*, v. 5 (4), 234-245

*Babesia bigemina*, *B. argentina*, calves, sterile immunity using killed-*Babesia* vaccine, field-borne challenge with *Boophilus microplus* infected ticks; possible important role in mechanism of acquired immunity

*Boophilus microplus*

Varma, M. G. R., 1973, *Tr. Roy. Soc. Trop. Med. and Hyg.*, v. 67 (1), 92-102

*Equus caballus*

*Ovis aries*

*Bos taurus*

all from British Honduras

*Boophilus microplus*

de la Vega, R., 1976, *Rev. Cubana Cien. Agric.*, v. 10 (3), 313-316

*Boophilus microplus*, mean weight of eggs, light and day of oviposition had no effect, high temperature increased weight

*Boophilus microplus*

Wagland, B. M., 1975, *Austral. J. Agric. Research*, v. 26 (6), 1073-1080

*Boophilus microplus*, responses of previously unexposed *Bos taurus* and *Bos indicus* to four infestations with 20,000 tick larvae, concluded that resistance to *Boophilus microplus* in *Bos indicus* is an acquired not an innate phenomenon

*Boophilus microplus*, illus.

Waladde, S. M., 1977, *J. Austral. Entom. Soc.*, v. 15 (4), 1976, 379-387

*Boophilus microplus*, sensory receptors on tarsus I of foreleg and mouthparts, morphology and innervation, light microscopy

*Boophilus microplus* (Canestrini), illus.

Waladde, S. M., 1977, *J. Austral. Entom. Soc.*, v. 16 (1), 73-79

*Boophilus microplus*, morphology of sensory receptors, scanning electron microscopy

*Boophilus microplus*

Wilkinson, P. R., 1971, *Acarologia*, v. 12 (3), 492-508

*Boophilus microplus*, factors affecting distribution in RTS (reputed tick scarcity) areas as compared to tick infested areas in surrounding districts: Australia

*Boophilus microplus*

Willadsen, P., 1976, *FEBS Letters*, v. 72 (2), 346-349

*Boophilus microplus*, allergenic activity of a tick esterase

*Boophilus microplus*

Willadsen, P.; and Williams, P. G., 1976, *Immunochemistry*, v. 13 (7), 591-597

*Boophilus microplus* larvae, isolation of antigen which produces immediate hypersensitivity reaction in naturally infected cattle, characterized as esterase with molecular weight of approximately 60,000

*Boophilus microplus* (Canestrini)

Willcox, S.; Weatherby, R. P.; and Holder, G. M., 1976, *Xenobiotica*, v. 6 (9), 565-573

*Boophilus microplus*, aniline metabolism, new conjugation reaction, water-soluble metabolites

## Boopidae

Emerson, K. C.; and Price, R. D., 1976, *Florida Entom.*, v. 59 (4), 425-428

Amblycera

key

## Boshellia Ewing 1950

Brennan, J. M.; and Goff, M. L., 1977, *J. Parasitol.*, v. 63 (3), 554-566

synoptic key to 87 genera of chiggers in the Western Hemisphere

## Bovicola Ewing, 1929

Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 20 (3), 1-77

synonymy

## Bovicola Ewing, 1929

Zlotorycka, J.; Eichler, W.; and Ludwig, H. W., 1974, *Parasitol. Schriftenr.*, v. 22, 1-160

lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *B. bovis* (Linnaeus, 1758); *B. caprae* (Gurlt, 1843); *B. limbatus* (Gervais, 1844)

## Bovicola bovis (Linnaeus), illus.

Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 20 (3), 1-77

synonymy, key

- Bovicola bovis**  
 Frick, W., 1977, Monatsh. Vet.-Med., v. 32 (8), 291-294  
 different concentrations of dichlorvos, cattle
- Bovicola bovis (Linn.)**  
 Mock, D. E.; and Matthysse, J. G., 1977, J. Kansas Entom. Soc., v. 50 (4), 518 [Abstract]  
*Bovicola bovis*, study of ambient conditions of temperature and humidity within a heavily parasitized cow's hair coat
- Bovicola bovis**  
 Ormazdi, H.; and Baker, K.P., 1977, Vet. Parasitol., v. 3 (1), 85-88  
 cattle, added benefit of national warble fly eradication scheme (annual dressing with pour-on organophosphorus compounds) is considerable reduction in pediculosis: Northern Ireland compared with Republic of Ireland
- Bovicola bovis**  
 Patyk, S.; and Kliszewski, W., 1976, Med. Wet., v. 32 (8), 471-473  
 ectoparasites, domestic animals, control with enolophosphates IPO-62 and IPO-63
- Bovicola caprae (Gurlt), illus.**  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 synonymy, key
- Bovicola caprae**  
 Patyk, S.; and Kliszewski, W., 1976, Med. Wet., v. 32 (8), 471-473  
 ectoparasites, domestic animals, control with enolophosphates IPO-62 and IPO-63
- Bovicola crassipes (Rudow)**  
 Hopkins, D. E.; Chamberlain, W. F.; and Gingrich, A. R., 1976, Ann. Entom. Soc. Am., v. 69 (3), 538-540  
*Bovicola limbatus*, *B. ovis*, *B. crassipes*, longevity, fecundity, population increases, in vitro testing on artificial diets, field-collected and in vitro-colonies compared
- Bovicola equi (Linnaeus), illus.**  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 synonymy, key
- Bovicola limbatus (Gervais)**  
 Chamberlain, W. F.; Hopkins, D. E.; and Gingrich, A. R., 1976, Southwest. Entom., v. 1 (1), 1-8  
*Bovicola limbatus*, Angora goats, growth regulators, spray vs. pour on
- Bovicola limbatus (Gervais)**  
 Hopkins, D. E.; Chamberlain, W. F.; and Gingrich, A. R., 1976, Ann. Entom. Soc. Am., v. 69 (3), 538-540  
*Bovicola limbatus*, *B. ovis*, *B. crassipes*, longevity, fecundity, population increases, in vitro testing on artificial diets, field-collected and in vitro-colonies compared
- Bovicola ovis (Linnaeus), illus.**  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 synonymy, key
- Bovicola ovis**  
 Frick, W., 1977, Monatsh. Vet.-Med., v. 32 (8), 291-294  
 different concentrations of dichlorvos, sheep
- Bovicola ovis (Schrank)**  
 Hopkins, D. E.; Chamberlain, W. F.; and Gingrich, A. R., 1976, Ann. Entom. Soc. Am., v. 69 (3), 538-540  
*Bovicola limbatus*, *B. ovis*, *B. crassipes*, longevity, fecundity, population increases, in vitro testing on artificial diets, field-collected and in vitro-colonies compared
- Bovidoecus Bedford**, 1929  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Bovicola Ewing*, 1929
- Boydaia sp.**  
 Dusbabek, F.; and Cerny, V., 1970, Acarologia, v. 12 (2), 269-281  
*Mimocichla plumbea schistacea* (nasal cavity): Gran Piedra, near Santiago de Cuba, Prov. of Oriente, Cuba
- Boydaia agelaii Fain et Aitken, 1968**  
 Dusbabek, F.; and Cerny, V., 1970, Acarologia, v. 12 (2), 269-281  
*Agelaius humeralis* (nasal cavity): Laguna del Tesoro, Prov. of Las Villas, Cuba  
*Dives atroviolaceus* (nasal cavity): La Jaula, Guanajacabibes, Prov. of Pinar del Rio, Cuba
- Boydaia amandavae Fain, 1962, illus.**  
 Fain, A., 1970, Acarologia, v. 12 (2), 313-325  
*Erythrura prasina*: Anvers
- Boydaia americana Fain, 1963**  
 Fain, A.; and Aitken, T. H. G., 1970, Acarologia, v. 12 (2), 326-338  
 Syn.: *Boydaia spatulata americana* Fain, 1963  
*Tangara gyrola* (fosses nasales): APEG Forest (Station A), Belem, Bresil  
*Sporophila americana* (fosses nasales): Sapucajuba, IPEAN, Belem, Bresil  
*Cyanocompsa cyanooides* (fosses nasales): Mosqueiro Ferry, Para, Bresil
- Boydaia clarki Fain, 1963**  
 Pence, D. B.; and Casto, S. D., 1976, J. Parasitol., v. 62 (3), 466-469  
*Callipepla squamata*: near Candelaria, Presidio County, Texas
- Boydaia (Coboydaia) clavata (Fain, 1955)**  
 Fain, A.; Herin, A.; and Puylaert, F., 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
*Ploceus vitellinus*  
*P. cucullatus*  
*Euplectes hordeaceus*  
*E. ardens*  
*E. macrourus*  
*Quelea quelea*  
 (fosses nasales of all): all from Cameroun
- Boydaia faini sp. n., illus.**  
 Dusbabek, F.; and Cerny, V., 1970, Acarologia, v. 12 (2), 269-281  
*Dendroica cerulea* (nasal cavity): Havana, Cuba

- Boydaia falconis* Fain, 1956  
 Pence, D. B.; and Casto, S. D., 1976, J. Parasitol., v. 62 (3), 466-469  
*Falco sparverius*: near Millett, La Salle County, Texas
- Boydaia formicarii* nov. spec., illus.  
 Fain, A.; and Aitken, T. H. G., 1970, Acarologia, v. 12 (2), 326-338  
*Formicarius colma* (fosses nasales): Mosqueiro Ferry, Benevides, Para, Bresil  
*F. analis* (fosses nasales): Mosqueiro Ferry, Marituba, Para, Bresil
- Boydaia (Boydaia) hirundoae* Fain, 1956  
 Fain, A.; Herin, A.; and Puylaert, F., 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
*Hirundo aethiopica* (fosses nasales): Cameroun
- Boydaia laticoxa* Fain et Aitken, 1969, illus.  
 Fain, A.; and Aitken, T. H. G., 1970, Acarologia, v. 12 (2), 326-338  
*APEG Forest (Varzea)* Belem, Bresil; APEG Forest (Station A) IPEAN, Belem, Bresil
- Boydaia laticoxa philydori* nov. subspec.  
 Fain, A.; and Aitken, T. H. G., 1970, Acarologia, v. 12 (2), 326-338  
*Philydor pyrrhodes* (fosses nasales): APEG Forest (Station A), IPEAN, Belem, Bresil
- Boydaia locustellae* nov. spec., illus.  
 Fain, A., 1970, Acarologia, v. 12 (2), 313-325  
*Locustella luscinioides* (fosses nasales): Hoboken, pres d'Anvers, Belgique
- Boydaia morenoi* sp. n., illus.  
 Dusbabek, F.; and Cerny, V., 1970, Acarologia, v. 12 (2), 269-281  
*Mimus polyglottos orpheus* (nasal cavity): El Dorado, Prov. of Las Villas, Cuba
- Boydaia (Coboydaia) nigra* (Fain, 1955)  
 Fain, A.; Herin, A.; and Puylaert, F., 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
*Serinus mozambicus* (fosses nasales): Cameroun
- Boydaia pheucticola* sp. n., illus.  
 Pence, D. B.; and Casto, S. D., 1976, J. Parasitol., v. 62 (3), 466-469  
*Pheucticus melanocephalus*: near Fort Davis, Jeff Davis County, Texas
- Boydaia (Boydaia) pycnonoti* Fain, 1956  
 Fain, A.; Herin, A.; and Puylaert, F., 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
*Pycnonotus barbatus* (fosses nasales): Cameroun
- Boydaia quisicali* Clark, 1960  
 Fain, A.; and Aitken, T. H. G., 1970, Acarologia, v. 12 (2), 326-338  
*Saltator maximus* (fosses nasales): Sapucajuba, IPEAN, Belem, Bresil
- Boydaia rosickyi* sp. n., illus.  
 Dusbabek, F.; and Cerny, V., 1970, Acarologia, v. 12 (2), 269-281  
*Passerina cyanea* (nasal cavity): Havana, Cuba
- Boydaia spatulata americana* Fain, 1963  
 Fain, A.; and Aitken, T. H. G., 1970, Acarologia, v. 12 (2), 326-338  
 as syn. of *Boydaia americana* Fain, 1963
- Boydaia sturni*  
 Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
*Sturnus vulgaris*; South Bass Island, Ottawa County, Ohio
- Boydaia synallaxis* Fain, Hyland et Aitken, 1969, illus.  
 Fain, A.; and Aitken, T. H. G., 1970, Acarologia, v. 12 (2), 326-338  
*Synallaxis rutilans* (fosses nasales): Mosqueiro Ferry, Marituba, Para, Bresil; Mosqueiro Ferry, Benevides, Para, Bresil  
*S. gujanensis* (fosses nasales): Sapucajuba, IPEAN, Belem, Bresil  
*S. erythrothorax* (fosses nasales): Vera Cruz, Mexique
- Boydaia tyrannis* Ford, 1959  
 Dusbabek, F.; and Cerny, V., 1970, Acarologia, v. 12 (2), 269-281  
*Tyrannus dominicensis dominicensis* (nasal cavity): Cayo Largo, Canarreos, Prov. of Havana, Cuba
- Boydaia tyrannis* Ford, 1959  
 Fain, A.; and Aitken, T. H. G., 1970, Acarologia, v. 12 (2), 326-338  
*Manacus manacus* (fosses nasales): Mucambo Forest, IPEAN, Belem, Bresil  
*Pipra pipra* (fosses nasales): APEG Forest (Station A), Belem, Bresil  
*P. fasciicauda* (fosses nasales): APEG Forest (Varzea), Belem, Bresil  
*P. iris* (fosses nasales): Mosqueiro Ferry, Benevides, Para, Bresil
- Boydaia tyrannis* Ford, 1959  
 Pence, D. B.; and Casto, S. D., 1976, J. Parasitol., v. 62 (3), 466-469  
*Myiarchus cinerascens*: near Candelaria, Presidio County, Texas
- Boydaia zosteropis* Fain, 1963  
 Fain, A., 1970, Acarologia, v. 12 (2), 313-325  
 "L'hôte typique de cette espèce est *Zosterops senegalensis scotti* et non *Zosterops virens scotti* comme nous l'avions écrit par erreur dans la description originale."
- Boylea* n. g.  
 Cressey, R. F., 1977, Tr. Am. Micr. Soc., v. 96 (4), 467-476  
 Bomolochidae  
 tod: *B. longispica* n. g., n. sp.
- Boylea longispica* n. g., n. sp. (tod), illus.  
 Cressey, R. F., 1977, Tr. Am. Micr. Soc., v. 96 (4), 467-476  
*Elagatis bipinnulatus* (nasal sinuses): Palau Is.; Carolina Is.; Gulf of Thailand
- Brachiella magna* sp. nov., illus.  
 Kabata, Z., 1968, J. Nat. Hist., v. 2 (4), 505-523  
*Scomberomorus commersoni* (gills): off Green Island, Queensland

- Brachiella oblonga**  
Rawson, M. V., jr., 1977, J. Fish Biol., v. 10 (5), 441-451  
crustacean parasites of *Mugil cephalus*, prevalence and intensity of infection, seasonal abundance, distribution on yearlings indicates a high degree of habitat subdivision on gill arches: Sapelo Island, Georgia
- Brachiella tetrici** sp. nov., illus.  
Kabata, Z., 1968, J. Nat. Hist., v. 2 (4), 505-523  
*Pseudolabrus tetricus* (gills): Port Willunga
- Brachychthonius** sp.  
Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Microtus ochrogaster ochrogaster*: Coles County, Illinois
- Brachytarsina Macquart**  
Vazirani, T. G.; and Advani, R., 1976, Oriental Insects, v. 10 (3), 453-457  
key to Indian species, includes: *B. speiseri*; *B. gigantea*; *B. cucullata*; *B. taji*; *B. amboinensis*; *B. modesta*; *B. audata*; *B. pygialis*; *B. sinhai* sp. nov.
- Brachytarsina adversa** Maa & Marshall, 1976 [nom. nud.]  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Myotis aduersus*: New Hebrides
- Brachytarsina amboinensis** Rondani, 1878  
Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Miniopterus medius*  
*Rhinolophus affinis*  
all from Panching, Pahang
- Brachytarsina amboinensis pretiosa** (Falcoz, 1924)  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Hipposideros galeritus*  
*Myotis aduersus*  
*Miniopterus tristis*  
*M. medius*  
*M. australis*  
all from New Hebrides
- Brachytarsina asellisci** Maa & Marshall, 1976 [nom. nud.]  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Aselliscus tricuspidatus*: New Hebrides
- Brachytarsina modesta** (Jobling, 1934)  
Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
Syn.: *Nycteribosca modesta* Jobling, 1934  
*Rhinolophus stheno*  
*R. affinis superans*  
*R. refulgens*  
*R. macrotis dohrni*  
all from Malaya
- Brachytarsina (Megastrebla) nigriceps** (Jobling, 1934)  
Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
Syn.: *Nycteribosca nigriceps* Jobling, 1934  
*Penthetor lucasi*: Malaya
- Brachytarsina (Megastrebla) parvior** Maa, 1962  
Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
Syn.: *Nycteribosca parvior* Maa, 1962  
*Eonycteris spelaea*: Malaya
- Brachytarsina rouxi** (Falcoz, 1921)  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Notopteris macdonaldi*: New Hebrides
- Brachytarsina sinhai** sp. nov., illus.  
Vazirani, T. G.; and Advani, R., 1976, Oriental Insects, v. 10 (3), 453-457  
key  
*Rhinopoma microphyllum*: Malarana Dungar (45 km SW from Sawai Madhopur), Rajasthan, India
- Bradiopsylla** Jordan and Rothschild, 1922  
Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
key, diagnosis
- Bradiopsylla echidnae** (Denny, 1943), illus.  
Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
synonymy, diagnosis  
*Protemnodon* sp.: Tasmania  
*Sarcophilus harrisii*: Tasmania  
*Echidna hystrix*: New South Wales; Victoria  
*E. setosa*: Tasmania  
*E. aculeata*: New South Wales  
*Echidna* sp.: New South Wales; Victoria; Australian Capital Territory  
*Tachyglossus setosa*: Tasmania  
*T. aculeata*: New South Wales; Australian Capital Territory; Victoria  
*T. aculeatus setosus*: Tasmania  
*Tachyglossus*: Victoria or New South Wales
- Braga** sp.  
Ho, J.-S., 1975, Fish Bull. (165), State Calif., Resources Agency, Dept. Fish and Game, 69-72  
*Hypsopsetta guttulata* (gill cavity): Anaheim Bay
- Brevibrachia**  
Kabata, Z., 1977, Proc. Biol. Soc. Wash., v. 90 (2), 189-193  
subgen. of *Salmincola*  
key to species, includes: *S. (Brevibrachia) extumescens*; *S. (Brevibrachia) strigatus*; *S. (Brevibrachia) longimanus*; *S. (Brevibrachia) nordmanni*; *S. (Brevibrachia) extensus*; *S. (Brevibrachia) jacuticus*
- Brotherus longicornis** Budde-Lund, 1908  
Monod, T., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (319), Zool. (226), 999-1004  
as syn. of *Argathona macronema* (Bleeker, 1857)

- Brueelia species-group**  
 Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199.  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
**Halcyon chloris**  
**Coracina caledonica**  
**Turdus poliocephalus**  
**Myiagra caledonica**  
**Pachycephala pectoralis**  
 all from New Hebrides
- Brueelia sp.**  
 Rak, H.; Anwar, M.; and Niak, A., 1975, Bull. Soc. Path. Exot., v. 68 (6), 588-591  
**Turdus ruficollis:** Iran
- Brueelia argula** Burm., 1838  
 Gan, E. I.; and Shousmanov, Sh., 1976, Uzbek. Biol. Zhurnal (5), 54-56  
 [Corvus corax]: Kashka-Darya oblast
- Brueelia clayae**  
 Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
 Cyanocitta cristata: South Bass Island, Ottawa County, Ohio
- Brueelia cyclothorax**  
 Brown, N. S.; and Wilson, G. I., 1975, Am. Midland Naturalist, v. 94 (1), 154-165  
 comparison of ectoparasites from North America and Europe  
**Passer domesticus:** Boston, Mass.; Stockton-on-Tees, England
- Brueelia iliaci brevicolor**  
 Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
**Turdus migratorius:** South Bass Island, Ottawa County, Ohio
- Brueelia nebulosa**  
 Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
**Sturnus vulgaris:** South Bass Island, Ottawa County, Ohio
- Brueelia ornatissima**  
 Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
**Agelaius phoeniceus:** South Bass Island, Ottawa County, Ohio
- Brueelia rotundata** (Osborn, 1896)  
 Andrews, S. E.; and Threlfall, W., 1975, Proc. Helminth. Soc. Washington, v. 42 (1), 24-28  
**Corvus brachyrhynchos** (ventral regions): insular Newfoundland
- Brueelia subtilis**  
 Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
**Passer domesticus:** South Bass Island, Ottawa County, Ohio
- Brueelia subtilis** (Nitzsch)  
 McGroarty, D. L.; and Dobson, R. C., 1974, Am. Midland Naturalist, v. 91 (2), 479-486  
 ectoparasites, seasonal fluctuations  
**Passer domesticus:** northwestern Indiana
- Brueelia subtilis**  
 Tieben, G. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 405 [Abstract]  
 techniques for collecting ectoparasites from small birds  
**Passer domesticus**
- Buceroemersonia n. gen.**  
 Elbel, R. E., 1977, Proc. Biol. Soc. Wash., v. 90 (4), 798-807  
 Ischnocera  
 tod: *B. clarkei* n. sp.
- Buceroemersonia brelihi** n. sp., illus.  
 Elbel, R. E., 1977, Proc. Biol. Soc. Wash., v. 90 (4), 798-807  
 Tockus deckeni (skins): Tana River, Kenya, Africa; Koka, Ethiopia, Africa; Gato River, Gardula, Ethiopia, Africa  
**T. nasutus** forskalii: Aden, Saudi Arabia  
**T. e. erythrorynchus** (skins): Somalia, Africa; Marsabit, Kenya, Africa; Ethiopia, Africa  
**T. erythrorynchus rufirostris:** Gravelotte, Transvaal, South Africa; Goha Hill, Botswana, Africa; Chirundu, Zambia, Africa; Kariba, Rhodesia, Africa  
**T. f. flavirostris** (skins): Hargeisa, Somalia, Africa; Isiolo, Kenya, Africa; Ethiopia  
**T. flavirostris leucomelas:** Limpopo River, Chicualacuala, Mozambique, Africa; Debeeti, Botswana; Newington, Transvaal, South Africa  
**T. alboterminatus geloensis x suahelicus** (skins): Meru Forest, Kenya, Africa
- Buceroemersonia clarkei** n. sp. (tod), illus.  
 Elbel, R. E., 1977, Proc. Biol. Soc. Wash., v. 90 (4), 798-807  
 Tockus hemprichii (skin): Ethiopia, Africa (Bodessa; Mt. Albana; Alghe)  
**T. n. nasutus** (skins): Uganda, Cameroon, and Sudan, Africa  
**T. nasutus** forskalii: Aden, Saudi Arabia  
**T. nasutus** epirhinus (skins): Zambia, Africa; Mabelikwa, Transvaal, South Africa; Lake Upemba, Mabwe, Zaire, Africa  
**T. monteiri** (skins): Windhoek, Namibia, Africa; Waterberg, Namibia, Africa  
**T. p. pallidirostris** (skins): Cuango River, Cafunfo, Angola; Mpata Hills, Zambia, Africa  
**T. pallidirostris neumanni** (skin): Morogoro, Tanzania, Africa  
**T. pallidirostris** subsp. (skins): Lundazi and Kafue River, Chilula, Zambia, Africa  
**T. alboterminatus geloensis** (skins): Mpata Hills, Zambia, Africa; Muliashi, Zambia, Africa; Marungu Mts., Zaire, Africa  
**T. alboterminatus suahelicus** (skins): Monkey Bay, Malawi, Africa; Nairobi, Kenya, Africa  
**T. alboterminatus australis** (skins): Zululand, Natal, South Africa  
**T. bradfieldi** (skins): Maun, Botswana, Africa  
**T. griseus gingalensis** (skins): Embilipitiya, Ceylon  
**T. birostris** (skins): Madras, India; Londa, Mysore, India; Kalnahi, Uttar Pradesh, India; Simra, Nepal; Kotla, Kangra, Punjab, India; Bihar, Madhya Pradesh, India; Hardwar, Uttar Pradesh, India; RamanujGanj, Madhya Pradesh, India

*Buceronirmus deignani n. sp., illus.*

Elbel, R. E., 1977, Pacific Insects, v. 17  
(4), 413-418

"...Ziegler (1971) stated that Dr Elbel would describe the species as *Buceronirmus orientalis*. The name *orientalis* thereby became a nomen nudum."

*Rhyticeros u. undulatus* (skins): Tenasserim and Talok Krang, Burma; Malacca, Malaysia; Thailand (Phatthalung, Ban Na, Trang, Lamo, Chon Buri, Siracha, Nong Ko, Ranong and Bang Non); Vienna Zoo, Austria; Rupat Strait, East Sumatra

*R. undulatus ticehursti* (skins): Tenasserim and Tavoy River, Burma; Pak Song, Laos; Assam and Manipur, India

*R. undulatus aequabilis*: Borneo

*R. plicatus subruficollis* (skins): Thailand (Ranong, Kapoe and Thungkha); Domei, Mergui Archipelago

*Buceronirmus orientalis*

Elbel, R. E., 1977, Pacific Insects, v. 17  
(4), 413-418

"...Ziegler (1971) stated that Dr Elbel would describe the species as *Buceronirmus orientalis*. The name *orientalis* thereby became a nomen nudum." described as *B. deignani n. sp.*

*Buceronirmus thompsoni n. sp., illus.*

Elbel, R. E., 1977, Pacific Insects, v. 17  
(4), 413-418

*Rhyticeros plicatus ruficollis* (skins): New Guinea (Vogelkop, Kebar Valley, Senopi, Geelvink Baai)

*R. plicatus jungei* (skins): New Guinea (Idenburg River, Japen I)

*R. plicatus dampieri* (skins): New Britain I and New Ireland I, Bismarck Archipelago

*R. plicatus harterti* (skins): Solomon Is. (Bougainville, Buka, Fauro and Shortland)

*R. plicatus mendanae* (skins): Solomon Is. (Ysabel, Choiseul and Guadalcanal)

*R. plicatus subsp.* (skins): New Guinea

*Buclypeus* Brennan 1972

Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere

*Bufolucilia elongata* Shannon 1924

Briggs, J. L., 1975, J. Parasitol., v. 61 (3), 412

*Bufo americanus* (dorsal surface): Bruce Kelly property 0.7 mile north of Sugar Creek Road on Connaughton Road, Walworth County, Wisconsin

- Caenopsylla laptevi relictus ssp. nova*, illus.  
Beaucournu, J. C.; Gil Collado, J.; and Gilot, B., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 139-145  
*Oryctolagus cuniculus*: Puylricard (Bouches-du-Rhone), France; Caromb (Vaucluse), France; Pampliega (Burgos), Espagne
- Calcaromyobia Radford*, 1952  
Uchikawa, K., 1976, Annot. Zool. Japon., v. 49 (1), 55-59  
description
- Calcaromyobia* sp.  
Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Calcaromyobia japonica* spec. nov., illus.  
Uchikawa, K., 1976, Annot. Zool. Japon., v. 49 (1), 55-59  
*Miniopterus shreibersi fuliginosus*: Obirano-do Cave, Miyazaki Prefecture, Kyushu, Japan
- Caligus arii Bassett-Smith*, 1898, illus.  
Pillai, N. K., 1963, J. Marine Biol. Ass. India, v. 5 (1), 68-96  
description  
*Pseudarius jatius* (opercle): Trivandrum
- Caligus asymmetricus Kabata*, 1965  
Rohde, K., 1976, Ztschr. Parasitenk., v. 51 (1), 49-69  
*Scomberomorus commersoni* (gills): near Heron Island
- Caligus auxisi* sp. nov., illus.  
Pillai, N. K., 1963, J. Marine Biol. Ass. India, v. 5 (1), 68-96  
*Axius thazard* (opercle): Trivandrum
- Caligus brevicaudus* sp. nov., illus.  
Pillai, N. K., 1963, J. Marine Biol. Ass. India, v. 5 (1), 68-96  
*Caranx* sp. (opercle): Trivandrum
- Caligus cordyla* sp. nov., illus.  
Pillai, N. K., 1963, J. Marine Biol. Ass. India, v. 5 (1), 68-96  
*Megalaspis cordyla* (opercle, gill arches): Trivandrum
- Caligus cossacki* [of] Rangnekar and Murti, 1959  
Pillai, N. K., 1963, J. Marine Biol. Ass. India, v. 5 (1), 68-96  
as syn. of *Caligus epinepheli* Yamaguti, 1936
- Caligus cunicephalus* Gnanamuthu, 1950, illus.  
Pillai, N. K., 1963, J. Marine Biol. Ass. India, v. 5 (1), 68-96  
description  
*Trichiurus savala* (buccal cavity): Trivandrum
- Caligus epinepheli* Yamaguti, 1936, illus.  
Pillai, N. K., 1963, J. Marine Biol. Ass. India, v. 5 (1), 68-96  
description, syn.: *Caligus cossacki* [of] Rangnekar and Murti, 1959  
*Chorinemus tala* (opercle): Trivandrum
- Caligus hamruri* n. sp., illus.  
Pillai, N. K., 1964, J. Marine Biol. Ass. India, v. 6 (1), 61-83  
*Priacanthus hamruri* (opercle): Trivandrum, South India
- Caligus infestans Heller*, 1865  
Rohde, K., 1976, Ztschr. Parasitenk., v. 51 (1), 49-69  
*Scomberomorus commersoni* (gills): near Heron Island
- Caligus kuroshio* Shiino, 1959, illus.  
Pillai, N. K., 1963, J. Marine Biol. Ass. India, v. 5 (1), 68-96  
synonymy, description  
*Euthynnus affinis* (gill arches): Trivandrum
- Caligus longicaudus* Bassett-Smith, 1898, illus.  
Pillai, N. K., 1963, J. Marine Biol. Ass. India, v. 5 (1), 68-96  
description, first description of male  
*Chirotentrus dorab* (opercle): Trivandrum
- Caligus minutus* sp. nov., illus.  
Pillai, N. K., 1963, J. Marine Biol. Ass. India, v. 5 (1), 68-96  
*Chiloscyllium indicum* (body surface): Trivandrum
- Caligus phipsoni* Bassett-Smith, 1898, illus.  
Pillai, N. K., 1963, J. Marine Biol. Ass. India, v. 5 (1), 68-96  
description  
*Polynemus plebeius* (opercle, buccal cavity): Trivandrum
- Caligus quadratus* Shiino, 1959  
Pillai, N. K., 1964, J. Marine Biol. Ass. India, v. 6 (1), 61-83  
*Coryphaena hippurus* (opercle): Trivandrum and Vizhingom, South India
- Caligus rapax*  
McVicar, A. H., 1977, J. Helminth., v. 51 (1), 11-21  
intestinal helminths of *Raja naevus*, incidence, intensity, pattern of infection with host age and sex, geographical differences in composition of parasite burden  
*Raja naevus* (stomach): off Aberdeen
- Caligus robustus* Bassett-Smith, 1898, illus.  
Pillai, N. K., 1963, J. Marine Biol. Ass. India, v. 5 (1), 68-96  
description  
*Caranx sansun*  
*C. melanampygus*  
(opercle of all): all from Trivandrum
- Caligus rufimaculatus*  
Rawson, M. V., jr., 1977, J. Fish Biol., v. 10 (5), 441-451  
crustacean parasites of *Mugil cephalus*, prevalence and intensity of infection, seasonal abundance, distribution on yearlings indicates a high degree of habitat subdivision on gill arches: Sapelo Island, Georgia
- Caligus russellii* Kurian, 1950, illus.  
Pillai, N. K., 1963, J. Marine Biol. Ass. India, v. 5 (1), 68-96  
description  
*Pterois russellii* (body surface)  
*P. miles* (gills)  
all from Trivandrum

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

*Caligus sphyraeni* sp. nov., illus.  
Pillai, N. K., 1963, J. Marine Biol. Ass.  
India, v. 5 (1), 68-96  
*Sphyraena jello*  
*S. acutipinnis*  
(opercle of all): all from Trivandrum

*Caligus spinosus* Yamaguti, 1939, illus.  
Pillai, N. K., 1963, J. Marine Biol. Ass.  
India, v. 5 (1), 68-96  
description  
*Sphyraena obtusata* (buccal cavity): Trivandrum

*Caligus thynni* sp. nov., illus.  
Pillai, N. K., 1963, J. Marine Biol. Ass.  
India, v. 5 (1), 68-96  
*Euthynnus affinis* (gill arch): Trivandrum

*Calliphora albifrontalis*  
Watts, J. E.; et al., 1976, Austral. Vet. J.,  
v. 52 (10), 488-489 [Letter]  
Syn.: *C. australis* Boisd. of Mackerras and  
Fuller 1937  
fly strike, sheep: south-eastern Australia

*Calliphora augur*  
Watts, J. E.; et al., 1976, Austral. Vet. J.,  
v. 52 (10), 488-489 [Letter]  
fly strike, sheep: south-eastern Australia

*Calliphora australis* Boisd. of Mackerras and  
Fuller 1937  
Watts, J. E.; et al., 1976, Austral. Vet. J.,  
v. 52 (10), 488-489 [Letter]  
as syn. of *C. albifrontalis*

*Calliphora nociva*  
Watts, J. E.; et al., 1976, Austral. Vet. J.,  
v. 52 (10), 488-489 [Letter]  
fly strike, sheep: south-eastern Australia

*Calliphora stygia*  
Tenquist, J. D.; and Wright, D. F., 1976, N.  
Zealand J. Exper. Agric., v. 4 (3), 291-295  
blowfly strike in sheep, distribution, prev-  
alence, economic importance, preferred meth-  
ods of treatment: New Zealand

*Calliphora stygia*  
Watts, J. E.; et al., 1976, Austral. Vet. J.,  
v. 52 (10), 488-489 [Letter]  
fly strike, sheep: south-eastern Australia

*Calliphora vicina*  
Ribbeck, R.; Schumann, H.; and Bergmann, V.,  
1975, Monatsh. Vet.-Med., v. 30 (15), 584-587  
*Lucilia sericata*, *Calliphora vicina*, C.  
vomitoria, cause of myiasis of guinea pigs  
in animal test center, pathological studies

*Calliphora vomitoria*  
Ribbeck, R.; Schumann, H.; and Bergmann, V.,  
1975, Monatsh. Vet.-Med., v. 30 (15), 584-587  
*Lucilia sericata*, *Calliphora vicina*, C.  
vomitoria, cause of myiasis of guinea pigs  
in animal test center, pathological studies

*Callistopsyllus deuterus*  
Nelson, B. C.; and Smith, C. R., 1976, J. Med.  
Entom., v. 13 (1), 51-61  
*Peromyscus crinitus*: Lava Beds National  
Monument, California

*Callistopsylla terinus*  
Egoscue, H. J., 1976, Great Basin Nat., v. 36  
(4), 475-480  
fleas of *Peromyscus maniculatus sonoriensis*  
and 3 sympatric rodents compared, degree of  
flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Peromyscus crinitus pergracilis*  
all from western Utah

*Callistopsyllus terinus* (Rothschild)  
Haas, G. E.; et al., 1973, J. Med. Entom.,  
v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geo-  
graphic distribution, host and nest prefer-  
ence, sex ratio, degree of plague infection  
*Peromyscus boylii*  
*P. truei*  
all from west of Rio Grande in and near  
Jemez Mts., New Mexico

*Callitroga americana*  
Murray, V. I. E.; and Thompson, K., 1976,  
Trop. Agric., Trinidad, B. W. I., v. 53 (3),  
263-266  
wound myiasis, incidence  
dog  
cow  
sheep  
goat  
pig  
man  
all from Trinidad and Tobago

*Callitroga hominivorax*, illus.  
Jörg, M. E., 1976, Prensa Med. Argent., v. 63  
(2), 47-51  
human anal myiasis, general clinical manifes-  
tations, diagnosis, medical management, re-  
view

*Callitroga macellaria*  
Murray, V. I. E.; and Thompson, K., 1976,  
Trop. Agric., Trinidad, B. W. I., v. 53 (3),  
263-266  
wound myiasis, incidence, various animals:  
Trinidad and Tobago

*Callopsylla (Callopsylla) saxatilis* (Ioff &  
Argyropoulos, 1934)  
Beaucournu, J. C., 1976, Ann. Soc. Entom.  
France, n. s., v. 12 (2), 199-213  
Ceratophyllidae of French mammals, geograph-  
ic distribution, ecology, sex ratio, epi-  
demiological role, review: France

*Callopsylla tenuihamus atallah* (Lewis, 1971)  
[n. rank]  
Smit, F. G. A. M., 1974, Senckenbergiana  
Biol., v. 55 (4-6), 357-398  
*Pitymys sikkimensis*: Nepal

*Callopsylla tenuihamus tenuihamus* (Liu, Wu & Wu,  
1966)  
Smit, F. G. A. M., 1974, Senckenbergiana  
Biol., v. 55 (4-6), 357-398  
*Alticola stoliczkanus*: Nepal

*Caloenectes Fain*, 1966  
Fain, A.; and Amerson, A. B., jr., 1968, J.  
Med. Entom., v. 5 (3), Aug. 1, 320-324  
subgen. of *Neottialges*, description

- Calvolia* sp.  
*Basolo*, F., jr.; and *Funk*, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Peromyscus leucopus noveboracensis*: Coles County, Illinois
- Camerolaelaps* Fonseca, 1960  
*Okerewe*, T. A., 1973, J. Med. Entom., v. 10 (2), 117-123  
 as syn. of subgenus *Echinolaelaps* Ewing, 1929
- Campanulotes* Keler, 1939  
*Tendeiro*, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69  
 Goniodidae  
 key, phylogenetic position
- Campanulotes* Keler, 1940  
*Złotorzycka*, J.; *Eichler*, W.; and *Ludwig*, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *C. bidentatus compar* (Nitzsch in Burmeister, 1838)
- Campanulotes bidentatus* (Scopoli, 1763), illus.  
*Martin Mateo*, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
 key, synonymy  
*Columba livia domestica*: Spain
- Campanulotes bidentatus bidentatus* (Scopoli), illus.  
*Tendeiro*, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69
- Campanulotes bidentatus compar*  
*Gothe*, R.; and *Imhoff*, N., 1975, Berl. u. Munchen. Tierarztl. Wchnschr., v. 88 (22), 431-436  
 arthropods, incidence in carrier pigeons, variation with host age: Germany
- Campanulotes bidentatus compar* (Burmeister), illus.  
*Tendeiro*, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69
- Campanulotes bidentatus compar* (Burmeister, 1838)  
*Ward*, R. A.; and *Downey*, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
*Columba livia*: Sand Island, Midway Atoll, Pacific Ocean
- Campanulotes compar* (Burmeister, 1838), illus.  
*Lunkashu*, M. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 214-226  
 description  
 [domestic pigeon]: Moldavian SSR; and Chernovtzy oblast, Ukrainian SSR
- Campanulotes compar* (Burmeister, 1838)  
*Martin Mateo*, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
 as syn. of *Campanulotes bidentatus* (Scopoli, 1763)
- Canolira du Cap*: Latreille, 1829  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 as syn. of *Anilocra capensis* Leach, 1818
- Canolira albicornis* Guerin, 1832-1835  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 as syn. of *Anilocra physodes* (L., 1758)
- Canolira capensis*: Guerin-Meneville  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 as syn. of *Anilocra capensis* Leach, 1818
- Caparinia tripilis*  
*Isenbuegel*, E., 1976, Prakt. Tierarzt, v. 57, Sondernummer, 21-27  
 Igel
- Capraiella subcuspidata* Burm., 1838  
*Gan*, E. I.; and *Shousmanov*, Sh., 1976, Uzbek. Biol. Zhurnal (5), 54-56  
 [Coracias garrulus]: Kashka-Darya oblast
- Carnus haemapterus*  
*Borisova*, V. I., 1975, Biol. Nauk., Min. Vyssh. i. Sredn. Spetsial. Obrazovan. SSSR (141), year 18, (9), 14-18  
 nest ectoparasite specificity  
 +[*Muscicapa albicollis*]  
 +[*Sturnus vulgaris*]  
 +[*Passer montanus*]  
 (nest of all)
- Carnus hemapterus* Nitzsch, illus.  
*Capelle*, K. J.; and *Whitworth*, T. L., 1973, J. Med. Entom., v. 10 (5), 525-526  
 black-billed magpie: Cache County, Utah;  
 Franklin County, Idaho  
 starling: Cache County, Utah; Poynette, Columbia County, Wisconsin  
 Williamson's sapsucker: Cache County, Utah  
 red-shafted flicker: Box Elder County, Utah  
 Sparrow hawk: Cache County, Utah  
 yellow-bellied sapsucker: Cache County and Box Elder County, Utah
- Carnus hemapterus* Nitzsch  
*Wilson*, N.; and *Bull*, E. L., 1977, Bird-Banding, v. 48 (2), 171-173  
 +*Dryocopus pileatus* (nest): Starkey Experimental Forest, 35-40 km southwest of La Grande, Union Co., Oregon
- Carteretta carteri*  
*Coultrip*, R. L.; et al., 1973, J. Med. Entom., v. 10 (3), 303-309  
 fleas, ticks, mammals, survey for vectors and reservoir hosts of Rocky Mountain spotted fever and sylvatic plague, serological evidence for presence of rickettsial agent but presence of plague not demonstrated  
*Perognathus californicus*  
*Peromyscus californicus*  
 all from Fort Ord, California
- Carteretta clavata*  
*Egoscue*, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480  
 fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
*Peromyscus crinitus pergracilis*: western Utah

- Catallagia sp.**  
 Nelson, B. C.; and Smith, C. R., 1976, J. Med. Entom., v. 13 (1), 51-61  
*Neotoma cinerea*  
*Peromyscus maniculatus*  
 all from Lava Beds National Monument, California
- Catallagia sp.**  
 Poinar, G. O., jr.; and Nelson, B. C., 1973, J. Med. Entom., v. 10 (4), 349-354  
*Peromyscus maniculatus sonoriensis*: Modoc County, Hackamore, California
- Catallagia dacenkoi Ioff**  
 Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
 fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Catallagia decipiens**  
 Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480  
 fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Microtus longicaudus latus*  
 all from western Utah
- Catallagia decipiens Rothschild**  
 Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Eutamias quadrivittatus*  
*Spermophilus lateralis*  
+*Tamiasciurus hudsonicus* (nest)  
*Peromyscus maniculatus*  
*P. truei*  
*Neotoma mexicana*  
+N. *cinerea* (nest)  
*Clethrionomys gapperi*  
*Microtus montanus*  
*M. longicaudus*  
 all from west of Rio Grande in and near Jemez Mts., New Mexico
- Catallagia decipiens Rothschild**  
O'Farrell, T. P., 1975, Am. Midland Naturalist, v. 93 (2), 377-387  
*Peromyscus maniculatus*: Arid Lands Ecology Reserve, Benton County, Washington
- Catallagia mathesoni**  
Nelson, B. C.; and Smith, C. R., 1976, J. Med. Entom., v. 13 (1), 51-61  
*Peromyscus maniculatus*: Lava Beds National Monument, California
- Catallagia sculleni**  
Nelson, B. C.; and Smith, C. R., 1976, J. Med. Entom., v. 13 (1), 51-61  
*Peromyscus maniculatus*  
*P. crinitus*  
 all from Lava Beds National Monument, California
- Catallagia sculleni rutherfordi** (Augustson 1941)  
Poinar, G. O., jr.; and Nelson, B. C., 1973, J. Med. Entom., v. 10 (4), 349-354  
*Catallagia sculleni rutherfordi*, parasitic castration by *Psyllotylenchus viviparus* n. sp.  
*Peromyscus maniculatus sonoriensis*: Plumas County, Lake Almanor, Main Campground, California
- Cebidicola Bedford**, 1936  
Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
Syn.: *Meganarion Keler*, 1938
- Cebidicola armatus** (Neumann), illus.  
Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
synonymy, key
- Cebidicola extrarius** Werneck, 1950, illus.  
Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
key  
*Alouatta seniculus*: Venezuela
- Cebidicola semiarmatus** (Neumann), illus.  
Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
key, syn.: *Trichodectes semiarmatus* Neumann, 1913
- Cediopsylla Jordan**  
Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
brief description, key
- Cediopsylla inaequalis**  
Brittain, P. C.; and Voth, D. R., 1975, J. Wildlife Dis., v. 11 (2), 269-271  
*Lepus californicus melanotis*: Rocky Mountain Arsenal near Denver, Colorado
- Cediopsylla inaequalis**  
Coultrip, R. L.; et al., 1973, J. Med. Entom., v. 10 (3), 303-309  
fleas, ticks, mammals, survey for vectors and reservoir hosts of Rocky Mountain spotted fever and sylvatic plague, serological evidence for presence of rickettsial agent but presence of plague not demonstrated  
*Sylvilagus bachmani*  
*Lepus californicus*  
all from Fort Ord, California
- Cediopsylla inaequalis inaequalis** (Baker)  
Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Sylvilagus nuttallii*  
*Canis latrans*  
*C. familiaris*  
*Lynx rufus*  
*Felis catus*  
all from west of Rio Grande in and near Jemez Mts., New Mexico

- Cediopsylla simplex* (Baker)  
Amin, O. M., 1973, J. Med. Entom., v. 10 (1), 110-111  
*Sylvilagus floridanus*: Racine, Kenosha Cities and Somers, Kenosha Co., Wisconsin; Lake Co., Ill.  
*Canis familiaris*: Racine-Kenosha Co., Wisconsin
- Cediopsylla simplex*  
Berry, R. L.; et al., 1975, Am. J. Trop. Med. and Hyg., v. 24 (6, pt. 1), 992-998 arthropods collected and tested as carriers of California encephalitis, negative for virus isolations: Gambier, Ohio
- Cediopsylla simplex*  
Harman, D. M.; and Chapman, J. A., 1977, Proc. Pennsylvania Acad. Sc., v. 51 (1), 40-42  
*Cediopsylla simplex*, *Odontopsyllus multispinosus*, *Ixodes dentatus*, and *Haemaphysalis leporis* *palustris* on *Sylvilagus transitionalis*, seasonal distribution, sex and age of host: Tucker County, West Virginia
- Cediopsylla simplex*  
Jacobson, H. A.; and Kirkpatrick, R. L., 1974, J. Wildlife Dis., v. 10 (4), 384-391 comparison of selected physiological measurements in untreated parasitized cottontail rabbits and those treated with 1-tetramisole hydrochloride and 2,2-dichlorovinyl, dimethyl phosphate: Montgomery County, Virginia
- Cediopsylla simplex* (Baker), illus.  
Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42 description  
*Procyon lotor*  
*Mustela vison*  
*Vulpes fulva*  
*Urocyon cinereoargenteus*  
*Felis domestica*  
*Lynx rufus*  
*Neotoma floridana illinoensis*  
*Sylvilagus floridanus*  
*S. aquaticus*  
*Odocoileus virginianus*  
 all from Alabama
- Cediopsylla simplex*  
Spieker, J. O.; and Yuill, T. M., 1976, J. Wildlife Dis., v. 12 (3), 310-314  
*Sylvilagus floridanus*: Nevin Fish Hatchery grounds, Fitchburg, Wisconsin
- Cediopsylla simplex* (Baker)  
Whitaker, J. O., jr.; and Schmeltz, L. L., 1974, Proc. Indiana Acad. Sc., v. 83, 1973, 478-481  
*Scalopus aquaticus* (fur): Indiana
- Centrotrombidium*, Andre et Lelievre-Farjon, 1961, Robaux, 1967  
Vercammen-Grandjean, P. H.; and Fieder, Z., 1973, Riv. Parassitol., Roma, v. 34 (2), 121-126 as syn. of *Centrotrombidium* Kramer, 1896
- Centrotrombidium* Kramer, 1896  
Vercammen-Grandjean, P. H.; and Fieder, Z., 1973, Riv. Parassitol., Roma, v. 34 (2), 121-126 description, generic diagnosis, synonymy
- Centrotrombidium romaniense* n. sp., illus.  
Vercammen-Grandjean, P. H.; and Fieder, Z., 1973, Riv. Parassitol., Roma, v. 34 (2), 121-126 "deux johnstonianides larvaires, identifiés erronément comme étant *Diplothrombium mol davicum* Feider, 1959"  
*Dicranota bimaculata*: Odorhein-Secuiesc, Harghita, Roumanie
- Cephalodelphys* gen. n.  
Lafargue, F.; and Laubier, L., 1977, Arch. Zool. Exper. et Gen., v. 118 (2), 173-196  
*Notodelphyidae*  
 tod: *C. stellata* sp. n.
- Cephalodelphys stellata* sp. n. (tod), illus.  
Lafargue, F.; and Laubier, L., 1977, Arch. Zool. Exper. et Gen., v. 118 (2), 173-196  
*Didemnum bicolor*: Golfe d'Eilat (Mer Rouge)
- Cephenemyia* sp.  
Reed, D. E.; et al., 1976, J. Am. Vet. Med. Ass., v. 169 (9), 975-979  
*Odocoileus hemionus* (retropharyngeal pouches): South Dakota
- Cephenemyia stimulator*  
Kutzer, E., 1976, Wien. Tierarztl. Monatsschr., v. 63 (4), 126-129  
*Pharyngomyia picta* in *Cervus elaphus*, *Cephenemyia stimulator* in *Capreolus capreolus*, deer free-ranging in preserve, successful control of bots with Ranide in medicated feed: Österreich
- Cephenomyia trompe* L., illus.  
Rehbinder, C., 1977, Acta Vet. Scand., v. 18 (1), 75-85  
*Cephenomyia trompe* larvae, reindeer (exper.) (conjunctival sac), conjunctivitis, keratitis only with natural ultraviolet radiation as enhancing factor
- Ceratixodes putus*, illus.  
Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317 ixodid and argasid ticks, fine structure and function of palpal receptor organ
- Ceratophyllidae*  
Beaucournu, J. C., 1976, Ann. Soc. Entom. France, n. s., v. 12 (2), 199-213  
*Ceratophyllidae* of French mammals, geographic distribution, ecology, sex ratio, epidemiological role, review: France
- Ceratophyllidae*  
Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273 diagnosis
- Ceratophyllidae* Dampf  
Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42 brief description
- Ceratophyllus* Curtis, 1832  
Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273 key, diagnosis

- Ceratophyllus* [sp.]  
Ozsan, K.; et al., 1974, Mikrobiyol. Bul., v. 8 (3), 267-269  
  *Citellus*  
  *Meriones*  
    all from Turkey
- Ceratophyllus* sp., illus.  
Smit, F. G. A. M., 1974, Senckenbergiana Biol., v. 55 (4-6), 357-398  
  *Apodemus gurkha*: Nepal
- Ceratophyllus araucanus* Jordan & Rothschild, 1920  
Smit, F. G. A. M., 1976, Entom. Ber., Amsterdam, v. 36 (5), 65-67  
  as syn. of *Dasypyllus (Neornipsyllus) araucanus*
- Ceratophyllus (C.) avicitelli* Ioff  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
  fleas, geographic distribution in relation to epizootiology of plague  
  *Citellus undulatus*: Tuva
- Ceratophyllus (Ceratophyllus) borealis* Rotsh.  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
  fleas, geographic distribution in relation to epizootiology of plague  
  *Citellus undulatus*: Tuva
- Ceratophyllus (Megabothris) calcarifer* Wagn.  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
  fleas, geographic distribution in relation to epizootiology of plague  
  *Citellus undulatus*: Tuva
- Ceratophyllus caspius*  
Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
  fleas, seasonal and geographic distribution  
  *Microtus nivalis*  
  +*Arvicola terrestris* (nest)  
    all from Armenia
- Ceratophyllus caspius* Tifl.  
Marapulets, L. A.; and Cherchenko, I. I., 1970, Parazitologija, Leningrad, v. 4 (3), 271-273  
  feeding activity on man of 6 spp. of fleas from the common vole, evaluation of probable importance in plague epidemiology
- Ceratophyllus columbae*  
Aubert, M. F. A.; and Beaucournu, J. C., 1976, Ann. Parasitol., v. 51 (1), 143-156  
  survey of Siphonaptera of some carnivores with brief notes on biology and chorology  
  *Vulpes vulpes*  
  *Martes foina*  
    all from Nord-Est de la France
- Ceratophyllus columbae* (Gervais)  
Roman, E.; and Pichot, J., 1976, Bull. Mens. Soc. Linn. Lyon, v. 45 (9), 294-296  
  +*Columbia livia domestica* (nest): Lyon
- Ceratophyllus consimilis*  
Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
  fleas, seasonal and geographic distribution  
  *Microtus socialis*  
  *M. nivalis*  
  *Arvicola terrestris*  
    all from Armenia
- Ceratophyllus consimilis* Wagn.  
Marapulets, L. A.; and Cherchenko, I. I., 1970, Parazitologija, Leningrad, v. 4 (3), 271-273  
  feeding activity on man of 6 spp. of fleas from the common vole, evaluation of probable importance in plague epidemiology
- Ceratophyllus cteniopus* Jordan & Rothschild, 1920  
Smit, F. G. A. M., 1976, Entom. Ber., Amsterdam, v. 36 (5), 65-67  
  as syn. of *Dasypyllus (Neornipsyllus) cteniopus*
- Ceratophyllus f. farreni*  
Roberts, C. J., 1975, Entom. Gaz., v. 26 (2), 139-145  
  +*Delichon urbica* (nest): Isle of Man
- Ceratophyllus fringillae*  
Aubert, M. F. A.; and Beaucournu, J. C., 1976, Ann. Parasitol., v. 51 (1), 143-156  
  survey of Siphonaptera of some carnivores with brief notes on biology and chorology  
  *Vulpes vulpes*: Nord-Est de la France
- Ceratophyllus fringillae* (Walk.)  
Roman, E.; and Pichot, J., 1976, Bull. Mens. Soc. Linn. Lyon, v. 45 (9), 294-296  
  +*Passer domesticus* (nest)  
  +*Phoenicurus phoenicurus* (nest)  
    all from Saint-Didier-au-Mont-d'Or (Rhone)
- Ceratophyllus (Callopsiillus) gaiskii* Vovchinskaja  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
  fleas, geographic distribution in relation to epizootiology of plague  
  *Citellus undulatus*: Tuva
- Ceratophyllus gallinae*  
Aubert, M. F. A.; and Beaucournu, J. C., 1976, Ann. Parasitol., v. 51 (1), 143-156  
  survey of Siphonaptera of some carnivores with brief notes on biology and chorology  
  *Vulpes vulpes*: Nord-Est de la France
- Ceratophyllus gallinae*  
Borisova, V. I., 1975, Biol. Nauk., Min. Vyssh. i Sredn. Spetsial. Obrazovan. SSSR (141), year 18, (9), 14-18  
  nest ectoparasite specificity  
  +*[Parus major]*  
  +*[Muscicapa albicollis]*  
  +*[Sturnus vulgaris]*  
  +*[Phoenicurus phoenicurus]*  
  +*[Motacilla alba]*  
  +*[Passer montanus]*  
    (nest of all)
- Ceratophyllus gallinae* (Schrank, 1803), illus.  
Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
  synonymy, diagnosis
- Ceratophyllus gallinae*  
Roberts, C. J., 1975, Entom. Gaz., v. 26 (2), 139-145  
  +*Columba livia domestica* (nest)  
  +*Passer montanus* (nest)  
  +*P. domesticus* (nest)  
  +*Delichon urbica* (nest)  
  *Turdus merula*  
  *Prunella modularis*  
  *Pyrrhocorax pyrrhocorax*  
    all from Isle of Man

*Ceratophyllus gallinae* (Schrank)  
 Roman, E.; and Pichot, J., 1976, Bull. Mens. Soc. Linn. Lyon, v. 45 (9), 294-296  
 +*Passer domesticus* (nest): Saint-Didier-au-Mont-d'Or (Rhone)

*Ceratophyllus gallinae* Schrank  
 Shumilo, R. P.; and Lunkashu, M. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 208-214  
 Upupa epops: Chernovtzy oblast, Ukrainian SSR  
*Picus viridis*: Chernovtzy oblast, Ukrainian SSR  
*P. canus*: Moldavian SSR  
*Dendrocopos major*: Moldavian SSR  
*Riparia riparia*: Chernovtzy oblast, Ukrainian SSR  
*Garrulus glandarius*: Moldavian SSR  
*Pica pica*: Moldavian SSR  
*Corvus frugilegus*: Chernovtzy oblast, Ukrainian SSR  
*Turdus merula*: Moldavian SSR  
*Sturnus vulgaris*: Moldavian SSR; Chernovtzy oblast, Ukrainian SSR  
*Passer domesticus*: Moldavian SSR; Chernovtzy oblast, Ukrainian SSR  
*P. montanus*: Moldavian SSR  
*Fringilla coelebs*: Moldavian SSR

*Ceratophyllus gallinae*, illus.  
 Wolff, K., 1975, Praxis, Bern, v. 64 (37), 1173-1175  
*Ceratophyllus gallinae*, infestation of human homes in absence of natural hosts (chickens), clinical report, control measures: Zurich Canton, Switzerland

*Ceratophyllus gallinae dilatus*  
 Hidano, A.; and Asanuma, K., 1976, Arch. Dermat., Chicago, v. 112 (6), 882-883  
 bird mites from starling nest (*Sturnus cineraceus*) parasitizing human occupant of house to which nest attached, case report of resulting acariasis: Japan

*Ceratophyllus g. gallinae*  
 Vaughan, J. A., 1977, Entom. Month. Mag. (1340-1343), v. 112, 1976, 45-48  
 straggler fleas on rabbits, *Oryctolagus cuniculus*, from Surrey and on myxomatous rabbits throughout Britain

*Ceratophyllus gallinae tribulis* Jordan, illus.  
 Shumilo, R. P.; and Lunkashu, M. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 208-214  
*Riparia riparia*: Chernovtzy oblast, Ukrainian SSR  
*Hirundo rustica*: Moldavian SSR  
*Passer domesticus*: Moldavian SSR

*Ceratophyllus garei* (Rothschild 1902)  
 Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Apodemus sylvaticus*  
*Microtus arvalis*  
*Mustela erminea*  
*M. nivalis*  
 all from Schleswig-Holstein

*Ceratophyllus garei* Rothschild, 1902  
 Bishop, C. A.; and Threlfall, W., 1974, Proc. Helminth. Soc. Washington, v. 41 (1), 25-35  
 +*Somateria mollissima* (nest): St. Peter's Island, Labrador

*Ceratophyllus garei*  
 Borisova, V. I., 1975, Biol. Nauk., Min. Vyssh. i. Sredn. Spetsial. Obrazovan. SSSR (141), year 18, (9), 14-18  
 nest ectoparasite specificity  
 +*[Motacilla alba]*  
 +*[Emberiza citrinella]*  
 (nest of all)

*Ceratophyllus garei*  
 Mehl, R., 1975, Fauna, Oslo, v. 28 (4), 208-214  
*Lagopus lagopus*: Norway

*Ceratophyllus garei*  
 Roberts, C. J., 1975, Entom. Gaz., v. 26 (2), 139-145  
 +*Gallinula chloropus* (nest)  
*Turdus merula*  
*Corvus c. cornix*  
*Anthus pratensis*  
 all from Isle of Man

*Ceratophyllus garei* Rothschild, illus.  
 Shumilo, R. P.; and Lunkashu, M. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 208-214  
*Sturnus vulgaris*: Chernovtzy oblast, Ukrainian SSR

*Ceratophyllus hilli* Rothschild, 1904  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 as syn. of *Pygiopsylla hilli* (Rothschild, 1904)

*Ceratophyllus hirundinis*  
 Borisova, V. I., 1975, Biol. Nauk., Min. Vyssh. i. Sredn. Spetsial. Obrazovan. SSSR (141), year 18, (9), 14-18  
 nest ectoparasite specificity  
 +*[Delichon urbica]* (nest)

*Ceratophyllus hirundinis*  
 Roberts, C. J., 1975, Entom. Gaz., v. 26 (2), 139-145  
 +*Delichon urbica* (nest): Isle of Man

*Ceratophyllus hirundinis* (Curtis)  
 Shumilo, R. P.; and Lunkashu, M. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 208-214  
*Hirundo rustica*: Moldavian SSR  
*Delichon urbica*: Chernovtzy oblast, Ukrainian SSR  
*Phylloscopus sibilatrix*: Chernovtzy oblast, Ukrainian SSR

*Ceratophyllus iranicus*  
 Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
 fleas, seasonal and geographic distribution  
*Microtus socialis*: Armenia

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Ceratophyllus laeviceps* Wagn.  
Poliakov, V. K.; et al., 1976, Zool. Zhurnal, v. 55 (10), 1538-1551  
rodent fleas, zoological, parasitological, epidemiological and ecological characteristics of steppe, desert-steppe and desert regions of Transural plague focus  
*Rhombomys opimus*  
*Meriones tamariscinus*  
*M. meridianus*  
all from northeastern part of Caspian lowland
- Ceratophyllus laeviceps*  
Shiranovich, P. I.; et al., 1977, Izvest. Akad. Nauk Azerbaidzhan. SSR, s. Biol. Nauk (2), 89-95  
Siphonaptera of *Meriones erythrourus*, seasonal distribution, temperature and precipitation in relation to population dynamics of host, incidence of plague and its epizootiology: Transcaucasus
- Ceratophyllus (C.) laeviceps ellobii* Wagn.  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Ceratophyllus (Rosickyana) lunatus* Jordan & Rothschild 1920  
Beaucourne, J. C., 1976, Ann. Soc. Entom. France, n. s., v. 12 (2), 199-213  
*Ceratophyllidae* of French mammals, geographic distribution, ecology, sex ratio, epidemiological role, review: France
- Ceratophyllus mokrzeckyi*  
Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
fleas, seasonal and geographic distribution  
*Microtus socialis*  
*Arvicola terrestris*  
all from Armenia
- Ceratophyllus mokrzeckyi* Wagn.  
Poliakov, V. K.; et al., 1976, Zool. Zhurnal, v. 55 (10), 1538-1551  
rodent fleas, zoological, parasitological, epidemiological and ecological characteristics of steppe, desert-steppe and desert regions of Transural plague focus  
*Meriones tamariscinus*: northeastern part of Caspian lowland
- Ceratophyllus monstrosus vlasovi* Ioff  
Amanniaziava, R. D., 1975, Izvest. Akad. Nauk Turkmensk. SSR, s. Biol. Nauk (6), 48-54  
seasonal distribution in different landscapes  
*Rhombomys opimus*: Turkmenistan
- Ceratophyllus ochi*. Rothschild, 1904  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Chorisopsylla ochi* (Rothschild, 1904)
- Ceratophyllus (Amalaraeus) penicilliger* Grube  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Ceratophyllus (Ceratophyllus) phrillinae* n. sp., illus.  
Smit, F. G. A. M., 1976, Senckenbergiana Biol., v. 57 (1-3), 63-66  
*Certhia familiaris*: forest above Dhumpa, 3000 m, Thakkola, Mustang district, Nepal  
*Apodemus gurkha*: Dhorpatan, + 3000 m, Myangdi district, Nepal
- Ceratophyllus (Megabothris) rectangulatus*  
Wahlgren  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Ceratophyllus robinsoni* Rothschild 1905  
Traub, R., 1951, Proc. Biol. Soc. Wash., v. 64, 1-24  
as syn. of *Stivalius robinsoni* (Rothschild 1905)
- Ceratophyllus rothschildi*. Rainbow, 1905  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Acanthopsylla rothschildi rothschildi* (Rainbow, 1905)
- Ceratophyllus rusticus*  
Roberts, C. J., 1975, Entom. Gaz., v. 26 (2), 139-145  
+*Delichon urbica* (nest): Isle of Man
- Ceratophyllus saxatilis*  
Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
fleas, seasonal and geographic distribution  
*Microtus nivalis*  
*Arvicola terrestris*  
all from Armenia
- Ceratophyllus (Monopsyllus) scalonae* Vovchinskaja  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Ceratophyllus styx*  
Borisova, V. I., 1975, Biol. Nauk., Min. Vyssh. i. Sredn. Spetsial. Obrazovan. SSSR (141), year 18, (9), 14-18  
nest ectoparasite specificity  
+[*Riparia riparia*] (nest)
- Ceratophyllus s[tyx] jordani*  
Roberts, C. J., 1975, Entom. Gaz., v. 26 (2), 139-145  
*Riparia riparia*: Isle of Man
- Ceratophyllus (Monopsyllus) tamias* Wagn.  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva

- Ceratophyllus tesquorum* Wagn.  
Poliakov, V. K.; et al., 1976, Zool. Zhurnal, v. 55 (10), 1538-1551  
rodent fleas, zoological, parasitological, epidemiological and ecological characteristics of steppe, desert-steppe and desert regions of Transural plague focus  
*Citellus pygmaeus*  
*Rhomobomys opimus*  
*Meriones tamariscinus*  
*M. meridianus*  
all from northeastern part of Caspian lowland
- Ceratophyllus (Citellophilus) tesquorum altaicus* Ioff  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Ceratophyllus thomasi*. Rothschild, 1904  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Choristopsylla thomasi* (Rothschild, 1904)
- Ceratophyllus transcaucasicus*  
Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
fleas, seasonal and geographic distribution  
*Arvicola terrestris*: Armenia
- Ceratophyllus tristis* Rothschild, 1904  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Choristopsylla tristis* (Rothschild, 1900)
- Ceratophyllus turbidus*  
Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
fleas, seasonal and geographic distribution  
*Microtus socialis*: Armenia
- Ceratophyllus turkmenicus* Vlasov et Ioff  
Amanniazova, R. D., 1975, Izvest. Akad. Nauk Turkmen. SSR, s. Biol. Nauk (6), 48-54  
seasonal distribution in different landscapes  
*Rhomobomys opimus*: Turkmenistan
- Ceratophyllus (C.) vagabundus* Boheman  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Ceratophyllus walkeri*  
Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
fleas, seasonal and geographic distribution  
*Arvicola terrestris*: Armenia
- Ceratophyllus woodwardi*. Rothschild, 1904  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Acanthopsylla woodardi* (Rothschild, 1904)
- Ceratophyllus zethi*. Rothschild, 1904  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Pygiopsylla zethi* (Rothschild, 1904)
- Ceratopsylla reductus*. Rothschild, 1903 "(female wrongly ascribed to reductus)"  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Porribius bathyllus* (M. Rothschild, 1936)
- Ceratopsylla reductus*. Rothschild, 1903  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Porribius caminae* (Rothschild, 1903)
- Cerylonysus nov. subgen.*  
Fain, A.; and Aitken, T. H. G., 1970, Acarologia, v. 12 (2), 326-338  
subgen. of *Astrida*  
tod: A. (C.) chlorocerylei nov. spec.
- Chaetopsylla globiceps* (Taschenberg 1880).  
Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Vulpes vulpes*: Schleswig-Holstein
- Chaetopsylla globiceps*  
Aubert, M. F. A.; and Beaucournu, J. C., 1976,  
Ann. Parasitol., v. 51 (1), 143-156  
survey of Siphonaptera of some carnivores with brief notes on biology and chorology  
*Vulpes vulpes*: Nord-Est de la France
- Chaetopsylla globiceps* (Taschenberg, 1880), illus.  
Mehl, R., 1972, Fauna, Oslo, v. 25 (4), 247-257  
*Vulpes vulpes*: Norge
- Chaetopsylla (Chaetopsylla) homoeus* Roths.  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Chaetopsylla (Chaetopsylla) homoea* Rothschild, 1906  
Smit, F. G. A. M., 1974, Senckenbergiana Biol., v. 55 (4-6), 357-398  
*Martes flavigula*: Nepal
- Chaetopsylla rothschildi*  
Aubert, M. F. A.; and Beaucournu, J. C., 1976,  
Ann. Parasitol., v. 51 (1), 143-156  
survey of Siphonaptera of some carnivores with brief notes on biology and chorology  
*Felis silvestris*: Nord-Est de la France
- Chaetopsylla trichosa* Kohaut 1903  
Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Vulpes vulpes*: Schleswig-Holstein
- Chaetopsylla trichosa*  
Aubert, M. F. A.; and Beaucournu, J. C., 1976,  
Ann. Parasitol., v. 51 (1), 143-156  
survey of Siphonaptera of some carnivores with brief notes on biology and chorology  
*Vulpes vulpes*  
*Meles meles*  
all from Nord-Est de la France

- Chaetopsylla trichosa* (Kohaut, 1903), illus.  
Mehl, R., 1972, Fauna, Oslo, v. 25 (4), 247-257  
*Vulpes vulpes*: Norge
- Chaetopsylla trichosa*, illus.  
Mehl, R., 1972, Fauna, Oslo, v. 25 (4), 265-274  
*Meles meles*: Norge
- Charopinus dasyaticus* Pillai, 1962  
Kabata, Z., 1968, J. Nat. Hist., v. 2 (4), 505-523  
as syn. of *Pseudocharopinus dasyaticus* (Pillai, 1962)
- Charopinus dubius* T. Scott, 1900, illus.  
Raibaut, A.; and Maamouri, K., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (320), Zool. (227), 1037-1047  
*Raja asterias*  
*R. clavata*  
(cavite bucco-pharyngienne cf all): all from Tunisie
- Charopinus markewitschi* Kirtisinghe, 1964  
Kabata, Z., 1968, J. Nat. Hist., v. 2 (4), 505-523  
as syn. of *Pseudocharopinus dasyaticus* (Pillai, 1962)
- Chatia* Brennan 1946  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere
- Chatia setosa* Brennan  
Easton, E. R., 1975, J. Med. Entom., v. 12 (3), 295-298  
Trombiculidae, comparison of incidence, hosts and seasonal activity in two diverse habitats  
*Peromyscus maniculatus*  
*Eutamias townsendi*  
*Clethrionomys occidentalis*  
all from Oregon
- Chauliacia securigera* (Robin, 1877)  
Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Apus apus*: Moldavian SSR
- Chauliolobion*, new genus  
Humes, A. G., 1975, Smithsonian Contrib. Zool. (202), 41 pp.  
Sabelliphilidae; tod: *Chauliolobion bulbosum*, new species
- Chauliolobion bulbosum*, new species (tod), illus.  
Humes, A. G., 1975, Smithsonian Contrib. Zool. (202), 41 pp.  
Actinopyga echinates: New Caledonia (eastern end of Ricaudy Reef, near Noumea; Rocher a la Voile, Noumea; north of Isle Maitre, near Noumea)  
*A. obesa palauensis*: New Caledonia (north of Isle Maitre)
- Chauliolobion halodeimatis*, new species, illus.  
Humes, A. G., 1975, Smithsonian Contrib. Zool. (202), 41 pp.  
Halodeima atra: New Caledonia (Rocher a la Voile, Noumea; reef between Isle Ndie and Mt. Kumuru, northwest of Noumea)
- Cheladonta* Lipovsky, Crossley, and Loomis 1955  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere
- Cheladonta ikaensis*  
Kamimura, K.; et al., 1972, Eisei Dobutsu (Japan. J. San. Zool.), v. 23 (2), 83-87  
seasonal occurrence; outbreak of acute febrile exanthematic disease among school children, possibly Tsutsugamushi disease transmitted by *Leptotrombidium pallidum*
- Apodemus speciosus*  
*Microtus montebelli*  
all from Yamada, Toyama Prefecture, northern Honshu
- Cheladonta ouachitensis*  
Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Sorex cinereus*  
*S. fumeus*  
*S. palustris*  
all from Fires Creek area, Nantahala Mountains, North Carolina
- Cheladonta reidi* (Audy & Nadchatram)  
Dohany, A. L.; Phang, O. W.; and Rasmund, G., 1977, Southeast Asian J. Trop. Med. and Pub. Health, v. 8 (2), 200-206  
*Rattus tiomanicus*: North Borneo
- Chelopistes* Keler, 1940  
Zlotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *C. meleagridis* (Linnaeus, 1758)
- Chelopistes meleagridis*  
Cremers, H. J. W. M.; Jansen, J.; and Swierstra, D., 1975, Tijdschr. Diergeneesk., v. 100 (22), 1209-1211  
*Meleagris gallopavo*: Netherlands
- Chelopistes meleagridis* (Linne, 1758), illus.  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
key, synonymy  
*Meleagris gallopavo*: Spain
- Chelopistes stylifer* (Nitzsch, 1818)  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
as syn. of *Chelopistes meleagridis* (Linne, 1758)
- Chelopistes styliferum* (Taschenberg, 1882)  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
as syn. of *Chelopistes meleagridis* (Linne, 1758)
- Cheyletidae* sp. Leach  
Amannizova, R. D., 1975, Izvest. Akad. Nauk Turkmensk. SSR, s. Biol. Nauk (6), 48-54  
seasonal distribution in different landscapes  
*Rhombomys opimus*: Turkmenistan

## Cheyletiidae [sp.]

Brown, N. S.; and Wilson, G. I., 1975, Am. Midland Naturalist, v. 94 (1), 154-165  
comparison of ectoparasites from North America and Europe  
*Passer domesticus*: Stockton-on-Tees, England

## Cheyletiidae gen. sp.

Diusembaev, E. B.; and Chelebiev, K. A., 1975, Zool. Zhurnal, v. 54 (1), 124-127  
+*Lagurus lagurus* (nest): Karagandinsk oblast

## Cheyletiella sp.

Ball, D. E., 1977, Austral. Vet. Practitioner, v. 7 (3-4), 181, 226  
Cheyletiella sp., dermatitis, rabbit, dogs, cats: Wollongong, N. S. W.

## Cheyletiella sp., illus.

Fox, J. G.; and Hewes, K., 1976, J. Am. Vet. Med. Ass., v. 169 (3), 332-333  
Cheyletiella sp. resembling Cheyletiella blakei infections found in domestic cats (on skin or in feces) from a commercial supplier, no clinical signs, successful treatment with Kemic Flea and Tick Powder and dichlorvos-impregnated strip in room

## Cheyletiella [sp.] larvae, illus.

Mougeot, G.; and Poirot, J. L., 1975, Nouv. Presse. Med., v. 4 (20), 1509 [Letter]  
Cheyletiella larvae causing persistent pruritus ani in man, relief of symptoms with betamethasone after previous therapy with pyrvinium and aphantia unsuccessful: Paris

## Cheyletiella blakei, illus.

Ayalew, L.; and Vaillancourt, M., 1977, Canad. Vet. J., v. 18 (8), 218-221  
cat (skin), case report: Montreal, Canada

## Cheyletiella blakei

Fox, J. G.; and Hewes, K., 1976, J. Am. Vet. Med. Ass., v. 169 (3), 332-333  
Cheyletiella sp. resembling Cheyletiella blakei infections found in domestic cats (on skin or in feces) from a commercial supplier, no clinical signs, successful treatment with Kemic Flea and Tick Powder and dichlorvos-impregnated strip in room

## Cheyletiella parasitivorax Megnin, 1878, illus.

Albala Perez, F.; and Sanchez Acedo, C., 1974, Rev. Iber. Parasitol., v. 34 (1-2), 129-136  
Cheyletiella parasitivorax, pathology in dog, case report, hexachlorocyclohexane as effective treatment, first report in Spain

## Cheyletiella parasitivorax Megnin, 1878

Alcaino, H.; and Tagle, I., 1966, Bol. Chileno Parasitol., v. 21 (1), 18-19  
conejo angora (piel del lomo y los flancos): Santiago, Chile

## Cheyletiella parasitivorax, illus.

Austad, R., 1968, Tidsskr. Norske Laegeforen., v. 88 (1), 28-30  
Cheyletiella parasitivorax, cause of itching skin eruption in persons in close contact with infested animals, case report, clinical aspects, treatment with derris: Norway

## Cheyletiella parasitivorax

Beresford-Jones, W. P., 1974, Proc. 6. Internat. Conf. World Ass. Adv. Vet. Parasitol. (Vienna, Austria, Sept. 18-20, 1973), 383-390  
Ctenocephalides felis felis, C. canis, Cheyletiella spp., incidence on dogs and cats, human skin sensitivity to bites: England

## Cheyletiella parasitivorax (Megnin)

Clark, J. D.; and Ah, H.-S., 1976, J. Parasitol., v. 62 (1), 125  
mange, New Zealand white rabbits, research animal colony: United States

## Cheyletiella parasitivorax

Cloyd, G. G.; and Moorhead, D. P., 1976, Lab. Animal Sc., v. 26 (5), 801-803  
Cheyletiella parasitivorax, laboratory rabbit, facial alopecia, clinical history

## Cheyletiella parasitivorax, illus.

Flatt, R. E.; and Wiemers, J., 1976, Lab. Animal Sc., v. 26 (5), 758-761  
Cheyletiella parasitivorax, *Listrophorus gibbus*, domestic rabbits, prevalence: commercial rabbitries, Iowa

## Cheyletiella parasitivorax

Kutzer, E.; and Frey, H., 1976, Berl. u. Munchen. Tierarztl. Wchnschr., v. 89 (24), 480-483  
Lepus europaeus: Austria

## Cheyletiella parasitivorax

Linzell, J. L.; and Peaker, M., 1971, Vet. Rec. (4871), v. 89 (14), 394 [Letter]  
Cheyletiella parasitivorax, dogs, increased incidence, treated with gamma benzene hexachloride baths: England

## Cheyletiella parasitivorax, illus.

Mumcuoglu, Y., 1976, Praxis, Bern, v. 65 (45), 1404-1406  
Cheyletiella spp., dermatitis in humans after contact with pet cats, clinical case reports: Basel, Switzerland

## Cheyletiella parasitivorax, illus.

du Plessis, R. S., 1972, J. South African Vet. Ass., v. 43 (3), 305-308  
Cheyletiella parasitivorax, review of parasitic status, case history, treatment with tetsomol bath, symptoms, control: South Africa

## Cheyletiella parasitivorax (Megnin)

Shepherd, R. C. H.; and Edmonds, J. W., 1977, J. Austral. Entom. Soc., v. 16 (3), 237-244  
Leporacarus gibbus, Cheyletiella parasitivorax, and Haemodipus ventricosus on Oryctolagus cuniculus, infestation rates, seasonal variation, sex ratios of Leporacarus gibbus, age and sex of host: Victoria

## Cheyletiella yasguri, illus.

Ayalew, L.; and Vaillancourt, M., 1976, Canad. Vet. J., v. 17 (7), 184-191  
Cheyletiella yasguri, dogs, clinical findings, history, skin lesions in humans having direct contact with infected dogs: commercial kennel near Montreal

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Cheyletiella yasguri* (Smiley), illus.  
Beresford-Jones, W. P., 1974, Proc. 6. Internat. Conf. World Ass. Adv. Vet. Parasitol. (Vienna, Austria, Sept. 18-20, 1973), 383-390  
*Ctenocephalides felis felis*, C. canis, *Cheyletiella* spp., incidence on dogs and cats, human skin sensitivity to bites: England
- Cheyletiella yasguri*  
Mumcuoglu, Y., 1976, Praxis, Bern, v. 65 (45), 1404-1406  
*Cheyletiella* spp., dermatitis in humans after contact with pet cats, clinical case reports: Basel, Switzerland
- Cheyletus* [sp.] nr. *cacahuamilpensis* Baker  
Reisen, W. K.; Kennedy, M. L.; and Reisen, N. T., 1976, J. Parasitol., v. 62 (4), 628-635  
winter ecology of ectoparasites collected from hibernating *Myotis velifer* (incidence, intensity, monthly changes, parasite and host sex ratio, interspecific associations, parasite age structure, etc.)  
*Myotis velifer*: Harmon County, southwestern Oklahoma
- Cheyletus* sp.  
Sandhu, P. S.; and Kapoor, V. C., 1977, Entom. News, v. 88 (5-6), 151-152  
*Tatera indica*: Punjab, India
- Chiggers, illus.  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
key to subfamilies, and to 87 genera in Western Hemisphere
- Chiggers  
Shirai, A.; and Wisseman, C. L., jr., 1975, Am. J. Trop. Med. and Hyg., v. 24 (1), 145-153  
no correlation between antigenic type of etiologic strain or geographic distribution of scrub typhus isolates and their chigger vectors
- Chimaeropsyllidae* Cunha, 1914  
Lewis, R. E., 1974, J. Med. Entom., v. 11 (5), 525-540  
*Ancistropsyllidae*, *Chimaeropsyllidae*, *Ischnopsyllidae*, *Leptopsyllidae*, and *Macropsyllidae*, geographic distribution and host preferences, list of genera and species
- Chirodiscinae*  
Domrow, R., 1970, Acarologia, v. 12 (2), 415-420  
Syn.: *Atopomelinae*
- Chirodiscoides caviae*  
Prosli, H., 1976, Ztschr. Parasitenk., v. 50 (2), 214  
Meerschweinchen
- Chirodiscus amplexans* Trouessart & Neumann, illus.  
Domrow, R., 1970, Acarologia, v. 12 (2), 415-420  
redescription, "The host was said to have been *Podargus strigoides* (Latham), an Australian bird, but this is highly unlikely, as Trouessart himself later realised ... The species is, in all respects, a listrophorid, an almost cosmopolitan group restricted to mammals, particularly rodents of the Old World and Australia."
- Chiropteropsylla aegyptia* (Rothschild, 1903), illus.  
Traub, R., 1968, J. Med. Entom., v. 5 (3), 375-404  
discussion of convergent evolution and morphological modifications in helmet-bearing fleas
- Chiropontyssus* sp. near *venezolanus*  
Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Tadarida macrotis*: Big Bend National Park, Texas
- Chiropontyssus haematophagus*  
Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Tadarida femorosacca*  
*Eumops perotis*  
all from Big Bend National Park, Texas
- Chiropontyssus robustipes* (Ewing)  
Dooley, T. J.; Bristol, J. R.; and Canaris, A. G., 1976, J. Mamm., v. 57 (1), 189-191  
*Myotis californicus californicus*  
*Tadarida brasiliensis mexicana*  
all from southwestern United States
- Chiropontyssus robustipes*  
Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Mormoops megalophylla*  
*Tadarida brasiliensis*  
*T. macrotis*  
all from Big Bend National Park, Texas
- Chiropontyssus venezolanus*  
Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Tadarida femorosacca*: Big Bend National Park, Texas
- Chondracanthus alatus* Heller, 1865, illus.  
Pillai, N. K., 1964, J. Marine Biol. Ass. India, v. 6 (1), 61-83  
description, syn.: *Pseudochondracanthus psettodes* Kirtisinghe, 1950  
*Psettodes erumei* (gills): Trivandrum, South India
- Chondracanthus trilobatus* n. sp., illus.  
Pillai, N. K., 1964, J. Marine Biol. Ass. India, v. 6 (1), 61-83  
*Psettodes erumei* (gills): Trivandrum, South India
- Chonopeltis australis* sp. nov., illus.  
Boxshall, G. A., 1976, Bull. Brit. Mus. (Nat. Hist.), Zool., v. 30 (6), 217-221  
*Labeo capensis*  
*Labeo rosae*  
(body surface of all): all from the Orange river system, southern Africa
- Chorioptes*  
Gothe, R., 1976, Berl. u. Munchen. Tierarztl. Wchnschr., v. 89 (15), 293-296  
*Chorioptes*, cattle, Ektomin spray, good results, number of treatments correlated with intensity of infection; potentially useful against resistant mites
- Chorioptes bovis*  
Frick, W., 1977, Monatsh. Vet.-Med., v. 32 (8), 291-294  
different concentrations of dichlorvos, cattle

## ARTHROPODA

- Chorioptes bovis**  
 Rhodes, A. P., 1976, Austral. Vet. J., v. 52 (6), 250-257  
 rams, extensive scrotal mange, effect on reproductive function
- Chorioptes bovis var. ovis**  
 Oberg, C.; Diaz, L.; and Valenzuela, G., 1974, Bol. Chileno Parasitol., v. 29 (3-4), 99-102  
*Ovis aries*: Chile
- Chorioptes communis var. ovis**  
 Corring, J., 1975, Deutsche Tierarztl. Wchnschr., v. 82 (12), 491-492  
 ovine scabies, brief review of clinical aspects, diagnosis
- Choristopsylla** Jordan and Rothschild, 1922  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 diagnosis, key, key to Australian species
- Choristopsylla leptophallus** sp. n., illus.  
 Mardon, D. K., 1977, J. Austral. Entom. Soc., v. 16 (2), 155-157  
 Trichosurus vulpecula: 10 ml (16 km) W of Grevillia, New South Wales  
 Schoinobates volans: Blackbutt, Queensland; Dinner Creek, Ravenshoe, Queensland
- Choristopsylla ochi** (Rothschild, 1904), illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis, syn.: Ceratophyllus ochi.  
 Rothschild, 1904  
 Trichosurus vulpecula: Australian Capital Territory; New South Wales; Queensland; South Australia; Tasmania; Victoria; Western Australia  
 T. v. johnstoni: Queensland  
 T. v. fuliginosa: Tasmania  
 Pseudocheirus lanuginosus: Australian Capital Territory  
 P. cooki: Tasmania  
 P. peregrinus: Victoria  
 P. p. lanuginosus: Victoria  
 Schoinobates volans: Queensland  
 Petauroides = Schoinobates volans: Queensland  
 Acrobates pygmaeus: New South Wales  
 Isoodon obesusulus: Victoria  
 Rattus rattus: Victoria
- Choristopsylla ochi** Rothschild, illus.  
 Mardon, D. K., 1977, J. Austral. Entom. Soc., v. 16 (2), 155-157
- Choristopsylla thomasi** (Rothschild, 1904), illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis, syn.: Ceratophyllus thomasi.  
 Rothschild, 1904  
 Acrobates pygmaeus  
 Rattus fuscipes assimilis  
 all from Victoria
- Choristopsylla tristis** (Rothschild, 1900), illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 synonymy, key, diagnosis  
 Petaurus breviceps: New South Wales; Queensland; Victoria  
 P. norfolcensis: New South Wales; Victoria  
 P. australis: Victoria  
 Petaurus sp.: New South Wales  
 Gymnobelideus leadbeateri: Victoria  
 Acrobates pygmaea: Victoria
- Chortoglyphidae** Berlese 1897  
 Fain, A.; and Spicka, E. J., 1977, J. Parasitol., v. 63 (1), 137-140  
 Aplodontopus transferred to family Chortoglyphidae  
 Syn.: Aplodontopinae Fain 1969
- Chrysomyia bezziana**  
 Bennett, G. F.; Warren, M.; and Ellison, D. W., 1964, Med. J. Malaya, v. 19 (1), 59  
*camel (eye)*  
 Ceylonese hog deer (foot wound)  
 wallaby (forefoot wound)  
 all from Malayan National Zoo
- Chrysomyia bezziana**  
 Dipeolu, O. O., 1977, Bull. Animal Health and Prod. Africa, v. 25 (1), 33-39  
 occurrence, distribution and breeding sites of blood sucking flies in Nigeria
- Chrysomyia bezziana**  
 Griffiths, R. B., 1965, Med. J. Malaya, v. 20 (1), 77  
 Chrysomyia bezziana as cause of cutaneous myiasis of cattle (*Bos indicus*) in Kuala Lumpur
- Chrysomyia bezziana**  
 Misra, S. C.; Mohapatra, G. S.; and Sahoo, B., 1976, Food Farm. and Agric., v. 7 (10), 39-41  
 prevalence of infestation  
 cattle (navel, vulva, tail): Orissa
- Chrysomyia bezziana** Villeneuve  
 Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397  
 seasonal distribution  
 Bubalus bubalis (parotid, navel, foot)  
 Bos indicus  
 Capra hircus  
 all from Hissar and suburbs, India
- Chrysomya bezziana**  
 Spradberry, J. P.; Sands, D. P. A.; and Bakker, P., 1976, Austral. Vet. J., v. 52 (6), 280-284  
 Chrysomya bezziana, cattle, comparison of insecticides AM 18074 P; AMP 18074 N; methoxychlor; EQ 335
- Chrysomyia megacephala**  
 Misra, S. C.; Mohapatra, G. S.; and Sahoo, B., 1976, Food Farm. and Agric., v. 7 (10), 39-41  
 prevalence of infestation  
 cattle (near horn, vagina): Orissa
- Chrysomya rufifacies**  
 Watts, J. E.; et al., 1976, Austral. Vet. J., v. 52 (10), 488-489 [Letter]  
 fly strike, sheep: south-eastern Australia
- Ciconiphilus pectinatus** (Neumann, 1912) in Hopkins & Clay, 1952  
 Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
 as syn. of Ciconiphilus pectiniventris (Harrison, 1916)
- Ciconiphilus pectiniventris** (Harrison, 1916)  
 Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
 synonymy, key
- Cimex hemipterus**  
 Cheong, W. H., 1964, Med. J. Malaya, v. 19 (1), 62-63  
 resistance of Cimex hemipterus to DDT and dieldrin; sensitivity to malathion: Malaysia

- Cimex hemipterus* Walker  
 Khan, A. M., 1976, Indian J. Entom., v. 36 (3), 1974, 240-241  
*Cimex hemipterus, intracellular Corynebacterium* sp. isolated
- Cimex hemipterus*  
 Wills, W.; et al., 1977, Lancet, London (8031), v. 2, 217-219  
*Cimex hemipterus* collected from huts of village dwellers, hepatitis-B virus antigen detected in unengorged nymphs and adults, must be considered as potential vector: Senegal, West Africa
- Cimex insuetus*  
 Williams, J. E.; et al., 1976, Bull. World Health Organ., v. 53 (4), 365-369  
*Stricticimex parvus* and *Cimex insuetus* implicated as possible vectors of Kaeng Khoi virus: caves of central Thailand
- Cimex lectularius*  
 Levin, N. A., 1977, Zhurnal Obshch. Biol., v. 38 (4), 621-626  
*Cimex lectularius*, responses to smell stimuli in relation to various environmental factors (temperature, light, atmospheric pressure, strong mechanical influence)
- Cimex lectularius* L., illus.  
 Mittal, O. P.; and Brar, B. K., 1976, Cytobios (61), v. 16, 7-12  
*Cimex lectularius*, chromosome complement, special reference to sex-determination: Puranmal Dharmshala, Simla
- Cimex lectularius*, illus.  
 Steinbrecht, R. A.; and Mueller, B., 1976, Tissue and Cell, v. 8 (4), 615-636  
*Cimex lectularius*, antennal sensilla, scanning and transmission electron microscopy
- Cimex lectularius*  
 Takahashi, M.; and Ohtaki, T., 1975, Eisei Dobutsu (Japan. J. San. Zool.), v. 26 (4), 237-239  
*Pediculus humanus corporis*, *Cimex lectularius*, ovicidal effects of methoprene and hydroprene, juvenile hormone analogs; methoprene less effective on *P. humanus corporis*, more effective on *C. lectularius*
- Cimex lectularius*  
 Wade, J. O., 1976, Ann. Trop. Med. and Parasitol., v. 70 (1), 113-120  
 design for arthropod membrane feeding unit embodying electrical stirring device to insure even erythrocyte distribution throughout blood during feeding period
- Cimex pilosellus* Horvath  
 Dooley, T. J.; Bristol, J. R.; and Canaris, A. G., 1976, J. Mamm., v. 57 (1), 189-191  
*Pipistrellus hesperus maximus*  
*Antrozous pallidus pallidus*  
 all from southwestern United States
- Cimex pilosellus*  
 Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Pipistrellus hesperus*: Big Bend National Park, Texas
- Citellophilus simplex* (Wagner) 1902  
 Cyprich, D.; and Kiefer, M., 1975, Biologia, Bratislava, s. B, Zool. (3), v. 30 (8), 599-604  
*+Cricetus cricetus* (nest): Vychodoslovenskej nizine
- Citellophilus tesquorum sungaricus* (Jordan, 1929)  
 Skuratowicz, W., 1976, Polskie Pismo Entom., v. 46 (1), 25-27  
*Citellus undulatus*: Chisig Onder, Mongolia  
*Citellus* sp.: Cecerleg, Mongolia
- Clausidium vancouverense* (Hadden)  
 Ho, J.-S., 1975, Fish Bull. (165), State Calif., Resources Agency, Dept. Fish and Game, 69-72  
*Callianassa californiensis*: Anaheim Bay
- Clavellina inversa*  
 Rawson, M. V., jr., 1977, J. Fish Biol., v. 10 (5), 441-451  
 crustacean parasites of *Mugil cephalus*, prevalence and intensity of infection, seasonal abundance, distribution on yearlings indicates a high degree of habitat subdivision on gill arches: Sapelo Island, Georgia
- Clavelloides* sp.  
 Vooren, C. M.; and Tracey, D., 1976, N. Zealand J. Marine and Freshwater Research, v. 10 (3), 499-509  
 incidence, intensity, age of host  
*Cheilodactylus macropterus* (gills): New Zealand
- Clavelloides pterobrachiata* sp. nov., illus.  
 Kabata, Z., 1968, J. Nat. Hist., v. 2 (4), 505-523  
*Epinephelus merra* (gills): off Heron Island, Queensland
- Cleopsylla townsendi* Rothschild, 1914, illus.  
 Traub, R., 1968, J. Med. Entom., v. 5 (3), 375-404  
 discussion of convergent evolution and morphological modifications in helmet-bearing fleas
- Clogmia* (= *Telmatoscopus*) *albipunctatus*  
 Mohammed, N.; and Smith, K. G. V., 1976, Tr. Roy. Soc. Trop. Med. and Hyg., v. 70 (1), 91 [Letter]  
 nasopharyngeal myiasis caused by larvae, man, case report: Zaria, Nigeria
- Cnemidocoptes*. See *Knemidokoptes*.
- Cochliomyia hominivorax* (Coquerel)  
 Ahrens, E. H.; et al., 1977, Environment. Entom., v. 6 (1), 138-142  
*Cochliomyia hominivorax*, distribution and diurnal activity periods of released and native screwworm flies: southern Texas
- Cochliomyia hominivorax*  
 Ahrens, E. H.; et al., 1977, J. Econom. Entom., v. 70 (5), 581-585  
*Amblyomma maculatum*, cattle, field trials to evaluate effectiveness of insecticide-imregnated ear tags, ear bands, neck bands, and asphalt-base aerosols, prevention of screwworm infestations by controlling ticks
- Cochliomyia hominivorax*  
 Bush, G. L.; Neck, R. W.; and Kitto, G. B., 1976, Science (4252), v. 193, 491-493  
*Cochliomyia hominivorax*, mass rearing program, inadvertent selection for rare allelic form of  $\alpha$ -glycerol phosphate dehydrogenase (a flight muscle enzyme), relationship to loss of competitive ability of factory-reared screwworm flies when released into nature

*Cochliomyia hominivorax*  
Bushland, R. C., 1974, Science (4140), v. 184,  
1010-1011  
comments on U. S. Dept. Agric. Southwestern  
Screwworm Eradication Program

*Cochliomyia hominivorax* (Coquerel)  
Coppedge, J. R.; et al., 1977, Environment.  
Entom., v. 6 (1), 66-68  
*Cochliomyia hominivorax*, reproductive status  
of females captured from traps baited with  
swormlure, swormlure-2, and liver, results  
indicate that swormlure-2 more attractive  
than swormlure and at least as attractive as  
liver; more unmated female flies attracted  
to swormlure-2 than to liver

*Cochliomyia hominivorax*  
Coppedge, J. R.; and Snow, J. W., 1977, South-  
west. Entom., v. 2 (2), 57-61  
*Cochliomyia hominivorax*, seasonal occurrence  
and responses to liver and "swormlure" as  
attractants, similar responses to both: sub-  
tropical Texas

*Cochliomyia hominivorax* (Coquerel)  
Crystal, M. M., 1972, J. Med. Entom., v. 9  
(6), 509-510  
*Cochliomyia hominivorax*, chemosterilization  
by immersion in N,N'-tetramethylenebis (1-  
aziridinecarboxamide), susceptibility  
changed with time of day of treatment, per-  
manence of sterility, effect on survival

*Cochliomyia hominivorax* (Coquerel)  
Crystal, M. M., 1977, Ann. Entom. Soc. Am.,  
v. 70 (5), 702-706  
*Cochliomyia hominivorax*, fly vigor measured  
by the flight mill technique, flight per-  
formance greater in females than males,  
linear correlation between age of flies and  
percentage of individuals with partial or  
complete loss of wings

*Cochliomyia hominivorax* (Coquerel)  
Crystal, M. M.; and Ramirez, R., 1975, J. Med.  
Entom., v. 12 (4), 418-422  
*Cochliomyia hominivorax*, strains evaluated  
for laboratory adaptation and longevity,  
sexual aggressiveness, mating capacity and  
mating competitiveness, suitability for mass  
production and sterile male release

*Cochliomyia hominivorax* (Coquerel)  
Crystal, M. M.; and Ramirez, R., 1975, J. Med.  
Entom., v. 12 (4), 423-425  
*Cochliomyia hominivorax*, males and females,  
chemosterilization with N,N'-tetramethylenebis  
(1-aziridinecarboxamide), less chemosterilant  
required with increasing age, survival per  
given dose independent of age when treated

*Cochliomyia hominivorax*  
DeVaney, J. A.; et al., 1973, J. Med. Entom.,  
v. 10 (6), 591-595  
*Cochliomyia hominivorax*, attractancy of  
bovine blood fractions incubated and inocu-  
lated with known bacteria species resulted  
from bacteria and/or from compounds produced  
by them

*Cochliomyia hominivorax* (Coquerel)  
DeVaney, J. A.; and Garcia, J. J., 1975, J.  
Med. Entom., v. 12 (5), 511-513  
*Cochliomyia hominivorax*, 5 strains under  
laboratory conditions, longevity, oviposi-  
tion, fertility

*Cochliomyia hominivorax* (Coquerel)  
Eddy, G. W.; DeVaney, J. A.; and Handke, B. D.,  
1975, J. Med. Entom., v. 12 (3), 379-381  
*Cochliomyia hominivorax* adults, attraction  
to bovine blood incubated with various  
species of bacteria, possible use with ovi-  
position medium in screwworm rearing plants

*Cochliomyia hominivorax*  
Gladney, W. J., 1976, J. Econom. Entom., v. 69  
(6), 757-760  
insecticides, field trials in controlled-  
release devices for control of *Amblyomma*  
*maculatum* and *Cochliomyia hominivorax*,  
cattle: northeastern Starr Co., Texas

*Cochliomyia hominivorax* (Coquerel)  
Goodenough, J. L.; and Snow, J. W., 1977,  
J. Econom. Entom., v. 70 (1), 70-71  
*Cochliomyia hominivorax*, *C. macellaria*, in-  
creased captures in electrocutter grid traps,  
population monitoring and detecting

*Cochliomyia hominivorax*  
Guillot, F. S.; et al., 1977, Ann. Entom. Soc.  
Am., v. 70 (4), 588-590  
*Cochliomyia hominivorax*, feeding behavior  
and reproductive status of females attracted  
to a host, relationship to mating and ovarian  
development

*Cochliomyia hominivorax* (Coquerel)  
Guillot, F. S.; et al., 1977, Southwest.  
Entom., v. 2 (1), 49-52  
*Cochliomyia hominivorax*, reproductive status  
of female screwworms captured from a host  
compared with those captured in traps  
baited with swormlure 2 or liver; baits  
attracted nulliparous and vitellogenetic  
females, not effective for postvitellogenetic  
females

*Cochliomyia hominivorax* (Coquerel)  
Jones, C. M.; et al., 1976, J. Econom. Entom.,  
v. 69 (3), 389-391  
development of chemical bait to attract  
*Cochliomyia hominivorax*, good results, com-  
pared with liver attractant

*Cochliomyia hominivorax* (Coquerel)  
Jones, C. M.; Snow, J. W.; and Villasenor, M.  
A., 1976, J. Econom. Entom., v. 69 (6), 761-  
762  
*Cochliomyia hominivorax*, seasonal occur-  
rence: central Tamaulipas, Mexico

*Cochliomyia hominivorax*  
Macias, E. G.; et al., 1973, N. England J.  
Med., v. 289 (23), 1239-1241  
*Cochliomyia hominivorax* causing myiasis in  
children, frequently associated with pedicu-  
losis, close proximity to city stockyards and  
poor environmental and personal hygiene im-  
plicated in epidemiology: San Antonio, Texas

*Cochliomyia hominivorax*  
Nellis, D. W., 1977, J. Parasitol., v. 63 (1),  
178-179  
*Cochliomyia hominivorax*, transmission by  
trade winds with typical and atypical direc-  
tions, hypothesized route of wind-assisted  
screwworm range extension: Puerto Rico;  
Vieques; Virgin Islands

- Cochliomyia hominivorax*  
Snow, J. W.; Hofmann, H. C.; and Baumhover, A. H., 1977, Southwest. Entom., v. 2 (4), 202-206  
*Cochliomyia hominivorax*, serious pest of livestock, feasibility of eradication by sterile insect method: Jamaica
- Cochliomyia macellaria* (F.)  
Goodenough, J. L.; and Snow, J. W., 1977, J. Econom. Entom., v. 70 (1), 70-71  
*Cochliomyia hominivorax*, *C. macellaria*, increased captures in electrocutter grid traps, population monitoring and detecting
- Codonophilus gaudichaudii* (Milne-Edwards, 1840)  
Brusca, R. C., 1977, Bull. South. Calif. Acad. Sc., v. 76 (2), 128-131  
Cymothoidae, range extensions, some host records questionable, host criteria: eastern Pacific Ocean  
*Trachinotus* sp.: Bahia San Juanico, Baja California Sur (west coast), Mexico
- Codonophilus gilberti* (Richardson, 1904)  
Brusca, R. C., 1977, Bull. South. Calif. Acad. Sc., v. 76 (2), 128-131  
Cymothoidae, range extensions, some host records questionable, host criteria: eastern Pacific Ocean  
Mugil hospes: Puerto Penasco, Sonora, Mexico  
*M. cephalus*: Estero de Punta Banda, Baja California Norte (west coast)
- Colicus* Brennan 1970  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere
- Colobomatus collettei* n. sp., illus.  
Cressey, R. F., 1977, Proc. Biol. Soc. Washington, v. 90 (3), 579-583  
*Hemiramphus robustus* (interorbital canals): McCluer Gulf off New Guinea
- Colobomatus embiotocae* Nobel, Collard and Wilkes, 1969  
Iverson, E. W., 1972, Calif. Fish and Game, v. 58 (4), 323-325  
*Zalembius rosaceus*: Monterey and Bodega Bays, California  
*Hyperprosopon anale*: Monterey and Bodega Bays, California  
(preopercular-mandibular canal of all)
- Colobomatus springeri* n. sp., illus.  
Cressey, R. F., 1977, Proc. Biol. Soc. Washington, v. 90 (3), 579-583  
*Cryptotrema corallinum* (interorbital canals): off Santa Catalina Is., California
- Coloceras Taschenberg*, 1882  
Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69  
Goniidae  
key, phylogenetic position
- Coloceras Taschenberg*, 1882  
Zlotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *C. damicornis fahrenholzi* (Eichler, 1950)
- Coloceras* sp. n.  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Chalcophaps indica*: New Hebrides
- Coloceras chinense* (Kellogg et Chapman), illus.  
Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69
- Coloceras damicornis* (Nitzsch, 1866), illus.  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
key, synonymy  
*Columba livia domestica*: Spain
- Coloceras damicornis* (Nitzsch), illus.  
Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69
- Coloceras piageti* (Johnston et Harrison), illus.  
Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69
- Coloceras theresae* Tendeiro, illus.  
Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69
- Coloceroides* Tendeiro, 1972  
Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69  
Goniidae  
key, phylogenetic position
- Coloceroides nitens* Tendeiro, illus.  
Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69
- Coloceroides temporalis* Tendeiro, illus.  
Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69
- Colpocephalum* sp.  
Rak, H.; Anwar, M.; and Niak, A., 1975, Bull. Soc. Path. Exot., v. 68 (6), 588-591  
*Falco cherrug*: Iran
- Colpocephalum abbotti* sp. n., illus.  
Price, R. D., 1976, System. Entom., v. 1 (1), 61-65  
*Threskiornis aethiopica abbotti*: Aldabra
- Colpocephalum angulaticeps* (Piaget, 1880)  
Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
*Fregata minor palmerstoni*: Midway Atoll, Pacific Ocean
- Colpocephalum pectinatum*  
Rak, H.; Anwar, M.; and Niak, A., 1975, Bull. Soc. Path. Exot., v. 68 (6), 588-591  
*Athene noctua*  
*Streptopelia turtur*  
all from Iran
- Colpocephalum pectinatum*  
Tyler, J. D.; and Buscher, H. N., 1975, Proc. Oklahoma Acad. Sc., v. 55, 166-168  
*Speotyto cunicularia*: Oklahoma
- Colpocephalum pectiniventris* Harrison, 1916  
Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
as syn. of *Ciconiphilus pectiniventris* (Harrison, 1916)
- Colpocephalum turbinatum*  
Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
key
- Colpocephalum wetzeli* Eich., 1941  
Gan, E. I.; and Shousmanov, Sh., 1976, Uzbek. Biol. Zhurnal (5), 54-56  
[*Aquila rapax*]: Kashka-Darya oblast

- Columbicola Ewing, 1939*  
*Złotorzycka, J.; Eichler, W.; and Ludwig, H.*  
*W., 1974, Parasitol. Schriftenr., v. 22, 1-160*  
*lice of domestic animals, keys to species*  
*and subspecies, descriptions, illustrations,*  
*hosts, economic and epidemiological impor-*  
*tance, extensive compilation: Central Europe*  
*includes: C. columbae columbae (Linnaeus,*  
*1758); C. montschadskyi Blagoveshtchensky,*  
*1951*
- Columbicola antennatus (Giebel, 1874)*  
*Martin Mateo, M. P., 1975, Rev. Iber. Para-*  
*sitol., v. 35 (1-2), 41-79*  
*as syn. of Columbicola columbae (Linne, 1758)*
- Columbicola cavifrons (Taschenberg, 1882) sens.*  
*lat.*  
*Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),*  
*189-199*  
*arthropods ectoparasitic upon mammals and*  
*birds, factors affecting host specificity*  
*Ducula bakeri: New Hebrides*
- Columbicola columbae L., 1758*  
*Gan, E. I.; and Shousmanov, Sh., 1976, Uzbek.*  
*Biol. Zhurnal (5), 54-56*  
*[Columba livia]: Kashka-Darya oblast*
- Columbicola columbae (Linnaeus, 1759), illus.*  
*Lunkashu, M. I., 1973, Parazity Zhivot. i*  
*Rasten., Akad. Nauk Moldavsk. SSR (9), 214-226*  
*description*  
*[domestic pigeon]: Moldavian SSR; and*  
*Chernovtzy oblast, Ukrainian SSR*
- Columbicola columbae (Linne, 1758), illus.*  
*Martin Mateo, M. P., 1975, Rev. Iber. Para-*  
*sitol., v. 35 (1-2), 41-79*  
*key, synonymy*  
*Columba livia domestica: Spain*
- Columbicola columbae*  
*Misra, S. C., 1974, Indian J. Animal Research*  
*v. 8 (2), 87-88*  
*pigeons, Ectopar, highly effective*
- Columbicola columbae Linnaeus*  
*Singh, A.; and Chhabra, R. C., 1974, Indian J.*  
*Animal Sc., v. 43 (5), 1973, 393-397*  
*seasonal distribution*  
*Gallus gallus (body): Hissar and suburbs,*  
*India*
- Columbicola columbae (Linnaeus, 1758)*  
*Ward, R. A.; and Downey, J. C., 1973, J. Med.*  
*Entom., v. 10 (4), 391-396*  
*Columba livia: Sand Island, Midway Atoll,*  
*Pacific Ocean*
- Columbicola c. columbae, illus.*  
*Eichler, W., 1976, Ang. Parasitol., v. 17 (2),*  
*100-101*  
*Columbicola c. columbae, teratology, females*  
*Columba livia "fam.": Kairo*
- Columbicola columbae columbae*  
*Gothe, R.; and Imhoff, N., 1975, Berl. u.*  
*Munchen. Tierarztl. Wchnschr., v. 88 (22),*  
*431-436*  
*arthropods, incidence in carrier pigeons,*  
*variation with host age: Germany*
- Columbicola emersoni Tendeiro, 1960 sens. lat.*  
*Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),*  
*189-199*  
*arthropods ectoparasitic upon mammals and*  
*birds, factors affecting host specificity*  
*Ptilinopus greyii*  
*P. tannensis*  
*all from New Hebrides*
- Columbicola guimaraesi Tendeiro, 1965*  
*Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),*  
*189-199*  
*arthropods ectoparasitic upon mammals and*  
*birds, factors affecting host specificity*  
*Chalcophaps indica: New Hebrides*
- Columbicola longiceps (Rudow, 1869)*  
*Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),*  
*189-199*  
*arthropods ectoparasitic upon mammals and*  
*birds, factors affecting host specificity*  
*Ducula pacifica: New Hebrides*
- Columbicola montschadskyi Blag., 1951*  
*Gan, E. I.; and Shousmanov, Sh., 1976, Uzbek.*  
*Biol. Zhurnal (5), 54-56*  
*[Columba livia]*  
*[Streptopelia turtur]*  
*all from Kashka-Darya oblast*
- Comatacarus Ewing 1942*  
*Brennan, J. M.; and Goff, M. L., 1977, J. Par-*  
*asitol., v. 63 (3), 554-566*  
*synoptic key to 87 genera of chiggers in*  
*the Western Hemisphere*
- Comatacarus Ewing, 1942*  
*Reed, J. T., 1973, J. Med. Entom., v. 10 (3),*  
*315-317*  
*restoration to generic standing, redescription*  
*key to species*  
*Syn.: Leeuwenhoekia (Comatacarus): Wharton*  
*et al., 1951*
- Comatacarus americanus Ewing*  
*Easton, E. R., 1975, J. Med. Entom., v. 12*  
*(3), 295-298*  
*Trombiculidae, comparison of incidence,*  
*hosts and seasonal activity in two diverse*  
*habitats*  
*Peromyscus maniculatus*  
*Clethrionomys occidentalis*  
*Sorex pacificus or S. vagrans yaquinae*  
*S. trowbridgii*  
*Microtus montanus*  
*Sorex vagrans*  
*all from Oregon*
- Comatacarus americanus (Ewing, 1942), illus.*  
*Reed, J. T., 1973, J. Med. Entom., v. 10 (3),*  
*315-317*  
*key*
- Comatacarus dolosus [n. comb.], illus.*  
*Reed, J. T., 1973, J. Med. Entom., v. 10 (3),*  
*315-317*  
*key*  
*Syn.: Leeuwenhoekia (Comatacarus) dolosa*  
*Gould, 1956*
- Comatacarus inconspicuus n. sp., illus.*  
*Reed, J. T., 1973, J. Med. Entom., v. 10 (3),*  
*315-317*  
*key*  
*Peromyscus maniculatus (pinnae): mouth of*  
*Provo Canyon, base of Squaw Peak, and Pleas-*  
*ant Grove, Utah Co., Utah*

- Comatacarus stewarti* [n. comb.], illus.  
Reed, J. T., 1973, *J. Med. Entom.*, v. 10 (3), 315-317  
key  
Syn.: *Leeuwenhoekia (Comatacarus) stewarti* Gould, 1956
- Conchyliurus bhimilensis* n. sp.  
Devi, S. L.; and Bhavanarayana, P. V., 1976, *Current Sc.*, Bangalore, v. 45 (18), 675-676  
*Meretrix casta* (mantle cavity): off  
Bhimunipatnam
- Conchyliurus mactrae* sp. n., illus.  
Avdeev, G. V., 1977, *Biol. Moria*, Vladivostok (2), 34-45  
*Mactra chinensis* (mantle cavity): Possiet Bay (Sea of Japan)
- Congocoptes brasiliensis* nov. spec., illus.  
Fain, A.; and Aitken, T. H. G., 1970, *Acarologia*, v. 12 (2), 326-338 [For Erratum see *Acarologia*, v. 12 (3), Jan., 1971, p. opposite Sommaire]  
*Celeus undatus* (fosses nasales): APEG Forest (Station A), Belem, Bresil
- Conorhinopsylla stanfordi* Stewart  
Amin, O. M., 1973, *J. Med. Entom.*, v. 10 (1), 110-111  
*Sciurus niger*: Adams Co., Wisconsin
- Conothobius Ioff*, 1950  
Smit, F. G. A. M., 1974, *Senckenbergiana Biol.*, v. 55 (4-6), 357-398  
as syn. of *Ctenophyllus Wagner*, 1927
- Conothobius Ioff*, 1950  
Smit, F. G. A. M., 1975, *Senckenbergiana Biol.*, v. 56 (4-6), 247-256  
key
- Coorilla Dunnet and Mardon*, 1973  
Dunnet, G. M.; and Mardon, D. K., 1974, *Austral. J. Zool.*, Suppl. s. (30), 1-273  
key, diagnosis
- Coorilla longictena* Dunnet and Mardon, 1973, illus.  
Dunnet, G. M.; and Mardon, D. K., 1974, *Austral. J. Zool.*, Suppl. s. (30), 1-273  
diagnosis  
*Tadarida norfolkensis*  
*Nyctonomis*  
*Nyctemeris*  
all from New South Wales
- Copepod* [a]  
Charnov, E. L.; and Bull, J., 1977, *Nature*, London (5605), v. 266, 828-830  
environmental sex determination, hypothesis with mention of *Mermithidae* and parasitic copepods as examples
- Copepoda*  
Rohde, K., 1976, *Ztschr. Parasitenk.*, v. 50 (1), 93-94  
species diversity of fish parasites in coral reef habitats, higher numbers of species of *Monogenea* per species of fish than in higher latitudes, theoretical discussion: Capricorn group of reefs, Great Barrier Reef
- Coptopsylla bairamaliensis* Wagn.  
Amanniazova, R. D., 1975, *Izvest. Akad. Nauk Turkmensk. SSR, s. Biol. Nauk* (6), 48-54  
seasonal distribution in different landscapes  
*Rhombomys opimus*: Turkmenistan
- Coptopsylla olgae* Arg.  
Amanniazova, R. D., 1975, *Izvest. Akad. Nauk Turkmensk. SSR, s. Biol. Nauk* (6), 48-54  
seasonal distribution in different landscapes  
*Rhombomys opimus*: Turkmenistan
- Coraciacarus cuculi* (Megnin et Trouessart, 1884)  
Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, *Parazity Zhivot. i Rasten.*, Akad. Nauk Moldavsk. SSR (9), 192-208  
*Cuculus canorus*: Moldavian SSR
- Coraciacarus meropsi* Dubinin, 1956  
Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, *Parazity Zhivot. i Rasten.*, Akad. Nauk Moldavsk. SSR (9), 192-208  
*Merops apiaster*: Moldavian SSR
- Cordiseta Hoffmann* 1954  
Brennan, J. M.; and Goff, M. L., 1977, *J. Parasitol.*, v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere
- Cordylobia anthropophaga*  
Dipeolu, O. O.; and Olufarati, B., 1975, *Tr. Roy. Soc. Trop. Med. and Hyg.*, v. 69 (1), 164-165 [Letter]  
*Cordylobia anthropophaga* larvae causing myiasis in man's shoulder joint, clinical case report, dogs with larval infestations as possible infection reservoir in that they spread flies to human habitations: Ibadan, Nigeria
- Cordylobia anthropophaga*  
Hira, P. R., 1976, *Tropenmed. u. Parasitol.*, v. 27 (1), 30-32  
case reports of dermal and subdermal myiasis caused by *Cordylobia anthropophaga*, humans, diagnostic discussion: Zambia
- Cordylobia anthropophaga* (larvae)  
Idowu, L.; and Olotu, O., 1976, *Tr. Roy. Soc. Trop. Med. and Hyg.*, v. 70 (3), 262  
*Cordylobia anthropophaga*, furuncular myiasis affecting a dog and its owners, case report, public health importance of proper disposal of dog excreta: Apapa, Nigeria
- Cordylobia anthropophaga*  
Laurence, B. R.; and Herman, F. G., 1973, *Tr. Roy. Soc. Trop. Med. and Hyg.*, v. 67 (6), 888 [Letter]  
woman (buttock): England, probably acquired on holiday to Spain, no travel to Africa
- Cordylobia anthropophaga*, illus.  
Sundhaussen, G.; Denk, R.; and Korting, G. W., 1972, *Med. Welt*, v. 23 (3), 75-76  
*Cordylobia anthropophaga* causing furuncle-like myiasis, Dutch student who had traveled in Cameroons, case report: Germany
- Cordylobia anthropophaga*, illus.  
Tio (Tieng Ho), 1975, *Nederl. Tijdschr. Geneesk.*, v. 119 (4), 137-140  
myiasis of scalp in woman after return from Ghana, case history, clinical review: Netherlands
- Cordylobia anthropophaga* Blanchard, 1893, illus.  
Toure, S. M., 1976, *Rev. Elevage et Med. Vet. Pays Trop.*, v. 29 (3), 217-219  
sheep, skin-boil myiasis: Dakar, Senegal

ARTHROPODA

- Coronapsylla*, gen. nov.  
 Traub, R.; and Dunnet, G. M., 1973, Austral. J. Zool., Suppl. s. (20), 41-128  
*Stephanocircinae*, tod: C. jarvisi (Rothschild, 1908), comb. nov.
- Coronapsylla* Traub and Dunnet, 1973  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis
- Coronapsylla jarvisi* (Rothschild, 1908), comb. nov., illus. (tod)  
 Traub, R.; and Dunnet, G. M., 1973, Austral. J. Zool., Suppl. s. (20), 41-128  
 diagnosis, redefinition, syn.: *Stephanocircus jarvisi* Rothschild, 1908  
*Antechinus stuartii*  
*A. flavipes*  
*A. swainsonii*(?)  
 all from Victoria
- Coronapsylla jarvisi* (Rothschild)  
 Beveridge, I.; and Barker, I. K., 1976, Austral. J. Zool., v. 24 (2), 265-272  
 helminths and arthropods, *Antechinus stuartii*, seasonal and sex-related variations in numbers of helminths, parasites unlikely directly involved in seasonal mortality of male host; ectoparasites may contribute to anemia in hosts: Powelltown, Victoria
- Coronapsylla jarvisi* (Rothschild, 1908), illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 diagnosis, syn.: *Stephanocircus jarvisi*. Rothschild, 1908  
*Antechinus flavipes*: New South Wales; Victoria  
*A. stuartii*: Australian Capital Territory; Victoria  
*A. swainsonii*: New South Wales  
*Phascogale swainsonii*: Victoria
- Corrodopsylla curvata*  
 Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Sorex cinereus*  
*S. fumeus*  
*S. palustris*  
 all from Fires Creek area, Nantahala Mountains, North Carolina
- Corrodopsylla curvata curvata* (Rothschild)  
 Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Sorex vagrans*  
*S. palustris*  
*Microtus montanus*  
 all from west of Rio Grande in and near Jemez Mts., New Mexico
- Cosmiomma hippopotamensis* Denny, 1843  
 Bezuindenhouw, J. D.; and Schneider, H. P., 1972, J. South African Vet. Ass., v. 43 (3), 301-304  
*Cosmiomma hippopotamensis*, ecology and host specificity  
 vegetation: Kaokoland, South West Africa  
*Diceros bicornis* (exper.)
- Cosmolaelaps diversichaetatus*  
 Okereke, T. A., 1971, Bull. Entom. Soc. Nigeria, v. 3 (1), 50-55  
*Myomys daltoni*  
*Mastomys* sp.  
*Lemniscomys striatus*  
*Arvicantis niloticus*  
*Dasyurus incomitus*  
*Lophuromys sikapusi*  
*Uranomys foxi*  
*Tatera kempii*  
*Crocidura manni*  
 all from Ibadan Area, Western Nigeria
- Cosmolaelaps gurabensis* Fox.  
 Diusembaev, E. B.; and Chelebiev, K. A., 1975, Zool. Zhurnal, v. 54 (1), 124-127  
 +*Lagurus lagurus* (nest): Karagandinsk oblast
- Cosmolaelaps gurabensis*, Fox, 1946  
 Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of *Hypoaspis miles* (Berlese, 1892)
- Cracimenopon Carricker*, 1954  
 Scharf, W. C.; and Price, R. D., 1977, Ann. Entom. Soc. Am., v. 70 (5), 815-822  
 subgen. of *Amrysidea*  
 key
- Craspedonirmus atricolor* (Kellogg 1896), illus.  
 Nelson, B. C., 1972, J. Med. Entom., v. 9 (6), 505-508  
*Craspedonirmus atricolor*, resurrection, re-description, differentiation from *C. colymbinus* and *C. immer*  
*Brachyramphus marmoratum*: Bay of Monterey, Pacific Grove, California; Departure Bay, British Columbia; Vancouver Is., Alaska; Kuril Is., USSR  
*B. brevirostre*: Amchitka, Aleutian Islands, Alaska  
*Synthliboramphus antiquum*: Monterey Bay, California
- Craspedonirmus colymbinus* (Denny)  
 Nelson, B. C., 1972, J. Med. Entom., v. 9 (6), 505-508  
*Craspedonirmus atricolor*, resurrection, re-description, differentiation from *C. colymbinus* and *C. immer*  
*Fulica americana*  
*Urinator pacificus* (now *Gavia arctica pacifica*): Pacific Grove, California
- Craspedonirmus immer* Emmerson, illus.  
 Nelson, B. C., 1972, J. Med. Entom., v. 9 (6), 505-508  
*Craspedonirmus atricolor*, resurrection, re-description, differentiation from *C. colymbinus* and *C. immer*  
*Gavia immer*: California; Boston, Massachusetts
- Craspedorrhynchus*  
 Eichler, W.; and Zlotorzycka, J., 1975, Ang. Parasitol., v. 16 (3), 153-161  
*Philopteridae, Strigiphilinae*, generic diagnosis redefined, species group "Craspedorrhynchus species of Aquilini" defined for first time, phylogenetic scheme, differential diagnosis of *C. fraterculus* n. sp., *C. aquilinus*, *C. naevius*, *C. macrocephalus*

- Craspedorrhynchus americanus* Emerson, illus.  
Slifer, E. H., 1976, J. N. York Entom. Soc., v. 84 (3), 159-165  
*Craspedorrhynchus americanus*, morphology, sense organs on antennal flagellum  
*Buteo jamaicensis*
- Craspedorrhynchus aquilinus*, illus.  
Eichler, W.; and Zlotorzycka, J., 1975, Ang. Parasitol., v. 16 (3), 153-161  
Philopteridae, Strigiphilinae, generic diagnosis redefined, species group "Craspedorrhynchus species of Aquilini" defined for first time, phylogenetic scheme, differential diagnosis of *C. fraterculus* n. sp., *C. aquilinus*, *C. naevius*, *C. macrocephalus*
- Craspedorrhynchus fraterculus* n. sp., illus.  
Eichler, W.; and Zlotorzycka, J., 1975, Ang. Parasitol., v. 16 (3), 153-161  
Philopteridae, Strigiphilinae, generic diagnosis redefined, species group "Craspedorrhynchus species of Aquilini" defined for first time, phylogenetic scheme, differential diagnosis of *C. fraterculus* n. sp., *C. aquilinus*, *C. naevius*, *C. macrocephalus*  
*Aquila heliaca* heliaca
- Craspedorrhynchus macrocephalus*, illus.  
Eichler, W.; and Zlotorzycka, J., 1975, Ang. Parasitol., v. 16 (3), 153-161  
Philopteridae, Strigiphilinae, generic diagnosis redefined, species group "Craspedorrhynchus species of Aquilini" defined for first time, phylogenetic scheme, differential diagnosis of *C. fraterculus* n. sp., *C. aquilinus*, *C. naevius*, *C. macrocephalus*
- Craspedorrhynchus naevius*, illus.  
Eichler, W.; and Zlotorzycka, J., 1975, Ang. Parasitol., v. 16 (3), 153-161  
Philopteridae, Strigiphilinae, generic diagnosis redefined, species group "Craspedorrhynchus species of Aquilini" defined for first time, phylogenetic scheme, differential diagnosis of *C. fraterculus* n. sp., *C. aquilinus*, *C. naevius*, *C. macrocephalus*
- Craspedorrhynchus spathulatus* Gb., 1874  
Gan, E. I.; and Shousmanov, Sh., 1976, Uzbek. Biol. Zhurnal (5), 54-56  
[*Aquila rapax*]: Kashka-Darya oblast
- Crataerina (Stenepteryx) hirundinis*  
Cheke, R. A.; Hassall, M.; and Peirce, M. A., 1976, J. Wildlife Dis., v. 12 (2), 133-138  
*Delichon urbica*: Bramley, Hampshire, England
- Crivellia silenus shugnanica* Grunin, subsp. n., illus.  
Grunin, K. I.; and Davliatkadamov, S. K., 1975, Entom. Obozr., v. 54 (1), 186-190  
*Ovis ammon*: Murgab region, Gorno-Badakhshan autonomous oblast, Tadzhiksk SSR
- Crivellia silenus silenus* (Brauer, 1858), illus.  
Grunin, K. I.; and Davliatkadamov, S. K., 1975, Entom. Obozr., v. 54 (1), 186-190  
brief description
- Crocidurobia Jameson*, 1970  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 3-32  
key
- Crocidurobia diplomesodon* sp. n.  
Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621  
*Diplomesodon pulchellum*: Steppe Ural-Volga
- Crocidurobia diplomesodon* Fain, 1973, illus.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 3-32  
description  
*Diplomesodon pulchellum*: Sasyk Tan, Central Steppe, Volga Oural
- Crocidurobia notata* sp. n.  
Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621  
*Glirilus japonicus*: Japon
- Crotiscus Ewing* 1944  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere
- Crotonasis Brennan and Yunker* 1966  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere
- Crypticula Webb & Loomis* 1970  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere
- Cryptonyssus* n. sp.  
Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Euderma maculatum*: Big Bend National Park, Texas
- Cryptonyssus desultorius* Radovsky  
Poche, R. M.; and Keirans, J. E., 1975, J. Med. Entom., v. 12 (5), 503  
*Euderma maculatum*: Fort Pierce Wash, SE of St. George, Washington County, Utah
- Cryptonyssus desultorius* Radovsky  
Radovsky, F. J.; and Poche, R. M., 1975, J. Med. Entom., v. 12 (3), 394  
*Euderma maculatum*: Fort Pierce, Washington, approx. 13 km SE of St. George, Washington Co., Utah
- Cryptonyssus desultorius*  
Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Myotis yumanensis*: Big Bend National Park, Texas
- Cryptopontius gracilis*, new species, illus.  
Wilson, C. B., 1932, Proc. U. S. National Mus. (2915), v. 80, pp. 1-54  
Chesapeake Bay
- Ctenocephalides Stiles and Collins*, 1930  
Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
synonymy, key, key to Australian species, diagnosis
- Ctenocephalides Stiles and Collins*  
Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
brief description, key, key to known Alabama species

- Ctenocephalides canis (Curtis)**
- Amin, O. M., 1973, J. Med. Entom., v. 10 (1), 110-111  
*Canis familiaris*: Racine-Kenosha Co., Wisconsin
- Ctenocephalides canis**
- Aubert, M. F. A.; and Beaucournu, J. C., 1976, Ann. Parasitol., v. 51 (1), 143-156  
 survey of Siphonaptera of some carnivores with brief notes on biology and chorology
- Vulpes vulpes*  
*Martes foina*  
 all from Nord-Est de la France
- Ctenocephalides canis (Curtis, 1826), illus.**
- Beresford-Jones, W. P., 1974, Proc. 6. Internat. Conf. World Ass. Adv. Vet. Parasitol. (Vienna, Austria, Sept. 18-20, 1973), 383-390
- Ctenocephalides felis felis, C. canis, Cheyletiella spp., incidence on dogs and cats, human skin sensitivity to bites:** England
- Ctenocephalides canis (Curtis) 1828**
- Cyrich, D.; and Kiefer, M., 1975, Biologia, Bratislava, s. B, Zool. (3), v. 30 (8), 599-604  
 +*Cricetus cricetus* (nest): Vychodoslovenskej nizine
- Ctenocephalides canis (Curtis, 1826), illus.**
- Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis, syn.: *Pulex canis* Curtis, 1826  
*Felis catus*: Queensland  
*Panthera pardus*: New South Wales (Sydney Zoo)  
*Vulpes vulpes*: Australian Capital Territory; New South Wales; Queensland; Tasmania; Victoria  
 fox: Australian Capital Territory; New South Wales  
*Canis familiaris*: Australian Capital Territory; Victoria; Queensland; New South Wales  
*Canis sp.*: New South Wales
- Ctenocephalides canis**
- Haarløv, N.; and Kristensen, S., 1976, Medlemsbl. Danske Dyrlægeforen., v. 59 (12), 517-520  
 hunde  
 katte  
 all from Denmark
- Ctenocephalides canis**
- Horak, I. G., 1976, J. South African Vet. Med. Ass., v. 47 (1), 17-18  
*Rhipicephalus sanguineus*, *Heterodoxus* sp., *Ctenocephalides canis*, dogs, Sendram-imregnated collar, good results
- Ctenocephalides canis**
- Nicolet, G., 1969, Bol. Chileno Parasitol., v. 24 (3-4), 150-151  
 Dipylidium caninum in young child possibly resulting from ingestion of infected dog fleas (*Ctenocephalides canis*), niclosamide treatment successful, case report: Sewell, Chile
- Ctenocephalides canis**
- Patyk, S.; and Kliszewski, W., 1976, Med. Wet., v. 32 (8), 471-473  
 ectoparasites, domestic animals, control with enolophosphates IPO-62 and IPO-63
- Ctenocephalides canis (Curtis), illus.**
- Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
 brief description, key  
*Didelphis virginiana*  
*Mephitis mephitis*  
*Canis familiaris*  
*Felis domestica*  
*Sylvilagus floridanus*  
 all from Alabama
- Ctenocephalides canis (Curtis)**
- Shepherd, R. C. H.; et al., 1977, J. Austral. Entom., v. 16 (1), 1-5  
*Lepus europaeus*: Point Cook, central Victoria
- Ctenocephalides canis (Curtis)**
- Shepherd, R. C. H.; and Edmonds, J. W., 1976, Austral. Entom. Mag., v. 3 (4), 63-66  
*Oryctolagus cuniculus*: Victoria
- Ctenocephalides felis (Bouche)**
- Amin, O. M., 1973, J. Med. Entom., v. 10 (1), 110-111  
*Felis catus*: Racine City, Wisconsin  
*Procyon lotor*: Kenosha Co., Wisconsin  
*Canis familiaris*: Racine-Kenosha Co., Wisconsin
- Ctenocephalides felis**
- Baker, N. F.; and Miller, J. E., 1977, Am. J. Vet. Research, v. 38 (8), 1187-1190  
*Ctenocephalides felis*, cats and dogs (both exper.), immediate and residual efficiency of temephos-containing flea collars, 100% effective during first 2 weeks only, 80% effective for at least 9 months
- Ctenocephalides felis**
- Coultrip, R. L.; et al., 1973, J. Med. Entom., v. 10 (3), 303-309  
 fleas, ticks, mammals, survey for vectors and reservoir hosts of Rocky Mountain spotted fever and sylvatic plague, serological evidence for presence of rickettsial agent but presence of plague not demonstrated  
*Didelphis marsupialis*: Fort Ord, California
- Ctenocephalides felis (Bouche)**
- Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 as syn. of *Ctenocephalides f. felis* (Bouche, 1835)
- Ctenocephalides felis**
- Haarløv, N.; and Kristensen, S., 1976, Medlemsbl. Danske Dyrlægeforen., v. 59 (12), 517-520  
 hunde  
 katte  
 all from Denmark
- Ctenocephalides felis**
- Isenbuegel, E., 1976, Prakt. Tierarzt, v. 57, Sondernummer, 21-27  
 Igel
- Ctenocephalides felis**
- Miller, J. E.; Baker, N. F.; and Colburn, E. L. Jr., 1977, Am. J. Vet. Research, v. 38 (7), 923-925  
*Ctenocephalides felis*, dogs, propoxur- and carbaryl-impregnated flea collars, good control

- Ctenocephalides felis (Bouche), illus.  
 Rehacek, J.; and Fischer, R. G., 1971, J. Med. Entom., v. 8 (1), 66-67  
 Ctenocephalides felis larvae, primary tissue cultures
- Ctenocephalides felis  
 Rehacek, J.; Fischer, R. G.; and Luecke, D. H., 1973, Neoplasma, v. 20 (2), 147-158  
 Ctenocephalides felis unlikely vector of Friend leukemia virus
- Ctenocephalides felis (Bouche), illus.  
 Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
 description, key  
*Didelphis virginiana*  
*Procyon lotor*  
*Mephitis mephitis*  
*Canis familiaris*  
*Vulpes fulva*  
*Urocyon cinereoargenteus*  
*Felis domestica*  
*Lynx rufus*  
*Sciurus carolinensis*  
*Sylvilagus floridanus*  
 all from Alabama
- Ctenocephalides f. felis  
 Aubert, M. F. A.; and Beaujour, J. C., 1976, Ann. Parasitol., v. 51 (1), 143-156  
 survey of Siphonaptera of some carnivores with brief notes on biology and chorology  
*Vulpes vulpes*  
*Felis silvestris*  
*Meles meles*  
*Martes foina*  
 all from Nord-Est de la France
- Ctenocephalides felis felis (Bouche, 1833), illus.  
 Beresford-Jones, W. P., 1974, Proc. 6. Internat. Conf. World Ass. Adv. Vet. Parasitol. (Vienna, Austria, Sept. 18-20, 1973), 383-390  
 Ctenocephalides felis felis, C. canis, Cheyletiella spp., incidence on dogs and cats, human skin sensitivity to bites: England
- Ctenocephalides felis felis (Bouche, 1835)  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 synonymy, key, diagnosis  
*Trichosurus vulpecula*: Victoria  
*Thylacis obesus*: Queensland  
*bandicoot*: Queensland  
*Rattus norvegicus*: Queensland  
*Hydromys chrysogaster*: Queensland  
*Mus*: Port Hackney (=Port Hacking?)  
*Oryctolagus cuniculus*: Australian Capital Territory; New South Wales; Victoria  
*Lepus europeus*: New South Wales  
*Felis catus*: Australian Capital Territory; New South Wales; Queensland; Victoria  
*civet cat*: New South Wales (Sydney Zoo)  
*ocelot*: " " " "  
*Vulpes vulpes*: Australian Capital Territory  
*fox*: New South Wales  
*Canis familiaris*: Australian Capital Territory; New South Wales; Queensland; Victoria  
*Homo sapiens*: Australian Capital Territory; Victoria; New South Wales
- Ctenocephalides felis felis  
 Hainaidy, H. K., 1976, Zentralbl. Vet.-Med., Reihe B, v. 23 (1), 66-73  
*Vulpes vulpes*: Österreich
- Ctenocephalides f. felis  
 Kutzer, E.; and Frey, H., 1976, Berl. u. München. Tierarztl. Wochenschr., v. 89 (24), 480-483  
*Lepus europaeus*: Austria
- Ctenocephalides felis felis (Bouche, 1835)  
 Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity dog: New Hebrides
- Ctenocephalides felis felis  
 Rajasekharaiyah, G. R.; et al., 1976, Indian J. Entom., v. 36 (3), 1974, 230-231  
*Macaca radiata*
- C[tenocephalides] f. felis  
 Roberts, C. J., 1975, Entom. Gaz., v. 26 (2), 139-145  
*Felis catus*: Isle of Man
- Ctenocephalides f. felis  
 Vaughan, J. A., 1977, Entom. Month. Mag. (1340-1343), v. 112, 1976, 45-48  
 straggler fleas on rabbits, *Oryctolagus cuniculus*, from Surrey and on myxomatous rabbits throughout Britain
- Ctenocephalides felis orientis Jordan  
 Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397  
 seasonal distribution  
*Canis familiaris* (body): Hissar and suburbs, India
- Ctenocephalides felis orientis Jordan 1925  
 Traub, R., 1951, Proc. Biol. Soc. Wash., v. 64, 1-24  
*Sciurus*  
*Paradoxurus*  
*domestic cat*  
*Mydans*  
*Lutra cinerea*  
*Felis bengalensis minuta*  
 all from Philippine Islands
- Ctenocephalides felis strongylus (Jordan, 1925)  
 Smit, F. G. A. M., 1975, Rev. Zool. Africaine, v. 89 (1), 191-210  
*Lepus crawshayi*: Cherangani Hills, Kenya
- Ctenocephalides rosmarus  
 Ashford, R. W.; et al., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (4), 568-601  
*Heterohyrax brucei*  
*Procavia habessinica*  
 all from Kutaber area, Ethiopia
- Ctenocephalus felis Bouche  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 as syn. of Ctenocephalides f. felis (Bouche, 1835)
- Ctenophthalmus Kolenati  
 Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
 brief description, key
- Ctenophthalmus n. sp. A  
 Ashford, R. W.; et al., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (4), 568-601  
*Praomys albipes*  
*Pelomys harringtoni*  
 all from Kutaber area, Ethiopia

- Ctenophthalmus* n. sp. B  
 Ashford, R. W.; et al., 1973, Tr. Roy. Soc.  
*Trop. Med. and Hyg.*, v. 67 (4), 568-601  
*Praomys albipes*: Kutaber area, Ethiopia
- Ctenophthalmus* (C.) sp. (? *apertus meylani*), illus.  
 Beaucournu, J. C.; Gilot, B.; and Vericad, J. R., 1973, Rev. Iber. Parasitol., v. 33 (1), 127-134  
 female only  
*Pitymys duodecimcostatus*: Sierra Nevada, Granada, Espana
- Ctenophthalmus acuminatus*  
 Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
 fleas, seasonal and geographic distribution  
*Microtus nivalis*  
 +*M. socialis* (nest)  
 all from Armenia
- Ctenophthalmus agyrtes* (Heller 1896)  
 Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Apodemus flavicollis*  
*A. sylvaticus*  
*Clethrionomys glareolus*  
*Microtus arvalis*  
*M. agrestis*  
*Talpa europaea*  
*Sorex araneus*  
*Mustela erminea*  
*M. nivalis*  
*M. putorius*  
*Vulpes vulpes*  
 all from Schleswig-Holstein
- Ctenophthalmus agyrtes* (Heller) 1896  
 Cyprich, D.; Kiefer, M.; and Kminiak, M., 1976, Biologia, Bratislava, s. B, Zool. (3), v. 31 (8), 573-581  
*Arvicola terrestris*: Slovakia
- Ctenophthalmus agyrtes* (Heller 1896)  
 Czerwinska, A., 1977, Ekol. Polska, v. 25 (3), 551-559  
 fleas of *Microtus arvalis*, effects of mowing and plowing on parasite and host populations: Lomna, near Warsaw
- Ctenophthalmus agyrtes* (Hell.)  
 Haitlinger, R., 1975, Polskie Pismo Entom., v. 45 (2), 373-396  
 seasonal variance  
*Clethrionomys glareolus*  
*Apodemus tauricus*  
*A. agrarius*  
*A. sylvaticus*  
*Microtus agrestis*  
*M. arvalis*  
*Pitymys subterraneus*  
*Mus musculus*  
*Sorex araneus*  
*Neomys fodiens*  
 all from Gory Sowie
- Xenophthalmus* [i.e., *Ctenophthalmus*] *agyrtes*  
 Isenbuegel, E., 1976, Prakt. Tierarzt, v. 57, Sondernummer, 21-27  
 Igel
- Ctenophthalmus agyrtes* (Heller 1896)  
 Sanchez-Acedo, C.; Otero, J.; and Albala-Perez, F., 1974, Rev. Iber. Parasitol., v. 34 (3-4), 245-252  
*Rhinolophus ferrum equinum*: Spain
- Ctenophthalmus agyrtes agyrtes* (Heller)  
 Hallas, T. E.; and Bang, P., 1976, Flora og Fauna, Kobenhavn, v. 82 (1), 11-18  
 seasonal distribution  
*Sorex araneus*  
*Clethrionomys glareolus*  
*Microtus agrestis*  
*Apodemus agrarius*  
*Apodemus flavicollis*  
*Apodemus sylvaticus*  
*Mus musculus*  
 all from eastern Denmark
- Ctenophthalmus agyrtes agyrtes* Heller, 1896  
 Mehl, R., 1972, Fauna, Oslo, v. 25 (4), 247-257  
*Vulpes vulpes*: Norge
- Ctenophthalmus agyrtes bosnicus* Wagner  
 Szabo, I., 1972, Parasitol. Hungar., v. 5, 329-347  
*Apodemus flavicollis*  
*A. sylvaticus*  
*Clethrionomys glareolus*  
*Micromys minutus pratensis*  
*Neomys anomalus milleri*  
*Pitymys subterraneus*  
*Rattus norvegicus*  
*Sorex araneus*  
 all from Sopron and environments, west Hungary
- Ctenophthalmus agyrtes impavidus*  
 Aubert, M. F. A.; and Beaucournu, J. C., 1976, Ann. Parasitol., v. 51 (1), 143-156  
 survey of Siphonaptera of some carnivores with brief notes on biology and chorology  
*Vulpes vulpes*: Nord-Est de la France
- Ctenophthalmus agyrtes kleinschmidtianus* Peus, 1950  
 Cyprich, D.; and Kiefer, M., 1975, Biologia, Bratislava, s. B, Zool. (3), v. 30 (8), 599-604  
 +*Cricetus cricetus* (nest): Vychodoslovenskej nizine
- Ctenophthalmus* (*Ctenophthalmus*) *andorrensis*  
 veletensis ssp. nov., illus.  
 Beaucournu, J. C.; Gilot, B.; and Vericad, J. R., 1973, Rev. Iber. Parasitol., v. 33 (1), 127-134  
 male only  
*Crocidura russula*: Sierra Nevada, Granada, Espana
- Ctenophthalmus* (*Ctenophthalmus*) *apertus meylani* ssp. nov., illus.  
 Beaucournu, J. C.; Gilot, B.; and Vericad, J. R., 1973, Rev. Iber. Parasitol., v. 33 (1), 127-134  
 male only  
*Apodemus sylvaticus*: Sierra Nevada, Granada, Espana
- Ctenophthalmus* (*Euctenophthalmus*) *arvalis* Wagn. et Ioff  
 Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
 fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva

- Ctenophthalmus assimilis* (Taschenberg 1880)  
 Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Mustela erminea*  
*M. nivalis*  
 all from Schleswig-Holstein
- Ctenophthalmus assimilis* (Taschenberg) 1880  
 Cyprich, D.; and Kiefer, M., 1975, Biologia, Bratislava, s. B, Zool. (3), v. 30 (8), 599-604  
*+Cricetus cricetus* (nest): Vychodoslovenskej nizine
- Ctenophthalmus assimilis* (Taschenberg)  
 Cyprich, D.; Kiefer, M.; and Kmíniak, M., 1976, Biologia, Bratislava, s. B, Zool. (3), v. 31 (8), 573-581  
*Arvicola terrestris*: Slovakia
- Ctenophthalmus assimilis* (Taschenberg 1880)  
 Czerwinska, A., 1977, Ekol. Polska, v. 25 (3), 551-559  
 fleas of *Microtus arvalis*, effects of mowing and plowing on parasite and host populations: Lomna, near Warsaw
- Ctenophthalmus assimilis* (Tasch.)  
 Haitlinger, R., 1975, Polskie Pismo Entom., v. 45 (2), 373-396  
 seasonal variance  
*Clethrionomys glareolus*  
*Apodemus agrarius*  
*Microtus agrestis*  
*M. arvalis*  
 all from Gory Sowie
- Ctenophthalmus assimilis assimilis* (Tasch.), illus.  
 Roman, E.; and Pichot, J., 1975, Acta Trop., v. 32 (4), 349-352  
 anomalous female specimen  
*Microtus arvalis*: Grenay (Isere), a 20 km a l'est de Lyon
- Ctenophthalmus assimilis assimilis* Taschenberg  
 Szabo, I., 1972, Parasitol. Hungar., v. 5, 329-347  
*Neomys anomalus milleri*  
*Pitymys subterraneus*  
 all from Sopron and environments, west Hungary  
*Pitymys subterraneus*: France
- Ctenophthalmus baeticus arvernus*  
 Beaucournu, J. C.; and Deunff, J., [1976], Ann. Parasitol., v. 50 (6), 1975, 831-835  
 hyperparasitized by *Mastophorus muris* and *Hepatozoon* sp.  
*Pitymys subterraneus*: France
- Ctenophthalmus bisoctodentatus* Kolenati 1863  
 Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Apodemus flavicollis*  
*Microtus arvalis*  
*Talpa europaea*  
*Mustela erminea*  
*M. nivalis*  
 all from Schleswig-Holstein
- Ctenophthalmus bisoctodentatus* Kolenati, 1863  
 Cyprich, D.; Kiefer, M.; and Kmíniak, M., 1976, Biologia, Bratislava, s. B, Zool. (3), v. 31 (8), 573-581  
*Arvicola terrestris*: Slovakia
- Ctenophthalmus bisoctodentatus bisoctodentatus* Kolenati  
 Szabo, I., 1972, Parasitol. Hungar., v. 5, 329-347  
*Pitymys subterraneus*: Sopron and environments, west Hungary
- Ctenophthalmus bisoctodentatus heselhausi*  
 Vaughan, J. A., 1977, Entom. Month. Mag. (1340-1343), v. 112, 1976, 45-48  
 straggler fleas on rabbits, *Oryctolagus cuniculus*, from Surrey and on myxomatous rabbits throughout Britain
- Ctenophthalmus bogatschevi*  
 Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
 fleas, seasonal and geographic distribution  
*Microtus socialis*  
*M. nivalis*  
*Arvicola terrestris*  
 all from Armenia
- Ctenophthalmus breviatus* Wagn. et Joff Poliakov, V. K.; et al., 1976, Zool. Zhurnal, v. 55 (10), 1538-1551  
 rodent fleas, zoological, parasitological, epidemiological and ecological characteristics of steppe, desert-steppe and desert regions of Transural plague focus  
*Rhomomys opimus*  
*Meriones tamariscinus*  
*M. meridianus*  
 all from northeastern part of Caspian lowland
- Ctenophthalmus (Ctenophthalmus) capriciosus bychowskyi* Vysotskaya, 1968  
 Skuratowicz, W.; Bartkowska, K.; and Mitev, D., 1976, Bull. Acad. Polon. Sc., Cl. II., s. Sc. Biol., v. 24 (12), 741-746  
*Clethrionomys glareolus*  
*Pitymys subterraneus*  
 all from Rhodope Mts., Studenec near Smolian, Bulgaria
- Ctenophthalmus chryschloridis* n. sp., illus.  
 Smit, F. G. A. M., 1975, Rev. Zool. Africaine, v. 89 (1), 191-210  
*Chryschloris stuhlmanni fosteri* (leg): Cherangani Hills, Kenya
- Ctenophthalmus congener* Roths.  
 Haitlinger, R., 1975, Polskie Pismo Entom., v. 45 (2), 373-396  
 seasonal variance  
*Clethrionomys glareolus*  
*Apodemus taureicus*  
*Microtus agrestis*  
*M. arvalis*  
*Pitymys subterraneus*  
*Sorex araneus*  
 all from Gory Sowie
- Ctenophthalmus congener* Rothschild Szabo, I., 1972, Parasitol. Hungar., v. 5, 329-347  
*Clethrionomys glareolus*: Sopron and environments, west Hungary

- Ctenophthalmus cophurus cophurus* J. & R., 1913, illus.  
*Smit, F. G. A. M.*, 1975, Rev. Zool. Africaine, v. 89 (1), 191-210  
*Surdisorex pollulus*: Naro Moru track, Mt. Kenya
- Ctenophthalmus cophurus prolapsus* n. ssp., illus.  
*Smit, F. G. A. M.*, 1975, Rev. Zool. Africaine, v. 89 (1), 191-210  
*Lophuromys flavopunctatus* (leg): Cherangani Hills, Kenya
- Ctenophthalmus dolichus bair Ioff*  
*Amanniazova, R. D.*, 1975, Izvest. Akad. Nauk Turkmensk. SSR, s. Biol. Nauk (6), 48-54  
 seasonal distribution in different landscapes  
*Rhombomys opimus*: Turkmenistan
- Ctenophthalmus evidens convexus* n. ssp., illus.  
*Smit, F. G. A. M.*, 1975, Rev. Zool. Africaine, v. 89 (1), 191-210  
*Lophuromys flavopunctatus* (leg)  
*Praomys jacksoni*  
 all from Cherangani Hills, Kenya
- Ctenophthalmus eximius* Jordan & Rothschild, 1913  
*Smit, F. G. A. M.*, 1975, Rev. Zool. Africaine, v. 89 (1), 191-210  
*Lophuromys sikapusi*  
*Lophuromys sp.*  
*Praomys sp.*  
 all from Cherangani Hills, Kenya
- Ctenophthalmus iranus*  
*Avetisian, G. A.*; and *Ezekelian, V. Kh.*, 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
 fleas, seasonal and geographic distribution  
*Microtus nivalis*: Armenia
- Ctenophthalmus nobilis nobilis*  
*Owen, D.*, 1976, Lab. Animals, v. 10 (3), 271-278  
*Rattus norvegicus*: Carshalton
- Ctenophthalmus n. nobilis*  
*Vaughan, J. A.*, 1977, Entom. Month. Mag. (1340-1343), v. 112, 1976, 45-48  
 straggler fleas on rabbits, *Oryctolagus cuniculus*, from Surrey and on myxomatous rabbits throughout Britain
- Ctenophthalmus nobilis vulgaris*  
*Owen, D.*, 1976, Lab. Animals, v. 10 (3), 271-278  
*Rattus norvegicus*: Carshalton
- C[tenophthalmus] n[nobilis] vulgaris*  
*Roberts, C. J.*, 1975, Entom. Gaz., v. 26 (2), 139-145  
*Apodemus sylvaticus*  
*Oryctolagus cuniculus*  
*Rattus norvegicus*  
 all from Isle of Man
- Ctenophthalmus obtusus* Jordan et Rothschild, 1912  
*Cyprich, D.*; *Kiefer, M.*; and *Kminiak, M.*, 1976, Biologia, Bratislava, s. B, Zool. (3), v. 31 (8), 573-581  
*Arvicola terrestris*: Slovakia
- Ctenophthalmus orientalis* (Wagner) 1898  
*Cyprich, D.*; and *Kiefer, M.*, 1975, Biologia, Bratislava, s. B, Zool. (3), v. 30 (8), 599-604  
 +*Cricetus cricetus* (nest): Vychodoslovenskej nizine
- Ctenophthalmus orientalis* (Wagner) 1898  
*Cyprich, D.*; *Kiefer, M.*; and *Kminiak, M.*, 1976, Biologia, Bratislava, s. B, Zool. (3), v. 31 (8), 573-581  
*Arvicola terrestris*: Slovakia
- Ctenophthalmus pilosus* n. sp., illus.  
*Smit, F. G. A. M.*, 1975, Rev. Zool. Africaine, v. 89 (1), 191-210  
*Lophuromys flavopunctatus* (leg): Cherangani Hills, Kenya
- Ctenophthalmus proximus*  
*Avetisian, G. A.*; and *Ezekelian, V. Kh.*, 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
 fleas, seasonal and geographic distribution  
*Microtus socialis*  
*M. nivalis*  
*Arvicola terrestris*  
 all from Armenia
- Ctenophthalmus pseudagyrtes* Baker  
*Amin, O. M.*, 1973, J. Med. Entom., v. 10 (1), 110-111  
*Microtus pennsylvanicus*: Parkside, Wisconsin
- Ctenophthalmus pseudagyrtes*  
*Basolo, F., jr.*; and *Funk, R. C.*, 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Microtus ochrogaster ochrogaster*  
*Peromyscus leucopus noveboracensis*  
 all from Coles County, Illinois
- Ctenophthalmus pseudagyrtes*  
*Buckner, R. L.*; and *Gleason, L. N.*, 1974, Tr. Kentucky Acad. Sc., v. 35 (3-4), 70-75  
 seasonal occurrences  
*Microtus ochrogaster*  
*Peromyscus leucopus*  
 all from Warren County, Kentucky
- Ctenophthalmus pseudagyrtes* Baker, illus.  
*Sanford, L. G.*; and *Hays, K. L.*, 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
 description  
*Scalopus aquaticus*  
*Mustela vison*  
*Tamias striatus*  
*Peromyscus sp.*  
*P. gossypinus*  
*Oryzomys palustris*  
*Pitymys pinetorum*  
*Mus musculus*  
*Sigmodon hispidus*  
 all from Alabama
- Ctenophthalmus pseudagyrtes*  
*Whitaker, J. O., jr.*; *Jones, G. S.*; and *Pascal, D. D., jr.*, 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Sorex fumeus*  
*Peromyscus maniculatus*  
 all from Fires Creek area, Nantahala Mountains, North Carolina
- Ctenophthalmus pseudagyrtes* Baker  
*Whitaker, J. O., jr.*; and *Schmeltz, L. L.*, 1974, Proc. Indiana Acad. Sc., v. 83, 1973, 478-481  
*Scalopus aquaticus* (fur): Indiana

- Ctenophthalmus rettigi*  
Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
fleas, seasonal and geographic distribution  
*Microtus nivalis*: Armenia
- Ctenophthalmus russulae galloibericus* Beaucournu et Lumaret 1962  
Beaucournu, J.-C.; and Rosin, G., 1977, Ann. Parasitol., v. 52 (1), 101-103  
*Crocidura russula*: Maroc
- Ctenophthalmus secundus*  
Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
fleas, seasonal and geographic distribution  
*Microtus socialis*  
*Arvicola terrestris*  
all from Armenia
- Ctenophthalmus solutus* Jordan et Rothschild, 1920  
Cyrich, D.; and Kiefer, M., 1975, Biologia, Bratislava, s. B, Zool. (3), v. 30 (8), 599-604  
+*Cricetus cricetus* (nest): Vychodoslovenskej nizine
- Ctenophthalmus solutus* Jord. & Roths.  
Haitlinger, R., 1975, Polskie Pismo Entom., v. 45 (2), 373-396  
seasonal variance  
*Apodemus tauricus*  
*A. agrarius*  
*A. sylvaticus*  
*Sorex araneus*  
all from Gory Sowie
- Ctenophthalmus solutus solutus* Jordan et Rothschild  
Szabo, I., 1972, Parasitol. Hungar., v. 5, 329-347  
*Apodemus flavicollis*  
*A. sylvaticus*  
*Clethrionomys glareolus*  
*Pitymys subterraneus*  
*Sorex araneus*  
all from Sopron and environments, west Hungary
- Ctenophthalmus teres*  
Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
fleas, seasonal and geographic distribution  
*Microtus socialis*  
*M. nivalis*  
*Arvicola terrestris*  
all from Armenia
- Ctenophthalmus teres* I. et R.  
Marapulets, L. A.; and Cherchenko, I. I., 1970, Parazitologija, Leningrad, v. 4 (3), 271-273  
feeding activity on man of 6 spp. of fleas from the common vole, evaluation of probable importance in plague epidemiology
- Ctenophthalmus tristis* (Roths. 1900)  
Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Choristopsylla tristis* (Rothschild, 1900)
- Ctenophthalmus uncinatus* (Wagner 1898)  
Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Apodemus flavicollis*  
*A. sylvaticus*  
*Clethrionomys glareolus*  
*Microtus arvalis*  
*M. agrestis*  
*Mustela erminea*  
*M. nivalis*  
all from Schleswig-Holstein
- Ctenophthalmus wladimiri*  
Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
fleas, seasonal and geographic distribution  
*Microtus socialis*  
*M. nivalis*  
*Arvicola terrestris*  
all from Armenia
- Ctenophthalmus wladimiri* Jsayeva  
Marapulets, L. A.; and Cherchenko, I. I., 1970, Parazitologija, Leningrad, v. 4 (3), 271-273  
feeding activity on man of 6 spp. of fleas from the common vole, evaluation of probable importance in plague epidemiology
- Ctenophthalmus wranghami* n. sp., illus.  
Smit, F. G. A. M., 1975, Rev. Zool. Africaine, v. 89 (1), 191-210  
*Tachyoryctes splendens* (leg): Cherangani Hills, Kenya
- Ctenophyllus Wagner*, 1927  
Smit, F. G. A. M., 1974, Senckenbergiana Biol., v. 55 (4-6), 357-398  
synonymy
- Ctenophyllus Wagner*, 1927  
Smit, F. G. A. M., 1975, Senckenbergiana Biol. v. 56 (4-6), 247-256  
key
- Ctenophyllus (Ochotonobius) hirticrus* J. et R.  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Ctenophyllus intermedius* Liu, Tsai & Wu, 1974  
Smit, F. G. A. M., 1974, Senckenbergiana Biol., v. 55 (4-6), 357-398  
as syn. of *Ctenophyllus torosus* (Jordan, 1932)
- Ctenophyllus lacertosus* n. sp., illus.  
Smit, F. G. A. M., 1974, Senckenbergiana Biol., v. 55 (4-6), 357-398  
*Ochotona* sp.: between passes Buko La and Mo La, Nepal
- Ctenophyllus martensi* n. sp., illus.  
Smit, F. G. A. M., 1974, Senckenbergiana Biol., v. 55 (4-6), 357-398  
*Ochotona roylei*: Ulleri, Nepal

*Ctenophyllus torosus* (Jordan, 1932), illus.  
 Smit, F. G. A. M., 1974, *Senckenbergiana Biol.*, v. 55 (4-6), 357-398  
 correction of original description (ante-sensilial setae present in male)  
 Syn.: *Ctenophyllus intermedius* Liu, Tsai & Wu, 1974

*Cuclotogaster* Carriker, 1936  
*Złotorycka*, J.; Eichler, W.; and Ludwig, H. W., 1974, *Parasitol. Schriftenr.*, v. 22, 1-160  
 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *C. heterographus heterographus* (Nitzsch. 1818)

*Cuclotogaster heterographus* (Nitzsch, 1866), illus.  
 Martin Mateo, M. P., 1975, *Rev. Iber. Parasitol.*, v. 35 (1-2), 41-79  
 key, synonymy  
*Gallus domesticus*  
*Alectoris rufa*  
*Anas boschas domesticus*  
 all from Spain

*Cuclotogaster laticorpus* Carriker, 1936  
 Martin Mateo, M. P., 1975, *Rev. Iber. Parasitol.*, v. 35 (1-2), 41-79  
 as syn. of *Cuclotogaster heterographus* (Nitzsch, 1866)

*Cuculicola* Clay & Meinertzhagen, 1939  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
 P. L. 480 Proj., 1-41  
 taxonomic characters  
 key to species

*Cuculicola* sp.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
 P. L. 480 Proj., 1-41  
 key  
*Chrysococcyx maculatus*: Ban Khlu Klang, Prachuap Khiri Khan Province, Thailand

*Cuculicola cacomantae* sp. n., s. str.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
 P. L. 480 Proj., 1-41  
 key  
*Cacomantis sonneratii*: Kankhlua Klang, Prachuap Khiri Khan Province, Thailand

*Cuculicola cacomantae* sp. n., s. 1.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
 P. L. 480 Proj., 1-41  
*Cacomantis castaneiventris*: Wan New Guinea  
*C. merulinus*: Iwabig, Palawan, Philippine Islands  
*C. variolosus*: Tombo, Manai, Mindanao and Mt. Kaindi, Philippine Islands

*Cuculicola concolor* Ansari, 1955  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
 P. L. 480 Proj., 1-41  
 key  
*Clamator jacobinus*: Lucknow and Point Calimere, Tanjore District, Tamil Nadu, India

*Cuculicola coromandus* (Rudow, 1869)  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
 P. L. 480 Proj., 1-41  
 key  
*Clamator coromandus*: Subang Selangor, Malaya; Point Calimere, Tamil Nadu, India

*Cuculicola erythrophthalmus* Emerson, 1964  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
 P. L. 480 Proj., 1-41  
 key, brief description  
*Coccycyzus melacoryphus*: Villa Felisa, Sant. N., Colombia

*Cuculicola hardayali* Somadder & Tandan, 1970 s. str.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
 P. L. 480 Proj., 1-41  
 key  
*Phaenicophaeus tristis longicaudatus*: Phu Phak Khi Mt., Village Kok Sathon, District Dan Sai, Province Loei, Thailand

*Cuculicola hardayali* s. lat.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
 P. L. 480 Proj., 1-41  
*Phaenicophaeus pyrrhocephalus*: Ranau, North Borneo  
*P. curvirostris*: Brookes Point, Palawan, Philippine Islands

*Cuculicola latirostris* (Burmeister, 1838)  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
 P. L. 480 Proj., 1-41  
 key  
*Cuculus canorus gularis*: Mt. Monduli, Masai Dist., Tanganyika (now Tanzania)  
*C. canorus*: S. Spain; Muldental, Walkenburg, Saxony, Germany  
*C. poliocephalus rochii*: Ambalanjanakomby, Madagascar (now Malagasy Republic)

*Cuculicola latirostris* s. lat.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
 P. L. 480 Proj., 1-41  
*Cuculus saturatus*: Dalton Pass, N. Vizcaya, Philippine Islands

*Cuculicola palawanensis* sp. n.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
 P. L. 480 Proj., 1-41  
 key  
*Phaenicophaeus curvirostris*: Brookes Point, Palawan, Philippine Islands

*Cuculicola philippensis* Somadder & Tandan, 1970  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
 P. L. 480 Proj., 1-41  
 key  
*Centropus melanops*: Davao, Philippine Islands

*Cuculicola sinensis* Somadder & Tandan, 1970  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
 P. L. 480 Proj., 1-41  
 key  
*Centropus sinensis*: Balabac Is., Philippine Islands

*Cuculicola vagata* sp. n., s. str.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
 P. L. 480 Proj., 1-41  
 key  
*Centropus phasianinus*: Bulolo, New Guinea

- Cuculicola vagata** sp. n., s. lat.  
Tandan, B. K., 1971?, Final Tech. Rep. U. S.  
P. L. 480 Proj., 1-41  
Centropus menbeki: New Guinea  
C. bernsteinii: Bulolo, New Guinea; Kiletan  
and Jumbora, Papua  
C. violaceus: New Ireland (=New Mecklen-  
burg)  
C. phasianinus: Tegona, Papua
- Cuculiphilus** gen. n.  
Casto, S. D., 1977, Southwest. Nat., v. 22 (2),  
169-175  
Syringophilidae, Lobatinae subfam. n.  
tod: C. lobatus sp. n.
- Cuculiphilus lobatus** sp. n. (tod), illus.  
Casto, S. D., 1977, Southwest. Nat., v. 22 (2),  
169-175  
Crotophaga sulcirostris: Millett, La Salle  
County, Texas; near Valles, Mexico
- Cummingsia intermedia** Werneck, 1937, illus.  
Emerson, K. C.; and Price, R. D., 1975, Brig-  
ham Young Univ. Sc. Bull., Biol. ser., v. 20  
(3), 1-77  
key  
Marmosa dryas: Venezuela
- Cummingsia peramydis** Ferris, 1922, illus.  
Emerson, K. C.; and Price, R. D., 1975, Brig-  
ham Young Univ. Sc. Bull., Biol. ser., v. 20  
(3), 1-77  
synonymy, key  
Monodelphis brevicaudata: Venezuela
- Cuterebra** sp.  
Amin, O. M., 1973, J. Med. Entom., v. 10 (1),  
110-111  
Canis familiaris: Racine-Kenosha Co., Wis-  
consin  
Peromyscus leucopus: Parkside, Wisconsin  
Microtus pennsylvanicus: Parkside, Wiscon-  
sin
- Cuterebra** spp.  
Boonstra, R., 1977, Canad. J. Zool., v. 55  
(6), 1057-1060  
Wohlfahrtia vigil, seasonal incidence and  
effect on Microtus townsendii populations,  
parasitism seemed to be facilitated by pres-  
ence of Cuterebra spp.: Westham Island,  
British Columbia
- Cuterebra** sp., illus.  
MacDonald, J. M.; Delahunta, A.; and Georgi,  
J., 1976, Cornell Vet., v. 66 (3), 372-380  
Cuterebra sp., larvae, encephalitis in  
dog
- Cuterebra** sp.  
Murray, V. I. E.; and Thompson, K., 1976,  
Trop. Agric., Trinidad, B. W. I., v. 53 (3),  
263-266  
subcutaneous myiasis, incidence  
Herpestes auropunctatus  
Proechimys guyannensis  
all from Trinidad and Tobago
- Cuterebra** spp.  
Murray, V. I. E.; and Thompson, K., 1976,  
Trop. Agric., Trinidad, B. W. I., v. 53 (3),  
263-266  
subcutaneous myiasis, incidence  
man: Trinidad and Tobago
- Cuterebra** sp., illus.  
Scholten, T.; et al., 1977, Canad. Med. Ass.  
J., v. 117 (4), 368-369  
Cuterebra sp., boy (furuncle on left cheek),  
possibly acquired while on fishing trip to  
Muskoka region but probably directly from  
fur of pet cat: Canada
- Cuterebra** [sp.]  
Seaman, R. N.; and Nash, D. J., 1976, Great  
Basin Nat., v. 36 (4), 481-482  
Cuterebra larvae in 2 sympatric species of  
Peromyscus, incidence, monthly variation;  
larvae show definite preference for P.  
maniculatus  
P. maniculatus  
P. difficilis  
all from northern Colorado
- Cuterebra** sp.  
Tyler, J. D.; and Buscher, H. N., 1975, Proc.  
Oklahoma Acad. Sc., v. 55, 166-168  
Sylvilagus auduboni: Oklahoma
- Cuterebra** sp.  
Whitaker, J. O., jr.; Spicka, E. J.; and  
Schmeltz, L. L., 1976, Proc. Indiana Acad.  
Sc., v. 85, 1975, 431-436  
Sciurus niger  
S. carolinensis  
all from Indiana
- Cuterebra apicalis**  
Murray, V. I. E.; and Thompson, K., 1976,  
Trop. Agric., Trinidad, B. W. I., v. 53 (3),  
263-266  
subcutaneous myiasis, incidence  
Zygodontomys brevicauda  
Nectomys squamipes  
Rattus alexandrinus  
all from Trinidad and Tobago
- Cuterebra approximata**  
Smith, D. H., 1973, J. Med. Entom., v. 10 (5),  
481  
Cuterebra approximata, technique for labora-  
tory mating, younger males more vigorous and  
fertile
- Cuterebra buccata**  
Jacobson, H. A.; and Kirkpatrick, R. L.,  
1974, J. Wildlife Dis., v. 10 (4), 384-391  
comparison of selected physiological measure-  
ments in untreated parasitized cottontail  
rabbits and those treated with 1-tetramisole  
hydrochloride and 2,2-dichlorovinyl, dimethyl  
phosphate: Montgomery County, Virginia
- Cuterebra buccata**, illus.  
Weisbroth, S. H.; Wang, R.; and Scher, S.,  
1973, Lab. Animal Sc., v. 23 (2), 241-247  
Cuterebra buccata, natural infections of  
laboratory Oryctolagus cuniculus, gross and  
microscopic aspects of skin lesions, immedi-  
ate and delayed hypersensitivity reactions  
to skin tests, detection of circulating pre-  
cipitins by immunodiffusion tests
- Cuterebra emasculator** Fitch  
Bennett, G. F., 1973, J. Wildlife Dis., v. 9  
(1), 85-93  
Cuterebra emasculator, Tamias striatus  
(nat. and exper.), haematological values of  
infected vs. uninfected chipmunks, adverse  
effects of infection on activity and feeding  
subsequent to parasite leaving host:  
Ontario

- Cuterebra emasculator* Fitch  
 Hensley, M. S., 1976, J. Wildlife Dis., v. 12 (2), 172-179  
*Tamias striatus*: upland Virginia
- Cuterebra fontinella*  
 Gingrich, R. E., 1975, *Folia Entom. Mexicana* (33), 67-69  
 migration behavior of larval *Cuterebra fontinella* in normal and resistant (previously infested) *Peromyscus leucopus*; faster migration and more abnormal sites in resistant hosts
- Cuterebra fontinella*  
 Gingrich, R. E.; and Barrett, C. C., 1976, J. Med. Entom., v. 13 (1), 61-65  
*Cuterebra fontinella*, host specificity, acquisition of resistance by *Peromyscus leucopus*, effects of host sex on susceptibility to infection, localization of resistance, infestation by injection of larvae, interruption of infestation, effects of dose on resistance  
*Gerbillus gerbillus* (exper.)  
*Mus musculus* (exper.)  
*Peromyscus leucopus* (nat. and exper.): Butler Co., Ohio  
*P. maniculatus* (exper.)  
*P. boylii* (exper.), larvae formed breathing holes after 5 days, but infestations were aborted soon afterward  
*P. pectoralis* (exper.), larvae formed breathing holes after 5 days, but infestations were aborted soon afterward)
- Cuterebra fontinella*  
 Hensley, M. S., 1976, J. Wildlife Dis., v. 12 (2), 172-179  
*Cuterebra fontinella*, *Peromyscus leucopus noveboracensis*, seasonal incidence, higher prevalence in males and postjuveniles compared to adults: upland Virginia
- Cuterebra fontinella*  
 Hensley, M. S., 1977, *Virginia J. Sc.*, v. 28 (2), 63 [Abstract]  
*Cuterebra fontinella*-infested *Peromyscus leucopus*, less vulnerable to predation by foxes, possibly due to shrunken home ranges
- Cuterebra funebris*  
 Murray, V. I. E.; and Thompson, K., 1976, *Trop. Agric.*, Trinidad, B. W. I., v. 53 (3), 263-266  
 subcutaneous myiasis, incidence  
*Echimys armatus*: Trinidad and Tobago
- Cuterebra nigricans*  
 Murray, V. I. E.; and Thompson, K., 1976, *Trop. Agric.*, Trinidad, B. W. I., v. 53 (3), 263-266  
 subcutaneous myiasis, incidence  
*Oryzomys capito velutinus*: Trinidad and Tobago
- Cuterebra tenebrosa* Coquillett, illus.  
 Baird, C. R., 1975, *Canad. J. Zool.*, v. 53 (12), 1788-1798  
*Cuterebra tenebrosa*, laboratory rearing in *Neotoma cinerea*, egg and larval development: effect of larval photoperiod on incidence of pupal diapause (egg photoperiod had no effect), duration of larval development with evidence as to photoperiod-sensitive stage, sequence of gross morphological changes from puparium formation to eclosion, unsuccessful attempts to terminate pupal diapause via temperature or photoperiod manipulations

- Cuterebra tenebrosa*, illus.  
 Baird, C. R.; and Akre, R. D., 1977, J. Entom. Soc. Brit. Columbia, v. 74, 27-31  
*Cuterebra tenebrosa*, morphology of alimentary and reproductive tracts
- Cyclopodia horsfieldi* de Meijere, 1899  
 Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Pteropus hypomelanurus*: Patani; Jalor, Biserat; Pahang  
*P. vampyrus*: Malaya
- Cyclopodia (Leptocyclopodia) obliqua* Theodor, 1959  
 Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
 as syn. of *Leptocyclopodia obliqua* (Theodor, 1959)
- Cyclopodia oxycephala* (Bigot, 1860)  
 Marshall, A. G., 1976, *Ecol. Entom.*, v. 1 (3), 189-199  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Pteropus tonganus*  
*P. anetianus*  
 all from New Hebrides
- Cyclopodia planipyga* Maa, 1968  
 Marshall, A. G., 1976, *Ecol. Entom.*, v. 1 (3), 189-199  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Notopteris macdonaldi*: New Hebrides
- Cyclopodia tenuis* Schuurmans Stekhoven & Hardenberg, 1938  
 Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Macroglossus lagochilus*: Kuala Gula, Perak
- Cymothoa* ? Chevreux, 1883  
 Trilles, J. P., 1975, *Bull. Mus. National Hist. Nat.*, Paris, 3. s. (290), Zool. (200), 347-377  
 as syn. of *Anilocra frontalis* Edwards, 1840
- Cymothoa* sp. Monod, 1934  
 Trilles, J.-P., 1975, *Bull. Mus. National Hist. Nat.*, Paris, 3. s. (318), Zool. (225), 977-993  
 as syn. of *Cymothoa indica* Schioedte et Meinert, 1884
- Cymothoa bivittata* Risso, 1816  
 Trilles, J. P., 1975, *Bull. Mus. National Hist. Nat.*, Paris, 3. s. (290), Zool. (200), 347-377  
 as syn. of *Nerocila bivittata* (Risso, 1816)
- Cymothoa borbonica* Schioedte et Meinert, 1884, illus.  
 Trilles, J.-P., 1975, *Bull. Mus. National Hist. Nat.*, Paris, 3. s. (318), Zool. (225), 977-993  
 Syn.: (?) *Cymothoa rotundifrons* Haller, 1880  
 [no host]: St. Marie Galande; Bourbon; Port Louis, ile Maurice; Le Chaland, ile Maurice; Mascate  
*Ptychochromis oligacanthus* (bouche): Madagascar  
*poissons* (cavite branchiale): Djibouti

- Cymothoa cinerea* Bal et Joshi, 1959  
 Trilles, J.-P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 977-993  
 as syn. of *Cymothoa eremita* (Brunnich, 1783)  
*Schioedte et Meinert*, 1884
- Cymothoa cinerius*: Joshi et Bal, 1960  
 Trilles, J.-P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 977-993  
 as syn. of *Cymothoa eremita* (Brunnich, 1783)  
*Schioedte et Meinert*, 1884
- Cymothoa dufresnei* Leach, 1818  
 Trilles, J.-P.; and Vala, J.-C., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 967-976  
 as syn. of *Cymothoa oestrum* (L., 1758) Fabricius, 1793
- Cymothoa edwardsii* Bleeker, 1857  
 Trilles, J.-P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 977-993  
 as syn. of *Cymothoa eremita* (Brunnich, 1783)  
*Schioedte et Meinert*, 1884
- ? *Cymothoa elegans* Bovallius, 1885  
 Trilles, J.-P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 977-993  
 as syn. of *Cymothoa eremita* (Brunnich, 1783)  
*Schioedte et Meinert*, 1884
- Cymothoa eremita* (Brunnich, 1783) Schioedte et Meinert, 1884, illus.  
 Trilles, J.-P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 977-993  
 synonymy  
 [no host]: rade de Pondichery; Djibouti;  
 Batavia; N. Caledonie; Cochinchine; Poulo Condor  
 poisson (bouche): cotes d'Arabie, golfe Persique
- Cymothoa excisa* Perty, 1830, illus.  
 Trilles, J.-P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 977-993  
 synonymy  
 [no host]: Amerique; baie de Santiago,  
 Cuba; Trinidad; Guyane
- Cymothoa excisa* var. *compressa* Dana, 1853  
 Trilles, J.-P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 977-993  
 as syn. of *Cymothoa excisa* Perty, 1830
- Cymothoa exigua* Schioedte & Meinert, 1884  
 Brusca, R. C., 1977, Bull. South. Calif. Acad. Sc., v. 76 (2), 128-131  
*Cymothoidae*, range extensions, some host records questionable, host criteria: eastern Pacific Ocean  
 [no host]: from El Golfo de Santa Clara, Sonora, to Huatobampito, near Yavaros, Sonora, Mexico
- Orthopristis reddingi*: upper Gulf of California
- Etropus* sp.: Puerto Penasco, Sonora
- Cymothoa frontalis* Edwards, 1840, illus.  
 Trilles, J.-P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 977-993  
 [no host]: mer des Indes; Bankok
- Cymothoa immersa* Say, 1818  
 Trilles, J.-P.; and Vala, J.-C., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 967-976  
 as syn. of *Cymothoa oestrum* (L., 1758) Fabricius, 1793
- Cymothoa indica* Schioedte et Meinert, 1884, illus.  
 Trilles, J.-P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 977-993  
 Syn.: *Cymothoa* sp. Monod, 1934  
 Bothidae (bouche): baie de Nhatrang
- Cymothoa leschenaultii* Leach, 1818  
 Trilles, J.-P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 977-993  
 as syn. of *Cymothoa eremita* (Brunnich, 1783)  
*Schioedte et Meinert*, 1884
- ? *Cymothoa limbata* Schioedte et Meinert, 1884  
 Trilles, J.-P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 977-993  
 as syn. of *Cymothoa eremita* (Brunnich, 1783)  
*Schioedte et Meinert*, 1884
- Cymothoa mathieui* Leach, 1818  
 Trilles, J.-P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 977-993  
 as syn. of *Cymothoa eremita* (Brunnich, 1783)  
*Schioedte et Meinert*, 1884
- Cymothoa matthaei*: Desmaret, 1825 [et auct.]  
 Trilles, J.-P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 977-993  
 as syn. of *Cymothoa eremita* (Brunnich, 1783)  
*Schioedte et Meinert*, 1884
- Cymothoa oestrum* (L., 1758) Fabricius, 1793, illus.  
 Trilles, J.-P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 977-993  
 [no host]: Guadeloupe; Puerto Rico; Saba
- Cymothoa oestrum* (L., 1758) Fabricius, 1793, illus.  
 Trilles, J.-P.; and Vala, J.-C., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 967-976  
 synonymy  
*Caranx* (cavite buccale): St. Anne, Guadeloupe

*Cymothoa oestrum*: Rathke, 1837 [et auct.]  
 Trilles, J.-P.; and Vala, J.-C., 1975, Bull.  
 Mus. National Hist. Nat., Paris, 3. s. (318),  
 Zool. (225), 967-976  
 not a syn. of *Cymothoa oestrum* (L., 1758)  
 Fabricius, 1793

*Cymothoa parasita* Saussure, 1857  
 Trilles, J.-P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (318), Zool. (225),  
 977-993  
 as syn. of *Cymothoa excisa* Perty, 1830

*Cymothoa physodes*: Fabricius, 1793  
 Trilles, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 347-377  
 as syn. of *Anilocra physodes* (L., 1758)

*Cymothoa plebeia* Schioedte et Meinert, 1884,  
 illus.  
 Trilles, J.-P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (318), Zool. (225),  
 977-993  
 poissons (langue): Kotonou, Dahomey  
 [no host]: Cote d'Or  
*Pristipoma macropthalmum* (bouche): Cameroun  
*Tolithus* [i. e., *Otolithus*] *senegalensis*:  
 Cameroun

*Cymothoa pulchrum* Lanchester, 1902, illus.  
 Trilles, J.-P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (318), Zool. (225),  
 977-993  
*Tetrodon stellatus* (bucca): baie de l'est,  
 Poulo Condor  
*Psettodes*: Cap. Saint Jacques  
*Psettodes erumei* (bouche): baie de Kikuik

? *Cymothoa recta* Dana, 1853  
 Trilles, J.-P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (318), Zool. (225),  
 977-993  
 as syn. of *Cymothoa eremita* (Brunnich, 1783)  
 Schioedte et Meinert, 1884

(?) *Cymothoa rotundifrons* Haller, 1880  
 Trilles, J.-P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (318), Zool. (225),  
 977-993  
 as syn. of *Cymothoa borbonica* Schioedte et  
 Meinert, 1884

*Cymothoa stromatei* Bleeker, 1857  
 Trilles, J.-P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (318), Zool. (225),  
 977-993  
 as syn. of *Cymothoa eremita* (Brunnich, 1783)  
 Schioedte et Meinert, 1884

Cymothoidae  
 Sziidat, L., 1965, An. 2. Cong. Latino-Am.  
 Zool., v. 2, 83-87  
 Cymothoidae, evolution of secondary sexual  
 dimorphism, various types of life cycles;  
 particular studies of *Meinertia gaudichaudii*  
 in *Trachurus* sp. (cavidad bucal): costas  
 chilenas

*Cytodites amandavae* Fain, 1964  
 Fain, A.; Herin, A.; and Puylaert, F., 1977,  
 Rev. Zool. Africaine, v. 91 (2), 385-396  
*Hirundo aethiopica* (fosses nasales): Cameroun

*Cytodites amandavae* Fain & Bafort, 1964, illus.  
 Guevara-Benitez, D., 1974, Rev. Iber. Para-  
 sitol., v. 34 (3-4), 273-281  
*Phylloscopus collybita* (pulmon): Granada  
 (Espana)

- Dactylopsylla ignota (Baker)  
 Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Thomomys bottae*  
*T. talpoides*  
*Peromyscus maniculatus*  
*Felis catus*  
 all from west of Rio Grande in and near Jemez Mts., New Mexico
- Dactylopsylla rara Fox, illus.  
 Haas, G. E., 1973, Am. Midland Naturalist, v. 90 (1), 246-252  
 morphological variations  
*Thomomys talpoides*: Jemez Mts., Sandoval Co., New Mexico
- Dactylopsylla rara I. Fox  
 Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Thomomys talpoides*  
*Microtus montanus*  
 all from west of Rio Grande in and near Jemez Mts., New Mexico
- Damalinia bovis  
 Neuhauser, H., 1974, Vet. Med. Rev. (4), 348-361  
 cattle lice, Tiguwon Spot-on, compared with Tiguwon Pour-on: Australia
- Damalinia bovis (Linne), illus.  
 Rao, N. S. K.; Khuddus, C. A.; and Channa-Basavanna, G. P., 1975, Mysore J. Agric. Sc., v. 9 (4), 670-688  
 morphology of mouth parts, compared with *Lipeurus tropicalis*
- Damalinia caprae Gurlt  
 Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397  
 seasonal distribution  
*Capra hircus* (body): Hissar and suburbs, India
- Damalinia equi  
 Oberg, C.; Diaz, L.; and Valenzuela, G., 1974, Bol. Chileno Parasitol., v. 29 (3-4), 99-102  
*Equus caballus*: Chile
- Damalinia (Bovicola) tarandi  
 Low, W. A., 1976, Canad. Field-Naturalist, v. 90 (2), 189-191  
*Rangifer tarandus caribou* (over entire body): Tweedsmuir Provincial Park, British Columbia
- Damalinia trabeculae  
 Young, E.; et al., 1973, Research J. National Parks Republic South Africa (16), 77-81  
*Redunca fulvorufula*: Mountain Zebra National Park
- Dasypsyllus (Neornipsyllus) aemulus Jordan, 1933  
 Smit, F. G. A. M., 1976, Entom. Ber., Amsterdam, v. 36 (5), 65-67
- Dasypsyllus (Neornipsyllus) araucanus  
 Smit, F. G. A. M., 1976, Entom. Ber., Amsterdam, v. 36 (5), 65-67  
 Syn.: *Ceratophyllus araucanus* Jordan & Rothschild, 1920
- Dasypyllus (Neornipsyllus) comatus Jordan, 1933  
 Smit, F. G. A. M., 1976, Entom. Ber., Amsterdam, v. 36 (5), 65-67
- Dasypyllus (Neornipsyllus) cteniopus (tod of subgen.)  
 Smit, F. G. A. M., 1976, Entom. Ber., Amsterdam, v. 36 (5), 65-67  
 Syn.: *Ceratophyllus cteniopus* Jordan & Rothschild, 1920
- Dasypyllus gallinulae (Dale 1878)  
 Arzt, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Mustela erminea*: Schleswig-Holstein
- Dasypyllus gallinulae (Dale)  
 Shumilo, R. P.; and Lunkashu, M. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 208-214  
*Picooides tridactylus*  
*Garrulus glandarius*  
*Pica pica*  
*Corvus cornix*  
*Phoenicurus ochruros*  
*Turdus philomelos*  
*Turdus merula*  
*Phylloscopus sibilatrix*  
*Eriothacus rubecula*  
*Motacilla alba*  
*Motacilla cinerea*  
 all from Chernovtzy oblast, Ukrainian SSR
- Dasypyllus gallinulae (Dale, 1878)  
 Traub, R., 1951, Proc. Biol. Soc. Wash., v. 64, 1-24  
*Turdus poliocephalus kelleri*: Davao Province, Mindanao, East Slope of Mt. McKinley, Philippine Islands
- Dasypyllus g. gallinulae  
 Aubert, M. F. A.; and Beaucournu, J. C., 1976, Ann. Parasitol., v. 51 (1), 143-156  
 survey of Siphonaptera of some carnivores with brief notes on biology and chorology  
*Martes foina*: Nord-Est de la France
- D[asypyllus] g. gallinulae  
 Roberts, C. J., 1975, Entom. Gaz., v. 26 (2), 139-145  
*Turdus merula*  
*Prunella modularis*  
*Phylloscopus trochilus*  
 all from Isle of Man
- Dasypyllus (Neornipsyllus) plumosissimus sp. nov., illus.  
 Smit, F. G. A. M., 1976, Entom. Ber., Amsterdam, v. 36 (5), 65-67  
*Catamenia analis griseiventris*: near Cuzco, Cuzco dept, Peru

*Dasypyllus (Neornipsyllus) stejnegeri*  
Smit, F. G. A. M., 1976, Entom. Ber., Amsterdam, v. 36 (5), 65-67

*Dasyurochirus australis* Fain  
Beveridge, I.; and Barker, I. K., 1976, Austral. J. Zool., v. 24 (2), 265-272  
helminths and arthropods, *Antechinus stuartii*, seasonal and sex-related variations in numbers of helminths, parasites unlikely directly involved in seasonal mortality of male host; ectoparasites may contribute to anemia in hosts: Powelltown, Victoria

*Degeeriella regalis* Gb., 1866  
Gan, E. I.; and Shousmanov, Sh., 1976, Uzbek. Biol. Zhurnal (5), 54-56  
[*Aquila rapax*]: Kashka-Darya oblast

*Degeeriella rufa*  
Croft, R. E.; and Kingston, N., 1975, J. Wildlife Dis., v. 11 (2), 229-233  
*Falco mexicanus*: Wyoming

*Delotelis telegoni* Rothschild  
Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Clethrionomys gapperi*: west of Rio Grande in and near Jemez Mts., New Mexico

Demodectic mange. See [Demodex]

*Demodex*  
Chapman, R. E., 1973, Austral. Vet. J., v. 49 (12), 595-596 [Letter]  
sheep, clinical manifestation in wool: north-western pastoral zone of South Australia

*Demodex*  
Desch, C. E.; O'Dea, J.; and Nutting, W. B., 1971, Acarologia, v. 12 (3), 522-526  
Demodex, description of proctodeum, valid structure for species discrimination, possibly a hydrostatic organ

[*Demodex*] demodectic mange  
Hanson, C. J., 1977, Vet. Rec., v. 100 (4), 77-78 [Letter]  
sarcoptic mange in guinea pigs, demodectic mange in golden hamsters, canolene, good results

*Demodex* sp.  
Beveridge, I.; and Barker, I. K., 1976, Austral. J. Zool., v. 24 (2), 265-272  
helminths and arthropods, *Antechinus stuartii*, seasonal and sex-related variations in numbers of helminths, parasites unlikely directly involved in seasonal mortality of male host; ectoparasites may contribute to anemia in host  
*A. stuartii* (sebaceous glands in aural and perineal areas): Powelltown, Victoria

*Demodex* sp., illus.  
Chroustova, E.; Willomitzer, J.; and Mrva, V., 1974, Veterinarstvi, v. 24 (3), 115-116  
sheep, case report, treatment

*Demodex* sp., illus.  
Desch, C. E.; O'Dea, J.; and Nutting, W. B., 1971, Acarologia, v. 12 (3), 522-526  
Demodex, description of proctodeum, valid structure for species discrimination, possibly a hydrostatic organ

*Demodex* [sp.]  
Dipeolu, O. O., 1975, Nigerian J. Animal Prod., v. 2 (2), 222-226  
pigs (neck, shoulders): Ibadan and Eruwa, Western Nigeria

*Demodex* spp.  
Draeger, N., 1977, Berl. u. Munchen. Tierarztl. Wchnschr., v. 90 (23), 454-457  
Demodex spp., cattle, prevalence and importance, control measures, no seasonal variations in prevalence noted: Chobe District, Botswana

*Demodex* [sp.]  
Himonas, C. A.; Theodorides, J. T.; and Alexakis, A. E., 1975, J. Parasitol., v. 61 (4), 767  
dogs  
cattle  
sheep  
goats  
pigs  
(eyelids of all): all from Greece

*Demodex* [sp.], demodectic mange  
Rak, H.; and Rahgozar, R., 1975, Bull. Soc. Path. Exot., v. 68 (6), 591-593  
prevalence survey of domestic ruminants  
cattle  
buffaloes  
sheep  
goats  
camels  
(eyes of all): all from Tehran, Iran

*Demodex* sp.  
Shepherd, R. C. H.; and Edmonds, J. W., 1976, Austral. Entom. Mag., v. 3 (4), 63-66  
*Oryctolagus cuniculus*: Victoria

*Demodex aurati*, illus.  
Desch, C. E.; O'Dea, J.; and Nutting, W. B., 1971, Acarologia, v. 12 (3), 522-526  
Demodex, description of proctodeum, valid structure for species discrimination, possibly a hydrostatic organ

*Demodex bovis*, illus.  
Crossley, J.; Gorman, T.; and Alcaino, H., 1970, Bol. Chileno Parasitol., v. 25 (3-4), 126-129  
*Demodex bovis*, Chilean Hereford bull (vacuno), clinical management and treatment with oral and topical neguvon, resulting hide damage economically important to leather industry: Santiago

*Demodex bovis*, illus.  
May, I.; Putin, M.; and Aciociranoia, V., 1975, Rev. Crest. Animalelor, v. 25 (12), 48-51  
*Demodex bovis* in cattle, clinical aspects, diagnosis, treatment with neguvon

- Demodex bovis**  
 Nutting, W. B., 1976, Cornell Vet., v. 66 (2), 214-231  
 Demodex spp., biology, medical and veterinary importance, taxonomy, host-parasite interactions, problems needing further study, review, key to demodicids of medico-veterinary concern
- Demodex bovis**  
 Rahko, T., 1973, Norwegian J. Zool., v. 21 (4), 325 [Abstract]  
 Demodex bovis, economic loss to leather industry due to bovine demodicosis: Finland incidence in cattle: Finland
- Demodex bovis**  
 Reinius, S.; and Berger, R., 1977, Finsk Vet.-Tidskr., v. 83 (6), 269-271
- Demodex brevis**  
 Nutting, W. B., 1976, Cornell Vet., v. 66 (2), 214-231  
 Demodex spp., biology, medical and veterinary importance, taxonomy, host-parasite interactions, problems needing further study, review, key to demodicids of medico-veterinary concern
- Demodex canis**  
 Baker, B. B.; et al., 1976, J. Am. Vet. Med. Ass., v. 168 (12), 1105-1107  
 Demodex canis, dogs, topical application of Ronnel, toxicity
- Demodex canis**  
 Brglez, J.; et al., 1975, Zborn. Bioteh. Fak. Univ. Ljubljani, v. 12 (1), 143-155  
 Demodex canis, dogs, complete cure with dermavete; transient cure with neguvon, task and thiabendazole
- Demodex canis**  
 Cordero Campillo, M., 1976, Veterinaria, Barcelona, v. 41 (1-6), 35-44  
 canine, identification, life history, pathogenicity, treatment, review
- Demodex canis, illus.**  
 Desch, C. E.; O'Dea, J.; and Nutting, W. B., 1971, Acarologia, v. 12 (3), 522-526  
 Demodex, description of proctodeum, valid structure for species discrimination, possibly a hydrostatic organ
- Demodex canis**  
 Healey, M. C.; and Gaafar, S. M., 1977, Vet. Parasitol., v. 3 (2), 107-119  
 Demodex canis, dogs, immunofluorescent demonstration and quantitation of mast cell-bound IgE, estimation of serum IgE inconclusive, possible role of atopic sensitization in pathogenesis of canine demodectic mange
- Demodex canis Leydig, 1859**  
 Healey, M. C.; and Gaafar, S. M., 1977, Vet. Parasitol., v. 3 (2), 121-131  
 Demodex canis, development of clinical signs of demodectic mange in beagle pups receiving mites and antilymphocyte serum, results indicate importance of cell-mediated response in immune defense against demodectic mange
- Demodex canis Leydig, 1859**  
 Healey, M. C.; and Gaafar, S. M., 1977, Vet. Parasitol., v. 3 (2), 133-140  
 Demodex canis, dogs, immediate and delayed skin reactions to phytohemagglutinin and concanavalin A, suppression of delayed response suggests that dogs with demodicosis may have hypoactive cellular immune system, possible mechanism of immediate response
- Demodex canis**  
 Hirsh, D. C.; et al., 1975, Am. J. Vet. Res., v. 36 (11), 1591-1595  
 Demodex canis, suppression of in vitro reactivity of peripheral lymphocytes to phytohemagglutinin by serum from dogs with generalized demodicosis, possible role of T-lymphocyte dysfunction in pathogenesis
- Demodex canis**  
 Janeczek, W.; Koprowski, J.; and Patyk, S., 1975, Med. Wet., v. 31 (12), 736-737  
 Demodex canis, dogs, treatment with chlorfenvinphos compounds (IPO-62, IPO-63, Z-110)
- Demodex canis**  
 Narayana, K.; Rao, H. S.; and Setty, D. R. L., 1975, Indian Vet. J., v. 52 (6), 494-495  
 Demodex canis, dogs, clinical symptoms, Ocimum basilicum leaves + Leucas aspera leaves + Erythrina indica seed rubbed onto cutaneous lesions, good results
- Demodex canis**  
 Nutting, W. B., 1976, Cornell Vet., v. 66 (2), 214-231  
 Demodex spp., biology, medical and veterinary importance, taxonomy, host-parasite interactions, problems needing further study, review, key to demodicids of medico-veterinary concern
- Demodex canis, illus.**  
 Pool, R. R.; Williams, J. R.; and Bulgin, M., 1972, J. Am. Vet. Med. Ass., v. 161 (3), 291-293  
 Demodex canis, dog (skin), mineralized granuloma, case report: Davis, California
- Demodex caprae**  
 Nutting, W. B., 1976, Cornell Vet., v. 66 (2), 214-231  
 Demodex spp., biology, medical and veterinary importance, taxonomy, host-parasite interactions, problems needing further study, review, key to demodicids of medico-veterinary concern
- Demodex cati, illus.**  
 Gabbert, N.; and Feldman, B. F., 1976, Feline Pract., v. 6 (6), 32-33  
 Demodex cati, cat (right ear pinna), case report, rotenone, good results: Kansas

*Demodex cati*

Nutting, W. B., 1976, Cornell Vet., v. 66 (2), 214-231

*Demodex* spp., biology, medical and veterinary importance, taxonomy, host-parasite interactions, problems needing further study, review, key to demodicids of medico-veterinary concern

*Demodex criceti*, illus.

Desch, C. E.; O'Dea, J.; and Nutting, W. B., 1971, Acarologia, v. 12 (3), 522-526

*Demodex*, description of proctodeum, valid structure for species discrimination, possibly a hydrostatic organ

*Demodex equi*

Nutting, W. B., 1976, Cornell Vet., v. 66 (2), 214-231

*Demodex* spp., biology, medical and veterinary importance, taxonomy, host-parasite interactions, problems needing further study, review, key to demodicids of medico-veterinary concern

*Demodex erinacei*

Isenbuegel, E., 1976, Prakt. Tierarzt, v. 57, Sondernummer, 21-27  
Igel

*Demodex folliculorum*, illus.

Baker, K. P., 1975, Vet. Parasitol., v. 1 (2), 193-197

*Demodex folliculorum*, dogs, occasional development of hyperpigmentation of the skin, increased melanocyte activity in epidermis, adrenal cortical malfunction as possible cause

*Demodex folliculorum*, illus.

Desch, C. E.; O'Dea, J.; and Nutting, W. B., 1971, Acarologia, v. 12 (3), 522-526

*Demodex*, description of proctodeum, valid structure for species discrimination, possibly a hydrostatic organ

*Demodex folliculorum*, illus.

English, F. P., 1969, Med. J. Australia, v. 1 (26), 1359-1360

*Demodex folliculorum*, infestation of human eyelids and causative factor in blepharitis, clinical review, case report, application of ether or alcohol to cause evacuation of hair follicles by parasites: Australia

*Demodex folliculorum*

Nutting, W. B., 1976, Cornell Vet., v. 66 (2), 214-231

*Demodex* spp., biology, medical and veterinary importance, taxonomy, host-parasite interactions, problems needing further study, review, key to demodicids of medico-veterinary concern

*Demodex folliculorum*, illus.

Streng, R., 1976, Mikrokosmos, v. 65 (7), 202-205

*Demodex folliculorum*, preparation for scanning electron microscopy

*Demodex folliculorum* var. *bovis*, illus.

Esuruoso, G. O., 1977, Bull. Animal Health and Prod. Africa, v. 25 (1), 65-72

*Demodex folliculorum* var. *bovis* in exotic and indigenous cattle, incidence, treatment trials (best results with selenium sulphide), constant presence of *Staphylococcus aureus* in lesions of demodectic mange indicated that it might aid in spread of lesions, immunization with *S. aureus* vaccine resulted in reduction of mange lesions: southern Nigeria

*Demodex folliculorum bovis*

Oduye, O. O., 1974, Nigerian J. Animal Prod., v. 1 (2), 204-208

*Demodex folliculorum bovis*, cattle, prevalence, economic effect on hide and skin industries: Northern Nigeria

*Demodex ghanensis* sp. nov., illus.

Oppong, E. N. W.; Lee, R. P.; and Yasin, S. A., 1975, Ghana J. Sc., v. 15 (1), 39-43  
life cycle, pathology

*Bos taurus* (alveoli and short lateral ducts of Meibomian glands): Ghana

*Demodex ovis*

Coring, J., 1975, Deutsche Tierarztl. Wochenschr., v. 82 (12), 491-492  
ovine scabies, brief review of clinical aspects, diagnosis

*Demodex ovis*, illus.

Kadlec, V.; and Kubelka, J., 1974, Vet. Med., Praha, v. 47, v. 19 (5), 249-254

*Demodex ovis*, sheep, measurements of larvae, nymphs and adults, histopathology, treatment with Hypocid, better success with Sulikol, sulfur compound, first cases reported in Czechoslovak Socialist Republic

*Demodex ovis*

Nutting, W. B., 1976, Cornell Vet., v. 66 (2), 214-231

*Demodex* spp., biology, medical and veterinary importance, taxonomy, host-parasite interactions, problems needing further study, review, key to demodicids of medico-veterinary concern

*Demodex phylloides*

Desch, C. E.; O'Dea, J.; and Nutting, W. B., 1971, Acarologia, v. 12 (3), 522-526

*Demodex*, description of proctodeum, valid structure for species discrimination, possibly a hydrostatic organ

*Demodex phylloides*

Nutting, W. B., 1976, Cornell Vet., v. 66 (2), 214-231

*Demodex* spp., biology, medical and veterinary importance, taxonomy, host-parasite interactions, problems needing further study, review, key to demodicids of medico-veterinary concern

*Demodex phylloides*

Oberg, C.; Diaz, L.; and Valenzuela, G., 1974, Bol. Chileno Parasitol., v. 29 (3-4), 99-102

*Sus scrofa*: Chile

*Demodex phylloides*, illus.  
Puccini, V.; and Colella, G., 1975, Acta Med. Vet., Napoli, v. 21 (1-6), 65-72  
description  
suino: macellato, provincia di Matera, Italia

*Demodex phylloides*, illus.  
Quintero M., M. T. C., 1977, Veterinaria, Mexico, v. 8 (2), 42-45  
*Demodex phylloides*, frequency and anatomical distribution in skin of pigs: slaughter house at Ciudad Netzahualcoyotl, State of Mexico

*Dennysus distinctus* Ferris, 1916  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Collocalia esculenta*: New Hebrides

*Dennysus thompsoni* Ledger, 1970 sens. lat.  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Collocalia vanikorensis*: New Hebrides

*Dentocarpus* (*Paradentocarpus*) *abyssinicus* sp. n.  
(tod of subgen.)  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Otomops martiensseni*: Ethiopie

*Dentocarpus* (*Dentocarpus*) *mimon* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Mimon bennetti*: near Bartica, Guyane Anglaise

*Dentocarpus* (*Dentocarpus*) *orientalis* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Tadarida* (*Chaerephon*) *johorensis*: Pulai, Kelantan, Malaya

*Dentocarpus* (*Paradentocarpus*) *phyllodermae* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Phylloderma stenops*: Forest Reserve, near Bartica, Guyane Anglaise

*Dentocarpus silvai eumopsicola* subsp. n.  
Fain, A., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 330-332  
*Eumops auripendulus*: Surinam

*Dermacarus* sp.  
Whitaker, J. O., jr.; Spicka, E. J.; and Schmeltz, L. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 431-436  
*Sciurus niger*: Indiana

*Dermacarus anisomysi*, n. sp., illus.  
Rupes, V.; Yunker, C. E.; and Wilson, N., 1971, J. Med. Entom., v. 8 (1), 17-22  
*Anisomys imitator*: SE New Guinea (Papua), Southern Highlands Dist., Kagaba (slopes of Mt. Giluwe, 40 km NNE Mendi)

*Dermacarus heptneri* Rupes & Whitaker (not Zachvatkin, 1941), 1968  
Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Xenoryctes latiporus* Fain & Whitaker, 1973

*Dermacarus hylandi* Fain  
Amin, O. M., 1976, Great Lakes Entom., v. 9 (4), 195-198  
*Tamias striatus ohionensis*: Kenosha County, Wisconsin

*Dermacarus hypudaei*  
Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Microtus ochrogaster ochrogaster*  
*Peromyscus leucopus noveboracensis*  
*Cryptotis parva parva*  
all from Coles County, Illinois

*Dermacarus hypudaei*  
Buckner, R. L.; and Gleason, L. N., 1974, Tr. Kentucky Acad. Sc., v. 35 (3-4), 70-75  
seasonal occurrences  
*Microtus ochrogaster*  
*Peromyscus leucopus*  
all from Warren County, Kentucky

*Dermacarus hypudaei*  
Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Peromyscus leucopus*  
*P. maniculatus*  
*Ochrotomys nuttalli*  
*Clethrionomys gapperi*  
all from Fires Creek area, Nantahala Mountains, North Carolina

*Dermacarus hypudaei* Rupes & Whitaker, 1968 (in part) (not Koch, 1941)  
Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Dermacarus newyorkensis* Fain, 1969

*Dermacarus jonesi* sp. n., illus.  
Fain, A.; and Whitaker, J. O., jr., 1976, J. Parasitol., v. 62 (1), 119-120  
*Peromyscus maniculatus*: Lana Creek and Road 249, Lana Campground, Olympic National Forest, Mason County, Washington; British Columbia  
*Sorex* sp.: junction Sagehen Creek and CA1. S.R. 89, Nevada County, California

*Dermacarus lorentzimysi*, n. sp., illus.  
Rupes, V.; Yunker, C. E.; and Wilson, N., 1971, J. Med. Entom., v. 8 (1), 17-22  
*Lorentzimys nouhuysi*: NE New Guinea, Morobe Dist. (19 km S Edie Creek)

*Dermacarus newyorkensis*  
Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Blarina brevicauda*  
*Zapus hudsonius*  
*Napaeozapus insignis*  
all from Fires Creek area, Nantahala Mountains, North Carolina

*Dermacarus newyorkensis* Fain, 1969  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
*Am. Midland Naturalist*, v. 91 (1), 1-67  
 synonymy

*Dermacarus tamiasciuri*, n. sp., illus.  
 Rupes, V.; Yunker, C. E.; and Wilson, N.,  
 1971, *J. Med. Entom.*, v. 8 (1), 17-22  
 "The 20 "labidophorids" listed by Scholten  
 et al. (1962) from *T. hudsonicus* in Ontario  
 may be this species."  
*Tamiasciurus hudsonicus*: U.S.A., Michigan,  
 Keweenaw Co., Isle Royale National Park

*Dermacentor* sp.  
 Coultrip, R. L.; et al., 1973, *J. Med. Entom.*,  
 v. 10 (3), 303-309  
 fleas, ticks, mammals, survey for vectors  
 and reservoir hosts of Rocky Mountain spot-  
 ted fever and sylvatic plague, serological  
 evidence for presence of rickettsial agent  
 but presence of plague not demonstrated  
*Sylvilagus bachmani*  
*Spermophilus beecheyi*  
*Perognathus californicus*  
*Dipodomys heermanni*  
*Reithrodontomys megalotis*  
*Peromyscus californicus*  
*P. maniculatus*  
*P. truei*  
*Neotoma fuscipes*  
*Microtus californicus*  
*Mephitis mephitis*  
*Felis domesticus*  
 all from Fort Ord, California

*Dermacentor* [sp.]  
 Isenbuegel, E., 1976, *Prakt. Tierarzt*, v. 57,  
 Sondernummer, 21-27  
 Igel

*Dermacentor* spp.  
 Lim, B. L., 1972, *Southeast Asian J. Trop. Med.*  
 and *Pub. Health*, v. 3 (4), 605-612  
*Rattus sabanus*  
*R. muelleri*  
*R. bowersii*  
*R. surifer*  
*R. rajah*  
*R. whiteheadi*  
*Callosciurus caniceps*  
*Echinosorex gymnurus*  
*Tupaia glis*  
*Callosciurus nigrovittatus*  
 all from rainforests in West Malaysia

*Dermacentor albipictus* (Packard)  
 Meleney, W. P., 1975, *J. Parasitol.*, v. 61  
 (3), 530-534  
*Tayassu tajacu* (left axilla): Hidalgo  
 County, New Mexico

*Dermacentor albipictus* (Packard)  
 Patrick, C. D.; and Hair, J. A., 1975, *J. Med.*  
*Entom.*, v. 12 (3), 393-394  
*Dermacentor albipictus*, studies in field con-  
 ditions, two different habitats, March 1973-  
 May 1974, oviposition, incubation time, com-  
 ments on taxonomic status and relationship  
 to *D. nigrolineatus*; eastern Oklahoma

*Dermacentor albipictus*  
 Renshaw, H. W.; et al., 1977, *J. Am. Vet. Med.*  
*Ass.*, v. 170 (3), 334-339  
*Odocoileus hemionus hemionus*: Idaho-Utah  
 state boundary, near Stone, Idaho

*Dermacentor albipictus* (Packard, 1869)  
 Rogers, L. L., 1975, *J. Wildlife Dis.*, v. 11  
 (2), 189-192  
*Ursus americanus*: Minnesota

*Dermacentor albipictus* (Packard)  
 Semner, P. J.; and Hair, J. A., 1975, *J. Med.*  
*Entom.*, v. 12 (1), 137-138  
 carbon dioxide-baited traps: Cherokee  
 County, Oklahoma

*Dermacentor andersoni*  
 Bassal, T. T. M., 1973, *J. Med. Entom.*, v. 10  
 (2), 228  
*Dermacentor andersoni*, *Ornithodoros moubata*,  
*O. savignyi*, hemolymph, use of silicic acid  
 chromatograms to detect microamounts of tre-  
 halose and other sugars

*Dermacentor andersoni*  
 Boctor, F. N.; and Kamel, M. Y., 1976, *Insect*  
*Biochem.*, v. 6 (3), 233-240  
*Dermacentor andersoni* eggs, 2 lipovitellins,  
 purification, characterization, immunologi-  
 cal identity with female hemolymph proteins

*Dermacentor andersoni*  
 Boctor, F. N.; and Kamel, M. Y., 1977, *Comp.*  
*Biochem. and Physiol.*, v. 56 (2B), 169-173  
*Dermacentor andersoni*, free amino acid pools  
 during embryogenesis and in newly hatched  
 larvae, glutamate-pyruvate transaminase and  
 glutamate-oxalacetate transaminase activity

*Dermacentor andersoni*  
 Brittain, P. C.; and Voth, D. R., 1975, *J.*  
*Wildlife Dis.*, v. 11 (2), 269-271  
*Lepus californicus melanotis* (head and neck  
 region): Rocky Mountain Arsenal near Denver,  
 Colorado

*Dermacentor andersoni*  
 Genga, U. E.; and Kreier, J. P., 1976, *Ohio J.*  
*Sc.*, v. 76 (4), 188-189  
*Dermacentor andersoni*, transstadial trans-  
 mission of *Babesia microti* (Gray strain),  
 hamsters

*Dermacentor andersoni* Stiles  
 Gladney, W. J.; Ernst, S. E.; and Drummond,  
 R. O., 1974, *J. Med. Entom.*, v. 11 (5), 569-  
 572  
*Amblyomma americanum*, *Rhipicephalus sanguineus*, *Dermacentor andersoni*, guinea pigs  
 (exper.), topical chlordimeform highly ef-  
 fective as tick detachment agent (more ef-  
 fective against adults than nymphs) and  
 caused a slow and incomplete kill of de-  
 tached ticks (more toxic to nymphs than to  
 adults)

*Dermacentor andersoni* Stiles  
 Herrin, C. S., 1973, *Great Basin Nat.*, v. 33  
 (1), 26-28  
*Dermacentor andersoni*, incidence of *Rickettsia rickettsi* in adult ticks: recreational  
 areas of northern Utah

- Dermacentor andersoni**
- Howarth, J. A.; and Hokama, Y., 1973, Proc. 6. National Anaplasmosis Conf. (Las Vegas, Nevada, March 19-20, 1973), 117-120  
Anaplasma marginale, laboratory transmission trials using *Ixodes pacificus* (transstadial transmission trial), *Dermacentor occidentalis* (transstadial and transovarian transmission trials), and *D. andersoni* (injection of macerated ticks; injection of tick saliva)
- Dermacentor andersoni Stiles**
- Kaufman, W., 1976, J. Exper. Biol., London, v. 64 (3), 727-742  
fluid secretion by in vitro salivary glands of ixodid ticks with progression of feeding, control of salivation is probably neural rather than hormonal
- Dermacentor andersoni Stiles**
- Kaufman, W. R., 1977, European J. Pharmacol., v. 45 (1), 61-68  
*Dermacentor andersoni*, *Amblyomma hebraeum*, isolated salivary glands, influence of adrenergic agonists and their antagonists on salivary fluid secretion
- Dermacentor andersoni**
- Kaufman, W. R.; and Barnett, S. F., 1977, Exper. Parasitol., v. 42 (1), 106-114  
*Dermacentor andersoni*, culture of whole salivary glands
- Dermacentor andersoni Stiles**
- Krinsky, W. L., 1977, J. Protozool., v. 24 (1), 52-56  
exper. infection with *Nosema parkeri* sp. n.
- Dermacentor andersoni illus.**
- Layton, E. C.; and Sonenshine, D. E., 1975, J. Med. Entom., v. 12 (3), 287-295  
*Dermacentor variabilis*, *D. andersoni*, females, structure of glands associated with foveae dorsales, histology and scanning electron microscopy, changes during feeding, possible role in sex pheromone activity
- Dermacentor andersoni (Stiles)**
- Maroun, N. A.; and Kamel, M. Y., 1973, J. Med. Entom., v. 10 (4), 400-405  
*Dermacentor andersoni*, fatty acid composition of female, eggs, and larva, unfed, half-fed, engorged and postoviposition
- Dermacentor andersoni**
- Peterson, K. J.; et al., 1977, Am. J. Vet. Research, v. 38 (3), 351-354  
Anaplasma marginale, latent-infected and anaplasmosis-susceptible cattle maintained on tick-proof platforms and exposed only to flying hematophagous insects which did not transmit the disease; *Dermacentor andersoni* as principal vector in eastern Oregon
- Dermacentor andersoni**
- Philip, R. N.; et al., 1974, Transmis. Disease and Blood Transfus., 175-195  
*Dermacentor andersoni*, vector of Colorado tick fever; precautionary measures to avoid transmission of virus by blood donors who may have had tick-associated illnesses
- Dermacentor andersoni**
- Rotramel, G. L.; Schwan, T. G.; and Doty, R. E., 1976, Am. J. Epidemiol., v. 104 (3), 287-293  
geographic, seasonal and host distribution of suspected tick vectors and correlation with reported cases of Rocky Mountain spotted fever: California
- Dermacentor andersoni Stiles**
- Sonenshine, D. E.; et al., 1976, J. Chem. Ecol., v. 2 (2), 201-209  
*Dermacentor andersoni*, *D. variabilis*, 2,6-dichlorophenol identified as sex pheromone, probably occurs generally throughout metastriate Ixodidae
- Dermacentor andersoni**
- Wike, D. A.; and Burgdorfer, W., 1972, Infect. and Immun., v. 6 (5), 736-738  
*Dermacentor andersoni*, technique for direct isolation of *Rickettsia rickettsii* from tick hemolymph by means of plaque assay technique in primary chicken embryo tissue cultures
- Dermacentor andersoni**
- Wikle, S. K.; and Allen, J. R., 1976, Immunology, v. 30 (3), 311-316  
*Dermacentor andersoni*, guinea pigs, development of resistance to larvae, resistance passively transferred with viable lymph node cells but not with serum
- Dermacentor andersoni**
- Wikle, S. K.; and Allen, J. R., 1976, Immunology, v. 30 (4), 479-484  
*Dermacentor andersoni*, guinea pigs, cyclophosphamide treatment, blockage of acquisition of resistance, partial blockage of expression of resistance, evidence of humoral component to resistance mechanism in addition to previously established cell-mediated component
- Dermacentor andersoni**
- Wikle, S. K.; and Allen, J. R., 1977, Immunology, v. 32 (4), 457-465  
*Dermacentor andersoni*, guinea-pigs, effect of cobra venom factor (which causes complement depletion) on resistance response, did not alter acquisition of resistance but blocked expression of resistance in an already resistant animal, histologic picture at attachment site
- Dermacentor atrosignatus, illus.**
- Stiller, D., 1974, Southeast Asian J. Trop. Med. and Pub. Health, v. 5 (1), 151-152 [Demonstration]  
symbiotic association with cryptogamic plants found on backs, legs and capitula of ticks collected unfed from vegetation at Bukit Lanjan, Sungai Buloh Forest Reserve, true nature of association unknown: Malaysia
- Dermacentor auratus Supino, illus.**
- Lim, B. L., 1973, Southeast Asian J. Trop. Med. and Pub. Health, v. 4 (1), 122-130  
*Dermacentor auratus* ("wide spur and close spur" forms), mark-release and recapture program to study abundance, distribution, seasonal activity and movements and ecology of ticks: West Malaysia

- Dermacentor compactus**  
*Stiller, D., 1974, Southeast Asian J. Trop. Med. and Pub. Health, v. 5 (1), 151-152 [Demonstration]*  
 symbiotic association with cryptogamic plants found on backs, legs and capitula of ticks collected unfed from vegetation at Bukit Lanjan, Sungai Buloh Forest Reserve, true nature of association unknown: Malaysia
- Dermacentor daghestanicus**  
*Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317*  
 ixodid and argasid ticks, fine structure and function of palpal receptor organ
- Dermacentor daghestanicus, illus.**  
*Balashov, Iu. S.; and Leonovich, S. A., 1976, Entom. Obozr., v. 55 (4), 946-952*  
 ixodid ticks of the tribe Amblyommatini, morphology of Haller's organ, scanning electron microscopy
- Dermacentor halli McIntosh**  
*Meleney, W. P., 1975, J. Parasitol., v. 61 (3), 530-534*  
*Tayassu tajacu: Mexico; King Ranch, Texas*
- Dermacentor hunteri Bishop**  
*Williams, C. F., 1976, J. Med. Entom., v. 13 (1), 98*  
 Dermacentor hunteri found crawling on human's skin and on clothing: Cantil Canyon approximately 32 km south of La Rumorosa in the Sierra de Juarez, Baja California Norte, Mexico
- Dermacentor marginatus**  
*Bazlikova, M.; et al., 1977, Immun. u. Infekt., v. 5 (4), 167*  
 Dermacentor marginatus, isolation of rickettsia of spotted fever group: Tirol, Austria
- Dermacentor marginatus, illus.**  
*Blaskovic, D.; and Nosek, J., 1972, Progr. Med. Virol., v. 14, 275-320*  
 tick-borne encephalitis, epidemiology and public health importance, ecologic study of ticks, their mammalian hosts and means of disease control: Tribec area
- Dermacentor marginatus**  
*Ciampor, F.; and Nosek, J., 1976, Acta Virol., Internat. J., English ed., v. 20 (5), 439-441*  
 Dermacentor marginatus, presence of virus-like particles and rickettsia-like structures discovered in nymph gut cells
- Dermacentor marginatus**  
*Diusembaev, E. B.; and Chelebiev, K. A., 1975, Zool. Zhurnal, v. 54 (1), 124-127*  
*Lagurus lagurus: Karagandinsk oblast*
- Dermacentor marginatus Sulz., 1774**  
*Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28*  
*Rhinolophus mehelyi: Azerbaidzhan*
- Dermacentor marginatus**  
*Gilot, B., 1975, Bull. Soc. Path. Exot., v. 68 (6), 529-538*  
 survey of area ticks as possible vectors of Rickettsia spp., Dermacentor marginatus, D. reticulatus and Ixodes hexagonus positive for R. conori; Rhipicephalus sanguineus and Haemaphysalis punctata gave negative results: areas of southern France
- Dermacentor marginatus**  
*Gilot, B.; et al., 1976, Ann. Parasitol., v. 51 (2), 241-254*  
*Apodemus sylvaticus: Nord-Ouest de l'Espagne*
- Dermacentor marginatus (Sulzer, 1776), illus.**  
*Liebisch, A.; and Rahman, M. S., 1976, Tropenmed. u. Parasitol., v. 27 (4), 393-404*  
 Dermacentor marginatus, prevalence survey, seasonal distribution, possible role as vector of Q fever  
*Schaf*  
*Mensch*  
*Pferd*  
 all from Suddeutschland
- Dermacentor marginatus Sulzer 1776**  
*Mikacic, D., 1972, Acta Parasitol. Jugoslavica, v. 3 (1), 49-54*  
 seasonal occurrence: Rab and Pag
- Dermacentor marginatus**  
*Pencea, I.; et al., 1974, Medecine et Malad. Infect., v. 4 (2), 99-102*  
 survey for vectors of human tularemia, 2 of 731 Dermacentor marginatus weakly positive as vectors: Rumania
- Dermacentor marginatus, illus.**  
*Rajcani, J.; et al., 1976, Zentralbl. Bakteriol., 1. Abt. Orig., Reihe A, v. 236 (1), 1-9*  
 Dermacentor reticulatus, D. marginatus, Haemaphysalis inermis, morphology of mouth parts, host reactions to feeding and attachment, encephalitis virus transmission
- Dermacentor marginatus Schulze, 1776, illus.**  
*Sanchez Aedo, C.; and Ramon Vericad, J., 1973, Rev. Iber. Parasitol., v. 33 (1), 29-38*  
*Sus scrofa*  
*Erinaceus europeus*  
 all from Alto Aragon
- Dermacentor marginatus**  
*Tovornik, D., 1970, Acta Parasitol. Jugoslavica, v. 1 (1-2), 103-106*  
 tick fauna in foci of Central European Encephalitis; list of tick species found on birds: Yugoslavia
- Dermacentor marginatus**  
*Trifonov, T., 1975, Vet. Med. Nauki, v. 12 (5), 70-79*  
 ticks of farm and wild animals, seasonal distribution: Burgas district [and/or] Michurin

- Dermacentor marginatus**  
*Uspenskaia, I. G.*, 1971, *Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR* (7), 115-121  
 ixodid ticks, influence of cultivated land on distribution: Moldavia
- Dermacentor nigrolineatus (Packard)**  
*Patrick, C. D.; and Hair, J. A.*, 1975, *J. Med. Entom.*, v. 12 (3), 393-394  
*Dermacentor albipictus*, studies in field conditions, two different habitats, March 1973-May 1974, oviposition, incubation time, comments on taxonomic status and relationship to *D. nigrolineatus*: eastern Oklahoma
- Dermacentor nitens**  
*Joyner, L. P.*, 1971, *Symposia Brit. Soc. Parasitol.*, v. 9, 1-37  
 laboratory maintenance of tick-borne Babesia and Theileria, extensive review: collection of field material and infection of laboratory animals; management and preparation of experimental animals; cyclical maintenance; mechanical transmission; tissue culture; low-temperature preservation
- Dermacentor nuttalli, illus.**  
*Balashov, Iu. S.; and Leonovich, S. A.*, 1976, *Entom. Obozr.*, v. 55 (4), 946-952  
 ixodid ticks of the tribe Amblyommataini, morphology of Haller's organ, scanning electron microscopy
- Dermacentor occidentalis**  
*Coultrip, R. L.; et al.*, 1973, *J. Med. Entom.*, v. 10 (3), 303-309  
 fleas, ticks, mammals, survey for vectors and reservoir hosts of Rocky Mountain spotted fever and sylvatic plague, serological evidence for presence of rickettsial agent but presence of plague not demonstrated  
*Dipodomys heermanni*  
*Peromyscus truei*  
*P. maniculatus*  
*Felis domesticus*  
 all from Fort Ord, California
- Dermacentor occidentalis**  
*Howarth, J. A.; and Hokama, Y.*, 1973, *Proc. 6. National Anaplasmosis Conf. (Las Vegas, Nevada, March 19-20, 1973)*, 117-120  
*Anaplasma marginale*, laboratory transmission trials using *Ixodes pacificus* (transstadial transmission trial), *Dermacentor occidentalis* (transstadial and transovarian transmission trials), and *D. andersoni* (injection of macerated ticks; injection of tick saliva)
- Dermacentor occidentalis**  
*Rotramel, G. L.; Schwan, T. G.; and Doty, R. E.*, 1976, *Am. J. Epidemiol.*, v. 104 (3), 287-293  
 geographic, seasonal and host distribution of suspected tick vectors and correlation with reported cases of Rocky Mountain spotted fever: California
- Dermacentor parumapertus Neumann, illus.**  
*Bhat, U. K. M.; and Yunker, C. E.*, 1977, *J. Parasitol.*, v. 63 (6), 1092-1098  
*Dermacentor parumapertus*, establishment and characterization of diploid cell line
- Dermacentor parumapertus**  
*Coultrip, R. L.; et al.*, 1973, *J. Med. Entom.*, v. 10 (3), 303-309  
 fleas, ticks, mammals, survey for vectors and reservoir hosts of Rocky Mountain spotted fever and sylvatic plague, serological evidence for presence of rickettsial agent but presence of plague not demonstrated  
*Felis domesticus*: Fort Ord, California
- Dermacentor parumapertus**  
*Hardy, J. L.; et al.*, 1974, *Infect. and Immun.*, v. 10 (3), 553-564  
*Dermacentor parumapertus* failed to become infected with western equine encephalomyelitis virus after feeding on viremic hosts, *Ornithodoros parkeri* became infected but failed to transmit virus
- Dermacentor parumapertus (Neuman)**  
*Patrick, C. D.; and Hair, J. A.*, 1975, *J. Med. Entom.*, v. 12 (3), 389-390  
 multi-host ticks, laboratory rearing procedures and equipment
- Dermacentor parumapertus**  
*Rotramel, G. L.; Schwan, T. G.; and Doty, R. E.*, 1976, *Am. J. Epidemiol.*, v. 104 (3), 287-293  
 geographic, seasonal and host distribution of suspected tick vectors and correlation with reported cases of Rocky Mountain spotted fever: California
- Dermacentor parumapterus**  
*Tyler, J. D.; and Buscher, H. N.*, 1975, *Proc. Oklahoma Acad. Sc.*, v. 55, 166-168  
*Sylvilagus auduboni*: Oklahoma
- Dermacentor pictus, illus.**  
*Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev, A. M.*, 1976, *Zool. Zhurnal*, v. 55 (9), 1308-1317  
 ixodid and argasid ticks, fine structure and function of palpal receptor organ
- Dermacentor pictus, illus.**  
*Balashov, Iu. S.; and Leonovich, S. A.*, 1976, *Entom. Obozr.*, v. 55 (4), 946-952  
 ixodid ticks of the tribe Amblyommataini, morphology of Haller's organ, scanning electron microscopy
- Dermacentor pictus Herm.**  
*Uspenskaia, I. G.*, 1971, *Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR* (7), 115-121  
 ixodid ticks, influence of cultivated land on distribution: Moldavia
- Dermacentor pictus**  
*Wroblewska-Mularczykowa, Z.; Zukowski, K.; and Nawrocka, E.*, 1972, *Med. Dosw. i Mikrobiol.*, v. 24 (2), 133-140  
*Dermacentor pictus*, rabbits, guinea pigs, transovarial and transphase encephalitis virus transmission, successful laboratory trials

- Dermacentor reticulatus**  
 Blaskovic, D.; and Nosek, J., 1972, Progr. Med. Virol., v. 14, 275-320  
 tick-borne encephalitis, epidemiology and public health importance, ecologic study of ticks, their mammalian hosts and means of disease control: Tribec area
- Dermacentor reticulatus**  
 Gilot, B., 1975, Bull. Soc. Path. Exot., v. 68 (6), 529-538  
 survey of area ticks as possible vectors of Rickettsia spp., Dermacentor marginatus, D. reticulatus and Ixodes hexagonus positive for R. conori; Rhipicephalus sanguineus and Haemaphysalis punctata gave negative results: areas of southern France
- Dermacentor reticulatus (Fabricius, 1794)**  
 Gilot, B.; et al., 1973, Rev. Suisse Zool., v. 80 (2), 411-430  
 Dermacentor reticulatus, presence in suburban biotope, ecological aspects, epidemiological implications: Grenoble
- Dermacentor reticulatus**  
 Gilot, B.; et al., 1976, Ann. Parasitol., v. 51 (2), 241-254  
 Nord-Ouest de l'Espagne
- Dermacentor reticulatus**  
 Gilot, B.; et al., 1977, Ann. Parasitol., v. 52 (3), 353-362  
 Rhipicephalus turanicus, differentiation from R. sanguineus, analysis of suburban biotopes (Midi mediterranean-Provence et Languedoc, France), comparison with Dermacentor reticulatus in similar biotopes (Alpes du Nord)
- Dermacentor reticulatus Fabricius**  
 Kaufman, W., 1976, J. Exper. Biol., London, v. 64 (3), 727-742  
 fluid secretion by in vitro salivary glands of ixodid ticks with progression of feeding, control of salivation is probably neural rather than hormonal
- Dermacentor reticulatus (Fabricius, 1794), illus.**  
 Liebisch, A.; and Rahman, M. S., 1976, Tropenmed. u. Parasitol., v. 27 (4), 393-404  
 prevalence survey  
 Hund  
 Rotwild  
 all from Suddeutschland
- Dermacentor reticulatus, illus.**  
 Rajcani, J.; et al., 1976, Zentralbl. Bakteriol., 1. Abt. Orig., Reihe A, v. 236 (1), 1-9  
 Dermacentor reticulatus, D. marginatus, Haemaphysalis inermis, morphology of mouth parts, host reactions to feeding and attachment, encephalitis virus transmission
- Dermacentor silvarum**  
 Ioffe, I. D., 1976, Zool. Zhurnal, v. 55 (4), 526-530  
 Ixodes persulcatus, Haemaphysalis concinna, Dermacentor silvarum, olfactory and visual centers, relative size, importance of photo-reception
- Dermacentor silvarum**  
 Ioffe, I. D.; et al., 1977, Zhurnal Obsh. Biol., v. 38 (6), 885-892  
 Ixodes persulcatus; Dermacentor silvarum, effect of synthetic juvenile hormone analogue
- D[ermacentor] silvarum**  
 Kolonin, G. V.; and Bolotin, E. I., 1975, Zool. Zhurnal, v. 54 (4), 616-617  
 Cervus elaphus: Kavalerovsk region, Primorski Kraia
- Dermacentor silvarum**  
 Korenberg, E. I.; et al., 1976, Zool. Zhurnal, v. 55 (2), 282-286  
 ixodid ticks, distribution study, importance of habitat profiles and detailed distribution map for planning control measures: Baikal-Amur main line
- Dermacentor silvarum**  
 Panfilova, I. M., 1976, Zool. Zhurnal, v. 55 (3), 371-377  
 Ixodes persulcatus, Dermacentor silvarum, Haemaphysalis concinna, react positively to weak light and negatively to strong light; position of photo-receptors
- Dermacentor silvarum**  
 Savitskii, B. P.; and Savitskaia, G. M., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 19-23  
 inhabitation of forests and pastures by ticks transferred by domestic and wild animals [Bos taurus]  
 [Equus caballus]  
 all from Lower and Middle Amur flood plain
- Dermacentor taiwanensis**  
 Kitaoka, S.; and Suzuki, H., 1974, Eisei Dobutsu (Japan. J. San. Zool.), v. 25 (1), 21-26  
 seasonal prevalence  
 Sus riukiuensis  
 +Tokudaia o. oshimensis (nest)  
 all from southern Amami-Oshima Islands
- Dermacentor taiwanensis Sugimoto**  
 Van Peenen, P. F. D.; et al., 1977, J. Protozool., v. 24 (2), 310-312  
 Bandicota indica nemorivaga  
 Rattus coxinga  
 all from Taiwan
- Dermacentor variabilis (Say)**  
 Amin, O. M., 1973, J. Med. Entom., v. 10 (1), 110-111  
 Canis familiaris: Racine-Kenosha Co., Wisconsin
- Dermacentor variabilis (Say)**  
 Amin, O. M., 1976, Great Lakes Entom., v. 9 (4), 195-198  
 Canis familiaris: Kenosha County, Wisconsin
- Dermacentor variabilis**  
 Basolo, F., Jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
 Microtus ochrogaster ochrogaster  
 Peromyscus leucopus noveboracensis  
 all from Coles County, Illinois

- Dermacentor variabilis (Say)**  
 Benach, J. L.; et al., 1977, Am. J. Epidemiol., v. 106 (5), 380-387  
*Dermacentor variabilis*, vector of Rocky Mountain spotted fever in humans, tick and area survey to assess changing patterns in the incidence of infections on Long Island, New York
- Dermacentor variabilis**  
 Berenberg, J. L.; Ward, P. A.; and Sonenshine, D. E., 1972, J. Immunol., v. 109 (3), 451-456  
*Dermacentor variabilis*, salivary gland extract generates by cleavage of C5 a chemo-tactic factor for neutrophils, this complement-derived factor may be important in mediating the acute inflammatory response to the tick bite
- Dermacentor variabilis (Say)**  
 Berger, R. S.; Dukes, J. C.; and Chow, Y. S., 1971, J. Med. Entom., v. 8 (1), 84-86  
*Amblyomma americanum*, *A. maculatum*, *Dermacentor variabilis*, pheromone from female extracts excited males and resulted in responses reminiscent of mating behavior, males must reach state of maturity initiated by feeding before they will respond; chemical properties indicate it is a weak acid, possibly a phenol, site of extract production appears to be female reproductive organs
- Dermacentor variabilis**  
 Buckner, R. L.; and Gleason, L. N., 1974, Tr. Kentucky Acad. Sc., v. 35 (3-4), 70-75  
 seasonal occurrences  
*Microtus ochrogaster*  
*Peromyscus leucopus*  
 all from Warren County, Kentucky
- Dermacentor variabilis**  
 Coultrip, R. L.; et al., 1973, J. Med. Entom., v. 10 (3), 303-309  
 fleas, ticks, mammals, survey for vectors and reservoir hosts of Rocky Mountain spotted fever and sylvatic plague, serological evidence for presence of rickettsial agent but presence of plague not demonstrated  
*Microtus californicus*  
*Didelphis marsupialis*  
*Urocyon cinereoargenteus*  
*Taxidea taxus*  
*Spilogale putorius*  
*Mephitis mephitis*  
*Lynx rufus*  
 all from Fort Ord, California
- Dermacentor variabilis**  
 Crawford, K. L., 1971, Maryland State Med. J., v. 20 (11), 95-96  
 diagnostic differentiation of common ticks of Maryland, ticks as disease vectors, control and treatment measures
- Dermacentor variabilis (Say)**  
 Dukes, J. C.; and Rodriguez, J. G., 1976, J. Kansas Entom. Soc., v. 49 (4), 562-566  
*Dermacentor variabilis*, *Amblyomma americanum*, *Rhipicephalus sanguineus*, choice tube bioassay to measure responses to various host odors and several chemical compounds
- Dermacentor variabilis Say**  
 Hair, J. A.; Sauer, J. R.; and Durham, K. A., 1975, J. Med. Entom., v. 12 (1), 37-47  
*Amblyomma americanum*, *A. maculatum*, *Dermacentor variabilis*, critical equilibrium humidity, effects of low and high humidities on rates of weight change, total water content, hemolymph volume, and humidity preference, correlation with geographical distribution and resistance to dehydration
- Dermacentor variabilis (Say)**  
 Jackson, J. O.; and DeFoliart, G. R., 1975, J. Med. Entom., v. 12 (4), 409-412  
*Dermacentor variabilis*, larvae and nymphs, relationships with nesting *Peromyscus*, population peaks in April and June, relationships with mouse populations, no differences between north- and south-facing hill slope locations; hand sorting of nest material superior to Berlese funnel technique for collecting engorged ticks  
*Peromyscus leucopus*: southwestern Wisconsin
- Dermacentor variabilis (Say), illus.**  
 Layton, E. C.; and Sonenshine, D. E., 1975, J. Med. Entom., v. 12 (3), 287-295  
*Dermacentor variabilis*, *D. andersoni*, females, structure of glands associated with foveae dorsales, histology and scanning electron microscopy, changes during feeding, possible role in sex pheromone activity
- Dermacentor variabilis**  
 McEnroe, W. D., 1976, Bull. (633) Massachusetts Agric. Exper. Station, 10 pp.  
*Dermacentor variabilis*, epidemiology of Rocky Mountain spotted fever, seasonal activity of tick regulated by weather: North Atlantic coastal states
- Dermacentor variabilis (Say)**  
 Meleney, W. P., 1975, J. Parasitol., v. 61 (3), 530-534  
*Tayassu tajacu*: Texas (8 miles NW of Raymondville, Willacy County; Catarina, Dimmit County)
- Dermacentor variabilis (Say)**  
 Patrick, C. D.; and Hair, J. A., 1975, J. Med. Entom., v. 12 (3), 389-390  
 multi-host ticks, laboratory rearing procedures and equipment
- Dermacentor variabilis (Say, 1821)**  
 Rogers, L. L., 1975, J. Wildlife Dis., v. 11 (2), 189-192  
*Ursus americanus*: Michigan; Minnesota
- Dermacentor variabilis**  
 Rotramel, G. L.; Schwan, T. G.; and Doty, R. E., 1976, Am. J. Epidemiol., v. 104 (3), 287-293  
 geographic, seasonal and host distribution of suspected tick vectors and correlation with reported cases of Rocky Mountain spotted fever: California

- Dermacentor variabilis Say**  
 Semtner, P. J.; and Hair, J. A., 1975, J. Med. Entom., v. 12 (1), 137-138  
*Amblyomma maculatum*, *Dermacentor variabilis*, population sampling using carbon dioxide-baited traps compared with sweep sampling technique, traps appear to be useful survey tool: Oklahoma
- Dermacentor variabilis**  
 Sonenshine, D. E., 1975, Misc. Publication Entom. Soc. Am., v. 9 (5), 243-249  
 population dynamics, influence of host-parasite interactions, *Ixodes ricinus* in relation to tick-borne encephalitis; *Dermacentor variabilis* in relation to Rocky Mountain spotted fever, review
- Dermacentor variabilis (Say)**  
 Sonenshine, D. E.; et al., 1976, J. Chem. Ecol., v. 2 (2), 201-209  
*Dermacentor andersoni*, *D. variabilis*, 2,6-dichlorophenol identified as sex pheromone, probably occurs generally throughout metastriate Ixodidae
- Dermacentor variabilis (Say)**  
 Stone, J. E.; and Pence, D. B., 1977, J. Parasitol., v. 63 (3), 463  
*Felis rufus*: near Benjamin, Knox County, west Texas
- Dermacentor variabilis**  
 Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Sorex palustris*  
*Peromyscus maniculatus*  
 all from Fires Creek area, Nantahala Mountains, North Carolina
- Dermacentor variabilis**  
 Whitaker, J. O., jr.; Spicka, E. J.; and Schmeltz, L. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 431-436  
*Sciurus niger*  
*S. carolinensis*  
 all from Indiana
- Dermacentor variabilis (Say)**  
 Wilkinson, P. R.; and Garvie, M. B., 1975, J. Med. Entom., v. 12 (4), 480  
*Dermacentor variabilis* and *Haemaphysalis leporis* feeding concurrently on *Lepus americanus struthopus*, possibility of birds or rodents ingesting infected ticks, implications for circulation of Rocky Mountain spotted fever rickettsiae between bird-Haemaphysalis-lagomorph cycle and rodent-Dermacentor-larger mammal cycle: near Caledonia, Nova Scotia
- Dermanyssus sp.**  
 Guevara-Benitez, D.; and Ubeda-Ontiveros, J. M., 1974, Rev. Iber. Parasitol., v. 34 (1-2), 83-102  
*Serinus canarius (plumas)*: Granada
- Dermanyssus ambulans Thorell, 1872**  
 Redington, B. C., 1971, Acarologia, v. 12 (4), 643-667  
 as syn. of *Haemogamasus ambulans* (Thorell, 1872)
- Dermanyssus americanus**  
 Brown, N. S.; and Wilson, G. I., 1975, Am. Midland Naturalist, v. 94 (1), 154-165  
 comparison of ectoparasites from North America and Europe  
*Passer domesticus*: Boston, Mass.
- Dermanyssus americanus Ewing**  
 McGroarty, D. L.; and Dobson, R. C., 1974, Am. Midland Naturalist, v. 91 (2), 479-486  
 ectoparasites, seasonal fluctuations  
*Passer domesticus*: northwestern Indiana
- Dermanyssus avium Geer, 1778**  
 Sanchez Acedo, C.; and Vericad, J. R., 1973, Rev. Iber. Parasitol., v. 33 (1), 29-38  
*Columba livia*: Alto Aragon
- Dermanyssus evotomydis Ewing, 1933**  
 Whitaker, J. O., Jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of *Dermanyssus gallinae* (DeGeer, 1778)
- Dermanyssus gallinae**  
 Ambrosi, M.; and Flores, G., 1972, Atti Soc. Ital. Sc. Vet., v. 26, 508-509  
*Dermanyssus gallinae*, chickens, economic losses, reduced egg production and chick embryo deaths, importance of sanitation, effective control with carbaryl
- Dermanyssus gallinae**  
 Brown, N. S.; and Wilson, G. I., 1975, Am. Midland Naturalist, v. 94 (1), 154-165  
 comparison of ectoparasites from North America and Europe  
*Passer domesticus*: Stockton-on-Tees, England
- Dermanyssus gallinae**  
 Frick, W., 1977, Monatsh. Vet.-Med., v. 32 (8), 291-294  
 different concentrations of dichlorvos, fowl
- Dermanyssus gallinae**  
 Gothe, R.; and Imhoff, N., 1975, Berl. u. Munchen. Tierarztl. Wchnschr., v. 88 (22), 431-436  
 arthropods, incidence in carrier pigeons, variation with host age: Germany
- Dermanyssus gallinae**  
 Hidano, A.; and Asanuma, K., 1976, Arch. Derm., Chicago, v. 112 (6), 882-883  
 bird mites from starling nest (*Sturnus cineraceus*) parasitizing human occupant of house to which nest attached, case report of resulting acariasis: Japan
- Dermanyssus gallinae (DeGeer, 1778)**  
 Kirkwood, A. C., 1974, Ann. Trop. Med. and Parasitol., v. 68 (1), 125-128  
*Dermanyssus gallinae*, systemic activity of sulphquinoxaline, sulphadoxine, and sulphadimethoxine administered orally to chickens, only doses too high for practicable use controlled the mites

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Germanyssus gallinae* (De Geer, 1778), illus.  
Kowalska, M.; and Kupis, B., 1975, *Przegl. Dermat.*, v. 62 (5), 677-680  
*Germanyssus gallinae* causing skin lesions in women employees of a building in which pigeons were nested, clinical aspects: Kielce, Poland
- Germanyssus gallinae*, illus.  
Kowalska, M.; and Kupis, B., 1976, *Polish Med. Sc. and Hist. Bull.*, v. XV/IV [or v. 19] (4), 391-394  
*Germanyssus gallinae*, edematous-papular skin lesions in 7 women attributed to *Germanyssus*, women worked in building that had recently been plastered and pigeon nests on window ledges had been destroyed: Poland
- Germanyssus gallinae*  
Petrov, D., 1975, *Vet. Med. Nauki*, v. 12 (5), 32-36  
*Germanyssus gallinae*, carrier of *Pasteurella multocida*
- Germanyssus gallinae* (DeGeer, 1778)  
Phillis, W. A.; Cromroy, H. L.; and Denmark, H. A., 1976, *Florida Entom.*, v. 59 (1), 89-92  
Syn. *Acarus gallinae* DeGeer, 1778  
*Gallus gallus*: Florida
- Germanyssus gallinae* (DeGeer)  
Reisen, W. K.; et al., 1975, *Kalikasan*, v. 4 (2), 145-154  
*Rattus norvegicus*  
*R. rattus rufescens*  
*Suncus murinus riukiuanus*  
all from Okinawa
- Germanyssus gallinae*  
Torres, P.; et al., 1974, *Bol. Chileno Parasitol.*, v. 29 (3-4), 115-117  
*Gallus gallus domesticus*: Chile
- Germanyssus gallinae* (DeGeer, 1778)  
Whitaker, J. O., jr.; and Wilson, N., 1974, *Am. Midland Naturalist*, v. 91 (1), 1-67  
Syn.: *Germanyssus evotomydis* Ewing, 1933
- Germanyssus gallinoides* Moss  
Wilson, N.; and Bull, E. L., 1977, *Bird-Banding*, v. 48 (2), 171-173  
+*Dryocopus pileatus* (nest)  
+*squirrel* (nest)  
all from Starkey Experimental Forest, 35-40 km southwest of La Grande, Union Co., Oregon
- Germanyssus hirundinis*  
Borisova, V. I., 1975, *Biol. Nauk., Min. Vyssh. i. Sredn. Spetsial. Obrazovan. SSSR* (141), year 18, (9), 14-18  
nest ectoparasite specificity  
+[*Riparia riparia*]  
+[*Hirundo rustica*]  
+[*Delichon urbica*]  
+[*Parus major*]  
+[*Muscicapa albicollis*]  
+[*Sturnus vulgaris*]  
+[*Phoenicurus phoenicurus*]  
+[*Motacilla alba*]  
+[*Passer montanus*]  
(nest of all)
- Germanyssus hirundinis*, illus.  
Hidano, A.; and Asanuma, K., 1976, *Arch. Dermat.*, Chicago, v. 112 (6), 882-883  
bird mites from starling nest (*Sturnus cineraceus*) parasitizing human occupant of house to which nest attached, case report of resulting acariasis: Japan
- Germanyssus hirundinis*  
Howell, F. G.; and Chapman, B. R., 1976, *Southwest. Nat.*, v. 21 (3), 275-280  
*Petrochelidon pyrrhonota*: northwestern Texas
- Germanyssus hirundinis* (Hermann)  
McGroarty, D. L.; and Dobson, R. C., 1974, *Am. Midland Naturalist*, v. 91 (2), 479-486  
ectoparasites, seasonal fluctuations  
*Passer domesticus*: northwestern Indiana
- Germanyssus prognophilus* Ewing, 1933, illus.  
Davis, J. C.; and Camin, J. H., 1976, *J. Kansas Entom. Soc.*, v. 49 (3), 441-449  
*Germanyssus prognophilus*, setal morphology of palpal and foreleg tarsi, comparable to palpal organ and Haller's organ respectively of ticks, scanning electron microscopy
- Germanyssus sylviarum* Canestrini and Fanzago, 1878  
Phillis, W. A.; Cromroy, H. L.; and Denmark, H. A., 1976, *Florida Entom.*, v. 59 (1), 89-92  
as syn. of *Ornithonyssus sylviarum* (Canestrini and Fanzago)
- Germanyssus triscutatus*  
Howell, F. G.; and Chapman, B. R., 1976, *Southwest. Nat.*, v. 21 (3), 275-280  
*Petrochelidon pyrrhonota*: northwestern Texas
- Dermatobia hominis*, illus. p. 1379  
Birnbaum, D.; and Werner, H., 1977, *Deutsche Med. Wchnschr.*, v. 102 (39), 1385-1386  
*Dermatobia hominis*, cutaneous myiasis in child presenting as granuloma, larval parasite discovered at surgical excision, clinical case report: Berlin, had travelled in Brazil
- Dermatobia hominis*, illus.  
Birol, I. K.; and Sarigul, N. K., 1972, *Mikrobiol. Bul.*, v. 6 (4), 445-453  
human subcutaneous myiasis, clinical management: Turkey
- Dermatobia hominis*, illus.  
Everett, E. D.; DeVillez, R. L.; and Lewis, C. W., 1977, *Arch. Dermat.*, Chicago, v. 113 (8), 1122  
*Dermatobia hominis*, clinical case reports of cutaneous myiasis in two women after travel to Costa Rica: United States
- Dermatobia hominis*  
Janzen, D. H., 1976, *Biotropica*, v. 8 (3), 210  
*Dermatobia hominis*, occurrence in dry deciduous forest lowland of Costa Rica

## ARTHROPODA

- Dermatobia hominis*, illus.  
Leon, L. A., 1975, Medicina, Mexico (1202),  
an. 61, v. 55, 370-376  
epidemiology, diagnosis and treatment of  
furunculous lesions of tropical diseases,  
*Trypanosoma cruzi*, *Leishmania tropica*,  
*Dermatobia hominis*
- Dermatobia hominis*  
Murray, V. I. E.; and Thompson, K., 1976,  
Trop. Agric., Trinidad, B. W. I., v. 53 (3),  
263-266  
subcutaneous myiasis, incidence  
dog: Trinidad and Tobago
- Dermatobia hominis*, illus.  
Reyes, H.; and Lemus, J., 1972, Bol. Chileno  
Parasitol., v. 27 (1-2), 40-42  
*Dermatobia hominis*, immature larva extracted  
from nodule in paraumbilical region of woman,  
case report: Chile (had resided in endemic  
area of Paraguay)
- Dermatophagoides evansi*  
Howell, F. G.; and Chapman, B. R., 1976,  
Southwest. Nat., v. 21 (3), 275-280  
+*Petrochelidon pyrrhonota* (nest debris):  
northwestern Texas
- Dermatophagoides sclerovestibulatus* spec. nov.,  
illus.  
Fain, A., 1975, Rev. Zool. Africaine, v. 89  
(1), 252-256  
+*Buphagus erythrorhynchus* (nest): near Sa-  
tara, Parc National Kruger, Afrique du Sud
- Dermoglyphus* sp.  
McGroarty, D. L.; and Dobson, R. C., 1974, Am.  
Midland Naturalist, v. 91 (2), 479-486  
ectoparasites, seasonal fluctuations  
*Passer domesticus*: northwestern Indiana
- Dermoglyphus columbae* Sugimoto 1942, illus.  
Macchioni, G.; and Marconcini, A., 1976, Ann.  
Fac. Med. Vet., Pisa, v. 28, 1975, 65-70  
*Dermoglyphus columbae*, previously identified  
as *D. elongatus*, description of larvae,  
nymphs and adults, *Columba livia domestica*:  
Italy
- Dermoglyphus elongatus*  
Brown, N. S.; and Wilson, G. I., 1975, Am.  
Midland Naturalist, v. 94 (1), 154-165  
comparison of ectoparasites from North  
America and Europe  
*Passer domesticus*: Stockton-on-Tees,  
England
- Dermoglyphus elongatus* Megnin 1877  
Macchioni, G.; and Marconcini, A., 1976, Ann.  
Fac. Med. Vet., Pisa, v. 28, 1975, 65-70  
*Dermoglyphus columbae*, previously identified  
as *D. elongatus*, description of larvae,  
nymphs and adults, *Columba livia domestica*:  
Italy
- Desumenopon Carricker*, 1954  
Scharf, W. C.; and Price, R. D., 1977, Ann.  
Entom. Soc. Am., v. 70 (5), 815-822  
subgen. of *Amyrsidea*  
key
- Diabolicoptes phascogale* Fain and Domrow, 1974  
Fain, A.; and Laurence, B. R., 1975, J. Med.  
Entom., v. 12 (4), 415-417  
as syn. of *Satanicoptes phascogale* (Fain  
& Domrow, 1974), n. comb.
- Diagonella* n. gen [lapsus fig. 7 for *Diogenella*  
n. gen]  
Stock, J. H., 1968, Bull. Zool. Mus. Univ.  
Amsterdam, v. 1 (9), 89-105
- Diamanus montanus*  
Coultrip, R. L.; et al., 1973, J. Med. Entom.,  
v. 10 (3), 303-309  
fleas, ticks, mammals, survey for vectors  
and reservoir hosts of Rocky Mountain spot-  
ted fever and sylvatic plague, serological  
evidence for presence of rickettsial agent  
but presence of plague not demonstrated  
*Didelphis marsupialis*  
*Spermophilus beecheyi*  
*Spilogale putorius*  
*Mephitis mephitis*  
*Lynx rufus*  
all from Fort Ord, California
- Diamanus montanus* (Baker)  
Haas, G. E., 1973, Am. Midland Naturalist,  
v. 90 (1), 246-252  
morphological variations: New Mexico
- Diamanus montanus* (Baker)  
Haas, G. E.; et al., 1973, J. Med. Entom.,  
v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geo-  
graphic distribution, host and nest prefer-  
ence, sex ratio, degree of plague infection  
*Spermophilus variegatus*  
*S. lateralis*  
+*Cynomys gunnisoni* (burrow)  
all from west of Rio Grande in and near  
Jemez Mts., New Mexico
- Diamanus montanus*  
Nelson, B. C.; and Smith, C. R., 1976, J. Med.  
Entom., v. 13 (1), 51-61  
*Neotoma cinerea*: Lava Beds National Monu-  
ment, California
- Diamanus montanus* (Baker 1895)  
Poinar, G. O., jr.; and Nelson, B. C., 1973,  
J. Med. Entom., v. 10 (4), 349-354  
*Eutamias quadrimaculatus*: Plumas County,  
Lake Almanor, Main Campground, California  
*Spermophilus beecheyi sierrae*: El Dorado  
County, Lake Tahoe, Sugar Pine Point  
State Park, California
- Didelphoecius callipygus* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpi-  
ensia (64), 37-67  
*Monodelphis brevicaudata*: Demerara, British  
Guiana
- Didelphoecius inversus* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpi-  
ensia (64), 37-67  
*Marmosa mitis chapmani*: Annandale, Grenada

- Didelphoecius palmeirensis* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Marmosa microtarsus*: Palmeira, Bresil
- Didelphoecius scutatus* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Caluromys philander*: Manaos, Bresil
- Didelphoecius squamatus* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Marmosa pusilla*: San Lorenzo, Bresil
- Didelphoecius surinamensis* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Caluromys philander*: Surinam
- Dinopsyllus apistus* Jordan & Rothschild, 1913  
Smit, F. G. A. M., 1975, Rev. Zool. Africaine, v. 89 (1), 191-210  
*Praomys* sp.  
*P. stella*  
*Suncus* sp.  
*Crocidura* sp.  
*Lophuromys* sp.  
all from Cherangani Hills, Kenya
- Dinopsyllus echinus* Jordan & Rothschild, 1913  
Smit, F. G. A. M., 1975, Rev. Zool. Africaine, v. 89 (1), 191-210  
*Crocidura* sp.  
*Lophuromys* sp.  
all from Cherangani Hills, Kenya
- Dinopsyllus longifrons* Jordan & Rothschild, 1913  
Smit, F. G. A. M., 1975, Rev. Zool. Africaine, v. 89 (1), 191-210  
*Otomys tropicalis*: Cherangani Hills, Kenya
- Dinopsyllus (Dinopsyllus) macrochaetus* n. sp., illus.  
Beaucournu, J. C.; and Rahm, U., 1975, Ann. Parasitol., v. 50 (1), 97-103  
*Malacomyss longipes centralis*: Winton, Lemera and Bogamanda (Zaire)  
*Thamnomys venustus kempfi*: Lemera (Zaire)  
*Hybomys univittatus*: Lemera (Zaire)
- Dinopsyllus (Dinopsyllus) traubi* n. sp., illus.  
Beaucournu, J. C.; and Rahm, U., 1975, Ann. Parasitol., v. 50 (1), 97-103  
*Graphiurus (Claviglis) murinus vulcanicus*: Lemera (Zaire)
- Diogenella* n. gen.  
Stock, J. H., 1968, Bull. Zool. Mus. Univ. Amsterdam, v. 1 (9), 89-105  
*Lichomolgidae*  
[lapsus fig. 7 as *Diagonella*] key, tod: *Diogenella spinicauda* n. sp.
- Diogenella seticauda* n. sp., illus.  
Stock, J. H., 1968, Bull. Zool. Mus. Univ. Amsterdam, v. 1 (9), 89-105  
*Halodeima surinamensis*  
*Holothuria impatiens*  
all from Cayo Caracoles (near La Parguera), Puerto Rico
- Diogenella spinicauda* n. sp. (tod), illus.  
Stock, J. H., 1968, Bull. Zool. Mus. Univ. Amsterdam, v. 1 (9), 89-105  
*Holothuria mexicana*: Fuikbay, Curacao
- Diogenidium* Edwards, 1891  
Stock, J. H., 1968, Bull. Zool. Mus. Univ. Amsterdam, v. 1 (9), 89-105  
key, defined, differential diagnosis between *Diogenidium* and *Herrmannella*
- Diogenidium deforme* n. sp., illus.  
Stock, J. H., 1968, Bull. Zool. Mus. Univ. Amsterdam, v. 1 (9), 89-105  
*Holothuria glaberrima*: between Isla Matei and La Parguera, south coast of Puerto Rico
- Diogenidium nasutum* Edwards, 1891, illus.  
Stock, J. H., 1968, Bull. Zool. Mus. Univ. Amsterdam, v. 1 (9), 89-105  
description  
Syn.: *Paranthessius nasutum* Illig, 1949  
*Holothuria mexicana* (body cavity): off La Parguera (Puerto Rico); Fuikbay, Curacao
- Diogenidium spinulosum* n. sp., illus.  
Stock, J. H., 1968, Bull. Zool. Mus. Univ. Amsterdam, v. 1 (9), 89-105  
*Isostichopus badinotus*: San Christobal Reef, La Parguera, Puerto Rico
- Diplaegidia columbae* (Buchholz, 1869)  
Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Columba oenas*: Chernovtzy oblast, Ukrainian SSR  
*Streptopelia decaocto*: Moldavian SSR
- Diplocerus* Nitzsch, 1874  
Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
as syn. of *Gyropus* Nitzsch, 1818
- Diptera*  
Easton, A. M.; and Smith, K. G. V., 1970, Med. Sc. and Law, v. 10 (4), 208-215  
faunistic survey of cadaver can give accurate results as method of establishing time of death for legal purposes
- Docophoroides ferrisi* Harrison, 1937  
Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
valid species
- Docophoroides niethammeri* Timmermann, 1969  
Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
Syn.: *Docophoroides niethammeri exiguum* Timmermann, 1969  
*Diomedea immutabilis*: Midway Atoll, Pacific Ocean
- Docophoroides niethammeri exiguum* Timmermann, 1969  
Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
as syn. of *Docophoroides niethammeri* Timmermann, 1969

- Docophorus Eichl.**  
*Zlotorzycka, J.; and Lucinska, A., 1975, Pol-*  
*skie Pismo Entom., v. 45 (3-4), 547-563*  
*differential diagnosis of Philopterus and*  
*Docophorus*
- Docophorus Eichler**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*key to species*
- Docophorus sp. I, illus.**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*Passer hispaniolensis hispaniolensis:*  
*Griechenland*
- Docophorus sp. II**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*Loxia pityopsittacus: Finnland*
- Docophorus sp. III, illus.**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*Turdus torquatus torquatus: Polen*
- Docophorus sp. IV, illus.**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*Parus cristatus ssp.: DDR*
- Docophorus sp. V., illus.**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*Carduelis spinus: UdSSR or Polen*
- Docophorus alexanderkoenigi Wd. Eichler, 1953,**  
**illus.**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*key*  
*Galerida cristata cristata: Polen; Bulgarien*
- Docophorus bischoffi, illus.**  
*Zlotorzycka, J.; and Lucinska, A., 1975, Pol-*  
*skie Pismo Entom., v. 45 (3-4), 547-563*
- Docophorus bischoffi Wd. Eichler, 1951, illus.**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*key*  
*Syn.: D. merulae bischoffi Wd. Eichler, 1951*  
*Turdus pilaris: Polen*
- Docophorus capillatus Zlotorzycka, 1964**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*as syn. of D. capillatus capillatus Zlotor-*  
*zycka, 1964*
- Docophorus capillatus ssp., illus.**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*Ficedula parva parva: Tschechoslowakei*
- Docophorus capillatus capillatus Zlotorzycka,**  
**1964, illus.**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*Syn.: D. capillatus Zlotorzycka, 1964*  
*key*  
*Ficedula hypoleuca hypoleuca: Polen*
- Docophorus capillatus desertus Zlotorzycka,**  
**1964, illus.**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*Syn.: D. desertus Zlotorzycka, 1964*  
*Muscicapa striata striata: Polen; Finnland*
- Docophorus chloridis (Schrank, 1776), illus.**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*key*  
*Carduelis chloris chloris: DDR*
- Docophorus citrinellae (Schrank, 1776), illus.**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*key*  
*Emberiza citrinella citrinella: Polen; DDR*
- Docophorus coarctatus**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*
- Docophorus coarctatus coarctatus (Scopoli,**  
**1763), illus.**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*Lanius collurio collurio: Polen*
- Docophorus coarctatus fuscicollis (Burmeister,**  
**1838), illus.**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*Lanius excubitor excubitor: Polen; Deutsch-*  
*land; Finnland*
- Docophorus coarctatus magnus (Fedorenko,**  
**1973)**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*Syn.: Philopterus magnus Fedorenko, 1973*  
*Lanius minor*
- Docophorus cumulatus Zlotorzycka, 1964, illus.**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*key*  
*Emberiza calandra calandra: Polen; Bulgarien;*  
*England*
- Docophorus curvirostrae (Schrank, 1776), illus.**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*key*  
*Loxia curvirostra curvirostra: Polen; DDR*
- Docophorus emiliae (Balat, 1955), illus.**  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*key*  
*Prunella collaris collaris: Tschechoslowakei*

- Docophorus fortunatus* Złotorycka, 1964, illus.  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
key  
*Fringilla coelebs coelebs*: Polen
- Docophorus fringillae* (Scop.)  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
key
- Docophorus fringillae fringillae* (Scopoli,  
1772), illus.  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
*Passer domesticus domesticus*: Polen; DDR;  
England; Schweiz; Finnland  
*P. domesticus italiae*: Italien
- Docophorus fringillae montani* Złotorycka,  
1964, illus.  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
Syn.: *D. montani* Złotorycka, 1964  
*Passer montanus montanus*: Polen; DDR
- Docophorus hamatus* (Packard, 1870), illus.  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
key  
*Plectrophenax nivalis*: ?Helgoland; Finnland
- Docophorus hanzaki* (Balat, 1955)  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
key  
*Anthus spinolettia*
- Docophorus linariae* (Piaget, 1885), illus.  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
key  
*Acanthis flammea flammea*: Polen
- Docophorus mandarinus* Giglioli, 1864  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
as syn. of *D. merulae* (Denny, 1842)
- Docophorus merulae* (Denny, 1842), illus.  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
key  
Syn.: *D. mandarinus* Giglioli, 1864  
*Turdus merula merula*: Polen
- Docophorus merulae bischoffi* Wd. Eichler, 1951  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
as syn. of *D. bischoffi* Wd. Eichler, 1951
- Docophorus mirificus* Złotorycka, 1964, illus.  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
key  
*Acrocephalus palustris*: Polen
- Docophorus modularis* (Denny, 1842), illus.  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
key  
*Prunella modularis modularis*: Polen
- Docophorus montani* Złotorycka, 1964  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
as syn. of *D. fringillae montani* Złotorycka,  
1964
- Docophorus necopinatus* Złotorycka, 1964,  
illus.  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
key  
*Acrocephalus schoenobaenus*: Polen
- Docophorus ornatus* (Nitzsch, 1866), illus.  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
key  
*Oriolus oriolus oriolus*: Polen; Bulgarien
- Docophorus pallescens* (Denny, 1842), illus.  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
key  
*Parus palustris palustris*  
*P. major major*
- Docophorus passerinus* (Denny, 1842), illus.  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
key  
*Motacilla alba alba*: Polen
- Docophorus pavidus* Złotorycka, 1964  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
key  
Syn.: *Docophorus passerinus* Denny, 1842  
(Part.)  
*Motacilla flava*
- Docophorus pyrrhulae* (Schrank, 1776), illus.  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
key  
*Pyrrhula pyrrhula europaea*: UdSSR; DDR  
*Pyrrhula pyrrhula pyrrhula*: Polen
- Docophorus rapax* Złotorycka, 1964, illus.  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
key  
*Fringilla montifringilla*: Polen; Tschechoslo-  
wakie
- Docophorus reguli* (Denny, 1842), illus.  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
key  
*Regulus regulus regulus*: Polen
- Docophorus residuus* Złotorycka, 1964, illus.  
Złotorycka, J.; and Lucinska, A., 1976, Pol-  
skie Pismo Entom., v. 46 (2), 261-318  
key  
*Emberiza schoeniclus schoeniclus*: Polen

*Docophorulus rubeculae* (Denny, 1842), illus.  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*key*  
*Erithacus rubecula rubecula: Polen*

*Docophorulus rutteri* (Kellogg, 1899), illus.  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*key*  
*Parus montanus ssp.: Polen*

*Docophorulus stadleri* Wd. Eichler 1959, illus.  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*key*  
*Alauda arvensis arvensis: Tschechoslowakei;*  
*Finnland*

*Docophorulus timmermanni* Zlotorzycka, 1964,  
*illus.*  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*key*  
*Turdus iliacus iliacus: Polen*

*Docophorulus trigonophorus* (Giebel, 1874)  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*systematic position unclear*  
*Lanius senator*

*Docophorulus turdi* (Denny, 1842), illus.  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*key*  
*Turdus philomelos philomelos: Polen*

*Docophorulus vernus* Zlotorzycka, 1964, illus.  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*key*  
*Turdus viscivorus viscivorus: Polen*

*Docophorulus vultuosus* Zlotorzycka, 1964, illus.  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*key*  
*Anthus trivialis trivialis: Polen; Tschecho-*  
*slowakei*

*Docophorus cygni* Denny, 1842  
*Martin Mateo, M. P., 1975, Rev. Iber. Para-*  
*sitol., v. 35 (1-2), 41-79*  
*as syn. of Anatoecus cygni (Denny, 1842)*

*Docophorus passerinus* Denny, 1842 (Part.)  
*Zlotorzycka, J.; and Lucinska, A., 1976, Pol-*  
*skie Pismo Entom., v. 46 (2), 261-318*  
*as syn. of Docophorulus pavidus Zlotorzycka,*  
*1964*

*Domrownyscus dentatus* (Domrow)  
*Beveridge, I.; and Barker, I. K., 1976,*  
*Austral. J. Zool., v. 24 (2), 265-272*  
*helminths and arthropods, Antechinus stu-*  
*artii, seasonal and sex-related variations*  
*in numbers of helminths, parasites unlikely*  
*directly involved in seasonal mortality of*  
*male host; ectoparasites may contribute to*  
*anemia in hosts*  
*A. stuartii (nasal cavity): Powelltown,*  
*Victoria*

*Doratopsylla blarinae*  
*Whitaker, J. O., jr.; Jones, G. S.; and*  
*Pascal, D. D., jr., 1975, J. Elisha Mitchell*  
*Scient. Soc., v. 91 (1), 13-17*  
*Blarina brevicauda: Fires Creek area, Nan-*  
*tahala Mountains, North Carolina*

*Doratopsylla dasycnema* (Rothschild 1897)  
*Artz, V., 1975, Entom. Germanica, v. 1 (2),*  
*105-143*  
*ectoparasites of small mammals, prevalence*  
*in relation to ecological factors (geology,*  
*soil type, vegetation patterns), family of*  
*host and sex of host; technique for live*  
*parasitism rates*  
*Clethrionomys glareolus*  
*Sorex araneus*  
*Mustela nivalis*  
*all from Schleswig-Holstein*

*Doratopsylla dasycnema* (Roths.)  
*Haitlinger, R., 1975, Polskie Pismo Entom., v.*  
*45 (2), 373-396*  
*seasonal variance*  
*Clethrionomys glareolus*  
*Microtus agrestis*  
*Sorex araneus*  
*S. minutus*  
*S. alpinus*  
*Neomys fodiens*  
*Crocidura suaveolens*  
*all from Gory Sowie*

*Doratopsylla dasycnema dasycnema* (Rothschild)  
*Hallas, T. E.; and Bang, P., 1976, Flora og*  
*Fauna, Kobenhavn, v. 82 (1), 11-18*  
*Apodemus agrarius*  
*Mus musculus*  
*all from eastern Denmark*

*Doratopsylla dasycnema dasycnema* Rothschild  
*Szabo, I., 1972, Parasitol. Hungar., v. 5,*  
*329-347*  
*Apodemus flavicollis*  
*Clethrionomys glareolus*  
*Crocidura leucodon*  
*C. suaveolens*  
*Neomys anomalus milleri*  
*Sorex araneus*  
*all from Sopron and environments, west Hun-*  
*gary*

*Dorcacia ioffi* Smit, illus.  
*Audy, J. R.; Radovsky, F. J.; and Vercammen-*  
*Grandjean, P. H., 1972, J. Med. Entom., v. 9*  
*(6), 487-494*

*Doropygus* Thorell 1859

Jones, J. B., 1974, N. Zealand J. Marine and Freshwater Research, v. 8 (2), 255-273  
key; key to New Zealand species, females

*Doropygus globosus* n. sp., illus.

Jones, J. B., 1974, N. Zealand J. Marine and Freshwater Research, v. 8 (2), 255-273  
key  
*Corella eumyota* (branchial basket): Fort Dorset, Wellington Harbour, New Zealand

*Doropygus platythorax* n. sp., illus.

Jones, J. B., 1974, N. Zealand J. Marine and Freshwater Research, v. 8 (2), 255-273  
key  
*Pyura rugata*  
*P. cancellata*  
*Asterocarpa cera*  
*Cnemidocarpa nisiotis*  
(branchial basket of all): all from Wellington Harbour, New Zealand

*Doropygus pulex* Thorell 1859

Jones, J. B., 1974, N. Zealand J. Marine and Freshwater Research, v. 8 (2), 255-273  
key

*Doropygus trisetosus* Schellenberg 1922

Jones, J. B., 1974, N. Zealand J. Marine and Freshwater Research, v. 8 (2), 255-273  
key

*Dromicimyobia* subg. n.

Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621  
subg. of *Archemyobia*  
tod: *Archemyobia* (D.) *dromiciops* sp. n.

*Dysmicus* Jordan 1942

Lewis, R. E., 1976, J. Parasitol., v. 62 (6), 1003-1009  
subgenus of *Ectinorus*

- Echidnophaga Olliff*, 1886  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, key to Australian species, diagnosis
- Echidnophaga Olliff*  
 Sanford, L. G.; and Hays, K. L., 1974, Bull.  
 (458) Alabama Agric. Exper. Station, 3-42  
 brief description, key
- Echidnophaga ambulans Olliff*, 1886  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 as syn. of *Echidnophaga a. ambulans Olliff*  
 1886
- Echidnophaga ambulans ambulans Olliff*, 1886,  
 illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis, syn.: *E. ambulans Olliff*,  
 1886  
*Tachyglossus aculeatus*: Australian Capital  
 Territory  
*Echidna hystric*: New South Wales  
*E. aculeatus*: Victoria  
*Oryctolagus cuniculus*: New South Wales
- Echidnophaga ambulans inepta* M. Rothschild, 1936,  
 illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis  
 possum: Western Australia
- Echidnophaga aranka* M. Rothschild, 1936, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis  
*Bettongia lesueuri*: Western Australia
- Echidnophaga calabyi* Mardon and Dunnett, 1971,  
 illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis  
*Lasiorhinus hirsutus*  
*L. ursinus*  
 all from South Australia
- Echidnophaga cornuta* Wagner, 1936, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis  
*Lasiorhinus latifrons*  
*L. hirsutus*  
*L. ursinus*  
*Vombatus hirsutus*  
 all from South Australia
- Echidnophaga eyrei* Mardon and Dunnet, 1971,  
 illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis  
 wombat (most likely *Vombatus ursinus*)  
*Rattus alexandrinus*  
 all from South Australia
- Echidnophaga gallinacea*  
 Coultrip, R. L.; et al., 1973, *J. Med. Entom.*,  
 v. 10 (3), 303-309  
 fleas, ticks, mammals, survey for vectors  
 and reservoir hosts of Rocky Mountain spot-  
 ted fever and sylvatic plague, serological  
 evidence for presence of rickettsial agent  
 but presence of plague not demonstrated  
*Didelphis marsupialis*  
*Spermophilus beecheyi*  
*Peromyscus truei*  
*Urocyon cinereoargenteus*  
*Taxidea taxus*  
*Spilogale putorius*  
*Mephitis mephitis*  
*Felis domesticus*  
 all from Fort Ord, California
- Echidnophaga gallinacea* (Westwood, 1875), illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis, syn.: *Sarcopsyllus galli-*  
*naceus* Westwood, 1875  
*Phascogale penicillata*: Western Australia  
*Oryctolagus cuniculus*: New South Wales;  
 Western Australia; Victoria  
*Felis catus*: New South Wales  
*Canis familiaris*: New South Wales  
*Cheramoeca leucosternum*: New South Wales  
 fowl: New South Wales; South Australia;  
 Western Australia  
 poultry: Queensland  
 hen: South Australia
- Echidnophaga gallinacea* (Westwood)  
 Haas, G. E.; et al., 1973, *J. Med. Entom.*,  
 v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geo-  
 graphic distribution, host and nest prefer-  
 ence, sex ratio, degree of plague infection  
*Spermophilus variegatus*  
*Bassariscus astutus*  
 all from west of Rio Grande in and near  
 Jemez Mts., New Mexico
- Echidnophaga gallinacea*  
 Reinhardt, C. A., 1976, *Acta Trop.*, v. 33 (2),  
 105-132  
*Xenopsylla cheopis*, *Echidnophaga gallinacea*,  
*Tunga penetrans*, ultrastructure of midgut  
 epithelium in relation to feeding behavior  
 patterns (temporary vs. stationary parasites)
- Echidnophaga gallinacea* (Westwood), illus.  
 Sanford, L. G.; and Hays, K. L., 1974, Bull.  
 (458) Alabama Agric. Exper. Station, 3-42  
 description  
*Didelphis virginiana*  
*Procyon lotor*  
*Canis familiaris*  
*Vulpes fulva*  
*Felis domestica*  
*Rattus norvegicus*  
*Sylvilagus floridanus*  
*Urocyon cinereoargenteus*  
 all from Alabama
- Echidnophaga gallinacea* (Westwood, 1875), illus.  
 Smit, F. G. A. M., 1977, *Rev. Zool. Africaine*,  
 v. 91 (1), 198-199  
*Echidnophaga gallinacea*, abnormal chaetotaxy  
 of distitarsomeres  
 \**Merops bullockoides* (nest): Hewett Farm,  
 Gilgil (0.29 S 36.19 E, in Rift Valley west of  
 Aberdare Range), Kenya

- Echidnophaga gallinacea*  
 Stone, J. E.; and Pence, D. B., 1977, J. Parasitol., v. 63 (3), 463  
*Felis rufus*: near Benjamin, Knox County, west Texas
- Echidnophaga liopus* Jordan and Rothschild, 1906, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis  
*Echidna aculeata*: Western Australia
- Echidnophaga macronychia* Jordan and Rothschild, 1906, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis  
*Bettongia lesueuri*: Western Australia
- Echidnophaga myrmecobii* Rothschild, 1909, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 synonymy, key, diagnosis  
*Macropus giganteus*: Victoria  
*Trichosurus vulpecula*: South Australia; Victoria; Western Australia  
*Pseudocheirus laniginosus*: Victoria  
 possum: Victoria  
*Vombatus hirsutus*: South Australia  
*Dasyurus maculatus*: New South Wales; Victoria  
*Rattus rattus*: New South Wales; Queensland  
*Rattus alexandrinus*: South Australia  
*Mus musculus*: Western Australia  
*Leporillus Jonesi*: South Australia  
*Vulpes vulpes*: Victoria  
*Oryctolabus cuniculus*: South Australia; Victoria; Western Australia; New South Wales; Queensland  
*Felis catus*: New South Wales; South Australia  
*Canis familiaris*: Australian Capital Territory; New South Wales; Queensland  
 fox: New South Wales  
*Homo sapiens*: New South Wales; South Australia
- Echidnophaga myrmecobii* Rothschild  
 Shepherd, R. C. H.; et al., 1977, J. Austral. Entom., v. 16 (1), 1-5  
*Lepus europaeus*: Meringur, Mallee
- Echidnophaga octotricha* Mardon and Dunnet, 1971, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 "hosts [i.e. *Lasiorhinus hirsutus* and *Vombatus hirsutus*] are *Lasiorhinus latifrons*"  
*Lasiorhinus hirsutus*  
*L. ursinus*  
*L. latifrons*  
*Vombatus hirsutus*  
 all from South Australia
- Echidnophaga oschanini* Wagn.  
 Amanniazova, R. D., 1975, Izvest. Akad. Nauk Turkmensk. SSR, s. Biol. Nauk (6), 48-54  
 seasonal distribution in different landscapes  
*Rhom bomys opimus*: Turkmenistan
- Echidnophaga oschanini* Wagn.  
 Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
 fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Echidnophaga perilis* Jordan, 1925, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis  
 "isolated record from *Vombatus hirsutus* presumably refers to *Lasiorhinus latifrons*"  
*Vombatus hirsutus*: South Australia  
*Peragale lagotis*: Western Australia  
*Rattus alexandrinus*: South Australia  
*Oryctolagus cuniculus*: New South Wales; Queensland; South Australia; Victoria  
*Felis catus*: New South Wales  
*Canis familiaris*: New South Wales; Queensland; Western Australia  
*Vulpes vulpes*: New South Wales; Victoria  
*Tachyglossus aculeatus*: Australian Capital Territory
- Echidnophaga tarda*  
 Ashford, R. W.; et al., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (4), 568-601  
 white tailed mongoose: Kutaber area, Ethiopia
- Echimyopus nyctomyus*  
 Whitaker, J. O., Jr.; Spicka, E. J.; and Schmeltz, L. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 431-436  
*Sciurus niger*  
*S. carolinensis*  
 all from Indiana
- Echinacarinae* new subfamily  
 Peterson, P. C., 1972, Steenstrupia, v. 2 (14), 197-205  
 Alloptidae  
 includes: *Echinacarus Dubinin*, 1949 (type genus)
- Echinacarus Dubinin*, 1949 (type genus)  
 Peterson, P. C., 1972, Steenstrupia, v. 2 (14), 197-205  
 Alloptidae, *Echinacarinae* new subfamily redefined
- Echinacarus petaliferus* (Trouessart), illus.  
 Peterson, P. C., 1972, Steenstrupia, v. 2 (14), 197-205  
 synonymy, redescription  
*Diomedea albatrus*: Korea; St. Paul Is., Bering Sea  
*D. immutabilis*: Midway Is.; Laysan Is.  
*D. irrorata*: Talara, Peru; Isleos de Tierra, Peru  
*D. nigripes*: Wake Is.; North Pacific
- Echinacarus rubidus* (Trouessart), illus.  
 Peterson, P. C., 1972, Steenstrupia, v. 2 (14), 197-205  
 synonymy, redescription  
*Diomedea chlororhynchos*: Broken Bay, New South Wales  
*D. albatrus*: Bonin Is., Pacific  
*D. bulleri*: New Zealand  
*D. cauta*: Broken Bay, New South Wales  
*D. cauta salvini*: Bounty Is., New Zealand  
*D. chrysostoma*: New Zealand  
*D. epomophora*: New Zealand  
*D. immutabilis*: Miyake-Jima Is., North Honshu, Japan; Laysan Is.  
*D. melanophris melanophris*: Pacific Ocean

- Echinacarus rubidus* (in part): Dubinin, 1949; 1953  
 Peterson, P. C., 1972, *Steenstrupia*, v. 2 (14), 197-205  
 as syn. of *Echinacarus petaliferus* (Trouessart)
- Echinacarus rubidus*, (in part): Dubinin, 1949 [et auct.]  
 Peterson, P. C., 1972, *Steenstrupia*, v. 2 (14), 197-205  
 as syn. of *Echinacarus rubidus* (Trouessart)
- Echinolaelaps Ewing*, 1929  
 Okereke, T. A., 1973, *J. Med. Entom.*, v. 10 (2), 117-123  
 subgenus of *Laelaps* sensu lato  
 synonymy, taxonomic status, diagnosis, key to Nigerian species
- Echinolaelaps* sp.  
 Okereke, T. A., 1971, *Bull. Entom. Soc. Nigeria*, v. 3 (1), 50-55  
*Dasymys incomitus*  
*Tatera kempii*  
 all from Ibadan Area, Western Nigeria
- Echinolaelaps echidninus* (Berlese)  
 Goff, M. L., 1975, *J. Med. Entom.*, v. 12 (1), 52-54  
*Rattus rattus*: Midway Islands
- Echinolaelaps echidninus*  
 Okereke, T. A., 1971, *Bull. Entom. Soc. Nigeria*, v. 3 (1), 50-55  
*Rattus rattus*: Ibadan Area, Western Nigeria
- Echinolaelaps echidninus* Ewing 1929  
 Okereke, T. A., 1973, *J. Med. Entom.*, v. 10 (2), 117-123  
 as syn. of *Laelaps* (*Echinolaelaps*) *echidnina* Berlese, 1887
- Echinolaelaps echidninus*, illus.  
 Sanchez-Acedo, C.; Otero, J.; and Albala-Perez, F., 1974, *Rev. Iber. Parasitol.*, v. 34 (3-4), 245-252  
*Rhinolophus ferrum equinum*  
*Apodemus sylvaticus*  
 all from Spain
- Echinolaelaps echidninus* Berlese, 1887, illus.  
 Sanchez Acedo, C.; and Ramon Vericad, J., 1973, *Rev. Iber. Parasitol.*, v. 33 (1), 29-38  
*Apodemus sylvaticus*  
*raton casero*  
 all from Alto Aragon
- Echinolaelaps echidninus* subsp. *vitzthumi* Turk, 1950  
 Okereke, T. A., 1973, *J. Med. Entom.*, v. 10 (2), 117-123  
 as syn. of *Laelaps* (*Echinolaelaps*) *echidnina* Berlese, 1887
- Echinolaelaps giganteus*  
 Okereke, T. A., 1971, *Bull. Entom. Soc. Nigeria*, v. 3 (1), 50-55  
*Myomys daltoni*  
*Mastomys* sp.  
*Rattus rattus*  
*Lemniscomys striatus*  
*Arvicantis niloticus*  
*Dasymys incomitus*  
*Lophuromys sikapusi*  
*Uranomys foxi*  
*Mus* (*Leggada*) *musculoides*  
*Tatera kempii*  
*Cricetomys gambianus*  
 all from Ibadan Area, Western Nigeria
- Echinolaelaps muricola*: Tipton, 1960  
 Okereke, T. A., 1973, *J. Med. Entom.*, v. 10 (2), 117-123  
 as syn. of *Laelaps* (*Echinolaelaps*) *muricola* Tragardh, 1910
- Echinonyssus longisetosus* Mo, 1964  
 Domrow, R., 1976, *Oriental Insects*, v. 10 (2), 179-183  
 as syn. of *E. nasutus* Hirst, 1925
- Echinonyssus nasutus* Hirst, 1925  
 Domrow, R., 1976, *Oriental Insects*, v. 10 (2), 179-183  
 Syn.: *E. longisetosus* Mo, 1964
- Echinonyssus ratnami* sp. nov., illus.  
 Domrow, R., 1976, *Oriental Insects*, v. 10 (2), 179-183  
*Atherurus macrourus*: Selangor, Subang
- Echinophthirius horridus* Olfers  
 Bonner, W. N., 1972, *Oceanogr. and Marine Biol. Ann. Rev.*, v. 10, 461-507  
*Halichoerus grypus*  
*Phoca vitulina*  
 (skin of all): all from European waters
- Echinophthirius sericans* Meinert  
 Bonner, W. N., 1972, *Oceanogr. and Marine Biol. Ann. Rev.*, v. 10, 461-507  
*Halichoerus grypus* (skin): European waters

- Echthrogaleus coleoptratus**  
 Russo, R. A., 1975, Calif. Fish and Game, v. 61 (4), 228-232  
*Prionace glauca*  
*Triakis semifasciata*  
 all from California
- Ectinorus Jordan 1942**  
 Lewis, R. E., 1976, J. Parasitol., v. 62 (6), 1003-1009  
 diagnosis
- Ectinorus Jordan 1942**  
 Lewis, R. E., 1976, J. Parasitol., v. 62 (6), 1003-1009  
 subgenus of *Ectinorus*, key to species, includes: *E. (E.) levipes* (J. & R., 1923); *E. (E.) splendidus* Smit 1968; *E. (E.) setosicornis* Jordan 1942; *E. (E.) hecate* Johnson 1957; *E. (E.) polymerus* Jordan 1942; *E. (E.) disjugis* Jordan 1942; *E. (E.) trionyx* Jordan 1942; *E. (E.) onychius* ssp.; *E. (E.) martini* sp. n.; *E. (E.) cocyti* (Rothschild 1904); *E. (E.) chilensis* sp. n.; *E. (E.) ineptus* Johnson 1957
- Ectinorus (Ectinorus) chilensis** sp. n., illus.  
 Lewis, R. E., 1976, J. Parasitol., v. 62 (6), 1003-1009  
 key  
*Abrocoma bennetti*: 10 km W Tilttil, Santiago Province, Chile
- Ectinorus (Ectinorus) martini** sp. n., illus.  
 Lewis, R. E., 1976, J. Parasitol., v. 62 (6), 1003-1009  
 key  
*Aconaemys fuscus*: 25 km W Angol, Parque Nahuelbuta, Malleco Province, Chile
- Ectonyx Brennan 1960**  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Eichlerella Conci, 1942**  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Suricatoecus* Bedford, 1932
- Eltonella grossa** sp. n., illus.  
 Kudriashova, N. I., 1976, Zool. Zhurnal, v. 55 (2), 299-304  
*Meriones crassus*: Khamadana and Adzhami, Iran
- Eltonella media** sp. n., illus.  
 Kudriashova, N. I., 1976, Zool. Zhurnal, v. 55 (2), 299-304  
*Meriones crassus*: Nikhshekhra, Iran
- Eltonella potamophila** sp. n., illus.  
 Kudriashova, N. I., 1976, Zool. Zhurnal, v. 55 (2), 299-304  
*Mus musculus*: Abadana (Darkhve), Iran
- Eltonella subtilissima** sp. n., illus.  
 Kudriashova, N. I., 1976, Zool. Zhurnal, v. 55 (2), 299-304  
*Calomyscus bailwardi*: Isfakhana, Iran
- Eltonella tenera** sp. n., illus.  
 Kudriashova, N. I., 1976, Zool. Zhurnal, v. 55 (2), 299-304  
*Meriones hurrianae*  
*Acomys dimidiatus*  
 all from Chakhbekhera, Iran
- Elytrophora brachyptera** Gerstaeker, 1853  
 Webb, B. F., 1976, Tasmanian Fish. Research, v. 10 (1), 28  
*Allotruhnnus fallai* (upper anterior gill cavity): Tasmanian waters
- Emphyllia ctenophora** Koelbel, 1878  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 as syn. of *Nerocila sundaica* Bleeker, 1857
- Enderleinellus Fahrenholz, 1912**  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 key
- Enderleinellus euxeri** Ferris, 1919  
 Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
 synonymy  
*Euxerus erythropus*: Dahomey; Nigeria
- Enderleinellus (Hoplophthirus) euxeri** Ferris, Hopkins, 1949  
 Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
 as syn. of *Enderleinellus euxeri* Ferris, 1919
- Enderleinellus extremus** Ferris, 1919 (partim)  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 as syn. of *Enderleinellus insularis* Werneck
- Enderleinellus insularis** Werneck  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 Syn.: *Enderleinellus extremus* Ferris, 1919 (partim)
- Enderleinellus longiceps**  
 Whitaker, J. O., jr.; Spicka, E. J.; and Schmeltz, L. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 431-436  
*Sciurus niger*  
*S. carolinensis*  
 all from Indiana
- Enderleinellus venezuelae** Ferris, 1919, illus.  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 diagnosis  
*Sciurus granatensis*: Venezuela
- Entonyssus asiaticus** Fain, 1960  
 Stiller, D.; Lim, B. L.; and Nadchatram, M., 1977, Southeast Asian J. Trop. Med. and Pub. Health, v. 8 (1), 129-130  
 first record of immature instars  
*Natrix chrysarga* (lungs, tracheae): Selangor, West Malaysia

- Eomenacanthus* Uchida, 1926  
*Złotorzycka*, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *E. stramineus* (Nitzsch, 1818)
- Eomenacanthus stramineus*  
Derylo, A., 1970, Acta Parasitol. Polon., v. 17 (20-38), 301-313  
*Eomenacanthus stramineus*, Menopon gallinae, feeding on hens with fowl cholera, presence of cholera agent, *Pasteurella multocida*, on body surface and in gut and feces but not persisting in lice, possibility of transmission
- Eomenacanthus stramineus*, illus.  
Derylo, A., 1975, Przegl. Zool., v. 19 (2), 181-187
- Eomenacanthus stramineus*  
Patyk, S.; and Kliszewski, W., 1976, Med. Wet., v. 32 (8), 471-473 ectoparasites, domestic animals, control with enolophosphates IPO-62 and IPO-63
- Eomenopon denticulatum* Harrison, 1915  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Trichoglossus haematodus*: New Hebrides
- Epichthys giganteus* Herklots, 1870  
Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345 as syn. of *Anilocra gigantea* (Herklotz, 1870)
- Epicrosejus Berlese*  
Athias-Henriot, C., 1977, J. Austral. Entom. Soc., v. 16 (3), 225-235 Liroaspidae
- Epitedia Jordan*  
Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42 brief description, key
- Epitedia stanfordi*  
Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480 fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Microtus longicaudus latus* all from western Utah
- Epitedia stanfordi* Traub  
Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Eutamias quadrivittatus*  
*Reithrodontomys megalotis*  
*Peromyscus maniculatus*  
*P. leucopus*  
*P. truei* all from west of Rio Grande in and near Jemez Mts., New Mexico
- Epitedia wenmanni*  
Buckner, R. L.; and Gleason, L. N., 1974, Tr. Kentucky Acad. Sc., v. 35 (3-4), 70-75 seasonal occurrences  
*Microtus ochrogaster*  
*Peromyscus leucopus* all from Warren County, Kentucky
- Epitedia wenmanni* (Rothschild), illus.  
Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42 description  
*Peromyscus polionotus*  
*P. gossypinus*  
*Neotoma floridana magister* all from Alabama
- Epitedia wenmanni*  
Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Peromyscus leucopus*  
*P. maniculatus* all from Fires Creek area, Nantahala Mountains, North Carolina
- Epitedia wenmanni* Rothschild 1904  
Winchell, E. J., 1977, J. Parasitol., v. 63 (4), 756-757  
*Microtus breweri*: Muskeget Island, 5 miles west of Nantucket, Massachusetts
- Epitedia wenmanni wenmanni*  
Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Microtus ochrogaster ochrogaster*  
*Peromyscus leucopus noveboracensis* all from Coles County, Illinois
- Eremophthirius gerbilli* (Ferris)  
Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16 as syn. of *Polyplax gerbilli* Ferris
- Eremophthirius stephensi* (Christophers & Newstead)  
Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16 as syn. of *Polyplax stephensi* (Christophers & Newstead)
- Ereynetes malayi* (Fain et Nadchatram), illus.  
Fain, A., 1970, Acarologia, v. 12 (2), 313-325
- Ereynetidae*  
Fain, A., 1970, Acarologia, v. 12 (2), 313-325 Ereynetidae, idiosomal chaetotaxy, new nomenclature proposed
- Ergasilus*  
Johnson, S. K.; and Rogers, W. A., 1973, Bull. (445), Alabama Agric. Exper. Station, 74 pp. Ergasilus, review of taxonomy, distribution: Gulf of Mexico drainage basins
- Ergasilus* sp. cf. *lizae* (Form A)  
Johnson, S. K.; and Rogers, W. A., 1973, Bull. (445), Alabama Agric. Exper. Station, 74 pp. host specificity, distribution, parasite-host checklist  
*Mugil cephalus*: Bay St. Louis; Mobile Bay; Choctawhatchee River; Pascagoula River  
*Mugil curema*: Mobile Bay

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

*Ergasilus* sp. cf. *lizae* (Form B)  
 Johnson, S. K.; and Rogers, W. A., 1973, Bull.  
 (445), Alabama Agric. Exper. Station, 74 pp.  
 host specificity, distribution, parasite-  
 host checklist  
*Mugil cephalus*: Mobile Bay; Sapelo Is.,  
 Georgia

*Ergasilus* sp. (probably *E. sieboldi* Nordmann,  
 1832), illus.  
 Simon Vicente, F.; Ramajo Martin, V.; and  
 Encinas Grandes, A., 1973, Rev. Iber. Parasi-  
 tol., v. 33 (4), 633-647  
 description  
*Barbus barbus bocagei* (branquias): Rio  
 Esla (Zamora)

*Ergasilus arthrosis*  
 Edwards, R. W.; Harley, J. P.; and Williams,  
 J. C., 1977, Tr. Kentucky Acad. Sc., v. 38  
 (3-4), 132-135  
*Ictalurus punctatus* (gills): Kentucky  
 River drainage

*Ergasilus arthrosis*  
 Gruninger, T. L.; Murphy, C. E.; Britton, J.  
 C., 1977, Southwest. Nat., v. 22 (4), 525-535  
*Ictalurus punctatus*  
*Aplodinotus grunniens*  
*Micropterus salmoides*  
*M. punctulatus*  
*Lepomis gulosus*  
*L. macrochirus*  
*L. megalotis*  
*L. microlophus*  
 (gills of all): all from Eagle Mountain  
 Lake, Texas

*Ergasilus arthrosis*  
 Harley, J. P., 1977, Tr. Kentucky Acad. Sci.,  
 v. 38 (3-4), 136-138  
*Pomoxis annularis* (gills): Lake Wilgreen,  
 Madison County, Kentucky

*Ergasilus arthrosis* Roberts, 1969  
 Johnson, S. K.; and Rogers, W. A., 1973, Bull.  
 (445), Alabama Agric. Exper. Station, 74 pp.  
 host specificity, distribution, parasite-  
 host checklist  
 Syn.: *Ergasilus spathula* Cressey, 1970  
*Ictalurus furcatus*: Mobile Bay; Lower Coosa  
 River  
*I. punctatus*: Cahaba River; Lower Tombigbee  
 River; Pascagoula River; Upper Pearl River;  
 Lower Tallapoosa River; Lower Coosa River  
*Pylodictis olivaris*: Lower Coosa River;  
 Lower Tallapoosa River  
*Aphredoderus sayanus*: Bay St. Louis  
*Labidesthes sicculus*: Mobile-Tensaw River  
*Morone mississippiensis*: Bay St. Louis;  
 Pascagoula River  
*M. saxatilis*: Mobile-Tensaw River  
*Lepomis gulosus*: Blackwater River; Mobile-  
 Tensaw River  
*L. macrochirus*: Blackwater River; Black  
 Warrior River; Mobile Bay; Escambia River  
*L. marginatus*: Blackwater River; Perdido  
 River  
*L. megalotis*: Lower Tombigbee River  
*L. microlophus*: Lower Tombigbee River;  
 Blackwater River; Mobile-Tensaw River;  
 Pascagoula River; Bay St. Louis  
*L. punctatus*: Blackwater River; Pascagoula  
 River

*Ergasilus arthrosis* Roberts, 1969-- Continued.  
 Johnson, S. K.; and Rogers, W. A., 1973, Bull.  
 (445), Alabama Agric. Exper. Station, 74 pp.  
*Micropterus punctulatus*: Lower Tombigbee  
 River; Upper Tombigbee River; Black War-  
 rior River  
*M. salmoides*: Blackwater River; Upper Tom-  
 bigbee River; Lower Tombigbee River;  
 Mobile-Tensaw River; Mobile Bay  
*Pomoxis nigromaculatus*: Mobile-Tensaw River  
*Percina caprodes*: Pascagoula River  
*Caranx hippos*: Pascagoula River  
*Achirus lineatus*: Mobile-Tensaw River; Bay  
 St. Louis  
*Morone chrysops*: Mississippi

*Ergasilus caeruleus* Wilson, 1911  
 Johnson, S. K.; and Rogers, W. A., 1973, Bull.  
 (445), Alabama Agric. Exper. Station, 74 pp.  
 host specificity, distribution, parasite-  
 host checklist  
*Aphredoderus sayanus*: Leaf River; Pascagoula  
 River; Upper Pearl River  
*Lepomis auritus*: Lower Chattahoochee River  
*L. cyanellus*: Lower Tombigbee River; Leaf  
 River; Chickasawhay River; Big Black, Miss.  
*L. gulosus*: Leaf River; Lower Pearl River  
*L. macrochirus*: Upper Alabama River; Lower  
 Tombigbee River; Upper Tombigbee River;  
 Escambia River; Chickasawhay River; Leaf  
 River; Lower Chattahoochee River  
*L. marginatus*: Upper Alabama River  
*L. megalotis*: Leaf River; Pascagoula River;  
 Chickasawhay River; Lower Tallapoosa River  
*L. microlophus*: Leaf River  
*L. punctatus*: Lower Tallapoosa River; Upper  
 Tombigbee River; Lower Tombigbee River;  
 Cahaba River; Upper Chattahoochee River;  
 Leaf River; Escatawpa River; Pascagoula  
 River; Bay St. Louis; Biloxi Bay; Lower  
 Chattahoochee River  
*Pomoxis annularis*: Upper Tombigbee River;  
 Upper Alabama River; Lower Tallapoosa  
 River; Leaf River  
*P. nigromaculatus*: Lower Tallapoosa River;  
 Black Warrior River; Upper Tombigbee River  
*Percina nigrofasciata*: Leaf River

*Ergasilus celestis* Mueller, 1936  
 Johnson, S. K.; and Rogers, W. A., 1973, Bull.  
 (445), Alabama Agric. Exper. Station, 74 pp.  
 host specificity, distribution, parasite-  
 host checklist  
*Anguilla rostrata*: Bay St. Louis; Leaf River;  
 Upper Pearl River; Escatawpa River; Lower  
 Tallapoosa River; Lower Coosa River;  
 Choctawhatchee River

*Ergasilus centrarchidarum* Wright 1882  
 Cloutman, D. G.; and Becker, D. A., 1977, J.  
 Parasitol., v. 63 (2), 372-376  
*Ergasilus centrarchidarum* on *Micropterus*  
*salmoides* and *M. punctulatus*, some ecological  
 aspects: host specificity; abundance related  
 to host age and sex; seasonal abundance and  
 egg production, optimum temperatures; no  
 evidence of antagonism with other concomitant  
 species of gill parasites: Lake Fort Smith,  
 Crawford County, Arkansas

*Ergasilus centrarchidarum* Wright, 1882  
 Johnson, S. K.; and Rogers, W. A., 1973, Bull. (445), Alabama Agric. Exper. Station, 74 pp.  
 host specificity, distribution, parasite-host checklist  
*Morone chrysops*: Upper Tallapoosa River  
*Centrarchus macropterus*: Lower Chattahoochee River; Leaf River; Upper Pearl River  
*Lepomis cyanellus*: Leaf River  
*L. gulosus*: Black Warrior River  
*L. macrochirus*: Choctawhatchee River; Lower Chattahoochee River  
*L. punctatus*: Choctawhatchee River  
*Micropterus punctulatus*: Upper Tallapoosa River; Leaf River  
*M. salmoides*: Choctawhatchee River; Upper Tombigbee River; Leaf River; Lower Chattahoochee River; Lower Tallapoosa River  
*Pomoxis annularis*: Lower Tallapoosa River  
*P. nigromaculatus*: Lower Tallapoosa River; Upper Chattahoochee River  
*Lepomis auritus*: U. Chattahoochee, Alabama--Lee County

*Ergasilus cerastes* Roberts, 1969  
 Johnson, S. K.; and Rogers, W. A., 1973, Bull. (445), Alabama Agric. Exper. Station, 74 pp.  
 host specificity, distribution, parasite-host checklist  
*Ictalurus furcatus*: Bay St. Louis  
*I. punctatus*: Mobile-Tensaw River  
*I. catus*: Ashley, S. C.--Charleston County

*Ergasilus clupeidarum* Johnson and Rogers, 1972  
 Johnson, S. K.; and Rogers, W. A., 1973, Bull. (445), Alabama Agric. Exper. Station, 74 pp.  
 host specificity, distribution, parasite-host checklist  
*Alosa chrysochloris*: Mobile Bay  
*Dorosoma cepedianum*: Lower Tallapoosa River  
*D. petenense*: Lower Chattahoochee River  
*Ictalurus nebulosus*: Potomac, Unk.

*Ergasilus cyprinaceus* Rogers, 1969  
 Johnson, S. K.; and Rogers, W. A., 1973, Bull. (445), Alabama Agric. Exper. Station, 74 pp.  
 host specificity, distribution, parasite-host checklist  
*Campostoma anomalum*: Upper Tombigbee River  
*Hybopsis storeriana*: Leaf River  
*H. winchelli*: Leaf River  
*Nocomis leptcephalus*: Lower Tallapoosa River; Leaf River  
*Notemigonus crysoleucas*: Leaf River  
*Notropis baileyi*: Upper Tombigbee River; Lower Tombigbee River; Lower Tallapoosa River  
*N. chryscephalus*: Leaf River  
*N. longirostris*: Leaf River  
*N. hypsilepis*: Lower Chattahoochee River  
*N. roseipinnis*: Chickasawhay River; Leaf River  
*N. texanus*: Leaf River; Chickasawhay River; Lower Tallapoosa River  
*N. venustus*: Leaf River  
*N. zonistius*: Upper Chattahoochee River  
*Pimephales vigilax*: Leaf River  
*Semotilus atromaculatus*: Lower Tallapoosa River; Upper Pearl River; Chickasawhay River  
*Ictalurus natalis*: Upper Pearl River; Lower Pearl River  
*I. nebulosus*: Choctawhatchee River; Escambia River  
*Noturus nocturnus*: Upper Pearl River  
*Fundulus olivaceus*: Black Warrior River; Chickasawhay River  
*Notropis atherinoides*: Mississippi, Cahoma Co.

*Ergasilus elongatus* Wilson, 1916  
 Johnson, S. K.; and Rogers, W. A., 1973, Bull. (445), Alabama Agric. Exper. Station, 74 pp.  
 host specificity, distribution, parasite-host checklist  
*Polyodon spathula*: Lower Tallapoosa River

*Ergasilus elongatus*  
 Lockard, L. L.; and Parsons, R. R., 1975, Great Basin Nat., v. 35 (4), 425-426  
*Polyodon spathula*: Yellowstone River near Intake, Montana

*Ergasilus felichthys* (Pearse, 1947)  
 Johnson, S. K.; and Rogers, W. A., 1973, Bull. (445), Alabama Agric. Exper. Station, 74 pp.  
 host specificity, distribution, parasite-host checklist  
*Bagre marinus*: Mobile Bay; Mississippi Sound; Bay St. Louis

*Ergasilus funduli* Kroyer, 1863  
 Johnson, S. K.; and Rogers, W. A., 1973, Bull. (445), Alabama Agric. Exper. Station, 74 pp.  
 host specificity, distribution, parasite-host checklist  
*Adinia xenica*: Mobile Bay  
*Cyprinodon variegatus*: Pascagoula River; Perdido River  
*Fundulus grandis*: Mobile Bay; Escambia River; Pascagoula River; Appalachicola River  
*F. pulvereus*: Bay St. Louis  
*F. similis*: Escambia River; Mississippi Sound; Mobile Bay; Appalachicola River  
*Lucania parva*: Blackwater River; Choctawhatchee River; Escambia River  
*Gambusia affinis*: Escambia River  
*Poecilia latipinna*: Mobile Bay; Pascagoula River; Escambia River  
*Menidia beryllina*: Mobile Bay; Pascagoula River; Bay St. Louis  
*Gobiosoma boscii*: Mississippi Sound  
*Fundulus heteroclitis*: Sapelo Is., Georgia  
*Mugil cephalus*: Sapelo Is., Georgia

*Ergasilus funduli*  
 Rawson, M. V., jr., 1977, J. Fish Biol., v. 10 (5), 441-451  
 crustacean parasites of *Mugil cephalus*, prevalence and intensity of infection, seasonal abundance, distribution on yearlings indicates a high degree of habitat subdivision on gill arches: Sapelo Island, Georgia

*Ergasilus labracis* Kroyer  
 Johnson, S. K.; and Rogers, W. A., 1973, Bull. (445), Alabama Agric. Exper. Station, 74 pp.  
*Morone saxatilis*: Cooper, S. C.--Berkeley Co.

*Ergasilus labracis* Kroyer, illus.  
 Paperna, I.; and Zwerner, D. E., 1976, Canad. J. Zool., v. 54 (4), 449-462  
*Ergasilus labracis*, distribution, seasonal abundance, host age, life cycle, developmental stages (free-living and on *Morone saxatilis*), laboratory studies on egg development, hatching, naupliar survival, and adult female survival; effects of temperature and salinity  
*Morone saxatilis* (gills): lower Chesapeake Bay  
*M. americanus*: Potomac River

- Ergasilus lanceolatus* Wilson, 1916  
 Johnson, S. K.; and Rogers, W. A., 1973, Bull. (445), Alabama Agric. Exper. Station, 74 pp.  
 host specificity, distribution, parasite-host checklist  
*Hiodon tergisus*: Upper Pearl River
- Ergasilus lizae* Kroyer, 1863, illus.  
 Hanan, D. A., 1976, Bull. South. Calif. Acad. Sc., v. 75 (1), 22-28  
*Cymatogaster aggregata*: Anaheim Bay and Huntington Harbor, California
- Ergasilus lizae* Kroyer, 1863  
 Johnson, S. K.; and Rogers, W. A., 1973, Bull. (445), Alabama Agric. Exper. Station, 74 pp.  
 host specificity, distribution, parasite-host checklist  
*Cyprinodon variegatus*: Escambia River  
*Fundulus grandis*: Mobile-Tensaw River  
*Lepomis macrochirus*: Mobile Bay  
*Leiostomus xanthurus*: Pascagoula River; Perdido River; Bay St. Louis; Mobile-Tensaw River  
*Lagodon rhomboides*: Pascagoula River  
*Mugil cephalus*: Bay St. Louis; Mobile Bay; Choctawhatchee River; Escambia River; Pascagoula River  
*Mugil curema*: Mississippi Sound; Biloxi Bay; Mobile Bay
- Ergasilus lizae*  
 Rawson, M. V., jr., 1977, J. Fish Biol., v. 10 (5), 441-451  
 crustacean parasites of *Mugil cephalus*, prevalence and intensity of infection, seasonal abundance, distribution on yearlings indicates a high degree of habitat subdivision on gill arches: Sapelo Island, Georgia
- Ergasilus luciopercarum* Henderson  
 Buttner, J. K.; and Hamilton, R. W., 1976, Tr. Am. Fish. Soc., v. 105 (3), 491-493  
*Oncorhynchus tshawytscha*  
*Perca flavescens*  
*Salmo gairdneri*  
*S. trutta*  
 all from Lake Michigan
- Ergasilus megacephalus* Wilson, 1916  
 Johnson, S. K.; and Rogers, W. A., 1973, Bull. (445), Alabama Agric. Exper. Station, 74 pp.  
 host specificity, distribution, parasite-host checklist  
*Dorosoma cepedianum*: Lower Tallapoosa River  
*Esox americanus*: Leaf River; Lower Tombigbee River; Upper Alabama River  
*E. niger*: Leaf River  
*Hybognathus nuchalis*: Chickasawhay River; Lower Tombigbee River  
*Hybopsis storriana*: Lower Tombigbee River; Leaf River  
*Pimephales notatus*: Lower Tallapoosa River  
*P. vigilax*: Lower Alabama River  
*Notropis bellus*: Lower Tallapoosa River  
*N. edwardianeyi*: Lower Tombigbee River  
*N. emiliae*: Lower Tombigbee River; Upper Tombigbee River; Pascagoula River  
*N. roseipinnis*: Leaf River  
*N. shumardi*: Upper Tombigbee River  
*N. texanus*: Leaf River; Biloxi Bay; Upper Pearl River; Escambia River; Lower Tallapoosa River; Upper Alabama River
- Ergasilus megacephalus* Wilson, 1916--Continued.  
 Johnson, S. K.; and Rogers, W. A., 1973, Bull. (445), Alabama Agric. Exper. Station, 74 pp.  
*N. venustus*: Black Warrior River; Biloxi Bay; Leaf River  
*Erimyzon oblongus*: Upper Pearl River; Upper Chattahoochee River  
*E. suetta*: Pascagoula River; Leaf River  
*Moxostoma* sp. cf. *poecilurum*: Lower Chattahoochee River  
*Ictalurus melas*: Lower Tallapoosa River  
*Cyclopus elongatus*: Mississippi, Warren Co.
- Ergasilus minor*  
 Wissmath, P., 1975, Fisch u. Umwelt (1), 127-134  
 parasitic Crustacea of freshwater fish, descriptions, life cycles, pathology, control, review: Germany
- Ergasilus nanus* van Beneden, 1870, illus.  
 Raibaut, A.; Ben Hassine, O. K.; and Prunus, G., [1976], Bull. Soc. Zool. France, v. 100 (4), 1975, 427-437  
*Ergasilus nanus*, *Mugil cephalus* (gills), infestation dependent upon water temperature and salinity, parasite number increases with host size: lake Ischkeul, Tunisia
- Ergasilus nerkae* Roberts  
 Buttner, J. K.; and Hamilton, R. W., 1976, Tr. Am. Fish. Soc., v. 105 (3), 491-493  
*Oncorhynchus kisutch*: Lake Michigan
- Ergasilus nerkae* Roberts, 1963  
 Mudry, D. R.; and Anderson, R. S., 1977, J. Fish Biol., v. 11 (1), 21-33  
*Salmo gairdneri*  
*Salvelinus namaycush*  
 all from Jasper National Park, Canada
- Ergasilus sieboldi* Nordmann, 1832  
 Dabrowska, Z., 1970, Acta Parasitol. Polon., v. 17 (20-38), 189-193  
*Tinca tinca*  
*Esox lucius*  
 (gills of all): all from Vistula River near Warsaw
- Ergasilus sieboldi* Nordmann, 1832  
 Ejsymont, L., 1970, Acta Parasitol. Polon., v. 17 (20-38), 203-216  
*Silurus glanis* (gills): river Biebrza basin, Poland
- Ergasilus sieboldi* Nordmann  
 Michajlow, W.; and Wita, I., 1976, Bull. Acad. Polon. Sc., Cl. II, s. Sc. Biol., v. 24 (2), 113-116  
*Ergasilus sieboldi* and its hyperparasite *Paradistigma triangulatum*, survival in water contaminated with Vapam at various concentrations  
*Esox lucius* (gills): Masurian lakes (Swiecajty, Niegocin)
- Ergasilus sieboldi*, illus.  
 Wissmath, P., 1975, Fisch u. Umwelt (1), 127-134  
 parasitic Crustacea of freshwater fish, descriptions, life cycles, pathology, control, review: Germany

- Ergasilus spathula* [i.e., ? *spatulus*] Cressey, 1970  
Johnson, S. K.; and Rogers, W. A., 1973, Bull. (445), Alabama Agric. Exper. Station, 74 pp.  
as syn. of *Ergasilus arthrosis* Roberts, 1969
- Ergasilus tenax*  
Gruninger, T. L.; Murphy, C. E.; Britton, J. C., 1977, Southwest. Nat., v. 22 (4), 525-535  
*Pomoxis annularis* (gills): Eagle Mountain Lake, Texas
- Ergasilus tenax* Roberts, 1965  
Johnson, S. K.; and Rogers, W. A., 1973, Bull. (445), Alabama Agric. Exper. Station, 74 pp.  
host specificity, distribution, parasite-host checklist  
*Esox niger*: Lower Tallapoosa River  
*Lepomis gulosus*: Leaf River  
*L. macrochirus*: Leaf River  
*L. megalotis*: Leaf River; Chickasawhay River  
*L. microlophus*: Leaf River  
*L. punctatus*: Leaf River; Chickasawhay River  
*Pomoxis annularis*: Upper Tombigbee River;  
Upper Alabama River  
*P. nigromaculatus*: Mobile-Tensaw River;  
Lower Tallapoosa River
- Ergasilus versicolor* Wilson, 1911  
Baker, J. C.; and Crites, J. L., 1976, Proc. Helminth. Soc. Washington, v. 43 (1), 37-39  
*Ictalurus punctatus* (gills): island region of western Lake Erie
- Ergasilus versicolor* Wilson, 1911  
Johnson, S. K.; and Rogers, W. A., 1973, Bull. (445), Alabama Agric. Exper. Station, 74 pp.  
host specificity, distribution, parasite-host checklist  
*Lepisosteus osseus*: Lower Coosa River  
*Erimyzon oblongus*: Lower Chattahoochee River  
*E. suetica*: Pascagoula River; Choctawhatchee River; Ochlockonee, Florida  
*E. tenuis*: Leaf River; Choctawhatchee River  
*Ictiobus bubalus*: Upper Tombigbee River  
*Minytrema melanops*: Upper Chattahoochee River; Escambia River; Leaf River; Lower Chattahoochee River; Flint, Georgia  
*Moxostoma* sp. cf. *poecilurum*: Upper Chattahoochee River; Lower Chattahoochee River  
*Moxostoma poecilurum*: Escatawpa River; Biloxi Bay; Escambia River  
*Ictalurus natalis*: Choctawhatchee River  
*I. nebulosus*: Choctawhatchee River; Upper Chattahoochee River; Lower Chattahoochee River  
*Mugil cephalus*: Escambia River; Bay St. Louis; Mobile Bay; Pascagoula River; Lower Pearl River; Sapelo Is., Georgia  
*Pogonias cromis*: Mobile Bay
- Ergasilus versicolor*  
Nagel, M., 1976, J. Parasitol., v. 62 (3), 494-495  
*Ictalurus punctatus*: Lake Texoma, Oklahoma
- Ergasilus versicolor*  
Rawson, M. V., jr., 1977, J. Fish Biol., v. 10 (5), 441-451  
crustacean parasites of *Mugil cephalus*, prevalence and intensity of infection, seasonal abundance, distribution on yearlings indicates a high degree of habitat subdivision on gill arches: Sapelo Island, Georgia
- Ergasilus wareaglei* Johnson, 1973  
Johnson, S. K.; and Rogers, W. A., 1973, Bull. (445), Alabama Agric. Exper. Station, 74 pp.  
host specificity, distribution, parasite-host checklist  
*Hypentelium etowanum*: Cahaba River  
*H. nigricans*: Leaf River; Chickasawhay River
- Ericotrombidium pulchra* Shl.  
Amanniazova, R. D., 1975, Izvest. Akad. Nauk Turkmen. SSR, s. Biol. Nauk (6), 48-54  
seasonal distribution in different landscapes  
*Rhombomys opimus*: Turkmenistan
- Eristalis tenax*, illus.  
Hira, P. R., 1977, East African Med. J., v. 54 (4), 224-226  
*Eristalis tenax* in man resulting in rectal myiasis, clinical case report: Zambia
- Ernestinia eximia* Smit, 1953. illus.  
Traub, R., 1968, J. Med. Entom., v. 5 (3), 375-404  
discussion of convergent evolution and morphological modifications in helmet-bearing fleas
- Erythraeoidea* sp.  
Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Cryptotis parva parva*: Coles County, Illinois
- Esthioptera* Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
key to genera and species from domestic birds: Spain
- Esthiopterus* Harrison, 1916, pro parte  
Tendeiro, J., 1977, Rev. Zool. Africaine, v. 91 (3), 704-712  
as syn. of *Turturicola* Th. Clay et Meinertzhagen, 1937
- Esthiopterus baculum* Harrison, 1916  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
as syn. of *Columbicola columbae* (Linne, 1758)
- Esthiopterus brevicephalum* (McGregor, 1917)  
Forrester, D. J.; et al., 1974, Proc. Helminth. Soc. Washington, v. 41 (1), 55-59  
*Grus canadensis tabida*: Florida
- Esthiopterus brevicephalum* (McGregor, 1917)  
Forrester, D. J.; Bush, A. O.; and Williams, L. E., jr., 1975, J. Parasitol., v. 61 (3), 547-548  
*Grus canadensis pratensis*: Florida
- Esthiopterus domestici* Wundrig, 1936  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
as syn. of *Anaticola anseris* (Linne, 1758)
- Esthiopterus filiforme* Harrison, 1916  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
as syn. of *Columbicola columbae* (Linne, 1758)

- Esthiopterum ibidis* Harrison  
 Tandan, B. K., 1976, System. Entom., v. 1 (1),  
 75-87  
 as syn. of *Ardeicola ibis* (Le Souef & Bullen)
- Estrus. See Oestrus.
- Eucampsipoda penthetoris* Theodor, 1955  
 Theodor, O., 1973, J. Med. Entom., v. 10 (6),  
 556-569  
*Penthetor lucasi*  
*Eonycteris spelaea*  
 all from Singapore
- Eucampsipoda sundaiaca* Theodor, 1955  
 Theodor, O., 1973, J. Med. Entom., v. 10 (6),  
 556-569  
*Eonycteris spelaea:* Batu caves, Selangor
- Eudusbabekia* n. sp.  
 Whitaker, J. O., jr.; and Easterla, D. A.,  
 1975, Southwest. Nat., v. 20 (2), 241-254  
*Tadarida macrotis:* Big Bend National Park,  
 Texas
- Eudusbabekia* centurio sp. n.  
 Fain, A., 1973, Rev. Zool. et Botan. Afri-  
 caines, v. 87 (3), 614-621  
*Centurio senex:* Tobago (Trinidad)
- Eudusbabekia chrotopterus* sp. n.  
 Fain, A., 1973, Rev. Zool. et Botan. Afri-  
 caines, v. 87 (3), 614-621  
*Chrotopterus auritus guianae:* British Guiana
- Eudusbabekia ecuadorensis* sp. n.  
 Fain, A., 1973, Rev. Zool. et Botan. Afri-  
 caines, v. 87 (3), 614-621  
*Mormops megalophylla:* Paramba, Ecuador
- Eudusbabekia mimon* sp. n.  
 Fain, A., 1973, Rev. Zool. et Botan. Afri-  
 caines, v. 87 (3), 614-621  
*Mimon bennetti:* British Guiana
- Eudusbabekia phyllodermae* sp. n.  
 Fain, A., 1973, Rev. Zool. et Botan. Afri-  
 caines, v. 87 (3), 614-621  
*Phylloderma stenops:* British Guiana
- Euhaemogamasus ambulans:* Keegan, 1951, partim  
 Redington, B. C., 1971, Acarologia, v. 12 (4),  
 643-667  
 as syn. of *Haemogamasus onychomydis* (Ewing,  
 1933)
- Euhaemogamasus ambulans:* Keegan, 1951, partim;  
 Clark, 1958  
 Redington, B. C., 1971, Acarologia, v. 12 (4),  
 643-667  
 as syn. of *Haemogamasus reidi* Ewing, 1925
- Euhaemogamasus ambulans* Keegan, 1951 (in part)  
 (not Thorell, 1872)  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of *Haemogamasus onychomydis* (Ewing,  
 1933)
- Euhaemogamasus ambulans* Keegan, 1951 (in part)  
 (not Thorell, 1872)  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of *Haemogamasus reidi* Ewing, 1925
- Euhaemogamasus oregonensis* Ewing, 1933  
 Redington, B. C., 1971, Acarologia, v. 12 (4),  
 643-667  
 as syn. of *Haemogamasus reidi* Ewing, 1925
- Euhaemogamasus* oregonensis Ewing, 1933  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of *Haemogamasus reidi* Ewing, 1925
- Euhaemogamasus sciuropteri* Keegan, 1946  
 Redington, B. C., 1971, Acarologia, v. 12 (4),  
 643-667  
 as syn. of *Haemogamasus reidi* Ewing, 1925
- Euhaemogamasus sciuropteri* Keegan, 1946  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of *Haemogamasus reidi* Ewing, 1925
- Euhoplopsyllus glacialis affinis* (Baker)  
 Haas, G. E.; et al., 1973, J. Med. Entom.,  
 v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geo-  
 graphic distribution, host and nest prefer-  
 ence, sex ratio, degree of plague infection  
*Sylvilagus nuttallii*  
*Canis latrans*  
*C. familiaris*  
*Lynx rufus*  
*Felis catus*  
 all from west of Rio Grande in and near  
 Jemez Mts., New Mexico
- Euhoplopsyllus glacialis exoticus* (Jordan &  
 Rothschild, 1923), illus.  
 Mendez, E.; and del Pino Encalada, R., 1977,  
 Pacific Insects., v. 17 (2-3), 257-260  
 comparison of Ecuadorian and Panamanian  
 specimens  
*Rattus norvegicus*  
 +rat (nest)  
*Sylvilagus brasiliensis*  
*Didelphis marsupialis*  
 all from Province of Loja, Ecuador
- Euhoplopsyllus glacialis lynx* (Baker)  
 Stone, J. E.; and Pence, D. B., 1977, J. Par-  
 asitol., v. 63 (3), 463  
*Felis rufus:* near Benjamin, Knox County,  
 west Texas
- Eulabidocarpus flexipes* Pinichpongse, 1963  
 McDaniel, B., 1971, Acarologia, v. 12 (4),  
 803-823  
 as syn. of *Parakosa flexipes* (Pinichpongse)
- Eulaelaps ambulans:* Tragardh, 1910  
 Redington, B. C., 1971, Acarologia, v. 12 (4),  
 643-667  
 as syn. of *Haemogamasus nidi* Michael, 1892
- Eulaelaps kolpakovae* Breg.  
 Diusembaev, E. B.; and Chelebiev, K. A., 1975,  
 Zool. Zhurnal, v. 54 (1), 124-127  
*Lagurus lagurus:* Karagandinsk oblast

- Eulaelaps stabularis* C. L. Koch  
*Amanniazova, R. D.*, 1975, *Izvest. Akad. Nauk Turkmensk. SSR, s. Biol. Nauk* (6), 48-54  
 seasonal distribution in different landscapes  
*Rhombomys opimus*: Turkmenistan
- Eulaelaps stabularis* (Koch)  
*Amin, O. M.*, 1976, *Great Lakes Entom.*, v. 9 (4), 195-198  
*Tamias striatus ohionensis*  
*Sorex cinereus*  
 all from Kenosha County, Wisconsin
- Eulaelaps stabularis* (L. Koch)  
*Diusembaev, E. B.*; and *Chelebiev, K. A.*, 1975, *Zool. Zhurnal*, v. 54 (1), 124-127  
 +*Lagurus lagurus* (nest): Karagandinsk oblast
- Eulaelaps stabularis* (C.L. Koch, 1836)  
*Edler, A.*; and *Nilsson, A.*, 1973, *Entom. Scand.*, v. 4 (4), 274-282  
 ectoparasites of small mammals from two woodland habitats, seasonal variation, frequency and intensity of infestation, numerical comparison of ectoparasitic groups: southern Sweden
- Eulaelaps stabularis*  
*Evseeva, V. E.*; and *Naumov, R. L.*, 1975, *Zool. Zhurnal*, v. 54 (1), 151-153  
*Ochotona alpina*: Western Sayan Mountains
- Eulaelaps stabularis* (Koch, 1836)  
*Mehl, R.*, 1972, *Fauna, Oslo*, v. 25 (4), 247-257  
*Vulpes vulpes*: Norge
- Eulaelaps stabularis*  
*Mehl, R.*, 1972, *Fauna, Oslo*, v. 25 (4), 265-274  
*Meles meles*: Norge
- Eulaelaps stabularis* (Koch)  
*Reisen, W. K.*; et al., 1975, *Kalikasan*, v. 4 (2), 145-154  
*Mus spp.*: Orient  
*Rattus norvegicus caraco*: Korea
- Eulaelaps stabularis*  
*Whitaker, J. O., jr.*; *Jones, G. S.*; and *Pascal, D. D., jr.*, 1975, *J. Elisha Mitchell Scient. Soc.*, v. 91 (1), 13-17  
*Peromyscus maniculatus*: Fires Creek area, Nantahala Mountains, North Carolina
- Eulaelaps stabularis* (Koch)  
*Whitaker, J. O., jr.*; and *Schmeltz, L. L.*, 1974, *Proc. Indiana Acad. Sc.*, v. 83, 1973, 478-481  
*Scalopus aquaticus* (fur): Indiana
- Eulaelaps stabularis* (Koch, 1836)  
*Whitaker, J. O., jr.*; and *Wilson, N.*, 1974, *Am. Midland Naturalist*, v. 91 (1), 1-67  
 synonymy
- Eulinognathus aculeatus* (Neumann)  
*Kim, K. C.*; and *Emerson, K. C.*, 1971, *J. Med. Entom.*, v. 8 (1), 7-16  
 synonymy  
*Jaculus blanfordi*: Iran
- Eurydiscalges* g. n.  
*Faccini, J. L. H.*; *Gaud, J.*; and *Atyeo, W. T.*, 1976, *Rev. Brasil. Biol.*, v. 36 (3), 701-707  
*Analgidae, Analginae*  
 key to species, tod: *E. opistoproctus* sp. n.
- Eurydiscalges opistoproctus* sp. n. (tod), illus.  
*Faccini, J. L. H.*; *Gaud, J.*; and *Atyeo, W. T.*, 1976, *Rev. Brasil. Biol.*, v. 36 (3), 701-707  
 key  
*Pionites melanocephala pallida*: Colombia
- Eurydiscalges pedanossomae* sp. n., illus.  
*Faccini, J. L. H.*; *Gaud, J.*; and *Atyeo, W. T.*, 1976, *Rev. Brasil. Biol.*, v. 36 (3), 701-707  
 key  
*Deroptyus accipitrinus fuscifrons*: Estado do Para, Brasil
- Eurydiscalges phalacrus* sp. n., illus.  
*Faccini, J. L. H.*; *Gaud, J.*; and *Atyeo, W. T.*, 1976, *Rev. Brasil. Biol.*, v. 36 (3), 701-707  
 key  
*Ara severa severa*: Colombia
- Eurydiscalges pyrrhurae* sp. n., illus.  
*Faccini, J. L. H.*; *Gaud, J.*; and *Atyeo, W. T.*, 1976, *Rev. Brasil. Biol.*, v. 36 (3), 701-707  
 key  
*Pyrrhura leucotis leucotis*: Estado de Minas Gerais, Brasil
- Euryparasitus* sp.  
*Amin, O. M.*, 1976, *Great Lakes Entom.*, v. 9 (4), 195-198  
*Zapus hudsonius intermedius*  
*Didelphis virginiana*  
 all from Kenosha County, Wisconsin
- Euryparasitus emarginatus* Koch.  
*Diusembaev, E. B.*; and *Chelebiev, K. A.*, 1975, *Zool. Zhurnal*, v. 54 (1), 124-127  
 +*Lagurus lagurus* (nest): Karagandinsk oblast
- Euryparasitus goncharovi* sp. n., illus.  
*Bondarchuk, A. S.*; and *Buiakova, T. G.*, 1976, *Zool. Zhurnal*, v. 55 (6), 927-930  
 +*[Microtus ungurensis]* (nest): Kalarsk region, Chita oblast  
*[Clethrionomys rutilus]*: Kalarsk region, Chita oblast  
*[Clethrionomys rufocanus]*: Tungiro-Olekminsk and Kalarsk regions, Chita oblast
- Euryphorus nympha* H. M. Edwards, illus.  
*Pillai, N. K.*, 1964, *J. Marine Biol. Ass. India*, v. 6 (1), 61-83  
 synonymy, description  
*Coryphaena hippurus* (branchial cavity): Vizhingom, and Trivandrum, South India
- Euryphylla Vercammen-Grandjean* 1967  
*Brennan, J. M.*; and *Goff, M. L.*, 1977, *J. Parasitol.*, v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Eusaperium* Brennan 1970  
*Brennan, J. M.*; and *Goff, M. L.*, 1977, *J. Parasitol.*, v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere

- Euschoengastia* Ewing 1938  
*Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566*  
*synoptic key to 87 genera of chiggers in the Western Hemisphere*
- Euschoengastia* sp.  
*Amin, O. M., 1976, Great Lakes Entom., v. 9 (4), 195-198*  
*Tamias striatus ohionensis: Kenosha County, Wisconsin*
- Euschoengastia* sp. nr. *sciuricola*  
*Easton, E. R., 1975, J. Med. Entom., v. 12 (3), 295-298*  
*Tamiasciurus douglasii: Oregon*
- Euschoengastia* n. sp. 8 (Wrenn & Loomis)  
*Easton, E. R.; and Krantz, G. W., 1973, J. Med. Entom., v. 10 (2), 225-226*  
*Euschoengastia* n. sp. 8, recovered from several hosts, possible public health importance, habitat, seasonal variance; control on horse with application of methoxychlor solution  
 man  
 horse  
*Odocoileus hemionus*  
 dog  
*Urocyon cinereoargenteus*  
 all from Oregon
- Euschoengastia ambocalis* n. sp., illus.  
*Wrenn, W. J.; and Loomis, R. B., 1973, J. Med. Entom., v. 10 (1), 97-100*  
 Syn.: *Euschoengastia californica*: Gould, 1956 [et auct.]  
*Neotoma lepida*: U.S.A., California (Imperial Co., Los Angeles Co., Orange Co., Riverside Co.)  
*Neotoma* sp.: U.S.A., California (Los Angeles Co.)  
*Reithrodontomys megalotis*: U.S.A., California (Los Angeles Co.)  
*Peromyscus maniculatus*: U.S.A., California (Los Angeles Co., Orange Co., San Bernardino Co., Riverside Co., Ventura Co.)  
*Dipodomys agilis*: U.S.A., California (Los Angeles Co.); Mexico, Baja California Norte  
*Perognathus californicus*: U.S.A., California (Los Angeles Co.); Mexico, Baja California Norte  
*Peromyscus eremicus*: U.S.A., California (Los Angeles Co., Orange Co., San Bernardino Co., Riverside Co., San Diego Co.); Mexico, Baja California Norte  
*Neotoma fuscipes*: U.S.A., California (Orange Co., San Bernardino Co., Riverside Co.)  
*Neotoma fuscipes macrotis*: U.S.A., California (San Diego Co.)  
*Peromyscus boylii*: U.S.A., California (Orange Co., San Bernardino Co.)  
*Peromyscus californicus*: U.S.A., California (Orange Co., Riverside Co.)  
*Peromyscus californicus insignis*: U.S.A., California (San Diego Co.)  
*Peromyscus crinitus*: U.S.A., California (San Bernardino Co., Riverside Co.)  
*Eutamias speciosus*: U.S.A., California (San Bernardino Co.)  
*Microtus californicus*: U.S.A., California (San Bernardino Co.)
- Euschoengastia ambocalis* n. sp.-- Continued.  
*Wrenn, W. J.; and Loomis, R. B., 1973, J. Med. Entom., v. 10 (1), 97-100*  
*Onychomys torridus*: U.S.A., California (San Bernardino Co.)  
*Perognathus fallax*: U.S.A., California (Riverside Co.)  
*Dipodomys merriami*: U.S.A., California (Riverside Co.)  
*Peromyscus truei*: U.S.A., California (Riverside Co.); Mexico, Baja California Norte  
*Citellus leucurus*: U.S.A., California (Riverside Co.)  
*Peromyscus* sp.: U.S.A., California (Ventura Co.)
- Euschoengastia californica*: Gould, 1956 [et auct.]  
*Wrenn, W. J.; and Loomis, R. B., 1973, J. Med. Entom., v. 10 (1), 97-100*  
 as syn. of *Euschoengastia ambocalis* n. sp.
- Euschoengastia chisosensis* n. sp., illus.  
*Wrenn, W. J.; Baccus, J. T.; and Loomis, R. B., 1976, Southwest. Nat., v. 21 (3), 301-309*  
*Peromyscus pectoralis*: Chisos Mountains, Big Bend National Park, Brewster County, Texas (Pine Canyon; Boulder Meadow; Laguna Meadow)  
*P. boylii*: Pine Canyon, Chisos Mountains, Big Bend National Park, Brewster County, Texas  
*P. difficilis*: Pine Canyon, Chisos Mountains, Big Bend National Park, Brewster County, Texas
- Euschoengastia fronterizae* n. sp., illus.  
*Wrenn, W. J.; Baccus, J. T.; and Loomis, R. B., 1976, Southwest. Nat., v. 21 (3), 301-309*  
*Peromyscus difficilis*: Sierra Fronteriza Range, 40 km SE Boquillas del Carmen, Coahuila, Mexico
- Euschoengastia indicella* (Traub & Audy)  
*Dohany, A. L.; Phang, O. W.; and Rapmund, G., 1977, Southeast Asian J. Trop. Med. and Pub. Health, v. 8 (2), 200-206*  
*Rattus tiomanicus*: North Borneo
- Euschoengastia jamesoni*  
*Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17*  
*Blarina brevicauda*  
*Peromyscus maniculatus*  
 all from Fires Creek area, Nantahala Mountains, North Carolina
- Euschoengastia jonesi*  
*Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17*  
*Sorex cinereus*  
*S. fumeus*  
*S. palustris*  
 all from Fires Creek area, Nantahala Mountains, North Carolina

- Euschoengastia oregonensis* (Ewing)  
 Easton, E. R., 1975, J. Med. Entom., v. 12 (3), 295-298  
 Trombiculidae, comparison of incidence, hosts and seasonal activity in two diverse habitats  
*Eutamias townsendi*  
*Peromyscus maniculatus*  
*Clethrionomys occidentalis*  
*Microtus oregoni*  
*Sorex vagrans*  
*S. trowbridgii*  
 all from Oregon
- Euschongastia peromysci*  
 Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Microtus ochrogaster ochrogaster*  
*Peromyscus leucopus noveboracensis*  
 all from Coles County, Illinois
- Euschongastia peromysci*  
 Buckner, R. L.; and Gleason, L. N., 1974, Tr. Kentucky Acad. Sc., v. 35 (3-4), 70-75  
 seasonal occurrences  
*Microtus ochrogaster*  
*Peromyscus leucopus*  
 all from Warren County, Kentucky
- Euschongastia peromysci* (Ewing)  
 Dohany, A. L.; and Cromroy, H. L., 1976, Florida Entom., v. 59 (2), 183-190  
 chiggers, scutal measurements  
*Peromyscus floridanus*: Gainesville, Florida
- Euschongastia peromysci*  
 Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Sorex palustris*  
*Peromyscus leucopus*  
*P. maniculatus*  
*Clethrionomys gapperi*  
*Napaeozapus insignis*  
 all from Fires Creek area, Nantahala Mountains, North Carolina
- Euschongastia roulis* (Traub & Audy)  
 Dohany, A. L.; Phang, O. W.; and Rapmund, G., 1977, Southeast Asian J. Trop. Med. and Pub. Health, v. 8 (2), 200-206  
 collected during survey for chiggers on North Borneo
- Euschongastia rotundata* Schluger  
 Gopachenko, I. M.; Volkov, V. I.; and Chernykh, P. A., 1976, Zool. Zhurnal, v. 55 (8), 1157-1162  
*Clethrionomys rutilus*  
*C. rufocanus*  
 all from Priamurie
- Euschongastia rubra*  
 Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Napaeozapus insignis*: Fires Creek area, Nantahala Mountains, North Carolina
- Euschongastia setosa* (Ewing)  
 Dohany, A. L.; and Cromroy, H. L., 1976, Florida Entom., v. 59 (2), 183-190  
 chiggers, scutal measurements: Gainesville, Florida
- Euschongastia setosa*  
 Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Peromyscus maniculatus*: Fires Creek area, Nantahala Mountains, North Carolina
- Euschongastia trigenuala* Farrell  
 Whitaker, J. O., jr.; and Schmelz, L. L., 1974, Proc. Indiana Acad. Sc., v. 83, 1973, 478-481  
*Scalopus aquaticus* (fur): Indiana
- Euschongastia velata* Brennan & Yunker  
 Easton, E. R., 1975, J. Med. Entom., v. 12 (3), 295-298  
*Peromyscus maniculatus*: Oregon
- Euschongastoides* Loomis 1954  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Eustathia cultrifera* (Robin, 1868) Oudemans, 1905  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazy Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Apus apus*: Moldavian SSR
- Eustathiidae*  
 Moss, W. W.; Peterson, P. C.; and Atyeo, W. T., 1977, System. Zool., v. 26 (4), 386-409  
*Eustathiidae*, application of numerical taxonomic techniques to obtain a classification, multivariate assessment of phenetic relationships within family
- Eutalpacarus* Jameson, 1949  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 3-32  
 key
- Eutrichophilus cerocolabes* Mjoberg, 1910, illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 key
- Eutrichophilus cerocolabes*  
 Whitaker, J. O., jr.; and Mumford, R. E., 1977, Entom. News, v. 88 (9-10), 255-258  
*Coendou* sp.: Minas Gerais, Brazil
- Eutrichophilus comitans* Werneck, 1950, illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 key
- Eutrichophilus cordiceps* Mjoberg, 1910, illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 key

*Eutrichophilus cordiceps*

Whitaker, J. O., jr.; and Mumford, R. E., 1977, Entom. News, v. 88 (9-10), 255-258  
*Coendou* sp.: Minas Gerais, Brazil

*Eutrichophilus exiguum* Werneck, 1950, illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 key

*Eutrichophilus guyanensis* Werneck, 1950, illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 key

*Eutrichophilus lobatus* Ewing, 1936, illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 key

*Eutrichophilus mazama* Stobbe, 1913  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Tricholipeurus lipeurooides* (Megnin)

*Eutrichophilus mexicanus* Mjoberg, 1910  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Tricholipeurus lipeurooides* (Megnin)

*Eutrichophilus minor* Mjoberg, 1910, illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 key

*Eutrombicula* Ewing 1938  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere

*Eutrombicula alfreddugesi* (Oudemans)  
 Dohany, A. L.; and Cromroy, H. L., 1976, Florida Entom., v. 59 (2), 183-190  
 chiggers, scutal measurements  
 Rodent[ia]: Tallahassee, Gainesville, and Lakeland, Florida

*Eutrombicula alfreddugesi*  
 Hardison, J. L., 1977, Vet. Med. and Small Animal Clin., v. 72 (1), 47  
 cat (head, ears)

*Eutrombicula alfreddugesi*  
 Howell, F. G.; and Chapman, B. R., 1976, Southwest. Nat., v. 21 (3), 275-280  
*Petrochelidon pyrrhonota*: northwestern Texas

*Eutrombicula alfreddugesi*  
 Loomis, R. B.; and Bennett, S. G., 1977, Bull. South. Calif. Acad. Sc., v. 76 (1), 69-72  
*Sceloporus bulleri*: Jalisco, Mexico (Nevado de Colima; 14.5 km W Atenquique)  
*Barisia imbricata*: 21 km W Atenquique, Jalisco, Mexico

*Eutrombicula alfreddugesi*

Whitaker, J. O.; Spicka, E. J.; and Schmeltz, L. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 431-436  
*Sciurus niger*  
*S. carolinensis*  
 all from Indiana

*Eutrombicula* (*Eutrombicula*) *batatas* (L.), illus.  
 Confalonieri, U. E. C.; and Benez, E. J., 1976, Rev. Brasil. Biol., v. 36 (2), 353-355  
*Equus caballus* x *Equus asinus* (skin around eye and nostrils): State of Mato Grosso, Brazil

*Eutrombicula bitarsala* n. sp., illus.

Loomis, R. B.; and Bennett, S. G., 1977, Bull. South. Calif. Acad. Sc., v. 76 (1), 69-72  
*Barisia imbricata*: Jalisco, Mexico (21 km W Atenquique; Nevado de Colima; Volcan del Fuego)  
*Eumeces brevirostris*: Jalisco, Mexico (Nevado de Colima; 14.5 km W Atenquique)  
*Sceloporus bulleri*: 24 km W Atenquique, Jalisco, Mexico  
*S. grammicus*: 27 km W Atenquique, Jalisco, Mexico

*Eutrombicula splendens* (Ewing)

Dohany, A. L.; and Cromroy, H. L., 1976, Florida Entom., v. 59 (2), 183-190  
 chiggers, scutal measurements  
 Rodent[ia]: Tallahassee, Gainesville, and Lakeland, Florida

*Eutrombicula wichmanni* (Oudemans)

Dohany, A. L.; Phang, O. W.; and Rapmund, G., 1977, Southeast Asian J. Trop. Med. and Pub. Health, v. 8 (2), 200-206  
 collected during survey for chiggers on North Borneo

*Evansiella* V-G., 1957

Vercammen-Grandjean, P. H.; and Fieder, Z., 1973, Riv. Parassitol., Roma, v. 34 (2), 121-126  
 as syn. of *Centrotrombidium* Kramer, 1896

*Ewingana amorphochilus* spec. nov., illus.

Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 3-32  
*Amorphochilus schnablii* (museau): Grotte Socavon del Cerrito de la Rama, Diptorni di Lima, Peru

*Ewingana* (*Ewingana*) *australis* sp. n.

Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621  
*Tadarida australis*: Nouvelle Guinee

*Ewingana* (*Doreyanaya*) *longipilis* sp. n.

Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621  
*Tadarida australis*: Nouvelle Guinee

*Ewingana (Doreyana) simalurensis* sp. n.  
 Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621  
*Cheiromeles jacobsoni*: Lugu Simalur, Sumatra

*Byndhovenia euryalis* Canestrini, 1884  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976,  
*Vestnik Zool.*, Akad. Nauk Ukrainsk. SSR, Inst.  
*Zool.* (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan

*Exastinion clovisi*  
 Whitaker, J. O., jr.; and Mumford, R. E.,  
 1977, Entom. News, v. 88 (9-10), 255-258  
*Anoura geoffroyi*: Minas Gerais, Brazil

*Byndhovenia euryalis* (Can.)  
 Petrova, A. D.; and Taskaeva, E. Z., 1975,  
*Biul. Moskov. Obsh. Ispyt. Prir., Otdel*  
*Biol.*, v. 80 (5), 58-64  
*Miniopterus schreibersii*  
*Rhinolophus ferrumequinum tragatus*  
 all from Kun'min, Yun'nan province (south-  
 eastern Chinese People's Republic)

*Expletobia rhynchiscus* spec. nov., illus.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 3-32  
*Rhynchiscus naso*: Santa Familia, Cayo,  
 Honduras Britannique; Guyane Britannique

*Byndhovenia sternalis* sp. nov.  
 Petrova, A. D.; and Taskaeva, E. Z., 1975,  
*Biul. Moskov. Obsh. Ispyt. Prir., Otdel*  
*Biol.*, v. 80 (5), 58-64  
 [fig. 1 inadvertently labelled *Byndhovenia*  
*sternalis* sp. nov. instead of *Paraperiglischrus* [sic] *sternalis* sp. nov.]

- Fahrenholzia Kellogg* and Ferris, 1915  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 key
- Fahrenholzia schwartzzi* Werneck, 1952, illus.  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
*Heteromys anomalus*  
*Zygodontomys brevicauda*  
*Proechimys semispinosus*  
*Oryzomys albicularis*  
 all from Venezuela
- Fainiella womersleyi* Vercammen-Grandjean, 1953  
 Vercammen-Grandjean, P. H., 1975, Rev. Zool. Africaine, v. 89 (2), 397-439  
 as syn. of *Walchia (Fainiella) womersleyi*  
 n. comb.
- Falculifer rostratus*  
 Gothe, R.; and Imhoff, N., 1975, Berl. u. Munchen. Tierarztl. Wchnschr., v. 88 (22), 431-436  
 arthropods, incidence in carrier pigeons, variation with host age: Germany
- Falculifer rostratus* (Buchholz, 1869)  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Columba oenas*: Chernovtzy oblast, Ukrainian SSR
- Farrellioides* Vercammen-Grandjean 1960  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Fastigatoscicum Keler*, 1939  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Suricatoecus* Bedford, 1932
- Fauranius* Brennan and Lukoschus 1971  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Felicola Ewing*, 1929  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 synonymy
- Felicola Ewing*, 1929  
 Złotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *F. (F.) subrostratus* (Nitzsch, 1818)
- Felicola felis* (Werneck), illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 key, syn.: *Trichodectes felis* Werneck, 1934  
*Felis yagouaroundi*: Venezuela; Paraguay
- Felicola rostrata* Bedford, 1932  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Felicola subrostratus* (Burmeister)
- Felicola subrostratus* (Burmeister), illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 synonymy, key
- Felistrophorus* n. gen.  
 Fox, I., 1977, Proc. Entom. Soc. Wash., v. 79 (2), 242-244  
*Listrophoridae*  
 tod: *F. radovskyi* (Tenorio) [n. comb.]
- Felistrophorus radovskyi* (Tenorio) [n. comb.] (tod), illus.  
 Fox, I., 1977, Proc. Entom. Soc. Wash., v. 79 (2), 242-244  
 Syn.: *Lynxacarus radovskyi* Tenorio  
*Felis catus*: northeastern Puerto Rico
- Fereus* Brennan and Jones 1961  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Fleas**  
 Baker, K. P., 1977, Irish Vet. J., v. 31 (10), 141-147  
 fleas, human hypersensitivity, dermatitis, clinical signs, epidemiology, diagnosis, histopathology, treatment, control, review
- Flea**  
 Brinck-Lindroth, G.; and Smit, F. G. A. M., 1973, Entom. Scand., v. 4 (4), 302-322  
*Amphipsylla sibirica sibirica* from small mammals, castration and intersexuality due to hyperparasitism by nematodes, morphological changes  
*Sorex araneus*: Stora Sjofallet National Park, Sweden; Straumsnes, Norway  
*S. caecutiens*: Stora Sjofallet National Park, Sweden  
*S. minutus*: Stora Sjofallet National Park, Sweden  
*Clethrionomys glareolus*: Stora Sjofallet National Park, Sweden  
*C. rutilus*: Stora Sjofallet National Park, Sweden  
*C. rufocanus*: Stora Sjofallet National Park, Sweden; Straumsnes, Norway  
*Microtus agrestis*: Stora Sjofallet National Park, Sweden; Straumsnes, Norway  
*Neomys fodiens*: Straumsnes, Norway  
*Lemmus lemmus*: Straumsnes, Norway  
*Mustela nivalis*: Straumsnes, Norway
- Fleas**  
 Prasad, R. S., 1971, Tr. Roy. Soc. Trop. Med. and Hyg., v. 65 (5), 679-680 [Letter]  
 technique for assessing flea index of rats
- Fleas**  
 Reed, W. P.; et al., 1970, Medicine, Baltimore, v. 49 (6), 465-486  
 role of fleas as vectors of human bubonic plague in southwestern United States

- Fleas  
von Reyn, C. F.; et al., 1976, Am. J. Epidemiol., v. 104 (1), 81-87  
possible role of fleas as vectors of human bubonic plague in the United States
- Fleas  
von Reyn, C. F.; et al., 1976, Am. J. Trop. Med. and Hyg., v. 25 (4), 626-629  
negative survey of small animals and their fleas as possible vectors of human plague (*Yersinia pestis*)  
*Peromyscus boylii*  
*P. leucopus*  
*Reithrodontomys megalotis*  
all from Sandia Mountains, New Mexico
- Fleas  
von Reyn, C. F.; et al., 1977, J. Infect. Dis., v. 136 (4), 489-494  
epidemiologic and clinical features of bubonic plague outbreak support the hypothesis that contact with flea infested domestic dogs and cats may result in direct or indirect transmission of plague to humans: New Mexico
- Fleas  
Rogers, L. L., 1975, J. Wildlife Dis., v. 11 (2), 189-192  
*Ursus americanus*: Michigan
- Fleas  
Saunders, E. B., 1977, Vet. Med. and Small Animal Clin., v. 72 (5), 879-881  
hypersensitization of animals with immediate and delayed hypersensitivity to flea bites
- [Fleas] pulgas  
Schenone, H.; and Reyes, H., 1967, Bol. Chileno Parasitol., v. 22 (2), 56-59  
human ectoparasites, control measures, 1 in-  
dane: Chile
- Fonsecia Radford 1942  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere
- Fonsecia (Parasecia) gurneyi gurneyi (Ewing)  
Dohany, A. L.; and Cromroy, H. L., 1976,  
Florida Entom., v. 59 (2), 183-190  
chiggers, scutal measurements: Gainesville,  
Tallahassee, and Lakeland, Florida
- Fonsecia (F.) palmella Brennan and Loomis  
Dohany, A. L.; and Cromroy, H. L., 1976,  
Florida Entom., v. 59 (2), 183-190  
chiggers, scutal measurements: Tallahassee,  
Florida
- Frontopsylla (F.) [sp.] aff. *tjanshanica* Schw.  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Frontopsylla (Profrontia) ambigua Fedina, 1946  
Smit, F. G. A. M., 1974, Senckenbergiana Biol., v. 55 (4-6), 357-398  
*Apodemus sylvaticus*  
*Alticola stoliczkanus*  
all from Nepal
- Frontopsylla elata Jordan et Rothschild, 1915  
Skuratowicz, W., 1976, Polskie Pismo Entom., v. 46 (1), 25-27  
*Citellus sp.*: Ulan Bator, Mongolia
- Frontopsylla elata caucasica  
Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
fleas, seasonal and geographic distribution  
*Microtus nivalis*: Armenia
- Frontopsylla elata caucasica Joff et Arg.  
Marapulets, L. A.; and Cherchenko, I. I., 1970, Parazitologija, Leningrad, v. 4 (3), 271-273  
feeding activity on man of 6 spp. of fleas from the common vole, evaluation of probable importance in plague epidemiology
- Frontopsylla (Frontopsylla) elatoides Wagn.  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Frontopsylla frontalis Joff  
Poliakov, V. K.; et al., 1976, Zool. Zhurnal, v. 55 (10), 1538-1551  
rodent fleas, zoological, parasitological, epidemiological and ecological characteristics of steppe, desert-steppe and desert regions of Transural plague focus  
*Meriones tamariscinus*: northeastern part of Caspian lowland
- Frontopsylla (Orfrontia) frontalis baikal Ioff  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Frontopsylla (F.) hetera Wagn.  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Frontopsylla luculenta parilis Jordan, 1929  
Skuratowicz, W., 1976, Polskie Pismo Entom., v. 46 (1), 25-27  
*Citellus undulatus*: Cecerleg, Mongolia
- Frontopsylla semura Wagn. et Joff  
Poliakov, V. K.; et al., 1976, Zool. Zhurnal, v. 55 (10), 1538-1551  
rodent fleas, zoological, parasitological, epidemiological and ecological characteristics of steppe, desert-steppe and desert regions of Transural plague focus  
*Rhombomys opimus*  
*Meriones tamariscinus*  
*Citellus pygmaeus*  
all from northeastern part of Caspian lowland
- Frontopsylla (Frontopsylla) spadix gurkha n. ssp., illus.  
Smit, F. G. A. M., 1974, Senckenbergiana Biol., v. 55 (4-6), 357-398  
*Apodemus gurkha*: Dhorpatan, Nepal  
*Rattus rattoides*: " "  
*Ochotona roylei*: Dhorpatan and Ulleri, Nepal  
*Apodemus sylvaticus*: Phoksumdo lake, Nepal  
*Mus musculus*: Thaksang, Nepal
- Frontopsylla (Frontopsylla) wagneri Ioff  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva

- Gabucinia delibata* (Robin, 1877)  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, *Parazity Zhivot. i Rasten.*, Akad. Nauk Moldavsk. SSR (9), 192-208  
*Picooides tridactylus*: Chernovtzy oblast, Ukrainian SSR
- Gahrliepia (Schoengastiella) argalea* Traub & Morrow, 1957  
 Kundin, W. D.; Nadchatram, M.; and Keong, A., 1972, *J. Med. Entom.*, v. 9 (6), 558-559  
 Malaysian trombiculid mites, duration of attachment of larvae on laboratory mice and rats, data for estimation of population densities
- Gahrliepia (Gahrliepia) cetrata*  
 Kundin, W. D.; Nadchatram, M.; and Keong, A., 1972, *J. Med. Entom.*, v. 9 (6), 558-559  
 Malaysian trombiculid mites, duration of attachment of larvae on laboratory mice and rats, data for estimation of population densities
- Gahrliepia (Walchia) cuspidata*  
 Kundin, W. D.; Nadchatram, M.; and Keong, A., 1972, *J. Med. Entom.*, v. 9 (6), 558-559  
 Malaysian trombiculid mites, duration of attachment of larvae on laboratory mice and rats, data for estimation of population densities
- Gahrliepia (Walchia) disparunguis*  
 Dohany, A. L.; Phang, O. W.; and Raptund, G., 1977, *Southeast Asian J. Trop. Med. and Pub. Health*, v. 8 (2), 200-206  
*Rattus tiomanicus*  
*R. muelleri*  
*R. whiteheadi*  
*R. exulans*  
*R. argentiventer*  
*R. r. diardii*  
*R. rajah*  
*R. crenoriventer*  
 all from North Borneo
- Gahrliepia disparunguis*  
 Hadi, T. R.; et al., 1976, *Southeast Asian J. Trop. Med. and Pub. Health*, v. 7 (1), 113-114  
*Rattus rattus diardii*  
*R. norvegicus*  
 all from Jakarta, Indonesia
- Gahrliepia (Walchia) disparunguis disparunguis*  
 Harinasuta, C.; Guptavanij, P.; and Vasuvat, C., 1974, *Southeast Asian J. Trop. Med. and Pub. Health*, v. 5 (1), 105-127  
*Rattus spp.*: mangrove areas of Thailand
- Gahrliepia (Walchia) disparunguis pingue*  
 Hadi, T. R.; et al., 1976, *Southeast Asian J. Trop. Med. and Pub. Health*, v. 7 (3), 487-489  
*Bandicota indica setifera*  
*Rattus rattus diardii*  
 all from Ancol, Jakarta, Indonesia
- Gahrliepia (Gahrliepia) fletcheri* (Gater, 1932)  
 Kundin, W. D.; Nadchatram, M.; and Keong, A., 1972, *J. Med. Entom.*, v. 9 (6), 558-559  
 Malaysian trombiculid mites, duration of attachment of larvae on laboratory mice and rats, data for estimation of population densities
- Gahrliepia (Schoengastiella) gammonsi* Traub & Evans  
 Sandhu, P. S.; and Kapoor, V. C., 1977, *Entom. News*, v. 88 (5-6), 151-152  
*Mus booduga*: Punjab, India
- Gahrliepia (Gahrliepia) insigne*  
 Kundin, W. D.; Nadchatram, M.; and Keong, A., 1972, *J. Med. Entom.*, v. 9 (6), 558-559  
 Malaysian trombiculid mites, duration of attachment of larvae on laboratory mice and rats, data for estimation of population densities
- Gahrliepia (Walchia) micropelta*  
 Harinasuta, C.; Guptavanij, P.; and Vasuvat, C., 1974, *Southeast Asian J. Trop. Med. and Pub. Health*, v. 5 (1), 105-127  
*Rattus rattus*: mangrove areas of Thailand
- Gahrliepia (Audya) nasicola*, Audy, Lawrence, and Vercammen-Grandjean, 1961  
 Vercammen-Grandjean, P. H., 1975, *Rev. Zool. Africaine*, v. 89 (2), 397-439  
 as syn. of *Schoengastiella (Audya) nasicola* (Vercammen-Grandjean)
- Gahrliepia (Schoengastiella) ramachandrai*, n. sp., illus.  
 Kulkarni, S. M., 1973, *J. Med. Entom.*, v. 10 (5), 519-523  
*Rattus rattus rufescens*: Atkarwadi near Sinhgarh, Poona, India  
*Suncus murinus*: Atkarwadi near Sinhgarh and Lonavla, Poona, India  
*Mus booduga*: Atkarwadi near Sinhgarh, Poona, India
- Gahrliepia (Walchia) rustica* (Gater, 1932)  
 Kundin, W. D.; Nadchatram, M.; and Keong, A., 1972, *J. Med. Entom.*, v. 9 (6), 558-559  
 Malaysian trombiculid mites, duration of attachment of larvae on laboratory mice and rats, data for estimation of population densities
- Gahrliepia (Gahrliepia) rutilla*  
 Kundin, W. D.; Nadchatram, M.; and Keong, A., 1972, *J. Med. Entom.*, v. 9 (6), 558-559  
 Malaysian trombiculid mites, duration of attachment of larvae on laboratory mice and rats, data for estimation of population densities
- Gahrliepia saduski*  
 Kamimura, K.; et al., 1972, *Eisei Dobutsu (Japan. J. San. Zool.)*, v. 23 (2), 83-87  
 seasonal occurrence; outbreak of acute febrile exanthematic disease among school children, possibly *Tsutsugamushi* disease transmitted by *Leptotrombidium pallidum*  
*Apodemus speciosus*  
*Microtus montebelli*  
 all from Yamada, Toyama Prefecture, northern Honshu
- Gahrliepia (G.) saduski*  
 Nakata, K., 1975, *Eisei Dobutsu (Japan. J. San. Zool.)*, v. 27 (2), 189-194  
 trombiculid mites, seasonal fluctuations of larvae, difference of modes for attachment to rodents, incidence and number of species vary with vegetation types  
*Clethrionomys rufocanus bedfordiae*  
*C. rutillus mikado*  
*Apodemus giliacus*  
 all from Tonden, Sapporo, Japan
- Gahrliepia (Schongastiella) shrivastavi* sp. nov., illus.  
 Srivastava, S. P.; and Wattal, B. L., 1975, *Indian J. Entom.*, v. 35 (2), 1973, 150-155  
*Rattus meltada meltada*  
*Mus platythrix*  
 all from Nagpur (Maharashtra State), India

Gahrliepia (*Fainiella*) womersleyi, Vercammen-Grandjean and Fain, 1957  
 Vercammen-Grandjean, P. H., 1975, Rev. Zool. Africaine, v. 89 (2), 397-439  
 as syn. of *Walchia* (*Fainiella*) womersleyi n. comb.

Gahrliepiinae Womersley 1952  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 Trombiculidae  
 key; key to genera

Gallacanthus Eichler, 1971  
 Złotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *G. cornutus* (Schommer, 1913)

Galligogus Eichler, 1947  
 Złotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *G. tausi* (Ansari, 1951)

Gamasina  
 Edler, A.; and Nilsson, A., 1973, Entom. Scand., v. 4 (4), 274-282 ectoparasites of small mammals from two woodland habitats, seasonal variation, frequency and intensity of infestation, numerical comparison of ectoparasitic groups: southern Sweden

Gamasus dermanyssoides (Megnin)  
 Sanchez-Acedo, C.; Otero, J.; and Albala-Perez, F., 1974, Rev. Iber. Parasitol., v. 34 (3-4), 245-252

Rhinolophus ferrum equinum: Spain

Gasterophilus spp.  
 Colglazier, M. L.; Enzie, F. D.; and Kates, K. C., 1977, J. Parasitol., v. 63 (4), 724-727 gastrointestinal parasites of ponies, comparative efficacy of 4 benzimidazoles evaluated by critical test method

Gasterophilus sp.  
 Panitz, E., 1977, J. Helminth., v. 51 (1), 23-30 ethyl-6-ethoxybenzothiazole-2-carbamate, evaluation of anthelmintic activity in ponies, swine, lambs, and chickens

Gasterophilus [sp.]  
 Pester, F. R. N.; and Laurence, B. R., 1974, J. Zool., London, v. 174 (3), 397-406  
*Equus burchelli* (stomach): Kenya

Gastrophilus spp., illus.  
 Rizzoli-Stalder, C.; et al., 1976, Schweiz. Arch. Tierh., v. 118 (9), 367-375  
 gastrointestinal parasites, horses, influence of pasturing and deworming on infestation, two test groups, higher infestation in group receiving regular anthelmintic treatment probably due to high density of animals on pasture

Gasterophilus spp.  
 Tiefenbach, B., 1977, Cahiers Bleus Vet. (26), 216-230 fenbendazole (available in 5 forms), efficacy against parasites in various animals, well tolerated with no apparent effects on fertility or fetus, extensive summary of results to date

Gasterophilus inermis Brauer  
 Pester, F. R. N.; and Laurence, B. R., 1974, J. Zool., London, v. 174 (3), 397-406  
*Equus burchelli* (stomach wall): Kenya

Gasterophilus intestinalis  
 Bello, T. R.; Gaunt, S. D.; and Torbert, B. J., 1977, J. Equine Med. and Surg., v. 1 (4), 126-130  
 Gasterophilus intestinalis, *G. nasalis*, horses, artificial hatching of bot eggs with warm water as environmental prophylaxis, critical evaluation, seasonal patterns of oviposition; trichlorfon + piperazine + phenothiazine, good results

Gasterophilus intestinalis  
 Drudge, J. H.; et al., 1975, Am. J. Vet. Res., v. 36 (11), 1585-1588  
 Gasterophilus intestinalis, *G. nasalis*, horses (stomach), annual and monthly incidence of occurrence of 2nd vs. 3rd instars, size of infections, implications for dynamics of infection and span of transmission: Kentucky

Gasterophilus intestinalis  
 Drudge, J. H.; and Lyons, E. T., 1977, Am. J. Vet. Research, v. 38 (10), 1581-1586 internal parasites, horses, antiparasitic drugs, methods of evaluation, critical tests, controlled tests and clinical trials, review of methods and criteria

Gasterophilus intestinalis  
 Drudge, J. H.; Lyons, E. T.; and Tolliver, S. C., 1975, Am. J. Vet. Research, v. 36 (3), 251-253  
 Gasterophilus intestinalis, *G. nasalis*, oral stages in horses and ponies (nat. and exper.), activity of several organophosphorus compounds in various formulations and levamisole-piperazine mixture

Gasterophilus intestinalis  
 Drudge, J. H.; Lyons, E. T.; and Tolliver, S. C., 1975, Am. J. Vet. Research, v. 36 (4), Part 1, 435-439 cambendazole, 3 formulations (suspension, paste, pellet), efficacy against major internal parasites of horses determined by critical testing method

Gastrophilus intestinalis  
 Folz, S. D., 1977, Vet. Parasitol., v. 3 (4), 377-381 kinetics of natural expulsion of some equine parasites from nontreated horses during interim of critical test, concluded that natural elimination would not have biased efficacy of an anthelmintic or boticide

- Gasterophilus intestinalis**
- Greve, J. H.; and Paul, J. W., 1976, Vet. Med. and Small Animal Clin., v. 71 (12), 1737-1740, 1742  
horse parasites, enteric-coated microen-capsulated trichlorfon, critical and field evaluations, drug efficacy
- Gasterophilus intestinalis**
- Hatch, C.; McCaughey, W. J.; and O'Brien, J. J., 1976, Vet. Rec., v. 98 (14), 274-276  
*Gasterophilus intestinalis*, G. nasalis, seasonal prevalence in horses: abattoirs near Dublin and Belfast, Ireland
- Gasterophilus intestinalis**
- Lyons, E. T.; Drudge, J. H.; and Tolliver, S. C., 1975, Proc. Helminth. Soc. Washington, v. 42 (2), 128-135  
internal parasites of naturally infected horses, critical tests of levamisole alone or mixed with piperazine or trichlorfon, via stomach tube or in feed, varying rates of effectiveness, no toxicosis
- Gasterophilus intestinalis**
- Lyons, E. T.; Drudge, J. H.; and Tolliver, S. C., 1976, Am. J. Vet. Research, v. 37 (6), 701-702  
horses, thiabendazole (paste formulation), efficacy determined by critical testing method against large nematodes and *Gasterophilus* (inactive against latter)
- Gasterophilus intestinalis**
- Lyons, E. T.; Drudge, J. H.; and Tolliver, S. C., 1977, Am. J. Vet. Research, v. 38 (6), 721-723  
helminths and bots in horses, thiabendazole and trichlorfon sequentially administered via stomach tube, critical testing, drug efficacies, good results
- Gasterophilus intestinalis**
- Lyons, E. T.; Drudge, J. H.; and Tolliver, S. C., 1977, Am. J. Vet. Research, v. 38 (12), 2049-2053  
internal parasites, horses, critical tests with oxfendazole, powder and pellet formulations
- Gasterophilus intestinalis (De Geer)**
- Mock, D. E., 1973, J. Med. Entom., v. 10 (1), 34-37  
*Gasterophilus intestinalis* ova, cattle pastured with or near horses, viable larvae: Ithaca, New York area
- Gasterophilus intestinalis**
- Nawalinski, T.; and Theodorides, V. J., 1976, Am. J. Vet. Research, v. 37 (4), 469-471  
gastrointestinal parasites; ponies, critical tests with oxibendazole
- Gasterophilus intestinalis**
- Prieto, R., 1975, Rev. Cubana Cien. Vet., v. 5 [on cover], v. 6 [on title page] (1-2), 51-56  
*Gasterophilus intestinalis*, G. nasalis, horses, seasonal incidence and changes in oviposition: province of Havana, Cuba
- Gastrophilus intestinalis de Geer**
- Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397  
seasonal distribution  
Asinus asinus (cardiac end of stomach): Hissar and suburbs, India
- Gasterophilus intestinalis**
- Sukhapesna, V.; et al., 1975, J. Med. Entom., v. 12 (3), 391-392  
*Gasterophilus intestinalis*, temperature, embryonic development and egg hatchability; longer viability of eggs at lower temperatures
- Gasterophilus intestinalis, illus.**
- Suter, I.; Brown, G.; and Hansman, D., 1972, Med. J. Australia, v. 2 (11), 609-611  
*Gasterophilus intestinalis* eggs found on leg hairs of young girl who worked with horses that were similarly infected, case report: Wudinna, South Australia
- Gasterophilus intestinalis**
- Tiefenbach, B., 1977, Cahiers Bleus Vet. (26), 216-230  
fenbendazole (available in 5 forms), efficacy against nematodes in various animals, well tolerated with no apparent effects on fertility or fetus, extensive summary of results to date
- Gasterophilus intestinalis**
- Young, E.; et al., 1973, Research J. National Parks Republic South Africa (16), 77-81  
*Equus zebra zebra* (stomach): Mountain Zebra National Park
- Gasterophilus meridionalis Pillers**
- Pester, F. R. N.; and Laurence, B. R., 1974, J. Zool., London, v. 174 (3), 397-406  
*Equus burchelli* (stomach wall): Kenya
- Gasterophilus nasalis**
- Bello, T. R.; Gaunt, S. D.; and Torbert, B. J., 1977, J. Equine Med. and Surg., v. 1 (4), 126-130  
*Gasterophilus intestinalis*, G. nasalis, horses, artificial hatching of bot eggs with warm water as environmental prophylaxis, critical evaluation, seasonal patterns of oviposition; trichlorfon + piperazine + phenothiazine, good results
- Gasterophilus nasalis**
- Drudge, J. H.; et al., 1975, Am. J. Vet. Res., v. 36 (11), 1585-1588  
*Gasterophilus intestinalis*, G. nasalis, horses (stomach), annual and monthly incidence of occurrence of 2nd vs. 3rd instars, size of infections, implications for dynamics of infection and span of transmission: Kentucky
- Gasterophilus nasalis**
- Drudge, J. H.; and Lyons, E. T., 1977, Am. J. Vet. Research, v. 38 (10), 1581-1586  
internal parasites, horses, antiparasitic drugs, methods of evaluation, critical tests, controlled tests and clinical trials, review of methods and criteria
- Gasterophilus nasalis**
- Drudge, J. H.; Lyons, E. T.; and Tolliver, S. C., 1975, Am. J. Vet. Research, v. 36 (3), 251-253  
*Gasterophilus intestinalis*, G. nasalis, oral stages in horses and ponies (nat. and exper.), activity of several organophosphorus compounds in various formulations and levamisole-piperazine mixture
- Gasterophilus nasalis**
- Drudge, J. H.; Lyons, E. T.; and Tolliver, S. C., 1975, Am. J. Vet. Research, v. 36 (4), Part 1, 435-439  
cambendazole, 3 formulations (suspension, paste, pellet), efficacy against major internal parasites of horses determined by critical testing method

- Gastrophilus nasalis**  
 Folz, S. D., 1977, Vet. Parasitol., v. 3 (4), 377-381  
 kinetics of natural expulsion of some equine parasites from nontreated horses during interim of critical test, concluded that natural elimination would not have biased efficacy of an anthelmintic or boticide
- Gasterophilus nasalis**  
 Greve, J. H.; and Paul, J. W., 1976, Vet. Med. and Small Animal Clin., v. 71 (12), 1737-1740, 1742  
 horse parasites, enteric-coated microen-capsulated trichlorfon, critical and field evaluations, drug efficacy
- Gasterophilus nasalis**  
 Hatch, C.; McCaughey, W. J.; and O'Brien, J. J., 1976, Vet. Rec., v. 98 (14), 274-276  
*Gasterophilus intestinalis*, G. nasalis, seasonal prevalence in horses: abattoir near Dublin, Ireland
- Gasterophilus nasalis**  
 Lyons, E. T.; Drudge, J. H.; and Tolliver, S. C., 1975, Proc. Helminth. Soc. Washington, v. 42 (2), 128-135  
 internal parasites of naturally infected horses, critical tests of levamisole alone or mixed with piperazine or trichlorfon, via stomach tube or in feed, varying rates of effectiveness, no toxicosis
- Gasterophilus nasalis**  
 Lyons, E. T.; Drudge, J. H.; and Tolliver, S. C., 1976, Am. J. Vet. Research, v. 37 (6), 701-702  
 horses, thiabendazole (paste formulation), efficacy determined by critical testing method against large nematodes and *Gasterophilus* (inactive against latter)
- Gasterophilus nasalis**  
 Lyons, E. T.; Drudge, J. H.; and Tolliver, S. C., 1977, Am. J. Vet. Research, v. 38 (6), 721-723  
 helminths and bots in horses, thiabendazole and trichlorfon sequentially administered via stomach tube, critical testing, drug efficacies, good results
- Gasterophilus nasalis**  
 Lyons, E. T.; Drudge, J. H.; and Tolliver, S. C., 1977, Am. J. Vet. Research, v. 38 (12), 2049-2053  
 internal parasites, horses, critical tests with oxfendazole, powder and pellet formulations
- Gastrophilus nasalis**  
 Oberg, C.; Diaz, L.; and Valenzuela, G., 1974, Bol. Chileno Parasitol., v. 29 (3-4), 99-102  
*Equus caballus*: Chile
- Gasterophilus nasalis**  
 Prieto, R., 1975, Rev. Cubana Cien. Vet., v. 5 [on cover], v. 6 [on title page] (1-2), 51-56  
*Gasterophilus intestinalis*, G. nasalis, horses, seasonal incidence and changes in oviposition: province of Havana, Cuba
- Gasterophilus nasalis**  
 Pester, F. R. N.; and Laurence, B. R., 1974, J. Zool., London, v. 174 (3), 397-406  
*Equus burchelli* (stomach wall): Kenya
- Gasterophilus pecorum**  
 Pester, F. R. N.; and Laurence, B. R., 1974, J. Zool., London, v. 174 (3), 397-406  
*Equus burchelli* (stomach wall): Kenya
- Gasterophilus pecorum**  
 Young, E.; et al., 1973, Research J. National Parks Republic South Africa (16), 77-81  
*Equus zebra zebra* (stomach): Mountain Zebra National Park
- Gedoelstia sp.**, larvae  
 Young, E.; et al., 1973, Research J. National Parks Republic South Africa (16), 77-81  
*Connochaetes gnou* (nasal cavity): Mountain Zebra National Park
- Gedoelstia cristata** Rodhain & Bequaert, 1913  
 Basson, P. A., 1969, Onderstepoort J. Vet. Research, v. 36 (2), 217-231  
 specific oculo-vascular myiasis in 51 sheep (nat. and exper.) and 1 goat due to *Gedoelstia haessleri*, G. cristata, and their hybrids, histopathology of blood vessels, brain, eyes, heart, lungs, kidneys, and liver, name *gedoelstiasis* introduced for this specific type of myiasis
- Gedoelstia cristata** Rodhain & Bequaert  
 Pester, F. R. N.; and Laurence, B. R., 1974, J. Zool., London, v. 174 (3), 397-406  
*Alcelaphus buselaphus cokei*  
*Connochaetes taurinus*  
 all from Kenya
- Gedoelstia haessleri** Gedoelst, 1915  
 Basson, P. A., 1969, Onderstepoort J. Vet. Research, v. 36 (2), 217-231  
 specific oculo-vascular myiasis in 51 sheep (nat. and exper.) and 1 goat due to *Gedoelstia haessleri*, G. cristata, and their hybrids, histopathology of blood vessels, brain, eyes, heart, lungs, kidneys, and liver, name *gedoelstiasis* introduced for this specific type of myiasis
- Gedoelstia hassleri** Gedoelst  
 Pester, F. R. N.; and Laurence, B. R., 1974, J. Zool., London, v. 174 (3), 397-406  
*Connochaetes taurinus*  
*Alcelaphus buselaphus cokei*  
 all from Kenya
- Gedoelstia haessleri**  
 Snijders, A. J.; and Horak, I. G., 1972, J. South African Vet. Ass., v. 43 (3), 295-297  
*Gedoelstia haessleri* and *Haemonchus contortus* in naturally infected blesbuck, treatment with rafoxanide, highly effective  
*Damaliscus dorcas phillipsi* (eyes): Republic of South Africa
- Gedoelstiasis**  
 Basson, P. A., 1969, Onderstepoort J. Vet. Research, v. 36 (2), 217-231  
 specific oculo-vascular myiasis in 51 sheep (nat. and exper.) and 1 goat due to *Gedoelstia haessleri*, G. cristata, and their hybrids, histopathology of blood vessels, brain, eyes, heart, lungs, kidneys, and liver, name *gedoelstiasis* introduced for this specific type of myiasis
- Genoneopsylla thysanota** (Traub, 1968)  
 Smit, F. G. A. M., 1974, Senckenbergiana Biol., v. 55 (4-6), 357-398  
*Alticola stoliczkanus*  
*Ochotona roylei*  
*Rattus ssp.*  
*Ochotona*  
*mouse*  
 all from Nepal

- Geohollandia** Mardon and Dunnet, 1972  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis
- Geohollandia solida** (Rothschild, 1916), illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 diagnosis, syn.: *Pygiopsylla solida* Rothschild, 1916
- Geomydoecus**  
 Price, R. D., 1972, *J. Med. Entom.*, v. 9 (6), 537-544  
 Geomydoecus, sympatric species on *Thomomys bottae-umbrinus* complex, discussion
- Geomydoecus (Geomydoecus) californicus** (Chapman, 1897)  
 Price, R. D., 1972, *J. Med. Entom.*, v. 9 (6), 537-544  
*Thomomys bottae actuosus*: New Mexico  
*T. b. albicaudatus*: Utah  
*T. b. altivallis*: California  
*T. b. analogus*: Coahuila; Nuevo Leon  
*T. b. angularis*: California  
*T. b. angustidens*: Coahuila  
*T. b. anitae*: Baja California  
*T. b. apache*: Colorado  
*T. b. aureus*: Utah; Colorado  
*T. b. bonnevillei*: Utah  
*T. b. bottae*: California  
*T. b. caneloensis*: Arizona  
*T. b. canus*: Nevada  
*T. b. centralis*: Utah; Nevada  
*T. b. chrysotus*: Arizona  
*T. b. contractus*: Utah  
*T. b. convexus*: Utah  
*T. b. cultellus*: New Mexico  
*T. b. depressus*: Nevada  
*T. b. diabolii*: California  
*T. b. fulvus*: New Mexico; Arizona  
*T. b. humilis*: Coahuila  
*T. b. infrapallidus*: California  
*T. b. internatus*: Colorado  
*T. b. lachuguilla*: New Mexico  
*T. b. limitaris*: Texas  
*T. b. modicus*: Arizona  
*T. b. mutabilis*: Arizona  
*T. b. neglectus*: California  
*T. b. nigricans*: California  
*T. b. operarius*: California  
*T. b. pallescens*: California  
*T. b. pascalis*: California  
*T. b. pectoralis*: New Mexico  
*T. b. perditus*: Coahuila  
*T. b. perpes*: California  
*T. b. pervagus*: New Mexico  
*T. b. pervarius*: Texas  
*T. b. providentialis*: California  
*T. b. proximus*: Arizona  
*T. b. retractus*: Coahuila  
*T. b. robustus*: Utah  
*T. b. rubidus*: Colorado  
*T. b. ruidosae*: New Mexico  
*T. b. sanctidiegi*: California  
*T. b. scotophilus*: Texas  
*T. b. sevieri*: Utah  
*T. b. simulus*: Sinaloa  
*T. b. sinaloae*: Sinaloa  
*T. b. stansburyi*: Utah  
*T. b. toltecus*: New Mexico; Chihuahua  
*T. b. tularosae*: New Mexico  
*T. b. villai*: Coahuila  
*T. b. wahwahensis*: Utah  
*T. umbrinus arriagensis*: San Luis Potosi  
*T. u. emotus*: New Mexico

- Geomydoecus (Geomydoecus) californicus** (Chapman, 1897).-- Continued.  
 Price, R. D., 1972, *J. Med. Entom.*, v. 9 (6), 537-544  
*T. u. evexus*: Durango  
*T. u. eximius*: Sinaloa; Chihuahua  
*T. u. intermedius*: Arizona  
*T. u. madrensis*: Chihuahua  
*T. u. nelsoni*: Chihuahua  
*T. u. potosinus*: San Luis Potosi  
*T. u. quercinus*: Arizona  
*T. u. zacatecae*: Zacatecas
- Geomydoecus (Thomomydoecus) dickermani** Price & Emerson, 1972  
 Price, R. D., 1972, *J. Med. Entom.*, v. 9 (6), 537-544  
*Thomomys umbrinus tolucae*: Mexico  
*T. u. peregrinus*: Valle de Bravo
- Geomydoecus ewingi**  
 Price, R. D.; and Hellenthal, R. A., 1975, *J. Med. Entom.*, v. 12 (4), 401-408  
 key
- Geomydoecus (Thomomydoecus) genowaysi** Price & Emerson, 1972  
 Price, R. D., 1972, *J. Med. Entom.*, v. 9 (6), 537-544  
*Thomomys umbrinus madrensis*  
*T. u. nelsoni*  
 all from Chihuahua
- Geomydoecus (Thomomydoecus) jamesbeeri** Price & Emerson, 1972  
 Price, R. D., 1972, *J. Med. Entom.*, v. 9 (6), 537-544  
*Thomomys umbrinus supernus*: Guanajuato
- Geomydoecus (Thomomydoecus) minor** Werneck, 1950  
 Price, R. D., 1972, *J. Med. Entom.*, v. 9 (6), 537-544  
*Thomomys bottae actuosus*: New Mexico  
*T. b. angustidens*: Coahuila  
*T. b. apache*: Colorado  
*T. b. aureus*: Colorado  
*T. b. guadalupensis*: Texas  
*T. b. internatus*: Colorado  
*T. b. modicus*: Arizona  
*T. b. mutabilis*: Arizona  
*T. b. pervagus*: New Mexico  
*T. b. retractus*: Coahuila  
*T. b. rubidus*: Colorado  
*T. b. ruidosae*: New Mexico  
*T. b. sturgisi*: Coahuila  
*T. umbrinus arriagensis*: San Luis Potosi  
*T. u. crassidens*: Zacatecas  
*T. u. newmani*: San Luis Potosi; Jalisco  
*T. u. zacatecae*: Zacatecas
- Geomydoecus (Thomomydoecus) neocopei** Price & Emerson, 1971  
 Price, R. D., 1972, *J. Med. Entom.*, v. 9 (6), 537-544  
*Thomomys umbrinus tolucae*: Mexico
- Geomydoecus (Geomydoecus) oregonus idahoensis**  
 Price & Emerson, 1971  
 Price, R. D., 1972, *J. Med. Entom.*, v. 9 (6), 537-544  
*Thomomys bottae agricolaris*  
*T. b. laticeps*  
*T. b. leucodon*  
*T. b. mewa*  
*T. b. minor*  
 all from California

*Geomysdoecus* (*Geomysdoecus*) *subcalifornicus* Price & Emerson, 1971  
Price, R. D., 1972, J. Med. Entom., v. 9 (6), 537-544

*Thomomys bottae albatus*: California  
*T. b. alienus*: Arizona  
*T. b. altivallis*: California  
*T. b. basilicae*: Sonora  
*T. b. cervinus*: Arizona  
*T. b. convergens*: Sonora  
*T. b. guadalupensis*: Texas  
*T. b. hueyi*: Arizona  
*T. b. modicus*: Arizona  
*T. b. mohavensis*: California  
*T. b. nigricans*: California  
*T. b. pectoralis*: New Mexico  
*T. b. perditus*: Coahuila  
*T. b. planirostris*: Utah  
*T. b. providentialis*: California  
*T. b. puertae*: California  
*T. b. scotophilus*: Texas  
*T. b. simulus*: Sonora  
*T. b. sturgisi*: Coahuila  
*T. b. virginicus*: Utah  
*T. b. winthropi*: Sonora  
*T. umbrinus intermedius*: Arizona

*Geomysdoecus subnubili* n. sp., illus.  
Price, R. D.; and Hellenthal, R. A., 1975, J. Med. Entom., v. 12 (4), 401-408  
keys (males and females)

*Pappogeomys castanops subnubilus*: Zacatecas, Coahuila, and Nuevo Leon, Mexico  
*P. c. elibatus*: Coahuila, Mexico  
*P. c. goldmani*: Coahuila, Zacatecas, and Durango, Mexico  
*P. c. peregrinus*: Coahuila, Mexico  
*P. c. peridoenius*: San Luis Potosi, Mexico  
*P. c. planifrons*: Tamaulipas, Mexico  
*P. c. rubellus*: Zacatecas, San Luis Potosi, and Tamaulipas, Mexico  
*P. c. subsimus*: Coahuila, Mexico  
*P. c. surculus*: Zacatecas, Mexico

*Geomysdoecus tamaulipensis* n. sp., illus.  
Price, R. D.; and Hellenthal, R. A., 1975, J. Med. Entom., v. 12 (4), 401-408  
keys (males and females)  
*Pappogeomys castanops tamaulipensis*: 3 mi. SE of Reynosa, Tamaulipas, Mexico

*Geomysdoecus texanus* Ewing, 1936  
Price, R. D.; and Hellenthal, R. A., 1975, J. Med. Entom., v. 12 (4), 401-408  
redescription, keys (males and females)  
*Geomys personatus fallax*

*Geomysdoecus texanus* Ewing, illus.  
Price, R. D.; and Hellenthal, R. A., 1975, J. Med. Entom., v. 12 (4), 401-408  
keys (males and females)  
*Geomys personatus fallax*: Corpus Christi Bay, Texas, U.S.A.  
*G. p. personatus*: Padre and Mustang Islands, Texas, U.S.A.; Tamaulipas, Mexico  
*G. p. megapotamus*: 4 mi. SE of Oilton, Texas, U.S.A.

*Geomysdoecus texanus tropicalis* n. subsp.  
Price, R. D.; and Hellenthal, R. A., 1975, J. Med. Entom., v. 12 (4), 401-408  
keys (males and females)  
*Geomys tropicalis*: 1 mi. S of Altamira, Tamaulipas, Mexico

*Geomysdoecus* (*Geomysdoecus*) *tolucae* Price & Emerson, 1971  
Price, R. D., 1972, J. Med. Entom., v. 9 (6), 537-544  
*Thomomys umbrinus tolucae*: Mexico

*Geomysdoecus* (*Geomysdoecus*) *umbrini* Price & Emerson, 1971  
Price, R. D., 1972, J. Med. Entom., v. 9 (6), 537-544

*Thomomys umbrinus albicularis*: Veracruz  
*T. u. atrovarius*: Sinaloa  
*T. u. chihuahuae*: Durango  
*T. u. crassidens*: Zacatecas  
*T. u. durangi*: Durango  
*T. u. enixus*: Zacatecas; Jalisco  
*T. u. eximus*: Sinaloa  
*T. u. extimus*: Nayarit  
*T. u. goldmani*: Coahuila; Chihuahua  
*T. u. newmani*: San Luis Potosi; Jalisco  
*T. u. zacatecae*: Zacatecas  
*T. u. parviceps*: Sinaloa  
*T. u. peregrinus*: Valle de Bravo  
*T. u. pullus*: Michoacan  
*T. u. supernus*: Guanajuato

*Geomysdoecus ustulati* n. sp.  
Price, R. D.; and Hellenthal, R. A., 1975, J. Med. Entom., v. 12 (4), 401-408  
keys (males and females)  
*Pappogeomys castanops ustulatus*

*Geomysdoecus ustulati clarkii* n. subsp.  
Price, R. D.; and Hellenthal, R. A., 1975, J. Med. Entom., v. 12 (4), 401-408  
keys (males and females)  
*Pappogeomys castanops clarkii*: Lajitas, Brewster Co., Texas, U.S.A.  
*P. c. torridus*: near Terlingua, Brewster Co., and Sierra Blanca, Hudspeth Co., Texas, U.S.A.

*Geomysdoecus ustulati ustulati* [n. sp. and subsp.], illus.

Price, R. D.; and Hellenthal, R. A., 1975, J. Med. Entom., v. 12 (4), 401-408  
keys (males and females)  
*Pappogeomys castanops ustulatus*: NW of Anahuac (= Rodriques), Nuevo Leon, Mexico; Don Martin, Coahuila, Mexico  
*P. c. angusticeps*: Eagle Pass, Maverick Co., Texas, U.S.A.  
*P. c. bullatus*: Vallecillo and 3 mi. N of Lampazos, Nuevo Leon, Mexico; NE of Sabinas and E of Nava, Coahuila, Mexico  
*P. c. excelsus*: 4 mi. N of Acatita, Coahuila, Mexico  
*P. c. jucundus*: Hermanas, Coahuila, Mexico

*Geomyliechus* sp.  
Rust, R. W., 1973, J. Med. Entom., v. 10 (2), 169-175

ectoparasitic mites of *Thomomys bottae*, mite age structure, seasonal fluctuations, effect of host macro- and microenvironment on host specificity

*Thomomys bottae*: Davis, California  
*Geomys bursarius*: South Dakota

*Geomyliechus mexicanus* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67

*Teanopus phenax*: Mexico

*Geomyliechus postscutatus* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Dipodomys* (*Dipodops*) sp.: Platte Valley, Nebraska, U.S.A.

*Geomyliechus sylvilagus* sp. n.  
Fain, A., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 330-332  
*Sylvilagus floridanus yucatanicus*: Mexique

- Geusibia* Jordan, 1932  
 Smit, F. G. A. M., 1974, *Senckenbergiana Biol.*, v. 55 (4-6), 357-398  
 as syn. of *Ctenophyllus* Wagner, 1927
- Geusibia* Jordan, 1932  
 Smit, F. G. A. M., 1975, *Senckenbergiana Biol.*, v. 56 (4-6), 247-256  
 key
- Gigantolaelaps* sp.  
 Trapido, H.; and Sanmartin, C., 1971, *Am. J. Trop. Med. and Hyg.*, v. 20 (4), 631-641  
*Gigantolaelaps* sp., *G. inca* and *Ixodes tropicallis* positive for isolates of Pichinde virus when removed from viremic host *Oryzomys albicularis*; probably represents virus survival rather than indication of arthropod vectors: Colombia
- Gigantolaelaps cricetidarum* Morlan, 1951  
 Whitaker, J. O., jr.; and Wilson, N., 1974, *Am. Midland Naturalist*, v. 91 (1), 1-67  
 as syn. of *Gigantolaelaps mattogrossensis* (Fonseca, 1935)
- Gigantolaelaps inca*  
 Trapido, H.; and Sanmartin, C., 1971, *Am. J. Trop. Med. and Hyg.*, v. 20 (4), 631-641  
*Gigantolaelaps* sp., *G. inca* and *Ixodes tropicallis* positive for isolates of Pichinde virus when removed from viremic host *Oryzomys albicularis*; probably represents virus survival rather than indication of arthropod vectors: Colombia
- Gigantolaelaps mattogrossensis*  
 Whitaker, J. O., jr.; and Mumford, R. E., 1977, *Entom. News*, v. 88 (9-10), 255-258  
*Holochilus brasiliensis*: Minas Gerais, Brazil
- Gigantolaelaps mattogrossensis* (Fonseca, 1935)  
 Whitaker, J. O., jr.; and Wilson, N., 1974, *Am. Midland Naturalist*, v. 91 (1), 1-67  
 Syn.: *Gigantolaelaps cricetidarum* Morlan, 1951
- Gigantolaelaps wolffsohni*  
 Whitaker, J. O., jr.; and Mumford, R. E., 1977, *Entom. News*, v. 88 (9-10), 255-258  
*Oryzomys nigripes*  
*Akodon arvicoloides*  
 all from Minas Gerais, Brazil
- Glauertia* M. Rothschild, 1936  
 Dunnet, G. M.; and Mardon, D. K., 1974, *Austral. J. Zool.*, Suppl. s. (30), 1-273  
 as syn. of *Acanthopsylla* Jordan and Rothschild, 1922
- Glauertia scintilla* M. Rothschild, 1936  
 Dunnet, G. M.; and Mardon, D. K., 1974, *Austral. J. Zool.*, Suppl. s. (30), 1-273  
 as syn. of *Acanthopsylla* s. *scintilla* (M. Rothschild, 1936)
- Glauertidos scintilla* M. Rothschild, 1937  
 Dunnet, G. M.; and Mardon, D. K., 1974, *Austral. J. Zool.*, Suppl. s. (30), 1-273  
 as syn. of *Acanthopsylla* s. *scintilla* (M. Rothschild, 1936)
- Gliricola* Mjoberg, 1910  
 Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull.*, Biol. ser., v. 20 (3), 1-77  
 synonymy
- Złotorzycka*, J.; Eichler, W.; and Ludwig, H. W., 1974, *Parasitol. Schriftenr.*, v. 22, 1-160  
 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *G. (G.) porcelli* (Schrink, 1781)
- Gliricola decurtatus marajoensis* Werneck, 1942, illus.  
 Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull.*, Biol. ser., v. 20 (3), 1-77  
 key  
*Echimys armatus*  
*E. semivillosus*  
 all from Venezuela
- Gliricola echimydis* Werneck, 1933, illus.  
 Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull.*, Biol. ser., v. 20 (3), 1-77  
 key  
*Proechimys guyannensis*: Beni, Bolivia
- Gliricola handleyi*, new species, illus.  
 Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull.*, Biol. ser., v. 20 (3), 1-77  
 key  
*Proechimys hoplomyoides*: SSE of El Dorado, Bolivar, Venezuela
- Gliricola lindolphoi* Werneck, 1942, illus.  
 Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull.*, Biol. ser., v. 20 (3), 1-77  
 key  
*Cavia porcellus*: Venezuela
- Gliricola mendezi*, new species, illus.  
 Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull.*, Biol. ser., v. 20 (3), 1-77  
 key  
*Proechimys semispinosus*: Tamatama, Rio Mavaca, and Capibara, T. F. Amazonas, Venezuela
- Gliricola mirandai* Werneck, 1935, illus.  
 Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull.*, Biol. ser., v. 20 (3), 1-77  
 key  
*Isothrix bistriata*: Venezuela
- Gliricola perfoliata* Harrison, 1916  
 Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull.*, Biol. ser., v. 20 (3), 1-77  
 as syn. of *Gliricola porcelli* (Schrink)
- Gliricola pintoi* Werneck, 1935, illus.  
 Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull.*, Biol. ser., v. 20 (3), 1-77  
 key
- Gliricola porcelli* (Schrink), illus.  
 Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull.*, Biol. ser., v. 20 (3), 1-77  
 synonymy, key  
*Cavia porcellus*: Venezuela

*Gliricola porcelli*  
Pros1, H., 1976, Ztschr. Parasitenk., v. 50  
(2), 214  
Meerschweinchen

*Gliricola porcelli* (Linne), illus.  
Rao, N. S. K.; Khuddus, C. A.; and Channa-Basavanna, G. P., 1975, Mysore J. Agric. Sc., v. 9 (4), 670-688  
morphology of mouth parts, compared with *Lipeurus tropicalis*

*Gliricola tiptoni*, new species, illus.  
Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
key  
*Proechimys semispinosus*: Zulia, Trujillo, Barinas, Carabobo, Apure, Sucre, Yaracuy, Lara, Falcon, Miranda, Guarico, and T. F. Amazonas, Venezuela  
*P. guyannensis*: Puerto Ayacucho and San Juan Rio Manapiare, T. F. Amazonas and near Icabaru, Bolivar, Venezuela  
*P. canicollis*: NW La Paz, Zulia, Venezuela

*Gliricola venezuelanus*, new species, illus.  
Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
key  
*Proechimys guyannensis*: Bolivar and T. F. Amazonas, Venezuela  
*P. semispinosus*: T. F. Amazonas, Sucre, Carabobo, Barinas and Apure, Venezuela  
*P. canicollis*: NW La Paz, Zulia, Venezuela

*Gliricola vogelsangi* Werneck, 1951, illus.  
Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
key

*Gliricola wenzeli*, new species, illus.  
Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
key  
*Proechimys semispinosus*: Manacal, Sucre and Cueva del Guachara, La Laguna and San Agustin, Monagas, Venezuela

*Gliricolinae*  
Emerson, K. C.; and Price, R. D., 1976, Florida Entom., v. 59 (4), 425-428  
*Gyropidae*  
key

*Gloioptotes longicaudatus* (Marukawa)  
Pillai, N. K., 1964, J. Marine Biol. Ass. India, v. 6 (1), 61-83  
"It is likely that *G. watsoni* Kirtisinghe may prove to be the same as *G. longicaudatus* (Marukawa)"

*Gloioptotes watsoni* Kirtisinghe, 1934, illus.  
Pillai, N. K., 1964, J. Marine Biol. Ass. India, v. 6 (1), 61-83  
"It is likely that *G. watsoni* Kirtisinghe may prove to be the same as *G. longicaudatus* (Marukawa)"  
*Makaira indica* (body surface): Vizhingom, South India  
*Tetrapturus brevirostris*: Trivandrum, South India

*Glycyphagus michaeli* (Oudem.)  
Diusembaev, E. B.; and Chelebiev, K. A., 1975, Zool. Zhurnal, v. 54 (1), 124-127  
\**Lagurus lagurus* (nest): Karagandinsk oblast

*Gnathia maxillaris* Montagu  
Davies, A. J.; and Johnston, M. R. L., 1976, J. Protozool., v. 23 (2), 315-320  
*Haemogregarina bigemina* in *Blennius pholis*, incidence in relation to length of host, structure and development, no evidence for leech *Oceanobdella blennii* as vector, circumstantial evidence for *Gnathia maxillaris* as vector: Wales

*Goniocotes Burmeister*, 1838  
Zlotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *G. gallinae* (de Geer, 1778); *G. maculatus* Taschenberg, 1882; *G. nigromaculatus* Mjoberg, 1910; *G. rectangulatus* Nitzsch, 1866; *G. yngarejsuf* Eichler, 1950

*Goniocotes bidentatus*  
Misra, S. C., 1974, Indian J. Animal Research v. 8 (2), 87-88  
pigeons, Ectopar, highly effective

*Goniocotes bidentatus* Scopoli  
Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397  
seasonal distribution  
*Gallus gallus* (body): Hissar and suburbs, India

*Goniocotes chrysocephalus* Gb., 1874  
Gan, E. I.; and Shousmanov, Sh., 1976, Uzbek. Biol. Zhurnal (5), 54-56  
[*Gallus gallus*]: Kashka-Darya oblast

*Goniocotes chrysocephalus* Giebel 1874, illus.  
Marconcini, A.; and Macchioni, G., 1975, Ann. Fac. Med. Vet. Pisa, v. 27, 1974, 101-112  
*Phasianus colchicus*: Tuscany

*Goniocotes chrysocephalus*  
Shousmanov, Sh., 1974, Uzbek. Biol. Zhurnal (6), 67-68  
*Goniocotes chrysocephalus*, comparative numbers on chickens in various seasons, distribution on abdomen, tarsus, back, tail and wing of host: Uzbekistan

*Goniocotes gallinae* (De Geer, 1778)  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Gallus gallus*: New Hebrides

*Goniocotes gallinae* (De Geer, 1778), illus.  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
key, synonymy  
*Gallus domesticus*: Spain

*Goniocotes gallinae* (DeGeer), illus.  
Rao, N. S. K.; Khuddus, C. A.; and Channa-Basavanna, G. P., 1975, Mysore J. Agric. Sc., v. 9 (4), 670-688  
morphology of mouth parts, compared with *Lipeurus tropicalis*

- Goniocotes gallinae (De Geer), illus.  
Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69
- Goniocotes obscurus Giebel, 1874, illus.  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
key  
Alectoris rufa: Spain
- Goniodes Nitzsch, 1818  
Zlotorycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *G. pavonis* (Linnaeus, 1758)
- Goniodes bankiva Piaget, 1880  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
as syn. of *Goniodes dissimilis* Denny, 1842
- Goniodes bychovskyi Blag., 1718 [i.e. 1951]  
Gan, E. I.; and Shousmanov, Sh., 1976, Uzbek. Biol. Zhurnal (5), 54-56  
[*Streptopelia senegalensis*]  
[*Columba livia*]  
all from Kashka-Darya oblast
- Goniodes colchici D., 1842  
Gan, E. I.; and Shousmanov, Sh., 1976, Uzbek. Biol. Zhurnal (5), 54-56  
[*Gallus gallus*]: Kashka-Darya oblast
- Goniodes colchicus Denny 1842, illus.  
Marconcini, A.; and Macchioni, G., 1975, Ann. Fac. Med. Vet. Pisa, v. 27, 1974, 101-112  
*Phasianus colchicus*: Tuscany
- Goniodes cypriacus (Keler, 1939)  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
as syn. of *Goniodes dispar* Burmeister, 1838
- Goniodes dispar Burmeister, 1838, illus.  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
key, synonymy  
*Gallus domesticus*; *Alectoris rufa*: all from Spain
- Goniodes dissimilis N., 1842  
Gan, E. I.; and Shousmanov, Sh., 1976, Uzbek. Biol. Zhurnal (5), 54-56  
[*Gallus gallus*]: Kashka-Darya oblast
- Goniodes dissimilis Denny, 1842  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Gallus gallus*: New Hebrides
- Goniodes dissimilis Denny, 1842, illus.  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
key, Syn.: *Goniodes bankiva* Piaget, 1880  
*Gallus domesticus*: Spain
- Goniodes dissimilis (Denny), illus.  
Rao, N. S. K.; Khuddus, C. A.; and Channa-Basavanna, G. P., 1975, Mysore J. Agric. Sc., v. 9 (4), 670-688  
morphology of mouth parts, compared with *Lipeurus tropicalis*
- Goniodes dissimilis  
Torres, P.; et al., 1974, Bol. Chileno Parasitol., v. 29 (3-4), 115-117  
*Gallus gallus domesticus*: Chile
- Goniodes flaviceps Rudow, 1869  
Dominguez de Tena, M.; et al., 1975, Rev. Iber. Parasitol., v. 35 (3-4), 377-378  
*Alectoris rufa*: Peninsula Iberica
- Goniodes gigas (Taschenberg, 1879), illus.  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
key, synonymy  
*Gallus domesticus*: Spain
- Goniodes lagopi, illus.  
Mehl, R., 1975, Fauna, Oslo, v. 28 (4), 208-214  
*Lagopus lagopus*  
*Lagopus mutus*  
all from Norway
- Goniodes pavonis (Linne, 1758)  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
key, synonymy
- Goniodes pavonis (L.), illus.  
Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69
- Goniodes tetragonocephalus (Olfers, 1816)  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
as syn. of *Goniodes pavonis* (Linne, 1758)
- Goniodes truncatus Gb., 1874  
Gan, E. I.; and Shousmanov, Sh., 1976, Uzbek. Biol. Zhurnal (5), 54-56  
[*Gallus gallus*]: Kashka-Darya oblast
- Goniodynidae  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
key to genera and species from Galliformes and Columbiformes: Spain
- Goniodidae  
Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69  
key to genera from Columbiformes
- Goniopsyllus kerguelensis (Taschenberg) Baker, 1905  
Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Notiopsylla kerguelensis* (Taschenberg, 1880)
- Gonotyles Keler, 1940  
Zlotorycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *G. parviceps* (Piaget, 1880)
- Graphiurobia Fain, 1972  
Fain, A.; and Lukoschus, F., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 622-632  
subgen. of *Radfordia*  
morphology

*Grisonia Keler*, 1938  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Trichodectes* Nitzsch, 1818

*Gruimenopon canadense*  
 Forrester, D. J.; et al., 1974, Proc. Helm. Minth. Soc. Washington, v. 41 (1), 55-59  
*Grus canadensis tabida*: Florida

*Gruimenopon canadense* Edwards, 1949  
 Forrester, D. J.; Bush, A. O.; and Williams, L. E., jr., 1975, J. Parasitol., v. 61 (3), 547-548  
*Grus canadensis pratensis*: Florida

*Guntherana vorax* sp. n., illus.  
 Shluger, E. G.; and Amanguliev, A., 1975, Entom. Obozr., v. 54 (2), 463-470  
*Apodemus sylvaticus*  
*Mus musculus*  
*Cricetulus migratorius*  
*Calomyscus bailwardi*  
*Rhombomys opimus*  
*Ochotona rufescens*  
 all from vicinity of Bagir, Firiuzha, Ashkhabad and Kara-Kala region (Ai-Dere and Iol-Dere), Turkmenia

*Guntheria cassiope*  
 Campbell, R. W.; and Domrow, R., 1974, Tr. Roy. Soc. Trop. Med. and Hyg., v. 68 (5), 397-402  
 collected during search for vectors of scrub and Queensland tick typhus: areas of north Queensland, Australia

*Guntheria coorongensis* (Hirst)  
 Beveridge, I.; and Barker, I. K., 1976, Austral. J. Zool., v. 24 (2), 265-272  
 helminths and arthropods, *Antechinus stuartii*, seasonal and sex-related variations in numbers of helminths, parasites unlikely directly involved in seasonal mortality of male host; ectoparasites may contribute to anemia in hosts: Powelltown, Victoria

*Guntheria derricki* (Womersley)  
 Beveridge, I.; and Barker, I. K., 1976, Austral. J. Zool., v. 24 (2), 265-272  
 helminths and arthropods, *Antechinus stuartii*, seasonal and sex-related variations in numbers of helminths, parasites unlikely directly involved in seasonal mortality of male host; ectoparasites may contribute to anemia in hosts: Powelltown, Victoria

*Guntheria (Derrickiella) omega* sp. n., illus.  
 Goff, M. L., 1977, J. Parasitol., v. 63 (5), 915-917  
*Peroryctes longicauda*: Southern Highlands Dist.; Morobe Dist.  
*Hydromys chrysogaster*: Central Dist.  
*Melomys moncktoni*: Central Dist.  
*Anisomys imitator*: Chimbu Dist.  
*Melomys* sp.: Chimbu Dist.; Eastern Highlands Dist.  
*Rattus exulans*: Chimbu Dist.  
*Murexia longicauda*: Eastern Highlands Dist.  
*Rattus leucopus*: Eastern Highlands Dist.  
*R. ruber*: Eastern Highlands Dist.; Morobe Dist.  
*Uromys caudimaculatus*: Eastern Highlands Dist.; Morobe, Dist.  
*Rattus niobe*: Morobe Dist.

*Guntheria (Derrickiella) omega* sp. n., illus. -- Continued.  
 Goff, M. L., 1977, J. Parasitol., v. 63 (5), 915-917  
*Echymipera kalubu* (hindfoot): Morobe Dist.  
*Melomys levipes*: Morobe Dist.  
*M. rufescens*: Morobe Dist.  
*Rattus* sp.: Morobe Dist.  
*Phascolosorex* sp.: Morobe Dist.  
 all from Papua New Guinea

*Guntheria shieldsi* (Gunther)  
 Beveridge, I.; and Barker, I. K., 1976, Austral. J. Zool., v. 24 (2), 265-272  
 helminths and arthropods, *Antechinus stuartii*, seasonal and sex-related variations in numbers of helminths, parasites unlikely directly involved in seasonal mortality of male host; ectoparasites may contribute to anemia in hosts: Powelltown, Victoria

*Gymnolichus secundus* Cerny et Schumilo, 1973  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Caprimulgus europaeus*: Moldavian SSR

*Gyropidae*  
 Emerson, K. C.; and Price, R. D., 1976, Florida Entom., v. 59 (4), 425-428  
*Amblycera*  
 key

*Gyropinae*  
 Emerson, K. C.; and Price, R. D., 1976, Florida Entom., v. 59 (4), 425-428  
*Gyropidae*  
 key

*Gyroporus* Nitzsch, 1818  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 synonymy

*Gyroporus* Nitzsch, 1818  
 Zlotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *G. ovalis* Burmeister, 1838

*Gyroporus amplexans* Neumann, 1912  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Macrogyroporus a. amplexans* (Neumann)

*Gyroporus aotophilus* Ewing, 1924  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Aotiella aotophilus* (Ewing)

*Gyroporus bicaudatus* Paine, 1912  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Gliricola porcelli* (Schrank)

*Gyroporus hispidus* Burmeister, 1838  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Trimenopon hispidum* (Burmeister)

- Gyropus ovalis* Burmeister, 1838, illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 synonymy, key  
*Cavia porcellus*: Venezuela
- Gyropus ovalis*  
 Prosl, H., 1976, Ztschr. Parasitenk., v. 50 (2), 214  
 Meerschweinchen
- Gyropus ovalis* (Nitzsch), illus.  
 Rao, N. S. K.; Khuddus, C. A.; and Channa-Basavanna, G. P., 1975, Mysore J. Agric. Sc., v. 9 (4), 670-688  
 morphology of mouth parts, compared with *Lipeurus tropicalis*
- Gyropus porcelli perfoliatus* Neumann, 1912  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Gliricola porcelli* (Schrank)
- Gyropus thompsoni* Werneck, 1935, illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 key  
*Isothrix bistriata*: Venezuela
- Gyropus turbinatum* Piaget, 1880  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Gyropus ovalis* Burmeister, 1838
- Gyropus wernecki*, new species, illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 key  
*Proechimys semispinosus*: Trujillo, Sucre, Falcon, Zulia, Carabobo, Yaracuy, Apure, Barinas, Lara, Monagas and T. F. Amazonas, Venezuela
- P. guyannensis*: Puerto Ayacucho, Belen, Boca Mavaca, Rio Mavaca, and Capibara, T. F. Amazonas, and El Manaco, Bolivar, Venezuela  
*P. canicollis*: NW La Paz, Zulia, Venezuela
- Gyrostigma conjungens* Enderlein, illus.  
 Warnecke, M.; and Goetenboth, R., 1977, Berl. u. Munchen Tierarztl. Wchnschr., v. 90 (8), 159-160  
*Diceros bicornis* (faeces): imported from Kenya to Zoological Gardens, West Berlin

- Haemalastor crassitarsus* Karsch, 1880  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
*as syn. of Amblyomma longirostre (Koch, 1844)*
- Haemalastor longirostris* Koch, 1844  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
*as syn. of Amblyomma longirostre (Koch, 1844)*
- Haemaphysalis* sp.  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
*Dasyprocta fuliginosa: Venezuela*
- Haemaphysalis* spp.  
*Lim, B. L., 1972, Southeast Asian J. Trop. Med. and Publ. Health, v. 3 (4), 605-612*  
*Rattus sabanus*  
*R. muelleri*  
*R. bowersii*  
*R. surifer*  
*R. whiteheadi*  
*R. rajah*  
*Tupaia glis*  
*all from rainforests in West Malaysia*
- Haemaphysalis* sp.  
*Mikacic, D., 1972, Acta Parasitol. Iugoslavica, v. 3 (1), 49-54*  
*seasonal occurrence: Rab and Pag*
- Haemaphysalis* sp.  
*Tovornik, D., 1970, Acta Parasitol. Iugoslavica, v. 1 (1-2), 103-106*  
*tick fauna in foci of Central European encephalitis; list of tick species found on birds: Yugoslavia*
- Haemaphysalis aciculifer*  
*Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299*  
*Argasidae and Ixodidae, geographic distribution in Ethiopia*  
*zebu: Ethiopia*
- Haemaphysalis bancrofti* Nuttall  
*Doube, B. M.; and Heath, A. C. G., 1975, J. Med. Entom., v. 12 (4), 443-447*  
*Haemaphysalis, Ixodes, parasitization by wasp, Hunterellus sp., seasonal distribution of wasp and ticks*  
*Isoodon macrourus*  
*Trichosurus vulpecula (nat. and exper.)*  
*Potorous tridactylus*  
*all from Queensland*
- Haemaphysalis bispinosa*  
*Geevarghese, G., 1977, Oriental Insects, v. 11 (1), 49-52*  
*Haemaphysalis bispinosa parasitized by Hunterellus sagarensis sp. nov.: Karnataka, India*
- Haemaphysalis bremneri*  
*Doube, B. M.; and Heath, A. C. G., 1975, J. Med. Entom., v. 12 (4), 443-447*  
*Haemaphysalis, Ixodes, parasitization by wasp, Hunterellus sp., seasonal distribution of wasp and ticks*  
*Trichosurus vulpecula: Queensland*
- Haemaphysalis campanulata*  
*Fujisaki, K.; Kitaoka, S.; and Morii, T., 1976, National Inst. Animal Health Quart., v. 16 (3), 122-128*  
*comparative observations, feeding, molting, oviposition and hatching, ixodid ticks, laboratory cultural conditions*
- Haemaphysalis campanulata*  
*Kitaoka, S.; and Fujisaki, K., 1976, National Inst. Animal Health Quart., v. 16 (3), 114-121*  
*tick larvae, nymphs, accumulating process, concentration ratios, ingested blood meals*
- Haemaphysalis campanulata*  
*Kitaoka, S.; and Suzuki, H., 1974, Eisei Dobutsu (Japan. J. San. Zool.), v. 25 (1), 21-26*  
*survey of ticks and their seasonal prevalence in southern Amami-oshima Islands*
- Haemaphysalis cholodkovskyi* Olenev 1928  
*Mikacic, D., 1972, Acta Parasitol. Iugoslavica, v. 3 (1), 49-54*  
*seasonal occurrence: Rab and Pag*
- Haemaphysalis concinna*  
*Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317*  
*ixodid and argasid ticks, fine structure and function of palpal receptor organ*
- Haemaphysalis concinna*  
*Blaskovic, D.; and Nosek, J., 1972, Progr. Med. Virol., v. 14, 275-320*  
*tick-borne encephalitis, epidemiology and public health importance, ecologic study of ticks, their mammalian hosts and means of disease control: Tribec area*
- Haemaphysalis concinna*  
*Fujisaki, K.; Kitaoka, S.; and Morii, T., 1976, National Inst. Animal Health Quart., v. 16 (3), 122-128*  
*comparative observations, feeding, molting, oviposition and hatching, ixodid ticks, laboratory cultural conditions*
- Haemaphysalis concinna*  
*Ioffe, I. D., 1976, Zool. Zhurnal, v. 55 (4), 526-530*  
*Ixodes persulcatus, Haemaphysalis concinna, Dermacentor silvarum, olfactory and visual centers, relative size, importance of photo-reception*
- Haemaphysalis concinna*  
*Kitaoka, S.; and Fujisaki, K., 1976, National Inst. Animal Health Quart., v. 16 (3), 114-121*  
*tick larvae, nymphs, accumulating process, concentration ratios, ingested blood meals*
- Haemaphysalis concinna*  
*Korenberg, E. I.; et al., 1976, Zool. Zhurnal, v. 55 (2), 282-286*  
*ixodid ticks, distribution study, importance of habitat profiles and detailed distribution map for planning control measures: Baikal-Amur main line*

*Haemaphysalis concinna*

Panfilova, I. M., 1976, Zool. Zhurnal, v. 55

(3), 371-377

*Ixodes persulcatus*, *Dermacentor silvarum*, *Haemaphysalis concinna*, react positively to weak light and negatively to strong light; position of photo-receptors

*Haemaphysalis concinna* Koch

Savitskii, B. P.; and Savitskaia, G. M., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 19-23

inhabitation of forests and pastures by ticks transferred by domestic and wild animals  
[*Bos taurus*]  
[*Equus caballus*]  
all from Lower and Middle Amur flood plain

*Haemaphysalis concinna*, illus.

Sixl, W.; Dengg, E.; and Waltinger, H., 1971, Munchen. Med. Wchnschr., v. 113 (49), 1645-1646

*Haemaphysalis concinna*, scanning electron microscopy of mouth parts (hypostoma and chelicera); ticks as mechanical vectors of human pathogens

*Haemaphysalis concinna* Koch, illus.

Sixl, W.; Dengg, E.; and Waltinger, H., 1972, Mikroskopie, v. 28 (3-4), 88-91

*Haemaphysalis concinna*, mouth parts, scanning electron microscopy

*Haemaphysalis cornigera* group

Fujisaki, K.; Kitaoka, S.; and Morii, T., 1976, National Inst. Animal Health Quart., v. 16 (3), 122-128

comparative observations, feeding, molting, oviposition and hatching, ixodid ticks, laboratory cultural conditions

*Haemaphysalis cornigera* shimoga Trapido and Hoogstraal, 1964

Bhat, H. R.; Geevarghese, G.; and Sreenivasan, M. A., 1976, Indian J. Animal Sc., v. 44 (6), 1974, 370-375

life cycle, tendency towards 2-host tick, dropping of engorged stages coincided with diurnal activity of host  
(all exper.)  
calves  
chicks  
*Rattus blanfordi*

*Haemaphysalis cuspidata* Warburton, 1910

Bhat, H. R.; Jacob, P. G.; and Sreenivasan, M. A., 1977, Indian J. Animal Sc., v. 45 (8), 546-550

*Haemaphysalis cuspidata*, life-history, laboratory studies using human (exper.) and chick (exper.)

*Haemaphysalis (Allophysalis) danieli* sp. n., illus.

Cerny, V.; and Hoogstraal, H., 1977, J. Parasitol., v. 63 (3), 567-574  
alpine vegetation: Tirich-Mir Valley, Swat, Pakistan  
The following nymphal and larval material is "tentatively associated with this species.": *Cricetulus migratorius*: Phandar, Gilgit, Pakistan

*Apodemus flavicollis*: Babusar, Gilgit, Pakistan; Khagan Valley, Gitidas, Hazara, Pakistan

*Alticola roylei*: Babusar, Gilgit, Pakistan; Khagan Valley, Gitidas, Hazara, Pakistan; Badakshan, Wakhan area, Chap Darrah, Afghanistan

*Ochotona roylei*: Rama Valley, Gilgit, Pakistan; Badakshan, Wakhan area, Chap Darrah, Afghanistan

*Marmota caudata*: Badakshan, Wakhan area, Chap Darrah, Afghanistan

*Haemaphysalis erinacei* erinacei

Tovornik, D., 1970, Acta Parasitol. Jugoslavica, v. 1 (1-2), 103-106

Syn.: *Haemaphysalis numidiana*  
tick fauna in foci of Central European encephalitis; list of tick species found on birds: Yugoslavia

*Apus melba*: Dubrovnik

*Haemaphysalis (Rhipistoma) eupleres* Hoogstraal, Kohls and Trapido, illus.

Hoogstraal, H.; and Camicas, J. L., 1977, J. Parasitol., v. 63 (6), 1099-1102  
description of male

*Eupleres* sp.  
*Eupleres goudotii*  
all from Madagascar

*Haemaphysalis flava*

Fujisaki, K.; Kitaoka, S.; and Morii, T., 1976, National Inst. Animal Health Quart., v. 16 (3), 122-128

comparative observations, feeding, molting, oviposition and hatching, ixodid ticks, laboratory cultural conditions

*Haemaphysalis flava*

Kitaoka, S.; and Suzuki, H., 1974, Eisei Dobutsu (Japan. J. San. Zool.), v. 25 (1), 21-26

survey of ticks and their seasonal prevalence in southern Amami-oshima Islands

*Haemaphysalis flava* Neum.

Kolonin, G. V.; and Bolotin, E. I., 1975, Zool. Zhurnal, v. 54 (4), 616-617

[*Homo sapiens*]

*Cervus elaphus*

all from Kavalerovsk region, Primorsk kraia

**Haemaphysalis flava Neumann (1897)**  
 Otsuka, H.; and Yoshimura, S., 1976, Bull.  
 Fac. Agric. Univ. Miyazaki, v. 23 (2), 511-515  
 Babesia gibsoni, dog, transmission experi-  
 ment using Haemaphysalis flava showed that  
 this tick did not participate in either  
 transovarial or stage-to-stage transmission

**Haemaphysalis flava Neumann, 1897**  
 Takada, N.; and Yamaguchi, T., 1974, Eisei  
 Dobutsu (Japan. J. San. Zool.), v. 25 (1), 35-  
 40  
*Selenarctos thibetanus japonicus*  
*Nyctereutes procyonoides viverrinus*  
*Lepus brachyurus angustidens*  
*Sciurus lis*  
 all from Honshu, Japan

**Haemaphysalis formosensis**  
 Fujisaki, K.; Kitaoka, S.; and Morii, T.,  
 1976, National Inst. Animal Health Quart., v.  
 16 (3), 122-128  
 comparative observations, feeding, molting,  
 oviposition and hatching, ixodid ticks,  
 laboratory cultural conditions

**Haemaphysalis formosensis**  
 Kitaoka, S.; and Fujisaki, K., 1976, National  
 Inst. Animal Health Quart., v. 16 (3), 114-121  
 tick larvae, nymphs, accumulating process,  
 concentration ratios, ingested blood meals

**Haemaphysalis formosensis**  
 Kitaoka, S.; and Suzuki, H., 1974, Eisei  
 Dobutsu (Japan. J. San. Zool.), v. 25 (1),  
 21-26  
 seasonal prevalence  
*Sus riukiuanus*  
*Canis familiaris*  
*+Pentalagus furnessi (nest)*  
*Corvus levaillantii connectens*  
*Scolopax rusticola mira*  
 all from southern Amami-oshima Islands

**Haemaphysalis hispanica Gil Collado, 1938**  
 Sanchez Acedo, C.; and Ramon Vericad, J.,  
 1973, Rev. Iber. Parasitol., v. 33 (1), 29-38  
*Sus scrofa*: Alto Aragon

**Haemaphysalis humerosa**  
 Doube, B. M.; and Heath, A. C. G., 1975, J.  
 Med. Entom., v. 12 (4), 443-447  
*Isoodon macrourus*: Queensland

**Haemaphysalis hystricis**  
 Fujisaki, K.; Kitaoka, S.; and Morii, T.,  
 1976, National Inst. Animal Health Quart., v.  
 16 (3), 122-128  
 comparative observations, feeding, molting,  
 oviposition and hatching, ixodid ticks,  
 laboratory cultural conditions

**Haemaphysalis hystricis**  
 Kitaoka, S.; and Fujisaki, K., 1976, National  
 Inst. Animal Health Quart., v. 16 (3), 114-121  
 tick larvae, nymphs, accumulating process,  
 concentration ratios, ingested blood meals

**Haemaphysalis hystricis**  
 Kitaoka, S.; and Suzuki, H., 1974, Eisei  
 Dobutsu (Japan. J. San. Zool.), v. 25 (1),  
 21-26  
 seasonal prevalence  
*Sus riukiuanus*  
*Canis familiaris*  
*+Pentalagus furnessi (nest)*  
 all from southern Amami-oshima Islands

**Haemaphysalis hystricis Supino**  
 Van Peenen, P. F. D.; et al., 1977, J. Proto-  
 zool., v. 24 (2), 310-312  
*Bandicota indica nemorivaga*  
*Rattus coxinga*  
 all from Taiwan

**Haemaphysalis inermis**  
 Blaskovic, D.; and Nosek, J., 1972, Progr. Med.  
 Virol., v. 14, 275-320  
 tick-borne encephalitis, epidemiology and  
 public health importance, ecologic study of  
 ticks, their mammalian hosts and means of  
 disease control: Tribec area

**Haemaphysalis inermis, illus.**  
 Rajcany, J.; et al., 1976, Zentralbl. Bak-  
 teriol., 1. Abt. Orig., Reihe A, v. 236 (1),  
 1-9  
*Dermacentor reticulatus*, *D. marginatus*,  
*Haemaphysalis inermis*, morphology of mouth  
 parts, host reactions to feeding and attach-  
 ment, encephalitis virus transmission

**Haemaphysalis inermis**  
 Trifonov, T., 1975, Vet. Med. Nauki, v. 12 (5),  
 70-79  
 ticks of farm and wild animals, seasonal  
 distribution: Burgas district [and/or]  
 Michurin

**Haemaphysalis inermis Bir.**  
 Usdenskaia, I. G., 1971, Parazity Zhivot. i  
 Rasten., Akad. Nauk Moldavsk. SSR (7), 115-121  
 ixodid ticks, influence of cultivated land  
 on distribution: Moldavia

**Haemaphysalis japonica**  
 Kolonin, G. V.; and Bolotin, E. I., 1975,  
 Zool. Zhurnal, v. 54 (4), 616-617  
*Cervus elephas*: Kavalerovsk region, Pri-  
 morsk kraia

**Haemaphysalis japonica Warburton, 1908**  
 Takada, N.; and Yamaguchi, T., 1974, Eisei  
 Dobutsu (Japan. J. San. Zool.), v. 25 (1), 35-  
 40  
*Selenarctos thibetanus japonicus*: Honshu,  
 Japan

**Haemaphysalis japonica douglasi Nut. et Warb.**  
 Savitskii, B. P.; and Savitskaiia, G. M., 1976,  
 Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst.  
 Zool. (2), 19-23  
 inhabitation of forests and pastures by ticks  
 transferred by domestic and wild animals  
 [*Bos taurus*]: Lower and Middle Amur flood  
 plain

- Haemaphysalis juxtakochi** Cooley, 1946  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 Syn.: *Haemaphysalis kochi* Aragao, 1908  
*Dasyprocta aguti*  
*Mazama americana*  
*Tapirus terrestris*  
*human*  
*Mazama gouazoubira*  
*Sylvilagus floridanus*  
*Carollia perspicillata*  
*Sciurus aestuans*  
*Sciurus igniventris*  
*Dasyprocta fuliginosa*  
*Tayassu tajacu*  
*Cebus nigrivittatus*  
 all from Venezuela
- Haemaphysalis juxtakochi**  
 Varma, M. G. R., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (1), 92-102  
*Equus caballus*: British Honduras
- Haemaphysalis (Ornithophysalis) kadarsani** sp. n., illus.  
 Hoogstraal, H.; and Wassef, H. Y., 1977, J. Parasitol., v. 63 (6), 1103-1109  
*Rattus dominator*: Central Sulawesi (Celebes), Indonesia (Kuala Navusu, Malakosa; Sungai Miu; Sadaunta)
- Echthoix leucura*: Central Sulawesi (Celebes), Indonesia (Kuala Navusu, Malakosa)
- Haemaphysalis kitaokai**  
 Fujisaki, K.; Kitaoka, S.; and Morii, T., 1976, National Inst. Animal Health Quart., v. 16 (3), 122-128  
 comparative observations, feeding, molting, oviposition and hatching, ixodid ticks, laboratory cultural conditions
- Haemaphysalis kitaokai**  
 Kitaoka, S.; and Fujisaki, K., 1976, National Inst. Animal Health Quart., v. 16 (3), 114-121  
 tick larvae, nymphs, accumulating process, concentration ratios, ingested blood meals
- Haemaphysalis kochi** Aragao, 1908  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Haemaphysalis juxtakochi* Cooley, 1946
- Haemaphysalis kyasanurensis**  
 Bhat, H. R.; et al., 1976, Indian J. Med. Research, v. 64 (11), 1566-1570  
*Haemaphysalis kyasanurensis* on *Hystrix indica*, possible role as vector of KFD [Kyasanur Forest disease] virus
- Haemaphysalis leachi**  
 Ashford, R. W.; et al., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (4), 568-601  
*Praomys albipes*: Kutaber area, Ethiopia
- Haemaphysalis leachi**  
 Bianco, A. E., 1975, Tr. Roy. Soc. Trop. Med. and Hyg., v. 69 (4), 429 [Demonstration]  
*Ackertia globulosa* in *Meriones unguiculatus*, a new rodent filaria as possible model for studying diagnostic techniques and chemotherapy for onchocerciasis, *Haemaphysalis leachi* apparently natural vector for *Ackertia globulosa*
- Haemaphysalis leachi group**  
 Clifford, C. M.; Flux, J. E. C.; and Hoogstraal, H., 1976, J. Med. Entom., v. 13 (1), 40-47  
 Ixodidae on *Lepus*, seasonal and regional abundance, age and sex of host  
*Lepus capensis*: Kenya  
*L. crawshayi*: Kenya; Uganda
- Haemaphysalis leachii** (Audouin, 1827)  
 d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
*Phacochoerus*: Africa
- Haemaphysalis leachi**  
 Mathewson, M. D.; and Baker, J. A. F., 1975, J. South African Vet. Ass., v. 46 (4), 341-344  
 susceptible to arsenic: Republic of South Africa; Swaziland
- Haemaphysalis leachi**  
 Muller, R. L.; and Nelson, G. S., 1975, J. Parasitol., v. 61 (4), 606-609  
*Lemniscomys striatus* striatus (ear): Machakos and Nairobi areas of Kenya
- Haemaphysalis leachii leachii**  
 Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
 Argasidae and Ixodidae, geographic distribution in Ethiopia chien: Ethiopia
- Haemaphysalis leachii leachii**  
 Bianco, A. E.; and Muller, R. L., 1977, Tr. Roy. Soc. Trop. Med. and Hyg., v. 71 (5), 383 [Demonstration]  
*Haemaphysalis leachii leachii* as vector of *Ackertia globulosa* for rodent hosts, tick attachment and adaptations in both tick and nematode life cycles which enable tick to serve as vector
- Haemaphysalis leachii muhsami**  
 Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
 Argasidae and Ixodidae, geographic distribution in Ethiopia
- Haemaphysalis leachii muhsami**  
 Norval, R. A. I., 1976, Rhodesian Vet. J., v. 7 (3), 63  
*Haemaphysalis leachii muhsami*, *Amblyomma nuttalli*, *A. hebraicum*, lizards as opportunist tick predators, ticks found in lizard stomachs or lizards observed feeding on ticks
- Haemaphysalis leporis** Neumann, 1897  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Haemaphysalis leporispalustris* (Packard, 1869)
- Haemaphysalis leporispalustris** (Packard)  
 Amin, O. M., 1973, J. Med. Entom., v. 10 (1), 110-111  
*Bonasa umbellus*: Lily, Langlade, Wisconsin

*Haemaphysalis leporis-palustris*  
 Berry, R. L.; et al., 1975, Am. J. Trop. Med. and Hyg., v. 24 (6, pt. 1), 992-998  
 arthropods collected and tested as carriers of California encephalitis, negative for virus isolations: Gambier, Ohio

*Haemaphysalis leporispalustris* (Packard)  
 Boese, J. L., 1974, J. Med. Entom., v. 11 (5), 503-512  
*Haemaphysalis leporispalustris*, rabbits (exper.), progressive development of host resistance with repeated nymphal infestations depends on frequency rather than intensity of infestations, homocytotropic antibody found in sera of immune rabbits

*Haemaphysalis leporispalustris*  
 Brittain, P. C.; and Voth, D. R., 1975, J. Wildlife Dis., v. 11 (2), 269-271  
*Lepus californicus melanotis* (head and neck region): Rocky Mountain Arsenal near Denver, Colorado

*Haemaphysalis leporispalustris*  
 Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
*Turdus migratorius*  
*Sturnus vulgaris*  
*Passer domesticus*  
*Agelaius phoeniceus*  
 all from South Bass Island, Ottawa County, Ohio

*Haemaphysalis leporispalustris*  
 Coultrip, R. L.; et al., 1973, J. Med. Entom., v. 10 (3), 303-309  
 fleas, ticks, mammals, survey for vectors and reservoir hosts of Rocky Mountain spotted fever and sylvatic plague, serological evidence for presence of rickettsial agent but presence of plague not demonstrated  
*Sylvilagus bachmani*  
*Lepus californicus*  
 all from Fort Ord, California

*Haemaphysalis leporispalustris*  
 Drenner, R. W.; and Camin, J. H., 1977, J. Kansas Entom. Soc., v. 50 (4), 514 [Abstract]  
*Haemaphysalis leporispalustris*, climbing behavior of larvae, role in host-finding and host specificity

*Haemaphysalis leporispalustris*  
 Harman, D. M.; and Chapman, J. A., 1977, Proc. Pennsylvania Acad. Sc., v. 51 (1), 40-42  
*Cediopsylla simplex*, *Odontophyllus multi-spinosus*, *Ixodes dentatus*, and *Haemaphysalis leporispalustris* on *Sylvilagus transitionalis*, seasonal distribution, sex and age of host: Tucker County, West Virginia

*Haemaphysalis leporispalustris*  
 Jacobson, H. A.; and Kirkpatrick, R. L., 1974, J. Wildlife Dis., v. 10 (4), 384-391  
 comparison of selected physiological measurements in untreated parasitized cottontail rabbits and those treated with 1-tetramisole hydrochloride and 2,2-dichlorovinyl, dimethyl phosphate: Montgomery County, Virginia

*Haemaphysalis leporispalustris* (Packard, 1869)  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 synonymy  
*Sylvilagus floridanus*: Venezuela

*Haemaphysalis leporispalustris* (Packard)  
 Patrick, C. D.; and Hair, J. A., 1975, J. Med. Entom., v. 12 (3), 389-390  
 multi-host ticks, laboratory rearing procedures and equipment

*Haemaphysalis leporispalustris*  
 Rotramel, G. L.; Schwan, T. G.; and Doty, R. E., 1976, Am. J. Epidemiol., v. 104 (3), 287-293  
 geographic, seasonal and host distribution of suspected tick vectors and correlation with reported cases of Rocky Mountain spotted fever: California

*Haemaphysalis leporispalustris*  
 Sonenshine, D. E.; and Clifford, C. M., 1973, J. Med. Entom., v. 10 (5), 497-502  
*Ixodes dentatus*, *Haemaphysalis leporispalustris*, incidence of Rocky Mountain spotted fever in ticks infesting birds; tick-host relationships between Piedmont and eastern coastal area compared  
 sparrow, white-throated  
 sparrow, song  
 sparrow, swamp  
 junco, slate-colored  
 thrush, Swainson's  
 veery  
 thrush, hermit  
 thrush, wood  
 catbird  
 thrush, gray-cheeked  
 robin  
 thrasher, brown  
 towhee, rufous-sided  
 cardinal  
 blue jay  
 grackle, common  
 wren, Carolina  
 warbler, myrtle  
 ovenbird  
 waterthrush, northern  
 chat, yellow-breasted  
 warbler, black-throated blue  
 redstart, American  
 yellowthroat  
 all from coastal eastern United States

*Haemaphysalis leporispalustris* (Packard)  
 Stone, J. E.; and Pence, D. B., 1977, J. Parasitol., v. 63 (3), 463  
*Felis rufus*: near Benjamin, Knox County, west Texas

*Haemaphysalis leporispalustris* (Packard)  
 Wilkinson, P. R.; and Garvie, M. B., 1975, J. Med. Entom., v. 12 (4), 480  
*Dermacentor variabilis* and *Haemaphysalis leporispalustris* feeding concurrently on *Lepus americanus struthopus*, possibility of birds or rodents ingesting infected ticks, implications for circulation of Rocky Mountain spotted fever rickettsiae between bird-Haemaphysalis-lagomorph cycle and rodent-Dermacentor-larger mammal cycle: near Caledonia, Nova Scotia

- Haemaphysalis leporis* var. *proxima* Aragao, 1911  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Haemaphysalis leporispalustris* (Packard, 1869)
- Haemaphysalis longicornis*  
 Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317  
 ixodid and argasid ticks, fine structure and function of palpal receptor organ
- Haemaphysalis longicornis*  
 Doube, B. M.; and Heath, A. C. G., 1975, J. Med. Entom., v. 12 (4), 443-447  
*Isoodon macrourus*: Queensland  
*Bos taurus* (exper.)
- Haemaphysalis longicornis*  
 Fujisaki, K.; Kitaoka, S.; and Morii, T., 1976, National Inst. Animal Health Quart., v. 16 (3), 122-128  
 comparative observations, feeding, molting, oviposition and hatching, ixodid ticks, laboratory cultural conditions
- Haemaphysalis longicornis* Neumann  
 Heath, A. C. G., 1977, Tuatara, v. 23 (1), 26-39  
 zoogeography of the New Zealand tick fauna, possible origins, collection and preservation
- Haemaphysalis longicornis*  
 Heath, A. C. G.; et al., 1977, N. Zealand J. Agric. Research, v. 20 (1), 19-22  
*Haemaphysalis longicornis*, dipped and undipped sheep, tick counts, blood analysis, live-weight gain, wool production and quality: New Zealand
- Haemaphysalis longicornis*  
 Kitaoka, S.; and Fujisaki, K., 1976, National Inst. Animal Health Quart., v. 16 (3), 114-121  
 tick larvae, nymphs, accumulating process, concentration ratios, ingested blood meals
- Haemaphysalis longicornis*  
 Oliver, J. H., jr.; and Herrin, C. S., 1976, J. Parasitol., v. 62 (3), 475-484  
*Haemaphysalis longicornis*, differential morphological variation in relation to reproduction method (bisexual vs. parthenogenetic), sex, and chromosomal ploidy level
- Haemaphysalis mageshimaensis*  
 Fujisaki, K.; Kitaoka, S.; and Morii, T., 1976, National Inst. Animal Health Quart., v. 16 (3), 122-128  
 comparative observations, feeding, molting, oviposition and hatching, ixodid ticks, laboratory cultural conditions
- Haemaphysalis megaspinosa*  
 Fujisaki, K.; Kitaoka, S.; and Morii, T., 1976, National Inst. Animal Health Quart., v. 16 (3), 122-128  
 comparative observations, feeding, molting, oviposition and hatching, ixodid ticks, laboratory cultural conditions
- Haemaphysalis megaspinosa*  
 Kitaoka, S.; and Fujisaki, K., 1976, National Inst. Animal Health Quart., v. 16 (3), 114-121  
 tick larvae, nymphs, accumulating process, concentration ratios, ingested blood meals
- Haemaphysalis megaspinosa*  
 Kitaoka, S.; and Suzuki, H., 1974, Eisei Dobutsu (Japan. J. San. Zool.), v. 25 (1), 21-26  
 survey of ticks and their seasonal prevalence in southern Amami-oshima Islands
- Haemaphysalis micropla* Canestrini, 1887  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Boophilus microplus* (Canestrini, 1887)
- Haemaphysalis morela*  
 Ashford, R. W.; et al., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (4), 568-601  
 dog: Kutaber area, Ethiopia
- Haemaphysalis moreli*  
 Converse, J. D.; et al., 1974, Tr. Roy. Soc. Trop. Med. and Hyg., v. 68 (5), 411-412 [Letter]  
 Cameroun
- Haemaphysalis nadchatrami*  
 Stiller, D.; Sivanandam, S.; and Abu Hassan, R. B., 1977, Southeast Asian J. Trop. Med. and Publ. Health, v. 8 (1), 132-133 [Demonstration] *Brugia malayi*, B. pahangi, failure to develop beyond microfilarial stage in nymphs of *Haemaphysalis nadchatrami* fed on infected cats
- Haemaphysalis numidiana*  
 Tovornik, D., 1970, Acta Parasitol. Jugoslavica, v. 1 (1-2), 103-106  
 as syn. of *Haemaphysalis erinacei erinacei*
- Haemaphysalis numidiana turanica* Posp.-Str.  
 Amanniazova, R. D., 1975, Izvest. Akad. Nauk Turkmensk. SSR, s. Biol. Nauk (6), 48-54  
 seasonal distribution in different landscapes  
*Rhombomys opimus*: Turkmenistan
- Haemaphysalis obesa*  
 Guru, P. Y.; Dhanda, V.; and Gupta, N. P., 1976, Indian J. Med. Research, v. 64 (7), 1041-1045  
 technique for preparing cell cultures from developing adult tissues of *Haemaphysalis spinigera*, *H. obesa*, and *Rhipicephalus sanguineus*
- Haemaphysalis otophila*, illus.  
 Borut, S.; and Feldman-Muhsem, B., 1976, J. Parasitol., v. 62 (2), 318-320  
*Argasidae* spp., *Ixodidae* spp., in vitro spermiogenesis
- Haemaphysalis otophila* Schulze 1927  
 Mikacic, D., 1972, Acta Parasitol. Jugoslavica, v. 3 (1), 49-54  
 seasonal occurrence: Rab

*Haemaphysalis otophila* P. Sch.  
 Uspenskaia, I. G., 1971, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (7), 115-121  
 ixodid ticks, influence of cultivated land on distribution: Moldavia

*Haemaphysalis papuana* Thorell  
 Bancroft, W. H.; et al., 1976, Am. J. Trop. Med. and Hyg., v. 25 (3), 500-504  
*Haemaphysalis papuana*, isolation of Langat virus: Thailand

*Haemaphysalis paraleachi*  
 Ashford, R. W.; et al., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (4), 568-601  
 dog: Kutaber area, Ethiopia

*Haemaphysalis parmata*  
 Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
 Argasidae and Ixodidae, geographic distribution in Ethiopia  
 cheval  
 zebu  
 all from Ethiopia

*Haemaphysalis parmata*  
 Clifford, C. M.; Flux, J. E. C.; and Hoogstraal, H., 1976, J. Med. Entom., v. 13 (1), 40-47  
 Ixodidae on Lepus, seasonal and regional abundance, age and sex of host  
*Lepus crawshayi*: Kenya

*Haemaphysalis parmata* Neumann, 1905  
 d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
*Potamochoerus*: Africa

*Haemaphysalis pentalagi*  
 Fujisaki, K.; Kitaoka, S.; and Morii, T., 1976, National Inst. Animal Health Quart., v. 16 (3), 122-128  
 comparative observations, feeding, molting, oviposition and hatching, ixodid ticks, laboratory cultural conditions

*Haemaphysalis pentalagi*  
 Kitaoka, S.; and Suzuki, H., 1974, Eisei Dobutsu (Japan. J. San. Zool.), v. 25 (1), 21-26  
 seasonal prevalence  
*Pentalagus furnessi*: southern Amami-oshima Islands

*Haemaphysalis proxima* Aragao, 1909  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Haemaphysalis leporispalustris* (Packard, 1869)

*Haemaphysalis punctata*  
 Blaskovic, D.; and Nosek, J., 1972, Progr. Med. Virol., v. 14, 275-320  
 tick-borne encephalitis, epidemiology and public health importance, ecologic study of ticks, their mammalian hosts and means of disease control: Tribec area

*Haemaphysalis punctata*  
 Brocklesby, D. W.; Morzaria, S. P.; and Harradine, D. L., 1975, Tropenmed. u. Parasitol., v. 26 (3), 295-302  
*Theileria mutans* in cattle (exper.), experimental transmission by *Haemaphysalis punctata*, only transstadial transmission occurred, and after 7 passages there was no evidence of increased virulence

*Haemaphysalis punctata*  
 Brocklesby, D. W.; and Sellwood, S. A., 1973, Research Vet. Sc., v. 14 (1), 47-52  
*Haemaphysalis punctata* collected from vegetation in Kent and Essex transmitted Babesia major to splenectomised calves, infections produced were relatively mild, Babesia major is not a likely cause of disease in British cattle

*Haemaphysalis punctata*  
 Gilot, B., 1975, Bull. Soc. Path. Exot., v. 68 (6), 529-538  
 survey of area ticks as possible vectors of *Rickettsia* spp., *Dermacentor marginatus*, *D. reticulatus* and *Ixodes hexagonus* positive for *R. conori*; *Rhipicephalus sanguineus* and *Haemaphysalis punctata* gave negative results: areas of southern France

*Haemaphysalis punctata* (Can. et Fanz., 1877), illus.  
 Liebisch, A.; Melfsen, J.; and Rahman, M. S., 1976, Berl. u. Munchen. Tierarztl. Wchnschr., v. 89 (24), 477-480  
 Rind: Nordfriesischen Insel Amrum; Ostfriesischen Insel Norderney und Juist

*Haemaphysalis punctata* Canestrini  
 Mikacic, D., 1972, Acta Parasitol. Jugoslavica, v. 3 (1), 49-54  
 seasonal occurrence: Rab and Pag

*Haemaphysalis punctata*  
 Mohammed, A. N., 1976, Tijdschr. Diergeneesk., v. 101 (8), 408-412  
 incidence: Netherlands

H[*aemaphysalis*] punctata  
 Mohammed, A. N., 1976, Tijdschr. Diergeneesk., v. 101 (8), 413-420  
 laboratory maintenance, experimental transmission of *Theileria mutans* in cattle

*Haemaphysalis punctata*  
 Morzaria, S. P.; et al., 1977, Research Vet. Sc., v. 22 (2), 190-193  
 Babesia major derived from *Haemaphysalis punctata* nymphs, cryopreservation, subsequent infectivity for cattle

*Haemaphysalis punctata*  
 Morzaria, S. P.; Bland, P.; and Brocklesby, D. W., 1976, Research Vet. Sc., v. 21 (1), 1-11  
 Babesia major, ultrastructure in infected *Haemaphysalis punctata*, characteristic organelles in *B. major* merozoites confirm this parasite to subphylum Apicomplexa

*Haemaphysalis punctata*, illus.

Morzaria, S. P.; Bland, P.; and Brocklesby, D. W., 1977, Parasitology, v. 75 (1), 125-130  
*Babesia major*, ultrastructure of penetrating stages of merozoites responsible for causing trans-ovarian infection of *Haemaphysalis punctata*

*Haemaphysalis punctata*

Morzaria, S. P.; Brocklesby, D. W.; and Harradine, D. L., 1977, Research Vet. Sc., v. 23 (2), 261-262  
*Babesia major*, adult female *Haemaphysalis punctata* could be infected by feeding on infected calves but larvae and nymphs could not, all stages could transmit the parasite to calves, two syringe passages resulted in complete loss of infectivity to ticks

*Haemaphysalis punctata*

Tovornik, D., 1970, Acta Parasitol. Jugoslavica, v. 1 (1-2), 103-106  
 tick fauna in foci of Central European Encephalitis; list of tick species found on birds: Yugoslavia

*Haemaphysalis punctata*

Trifonov, T., 1975, Vet. Med. Nauki, v. 12 (5), 70-79  
 ticks of farm and wild animals, seasonal distribution: Burgas district [and/or] Michurin

*Haemaphysalis punctata* Can. et Fanz.

Uspenskaia, I. G., 1971, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (7), 115-121  
 ixodid ticks, influence of cultivated land on distribution: Moldavia

*Haemaphysalis punctata*

Vesenjak-Hirjan, J.; et al., 1977, Am. J. Trop. Med. and Hyg., v. 26 (5, part 1), 1003-1008  
*Haemaphysalis punctata*, 2 strains of Bhanja virus isolated from ticks removed from sheep on the island of Brac in Yugoslavian Adriatic

*Haemaphysalis semermis*

Lim, B. L., 1972, Southeast Asian J. Trop. Med. and Pub. Health, v. 3 (4), 605-612  
*Rattus rajah*: rainforests in West Malaysia

*Haemaphysalis silacea*

Matthewson, M. D.; and Baker, J. A. F., 1975, J. South African Vet. Ass., v. 46 (4), 341-344  
 susceptible to arsenic: Republic of South Africa; Swaziland

*Haemaphysalis silacea* Robinson 1912

Norval, R. A. I., 1975, J. Parasitol., v. 61 (4), 730-736  
*Haemaphysalis silacea*, ecology: habitat preferences, distribution in relation to microclimatic conditions, seasonal activity, seasonal occurrence on hosts, sex ratio of ticks, host/tick interactions as result of host daily movements and feeding habits, site of attachment

*Numida meleagris*

*Hagedashia hagedash*

*Pycnonotus barbatus*

*Lamprocolius nitens*

*Haemaphysalis silacea* Robinson 1912-- Continued.

Norval, R. A. I., 1975, J. Parasitol., v. 61 (4), 730-736  
*Corvultur albicollis*  
*Mirafra africana*  
*Aethomys namaquensis*  
*Lepus* sp.  
*Sylvicapra grimmia*  
*Tragelaphus scriptus*  
*Cynictis penicillata*  
*Canis mesomelas*  
*Felis caracal*  
 all from Paardekraal Farm, Kowie River Valley, 15 km SE of Grahamstown, Eastern Cape Province, South Africa

*Haemaphysalis spinigera*

Banerjee, K.; and Bhat, H. R., 1977, Indian J. Med. Research, v. 66 (2), 175-179  
 correlation between numbers of persons infected with Kyasanur forest disease and intensity of infection in the local tick vectors, intensity in *Haemaphysalis spinigera* very significant while that of *H. turturis* is of little importance: India

*Haemaphysalis spinigera*

Banerjee, K.; Guru, P. Y.; and Dhanda, V., 1977, Indian J. Med. Research, v. 66 (4), 530-536

*Haemaphysalis spinigera*, attempts to grow various arboviruses in cell cultures derived from tick tissue; best results with viruses known or thought to be tick transmitted

*Haemaphysalis spinigera* Neumann, 1897

Bhat, H. R., 1977, Indian J. Animal Sc., v. 44 (10), 1974, 750-755

*Haemaphysalis spinigera*, cattle, seasonal distribution, infestation sites: Kyasanur forest disease area, Shimoga district, Karnataka

*Haemaphysalis spinigera*, illus.

Chinery, W. A., 1973, J. Med. Entom., v. 10 (4), 353-362

*Haemaphysalis spinigera*, cement substance at site of attachment and feeding, derived from salivary glands, histochemical study

*Haemaphysalis spinigera*

Guru, P. Y.; Dhanda, V.; and Gupta, N. P., 1976, Indian J. Med. Research, v. 64 (7), 1041-1045

technique for preparing cell cultures from developing adult tissues of *Haemaphysalis spinigera*, *H. obesa*, and *Rhipicephalus sanguineus*

*Haemaphysalis spinulosa*

Ashford, R. W.; et al., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (4), 568-601  
*hyrax*  
*dog*  
 all from Kutaber area, Ethiopia

*Haemaphysalis sulcata*

Trifonov, T., 1975, Vet. Med. Nauki, v. 12 (5), 70-79

ticks of farm and wild animals, seasonal distribution: Burgas district [and/or] Michurin

- Haemaphysalis tauffliebi**  
 Ashford, R. W.; et al., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (4), 568-601  
*Hystrix galeata*: Kutaber area, Ethiopia
- Haemaphysalis turturis**  
 Banerjee, K.; and Bhat, H. R., 1977, Indian J. Med. Research, v. 66 (2), 175-179  
 correlation between numbers of persons infected with Kyasanur forest disease and intensity of infection in the local tick vectors, intensity in *Haemaphysalis spinigera* very significant while that of *H. turturis* is of little importance: India
- Haemaphysalis wellingtoni** Nuttall and Warburton, 1907  
 Bhat, H. R.; and Jacob, P. G., 1977, Indian J. Med. Research, v. 65 (1), 1-7  
*Haemaphysalis wellingtoni*, life cycle, reproduction, direct correlation between amount of blood ingested by females and number of eggs laid by them
- Haemaphysalis yenii**  
 Fujisaki, K.; Kitaoka, S.; and Morii, T., 1976, National Inst. Animal Health Quart., v. 16 (3), 122-128  
 comparative observations, feeding, molting, oviposition and hatching, ixodid ticks, laboratory cultural conditions
- Haematobia**  
 Morgan, C. E.; and Thomas, G. D., 1977, Misc. Publication (1278), U.S. Dept. Agric., 1-38  
*Haematobia irritans irritans*, annotated bibliography including references to *Haematobia irritans exigua* and other *Haematobia*
- Haematobia Lepeletier & Serville**, in Latreille et al., 1828  
 Pont, A. C., 1973, Austral. J. Zool., Suppl. s. (21), 129-296  
 synonymy, key, description
- Haematobia (Haematobia) australis** Malloch, 1932  
 Pont, A. C., 1973, Austral. J. Zool., Suppl. s. (21), 129-296  
 as syn. of *Haematobia irritans exigua* de Meijere
- Haematobia exigua de Meijere** in Schat, 1903  
 Pont, A. C., 1973, Austral. J. Zool., Suppl. s. (21), 129-296  
 as syn. of *Haematobia irritans exigua* de Meijere
- Haematobia irritans (L.)**, illus.  
 Ahrens, E. H., 1977, Southwest. Entom., v. 2 (1), 8-10  
*Haematobia irritans*, cattle, stirofos-impregnated ear tag, good results with protection lasting from 12 to 14 weeks: Hidalgo County, Texas
- Haematobia irritans (L.)**  
 Barker, R. W.; and Butler, J. F., 1977, J. Georgia Entom. Soc., v. 12 (4), 342-346  
 methoprene and phenothiazine mineral blocks provided free of choice to cattle, inhibited development of *Haematobia irritans* in manure, field evaluation
- Haematobia irritans**  
 Beadles, M. L.; Gingrich, A. R.; and Miller, J. A., 1977, J. Econom. Entom., v. 70 (1), 72-75  
*Haematobia irritans*, cattle, simulation of slow-release insecticide devices using dye to determine distribution on body surfaces by self grooming and movement; relation to preferred feeding or resting sites of parasite
- Haematobia irritans**  
 Beadles, M. L.; Miller, J. A.; and Gingrich, A. R., 1977, Southwest. Entom., v. 2 (3), 132-136  
*Haematobia irritans*, time required for sexual maturation, role in sterile-male release programs
- Haematobia irritans**  
 Berry, R. L.; et al., 1975, Am. J. Trop. Med. and Hyg., v. 24 (6, pt. 1), 992-998  
 arthropods collected and tested as carriers of California encephalitis, negative for virus isolations: Gambier, Ohio
- Haematobia irritans**  
 Blume, R. R.; Matter, J. J.; and Eschle, J. L., 1973, J. Med. Entom., v. 10 (6), 596-598  
*Haematobia irritans*, horses, laboratory evaluation of five insecticides, large-cage technique
- Haematobia irritans (L.)**  
 Boxler, D. J.; Shugart, J. I.; and Campbell, J. B., 1977, J. Kansas Entom. Soc., v. 50 (4), 576 [Abstract]  
*Haematobia irritans*, cattle, dichlorvos + stirophos, encapsulated slow-release form, gel bags compared with coumaphos dust bag, neither treatment proved more effective than the other; dichlorvos gel bags gave good results
- Haematobia irritans (L.)**  
 Chamberlain, W. F., 1977, Southwest. Entom., v. 2 (1), 11-15  
*Haematobia irritans*, elemental composition of strontium, magnesium, manganese, and zinc in flies from several geographic areas and cultural conditions, higher levels of elements in females than in males, atomic absorption spectroscopy, possible relationships to source of flies
- Haematobia irritans**  
 Chamberlain, W. F.; et al., 1977, J. Econom. Entom., v. 70 (5), 586-588  
*Haematobia irritans*, fluorescent dyes most satisfactory mechanized technique for marking large numbers of horn flies in sterilized fly release tests
- Haematobia irritans**  
 Chamberlain, W. F.; Matter, J. J.; and Eschle, J. L., 1977, Southwest. Entom., v. 2 (2), 73-78  
*Haematobia irritans*, use of trace elements as markers, critical analysis; rubidium, magnesium, manganese and strontium nontoxic but do not persist after 3 to 7 days

- Haematobia irritans (L.)**  
Eschle, J. L.; Miller, J. A.; and Schmidt, C. D., 1977, Nature, London (5592), v. 265, 325-326  
Haematobia irritans, cattle, attempted control by combined effect of an insect growth regulator (methoprene) in drinking water plus release of sterile males: Molokai, Hawaii
- Haematobia irritans**  
Gingrich, A. R.; and Hopkins, D. E., 1977, J. Econom. Entom., v. 70 (1), 107-108  
Haematobia irritans, 3rd-instars exposed to insect growth regulator, methoprene, adult emergence inhibited, no effect on 1st-, 2nd-instars or pupae
- Haematobia irritans (L.)**  
Hopkins, D. E.; and Chamberlain, W. F., 1976, Southwest Entom., v. 1 (3), 114-117  
Haematobia irritans, exposure of egg, larval, and pupal stages to manure of diflubenzuron treated cattle, inhibited development during early part of 3rd instar
- Haematobia irritans (L.)**  
Kunz, S. E.; et al., 1977, J. Econom. Entom., v. 70 (3), 298-300  
Haematobia irritans, cattle, diflubenzuron, inhibited development of eggs and larvae: Falls County, Texas
- Haematobia irritans (L.)**  
Kunz, S. E.; and Bay, D. E., 1977, Southwest. Entom., v. 2 (1), 27-31  
Haematobia irritans, effects of diflubenzuron on mortality, fecundity, and reproduction, results show that fecundity and longevity were unaffected while egg hatch and larval development were reduced
- Haematobia irritans**  
Kunz, S. E.; and Cunningham, J. R., 1977, Southwest. Entom., v. 2 (2), 79-87  
Haematobia irritans, population prediction equation using environmental factors, reproductive bionomics, seasonal distribution, emergence, overwintering: Texas
- Haematobia irritans (L.)**  
Kunz, S. E.; Eschle, J. L.; and Cunningham, J. R., 1975, J. Med. Entom., v. 12 (5), 513-517  
Haematobia irritans, sterile-male technique for control, comparison of 2 methods of monitoring fecundity and egg hatch in native population following sterile male release, field trials: West Texas
- Haematobia irritans (L.)**  
Kunz, S. E.; Hogan, B. F., and Eschle, J. L., 1976, Southwest. Entom., v. 1 (1), 46-48  
Haematobia irritans, cattle, population bionomics, reproduction: west Texas
- Haematobia irritans (L.)**  
Miller, J. A.; et al., 1976, J. Econom. Entom., v. 69 (3), 330-332  
methoprene, insect growth regulator, applied to drinking water of cattle, inhibited development of Haematobia irritans in manure
- Haematobia irritans (L.)**  
Miller, J. A.; et al., 1977, J. Econom. Entom., v. 70 (2), 179-182  
techniques for shipping large numbers of Haematobia irritans, O<sub>2</sub> depletion and CO<sub>2</sub> accumulation critical factors in survival of flies, laboratory and field trials
- Haematobia irritans**  
Miller, J. A.; et al., 1977, J. Econom. Entom., v. 70 (5), 589-591  
Haematobia irritans, cattle, control by sustained-release bolus formulation containing 1% methoprene, bolus retained in reticulum, inhibited development of H. irritans in manure for 10-12 weeks
- Haematobia (Lyperosia) irritans (Linn.)**  
Parsons, A. J., 1977, Vet. Rec., v. 100 (16), 341-342  
cattle: south Somerset; west Dorset
- Haematobia irritans**  
Paysinger, J. T.; and Adkins, T. R., jr., 1977, J. Georgia Entom. Soc., v. 12 (3), 255-260  
Haematobia irritans, cattle fed methoprene in mineral supplements, decrease of adult horn fly counts on cattle and adult emergence in fecal samples
- Haematobia irritans**  
Schmidt, C. D.; et al., 1976, Southwest. Entom., v. 1 (1), 49-51  
Haematobia irritans, modified laboratory rearing methods
- Haematobia irritans (L.)**  
Shugart, J. I.; and Lloyd, J. E., 1977, J. Kansas Entom. Soc., v. 50 (4), 612 [Abstract]  
Haematobia irritans, Hypoderma lineatum, Hypoderma bovis, cattle, tiguvon, forced use at watering station, good results: Wyoming
- Haematobia irritans (L.)**  
Summerlin, J. W.; et al., 1977, Environment: Entom., v. 6 (3), 440-442  
Haematobia irritans, suppression of horn fly populations with Onthophagus gazella and Solenopsis invicta
- Haematobia irritans (L.)**  
Watts, K. J.; and Combs, R. L., jr., 1977, Environment. Entom., v. 6 (6), 823-826  
hymenopterous parasites of Haematobia irritans, efficiency as biological control agents: Oktibbeha County, Mississippi
- Haematobia irritans exigua (de Meijere)**  
Morgan, C. E.; and Thomas, G. D., 1977, Misc. Publication (1278), U.S. Dept. Agric., 1-38  
Haematobia irritans exigua, annotated bibliography including references to Haematobia irritans exigua and other Haematobia
- Haematobia irritans exigua de Meijere, illus.**  
Pont, A. C., 1973, Austral. J. Zool., Suppl. s. (21), 129-296  
synonymy, description, review: Australia

- Haematobia irritans irritans* (L.)  
Morgan, C. E.; and Thomas, G. D., 1977, Misc. Publication (1278), U.S. Dept. Agric., 1-38  
*Haematobia irritans irritans*, annotated bibliography including references to *Haematobia irritans exigua* and other *Haematobia*
- Haematobia stimulans* Mg.  
Drobishchenko, N. I.; and Shol, V. A., 1975, Entom. Obozr., v. 54 (2), 342-245  
*Haematobia stimulans*, life cycle, egg to adult, under conditions approximating the natural conditions of the southern Altai
- Haematobia thirouxi* (Roubad)  
Iwuala, M. O. E.; and Onyeka, J. O. A., 1977, Environment. Entom., v. 6 (1), 43-49  
survey of domestic fly population, distribution patterns, diurnal and seasonal variations: Nsukka, East Central State, Nigeria
- Haematomyzus elephantis*, illus.  
Kane, K. K.; Corwin, R. M.; and Boever, W. J., 1976, J. Am. Vet. Med. Ass., v. 169 (9), 906-908  
*Haematomyzus elephantis*-infested *Elephas indicus*, brief description, treatment with Theradex (lindane-based shampoo)
- Haematomyzus hopkinsi* Clay, 1963  
Rodhain, F., 1976, Ann. Parasitol., v. 51 (4), 473-475  
*Phacochoerus aethiopicus*: Sud-Est de l'Ethiopie
- Haematopinoides squamosus* (Osborn)  
Whitaker, J. O., jr.; and Schmeltz, L. L., 1974, Proc. Indiana Acad. Sc., v. 83, 1973, 478-481  
*Scalopus aquaticus* (fur): Indiana
- Haematopinus Leach*, 1815  
Zlotorzycka, J.; Eichler, W.; and Ludwig, H., 1974, Parasitol. Schriftenr., v. 22, 1-160  
lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *H. asini asini* (Linnaeus, 1758); *H. asini macrocephalus* (Burmeister, 1838); *H. bufalieuropaei* (Latreille, 1800); *H. eurysternus* (Nitzsch, 1818); *H. suis* (Linnaeus, 1758)
- Haematopinus acanthopus* var. *affinis* (Burm.)  
Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16  
as syn. of *Hoplopleura affinis* (Burmeister)
- Haematopinus affinis* (Burm.)  
Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16  
as syn. of *Hoplopleura affinis* (Burmeister)
- Haematopinus aperis* Ferris, 1933, illus.  
Sanchez Acedo, C.; and Ramon Vericad, J., 1973, Rev. Iber. Parasitol., v. 33 (1), 29-38  
*Sus scrofa*: Alto Aragon
- Haematopinus asini Linnaeus*  
Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397  
seasonal distribution  
*Asinus asinus* and/or *Equus caballus* (mane): Hissar and suburbs, India
- Haematopinus eurysternus*  
Frick, W., 1977, Monatsh. Vet.-Med., v. 32 (8), 291-294  
different concentrations of dichlorvos, cattle
- Haematopinus eurysternus* Denny  
Meleney, W. P.; and Roberts, I. H., 1975, J. Parasitol., v. 61 (5), 956-959  
3 insect juvenile hormone mimics used as sprays for control of *Haematopinus eurysternus* on cattle resulted in significant reduction of lice and in concomitant severe skin lesions associated with death or incomplete development of *Hypoderma* sp., therefore unsafe for use on mature cattle harboring both grubs and lice
- Haematopinus eurysternus*  
Misra, S. C., 1974, Indian J. Animal Research v. 8 (2), 87-88  
cow calves, ectopar, highly effective
- Haematopinus eurysternus*  
Neuhäuser, H., 1974, Vet. Med. Rev. (4), 348-361  
cattle lice, Tiguvon Spot-on, compared with Tiguvon Pour-on: Australia
- Haematopinus eurysternus*  
Oberg, C.; Diaz, L.; and Valenzuela, G., 1974, Bol. Chileno Parasitol., v. 29 (3-4), 99-102  
*Bos taurus*: Chile
- Haematopinus eurysternus*  
Ormazdi, H.; and Baker, K.P., 1977, Vet. Parasitol., v. 3 (1), 85-88  
cattle, added benefit of national warble fly eradication scheme (annual dressing with pour-on organophosphorus compounds) is considerable reduction in pediculosis: Northern Ireland compared with Republic of Ireland
- Haematopinus eurysternus*  
Patyk, S.; and Kliszewski, W., 1976, Med. Wet., v. 32 (8), 471-473  
ectoparasites, domestic animals, control with enolophosphates IPO-62 and IPO-63
- Haematopinus (Polyplax) quadridentatus* Neumann, 1901  
Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
as syn. of *Hoplopleura quadridentata* (Neumann)
- Haematopinus suis*  
Dipeolu, O. O., 1975, Nigerian J. Animal Prod., v. 2 (2), 222-226  
pigs: Ibadan and Eruwa, Western Nigeria

- Haematopinus suis**  
Frick, W., 1977, Monatsh. Vet.-Med., v. 32 (8), 291-294  
different concentrations of dichlorvos, swine
- Haematopinus suis, illus.**  
Greco, V.; and Saly, A., 1976, Veterinarstvi, v. 26 (6), 258-259  
**Haematopinus suis, swine, testing of several insecticides**
- Haematopinus suis (L.)**  
Knapp, F. W.; Christensen, C. M.; and Whiteker, M. D., 1977, J. Animal Sc., v. 45 (2), 216-218  
**Haematopinus suis, hogs, fenthion spot treatment, efficacy, superior to crotoxyphos + vapona**
- Haematopinus suis Florence, illus.**  
Kumar, P.; and Somadder, K., 1976, Indian J. Entom., v. 36 (4), 1974, 355-358  
**Haematopinus suis, Pediculus humanus, and Linognathus vituli, hatching organ, description and mechanism**
- Haematopinus suis (L.)**  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
pig  
dog  
all from New Hebrides
- Haematopinus suis**  
Oberg, C.; Diaz, L.; and Valenzuela, G., 1974, Bol. Chileno Parasitol., v. 29 (3-4), 99-102  
**Sus scrofa: Chile**
- Haematopinus suis**  
Okon, E. D., 1976, Trop. Animal Health and Prod., v. 8 (2), 96  
B[abesia] trautmanni, Eperythrozoon, Haematopinus suis, pigs, incidence of infection according to host age groups: Ibadan, Nigeria
- Haematopinus suis**  
Patyk, S.; and Kliszewski, W., 1976, Med. Wet., v. 32 (8), 471-473  
ectoparasites, domestic animals, control with enolophosphates IPO-62 and IPO-63
- Haematopinus suis**  
Pospisil, V. F.; and Greco, V., 1977, Biologia, Bratislava, v. 32 (11), s. B, Zool. (4), 861-867  
**Haematopinus suis, larvae and adults, influence of different temperatures, optimal range 31.6-32.4°C**
- Haematopinus suis Linneo, 1758**  
Sanchez Acedo, C.; and Ramon Vericad, J., 1973, Rev. Iber. Parasitol., v. 33 (1), 29-38  
**Sus scrofa: Alto Aragon**
- Haematopinus suis Linnaeus**  
Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397  
seasonal distribution  
**Sus scrofa (body): Hissar and suburbs, India**
- Haematopinus tuberculatus**  
Misra, S. C., 1974, Indian J. Animal Research v. 8 (2), 87-88  
**buffalo calves, ectopar, highly effective**
- Haematopinus tuberculatus**  
Neuhäuser, H., 1974, Vet. Med. Rev. (4), 348-361  
**cattle lice, Tiguvon Spot-on, compared with Tiguvon Pour-on: Australia**
- Haematopinus tuberculatus Burmeister**  
Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397  
seasonal distribution  
**Bubalus bubalis (under ears, scapular region, back, groin): Hissar and suburbs, India**
- Haemodipsus Enderlein, 1904**  
Zlotorycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: H. (Haemodipsides) ventricosus (Denny, 1842)
- Haemodipsus lyriocephalus (Burm.)**  
Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16  
synonymy  
**Lepus europaeus: Iran**
- Haemodipsus lyriocephalus (Burmeister, 1839)**  
Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
**Lepus capensis: Nigeria**
- Haemodipsus lyriocephalus**  
Kutzer, E.; and Frey, H., 1976, Berl. u. München. Tierärztl. Wochenschr., v. 89 (24), 480-483  
**Lepus europaeus: Austria**
- Haemodipsus lyriocephalus**  
Shepherd, R. C. H.; et al., 1977, J. Austral. Entom., v. 16 (1), 1-5  
**Lepus europaeus: Point Cook, central Victoria**
- Haemodipsus setoni**  
Brittain, P. C.; and Voth, D. R., 1975, J. Wildlife Dis., v. 11 (2), 269-271  
**Lepus californicus melanotis: Rocky Mountain Arsenal near Denver, Colorado**

- Haemodipsus setoni**  
Kutzer, E.; and Frey, H., 1976, Berl. u. Munchen. Tierarztl. Wchnschr., v. 89 (24), 480-483  
*Lepus europaeus*: Austria
- Haemodipsus setoni**  
Shepherd, R. C. H.; et al., 1977, J. Austral. Entom., v. 16 (1), 1-5  
*Lepus europaeus*: Point Cook, central Victoria
- Haemodipsus ventricosus** (Denny)  
Shepherd, R. C. H.; and Edmonds, J. W., 1977, J. Austral. Entom. Soc., v. 16 (3), 237-244  
*Leporacarus gibbus*, *Cheyletiella parasitivorax*, and *Haemodipsus ventricosus* on *Oryctolagus cuniculus*, infestation rates, seasonal variation, sex ratios of *Leporacarus gibbus*, age and sex of host: Victoria
- Haemogamasidae [sp.]**  
Harinasuta, C.; Guptavani, P.; and Vasuvat, C., 1974, Southeast Asian J. Trop. Med. and Publ. Health, v. 5 (1), 105-127  
*Rattus spp.*: mangrove areas of Thailand
- Haemogamasus**  
Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates: Schleswig-Holstein
- Haemogamasus**  
Redington, B. C., 1971, Acarologia, v. 12 (4), 643-667  
key to species
- Haemogamasus sp.**  
Amin, O. M., 1976, Great Lakes Entom., v. 9 (4), 195-198  
*Blarina brevicauda*: Kenosha County, Wisconsin
- Haemogamasus sp.**  
Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Peromyscus leucopus noveboracensis*: Coles County, Illinois
- Haemogamasus sp.**  
Evseeva, V. E.; and Naumov, R. L., 1975, Zool. Zhurnal, v. 54 (1), 151-153  
*Ochotona alpina*: Western Sayan Mountains
- Haemogamasus alaskensis** Ewing, 1925  
Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Haemogamasus ambulans* (Thorell, 1872)
- Haemogamasus ambulans** (Thor.)  
Diusembaev, E. B.; and Chelebiev, K. A., 1975, Zool. Zhurnal, v. 54 (1), 124-127  
*Lagurus lagurus* (nest): Karagandinsk oblast
- Haemogamasus ambulans** (Thorell, 1872)  
Redington, B. C., 1971, Acarologia, v. 12 (4), 643-667  
synonymy, key
- Haemogamasus ambulans**: Bregetova, 1953; Evans and Till, 1966  
Redington, B. C., 1971, Acarologia, v. 12 (4), 643-667  
as syn. of *Haemogamasus ambulans* (Thorell, 1872)
- Haemogamasus ambulans**: Furman, 1957 [et auct.]  
Redington, B. C., 1971, Acarologia, v. 12 (4), 643-667  
as syn. of *Haemogamasus reidi* Ewing, 1925
- Haemogamasus ambulans**: Keegan, 1951, partim  
Redington, B. C., 1971, Acarologia, v. 12 (4), 643-667  
as syn. of *Haemogamasus nidi* Michael, 1892
- Haemogamasus ambulans**  
Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Sorex fumeus*  
*S. palustris*  
all from Fires Creek area, Nantahala Mountains, North Carolina
- Haemogamasus ambulans** (Thorell)  
Whitaker, J. O., jr.; and Schmeltz, L. L., 1974, Proc. Indiana Acad. Sc., v. 83, 1973, 478-481  
*Scalopus aquaticus* (fur): Indiana
- Haemogamasus ambulans** (Thorell, 1872)  
Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
synonymy
- Haemogamasus citelli** Breg. et Nelz.  
Diusembaev, E. B.; and Chelebiev, K. A., 1975, Zool. Zhurnal, v. 54 (1), 124-127  
+*Lagurus lagurus* (nest): Karagandinsk oblast
- Haemogamasus dauricus** Breg.  
Diusembaev, E. B.; and Chelebiev, K. A., 1975, Zool. Zhurnal, v. 54 (1), 124-127  
+*Lagurus lagurus* (nest): Karagandinsk oblast
- Haemogamasus dauricus**  
Evseeva, V. E.; and Naumov, R. L., 1975, Zool. Zhurnal, v. 54 (1), 151-153  
+*Ochotona alpina*: Western Sayan Mountains
- Haemogamasus harperi** Keegan  
Whitaker, J. O., jr.; and Schmeltz, L. L., 1974, Proc. Indiana Acad. Sc., v. 83, 1973, 478-481  
*Scalopus aquaticus* (fur): Indiana

- Haemogamasus kitanoi**  
Evseeva, V. E.; and Naumov, R. L., 1975, Zool. Zhurnal, v. 54 (1), 151-153  
*Ochotona alpina*: Western Sayan Mountains
- Haemogamasus kusumotoi (Asanuma)**  
Reisen, W. K.; et al., 1975, Kalikasan, v. 4 (2), 145-154  
*Rattus norvegicus caraco*: Korea
- Haemogamasus liponyssoides Ewing**  
Amin, O. M., 1976, Great Lakes Entom., v. 9 (4), 195-198  
*Sorex cinereus*: Kenosha County, Wisconsin
- Haemogamasus liponyssoides**  
Evseeva, V. E.; and Naumov, R. L., 1975, Zool. Zhurnal, v. 54 (1), 151-153  
*Ochotona alpina*: Western Sayan Mountains
- Haemogamasus liponyssoides**  
Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Sorex fumeus*: Fires Creek area, Nantahala Mountains, North Carolina
- Haemogamasus liponyssoides Ewing**  
Whitaker, J. O., jr.; and Schmeltz, L. L., 1974, Proc. Indiana Acad. Sc., v. 83, 1973, 478-481  
*Scalopus aquaticus (fur)*: Indiana
- Haemogamasus mandschuricus**  
Evseeva, V. E.; and Naumov, R. L., 1975, Zool. Zhurnal, v. 54 (1), 151-153  
+*Ochotona alpina*: Western Sayan Mountains
- Haemogamasus nidi (Mich.)**  
Diusembaev, E. B.; and Chelebiev, K. A., 1975, Zool. Zhurnal, v. 54 (1), 124-127  
*Lagurus lagurus*: Karagandinsk oblast
- Haemogamasus nidi Michael**, 1892  
Edler, A.; and Nilsson, A., 1973, Entom. Scand., v. 4 (4), 274-282  
ectoparasites of small mammals from two woodland habitats, seasonal variation, frequency and intensity of infestation, numerical comparison of ectoparasitic groups: southern Sweden
- Haemogamasus nidi**  
Evseeva, V. E.; and Naumov, R. L., 1975, Zool. Zhurnal, v. 54 (1), 151-153  
*Ochotona alpina*: Western Sayan Mountains
- Haemogamasus nidi Michael**, 1892  
Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Haemogamasus nidi Michael**, 1892  
Redington, B. C., 1971, Acarologia, v. 12 (4), 643-667  
synonymy, key
- Haemogamasus nidi**: Evans and Till, 1966  
Redington, B. C., 1971, Acarologia, v. 12 (4), 643-667  
as syn. of *Haemogamasus nidi* Michael, 1892
- Haemogamasus nidiformis** Tipton & Saunders, 1971 (not Bregetova, 1955)  
Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Haemogamasus reidi* Ewing, 1925
- Haemogamasus onychomydis (Ewing, 1933)**  
Redington, B. C., 1971, Acarologia, v. 12 (4), 643-667  
synonymy, key
- Haemogamasus onychomydis (Ewing, 1933)**  
Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
Syn.: *Euhaemogamasus ambulans* Keegan, 1951 (in part) (not Thorell, 1872)
- Haemogamasus reidi Ewing**  
Amin, O. M., 1976, Great Lakes Entom., v. 9 (4), 195-198  
*Sciurus carolinensis*: Kenosha County, Wisconsin
- Haemogamasus reidi** Ewing, 1925, illus.  
Redington, B. C., 1971, Acarologia, v. 12 (4), 643-667  
synonymy, key, female redescribed, male, deutonymph, protonymph, larva, and egg described, literature review  
*Sciurus carolinensis* (tail): Patuxent Wildlife Research Center, Prince George's County, Maryland
- Haemogamasus reidi**  
Whitaker, J. O., jr.; Spicka, E. J.; and Schmeltz, L. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 431-436  
*Sciurus niger*  
*S. carolinensis*  
all from Indiana
- Haemogamasus reidi** Ewing, 1925  
Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
synonymy
- Haemogamasus reidi** Ewing  
Wilson, N.; and Bull, E. L., 1977, Bird-Banding, v. 48 (2), 171-173  
+squirrel (nest): Starkey Experimental Forest, 35-40 km southwest of La Grande, Union Co., Oregon
- Haemogamasus sternalis** Ewing, 1933  
Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Haemogamasus ambulans* (Thorell, 1872)
- Haemogamasus twitchelli** Ewing, 1925  
Redington, B. C., 1971, Acarologia, v. 12 (4), 643-667  
as syn. of *Haemogamasus ambulans* (Thorell, 1872)

*Haemogamasus twitchelli* Ewing, 1925 (in part)  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
*Am. Midland Naturalist*, v. 91 (1), 1-67  
 as syn. of *Haemogamasus ambulans* (Thorell,  
 1872)

*Haemogamasus twitchelli* Ewing, 1925 (in part)  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
*Am. Midland Naturalist*, v. 91 (1), 1-67  
 as syn. of *Haemogamasus reidi* Ewing, 1925

*Haemolaelaps* sp.  
 Amin, O. M., 1973, *J. Med. Entom.*, v. 10 (1),  
 110-111  
*Microtus pennsylvanicus*  
*Peromyscus leucopus*  
 all from Parkside, Wisconsin

*Haemolaelaps angustiscutis* Breg.  
 Amanniazova, R. D., 1975, *Izvest. Akad. Nauk  
 Turkmensk. SSR*, s. Biol. Nauk (6), 48-54  
 seasonal distribution in different land-  
 scapes  
*Rhombomys opimus*: Turkmenistan

*Haemolaelaps bibbyi* Strandtmann and Hunt  
 Reisen, W. K.; et al., 1975, *Kalikasan*, v. 4  
 (2), 145-154  
*Rattus luzonicus*  
*R. rattus mindanensis*  
 all from Luzon, Philippines

*Haemolaelaps casalis*  
 Evseeva, V. E.; and Naumov, R. L., 1975, *Zool.  
 Zhurnal*, v. 54 (1), 151-153  
*+Ochotona alpina*: Western Sayan Mountains

*Haemolaelaps casalis* Berlese, 1887  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976,  
*Vestnik Zool.*, Akad. Nauk Ukrainsk. SSR, Inst.  
*Zool.* (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan

*Haemolaelaps casalis* (Berlese)  
 McGroarty, D. L.; and Dobson, R. C., 1974, *Am.  
 Midland Naturalist*, v. 91 (2), 479-486  
 ectoparasites, seasonal fluctuations  
*Passer domesticus*: northwestern Indiana

*Haemolaelaps ellobii* Breg.  
 Diusembaev, E. B.; and Chelebiev, K. A., 1975,  
*Zool. Zhurnal*, v. 54 (1), 124-127  
*Lagurus lagurus*: Karagandinsk oblast

*Haemolaelaps ellobii* Bregetova, 1952  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976,  
*Vestnik Zool.*, Akad. Nauk Ukrainsk. SSR, Inst.  
*Zool.* (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan

*Haemolaelaps geomys* Strandtmann  
 Rust, R. W., 1973, *J. Med. Entom.*, v. 10 (2),  
 169-175  
 ectoparasitic mites of *Thomomys bottae*, mite  
 age structure, seasonal fluctuations, effect  
 of host macro- and microenvironment on host  
 specificity  
*Thomomys bottae*: Davis, California

*Haemolaelaps glasgowi* (Ewing)  
 Amin, O. M., 1973, *J. Med. Entom.*, v. 10 (1),  
 110-111  
*Tamias striatus*  
*Microtus pennsylvanicus*  
*M. ochrogaster*  
*Peromyscus leucopus*  
 all from Parkside, Wisconsin

*Haemolaelaps glasgowi* [of] Amin, 1973  
 Amin, O. M., 1976, *Great Lakes Entom.*,  
 v. 9 (4), 195-198  
 as syn. of *Androlaelaps fahrenholzi* (Berlese)

*Haemolaelaps glasgowi* (Ewing)  
 Diusembaev, E. B.; and Chelebiev, K. A., 1975,  
*Zool. Zhurnal*, v. 54 (1), 124-127  
*Lagurus lagurus*: Karagandinsk oblast

*Haemolaelaps glasgowi*  
 Evseeva, V. E.; and Naumov, R. L., 1975, *Zool.  
 Zhurnal*, v. 54 (1), 151-153  
*+Ochotona alpina*: Western Sayan Mountains

*Haemolaelaps glasgowi* Ewing, 1925  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976,  
*Vestnik Zool.*, Akad. Nauk Ukrainsk. SSR, Inst.  
*Zool.* (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan

*Haemolaelaps longipes* Breg.  
 Amanniazova, R. D., 1975, *Izvest. Akad. Nauk  
 Turkmensk. SSR*, s. Biol. Nauk (6), 48-54  
 seasonal distribution in different land-  
 scapes  
*Rhombomys opimus*: Turkmenistan

*Haemolaelaps scalopi* Keegan, 1946  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
*Am. Midland Naturalist*, v. 91 (1), 1-67  
 as syn. of *Androlaelaps fahrenholzi* (Berlese,  
 1911)

*Haemolaelaps telemachus* Domrow  
 Beveridge, I.; and Barker, I. K., 1976,  
*Austral. J. Zool.*, v. 24 (2), 265-272  
 helminths and arthropods, *Antechinus stu-  
 artii*, seasonal and sex-related variations  
 in numbers of helminths, parasites unlikely  
 directly involved in seasonal mortality of  
 male host; ectoparasites may contribute to  
 anemia in hosts: Powelltown, Victoria

*Halarachne halichoeri* Allman (1847)  
 Bonner, W. N., 1972, *Oceanogr. and Marine Biol.  
 Ann. Rev.*, v. 10, 461-507  
*Phoca vitulina* (nose): European waters

*Halarachne miroungae*  
 Tierney, T. J., 1977, *Austral. Vet. J.*, v. 53  
 (2), 91-92  
*Mirounga leonina*: Vestfold Hills, Antarctica

*Halipeurus leucophryna* Timmerman, 1960  
 Ward, R. A.; and Downey, J. C., 1973, *J. Med.  
 Entom.*, v. 10 (4), 391-396  
*Pterodroma leucoptera hypoleuca*: Midway  
 Atoll, Pacific Ocean

- Halipeurus mirabilis* Thompson, 1940  
 Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
*Puffinus pacificus chlororhynchus*: Eastern Island, Midway Atoll, Pacific Ocean
- Hannemania* Oudemans 1911  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Harpyrhynchus* sp.  
 Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
*Cyanocitta cristata*  
*Turdus migratorius*  
*Agelaius phoeniceus*  
 all from South Bass Island, Ottawa County, Ohio
- Harpyrhynchus* sp.  
 Lavoipierre, M. M. J.; Rajamanickam, C.; and Ward, P., 1965, Med. J. Malaya, v. 20 (2), 172  
 tumorous skin lesions in *Locustella lanceolata* produced by *Harpyrhynchus* sp.: Seletar, Singapore
- Harpyrhynchus pilirostris* Berlese & Trouessart  
 McGroarty, D. L.; and Dobson, R. C., 1974, Am. Midland Naturalist, v. 91 (2), 479-486  
 ectoparasites, seasonal fluctuations  
*Passer domesticus*: northwestern Indiana
- Harrisonia uncinata* Ferris, 1922, illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 key  
*Proechimys semispinosus*  
*P. guyannensis*  
 all from Venezuela
- Harrisoniella copei* Timmermann, 1969  
 Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
*Diomedea nigripes*: Midway Atoll, Pacific Ocean
- Harrisoniella densa* (Kellogg, 1896)  
 Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
*Diomedea immutabilis*: Midway Atoll, Pacific Ocean
- Hatschekia crenata* n. sp., illus.  
 Hewitt, G. C., 1969, N. Zealand J. Marine and Freshwater Research, v. 3 (1), 159-168  
*Lepidopus caudatus*: presumably in Wellington region, New Zealand
- Hatschekia foliata* Redkar, Rangnekar and Murti, 1950, illus.  
 Pillai, N. K., 1964, J. Marine Biol. Ass. India, v. 6 (1), 61-83  
 description  
*Nemipterus japonicus* (gills): Trivandrum, South India
- Hatschekia quadrata* n. sp., illus.  
 Hewitt, G. C., 1969, N. Zealand J. Marine and Freshwater Research, v. 3 (1), 159-168  
*Allomycterus jaculiferus*: New Zealand (presumably in Wellington region; Shelly Bay, Wellington Harbour)
- Hatschekia sphyraeni* n. sp., illus.  
 Pillai, N. K., 1964, J. Marine Biol. Ass. India, v. 6 (1), 61-83  
*Sphyraena acutipinnis* (gills): Trivandrum, South India
- Helenicula*  
 Shluger, E. G.; and Amanguliev, A., 1975, Entom. Obozr., v. 54 (2), 463-470  
 key to species
- Helenicula globularis* (Walch)  
 Reisen, W. K.; et al., 1975, Kalikasan, v. 4 (2), 145-154  
*Rattus luzonicus*: Luzon, Philippines
- Helenicula goodorzianni* Kudryashova sp. n., illus.  
 Kudriashova, N. I.; Neronov, V. M.; and Farang-Azad, A., 1973, Zool. Zhurnal., v. 52 (11), 1725-1728  
*Meriones persicus*: Iran
- Helenicula lanus caspica* Muljarskaya, 1971  
 Kudriashova, N. I.; Neronov, V. M.; and Farang-Azad, A., 1973, Zool. Zhurnal., v. 52 (11), 1725-1728  
 as syn. of *Helenicula lukshumiae* Nadchatram and Traub, 1971
- Helenicula lukshumiae* Nadchatram and Traub, 1971  
 Kudriashova, N. I.; Neronov, V. M.; and Farang-Azad, A., 1973, Zool. Zhurnal., v. 52 (11), 1725-1728  
 measurements, syn.: *Helenicula lanus caspica* Muljarskaya, 1971  
*Meriones persicus*: Iran
- Helenicula pulchella* sp. n., illus.  
 Shluger, E. G.; and Amanguliev, A., 1975, Entom. Obozr., v. 54 (2), 463-470  
 key  
*Cricetulus migratorius*: Western Kopetdagh, Iol-Dere ravine (Karakalinskii region), Turkmenia
- Helenicula sparsa* Schluger, 1955  
 Shluger, E. G.; and Amanguliev, A., 1975, Entom. Obozr., v. 54 (2), 463-470  
 key  
*Apodemus sylvaticus*  
*Cricetulus migratorius*  
*Meriones persicus*  
*Rhombomys opimus*  
 all from Karakalinskii region (Iol-Dere ravine) and vicinity of Ashkhabad, Turkmenia
- Heleonomus assimilis* (Piaget, 1880)  
 Forrester, D. J.; et al., 1974, Proc. Helminth. Soc. Washington, v. 41 (1), 55-59  
*Grus canadensis tabida*: Florida

- Heleonomus assimilis* (Piaget, 1880)  
*Forrester, D. J.; Bush, A. O.; and Williams, L. E., jr., 1975, J. Parasitol., v. 61 (3), 547-548*  
*Grus canadensis pratensis: Florida*
- Hermilius longicornis*, illus.  
*John, S. E.; and Nair, N. B., 1974, Monitore Zool. Ital., n.s., v. 8 (3), 133-140*  
*Hermilius longicornis*, function and morphology of mouth parts  
*Ariodes dussumieri: Kerala coast, India*
- Herpetacarus cadigani* n. sp., illus.  
*Nadchatram, M.; and Kethley, J., 1974, J. Med. Entom., v. 11 (5), 581-587*  
*Phyllodactylus siamensis: Nakhon Ratchasima, Sakaerat, Thailand*
- Herpetacarus leprochaeta* n. sp., illus.  
*Nadchatram, M.; and Kethley, J., 1974, J. Med. Entom., v. 11 (5), 581-587*  
*Riopa bowringi* (just posterior to hind legs):  
*Nakhon Ratchasima, Sakaerat, Thailand*
- Herpyllobius hartmanae* n. sp., illus.  
*Luetzen, J.; and Jones, B., 1976, N. Zealand J. Marine and Freshwater Research, v. 10 (2), 371-374*  
*Laetmonice producta: Ross Sea area, Antarctica*
- Herpyllobius rotundus* n. sp., illus.  
*Luetzen, J.; and Jones, B., 1976, N. Zealand J. Marine and Freshwater Research, v. 10 (2), 371-374*  
*Harmothoe sp.: Turakirae Trench, Cook Strait, New Zealand*
- Herrmannella* Canu, 1891  
*Stock, J. H., 1968, Bull. Zool. Mus. Univ. Amsterdam, v. 1 (9), 89-105*  
*key, differential diagnosis between Diogenidium and Herrmannella*
- Herrmannella seticauda* n. sp.  
*Stock, J. H., 1968, Bull. Zool. Mus. Univ. Amsterdam, v. 1 (9), 89-105*
- Herrmannella spinicauda* n. sp.  
*Stock, J. H., 1968, Bull. Zool. Mus. Univ. Amsterdam, v. 1 (9), 89-105*
- Hesperoctenes* [sp.] (possibly *H. fumarius*)  
*Whitaker, J. O., jr.; and Mumford, R. E., 1977, Entom. News, v. 88 (9-10), 255-258*  
*Molossus molossus: Minas Gerais, Brazil*
- Hesperoctenes eumops*  
*Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254*  
*Eumops perotis: Big Bend National Park, Texas*
- Heterodoxus* Le Souef & Bullen, 1902  
*Zlotorycka, J.; Bichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160*  
*lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *H. spiniger* (Enderlein, 1909)*
- Heterodoxus* sp.  
*Horak, I. G., 1976, J. South African Vet. Med. Ass., v. 47 (1), 17-18*  
*Rhipicephalus sanguineus, Heterodoxus sp., Ctenocephalides canis, dogs, Sendran-impregnated collar, good results*
- Menopon* [i. e. *Heterodoxus*] *armiferus* Paine, 1912  
*Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77*  
*as syn. of *Heterodoxus spiniger* (Enderlein)*
- Heterodoxus spiniger* (Enderlein, 1909)  
*Amin, O. M.; and Madbouly, M. H., 1973, J. Med. Entom., v. 10 (3), 295-298*  
*Rhipicephalus sanguineus, Hippobosca longipennis, *Heterodoxus spiniger* on *Canis familiaris*, geographic distribution, seasonal variance, climate, sex ratio of parasites: Egypt*
- Heterodoxus spiniger* (Enderlein), illus.  
*Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77*  
*synonymy, key*
- Heterodoxus spiniger* (Enderlein), illus.  
*Rao, N. S. K.; Khuddus, C. A.; and Channa-Basavanna, G. P., 1975, Mysore J. Agric. Sc., v. 9 (4), 670-688*  
*morphology of mouth parts, compared with *Lipeurus tropicalis**
- Heteronychia haemorrhoides* (Boett.)  
*Verves, Iu. G., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (3), 28*  
*Helicidae: Kiev-Sviatoshinsk region, Kievsk oblast*
- Heteronychia vagans* (Mg.)  
*Verves, Iu. G., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (3), 28*  
*Succineidae: Kiev-Sviatoshinsk region, Kievsk oblast*
- Hexidionis Vercammen-Grandjean and Loomis 1967*  
*Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566*  
*synoptic key to 87 genera of chiggers in the Western Hemisphere*
- Hippobosca capensis*  
*Misra, S. C.; Mohapatra, G. S.; and Sahoo, B., 1976, Food Farm. and Agric., v. 7 (10), 39-41*  
*prevalence of infestation dogs (perineal region): Orissa*
- Hippobosca capensis* Olfers  
*Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397*  
*seasonal distribution*  
**Canis familiaris* (body fleece): Hissar and suburbs, India*
- Hippobosca longipennis* Fabricius, 1805  
*Amin, O. M.; and Madbouly, M. H., 1973, J. Med. Entom., v. 10 (3), 295-298*  
*Rhipicephalus sanguineus, Hippobosca longipennis, *Heterodoxus spiniger* on *Canis familiaris*, geographic distribution, seasonal variance, climate, sex ratio of parasites: Egypt*

- Hippobosca longipennis**  
 Bram, R. A., 1974, J. Am. Vet. Med. Ass., v. 165 (6), 494-496 [Letter]  
*Hippobosca longipennis* on imported cheetahs, possibility of becoming established on a variety of hosts, importance of control measures: United States (Georgia; Texas; California; Oregon)
- Hippobosca longipennis, illus.**  
 Keh, B.; and Hawthorne, R. M., 1977, J. Zoo Animal Med., v. 8 (4), 19-24  
*Hippobosca longipennis* on imported *Acinonyx jubatus*, attempted control with various insecticidal dusts, good results and complete eradication with carbaryl + sulfur; importance of detecting and eliminating future foci of imported *H. longipennis*: San Pasqual Wild Animal Park, California, imported from East Africa
- Hippobosca maculata**  
 Misra, S. C.; Mohapatra, G. S.; and Sahoo, B., 1976, Food Farm. and Agric., v. 7 (10), 39-41 prevalence of infestation cattle dogs (perineal region of all): all from Orissa
- Hippobosca variegata**  
 Dipeolu, O. O., 1977, Bull. Animal Health and Prod. Africa, v. 25 (1), 33-39 occurrence, distribution and breeding sites of blood sucking flies in Nigeria
- Hippobosca variegata (Megele)**  
 Iwuala, M. O. E.; and Onyeka, J. O. A., 1977, Environment. Entom., v. 6 (1), 43-49 survey of domestic fly population, distribution patterns, diurnal and seasonal variations: Nsukka, East Central State, Nigeria
- Hippoboscidae**  
 Keirans, J. E., 1975, J. Med. Entom., v. 12 (1), 71-76 review of the phoretic relationship between Mallophaga and Hippoboscidae
- Hippoboscid[ae sp.]**  
 Croft, R. E.; and Kingston, N., 1975, J. Wildlife Dis., v. 11 (2), 229-233  
*Falco mexicanus*: Wyoming
- Hipposiderobia aselliscus spec. nov., illus.**  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 3-32  
*Aselliscus tricuspidatus novehebridensis* (poils du dos): Aouta, Aore Is., Nouvelles-Hebrides
- Hipposiderobia okinawaensis spec. nov., illus.**  
 Uchikawa, K., 1976, Annot. Zool. Japon., v. 49 (3), 205-208  
*Hipposideros turpis*: Yonebara, Ishigaki, Okinawa Prefecture, Japan
- Hipposideroptes nov. gen.**  
 Fain, A., 1971, Acarologia, v. 12 (3), 509-521 Ereyenetidae, Speleognathinae key, tod: *H. kimuenzae* nov. spec.
- Hipposideroptes kimuenzae nov. spec. (tod), illus.**  
 Fain, A., 1971, Acarologia, v. 12 (3), 509-521 key  
*Hipposideros commersoni gigas* (fosses nasa-les): Kinshasa, Congo
- Hirstionyssus sp.**  
 Amin, O. M., 1976, Great Lakes Entom., v. 9 (4), 195-198  
*Microtus p. pennsylvanicus*: Kenosha County, Wisconsin
- Hirstionyssus sp.**  
 Evseeva, V. E.; and Naumov, R. L., 1975, Zool. Zhurnal, v. 54 (1), 151-153  
*Ochotona alpina*: Western Sayan Mountains
- Hirstionyssus n. sp.** Eads, Trevino & Campos, 1965  
 Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67 as syn. of *Hirstionyssus liomys* Herrin & Yunker, 1973
- Hirstionyssus affinis** Allred & Beck, 1966 (in part), Strandtmann & Morlan, 1953 (not Jameson, 1950)  
 Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67 as syn. of *Hirstionyssus paraffinis* Herrin, 1970
- Hirstionyssus arcuatus**  
 Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Peromyscus leucopus noveboracensis*: Coles County, Illinois
- Hirstionyssus arcuatus** Drummond, 1957 (in part) (not Koch, 1839)  
 Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67 as syn. of *Hirstionyssus blariniae* Herrin, 1970
- Hirstionyssus arcuatus** Drummond, 1957 (in part) (not Koch, 1839)  
 Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67 as syn. of *Hirstionyssus talpae* Zemskaya, 1955
- Hirstionyssus blariniae** Herrin  
 Whitaker, J. O., jr.; and Schmeltz, L. L., 1974, Proc. Indiana Acad. Sc., v. 83, 1973, 478-481  
*Scalopus aquaticus* (fur): Indiana
- Hirstionyssus blariniae** Herrin, 1970  
 Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67 synonymy
- Hirstionyssus carnifex** (Koch)  
 Reisen, W. K.; et al., 1975, Kalikasan, v. 4 (2), 145-154  
*Rattus norvegicus caraco*: Korea

*Hirstionyssus carnifex* Allred & Goates, 1964,  
Keegan, 1953 (not Koch, 1839)  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Hirstionyssus utahensis* Allred &  
Beck, 1966

*Hirstionyssus criceti* (Sulz.)  
Diusembaev, E. B.; and Chelebiev, K. A., 1975,  
Zool. Zhurnal, v. 54 (1), 124-127  
*Lagurus lagurus*: Karagandinsk oblast

*Hirstionyssus cynomys* (Radford, 1941)  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
synonymy

*Hirstionyssus eusoricis*  
Evseeva, V. E.; and Naumov, R. L., 1975, Zool.  
Zhurnal, v. 54 (1), 151-153  
*Ochotona alpina*: Western Sayan Mountains

*Hirstionyssus femoralis* Allred  
Rust, R. W., 1973, J. Med. Entom., v. 10 (2),  
169-175  
ectoparasitic mites of *Thomomys bottae*, mite  
age structure, seasonal fluctuations, effect  
of host macro- and microenvironment on host  
specificity  
*Thomomys bottae*: Davis, California

*Hirstionyssus femoralis* Allred, 1957  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
Syn.: *Hirstionyssus geomydus* Howard and  
Childs, 1959 (not Keegan, 1946)

*Hirstionyssus femoralis* Allred & Beck, 1966 (in  
part) (not Allred, 1957)  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Hirstionyssus longichelae* Allred  
& Beck, 1966

*Hirstionyssus geomydus* Howard and Childs, 1959  
(not Keegan, 1946)  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Hirstionyssus femoralis* Allred,  
1957

*Hirstionyssus heliosciurus*  
Okereke, T. A., 1971, Bull. Entom. Soc. Nig-  
eria, v. 3 (1), 50-55  
*Heliosciurus gambianus*: Ibadan Area, Western  
Nigeria

*Hirstionyssus hilli* (Jameson, 1950)  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
Syn.: *Hirstionyssus triacanthus* Goates,  
1963 (in part) (not Jameson, 1950)

*Hirstionyssus incomptus* (Eads & Hightower, 1952)  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
Syn.: *Hirstionyssus triacanthus* Goates,  
1963 (in part) (not Jameson, 1950)

*Hirstionyssus invaginatus* Allred & Beck, 1966  
(in part)  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Hirstionyssus thomomys* Allred &  
Beck, 1966

*Hirstionyssus invaginatus* Allred & Beck, 1966  
(in part)  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Hirstionyssus cynomys* (Radford,  
1941)

*Hirstionyssus isabellinus*  
Diusembaev, E. B.; and Chelebiev, K. A., 1975,  
Zool. Zhurnal, v. 54 (1), 124-127  
*Lagurus lagurus*: Karagandinsk oblast

*Hirstionyssus isabellinus*  
Evseeva, V. E.; and Naumov, R. L., 1975, Zool.  
Zhurnal, v. 54 (1), 151-153  
*Ochotona alpina*: Western Sayan Mountains

*Hirstionyssus isabellinus* (Oudemans)  
Reisen, W. K.; et al., 1975, Kalikasan, v. 4  
(2), 145-154  
*Rattus norvegicus caraco*: Korea

*Hirstionyssus latiscutatus* (de Meillon & Lavoie-  
pierre, 1944)  
Edler, A.; and Nilsson, A., 1973, Entom.  
Scand., v. 4 (4), 274-282  
ectoparasites of small mammals from two  
woodland habitats, seasonal variation, fre-  
quency and intensity of infestation, numer-  
ical comparison of ectoparasitic groups:  
southern Sweden

*Hirstionyssus latiscutatus* (de Meillon & Lavoie-  
pierre, 1944)  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
synonymy

*Hirstionyssus (Hirstionyssus) liomys* n. sp.,  
illus.  
Herrin, C. S.; and Yunker, C. E., 1973, J.  
Med. Entom., v. 10 (3), 269-273  
*Liomys irroratus*: Cameron Co., Texas

*Hirstionyssus liomys* Herrin & Yunker, 1973  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
Syn.: *Hirstionyssus* n. sp. Eads, Trevino &  
Campos, 1965

*Hirstionyssus longichelae* Allred & Beck, 1966  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
synonymy

*Hirstionyssus meridianus* Zem.  
Amanniazova, R. D., 1975, Izvest. Akad. Nauk  
Turkmensk. SSR, s. Biol. Nauk (6), 48-54  
seasonal distribution in different land-  
scapes  
*Rhombomys opimus*: Turkmenistan

- Hirstionyssus musculi* Johnt.  
Diusembaev, E. B.; and Chelebieve, K. A., 1975,  
*Zool. Zhurnal*, v. 54 (1), 124-127  
*Lagurus lagurus*: Karagandinsk oblast
- Hirstionyssus musculi* Johnston, 1849  
Gadzhiev, A. T.; and Dubovchenko, T. A., 1976,  
*Vestnik Zool.*, Akad. Nauk Ukrainsk. SSR, Inst.  
*Zool.* (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Hirstionyssus obsoletus* Jameson, 1950 (in part),  
Hansen, 1964 (not Jameson, 1950)  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Hirstionyssus utahensis* Allred &  
Beck, 1966
- Hirstionyssus occidentalis* Allred, 1957, 1964,  
Strandtmann & Morlan, 1953 (in part) (not  
Ewing, 1923)  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Hirstionyssus utahensis* Allred &  
Beck, 1966
- Hirstionyssus paraffinis* Herrin, 1970  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
Syn.: *Hirstionyssus affinis* Allred & Beck,  
1966 (in part), Strandtmann & Morlan, 1953  
(not Jameson, 1950)
- Hirstionyssus perognathi* Herrin, 1970  
Herrin, C. S.; and Yunker, C. E., 1973, J.  
Med. Entom., v. 10 (3), 269-273  
*Liomys irroratus*: Cameron Co., Texas
- Hirstionyssus talpae*  
Whitaker, J. O., jr.; Jones, G. S.; and  
Pascal, D. D., jr., 1975, J. Elisha Mitchell  
Scient. Soc., v. 91 (1), 13-17  
*Sorex fumeus*: Fires Creek area, Nantahala  
Mountains, North Carolina
- Hirstionyssus talpae* Zemskaya, 1955  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
synonymy
- Hirstionyssus thomomys* Allred & Beck, 1966  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
Syn.: *Hirstionyssus invaginatus* Allred &  
Beck, 1966 (in part)
- Hirstionyssus triacanthus* Goates, 1963 (in part)  
(not Jameson, 1950)  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Hirstionyssus incomptus* (Eads &  
Hightower, 1952)
- Hirstionyssus triacanthus* Goates, 1963 (in part)  
(not Jameson, 1950)  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Hirstionyssus hilli* (Jameson,  
1950)
- Hirstionyssus utahensis* Allred & Beck  
Amin, O. M., 1973, J. Med. Entom., v. 10 (1),  
110-111  
*Peromyscus leucopus*: Parkside, Wisconsin
- Hirstionyssus utahensis* Allred & Beck  
Amin, O. M., 1976, Great Lakes Entom.,  
v. 9 (4), 195-198  
*Peromyscus leucopus noveboracensis*: Kenosha  
County, Wisconsin
- Hirstionyssus utahensis*  
Whitaker, J. O., jr.; Jones, G. S.; and  
Pascal, D. D., jr., 1975, J. Elisha Mitchell  
Scient. Soc., v. 91 (1), 13-17  
*Peromyscus maniculatus*: Fires Creek area,  
Nantahala Mountains, North Carolina
- Hirstionyssus utahensis* Allred & Beck, 1966  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
synonymy
- Hirsutiella zachvatkini*  
Vasil'eva, I. S., 1977, Zool. Zhurnal, v. 56  
(1), 162-163  
*Hirsutiella zachvatkini*, Leptotrombidium  
orientalis, laboratory rearing techniques,  
biology of free living stages
- Histiophorus* Friedrich, 1895: 433, publie en  
mars 1896  
Pain, A., 1971, Acarologia, v. 12 (4), 824-  
826  
as syn. of *Schizocarpus* Trouessart, 1896
- Hoffmanniella Vercammen-Grandjean* 1960  
Brennan, J. M.; and Goff, M. L., 1977, J. Par-  
asitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in  
the Western Hemisphere
- Hoffmannina Brennan and Jones* 1959  
Brennan, J. M.; and Goff, M. L., 1977, J. Par-  
asitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in  
the Western Hemisphere
- Hoffmannina Brennan and Jones*, 1959  
Brennan, J. M.; and Goff, M. L., 1977, J.  
Parasitol., v. 63 (5), 908-914  
redescription, key to larvae
- Hoffmannina dianneae* sp. n., illus.  
Brennan, J. M.; and Goff, M. L., 1977, J.  
Parasitol., v. 63 (5), 908-914  
key  
*Rhipidomys macconnelli*: Cano Culebra  
*Daptomyia venezuela*: Cerro Duida, Cabecera  
del Cano Negro  
all from Amazonas, Venezuela
- Hoffmannina handleyi* Brennan and Jones, 1961  
Brennan, J. M.; and Goff, M. L., 1977, J.  
Parasitol., v. 63 (5), 908-914  
key

- Hoffmannina haramotoi sp. n., illus.  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (5), 908-914  
key  
Liomys sp.: Chiapas, Mexico  
Notiosorex crawfordi: Prurias, Mexico  
Peromyscus sp.: Oaxaca, Palomaies, Mexico
- Hoffmannina libita sp. n., illus.  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (5), 908-914  
key  
Reithrodontomys sumichrasti  
R. creper  
Peromyscus nudipes  
all from Boquete, Chiriqui, Panama
- Hoffmannina mahuensis sp. n., illus.  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (5), 908-914  
key  
Cryptotis thomasi: near Laguna Verde; near Tabay (Coromoto)  
Thomasomys laniger: near Tabay (Coromoto)  
Oryzomys minutus: near Tabay (Coromoto)  
all from Merida, Venezuela
- Hoffmannina reedi Brennan, 1972  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (5), 908-914  
key
- Hoffmannina suriana (Hoffmann)  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (5), 908-914  
synonymy, key
- Hohorstiella Eichler, 1940  
Złotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *H. lata* (Piaget, 1880)
- Hohorstiella gigantea (Denny, 1842)  
Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
synonymy, key
- Hohorstiella gigantea lata (Piaget, 1880), illus.  
Lunkashu, M. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 214-226  
description  
[domestic pigeon]: Moldavian SSR
- Hohorstiella lata (Piaget, 1880) in Eichler, 1940  
Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
as syn. of *Hohorstiella gigantea* (Denny, 1842)
- Holakartikos Keler, 1938  
Złotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *H. crassipes* (Rudow, 1866)
- Holobomolochus embiotocae n. sp., illus.  
Hanan, D. A., 1976, Bull. South. Calif. Acad. Sc., v. 75 (1), 22-28  
*Cymatogaster aggregata* (nasal cavity)  
*Embiotoca jacksoni*  
*Phanerodon furcatus*  
*Damalichthys vacca*  
all from Anaheim Bay and Huntington Harbor, California
- Holobomolochus prolixus (Cressey)  
Ho, J. S., 1975, Fish Bull. (165), State Calif., Resources Agency, Dept. Fish and Game, 69-72  
*Paralichthys californicus*  
*Leptocottus armatus*  
(gill cavity of all): all from Anaheim Bay
- Holomenopon Eichler, 1941  
Złotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *H. cairiniae* Eichler, 1943; *H. maxbeieri* Eichler, 1954
- Homocerus minor (Piaget), illus.  
Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69
- Hoogstraalia Traub, 1951  
Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
key, diagnosis
- Hoogstraalia vandiemeni Smit, 1958, illus.  
Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
diagnosis  
*Pachycephala olivacea*  
*Turdus dauma*  
*Sericornis humilis*  
all from Tasmania
- Hooperella Vercammen-Grandjean 1967  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere
- Hoplomyophilus nativus Mendez, 1967, illus.  
Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
key  
*Proechimys semispinosus*: Venezuela
- Hoplophthirus euxeri (Ferris) Ewing 1929  
Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
as syn. of *Enderleinellus euxeri* Ferris, 1919

Hoplopleura Enderlein, 1904  
 Johnson, P. T., 1972, Brigham Young Univ. Sc.  
 Bull., Biol. ser., v. 17 (5), 1-62  
 key  
 key to species, adults: Venezuela  
 Syn.: *Pterophthirus* Ewing, 1923

*Hoplopleura acanthopus* (Burmeister, 1838)  
 Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16  
 synonymy  
*Microtus socialis*  
*M. nivalis*  
*Arvicola terrestris*  
 all from Iran

Hoplopleura sp.  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976,  
*Vestnik Zool.*, Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan

*Hoplopleura acanthopus* (Burmeister)  
 Reisen, W. K.; et al., 1975, *Kalikasan*, v. 4 (2), 145-154  
*Rattus norvegicus caraco*: Korea

*Hoplopleura abeli*, new sp., illus.  
 Johnson, P. T., 1972, Brigham Young Univ. Sc.  
 Bull., Biol. ser., v. 17 (5), 1-62  
 key  
*Akodon bogotensis*: Venezuela: Merida, 5 km E and 6.5 km S Tabay, Laguna Verde; Tachira, 35 km S and 22 km W San Cristobal, Buena Vista; Trujillo, 15 km E Trujillo, Hda. Misisi

*Hoplopleura aethomydis* n. sp., illus.  
 Kleynhans, K. P. N., 1969, *Onderstepoort J. Vet. Research*, v. 36 (2), 299-302  
*"Praomys arborarius" . . . now known as Aethomys (Micaelamys) namaquensis": Zoutpansberg district, northern Transvaal*

*Hoplopleura acanthopus* (Burmeister)  
 Amin, O. M., 1976, *Great Lakes Entom.*, v. 9 (4), 195-198  
*Microtus p. pennsylvanicus*: Kenosha County, Wisconsin

*Hoplopleura affinis* (Burm.)  
 Haitlinger, R., 1976, *Polskie Pismo Entom.*, v. 46 (2), 207-239  
 seasonal variance  
*Clethrionomys glareolus*  
*Microtus agrestis*  
*Apodemus agrarius*  
*Sorex araneus*  
 all from Gory Sowie

*Hoplopleura acanthopus* (Burmeister 1839)  
 Artz, V., 1975, *Entom. Germanica*, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Apodemus sylvaticus*  
*Microtus arvalis*  
*Microtus agrestis*  
*Mustela erminea*  
*Mustela nivalis*  
 all from Schleswig-Holstein

*Hoplopleura affinis* (Burmeister)  
 Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16  
 synonymy  
*Apodemus sylvaticus*: Iran

*Hoplopleura acanthopus*  
 Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Microtus ochrogaster* *ochrogaster*: Coles County, Illinois

*Hoplopleura affinis* (Burmeister)  
 Reisen, W. K.; et al., 1975, *Kalikasan*, v. 4 (2), 145-154  
*Rattus norvegicus caraco*: Korea

*Hoplopleura acanthopus*  
 Buckner, R. L.; and Gleason, L. N., 1974, Tr. Kentucky Acad. Sc., v. 35 (3-4), 70-75  
 seasonal occurrences  
*Microtus ochrogaster*: Warren County, Kentucky

*Hoplopleura affinis affinis*: Eichler, 1960  
 Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16  
 as syn. of *Hoplopleura affinis* (Burmeister)

*Hoplopleura acanthopus* (Burm.)  
 Haitlinger, R., 1976, *Polskie Pismo Entom.*, v. 46 (2), 207-239  
 seasonal variance  
*Clethrionomys glareolus*  
*Microtus agrestis*  
*M. arvalis*  
*Pitymys subterraneus*  
*Apodemus tauricus*  
*Sorex araneus*  
 all from Gory Sowie

*Hoplopleura aitkeni*, new sp., illus.  
 Johnson, P. T., 1972, Brigham Young Univ. Sc.  
 Bull., Biol. ser., v. 17 (5), 1-62  
 key  
*Akodon urichi*: Venezuela: Sucre, 26 km ESE Carupano, Manacal; Dto. Federal, 5 km NNE Caracas and 29 km SW Caracas; Miranda, 15 km SW Caracas; Carabobo, 4.5 km SE Montalban, Savannah Aguirre; Montalban, Potserito

*Hoplopleura alata* Ferris, 1921, illus.  
 Johnson, P. T., 1972, Brigham Young Univ. Sc.  
 Bull., Biol. ser., v. 17 (5), 1-62  
 Syn.: *Pterophthirus alata* Ewing, 1923; [et auct.]  
*Microcavia australis*: Argentina

- Hoplopleura angulata* Ferris, 1921, illus.  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 key, diagnosis, description  
*Rhipidomys venustus*: Venezuela  
*R. venezuelae*: Venezuela  
*R. couesi*: "  
*R. macconnelli*: "  
*R. goodfellowi*: "  
*R. caucensis*: "  
*Rhipidomys sp.*: "  
*Oryzomys concolor*: "  
*Rhipidomys leucodactylus*: Peru  
*R. latimanus*: Colombia  
*Nectomys sumichrasti*: Panama  
*Zygodontomys*: Trinidad
- Hoplopleura arizonensis* Stojanovich and Pratt 1961, illus.  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 key, diagnosis, syn.: *Hoplopleura hirsuta* Ferris, 1921 (partim)  
*Sigmodon hispidus*  
*Oryzomys albibularis*  
 all from Venezuela
- Hoplopleura audax* Ferris, 1921, illus.  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 diagnosis, redescription, syn.: *Pterophthirus audax* Ewing, 1923; [et auct.]  
*Hoplomys gymnurus*: Panama  
*Tylomys mirae*: North Ecuador
- Hoplopleura audax* Ferris, 1921 (partim, male only)  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 as syn. of *Hoplopleura splendida* new sp.
- Hoplopleura brasiliensis* Werneck, 1932, illus.  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 diagnosis, description  
*Oryzomys capito*: Trinidad; Amapa Territory, Brazil
- Hoplopleura captiosa* Johnson, 1960  
 Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16  
 Syn.: *Hoplopleura longula* (Neumann) (partim): Zwolski, 1960  
*Mus musculus*  
*Meriones libycus*  
 all from Iran
- Hoplopleura chippauxi* Paulian & Pajot, 1966, illus.  
 Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
 description of nymphal stages  
*Arvicanthis niloticus*: Dahomey; Nigeria; Togo
- Hoplopleura contigua*, new sp., illus.  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 key  
*Holochilus brasiliensis*: Venezuela: Trujillo, 30 km NW Valera, near El Dividive; Carabobo, Montalban, Potserito; Bolivar, 146 km S, 7 km E Ciudad Bolivar, Hato San Jose; Monagas, 55 km SE Maturin, Mata de Bejuco  
*Sigmodon hispidus*: Carabobo, Montalban, Potserito, Venezuela
- Hoplopleura cutchicus* n. sp., illus.  
 Mishra, A. C.; and Kaul, H. N., 1973, J. Med. Entom., v. 10 (1), 43-46  
*Rattus cutchicus*: Baneshwar (Bar ka Ghat), Sirohi distt, Rajasthan State, India
- Hoplopleura edentula* Fahrenholz 1916  
 Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Clethrionomys glareolus*: Schleswig-Holstein
- Hoplopleura edentula* Fahr.  
 Haitlinger, R., 1976, Polskie Pismo Entom., v. 46 (2), 207-239  
 seasonal variance  
*Clethrionomys glareolus*  
*Microtus agrestis*  
*Pitymys subterraneus*  
*Sorex araneus*  
*Apodemus tauricus*  
 all from Gory Sowie
- Hoplopleura edentula* (Fahr. 1916)  
 Scherf, H., 1976, Mitt. Deutsch. Entom. Gesellsch., v. 35 (4-6), 85-90  
*Hoplopleura edentula*, bionomics, seasonal distribution and life cycle in relation to seasonal hair changes in juvenile and mature *Clethrionomys glareolus*: Naturpark Hoher Vogelsburg
- Hoplopleura erratica* (Osborn)  
 Amin, O. M., 1973, J. Med. Entom., v. 10 (1), 110-111  
*Tamias striatus*: Parkside, Wisconsin
- Hoplopleura erratica* (Osborn)  
 Amin, O. M., 1976, Great Lakes Entom., v. 9 (4), 195-198  
*Tamias striatus ohionensis*: Kenosha County, Wisconsin
- Hoplopleura exima*, new sp., illus.  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 key  
*Anotomys trichotis*: Venezuela: Tachira, 35 km S, 22 km W San Cristobal, Buena Vista
- Hoplopleura fonsecai* Werneck, 1934, illus.  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 diagnosis, redescription  
*Oxymycterus rufus nasutus*: Department of Rocha, Uruguay
- Hoplopleura funambuli* n. sp., illus.  
 Bilgees, F. M., 1976, Pakistan J. Zool., v. 8 (1), 43-45  
*Funambulus pennanti*: Karachi, Pakistan
- Hoplopleura handleyi*, new sp., illus.  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 key  
*Neacomys tenuipes*: Dto. Federal, 3 km N Caracas, Los Venados, Venezuela

- Hoplopleura hesperomydis* (Osborn)  
 Amin, O. M., 1973, *J. Med. Entom.*, v. 10 (1), 110-111  
*Tamias striatus*  
*Peromyscus leucopus*  
 all from Parkside, Wisconsin
- Hoplopleura hesperomydis* (Osborn)  
 Amin, O. M., 1976, *Great Lakes Entom.*, v. 9 (4), 195-198  
*Peromyscus leucopus noveboracensis*: Kenosha County, Wisconsin
- Hoplopleura hesperomydis*  
 Basolo, F., jr.; and Funk, R. C., 1974, Tr. *Illinois State Acad. Sc.*, v. 67 (2), 211-221  
*Peromyscus leucopus noveboracensis*: Coles County, Illinois
- Hoplopleura hesperomydis*  
 Buckner, R. L.; and Gleason, L. N., 1974, Tr. *Kentucky Acad. Sc.*, v. 35 (3-4), 70-75  
 seasonal occurrences  
*Peromyscus leucopus*: Warren County, Kentucky
- Hoplopleura hesperomydis*  
 Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, *J. Elisha Mitchell Scient. Soc.*, v. 91 (1), 13-17  
*Peromyscus leucopus*  
*P. maniculatus*  
 all from Fires Creek area, Nantahala Mountains, North Carolina
- Hoplopleura hirsuta* Ferris, 1921 (partim)  
 Johnson, P. T., 1972, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 17 (5), 1-62  
 as syn. of *Hoplopleura arizonensis* Stojanovich and Pratt
- Hoplopleura hybomyis* sp. nov., illus.  
 Kim, K. C.; and Emerson, K. C., 1973, Rev. *Zool. et Botan. Africaines*, v. 87 (3), 425-455  
*Hybomys trivirgatus*: University of Lagos, Federal District, Nigeria
- Hoplopleura imitans* (Werneck), illus.  
 Johnson, P. T., 1972, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 17 (5), 1-62  
 Syn.: *Pterophthirus imitans* Werneck, 1942  
*Cavia pamparum*: South America (*Zool. Soc. London Gardens*); Chaco, Las Palmas, Argentina  
*Cavia sp.*: Department of Lavalleja, Uruguay
- Hoplopleura indiscreta*, new sp., illus.  
 Johnson, P. T., 1972, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 17 (5), 1-62  
 key  
*Thomasomys lugens*: Venezuela; Merida, 5 km E, 1 km S Tabay, and 3 km W Timotes  
*T. laniger*: Merida, 5 km S, 7 km E Tabay, Venezuela
- Hoplopleura inexpectans* Johnson, 1960  
 Kim, K. C.; and Emerson, K. C., 1973, Rev. *Zool. et Botan. Africaines*, v. 87 (3), 425-455  
*Praomys jacksoni*  
*Lemniscomys barbarus*  
 all from Nigeria
- Hoplopleura intermedia* Kellogg & Ferris, 1915  
 Kim, K. C.; and Emerson, K. C., 1973, Rev. *Zool. et Botan. Africaines*, v. 87 (3), 425-455  
*Mastomys natalensis*: Dahomey; Nigeria; Togo  
*Mastomys erythroleucus*: Dahomey  
*Taterillus nigeriae*: Dahomey  
*Tatera welmanni*: Nigeria  
*Tatera kempii*: Nigeria  
*Praomys jacksoni*: Nigeria  
 bat: Nigeria
- Hoplopleura inusitata*, new sp., illus.  
 Johnson, P. T., 1972, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 17 (5), 1-62  
 key  
*Echimys semivillosus*: Lara, 10 km N El Tocuyo, Venezuela
- Hoplopleura johnsonae* Kim  
 Reisen, W. K.; et al., 1975, *Kalikasan*, v. 4 (2), 145-154  
*Mus caroli*: Korea
- Hoplopleura longula* (Neumann) (partim): Zwolski, 1960  
 Kim, K. C.; and Emerson, K. C., 1971, *J. Med. Entom.*, v. 8 (1), 7-16  
 as syn. of *Hoplopleura captiosa* Johnson, 1960
- Hoplopleura malabarica* Werneck  
 Reisen, W. K.; et al., 1975, *Kalikasan*, v. 4 (2), 145-154  
*Bandicota indica memorivaga*: Taiwan
- Hoplopleura merionidis* Ferris, 1921, illus.  
 Kim, K. C.; and Emerson, K. C., 1971, *J. Med. Entom.*, v. 8 (1), 7-16  
 description of male and nymphs, redescription of female  
*Meriones libycus*  
*M. crassus*  
 all from Iran
- Hoplopleura multilobata* Werneck, sensu lato, illus.  
 Johnson, P. T., 1972, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 17 (5), 1-62  
 key, diagnosis, redescription  
*Oryzomys albicularis*: Venezuela; Colombia  
*O. minutus*: Venezuela  
*O. concolor*: "  
*Heteromys anomalus*: Venezuela
- Hoplopleura myomys* sp. nov., illus.  
 Kim, K. C.; and Emerson, K. C., 1973, Rev. *Zool. et Botan. Africaines*, v. 87 (3), 425-455  
*Myomys daltoni*: Northern Region, Nigeria (Bida; Karaduwa; Mada River; Panisau; Ugar Jabar)  
*Myomys fumatus*: Kouande, Atacora Region, Dahomey  
*Praomys tullbergi*: Nigeria (Sapoba Forest Reserve, Midwestern Region; University of Lagos, Federal District)  
*Taterillus gracilis*: Bida, Northern Region, Nigeria  
*Hylomys allenii*: Igbo-Ora, Western Region, Nigeria  
 bats?: Igbo-Ora, Western Region, Nigeria

*Hoplopleura nesoryzomydis* Ferris, 1921, illus.  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 key, diagnosis, redescription, syn.: *Hoplopleura quadridentata*, Ferris, 1921 (partim)

*Zygodontomys brevicauda*

*Oryzomys fulvescens*

*O. minutus*

*Heteromys anomalus*

all from Venezuela

*Hoplopleura orinocoi*, new sp., illus.

Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 key  
*Mesomys hispidus*: T. F. Amazonas, about 84 km SSE Esmeralda, Venezuela

*Hoplopleura oryzomydis* Pratt and Lane, 1951, illus.

Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 key, diagnosis  
*Nectomys alfari*: Venezuela

*Hoplopleura pacifica* Ewing, 1924

Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Rattus rattus*: New Hebrides

*Hoplopleura pacifica* Ewing

Reisen, W. K.; et al., 1975, Kalikasan, v. 4 (2), 145-154  
*Rattus exulans*: Thailand  
*R. e. querctei*: Luzon, Philippines  
*R. luzonicus*: Luzon, Philippines  
*R. norvegicus*: Taiwan  
*R. n. caraco*: Korea  
*R. rattus mindanensis*: Luzon, Philippines  
*Apomys datae*: Luzon, Philippines

*Hoplopleura pelomydis* Ferris, 1921

Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
*Lemniscomys striatus*: Dahomey; Nigeria; Togo

*Hoplopleura quadridentata* (Neumann), illus.

Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 synonymy, key, diagnosis, redescription  
*Nectomys squamipes*  
*Holochilus brasiliensis*  
 all from Venezuela

*Hoplopleura quadridentata*, Ferris, 1921 (partim)

Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 as syn. of *Hoplopleura nesoryzomydis*  
 Ferris, 1921

*Hoplopleura rimae*, new sp., illus.

Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 key  
*Oryzomys minutus*: Venezuela: Merida, 5 km S, 7 km E Tabay, near La Coromoto; Tachira, Trujillo, Sucre, and Dto. Federal  
*O. albicularis*: Venezuela  
*Oryzomys* sp.: "

*Hoplopleura rukenya* Ferris, 1921  
 Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
*Mus minutoides*: Dahomey

*Hoplopleura scapteromydis* Ronderos, 1965, illus.

Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 diagnosis, redescription  
*Scapteromys* sp.: Departments of Soriano, Trienta y Tres, and Maldonado, Uruguay

*Hoplopleura sciuricola* Ferris

Amin, O. M., 1976, Great Lakes Entom., v. 9 (4), 195-198  
*Sciurus niger rufiventer*: Kenosha County, Wisconsin

*Hoplopleura sciuricola* Ferris, 1921

Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 key  
*Sciurus granatensis*  
*S. igniventris*  
 all from Venezuela

*Hoplopleura sciuricola*

Whitaker, J. O., jr.; Spicka, E. J.; and Schmeltz, L. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 431-436  
*Sciurus niger*  
*S. carolinensis*  
 all from Indiana

*Hoplopleura somereni* Waterston, 1923

Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
*Dasyomys incomitus*: Dahomey; Nigeria  
*Mus musculoides*: Nigeria

*Hoplopleura spiculifer* (Gervais, 1844)

Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
*Lemniscomys barbarus*: Nigeria

*Hoplopleura splendida*, new sp., illus.

Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 key, syn.: *Hoplopleura audax* Ferris, 1921 (partim, male only)  
*Proechimys guyannensis*: Bolivar and other states of Venezuela; A. de Guarayos, Beni, Bolivia; Amapa Territory, Serra do Navio, and Para, Belem, Utinga Forest, Brazil  
*P. semispinosus*: Venezuela; San Javier, North Ecuador  
*P. guyannensis trinitatis*: Cumaca, Trinidad rat, probably *Proechimys*: "  
*P. semispinosus calidior*: San Javier, Ecuador

*Hoplopleura tiptoni*, new sp., illus.

Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 key  
*Thomasomys laniger*: Venezuela: Merida, 4 km S, 6.5 km E, 5 km S and 7 km E Tabay, 7.5 km E, 6 km S Tabay, La Coromoto  
*Akodon urichi*: Dto. Federal, 3 km N Caracas, Venezuela  
*Oryzomys minutus*: Merida, 4 km S, 6.5 km E Tabay, La Coromoto, Venezuela

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

*Hoplopleura travassosi* Werneck, 1932, illus.  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 key, diagnosis, redescription  
*Oryzomys fulvescens*: Venezuela  
*O. concolor*: Venezuela  
*O. bicolor*: "  
*O. flavescentis*: Uruguay  
*O. delticola*: Uruguay  
*Rhipidomys venustus*: Venezuela

*Hoplopleura veprecula* Ferris, 1921  
 Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
*Tatera kempii*: Dahomey

*Hoplopleura wernecki* (Guimaraes), illus.  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 key, syn.: *Pterophthirus wernecki* Guimaraes, 1950

*Hoplopsyllus affinis*  
 Brittain, P. C.; and Voth, D. R., 1975, J. Wildlife Dis., v. 11 (2), 269-271  
*Lepus californicus melanotis*: Rocky Mountain Arsenal near Denver, Colorado

*Hoplopsyllus affinis* Baker 1904  
 Toweill, D. E.; and Price, M. A., 1976, Southwest. Entom., v. 1 (1), 20  
*Bassariscus astutus flavus*: Kerr County, Texas

*Hoplopsyllus anomalus*  
 Coultrip, R. L.; et al., 1973, J. Med. Entom., v. 10 (3), 303-309  
 fleas, ticks, mammals, survey for vectors and reservoir hosts of Rocky Mountain spotted fever and sylvatic plague, serological evidence for presence of rickettsial agent but presence of plague not demonstrated  
*Spermophilus beecheyi*  
*Neotoma fuscipes*  
*Lynx rufus*  
 all from Fort Ord, California

*Hoplopsyllus anomalus* (Baker)  
 Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Spermophilus variegatus*: west of Rio Grande in and near Jemez Mts., New Mexico

*Hoplopsyllus (E.) glacialis*  
 Tyler, J. D.; and Buscher, H. N., 1975, Proc. Oklahoma Acad. Sc., v. 55, 166-168  
*Sylvilagus auduboni*: Oklahoma

*Hoplopsyllus glacialis foxi*  
 Coultrip, R. L.; et al., 1973, J. Med. Entom., v. 10 (3), 303-309  
 fleas, ticks, mammals, survey for vectors and reservoir hosts of Rocky Mountain spotted fever and sylvatic plague, serological evidence for presence of rickettsial agent but presence of plague not demonstrated  
*Sylvilagus bachmani*  
*Lepus californicus*  
*Peromyscus californicus*  
*Neotoma fuscipes*  
 all from Fort Ord, California

*Hormopsylla* Jordan & Rothschild  
 Mahnert, V., 1976, Rev. Suisse Zool., v. 83 (3), 769-776  
 Ischnopsyllinae  
 key

*Hormopsylla trux*  
 Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Tadarida macrotis*  
*Eumops perotis*  
 all from Big Bend National Park, Texas

*Hyalomma* Koch, 1844  
 Camicas, J. L., 1970, Acarologia, v. 12 (1), 71-102  
 key to species from Senegal

*Hyalomma*  
 Mikacic, D., 1970, Acta Parasitol. Jugoslavica, v. 1 (1-2), 97-102  
 review of work on ticks in Yugoslavia with particular emphasis on *Hyalomma*

*Hyalomma*  
 Mohammed, A. N.; and Leeflang, P., 1975, Samaru Agric. Newsletter, v. 17 (2), 75-77  
*Hyalomma*, cattle, probable vectors of protozoan disease, control with Pfizona spraying, evaluation of past results, recommendations for future: Shika, Nigeria

*Hyalomma* sp.  
 Clifford, C. M.; Flux, J. E. C.; and Hoogstraal, H., 1976, J. Med. Entom., v. 13 (1), 40-47  
 Ixodidae on *Lepus*, seasonal and regional abundance, age and sex of host  
*Lepus capensis*  
*L. crawshayi*  
 all from Kenya

*Hyalomma* spp.  
 Gautam, O. P.; and Dwivedi, S. K., 1976, Indian Vet. J., v. 53 (7), 546-551  
*Babesia equi*, outbreak in mares, clinical pathology, diagnosis, treatment with Berenil, vectors, *Hyalomma* spp.

*Hyalomma* sp.  
 Mikacic, D., 1972, Acta Parasitol. Jugoslavica, v. 3 (1), 49-54  
 seasonal occurrence: Pag

*Hyalomma* sp.  
 Tovornik, D., 1970, Acta Parasitol. Jugoslavica, v. 1 (1-2), 103-106  
 tick fauna in foci of Central European Encephalitis; list of tick species found on birds: Yugoslavia

*Hyalomma aegyptium*  
 Balashov, Ju. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317  
 ixodid and argasid ticks, fine structure and function of palpal receptor organ

**Hyalomma aegyptium**, illus.  
Balashov, Iu. S.; and Leonovich, S. A., 1976,  
Entom. Obozr., v. 55 (4), 946-952  
ixodid ticks of the tribe Amblyommataini, morphology of Haller's organ, scanning electron microscopy

**Hyalomma albiparmatum** Schulze & Schlottke, 1930  
Peirce, M. A.; Irvin, A. D.; and Purnell, R. E., 1973, Bull. Epizoot. Dis. Africa, v. 21 (1), 29-31  
maintenance of *Hyalomma albiparmatum* under laboratory conditions, behavior as a two-host or part three-host tick when feeding on rabbits

**Hyalomma albiparmatum** Schultze & Schlottke  
Pester, F. R. N.; and Laurence, B. R., 1974,  
J. Zool., London, v. 174 (3), 397-406  
*Giraffa camelopardalis tippelskirchi*: Kenya

**Hyalomma anatomicum**, illus.  
Balashov, Iu. S.; and Leonovich, S. A., 1976,  
Entom. Obozr., v. 55 (4), 946-952  
ixodid ticks of the tribe Amblyommataini, morphology of Haller's organ, scanning electron microscopy

**Hyalomma anatomicum**  
Mehlhorn, H.; and Schein, E., 1976, Tropenmed. u. Parasitol., v. 27 (2), 182-191  
electron microscopic study of developmental stages of *Theileria parva* in the intestine of the tick *Hyalomma anatomicum*

**Hyalomma anatomicum**  
Ratra, J. R.; Yadav, M. P.; and Sethi, M. S., 1977, Indian J. Animal Research, v. 11 (1), 17-22  
isolation of 3 strains of *Coxiella burnetii* from *Hyalomma* and *Rhipicephalus* ticks

**Hyalomma anatomicum**  
Srivastava, P. S.; and Sharma, N. N., 1976, Internat. J. Radiation Biol., v. 29 (2), 159-168  
*Hyalomma anatomicum*, effects of  $^{60}\text{Co}$  irradiation on development; 1000 R to ticks infected with *Theileria annulata* failed to prevent transmission to calves

**Hyalomma anatomicum**  
Srivastava, P. S.; and Sharma, N. N., 1976, Internat. J. Radiation Biol., v. 29 (3), 241-248  
*Hyalomma anatomicum*, unfed adults and engorged females, effect of  $^{60}\text{Co}$  irradiation on engorgement and reproduction

**Hyalomma anatomicum**  
Srivastava, P. S.; and Sharma, N. N., 1976, Pantnagar J. Research, v. 1 (1), 70-72  
*Theileria annulata*, cross-bred calves, infectivity and immunogenicity of infected washed bovine erythrocytes, calves highly susceptible to tick challenge (infected *Hyalomma anatomicum*)

**Hyalomma anatomicum**  
Srivastava, P. S.; and Sharma, N. N., 1977, Vet. Parasitol., v. 3 (2), 183-188  
*Theileria annulata* in salivary gland suspensions of *Hyalomma anatomicum*, attenuation by cobalt-60 irradiation, further investigations needed to test suitability of technique for immunoprophylaxis

**Hyalomma anatomicum**  
Trifonov, T., 1975, Vet. Med. Nauki, v. 12 (5), 70-79  
ticks of farm and wild animals, seasonal distribution: Burgas district [and/or] Michurin

**Hyalomma (H.) anatomicum anatomicum**  
Bansal, G. C.; Gaur, S. N. S.; and Shah, H. L., 1977, Pantnagar J. Research, v. 2 (2), 244-246  
*Theileria annulata*, survey of cattle and buffaloes, low prevalence and lack of symptoms indicate resistance and carrier status; cross transmission experiments from calf with *Hyalomma anatomicum* as vector: successful only with calves, unsuccessful with guinea-pigs, rabbits and kids: Nainital Tarai

**Hyalomma anatomicum anatomicum** Koch, 1844, illus.  
Bhattacharyulu, Y.; Chaudhri, R. P.; and Gill, B. S., 1975, Ann. Parasitol., v. 50 (4), 397-408  
*Theileria annulata*, endogenous development in *Hyalomma anatomicum anatomicum* larvae, nymphs, and adults

**Hyalomma anatomicum anatomicum**  
Daubney, R.; and Mahlau, E. A., 1967, Research Vet. Sc., v. 8 (3), 375-397  
*Hyalomma a. anatomicum*, *Rhipicephalus bursa*, equine encephalomyelitis virus isolated from ticks: Near East

**Hyalomma anatomicum anatomicum**  
Gill, B. S.; Bhattacharyulu, Y.; and Kaur, D., 1976, Research Vet. Sc., v. 21 (2), 146-149  
*Theileria annulata*, calves, tick-induced infections (*Hyalomma anatomicum anatomicum* or *H. dromedarii*), immunization using chlortetracycline prophylactically

**Hyalomma anatomicum anatomicum**  
Nagar, S. K.; Raizada, R. N.; and Saxena, V. K., 1977, Indian J. Animal Sc., v. 47 (10), 654-663  
cat  
horse  
camel  
cow, undef. breed  
buffalo  
goat  
sheep  
pig  
all from Union Territory of Delhi

**Hyalomma (Hyalomma) anatomicum anatomicum** Koch, 1844  
Srivastava, P. S.; and Sharma, N. N., 1976, Indian J. Animal Research, v. 10 (1), 21-26  
*Hyalomma anatomicum anatomicum*, laboratory rearing and maintenance on rabbits and cattle, maintenance of *Theileria annulata* in ticks for transmission experiments

*Hyalomma (Hyalomma) anatolicum anatolicum*  
Srivastava, P. S.; and Sharma, N. N., 1976,  
Panjab J. Research, v. 1 (2), 83-88  
*Theileria annulata, calves (exper.), morpho-*  
*logical features and characteristics, Hyalom-*  
*ma anatolicum anatolicum-transmitted virulent*  
*strain*

*Hyalomma anatolicum anatolicum Koch*  
Williams, R. E.; et al., 1973, J. Med. Entom.,  
v. 10 (2), 143-146  
*Hyalomma impeltatum, H. a. anatolicum, H.*  
*dromedarii, vectors of Wanowrie, Thogoto,*  
*and Dhori viruses, respectively; camels im-*  
*plicated as disseminator of arboviruses via*  
*infected ticks: Egypt*

*Hyalomma anatolicum excavatum*  
Al-Janabi, B. M., 1976, Tr. Roy. Soc. Trop.  
Med. and Hyg., v. 70 (4), 284 [Demonstration]  
*Amblyomma variegatum, Hyalomma anatolicum*  
*excavatum, transmission of Nocardia*  
*farcinica from rabbit to rabbit*

*Hyalomma anatolicum excavatum*  
Berdiev, A., 1973, Zool. Zhurnal, v. 52 (2),  
191-196  
*Hyalomma anatolicum excavatum on domestic*  
*animals, ecology, seasonal distribution,*  
*life cycle*  
[Bos taurus]  
[Camelus]  
[Ovis aries]  
[Capra hircus]  
[Equus caballus]  
[Equus asinus]  
all from Turkmenia

*Hyalomma anatolicum excavatum*  
Berdiev, A., 1975, Izvest. Akad. Nauk Turkmen.  
SSR, s. Biol. Nauk (2), 62-66  
*Hyalomma asiaticum asiaticum, Hyalomma*  
*anatolicum excavatum, comparison of life*  
*cycles, distribution, hosts, habitats;*  
*Hyalomma asiaticum asiaticum has pasture-*  
*burrow parasitism, Hyalomma anatolicum ex-*  
*cavatum has stall-pasture parasitism:*  
Turkmenia

*Hyalomma (H.) anatolicum excavatum Koch*  
Hajjar, N. P., 1972, J. Med. Entom., v. 9 (6),  
551-557  
*Hyalomma (H.) dromedarii, H. (H.) anatolicum*  
*excavatum, premolt nymphs, engorged and*  
*ovipositing females, total lipid fatty acids*  
*and free fatty acid fractions of hemolymph*  
*and gut and molting fluids, changes in rela-*  
*tion to feeding, molting, and oviposition*

*Hyalomma anatolicum excavatum (Koch, 1844)*  
Mehlhorn, H.; et al., 1975, Ztschr. Parasitenk.,  
v. 48 (2), 137-150  
*Theileria annulata, developmental stages in*  
*intestine and haemolymph of Hyalomma anatoli-*  
*cum excavatum, microgamont-like stages, mi-*  
*crogamete-like stages, ookinete-like stages,*  
*electron microscopy*

*Hyalomma anatolicum excavatum*  
Mehlhorn, H.; and Schein, E., 1976, J. Proto-  
zool., v. 23 (4), 14A [Abstract]  
*Theileria, sexual development in intestine*  
*and hemolymph of Hyalomma anatolicum excava-*  
*tum*

*Hyalomma anatolicum excavatum Koch*  
Mehlhorn, H.; and Schein, E., 1977, J. Proto-  
zool., v. 24 (2), 249-257  
*Theileria annulata in Hyalomma anatolicum*  
*excavatum, development of kinetes, electron*  
*microscopic studies*

*Hyalomma anatolicum excavatum*  
Rudolph, D.; and Knuelle, W., 1974, Nature  
(5452), v. 249, 84-85  
*ixodid ticks, water vapor uptake from at-*  
*mosphere, site (mouthparts) and mechanism*  
*(may be related to hygroscopic properties*  
*of salivary secretion)*

*Hyalomma anatolicum excavatum*  
Schein, E., 1975, Ztschr. Parasitenk., v. 47  
(2), 165-167  
*Theileria annulata, microgametes, macroga-*  
*metes, zygotes, ookinetes, sporonts, in mid-*  
*gut or haemolymph of Hyalomma anatolicum ex-*  
*cavatum (exper.)*

*Hyalomma anatolicum excavatum*  
Schein, E., 1976, Ztschr. Parasitenk., v. 50  
(2), 205-206  
*Theileria annulata, developmental stages in*  
*Hyalomma anatolicum excavatum*

*Hyalomma anatolicum excavatum*  
Schein, E.; Buescher, G.; and Friedhoff, K. T.,  
1975, Ztschr. Parasitenk., v. 48 (2), 123-136  
*Theileria annulata, developmental stages in*  
*gut of engorged Hyalomma anatolicum excavatum*  
*nymphs, microgamonts, microgametes, macro-*  
*gamonts, macrogametes, zygotes, kinetes,*  
*light microscopy*

*Hyalomma asiaticum, illus.*  
Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev,  
A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-  
1317  
*ixodid and argasid ticks, fine structure and*  
*function of palpal receptor organ*

*Hyalomma asiaticum, illus.*  
Balashov, Iu. S.; and Leonovich, S. A., 1976,  
Entom. Obozr., v. 55 (4), 946-952  
*ixodid ticks of the tribe Amblyommatini, mor-*  
*phology of Haller's organ, scanning electron*  
*microscopy*

*Hyalomma asiaticum P. Sch. et E. Schl., illus.*  
Elizarov, Iu. A.; and Sinitina, E. E., 1976,  
Vestnik Moskov. Univ., s. 6, Biol., Pochvoved.  
(1), 63-67  
*Hyalomma asiaticum, morphology of palpal and*  
*Haller's organs, chemoreceptors and mechano-*  
*receptors, changes during development from*  
*larva to imago*

*Hyalomma asiaticum asiaticum Sch. et Schl.*  
Amanniazova, R. D., 1975, Izvest. Akad. Nauk  
Turkmensk. SSR, s. Biol. Nauk (6), 48-54  
*seasonal distribution in different land-*  
*scapes*  
*Rhombomys opimus: Turkmenistan*

*Hyalomma asiaticum asiaticum*  
*Berdyev, A., 1975, Izvest. Akad. Nauk Turkmen.*  
*SSR, s. Biol. Nauk (2), 62-66*  
*Hyalomma asiaticum asiaticum, Hyalomma*  
*anatolicum excavatum, comparison of life*  
*cycles, distribution, hosts, habitats;*  
*Hyalomma asiaticum asiaticum has pasture-*  
*burrow parasitism, Hyalomma anatolicum ex-*  
*cavatum has stall-pasture parasitism:*  
*Turkmenia*

*Hyalomma asiaticum asiaticum*  
*Lvov, D. K.; et al., 1976, Arch. Virol., v. 51*  
*(1-2), 15-21*  
*Tamdy virus (new arbovirus) isolated from*  
*ticks Hyalomma asiaticum asiaticum and Hyal-*  
*lomma plumbeum plumbeum collected in desert*  
*regions of Uzbek S.S.R. and the Turkmen*  
*S.S.R.*

*Hyalomma (Hyalommata) brevipunctata Sharif,*  
*1928*  
*Hiregoudar, L. S., 1976, Indian Vet. J.,*  
*v. 53 (3), 237*  
*Boselaphus tragocamelus (perineal region,*  
*underside of abdomen, between legs)*  
*Axis axis (perineal region)*  
*all from Gir forest, Gujarat State, India*

*Hyalomma (Hyalommata) brevipunctata*  
*Nagar, S. K.; Raizada, R. N.; and Saxena,*  
*V. K., 1977, Indian J. Animal Sc., v. 47 (10),*  
*654-663*  
*camel*  
*sheep*  
*all from Union Territory of Delhi*

*Hyalomma crassitarsus Neumann, 1899*  
*Jones, E. K.; et al., 1972, Brigham Young*  
*Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
*as syn. of Amblyomma longirostre (Koch, 1844)*

*H[yalomma] detritum*  
*Angelovski, T.; and Iliev, A., 1970, Acta*  
*Parasitol. Jugoslavica, v. 1 (1-2), 17-20*  
*Theileria dispar, cattle, occurrence of*  
*H[yalomma] excavatum and H[yalomma]*  
*detritum on most sick animals: Macedonia*

*Hyalomma detritum, illus.*  
*Balashov, Iu. S.; and Leonovich, S. A., 1976,*  
*Entom. Obozr., v. 55 (4), 946-952*  
*ixodid ticks of the tribe Amblyommataini, mor-*  
*phology of Haller's organ, scanning electron*  
*microscopy*

*Hyalomma detritum*  
*Samish, M.; and Pipano, E., 1977, J. Proto-*  
*zool., v. 24 (2), Suppl., 19A [Abstract]*  
*Theileria annulata-infected Hyalomma de-*  
*tritum, storage at -79°C. of triturated tick*  
*suspensions, successful subsequent infection*  
*of calves*

*Hyalomma detritum*  
*Samish, M.; Pipano, E.; and Tsafir, N., 1975,*  
*J. Protozool., v. 22 (3), 73A [Abstract]*  
*Theileria annulata, exper. transmission to*  
*cattle by Hyalomma detritum*

*Hyalomma detritum Schulze*  
*Singh, A.; and Chhabra, R. C., 1974, Indian J.*  
*Animal Sc., v. 43 (5), 1973, 393-397*  
*seasonal distribution*  
*Bos indicus*  
*Canis familiaris (footpads, body)*  
*Asinus asinus and/or Equus caballus (groin)*  
*all from Hissar and suburbs, India*

*Hyalomma detritum*  
*Trifonov, T., 1975, Vet. Med. Nauki, v. 12 (5),*  
*70-79*  
*ticks of farm and wild animals, seasonal*  
*distribution: Burgas district [and/or]*  
*Michurin*

*Hyalomma detritum*  
*Tsafrir, N.; Pipano, E.; and Hadani, A., 1973,*  
*J. Protozool., v. 20 (4), 534*  
*Hyalomma detritum was able to transmit Theil-*  
*eria annulata regardless of mode of infection*  
*of calves on which fed during preimaginal*  
*stage (natural tick transmission vs. blood*  
*inoculation from acutely or chronically in-*  
*fected calves)*

*Hyalomma dromedarii*  
*Bassal, T. T. M., 1977, J. Parasitol., v. 63*  
*(4), 758-759*  
*Hyalomma dromedarii, female ticks during*  
*oogenesis and oviposition, demonstration of*  
*guanine biosynthesis*

*Hyalomma dromedarii*  
*Bergeon, P.; and Balis, J., 1974, Rev. Elevage*  
*et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-*  
*299*  
*Argasidae and Ixodidae, geographic distri-*  
*bution in Ethiopia*  
*dromedaire*  
*zebu*  
*all from Ethiopia*

*Hyalomma dromedarii Koch, 1844, illus.*  
*Camicas, J. L., 1970, Acarologia, v. 12 (1),*  
*71-102*  
*key, larva described, measurements*

*Hyalomma dromedarii and/or H. impletatum*  
*Camicas, J. L., 1970, Acarologia, v. 12 (1),*  
*71-102*  
*Gerbillus sp.: Mauritanie*  
*G. nanus: Mauritanie*  
*G. nigeriae: Mauritanie*  
*G. pyramidum: Mauritanie*  
*Psammomys obesus: Mauritanie*  
*Lepus aegyptius: Senegal*

*Hyalomma dromedarii*  
*Gill, B. S.; et al., 1976, Nature (5584),*  
*v. 264, 355-356*  
*Theileria annulata, calves, vaccination*  
*with schizonts grown in tissue culture,*  
*full immunity to severe tick (Hyalomma*  
*dromedarii) challenge*

*Hyalomma dromedarii*  
*Gill, B. S.; et al., 1977, Ann. Recherches*  
*Vet., v. 8 (3), 285-292*  
*Theileria annulata, cattle, successful immu-*  
*nization by infecting with one-tick stabilate*  
*(Hyalomma dromedarii) and simultaneous treat-*  
*ment with chlortetracycline*

- Hyalomma dromedarii**
- Gill, B. S.; Bhattacharyulu, Y.; and Kaur, D., 1976, Research Vet. Sc., v. 21 (2), 146-149
- Theileria annulata, calves, tick-induced infections (*Hyalomma anatomicum anatomicum* or *H. dromedarii*), immunization using chlorotetracycline prophylactically
- Hyalomma (H.) dromedarii Koch**
- Hajjar, N. P., 1972, J. Med. Entom., v. 9 (6), 551-557
- Hyalomma (H.) dromedarii*, *H. (H.) anatomicum excavatum*, premolt nymphs, engorged and ovipositing females, total lipid fatty acids and free fatty acid fractions of hemolymph and gut and molting fluids, changes in relation to feeding, molting, and oviposition
- Hyalomma dromedarii**
- Hamdy, B. H., 1973, J. Med. Entom., v. 10 (4), 345-348
- Hyalomma dromedarii*, cycle of nitrogenous excretion of nymphs and females, feeding and postfeeding states
- Hyalomma dromedarii**
- Nagar, S. K.; Raizada, R. N.; and Saxena, V. K., 1977, Indian J. Animal Sc., v. 47 (10), 654-663
- camel  
cow, undef. breed  
all from Territory of Delhi
- Hyalomma dromedarii (Koch, 1844), illus.**
- Nosek, J.; and Rehacek, J., 1977, Biologia, Bratislava, s. B, Zool., v. 32 (2), 101-103 abnormalities in laboratory bred *Hyalomma dromedarii* apparently due to hormonal disorder rather than mechanical injury
- Hyalomma dromedarii Koch**
- Rehacek, J.; and Kovacova, E., 1976, Biologia, Bratislava, s. C, Biol., v. 31 (3), 187-191
- Hyalomma dromedarii*, pleomorphism of *Rickettsia akari* in parenterally infected females
- Hyalomma dromedarii Koch**
- Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397 seasonal distribution
- Camelus dromedarii* (groin, mammary glands, under root of tail)
- Capra hircus* (ears)
- all from Hissar and suburbs, India
- Hyalomma dromedarii, illus.**
- Sweatman, G. K.; Tomey, G.; and Katul, G., 1976, Internat. J. Parasitol., v. 6 (4), 299-305
- Hyalomma dromedarii*, techniques for simultaneous and continuous recording by telemetry of (1) the feeding electrogram of the tick engorging on a free-ranging heifer and (2) the temperature of the tick at the site of attachment
- Hyalomma dromedarii Koch**
- Williams, R. E.; et al., 1973, J. Med. Entom., v. 10 (2), 143-146
- Hyalomma impeltatum*, *H. a. anatomicum*, *H. dromedarii*, vectors of Wanowrie, Thogoto, and Dhori viruses, respectively; camels implicated as disseminator of arboviruses via infected ticks: Egypt
- H[yalomma] excavatum**
- Angelovski, T.; and Iliev, A., 1970, Acta Parasitol. Iugoslavica, v. 1 (1-2), 17-20
- Theileria dispar, cattle, occurrence of *H[yalomma] excavatum* and *H[yalomma] detritum* on most sick animals: Macedonia
- Hyalomma excavatum**
- Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299
- Argasidae and Ixodidae, geographic distribution in Ethiopia  
chevre  
dromadaire  
zebu  
all from Ethiopia
- Hyalomma excavatum**
- Hadani, A.; et al., 1977, J. Protozool., v. 24 (4), 65A [Abstract]
- Nuttallia danii*, gerbils, relatively short span of time between tick (*Hyalomma excavatum*) transmission of parasite and its appearance in the blood makes the existence of exo-erythrocytic forms highly improbable
- Hyalomma excavatum (Koch, 1844)**
- Hadani, A.; Kauffman, B.; and Barnett, S. F., 1975, J. Protozool., v. 22 (3), 71A [Abstract]
- Nuttallia danii*, development in salivary glands of *Hyalomma excavatum*
- Hyalomma excavatum**
- Hadani, A.; and Theodor, O., 1973, J. Protozool., v. 20 (4), 532 [Abstract]
- factors affecting the rate of infection of *Hyalomma excavatum* nymphs with *Nuttallia danii*: host splenectomy, stage of disease, route of transmission (blood vs. tick-borne)
- Hyalomma excavatum**
- Hadani, A.; Ziv, M.; and Rechav, Y., 1977, Entom. Exper. et Applic., v. 22 (1), 53-59
- Hyalomma excavatum* on *Meriones tristrami* (exper.), acaricidal properties of tick repellents (diethyl toluamide, benzyl benzoate, and dimethyl phthalate), best results with diethyl toluamide
- Hyalomma excavatum Koch**
- Kaufman, W., 1976, J. Exper. Biol., London, v. 64 (3), 727-742
- fluid secretion by in vitro salivary glands of ixodid ticks with progression of feeding, control of salivation is probably neural rather than hormonal
- Hyalomma excavatum**
- Samish, M., 1977, J. Protozool., v. 24 (4), 67A-68A [Abstract]
- Theileria annulata, transmission by *Hyalomma excavatum*, high temperature and humidity may cause uninfected particles in unfed ticks to change into infective ones

*Hyalomma excavatum*

Samish, M., 1977, Nature, London (5632), v. 270, 51-52  
*Theileria annulata*, temperature of 37°C and relative humidity of 95% stimulates production of infective parasite forms in infected adult *Hyalomma excavatum* ticks without the need for a blood meal

*Hyalomma hussaini*

Nagar, S. K.; Raizada, R. N.; and Saxena, V. K., 1977, Indian J. Animal Sc., v. 47 (10), 654-663  
 camel  
 sheep  
 all from Union Territory of Delhi

*Hyalomma impeltatum*

Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299

*Argasidae and Ixodidae*, geographic distribution in Ethiopia  
 dromadaire  
 zebu  
 all from Ethiopia

*Hyalomma impeltatum Schulze et Schlottke*, 1930, illus.

Camicas, J. L., 1970, Acarologia, v. 12 (1), 71-102  
 key, larva described, measurements

*Hyalomma impeltatum* and/or *H. dromedarii*

Camicas, J. L., 1970, Acarologia, v. 12 (1), 71-102

*Gerbillus* sp.: Mauritanie  
*G. nanus*: Mauritanie  
*G. nigeriae*: Mauritanie  
*G. pyramidum*: Mauritanie  
*Psammomys obesus*: Mauritanie  
*Lepus aegyptius*: Senegal

*Hyalomma impeltatum Schulze & Schlottke*

Williams, R. E.; et al., 1973, J. Med. Entom., v. 10 (2), 143-146

*Hyalomma impeltatum*, *H. a. anatolicum*, *H. dromedarii*, vectors of Wanowrie, Thogoto, and Dhori viruses, respectively; camels implicated as disseminator of arboviruses via infected ticks: Egypt

*Hyalomma impressum Koch*, 1844, illus.

Camicas, J. L., 1970, Acarologia, v. 12 (1), 71-102

key, larva described, measurements  
*Atelerix albiventris*  
*Arvicantis niloticus*  
 all from Senegal

*Hyalomma impressum Koch*

Wills, W.; and Larouze, B., 1976, Melsheimer Entom. Ser. (21), 1-4  
 cow: Djikoroni, Mali

*Hyalomma longirostre Neumann*, 1901

Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Amblyomma longirostre* (Koch, 1844)

*Hyalomma marginatum*

Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299

*Argasidae and Ixodidae*, geographic distribution in Ethiopia  
 zebu: Ethiopia

*Hyalomma marginatum Koch* 1844

Mikacic, D., 1972, Acta Parasitol. Jugoslavica, v. 3 (1), 49-54  
 seasonal occurrence: Rab and Pag

*Hyalomma marginatum*

Tovornik, D., 1970, Acta Parasitol. Jugoslavica, v. 1 (1-2), 103-106  
 tick fauna in foci of Central European Encephalitis; list of tick species found on birds: Yugoslavia

*Hyalomma marginatum isaaci*

Nagar, S. K.; Raizada, R. N.; and Saxena, V. K., 1977, Indian J. Animal Sc., v. 47 (10), 654-663  
 cow, Sahiwal x Friesian: Territory of Delhi

*Hyalomma marginatum isaaci Sharif*

Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 393-397  
 seasonal distribution  
*Bubalus bubalis*  
*Bos indicus*  
*Ovis aries* (ears, under root of tail)  
 all from Hissar and suburbs, India

*Hyalomma marginatum rufipes Koch*

MacLeod, J.; et al., 1977, Bull. Entom. Research, v. 67 (1), 161-173  
 seasonal activity and attachment sites of ticks on cattle, infestation patterns on other domestic and wild animals: Central Province of Zambia

*Hyalomma marginatum rufipes*

Matson, B. A.; and Norval, R. A. I., 1977, Rhodesian Vet. J., v. 8 (1), 2-6  
 seasonal occurrence of adult ixodid ticks on cattle on a highveld farm: Rhodesia

*Hyalomma mauritanicum Senevet*, 1939, illus.

Sanchez Acedo, C.; and Ramon Vericad, J., 1973, Rev. Iber. Parasitol., v. 33 (1), 29-38  
*Sus scrofa*: Alto Aragon

*Hyalomma nitidum*

Converse, J. D.; et al., 1974, Tr. Roy. Soc. Trop. Med. and Hyg., v. 68 (5), 411-412 [Letter]  
 Cameroun

*Hyalomma plumbeum*

Balashov, Yu. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317  
 ixodid and argasid ticks, fine structure and function of palpal receptor organ

*Hyalomma plumbeum*, illus.

Balashov, Iu. S.; and Leonovich, S. A., 1976, Entom. Obozr., v. 55 (4), 946-952  
ixodid ticks of the tribe Amblyommatini, morphology of Haller's organ, scanning electron microscopy

*Hyalomma plumbeum*

Georgiev, B.; et al., 1976, Vet. Med. Nauk., v. 13 (1), 94-100  
*Hyalomma plumbeum*, incidence and seasonal dynamics, farm animals: Pazardzh district

*H[yalomma] plumbeum*

Gladenko, I. M.; et al., 1975, Veterinariia, Kiev (42), 102-107  
*R[hipicephalus] bursa*, *H[yalomma] plumbeum*, sheep treated with dip in trolene, sevin or dicresyl, tick control, no effect on sheep

*H[yalomma] plumbeum*

Malinin, O. O.; and Shuliak, V. D., 1975, Veterinariia, Kiev (42), 107-109  
*R[hipicephalus] bursa*, *H[yalomma] plumbeum*, sheep treated with combination of sevin and trolene, good tick control, no negative effect on sheep (various blood values monitored)

*Hyalomma plumbeum*

Trifonov, T., 1975, Vet. Med. Nauki, v. 12 (5), 70-79  
ticks of farm and wild animals, seasonal distribution: Burgas district [and/or] Michurin

*Hyalomma plumbeum* Panzer, 1796

Lvov, D. K.; et al., 1976, Arch. Virol., v. 51 (1-2), 15-21  
Tamdy virus (new arbovirus) isolated from ticks *Hyalomma asiaticum asiaticum* and *Hyalomma plumbeum plumbeum* collected in desert regions of Uzbek S.S.R. and the Turkmen S.S.R.

*Hyalomma rufipes*

Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
Argasidae and Ixodidae, geographic distribution in Ethiopia  
zebu: Ethiopia

*Hyalomma rufipes* Koch, 1844, illus.

Camicas, J. L., 1970, Acarologia, v. 12 (1), 71-102

key, larva described, measurements

*Gallinula chloropus*

*Otus s. senegalensis*

*Passer griseus*

*Euplectes sp.*

*Atelerix albiventris*

*Erythrocebus patas*

*Lepus aegyptius*

*Euxerus erythropus*

*Francolinus bicalcaratus*

*Centropus senegalensis*

*Tockus erythrorhynchus*

*Acrocephalus scirpaceus*

*Euplectes oryx franciscana*

*Ploceus capitalis*

*Ploceus cucullatus*

*Quelea quelea*

*Galerida cristata*

*Hyalomma rufipes* Koch, 1844, illus.-- Continued.  
Camicas, J. L., 1970, Acarologia, v. 12 (1), 71-102  
*Anthus trivialis*  
*Macronyx croceus*  
*Motacilla flava*  
all from Senegal

*Hyalomma rufipes*

Carmichael, I. H., 1976, Onderstepoort J. Vet. Research, v. 43 (1), 27-29  
*Syncerus caffer*: Ngamiland, Botswana

*Hyalomma rufipes*

Dipeolu, O. O.; and Ogunji, F. O., 1977, Bull. Animal Health and Prod. Africa, v. 25 (1), 25-31  
*Amblyomma variegatum*, *Hyalomma rufipes*, sheep (exper.), haematological changes, more pronounced in adult than in nymphal feeding, estimated weight of blood engorged by ticks

*Hyalomma rufipes*

Dipeolu, O. O.; and Ogunji, F. O., 1977, Lab. Animals, v. 11 (1), 39-40  
*Theileria annulata*, transmission to a rabbit by larvae from eggs from engorged female tick *Hyalomma rufipes* from infected cattle, possibility of transovarial transmission

*Hyalomma rufipes*

Matthewson, M. D.; and Baker, J. A. F., 1975, J. South African Vet. Ass., v. 46 (4), 341-344  
arsenic resistance: Republic of South Africa; Swaziland

*Hyalomma rufipes*

Ogunji, F. O.; and Dipeolu, O. O., 1977, Ztschr. Parasitenk., v. 51 (3), 285-288  
*Amblyomma variegatum*, *Hyalomma rufipes*, *Boophilus decoloratus*, larval feeding on scrotum of sheep better than on ears, economical for rearing large numbers of ticks; greatest number of larvae engorged when fed within 1-4 days of hatching

*Hyalomma rufipes* Koch

Pester, F. R. N.; and Laurence, B. R., 1974, J. Zool., London, v. 174 (3), 397-406  
*Giraffa camelopardalis tippelskirchi*: Kenya

*Hyalomma rufipes*

Young, E.; et al., 1973, Research J. National Parks Republic South Africa (16), 77-81  
*Equus zebra zebra*: Mountain Zebra National Park

*Hyalomma rufipes*

Young, E.; et al., 1973, Research J. National Parks Republic South Africa (16), 195-198  
*Antidorcas marsupialis*: Mountain Zebra National Park near Cradock, Cape Province

*Hyalomma schulzei*

Borut, S.; and Feldman-Muhsam, B., 1976, J. Parasitol., v. 62 (2), 318-320  
*Argasidae spp.*, *Ixodidae spp.*, in vitro spermogenesis

- Hyalomma schulzei**  
 Rudolph, D.; and Knuelle, W., 1974, Nature (5452), v. 249, 84-85  
 ixodid ticks, water vapor uptake from atmosphere, site (mouthparts) and mechanism (may be related to hygroscopic properties of salivary secretion)
- Hyalomma scupense**  
 Trifonov, T., 1975, Vet. Med. Nauki, v. 12 (5), 70-79  
 ticks of farm and wild animals, seasonal distribution: Burgas district [and/or] Michurin
- Hyalomma scupense P. Sch.**  
 Uspenskaia, I. G., 1971, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (7), 115-121  
 ixodid ticks, influence of cultivated land on distribution: Moldavia
- Hyalomma truncatum**  
 Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
 Argasidae and Ixodidae, geographic distribution in Ethiopia  
 chevre  
 dromadaire  
 mouton  
 zebu  
 all from Ethiopia
- Hyalomma truncatum** Koch, 1844, illus.  
 Camicas, J. L., 1970, Acarologia, v. 12 (1), 71-102  
 key, larva described, measurements  
*Bubo africanus*  
*Centropus senegalensis*  
*Gallinula chloropus*  
*Passer griseus*  
*Upupa senegalensis*  
*Crocidura* sp.  
*Atelerix albiventris*  
*Lepus aegyptius*  
*Arvicantis niloticus*  
*Cricetomys gambianus*  
*Mastomys* sp.  
*Taterillus* sp.  
*Euxerus erythropus*  
*Pterocles quadricinctus*  
*Laniarius barbarus*  
*Herpestes sanguineus*  
 all from Senegal
- Hyalomma truncatum**  
 Carmichael, I. H., 1976, Onderstepoort J. Vet. Research, v. 43 (1), 27-29  
*Synicerus caffer*: Ngamiland, Botswana
- Hyalomma truncatum** Koch, 1844  
 d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
*Phacochoerus*: Africa
- Hyalomma truncatum** Koch  
 MacLeod, J.; et al., 1977, Bull. Entom. Research, v. 67 (1), 161-173  
 seasonal activity and attachment sites of ticks on cattle, infestation patterns on other domestic and wild animals: Central Province of Zambia
- Hyalomma truncatum**  
 Matson, B. A.; and Norval, R. A. I., 1977, Rhodesian Vet. J., v. 8 (1), 2-6  
 seasonal occurrence of adult ixodid ticks on cattle on a highveld farm: Rhodesia
- Hyalomma truncatum**  
 Wood, W. F.; et al., 1975, J. Chem. Ecol., v. 1 (4), 501-509  
 ixodid ticks, phenolic compounds as pheromones, sexual attractants, chemical extraction and bioassay
- Hyperlaelaps microti** (Ewing)  
 Amin, O. M., 1976, Great Lakes Entom., v. 9 (4), 195-198  
 Syn.: *Laelaps kochi* [of] Amin, 1973  
*Microtus p. pennsylvanicus*: Kenosha County, Wisconsin
- ?**Hypoaspis** sp.  
 Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Sorex fumeus*  
*Blarina brevicauda*  
*Peromyscus maniculatus*  
*Ochrotomys nuttalli*  
*Napaeozapus insignis*  
 all from Fires Creek area, Nantahala Mountains, North Carolina
- Hypoaspis aculeifer** Canestrini, 1883  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaijan
- Hypoaspis ambulans**: Tragardh, 1904  
 Redington, B. C., 1971, Acarologia, v. 12 (4), 643-667  
 as syn. of *Haemogamasus ambulans* (Thorell, 1872)
- Hypoaspis chaetopus** Mel.  
 Amanniazova, R. D., 1975, Izvest. Akad. Nauk Turkmen. SSR, s. Biol. Nauk (6), 48-54  
 seasonal distribution in different landscapes  
*Rhombomyces opimus*: Turkmenistan
- Hypoaspis heselhausi** Oudemans, 1912  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaijan
- Hypoaspis lubrica** Voigts & Oudemans, 1904  
 Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
 Syn.: *Hypoaspis murinus* Strandtmann & Menzies, 1949
- Hypoaspis miles** (Berlese, 1892)  
 Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
 Syn.: *Cosmolaelaps gurabensis*, Fox, 1946

- Hypoaspis murinus Str. et Men.  
Amanniazova, R. D., 1975, Izvest. Akad. Nauk Turkmensk. SSR, s. Biol. Nauk (6), 48-54  
seasonal distribution in different landscapes  
Rhombomys opimus: Turkmenistan
- Hypoaspis murinus Stan. et Men.  
Diusembaev, E. B.; and Chelebiev, K. A., 1975,  
Zool. Zhurnal, v. 54 (1), 124-127  
Lagurus lagurus: Karagandinsk oblast
- Hypoaspis murinus Str. et Men., 1948  
Gadzhiev, A. T.; and Dubovchenko, T. A., 1976,  
Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
Rhinolophus mehelyi: Azerbaidzhan
- Hypoaspis murinus Strandtmann & Menzies, 1949  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of Hypoaspis lubrica Voigts & Oudemans, 1904
- Hypoaspis quadridentatus Allred  
Amanniazova, R. D., 1975, Izvest. Akad. Nauk Turkmensk. SSR, s. Biol. Nauk (6), 48-54  
seasonal distribution in different landscapes  
Rhombomys opimus: Turkmenistan
- Hypodectidae Fain et Bafort, 1966  
Fain, A., 1968, J. Nat. Hist., v. 2 (4), 459-461  
as syn. of Hypoderidae Murray, 1877
- Hypodectidae Fain & Bafort (1966)  
Fain, A.; and Amerson, A. B., jr., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 320-324  
as syn. of Hypoderidae Murray (1877)
- Hypoderidae Murray, 1877  
Fain, A., 1968, J. Nat. Hist., v. 2 (4), 459-461  
Syn.: Hypodectidae Fain et Bafort, 1966
- Hypoderidae Murray (1877)  
Fain, A.; and Amerson, A. B., jr., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 320-324  
Syn.: Hypodectidae Fain & Bafort (1966)
- Hypoderma  
Brown, F. G., 1977, Vet. Parasitol., v. 3 (3), 265-270  
Hypoderma, cattle, toxicological hazards in eradication programs: organophosphorus poisoning, reaction to destruction of larvae, allergic reactions, abortion
- [Hypoderma]  
Getta, G. I.; and Kruchinina, M. P., 1976,  
Sborn. Nauch. Rabot. SibNIVI, Sibirsk. Nauchno-Issled. Vet. Inst. (26), 105-110  
hypodermiasis, bovine, comparative study on effectiveness of kriofos and hypodermin-chlorophos
- Hypoderma  
Khan, M. A.; Weintraub, J.; and Croome, G. C. R., 1977, Vet. Parasitol., v. 3 (3), 271-274  
Hypoderma, progress in extermination, summary of symposium
- Hypoderma  
Kolacz, J., 1975, Med. Wet., v. 31 (11), 659-661  
Hypoderma, cattle, determining best timing for prophylactic treatment with phosphororganic insecticides in relation to seasonal distribution of fly larvae
- [Hypoderma] hypodermosis  
Leinati, L.; Oberholser, R.; and Beber, L., 1972, Atti Soc. Ital. Sc. Vet., v. 26, 479-481  
[Hypoderma], bovine, control, disinfestation of mountain pastures by calcium cyanamide and by grazing of poultry, increased weight gain by cattle
- [Hypoderma] warble flies, cattle grubs  
Magat, A., 1977, Vet. Parasitol., v. 3 (3), 225-228  
warble fly control on national basis with systemic organophosphorus insecticides: France
- Hypoderma  
Minar, J.; et al., 1974, Vet. Med., Praha, v. 47, v. 19 (5), 239-248  
hypodermatosis, cattle, trials of various formulations and concentrations of trichlorphon, Hypocid most successful: Czechoslovakia
- Hypoderma  
Rosenberger, G., 1977, Vet. Parasitol., v. 3 (3), 239-244  
warble fly eradication program in Germany
- Hypoderma  
Stendel, W., 1977, Vet. Parasitol., v. 3 (3), 245-249  
Hypoderma, cattle, comparison of suitability of fenthion pour-on and trichlorfon spot-on for controlling larval stages under German conditions
- Hypoderma  
Younger, R. L.; et al., 1975, J. Med. Entom., v. 12 (5), 517-524  
Hypoderma, cattle yearlings treated topically with 5 juvenile hormone analogues, development of enlarged warbles with accumulated exudate, isolation of alpha hemolytic streptococci, no definitive changes in serum chemistry or haematological values, no acute toxic effects
- Hypoderma spp.  
Kolacz, J., 1976, Med. Wet., v. 32 (8), 468-471  
Hypoderma spp., cattle breeding, effective control with efficacious systemic phosphororganic compound when given once at three months of age, mass treatment; individual treatment for infection in areas of low incidence

- Hypoderma sp.**  
*Languillat, G.; et al., 1976, Nouv. Presse Med., v. 5 (15), 984-986*  
*Hypoderma sp. causing subcutaneous myiasis on face of child and neurologic manifestations of meningitis, clinical case report: Paris, France*
- Hypoderma sp. Latr.**  
*Meleney, W. P.; and Roberts, I. H., 1975, J. Parasitol., v. 61 (5), 956-959*  
*3 insect juvenile hormone mimics used as sprays for control of *Haematopinus eurysternus* on cattle resulted in significant reduction of lice and in concomitant severe skin lesions associated with death or incomplete development of *Hypoderma* sp., therefore unsafe for use on mature cattle harboring both grubs and lice*
- Hypoderma sp.**  
*Palmer, A. C.; et al., 1972, Vet. Rec., v. 91 (24), 592-594 [Letter]*  
*Hypoderma sp. in cattle with an ataxia of obscure etiology: Britain, exported from France*
- Hypoderma sp.**  
*Rajamanickam, C.; et al., 1973, Southeast Asian J. Trop. Med. and Pub. Health, v. 4 (2), 282 [Demonstration]*  
*Hypoderma sp. causing myiasis in recently imported herd of Santa Gertrudis cattle, treatment and prophylaxis against further spread using coumaphos spray and BHC cream: West Malaysia, imported from U.S.A.*
- Hypoderma bovis, illus.**  
*Ashizawa, H.; et al., 1976, Bull. Fac. Agric. Univ. Miyazaki, v. 23 (1), 87-95*  
*Hypoderma bovis, ox (skin), pathological findings: Minamiogunicho, Aso-gun, Kumamoto prefecture*
- Hypoderma bovis Degeer**  
*Beesley, W. N., 1971, Ann. Trop. Med. and Parasitol., v. 65 (4), 567-572*  
*Hypoderma lineatum, *H. bovis*, guinea-pigs, rabbits, calves, anaphylactoid shock following implantation with first instar larvae or injection either with mid-gut fluid from first instar larvae or with hemolymph from third instar larvae*
- Hypoderma bovis, illus.**  
*Beesley, W. N., 1974, Vet. Med. Rev. (4), 334-347*  
*Hypoderma bovis, *H. lineatum*, cattle, infestation level, economics, eradication and control, review: British Isles*
- Hypoderma bovis**  
*Beesley, W. N., 1977, Vet. Parasitol., v. 3 (3), 251-257*  
*Hypoderma, cattle, toxic effects of treatment including discussion of whether these are due to death of migrating larvae or insecticide poisoning or both, importance of developing national scheme to eradicate cattle grubs in Britain*
- Hypoderma bovis De Geer**  
*Blagoveshchenskii, D. I., 1970, Parazitologiya, Leningrad, v. 4 (3), 265-266*  
*Hypoderma bovis parasitized by Trichopria sp. (Hymenoptera): USSR*
- Hypoderma bovis**  
*Boulard, C.; and Petithory, J., 1977, Vet. Parasitol., v. 3 (3), 259-263*  
*human hypodermosis, diagnosis with immuno-electrophoretic test*
- Hypoderma bovis**  
*Dipeolu, O. O., 1977, Bull. Animal Health and Prod. Africa, v. 25 (1), 33-39*  
*occurrence, distribution and breeding sites of blood sucking flies in Nigeria*
- Hypoderma bovis, illus.**  
*Feigelson, J.; et al., 1976, Pediatrie, v. 31 (1), 77-79*  
*Hypoderma bovis, ocular myiasis in young child with resulting lens destruction and surgical removal, child also suffered from cystic fibrosis: France*
- Hypoderma bovis**  
*Gilly, R.; et al., 1976, Pediatrie, v. 31 (1), 67-75*  
*Hypoderma bovis myiasis in young child with presenting symptoms of facial and arm paralysis, at surgical intervention right intracerebral hematoma contained *H. bovis* maggot, source of infection unknown, clinical case report: Lyon, France*
- Hypoderma bovis (Linn.)**  
*Glick, J. I., 1976, Florida Entom., v. 59 (2), 190*  
*cattle: Orlando, Orange Co., and Cocoa, Brevard County, Florida*
- Hypoderma bovis (Linnaeus), illus.**  
*Hadlow, W. J.; Ward, J. K.; and Krinsky, W. L., 1977, Cornell Vet., v. 67 (2), 272-281*  
*Hypoderma bovis, horse (brain), intracranial migration of larva, pathology: Ravalli County, western Montana (originally from American Falls, Idaho)*
- Hypoderma bovis**  
*Hennings, R., 1977, Vet. Parasitol., v. 3 (3), 211-216*  
*Hypoderma bovis, cattle, successful eradication with systemic organophosphorus insecticides, feasibility of simultaneous treatment of *Fasciola hepatica* with niclofolan: Steinfurt, Germany*
- Hypoderma bovis (Linnaeus)**  
*Iwuala, M. O. E.; and Onyeka, J. O. A., 1977, Environment. Entom., v. 6 (1), 43-49*  
*survey of domestic fly population, distribution patterns, diurnal and seasonal variations: Nsukka, East Central State, Nigeria*
- Hypoderma bovis**  
*Khan, M. A., 1977, Vet. Parasitol., v. 3 (3), 205-209*  
*eradication of hypodermosis, editorial*

- Hypoderma bovis**
- Khan, M. A., 1977, Vet. Parasitol., v. 3 (3), 217-223  
Hypoderma spp., cattle, feasibility of extermination on a regional basis with systemic insecticides: Wetaskiwin County, Alberta, Canada
- Hypoderma bovis de Geer, 1776**
- Kobulej, T., 1972, Parasitol. Hungar., v. 5, 273-285  
Hypoderma spp. in cattle, suggested control measure to be carried out in autumn on all cattle in endemic areas using ditrifon + dimethylsulphoxide as a pour-on dressing: Hungary
- Hypoderma bovis (Linnaeus)**
- Medina-Gaud, S.; and Garcia Tuduri, J., 1977, J. Agric. Univ. Puerto Rico, v. 61 (3), 409-412  
cattle (back): Orocovis, Puerto Rico
- Hypoderma bovis**
- Murray, V. I. E.; and Thompson, K., 1976, Trop. Agric., Trinidad, B. W. I., v. 53 (3), 263-266  
subcutaneous myiasis, incidence imported cow: Trinidad and Tobago
- Hypoderma bovis**
- Oberg, C.; Diaz, L.; and Valenzuela, G., 1974, Bol. Chileno Parasitol., v. 29 (3-4), 99-102  
Bos taurus: Chile
- Hypoderma bovis**
- Ogg, J. S., 1977, Vet. Parasitol., v. 3 (3), 229-237  
Hypoderma spp., eradication, national treatment program, nature and organization, results: Northern Ireland
- Hypoderma bovis**
- Petithory, J.; and Boulard, C., 1972, Nouv. Presse Med., v. 1 (27), 1841-1843  
human myiasis of Hypoderma bovis or H. lineatum, diagnosis in early stages using the Ouchterlony method and immunoelectrophoresis with antigen extract of the first larval stage of H. lineatum
- Hypoderma bovis (L.)**
- Shugart, J. I.; and Lloyd, J. E., 1977, J. Kansas Entom. Soc., v. 50 (4), 612 [Abstract]  
Haematobia irritans, Hypoderma lineatum, Hypoderma bovis, cattle, tiguuvon, forced use at watering station, good results: Wyoming
- Hypoderma bovis**
- Thornberry, H., 1976, Irish Vet. J., v. 30 (6), 83-88  
Hypoderma bovis, H. lineatum, cattle, eradication trials, Dyvon-in-oil, Tiguuvon, Rue-lene 25E, Ruelene 6R, pour-on applications, good results: Ireland
- Hypoderma lineatum De Villers**
- Beesley, W. N., 1971, Ann. Trop. Med. and Parasitol., v. 65 (4), 567-572  
Hypoderma lineatum, H. bovis, guinea-pigs, rabbits, calves, anaphylactoid shock following implantation with first instar larvae or injection either with mid-gut fluid from first instar larvae or with hemolymph from third instar larvae
- Hypoderma lineatum**
- Beesley, W. N., 1974, Vet. Med. Rev. (4), 334-347  
Hypoderma bovis, H. lineatum, cattle, infestation level, economics, eradication and control, review: British Isles
- Hypoderma lineatum**
- Beesley, W. N., 1977, Vet. Parasitol., v. 3 (3), 251-257  
Hypoderma, cattle, toxic effects of treatment including discussion of whether these are due to death of migrating larvae or insecticide poisoning or both, importance of developing national scheme to eradicate cattle grubs in Britain
- Hypoderma lineatum**
- Boulard, C.; and Petithory, J., 1977, Vet. Parasitol., v. 3 (3), 259-263  
human hypodermosis, diagnosis with immuno-electrophoretic test
- Hypoderma lineatum**
- Danjou, R.; et al., 1975, Acta Trop., v. 32 (4), 389-391  
10-year-old child with allergic and neurologic manifestations developing into eosinophilic meningitis, diagnosed by immunoelectrophoresis as Hypoderma lineatum, Mintezol treatment: from United States, extensive travel in France and Germany
- Hypoderma lineatum (de Villers)**
- Drummond, R. O.; et al., 1977, J. Econom. Entom., v. 70 (2), 176-178  
Hypoderma lineatum, cattle, efficacy of 5 animal systemic insecticides, log-probit analysis, good results; methoprene in drinking water did not prevent larvae from encapsulating in backs of cattle, but prevented adults from emerging from pupae: Texas
- Hypoderma lineatum, illus.**
- Gingrich, R. E., 1973, J. Med. Entom., v. 10 (5), 482-487  
Hypoderma lineatum, effects of host diet and immunosuppressant treatments (rabbit anti-mouse lymphocyte serum and whole-body irradiation) on survival and growth of larvae and on susceptibility of Mus musculus to infestation
- Hypoderma lineatum**
- Gingrich, R. E.; and Barrett, C. C., 1975, J. Med. Entom., v. 12 (1), 13-15  
Hypoderma lineatum larvae, vitamin A deficiency in calves reduced host resistance to percutaneous invasion but had no effect on larvae injected subcutaneously

*Hypoderma lineatum*  
 Khan, M. A., 1977, Vet. Parasitol., v. 3 (3),  
 205-209  
 eradication of hypodermosis, editorial

*Hypoderma lineatum*  
 Khan, M. A., 1977, Vet. Parasitol., v. 3 (3),  
 217-223  
*Hypoderma spp.*, cattle, feasibility of extermination on a regional basis with systemic insecticides: Wetaskiwin County, Alberta, Canada

*Hypoderma lineatum de Villiers*, 1789  
 Kobulej, T., 1972, Parasitol. Hungar., v. 5,  
 273-285  
*Hypoderma spp.* in cattle, suggested control measure to be carried out in autumn on all cattle in endemic areas using dtrifon + dimethylsulphoxide as a pour-on dressing: Hungary

*Hypoderma lineatum*  
 Ogg, J. S., 1977, Vet. Parasitol., v. 3 (3),  
 229-237  
*Hypoderma spp.*, eradication, national treatment program, nature and organization, results: Northern Ireland

*Hypoderma lineatum*  
 Petithory, J.; and Boulard, C., 1972, Nouv. Presse Med., v. 1 (27), 1841-1843  
 human myiasis of *Hypoderma bovis* or *H. lineatum*, diagnosis in early stages using the Ouchterlony method and immunolectrophoresis with antigen extract of the first larval stage of *H. lineatum*

*Hypoderma lineatum DeVilliers*  
 Shugart, J. I.; and Lloyd, J. E., 1977, J. Kansas Entom. Soc., v. 50 (4), 612 [Abstract]  
*Haematobia irritans*, *Hypoderma lineatum*, *Hypoderma bovis*, cattle, tiguvon, forced use at watering station, good results: Wyoming

*Hypoderma lineatum de Villiers*  
 Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397  
 seasonal distribution  
*Bos indicus* (back): Hissar and suburbs, India

*Hypoderma lineatum*  
 Thornberry, H., 1976, Irish Vet. J., v. 30 (6), 83-88  
*Hypoderma bovis*, *H. lineatum*, cattle, eradication trials, Dyvon-in-oil, Tiguvon, Rue-lene 25E, Ruelene 6R, pour-on applications, good results: Ireland

*Hypoderma lineatum sinense* Pleske [new rank]  
 Breev, K. A.; and Baratov, Sh. B., 1970, Parazitologija, Leningrad, v. 4 (3), 241-249  
*Hypoderma lineatum sinense*, incidence and intensity of infection, development in relation to temperature, climatic adaptation, differentiation from typical *H. lineatum*  
*Poephagus mutus*: eastern Pamir

*Hypodermiasis*. See [*Hypoderma*]

*Hypodermosis*. See *Hypoderma*.

*Hyponeocula Vercammen-Grandjean*, 1960, new status  
 Tanigoshi, L. K.; and Loomis, R. B., 1974,  
 Melanderia, v. 17, 1-27  
*Trombiculidae*  
 description, key to larvae, classified list of vertebrate hosts, tod: *H. arenicola* (Loomis, 1954) n. comb.  
 Syns.: *Neotrombiculoides* (*Hyponeocula*) *Vercammen-Grandjean*, 1960; *Bernia Allred & Beck*, 1966

*Hyponeocula Vercammen-Grandjean* 1960  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere

*Hyponeocula* [sp.]  
 Loomis, R. B.; and Goff, M. L., 1973, J. Med. Entom., v. 10 (2), 113-117  
*Peromyscus boylii*: NE of Santa Lucia, Sinaloa, Mexico

*Hyponeocula arenicola* (Loomis) n. comb. (tod), illus.  
 Tanigoshi, L. K.; and Loomis, R. B., 1974,  
 Melanderia, v. 17, 1-27  
 description, key  
 Syns.: *Trombicula arenicola* Loomis, 1954;  
*Neotrombiculoides* (*Hyponeocula*) *arenicola* *Vercammen-Grandjean*, 1960; *Hyponeocula argenicola* (*lapsus calamii*): Baker, 1969;  
*Bernia marita* Allred & Beck, 1966; *Trombicula montanensis* [of] Brown & Brennan, 1952; Gould 1956 (in part)

*Sigmodon leucotis*: Durango, Mexico  
*Dipodomys merriami*: Sonora, Mexico; Sierra Co., New Mexico; Cochise Co., Arizona; Santa Cruz Co., Arizona; Pima Co., Arizona; Nye Co., Nevada

*Perognathus intermedius*: Sonora, Mexico  
*Perognathus penicillatus*: Sonora, Mexico  
*Dipodomys agilis*: Baja California Norte, Mexico

*Dipodomys ordii*: Seward Co., Kansas; Santa Fe Co., New Mexico; Powers Co., Colorado; Pima Co., Arizona; Wayne Co., Utah; Tooele Co., Utah

*Muscivora forficata*: Seward Co., Kansas  
*Perognathus hispidus*: Seward Co., Kansas; Hamilton Co., Kansas

*Perognathus flavus*: Santa Fe Co., New Mexico  
*Cnemidophorus tigris*: Luna Co., New Mexico  
*Pituophis melanoleucus*: Sierra Co., New Mexico

*Dipodomys spectabilis*: Santa Fe Co., New Mexico  
*Neotoma albigenula*: Santa Fe Co., New Mexico; Powers Co., Colorado

*Lampropeltis getulus*: San Bernardino Co., California

*Perognathus formosus*: Inyo Co., California; Nye Co., Nevada; Juab Co., Utah; Tooele Co., Utah

*Peromyscus maniculatus*: Inyo Co., California  
*Dipodomys panamintinus*: Inyo Co., California; Kern Co., California

*Dipodomys microps*: Inyo Co., California; Nye Co., Nevada; Tooele Co., Utah

*Hyponeocula arenicola* (Loomis) n. comb. (tod), illus.--Continued.  
*Tanigoshi, L. K.; and Loomis, R. B., 1974,*  
*Melanderia, v. 17, 1-27*  
*Perognathus longimembris:* Inyo Co., California; Nye Co., Nevada; Tooele Co., Utah  
*Dipodomys heermanni:* San Luis Obispo Co., California  
*Coleonyx variegatus:* Nye Co., Nevada  
*Cynomys parvidens:* Garfield Co., Utah  
*Perognathus parvus:* Utah Co., Utah; Tooele Co., Utah  
*Lagurus curtatus:* Alberta, Canada  
*Perognathus fasciatus:* Alberta, Canada  
*Citellus richardsoni:* Alberta, Canada  
*Mus musculus:* Alberta, Canada  
*Reithrodontomys sp.:* Alberta, Canada  
*Onychomys torridus:* Nye Co., Nevada  
*Dipodomys nelsoni:* Coahuila, Mexico

*Hyponeocula deserticola* n. sp., illus.  
*Tanigoshi, L. K.; and Loomis, R. B., 1974,*  
*Melanderia, v. 17, 1-27*  
key  
*Perognathus goldmani:* Sonora, Mexico  
*Masticophis flagellum:* San Diego Co., California  
*Cnemidophorus tigris:* Riverside Co., California  
*Perognathus formosus:* Riverside Co., California; San Bernardino Co., California; Inyo Co., California  
*Perognathus penicillatus:* Riverside Co., California  
*Perognathus spinatus:* Riverside Co., California  
*Dipodomys deserti:* Inyo Co., California

*Hyponeocula fovea* n. sp., illus.  
*Tanigoshi, L. K.; and Loomis, R. B., 1974,*  
*Melanderia, v. 17, 1-27*  
key  
*Chionactis occipitalis:* San Diego Co., California  
*Phyllorhynchus decurtatus:* San Diego Co., California; Riverside Co., California  
*Perognathus formosus:* Riverside Co., California; San Bernardino Co., California; Inyo Co., California; Nye Co., Nevada  
*Cnemidophorus tigris:* Riverside Co., California; San Bernardino Co., California; Inyo Co., California  
*Perognathus longimembris:* Riverside Co., California; San Bernardino Co., California; Inyo Co., California  
*Dipodomys merriami:* Riverside Co., California; San Bernardino Co., California; Nye Co., Nevada  
*Perognathus fallax:* Riverside Co., California  
*Peromyscus eremicus:* Riverside Co., California; San Bernardino Co., California  
*Uta stansburiana:* Riverside Co., California  
*Masticophis flagellum:* San Bernardino Co., California  
*Dipodomys panamintinus:* Inyo Co., California  
*Dipodomys microps:* Inyo Co., California; Nye Co., Nevada  
*Salvadora hexalepis:* Inyo Co., California  
*Dipodomys ordii:* Nye Co., Nevada

*Hyponeocula imitator* n. sp., illus.  
*Tanigoshi, L. K.; and Loomis, R. B., 1974,*  
*Melanderia, v. 17, 1-27*  
key  
*Dipodomys merriami:* Sonora, Mexico; Baja California Norte, Mexico; Pima Co., Arizona; Pinal Co., Arizona; Yavapai Co., Arizona; Riverside Co., California; San Bernardino Co., California  
*Perognathus penicillatus:* Sonora, Mexico; San Diego Co., California  
*Citellus tereticaudus:* Sonora, Mexico; Riverside Co., California; San Bernardino Co., California  
*Phyllorhynchus decurtatus:* Sonora, Mexico  
*Dipsosaurus dorsalis:* Sonora, Mexico  
*Masticophis flagellum:* Sonora, Mexico  
*Chionactis occipitalis:* Baja California Norte, Mexico; Riverside Co., California  
*Lampropeltis getulus:* Baja California Sur, Mexico; San Diego Co., California  
*Perognathus formosus:* Imperial Co., California; Riverside Co., California  
*Coleonyx variegatus:* San Diego Co., California; Riverside Co., California  
*Thomomys bottae:* San Diego Co., California; Riverside Co., California  
*Citellus beecheyi:* Riverside Co., California  
*Perognathus longimembris:* Riverside Co., California  
*Dipodomys panamintinus:* San Bernardino Co., California  
*Arizona elegans:* San Bernardino Co., California

*Hyponeocula luciae* n. sp., illus.  
*Tanigoshi, L. K.; and Loomis, R. B., 1974,*  
*Melanderia, v. 17, 1-27*  
key  
*Peromyscus boylii:* Sinaloa, Mexico

*Hyponeocula montanensis* (Brennan) n. comb., illus.  
*Tanigoshi, L. K.; and Loomis, R. B., 1974,*  
*Melanderia, v. 17, 1-27*  
description, key  
Syn.: *Trombicula montanensis* Brennan, 1946  
*Citellus mexicanus:* Bexar Co., Texas  
*Perognathus hispidus:* Woods Co., Oklahoma; Hamilton Co., Kansas  
*Crotalus viridis:* Barber Co., Kansas; Weld Co., Colorado  
*Neotoma micropus:* Barber Co., Kansas  
*Citellus tridecemlineatus:* Barber Co., Kansas  
*Dipodomys ordii:* Barber Co., Kansas  
*Cynomys ludovicianus:* Thomas Co., Kansas; Wheatland Co., Montana  
*Citellus beldingi:* Mono Co., California  
*Citellus lateralis:* Mono Co., California  
*Neotoma lepida:* Box Elder Co., Utah  
*Cynomys leucurus:* Duchesne Co., Utah  
*Sylvilagus nuttalli:* Wheatland Co., Montana

*Hyponeocula rugosa* n. sp., illus.  
*Tanigoshi, L. K.; and Loomis, R. B., 1974,*  
*Melanderia, v. 17, 1-27*  
key  
*Perognathus artus:* Sinaloa, Mexico  
*Perognathus pernix:* Sinaloa, Mexico; Sonora, Mexico  
*Perognathus goldmani:* Sonora, Mexico  
*Perognathus penicillatus:* Sonora, Mexico

- Hypnoneocula sauricola* n. sp., illus.  
Tanigoshi, L. K.; and Loomis, R. B., 1974,  
*Melanteria*, v. 17, 1-27  
key  
*Sceloporus jarrovii*: Sonora, Mexico; Cochise  
Co., Arizona
- Hypsophthalmus campestris* Jordan & Rothschild,  
1913  
Smit, F. G. A. M., 1975, Rev. Zool. Africaine,  
v. 89 (1), 191-210  
*Crocidura* sp.: Cherangani Hills, Kenya
- Hystrichopsylla Taschenberg*, 1880  
Smit, F. G. A. M., 1974, *Senckenbergiana*  
Biol., v. 55 (4-6), 357-398  
Syn.: *Hystroceras* Ioff & Scalon, 1950
- Hystrichopsylla dippei neotomae*  
Coultrip, R. L.; et al., 1973, J. Med. Entom.,  
v. 10 (3), 303-309  
fleas, ticks, mammals, survey for vectors  
and reservoir hosts of Rocky Mountain spotted  
fever and sylvatic plague, serological  
evidence for presence of rickettsial agent  
but presence of plague not demonstrated  
*Neotoma fuscipes*: Fort Ord, California
- Hystrichopsylla dippiei truncata*  
Egoscue, H. J., 1976, Great Basin Nat., v. 36  
(4), 475-480  
fleas of *Peromyscus maniculatus sonoriensis*  
and 3 sympatric rodents compared, degree of  
flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Microtus longicaudus latus*  
all from western Utah
- Hystrichopsylla dippiei truncata* Holland  
Haas, G. E.; et al., 1973, J. Med. Entom.,  
v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geographic  
distribution, host and nest preference,  
sex ratio, degree of plague infection  
*Eutamias minimus*  
*E. quadrivittatus*  
*Spermophilus lateralis*  
*Tamiasciurus hudsonicus*  
*Peromyscus maniculatus*  
*P. truei*  
*Neotoma mexicana*  
*Microtus montanus*  
*M. longicaudus*  
all from west of Rio Grande in and near  
Jemez Mts., New Mexico
- Hystrichopsylla linsdalei*  
Coultrip, R. L.; et al., 1973, J. Med. Entom.,  
v. 10 (3), 303-309  
fleas, ticks, mammals, survey for vectors  
and reservoir hosts of Rocky Mountain spotted  
fever and sylvatic plague, serological  
evidence for presence of rickettsial agent  
but presence of plague not demonstrated  
*Didelphis marsupialis*  
*Peromyscus californicus*  
*P. truei*  
*Neotoma fuscipes*  
*Microtus californicus*  
all from Fort Ord, California
- Hystrichopsylla linsdalei*  
Egoscue, H. J., 1976, Great Basin Nat., v. 36  
(4), 475-480  
fleas of *Peromyscus maniculatus sonoriensis*  
and 3 sympatric rodents compared, degree of  
flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Microtus longicaudus latus*  
all from western Utah
- Hystrichopsylla orientalis* Smit, 1952  
Haitlinger, R., 1975, Polskie Pismo Entom., v.  
45 (2), 373-396  
seasonal variance  
*Microtus agrestis*  
*Sorex araneus*  
all from Gory Sowie
- Hystrichopsylla synaptica* n. sp., illus.  
Smit, F. G. A. M., 1974, *Senckenbergiana*  
Biol., v. 55 (4-6), 357-398  
*Soriculus caudatus*: Syng Gyang near Gosain-  
kund, Nepal
- Hystrichopsylla talpae* (Curtis 1826)  
Artz, V., 1975, Entom. Germanica, v. 1 (2),  
105-143  
ectoparasites of small mammals, prevalence  
in relation to ecological factors (geology,  
soil type, vegetation patterns), family of  
host and sex of host; technique for live  
parasitism rates  
*Apodemus flavicollis*  
*A. sylvaticus*  
*Clethrionomys glareolus*  
*Microtus arvalis*  
*M. agrestis*  
*Mustela erminea*  
*M. nivalis*  
all from Schleswig-Holstein
- Hystrichopsylla talpae*  
Avetisian, G. A.; and Ezekelian, V. Kh.,  
1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
fleas, seasonal and geographic distribution  
+*Microtus socialis* (nest): Armenia
- Hystrichopsylla talpae* (Curtis) 1826  
Cyprich, D.; and Kiefer, M., 1975, Biologia,  
Bratislava, s. B, Zool. (3), v. 30 (8), 599-604  
+*Cricetus cricetus* (nest): Vychodoslovenskej  
nizine
- Hystrichopsylla talpae* (Curtis) 1826  
Cyprich, D.; Kiefer, M.; and Kminak, M.,  
1976, Biologia, Bratislava, s. B, Zool. (3),  
v. 31 (8), 573-581  
*Arvicola terrestris*: Slovakia
- Hystrichopsylla talpa* (Curtis 1825)  
Czerwinska, A., 1977, Ekol. Polska, v. 25 (3),  
551-559  
fleas of *Microtus arvalis*, effects of mowing  
and plowing on parasite and host populations:  
Lomna, near Warsaw

- Hystrichopsylla talpae (Curt.)**  
 Haitlinger, R., 1975, *Polskie Pismo Entom.*, v. 45 (2), 373-396  
   seasonal variance  
*Clethrionomys glareolus*  
*Apodemus tauricus*  
*A. agrarius*  
*Microtus arvalis*  
*Sorex araneus*  
*S. alpinus*  
*Neomys fodiens*  
 all from Gory Sowie
- Hystrichopsylla talpae orientalis Smit**  
 Hallas, T. E.; and Bang, P., 1976, *Flora og Fauna, Kobenhavn*, v. 82 (1), 11-18  
   seasonal distribution  
*Sorex araneus*  
*Clethrionomys glareolus*  
*Microtus agrestis*  
*Apodemus agrarius*  
*Apodemus flavicollis*  
*Apodemus sylvaticus*  
 all from eastern Denmark
- Hystrichopsylla talpae orientalis Smit**  
 Szabo, I., 1972, *Parasitol. Hungar.*, v. 5, 329-347  
   *Apodemus flavicollis*  
   *Sorex araneus*  
   all from Sopron and environments, west Hungary
- Hystrichopsylla (Hystrichopsylla) talpae riouxi ssp. nova**  
 Beaucournu, J. C.; and Rosin, G., 1977, *Ann. Parasitol.*, v. 52 (1), 101-103  
*Crocidura russula*: Maroc
- Hystrichopsylla t. talpae**  
 Roberts, C. J., 1975, *Entom. Gaz.*, v. 26 (2), 139-145  
   +*Apodemus sylvaticus* (nest): Isle of Man
- Hystrichopsylla talpae talpae (Curt.)**  
 Roman, E.; and Pichot, J., 1975, *Acta Trop.*, v. 32 (4), 349-352  
   *Microtus arvalis*: Grenay (Isere), a 20 km a l'est de Lyon
- Histrichopsylla t. talpae**  
 Vaughan, J. A., 1977, *Entom. Month. Mag.* (1340-1343), v. 112, 1976, 45-48  
   straggler fleas on rabbits, *Oryctolagus cuniculus*, from Surrey and on myxomatous rabbits throughout Britain
- Hystrichopsyllidae**  
 Dunnet, G. M.; and Mardon, D. K., 1974, *Austral. J. Zool.*, Suppl. s. (30), 1-273  
   diagnosis
- Hystrichopsyllidae Tiraboschi**  
 Sanford, L. G.; and Hays, K. L., 1974, *Bull. (458) Alabama Agric. Exper. Station*, 3-42  
   brief description
- Hystrocera Ioff & Scaloni, 1950**  
 Smit, F. G. A. M., 1974, *Senckenbergiana Biol.*, v. 55 (4-6), 357-398  
   as syn. of *Hystrichopsylla Taschenberg*, 1880

- Ibidoecus**  
*Clay, T., 1976, System. Entom., v. 1 (1), 1-7  
 key to species on Threskiornis*
- Ibidoecus australis**  
*Clay, T., 1976, System. Entom., v. 1 (1), 1-7  
 key*
- Ibidoecus clausus**  
*Clay, T., 1976, System. Entom., v. 1 (1), 1-7  
 key*
- Ibidoecus dennelli**  
*Clay, T., 1976, System. Entom., v. 1 (1), 1-7  
 key*
- Ibidoecus dianae**  
*Clay, T., 1976, System. Entom., v. 1 (1), 1-7  
 key*
- Ibidoecus insularis sp. n., illus.**  
*Clay, T., 1976, System. Entom., v. 1 (1), 1-7  
 key to males  
 Threskiornis aethiopica bernieri (skin):  
 Madagascar, Ampotaka*
- Ibidoecus tandani sp. n., illus.**  
*Clay, T., 1976, System. Entom., v. 1 (1), 1-7  
 key  
 Threskiornis aethiopica abbotti: Aldabra,  
 Indian Ocean, South Island*
- Ibidoecus threskiornis, illus.**  
*Clay, T., 1976, System. Entom., v. 1 (1), 1-7  
 key*
- Ichoronyssus sp.** Ubelaker, 1966  
*Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of Macronyssus jonesi (White, 1966)*
- Ichoronyssus britanicus**, Furman, 1950  
*Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of Macronyssus crosbyi (Ewing &  
 Stover, 1915)*
- Ichoronyssus carnifex** Ewing, 1923; Smith 1955  
 (not Koch, 1839)  
*Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of Hirstionyssus laticutatus (de  
 Meillon & Lavoipierre, 1944)*
- Ichoronyssus granulosus** Kolenati, 1856  
*Gadzhiev, A. T.; and Dubovchenko, T. A., 1976,  
 Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst.  
 Zool. (2), 24-28  
 Rhinolophus mehelyi: Azerbaidzhan*
- Ichthyophilus orbignyi** Guerin-Meneville, 1829-  
 1832  
*Trilles, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 347-377  
 as syn. of Nerocila orbignyi (Guerin-  
 Meneville, 1829-1832)*
- Ichthyostomatogasteridae** Sellnick  
*Athias-Henriot, C., 1977, J. Austral. Entom.  
 Soc., v. 16 (3), 225-235  
 as syn. of Liroaspidae Traegardh*
- Icosta samoana** (Ferris 1927)  
*Maa, T. C., 1968, J. Med. Entom., v. 5 (3),  
 325-328  
 Turdus poliocephalus: Samoa*
- Idilla Smit, 1957**  
*Dunnet, G. M.; and Mardon, D. K., 1974,  
 Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis*
- Idilla caelebs** Smit, 1957, illus.  
*Dunnet, G. M.; and Mardon, D. K., 1974,  
 Austral. J. Zool., Suppl. s. (30), 1-273  
 diagnosis  
 Antechinus flavipes: New South Wales*
- Idiochaetis illustris** Jordan, 1937, illus.  
*Traub, R., 1968, J. Med. Entom., v. 5 (3), 375-  
 404  
 discussion of convergent evolution and morpho-  
 logical modifications in helmet-bearing fleas*
- Idiuroobia subg. nov.**  
*Pain, A., 1973, Rev. Zool. et Botan. Afri-  
 cains, v. 87 (2), 330-332  
 subgen. of Radfordia  
 type species of subgen.: Radfordia (Idiuro-  
 bia) idiuri sp. nov.*
- Idotea physodes:** Fabricius, 1798  
*Trilles, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 347-377  
 as syn. of Anilocra physodes (L., 1758)*
- Iguanacarus Vercammen-Grandjean 1965**  
*Brennan, J. M.; and Goff, M. L., 1977, J. Par-  
 asitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in  
 the Western Hemisphere*
- Indocaligus echinus** Pillai, 1961  
*Pillai, N. K., 1963, J. Marine Biol. Ass.  
 India, v. 5 (1), 68-96  
 as syn. of Lepeophtheirus longipalpus  
 Bassett-Smith, 1898*
- Insecta**  
*Chamberlain, W. F., 1975, J. Med. Entom.,  
 v. 12 (4), 395-400  
 insect growth regulators for control of  
 insects of medical and veterinary import-  
 ance, review*
- Intercutestrix Brennan and Yunker 1966**  
*Brennan, J. M.; and Goff, M. L., 1977, J. Par-  
 asitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in  
 the Western Hemisphere*
- Ischnocera**  
*Emerson, K. C.; and Price, R. D., 1976, Florida  
 Entom., v. 59 (4), 425-428  
 Mallophaga  
 key*

- Ischnocera spp.**  
 Gothe, R.; and Imhoff, N., 1975, Berl. u. München. Tierarztl. Wchnschr., v. 88 (22), 431-436  
 arthropods, incidence in carrier pigeons, variation with host age: Germany
- Ischnopsyllidae**  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273 diagnosis
- Ischnopsyllidae Wahlgren, 1904 (1907)**  
 Lewis, R. E., 1974, J. Med. Entom., v. 11 (5), 525-540  
 Ancistrosyllidae, Chimaeropsyllidae, Ischnopsyllidae, Leptopsyllidae, and Macropsyllidae, geographic distribution and host preferences, list of genera and species
- Ischnopsyllinae**  
 Mahnert, V., 1976, Rev. Suisse Zool., v. 83 (3), 769-776  
 key to genera, includes: Myodopsylla; Sternopsylla; Ptilopsylla; Hormopsylla; Rothschildopsylla; Alectopsylla nov. gen.
- Ischnopsyllus bathyllus**. M. Rothschild, 1936  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273 as syn. of Porribius bathyllus (M. Rothschild, 1936)
- Ischnopsyllus earinus**. M. Rothschild, 1936  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273 as syn. of Porribius caminae (Rothschild, 1903)
- Ischnopsyllus elongatus** Curtis  
 Szabo, I., 1972, Parasitol. Hungar., v. 5, 329-347  
 Nyctalus noctula: Sopron and environments, west Hungary
- Ischnopsyllus hexactenus**  
 Roberts, C. J., 1975, Entom. Gaz., v. 26 (2), 139-145  
 Myotis nattereri: Isle of Man
- Ischnopsyllus octactenus** Kolenati, 1857  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
 Rhinolophus mehelyi: Azerbaidzhan
- Ischnopsyllus octactenus**  
 Roberts, C. J., 1975, Entom. Gaz., v. 26 (2), 139-145  
 Pipistrellus pipistrellus: Isle of Man
- Ischnopsyllus octactenus**  
 Sharma, B. D.; and Sharma, T., 1975, Indian J. Entom., v. 35 (2), 161  
 Pipistrellus mimus  
 P. pipistrellus  
 Nyctalus noctula  
 all from Kashmir, India
- Ischnopsyllus octactenus** Kolenati  
 Szabo, I., 1972, Parasitol. Hungar., v. 5, 329-347  
 Pipistrellus pipistrellus: Sopron and environments, west Hungary
- Ischnopsyllus octactenus** (Kolenati, 1856), illus.  
 Traub, R., 1968, J. Med. Entom., v. 5 (3), 375-404  
 discussion of convergent evolution and morphological modifications in helmet-bearing fleas
- Ischnopsyllus s. simplex**  
 Roberts, C. J., 1975, Entom. Gaz., v. 26 (2), 139-145  
 Myotis nattereri: Isle of Man
- Isothricola myocastor** Fain, 1970, to Myocastorobius g. n. [comb. not made] (tod)  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67
- Ixodes sp.**  
 Berry, R. L.; et al., 1975, Am. J. Trop. Med. and Hyg., v. 24 (6, pt. 1), 992-998  
 arthropods collected and tested as carriers of California encephalitis, negative for virus isolations: Gambier, Ohio
- Ixodes sp.**  
 Clifford, C. M.; Flux, J. E. C.; and Hoogstraal, H., 1976, J. Med. Entom., v. 13 (1), 40-47  
 Ixodidae on Lepus, seasonal and regional abundance, age and sex of host  
 Lepus crawshayi: Kenya
- Ixodes (Pholeoixodes) [sp.]**, illus.  
 Clifford, C. M.; Hoogstraal, H.; and Keirans, J. E., 1975, J. Med. Entom., v. 12 (1), 115-137  
 Lepus oistolus: Nepal
- Ixodes (Ixodes) sp. A**, illus.  
 Clifford, C. M.; Hoogstraal, H.; and Keirans, J. E., 1975, J. Med. Entom., v. 12 (1), 115-137  
 description of larva  
 Soriculus caudatus  
 Soriculus sp.  
 Alticola roylei  
 Mus musculus urbanus  
 Mus sp.  
 Rattus eha  
 all from Nepal
- Ixodes (Ixodes) sp. B**, illus.  
 Clifford, C. M.; Hoogstraal, H.; and Keirans, J. E., 1975, J. Med. Entom., v. 12 (1), 115-137  
 description of nymph and larva  
 Alcippe castaneiceps  
 Garrulax subunicolor  
 G. erythrocephala  
 Soriculus nigrescens  
 Soriculus sp.  
 Dremomys lokriah  
 Alticola roylei  
 Alticola sp.  
 Mus musculus  
 Mus sp.

- Ixodes (Ixodes) sp. B*, illus.--Continued.  
 Clifford, C. M.; Hoogstraal, H.; and Keirans, J. E., 1975, *J. Med. Entom.*, v. 12 (1), 115-137  
*Rattus' eha*  
*R. fulvescens*  
*R. n. nitidus*  
*R. rattoides*  
*Rattus sp.*  
 all from Nepal
- Ixodes (Ixodes) sp. C*, illus.  
 Clifford, C. M.; Hoogstraal, H.; and Keirans, J. E., 1975, *J. Med. Entom.*, v. 12 (1), 115-137  
 description of nymph  
*Rattus eha* subsp.: Nepal
- Ixodes (Ixodes) [sp.] near himalayensis* Dhanda & Kulkarni, 1969, illus.  
 Clifford, C. M.; Hoogstraal, H.; and Keirans, J. E., 1975, *J. Med. Entom.*, v. 12 (1), 115-137  
 description of nymph and larva  
*Soriculus caudatus*  
*Mus musculus*  
 all from Nepal
- Ixodes (Ixodes) [sp.] near redikorzevi* Olenev, 1827, illus.  
 Clifford, C. M.; Hoogstraal, H.; and Keirans, J. E., 1975, *J. Med. Entom.*, v. 12 (1), 115-137  
 description of nymph and larva  
*Suncus murinus*  
*Rattus sp.*  
*Bandicota sp.*  
 rat  
 rodent  
*Herpestes auropunctatus*  
 all from Nepal
- Ixodes (Scaphixodes) sp.*, resembles *Ixodes (S.) berlesei*, illus.  
 Clifford, C. M.; Hoogstraal, H.; and Keirans, J. E., 1975, *J. Med. Entom.*, v. 12 (1), 115-137  
*Pyrrhocorax*: Nepal
- Ixodes spp.*  
 Coulier, R. L.; et al., 1973, *J. Med. Entom.*, v. 10 (3), 303-309  
 fleas, ticks, mammals, survey for vectors and reservoir hosts of Rocky Mountain spotted fever and sylvatic plague, serological evidence for presence of rickettsial agent but presence of plague not demonstrated  
*Didelphis marsupialis*  
*Sylvilagus bachmani*  
*Spermophilus beecheyi*  
*Perognathus californicus*  
*Dipodomys heermanni*  
*Reithrodontomys megalotis*  
*Peromyscus californicus*  
*P. maniculatus*  
*P. truei*  
*Neotoma fuscipes*  
*Microtus californicus*  
*Mephitis mephitis*  
*Felis domesticus*  
 all from Fort Ord, California
- Ixodes spp.*  
 Jones, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 17 (4), 40 pp.  
*Dasyprocta sp.*  
*Monodelphis brevicaudata*  
*Oryzomys albicularis*  
*Sigmodon hispidus*  
*Marmosa murina*  
*Nasua nasua*  
*Sturnira lilium*  
*Artibeus jamaicensis*  
*Marmosa robinsoni*  
*Proechimys semispinosus*  
*Cryptotis thomasi*  
*Marmosa dryas*  
*Oryzomys minutus*  
*Oryzomys sp.*  
*Rhipidomys venustus*  
*Thomasomys laniger*  
*Thomasomys lugens*  
*Desmodus rotundus*  
 bird  
*Oryzomys capito*  
*Thomasomys aureus*  
*Thomasomys hylophilus*  
*Didelphis marsupialis*  
*Philander opossum*  
*Proechimys guyannensis*  
*Sciurus igniventris*  
 all from Venezuela
- Ixodes [sp.], probably lasallei*  
 Jones, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 17 (4), 40 pp.  
*Oryzomys albicularis*  
*Dasyprocta aguti*  
*Myoprocta pratti*  
 all from Venezuela
- Ixodes [sp.], probably luciae*  
 Jones, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 17 (4), 40 pp.  
*Oryzomys albicularis*  
*Oryzomys capito*  
*Monodelphis brevicaudata*  
*Didelphis marsupialis*  
*Cryptotis thomasi*  
*Oryzomys fulvescens*  
*Marmosa robinsoni*  
*Marmosa murina*  
*Caluromys philander*  
*Oryzomys concolor*  
*Proechimys semispinosus*  
 all from Venezuela
- Ixodes [sp.], probably venezuelensis*  
 Jones, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 17 (4), 40 pp.  
*Oryzomys albicularis*  
*Marmosa dryas*  
 all from Venezuela
- Ixodes sp. 7* Asanuma et Sekikawa, 1952  
 Takada, N.; and Yamaguchi, T., 1974, *Eisei Dobutsu (Japan. J. San. Zool.)*, v. 25 (1), 35-40  
*Microtus montebelli montebelli*  
*Apodemus speciosus speciosus*  
*Urotrichus talpoides hondonis*  
 all from Honshu, Japan
- Ixodes sp. N1*, illus.  
 Takada, N.; and Yamaguchi, T., 1974, *Eisei Dobutsu (Japan. J. San. Zool.)*, v. 25 (1), 35-40  
*Urotrichus talpoides hondonis*: Honshu, Japan

- Ixodes sp.**  
*Tovornik, D., 1970, Acta Parasitol. Jugoslavica, v. 1 (1-2), 103-106*  
 tick fauna in foci of Central European Encephalitis; list of tick species found on birds: Yugoslavia
- Ixodes acuminatus**  
*Gilot, B.; et al., 1976, Ann. Parasitol., v. 51 (2), 241-254*  
*Arvicola sapidus*  
*Apodemus sylvaticus*  
*Mustela nivalis*  
*Sorex araneus*  
*Talpa caeca*  
 all from Nord-Ouest de l'Espagne
- Ixodes (Ixodes) acutitarsus (Karsch, 1880), illus.**  
*Clifford, C. M.; Hoogstraal, H.; and Keirans, J. E., 1975, J. Med. Entom., v. 12 (1), 115-137*  
 description of nymph and larva  
 human  
*Cynopterus sp.*  
*Sorex sp.*  
*Petaurista petaurista*  
*P. magnifica*  
*Belomys pearsoni*  
 yellow-bellied squirrel  
 squirrel  
*Pitymys sikkimensis*  
*Alticola roylei*  
*Apodemus flavicollis*  
*Apodemus sp.*  
*Mus homourus*  
*Mus musculus*  
*Mus sp.*  
 mouse  
*Rattus rattus*  
*Rattus rattoides*  
*Rattus eha*  
*Rattus sp.*  
 rat  
*Selenarctos thibetanus*  
*Felis bengalensis*  
*Felis sp.*  
*Muntiacus muntjak*  
*Naemorhedus goral*  
*Capricornis sumatraensis*  
 wild goat or Jharal  
 domestic dog  
 domestic buffalo  
*Bos grunniens*  
 domestic cattle  
 domestic zhum  
 domestic sheep  
 all from Nepal
- Ixodes acutitarsus Karsch, 1880**  
*Takada, N.; and Yamaguchi, T., 1974, Eisei Dobutsu (Japan. J. San. Zool.), v. 25 (1), 35-40*  
*Selenarctos thibetanus japonicus: Honshu, Japan*
- Ixodes affinis**  
*Varma, M. G. R., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (1), 92-102*  
 British Honduras
- Ixodes amersoni**  
*Amerson, A. B., jr., 1968, J. Med. Entom., v. 5 (3), 332-339*  
 tick distribution, influence of sea bird movement: Central Pacific  
*Gygis alba: Phoenix Island*  
*Sula sula: Enderbury Island*
- Ixodes anatis Chilton**  
*Heath, A. C. G., 1977, Tuatara, v. 23 (1), 26-39*  
 zoogeography of the New Zealand tick fauna, possible origins, collection and preservation
- Ixodes angustus Neum.**  
*Savitskii, B. P.; and Savitskaia, G. M., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 19-23*  
 inhabitation of forests and pastures by ticks transferred by domestic and wild animals:  
 Lower and Middle Amur flood plain
- Ixodes angustus Neumann, 1899**  
*Takada, N.; and Yamaguchi, T., 1974, Eisei Dobutsu (Japan. J. San. Zool.), v. 25 (1), 35-40*  
*Aschizomys andersoni: Honshu, Japan*
- Ixodes angustus**  
*Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17*  
*Sorex cinereus*  
*S. fumeus*  
*S. palustris*  
*Blarina brevicauda*  
*Peromyscus maniculatus*  
*Clethrionomys gapperi*  
 all from Fires Creek area, Nantahala Mountains, North Carolina
- Ixodes antechini Roberts**  
*Beveridge, I.; and Barker, I. K., 1976, Austral. J. Zool., v. 24 (2), 265-272*  
 helminths and arthropods, Antechinus stuartii, seasonal and sex-related variations in numbers of helminths, parasites unlikely directly involved in seasonal mortality of male host; ectoparasites may contribute to anemia in hosts: Powelltown, Victoria
- Ixodes apronophorus (Schulze, 1924)**  
*Gilot, B.; Moncada, E.; and Pautou, G., 1976, Ann. Parasitol., v. 51 (5), 601-603*  
*Clethrionomys glareolus*  
*Microtus agrestis*  
*Apodemus sylvaticus*  
*Sorex araneus*  
 all from le marais des Avenieres (Isere), France
- Ixodes apronophorus P. Sch.**  
*Uspenskaia, I. G., 1971, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (7), 115-121*  
 ixodid ticks, influence of cultivated land on distribution: Moldavia
- Ixodes arboricola**  
*Tovornik, D., 1970, Acta Parasitol. Jugoslavica, v. 1 (1-2), 103-106*  
 tick fauna in foci of Central European Encephalitis; list of tick species found on birds: Yugoslavia
- Ixodes asanumai**  
*Kitaoka, S.; and Suzuki, H., 1974, Eisei Dobutsu (Japan. J. San. Zool.), v. 25 (1), 21-26*  
 seasonal prevalence  
*Canis familiaris: southern Amami-oshima Islands*

- Ixodes auricularius* Conil, 1878  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Amblyomma auricularium* (Conil, 1878) Lahille, 1905
- Ixodes auritulus-percavatus* groups  
 Heath, A. C. G., 1977, Tuatara, v. 23 (1), 26-39  
 zoogeography of the New Zealand tick fauna, possible origins, collection and preservation
- Ixodes auritulus* group  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
*Scytalopus* sp.  
*Oryzomys minutus*  
*Thomasomys lugens*  
 bird  
*Oryzomys albicularis*  
 all from Venezuela
- Ixodes baergi*  
 Howell, F. G.; and Chapman, B. R., 1976, Southwest. Nat., v. 21 (3), 275-280  
 +*Petrochelidon pyrrhonota* (cliff debris from nesting sites): northwestern Texas
- Ixodes (Afrixodes) bakeri* Arthur & Clifford, 1961, illus.  
 Clifford, C. M.; Walker, J. B.; and Keirans, J. E., 1976, Onderstepoort J. Vet. Research, v. 43 (3), 105-111  
*Ixodes bakeri*, male, nymph and larva described, ecology, seasonal activity  
*Crocidura mariquensis*  
*Myosorex varius*  
*Otomys angoniensis*  
*O. irroratus*  
*O. sp.*  
*Rhabdomys pumilio*  
*Rattus norvegicus*  
 all from Republic of South Africa
- Ixodes (Scaphixodes) berlesei* Birula, 1895, illus.  
 Clifford, C. M.; Hoogstraal, H.; and Keirans, J. E., 1975, J. Med. Entom., v. 12 (1), 115-137  
 'sparrow': Nepal
- Ixodes (Ixodes) boliviensis* Newmann, illus.  
 Homsher, P. J.; and Sonenshine, D. J., 1975, Tr. Am. Micr. Soc., v. 94 (3), 368-374  
 fine structure of Haller's organ in 10 species of *Ixodes*, light and scanning electron microscopy, significance to systematic analysis  
*Canis familiaris*: Boquete, Panama
- Ixodes cajennensis* Fabricius, 1794  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Amblyomma cajennense* (Fabricius, 1787)
- Ixodes cavipalpus*  
 Clifford, C. M.; Flux, J. E. C.; and Hoogstraal, H., 1976, J. Med. Entom., v. 13 (1), 40-47  
 Ixodidae on *Lepus*, seasonal and regional abundance, age and sex of host  
*Lepus crawshayi*: Kenya
- Ixodes (Afrixodes) cavipalpus*, illus.  
 Clifford, C. M.; Theiler, G.; and Baker, M., 1975, Onderstepoort J. Vet. Research, v. 42 (1), 33-39  
 cattle  
 cows  
 all from Salisbury area, Rhodesia
- Ixodes cavipalpus* Nutt. & Warb.  
 MacLeod, J.; et al., 1977, Bull. Entom. Research, v. 67 (1), 161-173  
 seasonal activity and attachment sites of ticks on cattle, infestation patterns on other domestic and wild animals: Central Province of Zambia
- Ixodes confusus*  
 Moorhouse, D. E.; and Heath, A. C. G., 1975, J. Med. Entom., v. 12 (5), 571-572  
 evidence of parasitism of female ticks by males of the genus *Ixodes*, possible implications for transmission of disease agents
- Ixodes cookei* Packard  
 Amin, O. M., 1973, J. Med. Entom., v. 10 (1), 110-111  
*Mustela vison*: Bristol, Kenosha Co., Wisconsin
- Ixodes cookei* Packard  
 Amin, O. M., 1976, Great Lakes Entom., v. 9 (4), 195-198  
*Didelphis virginiana*  
*Citellus franklinii*  
*Procyon lotor hirtus*  
*Mustela frenata noveboracensis*  
*M. vison letifera*  
 all from Kenosha County, Wisconsin
- Ixodes (Pholeoixodes) cookei* Packard, illus.  
 Homsher, P. J.; and Sonenshine, D. J., 1975, Tr. Am. Micr. Soc., v. 94 (3), 368-374  
 fine structure of Haller's organ in 10 species of *Ixodes*, light and scanning electron microscopy, significance to systematic analysis  
*Mephitis mephitis*: near Montpelier, Virginia
- Ixodes cookei* Packard 1869  
 Toweill, D. E.; and Price, M. A., 1976, Southwest. Entom., v. 1 (1), 20  
*Bassariscus astutus flavus*: Kerr County, Texas
- Ixodes cordifer*  
 Moorhouse, D. E.; and Heath, A. C. G., 1975, J. Med. Entom., v. 12 (5), 571-572  
 evidence of parasitism of female ticks by males of the genus *Ixodes*, possible implications for transmission of disease agents
- Ixodes cornuatus*  
 Moorhouse, D. E.; and Heath, A. C. G., 1975, J. Med. Entom., v. 12 (5), 571-572  
 evidence of parasitism of female ticks by males of the genus *Ixodes*, possible implications for transmission of disease agents

- Ixodes cornuatus** Roberts  
 Shepherd, R. C. H.; and Edmonds, J. W., 1976,  
*Austral. Entom. Mag.*, v. 3 (4), 63-66  
*Oryctolagus cuniculus*: Victoria
- Ixodes crenulatus** Koch *sensu* Pomerancev, 1950 et  
 Filippova, 1957  
 Morel, P. C.; and Aubert, M. F. A., 1975, Ca-  
 hiers O.R.S.T.O.M., s. Entom. Med. et Parasi-  
 tol., v. 13 (2), 99-109  
 as syn. of *Pholeoixodes filippovae* (Cerny,  
 1962)
- Ixodes danyi** Babos, 1964  
 Morel, P. C.; and Aubert, M. F. A., 1975, Ca-  
 hiers O.R.S.T.O.M., s. Entom. Med. et Parasi-  
 tol., v. 13 (2), 99-109  
 as syn. of *Pholeoixodes filippovae* (Cerny,  
 1962)
- Ixodes dentatus**  
 Harman, D. M.; and Chapman, J. A., 1977,  
*Proc. Pennsylvania Acad. Sc.*, v. 51 (1), 40-  
 42  
*Cediopsylla simplex*, *Odontopsyllus multi-*  
*spinosis*, *Ixodes dentatus*, and *Haemaphysalis*  
*leporisalustris* on *Sylvilagus transition-*  
*alis*, seasonal distribution, sex and age of  
 host: Tucker County, West Virginia
- Ixodes (Ixodes) dentatus** Marx, illus.  
 Homsher, P. J.; and Sonenshine, D. J., 1975,  
*Tr. Am. Micr. Soc.*, v. 94 (3), 368-374  
 fine structure of Haller's organ in 10  
 species of *Ixodes*, light and scanning elec-  
 tron microscopy, significance to systematic  
 analysis  
*Sylvilagus floridanus*: Massachusetts
- Ixodes dentatus**  
 Jacobson, H. A.; and Kirkpatrick, R. L.,  
 1974, *J. Wildlife Dis.*, v. 10 (4), 384-391  
 comparison of selected physiological measure-  
 ments in untreated parasitized cottontail  
 rabbits and those treated with 1-tetramisole  
 hydrochloride and 2,2-dichlorovinyl, dimethyl  
 phosphate: Montgomery County, Virginia
- Ixodes dentatus**  
 Sonenshine, D. E.; and Clifford, C. M., 1973,  
*J. Med. Entom.*, v. 10 (5), 497-502  
*Ixodes dentatus*, *Haemaphysalis leporisal-*  
*ustris*, incidence of Rocky Mountain spotted  
 fever in ticks infesting birds; tick-host  
 relationships between Piedmont and eastern  
 coastal area compared  
 sparrow, white-throated  
 sparrow, song  
 sparrow, swamp  
 junco, slate-colored  
 thrush, Swainson's  
 veery  
 thrush, gray-cheeked  
 robin  
 thrush, hermit  
 thrush, wood  
 thrasher, brown  
 catbird  
 towhee, rufous-sided  
 cardinal  
 blue jay  
 grackle, common  
 wren, Carolina  
 warbler, myrtle
- Ixodes dentatus**-- Continued.  
 Sonenshine, D. E.; and Clifford, C. M., 1973,  
*J. Med. Entom.*, v. 10 (5), 497-502  
 ovenbird  
 waterthrush, northern  
 chat, yellow-breasted  
 warbler, black-throated blue  
 redstart, American  
 titmouse, tufted  
 all from coastal eastern United States
- Ixodes (Afrixodes) drakensbergensis** n. sp.,  
 illus.  
 Clifford, C. M.; Theiler, G.; and Baker, M.,  
 1975, *Onderstepoort J. Vet. Research*, v. 42  
 (1), 33-39  
 eland: Giant's Castle Game Reserve, Natal,  
 Republic of South Africa  
 bovine: Tank Area 118, Natal, Republic of  
 South Africa  
 goat (ear, feet, legs, muzzle): Tank Area  
 118, Natal, Republic of South Africa
- Ixodes eichhorni** Nuttall, 1915  
 Marshall, A. G., 1976, *Ecol. Entom.*, v. 1 (3),  
 189-199  
 arthropods ectoparasitic upon mammals and  
 birds, factors affecting host specificity  
*Gallus gallus*  
*Turdus poliocephalus*  
 all from New Hebrides
- Ixodes eldaricus**  
 Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev,  
 A. M., 1976, *Zool. Zhurnal*, v. 55 (9), 1308-  
 1317  
 ixodid and argasid ticks, fine structure and  
 function of palpal receptor organ
- Ixodes eldaricus** Djap. 1950  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976,  
*Vestnik Zool.*, Akad. Nauk Ukrainsk. SSR, Inst.  
*Zool.* (2), 24-28  
*Rhinolophus mehelyi*: Azerbaijan
- Ixodes eudyptidis** Maskell  
 Heath, A. C. G., 1977, *Tuatara*, v. 23 (1), 26-  
 39  
 zoogeography of the New Zealand tick fauna,  
 possible origins, collection and preservation
- Ixodes eudyptidis**  
 St. George, T. D.; et al., 1977, *Austral. J.*  
*Exper. Biol. and Med. Sc.*, v. 55 (5), 493-499  
 isolation of new flavivirus  
*Larus novaehollandiae*: near Burnie, Tasmania;  
 near Launceston, Tasmania
- Ixodes gibbosus** Nuttall 1916  
 Mikacic, D., 1972, *Acta Parasitol. Iugoslav-*  
*ica*, v. 3 (1), 49-54  
 seasonal occurrence: Rab and Pag
- Ixodes gibbosus** Nuttall, 1916, illus.  
 Saratsiotis, A.; and Battelli, C., 1972,  
*Parassitologia*, v. 14 (1), 183-192  
*Ixodes gibbosus*, first report from Italy,  
 cause of human tick paralysis in Greece,  
 distinctions from *I. ricinus* and *I. hexagonus*  
 synonymy  
 chevre: Italie (Monteroduni (Isernia); San  
 Marco in Lamis (Foggia); Vico del Gargano  
 (Foggia))

- Ixodes gibbosus*  
Tovornik, D., 1970, Acta Parasitol. Jugoslavica, v. 1 (1-2), 103-106  
tick fauna in foci of Central European Encephalitis; list of tick species found on birds: Yugoslavia
- Ixodes (Ixodes) granulatus* (Supino, 1897)  
Clifford, C. M.; Hoogstraal, H.; and Keirans, J. E., 1975, J. Med. Entom., v. 12 (1), 115-137  
domestic cat  
*Rattus rattus brunneus*  
*Bandicota indica*  
*Suncus murinus*  
all from Nepal
- Ixodes (Ixodes) granulatus* Supino, illus.  
Homsher, P. J.; and Sonenshine, D. J., 1975, Tr. Am. Micr. Soc., v. 94 (3), 368-374  
fine structure of Haller's organ in 10 species of *Ixodes*, light and scanning electron microscopy, significance to systematic analysis  
*Rattus mulleri*: Malaysia
- Ixodes granulatus*  
Kitaoka, S.; and Suzuki, H., 1974, Eisei Dobutsu (Japan. J. San. Zool.), v. 25 (1), 21-26  
seasonal prevalence  
*Rattus rattus*: southern Amami-oshima Islands
- Ixodes granulatus* Supino  
Reisen, W. K.; et al., 1975, Kalikasan, v. 4 (2), 145-154  
*Mus* spp.  
*Rattus norvegicus*  
*R. rattus rufescens*  
*Suncus murinus riukiuanus*  
*Crocidura* spp.  
*Herpestes seniorquatus*  
all from Okinawa
- Ixodes granulatus* Supino  
Van Peenen, P. F. D.; et al., 1977, J. Protozool., v. 24 (2), 310-312  
transtadial infection with piroplasms, probably *Babesia microti*  
*Bandicota indica nemorivaga*  
*Rattus coxinga*  
all from Taiwan
- Ixodes hexagonus*  
Blaskovic, D.; and Nosek, J., 1972, Progr. Med. Virol., v. 14, 275-320  
tick-borne encephalitis, epidemiology and public health importance, ecologic study of ticks, their mammalian hosts and means of disease control: Tribec area
- Ixodes hexagonus*  
Gilot, B., 1975, Bull. Soc. Path. Exot., v. 68 (6), 529-538  
Survey of area ticks as possible vectors of *Rickettsia* spp., *Dermacentor marginatus*, *D. reticulatus* and *Ixodes hexagonus* positive for *R. conori*; *Rhipicephalus sanguineus* and *Haemaphysalis punctata* gave negative results: areas of southern France
- Ixodes hexagonus*  
Isenbuegel, E., 1976, Prakt. Tierarzt, v. 57, Sondernummer, 21-27  
Igel
- Ixodes hexagonus* Leach  
Kaufman, W., 1976, J. Exper. Biol., London, v. 64 (3), 727-742  
fluid secretion by in vitro salivary glands of ixodid ticks with progression of feeding, control of salivation is probably neural rather than hormonal
- Ixodes hexagonus* Leach, 1815  
Mehl, R., 1972, Fauna, Oslo, v. 25 (4), 247-257  
*Vulpes vulpes*: Norge
- Ixodes hexagonus*  
Mehl, R., 1972, Fauna, Oslo, v. 25 (4), 265-274  
*Meles meles*: Norge
- Ixodes hexagonus* (Leach, 1815)  
Sanchez-Acedo, C.; Otero, J.; and Albala-Perez, F., 1974, Rev. Iber. Parasitol., v. 34 (3-4), 245-252  
*Rhinolophus ferrum equinum*  
*Myotis myotis*  
all from Spain
- Ixodes hexagonus*, illus.  
Saratsiotis, A.; and Battelli, C., 1972, Parassitologia, v. 14 (1), 183-192  
*Ixodes gibbosus*, first report from Italy, cause of human tick paralysis in Greece, distinctions from *I. ricinus* and *I. hexagonus* synonymy  
chevre: Italie (Monteroduni (Isernia); San Marco in Lamis (Foggia); Vico del Gargano (Foggia))
- Ixodes hirsti*  
Moorhouse, D. E.; and Heath, A. C. G., 1975, J. Med. Entom., v. 12 (5), 571-572  
evidence of parasitism of female ticks by males of the genus *Ixodes*, possible implications for transmission of disease agents
- Ixodes holocyclus*, illus.  
Allen, J. R.; Doube, B. M.; and Kemp, D. H., 1977, Canad. J. Comp. Med., v. 41 (1), 26-35  
*Ixodes holocyclus*, cattle, histology of skin lesions, attachment of female ticks, primary, secondary and subsequent infestations
- Ixodes holocyclus*  
Campbell, R. W.; and Domrow, R., 1974, Tr. Roy. Soc. Trop. Med. and Hyg., v. 68 (5), 397-402  
positively identified as vector of Queensland tick typhus in Australia  
*Rattus fuscipes*  
*Perameles nasuta*  
all from Australia
- Ixodes holocyclus*  
Cooper, B. J.; and Spence, I., 1976, Nature, London (5579), v. 263, 693-695  
*Ixodes holocyclus*, mice, paralysis produced is due to temperature-dependent inhibition of evoked release of acetylcholine at neuromuscular junction

- Ixodes holocyclus**  
 Doube, B. M.; and Heath, A. C. G., 1975, J. Med. Entom., v. 12 (4), 443-447  
*Haemaphysalis*, *Ixodes*, parasitization by wasp, *Hunterellus* sp., seasonal distribution of wasp and ticks  
*Isodon macrourus* (nat. and exper.): Queensland land  
*Trichosurus vulpecula*: Queensland  
*Hydromys chrysogaster*: Queensland  
*Potorous tridactylus* (nat. and exper.): Queensland  
*Rattus rattus* (exper.)
- Ixodes holocyclus**  
 Doube, B. M.; Kemp, D. H.; and Bird, P. E., 1977, Austral. Vet. J., v. 54 (1), 39-43  
*Ixodes holocyclus*, calves, paralysis, pathogenicity, field collected and laboratory reared ticks, little difference between ticks from different geographic localities; site of attachment had no influence on tick toxicity
- Ixodes holocyclus**  
 Moorhouse, D. E.; and Heath, A. C. G., 1975, J. Med. Entom., v. 12 (5), 571-572  
 evidence of parasitism of female ticks by males of the genus *Ixodes*, possible implications for transmission of disease agents
- Ixodes holocyclus**  
 Sutherst, R. W.; and Moorhouse, D. E., 1971, Southeast Asian J. Trop. Med. and Pub. Health, v. 2 (1), 82-83  
*Ixodes holocyclus*, larval ticks as cause of acute "scrub-itch" dermatitis with considerable portion of human population sensitized to the tick bite: southeast Queensland, Australia
- Ixodes holocyclus**  
 Treverrow, N. L.; Stone, B. F.; and Cowie, M., 1977, Experientia, v. 33 (5), 680-682  
*Ixodes holocyclus*, *Aponomma concolor*, aggregation pheromones demonstrated
- Ixodes (Ixodes) hyatti** Clifford, Hoogstraal & Kohls, 1971  
 Clifford, C. M.; Hoogstraal, H.; and Keirans, J. E., 1975, J. Med. Entom., v. 12 (1), 115-137  
*Alticola* sp.  
*Ochotona* sp.  
 all from Nepal
- Ixodes jacksoni** Hoogstraal  
 Heath, A. C. G., 1977, Tuatara, v. 23 (1), 26-39  
 zoogeography of the New Zealand tick fauna, possible origins, collection and preservation
- Ixodes (Exopalpiger) jonesae** Kohls, Sonenshine, & Clifford, 1969  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
*Thomasomys laniger*  
*Oryzomys minutus*  
*Caenolestes obscurus*  
 all from Venezuela
- Ixodes kingi** Bishop 1911  
 Toweill, D. E.; and Price, M. A., 1976, Southwest. Entom., v. 1 (1), 20  
*Bassaris* *astutus* *flavus*: Kerr County, Texas
- Ixodes (Ixodes) kuntzi** Hoogstraal & Kohls, 1965, illus.  
 Clifford, C. M.; Hoogstraal, H.; and Keirans, J. E., 1975, J. Med. Entom., v. 12 (1), 115-137  
 description of male  
*Leothrix lutea*  
*Heterophasia capistrata*  
*Muscicapa striophiata*  
*Zoothera mollisima*  
*Petaurista petaurista*  
*P. magnifica*  
 squirrel  
 rat  
 all from Nepal
- Ixodes laguri** OI.  
 Diusembaev, E. B.; and Chelebiev, K. A., 1975, Zool. Zhurnal, v. 54 (1), 124-127  
 +*Lagurus lagurus* (nest): Karagandinsk oblast
- Ixodes laguri** OI.  
 Uspenskaia, I. G., 1971, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (7), 115-121  
 ixodid ticks, influence of cultivated land on distribution: Moldavia
- Ixodes (Ixodes) lasallei** Mendez Arocha & Ortiz, 1958  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
*Agouti paca*  
*Dasyprocta fuliginosa*  
*Philander opossum*  
*Felis pardalis*  
 all from Venezuela
- Ixodes laysanensis**  
 Amerson, A. B., jr., 1968, J. Med. Entom., v. 5 (3), 332-339  
 tick distribution, influence of sea bird movement: Central Pacific  
*Sterna fuscata*: Lisianski Island  
 humans (crawling on skin): French Frigate Shoals
- Ixodes lewisi**  
 Clifford, C. M.; Flux, J. E. C.; and Hoogstraal, H., 1976, J. Med. Entom., v. 13 (1), 40-47  
 Ixodidae on *Lepus*, seasonal and regional abundance, age and sex of host  
*Lepus crawshayi*: Kenya
- Ixodes lividus**  
 Roberts, C. J., 1975, Entom. Gaz., v. 26 (2), 139-145  
 +*Riparia riparia* (nest): Isle of Man
- Ixodes lividus** Koch  
 Ulmanen, I.; et al., 1977, Oikos, v. 28 (1), 20-26  
 Ixodes lividus on *Riparia riparia*, age of host, seasonal and geographic distribution, localization: southern and eastern Finland

- Ixodes (Ixodes) loricatus* Neumann, illus.  
Homsher, P. J.; and Sonenshine, D. J., 1975,  
Tr. Am. Micr. Soc., v. 94 (3), 368-374  
fine structure of Haller's organ in 10  
species of *Ixodes*, light and scanning elec-  
tron microscopy, significance to systematic  
analysis  
*Didelphis* sp.: Luiz defora-Estados
- Ixodes loricatus* Neumann, 1899  
Jones, E. K.; et al., 1972, Brigham Young  
Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
*Monodelphis brevicaudata*  
*Marmosa robinsoni*  
all from Venezuela
- Ixodes loricatus vogelsangi* Dias, 1954  
Jones, E. K.; et al., 1972, Brigham Young  
Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
as syn. of *Ixodes luciae* Senevet, 1940
- Ixodes (Ixodes) luciae* Senevet, illus.  
Homsher, P. J.; and Sonenshine, D. J., 1975,  
Tr. Am. Micr. Soc., v. 94 (3), 368-374  
fine structure of Haller's organ in 10  
species of *Ixodes*, light and scanning elec-  
tron microscopy, significance to systematic  
analysis  
host unknown: Middlesex, British Honduras  
*Didelphis marsupialis*: Peru
- Ixodes luciae* Senevet, 1940  
Jones, E. K.; et al., 1972, Brigham Young  
Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
Syn.: *Ixodes loricatus vogelsangi* Dias,  
1954  
*Monodelphis brevicaudata*: Venezuela  
*Didelphis marsupialis*: Venezuela  
*Marmosa robinsoni*: Venezuela  
*Sigmodon hispidus*: Venezuela  
*Zygodontomys brevicauda*: Venezuela  
*Oryzomys concolor*: Venezuela  
*Marmosa cinerea*: Venezuela  
opossum: Venezuela  
*Philander opossum*: Venezuela  
[no host]: Nicaragua; Surinam
- Ixodes (Pholeoixodes) marxi* Banks, illus.  
Homsher, P. J.; and Sonenshine, D. J., 1975,  
Tr. Am. Micr. Soc., v. 94 (3), 368-374  
fine structure of Haller's organ in 10  
species of *Ixodes*, light and scanning elec-  
tron microscopy, significance to systematic  
analysis  
+*Glaucomys volans* (nest): Ashland, Virginia
- Ixodes marxi*  
Whitaker, J. O., jr.; Spicka, E. J.; and  
Schmeltz, L. L., 1976, Proc. Indiana Acad.  
Sc., v. 85, 1975, 431-436  
*Sciurus niger*  
*S. carolinensis*  
all from Indiana
- Ixodes (Ixodes) montoyanus* Cooley, illus.  
Keirans, J. E., 1973, J. Med. Entom., v. 10  
(3), 249-254  
description of male, nymph, and larva  
*Pudu mephistophelis wetmorei*: Departamento  
del Cauca, Pusna, Colombia  
*Pudu* sp. (probably *P. mephistophelis*): De-  
partamento del Cauca, Malvasa, Colombia  
*Mazama* sp.: Estado Merida, Venezuela
- Ixodes muniensis* Arthur & Burrow, 1957  
d'Huart, J. P., 1973, Rev. Zool. et Botan.  
Africains, v. 87 (2), 421-424  
*Potamochoerus*: Africa
- Ixodes muris* Bishop and Smith  
Amin, O. M., 1976, Great Lakes Entom.,  
v. 9 (4), 195-198  
*Sorex cinereus*: Kenosha County, Wisconsin
- Ixodes (Ixodes) muris* Bishop and Smith, illus.  
Homsher, P. J.; and Sonenshine, D. J., 1975,  
Tr. Am. Micr. Soc., v. 94 (3), 368-374  
fine structure of Haller's organ in 10  
species of *Ixodes*, light and scanning elec-  
tron microscopy, significance to systematic  
analysis
- Ixodes muris* Bishop and Smith 1937  
Winchell, E. J., 1977, J. Parasitol., v. 63  
(4), 756-757  
*Microtus breweri* (ear): Muskeget Island, 5  
miles west of Nantucket, Massachusetts
- Ixodes nairobensis*  
Ashford, R. W.; et al., 1973, Tr. Roy. Soc.  
Trop. Med. and Hyg., v. 67 (4), 568-601  
*Procavia habessinica*: Kutaber area, Ethiopia
- Ixodes nairobensis* Nuttall, 1916  
d'Huart, J. P., 1973, Rev. Zool. et Botan.  
Africains, v. 87 (2), 421-424  
*Phacochoerus*: Africa
- Ixodes naponensis* Packard, 1869  
Jones, E. K.; et al., 1972, Brigham Young  
Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
as syn. of *Amblyomma naponense* (Packard,  
1869)
- Ixodes nipponensis* Kitaoka et Saito, 1967  
Takada, N.; and Yamaguchi, T., 1974, Eisei  
Dobutsu (Japan. J. San. Zool.), v. 25 (1), 35-  
40  
*Nyctereutes procyonoides viverrinus*  
*Lepus brachyrus angustidens*  
*Sciurus lis*  
*Microtus montebelli montebelli*  
*Apodemus speciosus speciosus*  
*Apodemus argenteus argenteus*  
all from Honshu, Japan
- Ixodes occultus* B. Pom.  
Amanniazova, R. D., 1975, Izvest. Akad. Nauk  
Turkmensk. SSR, s. Biol. Nauk (6), 48-54  
seasonal distribution in different land-  
scapes  
*Rhombomys opimus*: Turkmenistan
- Ixodes (Partipalpiger) ovatus* Neumann, 1899  
Clifford, C. M.; Hoogstraal, H.; and Keirans,  
J. E., 1975, J. Med. Entom., v. 12 (1), 115-  
137  
human  
Chiroptera  
*Mustela siberica*  
*Antilope cervicapra*  
*Capricornis sumatraensis* thar  
*Sorex cylindricaudata*  
*Soriculus nigrescens*  
*Soriculus* sp.  
shrew  
*Pitymys sikkimensis*  
'field mouse'

*Ixodes (Partipalpiger) ovatus* Neumann, 1899.--  
Continued.  
Clifford, C. M.; Hoogstraal, H.; and Keirans,  
J. E., 1975, *J. Med. Entom.*, v. 12 (1), 115-  
137

Rattus eha  
R. fulvescens  
rat  
'rat'  
domestic dog  
domestic buffalo  
*Bos grunniens*  
domestic goat  
domestic sheep  
all from Nepal

*Ixodes ovatus*  
Fujisaki, K.; Kitaoka, S.; and Morii, T.,  
1976, *National Inst. Animal Health Quart.*, v.  
16 (3), 122-128  
comparative observations, feeding, molting,  
oviposition and hatching, ixodid ticks,  
laboratory cultural conditions

*Ixodes (Partipalpiger) ovatus* Neumann, 1899 (tod  
of subgenus), illus.  
Hoogstraal, H.; et al., 1973, *J. Med. Entom.*,  
v. 10 (2), 157-164  
*Bos indicus*: Burma  
domestic zhum: China (Tibet); Nepal  
flagging vegetation: Japan; Nepal  
*Lepus brachyrurus brachyrurus*: Japan  
*L. timidus lyoni*: Japan  
hare: Japan  
cattle: Japan; Bombdilla, NEFA, India; Ne-  
pal  
jammu: Dirang, NEFA, India  
*Lophura leucomelana leucomelana*: Nepal  
*Homo sapiens*: Nepal  
*Soriculus caudatus* subsp.: Nepal  
*S. nigrescens* subsp.: Nepal  
*Soriculus* sp.: Nepal  
*Suncus murinus murinus*: Nepal  
*Ochotona roylei roylei*: Nepal  
*Alticola roylei* subsp.: Nepal  
*Mus musculus urbanus*: Nepal  
*M. homourus* subsp.: Nepal  
*Rattus eha eha*: Nepal  
*R. fulvescens fulvescens*: Nepal  
*Rattus* sp.: Nepal  
*Felis* sp.: Nepal  
*Canis aureus* subsp.: Nepal  
*Cuon alpinus primaevus*: Nepal  
*Muntiacus muntjak vaginalis*: Nepal  
*Axis axis axis*: Nepal  
*Naemorhedus goral Hodgsoni*: Nepal  
*Capricornis sumatraensis thar*: Nepal  
domestic dog: Nepal  
*Bubalus bubalis bubalis*: Nepal  
domestic goat: Nepal  
domestic sheep: Nepal  
house wall: Nepal  
*Muntiacus reevesi micrurus*: Taiwan  
*Capricornis swinhonis*: Taiwan  
*Felis bengalensis*: Thailand  
*Paradoxurus hermaphroditus*: Thailand  
*Muntiacus muntjak*: Thailand

*Ixodes ovatus* Neumann, 1899  
Takada, N.; and Yamaguchi, T., 1974, *Eisei*  
*Dobutsu* (*Japan. J. San. Zool.*), v. 25 (1), 35-  
40  
*Mustela sibirica itatsi*  
*Selenarctos thibetanus japonicus*  
*Nyctereutes procyonoides viverrinus*  
*Microtus montebelli montebelli*

*Ixodes ovatus* Neumann, 1899.-- Continued.  
Takada, N.; and Yamaguchi, T., 1974, *Eisei*  
*Dobutsu* (*Japan. J. San. Zool.*), v. 25 (1), 35-  
40

*Aschizomys andersoni*  
*Apodemus speciosus speciosus*  
*Apodemus argenteus argenteus*  
*Urotrichus talpoides hondonis*  
*Crocidura dsinezumi chisai*  
human  
all from Honshu, Japan

*Ixodes ovatus* Neumann  
Van Peenen, P. F. D.; et al., 1977, *J. Proto-*  
*zool.*, v. 24 (2), 310-312  
*Bandicota indica memorivaga*  
*Rattus coxinga*  
all from Taiwan

*Ixodes pacificus*  
Howarth, J. A.; and Hokama, Y., 1973, *Proc.*  
6. *National Anaplasmosis Conf.* (Las Vegas,  
Nevada, March 19-20, 1973), 117-120  
*Anaplasma marginale*, laboratory transmission  
trials using *Ixodes pacificus* (transstadial  
transmission trial), *Dermacentor occident-*  
*alis* (transstadial and transovarian trans-  
mission trials), and *D. andersoni* (injec-  
tion of macerated ticks; injection of tick  
saliva)

*Ixodes pacificus*  
Hughes, L. E.; et al., 1976, *Am. J. Trop. Med.*  
and *Hyg.*, v. 25 (3), 513-516  
*Ixodes pacificus*, isolation of spotted fever  
group rickettsia: western Oregon

*Ixodes pari*  
Tovornik, D., 1970, *Acta Parasitol. Iugoslav-*  
ica, v. 1 (1-2), 103-106  
tick fauna in foci of Central European En-  
cephalitis; list of tick species found on  
birds: Yugoslavia

*Ixodes perciatus-auritulus* groups  
Heath, A. C. G., 1977, *Tuatara*, v. 23 (1), 26-  
39  
zoogeography of the New Zealand tick fauna,  
possible origins, collection and preservation

*Ixodes persulcatus*  
Balashov, Yu. S.; Ivanov, V. P.; and Ignat'ev,  
A. M., 1976, *Zool. Zhurnal*, v. 55 (9), 1308-  
1317  
ixodid and argasid ticks, fine structure and  
function of palpal receptor organ

*Ixodes persulcatus*  
Blaskovic, D.; and Nosek, J., 1972, *Progr. Med.*  
*Virol.*, v. 14, 275-320  
tick-borne encephalitis, epidemiology and  
public health importance, ecologic study of  
ticks, their mammalian hosts and means of  
disease control: Tribec area

*Ixodes persulcatus*  
Fujisaki, K.; Kitaoka, S.; and Morii, T.,  
1976, *National Inst. Animal Health Quart.*, v.  
16 (3), 122-128  
comparative observations, feeding, molting,  
oviposition and hatching, ixodid ticks,  
laboratory cultural conditions

- Ixodes persulcatus**  
Ioffe, I. D., 1976, Zool. Zhurnal, v. 55 (4), 526-530  
*Ixodes persulcatus*, *Haemaphysalis concinna*, *Dermacentor silvarum*, olfactory and visual centers, relative size, importance of photo-reception
- Ixodes persulcatus**  
Ioffe, I. D.; et al., 1977, Zhurnal Obsh. Biol., v. 38 (6), 885-892  
*Ixodes persulcatus*; *Dermacentor silvarum*, effect of synthetic juvenile hormone analogue
- Ixodes persulcatus**  
Kitaoka, S.; and Fujisaki, K., 1976, National Inst. Animal Health Quart., v. 16 (3), 114-121  
tick larvae, nymphs, accumulating process, concentration ratios, ingested blood meals
- Ixodes persulcatus**  
Korenberg, E. I.; et al., 1976, Zool. Zhurnal, v. 55 (2), 282-286  
ixodid ticks, distribution study, importance of habitat profiles and detailed distribution map for planning control measures: Baikal-Amur main line
- Ixodes persulcatus**  
Korenberg, E. I.; and Lebedeva, N. N., 1976, Biul. Moskov. Obschch. Ispyt. Prir., Otdel. Biol., n. s., v. 81 (2), 72-81  
*Ixodes persulcatus* as example of the category "population class" within the next higher rank, regional population complex
- Ixodes persulcatus**  
Korenberg, E. I.; and Lebedeva, N. N., 1976, Zool. Zhurnal, v. 55 (10), 1468-1475  
*Ixodes persulcatus*, 59 regional population complexes within range, indices of abundance and adult seasonal activity, boundaries for each
- Ixodes persulcatus**  
Panfilova, I. M., 1976, Zool. Zhurnal, v. 55 (3), 371-377  
*Ixodes persulcatus*, *Dermacentor silvarum*, *Haemaphysalis concinna*, react positively to weak light and negatively to strong light; position of photo-receptors
- Ixodes persulcatus**  
Savitskii, B. P.; and Savitskaia, G. M., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 19-23  
inhabitation of forests and pastures by ticks transferred by domestic and wild animals [*Bos taurus*] [*Equus caballus*] all from Lower and Middle Amur flood plain
- Ixodes persulcatus Schulze, 1930, illus.**  
Takada, N.; and Yamaguchi, T., 1974, Eisei Dobutsu (Japan. J. San. Zool.), v. 25 (1), 35-40  
*Microtus montebelli montebelli*  
*Aschizomys andersoni*  
*Apodemus speciosus speciosus*  
*Apodemus argenteus argenteus*  
*Urotrichus talpooides hondonis*  
all from Honshu, Japan
- Ixodes persulcatus**  
Vassilenko, V.; and Ioks, S., 1975, Med. Biol., v. 53 (5), 312-316  
*Ixodes ricinus*, *I. persulcatus*, investigations of tick-borne viruses in Estonia
- Ixodes petauristae**  
Sreenivasan, M. A.; and Bhat, H. R., 1976, Indian J. Med. Research, v. 64 (4), 568-572  
*Ixodes petauristae* as probable vector of Kyasanur forest disease virus in common tree-hole rodents (*Vandeleuria oleracea*)
- Ixodes (Afrixodes) pilosus, illus.**  
Clifford, C. M.; Theiler, G.; and Baker, M., 1975, Onderstepoort J. Vet. Research, v. 42 (1), 33-39  
dogs: Natal, Republic of South Africa  
cattle: Natal, Republic of South Africa  
springbok: Cape Prov., Republic of South Africa
- Ixodes pilosus**  
Matthewson, M. D.; and Baker, J. A. F., 1975, J. South African Vet. Ass., v. 46 (4), 341-344  
susceptible to arsenic: Republic of South Africa; Swaziland
- Ixodes plumbeus**  
Borisova, V. I., 1975, Biol. Nauk., Min. Vyssh. i. Sredn. Spetsial. Obrazovan. SSSR (141), year 18, (9), 14-18  
nest ectoparasite specificity + [Riparia riparia] (nest)
- Ixodes plumbeus**  
Saikku, P., 1974, Med. Biol., v. 52 (2), 98-103  
Riparia riparia: southeast Finland
- Ixodes pomerantzevi**  
Sagdieva, P. D., 1977, Soobshch. Akad. Nauk Gruzinsk. SSR, v. 85 (2), 457-459  
ecology, seasonal distribution  
[*Apodemus speciosus*]  
[*Clethrionomys rufocanarus*]  
[*Clethrionomys rutilus*]  
all from Sikhote-Alinsk zapovednik (Terneisk region, Primorskii krai)
- Ixodes procaviae Arthur & Burrow, 1957**  
d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
Phacochoerus: Africa
- Ixodes pseudororasus Arthur & Burrow, 1957**  
d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
Potamochoerus: Africa
- Ixodes putus**  
Lvov, D. K.; et al., 1975, Med. Biol., v. 53 (5), 325-330  
review of tick-borne viruses found in bird colonies  
*Uria aalge*  
alcids  
Phalacrocorax filamentosus  
*P. pelagicus*  
*Fulmarus glacialis*  
*Lunda cirrhata*  
Phalacrocorax urilie

- Ixodes putus**-- Continued.  
 Lvov, D. K.; et al., 1975, Med. Biol., v. 53 (5), 325-330  
 goose  
*Uria lomvia*  
*Rissa tridactyla*  
 all from Russia
- Ixodes putus** Pickard-Cambridge, 1878  
 Lvov, D. K.; et al., 1976, Arch. Virol., v. 51 (1-2), 157-161  
 Paramushir virus (new arbovirus) isolated from ticks *Ixodes signatus* and *Ixodes putus* collected from nesting sites of colonial sea birds in north-western part of Pacific Ocean basin
- Ixodes redikorzevi** OI.  
 Amanniazova, R. D., 1975, Izvest. Akad. Nauk Turkmensk. SSR, s. Biol. Nauk (6), 48-54  
 seasonal distribution in different landscapes  
*Rhombomys opimus*: Turkmenistan
- Ixodes redikorzevi**  
 Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317  
 ixodid and argasid ticks, fine structure and function of palpal receptor organ
- Ixodes risticus Linne 1758**  
 Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Apodemus sylvaticus*  
*A. flavicollis*  
*Clethrionomys glareolus*  
*Microtus arvalis*  
*M. agrestis*  
 all from Schleswig-Holstein
- Ixodes risticus**  
 Aspoeck, H., 1976, Anz. Schadlingsk., v. 49 (11), 164-166  
*Ixodes risticus*, arthropod-borne infections in man, current problems, review: Central Europe
- Ixodes risticus**  
 Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317  
 ixodid and argasid ticks, fine structure and function of palpal receptor organ
- Ixodes risticus**  
 Blaskovic, D.; and Nosek, J., 1972, Progr. Med. Virol., v. 14, 275-320  
 tick-borne encephalitis, epidemiology and public health importance, ecologic study of ticks, their mammalian hosts and means of disease control: Tribec area
- Ixodes risticus**  
 Brossard, M., 1976, Rev. Suisse Zool., v. 83 (2), 443-462  
 role as vector of *Babesia bovis* of cattle, distribution, cattle have antibody against *I. risticus saliva*, exper. vector of *B. berbera* and *B. argentina*: Low Plain of the Rhone, Switzerland
- Ixodes risticus**  
 De Jonghe, R.; and Vermeiren, G., 1977, Vlaams Diergeneesk. Tijdschr., v. 46 (1), 61-62  
*Babesia bovis* outbreak, cattle; *Ixodes risticus* found on sick cattle: Wallonie
- Ixodes risticus** L.  
 Edler, A.; and Nilsson, A., 1973, Entom. Scand., v. 4 (4), 274-282  
 ectoparasites of small mammals from two woodland habitats, seasonal variation, frequency and intensity of infestation, numerical comparison of ectoparasitic groups: southern Sweden
- Ixodes risticus**  
 Frick, W., 1977, Monatsh. Vet.-Med., v. 32 (8), 291-294  
 different concentrations of dichlorvos, cattle
- Ixodes risticus Linne, 1746**  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Ixodes risticus**  
 Gilot, B.; et al., 1976, Ann. Parasitol., v. 51 (2), 241-254  
*Apodemus sylvaticus*  
*vache*  
*chevre*  
*homme*  
*Eliomys quercinus*  
*Arvicola terrestris*  
 all from Nord-Ouest de l'Espagne
- Ixodes risticus**  
 Gilot, B.; Pautou, G.; and Moncada, E., 1975, Acta Trop., v. 32 (4), 340-347  
*Ixodes risticus*, use of vegetation maps to determine appropriate biotopes for collecting tick populations: sud-est de la France
- Ixodes risticus, illus.**  
 Goetz, H.; and Patiri, C., 1975, Med. Klin., Berlin, v. 70 (34), 1332-1339  
*Ixodes risticus*, various skin reactions and complications following human tick bites, clinical management
- Ixodes risticus**  
 Grønstad, H.; and Ulvund, M. J., 1977, Acta Vet. Scand., v. 18 (4), 575-577  
*Ixodes risticus*, sheep, tick-borne fever resulting in reduced resistance to listeric septicaemia

- Ixodes ricinus*, illus.  
Hinaidy, H. K., 1976, Zentralbl. Vet.-Med., Reihe B, v. 23 (1), 66-73  
*Vulpes vulpes*: Österreich
- Ixodes ricinus*  
Joyner, L. P., 1971, Symposia Brit. Soc. Parasitol., v. 9, 1-37  
laboratory maintenance of tick-borne Babesia and Theileria, extensive review: collection of field material and infection of laboratory animals; management and preparation of experimental animals; cyclical maintenance; mechanical transmission; tissue culture; low-temperature preservation
- Ixodes ricinus* L.  
Kaufman, W., 1976, J. Exper. Biol., London, v. 64 (3), 727-742  
fluid secretion by in vitro salivary glands of ixodid ticks with progression of feeding, control of salivation is probably neural rather than hormonal
- Ixodes ricinus*  
Kozuch, O.; et al., 1976, Ceskoslov. Epidemiol., Mikrobiol., Imunol., v. 25 (2), 88-96  
natural foci of tick-borne encephalitis, relatively high incidence of virus-bearing  
*Ixodes ricinus*: Olomouc District
- Ixodes ricinus*  
Kutzer, E.; and Frey, H., 1976, Berl. u. Munchen. Tierarztl. Wchnschr., v. 89 (24), 480-483  
*Lepus europaeus*: Austria
- Ixodes ricinus*  
Kutzer, E.; and Frey, H., 1976, Ztschr. Parasitenk., v. 50 (2), 213-214  
*Lepus europaeus*
- Ixodes ricinus*  
Lewis, D., 1977, Parasitology, v. 75 (2), xxxvii-xxxviii [Abstract]  
localization of tick-borne fever agent in  
*Ixodes ricinus*
- Ixodes ricinus* (Linne, 1758)  
Mehl, R., 1972, Fauna, Oslo, v. 25 (4), 247-257  
*Vulpes vulpes*: Norge
- Ixodes ricinus*  
Mehl, R., 1972, Fauna, Oslo, v. 25 (4), 265-274  
*Meles meles*: Norge
- Ixodes ricinus* Linne 1758  
Mikacic, D., 1972, Acta Parasitol. Jugoslavica, v. 3 (1), 49-54  
seasonal occurrence: Rab and Pag
- Ixodes ricinus*  
Mohammed, A. N., 1976, Tijdschr. Diergeneesk., v. 101 (8), 408-412  
*Ixodes ricinus*, seasonal incidence, vegetation and cattle: Netherlands
- Ixodes ricinus*  
Mohammed, A. N., 1976, Tijdschr. Diergeneesk., v. 101 (8), 413-420  
laboratory maintenance on hedgehogs and cattle, transovarial transmission of Babesia divergens, pre-ovipositioning and pre-hatching periods as affected by photoperiodicity
- Ixodes ricinus*  
Moorhouse, D. E.; and Heath, A. C. G., 1975, J. Med. Entom., v. 12 (5), 571-572  
evidence of parasitism of female ticks by males of the genus *Ixodes*, possible implications for transmission of disease agents
- Ixodes ricinus*  
Morel, P. C.; and Aubert, M. F. A., 1975, Cahiers O.R.S.T.O.M., s. Entom. Med. et Parasitol., v. 13 (2), 99-109  
*Vulpes vulpes*  
*Martes foina*  
all from France
- Ixodes ricinus*  
Plowright, R. C.; and Paloheimo, J. E., 1977, Theoret. Population Biol., v. 12 (3), 286-297  
*Ixodes ricinus*, analytical population model, incidence of mating, prediction of population growth rates as function of host and parasite densities
- Ixodes ricinus*  
Roberts, C. J., 1975, Entom. Gaz., v. 26 (2), 139-145  
*Apodemus sylvaticus*: Isle of Man
- Ixodes ricinus*  
Rupes, V.; Ledvinka, J.; and Chmela, J., 1976, Ceskoslov. Epidemiol., Mikrobiol., Imunol., v. 25 (6), 345-346, 347  
*Ixodes ricinus*, human, biolite L or M (tetramethrin synergized piperonyl butoxide) as repellent; sesame increases repellency
- Ixodes ricinus*  
Saikku, P., 1974, Med. Biol., v. 52 (2), 98-103  
role of *Ixodes ricinus* ticks collected from passerine birds in the ecology and spread of Uukuniemi virus  
*Anthus trivialis*  
*Motacilla alba*  
*Prunella modularis*  
*Acrocephalus schoenobaenus*  
*A. dumetorum*  
*Sylvia borin*  
*S. communis*  
*S. curruca*  
*Phylloscopus trochilus*  
*Muscicapa striata*  
*Saxicola rubetra*  
*Oenanthe oenanthe*  
*Phoenicurus phoenicurus*  
*Erythacus rubecula*  
*Luscinia luscinia*  
*Cyanosylvia svecica*  
*Turdus pilaris*  
*T. merula*  
*T. iliacus*  
*T. philomelos*  
*Parus montanus*  
*P. major*  
*Emberiza citrinella*  
*E. schoeniclus*

*Ixodes ricinus*-- Continued.

Saikku, P., 1974, Med. Biol., v. 52 (2), 98-103  
*Fringilla coelebs*  
*Carpodacus erythrinus*  
*Passer domesticus*  
*Sturnus vulgaris*  
*Pica pica*  
 all from southeast Finland

*Ixodes ricinus*

Saikku, P.; and Brummer-Korvenkontio, M., 1975, Med. Biol., v. 53 (5), 317-320  
*Ixodes ricinus*, vector of tick-borne encephalitis and Uukuniemi viruses: Finland

*Ixodes ricinus* (L., 1758)

Sanchez-Acedo, C.; Otero, J.; and Albala-Perez, F., 1974, Rev. Iber. Parasitol., v. 34 (3-4), 245-252  
*Rhinolophus ferrum equinum*  
*Myotis myotis*  
 all from Spain

*Ixodes ricinus* L. 1758, illus.

Sanchez Acedo, C.; and Ramon Vericad, J., 1973, Rev. Iber. Parasitol., v. 33 (1), 29-38  
*Turdus merula*  
*Lepus europaeus*  
*Apodemus sylvaticus*  
*Mustela putorius*  
*Martes foina*  
 all from Alto Aragon

*Ixodes ricinus*, illus.

Saratsiotis, A.; and Battelli, C., 1972, Parassitologia, v. 14 (1), 183-192  
*Ixodes gibbosus*, first report from Italy, cause of human tick paralysis in Greece, distinctions from *I. ricinus* and *I. hexagonus* synonymy  
 chevre: Italie (Monteroduni (Isernia); San Marco in Lamis (Foggia); Vico del Gargano (Foggia))

*Ixodes ricinus*

Schulz-Key, H., 1975, Tropenmed. und Parasitol., v. 26 (4), 494-498  
*Ixodes ricinus*, probable vector of *Wehrdikmansia rugosicauda* in *Capreolus capreolus* of Southern Germany

*Ixodes ricinus*

Sonenshine, D. E., 1975, Misc. Publication Entom. Soc. Am., v. 9 (5), 243-249  
 population dynamics, influence of host-parasite interactions, *Ixodes ricinus* in relation to tick-borne encephalitis; *Derma-centor variabilis* in relation to Rocky Mountain spotted fever, review

*Ixodes ricinus*

Svahn, K., 1976, Norwegian J. Zool., v. 24 (1), 1-6  
*Ixodes ricinus* as possible transmitter of *Sauvoplasma boreale* sp. n.

*Ixodes ricinus*, illus.

Thoene, A. W., 1975, Nederl. Tijdschr. Geneesk., v. 119 (24), 957-959.

*Ixodes ricinus*, probable vector of erythema chronicum migrans and meningoencephalitis in man; parasitization of man by adult and larval forms: Netherlands

*Ixodes ricinus*

Tovornik, D., 1970, Acta Parasitol. Jugoslavica, v. 1 (1-2), 103-106  
 tick fauna in foci of Central European Encephalitis; list of tick species found on birds: Yugoslavia

*Ixodes ricinus*

Trifonov, T., 1975, Vet. Med. Nauki, v. 12 (5), 70-79  
 ticks of farm and wild animals, seasonal distribution: Burgas district [and/or] Michurin

*Ixodes ricinus*

Uspenskaia, I. G., 1971, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (7), 115-121  
 ixodid ticks, influence of cultivated land on distribution: Moldavia

*Ixodes ricinus*

Vassilenko, V.; and Ioks, S., 1975, Med. Biol., v. 53 (5), 312-316  
*Ixodes ricinus*, *I. persulcatus*, investigations of tick-borne viruses in Estonia

*Ixodes ricinus*

Zaslavskii, V. A., 1975, Entom. Obozr., v. 54 (2), 291-304  
 photoperiodic reactions, effect on diapause, brief review

*Ixodes (Afrixodes) rubicundus*, illus.

Clifford, C. M.; Theiler, G.; and Baker, M., 1975, Onderstepoort J. Vet. Research, v. 42 (1), 33-39  
 island: Natal, Republic of South Africa  
 cape wild cat: Cape Prov., Republic of South Africa

*Ixodes scapularis* Say

Amin, O. M., 1973, J. Med. Entom., v. 10 (1), 110-111  
*Canis familiaris*: Racine-Kenosha Co., Wisconsin

*Ixodes scapularis* Say

Amin, O. M., 1976, Great Lakes Entom., v. 9 (4), 195-198  
*Canis familiaris*: Kenosha County, Wisconsin

*Ixodes scapularis*

Coombs, D. W.; and Springer, M. D., 1974, J. Wildlife Dis., v. 10 (4), 436-441  
*Sus scrofa domesticus* x *Sus scrofa crista*-status: Aransas National Wildlife Refuge, southern Texas

*Ixodes (Ixodes) scapularis* Say, illus.  
 Homsher, P. J.; and Sonenshine, D. J., 1975,  
*Tr. Am. Micr. Soc.*, v. 94 (3), 368-374  
 fine structure of Haller's organ in 10  
 species of *Ixodes*, light and scanning elec-  
 tron microscopy, significance to systematic  
 analysis  
 host unknown: Sandwich, Massachusetts  
*Odocoileus virginianus*: Collier County,  
 Florida

*Ixodes scapularis*  
 Ruebush, T. K. II.; et al., 1977, *Ann. Int.*  
*Med.*, v. 86 (1), 6-9  
 Babesia microti infections in humans, 5 case  
 reports, successful treatment with chloro-  
 quine phosphate; *Ixodes scapularis* probably  
 major vector in area: Nantucket Island

*Ixodes scapularis* Say  
 Semtner, P. J.; and Hair, J. A., 1975, *J. Med.*  
*Entom.*, v. 12 (1), 137-138  
 carbon dioxide-baited traps: Cherokee  
 County, Oklahoma

*Ixodes scapularis*  
 Spielman, A., 1976, *Am. J. Trop. Med. and*  
*Hyg.*, v. 25 (6), 784-787  
 seasonal distribution of *Ixodes scapularis*,  
 the most abundant tick on *Peromyscus leuco-*  
*pus* on Nantucket Island, demonstration of  
 competence as vector of *Babesia microti* de-  
 rived from human infection recently acquired  
 near study site (exper. hamster to hamster  
 transmission)

*Ixodes scapularis* Say  
 Watson, T. G.; and Anderson, R. C., 1976,  
*J. Wildlife Dis.*, v. 12 (1), 66-71  
*Ixodes scapularis* on *Odocoileus virginianus*,  
 numbers and stages collected in different  
 months, preferred sites on body: Long Point,  
 Ontario

*Ixodes sculptus* Neumann  
 Amin, O. M., 1976, *Great Lakes Entom.*,  
 v. 9 (4), 195-198  
*Spermophilus t. tridecemlineatus*: Kenosha  
 County, Wisconsin

*Ixodes (Ixodes) shahi* Clifford, Hoogstraal &  
 Kohls, 1971  
 Clifford, C. M.; Hoogstraal, H.; and Keirans,  
*J. E.*, 1975, *J. Med. Entom.*, v. 12 (1), 115-  
 137  
 vole: Nepal

*Ixodes signatus* Birulya, 1895  
 Lvov, D. K.; et al., 1976, *Arch. Virol.*, v. 51  
 (1-2), 157-161  
 Paramushir virus (new arbovirus) isolated  
 from ticks *Ixodes signatus* and *Ixodes putus*  
 collected from nesting sites of colonial sea  
 birds in north-western part of Pacific Ocean  
 basin

*Ixodes sinensis* sp. nov., illus.  
 Teng, K. F., 1977, *Acta Entom. Sinica*, v. 20  
 (3), 342-344  
 cattle: Fukien Province  
 goats: Fukien Province  
 [no host]: Anhwei Province

*Ixodes (Ixodes) tanuki* Saito, 1964, illus.  
 Clifford, C. M.; Hoogstraal, H.; and Keirans,  
*J. E.*, 1975, *J. Med. Entom.*, v. 12 (1), 115-  
 137  
*Rattus eha*  
*Mustela siberica*  
*Mustela*  
*Martes flavigula*  
 all from Nepal

*Ixodes tanuki* Saito, 1964  
 Takada, N.; and Yamaguchi, T., 1974, *Eisei*  
*Dobutsu* (Japan. *J. San. Zool.*), v. 25 (1), 35-  
 40  
*Nyctereutes procyonoides viverrinus*: Honshu,  
 Japan

*Ixodes tasmani* Neumann  
 Beveridge, I.; and Barker, I. K., 1976,  
*Austral. J. Zool.*, v. 24 (2), 265-272  
 helminths and arthropods, *Antechinus stu-*  
*artii*, seasonal and sex-related variations  
 in numbers of helminths, parasites unlikely  
 directly involved in seasonal mortality of  
 male host; ectoparasites may contribute to  
 anemia in hosts: Powelltown, Victoria

*Ixodes tasmani*  
 Campbell, R. W.; and Domrow, R., 1974, *Tr.*  
*Roy. Soc. Trop. Med. and Hyg.*, v. 68 (5), 397-  
 402  
 possible vector of Queensland tick typhus in  
 Australia  
*Rattus fuscipes*  
*Melomys cervinipes*  
*Perameles nasuta*  
*Trichosurus caninus*  
 all from Australia

*Ixodes tasmani* Neumann  
 Doube, B. M.; and Heath, A. C. G., 1975, *J.*  
*Med. Entom.*, v. 12 (4), 443-447  
*Haemaphysalis*, *Ixodes*, parasitization by  
 wasp, *Hunterellus* sp., seasonal distribu-  
 tion of wasp and ticks  
*Potorous tridactylus*: Queensland  
*Isoodon macrourus*: Queensland  
*Trichosurus vulpecula* (exper.)

*Ixodes tasmani* Neumann  
 Shepherd, R. C. H.; and Edmonds, J. W., 1976,  
*Austral. Entom. Mag.*, v. 3 (4), 63-66  
*Oryctolagus cuniculus*: Victoria

*Ixodes texanus* Banks  
 Amin, O. M., 1976, *Great Lakes Entom.*,  
 v. 9 (4), 195-198  
*Procyon lotor hirtus*: Kenosha County, Wis-  
 consin

*Ixodes (Pholeoixodes) texanus* Banks, illus.  
 Homsher, P. J.; and Sonenshine, D. J., 1975,  
*Tr. Am. Micr. Soc.*, v. 94 (3), 368-374  
 fine structure of Haller's organ in 10  
 species of *Ixodes*, light and scanning elec-  
 tron microscopy, significance to systematic  
 analysis  
*Procyon lotor*: near Montpelier, Virginia

- Ixodes texanus* Banks 1908  
 Toweill, D. E.; and Price, M. A., 1976, Southwest. Entom., v. 1 (1), 20  
*Bassariscus astutus flavus*: Kerr County, Texas
- Ixodes trianguliceps* Birula 1895  
 Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Apodemus sylvaticus*  
*A. flavigollis*  
*Clethrionomys glareolus*  
*Microtus arvalis*  
 all from Schleswig-Holstein
- Ixodes trianguliceps*  
 Blaskovic, D.; and Nosek, J., 1972, Progr. Med. Virol., v. 14, 275-320  
 tick-borne encephalitis, epidemiology and public health importance, ecologic study of ticks, their mammalian hosts and means of disease control: Tribec area
- Ixodes trianguliceps*  
 Edler, A.; and Nilsson, A., 1973, Entom. Scand., v. 4 (4), 274-282  
 ectoparasites of small mammals from two woodland habitats, seasonal variation, frequency and intensity of infestation, numerical comparison of ectoparasitic groups: southern Sweden
- Ixodes trianguliceps*  
 Gilot, B.; et al., 1976, Ann. Parasitol., v. 51 (2), 241-254  
*Apodemus sylvaticus*  
*Microtus nivalis*  
*Clethrionomys glareolus*  
 all from Nord-Ouest de l'Espagne
- Ixodes trianguliceps*  
 Moorhouse, D. E.; and Heath, A. C. G., 1975, J. Med. Entom., v. 12 (5), 571-572  
 evidence of parasitism of female ticks by males of the genus *Ixodes*, possible implications for transmission of disease agents
- Ixodes trichosuri* Roberts  
 Beveridge, I.; and Barker, I. K., 1976, Austral. J. Zool., v. 24 (2), 265-272  
 helminths and arthropods, *Antechinus stuartii*, seasonal and sex-related variations in numbers of helminths, parasites unlikely directly involved in seasonal mortality of male host; ectoparasites may contribute to anemia in hosts: Powelltown, Victoria
- Ixodes trichosuri*  
 Moorhouse, D. E.; and Heath, A. C. G., 1975, J. Med. Entom., v. 12 (5), 571-572  
 evidence of parasitism of female ticks by males of the genus *Ixodes*, possible implications for transmission of disease agents
- Ixodes tropicalis*  
 Trapido, H.; and Sanmartin, C., 1971, Am. J. Trop. Med. and Hyg., v. 20 (4), 631-641  
*Gigantolaelaps* sp., *G. inca* and *Ixodes tropicalis* positive for isolates of Pichinde virus when removed from viremic host *Oryzomys albigularis*; probably represents virus survival rather than indication of arthropod vectors: Colombia
- Ixodes (Ixodes) turdus* Nakatsujji, 1942  
 Clifford, C. M.; Hoogstraal, H.; and Keirans, J. E., 1975, J. Med. Entom., v. 12 (1), 115-137  
*Zoothera dauma*  
*Z. mollisima*  
*Carpodacus nipalensis*  
 all from Nepal
- Ixodes (Ceratixodes) uriae* White, 1862 (*I. putus* Pickard-Cambridge, 1878, of Russian workers)  
 Doherty, R. L.; et al., 1975, Am. J. Trop. Med. and Hyg., v. 24 (3), 521-526  
 isolation of Kemerovo and Sakhalin groups of viruses from *Ixodes uriae* collected at Macquarie Island, Southern Ocean
- Ixodes uriae* White  
 Heath, A. C. G., 1977, Tuatara, v. 23 (1), 26-39  
 zoogeography of the New Zealand tick fauna, possible origins, collection and preservation
- Ixodes (Ceratixodes) uriae* White, 1852  
 Main, A. J.; et al., 1973, J. Med. Entom., v. 10 (3), 229-235  
*Ixodes uriae*, vector of Great Island and Bailine viruses, role of ticks and migratory birds in viral transmission, possible public health importance  
*Fratercula arctica*  
*Larus argentatus*  
 all from Great Island, Newfoundland, Canada
- Ixodes uriae*  
 Main, A. J.; et al., 1976, J. Wildlife Dis., v. 12 (2), 182-194  
*Ixodes uriae*, recovery of avian arboviruses: Great Island, Witless Bay, Newfoundland, Canada
- Ixodes uriae*  
 Thomas, L. A.; et al., 1973, J. Med. Entom., v. 10 (2), 165-168  
*Ixodes uriae*, isolation of 36 viruses comprising 4 serological groups from ticks collected in seabird nesting sites: Three Arch Rocks National Wildlife Refuge and Yaquina Head, Oregon
- Ixodes uriae*  
 Traavik, T.; and Mehl, R., 1975, Med. Biol., v. 53 (5), 321-324  
*Ixodes uriae*, review of tick-borne viruses: Norway
- Ixodes uriae*  
 Yunker, C. E., 1975, Med. Biol., v. 53 (5), 302-311  
 review of tick-borne viruses associated with seabirds in North America and near-by islands

- Ixodes uriae** White, 1852  
 Yunker, C. E.; et al., 1973, J. Med. Entom., v. 10 (3), 264-269  
*Ixodes uriae*, vector of Yaquina Head virus:  
 St. Lawrence Island, Alaska; Yaquina Head,  
 Oregon
- Ixodes (Ixodes) venezuelensis** Kohls, 1953  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
*Proechimys semispinosus*  
*Monodelphis brevicaudata*  
*Proechimys guyannensis*  
*Dasyprocta aguti*  
*Oryzomys albicularis*  
*Oryzomys minutus*  
*Heteromys anomalus*  
*Didelphis marsupialis*  
*Sciurus igniventris*  
*Philander opossum*  
*Myoprocta pratti*  
*Proechimys sp.*  
 all from Venezuela
- Ixodes ventalloi** Gil Collado, 1936, illus.  
 Sanchez Acedo, C.; and Ramon Vericad, J., 1973, Rev. Iber. Parasitol., v. 33 (1), 29-38  
*Sus scrofa*: Alto Aragon
- Ixodes vespertilionis** C. L. Koch, 1835  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Ixodidae**  
 Lancaster, J. L., jr., 1973, Bull. (779), Arkansas Agric. Exper. Station, 39 pp.  
*Ixodidae and Argasidae*, guide to ticks of Arkansas
- Ixodidae**  
 Liebisch, A.; and Rahman, M. S., 1976, Ztschr. Parasitenk., v. 50 (2), 188-189  
 current tick fauna studies, brief review:  
 Germany
- Ixodidae**  
 Patrick, C. D.; and Hair, J. A., 1975, J. Med. Entom., v. 12 (3), 389-390  
 multi-host ticks, laboratory rearing procedures and equipment
- Ixodidae**  
 Theis, J. H.; and Ettleman, D. S., 1975, Am. J. Vet. Research, v. 36 (4), Part 1, 469-470  
 dogs, surgical technique for cannulating right cervical lymphatic duct, use in study of lymph changes induced by feeding ticks
- Ixodidae, larval**  
 Thornton, J. E.; et al., 1973, J. Wildlife Dis., v. 9 (2), 160-162  
*Antilope cervicapra*: Texas
- Ixodiderma** Lawrence 1935  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-713  
 key to species, diagnosis
- Ixodiderma inverta** Lawrence 1935, illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-713  
 key, description  
*Platysaurus langi*: Organpipes Pass, Natal  
*P. melanotus melanotus*: Organpipes Pass, Natal  
*P. imperator*: Mtoko District, Southern Rhodesia  
*P. torquatus*: Mtoko District, Southern Rhodesia
- Ixodiderma lacertae** Lawrence 1935, illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-713  
 key, description
- Ixodiderma pilosa** Lawrence 1935, illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-713  
 key, description
- Ixodiderma torquatus n. sp.**, illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-713  
*Platysaurus torquatus*: Mtoko District, Southern Rhodesia
- Ixodid ticks**  
 Kaufman, W. R.; Diehl, P. A.; and Aeschlimann, A. A., 1977, Experientia, v. 33 (6), 806 [Abstract]  
 ixodid ticks, pharmacological control of salivary secretion
- Ixodid larvae**  
 Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sci., v. 43 (5), 1973, 393-397  
 seasonal distribution  
*Camelus dromedarius* (thoracic region): Hissar and suburbs, India

## Kaaia Brennan 1958

Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere

## Kayella Vercammen-Grandjean 1960

Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere

## Kayella parumsetosa sp. n., illus.

Sluigner, E. G.; and Amanguliev, A., 1975, Entom. Obozr., v. 54 (2), 463-470  
Rhombomys opimus: Badkhyz (Akar-Cheshme), Turkmenia

## Kiricephalus pattoni, illus.

Nadakal, A. M.; and Mohandas, A., 1975, Piv. Parassitol., Roma, v. 36 (2-3), 197-206  
Kiricephalus pattoni, general distribution of glycogen, proteins, lipids, ascorbic acid and enzymes in tissues of representative pentastomid and correlations with known behavior suggests oxidative metabolism in this parasite

## Kirkioestrus blanchardi Gedoelst

Pester, F. R. N.; and Laurence, B. R., 1974, J. Zool., London, v. 174 (3), 397-406  
Alcelaphus buselaphus cokei: Kenya

## Kirkioestrus minutus Rodhain &amp; Bequaert

Pester, F. R. N.; and Laurence, B. R., 1974, J. Zool., London, v. 174 (3), 397-406  
Alcelaphus buselaphus cokei: Kenya

## Kiwiagles n. g.

Gaud, J.; and Atyeo, W. T., 1970, Acarologia, v. 12 (2), 402-414  
Analgitidae, Analginae  
tod: K. palametricus n. sp.

## Kiwiagles palametricus n. sp. (tod), illus.

Gaud, J.; and Atyeo, W. T., 1970, Acarologia, v. 12 (2), 402-414  
Apteryx australis lawryi: iles Stewart  
A. haasti  
A. owenii

## Kiwiagles phalagotrichus n. sp., illus.

Gaud, J.; and Atyeo, W. T., 1970, Acarologia, v. 12 (2), 402-414  
Apteryx owenii  
A. australis lawryi: iles Stewart

## Kiwilichus n. g.

Gaud, J.; and Atyeo, W. T., 1970, Acarologia, v. 12 (2), 402-414  
Pterolichidae, Syringobiinae  
tod: K. cryptosikyus n. sp.

Kiwilichus cryptosikyus n. sp. (tod), illus.  
Gaud, J.; and Atyeo, W. T., 1970, Acarologia, v. 12 (2), 402-414  
Apteryx australis australis (tuyau des remiges vestigiales)  
A. australis lawryi: iles Stewart

## Kiwilichus delosikyus n. sp., illus.

Gaud, J.; and Atyeo, W. T., 1970, Acarologia, v. 12 (2), 402-414  
Apteryx australis (tuyau des remiges vestigiales)

## Knemidokoptes sp.

Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
Agelaius phoeniceus: South Bass Island, Ottawa County, Ohio

## Cnemidocoptes pilae

Rad, M. A., 1976, J. Vet. Fac. Univ. Tehran, v. 31 (3-4), 1975-1976, 93-104  
Cnemidocoptes pilae, cage birds, clinical symptoms, treatment with Lindacanine

## Kodocephalon Keler, 1939

Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69  
Gonioididae  
key, phylogenetic position

## Kodocephalon suborbiculatum bradicephalum

Tendeiro, illus.  
Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69

## Kodocephalon suborbiculatum suborbiculatum

(Piaget), illus.  
Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69

## Kramerella [sp.] aff. major (Haller, 1878)

Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
Otus scops: Moldavian SSR

## Kramerella aluconis (Lönnfors, 1937)

Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
Strix aluco: Moldavian SSR

## Kurodaia [sp.], probably K. magna

Little, J. W.; and Hopkins, S. H., 1975, Proc. Oklahoma Acad. Sc., v. 55, 154-156  
Strix varia: near Hempstead, Waller County, Texas

## Kymocta Yunker &amp; Brennan

Brennan, J. M.; and van Bronswijk, J. E. M. H., 1973, J. Med. Entom., v. 10 (5), 449-451  
key to species, includes: *Kymocta brasiliensis*; *K. zulia* n. sp.; *K. faitkeni* Brennan, 1968; *K. inca* (Brennan & Jones, 1961); *K. teratarsalis* Yunker & Brennan, 1962; *K. chironectes* Yunker & Brennan, 1962

## Kymocta Yunker and Brennan 1962

Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere

## Kymocta faitkeni Brennan, 1968

Brennan, J. M.; and van Bronswijk, J. E. M. H., 1973, J. Med. Entom., v. 10 (5), 449-451  
key  
*Zygodontomys lasiurus*: Brazil  
*Didelphis marsupialis*: "  
*Oryzomys capito*: Brazil  
*Rhipidomys macconnelli*: Venezuela

Kymocta faitkeni Brennan, 1969 (in part)  
Brennan, J. M.; and van Bronswijk, J. E. M. H., 1973, J. Med. Entom., v. 10 (5), 449-451  
as syn. of *Kymocta zulia* n. sp.

## Kymocta inca (Brennan &amp; Jones)

Brennan, J. M.; and van Bronswijk, J. E. M. H., 1973, J. Med. Entom., v. 10 (5), 449-451  
synonymy, key  
*Proechimys guyannensis*: Brazil  
*Oryzomys capito*: Brazil  
*Rhipidomys macconnelli*: Venezuela  
*Akodon urichi*: Venezuela

## Kymocta zulia, n. sp., illus.

Brennan, J. M.; and van Bronswijk, J. E. M. H., 1973, J. Med. Entom., v. 10 (5), 449-451  
key, syn.: *Kymocta faitkeni* Brennan & Yunker, 1969 (in part)  
*Heteromys anomalus*: Zulia, 20 km SW Machiques (Kasmera), Venezuela

- Labidocarpellus g. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensis (64), 37-67  
 Chirodiscidae, [lapsus p. 50 as Lapidocarpellus]  
 tod: Labidocarpellus nyctimene sp. n.
- Labidocarpellus chrotopterus sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensis (64), 37-67  
 Chrotopterus auritus: Joinville, Bresil
- Labidocarpellus cynopterus sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensis (64), 37-67  
 Cynopterus brachyotis altitudinis: Pahang Gunung, Malaya
- Labidocarpellus eonycteris sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensis (64), 37-67  
 Eonycteris spelaea: Perak, Malaysia
- Labidocarpellus notopteris sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensis (64), 37-67  
 Notopteris macdonaldi: Ile de Tanna, Nouvelles-Hebrides
- Labidocarpellus novaeguineae sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensis (64), 37-67  
 Nyctimene albiventer papuanus: Kairuru Is., Nouvelle-Guinee
- Labidocarpellus nyctimene sp. n. (tod)  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensis (64), 37-67  
 Nyctimene albiventer papuanus: Kairuru Is., Nouvelle-Guinee
- Labidocarpellus selangorensis sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensis (64), 37-67  
 Diacopterus spadiceus: Selangor
- Labidocarpidae  
 McDaniel, B., 1971, Acarologia, v. 12 (4), 803-823  
 key to genera
- Labidocarpidae  
 McDaniel, B., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (2), 15-32  
 key to Venezuelan genera
- Labidocarpinae [sp.]  
 Sandhu, P. S.; and Kapoor, V. C., 1977, Entom. News, v. 88 (5-6), 151-152  
 Millardia meltada  
 Mus booduga  
 all from Punjab, India
- Labidocarpoides hipposideros ssp. ceylanicus ssp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensis (64), 37-67  
 Rhinolophus domei sobrinus: Grotte Pitakele, Ceylan
- Labidocarpus Trouessart, 1895  
 McDaniel, B., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (2), 15-32  
 key
- Labidocarpus dossuarius new species, illus.  
 McDaniel, B., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (2), 15-32  
 Molossus major: Bolivar, 59 km SE El Dorado, Km 74, El Manaco, Venezuela
- Labidocarpus rhinolophi sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensis (64), 37-67  
 Rhinolophus malayanus: Wang Tangga, Kangar, Malaya
- Labidophorus sp. Whitaker, 1963 (not Koch, 1941)  
 Whitaker, J. O., Jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of Dermacarus newyorkensis Fain, 1969
- Laelaps  
 Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates: Schleswig-Holstein
- Laelaps Koch, 1836  
 Domrow, R., 1976, Oriental Insects, v. 10 (2), 173-177  
 Syn.: Mastigolaelaps Tenorio and Radovsky, 1973
- Laelaps  
 Tenorio, J. A. M.; and Radovsky, F. J., 1973, J. Med. Entom., v. 10 (4), 385-391  
 nomenclature of Laelaps and related genera, status and role of supraspecific groupings
- Laelaps spp.  
 Harinasuta, C.; Guptavanij, P.; and Vasuvat, C., 1974, Southeast Asian J. Trop. Med. and Publ. Health, v. 5 (1), 105-127  
 Rattus spp.  
 R. rattus  
 all from mangrove areas of Thailand
- Laelaps sp.  
 Okereke, T. A., 1971, Bull. Entom. Soc. Nigeria, v. 3 (1), 50-55  
 Myomys daltoni  
 Praomys tullbergi  
 Mastomys sp.  
 Hylomyscus sp.  
 Rattus rattus  
 Lemniscomys striatus  
 Arvicantis niloticus  
 Dasyurus inconstans  
 Lophuromys sikapusi  
 Uranomys foxi  
 Mus (Leggada) musculoides  
 Tatera kempii  
 Crocidura manni  
 Crocidura occidentalis nigerriae  
 all from Ibadan Area. Western Nigeria
- Laelaps sp.  
 Owen, D., 1976, Lab. Animals, v. 10 (3), 271-278  
 Rattus norvegicus: Carshalton

- Laelaps agilis C. L. Koch, 1836  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976:  
*Vestnik Zool.*, Akad. Nauk Ukrainsk. SSR, Inst.  
*Zool.* (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Laelaps agilis Koch  
 Reisen, W. K.; et al., 1975, *Kalikasan*, v. 4  
 (2), 145-154  
*Mus caroli*: Korea  
*Rattus norvegicus caraco*: Korea  
*Rattus rattus flavipectus*: Korea
- Laelaps alaskensis Grant  
 Amin, O. M., 1973, *J. Med. Entom.*, v. 10 (1),  
 110-111  
*Microtus pennsylvanicus*: Parkside, Wisconsin
- Laelaps alaskensis Grant  
 Amin, O. M., 1976, *Great Lakes Entom.*,  
 v. 9 (4), 195-198  
*Microtus p. pennsylvanicus*  
*Peromyscus leucopus noveboracensis*  
 all from Kenosha County, Wisconsin
- Laelaps alaskensis  
 Whitaker, J. O., jr.; Jones, G. S.; and  
 Pascal, D. D., jr., 1975, *J. Elisha Mitchell  
 Scient. Soc.*, v. 91 (1), 13-17  
*Clethrionomys gapperi*: Fires Creek area,  
 Nantahala Mountains, North Carolina
- Laelaps algericus (Hirst)  
 Diusembaev, E. B.; and Chelebiev, K. A., 1975,  
*Zool. Zhurnal*, v. 54 (1), 124-127  
*Lagurus lagurus*: Karagandinsk oblast
- Laelaps (Mastigolaelaps) anomala (Tipton et al.,  
 1966) Furman, 1972  
 Tenorio, J. A. M.; and Radovsky, F. J., 1973,  
*J. Med. Entom.*, v. 10 (4), 385-391  
 key, summary of host and geographical distribution,  
 syn.: *Tur anomalus* Tipton et al.,  
 1966
- Laelaps arvalis Zachvotkin  
 Reisen, W. K.; et al., 1975, *Kalikasan*, v. 4  
 (2), 145-154  
*Mus spp.*: Okinawa
- Laelaps californicus Ewing, 1925  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
*Am. Midland Naturalist*, v. 91 (1), 1-67  
 as syn. of *Androlaelaps fahrenholzi* (Berlese,  
 1911)
- Laelaps (Echinolaelaps) capitatiplus n. sp.,  
 illus.  
 Tenorio, J. M., 1975, *J. Med. Entom.*, v. 12  
 (1), 77-86  
*Rattus surifer*: Sebulu, Kutai, E Kalimantan,  
 Indonesia
- Laelaps clethrionomydis  
 Evseeva, V. E.; and Naumov, R. L., 1975, *Zool.  
 Zhurnal*, v. 54 (1), 151-153  
*Ochotona alpina*: Western Sayan Mountains
- Laelaps (Echinolaelaps) dasymydis n. sp., illus.  
 Okereke, T. A., 1973, *J. Med. Entom.*, v. 10  
 (2), 117-123  
 key  
*Dasymys incomitus*: outskirts of Ibadan,  
 Western Nigeria  
*Tatera kempii*: Western Nigeria
- Laelaps dispar Delfinado  
 Reisen, W. K.; et al., 1975, *Kalikasan*, v. 4  
 (2), 145-154  
*Rattus luzonicus*: Luzon, Philippines
- Laelaps echidninus  
 Hadi, T. R.; et al., 1976, *Southeast Asian J.  
 Trop. Med. and Pub. Health*, v. 7 (1), 113-114  
*Rattus rattus diardii*  
*R. norvegicus*  
 all from Jakarta, Indonesia
- Laelaps echidninus  
 Hadi, T. R.; et al., 1976, *Southeast Asian J.  
 Trop. Med. and Pub. Health*, v. 7 (3), 487-489  
*Bandicota indica setifera*  
*Rattus argentiventer*  
*R. r. diardii*  
*Suncus murinus*  
 all from Ancol, Jakarta, Indonesia
- Laelaps echidninus Berlese, 1887  
 Marshall, A. G., 1976, *Ecol. Entom.*, v. 1 (3),  
 189-199  
 arthropods ectoparasitic upon mammals and  
 birds, factors affecting host specificity  
*Rattus exulans*: New Hebrides
- Laelaps (Echinolaelaps) echidnina Berlese, 1887  
 Okereke, T. A., 1973, *J. Med. Entom.*, v. 10  
 (2), 117-123  
 synonymy, brief description, key  
*Rattus rattus*  
+unidentified rodent (nest)  
 all from Western Nigeria
- Laelaps echidninus Berlese, 1887  
 Okereke, T. A., 1973, *J. Med. Entom.*, v. 10  
 (2), 117-123  
 as syn. of *Laelaps (Echinolaelaps) echidnina*  
 Berlese, 1887
- Laelaps echidninus Berlese  
 Reisen, W. K.; et al., 1975, *Kalikasan*, v. 4  
 (2), 145-154  
*Apomys datae*: Luzon, Philippines  
*Bandicota indica nemorivaga*: Taiwan  
*Mus caroli*: Korea  
*M. formosanus*: Taiwan  
*M. spp.*: Okinawa  
*Rattus exulans*: Thailand  
*R. e. quereti*: Luzon, Philippines  
*R. luzonicus*: Luzon, Philippines  
*R. norvegicus*: Taiwan; Okinawa  
*R. n. caraco*: Korea  
*R. rattus rufescens*: Okinawa  
*Rattus sp.*: Korea; Luzon, Philippines  
*Suncus murinus*: Taiwan  
*S. m. riukiuanus*: Okinawa  
*Herpestes seniorquatus*: Okinawa

- Laelaps (*Mastigolaelaps*) flagellifer Domrow, 1962, illus.  
Tenorio, J. A. M.; and Radovsky, F. J., 1973, J. Med. Entom., v. 10 (4), 385-391  
key, summary of host and geographical distribution
- Laelaps (*Echinolaelaps*) gigantea Berlese, 1918, illus.  
Okereke, T. A., 1973, J. Med. Entom., v. 10 (2), 117-123  
synonymy, brief description, key  
*Lemniscomys striatus*  
*Arvicathis niloticus*  
*Myomys daltoni*  
*Dasyurus inconstans*  
*Mastomys sp.*  
*Rattus rattus frugivorus*  
all from Ibadan area, Western Nigeria
- Laelaps giganteus Berlese, 1918  
Okereke, T. A., 1973, J. Med. Entom., v. 10 (2), 117-123  
as syn. of Laelaps (*Echinolaelaps*) gigantea Berlese, 1918
- Laelaps giganteus var. *bakeri* Hirst, 1925  
Okereke, T. A., 1973, J. Med. Entom., v. 10 (2), 117-123  
as syn. of Laelaps (*Echinolaelaps*) gigantea Berlese, 1918
- Laelaps glasgowi Ewing, 1925  
Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Androlaelaps fahrenholzi* (Berlese, 1911)
- Laelaps hilarii  
Evseeva, V. E.; and Naumov, R. L., 1975, Zool. Zhurnal, v. 54 (1), 151-153  
*Ochotona alpina*: Western Sayan Mountains
- Laelaps hirtus Delfinado  
Reisen, W. K.; et al., 1975, Kalikasan, v. 4 (2), 145-154  
*Apomys datae*  
*Rattus luzonicus*  
*R. rattus mindanensis*  
all from Luzon, Philippines
- Laelaps insignis Delfinado  
Reisen, W. K.; et al., 1975, Kalikasan, v. 4 (2), 145-154  
*Rattus luzonicus*: Luzon, Philippines  
*R. rattus mindanensis*: Luzon, Philippines
- Laelaps (*Echinolaelaps*) joaquinii n. sp., illus.  
Tenorio, J. M., 1975, J. Med. Entom., v. 12 (1), 77-86  
*Rattus surifer*: Sungai Beras, Kutai, E Kalimantan, Indonesia
- Laelaps (*Mastigolaelaps*) *juxtaposita* n. sp., illus. (tod of subgen.)  
Tenorio, J. A. M.; and Radovsky, F. J., 1973, J. Med. Entom., v. 10 (4), 385-391  
key  
*Rattus b. bartelsii*: Tjibodas, W. Java, Indonesia
- Laelaps *kimanis* sp. nov., illus.  
Domrow, R., 1976, Oriental Insects, v. 10 (2), 173-177  
*Rattus rattus diardii*: coastal Sabah, Tuaran
- Laelaps *kochi* Oudemans  
Amin, O. M., 1973, J. Med. Entom., v. 10 (1), 110-111  
*Microtus pennsylvanicus*: Parkside, Wisconsin
- Laelaps *kochi* [of] Amin, 1973  
Amin, O. M., 1976, Great Lakes Entom., v. 9 (4), 195-198  
as syn. of *Hyperlaelaps microti* (Ewing)
- Laelaps *kochi*  
Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Microtus ochrogaster ochrogaster*  
*Peromyscus leucopus noveboracensis*  
all from Coles County, Illinois
- Laelaps *kochi* Oudemans, 1936  
Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
synonymy
- Laelaps *kochi* Oudemans  
Winchell, E. J., 1977, J. Parasitol., v. 63 (4), 756-757  
*Microtus breweri*: Muskeget Island, 5 miles west of Nantucket, Massachusetts
- Laelaps *manguinhosi* Fonseca, 1936  
Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
Syn.: *Laelaps oryzomydis*, Pratt & Lane, 1953
- Laelaps *mercedesae* Strandtmann and Mitchell  
Reisen, W. K.; et al., 1975, Kalikasan, v. 4 (2), 145-154  
*Rattus luzonicus*: Luzon, Philippines
- Laelaps *microti*  
Buckner, R. L.; and Gleason, L. N., 1974, Tr. Kentucky Acad. Sc., v. 35 (3-4), 70-75  
seasonal occurrences  
*Microtus ochrogaster*  
*Peromyscus leucopus*  
all from Warren County, Kentucky
- Laelaps *multispinosus* Banks  
Amin, O. M., 1973, J. Med. Entom., v. 10 (1), 110-111  
*Ondatra zibethica*: Bristol, Kenosha Co., Wisconsin
- Laelaps *multispinosus* Banks  
Amin, O. M., 1976, Great Lakes Entom., v. 9 (4), 195-198  
*Ondatra z. zibethicus*: Kenosha County, Wisconsin

Laelaps (*Echinolaelaps*) muricola Tragardh, 1910,  
illus.  
Okereke, T. A., 1973, J. Med. Entom., v. 10  
(2), 117-123  
synonymy, brief description, key  
*Myomys daltoni*  
*Lophuromys sikapusi*  
*Lemniscomys striatus*  
*Tatera kempii*  
*Uranomys foxi*  
*Dasyomys incomitus*  
*Arvicathis niloticus*  
*Mastomys sp.*  
*Mus musculoides*  
*Praomys tullbergi*  
*Rattus rattus*  
*Hylomyscus sp.*  
*Cricetomys gambianus*  
*Crocidura manni*  
*C. occidentalis nigeriae*  
all from Ibadan area, Western Nigeria

Laelaps muricola Tragardh, 1910  
Okereke, T. A., 1973, J. Med. Entom., v. 10  
(2), 117-123  
as syn. of *Laelaps (*Echinolaelaps*) muricola*  
Tragardh, 1910

Laelaps myonyssognathus  
Hadi, T. R.; et al., 1976, Southeast Asian J.  
Trop. Med. and Pub. Health, v. 7 (3), 487-489  
*Bandicota indica setifera*  
*Rattus norvegicus*  
*R. r. diardii*  
*Suncus murinus*  
all from Ancol, Jakarta, Indonesia

Laelaps nigeriensis  
Okereke, T. A., 1971, Bull. Entom. Soc. Nig-  
eria, v. 3 (1), 50-55  
*Dasyomys incomitus*  
*Lophuromys sikapusi*  
*Mus (Leggada) musculoides*  
all from Ibadan Area, Western Nigeria

Laelaps nobilis Delfinado  
Reisen, W. K.; et al., 1975, Kalikasan, v. 4  
(2), 145-154  
*Rattus exulans querceti*  
*R. luzonicus*  
all from Luzon, Philippines

Laelaps nuttalli  
Hadi, T. R.; et al., 1976, Southeast Asian J.  
Trop. Med. and Pub. Health, v. 7 (1), 113-114  
*Rattus rattus diardii*  
*R. norvegicus*  
*Suncus murinus*  
all from Jakarta, Indonesia

Laelaps nuttalli  
Hadi, T. R.; et al., 1976, Southeast Asian J.  
Trop. Med. and Pub. Health, v. 7 (3), 487-489  
*Bandicota indica setifera*  
*Rattus argentiventer*  
*R. exulans*  
*R. norvegicus*  
*R. r. diardii*  
*Suncus murinus*  
all from Ancol, Jakarta, Indonesia

Laelaps nuttalli Hirst, 1915  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),  
189-199  
arthropods ectoparasitic upon mammals and  
birds, factors affecting host specificity  
*Rattus exulans*: New Hebrides

Laelaps nuttalli Hirst  
Mitchell, C. J., 1971, J. Med. Entom., v. 8  
(1), 56-61  
Laelaps nuttalli, *Polyplax spinulosa*, *Xenop-*  
*sylla astia*, *X. cheopis* on *Bandicota beng-*  
*alensis*, seasonal fluctuations; prevalence  
of *B. bengalensis* and accompanying decrease  
in *Rattus rattus* and *X. cheopis* has dimin-  
ished the threat of plague: Calcutta, India

Laelaps nuttalli Hirst  
Reisen, W. K.; et al., 1975, Kalikasan, v. 4  
(2), 145-154  
*Apomys datae*: Luzon, Philippines  
*Mus caroli*: Korea  
*Mus spp.*: Okinawa  
*Rattus exulans querceti*: Luzon, Philippines  
*R. luzonicus*: Luzon, Philippines  
*R. norvegicus*: Okinawa  
*R. n. caraco*: Korea  
*R. rattus mindanensis*: Luzon, Philippines  
*R. r. rufescens*: Okinawa  
*Rattus spp.*: Korea; Luzon, Philippines  
*Suncus murinus riukiuanus*: Taiwan; Okinawa  
*Herpestes seniorquatus*: Okinawa

Laelaps ornatus Delfinado  
Reisen, W. K.; et al., 1975, Kalikasan, v. 4  
(2), 145-154  
*Rattus luzonicus*: Luzon, Philippines

Laelaps oryzomydis, Pratt & Lane, 1953  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Laelaps manguinhosi* Fonseca, 1936

Laelaps pachypus Koch, 1839  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Laelaps kochi* Oudemans, 1936

Laelaps pallidus Tragardh, 1931  
Okereke, T. A., 1973, J. Med. Entom., v. 10  
(2), 117-123  
as syn. of *Laelaps (*Echinolaelaps*) echidnina*  
Berlese, 1887

Laelaps (*Echinolaelaps*) papagomys n. sp., illus.  
Tenorio, J. M., 1975, J. Med. Entom., v. 12  
(1), 77-86  
*Papagomys armandvillei*: Ruteng, E. Nusa  
Tenggara, Flores I., Indonesia

Laelaps pavlovskyi  
Evseeva, V. E.; and Naumov, R. L., 1975, Zool.  
Zhurnal, v. 54 (1), 151-153  
*Ochotona alpina*: Western Sayan Mountains

Laelaps pedalis Banks, 1910  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Eulaelaps stabularis* (Koch, 1836)

- Laelaps (*Mastigolaelaps*) rex Domrow, 1962  
 Tenorio, J. A. M.; and Radovsky, F. J., 1973,  
*J. Med. Entom.*, v. 10 (4), 385-391  
 key, summary of host and geographical distribution
- Laelaps roubaudi  
 Okereke, T. A., 1971, *Bull. Entom. Soc. Nigeria*, v. 3 (1), 50-55  
*Myomys daltoni*  
*Dasyurus incomitus*  
 all from Ibadan Area, Western Nigeria
- Laelaps spinigera Delfinado  
 Reisen, W. K.; et al., 1975, *Kalikasan*, v. 4 (2), 145-154  
*Rattus exulans querctei*  
*R. luzonicus*  
*R. rattus mindanensis*  
 all from Luzon, Philippines
- Laelaps stegemani Hefley, 1935  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
*Am. Midland Naturalist*, v. 91 (1), 1-67  
 as syn. of *Androlaelaps fahrenholzi* (Berlese, 1911)
- Laelaps virginianus Ewing, 1925  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
*Am. Midland Naturalist*, v. 91 (1), 1-67  
 as syn. of *Androlaelaps fahrenholzi* (Berlese, 1911)
- Laemobothriidae  
 Emerson, K. C.; and Price, R. D., 1976, *Florida Entom.*, v. 59 (4), 425-428  
*Amblycera*  
 key
- Laemobothrion sp.  
 Rak, H.; Anwar, M.; and Niak, A., 1975, *Bull. Soc. Path. Exot.*, v. 68 (6), 588-591  
*Aquila chrysaetos*: Iran
- Laemobothrion maximum  
 Rak, H.; Anwar, M.; and Niak, A., 1975, *Bull. Soc. Path. Exot.*, v. 68 (6), 588-591  
*Falco tinnunculus*: Iran
- Laemobothrion titan Pg., 1880  
 Gan, E. I.; and Shousmanov, Sh., 1976, *Uzbek. Biol. Zhurnal* (5), 54-56  
 [Aquila rapax]: Kashka-Darya oblast  
 [Falco]: Kashka-Darya oblast
- Lagaropsylla Jordan and Rothschild, 1921  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis
- Lagaropsylla alloides sp. n., illus.  
 Smit, F. G. A. M., 1977, *Beaufortia* (330), v. 26, 39-42  
*Tadarida congica*: north of Lagos, Nigeria
- Lagaropsylla mera Jordan and Rothschild, 1921,  
 illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 diagnosis  
*Tadarida jobensis*: Queensland
- Lagopoecus Waterston, 1922  
*Złotorzycka*, J.; Eichler, W.; and Ludwig, H. W., 1974, *Parasitol. Schriftenr.*, v. 22, 1-160  
 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *L. sinensis* (Sugimoto, 1930)
- Lagopoecus colchicus Emerson  
 Amin, O. M., 1973, *J. Med. Entom.*, v. 10 (1), 110-111  
*Phasianus colchicus*: Kenosha Co., Wisconsin
- Lagopoecus colchicus Emerson 1949, illus.  
 Marconcini, A.; and Macchioni, G., 1975, *Ann. Fac. Med. Vet. Pisa*, v. 27, 1974, 101-112  
*Phasianus colchicus*: Tuscany
- Lamnosipteridae  
 Amure, J.; and Stuart, J. C., 1977, *Vet. Rec.*, v. 101 (19), 387  
 chicken (subcutaneous fascia of leg):  
 Britain
- Lamproglenae brevis sp. nov., illus.  
 Kuang, P. R., 1977, *Tung Wu Hsueh Pao (Acta Zool. Sinica)*, v. 23 (3), 290-302  
 key  
*Scaphiodontopsis acanthopterus*  
*Varicorhinus gerlachi*  
*Tor brevifilis*  
 all from Ging-Tung, Yunnan, China
- Lamproglenae cylindrata sp. nov., illus.  
 Kuang, P. R., 1977, *Tung Wu Hsueh Pao (Acta Zool. Sinica)*, v. 23 (3), 290-302  
 key  
*Spinibarbichthys sinensis*  
*Spinibarbus caldwelli*  
 all from Yunnan, China
- Lamproglenae forficata sp. nov., illus.  
 Kuang, P. R., 1977, *Tung Wu Hsueh Pao (Acta Zool. Sinica)*, v. 23 (3), 290-302  
 key  
*Ophiocephalus striatus*: Muanghan Hsishuang Panna, Yunnan (Lantsang river system), China
- Lamproglenae markewitschi sp. nov., illus.  
 Sukhenko, G.; and Allamuratov, B., [? 1967],  
*Gidrobiol. Zhurnal*, v. 2 (6), 1966, 64-65  
 [Authorized for publication Dec. 22]  
*Nemachilus cristatus*: Degrezsk Reservoir (UzSSR)
- Lamproglenae mongtinensis sp. nov., illus.  
 Kuang, P. R., 1977, *Tung Wu Hsueh Pao (Acta Zool. Sinica)*, v. 23 (3), 290-302  
 key  
*Barilius guttatus*: Mongtin, Yunnan, China

- Lamproglena pulchella* Nordmann, 1832  
 Dabrowska, Z., 1970, Acta Parasitol. Polon., v. 17 (20-38), 189-193  
*Leuciscus cephalus*  
*L. idus*  
*Aspius aspius*  
 (gills of all): all from Vistula River  
 near Warsaw
- Lamproglena yunnanensis* sp. nov., illus.  
 Kuang, P. R., 1977, Tung Wu Hsueh Pao (Acta Zool. Sinica), v. 23 (3), 290-302  
 key  
*Schizothorax* (Sch.) *lissolabiatus*: Ging-Tung  
 and Wa-Yao (Pao-Shang Hsien), Yunnan, China
- Lapidocarpellus* [lapsus for *Labidocarpellus*]  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67
- Larinyssus charadrius* sp. n., illus.  
 Butenko, O. M., 1973, Zool. Zhurnal, v. 52 (6), 951-953  
*Charadrius morinellus* (nasal cavity): Kurgal'dzhinsk region, Tselinograd oblast,  
 Kazakhsk SSR
- Larinyssus orbicularis* Strandtmann, 1948  
 Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
*Larus atricilla* (nasal cavity): Santa Fe  
 near Havana, Cuba  
*Rynchops nigra nigra* (nasal cavity): Laguna  
 Los Dias Mones near Trinidad, Prov. of Las  
 Villas, Cuba
- Laurentella audyi*  
 Harinasuta, C.; Guptavanij, P.; and Vasuvat, C., 1974, Southeast Asian J. Trop. Med. and Pub. Health, v. 5 (1), 105-127  
*Rattus* spp.  
*R. rattus*  
 all from mangrove areas of Thailand
- Laurentella indica*  
 Harinasuta, C.; Guptavanij, P.; and Vasuvat, C., 1974, Southeast Asian J. Trop. Med. and Pub. Health, v. 5 (1), 105-127  
*Rattus* spp.  
*R. rattus*  
 all from mangrove areas of Thailand
- Laurentella roluis*  
 Harinasuta, C.; Guptavanij, P.; and Vasuvat, C., 1974, Southeast Asian J. Trop. Med. and Pub. Health, v. 5 (1), 105-127  
*Rattus* spp.: mangrove areas of Thailand
- Lavoimyobia hughesi* Paran, 1966  
 Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of *Radfordia bachai* Howell & Elzinga, 1962
- Lawrenceocarpus* Dusbabek & Cruz, 1966  
 McDaniel, B., 1971, Acarologia, v. 12 (4), 803-823  
 key
- Lawrenceocarpus jamaicensis* sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Mormoops blainvillei*: Oxford Cave, Jamaica
- Lawrenceocarpus lobus* n. sp., illus.  
 McDaniel, B., 1971, Acarologia, v. 12 (4), 803-823  
*Carollia perspicillata azteca*: 1 km. N.,  
 2.5 km. W. Villa Somozoa, Chontales, Nicaragua
- Lawrenceocarpus micronycteris* sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Micronycteris nicefori*: Aranville, Trinidad
- Lawrenceocarpus phyllostomus* new species, illus.  
 McDaniel, B., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (2), 15-32  
*Phyllostomus elongatus*: T.F. Amazonas,  
 Tamatama, Rio Orinoco, Venezuela  
*Micronycteris hirsuta*: Rio Mavaca, 108 km SSE Esmeralda, Venezuela
- Lawrenceocarpus planirostris* sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Mormoops megaphylla*: Point Gourd-Cave,  
 Trinidad
- Leeuwenhoekia* Oudemans 1911  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Leeuwenhoekia* (Comatacarus): Wharton et al., 1951  
 Reed, J. T., 1973, J. Med. Entom., v. 10 (3), 315-317  
 as syn. of Comatacarus Ewing, 1942
- Leeuwenhoekia* (Comatacarus) dolosa Gould, 1956  
 Reed, J. T., 1973, J. Med. Entom., v. 10 (3), 315-317  
 as syn. of Comatacarus dolosus [n. comb.]
- Leeuwenhoekia dolosa* Gould  
 Rust, R. W., 1973, J. Med. Entom., v. 10 (2), 169-175  
 ectoparasitic mites of *Thomomys bottae*, mite age structure, seasonal fluctuations, effect of host macro- and microenvironment on host specificity  
*Thomomys bottae*: Davis, California
- Leeuwenhoekia* (Comatacarus) stewarti Gould, 1956  
 Reed, J. T., 1973, J. Med. Entom., v. 10 (3), 315-317  
 as syn. of Comatacarus stewarti [n. comb.]

- Leeuwenhoekinae Womersley 1944**  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 Trombiculidae key; key to genera
- Leiognathus bacoti Hirst, 1913**  
 Phillis, W. A.; Cromroy, H. L.; and Denmark, H. A., 1976, Florida Entom., v. 59 (1), 89-92  
 as syn. of *Ornithonyssus bacoti* (Hirst)
- Leiognathus bursa Berlese, 1888**  
 Phillis, W. A.; Cromroy, H. L.; and Denmark, H. A., 1976, Florida Entom., v. 59 (1), 89-92  
 as syn. of *Ornithonyssus bursa* (Berlese, 1888)
- Leiognathus sylviarum Canestrini, 1884**  
 Phillis, W. A.; Cromroy, H. L.; and Denmark, H. A., 1976, Florida Entom., v. 59 (1), 89-92  
 as syn. of *Ornithonyssus sylviarum* (Canestrini and Fanzago)
- Lemurphthirus galagus Bedford, 1927**  
 Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
*Galago senegalensis*: Dahomey
- Lepeophtheirus bifidus Fraser**  
 Ho, J.-S., 1975, Fish Bull. (165), State Calif., Resources Agency, Dept. Fish and Game, 69-72  
*Hypsopsetta guttulata*  
*Paralichthys californicus*  
 all from Anaheim Bay
- Lepeophtheirus lagocephali sp. nov., illus.**  
 Pillai, N. K., 1963, J. Marine Biol. Ass. India, v. 5 (1), 68-96  
*Lagocephalus inermis* (body surface): Vizhinjam
- Lepeophtheirus longipalpus Bassett-Smith, 1898**  
 Pillai, N. K., 1963, J. Marine Biol. Ass. India, v. 5 (1), 68-96  
 description, syn.: *Indocaligus echinus*  
 Pillai, 1961  
*Pseudarius jatus* (opercle): Trivandrum
- Lepeophtheirus pectoralis (Muller), illus.**  
 Boxshall, G. A., 1977, J. Fish Biol., v. 10 (4), 411-415  
*Lepeophtheirus pectoralis* in *Platichthys flesus* (pectoral fins), pathology: Sandsend Bay, Yorkshire
- Lepeophtheirus salmonis**  
 Brandal, P. O.; and Egidius, E., 1977, Aquaculture, v. 10 (2), 177-178  
*Lepeophtheirus salmonis*, Atlantic salmon, neguvon orally with feed, effective dose traced in muscles
- Lepeophtheirus salmonis Kroyeri, 1838, illus.**  
 Brandal, P. O.; Egidius, E.; and Romslo, I., 1976, Norwegian J. Zool., v. 24 (4), 341-343  
*Lepeophtheirus salmonis* from *Salmo salar*, qualitative demonstration of host blood in parasite digestive tract
- Lepeophtheirus salmonis Kroyer**  
 Johannessen, A.; Brandal, P. O.; and Egidius, E., 1976, Norwegian J. Zool., v. 24 (4), 467 [Abstract]  
 brief description of life cycle and pathology  
*Salmo salar* (body surface): Norway
- Lepikentron Keler, 1938**  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Bovicola Ewing*, 1929
- Lepikentron Keler, 1938**  
 Zlotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *L. ovis* (Schrank, 1781)
- Leporacarus gibbus**  
 Shepherd, R. C. H.; et al., 1977, J. Austral. Entom., v. 16 (1), 1-5  
*Lepus europaeus*: Meringur, Mallee; Point Cook, central Victoria
- Leporacarus gibbus (Pagenstecher)**  
 Shepherd, R. C. H.; and Edmonds, J. W., 1977, J. Austral. Entom. Soc., v. 16 (3), 237-244  
*Leporacarus gibbus*, *Cheyletiella parasitivorax*, and *Haemodipsus ventricosus* on *Oryctolagus cuniculus*, infestation rates, seasonal variation, sex ratios of *Leporacarus gibbus*, age and sex of host: Victoria
- Lepronysoides markewitschi Vshivkov, 1965**  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaijan
- Leptinus testaceus**  
 Roberts, C. J., 1975, Entom. Gaz., v. 26 (2), 139-145  
*Apodemus sylvaticus*: Isle of Man
- Leptocyclopodia cheirogaster Maa, 1966**  
 Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Chironax melanocephalus*  
*Penthetor lucasi*  
 all from Brinchang, Cameron Highlands

*Leptocyclopodia ferrarii* (Rondani, 1878)  
 Theodor, O., 1973, J. Med. Entom., v. 10 (6),  
 556-569  
 Syn.: *Nycteribia ferrarii* Rondani, 1878  
*Chironax melanocephalus*: Gunong Benom,  
 Cameron Highlands, Pahang  
*Cynopterus brachyotis*: Perak, Selangor

*Leptocyclopodia obliqua* (Theodor, 1959)  
 Theodor, O., 1973, J. Med. Entom., v. 10 (6),  
 556-569  
 Syn.: *Cyclopodia* (*Leptocyclopodia*) *obliqua*  
 Theodor, 1959  
*Chironax melanocephalus*: Gunong Benom, Pa-  
 hang, Kepong

*Leptolichus* sp.  
 Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),  
 189-199  
 arthropods ectoparasitic upon mammals and  
 birds, factors affecting host specificity  
*Collocalia esculenta*: New Hebrides

*Leptopsylla* Jordan and Rothschild, 1911  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
 Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis

*Leptopsylla* Jordan and Rothschild  
 Sanford, L. G.; and Hays, K. L., 1974, Bull.  
 (458) Alabama Agric. Exper. Station, 3-42  
 brief description, key

*Leptopsylla aethiopica nakuruensis*  
 Ashford, R. W.; et al., 1973, Tr. Roy. Soc.  
 Trop. Med. and Hyg., v. 67 (4), 568-601  
*Praomys albipes*: Kutaber area, Ethiopia

*Leptopsylla aethiopica nakuruensis* Smit, 1951  
 Smit, F. G. A. M., 1975, Rev. Zool. Africaine,  
 v. 89 (1), 191-210  
*Praomys* sp.: Cherangani Hills, Kenya

*Leptopsylla nana*  
 Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
 fleas, seasonal and geographic distribution  
*Micromys nivalis*: Armenia

*Leptopsylla* (*Leptopsylla*) *nana* Arg.  
 Letov, G. S.; and Letova, G. I., 1973, Zool.  
 Zhurnal, v. 52 (4), 525-531  
 fleas, geographic distribution in relation  
 to epizootiology of plague  
*Citellus undulatus*: Tuva

*Leptopsylla popovi*  
 Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
 fleas, seasonal and geographic distribution  
*Micromys socialis*: Armenia

*Leptopsylla segnis*  
 Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
 fleas, seasonal and geographic distribution  
*Micromys socialis*: Armenia

*Leptopsylla segnis* (Schoenherr) 1816  
 Cyprich, D.; Kiefer, M.; and Kmíniak, M.,  
 1976, Biologia, Bratislava, s. B, Zool. (3),  
 v. 31 (8), 573-581  
*Arvicola terrestris*: Slovakia

*Leptopsylla segnis* (Schonherr, 1811), illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
 Austral. J. Zool., Suppl. s. (30), 1-273  
 diagnosis, syn.: *Leptopsylla* (*Leptopsylla*)  
*segnis* (Schonherr, 1811)  
 kangaroo: New South Wales  
*Phascogale minima*: Tasmania  
*Sminthopsis crassicaudata*: South Australia;  
 Victoria  
*Epimys rutilus*: Tasmania  
*Rattus rattus*: Tasmania; Victoria  
*R. assimilis*: Victoria  
*R. fuscipes assimilis*: Victoria  
*R. f. greyi*: Victoria  
 bush rat: Queensland  
*Rattus lutreolus*: Tasmania; Victoria  
*R. l. velutinus*: Tasmania  
 native rat: "  
*Rattus norvegicus*: New South Wales  
*Mus decumanus*: Tasmania  
 rat: New South Wales; Queensland; Victoria  
*Mus musculus*: New South Wales; Queensland;  
 Tasmania; Victoria  
 mouse: New South Wales; Queensland; Victoria

*Leptopsylla* (*Leptopsylla*) *segnis* (Schonherr,  
 1811)  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
 Austral. J. Zool., Suppl. s. (30), 1-273  
 as syn. of *Leptopsylla segnis* (Schonherr,  
 1811)

*Leptopsylla segnis* (Schon.)  
 Haitlinger, R., 1975, Polskie Pismo Entom., v.  
 45 (2), 373-396  
 seasonal variance  
*Apodemus tauricus*  
*A. agrarius*  
 all from Gory Sowie

*Leptopsylla segnis*, illus.  
 Kunitskaya, N. T.; and Prokop'ev, V. N., 1976,  
 Entom. Obozr., v. 55 (4), 800-807  
 fleas, number of egg tubes

*Leptopsylla segnis*  
 Ozsan, K.; et al., 1974, Mikrobiyol. Bul.,  
 v. 8 (3), 267-269  
*Rattus rattus*: Turkey

*Leptopsylla segnis* (Schonherr), illus.  
 Sanford, L. G.; and Hays, K. L., 1974, Bull.  
 (458) Alabama Agric. Exper. Station, 3-42  
 description  
*Rattus norvegicus*: Houston, Montgomery and  
 Pike counties, Alabama

*Leptopsylla segnis*  
 Spieker, J. O.; and Yuill, T. M., 1976, J.  
 Wildlife Dis., v. 12 (3), 310-314  
*Sylvilagus floridanus*: Nevin Fish Hatchery  
 grounds, Fitchburg, Wisconsin

**Leptopsylla taschenbergi**  
 Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
 fleas, seasonal and geographic distribution  
**Microtus socialis**  
**M. nivalis**  
**Arvicola terrestris**  
 all from Armenia

**Leptopsyllidae**  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
 Austral. J. Zool., Suppl. s. (30), 1-273  
 diagnosis

**Leptopsyllidae Baker, 1905**  
 Lewis, R. E., 1974, J. Med. Entom., v. 11  
 (5), 525-540  
 Ancistropsyllidae, Chimaeropsyllidae, Ischnopsyllidae, Leptopsyllidae, and Macropsyllidae, geographic distribution and host preferences, list of genera and species

**Leptopsyllidae Rothschild**  
 Sanford, L. G.; and Hays, K. L., 1974, Bull.  
 (458) Alabama Agric. Exper. Station, 3-42  
 brief description

**Leptotrombidium Nagayo et al. 1916**  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere

**Leptotrombidium sp. No. 50 (Sasa, 1956)**  
 Takada, N., 1977, Eisei Dobutsu (Japan. J. San. Zool.), v. 28 (4), 373-376  
 as syn. of Leptotrombidium (Leptotrombidium) asanumai n. sp.

**Leptotrombidium sp.**  
 Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
 Peromyscus maniculatus: Fires Creek area, Nantahala Mountains, North Carolina

**Leptotrombidium sp.**  
 Whitaker, J. O., jr.; Spicka, E. J.; and Schmeltz, L. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 431-436  
 Sciurus niger  
 S. carolinensis  
 all from Indiana

**Leptotrombidium (L.) akamushi**  
 Dohany, A. L.; and Manikumaran, C., 1971, Southeast Asian J. Trop. Med. and Pub. Health, v. 2 (1), 106 [Demonstration]  
 trombiculid larvae, modification of ear-feeding technique for rearing using water to restrict movement of the chiggers and causing them to become attached more quickly

**Leptotrombidium akamushi**  
 Roberts, L. W.; et al., 1975, J. Med. Entom., v. 12 (3), 345-348  
 "Leptotrombidium (L.) fletcheri (= Malaysian L. akamushi)", distribution of Rickettsia tsutsugamushi in infected mites

**Leptotrombidium (L.) akamushi**  
 Roberts, L. W.; and Ram, S., 1973, Southeast Asian J. Trop. Med. and Pub. Health, v. 4 (2), 271 [Demonstration]

Leptotrombidium akamushi, microdissection technique to study scrub typhus disease cycle in the vector mite including screening of potential mite vectors for presence of rickettsial infection and comparative morphologic studies of internal organs of mites

**Leptotrombidium (L.) arenicola Traub**  
 Dohany, A. L.; and Manikumaran, C., 1971, Southeast Asian J. Trop. Med. and Pub. Health, v. 2 (1), 106 [Demonstration]  
 trombiculid larvae, modification of ear-feeding technique for rearing using water to restrict movement of the chiggers and causing them to become attached more quickly

**Leptotrombidium (L.) arenicola**  
 Hadi, T. R.; et al., 1976, Southeast Asian J. Trop. Med. and Pub. Health, v. 7 (3), 487-489  
 Rattus argentiventer  
 R. r. diardii  
 Suncus murinus  
 all from Ancol, Jakarta, Indonesia

**Leptotrombidium (L.) arenicola**  
 Robinson, D. M.; et al., 1977, Southeast Asian J. Trop. Med. and Pub. Health, v. 8 (2), 227-231  
 Leptotrombidium arenicola, laboratory colony naturally infected with Rickettsia tsutsugamushi, no reproducible differences in Rickettsia virulence and antigenic properties over 7 generations

**Leptotrombidium (Trombiculindus) armatum n. sp., illus.**  
 Traub, R.; Nadchatram, M.; and Lakshana, P., 1968, J. Med. Entom., v. 5 (3), 363-374  
 Tupaia glis: Chanthaburi Prov., Prie, Thailand  
 Rattus rattus: Chon Buri, Thailand

**Leptotrombidium (Leptotrombidium) asanumai n. sp., illus.**  
 Takada, N., 1977, Eisei Dobutsu (Japan. J. San. Zool.), v. 28 (4), 373-376  
 Syn.: Leptotrombidium sp. No. 50 (Sasa, 1956)  
 Microtus montebelli: Japan (Aomori Pref.; Takanosu, Akita Pref.)  
 Rattus norvegicus: Aomori Pref., Japan  
 Apodemus speciosus: Aomori Pref., Japan

**Leptotrombidium (Trombiculindus) attractimorphe n. sp., illus.**  
 Traub, R.; Nadchatram, M.; and Lakshana, P., 1968, J. Med. Entom., v. 5 (3), 363-374  
 Rattus sp.  
 Rattus rajah  
 all from Loei Prov., Tha Li Dist., Tha Li, Ban Muang Khai, Thailand

**Leptotrombidium (L.) bodense (Gunther)**  
 Dohany, A. L.; and Manikumaran, C., 1971,  
*Southeast Asian J. Trop. Med. and Pub. Health*,  
 v. 2 (1), 106 [Demonstration]  
 trombiculid larvae, modification of ear-  
 feeding technique for rearing using water to  
 restrict movement of the chiggers and causing  
 them to become attached more quickly

**Leptotrombidium (L.) bodense (Gunther)**  
 Dohany, A. L.; Phang, O. W.; and Rapmund, G.,  
 1977, *Southeast Asian J. Trop. Med. and Pub.*  
*Health*, v. 8 (2), 200-206  
*Rattus tiomanicus*  
*R. whiteheadi*  
*R. argentiventer*  
*R. muelleri*  
 all from North Borneo

**Leptotrombidium (L.) bodense**  
 Hadi, T. R.; et al., 1976, *Southeast Asian J.*  
*Trop. Med. and Pub. Health*, v. 7 (3), 487-489  
*Rattus rattus diardii*: Ancol, Jakarta, Indonesia

**Leptotrombidium deliense**  
 Bourgeois, A. L.; et al., 1977, *Tr. Roy. Soc.*  
*Trop. Med. and Hyg.*, v. 71 (4), 338-342  
 Leptotrombidium deliense as vector of scrub typhus among Chinese military personnel in the Pescadores Islands of Taiwan

**Leptotrombidium deliense**  
 Campbell, R. W.; and Domrow, R., 1974, *Tr.*  
*Roy. Soc. Trop. Med. and Hyg.*, v. 68 (5), 397-402  
 positively identified as vector of scrub typhus in Australia  
*Rattus leucopus*  
*Melomys lutillus*  
*M. cervinipes*  
*Uromys caudimaculatus*  
*Isoodon macrourus*  
 all from Australia

**Leptotrombidium (L.) deliense**  
 Dohany, A. L.; and Manikumaran, C., 1971,  
*Southeast Asian J. Trop. Med. and Pub. Health*,  
 v. 2 (1), 106 [Demonstration]  
 trombiculid larvae, modification of ear-feeding technique for rearing using water to restrict movement of the chiggers and causing them to become attached more quickly

**Leptotrombidium (L.) deliense (Walch)**  
 Dohany, A. L.; Phang, O. W.; and Rapmund, G.,  
 1977, *Southeast Asian J. Trop. Med. and Pub.*  
*Health*, v. 8 (2), 200-206  
 Leptotrombidium deliense, scrub typhus vector, collected in large numbers during survey of west coast beaches  
*Rattus tiomanicus*  
*R. muelleri*  
*R. whiteheadi*  
*R. exulans*  
*R. argentiventer*  
*R. r. diardii*  
*R. rajah*  
*Callosciurus notatus*  
*Tupaia glis*  
 all from North Borneo

**Leptotrombidium (L.) deliense (Walch)**  
 Gentry, J. W.; Phang, O. W.; and Manikumaran, C., 1977, *Southeast Asian J. Trop. Med. and Pub. Health*, v. 8 (2), 214-216

Leptotrombidium deliense, *L. fletcheri*, survival of mite foci in experimental area that prevented entry of host animals or migration of mites, effects of weather on findings of study: Malaysia

**Leptotrombidium (L.) deliense**  
 Gentry, J. W.; Phang, O. W.; and Manikumaran, C., 1977, *Southeast Asian J. Trop. Med. and Pub. Health*, v. 8 (2), 217-220

Leptotrombidium deliense, *L. fletcheri*, influence of rainfall on mite populations in forest and grassland habitats, larvae were more abundant during heavy rainfall and simulated rainfall maintained larval populations for longer periods during dry weather

**Leptotrombidium (L.) deliense**  
 Hadi, T. R.; et al., 1976, *Southeast Asian J. Trop. Med. and Pub. Health*, v. 7 (3), 487-489  
*Rattus rattus diardii*: Ancol, Jakarta, Indonesia

**Leptotrombidium deliensis**  
 Harinasuta, C.; Guptavanij, P.; and Vasuvat, C., 1974, *Southeast Asian J. Trop. Med. and Pub. Health*, v. 5 (1), 105-127  
*Rattus spp.*  
*R. rattus*  
*R. losea*  
 all from mangrove areas of Thailand

**Leptotrombidium deliense**  
 Muul, I.; Lim, B. L.; and Gan, E., 1974, *Southeast Asian J. Trop. Med. and Pub. Health*, v. 5 (1), 80-84  
 Leptotrombidium deliense (known vector of human scrub typhus) found infesting very few mammals in areas surveyed for evidence of scrub typhus antibodies  
*Rattus muelleri*  
*Tupaia tana*  
 all from Sabah, Peninsular Malaysia

**Leptotrombidium (L.) deliense (Walch)**  
 Roberts, L. W.; Muul, I.; and Robinson, D. M., 1977, *Southeast Asian J. Trop. Med. and Pub. Health*, v. 8 (2), 207-213

Leptotrombidium deliense, comparative determination of numbers of larvae on *Rattus argentiventer*, *R. tiomanicus* and *R. exulans* in two different habitats, effects of weather on chigger population, implication of chiggers as vector of scrub typhus in Peninsular Malaysia

**Leptotrombidium deliense-group**  
 Traub, R.; et al., 1977, *Proc. 15. Internat. Cong. Entom.* (Washington, D.C., Aug. 19-27, 1976), 487-489

Leptotrombidium deliense-group, ecology of chigger-borne rickettsiosis and murine typhus

*Leptotrombidium deliense* Walch  
 Van Peenen, P. F. D.; et al., 1976, J. Parasitol., v. 62 (4), 653-654  
 hyperendemic focus of scrub typhus, correlation of chigger (*Leptotrombidium deliense*) abundance with temperature rather than with rainfall  
*Suncus murinus*  
*Rattus norvegicus*  
*R. rattus*  
*Mus musculus*  
 all from Pescadores Islands, near Taiwan

*Leptotrombidium* (L.) *fletcheri* (Womersley and Heaslip)  
 Dohany, A. L.; et al., 1977, Southeast Asian J. Trop. Med. and Pub. Health, v. 8 (2), 221-226  
*Leptotrombidium fletcheri*, life history of Rickettsia-infected mites raised through 5 generations under ambient temperatures of Malaysia compared with a colony reared at 27°C

*Leptotrombidium* (L.) *fletcheri* (Womersley & Heaslip)  
 Dohany, A. L.; Phang, O. W.; and Rapmund, G., 1977, Southeast Asian J. Trop. Med. and Pub. Health, v. 8 (2), 200-206  
*Rattus tiomanicus*: North Borneo

*Leptotrombidium* (L.) *fletcheri* (Womersley and Heaslip)  
 Gentry, J. W.; Phang, O. W.; and Manikumaran, C., 1977, Southeast Asian J. Trop. Med. and Pub. Health, v. 8 (2), 214-216  
*Leptotrombidium deliense*, *L. fletcheri*, survival of mite foci in experimental area that prevented entry of host animals or migration of mites, effects of weather on findings of study: Malaysia

*Leptotrombidium* (L.) *fletcheri*  
 Gentry, J. W.; Phang, O. W.; and Manikumaran, C., 1977, Southeast Asian J. Trop. Med. and Pub. Health, v. 8 (2), 217-220  
*Leptotrombidium deliense*, *L. fletcheri*, influence of rainfall on mite populations in forest and grassland habitats, larvae were more abundant during heavy rainfall and simulated rainfall maintained larval populations for longer periods during dry weather

*Leptotrombidium* (*Leptotrombidium*) *fletcheri*  
 Roberts, L. W.; et al., 1975, J. Med. Entom., v. 12 (3), 345-348  
 "Leptotrombidium" (L.) *fletcheri* (= Malaysian *L. akamushi*), distribution of Rickettsia tsutsugamushi in infected mites

*Leptotrombidium* *fuji*  
 Kamimura, K.; et al., 1972, Eisei Dobutsu (Japan. J. San. Zool.), v. 23 (2), 83-87  
 seasonal occurrence; outbreak of acute febrile exanthematic disease among school children, possibly Tsutsugamushi disease transmitted by *Leptotrombidium pallidum*  
*Apodemus speciosus*  
*Microtus montebelli*  
 all from Yamada, Toyama Prefecture, northern Honshu

*Leptotrombidium* (*Trombiculindus*) *gateri* Traub & Nadchatram, 1967  
 Traub, R.; Nadchatram, M.; and Lakshana, P., 1968, J. Med. Entom., v. 5 (3), 363-374  
*Cannomys* sp.: Loei Prov., Dan Sai Dist., Na Phung, Ban Nong Wai, Thailand

*Leptotrombidium* (*Trombiculindus*) *hastata* (Gater, 1932)  
 Kundin, W. D.; Nadchatram, M.; and Keong, A., 1972, J. Med. Entom., v. 9 (6), 558-559  
 Malaysian trombiculid mites, duration of attachment of larvae on laboratory mice and rats, data for estimation of population densities

*Leptotrombidium* (L.) *intermedium*  
 Nakata, K., 1975, Eisei Dobutsu (Japan. J. San. Zool.), v. 27 (2), 189-194  
 trombiculid mites, seasonal fluctuations of larvae, difference of modes for attachment to rodents, incidence and number of species vary with vegetation types  
*Clethrionomys rutilus mikado*  
*C. rufocanus bedfordiae*  
*Apodemus gilliacus*  
*A. argenteus*  
*Rattus norvegicus*  
 all from Tonden, Sapporo, Japan

*Leptotrombidium* (L.) *keukenschrijveri* (Walch)  
 Dohany, A. L.; and Manikumaran, C., 1971, Southeast Asian J. Trop. Med. and Pub. Health, v. 2 (1), 106 [Demonstration]  
 trombiculid larvae, modification of ear-feeding technique for rearing using water to restrict movement of the chiggers and causing them to become attached more quickly

*Leptotrombidium* *kitasatoi*  
 Kamimura, K.; et al., 1972, Eisei Dobutsu (Japan. J. San. Zool.), v. 23 (2), 83-87  
 seasonal occurrence; outbreak of acute febrile exanthematic disease among school children, possibly Tsutsugamushi disease transmitted by *Leptotrombidium pallidum*  
*Apodemus speciosus*  
*Microtus montebelli*  
 all from Yamada, Toyama Prefecture, northern Honshu

*Leptotrombidium* (*Trombiculindus*) *macrospheenum* n. sp., illus.  
 Traub, R.; Nadchatram, M.; and Lakshana, P., 1968, J. Med. Entom., v. 5 (3), 363-374  
*Tupaia glis*  
*Callosciurus maclellandi*  
 all from Chanthaburi Prov., Prieb, Thailand

*Leptotrombidium* *miyajimai*  
 Kamimura, K.; et al., 1972, Eisei Dobutsu (Japan. J. San. Zool.), v. 23 (2), 83-87  
 seasonal occurrence; outbreak of acute febrile exanthematic disease among school children, possibly Tsutsugamushi disease transmitted by *Leptotrombidium pallidum*  
*Apodemus speciosus*  
*Microtus montebelli*  
 all from Yamada, Toyama Prefecture, northern Honshu

## ARTHROPODA

*Leptotrombidium miyazakii*  
 Kamimura, K.; et al., 1972, *Eisei Dobutsu* (Japan. J. San. Zool.), v. 23 (2), 83-87  
 seasonal occurrence; outbreak of acute febrile exanthematic disease among school children, possibly *Tsutsugamushi* disease transmitted by *Leptotrombidium pallidum*  
*Apodemus speciosus*  
*Microtus montebelli*  
 all from Yamada, Toyama Prefecture, northern Honshu

*Leptotrombidium orientalis*  
 Vasil'eva, I. S., 1977, *Zool. Zhurnal*, v. 56 (1), 162-163  
*Hirsutiella zachvatkini*, *Leptotrombidium orientalis*, laboratory rearing techniques, biology of free living stages

*Leptotrombidium pallidum*  
 Kamimura, K.; et al., 1972, *Eisei Dobutsu* (Japan. J. San. Zool.), v. 23 (2), 83-87  
 seasonal occurrence; outbreak of acute febrile exanthematic disease among school children, possibly *Tsutsugamushi* disease transmitted by *Leptotrombidium pallidum*  
*Apodemus speciosus*  
*Microtus montebelli*  
 all from Yamada, Toyama Prefecture, northern Honshu

*Leptotrombidium (Trombiculindus) paniculatum*  
 n. sp., illus.  
 Traub, R.; Nadchatram, M.; and Lakshana, P., 1968, *J. Med. Entom.*, v. 5 (3), 363-374  
*Menetes berdmorei*: Kanchanaburi Prov., Trakhanum, Hinlaem, Thailand  
*Rattus rajah*: Loei Prov., Tha Li Dist., Tha Li, Ban Muang Khai, Thailand  
*Tupaia glis*: Khonkaen Prov., Chum Phae, Pa Dong Lam, Thailand

*Leptotrombidium pavlovskyi* Schluger  
 Gopachenko, I. M.; Volkov, V. I.; and Chernykh, P. A., 1976, *Zool. Zhurnal*, v. 55 (8), 1157-1162  
*Clethrionomys rufocanus*: Priamurie

*Leptotrombidium russica* Oudemans, 1902  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, *Vestnik Zool.*, Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaizdhan

*Leptotrombidium (L.) scutellare*  
 Dohany, A. L.; and Manikumaran, C., 1971, *Southeast Asian J. Trop. Med. and Pub. Health*, v. 2 (1), 106 [Demonstration]  
 trombiculid larvae, modification of ear-feeding technique for rearing using water to restrict movement of the chiggers and causing them to become attached more quickly

*Leptotrombidium (Trombiculindus) sibynatum*  
 n. sp., illus.  
 Traub, R.; Nadchatram, M.; and Lakshana, P., 1968, *J. Med. Entom.*, v. 5 (3), 363-374  
*Bandicota bengalensis*: Nakhon Nayok Prov., Nakhon Nayok, Thailand

*Leptotrombidium (Leptotrombidium) singhgarhense*, n. sp., illus.  
 Kulkarni, S. M., 1973, *J. Med. Entom.*, v. 10 (5), 519-523  
*Rattus rattus rufescens*: Atkarwadi near Singhar, Poona, India  
*R. r. satarae*: Nighudgarh, Bhor, Poona, India  
*Suncus murinus*: Atkarwadi near Singhar and Lonavla, Poona, India  
*Millardia* sp.: Singhar, Poona, India

*Leptotrombidium (Trombiculindus) thurmani* n. sp., illus.  
 Traub, R.; Nadchatram, M.; and Lakshana, P., 1968, *J. Med. Entom.*, v. 5 (3), 363-374  
 field rat: Chaiyaphum Prov., Phukhieo, Ban Lat, Thailand

*Lerneea*  
 Gerard, J. P., 1976, *Bull. Franc. Piscicult.* (262), 1-4  
 masoten treatment of fish parasites, toxicity

*Lernaea* sp.  
 Heckmann, R.; and Farley, D. G., 1973, *J. Wildlife Dis.*, v. 9 (3), 221-224  
*Hesperoleucus symmetricus symmetricus* (body surface near pectoral fins): foothill streams east of Fresno, California

*Lernaea bagri*  
 Heckmann, R.; and Farley, D. G., 1973, *J. Wildlife Dis.*, v. 9 (3), 221-224  
*Hesperoleucus symmetricus symmetricus* (body surface near pectoral fins): foothill streams east of Fresno, California

*Lernaea cyprinacea* Linn.  
 Amin, O. M.; Balsano, J. S.; and Pfalzgraf, K. A., 1973, *Am. Midland Naturalist*, v. 89 (2), 484-487  
*Catostomus commersoni* (head, tail, body sides, dorsal and ventral aspects)  
*Lepomis cyanellus* (head, tail, body sides, dorsal and ventral aspects)  
*L. macrochirus*  
*Micropterus salmoides*  
*Cyprinus carpio*  
*Notemigonus crysoleucas*  
*Semotilus atromaculatus*  
*S. margarita* (head, tail, body sides, dorsal and ventral aspects)  
*Etheostoma nigrum*  
*Umbra limi* (head, body sides, dorsal and ventral aspects)  
 all from Root River, southeastern Wisconsin

*Lernaea cyprinacea* Linnaeus  
 Cloutman, D. G., 1976, *Southwest Nat.*, v. 21 (1), 67-70  
*Campostoma anomalum pullum* (embedded in muscle through skin): White River, Arkansas

*Lernaea cyprinacea* Linnaeus, 1758  
 Ejsymont, L., 1970, *Acta Parasitol. Polon.*, v. 17 (20-38), 195-201  
*Lota* l. *lota* (gills): Poland

- Lernaea cyprinacea** L.  
 Fryer, G., 1968, J. Nat. Hist., v. 2 (4), 531-533  
   *Carassius auratus*  
   *Cyprinus carpio*  
   *Idus idus*  
   *Rutilus rutilus*  
   all from Britain
- Lernaea cyprinacea**  
 Gruninger, T. L.; Murphy, C. E.; Britton, J. C., 1977, Southwest. Nat., v. 22 (4), 525-535  
   *Ictalurus punctatus*  
   *Pomoxis annularis*  
   *Lepomis macrochirus*  
   all from Eagle Mountain Lake, Texas
- Lernaea cyprinacea Linnaeus, 1761**  
 Hensley, G. H.; and Nahhas, F. M., 1975, Calif. Fish and Game, v. 61 (4), 201-208  
   *Ictalurus catus*  
   *Mylopharodon conocephalus*  
   *Orthodon microlepidotus*  
   *Pogonichthys macrolepidotus*  
   *Ptychocheilus grandis*  
   all from Sacramento-San Joaquin Delta, California
- Lernaea cyprinacea, illus.**  
 Khalifa, K. A.; and Post, G., 1976, Progr. Fish Cult., v. 38 (2), 110-113  
 Lernaea cyprinacea-infected *Pimephales promelas*, *Notemigonus crysoleucas*, *Lepomis cyanellus*, and *Catostomus commersoni* (all exper.), histopathology at various sites of penetration
- Lernaea cyprinacea Linne, 1758, illus.**  
 Simon Vicente, F.; Ramajo Martin, V.; and Encinas Grandes, A., 1973, Rev. Iber. Parasitol., v. 33 (4), 633-647  
   description  
   *Barbus barbus bocagei* (base de la aleta pectoral izquierda): Rio Tormes, Almenara (Salamanca)  
   *Carassius carassius* (cercanas a la linea lateral): Rio Esla (Zamora)
- Lernaea cyprinacea**  
 Whitaker, J. O., jr.; and Schlueter, R. A., 1975, Am. Midland Naturalist, v. 93 (2), 446-450  
   incidence at different seasons and on different-sized fish, fins and fin bases most frequently used regions for attachment  
   *Lepomis gulosus*  
   *Lepomis humilis*  
   *Ictiobus bubalus*  
   *Aplodinotus grunniens*  
   *Lepomis macrochirus*  
   *Etheostoma asprigene*  
   *Phenacobius mirabilis*  
   *Lepomis cyanellus*  
   *Lepomis megalotis*  
   *Fundulus notatus*  
   *Pimephales vigilax*  
   *Lepomis hybrids* (probably *L. macrochirus* x *L. megalotis*)  
   *Micropterus punctulatus*  
   *Notropis blennius*  
   *Carpoides* sp.  
   *Notropis whipplei*  
   *Notropis atherinoides*  
   *Notropis spilopterus*  
   *Hybognathus nuchalis*  
   all from the White River at Petersburg, Indiana
- Lernaea cyprinacea Linnaeus, 1761**  
 White, G. E., 1974, Tr. Am. Micr. Soc., v. 93 (2), Apr., 280-282  
   *Catostomus commersoni*: Kentucky River drainage system
- Lernaea cyprinacea, illus.**  
 Wissmath, P., 1975, Fisch u. Umwelt (1), 127-134  
   parasitic Crustacea of freshwater fish, descriptions, life cycles, pathology, control, review; Germany
- Lernaea dolabrodes** Wilson, illus.  
 Audy, J. R.; Radovsky, F. J.; and Vercammen-Grandjean, P. H., 1972, J. Med. Entom., v. 9 (6), 487-494
- Lernaea esocina Burmeister, 1833, illus.**  
 Simon Vicente, F.; Ramajo Martin, V.; and Encinas Grandes, A., 1973, Rev. Iber. Parasitol., v. 33 (4), 633-647  
   description  
   *Rutilus arcasi* (base de la aleta dorsal): Rio Huebra, San Munoz (Salamanca)
- Lernaea esocina**  
 Wissmath, P., 1975, Fisch u. Umwelt (1), 127-134  
   parasitic Crustacea of freshwater fish, descriptions, life cycles, pathology, control, review: Germany
- Lernaea phoxinacea**  
 Wissmath, P., 1975, Fisch u. Umwelt (1), 127-134  
   parasitic Crustacea of freshwater fish, descriptions, life cycles, pathology, control, review: Germany
- Lernaea piscinae**  
 Heckmann, R.; and Farley, D. G., 1973, J. Wildlife Dis., v. 9 (3), 221-224  
   *Hesperoleucus symmetricus symmetricus* (body surface near pectoral fins): foothill streams east of Fresno, California
- Lernaea tenuis**  
 Gruninger, T. L.; Murphy, C. E.; Britton, J. C., 1977, Southwest. Nat., v. 22 (4), 525-535  
   *Aplodinotus grunniens* (dorsal fin): Eagle Mountain Lake, Texas
- Lernaeenicus anchoviellae** n. sp., illus.  
 Sebastian, M. J.; and George, K. C., [1965], J. Marine Biol. Ass. India, v. 6 (2), 235-240  
   description of three post-larval stages  
   *Anchoviella bataviensis*: Attankarai, Palk Bay, south-east coast of India
- Lernaeenicus hemirhamphi**  
 John, S. E.; Suryanarayanan, H.; and Nair, N. B., 1977, J. Animal Morph. and Physiol., v. 24 (1), 42-46  
   *Lernaeenicus hemirhamphi*, biochemical composition  
   *Hemirhamphus xanthopterus*: Trivandrum coast, India

- Lernaeenicus longiventris*  
 Rawson, M. V., jr., 1977, J. Fish Biol., v. 10 (5), 441-451  
 crustacean parasites of *Mugil cephalus*, prevalence and intensity of infection, seasonal abundance, distribution on yearlings indicates a high degree of habitat subdivision on gill arches: Sapelo Island, Georgia
- Lernaeocera branchialis* L. 1767, illus.  
 Kohler, H. J., 1976, Zool. Jahrb., Jena, Abt. Anat., v. 95 (4), 448-504  
*Lernaeocera branchialis*, egg, embryonic stages, metanauplius, copepodid I development *Gadus morhua*: Helgoland
- Lernaeocera branchialis*  
 Moeller, H., 1976, J. Marine Biol. Ass. United Kingdom, v. 56 (3), 781-785  
*Platichthys flesus*: Kiel Fjord (western Baltic Sea)
- Lernaeocera branchialis*  
 Templeman, W.; Hodder, V. M.; and Fleming, A. M., 1976, J. Fish. Research Bd. Canada, v. 33 (4), part 1, 711-731  
*Lernaeocera branchialis*, seasonal distribution; localization of immature stages on lumpfish, adults on cod; adult infection rates on cod higher inshore than offshore, marker for host migrations; cod sexual maturity delayed by infection  
*Cyclopterus lumpus* (gills): Newfoundland and neighboring areas  
*Gadus morhua* (branchial arches): Newfoundland and neighboring areas  
*G. ogac* (gills): Newfoundland and neighboring areas  
*Hippoglossoides platessoides* (branchial arches): White Bay, Newfoundland
- Lernaeolophus sultanus* (Nordmann), illus.  
 Natarajan, P.; and Nair, N. B., 1977, Current Sc., Bangalore, v. 46 (3), 93-94 [Letter]  
*Priacanthus hamrur* (attached to operculum in branchial cavity): Indian waters
- Lernaeopoda scyllicola*, illus.  
 Russo, R. A., 1975, Calif. Fish and Game, v. 61 (4), 228-232  
*Triakis semifasciata*  
*Raja binoculata*  
*Scyllium* (head region of all): all from California
- Lernanthropus shishidoi* Shiino, 1955, illus.  
 Pillai, N. K., 1964, J. Marine Biol. Ass. India, v. 6 (1), 61-83  
*Mugil cephalus* (gills): Quilon, Kerala, South India
- Lice, Body. See [Pediculus humanus].
- Lice  
 Binns, C. W., 1976, Papua N. Guinea Med. J., v. 19 (2), 105-107  
 paraquat applied to beard and scalp by native New Guinean as cure for lice resulted in severe toxic reaction and death, case history: Papua New Guinea
- Lice  
 Chamberlain, W. F., 1975, J. Med. Entom., v. 12 (4), 395-400  
 insect growth regulators for control of insects of medical and veterinary importance
- Lice  
 Cummins, L. J., 1977, Austral. Vet. J., v. 53 (8), 406-407 [Letter]  
 famphur applied to cattle during mating season for lice control, no effect on cow fertility
- Lice  
 Dorsz, E., 1970, Polski Tygod. Lekar., v. 25 (5), 188-190  
 human lice and pediculosis, historical review of clinical care in the 16th-18th centuries in Poland
- Lice (undetermined species)  
 Hadi, T. R.; et al., 1976, Southeast Asian J. Trop. Med. and Pub. Health, v. 7 (3), 487-489  
*Bandicota indica setifera*  
*Rattus argentiventer*  
*R. exulans*  
*R. norvegicus*  
*R. r. diardii*  
*Suncus murinus*  
 all from Ancol, Jakarta, Indonesia
- Lice  
 van der Heide, R. M., 1971, Nederl. Tijdschr. Geneesk., v. 115 (14), 607-608  
 relapsing fever in West-African native, evidence that infection had been transmitted by lice: Netherlands
- Lice  
 Machel, M.; and Krynski, S., 1976, Ztschr. Ang. Zool., v. 63 (3), 299-305  
 lice maintained in laboratory since 1918, constant conditions for 30 years, comparison with 30 years earlier: larval stage shortened, temperature range for development reduced, body weight and amount of blood taken increased
- Lichomolgidium Kossmann, 1877  
 Stock, J. H., 1968, Bull. Zool. Mus. Univ. Amsterdam, v. 1 (9), 89-105  
 key
- Lichothuria n. gen.  
 Stock, J. H., 1968, Bull. Zool. Mus. Univ. Amsterdam, v. 1 (9), 89-105  
*Lichomolgidae*  
 key; tod: *Lichothuria mandibularis* n. sp.
- Lichothuria mandibularis n. sp. (tod), illus.  
 Stock, J. H., 1968, Bull. Zool. Mus. Univ. Amsterdam, v. 1 (9), 89-105  
*Halodeima atra*: lagoon near the Coral Beach Hotel, Eilat (Israel)

*Linguatula multiannulata* von Haffner, Sachs and Rack, 1967, illus.  
*Sachs, R.; Rack, G.; and Woodford, M. H.,*  
*1973, Bull. Epizoot. Dis. Africa, v. 21 (4),*  
*401-409*

*Connochaetes taurinus:* Tanzania  
*Damaliscus korrigum:* Tanzania  
*Alcelaphus buselaphus:* Tanzania; Kenya  
*Gazella thomsonii:* Tanzania  
*Rhynchotragus kirkii:* Tanzania  
*Syncerus caffer:* Tanzania; Uganda; Kenya  
*Bos taurus:* Tanzania  
*Gazella granti:* Kenya  
*Tragelaphus scriptus:* Uganda

*Linguatula nuttalli*  
*Young, E., 1975, J. South African Vet. Ass.,*  
*v. 46 (4), 335-336*  
*pathology*  
*Panthera leo (nasal passages): Kruger*  
*National Park*

*Linguatula serrata* Froelich 1789  
*Babero, B. B.; and Cattan, P. E., 1975, Bol.*  
*Chileno Parasitol., v. 30 (3-4), 68-76*  
*Octodon degus (pulmones): Quebrada de la*  
*Plata, Santiago, Chile*

*Linguatula serrata* Froelich, 1779, illus.  
*Basson, P. A.; et al., 1970, Onderstepoort J.*  
*Vet. Research, v. 37 (1), 11-28*  
*parasitic and other diseases of Syncerus*  
*caffer, some pathological findings, age of*  
*host*  
*Syncerus caffer (hepatic veins, right heart*  
*chambers, pulmonary artery, beneath Glis-*  
*son's capsule, livers): Kruger National*  
*Park*

*Linguatula serrata* Frohlich, 1789, illus.  
*Ibanez, N., 1969, Bol. Chileno Parasitol.,*  
*v. 24 (3-4), 160-162*  
*Felis domesticus (pulmones): Cajamarca,*  
*Peru*

*Linguatula serrata*  
*Khalil, G. M., 1976, J. Parasitol., v. 62 (1),*  
*126*  
*prevalence, Bos taurus, Camelus dromedarius*  
*(visceral lymph nodes), potential health*  
*hazard to humans: Cairo abattoir*

*Linguatula serrata*, illus.  
*Young, E., 1975, J. South African Vet. Ass.,*  
*v. 46 (4), 335-336*  
*pathology*  
*Panthera leo: Kruger National Park*  
*Syncerus caffer (cardiovascular system,*  
*liver, lymph nodes): Kruger National Park*  
*Aepycoerus melampus (exper.)*  
*domestic ox (exper.)*

*Linguatula serrata* var. *serengetiana*, illus.  
*Sachs, R.; Rack, G.; and Woodford, M. H.,*  
*1973, Bull. Epizoot. Dis. Africa, v. 21 (4),*  
*401-409*  
*Connochaetes taurinus: Tanzania*  
*Gazella thomsonii: Tanzania; Kenya*  
*Syncerus caffer: Tanzania; Kenya*  
*Papia anubis: Kenya*

*Linognathus Enderlein, 1905*  
*Zlotorzycka, J.; Eichler, W.; and Ludwig, H.*  
*W., 1974, Parasitol. Schriftenr., v. 22, 1-160*  
*lice of domestic animals, keys to species*  
*and subspecies, descriptions, illustrations,*  
*hosts, economic and epidemiological impor-*  
*tance, extensive compilation: Central Europe*  
*includes: L. (L.) oviformis (Rudow, 1869);*  
*L. (L.) ovillus (Neumann, 1907); L. (L.)*  
*pedalis (Osborn, 1896); L. (L.) setosus (von*  
*Olfers, 1816); L. (L.) stenopsis (Burmeister,*  
*1838); L. (L.) vituli (Linnaeus, 1758)*

*Linognathus africanus* (Kellogg and Paine)  
*Brunetti, O.; and Cribbs, H., 1971, Calif.*  
*Fish and Game, v. 57 (3), 162-166*  
*Linognathus africanus, deer deaths due to*  
*massive infestation: California*  
*Odocoileus hemionus californicus: Ventura*  
*and Kern Counties*  
*O. h. columbianus: Monterey and Yolo*  
*Counties*

*Linognathus armatus*  
*Young, E.; et al., 1973, Research J. National*  
*Parks Republic South Africa (16), 195-198*  
*Antidorcas marsupialis: Mountain Zebra Na-*  
*tional Park near Cradock, Cape Province*

*Linognathus bedfordi*  
*Young, E.; et al., 1973, Research J. National*  
*Parks Republic South Africa (16), 195-198*  
*Antidorcas marsupialis: Mountain Zebra Na-*  
*tional Park near Cradock, Cape Province*

*Linognathus euchore*  
*Young, E.; et al., 1973, Research J. National*  
*Parks Republic South Africa (16), 195-198*  
*Antidorcas marsupialis: Mountain Zebra Na-*  
*tional Park near Cradock, Cape Province*

*Linognathus reduncae*  
*Young, E.; et al., 1973, Research J. National*  
*Parks Republic South Africa (16), 77-81*  
*Redunca fulvorufula: Mountain Zebra Nation-*  
*al Park*

*Linognathus stenopsis*  
*Misra, S. C., 1974, Indian J. Animal Research*  
*v. 8 (2), 87-88*  
*goats, Ectopar, highly effective*

*Linognathus stenopsis* Burmeister  
*Singh, A.; and Chhabra, R. C., 1974, Indian J.*  
*Animal Sc., v. 43 (5), 1973, 393-397*  
*seasonal distribution*  
*Capra hircus (body): Hissar and suburbs,*  
*India*

*Linognathus vituli*  
*Cummins, L. J.; and Tweedle, N. E., 1977,*  
*Austral. Vet. J., v. 53 (12), 591-592*  
*Linognathus vituli, cattle, light infesta-*  
*tions, lice control with famphur and levami-*  
*sole had no influence on host growth:*  
*western Victoria*

## ARTHROPODA

- Linognathus vituli* Linn., illus.  
Kumar, P.; and Somadder, K., 1976, Indian J. Entom., v. 36 (4), 1974, 355-358  
*Haematopinus suis*, *Pediculus humanus*, and *Linognathus vituli*, hatching organ, description and mechanism
- Linognathus vituli*  
Misra, S. C., 1974, Indian J. Animal Research v. 8 (2), 87-88  
cow calves, Ectopar, highly effective
- Linognathus vituli*  
Neuhauer, H., 1974, Vet. Med. Rev. (4), 348-361  
cattle lice, Tiguvon Spot-on, compared with Tiguvon Pour-on: Australia
- Linognathus vituli*  
Oberg, C.; Diaz, L.; and Valenzuela, G., 1974, Bol. Chileno Parasitol., v. 29 (3-4), 99-102  
*Bos taurus*: Chile
- Linognathus vituli*  
Oormazdi, H.; and Baker, K.P., 1977, Vet. Parasitol., v. 3 (1), 85-88  
cattle, added benefit of national warble fly eradication scheme (annual dressing with pour-on organophosphorus compounds) is considerable reduction in pediculosis: Northern Ireland compared with Republic of Ireland
- Linognathus vituli* Linnaeus  
Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397  
seasonal distribution  
*Bos indicus* (groin): Hissar and suburbs, India
- Linognathus vulpis* Werneck  
Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16  
*Vulpes vulpes*: Iran
- Liotheum conspurcatum* Nitzsch, 1818  
Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
as syn. of *Trinoton anserinum* (Fabricius, 1805)
- Lipeurus* Nitzsch, 1818, pro parte  
Tendeiro, J., 1977, Rev. Zool. Africaine, v. 91 (3), 704-712  
as syn. of *Turturicola* Th. Clay et Meinertzhagen, 1937
- Lipeurus* Nitzsch, 1818  
Zlotorycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *L. caponis* caponis (Linnaeus, 1758); *L. numidae* (Denny, 1842); *L. pavo* Clay, 1938
- Lipeurus antennatus* Giebel, 1874  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
as syn. of *Columbicola columbae* (Linne, 1758)
- Lipeurus caponis* (L.)  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Gallus gallus*: New Hebrides
- Lipeurus caponis* (Linne, 1758), illus.  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
key, synonymy  
*Gallus domesticus*: Spain
- Lipeurus caponis*  
Misra, S. C., 1974, Indian J. Animal Research v. 8 (2), 87-88  
fowls, Ectopar, highly effective
- Lipeurus caponis* (Linne)  
Rao, N. S. K.; Khuddus, C. A.; and Channa-Basavanna, G. P., 1975, Mysore J. Agric. Sc., v. 9 (4), 670-688  
morphology of mouth parts, compared with *Lipeurus tropicalis*
- Lipeurus caponis*  
Torres, P.; et al., 1974, Bol. Chileno Parasitol., v. 29 (3-4), 115-117  
*Gallus gallus domesticus*: Chile
- Lipeurus heterographus*  
Misra, S. C., 1974, Indian J. Animal Research v. 8 (2), 87-88  
fowls, Ectopar, highly effective
- Lipeurus ibis* Le Souef & Bullen, 1922  
Tandan, B. K., 1976, System. Entom., v. 1 (1), 75-87  
as syn. of *Ardeicola ibis* (Le Souef & Bullen)
- Lipeurus maculosus* Clay 1938, illus.  
Marconcini, A.; and Macchioni, G., 1975, Ann. Fac. Med. Vet. Pisa, v. 27, 1974, 101-112  
*Phasianus colchicus*: Tuscany
- Lipeurus tropicalis* (Peters), illus.  
Rao, N. S. K.; Khuddus, C. A.; and Channa-Basavanna, G. P., 1975, Mysore J. Agric. Sc., v. 9 (4), 670-688  
*Lipeurus tropicalis*, detailed morphology of mouth parts, compared with other Mallophaga, evolutionary trend of anterior plate of hypopharynx
- Liponyssoides* sp.  
Hadi, T. R.; et al., 1976, Southeast Asian J. Trop. Med. and Pub. Health, v. 7 (1), 113-114  
*Rattus rattus diardii*  
*Suncus murinus*  
all from Jakarta, Indonesia
- Liponyssoides* sp.  
Hadi, T. R.; et al., 1976, Southeast Asian J. Trop. Med. and Pub. Health, v. 7 (3), 487-489  
*Bandicota indica setifera*  
*Rattus rattus diardii*  
*Suncus murinus*  
all from Ancol, Jakarta, Indonesia

- Liponyssus americanus** Banks 1906  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of *Ornithonyssus sylviarum* (Canes-  
 trini & Fanzago, 1877)
- Liponyssus bacoti**  
 Kershaw, W. E.; and Storey, D. M., 1976, Ann.  
 Trop. Med. and Parasitol., v. 70 (3), 303-312  
 Litomosoides carinii infection in cotton  
 rats, comparison of 5 methods of calculating  
 number of infective larvae transmitted to  
 hosts by *Liponyssus bacoti* vectors, relation-  
 ship between transmission intensities and  
 worms recovered, role of heavy infections in  
 vectors
- Liponyssus bacoti**  
 Siddiqui, M. A.; and Kershaw, W. E., 1975, Tr.  
 Roy. Soc. Trop. Med. and Hyg., v. 69 (1), 19-20  
 [Demonstration]  
 Litomosoides carinii, experimental laboratory  
 trials show Delhi white rats to be poor hosts  
 and un-irradiated and irradiated golden  
 hamsters highly susceptible hosts when quan-  
 titative infections were established using  
*Liponyssus bacoti* in transmission
- Liponyssus bursa** Hirst, 1916  
 Phillis, W. A.; Cromroy, H. L.; and Denmark,  
 H. A., 1976, Florida Entom., v. 59 (1), 89-  
 92  
 as syn. of *Ornithonyssus bursa* (Berlese,  
 1888)
- Liponyssus pacificus** Ewing, 1923  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of *Ornithonyssus sylviarum* (Canes-  
 trini & Fanzago, 1877)
- Liponyssus setiger** Ewing, 1920  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of *Androlaelaps fahrenholzi* (Berlese,  
 1911)
- Lipoptena** sp., probably *L. japonica* Bequaert,  
 1942, illus.  
 Mogi, M., 1977, Eisei Dobutsu (Japan. J. San.  
 Zool.), v. 28 (4), 449-450  
*Cervus nippon*: Japanese Alps, Honshu, Japan
- Lipoptena doszhanovi** Grunin, sp. n., illus.  
 Grunin, K. Ia.; and Doszhanov, T. N., 1974,  
 Entom. Obozr., v. 53 (4), 925-928  
*Passer hispaniolensis*: Chokpak pass,  
 Karatau range, Chimkent region, Kazakhstan
- Lipoptena indica** Rao, Hiregoudar and Alwar  
 1964  
 Hiregoudar, L. S., 1976, Indian Vet. J.,  
 v. 53 (3), 237  
*Boselaphus tragocamelus* (external surface  
 of body)  
*Axis axis* (external surface of body)  
 all from Gir forest, Gujarat State, India
- Lipoptena sepiacea**  
 Young, E.; et al., 1973, Research J. National  
 Parks Republic South Africa (16), 77-81  
*Connochaetes gnou*: Mountain Zebra National  
 Park
- Lipoptena sikae** sp. nov., illus.  
 Mogi, M., 1975, Kontyu, v. 43 (3), 387-392  
*Cervus nippon nippon*: Honshu, Japan (Nara  
 Park, Nara Pref.; Kinkazan, Miyagi Pref.)
- Liroaspidae** Traegardh  
 Athias-Henriot, C., 1977, J. Austral. Entom.  
 Soc., v. 16 (3), 225-235  
 synonymy
- Liroaspis** Banks  
 Athias-Henriot, C., 1977, J. Austral. Entom.  
 Soc., v. 16 (3), 225-235  
**Liroaspidae**
- Listrophorid mites**, illus.  
 Gwahaba, J. J., 1975, J. East Africa Nat.  
 Hist. Soc. and National Mus. (153), 1-14  
*Corvus albus* (in between barbs of remiges,  
 near rachis): Kampala, Uganda
- Listrophoridae** [sp.]  
 Hadi, T. R.; et al., 1976, Southeast Asian J.  
 Trop. Med. and Pub. Health, v. 7 (3), 487-489  
*Bandicota indica setifera*  
*Rattus argentiventer*  
*Suncus murinus*  
 all from Ancol, Jakarta, Indonesia
- Listrophoridia** sp.  
 Sandhu, P. S.; and Kapoor, V. C., 1977, Entom.  
 News, v. 88 (5-6), 151-152  
*Millardia meltada*  
*Mus booduga*  
 all from Punjab, India
- Listrophoroides** (*Listrophoroides*) *alticola* sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpi-  
 ensia (64), 37-67  
*Rattus alticola*: Mont Kinabalu, N. Borneo
- Listrophoroides** (*Listrophoroides*) *ancophallus*  
 sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpi-  
 ensia (64), 37-67  
*Rattus rajah*: Cocoa Quoin Hill Estate, N.  
 Borneo
- Listrophoroides** (*Listrophoroides*) *bifidus* sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpi-  
 ensia (64), 37-67  
*Rattus rajah*: Chong Mek, Ubol, Thailand
- Listrophoroides** (*Listrophoroides*) *birmanicus*  
 sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpi-  
 ensia (64), 37-67  
*Rattus surifer*: Tenasserim, Birmanie
- Listrophoroides** (*Listrophoroides*) *cocoensis* sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpi-  
 ensia (64), 37-67  
*Rattus rajah*: near Cocoa Research station,  
 Tawan, N. Borneo
- Listrophoroides** (*Listrophoroides*) *cucullatus* (Trouessart)  
 Goff, M. L., 1975, J. Med. Entom., v. 12 (1),  
 52-54  
 Syn.: *Listrophoroides expansus* Ferris  
*Rattus rattus*: Midway Islands

- Listrophoroides (Listrophoroides) dominator* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Rattus dominator*: Menado, Nord Celebes
- Listrophoroides (Listrophoroides) eudrilus* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Rattus surifer*: Perak
- Listrophoroides expansus* Ferris  
Goff, M. L., 1975, J. Med. Entom., v. 12 (1), 52-54  
as syn. of *Listrophoroides cucullatus* (Trouessart)
- Listrophoroides (Listrophoroides) hemistriatus* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Rattus surifer*: Tenasserim, Birmanie
- Listrophoroides (Listrophoroides) hongkongensis* ssp. *cremoriventer* ssp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Rattus cremoriventer*: Bukit Besar, Malaya
- Listrophoroides (Listrophoroides) infraluteus* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Rattus infraluteus*: Mont Kinabalu
- Listrophoroides (Listrophoroides) iphiophallus* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Rattus rajah*: Cocoa Quoin Hill Estate, N. Borneo
- Listrophoroides (Listrophoroides) kinabaluensis* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Rattus w. whiteheadi*: Mt. Kinabalu, Sahab, Nord Borneo
- Listrophoroides (Listrophoroides) longiventris* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Rattus sp.*: Ban Tenang, 18 KM N. W. Xiang Khouang, Laos
- Listrophoroides (Listrophoroides) orbitalis* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Leggadilla fernandoni*: Ceylan (now Sri Lanka)
- Listrophoroides (Listrophoroides) palawanensis* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Rattus rajah*: Ile Palawan, Philippines
- Listrophoroides (Marquesania) postsquamatus* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Rattus everetti*: Leyte Tambis, Mt. Lobi Ranje, Philippines
- Listrophoroides (Listrophoroides) pseudolongiventralis* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Rattus sp.*
- Listrophoroides (Listrophoroides) toxophallus* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Rattus rajah*: Songkhla Muang, Khao Rup Shang, Thailand
- Listrophoroides (Listrophoroides) vietnamensis* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Hylomys*: Fyan, Vietnam
- Listrophorus gibbus*, illus.  
Flatt, R. E.; and Wiemers, J., 1976, Lab. Animal Sc., v. 26 (5), 758-761  
*Cheyletiella parasitivorax*, *Listrophorus gibbus*, domestic rabbits, prevalence: commercial rabbitries, Iowa
- Listrophorus gibbus*  
Kutzer, E.; and Frey, H., 1976, Berl. u. Munchen. Tierarztl. Wchnschr., v. 89 (24), 480-483  
*Lepus europaeus*: Austria
- Listrophorus kingstownensis* Fain et Hyland sp. n.  
Fain, A., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 330-332  
*Ondatra zibethica*: Nth. Kingstown, Rhode Island, U.S.A.
- Listrophorus leuckarti*  
Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Microtus ochrogaster ochrogaster*: Coles County, Illinois
- Listrophorus leuckarti*  
Buckner, R. L.; and Gleason, L. N., 1974, Tr. Kentucky Acad. Sc., v. 35 (3-4), 70-75  
seasonal occurrences  
*Microtus ochrogaster*  
*Peromyscus leucopus*  
all from Warren County, Kentucky
- Listrophorus mexicanus*  
Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Clethrionomys gapperi*: Fires Creek area, Nantahala Mountains, North Carolina
- Listrophorus neotomae* Fain et Hyland sp. n.  
Fain, A., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 330-332  
*Neotoma micropus*: Nueces, Texas, U.S.A.
- Listropsylla dolosa* Rothschild, 1907  
Smit, F. G. A. M., 1975, Rev. Zool. Africaine, v. 89 (1), 191-210  
*Praomys sp.*: Cherangani Hills, Kenya

- Lironeca* [i.e.?, *Livoneca*] *convexa* Richardson, 1905  
*Brusca*, R. C., 1977, Bull. South. Calif. Acad. Sc., v. 76 (2), 128-131  
 Cymothoidae, range extensions, some host records questionable, host criteria: eastern Pacific Ocean  
*Trachinotus* sp.: Bahia Juanico, west coast of Baja California Norte, Mexico  
 [no host]: Santa Catalina Island, California
- Livoneca cumulus* Haller, 1880  
*Trilles*, J. P.; and *Vala*, J. C., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (318), Zool. (225), 967-976  
 as syn. of *Agarna cumulus* (Haller, 1880)  
 Richardson, 1911
- (?) *Livoneca motasi* Vasiliu et Carausu, 1948  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 as syn. of *Anilocra physodes* (L., 1758)
- Livoneca ovalis* (Say, 1818)  
*Beacham*, B. E.; and *Haley*, A. J., 1976, Proc. Helminth. Soc. Washington, v. 43 (2), 232-233  
*Morone americana* (gills): Chesapeake Bay
- Lironeca* [i.e.?, *Livoneca*] *ovalis* Say  
*Lindsay*, J. A.; and *Moran*, R. L., 1976, Tr. Am. Fish. Soc., v. 105 (2), 327-332  
*Lironeca ovalis*, *Olcenira praegustator*, incidence, attachment, various fish species  
*Bairdiella chrysura*  
*Pomatomus saltatrix*  
*Morone americana*  
*Cynoscion regalis*  
*Morone saxatilis*  
*Leiostomus xanthurus*  
*Dorosoma cepedianum*  
 (gill cavities of all): all from Delaware River Estuary
- Lironeca* [i.e.?, *Livoneca*] *panamensis* Schioedte & Meinert, 1884  
*Brusca*, R. C., 1977, Bull. South. Calif. Acad. Sc., v. 76 (2), 128-131  
 Cymothoidae, range extensions, some host records questionable, host criteria: eastern Pacific Ocean  
 [no host]: Gulf of California; west coast of Baja California; delta of Colorado River; Bahia San Quintin, Baja California Norte
- Lironeca* [i.e.?, *Livoneca*] *vulgaris* (Stimpson)  
*Ho*, J. S., 1975, Fish Bull. (165), State Calif., Resources Agency, Dept. Fish and Game, 69-72  
*Paralichthys californicus*: Anaheim Bay
- Lobatinæ* subfam. n.  
*Casto*, S. D., 1977, Southwest. Nat., v. 22 (2), 169-175  
 Syringophilidae  
 includes: *Cuculiphilus* gen. n.
- Loomisia* Brennan and Reed 1972  
*Brennan*, J. M.; and *Goff*, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Loomisia* sp. near *univari* Brennan  
*Dooley*, T. J.; *Bristol*, J. R.; and *Canaris*, A. G., 1976, J. Mamm., v. 57 (1), 189-191  
*Pipistrellus hesperus maximus*: southwestern United States
- Lophoglyphus japonensis* sp. nov., illus.  
*Lukoschus*, F. S.; *Kroos*, A.; and *Uchikawa*, K., 1977, Bull. National Sc. Mus., Tokyo, s. A., Zool., v. 3 (1), 9-17  
 Apodemus speciosus (hair follicles of tail): Hakuba Village, Nagano Prefecture, Japan;  
 Kong Yang, China
- Lucilia bufonivora* Moniez, 1876, illus.  
*Adamiak*, W., 1975, Przegl. Zool., v. 19 (3), 326-329  
*Rana esculenta*: Masuria near Wegorzewo, Poland; Poznan, Poland  
*Bufo bufo*: near Stargard Szczecinski in Pomerania, Poland
- Lucilia caesar* (L.)  
*Brinkmann*, A., jr., 1976, Norwegian J. Zool., v. 24 (4), 325-330  
*Lucilia caesar* and *L. illustris* probable cause of sheep myiasis, *L. caesar* acts as primary striker and *L. illustris* as secondary striker: Norway
- Lucilia caesar* (L.)  
*Dvorakova*, L.; et al., 1974, Veterinarstvi, v. 24 (3), 117-118  
 sheep, case report, myiasis
- Lucilia cuprina*  
*Hall*, C. A., 1977, Vet. Rec., v. 101 (24), 486-487  
*Lucilia cuprina*, sheep, reducing fleece moisture content to control cutaneous myiasis, field trials: New South Wales
- Lucilia cuprina*  
*Misra*, S. C.; *Mohapatra*, G. S.; and *Sahoo*, B., 1976, Food Farm. and Agric., v. 7 (10), 39-41  
 prevalence of infestation cattle (muscular tissues of body): Orissa
- Lucilia cuprina*  
*Watts*, J. E.; et al., 1976, Austral. Vet. J., v. 52 (10), 488-489 [Letter]  
 fly strike, sheep: south-eastern Australia
- Lucilia eximia*  
*Murray*, V. I. E.; and *Thompson*, K., 1976, Trop. Agric., Trinidad, B. W. I., v. 53 (3), 263-266  
 wound myiasis, incidence, various animals: Trinidad and Tobago
- Lucilia illustris* (Meig.)  
*Brinkmann*, A., jr., 1976, Norwegian J. Zool., v. 24 (4), 325-330  
*Lucilia caesar* and *L. illustris* probable cause of sheep myiasis, *L. caesar* acts as primary striker and *L. illustris* as secondary striker: Norway

*Lucilia rica*

Murray, V. I. E.; and Thompson, K., 1976,  
Trop. Agric., Trinidad, B. W. I., v. 53 (3),  
263-266  
wound myiasis, incidence, various animals:  
Trinidad and Tobago

*Lucilia sericata* (Meigen)

Leegwater-van der Linden, M. E., 1976,  
Tijdschr. Diergeneesk., v. 101 (8), 431  
myiasis, case report, *Oryctolagus cuniculus*  
(tail): laboratory, University of Amsterdam

*Lucilia sericata*

Ribbeck, R.; Schumann, H.; and Bergmann, V.,  
1975, Monatsh. Vet.-Med., v. 30 (15), 584-587  
*Lucilia sericata*, *Calliphora vicina*, C.  
vomitoria, cause of myiasis of guinea pigs  
in animal test center, pathological studies

*Lucilia sericata*

Tenquist, J. D.; and Wright, D. F., 1976, N.  
Zealand J. Exper. Agric., v. 4 (3), 291-295  
blowfly strike in sheep, distribution, prev-  
alence, economic importance, preferred meth-  
ods of treatment: New Zealand

*Lucilia sericata*

Watts, J. E.; et al., 1976, Austral. Vet. J.,  
v. 52 (10), 488-489 [Letter]  
fly strike, sheep: south-eastern Australia

*Lycopsylla Rothschildi*, 1904

Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
key, diagnosis

*Lycopsylla lasiorhini* Mardon and Dunnet, 1971,  
illus.

Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
diagnosis

*Lycopsylla nova* Rothschild, 1904, illus.

Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
diagnosis

*Phascolomys mitchelli*: Australian Capital  
Territory, New South Wales  
*P. ursinus*: Tasmania  
*Vombatus hirsutus*: Victoria  
*Phascolomys* sp.: Tasmania  
*wombat*: New South Wales

*Lymeon gastrodes* (Cummings), illus.

Emerson, K. C.; and Price, R. D., 1975, Brig-  
ham Young Univ. Sc. Bull., Biol. ser., v. 20  
(3), 1-77  
synonymy, key  
*Choloepus didactylus*: Venezuela

*Lynxacarus grandior* sp. n.

Fain, A., 1976, Acta Zool. et Path. Antverpi-  
ensia (64), 37-67  
*Rattus infraluteus*: Mont Kinabalu, Borneo

*Lynxacarus nearcticus* Fain et Hyland sp. n.

Fain, A., 1973, Rev. Zool. et Botan. Afri-  
cains, v. 87 (2), 330-332  
vision: Patuxent Refuge, Maryland, U.S.A.

*Lynxacarus palawanensis* sp. n.

Fain, A., 1976, Acta Zool. et Path. Antverpi-  
ensia (64), 37-67  
*Tupaia palawanensis*: Balabac, Everett

*Lynxacarus radovskyi* n. sp., illus.

Tenorio, J. M., 1974, J. Med. Entom., v. 11  
(5), 599-604  
*Felis catus*: Hawaiian Islands (Kipu Ranch,  
Kauai; Kaneohe, Oahu)

*Lynxacarus radovskyi* Tenorio, 1974

Fox, I., 1977, Proc. Entom. Soc. Wash., v. 79  
(2), 242-244  
as syn. of *Felistrophorus radovskyi* (Tenorio)  
[n. comb.]

*Lyperosia exigua* (de Meijere)

Pont, A. C., 1973, Austral. J. Zool., Suppl.  
s. (21), 129-296  
as syn. of *Haematobia irritans exigua* de  
Meijere

- Mackienia sugiharai**  
 Kamimura, K.; et al., 1972, *Eisei Dobutsu* (Japan. J. San. Zool.), v. 23 (2), 83-87  
*Troglodytes troglodytes*: Yamada, Toyama Prefecture, northern Honshu
- Macrocheles sp. A**  
 Reisen, W. K.; Kennedy, M. L.; and Reisen, N. T., 1976, *J. Parasitol.*, v. 62 (4), 628-635  
 winter ecology of ectoparasites collected from hibernating *Myotis velifer* (incidence, intensity, monthly changes, parasite and host sex ratio, interspecific associations, parasite age structure, etc.)  
*Myotis velifer*: Harmon County, southwestern Oklahoma
- Macrocheles sp.**  
 Whitaker, J. O., jr.; Spicka, E. J.; and Schmeltz, L. L., 1976, *Proc. Indiana Acad. Sc.*, v. 85, 1975, 431-436  
*Sciurus carolinensis*: Indiana
- Macrocheles decoloratus**  
 Eross, J.; and Mahunka, S., 1971, *Parasitol. Hungar.*, v. 4, 201-213  
 +*Apodemus sylvaticus* (nest)  
 +*Microtus arvalis* (nest)  
 all from Hungary
- Macrocheles matrius (Hull.)**  
 Diusembaev, E. B.; and Chelebiev, K. A., 1975, *Zool. Zhurnal*, v. 54 (1), 124-127  
*Lagurus lagurus*: Karagandinsk oblast
- Macrocheles merdarius**  
 Eross, J.; and Mahunka, S., 1971, *Parasitol. Hungar.*, v. 4, 201-213  
 +*Ciconia ciconia* (nest): Hungary
- Macrocheles plumiventris**  
 Eross, J.; and Mahunka, S., 1971, *Parasitol. Hungar.*, v. 4, 201-213  
 +*Ciconia ciconia* (nest): Hungary
- Macrogyropus Ewing, 1924**  
 Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 20 (3), 1-77  
 synonymy
- Macrogyropus amplexans amplexans (Neumann), illus.**  
 Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 20 (3), 1-77  
 key, syn.: *Gyropus amplexans* Neumann, 1912 Venezuela
- Macrogyropus amplexans longisetis Werneck, 1948, illus.**  
 Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 20 (3), 1-77  
 key  
*Myoprocta pratti*: Venezuela
- Macrogyropus costalimai (Werneck), illus.**  
 Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 20 (3), 1-77  
 synonymy, key  
*Agouti paca*: Venezuela
- Macrogyropus dentatus Ewing, 1924**  
 Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 20 (3), 1-77  
 as syn. of *Macrogyropus dicotylis* (Macalister)
- Macrogyropus dicotylis (Macalister), illus.**  
 Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 20 (3), 1-77  
 synonymy, key  
*Tayassu tajacu*  
*T. pecari*  
 all from Venezuela
- Macrogyropus mexicanus Zavaleta, 1946**  
 Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 20 (3), 1-77  
 as syn. of *Gyropus ovalis* Burmeister, 1838
- Macrolaelaps Ewing, 1929**  
 Okereke, T. A., 1973, *J. Med. Entom.*, v. 10 (2), 117-123  
 as syn. of subgenus *Echinolaelaps* Ewing, 1929
- Macrolaelaps giganteus: Fonseca, 1938-39**  
 Okereke, T. A., 1973, *J. Med. Entom.*, v. 10 (2), 117-123  
 as syn. of *Laelaps (Echinolaelaps) gigantea* Berlese, 1918
- Macrolaelaps muricola: Fonseca, 1938-39**  
 Okereke, T. A., 1973, *J. Med. Entom.*, v. 10 (2), 117-123  
 as syn. of *Laelaps (Echinolaelaps) muricola* Tragardh, 1910
- Macronyssid protonymphs**  
 Whitaker, J. O.; and Mumford, R. E., 1977, *Entom. News*, v. 88 (9-10), 255-258  
*Myotis ruber*  
*Molossus molossus*  
 all from Minas Gerais, Brazil
- Macronyssus sp.**  
 Howell, F. G.; and Chapman, B. R., 1976, *Southwest. Nat.*, v. 21 (3), 275-280  
*Myotis velifer* occupying cliff swallow nest: northwestern Texas
- Macronyssus sp. A. Radovsky, 1967**  
 Whitaker, J. O., jr.; and Wilson, N., 1974, *Am. Midland Naturalist*, v. 91 (1), 1-67  
 as syn. of *Macronyssus jonesi* (White, 1966)
- Macronyssus bacoti Buitendisk, 1945**  
 Phyllis, W. A.; Cromroy, H. L.; and Denmark, H. A., 1976, *Florida Entom.*, v. 59 (1), 89-92  
 as syn. of *Ornithonyssus bacoti* (Hirst)

- Macronyssus consortis* sp. nov., illus.  
Petrova, A. D.; and Taskaeva, E. Z., 1975,  
Biul. Moskov. Obsh. Ispyt. Prir., Otdel  
Biol., v. 80 (5), 58-64  
Ia io: Kun'min, Yun'nan province (south-  
eastern Chinese People's Republic)
- Macronyssus crosbyi* (Ewing & Stover)  
Reisen, W. K.; Kennedy, M. L.; and Reisen,  
N. T., 1976, J. Parasitol., v. 62 (4), 628-635  
winter ecology of ectoparasites collected  
from hibernating *Myotis velifer* (incidence,  
intensity, monthly changes, parasite and host  
sex ratio, interspecific associations, para-  
site age structure, etc.)  
*Myotis velifer*  
*Plecotus townsendii*  
*Pipistrellus subflavus*  
all from Harmon County, southwestern Oklahoma
- Macronyssus crosbyi*  
Whitaker, J. O., jr.; and Easterla, D. A.,  
1975, Southwest. Nat., v. 20 (2), 241-254  
*Myotis velifer*: Big Bend National Park,  
Texas
- Macronyssus crosbyi* (Ewing & Stover, 1915)  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
synonymy
- Macronyssus heteromorphus* n. sp., illus.  
Dusbabek, F.; and Radovsky, F. J., 1972, J.  
Med. Entom., v. 9 (6), 575-579  
*Rattus norvegicus*: Shikotan Island, Kuril  
Islands
- Macronyssus jonesi* (White, 1966)  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
synonymy
- Macronyssus longisetosus*  
Whitaker, J. O., jr.; and Easterla, D. A.,  
1975, Southwest. Nat., v. 20 (2), 241-254  
*Plecotus townsendii*: Big Bend National  
Park, Texas
- Macronyssus unidens* Rad., illus.  
Petrova, A. D.; and Taskaeva, E. Z., 1975,  
Biul. Moskov. Obsh. Ispyt. Prir., Otdel  
Biol., v. 80 (5), 58-64
- Macronyssus unidens* Radovsky  
Reisen, W. K.; Kennedy, M. L.; and Reisen,  
N. T., 1976, J. Parasitol., v. 62 (4), 628-635  
winter ecology of ectoparasites collected  
from hibernating *Myotis velifer* (incidence,  
intensity, monthly changes, parasite and host  
sex ratio, interspecific associations, para-  
site age structure, etc.)  
*Myotis velifer*  
*Plecotus townsendii*  
*Pipistrellus subflavus*  
all from Harmon County, southwestern Oklahoma
- Macropsylla Rothschildi*, 1905  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
key, diagnosis

- Macropsylla hercules* Rothschild, 1905, illus.  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
diagnosis  
*Antechinus swainsonii*: Tasmania; Victoria  
*Rattus rattus*: New South Wales; Tasmania;  
Victoria  
*R. assimilis*: New South Wales; Victoria  
*R. fuscipes assimilis*: Victoria  
*R. greyi*: South Australia  
*R. fuscipes greyi*: South Australia; Victoria  
*R. fuscipes*: Victoria  
*R. lutreolus*: Tasmania; Victoria  
*R. l. velutinus*: Tasmania  
*rat*: New South Wales  
*Mastacomys fuscus*: New South Wales; Tas-  
mania; Victoria  
*Gyomys fumeus*: Victoria  
*Hydromys chrysogaster*: Tasmania
- Macropsyllidae*  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
diagnosis
- Macropsyllidae* Oudemans, 1909  
Lewis, R. E., 1974, J. Med. Entom., v. 11  
(5), 525-540  
*Ancistrosyllidae*, *Chimaeropsyllidae*, *Isch-  
nopsyllidae*, *Leptopsyllidae*, and *Macropsyl-  
lidae*, geographic distribution and host  
preferences, list of genera and species
- Malacopsyllidae* Baker, 1898  
Lewis, R. E., 1973, J. Med. Entom., v. 10 (3),  
255-260  
*Rhopalopsyllidae*, *Malacopsyllidae*, *Vermi-  
psyllidae*, world-wide distribution by zooge-  
ographical regions, host preferences; list  
of genera and species
- Malaraeus* sp.  
Nelson, B. C.; and Smith, C. R., 1976, J. Med.  
Entom., v. 13 (1), 51-61  
*Neotoma cinerea*  
*Peromyscus crinitus*  
all from Lava Beds National Monument, Califor-  
nia
- Malaraeus arvicola* Ioff  
Haitlinger, R., 1975, Polskie Pismo Entom., v.  
45 (2), 373-396  
seasonal variance  
*Pitymys subterraneus*: Gory Sowie
- Malaraeus arvicola* Ioff  
Szabo, I., 1972, Parasitol. Hungar., v. 5,  
329-347  
*Apodemus flavicollis*  
*Micromys minutus pratensis*  
*Pitymys subterraneus*  
all from Sopron and environments, west Hun-  
gary
- Malaraeus bitterrootensis*  
Nelson, B. C.; and Smith, C. R., 1976, J. Med.  
Entom., v. 13 (1), 51-61  
*Neotoma cinerea*: Lava Beds National Monu-  
ment, California

- Malaraeus euphorbi**  
*Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480*  
 fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Microtus longicaudus latus*  
 all from western Utah
- Malaraeus euphorbi (Rothschild)**  
*Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289*  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Peromyscus maniculatus*: west of Rio Grande in and near Jemez Mts., New Mexico
- Malaraeus penicilliger**  
*Brinck-Lindroth, G.; and Smit, F. G. A. M., 1973, Entom. Scand., v. 4 (4), 302-322*  
 castration and intersexuality due to hyperparasitism by nematodes: Stora Sjofallet National Park, Sweden; Straumsnes, Norway
- Malaraeus penicilliger (Grube) 1852**  
*Cyprich, D.; Kiefer, M.; and Kmíniak, M., 1976, Biologia, Bratislava, s. B, Zool. (3), v. 31 (8), 573-581*  
*Arvicola terrestris*: Slovakia
- Malaraeus penicilliger (Grube)**  
*Haitlinger, R., 1975, Polskie Pismo Entom., v. 45 (2), 373-396*  
 seasonal variance  
*Microtus agrestis*  
*M. arvalis*  
*Pitymys subterraneus*  
 all from Gory Sowie
- Malaraeus penicilliger kratochvili Rosicky**  
*Brinck-Lindroth, G.; and Smit, F. G. A. M., 1973, Entom. Scand., v. 4 (4), 302-322*  
 castration and intersexuality due to hyperparasitism by nematodes: Czechoslovakia
- Malaraeus penicilliger mustelae (Dale, 1878)**  
*Mehl, R., 1972, Fauna, Oslo, v. 25 (4), 247-257*  
*Vulpes vulpes*: Norge
- Malaraeus penicilliger mustelae**  
*Vaughan, J. A., 1977, Entom. Month. Mag. (1340-1343), v. 112, 1976, 45-48*  
 straggler fleas on rabbits, *Oryctolagus cuniculus*, from Surrey and on myxomatous rabbits throughout Britain
- Malaraeus sinomus**  
*Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480*  
 fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Peromyscus crinitus pergracilis*  
*Microtus longicaudus latus*  
*Neotoma lepida lepida*  
 all from western Utah
- Malaraeus sinomus (Jordan), illus.**  
*Haas, G. E., 1973, Am. Midland Naturalist, v. 90 (1), 246-252*  
 morphological variations: New Mexico
- Malaraeus sinomus (Jordan)**  
*Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289*  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Peromyscus maniculatus*  
*P. leucopus*  
*P. boylii*  
*P. truei*  
 all from west of Rio Grande in and near Jemez Mts., New Mexico
- Malaraeus sinomus**  
*Nelson, B. C.; and Smith, C. R., 1976, J. Med. Entom., v. 13 (1), 51-61*  
*Peromyscus crinitus*: Lava Beds National Monument, California
- Malaraeus telchinum**  
*Couletrap, R. L.; et al., 1973, J. Med. Entom., v. 10 (3), 303-309*  
 fleas, ticks, mammals, survey for vectors and reservoir hosts of Rocky Mountain spotted fever and sylvatic plague, serological evidence for presence of rickettsial agent but presence of plague not demonstrated  
*Dipodomys heermanni*  
*Reithrodontomys megalotis*  
*Peromyscus californicus*  
*P. maniculatus*  
*P. truei*  
*Neotoma fuscipes*  
*Microtus californicus*  
 all from Fort Ord, California
- Malaraeus telchinum**  
*Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480*  
 fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Microtus longicaudus latus*  
 all from western Utah
- Malaraeus telchinus (Rothschild), illus.**  
*Haas, G. E., 1973, Am. Midland Naturalist, v. 90 (1), 246-252*  
 morphological variations: New Mexico
- Malaraeus telchinus (Rothschild)**  
*Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289*  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*+Tamiasciurus hudsonicus* (nest)  
*Reithrodontomys megalotis*  
*Peromyscus maniculatus*  
*P. boylii*  
*P. truei*  
*Neotoma mexicana*  
*+N. cinerea* (nest)  
*Clethrionomys gapperi*  
*Microtus montanus*  
*M. longicaudus*  
 all from west of Rio Grande in and near Jemez Mts., New Mexico

- Malaraeus telchinus**  
Nelson, B. C.; and Smith, C. R., 1976, J. Med. Entom., v. 13 (1), 51-61  
*Peromyscus crinitus*: Lava Beds National Monument, California
- Malaraeus vonfintelis Prince**  
Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Neotoma mexicana*  
+*N. cinerea* (nest)  
all from west of Rio Grande in and near Jemez Mts., New Mexico
- Mallophaga**  
Derylo, A., 1975, Przegl. Zool., v. 19 (2), 181-187  
Mallophaga, intensity of invasion as related to ecology and host physiology, review
- Mallophaga**  
Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
key to Mallophaga of Venezuelan mammals
- Mallophaga**  
Emerson, K. C.; and Price, R. D., 1976, Florida Entom., v. 59 (4), 425-428  
key to suborders, includes: Amblycera; Rhynchophthirina; Ischnocera
- Mallophaga**  
Keirans, J. E., 1975, J. Med. Entom., v. 12 (1), 71-76  
review of the phoretic relationship between Mallophaga and Hippoboscidae
- Mallophaga**  
Keirans, J. E., 1975, J. Med. Entom., v. 12 (4), 476  
records of phoretic attachment of Mallophaga on insects other than Hippoboscidae
- Mallophaga**  
Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
Mallophaga, checklist: Midway Atoll, Pacific Ocean
- Mallophaga**  
Złotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe
- Mallophaga sp.**  
Bishop, C. A.; and Threlfall, W., 1974, Proc. Helminth. Soc. Washington, v. 41 (1), 25-35  
*Somateria mollissima*: insular Newfoundland and/or southern Labrador
- Mallophaga [sp.], illus.**  
Gwahaba, J. J., 1975, J. East Africa Nat. Hist. Soc. and National Mus. (153), 1-14  
*Corvus albus*: Kampala, Uganda
- Margaropus annulatus australis** Hooker, Bishopp, and Wood, 1912  
Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
as syn. of *Boophilus microplus* (Canestrini, 1887)
- Margaropus micropla** Neumann, 1911  
Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
as syn. of *Boophilus microplus* (Canestrini, 1887)
- Margaropus winthemi**  
Young, E.; et al., 1973, Research J. National Parks Republic South Africa (16), 77-81  
*Equus zebra zebra*: Mountain Zebra National Park
- Marsupialichus Fain**, 1967  
de Cock, A. W. A. M.; et al., 1975, J. Med. Entom., v. 12 (1), 55-57  
new definition
- Marsupialichus johnstoni** Fain, 1969  
Pence, D. B., 1973, J. Med. Entom., v. 10 (4), 329-332  
*Dasypus novemcinctus* (external auditory meatus of ear): St. John the Baptist Parish, Louisiana
- Marsupialichus marmosae** n. sp., illus.  
de Cock, A. W. A. M.; et al., 1975, J. Med. Entom., v. 12 (1), 55-57  
*Marmosa robinsoni isthmica*: Panama Canal Zone
- Marsupialichus marsupialis** Fain, de Cock & Lukoschus, 1972, illus.  
Pence, D. B., 1973, J. Med. Entom., v. 10 (4), 329-332  
description  
*Didelphis virginiana* (base of hairs near surface of skin): Pumpkin Center, Tangipahoa Parish, Louisiana
- Mastigolaelaps Tenorio and Radovsky**, 1973  
Domrow, R., 1976, Oriental Insects, v. 10 (2), 173-177  
as syn. of *Laelaps* Koch, 1836
- Mastigolaelaps**, new subgenus  
Tenorio, J. A. M.; and Radovsky, F. J., 1973, J. Med. Entom., v. 10 (4), 385-391  
subgenus of *Laelaps*, key to species of subgen., tod: *Laelaps* (*Mastigolaelaps*) *juxtaposita* n. sp.
- Medesicaste penetrans** Heller, illus.  
Pillai, N. K., 1964, J. Marine Biol. Ass. India, v. 6 (1), 61-83  
*Trigla* (buccal cavity): Trivandrum, South India
- Megabothris abantis**  
Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480  
fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Microtus longicaudus latus*  
all from western Utah

- Megabothris abantis Rothschild**  
*Egoscue, H. J., 1977, Great Basin Nat., v. 37 (1), 75-76*  
*Zapus princeps: southeastern Oregon*
- Megabothris abantis (Rothschild)**  
*Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289*  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Spermophilus lateralis*  
*Peromyscus maniculatus*  
*Neotoma mexicana*  
*Clethrionomys gapperi*  
*Microtus montanus*  
*M. longicaudus*  
*Mustela frenata*  
 all from west of Rio Grande in and near Jemez Mts., New Mexico
- Megabothris acerbus (Jordan)**  
*Amin, O. M., 1973, J. Med. Entom., v. 10 (1), 110-111*  
*Tamias striatus: Parkside, Wisconsin*
- Megabothris acerbus (Jordan), illus.**  
*Amin, O. M.; and Sewell, R. G., 1977, Am. Midland Nat., v. 98 (1), 207-212*  
 Orchopeas h. howardii, Megabothris acerbus, numerical and structural variations of pronotal spines; field sex ratios of both flea species were closely related to the ratio of mean number of pronotal spines in females/males which supports proposed function of pronotal combs in locking onto host hairs and their suggested contribution in affecting sex ratio
- Megabothris clantoni ssp.**  
*Egoscue, H. J., 1977, Great Basin Nat., v. 37 (1), 75-76*  
*Lagurus curtatus: southeastern Oregon*
- Megabothris clantoni Hubbard**  
*O'Farrell, T. P., 1975, Am. Midland Naturalist, v. 93 (2), 377-387*  
*Lagurus curtatus*  
*Eutamias minimus*  
 all from Arid Lands Ecology Reserve, Benton County, Washington
- Megabothris clantoni princei Hubbard**  
*Egoscue, H. J., 1977, Great Basin Nat., v. 37 (1), 75-76*  
*Spilogale putorius gracilis*  
*Lagurus curtatus intermedius*  
 all from Tooele County, Utah
- Megabothris rectangulatus (Wahlgren)**  
*Brinck-Lindroth, G.; and Smit, F. G. A. M., 1973, Entom. Scand., v. 4 (4), 302-322*  
 castration and intersexuality due to hyperparasitism by nematodes: Stora Sjofallet National Park, Sweden; Straumsnes, Norway
- Megabothris rectangulatus**  
*Vaughan, J. A., 1977, Entom. Month. Mag. (1340-1343), v. 112, 1976, 45-48*  
 straggler fleas on rabbits, *Oryctolagus cuniculus*, from Surrey and on myxomatous rabbits throughout Britain
- Megabothris turbidus (Rothschild 1909)**  
*Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143*  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Apodemus flavicollis*  
*A. sylvaticus*  
*Clethrionomys glareolus*  
*Microtus arvalis*  
*M. agrestis*  
*Mustela erminea*  
*M. nivalis*  
*M. putorius*  
 all from Schleswig-Holstein
- Megabothris turbidus (Rothschild 1909)**  
*Beaucournu, J. C., 1976, Ann. Soc. Entom. France, n. s., v. 12 (2), 199-213*  
 Ceratophyllidae of French mammals, geographic distribution, ecology, sex ratio, epidemiological role, review: France
- Megabothris turbidus (R.)**  
*Brinck-Lindroth, G.; and Smit, F. G. A. M., 1973, Entom. Scand., v. 4 (4), 302-322*  
 castration and intersexuality due to hyperparasitism by nematodes: Czechoslovakia
- Megabothris turbidus (Rothschild) 1909**  
*Cyprich, D.; Kiefer, M.; and Kmíniak, M., 1976, Biologia, Bratislava, s. B, Zool.(3), v. 31 (8), 573-581*  
*Arvicola terrestris: Slovakia*
- Megabothris turbidus (Roths.)**  
*Haitlinger, R., 1975, Polskie Pismo Entom., v. 45 (2), 373-396*  
 seasonal variance  
*Clethrionomys glareolus*  
*Apodemus tauricus*  
*A. agrarius*  
*A. sylvaticus*  
*Microtus agrestis*  
*M. arvalis*  
*Sorex araneus*  
 all from Gory Sowie
- Megabothris turbidus (Rothschild)**  
*Hallas, T. E.; and Bang, P., 1976, Flora og Fauna, Kobenhavn, v. 82 (1), 11-18*  
 seasonal distribution  
*Clethrionomys glareolus*  
*Microtus agrestis*  
*Apodemus agrarius*  
*Apodemus flavicollis*  
 all from eastern Denmark
- Megabothris turbidus Rothschild**  
*Szabo, I., 1972, Parasitol. Hungar., v. 5, 329-347*  
*Apodemus flavicollis*  
*Clethrionomys glareolus*  
*Micromys minutus pratensis*  
*Pitymys subterraneus*  
 all from Sopron and environments, west Hungary
- Megabothris turbidus**  
*Vaughan, J. A., 1977, Entom. Month. Mag. (1340-1343), v. 112, 1976, 45-48*  
 straggler fleas on rabbits, *Oryctolagus cuniculus*, from Surrey and on myxomatous rabbits throughout Britain

- Megabothris walkeri* (Rothschild 1902)  
 Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Apodemus flavicollis*  
*Clethrionomys glareolus*  
*Microtus arvalis*  
*M. agrestis*  
*Mustela erminea*  
*M. nivalis*  
 all from Schleswig-Holstein
- Megabothris walkeri* (Rothschild, 1902)  
 Beaucournu, J. C., 1976, Ann. Soc. Entom. France, n. s., v. 12 (2), 199-213  
 Ceratophyllidae of French mammals, geographic distribution, ecology, sex ratio, epidemiological role, review: France
- Megabothris walkeri* (Rothschild)  
 Hallas, T. E.; and Bang, P., 1976, Flora og Fauna, København, v. 82 (1), 11-18  
 seasonal distribution  
*Clethrionomys glareolus*  
*Microtus agrestis*  
*Apodemus flavicollis*  
 all from eastern Denmark
- Megabothris walkeri*  
 Vaughan, J. A., 1977, Entom. Month. Mag. (1340-1343), v. 112, 1976, 45-48  
 straggler fleas on rabbits, *Oryctolagus cuniculus*, from Surrey and on myxomatous rabbits throughout Britain
- Meganarion Keler*, 1938  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Cebidicola* Bedford, 1936
- Megarthroglossus* sp.  
 Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480  
 fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Peromyscus crinitus pergracilis*  
*Microtus longicaudus latus*  
*Neotoma lepida*  
 all from western Utah
- Megarthroglossus* sp.  
 Nelson, B. C.; and Smith, C. R., 1976, J. Med. Entom., v. 13 (1), 51-61  
*Neotoma cinerea*: Lava Beds National Monument, California
- Megarthroglossus bisetis* Jordan & Rothschild  
 Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Ochotona princeps*  
*Sylvilagus nuttallii*  
<sup>+T</sup>*Tamiasciurus hudsonicus*  
*Peromyscus truei*  
*Neotoma albicula*
- Megarthroglossus bisetis* Jordan & Rothschild--Continued.  
 Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
*Neotoma mexicana*  
*Microtus longicaudus*  
 all from west of Rio Grande in and near Jemez Mts., New Mexico
- Megarthroglossus cavernicolus* Mendez & Haas  
 Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Neotoma cinerea*: west of Rio Grande in and near Jemez Mts., New Mexico
- Megarthroglossus divisus* divisus (Baker)  
 Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Peromyscus truei*: west of Rio Grande in and near Jemez Mts., New Mexico
- Megarthroglossus divisus* divisus (Baker)  
 Wilson, N.; and Bull, E. L., 1977, Bird-Banding, v. 48 (2), 171-173  
 +squirrel (nest): Starkey Experimental Forest, 35-40 km southwest of La Grande, Union Co., Oregon
- Megarthroglossus proicus*  
 Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480  
 fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*: western Utah
- Megarthroglossus smiti*  
 Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480  
 fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Neotoma lepida*  
 all from western Utah
- Megaselia scalaris* (Loew), illus.  
 Tumrasvin, W.; Sucharit, S.; and Vutikes, S., 1977, Southeast Asian J. Trop. Med. and Pub. Health, v. 8 (1), 74-76  
*Megaselia scalaris*, life cycle, public health importance as cause of myiasis in humans: Thailand
- Megistopoda proxima*  
 Whitaker, J. O., jr.; and Mumford, R. E., 1977, Entom. News, v. 88 (9-10), 255-258  
*Sturnira lilium*: Minas Gerais, Brazil
- Megninia* sp.  
 Torres, P.; et al., 1974, Bol. Chileno Parasitol., v. 29 (3-4), 115-117  
*Gallus gallus domesticus*: Chile

- Megninia beaucournui Cerny, 1973**  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Perdix perdix*: Moldavian SSR
- Megninia columbae**  
 Gothe, R.; and Imhoff, N., 1975, Berl. u. Munchen. Tierarztl. Wchnschr., v. 88 (22), 431-436  
 arthropods, incidence in carrier pigeons, variation with host age: Germany
- Megninia cubitalis (Megnin, 1877), illus.**  
 do Amaral, V.; et al, 1975, Biologico, S. Paulo, v. 41 (8), 238-239  
*Gallus gallus domesticus*: Maranguape, Ceara, Brazil
- Megninia ginglymura (Megnin, 1877), illus.**  
 do Amaral, V.; et al, 1975, Biologico, S. Paulo, v. 41 (8), 238-239  
*Gallus gallus domesticus*: Maranguape, Ceara, Brazil
- Megninia schumiloae Cerny, 1973**  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Tetrastes bonasia*: Chernovtsy oblast, Ukrainian SSR
- Meinertia gaudichaudi**  
 Szidat, L., 1965, An. 2. Cong. Latino-Am. Zool., v. 2, 83-87  
 Cymothoidae, evolution of secondary sexual dimorphism, various types of life cycles; particular studies of *Meinertia gaudichaudi* in *Trachurus* sp. (cavidad bucal): costas chilenas
- Meinertia oestroides**  
 Romestand, B.; Janicot, M.; and Trilles, J. P., 1977, Ann. Parasitol., v. 52 (2), 171-180 tissue alterations and defense reactions in fish parasitized by Cymothoidae  
*Boops boops* (paroi linguale): Herault, France
- Meinertia oestroides (Risso, 1826)**  
 Romestand, B.; and Trilles, J. P., 1976, Ztschr. Parasitenk., v. 50 (1), 87-92  
*Meinertia oestroides*, anticoagulant factor in cephalothoracic latero-oesophageal glands, action and chemical nature studied, antithrombinic factor similar to heparin; enzymatic activities of latero-oesophageal glands and hepatopancreas  
*Boops boops*: Sete (Herault-France)
- Melesodectes auricularis Fain & Lukoschus, 1968, illus.**  
 Mehl, R., 1972, Fauna, Oslo, v. 25 (4), 265-274  
*Meles meles*: Norge
- Melophagus ovinus (Linne)**  
 Iwuala, M. O. E.; and Onyeaka, J. O. A., 1977, Environment. Entomol., v. 6 (1), 43-49 survey of domestic fly population, distribution patterns, diurnal and seasonal variations: Nsukka, East Central State, Nigeria
- Melophagus ovinus**  
 Oberg, C.; Diaz, L.; and Valenzuela, G., 1974, Bol. Chileno Parasitol., v. 29 (3-4), 99-102  
*Ovis aries*: Chile
- Melophagus ovinus**  
 Patyk, S.; and Kliszewski, W., 1976, Med. Wet., v. 32 (8), 471-473 ectoparasites, domestic animals, control with enolophosphates IPO-62 and IPO-63
- Melophagus ovinus (L.)**  
 Pfadt, R. E., 1976, J. Econom. Entom., v. 69 (3), 313-316 annual fluctuation of *Melophagus ovinus* population among lambs, yearlings, and older ewes (lowest ked numbers present in summer, highest numbers in late winter and early spring): foothills of southeastern Wyoming
- Melophagus ovinus Linneo, 1761**  
 Sanchez Acedo, C.; and Ramon Vericad, J., 1973, Rev. Iber. Parasitol., v. 33 (1), 29-38 oveja: Alto Aragon
- Menacanthus sp.**  
 Brown, N. S.; and Wilson, G. I., 1975, Am. Midland Naturalist, v. 94 (1), 154-165 comparison of ectoparasites from North America and Europe  
*Passer domesticus*: Stockton-on-Tees, England
- Menacanthus annulatus (Giebel)**  
 McGroarty, D. L.; and Dobson, R. C., 1974, Am. Midland Naturalist, v. 91 (2), 479-486 ectoparasites, seasonal fluctuations  
*Passer domesticus*: northwestern Indiana
- Menacanthus cornutus Schom., 1913**  
 Gan, E. I.; and Shousmanov, Sh., 1976, Uzbek. Biol. Zhurnal (5), 54-56 [Gallus gallus]: Kashka-Darya oblast
- Menacanthus stramineus**  
 DeVaney, J. A., 1976, Poultry Science, v. 55 (1), 430-435  
*Menacanthus stramineus*, caged White Leghorn hens, decrease in hen weight, egg production, clutch size and feed consumption
- Menacanthus stramineus (Nitzsch, 1818), illus.**  
 Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294 synonymy, key  
*Gallus domesticus*  
*Meleagris gallopavo* all from Spain
- Menacanthus stramineus (Nitzsch, 1818), illus.**  
 Martin, M. P., 1974, Vie et Milieu, s. C., Biol. Terr., v. 24 (1), 151-158 measurements of specimens from different hosts and different geographic localities
- Menacanthus stramineus (Nitzsch), illus.**  
 Rao, N. S. K.; Khuddus, C. A.; and Channa-Basavanna, G. P., 1975, Mysore J. Agric. Sc., v. 9 (4), 670-688 morphology of mouth parts, compared with *Lipeurus tropicalis*

- Menacanthus stramineus* Eichler, 1940, illus.  
 Sanchez Acedo, C.; and Ramon Vericad, J.,  
 1973, Rev. Iber. Parasitol., v. 33 (1), 29-38  
*Columba livia*: Alto Aragon
- Menacanthus stramineus*  
 Torres, P.; et al., 1974, Bol. Chileno Parasitol., v. 29 (3-4), 115-117  
*Gallus gallus domesticus*: Chile
- Menacanthus elbeli* n. sp., illus.  
 Price, R. D., 1976, Proc. Entom. Soc. Wash., v. 78 (4), 447-450  
*Artamus fuscus*: Chiangmai Sansai, Ban San Luang, Thailand; Khorat, Sikiu, Pakchong, Thailand; Chaiyaphum, Dhu Khieo, Ban Kaeng, Ban Lat, Thailand; Lop Burl, Khao Oerawan Mt., Thailand  
*A. maximus*: New Guinea
- Menacanthus mutabilis*  
 Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
*Sturnus vulgaris*: South Bass Island, Ottawa County, Ohio
- Menacanthus nelsoni* n. sp., illus.  
 Price, R. D., 1976, Proc. Entom. Soc. Wash., v. 78 (4), 447-450  
*Artamus cyanopterus*: Exeter, Tasmania; Dunedo, New South Wales
- Menacanthus numidae* (Giebel 1874), illus.  
 Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
 synonymy, key, redescription  
*Gallus domesticus*  
*Grus grus*  
*Alectoris rufa*  
 all from Spain
- Menacanthus numidae* (Giebel, 1874), illus.  
 Martin, M. P., 1974, Vie et Milieu, s. C., Biol. Terr., v. 24 (1), 151-158  
 measurements
- Menacanthus pallidulus* (Neumann 1912), illus.  
 Marconcini, A.; and Macchioni, G., 1975, Ann. Fac. Med. Vet. Pisa, v. 27, 1974, 101-112  
*Phasianus colchicus*: Tuscany
- Menacanthus pallidulus* (Neumann, 1912)  
 Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
 key  
*Gallus domesticus*: Spain
- Menacanthus pallidulum* (Neuman, 1912), illus.  
 Martin, M. P., 1974, Vie et Milieu, s. C., Biol. Terr., v. 24 (1), 151-158  
 measurements
- Menacanthus persignatus*  
 Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
*Cyanocitta cristata*: South Bass Island, Ottawa County, Ohio
- Menopon Nitzsch*, 1818  
*Zlotorzycka*, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *M. gallinae* (Linnaeus, 1758)
- Menopon extraneum* Galliard, 1934 (nec Piaget, 1880)  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Trimenopon hispidum* (Burmeister)
- Menopon gallinae*  
 Derylo, A., 1970, Acta Parasitol. Polon., v. 17 (20-38), 301-313  
*Eomenacanthus stramineus*, *Menopon gallinae*, feeding on hens with fowl cholera, presence of cholera agent, *Pasteurella multocida*, on body surface and in gut and feces but not persisting in lice, possibility of transmission
- Menopon gallinae* (L.)  
 Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Gallus gallus*: New Hebrides
- Menopon gallinae* (Linne, 1758)  
 Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
 synonymy, key  
*Gallus domesticus*: Spain
- Menopon gallinae* (Linne, 1758), illus.  
 Martin, M. P., 1974, Vie et Milieu, s. C., Biol. Terr., v. 24 (1), 151-158  
 measurements
- M[enopon] gallinae*  
 Misra, S. C., 1974, Indian J. Animal Research v. 8 (2), 87-88  
 fowls, Ectopar, highly effective
- Menopon gallinae*  
 Patyk, S.; and Kliszewski, W., 1976, Med. Wet., v. 32 (8), 471-473  
 ectoparasites, domestic animals, control with enolophosphates IPO-62 and IPO-63
- Menopon gallinae* (Linne), illus.  
 Rao, N. S. K.; Khuddus, C. A.; and Channa-Basavanna, G. P., 1975, Mysore J. Agric. Sc., v. 9 (4), 670-688  
 morphology of mouth parts, compared with *Lipeurus tropicalis*
- Menopon gallinae Linnaeus*  
 Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397  
 seasonal distribution  
*Gallus gallus* (wings): Hissar and suburbs, India

- Menopon gallinae**  
 Torres, P.; et al., 1974, Bol. Chileno Parasitol., v. 29 (3-4), 115-117  
*Gallus gallus domesticus*: Chile
- Menopon giganteum** Denny, 1842  
 Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
 as syn. of *Hohorstiella gigantea* (Denny, 1842)
- Menopon incisum** Giebel, 1866  
 Price, R. D.; and Emerson, K. C., 1977, J. Kansas Entom. Soc., v. 50 (2), 215-221  
 as syn. of *Meromenopon incisum* (Giebel)
- Menopon jenningsi** Kellogg and Paine, 1910  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Trimenopon hispidum* (Burmeister)
- Menopon latum** Piaget, 1880  
 Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
 as syn. of *Hohorstiella gigantea* (Denny, 1842)
- Menopon numidae** Giebel, 1874  
 Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
 as syn. of *Menacanthus numidae* (Giebel 1874)
- Menopon pectinatum** Neumann, 1912  
 Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
 as syn. of *Ciconiphilus pectiniventris* (Harrison, 1916)
- Menopon spiniger** Enderlein, 1909  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Heterodoxus spiniger* (Enderlein)
- Menopon (Menacanthus) spinigerum** Neumann, 1912  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Heterodoxus spiniger* (Enderlein)
- Menopon ventrale** Nitzsch, 1866  
 Scharf, W. C.; and Price, R. D., 1977, Ann. Entom. Soc. Am., v. 70 (5), 815-822  
 as syn. of *Amyrsidea (A.) ventralis* (Nitzsch)
- Menopon virgo** Giebel, 1874  
 Price, R. D.; and Emerson, K. C., 1977, J. Kansas Entom. Soc., v. 50 (2), 215-221  
 as syn. of *Meromenopon incisum* (Giebel)
- Menoponidae**  
 Emerson, K. C.; and Price, R. D., 1976, Florida Entom., v. 59 (4), 425-428  
*Amblycera*  
 key
- Menoponidae**  
 Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
 key to species on domestic birds: Spain
- Meringis cummingi**  
 Coultrip, R. L.; et al., 1973, J. Med. Entom., v. 10 (3), 303-309  
 fleas, ticks, mammals, survey for vectors and reservoir hosts of Rocky Mountain spotted fever and sylvatic plague, serological evidence for presence of rickettsial agent but presence of plague not demonstrated
- Perognathus californicus*  
*Dipodomys heermanni*  
*Peromyscus maniculatus*  
*Neotoma fuscipes*  
 all from Fort Ord, California
- Meringis dipodomys**  
 Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480  
 fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference
- Peromyscus maniculatus sonoriensis*  
*Peromyscus crinitus pergracilis*  
*Neotoma lepida lepida*  
 all from western Utah
- Meringis hubbardi**  
 Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480  
 fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference
- Peromyscus maniculatus sonoriensis*  
*Peromyscus crinitus pergracilis*  
 all from western Utah
- Meringis jamesoni** Hubbard  
 Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection
- Perognathus flavus*: west of Rio Grande in and near Jemez Mts., New Mexico
- Meringis parkeri**  
 Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480  
 fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference
- Peromyscus crinitus pergracilis*: western Utah
- Meringis parkeri** Jordan  
 Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection
- Dipodomys ordii*  
*Peromyscus maniculatus*  
 all from west of Rio Grande in and near Jemez Mts., New Mexico

*Meringis shannoni* (Jordan)  
 O'Farrell, T. P., 1975, Am. Midland Naturalist, v. 93 (2), 377-387  
*Perognathus parvus*  
*Peromyscus maniculatus*  
*Onychomys leucogaster*  
*Spermophilus townsendi*  
*Lagurus curtatus*  
 all from Arid Lands Ecology Reserve, Benton County, Washington

*Meristaspis calcarata* (Hirst, 1923)  
 Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Pteropus tonganus*: New Hebrides

*Meromenopon Clay & Meinertzhangen*  
 Price, R. D.; and Emerson, K. C., 1977, J. Kansas Entom. Soc., v. 50 (2), 215-221  
 diagnosis, key to species

*Meromenopon brevicolle* (Piaget), illus.  
 Price, R. D.; and Emerson, K. C., 1977, J. Kansas Entom. Soc., v. 50 (2), 215-221  
 description, key  
*Eurystomus glaucurus*: Madagascar; Uganda  
*E. orientalis*: Malaya

*Meromenopon concii* Tendeiro, 1961  
 Price, R. D.; and Emerson, K. C., 1977, J. Kansas Entom. Soc., v. 50 (2), 215-221  
 as syn. of *M. meropis* Clay & Meinertzhangen, 1941

*Meromenopon marshalli* n. sp., illus.  
 Price, R. D.; and Emerson, K. C., 1977, J. Kansas Entom. Soc., v. 50 (2), 215-221  
 key  
*Merops leschenaulti*: Salween River, Thailand; Burma  
*Nyctyornis athertoni*: Thailand

*Meromenopon meropis* Clay & Meinertzhangen, 1941, illus.  
 Price, R. D.; and Emerson, K. C., 1977, J. Kansas Entom. Soc., v. 50 (2), 215-221  
 synonymy, description, key  
*Merops apiaster*: Afghanistan; Czechoslovakia; Egypt; Morocco  
*M. nubicus*: N. Cameroon  
*M. orientalis*: India; Sudan; Thailand  
*M. ornatus*: West Australia  
*M. philippinus*: Burma; India; Thailand  
*M. superciliosus*: Cyprus; Egypt; India; Philippines  
*M. viridis*: India; Malaysia; Philippines; Thailand  
*Melittophagus bulocki*: Ghana; Nigeria  
*Melittophagus pusillus*: N. Rhodesia; Transvaal  
*Dicrocerus hirundineus*: Mozambique; Rhodesia

*Mesalges johnstoni*  
 Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
*Agelaius phoeniceus*: South Bass Island, Ottawa County, Ohio

*Mesalgoides picimajoris* (Buchholz, 1869)  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Picus viridis*: Chernovtzy oblast, Ukrainian SSR  
*Dendrocopos major*: Moldavian SSR; Chernovtzy oblast, Ukrainian SSR  
*D. syriacus*: Moldavian SSR  
*D. leucotos*: Moldavian SSR; Chernovtzy oblast, Ukrainian SSR  
*D. medius*: Moldavian SSR; Chernovtzy oblast, Ukrainian SSR  
*D. minor*: Chernovtzy oblast, Ukrainian SSR  
*Picoides tridactylus*: Chernovtzy oblast, Ukrainian SSR

*Mesolaelaps sminthopsis* (Womersley)  
 Beveridge, I.; and Barker, I. K., 1976, Austral. J. Zool., v. 24 (2), 265-272  
 helminths and arthropods, *Antechinus stuartii*, seasonal and sex-related variations in numbers of helminths, parasites unlikely directly involved in seasonal mortality of male host; ectoparasites may contribute to anemia in hosts: Powelltown, Victoria

*Mesonyssus belopolskii* (Bregetova, 1950)  
 Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
*Butorides virescens maculatus* (nasal cavity): Cuba (Santa Fe, Prov. of Havana; Salinas, Cienaga de Zapata, Prov. of Las Villas)  
*Egretta thula thula* (nasal cavity): La Bajada, Guanajacibes, Prov. of Pinar del Rio, Cuba  
*Florida coerulea* (nasal cavity): Cairije near Sola, Sierra de Cubita, Prov. of Camaguey, Cuba; Cayo Piedra, Isla de Pinos

*Mesonyssus bubulci* (Zumpt & Till, 1955)  
 Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
*Ardeola ibis* (nasal cavity): Cuba (Baracoa near Havana; Santo Tomas, Cienaga de Zapata, Prov. of Las Villas; Chiririco, Prov. of Oriente; Sabaniya, Baracoa, Prov. of Oriente; Canal de Vijil, La Gloria, Prov. of Camaguey)

*Mesonyssus geotrygoni* Dusbabek, 1969  
 Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
*Geotrygon chrysia* (nasal cavity): Carapachibey, Isla de Pinos

*Mesonyssus gerschi* n. sp., illus.  
 Feider, Z.; and Mironescu, I., [1975], Ann. Parasitol., v. 49 (6), 1974, 751-774  
*Ardea purpurea* (cavite nasale, conca, atrium): Delta du Danube, Roumanie

*Mesonyssus minutus* n. sp., illus.  
 Feider, Z.; and Mironescu, I., [1975], Ann. Parasitol., v. 49 (6), 1974, 751-774  
*Ixobrychus minutus* (cavite nasale, conca, atrium): Cricic, Iasi, Roumanie

*Mesonyssus streptopeliae* Fain, 1962  
 Fain, A.; Herin, A.; and Puylaert, F., 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
*Streptopelia semitorquata* (fosses nasales): Cameroun

- Mesopsylla apscheronica**  
*Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63*  
*Allactaga williamsi: Armenia*
- Mesopsylla eucta tuschkan**  
*Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63*  
*Allactaga elater: Armenia*
- Mesopsylla eucta tuschkan Wagn. et Joff**  
*Poliakov, V. K.; et al., 1976, Zool. Zhurnal, v. 55 (10), 1538-1551*  
 rodent fleas, zoological, parasitological, epidemiological and ecological characteristics of steppe, desert-steppe and desert regions of Transural plague focus  
*Rhombomys opimus*  
*Meriones tamariscinus*  
*M. meridianus*  
 all from northeastern part of Caspian lowland
- Mesopsylla hebes J. et R.**  
*Poliakov, V. K.; et al., 1976, Zool. Zhurnal, v. 55 (10), 1538-1551*  
 rodent fleas, zoological, parasitological, epidemiological and ecological characteristics of steppe, desert-steppe and desert regions of Transural plague focus  
*Meriones tamariscinus*  
*M. meridianus*  
 all from northeastern part of Caspian lowland
- Metabinuncus Fain, 1975 tax. nov. (sous presse)**  
*Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 3-32*  
 as syn. of *Metabinuncus* Fain, 1972
- Metabinuncus Fain, 1972**  
*Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 3-32*  
 Syns.: *Binuncus* (*Metabinuncus*) Fain, 1972;  
*Metabinuncus* Fain, 1975 tax. nov. (sous presse)
- Metabinuncus birmanicus spec. nov., illus.**  
*Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 3-32*  
*Hipposideros armiger: Karin Hills, Birmanie*
- Metabinuncus bougainvilleensis (Fain, 1972) comb. nov., illus.**  
*Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 3-32*  
 description  
 Syns.: *Binuncus bougainvilleensis* Fain, 1972;  
*B. (Metabinuncus) corbetti* Fain, 1973  
*Hipposideros sp.: Buin, Ile de Bougainville*  
*H. calcaratus: San Jorge, Talise, Iles Salomon; Kukuba Caves, Papua, Nouvelle-Guinee*
- Metabinuncus novaeguineae (Fain, 1972) comb. nov., illus.**  
*Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 3-32*  
 description  
 Syns.: *Binuncus novaeguineae* Fain, 1972  
*Hipposideros (Phyllostomus) diadema (tete): Haveri, Nouvelle Guinee*
- Metastivalius Holland, 1969**  
*Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273*  
 diagnosis, key, key to Australian species
- Metastivalius molestus (Jordan, 1936), illus.**  
*Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273*  
 above combination credited to "Holland, 1969, p. 71 (by inference)." key, diagnosis, syn.: *Stivalius molestus*.  
*Jordan, 1936*  
*Rattus culmorum: Queensland*
- Metastivalius rectus (Jordan and Rothschild, 1922), illus.**  
*Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273*  
 above combination credited to "Holland, 1969, p. 71 (by inference)." key, diagnosis, syn.: *Stivalius rectus*. Jordan and Rothschild, 1922  
*Rattus rattus*  
*R. assimilis*  
*R. lutreolus*  
*Rattus sp.*  
 grey scrub rat  
 wild rat  
 all from Queensland
- Microgalobia callipyga sp. n.**  
*Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621*  
*Nesogale dobsoni: Madagascar*
- Microgalobia madagascarensis sp. n.**  
*Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621*  
*Microgale cowani: Madagascar*
- Microgalobia nesogale sp. n.**  
*Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621*  
*Nesogale sp.: Madagascar*
- Microlichus avus**  
*Brown, N. S.; and Wilson, G. I., 1975, Am. Midland Naturalist, v. 94 (1), 154-165*  
 comparison of ectoparasites from North America and Europe  
*Passer domesticus: Boston, Mass.*
- Microlynchia pusilla (Speiser)**  
*Greiner, E. C., 1975, J. Wildlife Dis., v. 11 (2), 150-156*  
*Haemoproteus in Zenaida macroura, prevalence with respect to year, season, host age; no correlation between parent and nestling infections; collection of potential vectors (Culicidae and Hippoboscidae): Lancaster County, Nebraska*
- Micropus Denny, 1842 (nec Meyer and Wolf, 1810)**  
*Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77*  
 as syn. of *Gliricola Mjoberg, 1910*

- Microtrombicula Ewing 1950**  
*Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566*  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Microtrombicula chamlongi n. sp., illus.**  
*Nadchatram, M.; and Kethley, J., 1974, J. Med. Entom., v. 11 (5), 581-587*  
 surface of ground: Nakhornayok, Thailand  
*Riopa bowringi* (just posterior to hind legs): Nakhornayok, Thailand; Nakhon Ratchasima Prov., Amphoe Pak, Thong Chai, Sakaerat, Thailand
- Microtrombicula crossleyi (Loomis)**  
*Dohany, A. L.; and Cromroy, H. L., 1976, Florida Entom., v. 59 (2), 183-190*  
 chiggers, scutal measurements: Tallahassee, Florida
- Microtrombicula trisetica**  
*Whitaker, J. O., jr.; Spicka, E. J.; and Schmeltz, L. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 431-436*  
*Sciurus carolinensis:* Indiana
- Mites**  
*Giboda, M.; and Jurasek, V., 1975, Ceskoslov. Epidemiol., Mikrobiol., Immunol., v. 24 (5), 310-312*  
 presence of mite eggs in human fecal samples, possible diagnostic confusion with helminth eggs: East Slovak Region
- Mites**  
*Kuris, A. M.; and Blaustein, A. R., 1977, Science (4278), v. 195, 596-597*  
 ectoparasitic mites on rodents as an application of the island biogeography theory, rebuttal of Dritschilo, W.; et al., 1975, Science (4213), v. 190, 467-469
- Mites**  
*O'Connor, B.; et al., 1977, Science (4278), v. 195, 598*  
 ectoparasitic mites on rodents as an application of the island biogeography theory, answer to rebuttal of Kuris, A. M.; and Blaustein, A. R., 1977, Science (4278), v. 195, 596-597
- Mites**  
*Westcott, G., 1977, Vet. Rec., v. 100 (4), 78 [Letter]*  
 mites, guinea pigs, improved cases using alugan and other acaricides
- Mites**  
*Whitaker, J. O., jr.; and Mumford, R. E., 1977, Entom. News, v. 88 (9-10), 255-258*  
*Myotis nigricans:* Minas Gerais, Brazil
- Mites**  
*Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67*  
 host and distribution lists of mites (Acari), parasitic and phoretic, in the hair of wild mammals of North America, north of Mexico
- Miyatrombicula Sasa, Kawashima, and Egashira 1952**  
*Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566*  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Miyatrombicula cynos (Ewing)**  
*Easton, E. R., 1975, J. Med. Entom., v. 12 (3), 295-298*  
*Neotoma cinerea:* Oregon
- Miyatrombicula cynos**  
*Whitaker, J. O., jr.; Spicka, E. J.; and Schmeltz, L. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 431-436*  
*Sciurus niger:* Indiana
- Miyatrombicula jonesae**  
*Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17*  
*Lasionycteris noctivagans:* Fires Creek area, Nantahala Mountains, North Carolina
- Miyatrombicula nikitini sp. n., illus.**  
*Kudriashova, N. I.; and Farhang-Azad, A., 1976, Zool. Zhurnal, v. 55 (6), 926-927*  
*Nesokia indica:* Shushtara, Karun river valley, Iran
- Miyatrombicula talyzini Schluger**  
*Gopachenko, I. M.; Volkov, V. I.; and Chernykh, P. A., 1976, Zool. Zhurnal, v. 55 (8), 1157-1162*
- Apodemus speciosus*  
*Clethrionomys rutilus*  
*C. rufocanus*  
 all from Priamurie
- Modiolicola Aurivillius, 1882**  
*Avdeev, G. V., 1977, Biol. Moria, Vladivostok (2), 34-45*  
 key to species, includes: *M. trabalis*; *M. jamaicensis*; *M. gracilicaudus* sp. n.; *M. gracilis*; *M. insignis*; *M. inflatipes*; *M. bifidus*; *M. maximus*; *M. inermis*
- Modiolicola Aurivillius, 1882**  
*Stock, J. H., 1968, Bull. Zool. Mus. Univ. Amsterdam, v. 1 (9), 89-105*  
 key
- Modiolicola bifidus Tanaka, 1961, illus.**  
*Avdeev, G. V., 1977, Biol. Moria, Vladivostok (2), 34-45*  
 redescription, key  
*Modiolus difficilis*  
*Crenomytilus grayanus*  
*Crassostrea gigas*  
 (gills of all): all from Possiet Bay (Sea of Japan)
- Modiolicola gracilicaudus sp. n., illus.**  
*Avdeev, G. V., 1977, Biol. Moria, Vladivostok (2), 34-45*  
 key  
*Crenomytilus grayanus* (gills): Possiet Bay (Sea of Japan)

- Monogyropus* Ewing, 1924  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Gyropus* Nitzsch, 1818
- Monopsyllus ciliatus protinus* (Jordan 1929)  
 Poinar, G. O., jr.; and Nelson, B. C., 1973, J. Med. Entom., v. 10 (4), 349-354  
*Eutamias townsendi senex*: Plumas County, Antelope Reservoir, Lone Rock Campground, California
- Monopsyllus eumolpi americanus* Hubbard  
 Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Eutamias minimus*  
*E. quadrivittatus*  
*Spermophilus lateralis*  
*Sciurus aberti*  
*Tamiasciurus hudsonicus*  
*Peromyscus maniculatus*  
*P. truei*  
 all from west of Rio Grande in and near Jemez Mts., New Mexico
- Monopsyllus eumolpi eumolpi* (Rothschild)  
 Amin, O. M., 1973, J. Med. Entom., v. 10 (1), 110-111  
*Tamias striatus*: Parkside, Wisconsin
- Monopsyllus sciurorum* (Schrank 1803)  
 Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Vulpes vulpes*: Schleswig-Holstein
- Monopsyllus sciurorum* (Schrank 1803)  
 Beaucournu, J. C., 1976, Ann. Soc. Entom. France, n. s., v. 12 (2), 199-213  
 Ceratophyllidae of French mammals, geographic distribution, ecology, sex ratio, epidemiological role, review: France
- Monopsyllus sciurorum*  
 Cremers, H. J. W. M.; Jansen, J.; and Swierstra, D., 1975, Tijdschr. Diergenesk., v. 100 (22), 1209-1211  
*Lutreola lutreola*: Netherlands
- Monopsyllus sciurorum* (Schon.)  
 Haitlinger, R., 1975, Polskie Pismo Entom., v. 45 (2), 373-396  
 seasonal variance  
*Apodemus tauricus*  
*Glis glis*  
 all from Gory Sowie
- Monopsyllus sciurorum* (Schrank, 1803)  
 Mehl, R., 1972, Fauna, Oslo, v. 25 (4), 265-274  
*Meles meles*: Norge.
- Monopsyllus sciurorum* (Schrank)  
 Roman, E.; and Pichot, J., 1976, Bull. Mens. Soc. Linn. Lyon, v. 45 (9), 294-296  
 +*Sitta europaea* (nest): Saint-Didier-au-Mont-d'Or (Rhône)
- Monopsyllus s. sciurorum*  
 Aubert, M. F. A.; and Beaucournu, J. C., 1976, Ann. Parasitol., v. 51 (1), 143-156  
 survey of Siphonaptera of some carnivores with brief notes on biology and chorology  
*Vulpes vulpes*  
*Felis silvestris*  
*Martes foina*  
*Martes martes*  
 all from Nord-Est de la France
- Monopsyllus sciurorum sciurorum* (Schrank)  
 Hallas, T. E.; and Bang, P., 1976, Flora og Fauna, Kobenhavn, v. 82 (1), 11-18  
*Clethrionomys glareolus*: eastern Denmark
- Monopsyllus sciurorum sciurorum* Schrank  
 Szabo, I., 1972, Parasitol. Hungar., v. 5, 329-347  
*Sciurus vulgaris fuscoater*: Sopron and environments, west Hungary
- Monopsyllus vison* (Baker)  
 Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
+i*Eutamias minimus*  
*Tamiasciurus hudsonicus*  
 all from west of Rio Grande in and near Jemez Mts., New Mexico
- Monopsyllus vison* (Baker)  
 Wilson, N.; and Bull, E. L., 1977, Bird-Banding, v. 48 (2), 171-173  
 +squirrel (nest): Starkey Experimental Forest, 35-40 km southwest of La Grande, Union Co., Oregon
- Monopsyllus wagneri*  
 Coultrip, R. L.; et al., 1973, J. Med. Entom., v. 10 (3), 303-309  
 fleas, ticks, mammals, survey for vectors and reservoir hosts of Rocky Mountain spotted fever and sylvatic plague, serological evidence for presence of rickettsial agent but presence of plague not demonstrated  
*Dipodomys heermanni*  
*Peromyscus californicus*  
*P. maniculatus*  
*P. truei*  
 all from Fort Ord, California
- Monopsyllus wagneri*  
 Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480  
 fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Peromyscus crinitus pergracilis*  
*Microtus longicaudus latus*  
*Neotoma lepida lepida*  
 all from western Utah.

*Monopsyllus wagneri* (Baker), illus.  
Haas, G. E., 1973, Am. Midland Naturalist,  
v. 90 (1), 246-252  
morphological variations: New Mexico

*Monopsyllus wagneri* (Baker)  
Haas, G. E.; et al., 1973, J. Med. Entom.,  
v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geo-  
graphic distribution, host and nest prefer-  
ence, sex ratio, degree of plague infection  
*Eutamias minimus*  
*E. quadrivittatus*  
*Tamiasciurus hudsonicus*  
*Reithrodontomys megalotis*  
*Peromyscus maniculatus*  
*P. leucopus*  
*P. boylii*  
*P. truei*  
*Neotoma mexicana*  
*N. cinerea*  
*Clethrionomys gapperi*  
*Microtus montanus*  
*M. longicaudus*  
*Mus musculus*  
all from west of Rio Grande in and near  
Jemez Mts., New Mexico

*Monopsyllus wagneri*  
Nelson, B. C.; and Smith, C. R., 1976, J. Med.  
Entom., v. 13 (1), 51-61  
*Peromyscus maniculatus*: Lava Beds National  
Monument, California

*Monopsyllus wagneri* (Baker)  
O'Farrell, T. P., 1975, Am. Midland Natural-  
ist, v. 93 (2), 377-387  
*Perognathus parvus*  
*Peromyscus maniculatus*  
all from Arid Lands Ecology Reserve, Benton  
County, Washington

*Monopsyllus wagneri* (Baker 1904)  
Poinar, G. O., jr.; and Nelson, B. C., 1973,  
J. Med. Entom., v. 10 (4), 349-354  
*Peromyscus maniculatus sonoriensis*: Mono  
County, Tom's Place, California

*Monopsyllus wagneri* (Baker), illus.  
Stark, H. E.; Campos, E. G.; and Elbel, R. E.,  
1976, J. Med. Entom., v. 13 (1), 107-111  
*Monopsyllus wagneri*, description of third-  
instar larvae, comparative morphology  
*Peromyscus maniculatus*: Larimer County,  
Colorado; Tooele County, Utah

*Montesauria* sp.  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),  
189-199  
arthropods ectoparasitic upon mammals and  
birds, factors affecting host specificity  
*Collocalia vanikorensis*  
*C. esculenta*  
*Turdus poliocephalus*  
*Rhipidura spilodera*  
*Pachycephala pectoralis*  
*Erythrura trichroa*  
all from New Hebrides

*Morelacarus Vercammen-Grandjean* 1974  
Brennan, J. M.; and Goff, M. L., 1977, J. Par-  
asitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in  
the Western Hemisphere

*Mothocyia epimerica*  
Romestand, B.; Janicot, M.; and Trilles, J.  
P., 1977, Ann. Parasitol., v. 52 (2), 171-180  
tissue alterations and defense reactions in  
fish parasitized by Cymothoidae  
*Atherina mochon* (lamelles branchiales):  
Herault, France

*Multisetosa pinguis* Shl. et Amang.  
Amanniazaova, R. D., 1975, Izvest. Akad. Nauk  
Turkmensk. SSR, s. Biol. Nauk (6), 48-54  
seasonal distribution in different land-  
scapes  
*Rhombomys opimus*: Turkmenistan

*Musca vetustissima*  
Watts, J. E.; et al., 1976, Austral. Vet. J.,  
v. 52 (10), 488-489 [Letter]  
fly strike, sheep: south-eastern Australia

*Mydopholeus*, new genus  
McDaniel, B., jr.; and Baker, E. W., 1962,  
Fieldiana: Zoology, v. 44 (16), 127-131  
Rosensteiniidae  
tod: *M. capillus*, new species

*Mydopholeus capillus*, new species, illus. (tod)  
McDaniel, B., jr.; and Baker, E. W., 1962,  
Fieldiana: Zoology, v. 44 (16), 127-131  
*Tadarida mexicana*: 16 miles northeast of  
Tamaula, Jalisco, Mexico

*Myiasis*  
Antunes, M. L.; and Delascio, D., 1967, Mater-  
nidade e Infancia, v. 26 (1), 63-67  
laboratory diagnosis of vulvo-vaginitis of  
parasitic origin in children: Brasil

*Myiasis*  
Beesley, W. N., 1974, Proc. 6. Internat. Conf.  
World Ass. Adv. Vet. Parasitol. (Vienna,  
Austria, Sept. 18-20, 1973), 349-368  
review of arthropods which may affect man  
as zoonoses

*Myiasis*  
Bennett, G. F.; Warren, M.; and Ellison, D. W.,  
1964, Med. J. Malaya, v. 19 (1), 59  
*Chrysomyia bezziana*, a major hazard at the  
Malayan National Zoo

*Myiasis*  
Cheong, W. H.; Mahadevan, S.; and Lie, K. J.,  
1973, Southeast Asian J. Trop. Med. and Pub.  
Health, v. 4 (2), 281 [Demonstration]  
*Sarcophaga* sp., human intestinal myiasis with  
third stage larvae removed from man's stool  
immediately after defecation on 2 separate  
occasions: Malaysia

*Myiasis*  
Davies, D. M., 1976, J. Parasitol., v. 62 (1),  
124  
human aural myiasis, brief review

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

## Myiasis

Easton, A. M.; and Smith, K. G. V., 1970, Med. Sc. and Law, v. 10 (4), 208-215  
faunistic survey of cadaver can give accurate results as method of establishing time of death for legal purposes

## Myiasis

Feigelson, J.; et al., 1976, Pediatrie, v. 31 (1), 77-79  
*Hypoderma bovis*, ocular myiasis in young child with resulting lens destruction and surgical removal, child also suffered from cystic fibrosis

## Myiasis

Garcia-Valdecasas Soler, R., 1972, Medicamenta, Madrid (505), an. 30, v. 60, 363-367  
2 case reports of human ocular myiasis caused by *Oestrus ovis* with review of clinical aspects: Seville

## Myiasis, illus.

Gass, J. D. M.; and Lewis, R. A., 1976, Arch. Ophth., Chicago, v. 94 (9), 1500-1505  
human ophthalmomyiasis interna with resulting subretinal tracks, case reports of probable infestations without residual damage

## Myiasis

Gilly, R.; et al., 1976, Pediatrie, v. 31 (1), 67-75  
*Hypoderma bovis* myiasis in young child with presenting symptoms of facial and arm paralysis, at surgical intervention right intracerebral hematoma contained *H. bovis* maggot, source of infection unknown, clinical case report: Lyon, France

## Myiasis

Griffiths, R. B., 1965, Med. J. Malaya, v. 20 (1), 77  
*Chrysomyia bezziana* as cause of cutaneous myiasis of cattle (*Bos indicus*) in Kuala Lumpur

## Myiasis

Hennessy, D. J.; Sherrill, J. M.; and Binder, P. S., 1977, Am. J. Ophth., Chicago, v. 84 (6), 802-805  
*Estrus ovis* causing conjunctival myiasis in young girl who had recently camped near area inhabited by sheep and cattle, clinical case report; light and scanning electron microscopy of larva isolated from eye: beach on Catalina Island, California

## Myiasis

Hira, P. R., 1976, Tropenmed. u. Parasitol., v. 27 (1), 30-32  
case reports of dermal and subdermal myiasis caused by *Cordylobia anthropophaga*, humans, diagnostic discussion: Zambia

## Myiasis

Hira, P. R., 1977, East African Med. J., v. 54 (4), 224-226  
*Eristalis tenax* in man resulting in rectal myiasis, clinical case report: Zambia

## Myiasis

Joerg, M. E., 1976, Prensa Med. Argent., v. 63 (2), 47-51  
human anal myiasis, general clinical manifestations, diagnosis, medical management, review

## Myiasis

Kenney, M.; et al., 1976, Am. J. Clin. Path., v. 66 (5), 786-791  
intestinal myiasis discovered at post-mortem examinations, appendices of 2 men contained tentatively identified *Sarcophaga* sp. and *Phormia regina* respectively: New York

## Myiasis

Konjanovski, D.; Kotevski, D.; and Dochovski, M., 1969, Makedon. Med. Pregl., v. 24 (5-6), 59-66  
human ocular myiasis with symptoms of conjunctivitis, case reports: Bitola, Macedonia

## Myiasis

Leclercq, M., 1974, Medecine and Chir. Digest., v. 3 (2), 147-152  
extensive review of myiasis of human gastrointestinal system

## Myiasis

Macias, E. G.; et al., 1973, N. England J. Med., v. 289 (23), 1239-1241  
*Cochliomyia hominivorax* causing myiasis in children, frequently associated with pediculosis, close proximity to city stockyards and poor environmental and personal hygiene implicated in epidemiology: San Antonio, Texas

## Myiasis

Muchlis, A.; and Soetijono, P., 1973, Vet. Med. Rev. (2), 134-135  
*Stephanofilariasis*, hoof myiasis, cattle, Asuntol ointment, good results: northern Sulawesi, Indonesia

## Myiasis

Neck, R. W., 1977, J. Herpetol., v. 11 (1), 96-98  
cutaneous myiasis, *Gopherus berlandieri*: Brownsville, Cameron Co., Texas

## Myiasis

Petithory, J.; and Boulard, C., 1972, Nouv. Presse Med., v. 1 (27), 1841-1843  
human myiasis of *Hypoderma bovis* or *H. lineatum*, diagnosis in early stages using the Ouchterlony method and immunoelectrophoresis with antigen extract of the first larval stage of *H. lineatum*

## Myiasis

Roy, P.; and Dasgupta, B., 1977, Proc. Indian Acad. Sc., Sect. B, v. 86 (3), 207-209  
*Sarcophaga ruficornis* in *Bufo melanostictus* (eyes, parotoid glands), wound myiasis: Siliguri, West Bengal

## Myiasis

Townsend, L. H., jr.; and Hall, R. D., 1976, Proc. Entom. Soc. Wash., v. 78 (1), 113  
*Phaenicia sericata*, human (upper inner thigh region of leg, lower vaginal canal): Virginia

**Myiasis**

Tumrasvin, W.; Sucharit, S.; and Vutikes, S., 1977, Southeast Asian J. Trop. Med. and Pub. Health, v. 8 (1), 74-76  
*Megaselia scalaris*, life cycle, public health importance as cause of myiasis in humans: Thailand

**Myobia sp.**

Howell, F. G.; and Chapman, B. R., 1976, Southwest. Nat., v. 21 (3), 275-280  
*Tadarida brasiliensis* occupying cliff swallow nest: northwestern Texas

**Myobia canadensis** Banks, 1910

Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of *Acanthophthirius caudata* (Banks, 1910)

**Myobia (Myobia) hyatti** sp. n.

Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621  
*Vandeleuria oleracea*: Inde

**Myobia micromydis** spec. nov., illus.

Lukoschus, F. S.; and Driessen, F. M., 1970, Acarologia, v. 12 (1), 119-126  
*Micromys minutus soricinus* (base of the hairs in head and shoulder parts): Nijmegen, The Netherlands; Neusiedler See, Austria

**Myobia musculi**, illus.

Constantin, M., 1971, Parasitol. Hungar., v. 4, 227-237  
*Myocoptes musculinus*, *Myobia musculi*, natural infection in laboratory mouse colony, trials with Bayer compound 9010, tetocid, malathion and pyractone emulsion showed all compounds active against *Myocoptes musculinus* but only pyractone active against *Myobia musculi*

**Myobia musculi**

Csiza, C. K.; and McMartin, D. N., 1976, Lab. Animal Sc., v. 26 (5), 781-787  
*Myobia musculi*, mouse breeding colony, dermatitis characterized by intense pruritus leading to self-mutilation and death, pathogenicity varies according to sex, age, mating ratios, sensitivity and strain of mice, dichlorvos + ronnel, good results

**Myobia musculi**, illus.

Friedman, S.; and Weisbroth, S. H., 1977, Lab. Animal Sc., v. 27 (1), 34-37  
*Myobia musculi*, mice (exper.), life cycle, application to successful treatment regimen

**Myobia musculi** (Schrank)

Goff, M. L., 1975, J. Med. Entom., v. 12 (1), 52-54  
*Mus musculus*: Midway Islands

**Myobia musculi**

Owen, D., 1976, Lab. Animals, v. 10 (3), 271-278  
*Rattus norvegicus*  
*Mus musculus*  
 all from Carshalton

**Myobia musculi**

Prosli, H., 1976, Ztschr. Parasitenk., v. 50 (2), 214  
*Maus*

**Myobia musculi** (Schrank 1781), illus.

Sanchez-Acedo, C.; Otero, J.; and Albala-Perez, F., 1974, Rev. Iber. Parasitol., v. 34 (3-4), 245-252

*Rhinolophus ferrum equinum*: Spain

**Myobia musculi** (Shrank)

Sandhu, P. S.; and Kapoor, V. C., 1977, Entom. News, v. 88 (5-6), 151-152  
*Mus booduga*: Punjab, India

**Myobia musculi**

Spicka, E. J., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 418-422  
*Mus musculus*: Pike County, Indiana

**Myobia musculi**

Weisbroth, S. H.; Friedman, S.; and Scher, S., 1976, Lab. Animal Sc., v. 26 (5), 725-735  
*Myobia musculi*-infested *Mus musculus* in breeding colony, histopathology of skin lesions probably allergic in character, exacerbation of lesions following reinfection of sensitized mice, treatment with dichlorvos-impregnated plastic strips abolished lesions and improved breeding performance

**Myobiidae** Megnin, 1877

Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621  
 includes: *Myobiinae*; *Archemyobiinae* subfam. nov.

**Myobiidae**

Fain, A., 1977, Ann. Parasitol., v. 52 (3), 339-351  
*Myobiidae*, specificity and parallel host-parasite evolution

**Myobiidae** [sp.]

Hadi, T. R.; et al., 1976, Southeast Asian J. Trop. Med. and Pub. Health, v. 7 (3), 487-489  
*Bandicota indica setifera*  
*Mus musculus*  
 all from Ancol, Jakarta, Indonesia

**Myobiinae** Megnin, 1877

Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621  
*Myobiidae*  
 includes: *Myobiini*; *Australomyobiini* tr. nov.

**Myobiini** Megnin, 1877

Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621  
*Myobiinae*

**Myocastorobia** g. n.

Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Atopomelidae*  
 tod: *Isothricola myocastor* Fain, 1970  
 [comb. with *Myocastorobia* not made]

**Myocoptes** sp.

Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Microtus ochrogaster ochrogaster*  
*Peromyscus leucopus noveboracensis*  
 all from Coles County, Illinois

- Myocoptes sp.**  
 Buckner, R. L.; and Gleason, L. N., 1974, Tr.  
 Kentucky Acad. Sc., v. 35 (3-4), 70-75  
 seasonal occurrences  
*Micromyscus ochrogaster*  
*Peromyscus leucopus*  
 all from Warren County, Kentucky
- Myocoptes sp.**  
 Whitaker, J. O., jr.; Jones, G. S.; and  
 Pascal, D. D., jr., 1975, J. Elisha Mitchell  
 Scient. Soc., v. 91 (1), 13-17  
*Sorex palustris*  
*Clethrionomys gapperi*  
 all from Fires Creek area, Nantahala Moun-  
 tains, North Carolina
- Myocoptes canadensis** Radford, 1955  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of *Myocoptes japonensis* Radford, 1955
- Myocoptes jamesoni** Radford, 1955  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of *Myocoptes japonensis* Radford, 1955
- Myocoptes japonensis**  
 Basolo, F., jr.; and Funk, R. C., 1974, Tr.  
 Illinois State Acad. Sc., v. 67 (2), 211-221  
*Micromyscus ochrogaster ochrogaster*  
*Peromyscus leucopus noveboracensis*  
 all from Coles County, Illinois
- Myocoptes japonensis**  
 Whitaker, J. O., jr.; Jones, G. S.; and  
 Pascal, D. D., jr., 1975, J. Elisha Mitchell  
 Scient. Soc., v. 91 (1), 13-17  
*Peromyscus maniculatus*: Fires Creek area,  
 Nantahala Mountains, North Carolina
- Myocoptes japonensis** Radford, 1955  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 synonymy
- Myocoptes musculinus**  
 Basolo, F., jr.; and Funk, R. C., 1974, Tr.  
 Illinois State Acad. Sc., v. 67 (2), 211-221  
*Micromyscus ochrogaster ochrogaster*  
*Peromyscus leucopus noveboracensis*  
 all from Coles County, Illinois
- Myocoptes musculinus, illus.**  
 Constantin, M., 1971, Parasitol. Hungar., v. 4,  
 227-237  
*Myocoptes musculinus*, *Myobia musculi*, natural  
 infection in laboratory mouse colony, trials  
 with Bayer compound 9010, tetocid, malathion  
 and pyractone emulsion showed all compounds  
 active against *Myocoptes musculinus* but only  
 pyractone active against *Myobia musculi*
- Myocoptes musculinus** Koch  
 Goff, M. L., 1975, J. Med. Entom., v. 12 (1),  
 52-54  
*Mus musculus*: Midway Islands
- Myocoptes musculinus**  
 Hajsig, M.; and Cuturic, S., 1969, Mykosen,  
 v. 12 (4), 243-244  
*Myocoptes musculinus* discovered in laboratory  
 mice, possible role of mites in spread of  
 dermatophytosis
- Myocoptes musculinus**  
 Owen, D., 1976, Lab. Animals, v. 10 (3), 271-  
 278  
*Mus musculus*: Carshalton
- Myocoptes musculinus**  
 Prosl, H., 1976, Ztschr. Parasitenk., v. 50  
 (2), 214  
*Maus*
- Myocoptes musculinus**  
 Spicka, E. J., 1976, Proc. Indiana Acad. Sc.,  
 v. 85, 1975, 418-422  
*Mus musculus*: Pike County, Indiana
- Myocoptes rattus sp. n., illus.**  
 Fain, A.; and Zumpt, F., 1977, Rev. Zool.  
 Africaine, v. 91 (4), 1011-1014  
*Rattus norvegicus*: Stellenbosch, Cape  
 Province, South Africa
- Myodopsylla Jordan & Rothschild**  
 Mahnert, V., 1976, Rev. Suisse Zool., v. 83  
 (3), 769-776  
*Ischnopsyllinae*  
 key
- Myodopsylla collinsi** Kohls  
 Reisen, W. K.; Kennedy, M. L.; and Reisen,  
 N. T., 1976, J. Parasitol., v. 62 (4), 628-635  
 winter ecology of ectoparasites collected  
 from hibernating *Myotis velifer* (incidence,  
 intensity, monthly changes, parasite and host  
 sex ratio, interspecific associations, para-  
 site age structure, etc.)  
*Myotis velifer*: Harmon County, southwestern  
 Oklahoma
- Myodopsylla collinsi**  
 Whitaker, J. O., jr.; and Easterla, D. A.,  
 1975, Southwest. Nat., v. 20 (2), 241-254,  
*Myotis yumanensis*: Big Bend National Park,  
 Texas  
*M. velifer*: Big Bend National Park, Texas,  
 and Coahuila, Mexico
- Myodopsylla gentilis** Jordan & Rothschild  
 Haas, G. E.; et al., 1973, J. Med. Entom.,  
 v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geo-  
 graphic distribution, host and nest prefer-  
 ence, sex ratio, degree of plague infection  
*Myotis yumanensis*: west of Rio Grande in  
 and near Jemez Mts., New Mexico
- Myodopsylla gentilis**  
 Whitaker, J. O., jr.; and Easterla, D. A.,  
 1975, Southwest. Nat., v. 20 (2), 241-254  
*Mormoops megalophylla*  
*Leptonycteris nivalis*  
*Myotis yumanensis*  
*M. velifer*  
*Antrozous pallidus*  
*Tadarida brasiliensis*  
*T. macrotis*  
 all from Big Bend National Park, Texas

*Myodopsylla insignis* (Rothschild, 1903), illus.  
Traub, R., 1968, J. Med. Entom., v. 5 (3), 375-  
404  
discussion of convergent evolution and morpho-  
logical modifications in helmet-bearing fleas

*Myonyssus* sp.  
Athias-Henriot, C., 1977, J. Austral. Entom.  
Soc., v. 16 (3), 225-235  
*Rattus fuscipes*: Olsen's Bridge, Victoria

*Myonyssus* sp.  
Diusembaev, E. B.; and Chelebiev, K. A., 1975,  
Zool. Zhurnal, v. 54 (1), 124-127  
+*Lagurus lagurus* (nest): Karagandinsk oblast

*Myonyssus* sp.  
Evseeva, V. E.; and Naumov, R. L., 1975, Zool.  
Zhurnal, v. 54 (1), 151-153  
+*Ochotona alpina*: Western Sayan Mountains

*Myonyssus jamesoni*  
Whitaker, J. O., jr.; Jones, G. S.; and  
Pascal, D. D., jr., 1975, J. Elisha Mitchell  
Scient. Soc., v. 91 (1), 13-17  
Blarina brevicauda: Fires Creek area, Nan-  
tahala Mountains, North Carolina

*Myophthiria neohebudarum* Maa 1976  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),  
189-199  
arthropods ectoparasitic upon mammals and  
birds, factors affecting host specificity  
*Collocalia vanikorensis*: New Hebrides

*Myotrombicula rhinolophi* Muljarskaja, 1971  
Gadzhiev, A. T.; and Dubovchenko, T. A., 1976,  
Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst.  
Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan

*Myoxopsylla jordani* Ioff et Argyropulo, 1934,  
illus.  
Skuratowicz, W.; Bartkowska, K.; and Mitev,  
D., 1976, Bull. Acad. Polon. Sc., Cl. II., s.  
Sc. Biol., v. 24 (12), 741-746  
Dryomys nitedula: Smoljanske ezera, Bulgaria  
+Dryomys nitedula (occupying nest of *Turdus*  
sp.): by river Veleka, 6 km south of  
Ahtopol, Bulgaria

*Myoxopsylla laverani* (Rothschild 1911)  
Beaucournu, J. C., 1976, Ann. Soc. Entom.  
France, n. s., v. 12 (2), 199-213  
Ceratophyllidae of French mammals, geographic  
distribution, ecology, sex ratio, epi-  
demiological role, review: France

*Myoxopsylla laverani laverani*  
Vaucher, C.; and Quentin, J. C., 1975, Bull.  
Soc. Neuchatel. Sc. Nat., 3. s., v. 98, 27-34  
parasitized by cysticercoids of *Hymenolepis*  
myoxi  
+Eliomys quercinus (nest): France

*Myrsidea* species-group  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),  
189-199  
arthropods ectoparasitic upon mammals and  
birds, factors affecting host specificity  
*Turdus poliocephalus*  
*Rhipidura spilodera*  
*R. fuliginosa*  
*Myiagra caledonica*  
*Pachycephala pectoralis*  
*Zosterops flavifrons*  
*Z. lateralis*  
*Erythrura trichroa*  
all from New Hebrides

*Myrsidea coloiopsis* n. sp., illus.  
Klockenhoff, H., 1977, Bonn. Zool. Beitrage,  
v. 28 (1-2), 141-148  
key  
*Corvus monedulaoides*: Mare, Loyalty Islands

*Myrsidea-grandiceps* group  
Klockenhoff, H., 1977, Bonn. Zool. Beitrage,  
v. 28 (1-2), 141-148  
key to females of 8 taxa  
includes: *Myrsidea trinoton*; *M. pilosa*; *M.*  
*novabritannica*; *M. coloopsis*; *M. grandiceps*;  
*M. grandiceps macrorhynchicola*; *M. schizo-*  
*tergum*; *M. s. schizotergum*; *M. schizotergum*  
*araufra*; *M. g. grandiceps*

*Myrsidea interrupta* (Osborn, 1896)  
Andrews, S. E.; and Threlfall, W., 1975, Proc.  
Helminth. Soc. Washington, v. 42 (1), 24-28  
*Corvus brachyrhynchos* (ventral regions):  
insular Newfoundland

*Mytilicola intestinalis* Steuer  
Cormaci, M., 1973, Atti Accad. Gioenia Sc.  
Nat. Catania, v. 149, 7. s., v. 5, 51-61  
*Mytilicola intestinalis*, incidence in-  
creases with size of *Mytilus gallopro-*  
*vincialis*, under 8 parasites per mussel  
causes no weight loss: Siracusa

*Mytilicola intestinalis*  
Davey, J. T.; et al., 1977, Parasitology, v.  
75 (2), xxxv-xxxvi [Abstract]  
*Mytilicola intestinalis* revealed to be harm-  
less commensal of mussels rather than seri-  
ous pest

*Mytilicola intestinalis* Steuer  
Davey, J. T.; and Gee, J. M., 1976, J. Marine  
Biol. Ass. United Kingdom, v. 56 (1), 85-94  
*Mytilicola intestinalis*, survey, incidence  
in mussels, suggested differences in infes-  
tation levels between estuarine and open-  
coast populations due primarily to differ-  
ences in degree of exposure to wave action,  
other factors include size, population  
density and location of hosts  
*Mytilus* sp. (digestive tract): southwest of  
England

*Myxacarus* Brennan and Yunker 1966  
Brennan, J. M.; and Goff, M. L., 1977, J. Par-  
asitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in  
the Western Hemisphere

*Myzotheridion* gen. nov.

Laubier, L.; and Bouchet, P., [1977], Arch.  
Zool. Exper. et Gen., v. 117 (4), 469-483

"probably belongs to the family Ventriculinidae (Dichelesthoioidea), but its morphological features corroborate the heterogeneity of this family"

tod: *M. seguenziae* sp. nov.

*Myzotheridion seguenziae* sp. nov., illus. (tod)

Laubier, L.; and Bouchet, P., [1977], Arch.  
Zool. Exper. et Gen., v. 117 (4), 469-483  
*Seguenzia carinata* (cavite palleale): Golfe de Gascogne

- Namakosiramia gen. n.  
 Ho, J.; and Perkins, P. S., 1977, J. Parasitol., v. 63 (2), 368-371  
 Namakosiramidae n. fam.  
 tod: N. californiensis sp. n.
- Namakosiramia californiensis sp. n. (tod), illus.  
 Ho, J.; and Perkins, P. S., 1977, J. Parasitol., v. 63 (2), 368-371  
 Stichopus parvimensis (body surface): about 600 m north of Pt. Vincente, off Palos Verdes, California
- Namakosiramiidae n. fam.  
 Ho, J.; and Perkins, P. S., 1977, J. Parasitol., v. 63 (2), 368-371  
 Cyclopoida  
 includes: Namakosiramia gen. n.
- Nanaspis mixta, new species, illus.  
 Humes, A. G., 1975, Smithsonian Contrib. Zool. (202), 41 pp.  
 Microthele nobilis: New Caledonia (west of Isle Mando, near Noumea; off Goro)
- Naobranchia variabilis Brian, 1924, illus.  
 Kabata, Z., 1968, J. Nat. Hist., v. 2 (4), 505-523  
 description of female  
 Sphaeroides pleurosticus (gills): Moreton Bay, Queensland
- Nasicola Brennan and Yunker 1969  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Naubates sp., probably N. harrisoni  
 Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
 Puffinus pacificus chlororhynchus: Eastern Island, Midway Atoll, Pacific Ocean
- Naubates harrisoni Bedford, 1930  
 Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
 Puffinus nativitatis: Eastern Island, Pacific Ocean
- Nearctopsylla genalis Baker  
 Whittaker, J. O., jr.; and Schmeltz, L. L., 1974, Proc. Indiana Acad. Sc., v. 83, 1973, 478-481  
 Scalopus aquaticus (fur): Indiana
- Neoboydaia (Aureliana) sp.  
 Dubabek, F.; and Cerny, V., 1970, Acarologia, v. 12 (2), 269-281  
 Tyto alba furcata (nasal cavity): Havana, Cuba
- Neochauiacia minuscula Gaud et Atyeo, 1967  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
 Apus apus: Moldavian SSR
- Neocolpocephalum Ewing, 1933  
 Zlotorycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: N. (N.) turbinatum (Denny, 1842)
- Neocolpocephalum turbinatum (Denny, 1842), illus.  
 Lunkashu, M. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 214-226  
 description  
 [domestic pigeon]: Moldavian SSR; and Chernovtzy oblast, Ukrainian SSR
- Neohaematopinus Mjoeberg, 1910  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 key
- Neohaematopinus antennatus semifasciatus Ferris, 1916  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 as syn. of Neohaematopinus semifasciatus Ferris, sensu lato
- Neohaematopinus callosciuri Johnson, illus.  
 Kim, K. C., 1971, J. Med. Entom., v. 8 (1), 49-55  
 description of nymphs  
 Callosciurus erythraeus centralis: Taiwan C. e. thailandensis: Thailand; Malaysia [no host]: Thailand; Malaysia
- Neohaematopinus keniae Ferris, 1923  
 Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
 Heliosciurus gambianus: Dahomey
- Neohaematopinus petauristae Ferris, illus.  
 Kim, K. C., 1971, J. Med. Entom., v. 8 (1), 49-55  
 description of nymphs  
 Syn.: Petauristophthirus petauristae: Eichler 1949  
 Petaurista grandis: Taiwan
- Neohaematopinus sciuri Jancke  
 Amin, O. M., 1973, J. Med. Entom., v. 10 (1), 110-111  
 Sciurus carolinensis: Kenosha City, Wisconsin
- Neohaematopinus sciuri Jancke  
 Amin, O. M., 1976, Great Lakes Entom., v. 9 (4), 195-198  
 Sciurus carolinensis: Kenosha County, Wisconsin
- Neohaematopinus sciuri  
 Whitaker, J. O., jr.; Spicka, E. J.; and Schmeltz, L. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 431-436  
 Sciurus carolinensis: Indiana

- Neohaematopinus "sciurinus group"*, Wenzel and Johnson, 1966  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 as syn. of *Neohaematopinus semifasciatus* Ferris, sensu lato
- Neohaematopinus sciurinus*, Ferris, 1923 (partim)  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 as syn. of *Neohaematopinus semifasciatus* Ferris, sensu lato
- Neohaematopinus sciurinus*  
 Whitaker, J. O., jr.; Spicka, E. J.; and Schmeltz, L. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 431-436  
*Sciurus niger*: Indiana
- Neohaematopinus semifasciatus* Ferris, sensu lato, illus.  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 synonymy  
*Sciurus gilvivularis*  
*S. granatensis*  
 all from Venezuela
- Neohaematopinus semifasciatus*, Johnson, 1959  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 as syn. of *Neohaematopinus semifasciatus* Ferris, sensu lato
- Neoichoronyssus carnifex* Keegan, 1946 (not Koch, 1839)  
 Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of *Hirstionyssus utahensis* Allred & Beck, 1966
- Neoichoronyssus obsoletus* Jameson & Brennan, 1957 (not Jameson, 1950)  
 Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of *Hirstionyssus utahensis* Allred & Beck, 1966
- Neolaelaps spinosus* (Berlese, 1910)  
 Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Pteropus tonganus*: New Hebrides
- Neolinguatula nuttalli* (Samson, 1922), illus.  
 Sachs, R.; Rack, G.; and Woodford, M. H., 1973, Bull. Epizoot. Dis. Africa, v. 21 (4), 401-409  
*Connochaetes taurinus*: Tanzania  
*Gazella granti*: Tanzania  
*Taurotragus oryx*: Tanzania  
*Kobus defassa*: Tanzania  
*Syncerus caffer*: Tanzania; Uganda  
*Kobus kob*: Uganda  
*Tragelaphus scriptus*: Uganda  
*Redunca redunca*: Uganda
- Neomusca porteri* (Dodge)  
 Kinsella, J. M.; and Winegarner, C. E., 1974, J. Med. Entom., v. 11 (5), 633  
 life history  
*Myiarchus crinitus* (subcutaneous cysts between bases of growing remigial feathers of wings and on head; chin, throat, back, nares, around tail and mouth): Archbold Biological Station, Highlands Co., Florida
- Neomyobia* sp.  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Neomyobia birmana* sp. n.  
 Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621  
*Rhinolophus affinis*: Birmanie
- Neomyobia birmana* Fain, 1973, illus.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 3-32  
 description  
*Rhinolophus affinis macrurus*: Taho, Karin Hills, Birmanie
- Neomyobia orientalis* Fain, 1973, illus.  
 Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 3-32  
 description  
*Rhinolophus affinis macrurus*: Taho, Karin Hills, Birmanie
- Neonyssus (Paraneonyssus) hirsti* Castro & Pereira, 1947  
 Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
*Passer domesticus* (nasal cavity): Havana, Cuba
- Neonyssus hirsti* Castro & Pereira  
 McGroarty, D. L.; and Dobson, R. C., 1974, Am. Midland Naturalist, v. 91 (2), 479-486  
 ectoparasites, seasonal fluctuations  
*Passer domesticus*: northwestern Indiana
- Neonyssus (Paraneonyssus) icteridius* Strandtmann & Furman, 1956  
 Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
*Icterus dominicensis melanopsis* (nasal cavity): Cuba (Vinales, Valle de San Vicente, Prov. of Pinar del Rio; Sabaniya, Baracoa, Prov. of Oriente)  
*Mimocichla plumbea schistacea* (nasal cavity): Sabaniya, Baracoa, Cuba
- Neonyssus (Spizonyssus) morofskyi* (Hyland, 1962)  
 Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
*Mniotilla varia* (nasal cavity): Havana, Cuba
- Neonyssus (Paraneonyssus) pirangae* Cerny, 1969  
 Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
*Piranga rubra rubra* (nasal cavity): Havana, Cuba

**Neopsylla abagaitui Ioff**  
 Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
 fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva

**Neopsylla abagaitui Ioff**, 1946  
 Skuratowicz, W., 1976, Polskie Pismo Entom., v. 46 (1), 25-27  
*Citellus undulatus*: Cecerleg, Mongolia

**Neopsylla bidentatiformis Wagn.**  
 Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
 fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva

**Neopsylla clavelia Li et Wei sp. nov., illus.**  
 Li, K. C.; Hsieh, P. C.; and Wei, S. F., 1977, Acta Entom. Sinica, v. 20 (4), 455-460  
*Apodemus agrarius*: Szechuan, China  
 +*Apodemus*: Szechuan, China

**Neopsylla longisetosa Li et Hsieh sp. nov., illus.**  
 Li, K. C.; Hsieh, P. C.; and Wei, S. F., 1977, Acta Entom. Sinica, v. 20 (4), 455-460  
 +*Microtus irene* (nest): Yunnan, China  
 +*Eothenomys custodis* (nest): Yunnan, China  
 +*Ochotona thibetana* (nest): Yunnan, China

**Neopsylla mana Wagn.**  
 Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
 fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva

**Neopsylla marleanae Lewis**, 1971  
 Smit, F. G. A. M., 1974, Senckenbergiana Biol., v. 55 (4-6), 357-398  
*Rattus rattoides*  
*R. ratus*  
*R. fulvescens*  
*R. eha*  
 all from Nepal

**Neopsylla pleskei**  
 Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
 fleas, seasonal and geographic distribution  
*Microtus socialis*  
*M. nivalis*  
 +*Arvicola terrestris* (nest)  
 all from Armenia

**Neopsylla pleskei orientalis Ioff et Arg.**  
 Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
 fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva

**Neopsylla secura secura Rothschild**, 1915, illus.  
 Smit, F. G. A. M., 1974, Senckenbergiana Biol., v. 55 (4-6), 357-398  
*Apodemus sylvaticus*  
*Pitymys sikkimensis*  
 all from Nepal

**Neopsylla secura secura Rothschild**  
 Smit, F. G. A. M., 1975, Senckenbergiana Biol., v. 56 (4-6), 247-256  
 Nepal

**Neopsylla secura separata n. ssp., illus.**  
 Smit, F. G. A. M., 1974, Senckenbergiana Biol., v. 55 (4-6), 357-398  
*Apodemus gurkha*: Dhorpatan, Lethe, Chad-ziu Kholia, and Thaksang, Nepal  
*Rattus rattoides*: Nabrikot, Nepal  
*Apodemus sylvaticus*: Old Marpha, Nepal  
*Soriculus nigrescens*: Gorapani, Nepal  
*Mus musculus*: Thaksang, Nepal  
*Pitymys sikkimensis*: Dhorpatan, Nepal

**Neopsylla setosa Wagn.**  
 Poliakov, V. K.; et al., 1976, Zool. Zhurnal, v. 55 (10), 1538-1551  
 rodent fleas, zoological, parasitological, epidemiological and ecological characteristics of steppe, desert-steppe and desert regions of Transural plague focus  
*Citellus pygmaeus*  
*Rhombomys opimus*  
*Meriones tamariscinus*  
*M. meridianus*  
 all from northeastern part of Caspian low-land

**Neornipsyllus subgen. n.**  
 Smit, F. G. A. M., 1976, Entom. Ber., Amsterdam, v. 36 (5), 65-67  
 subgen. of *Dasypsyllus*  
 tod: *Dasypyllus* (N.) *cteniopus*

**Neoschoengastia Ewing** 1929  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere

**Neaschongastia americana (Hirst)**  
 Cunningham, J. R.; Kunz, S. E.; and Price, M. A., 1976, J. Econom. Entom., v. 69 (2), 161-164  
 Neaschongastia americana, variations in degradable lesions on turkeys correlated with rainfall and soil temperature, equation for prediction of mite damage

**Neoschoengastia americana (Hirst)**  
 Cunningham, J. R.; Kunz, S. E.; and Price, M. A., 1977, Ann. Entom. Soc. Am., v. 70 (1), 17-18  
 Neoschoengastia americana, development and longevity under laboratory and field conditions, rainfall increased time required to complete a generation

**Neoschoengastia fullbergae Brennan**  
 Easton, E. R., 1975, J. Med. Entom., v. 12 (3), 295-298  
*Odocoileus hemionus columbianus*: west of Corvallis, Benton County, Oregon

**Neospeleochir n. subg.**  
 Fain, A., 1971, Acarologia, v. 12 (3), 509-521  
 subgen. of *Speleochir* Fain, 1966  
 key, tod: *Speleochir* (*Neospeleochir*) *duboisii* (Fain, 1955)

- Neospeleognathopsis Fain, 1958**  
 Fain, A., 1971, *Acarologia*, v. 12 (3), 509-521  
 redefinition, key  
 Syn.: *Speleognathopsis (Neospeleognathopsis)*  
 Fain, 1958
- Neospeleognathopsis Fain, 1958**  
 Fain, A., 1971, *Acarologia*, v. 12 (3), 509-521  
 subgen. of *Neospeleognathopsis* Fain, 1958  
 key
- Neospeleognathopsis (Speleomyotis) bastini**  
 (Fain, 1958)  
 Fain, A., 1971, *Acarologia*, v. 12 (3), 509-521  
 key
- Neospeleognathopsis (Speleomyotis) bastini** di-  
 delphis (Fain et Aitken, 1969)  
 Fain, A., 1971, *Acarologia*, v. 12 (3), 509-521  
*Didelphis marsupialis*: Bresil
- Neospeleognathopsis (N.) chiropteri** (Fain, 1955)  
 Fain, A., 1971, *Acarologia*, v. 12 (3), 509-521  
 key
- Neotrichodectes minutus** (Paine), illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 key, syn.: *Trichodectes minutus* Paine, 1912
- Neotrichodectes pallidus** (Piaget, 1880), illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 synonymy, key  
*Nasua nasua*: Venezuela
- Neotrichodectes semistriatus**, new species, illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 key  
*Conepatus semistriatus*: Hato Mata de Bejuco, Monagas, Venezuela
- Neotrombicula Hirst 1925**  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Neotrombicula sp. nr. loomisi**  
 Easton, E. R., 1975, J. Med. Entom., v. 12 (3), 295-298  
*Gerrhonotus coeruleus*: Oregon
- Neotrombicula [sp.]**  
 Loomis, R. B.; and Goff, M. L., 1973, J. Med. Entom., v. 10 (2), 113-117  
*Peromyscus boylii*: NE of Santa Lucia, Sinaloa, Mexico
- Neotrombicula alizadei** Muljarskaja, 1970  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Neotrombicula autumnalis** Schaw, 1790  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Neotrombicula brennani** (Gould)  
 Easton, E. R., 1975, J. Med. Entom., v. 12 (3), 295-298  
*Sorex trowbridgii*  
*Peromyscus maniculatus*  
 all from Oregon
- Neotrombicula brevis** sp. n., illus.  
 Shluger, E. G.; and Amanguliev, A., 1975, Entom. Obozr., v. 54 (2), 463-470  
*Eremias velox*  
*Gymnodactylus caspius*  
 all from Kara-Kala region (Iol-Dere ravine), Turkmenia
- Neotrombicula carterae**  
 Whitaker, J. O., Jr.; Jones, G. S.; and Pascal, D. D., Jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Peromyscus maniculatus*: Fires Creek area, Nantahala Mountains, North Carolina
- Neotrombicula caviola**  
 Buckner, R. L.; and Gleason, L. N., 1974, Tr. Kentucky Acad. Sc., v. 35 (3-4), 70-75  
 seasonal occurrences  
*Microtus ochrogaster*  
*Peromyscus leucopus*  
 all from Warren County, Kentucky
- Neotrombicula cavicola** (Ewing)  
 Easton, E. R., 1975, J. Med. Entom., v. 12 (3), 295-298  
 Trombiculidae, comparison of incidence, hosts and seasonal activity in two diverse habitats  
*Eutamias townsendi*  
*Clethrionomys occidentalis*  
*Neotoma cinerea*  
*Microtus oregoni*  
*M. montanus*  
*Neotoma fuscipes*  
*Sorex vagrans*  
 all from Oregon
- Neotrombicula cavicola**  
 Whitaker, J. O., Jr.; Jones, G. S.; and Pascal, D. D., Jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Sorex cinereus*  
*S. fumeus*  
*S. palustris*  
*Blarina brevicauda*  
 all from Fires Creek area, Nantahala Mountains, North Carolina
- Neotrombicula dinehartae**  
 Easton, E. R., 1975, J. Med. Entom., v. 12 (3), 295-298  
*Gerrhonotus multicarinatus*: Oregon
- Neotrombicula faghihi** Kudriashova sp. n.  
 Kudriashova, N. I.; Neronov, V. M.; and Farang-Azad, A., 1973, Zool. Zhurnal, v. 52 (1), 130-136  
*Tatera indica*  
*Cricetulus migratorius*  
 all from Iran

*Neotrombicula harperi*  
 Cooper, C. L.; and Crites. J. L., 1975, J. Med. Entom., v. 12 (4), 483  
*Turdus migratorius*  
*Sturnus vulgaris*  
*Passer domesticus*  
 all from South Bass Island, Ottawa County,  
 Ohio

*Neotrombicula harperi* (Ewing)  
 Easton, E. R., 1975, J. Med. Entom., v. 12 (3), 295-298  
 Trombiculidae, comparison of incidence,  
 hosts and seasonal activity in two diverse  
 habitats  
*Eutamias townsendi*  
*Neotoma cinerea*  
*Clethrionomys occidentalis*  
*Microtus oregoni*  
*M. montanus*  
*Sorex vagrans*  
 all from Oregon

*Neotrombicula heptneri* Kudriashova sp. n., illus.  
 Kudriashova, N. I.; Neronov, V. M.; and Far-  
 ang-Azad, A., 1973, Zool. Zhurnal, v. 52 (1),  
 130-136  
*Meriones persicus*  
*M. libycus*  
*Tatera indica*  
 all from Iran

*Neotrombicula ichikawai*  
 Kamimura, K.; et al., 1972, Eisei Dobutsu  
 (Japan. J. San. Zool.), v. 23 (2), 83-87  
 seasonal occurrence; outbreak of acute fe-  
 brile exanthematic disease among school  
 children, possibly Tsutsugamushi disease  
 transmitted by *Leptotrombidium pallidum*  
*Apodemus speciosus*: Yamada, Toyama Prefec-  
 ture, northern Honshu

*Neotrombicula japonica* Tanaka et al.  
 Gopachenko, I. M.; Volkov, V. I.; and Chernykh,  
 P. A., 1976, Zool. Zhurnal, v. 55 (8), 1157-  
 1162  
*Clethrionomys rutilus*  
*C. rufocanus*  
 all from Priamurie

*Neotrombicula japonica*  
 Kamimura, K.; et al., 1972, Eisei Dobutsu  
 (Japan. J. San. Zool.), v. 23 (2), 83-87  
 seasonal occurrence; outbreak of acute fe-  
 brile exanthematic disease among school  
 children, possibly Tsutsugamushi disease  
 transmitted by *Leptotrombidium pallidum*  
*Apodemus speciosus*  
*Microtus montebelli*  
 all from Yamada, Toyama Prefecture, northern  
 Honshu

*Neotrombicula japonica*  
 Nakata, K., 1975, Eisei Dobutsu (Japan. J. San.  
 Zool.), v. 27 (2), 189-194  
 trombiculid mites, seasonal fluctuations of  
 larvae, difference of modes for attachment  
 to rodents, incidence and number of species  
 vary with vegetation types  
*Clethrionomys rutilus mikado*  
*C. rufocanus bedfordiae*  
*Apodemus giliacus*  
*A. argenteus*  
 all from Tonden, Sapporo, Japan

*Neotrombicula llogorensis* Daniel, 1960  
 Kudriashova, N. I.; Neronov, V. M.; and Far-  
 ang-Azad, A., 1973, Zool. Zhurnal, v. 52 (1),  
 130-136  
 [no host]: Iran

*Neotrombicula megensi* n. sp., illus.  
 Goff, M. L., 1975, J. Med. Entom., v. 12 (1),  
 52-54  
*Rattus rattus*: Eastern Island, Midway Is-  
 lands

*Neotrombicula microti* Ewing  
 Gopachenko, I. M.; Volkov, V. I.; and Chernykh,  
 P. A., 1976, Zool. Zhurnal, v. 55 (8), 1157-  
 1162  
*Sciurus vulgaris*  
*Eutamias sibiricus*  
*Apodemus speciosus*  
*Clethrionomys rutilus*  
*C. rufocanus*  
*Microtus fortis*  
 all from Priamurie

*Neotrombicula mofidii* Kudriashova sp. n., illus.  
 Kudriashova, N. I.; Neronov, V. M.; and Far-  
 ang-Azad, A., 1973, Zool. Zhurnal, v. 52 (1),  
 130-136  
*Meriones persicus*: Iran

*Neotrombicula nagayoi* Sasa et al.  
 Gopachenko, I. M.; Volkov, V. I.; and Chernykh,  
 P. A., 1976, Zool. Zhurnal, v. 55 (8), 1157-  
 1162  
*Sciurus vulgaris*  
*Eutamias sibiricus*  
*Apodemus speciosus*  
*Clethrionomys rutilus*  
*C. rufocanus*  
 all from Priamurie

*Neotrombicula pomeranzevi* Schluger  
 Gopachenko, I. M.; Volkov, V. I.; and Chernykh,  
 P. A., 1976, Zool. Zhurnal, v. 55 (8), 1157-  
 1162  
*Eutamias sibiricus*  
*Clethrionomys rutilus*  
*C. rufocanus*  
 all from Priamurie

*Neotrombicula rostrata* Muljarskaya  
 Kudriashova, N. I.; Neronov, V. M.; and Far-  
 ang-Azad, A., 1973, Zool. Zhurnal, v. 52 (1),  
 130-136  
 [no host]: Iran

*Neotrombicula sylvilagi*  
 Whitaker, J. O., jr.; Spicka, E. J.; and  
 Schmeltz, L. L., 1976, Proc. Indiana Acad.  
 Sc., v. 85, 1975, 431-436  
*Sciurus niger*: Indiana

*Neotrombicula talmiensis* Schluger, 1955  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976,  
 Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst.  
 Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan

- Neotrombicula talmiensis Schluger**  
 Gopachenko, I. M.; Volkov, V. I.; and Chernykh, P. A., 1976, Zool. Zhurnal, v. 55 (8), 1157-1162  
     *Eutamias sibiricus*  
     *Apodemus agrarius*  
     *A. speciosus*  
     *Clethrionomys rutilus*  
     *C. rufocanus*  
     *Microtus fortis*  
     all from Priamurie
- Neotrombicula talmiensis Schluger, 1955**  
 Kudriashova, N. I.; Neronov, V. M.; and Farang-Azad, A., 1973, Zool. Zhurnal, v. 52 (1), 130-136  
     [no host]: Iran
- Neotrombicula tamiyai**  
 Nakata, K., 1975, Eisei Dobutsu (Japan. J. San. Zool.), v. 27 (2), 189-194  
     trombiculid mites, seasonal fluctuations of larvae, difference of modes for attachment to rodents, incidence and number of species vary with vegetation types  
     *Clethrionomys rutilus mikado*  
     *C. rufocanus bedfordiae*  
     *Apodemus giliacus*  
     *Rattus norvegicus*  
     all from Tonden, Sapporo, Japan
- Neotrombicula valenti Kudriashova sp. n., illus.**  
 Kudriashova, N. I.; Neronov, V. M.; and Farang-Azad, A., 1973, Zool. Zhurnal, v. 52 (1), 130-136  
     *Meriones libycus*  
     *M. persicus*  
     *Mus musculus*  
     *Gerbillus nanus*  
     *Cricetulus migratorius*  
     all from Iran
- Neotrombicula vulgaris Schluger, 1955**  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
     *Rhinolophus mehelyi*: Azerbaidzhan
- Neotrombicula whartoni**  
 Whitaker, J. O., Jr.; Spicka, E. J.; and Schmeltz, L. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 431-436  
     *Sciurus niger*  
     *S. carolinensis*  
     all from Indiana
- Neotrombiculoides (Hyponeocula) Vercammen-Grandjean, 1960**  
 Tanigoshi, L. K.; and Loomis, R. B., 1974, Melanderia, v. 17, 1-27  
     as syn. of Hyponeocula Vercammen-Grandjean, 1960, new status
- Neotrombiculoides (Hyponeocula) arenicola Vercammen-Grandjean, 1960**  
 Tanigoshi, L. K.; and Loomis, R. B., 1974, Melanderia, v. 17, 1-27  
     as syn. of Hyponeocula arenicola (Loomis) n. comb.
- Neottialges Fain, 1966**  
 Fain, A.; and Amerson, A. B., Jr., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 320-324  
     includes subgenera: *Neottialges* Fain, 1966; *Caloenectes* Fain, 1966; *Pelecanectes* Fain, 1966
- Neottialges Fain, 1966**  
 Fain, A.; and Amerson, A. B., Jr., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 320-324  
     subgen. of *Neottialges*, description
- Neottialges (Caloenectes) fregatae n. sp., illus.**  
 Fain, A.; and Amerson, A. B., Jr., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 320-324  
     *Fregata minor* (gular pouch tissue): Lisianski Island, leeward Hawaiian Islands
- Neottialges (Pelecanectes) hawaiiensis n. sp., illus.**  
 Fain, A.; and Amerson, A. B., Jr., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 320-324  
     *Fregata minor* (gular pouch tissue): Lisianski Island, leeward Hawaiian Islands
- Neottialges (Caloenectes) kutzeri Fain, 1967, illus.**  
 Pence, D. B., 1973, J. Med. Entom., v. 10 (3), 240-243  
     *Mycteria americana* (under the skin): Broward County, Florida
- Neotunga euloidea Smit, illus.**  
 Audy, J. R.; Radovsky, F. J.; and Vercammen-Grandjean, P. H., 1972, J. Med. Entom., v. 9 (6), 487-494
- Neotyranninnyssus fluvicolae Fain & Aitken, 1967**  
 Hyland, K. E.; and Moorhouse, A., 1970, Acrorologia, v. 12 (1), 43-58  
     *Pyrocephalus rubinus* (nasal passages): Tlacotalpan, Veracruz, Mexico
- Nerocila [n. spp.]**  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
     *Mugilidae* (nageoires)  
     *Gadus capelanus*  
     all from golfe du Lion, Mediterranee occidentale
- Nerocila sp. Monod, 1927**  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
     as syn. of *Nerocila armata* Dana, 1853
- Nerocila [sp.], perhaps *N. breviceps***  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
     sole (nageoire caudale): Golfe de Californie
- Nerocila [sp.], perhaps *N. lata***  
 Trilles, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
     [no host]: Tehuantepec

- Nerocila aculeata* Edwards, 1840, illus.  
 Trilles, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 303-345  
 nec *Nerocila aculeata*: Dana, 1853  
 [no host]: Mers des Indes
- Nerocila aculeata*: Dana, 1853  
 Trilles, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 303-345  
 not a syn. of *Nerocila aculeata* Edwards, 1840
- ? *Nerocila aculeata* Dana, 1853 (nec *Nerocila aculeata* Edwards)  
 Trilles, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 303-345  
 as syn. of *Nerocila latiuscula* Dana, 1853
- Nerocila adriatica* Schioedte et Meinert, 1881  
 Trilles, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 347-377  
 as syn. of *Nerocila maculata* Edwards, 1840
- Nerocila affinis* Edwards, 1840  
 Trilles, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 347-377  
 as syn. of *Nerocila maculata* Edwards, 1840
- Nerocila armata* Dana, 1853, illus.  
 Trilles, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 303-345  
 synonymy  
 poisson (nageoires): Guyane française  
*Hemicaranx marginatus*: Dikullu, embouchure  
 de la rivière Bimbia (Cameroun anglais)  
*Mugil auratus* (queue): Souelaba (Cameroun)
- Nerocila armata* (nec *Nerocila armata* Dana, 1853):  
 Barnard, 1924-1926  
 Trilles, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 303-345  
 as syn. of *Nerocila cephalotes* Schioedte et  
 Meinert, 1881
- Nerocila armata* (nec *Nerocila armata* Dana, 1853):  
 Trilles, 1973  
 Trilles, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 303-345  
 as syn. of *Nerocila fluviatilis* Schioedte et  
 Meinert, 1881
- Nerocila armatus* (nec *Nerocila armata* Dana, 1853):  
 Stebbing, 1921  
 Trilles, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 303-345  
 as syn. of *Nerocila cephalotes* Schioedte et  
 Meinert, 1881
- Nerocila armatus*: Stebbing, 1921  
 Trilles, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 303-345  
 not a syn. of *Nerocila armata* Dana, 1853

- Nerocila bivittata* (Risso, 1816), illus.  
 Trilles, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 303-345  
 [no host]: Monaco; Agay (Var); Syrie, golfe  
 d'Alexandrette; Grand Lac Amer--Canal de  
 Suez  
*Scorpaena porcus*: Castiglione (Algérie)  
*Crenilabrus tinca* (caudale): Castiglione  
 (Algérie)  
*Crenilabrus pavo* (base de la queue): Castig-  
 lione pres Alger  
*Pagellus erythrinus*: golfe d'Alexandrie  
*Scorpaena scrofa*: Castiglione
- Nerocila bivittata* (Risso, 1816), illus.  
 Trilles, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 347-377  
 synonymy, geographical distribution, sys-  
 tematic and ecologic remarks, size, review
- Nerocila bivittata*: Gourret, 1907 [et auct.]  
 Trilles, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 347-377  
 as syn. of *Nerocila orbignyi* (Guerin-  
 Meneville, 1829-1832)
- ? *Nerocila brasiliensis* Dana, 1853  
 Trilles, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 303-345  
 as syn. of *Nerocila latiuscula* Dana, 1853
- Nerocila californica* Schioedte & Meinert, 1881  
 Brusca, R. C., 1977, Bull. South. Calif. Acad.  
 Sc., v. 76 (2), 128-131  
 Cymothoidae, range extensions, some host  
 records questionable, host criteria: eastern  
 Pacific Ocean  
 [no host]: La Lagunilla, Peru  
*Cetengraulis mysticetus*: upper Gulf of  
 California  
*Syacium ovale*: upper Gulf of California  
*Micrometrus minimus*: San Diego, California  
*Oligoplites mundus*: upper Gulf of California  
*Mugil cephalus*: Gulf of California  
*Sphoeroides annulatus*: upper Gulf of Cali-  
 fornia  
*Paralabrax clathratus*: San Diego, California  
*Umbrina roncador*: San Diego, California  
*Embiotoca jacksoni*: San Diego, California  
*Atherinopsis californiensis*: King Harbor,  
 Los Angeles, California  
*Stereolepis gigas*: Cape San Lucas, Baja  
 California Sur, Mexico  
*Istiophorus platypterus*: Mazatlan, Sinaloa,  
 Mexico  
*Cynoscion macdonaldi*: upper Gulf of Cali-  
 fornia  
*Mycteroperca xenarcha*: Magdalena Bay, Baja  
 California Sur, Mexico  
*Atherinops affinis*: Long Beach, California
- Nerocila californica*, illus.  
 Valentine, D. W.; and Phelps, R., 1977,  
 Calif. Fish and Game, v. 63 (2), 129-132  
*Nerocila californica*, localization on fish,  
 fit to theoretical Poisson distribution  
*Amphistichus argenteus* (caudal fin): Bel-  
 mont Shore, California

- Nerocila cephalotes* Schioedte et Meinert, 1881, illus.  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 synonymy  
 [no host]: baie du Levrier, Port-Etienne; cap Blanc, Mauritanie (Afrique occidentale)  
*Pagellus erythrinus*  
*Arius hendeloti*: Port-Etienne, Mauritanie
- Nerocila depressa* Edwards, 1840, illus.  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 synonymy  
*Scomber*: Tonkin, pointe du Scorpion
- Nerocila dolichostylis* Koelbel, 1878  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 as syn. of *Nerocila depressa* Edwards, 1840
- Nerocila excisa* (Richardson, 1901), illus.  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 Syn.: *Aegathoa excisa* Richardson, 1901  
 [no host]: Malabar
- Nerocila fluviatilis* Schioedte et Meinert, 1881, illus.  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 synonymy  
 [no host]: Mar del Plata
- Nerocila laticauda* Schioedte et Meinert, 1881, illus.  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 [no host]: Nouvelle-Hollande
- Nerocila latiuscula* Dana, 1853, illus.  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 synonymy  
 [no host]: Bresil; Guyane francaise, golfe de Cayenne; Ouanary  
 poisson (nageoires ventrales): Guyane francaise, embouchure de l'Approuague
- Nerocila maculata* Edwards, 1840  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 mulet gris: Royan  
 [no host]: Cotes de Naples; Bohn, golfe de Gascogne; Bone
- Nerocila maculata* Edwards, 1840, illus.  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 synonymy, geographical distribution, systematic and ecologic remarks, size, review

- Nerocila munda* Harger, 1873, illus.  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345
- Nerocila neapolitana* Schioedte et Meinert, 1881  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 as syn. of *Nerocila maculata* Edwards, 1840
- Nerocila novae zelandiae* Schioedte et Meinert, 1881, illus.  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 [no host]: Nouvelle-Zelande
- Nerocila orbignyi* (nec *Nerocila orbignyi* (Guerin-Meneville, 1829-1832)): Ringuelet, 1947; Szidat, 1953; Szidat, 1955  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 as syn. of *Nerocila fluviatilis* Schioedte et Meinert, 1881
- Nerocila orbignyi* (nec *Nerocila orbignyi* (Guerin-Meneville, 1829-1832)): Monod, 1931 [et auct.]  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 as syn. of *Nerocila cephalotes* Schioedte et Meinert, 1881
- Nerocila orbignyi* (Guerin-Meneville, 1829-1832), illus.  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 synonymy, geographical distribution, systematic and ecologic remarks, size, review
- Nerocila orbignyi*: Monod, 1931 [et auct.]  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 not a syn. of *Nerocila orbignyi* (Guerin-Meneville, 1829-1832)
- Nerocila orbignyi maculata*: Schuurmans Stekhoven, 1936  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 not a syn. of *Nerocila orbignyi* (Guerin-Meneville, 1829-1832)
- Nerocila orbignyi orbignyi*: Ringuelet, 1947  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 347-377  
 not a syn. of *Nerocila orbignyi* (Guerin-Meneville, 1829-1832)
- Nerocila pigmentata* Bal et Joshi, 1959  
*Trilles*, J. P., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 as syn. of *Nerocila depressa* Edwards, 1840

- Nerocila rhabdota* (nec *Nerocila rhabdota* Koelbel, 1879): Barnard, 1911-1914; Monod, 1924  
*Trilles, J. P.*, 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 as syn. of *Nerocila cephalotes* Schioedte et Meinert, 1881
- Nerocila sundaica* Bleeker, 1857, illus.  
*Trilles, J. P.*, 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 Syn.: *Emphyllia ctenophora* Koelbel, 1878  
 [no host]: cap de Bonne Esperance
- Nerocila tenuipes* Dana, 1853, illus.  
*Trilles, J. P.*, 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 [no host]: Bresil
- Nerocila trichiura* (Miers, 1877), illus.  
*Trilles, J. P.*, 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (290), Zool. (200), 303-345  
 Syn.: *Anilocra trichiura* Miers, 1877
- Nicotrohoe tumulosa* n. sp., illus.  
 Cressey, R. F., 1976, Proc. Biol. Soc. Wash., v. 89 (7), 119-126  
*Neoglypheha inopinata* (gills): off Malayatuan Is., Philippines
- Nirmus fuligulae* Denny, 1852  
 Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
 as syn. of *Anatoecus icterodes* (Nitzsch, 1818)
- Nitzschiella* sp. n.  
 Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Chalcophaps indica*: New Hebrides
- Nitzschiella Keler*, 1939  
 Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69  
 Goniodidae  
 key, phylogenetic position
- Nitzschiella carrikeri* Tendeiro, illus.  
 Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69
- Nitzschiella hilli* (Bedford), illus.  
 Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69
- Nitzschiella piriformis* Tendeiro, illus.  
 Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69
- Nitzschielloides* Tendeiro, 1969  
 Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69  
 Goniodidae  
 key, phylogenetic position
- Nitzschielloides campanulatus* Tendeiro, illus.  
 Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69
- Noctiliostrebla aitkeni*  
 Whitaker, J. O., jr.; and Mumford, R. E., 1977, Entom. News, v. 88 (9-10), 255-258  
*Noctilio leporinus*: Minas Gerais, Brazil
- Nosopon*  
 Price, R. D., 1976, J. Kansas Entom. Soc., v. 49 (1), 23-26  
 Menoponidae, key to species
- Nosopon australiensis* n. sp., illus.  
 Price, R. D., 1976, J. Kansas Entom. Soc., v. 49 (1), 23-26  
 key  
*Uroaetus audax*: Australia
- Nosopon casteli*  
 Price, R. D., 1976, J. Kansas Entom. Soc., v. 49 (1), 23-26  
 key
- Nosopon chanabensis*  
 Price, R. D., 1976, J. Kansas Entom. Soc., v. 49 (1), 23-26  
 key
- Nosopon clayae*  
 Price, R. D., 1976, J. Kansas Entom. Soc., v. 49 (1), 23-26  
 key
- Nosopon lucidum*  
 Price, R. D., 1976, J. Kansas Entom. Soc., v. 49 (1), 23-26  
 key
- Nosopsyllus* Jordan, 1933  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 diagnosis, key, key to Australian species
- Nosopsyllus* Jordan  
 Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
 brief description, key
- Nosopsyllus* sp.  
 Shepherd, R. C. H.; and Edmonds, J. W., 1976, Austral. Entom. Mag., v. 3 (4), 63-66  
*Oryctolagus cuniculus*: Victoria
- Nosopsyllus consimilis* (Wagner, 1898)  
 Farhang-Azad, A., 1973, J. Med. Entom., v. 10 (3), 273-276  
*Microtus socialis*: Moghan and 32 km E Meshkinshahar, Iran
- Nosopsyllus* (*Nosopsyllus*) *farahae* n. sp., illus.  
 Farhang-Azad, A., 1973, J. Med. Entom., v. 10 (3), 273-276  
*Microtus socialis*  
*Crocidura russula*  
 all from 20 km S, 9 km W of Rezayeh, Iran

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Nosopsyllus fasciatus (Bosc 1800)**
- Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Apodemus flavicollis*  
*A. sylvaticus*  
*Clethrionomys glareolus*  
*Microtus arvalis*  
*M. agrestis*  
*Mustela erminea*  
*M. nivalis*  
 all from Schleswig-Holstein
- Nosopsyllus fasciatus**
- Aubert, M. F. A.; and Beaucournu, J. C., 1976, Ann. Parasitol., v. 51 (1), 143-156  
 Ne. survey of Siphonaptera of some carnivores with brief notes on biology and chorology  
*Vulpes vulpes*  
 303artes foina  
 asl from Nord-Est de la France
- Nerocila'us (Nosopsyllus) fasciatus (Bosc d'Ant-Trilles, 1801)**
- Hist. Nana, J. C., 1976, Ann. Soc. Entom. 303-345 i. s., v. 12 (2), 199-213  
 Syn.: Nyctilidae of French mammals, geographic [no host] distribution, ecology, sex ratio, epizootical role, review: France
- Nerocila flillus.**
- Trilles, D.; and Kiefer, M., 1975, Biologia, Hist. Nava, s. B, Zool. (3), v. 30 (8), 599-614  
 303-345 *Rattus cricetus* (nest): Vychodoslovenskej syno[n]me [no]
- Nosopsyllus fasciatus (Bosc.) 1801**
- Cyprich, D.; Kiefer, M.; and Kmíniak, M., 1976, Biologia, Bratislava, s. B, Zool. (3), v. 31 (8), 573-581  
*Arvicola terrestris*: Slovakia
- Nosopsyllus fasciatus (Bosc, 1801), illus.**
- Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis, syn.: *Pulex fasciatus*. Bosc, 1801  
*+mynah* (nest): Victoria  
*Epimys rattus*: New South Wales; Tasmania  
*Rattus rattus*: Tasmania; Victoria  
*R. assimilis*: Victoria  
*R. lutreolus*: Tasmania  
*Epimys decumanus*: South Australia; Tasmania; New South Wales  
*E. norvegicus*: Victoria  
*Rattus norvegicus*: South Australia; Victoria  
*rat*: New South Wales; Victoria; Tasmania  
*Hydromys chrysogaster*: South Australia  
*Oryctolagus cuniculus*: Victoria
- Nosopsyllus fasciatus (Bosc.)**
- Haitlinger, R., 1975, Polskie Pismo Entom., v. 45 (2), 373-396  
 seasonal variance  
*Clethrionomys glareolus*  
*Apodemus agrarius*  
*A. sylvaticus*  
 all from Gory Sowie
- Nosopsyllus fasciatus (Bosc)**
- Hallas, T. E.; and Bang, P., 1976, Flora og Fauna, Kobenhavn, v. 82 (1), 11-18  
*Clethrionomys glareolus*  
*Microtus agrestis*  
*Apodemus agrarius*  
*Apodemus flavicollis*  
*Apodemus sylvaticus*  
 all from eastern Denmark
- Nosopsyllus fasciatus (Bosc, 1800)**
- Hinaiydi, H. K., 1976, Zentralbl. Vet.-Med., Reihe B, v. 23 (1), 66-73  
*Vulpes vulpes*: Österreich
- Nosopsyllus fasciatus (Bosc.)**
- Iqbal, Q. J., 1975, Biologia, Lahore, v. 21 (2), 181-184  
 Nosopsyllus fasciatus, mating temporarily inhibited by chilling below 20° C, results suggest that either cooling destroyed attractiveness of the mating pheromone on female cuticle or an intermediate process (neuroendocrine) in production of a transient pheromone is switched off
- Nosopsyllus fasciatus, illus.**
- Iqbal, Q. J.; and Humphries, D. A., 1974, Pakistan J. Zool., v. 6 (1-2), 163-174  
 Nosopsyllus fasciatus, sequence of actions during mating, initiation by contact-chemical stimulus, negative phototactic behaviour
- Nosopsyllus fasciatus (Bosc.)**
- Iqbal, Q. J.; and Humphries, D. A., 1976, Pakistan J. Zool., v. 8 (1), 39-41  
 Nosopsyllus fasciatus, multiple mating study, female receptivity restored 72 hours after first mating while males could be stimulated to remate after a blood-meal or temperature rise
- Nosopsyllus fasciatus**
- Isenbuegel, E., 1976, Prakt. Tierarzt, v. 57; Sondernummer, 21-27  
 Igel
- Nosopsyllus fasciatus**
- Owen, D., 1976, Lab. Animals, v. 10 (3), 271-278  
*Rattus norvegicus*  
*Mus musculus*  
 all from Carshalton
- Nosopsyllus fasciatus**
- Prosi, H., 1976, Ztschr. Parasitenk., v. 50 (2), 214  
*Maus*  
*Ratte*
- N[osopsyllus] fasciatus**
- Roberts, C. J., 1975, Entom. Gaz., v. 26 (2), 139-145  
*Apodemus sylvaticus*  
*Mus musculus*  
*Oryctolagus cuniculus*  
*Rattus norvegicus*  
 all from Isle of Man

*Nosopsyllus fasciatus* Bosc, 1801, illus.  
Sanchez Acedo, C., and Ramon Vericad, J., 1973, Rev. Iber. Parasitol., v. 33 (1), 29-38  
*Glis glis:* Alto Aragon

*Nosopsyllus fasciatus* (Bosc), illus.  
Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
description  
*Rattus norvegicus:* Houston and Talladega counties, Alabama

*Nosopsyllus fasciatus* (Bosc)  
Shepherd, R. C. H.; and Edmonds, J. W., 1976, Austral. Entom. Mag., v. 3 (4), 63-66  
*Oryctolagus cuniculus:* Victoria

*Nosopsyllus fasciatus* Bosc  
Szabo, I., 1972, Parasitol. Hungar., v. 5, 329-347  
*Apodemus flavicollis*  
*A. sylvaticus*  
*Clethrionomys glareolus*  
*Crocidura suaveolens*  
*Pitymys subterraneus*  
all from Sopron and environments, west Hungary

*Nosopsyllus fasciatus*  
Vaughan, J. A., 1977, Entom. Month. Mag. (1340-1343), v. 112, 1976, 45-48  
straggler fleas on rabbits, *Oryctolagus cuniculus*, from Surrey and on myxomatous rabbits throughout Britain

*Nosopsyllus fidus* (Jordan & Rothschild, 1915)  
Farhang-Azad, A., 1973, J. Med. Entom., v. 10 (3), 273-276  
*Gerbillus nanus:* Zabol, Iran

*Nosopsyllus incisus* (Jordan & Rothschild, 1913)  
Smit, F. G. A. M., 1975, Rev. Zool. Africaine, v. 89 (1), 191-210  
*Praomys* sp.: Cherangani Hills, Kenya

*Nosopsyllus (N.) londiniensis* (Rothschild 1903)  
Beaucournu, J. C., 1976, Ann. Soc. Entom. France, n. s., v. 12 (2), 199-213  
Ceratophyllidae of French mammals, geographic distribution, ecology, sex ratio, epidemiological role, review: France

*Nosopsyllus londiniensis* (Rothschild, 1903), illus.  
Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
synonymy, key, diagnosis  
*Tarsipes spenceriae:* Western Australia  
*Sminthopsis crassicaudatus:* Victoria  
*Epimys rattus:* Tasmania  
*Rattus rattus:* Australian Capital Territory; Tasmania  
*Pseudomys novaehollandiae:* Victoria  
*Mus musculus:* Australian Capital Territory; New South Wales; Tasmania; Victoria  
mouse: Victoria; New South Wales  
*Felis domestica:* Queensland

*Nosopsyllus londiniensis* (Rothschild)  
Shepherd, R. C. H.; and Edmonds, J. W., 1976, Austral. Entom. Mag., v. 3 (4), 63-66  
*Oryctolagus cuniculus:* Victoria

*Nosopsyllus simla* (Jordan & Rothschild, 1921)  
Smit, F. G. A. M., 1974, Senckenbergiana Biol., v. 55 (4-6), 357-398  
*Mus musculus:* Nepal

*Nothoaspis reddelli* Keirans and Clifford, illus.  
Keirans, J. E.; Clifford, C. M.; and Reddell, J. R., 1977, Ann. Entom. Soc. Am., v. 70 (4), 591-595  
description of immature stages from bat caves: Campeche, Yucatan, and Tabasco, Mexico

*Nothobomolochus chilensis* G. Avdeev, 1974  
Avdeev, G. V., 1977, Biol. Moria, Vladivostok (6), 12-30  
Exocoetidae g. sp. (gills): Pacific Ocean coastal waters of Japan; Gulf of Carpentaria (North Australia)

*Nothobomolochus cypseluri cypseluri* (Yamaguti, 1953), illus.  
Avdeev, G. V., 1977, Biol. Moria, Vladivostok (6), 12-30  
*Cypselurus* sp. (gills): Pacific Ocean coastal waters of Japan

*Nothobomolochus cypseluri indica* subsp. n., illus.  
Avdeev, G. V., 1977, Biol. Moria, Vladivostok (6), 12-30  
*Cypselurus bachyensis* (gills): northern part of Indian Ocean

*Nothobomolochus elegans* sp. n., illus.  
Avdeev, G. V., 1977, Biol. Moria, Vladivostok (6), 12-30  
*Scomberesox saurus* (gills): southeast part of Pacific Ocean

*Nothobomolochus gibber* (Shiino, 1957), illus.  
Avdeev, G. V., 1977, Biol. Moria, Vladivostok (6), 12-30  
description  
*Euleptorhamphus viridis* (gills): Timor Sea

*Nothobomolochus kanagurta* (Pillai, 1965)  
Avdeev, G. V., 1977, Biol. Moria, Vladivostok (6), 12-30  
Syn.: *Bomolochus kanagurta* Pillai, 1965  
*Scomber japonicus* (gills): Gulf of Mannar (Indian Ocean)

*Nothobomolochus ovalis* sp. n., illus.  
Avdeev, G. V., 1977, Biol. Moria, Vladivostok (6), 12-30  
*Signaia stellatus* (gills): Gulf of Mannar (Indian Ocean)

*Nothobomolochus oxyporhamphi* sp. n., illus.  
Avdeev, G. V., 1977, Biol. Moria, Vladivostok (6), 12-30  
*Oxyporhamphus microptera* (gills): north from Galapagos Islands

*Notiopsylla* Jordan and Rothschild  
Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
synonymy, key

- Notiopsylla enciari** Smit, 1957, illus.  
Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
synonymy, diagnosis
- Notiopsylla kerguelensis** (Taschenberg, 1880),  
illus.  
Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
synonymy, diagnosis  
*Pachyptila desolata*  
*Puffinus griseus*  
*Larus dominicanus*  
all from Tasmania
- Notodelphyidae** Allman, 1847  
Jones, J. B., 1974, *N. Zealand J. Marine and Freshwater Research*, v. 8 (2), 255-273  
key to New Zealand genera, females  
includes: *Scolecimorpha*; *Doropygus*; *Pygodelphys*
- Notoedres sp.**  
Lavoipierre, M. M. J., 1968, *J. Med. Entom.*, v. 5 (3), Aug. 1, 313-319  
*Crocidura fuliginosa*: Maxwell Hill Forest Reserve, Perak, Malaya
- Notoedres sp. n.**  
Marshall, A. G., 1976, *Ecol. Entom.*, v. 1 (3), 189-199  
arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Tadarida jobensis*: New Hebrides
- Notoedres sp.**  
Owen, D., 1976, *Lab. Animals*, v. 10 (3), 271-278  
*Rattus norvegicus*: Carshalton
- Notoedres alepis**  
Soennichsen, N.; and Barthelmes, H., 1976, *Ang. Parasitol.*, v. 17 (2), 65-70  
scabies, human, epidemiology, skin tests, cross reactions between *Notoedres alepis* and *Sarcoptes scabiei*, diagnostic value of tests
- Notoedres alexfaini n. sp.**, illus.  
Lavoipierre, M. M. J., 1968, *J. Med. Entom.*, v. 5 (3), 313-319  
causing severe mange  
*Cheiromeles torquatus*: Singapore
- Notoedres cati**  
Isenbuegel, E., 1976, *Prakt. Tierarzt*, v. 57, Sondernummer, 21-27  
Alugan  
Igel
- Notoedres cati**  
Janeczek, W.; Koprowski, J.; and Patyk, S., 1975, *Med. Wet.*, v. 31 (12), 736-737  
*Notoedres cati*, cats, treatment with chlorfenvinphos compounds (IPO-62, IPO-63)
- Notoedres cati**  
Loeffler, K., 1974, *Prakt. Tierarzt*, v. 55, Sondernummer, 68-72  
parasites, possible transmission from small domestic animals to man, brief review
- Notoedres cati** (Hering, 1838)  
Young, E.; Zumpt, F.; and Whyte, I. J., 1972, *J. South African Vet. Ass.*, v. 43 (2), 205  
*Notoedres cati* in *Acinonyx jubatus*, dermatitis crustosa (head, neck, ears, and other parts of body), treatment with malathion
- Notoedres (Bakeracarus) coreanus** sp. n., illus.  
Ah, H. S., 1975, *J. Parasitol.*, v. 61 (4), 722-724  
*Pipistrellus savii* (mucosa of the ventral turbinate in the nasal cavity): small abandoned mining cave on a mountain 3 miles NE Mojindong, Sungdongku, Seoul, Korea
- Notoedres cuniculi**  
Patyk, S.; and Kliszewski, W., 1976, *Med. Wet.*, v. 32 (8), 471-473  
ectoparasites, domestic animals, control with enolophosphates IPO-62 and IPO-63
- Notoedres lasionycteris**  
Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, *J. Elisha Mitchell Scient. Soc.*, v. 91 (1), 13-17  
*Lasionycteris noctivagans*: Fires Creek area, Nantahala Mountains, North Carolina
- Notoedres longisetosus** n. sp., illus.  
Lavoipierre, M. M. J., 1968, *J. Med. Entom.*, v. 5 (3), 313-319  
causing severe mange  
*Cheiromeles torquatus*: Singapore
- Notoedres muris**, illus.  
Dorrestein, G. M.; and van Bronswijk, J. E. M. H., 1977, *Tijdschr. Diergeneesk.*, v. 102 (12), 748-753  
*Trixacarus caviae*, guinea-pigs, clinical and histological features, morphological differentiation from *Sarcoptes scabiei* and *Notoedres muris*, transmission to humans
- Notoedres myotis**  
Whitaker, J. O., jr.; and Easterla, D. A., 1975, *Southwest. Nat.*, v. 20 (2), 241-254  
*Myotis yumanensis* (lip): Big Bend National Park, Texas
- Notoedres pseudomuris** n. sp., illus.  
Lavoipierre, M. M. J., 1968, *J. Med. Entom.*, v. 5 (3), Aug. 1, 313-319  
*Mus formosanus*: Taichung Prefecture, Taiwan
- Notoedres rajamanickami** n. sp., illus.  
Lavoipierre, M. M. J., 1968, *J. Med. Entom.*, v. 5 (3), Aug. 1, 313-319  
*Cheiromeles torquatus*: Bukit Lagong Forest Reserve, Selangor, Malaya
- Numidilipeurus Tendeiro**, 1955  
Złotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, *Parasitol. Schriftenr.*, v. 22, 1-160  
lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *N. lawrensis tropicalis* (Peters, 1931)

## ARTHROPODA

- Numidimenopon* n. subgen.  
Scharf, W. C.; and Price, R. D., 1977, Ann. Entom. Soc. Am., v. 70 (5), 815-822  
subgen. of *Amyrsidea*  
key, key to species, tod of subgen.: *Amyrsidea* (*Numidimenopon*) desousai (Keler)
- Nuttalliella namaqua* Bedford, 1931, illus.  
Keirans, J. E.; et al., 1976, Ann. Entom. Soc. Am., v. 69 (5), 926-932  
redescription of female, scanning electron microscopy  
+*Hirundo abyssinica* unitatis (nest):  
Shinyanga District, Tanzania
- Nuttalliellidae*  
Keirans, J. E.; et al., 1976, Ann. Entom. Soc. Am., v. 69 (5), 926-932  
discussion of relationships within Ixodoidea
- Nycteribia allotopa* Speiser, 1901  
Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Miniopterus schreibersi*: Bukit Fraser, Selangor
- Nycteribia bakeri* Scott, 1932  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Hipposideros galeritus*  
*Miniopterus tristis*  
*M. medius*  
*M. australis*  
all from New Hebrides
- Nycteribia becki*, n. sp., illus.  
Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Myotis siligorensis*: Bukit Cheras Kuantan, Pahang
- Nycteribia kolenatii* Theodor et Moscona, 1954  
Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Nycteribia kolenatii* Theodor & Moscona, illus.  
Nowosad, A., 1975, Polskie Pismo Entom., v. 45 (2), 239-249  
*Nycteribia kolenatii*, morphological variation
- Nycteribia* (N.) *latreillii* (Leach, 1817)  
Hurka, K., 1976, Acta Entom. Bohemoslov., v. 73 (5), 343-347  
*Myotis blythi oxygnathus*: Osh region, Kirgizia
- Nycteribia* (Acrocholidia) *lindbergi* Aellen, 1959  
Hurka, K., 1976, Acta Entom. Bohemoslov., v. 73 (5), 343-347  
*Myotis blythi oxygnathus*: Osh region, Kirgizia
- Nycteribia parvula*  
Garnham, P. C. C., 1973, Tr. Roy Soc. Trop. Med. and Hyg., v. 67 (1), 2-3 [Demonstration]  
*Miniopterus australis*: Gomanton Cave, Sabah
- Nycteribia parvula* Speiser, 1901  
Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Miniopterus medius*: Bukit Cheras, Pahang  
*M. schreibersi*: Mt. Perlis
- Nycteribia parvuloides* Theodor, 1963  
Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Miniopterus medius*  
*M. schreibersi*  
all from Bukit Cheras, Pahang
- Nycteribia pedicularia*, illus.  
Sanchez-Aedo, C.; Otero, J.; and Albala-Perez, F., 1974, Rev. Iber. Parasitol., v. 34 (3-4), 245-252  
*Rhinolophus ferrum equinum*: Spain
- Nycteribia schmidli* Schiner, 1853  
Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Nycteribia schmidli*  
Sanchez-Aedo, C.; Otero, J.; and Albala-Perez, F., 1974, Rev. Iber. Parasitol., v. 34 (3-4), 245-252  
*Rhinolophus ferrum equinum*: Spain
- Nycteribia schmidlii* scottii Falcoz 1923  
Adam, J. P.; and Landau, I., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (1), 5-6 [Demonstration]  
*Miniopterus*  
*Rhinolophus*  
all from caves in Congo-Brazzaville
- Nycteribia triangularis* Theodor, 1967  
Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
unidentified bat: Selangor
- Nycteribia vexata* (Westwood, 1835)  
Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Nyctribosca modesta* Jobling, 1934  
Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
as syn. of *Brachytarsina modesta* (Jobling, 1934)
- Nyctribosca nigriceps* Jobling, 1934  
Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
as syn. of *Brachytarsina nigriceps* (Jobling, 1934)
- Nyctribosca parvior* Maa, 1962  
Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
as syn. of *Brachytarsina parvior* Maa, 1962

*Nycteridopsylla chapini* Jordan, 1929, illus.  
*Traub, R.*, 1968, *J. Med. Entom.*, v. 5 (3), 375-  
 404  
 discussion of convergent evolution and morpho-  
 logical modifications in helmet-bearing fleas

*Nycterinastes* Brennan and Reed 1973  
*Brennan, J. M.*; and *Goff, M. L.*, 1977, *J. Par-*  
*asitol.*, v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in  
 the Western Hemisphere

*Nycteridopsylla eusarca* Dampf, 1908, illus.  
*Traub, R.*, 1968, *J. Med. Entom.*, v. 5 (3), 375-  
 404  
 discussion of convergent evolution and morpho-  
 logical modifications in helmet-bearing fleas

*Nycteronysus*, n. gen.  
*Saunders, R. C.*; and *Yunker, C. E.*, 1973, *J.*  
*Med. Entom.*, v. 10 (4), 381-384  
*Macronyssidae*, tod: *N. desmodus*, n. sp.

*Nycteriglyphus* sp. A  
*Reisen, W. K.*; *Kennedy, M. L.*; and *Reisen,*  
*N. T.*, 1976, *J. Parasitol.*, v. 62 (4), 628-635  
 winter ecology of ectoparasites collected  
 from hibernating *Myotis velifer* (incidence,  
 intensity, monthly changes, parasite and host  
 sex ratio, interspecific associations, para-  
 site age structure, etc.)  
*Myotis velifer*: Harmon County, southwestern  
 Oklahoma

*Nycteronysus desmodus*, n. sp., illus. (tod)  
*Saunders, R. C.*; and *Yunker, C. E.*, 1973, *J.*  
*Med. Entom.*, v. 10 (4), 381-384  
*Desmodus youngi*: T. F. Amazonas, above  
 Moracoy, W side Rio Manapiare, Venezuela

*Nycteriglyphus* n. sp.  
*Whitaker, J. O.*, jr.; and *Easterla, D. A.*,  
 1975, *Southwest. Nat.*, v. 20 (2), 241-254  
*Leptonycteris nivalis*  
*Myotis yumanensis*  
*M. velifer*  
*Plecotus townsendii*  
 all from Big Bend National Park, Texas

*Nycterophilia* n. sp.  
*Whitaker, J. O.*, jr.; and *Easterla, D. A.*,  
 1975, *Southwest. Nat.*, v. 20 (2), 241-254  
*Mormoops megalophylla*: Big Bend National  
 Park, Texas

*Ochotonobius* Ioff, 1950  
*Smit, F. G. A. M.*, 1975, *Senckenbergiana Biol.*,  
 v. 56 (4-6), 247-256  
 key

*Odontacarus* Ewing 1929  
*Brennan, J. M.*; and *Goff, M. L.*, 1977, *J. Parasitol.*, v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in  
 the Western Hemisphere

*Odontacarus apricus* Kudryashova sp. n., illus.  
*Kudriashova, N. I.*; *Neronov, V. M.*; and  
*Farhang-Azad, A.*, 1976, *Biul. Moskov. Obshch. Ispyt. Prir., Otdel. Biol.*, n. s., v. 81 (3), 55-65  
*Meriones persicus*: 5 km. north and 20 km.  
 east of Kerman, Iran

*Odontacarus brevicalcar*: *Brennan & Jones*, 1959  
*Loomis, R. B.*; and *Goff, M. L.*, 1973, *J. Med. Entom.*, v. 10 (2), 113-117  
 as syn. of *Xenodontacarus brevicalcar* (*Brennan & Jones*, 1954)

*Odontacarus dignus* Kudryashova sp. n., illus.  
*Kudriashova, N. I.*; *Neronov, V. M.*; and  
*Farhang-Azad, A.*, 1976, *Biul. Moskov. Obshch. Ispyt. Prir., Otdel. Biol.*, n. s., v. 81 (3), 55-65  
*Meriones persicus*: Iran (16 km. north of  
 Delidzhan, valley of the river Abe-Enarbar;  
 30 km. south of Isfakhan)

*Odontacarus efferus* Kudryashova sp. n., illus.  
*Kudriashova, N. I.*; *Neronov, V. M.*; and  
*Farhang-Azad, A.*, 1976, *Biul. Moskov. Obshch. Ispyt. Prir., Otdel. Biol.*, n. s., v. 81 (3), 55-65  
*Nesokia indica*: valley of the river Karun,  
 3 km. from Shushter, Iran  
*Tatera indica*: 48 km. from Fes, beside  
 Dzhekrum, Iran

*Odontacarus kromani*, n. sp., illus.  
*Goff, M. L.*; and *Loomis, R. B.*, 1973, *J. Med. Entom.*, v. 10 (4), 333-336  
*Neotoma lepida*: 21 km E Jacumba (in San  
 Diego Co.), Imperial Co., California  
*Peromyscus crinitus*: 11 km N Canyon El Cajon,  
 Sierra San Pedro Martir, Baja California  
 Norte

*Odontacarus plumosus*: *Brennan & Jones*, 1959  
*Loomis, R. B.*; and *Goff, M. L.*, 1973, *J. Med. Entom.*, v. 10 (2), 113-117  
 as syn. of *Xenodontacarus plumosus* (*Greenberg*, 1951) n. comb.

*Odontacarus villosus*, n. sp., illus.  
*Goff, M. L.*; and *Loomis, R. B.*, 1973, *J. Med. Entom.*, v. 10 (4), 333-336  
*Peromyscus boylii*  
*P. maniculatus*  
 all from Plumas Co., California

*Odontomolgus mundulus* n. sp., illus.  
*Humes, A. G.*, 1974, *Tr. Am. Micr. Soc.*, v. 93 (2), 153-162  
*Alveopora mortenseni*: east of Isle To N'du,  
 near Noumea, New Caledonia  
*A. catalai*: Isle aux Serpents, west of Pte.  
 Denouel, near Noumea, New Caledonia

*Odontopsyllus Baker*  
*Sanford, L. G.*; and *Hays, K. L.*, 1974, *Bull. (458) Alabama Agric. Exper. Station*, 3-42  
 brief description, key

*Odontopsyllus dentatus* (Baker)  
*Haas, G. E.*; et al., 1973, *J. Med. Entom.*, v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Sylvilagus nuttallii*: west of Rio Grande in and near Jemez Mts., New Mexico

*Odontopsyllus multispinosus*  
*Harman, D. M.*; and *Chapman, J. A.*, 1977, *Proc. Pennsylvania Acad. Sc.*, v. 51 (1), 40-42

*Cediopsylla simplex*, *Odontopsyllus multispinosus*, *Ixodes dentatus*, and *Haemaphysalis leporispalustris* on *Sylvilagus transitionalis*, seasonal distribution, sex and age of host: Tucker County, West Virginia

*Odontopsyllus multispinosus*  
*Jacobson, H. A.*; and *Kirkpatrick, R. L.*, 1974, *J. Wildlife Dis.*, v. 10 (4), 384-391  
 comparison of selected physiological measurements in untreated parasitized cottontail rabbits and those treated with 1-tetramisole hydrochloride and 2,2-dichlorovinyl dimethyl phosphate: Montgomery County, Virginia

*Odontopsyllus multispinosus* (Baker), illus.  
*Sanford, L. G.*; and *Hays, K. L.*, 1974, *Bull. (458) Alabama Agric. Exper. Station*, 3-42  
 description  
*Procyon lotor*  
*Mustela vison*  
*Vulpes fulva*  
*Urocyon cinereoargenteus*  
*Lynx rufus*  
*Sylvilagus aquaticus*  
*S. floridanus*  
*Odocoileus virginianus*  
 all from Alabama

*Odontopsylla multispinosus*  
*Spieker, J. O.*; and *Yuill, T. M.*, 1976, *J. Wildlife Dis.*, v. 12 (3), 310-314  
*Sylvilagus floridanus*: Nevin Fish Hatchery grounds, Fitchburg, Wisconsin

*Oeciacus hirundinis*  
*Borisova, V. I.*, 1975, *Biol. Nauk., Min. Vyssh. i. Sredn. Spetsial. Obrazovan. SSSR* (141), year 18, (9), 14-18  
 nest ectoparasite specificity  
 + [Delichon urbica] (nest)

*Oeciacus hirundinis* (Jenyns)  
*Nash, D. R.*, 1976, *Entom. Rec. and J. Variation*, v. 88 (10), 265  
 + house martin (nest): Croxton, near Thetford, Norfolk

*Oedemagena tarandi*  
*Ivey, M. C.*; *Palmer, J. S.*; and *Washburn, R. H.*, 1976, *J. Econom. Entom.*, v. 69 (2), 260-262  
*Oedemagena tarandi*, intramuscular injections of farnphur in reindeer, duration and deposition of drug residues

- Oedemagena tarandi**  
Low, W. A., 1976, Canad. Field-Naturalist, v. 90 (2), 189-191  
Rangifer tarandus caribou (subcutaneous in dorsal area): Tweedsmuir Provincial Park, British Columbia
- Oestromyia leporina**, illus.  
Rietschel, G., 1975, Ztschr. Parasitenk., v. 47 (4), 283-297  
Oestromyia leporina, hatching, mode of infection of *Microtus arvalis*, larval development, migration within host, duration of larval stages, perforation of skin; partial immunization against new infection
- Oestromyia leporina** Pall., illus.  
Rietschel, G., 1975, Ztschr. Parasitenk., v. 47 (4), 299-306  
Oestromyia leporina, laboratory maintenance, technique, copulation, egg maintenance, infection of host, shortening or omission of diapause by effect of light
- Apodemus flavicollis  
*A. sylvaticus*  
Mus musculus  
Rattus norvegicus  
Oryctolagus cuniculus  
Crocidura russula  
(exper. in all)
- Oestrus aureoargentatus** Rodhain & Bequaert  
Pester, F. R. N.; and Laurence, B. R., 1974, J. Zool., London, v. 174 (3), 397-406  
Alcelaphus buselaphus cokei  
Connochaetes taurinus  
all from Kenya
- Oestrus macdonaldi** Gedoelst  
Pester, F. R. N.; and Laurence, B. R., 1974, J. Zool., London, v. 174 (3), 397-406  
Alcelaphus buselaphus cokei: Kenya
- Oestrus ovis**  
Bouchet, A.; Dupre, J. J.; and Andriananjafy, G., 1974, Rev. Elevage et Med. Vet. Pays Trop., n. s., v. 27 (3), 275-279  
Oestrus ovis, sheep, nitroxynil, only one treatment required
- Oestrus ovis**  
Bouchet, A.; Dupre, J. J.; and Rakotozanany, E., 1974, Rev. Elevage et Med. Vet. Pays Trop., n. s., v. 27 (3), 281-284  
Oestrus ovis, sheep, rafoxanide, only one treatment required
- Oestrus ovis** L.  
Chhabra, M. B.; and Ruprah, N. S., 1976, Indian Vet. J., v. 53 (3), 180-184  
Oestrus ovis larvae, sheep, goats, survey, highest incidence in sheep, pupal period and longevity of adult *O. ovis* dependent upon temperature and humidity: abattoir at Hissar, Haryana
- Oestrus ovis**, illus.  
Freney, L. C.; and Fox, H. C., 1974, Med. J. Australia, v. 1 (9), 310-311  
human bilateral external ophthalmomyiasis caused by Oestrus ovis, first reported case in Queensland, Australia
- Oestrus ovis**, illus.  
Garcia-Valdecasas Soler, R., 1972, Medicamenta, Madrid (505), an. 30, v. 60, 363-367  
2 case reports of human ocular myiasis caused by Oestrus ovis with review of clinical aspects: Seville
- Oestrus ovis**  
Gonzalez, M. A., 1977, Gac. Vet., Buenos Aires (322), v. 39, 389-393  
Oestrus ovis, sheep, symptoms of myiasis, localization of lesions, total numbers and size distribution of larvae collected, seasonal distribution, host age: packing houses, prov. Corrientes, dept. Mercedes, Argentina
- Oestrus ovis** Lin., illus.  
Hadani, A.; Rauchbach, K.; and Ihsar, M., 1975, Refuah Vet., v. 32 (4), 96, 157-158 man (eye): lower Galilee, above Lake of Kinereth
- Estrus ovis**, illus.  
Hennessy, D. J.; Sherrill, J. M.; and Binder, P. S., 1977, Am. J. Ophth., Chicago, v. 84 (6), 802-805  
Estrus ovis causing conjunctival myiasis in young girl who had recently camped near area inhabited by sheep and cattle, clinical case report; light and scanning electron microscopy of larva isolated from eye: beach on Catalina Island, California
- Oestrus ovis**  
Holm, G.; Alderin, A.; and Gyllerup, C., 1976, Svensk Vet.-Tidn., v. 28 (13-14), 614-615  
Oestrus ovis, brief description of 50 cases in sheep
- Oestrus ovis**  
Horak, I. G.; Honer, M. R.; and Schroeder, J., 1976, J. South African Vet. Ass., v. 47 (4), 247-251  
helminths and Oestrus ovis, merino sheep, treated at four-weekly intervals or strategically, live mass gains, wool production and fecal worm egg counts, compared with untreated controls: Eastern Transvaal High-veld
- Oestrus ovis** (Linnaeus)  
Iwuala, M. O. E.; and Onyeka, J. O. A., 1977, Environment. Entom., v. 6 (1), 43-49  
survey of domestic fly population, distribution patterns, diurnal and seasonal variations: Nsukka, East Central State, Nigeria
- Oestrus ovis**, illus.  
Kulkarni, M. G.; et al., 1974, J. Mysore Med. Ass., v. 39, 31-32  
external infestation of human eye, case reports, medical management: India
- Oestrus ovis**  
Misra, S. C.; Mohapatra, G. S.; and Sahoo, B., 1976, Food Farm. and Agric., v. 7 (10), 39-41  
prevalence of infestation  
sheep  
goats  
all from Orissa

- Oestrus ovis*  
Oberg, C.; Diaz, L.; and Valenzuela, G., 1974,  
Bol. Chileno Parasitol., v. 29 (3-4), 99-102  
*Ovis aries*: Chile
- Oestrus ovis, illus.*  
Shcherban, N. F., 1976, [Ovine oestrosis],  
136 pp., illus.  
*Oestrus ovis*, sheep, life cycle, pathology,  
diagnosis, economic importance, treatment  
and control; veterinary handbook
- Oestrus ovis L.*  
Singh, A.; and Chhabra, R. C., 1974, Indian J.  
Animal Sc., v. 43 (5), 1973, 393-397  
seasonal distribution  
*Ovis aries*: Hissar and suburbs, India
- Oestrus ovis*  
Steele, J. H.; et al., 1976, Internat. J. Zoono-  
oses, v. 3 (2), 65-76  
*Echinococcus granulosus*, *Oestrus ovis*, zoono-  
oses, public health, past and present:  
Cyprus
- Oestrus ovis, illus.*  
Szazados, I.; and Takacs, J., 1976, Magy.  
Allat. Lapja, v. 98, v. 31 (10), 671-673  
parasites of sheep, importance in meat in-  
spection
- Oestrus ovis L., illus.*  
Yepes, M. S.; and Gallardo Z., M. F., 1972,  
Rev. Med. Vet. y Parasitol., Maracay, v. 24  
(1-8), 1971-1972, 103-108  
ovinos  
caprinos  
(senos nasales y frontales of all): all from  
Estado Lara, Venezuela
- Oestrus variolosus Loew.*  
Pester, F. R. N.; and Laurence, B. R., 1974,  
J. Zool., London, v. 174 (3), 397-406  
*Alcelaphus buselaphus cokei*: Kenya
- Oestrus variolosus*, larvae  
Young, E.; et al., 1973, Research J. National  
Parks Republic South Africa (16), 77-81  
*Damaliscus dorcus phillipsi* (nasal cavities,  
frontal sinuses): Mountain Zebra National  
Park
- Olabidocarpus sp.*  
Reisen, W. K.; Kennedy, M. L.; and Reisen,  
N. T., 1976, J. Parasitol., v. 62 (4), 628-635  
winter ecology of ectoparasites collected  
from hibernating *Myotis velifer* (incidence,  
intensity, monthly changes, parasite and host  
sex ratio, interspecific associations, para-  
site age structure, etc.)  
*Myotis velifer*: Harmon County, southwestern  
Oklahoma
- Olabidocarpus guyanensis* sp. n.  
Fain, A., 1973, Rev. Zool. et Botan. Afri-  
cains, v. 87 (2), 330-332  
*Peropteryx kappleri*: Guyane Francaise
- Olabidocarpus kelantanensis* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpi-  
ensia (64), 37-67  
*Tadarida johorensis*: Pulai, Kelantan,  
Malaya
- Olabidocarpus nycteris* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpi-  
ensia (64), 37-67  
*Nycterus hispida*: Karawa, Zaire
- Olabidocarpus nyctinomus* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpi-  
ensia (64), 37-67  
*Nyctinomus laticaudatus*: Sapucay, Paraguay
- Olabidocarpus orientalis* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpi-  
ensia (64), 37-67  
*Myotis (Leuconoe) aduersus moluccarum*:  
Aore Is., Nouvelles-Hebrides
- Olabidocarpus taphozous* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpi-  
ensia (64), 37-67  
*Taphozous (Saccolaimus) peli*: Omaniumdu
- Olabidocarpus triaenops* sp. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpi-  
ensia (64), 37-67  
*Triaenops afer*: Ambone Cave, Tanzanie
- Olencira praegustator* Latrobe  
Lindsay, J. A.; and Moran, R. L., 1976, Tr.  
Am. Fish. Soc., v. 105 (2), 327-332  
*Lironeca ovalis*, *Olencira praegustator*, in-  
cidence, attachment, various fish species  
*Brevoortia tyrannus* (buccal cavity)  
*Leiostomus xanthurus* (gill cavity)  
all from Delaware River Estuary
- Olfersia aenescens* C. G. Thomson 1869  
Maa, T. C., 1968, J. Med. Entom., v. 5 (3),  
Aug., 325-328  
*Diomedea nigripes*: French Frigate Shoals  
*D. immutabilis*: " " "  
*Puffinus pacificus*: Central Pacific  
*P. nativitatis*: Phoenix Island  
*Pterodroma alba*: " "  
*Phaethon rubricauda*: French Frigate Shoals;  
Green Island; Birnie Island; Phoenix Is-  
land  
*Sula sula*: French Frigate Shoals; Kilauea  
Point, Kauai Island; Phoenix Island; Pal-  
myra Island  
*Sula leucogaster*: Aradojairik Island; Erikub  
Island
- Sula dactylatra*: Howland Island; Central  
Pacific Ocean  
*Fregata minor*: Sand Island  
*Pluvialis dominica*: Central Pacific  
*Sterna fuscata*: French Frigate Shoals; Lay-  
san Island; Sand Island; Spam Island; Pal-  
myra Island; Hawaii Islands, Moku Manu  
Island
- Anous stolidus*: Aradojairik Island; Taka  
Island; Hull Island; Phoenix Island; Spam  
Island; Takelau Island, Nukonono; Hawaii  
Islands, Moku Manu Island
- A. tenuirostris*: Loj Island; Maiana  
Island; Birnie Island; Hull Island
- Stercorarius pomarinus*: Central Pacific  
human: Palmyra Island
- +*Sula* (nests): Hawaii Islands, Moku Manu  
Island

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

*Oifersia spinifera* (Leach 1817)  
*Maa*, T. C., 1968, J. Med. Entom., v. 5 (3),  
 Aug., 325-328  
*Puffinus pacificus*: Sand Island  
*Phaethon rubricauda*: Sand Island  
*Sula sula*: Phoenix Island  
*Fregata ariel*: McKean Island  
*F. minor*: Eastern Island; French Frigate  
 Shoals; Green Island; Laysan Island; Lisianski Island; Nihoa Island; Pearl and Hermes Reef; Sand Island; Howland Island; McKean Island; Phoenix Island;  
*Sterna fuscata*: Sand Island; Phoenix Island  
*Anous stolidus* (nests): Sand Island  
*human*: McKean Island  
 no host record: Wake Island

*Oniscus eremita* Brunnich, 1783  
*Trilles*, J.-P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (318), Zool. (225),  
 977-993  
 as syn. of *Cymothoa eremita* (Brunnich, 1783)  
*Schioedte et Meinert*, 1884

*Oniscus oestrum* Linnaeus, 1758  
*Trilles*, J.-P.; and *Vala*, J.-C., 1975, Bull.  
 Mus. National Hist. Nat., Paris, 3. s. (318),  
 Zool. (225), 967-976  
 as syn. of *Cymothoa oestrum* (L., 1758) *Fabricius*, 1793

*Oniscus physodes* Linne, 1758  
*Trilles*, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 347-377  
 as syh. of *Amiloecha physodes* (L., 1758)

*Ophionyssus matricis*  
*Gatmisch*, K., 1976, Prakt. Tierarzt, v. 57,  
 Sondernummer, 37-40  
 parasites of reptiles, diagnosis, treatment,  
 brief review

*Ophthalmophagus striatus* (Crossley) 1952  
*Pence*, D. B.; and *Casto*, S. D., 1976, J. Parasitol., v. 62 (3), 466-469  
*Columbiagallina passerina*: near Millett, La Salle County, Texas

*Ophthalmopsylla ammondi*  
*Avetisiam*, G. A.; and *Ezekelian*, V. Kh.,  
 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
*Allactaga williamsi*: Armenia

*Ophthalmopsylla* (O.) *kukuschkini* Loeff  
*Letov*, G. S.; and *Letova*, G. I., 1973, Zool.  
 Zhurnal, v. 52 (4), 525-531  
 fleas, geographic distribution in relation  
 to epizootiology of plague  
*Citellus undulatus*: Tuva

*Ophthalmopsylla* (*Ophthalmopsylla*) *praefecta*  
*ephora* Labunetz  
*Letov*, G. S.; and *Letova*, G. I., 1973, Zool.  
 Zhurnal, v. 52 (4), 525-531  
 fleas, geographic distribution in relation  
 to epizootiology of plague  
*Citellus undulatus*: Tuva

*Ophthalmopsylla* (O.) *praefecta pernix* Lord  
*Letov*, G. S.; and *Letova*, G. I., 1973, Zool.  
 Zhurnal, v. 52 (4), 525-531  
 fleas, geographic distribution in relation  
 to epizootiology of plague  
*Citellus undulatus*: Tuva

*Ophthalmopsylla volgensis* Wagn. et Joff  
*Poliaikov*, V. K.; et al., 1976, Zool. Zhurnal,  
 v. 55 (10), 1538-1551  
 rodent fleas, zoological, parasitological,  
 epidemiological and ecological characteristics  
 of steppe, desert-steppe and desert  
 regions of Transural plague focus  
*Meriones tamariensis*  
*M. meridianus*  
 all from northeastern part of Caspian low-  
 land

*Opisocrostis* sp.  
*Croft*, R. E.; and *Kingston*, N., 1975, J. Wild  
 Life Dis., v. 11 (2), 2229-233  
*Falco mexicanus*: Wyoming

*Opisocrostis bruneri* (Baker)  
*Armin*, O. M., 1973, J. Med. Entom., v. 10 (11),  
 1110-1111  
*Microtus pennsylvanicus*: Parkside, Wisconsin

*Opisocrostis hirsutus* (Baker)  
*Bennett*, W. C.; et al., 1975, J. Med. Entom.,  
 v. 12 (3), 354-358  
*Opisocrostis hirsutus*, control in prairie  
 dog burrows with dichlorvos vapor from  
 pellets, considerable promise for practical  
 application in controlling flea plague  
 vectors

*Opisocrostis hirsutus* (Baker)  
*Haas*, G. E.; et al., 1973, J. Med. Entom.,  
 v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geo-  
 graphic distribution, host and nest prefer-  
 ence, sex ratio, degree of plague infection  
*Cynomys gunnisoni*: west of Rio Grande in  
 and near Jemez Mts., New Mexico

*Opisocrostis hirsutus*  
*Tyler*, J. D.; and *Buscher*, H. N., 1975, Proc.  
 Oklahoma Acad. Sc., v. 55, 166-168  
*Cynomys ludovicianus*: Oklahoma

*Opisocrostis tuberculatus* (Baker)  
*Haas*, G. E., 1973, Am. Midland Naturalist,  
 v. 90 (1), 246-252  
 morphological variations: New Mexico

*Opisocrostis tuberculatus* (Baker)  
*Haas*, G. E.; et al., 1973, J. Med. Entom.,  
 v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geo-  
 graphic distribution, host and nest prefer-  
 ence, sex ratio, degree of plague infection  
*Cynomys gunnisoni*: west of Rio Grande in  
 and near Jemez Mts., New Mexico

*Opisocrostis washingtonensis* Good & Prince  
O'Farrell, T. P., 1975, Am. Midland Naturalist, v. 93 (2), 377-387  
*Spermophilus townsendii*: Arid Lands Ecology Reserve, Benton County, Washington

*Opisodasys keeni*  
Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480  
fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Peromyscus crinitus pergracilis*  
*Microtus longicaudus latus*  
all from western Utah

*Opisodasys keeni*  
Nelson, B. C.; and Smith, C. R., 1976, J. Med. Entom., v. 13 (1), 51-61  
*Peromyscus maniculatus*  
*P. crinitus*  
all from Lava Beds National Monument, California

*Opisodasys keeni* (Baker)  
O'Farrell, T. P., 1975, Am. Midland Naturalist, v. 93 (2), 377-387  
*Peromyscus maniculatus*: Arid Lands Ecology Reserve, Benton County, Washington

*Opisodasys keeni nesiotus*  
Coultrip, R. L.; et al., 1973, J. Med. Entom., v. 10 (3), 303-309  
fleas, ticks, mammals, survey for vectors and reservoir hosts of Rocky Mountain spotted fever and sylvatic plague, serological evidence for presence of rickettsial agent but presence of plague not demonstrated  
*Spermophilus beecheyi*  
*Reithrodontomys megalotis*  
*Peromyscus californicus*  
*P. maniculatus*  
*P. truei*  
*Neotoma fuscipes*  
all from Fort Ord, California

*Opisodasys robustus* (Jordan)  
Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Sciurus aberti*: west of Rio Grande in and near Jemez Mts., New Mexico

*Opisodasys vesperalis* (Jordan)  
Wilson, N.; and Bull, E. L., 1977, Bird-Banding, v. 48 (2), 171-173  
+squirrel (nest): Starkey Experimental Forest, 35-40 km southwest of La Grande, Union Co., Oregon

*Orchopeas* Jordan  
Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
brief description, key, key to known Alabama species

*Orchopeas* sp. novum  
Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
key  
*Neotoma floridana illinoensis*: Barbour County, Alabama

*Orchopeas caedens caedens* (Jordan)  
Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
+*Eutamias minimus* (nest)  
*Tamiasciurus hudsonicus*  
all from west of Rio Grande in and near Jemez Mts., New Mexico

*Orchopeas caedens caedens* (Jordan)  
Wilson, N.; and Bull, E. L., 1977, Bird-Banding, v. 48 (2), 171-173  
+squirrel (nest): Starkey Experimental Forest, 35-40 km southwest of La Grande, Union Co., Oregon

*Orchopeas fulleri* Traub, illus.  
Haas, G. E., 1973, Am. Midland Naturalist, v. 90 (1), 246-252  
morphological variations  
*Sciurus arizonensis*: Glenwood, Catron Co., New Mexico

*Orchopeas howardi* (Baker)  
Amin, O. M., 1973, J. Med. Entom., v. 10 (1), 110-111  
*Tamias striatus*: Parkside, Wisconsin  
*Sciurus niger*: Kenosha City, Wisconsin  
*S. carolinensis*: Kenosha City and Adams Co., Wisconsin

*Orchopeas howardii* (Baker), illus.  
Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
description, key  
*Procyon lotor*  
*Didelphis virginiana*  
*Mustela vison*  
*Mephitis mephitis*  
*Sciurus carolinensis*  
*S. niger*  
*Glaucomys volans*  
*Peromyscus* sp.  
*P. gossypinus*  
*Sigmodon hispidus*  
all from Alabama

*Orchopeas howardi*  
Whitaker, J. O., jr.; Spicka, E. J.; and Schmeltz, L. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 431-436  
*Sciurus niger*  
*S. carolinensis*  
all from Indiana

*Orchopeas h. howardii* (Baker), illus.  
Amin, O. M.; and Sewell, R. G., 1977, Am. Midland Nat., v. 98 (1), 207-212  
*Orchopeas h. howardii*, *Megabothris acerbus*, numerical and structural variations of pronotal spines; field sex ratios of both flea species were closely related to the ratio of mean number of pronotal spines in females/males which supports proposed function of pronotal combs in locking onto host hairs and their suggested contribution in affecting sex ratio

*Orchopeas h. howardi*  
Vaughan, J. A., 1977, Entom. Month. Mag. (1340-1343), v. 112, 1976, 45-48  
straggler fleas on rabbits, *Oryctolagus cuniculus*, from Surrey and on myxomatous rabbits throughout Britain

- Orchopeas leucopus* (Baker)  
 Amin, O. M., 1973, J. Med. Entom., v. 10 (1), 110-111  
   *Tamias striatus*  
   *Microtus pennsylvanicus*  
   *Peromyscus leucopus*  
   all from Parkside Wisconsin
- Orchopeas leucopus*  
 Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
   *Peromyscus leucopus noveboracensis*: Coles County, Illinois
- Orchopeas leucopus*  
 Buckner, R. L.; and Gleason, L. N., 1974, Tr. Kentucky Acad. Sc., v. 35 (3-4), 70-75  
   seasonal occurrences  
   *Microtus ochrogaster*  
   *Peromyscus leucopus*  
   all from Warren County, Kentucky
- Orchopeas leucopus*  
 Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480  
   fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
   *Peromyscus maniculatus sonoriensis*  
   *Peromyscus crinitus pergracilis*  
   *Neotoma lepida lepida*  
   all from western Utah
- Orchopeas leucopus* (Baker)  
 Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
   fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
   *Reithrodontomys megalotis*  
   *Peromyscus maniculatus*  
   *P. leucopus*  
   *P. truei*  
   all from west of Rio Grande in and near Jemez Mts., New Mexico
- Orchopeas leucopus*  
 Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
   *Peromyscus leucopus*  
   *P. maniculatus*  
   all from Fires Creek area, Nantahala Mountains, North Carolina
- Orchopeas leucopus*  
 Whitaker, J. O., jr.; Spicka, E. J.; and Schmeltz, L. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 431-436  
   *Sciurus niger*: Indiana
- Orchopeas neotomae* Augustson  
 Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
   fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
   +*Tamiasciurus hudsonicus* (nest)  
   *Peromyscus maniculatus*  
   *P. truei*  
   *Neotoma mexicana*  
   *N. cinerea*  
   all from west of Rio Grande in and near Jemez Mts., New Mexico
- Orchopeas sexdentatus*  
 Coultrip, R. L.; et al., 1973, J. Med. Entom., v. 10 (3), 303-309  
   fleas, ticks, mammals, survey for vectors and reservoir hosts of Rocky Mountain spotted fever and sylvatic plague, serological evidence for presence of rickettsial agent but presence of plague not demonstrated  
   *Didelphis marsupialis*  
   *Peromyscus californicus*  
   *Neotoma fuscipes*  
   *Urocyon cinereoargenteus*  
   *Spilogale putorius*  
   all from Fort Ord, California
- Orchopeas sexdentatus*  
 Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480  
   fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
   *Peromyscus maniculatus sonoriensis*  
   *Peromyscus crinitus pergracilis*  
   *Neotoma lepida lepida*  
   all from western Utah
- Orchopeas sexdentatus* (Baker)  
 Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
   fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
 +*Tamiasciurus hudsonicus*  
   *Neotoma mexicana*  
   *N. cinerea*  
   all from west of Rio Grande in and near Jemez Mts., New Mexico
- Orchopeas sexdentatus*  
 Nelson, B. C.; and Smith, C. R., 1976, J. Med. Entom., v. 13 (1), 51-61  
   *Neotoma cinerea*: Lava Beds National Monument, California
- Orchopeas sexdentatus agilis* (Rothschild)  
 O'Farrell, T. P., 1975, Am. Midland Naturalist, v. 93 (2), 377-387  
   *Neotoma cinerea*: Arid Lands Ecology Reserve, Benton County, Washington
- Orchopeas sexdentatus pennsylvanicus* (Jordan), illus.  
 Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
   description, key  
   *Neotoma floridana magister*: Jackson County, Alabama
- Orcilana hansenii* Nierstrasz 1931  
 Monod, T., 1975, Bull. Mus. National Hist. Nat., Paris, 3. s. (319), Zool. (226), 999-1004  
   as syn. of *Argathona macronema* (Bleeker, 1857)
- Orbellia* sp.  
 Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
   *Microtus ochrogaster ochrogaster*: Coles County, Illinois
- Ornithobius anseris* Gurlt, 1842  
 Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
   as syn. of *Anaticola anseris* (Linne, 1758)

## ARTHROPODA

- Ornithobius goniopleurus* Denny  
 Amin, O. M., 1973, J. Med. Entom., v. 10 (1),  
 110-111  
*Branta canadensis*: Dodge County, Wisconsin
- Ornithoctona australasiae* (Fabricius, 1805)  
 Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),  
 189-199  
 arthropods ectoparasitic upon mammals and  
 birds, factors affecting host specificity  
*Halcyon chloris*  
*Turdus poliocephalus*  
 all from New Hebrides
- Ornithoctona australasiae* (Fabricius, 1805)  
 Theodor, O., 1973, J. Med. Entom., v. 10 (6),  
 556-569  
 Synonymy  
*?Pyrrhula nipalensis*  
*Coracina novaehollandiae*  
 human  
 all from Malaya
- Ornithoctona plicata* (von Olfers, 1816)  
 Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),  
 189-199  
 arthropods ectoparasitic upon mammals and  
 birds, factors affecting host specificity  
*Anas superciliosa*  
*Rallus philippensis*  
*Ducula pacifica*  
*Chalcophaps indica*  
*Tyto alba*  
 all from New Hebrides
- Ornithodoros* spp.  
 Jones, E. K.; et al., 1972, Brigham Young  
 Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
*Lonchorhina orinocensis*  
*Molossus ater*  
*Peropteryx trinitatis*  
*Tadarida gracilis*  
*Trachops cirrhosus*  
*Proechimys guyannensis*  
*Neoplatymops mattogrossensis*  
*Desmodus rotundus*  
*Proechimys semispinosus*  
*Leptonycteris curasoae*  
*Marmosa robinsoni*  
*Rhipidomys venezuelae*  
*Saccopteryx bilineata*  
*Pteronotus parnellii*  
*Zygodontomys brevicauda*  
*Diphylla ecaudata*  
*Myotis nigricans*  
*Noctilio leporinus*  
*Oryzomys albicularis*  
 lizard  
*Pteronotus davyi*  
*Sturnira lilium*  
*Peropteryx macrotis*  
 all from Venezuela
- Ornithodoros* [sp.], probably *azteci*  
 Jones, E. K.; et al., 1972, Brigham Young  
 Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
*Peropteryx macrotis*  
*Carollia perspicillata*  
 all from Venezuela
- Ornithodoros* [sp.], probably *boliviensis*  
 Jones, E. K.; et al., 1972, Brigham Young  
 Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
*Molossops planirostris*  
*Molossus ater*  
*Mimon crenulatum*  
 all from Venezuela
- Ornithodoros* [sp.], near *puertoricensis*  
 Jones, E. K.; et al., 1972, Brigham Young  
 Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
*Sylvilagus floridanus*: Venezuela
- Ornithodoros* sp.  
 Reisen, W. K.; Kennedy, M. L.; and Reisen,  
 N. T., 1976, J. Parasitol., v. 62 (4), 628-635  
 winter ecology of ectoparasites collected  
 from hibernating *Myotis velifer* (incidence,  
 intensity, monthly changes, parasite and host  
 sex ratio, interspecific associations, para-  
 site age structure, etc.)  
*Myotis velifer*  
*Plecotus townsendii*  
 all from Harmon County, southwestern Oklahoma
- Ornithodorus* sp.  
 Whitaker, J. O., jr.; and Easterla, D. A.,  
 1975, Southwest. Nat., v. 20 (2), 241-254  
*Euderma maculatum*: Big Bend National Park,  
 Texas
- Ornithodorus* [sp.]  
 Whitaker, J. O., jr.; and Mumford, R. E.,  
 1977, Entom. News, v. 88 (9-10), 255-258  
*Histiotus velatus*: Minas Gerais, Brazil
- Ornithodorus* (*Alectorobius*) *azteci* Matheson,  
 1935  
 Jones, E. K.; et al., 1972, Brigham Young  
 Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 synonymy  
*Carollia perspicillata*  
*Peropteryx macrotis*  
*Lonchorhina aurita*  
*Peropteryx kappleri*  
*Glossophaga longirostris*  
*Artibeus jamaicensis*  
*Zygodontomys brevicauda*  
*Glossophaga soricina*  
*Phyllostomus hastatus*  
*Desmodus rotundus*  
*Trachops cirrhosus*  
*Carollia* sp.  
*Artibeus* sp. D  
*Macrophyllum macrophyllum*  
 all from Venezuela
- Ornithodorus batuensis*, illus.  
 Stiller, D.; and Ranchitham, S. T., 1975,  
 Southeast Asian J. Trop. Med. and Pub. Health,  
 v. 6 (3), 445-447 [Demonstration]  
 production of cement substance at site of  
 attachment by *Argas pusillus* larvae; no  
 production of cement substance noted with  
*Ornithodorus batuensis*
- Ornithodorus* (*Alectorobius*) *boliviensis* Kohls &  
 Clifford, 1964  
 Jones, E. K.; et al., 1972, Brigham Young  
 Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
*Eptesicus brasiliensis*  
*Molossus ater*  
*Molossus bondae*  
*Noctilio leporinus*  
 all from Venezuela

- Ornithodoros brodyi** Matheson, 1935  
 Cerny, V., 1969, *Torreia*, n. s. (21), 3-8  
*Eptesicus fuscus dutertreus*: Cuba
- Ornithodoros (Alectorobius) brodyi** Matheson, 1935  
 Jones, E. K.; et al., 1972, *Brigham Young Univ. Sc. Bull.*, Biol. ser., v. 17 (4), 40 pp.  
*Carollia perspicillata*  
*Carollia sp.*  
*Lonchophrina aurita*  
 all from Venezuela
- Ornithodoros canestrinii**  
 Borut, S.; and Feldman-Muhsam, B., 1976, J. Parasitol., v. 62 (2), 318-320  
*Argasidae spp.*, *Ixodidae spp.*, in vitro spermogenesis
- Ornithodoros capensis**  
 Amerson, A. B., jr., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 332-339  
 tick distribution, influence of sea bird movement: Central Pacific
- Ornithodoros capensis** Neumann  
 Carley, J. G.; Standfast, H. A.; and Kay, B. H., 1973, J. Med. Entom., v. 10 (3), 244-249  
*Ornithodoros capensis*, isolation of Johnston Atoll and Upolu viruses, viruses from ticks failed to multiply in mosquitoes: Australia
- Ornithodoros (Alectorobius) capensis**  
 Converse, J. D.; et al., 1975, Am. J. Trop. Med. and Hyg., v. 24 (6, pt. 1), 1010-1018  
 vectors, Soldado virus  
*Sterna fuscata nubilosa*  
*Phaethon lepturus*  
*Sula dactylatra melanops*  
*Anous stolidus pileatus*  
 humans  
*+Sternula dougallii arideensis* (nest)  
*+Sula leucogaster plotus* (nest)  
 all from Seychelles, Indian Ocean
- Ornithodoros capensis** Neumann  
 Heath, A. C. G., 1977, *Tuatara*, v. 23 (1), 26-39  
 zoogeography of the New Zealand tick fauna, possible origins, collection and preservation
- Ornithodoros capensis** group (either *O. capensis* or *O. denmarki*)  
 Jonkers, A. H.; et al., 1973, J. Med. Entom., v. 10 (5), 517-519  
 either *Ornithodoros capensis* or *O. denmarki*, isolation of Soldado virus, *Anous stolidus*: Soldado Rock, Trinidad
- Ornithodoros capensis**  
 Lvov, D. K.; et al., 1975, Med. Biol., v. 53 (5), 325-330  
 review of tick-borne viruses found in bird colonies  
*Larus argentatus*: USSR
- Ornithodoros capensis** (Neumann)  
 Ross, R. W., 1971, Proc. Univ. Otago Med. School, v. 49 (2), July, 38-40  
*Ornithodoros capensis* (exper.), long survival period of Whataroa virus in native ticks suggests that this tick may play a natural part in the ecology of the virus in New Zealand
- Ornithodoros capensis**  
 St. George, T. D.; et al., 1977, Austral. J. Exper. Biol. and Med. Sc., v. 55 (5), 493-499  
 isolation of new flavivirus  
*+Sternula fuscata* (nest): Saumarez Reef and Frederick Reef, east coast of Queensland, Australia
- Ornithodoros capensis** group near denmarki  
 Yunker, C. E., 1975, Med. Biol., v. 53 (5), 302-311  
 review of tick-borne viruses associated with seabirds in North America and near-by islands
- Ornithodoros concanensis**  
 Croft, R. E.; and Kingston, N., 1975, J. Wildlife Dis., v. 11 (2), 229-233  
*Falco mexicanus*: Wyoming
- Ornithodoros concanensis**  
 Howell, F. G.; and Chapman, B. R., 1976, Southwest. Nat., v. 21 (3), 275-280  
*Petrochelidon pyrrhonota*: northwestern Texas
- Ornithodoros concanensis**  
 Webb, J. P., jr.; George, J. E.; and Cook, B., 1977, Nature, London (5593), v. 265, 443-444  
*Ornithodoros concanensis* makes use of vocal sound of *Petrochelidon pyrrhonota* as a cue in its host-finding behavior
- Ornithodoros coniceps**  
 Lvov, D. K.; et al., 1975, Med. Biol., v. 53 (5), 325-330  
 review of tick-borne viruses found in bird colonies  
*Larus argentatus*; *L. genei*; *Sterna sandvicensis*; *S. hirundo*; *Columba livia*; *Passer domesticus*: all from USSR
- Ornithodoros coriaceus**  
 Borut, S.; and Feldman-Muhsam, B., 1976, J. Parasitol., v. 62 (2), 318-320  
*Argasidae spp.*, *Ixodidae spp.*, in vitro spermogenesis
- Ornithodoros coriaceus**  
 Wada, E. M.; et al., 1976, Am. J. Vet. Research, v. 37 (10), 1201-1206  
*Ornithodoros coriaceus*, virus isolated from ticks and tick-exposed cattle
- Ornithodoros delanoei**, illus.  
 Borut, S.; and Feldman-Muhsam, B., 1976, J. Parasitol., v. 62 (2), 318-320  
*Argasidae spp.*, *Ixodidae spp.*, in vitro spermogenesis

*Ornithodoros denmarki*

Amerson, A. B., jr., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 332-339  
 tick distribution, influence of sea bird movement: Central Pacific  
 +*Anous stolidus* (nests)  
 +*Sterna fuscata* (nest)  
 +*Puffinus pacificus* (nest)  
 all from Sand Island, Johnston Atoll

*Ornithodoros denmarki*

Yunker, C. E., 1975, Med. Biol., v. 53 (5), 302-311  
 review of tick-borne viruses associated with seabirds in North America and near-by islands

*Ornithodoros (Alectorobius) echimys* Kohls, Clifford, and Jones, 1969  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
*Echimys semivillosus*: Venezuela

*Ornithodoros (Alectorobius) eptesicus* Kohls, Clifford, and Jones, 1969  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
*Eptesicus montosus*: Venezuela

*Ornithodoros erraticus*

Bain, O.; and Quentin, J. C., 1977, Ann. Parasitol., v. 52 (5), 569-575  
*Dipetalonema weissi*, adult morphology, larval development in *Ornithodoros erraticus* (exper.), comparison with *D. viteae*

*Ornithodoros erraticus*

Gunders, A. E., 1974, J. Protozool., v. 21 (3), 464 [Abstract]  
 failure of *Ornithodoros erraticus* to transmit *Nuttallia meri* transovarially

*Ornithodoros erraticus*

Gunders, A. E., 1974, J. Protozool., v. 21 (3), 464 [Abstract]  
*Nuttallia meri*, transmission through bites of *Ornithodoros erraticus* up to 225 days after field collection of the ticks, ability to transmit on more than one occasion

*Ornithodoros erraticus*

Gunders, A. E., 1974, J. Protozool., v. 21 (3), 464-465 [Abstract]  
*Nuttallia meri*, transmission by laboratory-infected *Ornithodoros erraticus*, results suggest that only a proportion of clean ticks ever become infected after exposure

*Ornithodoros erraticus, illus.*

Gunders, A. E., 1977, Experientia, v. 33 (7), 892-893  
*Nuttallia meri*, infective forms first appear as spindle-shaped sporozoites in and around salivary glands of *Ornithodoros erraticus* 30 days after ticks had fed on infected blood (*Psammomys obesus* or hamsters)

*Ornithodoros erraticus*

Gunders, A. E.; and Hadani, A., 1973, Ztschr. Tropenmed. u. Parasitol., v. 24 (4), 536-538  
*Nuttallia meri*, transmission to *Psammomys obesus* by field-collected *Ornithodoros erraticus* (both by intraperitoneal injection of triturated ticks and by bite), believed to be first recorded transmission of mammalian piroplasm by argasid tick: Jordan Valley

*Ornithodoros erraticus*

Gunders, A. E.; and Hadani, A., 1974, Nature (5438), v. 247, 225-226  
*Nuttallia meri*, demonstration of transmission to *Psammomys obesus* by bite of field-collected *Ornithodoros erraticus*

*Ornithodoros gurneyi, illus.*

Borut, S.; and Feldman-Muhsem, B., 1976, J. Parasitol., v. 62 (2), 318-320  
*Argasidae* spp., *Ixodidae* spp., in vitro spermiogenesis

*Ornithodoros gurneyi* Warburton, 1926

Doube, B. M., 1975, J. Med. Entom., v. 12 (1), 15-22

*Ornithodoros gurneyi*, rats (exper.), regulation of circadian rhythms controlling time of detachment of engorged larvae and nymphs, relevance to tick ecology

*Ornithodoros (Pavlovskyla) gurneyi* Warburton

Doube, B. M., 1976, J. Austral. Entom. Soc., v. 14 (4), 329-332  
 two biological-physiological races, cave race and plains race, size differences, plains race successfully raised in laboratory, cave race difficult to maintain, limited cross fertilization experiments produced viable larvae: Australia

*Ornithodoros gurneyi*

Doube, B. M.; and Heath, A. C. G., 1975, J. Med. Entom., v. 12 (4), 443-447  
*Rattus rattus* (exper.)

*Ornithodoros gurneyi, illus.*

Feldman-Muhsem, B.; and Filshie, B. K., 1976, Tissue and Cell, v. 8 (3), 411-419  
*Ornithodoros gurneyi*, *O. tholozani*, spermiophores, scanning and transmission electron microscopy, possible explanation of motility

*Ornithodoros (Alectorobius) hasei* (Schulze, 1935)

Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 synonymy

*Noctilio labialis*: Venezuela

*Noctilio leporinus*: Venezuela

*Lonchorhina orinocensis*: Venezuela

*Glossophaga longirostris*: Venezuela

*Tadarida gracilis*: Venezuela

*Desmodus rotundus*: Venezuela

*Molossus ater*: Venezuela

*Artibeus jamaicensis*: Venezuela

*Molossus bondae*: Venezuela

*Phyllostomus hastatus*: Venezuela

*Sturnira lilium*: Venezuela

*Akodon urichi*: Venezuela

*Chiroderma salvini*: Venezuela

*Mormoops megalophylla*: Venezuela

*Myotis albescens*: Venezuela

*Carollia* sp.: Venezuela

*Uroderma magnirostrum*: Venezuela

*Carollia perspicillata*: Venezuela

*Neoplatyomops mattogrossensis*: Venezuela

*Rhogeessa tumida*: Venezuela

*Mimon crenulatum*: Venezuela

*Peropteryx* sp.: Venezuela

*Rhogeessa minutilla*: Venezuela

bats: Guatemala; Peru; Colombia; Dominica; Uruguay; St. Croix; Dominican Republic

*Ornithodoros hermsi*

Boyer, K. M.; et al., 1977, Am. J. Epidemiol., v. 105 (5), 469-479

*Ornithodoros hermsi* implicated as vector of relapsing fever in interstate outbreak originating at Grand Canyon National Park, North Rim area, Arizona

*Ornithodoros kelleyi* Cooley y Kohls, 1941

Cerny, V., 1969, Torreia, n. s. (21), 3-8  
*Eptesicus fuscus dutertreus*: Cuba

*Ornithodoros kelleyi* (?)

Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Antrozous pallidus*: Big Bend National Park, Texas

*Ornithodoros (Subparmatus) marinellei* Kohls, Clifford, & Jones, 1969

Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
*Pteronotus psilotis*: Venezuela

*Ornithodoros (Alectorobius) maritimus*, illus.

Hoogstraal, H.; et al., 1976, J. Parasitol., v. 62 (5), 799-810

*Ornithodoros maritimus*, redescription of larva, first description of nymph, male, and female; isolation of Soldado virus, review of West Nile virus experimental studies  
*Sterna* sp.: Dumet Island, Basse Bretagne, France

*Larus argentatus michahellis*: Aegimures Islands, Zembra Island, Tunisia  
+*Egretta g. garzetta* (under stones in nesting area): Chikli Island, Lake Tunis, Tunisia  
+*Larus a. argentatus* (under stones in nesting area): Puffin Island, Wales, Britain  
+*Uria aalge albionis* (under stones in nesting area): Great Saltee Island, Ireland  
+*Rissa t. tridactyla* (under stones in nesting area): Great Saltee Island, Ireland  
+*Alca torda islandica* (under stones in nesting area): Great Saltee Island, Ireland  
+*Phalacrocorax a. aristotelis* (under stones in nesting area): Great Saltee Island, Ireland

*Ornithodoros (Alectorobius) maritimus*

Keirans, J. E.; et al., 1976, Experientia, v. 32 (4), 453-454

isolation of Soldado-like virus (Hughes group) from *Ornithodoros maritimus*: Great Saltee Island, Ireland

*Ornithodoros (Alectorobius) marmosae* Jones & Clifford, 1972

Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
*Marmosa robinsoni*  
*Oryzomys concolor*  
all from Venezuela

*Ornithodoros mormoops* (probably)

Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Mormoops megalophylla*: Big Bend National Park, Texas

*Ornithodoros moubata*

Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317

ixodid and argasid ticks, fine structure and function of palpal receptor organ

*Ornithodoros moubata*

Bassal, T. T. M., 1973, J. Med. Entom., v. 10 (2), 228

*Dermacentor andersoni*, *Ornithodoros moubata*, *O. savignyi*, hemolymph, use of silicic acid chromatograms to detect microamounts of trehalose and other sugars

*Ornithodoros moubata*

Borut, S.; and Feldman-Muhsam, B., 1976, J. Parasitol., v. 62 (2), 318-320

*Argasidae* spp., *Ixodidae* spp., in vitro spermiogenesis

*Ornithodoros moubata* (Murray)

Hood, S.; Edelsten, R. M.; and Branagan, D., 1976, Trop. Animal Health and Prod., v. 8 (3), 163-167

laboratory maintenance of *Ornithodoros moubata* on embryonated hen eggs, advantages over alternative methods

*Ornithodoros moubata*

Krinsky, W. L.; and Burgdorfer, W., 1976, J. Parasitol., v. 62 (5), 824-825

trypanosomes, similar to *Trypanosoma theileri*-like forms in naturally infected Amblyomma americanum and experimentally infected *Ornithodoros moubata* (hemolymph of both): Cherokee County, Oklahoma

*Ornithodoros moubata* (Murray)

Leahy, (Sr.) M. G.; et al., 1975, J. Med. Entom., v. 12 (3), 284-287

*Ornithodoros moubata*, female assembly pheromone induces male assembly; male pheromone induces male and female aggregation; extraction of female pheromones; removal of olfactory sensillae reduces or eliminates response

*Ornithodoros moubata* (Murray)

Leahy, (Sr.) M. G.; et al., 1975, J. Med.

Entom., v. 12 (4), 413-414 assembly pheromones from *Ornithodoros* and *Argas* species, interspecific responses; feeding increased pheromone production and decreased response; possible function in host location

*Ornithodoros moubata* (Murray)

Mango, C. K. A.; and Galun, R., 1977, Exper. Parasitol., v. 42 (2), 282-288

*Ornithodoros moubata*, establishment of membrane-fed colony, breeding in vitro

*Ornithodoros moubata* (Murray), illus.

Mango, C.; Odhiambo, T. R.; and Galun, R., 1976, Nature, London (5549), v. 260, 318-319

*Ornithodoros moubata*, females, induction of super-moultling by ingestion of ecdysone or ponasterone A, increased body weight and egg output, possible practical implications

*Ornithodoros moubata*

Wade, J. O., 1976, Ann. Trop. Med. and Parasitol., v. 70 (1), 113-120

design for arthropod membrane feeding unit embodying electrical stirring device to insure even erythrocyte distribution throughout blood during feeding period

- Ornithodoros moubata porcinus**  
*Pini, A.; and Hurter, L. R., 1975, J. South African Vet. Ass., v. 46 (3), 227, 229-232*  
*Ornithodoros moubata porcinus, transmission of African swine fever among wild pigs and between warthogs and domestic pigs, epizootiology, review: South Africa*
- Ornithodoros moubata porcinus**  
*Smit, J. D. G.; et al., 1977, Nature, London (5602), v. 266, 536-538 [Letter]*  
*Ornithodoros moubata porcinus, haemoglobin crystals in midgut, formation, structure, changes with time, appear to play role in preservation of nutrient reserves*
- Ornithodoros (Alectorobius) muesebecki**  
*Varma, M. G. R.; et al., 1973, Nature (5416), v. 244, 452*  
*Ornithodoros muesebecki, isolation of new arbovirus, possible aetiological agent of illness in man: Zirqa, off coast of Abu Dhabi*
- Ornithodoros nereensis**  
*Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317*  
*ixodid and argasid ticks, fine structure and function of palpal receptor organ*
- Ornithodoros papillipes**  
*Balashov, Iu. S., 1970, Parazitologija, Lenin-grad, v. 4 (3), 274-282*  
*experimental interspecific hybridization between Ornithodoros papillipes, O. tartakovskyi, and O. verrucosus, genetic and physical incompatibilities as possible natural mechanisms of reproductive isolation*
- Ornithodoros papillipes**  
*Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317*  
*ixodid and argasid ticks, fine structure and function of palpal receptor organ*
- Ornithodoros parkeri**  
*Borut, S.; and Feldman-Muhsam, B., 1976, J. Parasitol., v. 62 (2), 318-320*  
*Argasidae spp., Ixodidae spp., in vitro spermiogenesis*
- Ornithodoros parkeri**  
*Hardy, J. L.; et al., 1974, Infect. and Immun., v. 10 (3), 553-564*  
*Dermacentor parumapertus failed to become infected with western equine encephalomyelitis virus after feeding on viremic hosts, Ornithodoros parkeri became infected but failed to transmit virus*
- Ornithodoros parkeri Cooley**  
*Krinsky, W. L., 1977, J. Protozool., v. 24 (1), 52-56*  
*nat. and exper. infection with Nosema parkeri sp. n.*
- Ornithodoros (Proknekalia) peringueyi Bedford & Hewitt (1925) (tod of subgen.), illus.**  
*Keirans, J. E.; Hoogstraal, H.; and Clifford, C. M., 1977, Ann. Entom. Soc. Am., v. 70 (2), 221-228*
- Ornithodoros (Proknekalia) peusi (Schulze, 1943), illus.**  
*Keirans, J. E.; Hoogstraal, H.; and Clifford, C. M., 1977, Ann. Entom. Soc. Am., v. 70 (2), 221-228*
- Ornithodoros puertoricensis Fox**  
*Fox, I., 1977, J. Agric. Univ. Puerto Rico, v. 61 (4), 509*  
*first record on domestic animal*  
*Felis catus: San Juan (Santurce), Puerto Rico*
- Ornithodoros (Alectorobius) puertoricensis Fox, 1947**  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
*Sigmodon alstoni: Venezuela*  
*Proechimys guyannensis: Venezuela*  
*Proechimys semispinosus: Venezuela*  
*Tamandua longicaudata: Venezuela*  
*Marmosa robinsoni: Venezuela*  
*Sylvilagus floridanus: Venezuela*  
*Conepatus semistriatus: Venezuela*  
*lizard: Venezuela*  
*Marmosa sp.: Venezuela*  
*Zygodontomys brevicauda: Venezuela*  
*Dasyprocta fuliginosa: Venezuela*  
*Artibeus lituratus: Venezuela*  
*Iguana sp.: Venezuela*  
*Monodelphis brevicaudata: Venezuela*  
*[no host]: Nicaragua; Surinam; Uruguay*
- Ornithodoros puertoricensis Fox**  
*Maldonado Capriles, J.; and Medina-Gaud, S., 1977, J. Agric. Univ. Puerto Rico, v. 61 (3), 402-404*  
*[no host]: Puerto Rico*
- Ornithodoros (Alectorobius) rossi Kohls, Sonenshine, & Clifford, 1965**  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
*Peropteryx macrotis: Venezuela*  
*Glossophaga longirostris: Venezuela*  
*Desmodus rotundus: Venezuela*  
*Lonchorhina orinocensis: Venezuela*  
*bats: Colombia*  
*Macrotus californicus: California (USA)*
- Ornithodoros rossi or near**  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
*Peropteryx trinitatis: Venezuela*
- Ornithodoros rossi Kohls, Sonenshine & Clifford**  
*Poche, R. M.; and Keirans, J. E., 1975, J. Med. Entom., v. 12 (5), 503*  
*Euderma maculatum: Fort Pierce Wash, SE of St. George, Washington County, Utah*
- Ornithodoros rossi**  
*Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254*  
*Pipistrellus hesperus*  
*Eptesicus fuscus*  
*Plecotus townsendii*  
*Antrozous pallidus*  
*all from Big Bend National Park, Texas*

- Ornithodoros rudis** Karsch, 1880  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
 synonymy  
 bird: Venezuela
- Ornithodoros savignyi**  
*Bassal. T. T. M., 1973, J. Med. Entom., v. 10 (2), 228*  
*Dermacentor andersoni, Ornithodoros moubata, O. savignyi, hemolymph, use of silicic acid chromatograms to detect microamounts of trehalose and other sugars*
- Ornithodoros savignyi**  
*Borut, S.; and Feldman-Muhsam, B., 1976, J. Parasitol., v. 62 (2), 318-320*  
*Argasidae spp., Ixodidae sp., in vitro spermogenesis*
- Ornithodoros savignyi** (Audouin)  
*Leahy, (Sr.) M. G.; et al., 1975, J. Med. Entom., v. 12 (4), 413-414*  
*assembly pheromones from Ornithodoros and Argas species, interspecific responses; feeding increased pheromone production and decreased response; possible function in host location*
- Ornithodoros savignyi, illus.**  
*Saliba, E. K.; Sweatman, G. K.; and Kawar, N. S., 1971, J. Med. Entom., v. 8 (1), 73-83*  
*Ornithodoros savignyi, respiration rate and longevity of untreated ticks at different temperatures, effect of ronnel on respiration rate at different temperatures using 3 application methods, statistical analysis, ronnel not practically useful as systemic pesticide against O. savignyi*
- Ornithodoros sawaii**  
*Kitaoaka, S.; and Suzuki, H., 1974, Eisei Dobutsu (Japan. J. San. Zool.), v. 25 (1), 21-26*  
*seasonal prevalence*  
*+Colonectris leucomelas (nest): southern Amami-oshima Islands*
- Ornithodoros (Alectorobius) setosus** Kohls, Clifford, & Jones, 1969  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
*Tadarida gracilis: Venezuela*
- Ornithodoros solomonis** Dumbleton, 1958 (possibly *O. rennellensis* Clifford and Sonenshine, 1962)  
*Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199*  
*arthropods ectoparasitic upon mammals and birds, factors affecting host specificity*  
*Notopteris macdonaldi: New Hebrides*
- Ornithodoros (Alectorobius) stageri** Cooley & Kohls, 1941  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
*Tadarida gracilis: Venezuela*  
*Tadarida laticaudata: Brazil*  
*Noctilio labialis: Brazil*  
*Molossus sp.: Nicaragua*
- Ornithodoros stageri**  
*Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254*  
*Tadarida brasiliensis*  
*T. macrotis*  
*all from Big Bend National Park, Texas*
- Ornithodoros talaje** Neumann, 1896  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
*as syn. of Ornithodoros (Alectorobius) talaje (Guerin-Meneville, 1849)*
- Ornithodoros (Alectorobius) talaje** (Guerin-Meneville, 1849)  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
 synonymy  
*Didelphis marsupialis*  
*Zygodontomys brevicauda*  
*all from Venezuela*
- Ornithodoros 'talaje group'**  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
*Tadarida gracilis*  
*Zygodontomys brevicauda*  
*all from Venezuela*
- Ornithodoros talaje** Dunn, 1923 (in part)  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
*as syn. of Ornithodoros rudis Karsch, 1880*
- Ornithodoros talaje group**  
*Maldonado Capriles, J.; and Medina-Gaud, S., 1977, J. Agric. Univ. Puerto Rico, v. 61 (3), 402-404*  
*Eleutherodactylus cooki: caves near Yabucoa, Puerto Rico*
- Ornithodoros tartakovskyi** OI.  
*Amannizova, R. D., 1975, Izvest. Akad. Nauk Turkmensk. SSR, s. Biol. Nauk (6), 48-54*  
*seasonal distribution in different landscapes*  
*Rhombomys opimus: Turkmenistan*
- Ornithodoros tartakovskyi**  
*Balashov, Iu. S., 1970, Parazitologija, Lenin-grad, v. 4 (3), 274-282*  
*experimental interspecific hybridization between Ornithodoros papillipes, O. tartakovskyi, and O. verrucosus, genetic and physical incompatibilities as possible natural mechanisms of reproductive isolation*
- Ornithodoros tartakovskyi**  
*Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317*  
*ixodid and argasid ticks, fine structure and function of palpal receptor organ*
- Ornithodoros tartakovskyi**  
*Borut, S.; and Feldman-Muhsam, B., 1976, J. Parasitol., v. 62 (2), 318-320*  
*Argasidae spp., Ixodidae spp., in vitro spermogenesis*

- Ornithodoros tartakowskyi*, illus.  
Londono M., I., 1976, J. Parasitol., v. 62 (4), 589-595  
Dipetalonema viteae larvae, distribution and migration in *Ornithodoros tartakowskyi*, as cause of injury to and disorganization of tick muscle fibers, failure of some ticks to feed after biting may protect from fatal hyperinfection
- Ornithodoros tartakowskyi*  
Londono M., I., 1976, J. Parasitol., v. 62 (4), 596-603  
number and proportion of infective Dipetalonema viteae larvae moving from biting *Ornithodoros tartakowskyi* to *Mesocerasus unguiculatus*, possible factors involved in this migration
- Ornithodoros tartakowskyi*, illus.  
Londono M., I., 1976, J. Parasitol., v. 62 (5), 786-788  
*Ornithodoros tartakowskyi*, transmission of Dipetalonema viteae by small ticks feeding on engorged larger infected ticks, normal development with subsequent transmission to jirds; elimination of microfilariae in coxal fluid as a possible mechanism to prevent hyperinfection
- Ornithodoros tartakowskyi*, illus.  
Rockett, C. L., 1975, J. Insect Physiol., v. 21 (12), 1939-1944  
*Ornithodoros tartakowskyi*, limb regeneration and apolysis process studies by amputations at various stages; coagulation of haemolymph
- Ornithodoros tholozani* Labou. & Megn.  
Bar-Zeev, M.; and Gothilf, S., 1973, J. Med. Entom., v. 10 (1), 71-74  
*Ornithodoros tholozani*, effectiveness of 539 repellents, pyrethrum far superior to all others; method for evaluating repellents on guinea pigs
- Ornithodoros tholozani*  
Burut, S.; and Feldman-Muhsam, B., 1976, J. Parasitol., v. 62 (2), 318-320  
Argasidae spp., Ixodidae spp., in vitro spermiogenesis
- Ornithodoros tholozani*, illus.  
Feldman-Muhsam, B.; and Filshie, B. K., 1976, Tissue and Cell, v. 8 (3), 411-419  
*Ornithodoros gurneyi*, O. tholozani, spermiophores, scanning and transmission electron microscopy, possible explanation of motility
- Ornithodoros tholozani*  
Feldman-Muhsam, B.; and Havivi, Y., 1973, J. Med. Entom., v. 10 (2), 185-189  
*Ornithodoros tholozani*, autogeny (oviposition without a blood meal in the adult stage), females large at ecdysis are autogenous and smaller ones are not, positive correlation between weight of female at ecdysis and number of eggs in first autogenous oviposition; possible relationship of oocyte development and preoviposition period
- Ornithodoros tholozani*  
Gabbay, S.; and Warburg, M. R., 1976, J. Infect. Physiol., v. 22 (9), 1291-1301  
*Ornithodoros tholozani*, appearance of neurosecretory cells as related to feeding, blood digestion, mating, and oogenesis
- Ornithodoros tholozani*, illus.  
Gabbay, S.; and Warburg, M. R., 1977, J. Med. Entom., v. 15 (3), 371-385  
*Ornithodoros tholozani*, description of neurosecretory cell types in brain of female
- Ornithodoros tholozani* (Laboulbene & Megnin)  
Leahy, (Sr.) M. G.; et al., 1975, J. Med. Entom., v. 12 (4), 413-414  
assembly pheromones from *Ornithodoros* and *Argas* species, interspecific responses; feeding increased pheromone production and decreased response; possible function in host location
- Ornithodoros tholozani* (Laboulbene & Megnin)  
Sternberg, S.; Peleg, B. A.; and Galun, R., 1973, J. Med. Entom., v. 10 (2), 137-142  
*Argas persicus*, irradiation of males produces decreased fertility and egg hatching, not effective as tick control due to lowered competitiveness after first round of mating and aspermia; irradiated *Ornithodoros tholozani* males also ceased to mate after the first or second mating
- Ornithodoros (Alectorobius) tiptoni* Jones & Clifford, 1972  
Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
Noctilio leporinus: Venezuela
- Ornithodoros turicata*  
Howell, F. G.; and Chapman, B. R., 1976, Southwest. Nat., v. 21 (3), 275-280  
+Petrochelidon pyrrhonota (nest debris): northwestern Texas
- Ornithodoros turicata* (Duges)  
Meleney, W. P., 1975, J. Parasitol., v. 61 (3), 530-534  
Tayassu tajacu: Canboh Windmill, Tucson Mt. Park, Pima County, Arizona
- Ornithodoros (Alectorobius) tuttlei* Jones & Clifford, 1972  
Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
Agouti paca  
Tapirus terrestris  
all from Venezuela
- Ornithodoros (Proknekalia) vansomereni* n. sp., illus.  
Keirans, J. E.; Hoogstraal, H.; and Clifford, C. M., 1977, Ann. Entom. Soc. Am., v. 70 (2), 221-228  
+Hirundo abyssinica unitatis (nest): cave, Ngomeni Rock, Kitui, Eastern Province, Kenya  
+H. daurica emini (nest): cave, peak of Ukarazi Hill, near Kaningo, Mwingi-Garissa Road, Eastern Province, Kenya  
+Myrmecocichla cinnamomeiventris subrufipennis (nest): cave, peak of Ukarazi Hill, near Kaningo, Mwingi-Garissa Road, Eastern Province, Kenya
- Ornithodoros verrucosus*  
Balashov, Iu. S., 1970, Parazitologija, Leningrad, v. 4 (3), 274-282  
experimental interspecific hybridization between *Ornithodoros papillipes*, O. tartakowskyi, and O. verrucosus, genetic and physical incompatibilities as possible natural mechanisms of reproductive isolation

- Ornithodoros verrucosus**  
*Balashov, Iu. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317*  
 ixodid and argasid ticks, fine structure and function of palpal receptor organ
- Ornithodoros (Subparmatus) viguerasi Cooley & Kohls, 1941**  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
*Mormoops megalophylla: Venezuela*  
*Pteronotus davyi: Venezuela*  
*Pteronotus sauarensis: Venezuela*  
*bats: Dominican Republic*
- Ornithodoros viguerasi Cooley & Kohls**  
*Maldonado Capriles, J.; and Medina-Gaud, S., 1977, J. Agric. Univ. Puerto Rico, v. 61 (3), 402-404*  
*Erophylla bombifrons: caves in Corozal and Aguas Buenas, Puerto Rico*
- Ornithodoros yumatensis Cooley and Kohls**  
*Dooley, T. J.; Bristol, J. R.; and Canaris, A. G., 1976, J. Mamm., v. 57 (1), 189-191*  
*Pipistrellus hesperus maximus*  
*Eptesicus fuscus pallidus*  
*Antrozous pallidus pallidus*  
*Tadarida brasiliensis mexicana*  
*all from southwestern United States*
- Ornithodoros (Alectorobius) yumatensis Cooley & Kohls, 1941**  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
*Peropteryx kappleri: Venezuela*  
*Desmodus rotundus: Venezuela*  
*Diphylla ecaudata: Venezuela*  
*Carollia perspicillata: Venezuela*  
*bats: Georgia (USA); Nicaragua; Colombia*
- Ornithodoros yumatensis or near**  
*Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
*Peropteryx trinitatis*  
*Desmodus rotundus*  
*Peropteryx macrotis*  
*all from Venezuela*
- Ornithodoros.** See *Ornithodoros*.
- Ornithoica aequisenta hystricosa Maa & Marshall, 1976 [nom. nud.]**  
*Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199*  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Ptilinopus greyii: New Hebrides*
- Ornithoica curvata Maa, 1963**  
*Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569*  
*Centropus sinensis: Malaya*
- Ornithoica exilis (Walker 1861)**  
*Maa, T. C., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 325-328*  
*Turdus poliocephalus: Samoa*  
*Halcyon chloris: Tutuila Island*  
*Aplonis atrifuscus: Tutuila Island*
- Ornithoica exilis (Walker, 1861)**  
*Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199*  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Gallus gallus*  
*Rallus philippensis*  
*Halcyon chloris*  
*H. farquhari*  
*Turdus poliocephalus*  
*all from New Hebrides*
- Ornithoica pusilla (Schiner 1868)**  
*Maa, T. C., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 325-328*  
*Demigretta sacra: Kabbenbock Island; Caroline Island*  
*Sula sula: Palmyra Island*  
*Numenius tahitiensis: Vostok Island*  
*Arenaria interpres: Loj Island*  
*Pluvialis dominica: Palmyra Island*  
*Thalasseus bergii: Erikub Atoll; Loj Island*  
*Anous stolidus: Aradojairik Island; Enybor Island; Aranuka Atoll; Hull Island*
- Ornithoica stipituri stipituri (Schiner, 1868)**  
*Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199*  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Ptilinopus sp.*  
*Halcyon chloris*  
*H. farquhari*  
*Turdus poliocephalus*  
*Cichlornis whitneyi*  
*Myiagra caledonica*  
*Neolalage banksiana*  
*Clytorynchus pachycephaloides*  
*Petroica multicolor*  
*Pachycephala pectoralis*  
*Myzomela cardinalis*  
*Zosterops flavifrons*  
*Z. lateralis*  
*all from New Hebrides*
- Ornithoica unicolor Speiser, 1900**  
*Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569*  
*Centropus sinensis*  
*Otus bakkamoena*  
*all from Malaya*
- Ornithomya apelta Maa, 1969**  
*Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199*  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Myzomela cardinalis*  
*Zosterops flavifrons*  
*Z. lateralis*  
*all from New Hebrides*
- Ornithomya avicularia**  
*Cheke, R. A.; Hassall, M.; and Peirce, M. A., 1976, J. Wildlife Dis., v. 12 (2), 133-138*  
*Turdus philomelos: Bramham, Yorkshire and Bramley, Hampshire, England*  
*T. merula: Bramham, Yorkshire and Bramley, Hampshire, England*  
*Passer domesticus: Bramley, Hampshire, England*  
*Streptopelia decaocto: Bramley, Hampshire, England*

*Ornithomya avicularia* De Ferris & Cole, 1922,  
illus.  
Sanchez Acedo, C.; and Ramon Vericad, J.,  
1973, Rev. Iber. Parasitol., v. 33 (1), 29-38  
*Apus apus*: Alto Aragon

*Ornithomya chloropus* Bergroth, 1901  
Mehl, R., 1975, Fauna, Oslo, v. 28 (4), 208-  
214  
*Lagopus lagopus*: Norway

*Ornithomya fringillina*  
Cheke, R. A.; Hassall, M.; and Peirce, M. A.,  
1976, J. Wildlife Dis., v. 12 (2), 133-138  
*Sylvia atricapilla*: Bramham, Yorkshire,  
England  
*Erithacus rubecula*: Bramham, Yorkshire,  
and Bramley, Hampshire, England  
*Prunella modularis*: Bramham, Yorkshire,  
England  
*Parus major*: Bramley, Hampshire, England  
*P. caeruleus*: " " "  
*Certhia familiaris*: Bramley, Hampshire,  
England  
*Troglodytes troglodytes*: Bramley, Hampshire,  
England

*Ornithomyia fuscipennis* Bigot, 1885  
Theodor, O., 1973, J. Med. Entom., v. 10 (6),  
556-569  
*Otus spilocephalus*: Malaya

*Ornithonyssus bacoti*  
Ah, H.-S.; and Burke, T. M., 1976, J. Parasitol., v. 62 (4), 651-652  
*Litomosoides carinii*, recovery of substantial numbers of developing 4th state larvae from pleural cavity of infected jirds 10 and 30 days after exposure to infected *Ornithonyssus bacoti*, subsequent use of these larvae in establishing quantitatively controlled infections in other jirds

*Ornithonyssus bacoti*  
Buckner, R. L.; and Gleason, L. N., 1974, Tr. Kentucky Acad. Sc., v. 35 (3-4), 70-75  
seasonal occurrences  
*Microtus ochrogaster*  
*Peromyscus leucopus*  
all from Warren County, Kentucky

*Ornithonyssus bacoti* (Hirst), illus.  
Charlesworth, E. N.; and Cleghorn, R. W., 1977, Arch. Dermat., Chicago, v. 113 (7), 937-938  
*Ornithonyssus bacoti* causing pruritic dermatitis in woman (breasts, shoulders, arms), rat nests discovered in attic of woman's dwelling, clinical case report: San Antonio, Texas

*Ornithonyssus bacoti* (Hirst)  
Goff, M. L., 1975, J. Med. Entom., v. 12 (1), 52-54  
*Rattus rattus*: Midway Islands

*Ornithonyssus bacoti*  
McCall, J. W., 1976, J. Parasitol., v. 62 (4), 585-588  
*Litomosoides carinii*, simple method for collecting substantial quantities of infective larvae from pelts of *Meriones unguiculatus* exposed for only a few hours to large number of infected *Ornithonyssus bacoti*; jirds inoculated with larvae collected in this manner exhibited high mean % recoveries in a narrow range

*Ornithonyssus bacoti* (Hirst)  
Miller, B. E.; et al., 1975, J. Med. Entom., v. 12 (4), 425-430  
*Polygenis gwynni*, infected *Sigmodon hispidus berlandieri*, bait with oral systemic insecticide, phoxim, field conditions, effective control; some unmeasured control of natural mite infections; advantages for control of fleas in active plague foci

*Ornithonyssus bacoti* (Hirst, 1913)  
Nadchatram, M.; and Ramalingam, S., 1974, Southeast Asian J. Trop. Med. and Pub. Health, v. 5 (1), 150 [Demonstration]  
*Ornithonyssus bacoti* causing severe dermatitis in man, evidence of rat activity in ceiling space over man's office area, 2 captured *Rattus rattus diardi* also infested, case report, possible medical importance of *O. bacoti* as disease vectors: Malaysia

*Ornithonyssus bacoti* (Hirst)  
Phillis, W. A.; Cromroy, H. L.; and Denmark, H. A., 1976, Florida Entom., v. 59 (1), 89-92  
synonymy  
human  
*Sigmodon hispidus*  
all from Florida

*Ornithonyssus bacoti* (Hirst)  
Reisen, W. K.; et al., 1975, Kalikasan, v. 4 (2), 145-154  
*Mus caroli*: Korea  
*Rattus exulans*: Thailand  
*R. luzonicus*: Luzon, Philippines  
*R. norvegicus caraco*: Korea  
*R. rattus mindanensis*: Luzon, Philippines  
*R. r. thai*: Thailand  
*Rattus spp.*: Luzon, Philippines

*Ornithonyssus bacoti* (Hirst)  
Shepherd, R. C. H.; and Edmonds, J. W., 1976, Austral. Entom. Mag., v. 3 (4), 63-66  
*Oryctolagus cuniculus*: Victoria

*Ornithonyssus bacoti*  
Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient., v. 91 (1), 13-17  
*Sorex fumeus*: Fires Creek area, Nantahala Mountains, North Carolina

*Ornithonyssus bacoti* (Hirst)  
Whitaker, J. O., jr.; and Schmeltz, L. L., 1974, Proc. Indiana Acad. Sc., v. 83, 1973, 478-481  
*Scalopus aquaticus* (fur): Indiana

*Ornithonyssus banksi* Strandtmann & Wharton, 1958  
Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Ornithonyssus sylviarum* (Canestrini & Fanzago, 1877)

*Ornithonyssus bursa* (Berlese, 1888)  
Phillis, W. A.; Cromroy, H. L.; and Denmark, H. A., 1976, Florida Entom., v. 59 (1), 89-92  
synonymy  
*Gallus gallus*  
human  
*Rostrhamus sociabilis plumbeus*  
all from Florida

- Ornithonyssus bursa**  
 Powlesland, R. G., 1977, N. Zealand J. Zool., v. 4 (1), 85-94  
*Ornithonyssus bursa* on *Sturnus vulgaris*, no demonstrable effects on growth rate, mortality, blood picture or lipid stores of nestlings; seasonal pattern of infestation parallels starling breeding season: Manawatu region, New Zealand
- Ornithonyssus sylviarum**  
 Borisova, V. I., 1975, Biol. Nauk., Min. Vyssh. i. Sredn. Spetsial. Obrazovan. SSSR (141), year 18, (9), 14-18  
 nest ectoparasite specificity  
 + [Riparia riparia]  
 + [Hirundo rustica]  
 + [Muscicapa albicollis]  
 + [Sturnus vulgaris]  
 + [Emberiza citrinella]  
 (nest of all)
- Ornithonyssus sylviarum**  
 Brown, N. S.; and Wilson, G. I., 1975, Am. Midland Naturalist, v. 94 (1), 154-165  
 comparison of ectoparasites from North America and Europe  
*Passer domesticus*: Boston, Mass.; Stockton-on-Tees, England
- Ornithonyssus sylviarum** (Canestrini and Fanzago)  
 Christensen, C. M.; Knapp, F. W.; and Tuttle, J. W., 1977, Poultry Science, v. 56 (1), 79-81  
*Ornithonyssus sylviarum*, chickens, chlordimeform and tetrachlorvinphos equally effective; control less rapid with chlordimeform
- Ornithonyssus sylviarum**  
 Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
*Cyanocitta cristata*  
*Turdus migratorius*  
*Sturnus vulgaris*  
*Passer domesticus*  
*Agelaius phoeniceus*  
 all from South Bass Island, Ottawa County, Ohio
- Ornithonyssus sylviarum**  
 DeVaney, J. A.; et al., 1977, Poultry Science, v. 56 (5), 1585-1590  
*Ornithonyssus sylviarum*, White Leghorn roosters, infected and uninfected, mean body weight, reproductive potential studies, hematological values
- Ornithonyssus sylviarum** (Canestrini & Fanzago 1877)  
 Hall, R. D.; and Gross, W. B., 1975, J. Parasitol., v. 61 (6), 1096-1100  
*Ornithonyssus sylviarum*, chickens artificially selected for high or low levels of plasma corticosterone response to stress and housed to promote high or low levels of social interaction, effect on development of mite populations, host sex differences
- Ornithonyssus (Liponyssus) sylviarum** (Canestrini & Fanzago)  
 Hall, R. D.; Townsend, L. H., jr.; and Turner, E. C., jr., 1975, Vet. Parasitol., v. 1 (2), 185-192  
*Ornithonyssus sylviarum*, commercial caged laying hens, efficiency of chlordimeform applied as high or low pressure spray, comparison with stirofos
- Ornithonyssus sylviarum**  
 Hidano, A.; and Asanuma, K., 1976, Arch. Dermat., Chicago, v. 112 (6), 882-883  
 bird mites from starling nest (*Sturnus cineraneus*) parasitizing human occupant of house to which nest attached, case report of resulting acariasis: Japan
- Ornithonyssus sylviarum** (Canestrini & Fanzago)  
 McGroarty, D. L.; and Dobson, R. C., 1974, Am. Midland Naturalist, v. 91 (2), 479-486  
 ectoparasites, seasonal fluctuations  
*Passer domesticus*: northwestern Indiana
- Ornithonyssus sylviarum**  
 Maldonado Capriles, J.; and Miro Mercado, J., 1977, J. Agric. Univ. Puerto Rico, v. 61 (3), 400-401  
*Ornithonyssus sylviarum*, chickens (feathers), malathion, sevin, coral, good results after three consecutive treatments with coral: Adjuntas, Barrio Guayabo Dulce, Puerto Rico
- Ornithonyssus sylviarum** (Canestrini and Fanzago 1877)  
 Miller, W. V.; and Price, F. C., 1977, J. Parasitol., v. 63 (3), 417  
*Ornithonyssus sylviarum* found on *Mus musculus* trapped in a poultry house, possible importance of mice as temporary vectors of this mite in dissemination between poultry houses
- Ornithonyssus sylviarum** (Canestrini and Fanzago)  
 Phillis, W. A.; Cromroy, H. L.; and Denmark, H. A., 1976, Florida Entom., v. 59 (1), 89-92  
 synonymy  
*Gallus gallus*  
*Mimus polyglottis*  
*Cyanocitta c. cristata*  
 + *Toxostoma rufum rufum* (nest)  
*Cyanocitta cristata*  
 all from Florida
- Ornithonyssus sylviarum** (Canestrini and Fanzago), illus.  
 Pound, J. M.; and Oliver, J. H., jr., 1976, J. Parasitol., v. 62 (3), 470-474  
*Ornithonyssus sylviarum*, description of male and female reproductive systems
- Ornithonyssus sylviarum** (Canestrini and Fanzago)  
 Reisen, W. K.; et al., 1975, Kalikasan, v. 4 (2), 145-154  
*Rattus norvegicus caraco*: Korea
- Ornithonyssus sylviarum** (Canestrini & Fanzago, 1877)  
 Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
 synonymy
- Ornithophila metallica** Schiner, illus.  
 Itamies, J.; Helle, P.; and Hyttinen, L., 1976, Notulae Entom., v. 56 (4), 103-104  
 brief description  
*Luscinia svecica*: west coast of Finland
- Ornithophila metallica** (Schiner 1864)  
 Maa, T. C., 1968, J. Med. Entom., v. 5 (3), Aug., 325-328  
*Halcyon chloris*: Pago Pago, Tutuila Island  
 human: Tutuila Island

*Ornithophila metallica* (Schiner, 1864)  
 Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),  
 189-199  
 arthropods ectoparasitic upon mammals and  
 birds, factors affecting host specificity  
*Halcyon chloris*: New Hebrides

*Oropsylla arctomyia*  
 Berry, R. L.; et al., 1975, Am. J. Trop. Med.  
 and Hyg., v. 24 (6, pt. 1), 992-998  
 arthropods collected and tested as carriers  
 of California encephalitis, negative for  
 virus isolations: Gambier, Ohio

*Oropsylla asiatica* Wagn.  
 Letov, G. S.; and Letova, G. I., 1973, Zool.  
 Zhurnal, v. 52 (4), 525-531  
 fleas, geographic distribution in relation  
 to epizootiology of plague  
*Citellus undulatus*: Tuva

*Oropsylla idahoensis* (Baker)  
 Haas, G. E., 1973, Am. Midland Naturalist,  
 v. 90 (1), 246-252  
 morphological variations: New Mexico

*Oropsylla idahoensis* (Baker)  
 Haas, G. E.; et al., 1973, J. Med. Entom.,  
 v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geo-  
 graphic distribution, host and nest prefer-  
 ence, sex ratio, degree of plague infection  
*Eutamias minimus*  
*Spermophilus variegatus*  
*S. lateralis*  
*\*Cynomys gunnisoni* (burrow)  
*Microtus montanus*  
*M. longicaudus*  
 all from west of Rio Grande in and near  
 Jemez Mts., New Mexico

*Oropsylla ilovaiskii* Wagn. et Joff  
 Poliakov, V. K.; et al., 1976, Zool. Zhurnal,  
 v. 55 (10), 1538-1551  
 rodent fleas, zoological, parasitological,  
 epidemiological and ecological characteris-  
 tics of steppe, desert-steppe and desert  
 regions of Transsiberian plague focus  
*Citellus pygmaeus*  
*Rhombomys opimus*  
*Meriones tamariscinus*  
 all from northeastern part of Caspian low-  
 land

*Orthohalarachne attenuata*, illus.  
 Dunlap, J. S.; Piper, R. C.; and Keyes, M. C.,  
 1976, J. Wildlife Dis., v. 12 (1), 42-44  
*Orthohalarachne attenuata*, northern fur  
 seal (*Callorhinus ursinus*), erosion and in-  
 flammation of nasal turbinates and naso-  
 pharynx: Pribilof Islands

*Orthohalarachne attenuata* (Banks 1910), illus.  
 Furman, D. P., 1977, J. Parasitol., v. 63 (4),  
 748-755  
 descriptions of larvae, protonymphs and  
 deutonymphs, and adults, phylogenetic impli-  
 cations of comparative ontogeny of leg and  
 palpal chaetotaxy in halarachnid mites  
*Callorhinus ursinus cyanocephalus* (nasal pas-  
 sages): St. Paul Island of the Pribiloffs

*Orthohalarachne attenuata*  
 Furman, D. P.; and Smith, A. W., 1973, J. Med.  
 Entom., v. 10 (4), 415-416  
*Orthohalarachne diminuata*, O. attenuata,  
 in vitro development, adaptations of life  
 cycle for endoparasitism in mammals, presence  
 of protonymph and deutonymph stages confirmed  
*Callorhinus ursinus cyanocephalus* (nares):  
 St. Paul Island in Pribiloffs

*Orthohalarachne diminuata* (Doetschmann 1944),  
 illus.  
 Furman, D. P., 1977, J. Parasitol., v. 63 (4),  
 748-755  
 descriptions of larvae, protonymphs and  
 deutonymphs, and adults, phylogenetic impli-  
 cations of comparative ontogeny of leg and  
 palpal chaetotaxy in halarachnid mites  
*Zalophus californianus californianus* (nasal  
 passages): San Miguel Island, California

*Orthohalarachne diminuata* (Doetschmann, 1944)  
 Furman, D. P.; and Smith, A. W., 1973, J. Med.  
 Entom., v. 10 (4), 415-416  
*Orthohalarachne diminuata*, O. attenuata,  
 in vitro development, adaptations of life  
 cycle for endoparasitism in mammals, presence  
 of protonymph and deutonymph stages confirmed  
*Zalophus c. californianus* (nares): San  
 Miguel Island, California

*Orycteroxenus soricis*  
 Basolo, F., jr.; and Funk, R. C., 1974, Tr.  
 Illinois State Acad. Sc., v. 67 (2), 211-221  
*Cryptotis parva parva*: Coles County,  
 Illinois

*Orycteroxenus soricis*  
 Whitaker, J. O., jr.; Jones, G. S.; and  
 Pascal, D. D., jr., 1975, J. Elisha Mitchell  
 Scient. Soc., v. 91 (1), 13-17  
*Sorex cinereus*  
*S. fumeus*  
*Blarina brevicauda*  
 all from Fires Creek area, Nantahala Moun-  
 tains, North Carolina

*Oryzomysia lukoschusii* sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpi-  
 ensia (64), 37-67  
*Nectomys squamipes melanius*: Coronie, Surinam

*Oryzomysia oxymycteris* sp. n.  
 Fain, A., 1976, Acta Zool. et Path. Antverpi-  
 ensia (64), 37-67  
*Oxymycteris judex*: St. Catharina, Bresil

*Otobius lagophilus*  
 Oliver, J. H., jr.; and Osburn, R. L., 1977, J.  
 Parasitol., v. 63 (1), 176-178  
*Otobius megnini*, O. lagophilus: timing of  
 maturation (spermatogenesis and spermiogene-  
 sis begin several days prior to 2nd nymphal  
 ecdysis and continue during and after ec-  
 dysis); diploid chromosome number of 20

*Otobius megnini* (Duges, 1884)  
 Jones, E. K.; et al., 1972, Brigham Young  
 Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 Syn.: *Argas megnini* Duges, 1884

*Otobius megnini* (Duges)  
 Meleney, W. P., 1975, J. Parasitol., v. 61  
 (3), 530-534  
*Tayassu tajacu*  
*Lynx rufus*  
 (ears of all): all from Hidalgo County, New Mexico

*Otobius megnini*, illus.  
 Oliver, J. H., jr.; and Osburn, R. L., 1977, J. Parasitol., v. 63 (1), 176-178  
*Otobius megnini*, *O. lagophilus*: timing of maturation (spermatogenesis and spermiogenesis begin several days prior to 2nd nymphal ecdysis and continue during and after ecdysis); diploid chromosome number of 20

*Otocentor nitens* Cooley, 1938  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Anocentor nitens* (Neumann, 1897)

*Otodectes cynotis* (Hering, 1838), illus.  
 Mehl, R., 1972, Fauna, Oslo, v. 25 (4), 247-257  
*Vulpes vulpes*: Norge

*Otodectes cynotis* (Hering, 1838)  
 Nagendram, C.; and Rajamanickam, C., 1975, Southeast Asian J. Trop. Med. and Pub. Health, v. 6 (3), 452 [Demonstration]  
*Otodectes cynotis*, ear mange in cats, clinical aspects, satisfactory treatment with parasiticide such as otoryl or ectorol:  
 Petaling Jaya, Malaysia

*Otodectes cynotis* (Hering, 1838)  
 Nagendram, C.; and Rajamanickam, C., 1976, Malaysian Vet. J., v. 6 (2), 84  
*Otodectes cynotis*, cats (ears), clinical signs, diagnosis, otoryl, ectorol, good results: Petaling Jaya

*Otorhinophila Wrenn and Loomis* 1967  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere

*Oulocrepis Keler*, 1940  
 Złotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *O. dissimilis* (Denny, 1842)

*Oxylipeurus Mjoberg*, 1910  
 Złotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *O. dentatus* (Sugimoto, 1934)

*Oxylipeurus polytrapezius* (Burmeister, 1838)  
 Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
 key, synonymy

- Pachypygus gibber* (Thorell)  
*Hipeau-Jacquotte, R.*, 1977, *Marine Biol.*, v. 44 (1), 57-63  
*Pachypygus gibber*, pelagic larvae, phototropic reactions (threshold reaction, orientation towards light, speed and form of motility) based on age and stage of parasite  
*Ciona intestinalis*: Vieux-Port a Marseille, France
- Palaeopsylla helenae* Lewis, 1973, illus.  
*Smit, F. G. A. M.*, 1974, *Senckenbergiana Biol.*, v. 55 (4-6), 357-398  
*Soriculus baileyi*  
*S. nigrescens*  
*S. caudatus*  
*Pitymys sikkimensis*  
 all from Nepal
- Palaeopsylla kohauti* Dampf 1911  
*Artz, V.*, 1975, *Entom. Germanica*, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Talpa europaea*  
*Mustela nivalis*  
 all from Schleswig-Holstein
- Palaeopsylla kohauti* Dampf  
*Haitlinger, R.*, 1975, *Polskie Pismo Entom.*, v. 45 (2), 373-396  
 seasonal variance  
*Sorex araneus*  
 all from Gory Sowie
- Palaeopsylla minor* (Dale 1878)  
*Artz, V.*, 1975, *Entom. Germanica*, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Talpa europaea*  
*Mustela erminea*  
*M. nivalis*  
 all from Schleswig-Holstein
- Palaeopsylla similis* Dampf  
*Haitlinger, R.*, 1975, *Polskie Pismo Entom.*, v. 45 (2), 373-396  
 seasonal variance  
*Sorex araneus*  
 all from Gory Sowie
- Palaeopsylla soricis* (Dale 1878)  
*Artz, V.*, 1975, *Entom. Germanica*, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Apodemus flavicollis*  
*Clethrionomys glareolus*  
*Sorex araneus*  
*Mustela nivalis*  
 all from Schleswig-Holstein
- Palaeopsylla soricis*  
*Brinck-Lindroth, G.*; and *Smit, F. G. A. M.*, 1973, *Entom. Scand.*, v. 4 (4), 302-322  
 castration and intersexuality due to hyperparasitism by nematodes: Stora Sjofallet National Park, Sweden; Straumsnes, Norway
- Palaeopsylla soricis* (Dale) 1878  
*Cyprich, D.*; *Kiefer, M.*; and *Kminiak, M.*, 1976, *Biologia, Bratislava*, s. B, Zool. (3), v. 31 (8), 573-581  
*Arvicola terrestris*: Slovakia
- Palaeopsylla soricis* (Dale)  
*Haitlinger, R.*, 1975, *Polskie Pismo Entom.*, v. 45 (2), 373-396  
 seasonal variance  
*Clethrionomys glareolus*  
*Pitymus subterraneus*  
*Sorex araneus*  
*S. minutus*  
*S. alpinus*  
*Neomys fodiens*  
 all from Gory Sowie
- [*Palaeopsylla*] *soricis gromovi*  
*Avetisian, G. A.*; and *Ezekelian, V. Kh.*, 1975, *Biol. Zhurnal Armenii*, v. 28 (8), 56-63  
 fleas, seasonal and geographic distribution  
*Arvicola terrestris*: Armenia
- Palaeopsylla soricis rosickyi* Smit  
*Brinck-Lindroth, G.*; and *Smit, F. G. A. M.*, 1973, *Entom. Scand.*, v. 4 (4), 302-322  
 castration and intersexuality due to hyperparasitism by nematodes: Czechoslovakia
- Palaeopsylla soricis rosickyi* Smit  
*Hallas, T. E.*; and *Bang, P.*, 1976, *Flora og Fauna, Kobenhavn*, v. 82 (1), 11-18  
*Sorex araneus*: eastern Denmark
- Palaeopsylla soricis rosickyi* Smit  
*Szabo, I.*, 1972, *Parasitol. Hungar.*, v. 5, 329-347  
*Apodemus flavicollis*  
*Clethrionomys glareolus*  
*Crocidura leucodon*  
*Micromys minutus pratensis*  
*Neomys anomalus milleri*  
*N. fodiens*  
*Sorex araneus*  
 all from Sopron and environments, west Hungary
- Palaeopsylla soricis vesperis* subsp. nov., illus.  
*Smit, F. G. A. M.*, 1975, *Entom. Gaz.*, v. 26 (4), 274-276  
*Sorex araneus*: Porlock Weir (2 km WNW. of Porlock), Somerset, England; Porlock (51.14 N 3.36 W), Somerset, England; Lynton (51.15 N 3.50 W), Devon, England; Braunton (51.07 N 4.10 W), Devon, England; Penard (8 km ENE. of Port Eynon), Gower Peninsula, West Glamorgan, Wales; Port Eynon (51.33 N 4.13 W), Gower Peninsula, West Glamorgan, Wales; Mull (island), Scotland; Sunart, Argyllshire, Scotland; Sidmouth (50.41 N 3.15 W), Devon, England;  
*Neomys* sp.: Encamp (42.32 N 1.35 E), Andorra  
*Sorex minutus*: Soay (islet just S. of Isle of Skye), Scotland; Pabay (islet just NE. of Skye), Scotland  
*Microtus agrestis*: Scalpay (just N. of Skye), Scotland  
*Neomys anomalus*: Ordino (42.34 N 1.30 E), Andorra  
*Apodemus sylvaticus*: Ashley-Combe (3 km WNW. of Porlock), Somerset, England

- Palaeopsylla tauberi* Lewis, 1973, illus.  
*Smit, F. G. A. M.*, 1974, *Senckenbergiana Biol.*, v. 55 (4-6), 357-398  
*Soriculus nigrescens*  
*S. baileyi*  
*S. caudatus*  
*Pitymys sikkimensis*  
*Soriculus leucops*  
 all from Nepal
- Pandarus bicolor*, illus.  
*Russo, R. A.*, 1975, *Calif. Fish and Game*, v. 61 (4), 228-232  
*Triakis semifasciata*  
*Mustelus henlei*  
*Galeorhinus zyopterus*  
*Notorhynchus maculatus*  
*Squalus acanthias*  
 all from California
- Paraceras melis* (Walker 1856)  
*Beaucournu, J. C.*, 1976, *Ann. Soc. Entom. France*, n. s., v. 12 (2), 199-213  
 Ceratophyllidae of French mammals, geographic distribution, ecology, sex ratio, epidemiological role, review: France
- Paraceras melis* (Walker), illus.  
*Pisarska, P.*, 1975, *Dokl. Sel'skokhoziaistv. Akad. im. Georgija Dimitrova*, v. 8 (3), 79-81  
 description  
*Vulpes vulpes*: village of Kalougerovo, district of Pazardzhik, Bulgaria
- Paraceras melis* Curtis, 1832, illus.  
*Sanchez Acedo, C.*; and *Ramon Vericad, J.*, 1973, *Rev. Iber. Parasitol.*, v. 33 (1), 29-38  
*Meles meles*: Alto Aragon
- Paraceras melis melis*  
*Aubert, M. F. A.*; and *Beaucournu, J. C.*, 1976, *Ann. Parasitol.*, v. 51 (1), 143-156  
 Survey of Siphonaptera of some carnivores with brief notes on biology and chorology  
*Vulpes vulpes*  
*Meles meles*  
 all from Nord-Est de la France
- Paraceras melis melis* (Walker, 1856)  
*Mehl, R.*, 1972, *Fauna, Oslo*, v. 25 (4), 247-257  
*Vulpes vulpes*: Norge
- Paraceras melis melis*, illus.  
*Mehl, R.*, 1972, *Fauna, Oslo*, v. 25 (4), 265-274  
*Meles meles*: Norge
- Paraclysis gigantica* (Kellogg, 1896)  
*Ward, R. A.*; and *Downey, J. C.*, 1973, *J. Med. Entom.*, v. 10 (4), 391-396  
*Diomedea immutabilis*: Midway Atoll, Pacific Ocean
- Paradentocarpus* subg. n.  
*Fain, A.*, 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
 subgen. of *Dentocarpus*  
 tod: *Dentocarpus* (*Paradentocarpus*) *abyssinicus* sp. n.
- Paradoxopsyllus dashidorzhii* Scalon Letov, G. S.; and Letova, G. I., 1973, *Zool. Zhurnal*, v. 52 (4), 525-531  
 fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Paradoxopsyllus dictosus* n. sp., illus.  
*Smit, F. G. A. M.*, 1974, *Serckenberiana Biol.*, v. 55 (4-6), 357-398  
*Rattus rattoides*: Rupshesara and Tukche, Nepal
- Paradoxopsyllus hesperius*  
*Avetisian, G. A.*; and *Ezekelian, V. Kh.*, 1975, *Biol. Zhurnal Armenii*, v. 28 (8), 56-63  
 fleas, seasonal and geographic distribution  
*Microtus nivalis*: Armenia
- Paradoxopsyllus mustangensis* Lewis, 1974  
*Smit, F. G. A. M.*, 1974, *Senckenbergiana Biol.*, v. 55 (4-6), 357-398  
*Apodemus gurkha*  
*Rattus rattoides*  
 all from Nepal
- Paradoxopsyllus oribatus* Lewis, 1974  
*Smit, F. G. A. M.*, 1974, *Senckenbergiana Biol.*, v. 55 (4-6), 357-398  
*Pitymys sikkimensis*  
*Apodemus sylvaticus*  
 all from Nepal
- Paradoxopsyllus scorodumovi* Scalon Letov, G. S.; and Letova, G. I., 1973, *Zool. Zhurnal*, v. 52 (4), 525-531  
 fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Paradoxopsyllus spinosus* Lewis, 1974  
*Smit, F. G. A. M.*, 1974, *Senckenbergiana Biol.*, v. 55 (4-6), 357-398  
*Apodemus sylvaticus*  
*Alticola stoliczkanus*  
 all from Nepal
- Paradoxopsyllus teretifrons* Roths.  
*Amanniajazova, R. D.*, 1975, *Izvest. Akad. Nauk Turkmensk. SSR, s. Biol. Nauk* (6), 48-54  
 seasonal distribution in different landscapes  
*Rhombomys opimus*: Turkmenistan
- Paradoxopsyllus teretifrons*, illus.  
*Kunitskaja, N. T.*; and *Prokop'ev, V. N.*, 1976, *Entom. Obozr.*, v. 55 (4), 800-807  
 fleas, number of egg tubes
- Paradoxuroecus Conci*, 1942  
*Emerson, K. C.*; and *Price, R. D.*, 1975, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 20 (3), 1-7  
 as syn. of *Felicola Ewing*, 1929
- Paradysschiria fusca*  
*Whitaker, J. O., jr.*; and *Mumford, R. E.*, 1977, *Entom. News*, v. 88 (9-10), 255-258  
*Noctilio leporinus*: Minas Gerais, Brazil

*Paragabucinia cardiura*, Gaud, 1973  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, *Parazity Zhivot. i Rasten.*, Akad. Nauk Moldavsk. SSR (9), 192-208  
*Caprimulgus europaeus*: Moldavian SSR

*Paragliricola Ewing*, 1924  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Gliricola Mjoberg*, 1910

*Parakosa McDaniel & Lawrence*, 1962  
 McDaniel, B., 1971, *Acarologia*, v. 12 (4), 803-823  
 key

*Parakosa McDaniel and Lawrence*, 1962  
 McDaniel, B., 1972, *Brigham Young Univ. Sc. Bull.*, Biol. ser., v. 17 (2), 15-32  
 key

*Parakosa asiatica* sp. n.  
 Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
*Tadarida (Chærephon) johorensis*: Pulai, Kelantan, Malaya

*Parakosa flexipes* (Pinichpongse)  
 McDaniel, B., 1971, *Acarologia*, v. 12 (4), 803-823  
 Syn.: *Eulabidocarpus flexipes* Pinichpongse, 1963  
*Molossus pretiosus*: Carazo, Nicaragua

*Parakosa indica* sp. n.  
 Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
*Otomops wroughtoni*: Parapede Cave, Tallawady, Inde

*Parakosa maxima* n. sp., illus.  
 McDaniel, B., 1971, *Acarologia*, v. 12 (4), 803-823  
*Molossus pretiosus*: 3 km. N., 4 km. W.  
*Diriamba*, Carazo, Nicaragua; Santa Rosa, 17 km. N., 15 km. E. Boaco, Boaco, Nicaragua; 6 km. W. Rama, Zelaya, Nicaragua  
*Molossus molossus aztecus*: 3 km. N., 4 km. W. *Diriamba*, Carazo, Nicaragua  
*Noctilio l. labialis*: 3 km. N., 4 km. W. *Diriamba*, Carazo, Nicaragua

*Parakosa maxima* McDaniel, 1970, illus.  
 McDaniel, B., 1972, *Brigham Young Univ. Sc. Bull.*, Biol. ser., v. 17 (2), 15-32  
 redescription  
*Molossus ater*  
*M. bondae*  
*M. major*  
*Artibeus harti*  
*Glossophaga longirostris*  
*Noctilio labialis*  
 all from Venezuela

*Parakosa mormopterus* sp. n.  
 Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
*Mormopterus beccarii*: Amboine

*Parakosa philippinensis* sp. n.  
 Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
*chiroptere*, non identifie: probablement Corte Danao City, Cebu, Philippines

*Parakosa tadarida* McDaniel & Lawrence, 1962  
 McDaniel, B., 1971, *Acarologia*, v. 12 (4), 803-823  
*Molossus pretiosus*: Carazo, Nicaragua

*Parakosa tadarida* McDaniel and Lawrence, 1962, illus.  
 McDaniel, B., 1972, *Brigham Young Univ. Sc. Bull.*, Biol. ser., v. 17 (2), 15-32  
 redescription  
*Sturnira lilium*  
*Glossophaga longirostris*  
*Molossus bondae*  
*M. ater*  
*Noctilio labialis*  
*Carollia brevicauda*  
 all from Venezuela

*Paralabidocarpus Pinichpongse*, 1963  
 McDaniel, B., 1971, *Acarologia*, v. 12 (4), 803-823  
 key

*Paralabidocarpus Pinichpongse*, 1963  
 McDaniel, B., 1972, *Brigham Young Univ. Sc. Bull.*, Biol. ser., v. 17 (2), 15-32  
 key

*Paralabidocarpus anthorhinae* sp. n.  
 Fain, A., 1973, *Rev. Zool. et Botan. Africaines*, v. 87 (2), 330-332  
*Anthorhina crenulata*: Surinam

*Paralabidocarpus artibei* Pinichpongse, 1963  
 McDaniel, B., 1971, *Acarologia*, v. 12 (4), 803-823  
*Sturnira lilium parvidens*: Nueva Segovia, Nicaragua

*Paralabidocarpus brewsterae* sp. n.  
 Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
*Furipterurus horrens*: Reserve forestiere, near Bartica, Guyana Anglaise

*Paralabidocarpus furipterurus* sp. n.  
 Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
*Furipterurus horrens*: Reserve forestiere, near Bartica, Guyana Anglaise

*Paralabidocarpus hipposideros* sp. n.  
 Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
*Hipposideros lankadiva*: Grotte de Pitakele, Ceylan

*Paralabidocarpus trachops* ssp. *mimon* ssp. n.  
 Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
*Mimon crenulatum*: near Bartica, Guyane Anglaise

- Paraneonyssus hirsti**  
 Brown, N. S.; and Wilson, G. I., 1975, Am.  
*Midland Naturalist*, v. 94 (1), 154-165  
 comparison of ectoparasites from North  
 America and Europe  
*Passer domesticus*: Boston, Mass.
- Paraneopsylla dampfi**  
 Avetisian, G. A.; and Ezekelian, V. Kh.,  
 1975, *Biol. Zhurnal Armenii*, v. 28 (8), 56-63  
 fleas, seasonal and geographic distribution  
*Micromys nivalis*: Armenia
- Paranthessius Claus**, 1889  
 Stock, J. H., 1968, *Bull. Zool. Mus. Univ.*  
 Amsterdam, v. 1 (9), 89-105  
 key
- Paranthessius group**  
 Stock, J. H., 1968, *Bull. Zool. Mus. Univ.*  
 Amsterdam, v. 1 (9), 89-105  
 key to genera
- Paranthessius nasutum Illig**, 1949  
 Stock, J. H., 1968, *Bull. Zool. Mus. Univ.*  
 Amsterdam, v. 1 (9), 89-105  
 as syn. of *Diogenidium nasutum* Edward, 1891
- Paraperiglischrus rhinolophinus** C. L. Koch, 1841  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976,  
*Vestnik Zool.*, Akad. Nauk Ukrainsk. SSR, Inst.  
*Zool.* (2), 24-28  
*Rhinolophus mehelyi*: Azerbaijan
- Paraperiglischrus [sic] rhinolophinus** (C.L. Koch)  
 Petrova, A. D.; and Taskaeva, E. Z., 1975,  
*Biul. Moskov. Obsh. Ispyt. Prir., Otdel*  
*Biol.*, v. 80 (5), 58-64  
*Miniopterus schreibersii*  
*Rhinolophus ferrumequinum tragatus*  
 all from Kun'min, Yun'nan province (south-  
 eastern Chinese People's Republic)
- Paraperiglischrus rhinolophinus** (C.L. Koch,  
 1841), illus.  
 Pinchuk, L. M., 1971, *Parazity Zhivot. i Ras-*  
*ten.*, Akad. Nauk Moldavsk. SSR (7), 93-110  
 description  
*Rhinolophus hipposideros*  
*Plecotus auritus*  
 all from Moldavia
- Paraperiglischrus [sic] sternalis** sp. nov., illus.  
 Petrova, A. D.; and Taskaeva, E. Z., 1975,  
*Biul. Moskov. Obsh. Ispyt. Prir., Otdel*  
*Biol.*, v. 80 (5), 58-64  
 [fig. 1 inadvertently labelled *Eyndhovenia*  
*sternalis* sp. nov.]  
*Rhinolophus ferrumequinum tragatus*: Kun'min,  
 Yun'nan province (southeastern Chinese  
 People's Republic)
- Parapsyllus Enderlein**, 1903  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 diagnosis, key, key to species: Australia;  
 Macquarie Island
- Parapsyllus australiacus** Rothschild, 1909,  
 illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 synonymy, key, diagnosis  
*Eudyptula minor*: New South Wales; South  
 Australia; Tasmania; Victoria; Western  
 Australia  
*fairy penguin*: Tasmania  
*little blue penguin*: Victoria  
*Pelagodroma marina*: Tasmania  
*Puffinus spheurus*: New South Wales  
*P. tenuirostris*: Tasmania; Victoria  
*Larus novaehollandiae*: South Australia  
*L. pacificus*: Victoria  
*Antechinus minimus*: Victoria  
*Rattus rattus*: Victoria  
*R. fuscipes*: "  
 penguin": Tasmania; South Australia
- Parapsyllus cardinis** Dunnet  
 Brinck-Lindroth, G.; and Smit, F. G. A. M.,  
 1973, *Entom. Scand.*, v. 4 (4), 302-322  
 castration and intersexuality due to hyper-  
 parasitism by nematodes: Antipodes Island
- Parapsyllus cardinis** Dunnet, 1961, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis  
*Macronectes giganteus*  
*Pterodroma lessoni*  
*Pachyptila desolata*  
 all from Tasmania
- Parapsyllus magellanicus** Jordan, 1938, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 synonymy, key, diagnosis  
*Eudyptes cristatus*  
*Pterodroma lessoni*  
 all from Tasmania
- Parapsyllus taylori** Jordan, 1942, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis  
*Pelagodroma marina*: New South Wales; Tas-  
 mania  
*Puffinus pacificus*: Western Australia  
*P. tenuirostris*: Tasmania; Victoria  
*little blue penguin*: Victoria  
*Hydroprogne caspia*: "  
*Antechinus minimus*: "  
*Rattus fuscipes*: "
- Parascoschoengastia** Vercammen-Grandjean 1960  
 Brennan, J. M.; and Goff, M. L., 1977, *J. Par-*  
*asitol.*, v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in  
 the Western Hemisphere
- Parasecia** Loomis 1966  
 Brennan, J. M.; and Goff, M. L., 1977, *J. Par-*  
*asitol.*, v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in  
 the Western Hemisphere
- Parasitus** sp.  
 Diusembaev, E. B.; and Chelebiev, K. A., 1975,  
*Zool. Zhurnal*, v. 54 (1), 124-127  
 +*Lagurus lagurus* (nest): Karagandinsk oblast

- Paraspeleognathopsis Fain, 1958**  
 Fain, A., 1971, *Acarologia*, v. 12 (3), 509-521  
 redefinition, key  
 Syn.: *Speleognathopsis* (*Paraspeleognathopsis*) Fain, 1958
- Paraspeleognathopsis (Speleorodens) Fain, 1963**  
 Fain, A., 1971, *Acarologia*, v. 12 (3), 509-521  
 as syn. of *Speleorodens* Fain, 1962
- Paraspeleognathopsis sp.**  
 Basolo, F., jr.; and Funk, R. C., 1974, Tr.  
 Illinois State Acad. Sc., v. 67 (2), 211-221  
*Micromysis ochrogaster ochrogaster*: Coles  
 County, Illinois
- Paraspeleognathopsis bakeri (Fain, 1955), illus.**  
 Fain, A., 1971, *Acarologia*, v. 12 (3), 509-521  
 key
- Paraspeleognathopsis galagoensis (Fain, 1956)**  
 Fain, A., 1971, *Acarologia*, v. 12 (3), 509-521  
 key
- Paraspeleognathopsis graphiuri nov. spec., illus.**  
 Fain, A., 1971, *Acarologia*, v. 12 (3), 509-521  
 key  
*Graphiurus microtis* (fosses nasales): As-  
 trida (actuellement Butare), Rwanda
- Paraspinturnix globosus Rudnick**  
 Reisen, W. K.; Kennedy, M. L.; and Reisen,  
 N. T., 1976, *J. Parasitol.*, v. 62 (4), 628-635  
 winter ecology of ectoparasites collected  
 from hibernating *Myotis velifer* (incidence,  
 intensity, monthly changes, parasite and host  
 sex ratio, interspecific associations, para-  
 site age structure, etc.)  
*Myotis velifer*: Harmon County, southwestern  
 Oklahoma
- Parastivalius Holland, 1969**  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis
- Parastivalius novaeguineae (Rothschild, 1904), illus.**  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 synonymy, diagnosis  
*Echymipera rufescens*  
*Rattus leucopus*  
 all from Queensland
- Paratrichobius [sp.]**  
 Whitaker, J. O., jr.; and Mumford, R. E.,  
 1977, *Entom. News*, v. 88 (9-10), 255-258  
*Vampyrops lineatus*  
*Artibeus lituratus*  
 all from Minas Gerais, Brazil
- Paratrichobius longicrus**  
 Whitaker, J. O., jr.; and Mumford, R. E.,  
 1977, *Entom. News*, v. 88 (9-10), 255-258  
*Artibeus lituratus*: Minas Gerais, Brazil
- Parichoronyssus sclerus**  
 Whitaker, J. O., jr.; and Mumford, R. E.,  
 1977, *Entom. News*, v. 88 (9-10), 255-258  
*Anoura caudifera*: Minas Gerais, Brazil
- Partipalpiger subgen. nov.**  
 Hoogstraal, H.; et al., 1973, *J. Med. Entom.*,  
 v. 10 (2), 157-164  
 subgenus of *Ixodes*, tod: *Ixodes* (*Partipal-  
 piger*) *ovatus* Neumann, 1899
- Passeronyssus havanensis Dusbabek, 1969**  
 Cerny, V.; and Dusbabek, F., 1971, *Acarologia*,  
 v. 12 (3), 479-491  
*Vireo flavifrons*  
*Vireo griseus*  
 (nasal cavities of all): all from Havana,  
 Cuba
- Passeronyssus megaluri n. sp., illus.**  
 Sakakibara, I., 1968, *J. Med. Entom.*, v. 5  
 (3), Aug. 1, 298-309  
*Megalurus timoriensis*: Telefomin, New  
 Guinea  
 bird: Murmur, New Guinea
- Passeronyssus vireonis Dusbabek, 1969**  
 Cerny, V.; and Dusbabek, F., 1971, *Acarologia*,  
 v. 12 (3), 479-491  
*Vireo olivaceus olivaceus* (nasal cavity):  
 Havana, Cuba
- Passeroptes dermicola Trouessart**  
 McGroarty, D. L.; and Dobson, R. C., 1974, *Am.  
 Midland Naturalist*, v. 91 (2), 479-486  
 ectoparasites, seasonal fluctuations  
*Passer domesticus*: northwestern Indiana
- Passerrhinoptes pycnonoti Fain, 1976**  
 Fain, A.; Herin, A.; and Puylaert, F., 1977,  
*Rev. Zool. Africaine*, v. 91 (2), 385-396  
*Pycnonotus barbatus* (fosses nasales): Cam-  
 eroun
- Patellinirmus Tendeiro, 1972**  
 Tendeiro, J., 1975, *Garcia de Orta, s. Zool.*,  
 v. 4 (1), 57-69  
*Gonioididae*  
 key, phylogenetic position
- Patellinirmus novaeseelandiae Tendeiro, illus.**  
 Tendeiro, J., 1975, *Garcia de Orta, s. Zool.*,  
 v. 4 (1), 57-69
- Pecaroecus javalii Babcock & Ewing**  
 Meleney, W. P., 1975, *J. Parasitol.*, v. 61  
 (3), 530-534  
*Tayassu tajacu*: Hidalgo County, New Mexico
- Pectinoctenus pavlovskii Ioff**  
 Letov, G. S.; and Letova, G. I., 1973, *Zool.  
 Zhurnal*, v. 52 (4), 525-531  
 fleas, geographic distribution in relation  
 to epizootiology of plague  
*Citellus undulatus*: Tuva
- Pectinopygus annulatus (Piaget, 1880)**  
 Ward, R. A.; and Downey, J. C., 1973, *J. Med.  
 Entom.*, v. 10 (4), 391-396  
*Sula sula rubripes*: Midway Atoll, Pacific  
 Ocean
- Pectinopygus gracilicornis (Piaget, 1880)**  
 Ward, R. A.; and Downey, J. C., 1973, *J. Med.  
 Entom.*, v. 10 (4), 391-396  
*Fregata minor palmerstoni*  
*Sula dactylatra personata*  
 all from Midway Atoll, Pacific Ocean

*Pectinopygus sulae* (Rudow, 1869)  
 Ward, R. A.; and Downey, J. C., 1973, *J. Med. Entom.*, v. 10 (4), 391-396  
*Sula leucogaster plotus*  
*S. dactylatra personata*  
 all from Midway Atoll, Pacific Ocean

*Pedicinus obtusus*  
 Prosl, H., 1976, *Ztschr. Parasitenk.*, v. 50 (2), 214  
 Rhesusaffe

*Pediculosis*  
 Dorsz, E., 1970, *Polski Tygod. Lekar.*, v. 25 (5), 188-190  
 human lice and pediculosis, historical review of clinical care in the 16th-18th centuries in Poland

*Pediculosis*  
 Orkin, M., 1974, *Minnesota Med.*, v. 57 (10), 848-852  
 human infection, current therapy and clinical measures

*Pediculosis*  
 Orkin, M.; Epstein, E.; and Maibach, H. I., 1976, *J. Am. Med. Ass.*, v. 236 (10), 1136-1139  
 extensive review of treatment and control of human scabies and pediculosis

*Pediculus affinis* Burmeister, 1838  
 Kim, K. C.; and Emerson, K. C., 1971, *J. Med. Entom.*, v. 8 (1), 7-16  
 as syn. of *Hoplopleura affinis* (Burmeister)

*Pediculus anseris* Linne, 1758  
 Martin Mateo, M. P., 1975, *Rev. Iber. Parasitol.*, v. 35 (1-2), 41-79  
 as syn. of *Anaticola anseris* (Linne, 1758)

*Pediculus bidentatus* Scopoli, 1763  
 Martin Mateo, M. P., 1975, *Rev. Iber. Parasitol.*, v. 35 (1-2), 41-79  
 as syn. of *Campanulotes bidentatus* (Scopoli, 1763)

*Pediculus bifurcatus* Olfers, 1816  
 Emerson, K. C.; and Price, R. D., 1975, *Brigham Young Univ. Sc. Bull., Biol. ser.*, v. 20 (3), 1-77  
 as syn. of *Gliricola porcelli* (Schrank)

*Pediculus capititis*  
 Macias, E. G.; et al., 1973, *N. England J. Med.*, v. 289 (23), 1239-1241  
*Cochliomyia hominivorax* causing myiasis in children, frequently associated with pediculosis, close proximity to city stockyards and poor environmental and personal hygiene implicated in epidemiology: San Antonio, Texas

*Pedicul[us] capititis*  
 Nitzkin, J. L., 1977, *J. Am. Med. Ass.*, v. 237 (6), 530  
 human pediculosis capititis, "communicable disease transmissible from person to person, not preventable by even the best of personal hygiene and not related to the cleanliness of the home environment"

*Pediculus c. capititis*  
 Eichler, W., 1976, *Ang. Parasitol.*, v. 17 (2), 76-85  
 annoyance to man, holiday situations: Baltic coast, German Democratic Republic

*Pediculus humanus* Buxton, illus.  
 Kumar, P.; and Somadder, K., 1976, *Indian J. Entom.*, v. 36 (4), 1974, 355-358  
*Haematopinus suis*, *Pediculus humanus*, and *Linognathus vituli*, hatching organ, description and mechanism

*Pediculus humanus* L  
 Marshall, A. G., 1976, *Ecol. Entom.*, v. 1 (3), 189-199  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity man: New Hebrides

*Pediculus humanus*  
 Rijkels, D. F., 1971, *Nederl. Tijdschr. Geneesk.*, v. 115 (14), 593-597  
*Pediculus humanus* as vector of louse-borne relapsing fever: Ethiopia

*Pediculus humanus*  
 Schenone, H.; and Reyes, H., 1967, *Bol. Chileno Parasitol.*, v. 22 (2), 56-59  
 human ectoparasites, control measures, lindane: Chile

[*Pediculus humanus*] body lice  
 Steinberg, M.; et al., 1971, *J. Med. Entom.*, v. 8 (1), 68-72  
 body lice, human, comparison of Mobam and malathion; susceptibility of natural population of body lice to DDT, lindane, malathion, and Mobam (filter paper method); comparison of susceptibility of wild and laboratory-reared colonies of lice to DDT, lindane, and malathion: Korea

*Pediculus humanus capititis*, illus.  
 Faucheuix, M.-J., 1975, *Bull. Soc. Sc. Nat. Ouest France*, v. 73 (2-3), 69-76  
*Pediculus humanus capititis*, *Phthirus pubis*, feet, respiratory system, functional morphology, scanning electron microscopy

*Pediculus humanus capititis*, illus.  
 Hoornweg, J.; et al., 1975, *Nederl. Tijdschr. Geneesk.*, v. 119 (40), 1534-1537  
*Pediculus humanus capititis*, recommendations for treatment of pediculosis in children with repeat applications of gammexane or a single application of malathion

*Pediculus humanus capititis* DeGr.  
 Lang, J. D., 1977, *J. N. York Entom. Soc.*, v. 84 (4), 1976, 243-245  
*Pediculus humanus capititis*, sex ratio in natural and reared populations, females not significantly reduced under crowded conditions; shorter longevity in newly emerged females isolated with males attributed to their not being fully sclerotized prior to copulating, not the result of frequent copulations by males

- Pediculus humanus capitis**  
*Lolic, M.; et al., 1975, Bol. Chileno Parasitol., v. 30 (3-4), 50-53*  
*Pediculus humanus capitis, scabies, prevalence survey in schoolchildren, suggested measures for control: Santiago, Chile*
- Pediculus humanus capitis**  
*Mauder, J. W.; Cockburn, J. M.; and MacEwen, A., 1974, Tr. Roy. Soc. Trop. Med. and Hyg., v. 68 (1), 13 [Demonstration]*  
*Pediculus humanus capitis, film showing aspects of louse reproduction including copulation, egg laying and hatching of eggs with proof of nocturnal endogenous cycle of egg-laying*
- Pediculus humanus capitis**  
*Schenone, H.; et al., 1973, Bol. Chileno Parasitol., v. 28 (1-2), 31-33*  
*Pediculus humanus capitis, statistics of human infestation, lindane treatment unsuccessful, personal hygiene more important: Chile*
- Pediculus humanus capitis**  
*Slonka, G. F.; et al., 1976, Am. J. Trop. Med. and Hyg., v. 25 (5), 739-743*  
*Pediculus humanus capitis, outbreak in schoolchildren, epidemiology, recommendations for control: Georgia*
- Pediculus humanus capitis**  
*Slonka, G. F.; et al., 1977, J. Parasitol., v. 63 (2), 377-383*  
*Pediculus humanus capitis, human, epidemic in public schools, sex, age, race, socioeconomic status, crowding, method of closeting garments, and family size influenced distribution of pediculosis but hair length apparently was not a factor, poverty and ignorance appeared to contribute to persistence of infestation: Buffalo, New York*
- Pediculus humanus capitis**  
*Traore Lamizana, M.; and Mouchet, J., 1976, Medecine et Malad. Infect., v. 6 (2), 48-52*  
*Pediculus humanus capitis, studies on resistance of 3 strains from Paris schoolchildren to DDT, malathion and gamma HCH*
- Pediculus humanus corporis**  
*Takahashi, M.; and Ohtaki, T., 1975, Eisei Dobutsu (Japan. J. San. Zool.), v. 26 (4), 237-239*  
*Pediculus humanus corporis, Cimex lectularius, ovicidal effects of methoprene and hydroprene, juvenile hormone analogs; methoprene less effective on *P. humanus corporis*, more effective on *C. lectularius**
- Pediculus h. humanus**  
*Eichler, W., 1976, Ang. Parasitol., v. 17 (2), 76-85*  
*annoyance to man, holiday situations: Baltic coast, German Democratic Republic*
- Pediculus humanus humanus**  
*Kamel, O. M.; Nassif, M.; and Nagy, M., 1976, PANS, v. 22 (3), 350-353*  
*temephos effective against *Pediculus humanus humanus*, but not effective against *Pulex irritans*: Egypt*
- Pediculus humanus humanus**  
*Sholdt, L. L.; et al., 1977, Tr. Roy. Soc. Trop. Med. and Hyg., v. 70 (5-6), 1976, 532-533 [Letter]*  
*Pediculus humanus humanus, evidence that human body lice are resistant to malathion: Ethiopia*
- Pediculus humanus humanus L., illus.**  
*Silverman, D. J.; Boese, J. L.; and Wissemann, C. L., jr., 1974, Infect. and Immun., v. 10 (1), 257-263*  
*ultrastructural studies of *Rickettsia prowazeki* as it passed from *Pediculus humanus humanus* midgut cells to feces*
- Pediculus lyriocephalis Nitzsch, 1864**  
*Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16*  
*as syn. of *Haemodipsus lyriocephalus* (Burm.)*
- Pediculus mergi Guerin, 1818**  
*Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79*  
*as syn. of *Anatoecus icterodes* (Nitzsch, 1818)*
- Pediculus ovisarvetis Schrank, 1803**  
*Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77*  
*as syn. of *Bovicola ovis* (Linnaeus)*
- Pediculus querquedulae Linne, 1758**  
*Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294*  
*as syn. of *Trinoton querquedulae* (Linne, 1758)*
- Pediculus saviae Schrank, 1803**  
*Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77*  
*as syn. of *Gliricola porcelli* (Schrank)*
- Pediculus tauri Olfers, 1816**  
*Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77*  
*as syn. of *Bovicola bovis* (Linnaeus)*
- Pelecanectes Fain, 1966**  
*Fain, A.; and Amerson, A. B., jr., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 320-324*  
*subgen. of *Neottialges*, description*
- Pellonyssus passeri Clark & Yunker**  
*McGroarty, D. L.; and Dobson, R. C., 1974, Am. Midland Naturalist, v. 91 (2), 479-486*  
*ectoparasites, seasonal fluctuations*  
**Passer domesticus*: northwestern Indiana*

- Pellonysus passeri* (Clark and Yunker 1956)  
 Phillis, W. A.; Cromroy, H. L.; and Denmark, H. A., 1976, Florida Entom., v. 59 (1), 89-92  
 Passer domesticus  
 +*Mimus polyglottis* (nest)  
 +*Zenaidura macroura* (nest)  
 +*Cassidix mexicanus major* (nest)  
 all from Florida
- Peltoculus* Brennan 1972  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Penicillidia actedona* Theodor, 1967  
 Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Miniopterus medius*: Bukit Cheras, Bukit Panching, Pahang
- Penicillidia buxtoni* Scott, 1932  
 Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Miniopterus tristis*  
*M. medius*  
*M. australis*  
 all from New Hebrides
- Penicillidia dufouri* Westwood, 1935  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Penicillidia (P.) dufouri dufouri* (Westwood, 1835)  
 Hurka, K., 1976, Acta Entom. Bohemoslov., v. 73 (5), 343-347  
*Myotis blythi oxygnathus*: Osh region, Kirgizia
- Penicillidia fulvida* Bigot 1885  
 Adam, J. P.; and Landau, I., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (1), 5-6 [Demonstration]  
 as vector of *Polychromophilus* sp.  
*Miniopterus minor minor*  
*Rhinolophus landeri*  
*Hipposideros*  
 all from caves in Congo-Brazzaville
- Penicillidia godivae* Theodor & Peterson, 1964  
 Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Pipistrellus ridleyi*: Singapore
- Penicillidia sumatrensis* Theodor, 1968  
 Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Miniopterus medius*  
*M. schreibersii*  
 all from Panching, Pahang
- Peniculisa wilsoni* sp. nov., illus.  
 Radhakrishnan, S., 1977, Hydrobiologia, v. 52 (2-3), 251-255  
*Peniculisa wilsoni* sp. nov., length of caudal processes in relation to total length of the prolongation of the abdomen of little taxonomic value  
*Diodon hystrix* (fins): Kovalam, Kerala State, South India
- Pennella elegans*  
 Kannupandi, T., 1976, Indian J. Exper. Biol., v. 14 (1), 57-58  
*Pennella elegans*, chemical composition and mode of stabilization of cuticle protein, disulphide linkage, possible function in protection from host enzymes
- Pennella elegans*, illus.  
 Kannupandi, T., 1976, Science and Culture, v. 42 (10), 523-524  
*Pennella elegans*, cuticular respiration
- Pentastomes*  
 Tiefenbach, B., 1977, Cahiers Bleus Vet. (26), 216-230  
 fenbendazole (available in 5 forms), efficacy against parasites in various animals, well tolerated with no apparent effects on fertility or fetus, extensive summary of results to date
- Pentastomiasis*  
 Smith, J. A.; et al., 1975, Ann. Trop. Med. and Parasitol., v. 69 (4), 503-512  
*Armillifer armillatus*, human, case report of severe disseminated porocephalosis with paraplegia and gangrene and coexisting Hodgkin's disease; review of 60 other cases shows *Armillifer* infestation as 3rd commonest cause of hepatic granulomata, possible congenital case as well as 1st cutaneous involvement are reported, malignant tumors were associated with 33% of the cases, suggested that pentastomes may be able to cause neoplasia
- Pentastomids*  
 Banaja, A. A.; James, J. L.; and Riley, J., 1976, Parasitology, v. 73 (2), xxix [Abstract]  
 pentastomids, tegumental cuticular cells, osmoregulatory function
- Perates* Brennan and Dalmat 1960  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Pergamasus longicornis* grp.  
 Amin, O. M., 1976, Great Lakes Entom., v. 9 (4), 195-198  
*Tamias striatus ohionensis*: Kenosha County, Wisconsin
- Periglischrus vargasii*  
 Whitaker, J. O. jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Leptonycteris nivalis*: Big Bend National Park, Texas, and Coahuila, Mexico
- Perineus tenuipenalis* Keler, 1958  
 Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
*Diomedea immutabilis*  
*D. nigripes*  
 all from Midway Atoll, Pacific Ocean
- Perissopalla* Brennan and White 1960  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere

## ARTHROPODA

*Perissopus manuelensis* Gnanamuthu, 1951, illus.  
Pillai, N. K., 1964, J. Marine Biol. Ass. India, v. 6 (1), 61-83  
description, syn.: ?*Perissopus travancorensis* Kurian, 1955  
*Scoliodon sorrakowah* (outer body surface): Quilon, South India

*Perissopus oblongatus*, illus.  
Russo, R. A., 1975, Calif. Fish and Game, v. 61 (4), 228-232  
*Triakis semifasciata*  
*Mustelus henlei*  
all from California

?*Perissopus travancorensis* Kurian, 1955  
Pillai, N. K., 1964, J. Marine Biol. Ass. India, v. 6 (1), 61-83  
as syn. of *Perissopus manuelensis* Gnanamuthu, 1951

*Peroderma tasselum* sp. nov., illus.  
Bennet, P. S.; and Chellam, A., 1977, Indian J. Fish., v. 22 (1-2), 1975, 279-282  
*Stolephorus commersonii* (embedded in tissue behind pectoral fin): Tuticorin, southeast coast of India

*Peromyscopsylla* I. Fox  
Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
brief description, key, key to known Alabama species

*Peromyscopsylla bidentata* (Kol.)  
Haitlinger, R., 1975, Polskie Pismo Entom., v. 45 (2), 373-396  
seasonal variance  
*Clethrionomys glareolus*  
*Apodemus tauricus*  
*Microtus agrestis*  
*Pitymys subterraneus*  
*Sorex araneus*  
all from Gory Sowie

*Peromyscopsylla draco* Hopkins  
Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Peromyscus truei*: west of Rio Grande in and near Jemez Mts., New Mexico

*Peromyscopsylla fallax* Rothschild  
Szabo, I., 1972, Parasitol. Hungar., v. 5, 329-347  
*Apodemus flavicollis*  
*Clethrionomys glareolus*  
*Neomys anomalus milleri*  
*Pitymys subterraneus*  
*Sorex araneus*  
all from Sopron and environments, west Hungary

*Peromyscopsylla hamifer vigens*  
Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480  
fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Microtus longicaudus latus*  
all from western Utah

*Peromyscopsylla hamifer vigens* (Jordan)  
Haas, G. E., 1973, Am. Midland Naturalist, v. 90 (1), 246-252  
morphological variations  
*Microtus longicaudus*: Jemez Mts., New Mexico

*Peromyscopsylla hamifer vigens* (Jordan)  
Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Peromyscus maniculatus*  
*Microtus montanus*  
*M. longicaudus*  
all from west of Rio Grande in and near Jemez Mts., New Mexico

*Peromyscopsylla hesperomys*  
Nelson, B. C.; and Smith, C. R., 1976, J. Med. Entom., v. 13 (1), 51-61  
*Peromyscus maniculatus*  
*P. crinitus*  
all from Lava Beds National Monument, California

*Peromyscopsylla hesperomys* (Baker), illus.  
Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
description, key  
*Peromyscus gossypinus*: Jackson County, Alabama

*Peromyscopsylla hesperomys adelpha*  
Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480  
fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*: western Utah

*Peromyscopsylla hesperomys adelpha* (Rothschild)  
Haas, G. E., 1973, Am. Midland Naturalist, v. 90 (1), 246-252  
morphological variations: New Mexico

*Peromyscopsylla hesperomys adelpha* (Rothschild)  
Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Reithrodontomys megalotis*  
*Peromyscus maniculatus*  
*P. leucopus*  
*P. boylii*  
*P. truei*  
*Microtus longicaudus*  
all from west of Rio Grande in and near Jemez Mts., New Mexico

*Peromyscopsylla scotti*  
Buckner, R. L.; and Gleason, L. N., 1974, Tr. Kentucky Acad. Sc., v. 35 (3-4), 70-75  
seasonal occurrences  
*Microtus ochrogaster*  
*Peromyscus leucopus*  
all from Warren County, Kentucky

- Peromyscopsylla scotti* I. Fox, illus.  
Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
description, key  
*Peromyscus polionotus*  
*Peromyscus* sp.  
*P. gossypinus*  
*P. nuttalli*  
*Sigmodon hispidus*  
*Oryzomys palustris*  
*Mus musculus*  
all from Alabama
- Peromyscopsylla selenis*  
Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480  
fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Microtus longicaudus latus*  
all from western Utah
- Peromyscopsylla selenis* (Rothschild)  
Haas, G. E., 1973, Am. Midland Naturalist, v. 90 (1), 246-252  
morphological variations  
*Microtus longicaudus*  
*M. montanus*  
all from Jemez Mts., New Mexico
- Peromyscopsylla selenis* (Rothschild)  
Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Peromyscus maniculatus*  
*Clethrionomys gapperi*  
*Microtus montanus*  
*M. longicaudus*  
all from west of Rio Grande in and near Jemez Mts., New Mexico
- Peromyscopsylla selenis*  
Nelson, B. C.; and Smith, C. R., 1976, J. Med. Entom., v. 13 (1), 51-61  
*Peromyscus crinitus*: Lava Beds National Monument, California
- Peromyscopsylla silvatica* (Meinert 1896)  
Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Apodemus flavicollis*  
*A. sylvaticus*  
*Clethrionomys glareolus*  
*Microtus arvalis*  
*M. agrestis*  
all from Schleswig-Holstein
- Peromyscopsylla silvatica* (Mein.)  
Haitlinger, R., 1975, Polskie Pismo Entom., v. 45 (2), 373-396  
seasonal variance  
*Clethrionomys glareolus*  
*Apodemus tauricus*  
*Microtus agrestis*  
*M. arvalis*  
*Pitymys subterraneus*  
*Sorex minutus*  
all from Gory Sowie
- Peromyscopsylla silvatica spectabilis*, illus.  
Molyneux, D. H.; and Ashford, R. W., 1975, Ann. Parasitol., v. 50 (3), 265-274  
*Trypanosomatidae* in *Peromyscopsylla silvatica spectabilis* (hindgut) collected from *Microtus agrestis*, ultrastructure, method of attachment, first record of flagellates from this flea
- Peromyscopsylla silvatica spectabilis*  
Vaughan, J. A., 1977, Entom. Month. Mag. (1340-1343), v. 112, 1976, 45-48  
straggler fleas on rabbits, *Oryctolagus cuniculus*, from Surrey and on myxomatous rabbits throughout Britain
- Peromyscopsylla spectabilis spectabilis* (Rothschild 1898), illus.  
Beaucournu, J. C., 1975, Entomologiste, Paris, v. 31 (6), 227-230
- Peromyscopsylla spectabilis viatrix* ssp. nova, illus.  
Beaucournu, J. C., 1975, Entomologiste, Paris, v. 31 (6), 227-230  
*Microtus nivalis*: Sierra Nevada, region du Picacho de Veleta (Granada)
- Periperes ornithocephala* Cross, illus.  
Audy, J. R.; Radovsky, F. J.; and Vercammen-Grandjean, P. H., 1972, J. Med. Entom., v. 9 (6), 487-494
- Petauristophthirus petauristae*: Eichler 1949  
Kim, K. C., 1971, J. Med. Entom., v. 8 (1), 49-55  
as syn. of *Neohaematopinus petauristae* Ferraris
- Phacogalia brevispinosa* Harrison & Johnston  
Beveridge, I.; and Barker, I. K., 1976, Austral. J. Zool., v. 24 (2), 265-272  
helminths and arthropods, *Antechinus stuartii*, seasonal and sex-related variations in numbers of helminths, parasites unlikely directly involved in seasonal mortality of male host; ectoparasites may contribute to anemia in hosts: Powellite, Victoria
- Phaenicia coeruleiviridis* (Macquart)  
Abercrombie, J., 1977, J. Wash. Acad. Sc., v. 67 (4), 155-156  
facultative wound myiasis, case report  
*Terrapene carolina carolina*: Millersville, Maryland
- Phaenicia sericata* (Meigen)  
Davies, D. M., 1976, J. Parasitol., v. 62 (1), 124  
human, 60-year-old Caucasian man (ear): Ontario, Canada
- Phaenicia sericata* Meigen, 1826  
Reyes, H., 1967, Bol. Chileno Parasitol., v. 22 (1), 42  
8 cases of human myiasis involving ulcers of lower extremities in adults and genital area of infants: Santiago, Chile

- Phaenicia sericata*  
 Szekely, R.; Herreros, C.; and Rojo, M., 1975,  
*Bol. Chileno Parasitol.*, v. 30 (1-2), 25-26  
*Phaenicia sericata* causing myiasis in umbilical wound of 9-day-old infant: Chile
- Phaenicia sericata* (Meigen)  
 Townsend, L. H., Jr.; and Hall, R. D., 1976,  
*Proc. Entom. Soc. Wash.*, v. 78 (1), 113  
 myiasis, human (upper inner thigh region of leg, lower vaginal canal), case report: Virginia
- Phalacropsylla* sp., may be new species  
 O'Farrell, T. P., 1975, *Am. Midland Naturalist*, v. 93 (2), 377-387  
*Peromyscus maniculatus*: Arid Lands Ecology Reserve, Benton County, Washington
- Phalacropsylla allos* Wagner  
 Haas, G. E.; et al., 1973, *J. Med. Entom.*, v. 10 (3), 281-289  
 fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Peromyscus truei*  
*Neotoma mexicana*  
*N. cinerea*  
 all from west of Rio Grande in and near Jemez Mts., New Mexico
- Phalacropsylla allos*  
 Nelson, B. C.; and Smith, C. R., 1976, *J. Med. Entom.*, v. 13 (1), 51-61  
*Neotoma cinerea*  
*Peromyscus maniculatus*  
 all from Lava Beds National Monument, California
- Phalcophila* Brennan and Reed 1973  
 Brennan, J. M.; and Goff, M. L., 1977, *J. Parasitol.*, v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Pharyngomyia picta*  
 Kutzer, E., 1976, *Wien. Tierarztl. Monatsschr.*, v. 63 (4), 126-129  
*Pharyngomyia picta* in *Cervus elaphus*, *Cephenemyia stimulator* in *Capreolus capreolus*, deer free-ranging in preserve, successful control of bots with Ranide in medicated feed: Osterreich
- Philopteridae* [sp.], probably of the genus *Strigiphilus*  
 Little, J. W.; and Hopkins, S. H., 1975, *Proc. Oklahoma Acad. Sc.*, v. 55, 154-156  
*Strix varia*: near Hempstead, Waller County, Texas
- Philopterus* Nitzsch  
 Zlotorzycka, J.; and Lucinska, A., 1975, *Polskie Pismo Entom.*, v. 45 (3-4), 547-563  
*Philopteridae*  
 key to species, differential diagnosis of *Philopterus* and *Docophorulus*
- Philopterus* sp.  
 Rak, H.; Anwar, M.; and Niak, A., 1975, *Bull. Soc. Path. Exot.*, v. 68 (6), 588-591  
*Turdus ruficollis*: Iran
- Philopterus agelaii*  
 Cooper, C. L.; and Crites, J. L., 1975, *J. Med. Entom.*, v. 12 (4), 483  
*Aegelaius phoeniceus*: South Bass Island, Ottawa County, Ohio
- Philopterus atratus* Nitzsch, 1818, illus.  
 Zlotorzycka, J.; and Lucinska, A., 1975, *Polskie Pismo Entom.*, v. 45 (3-4), 547-563  
 key  
*Corvus frugilegus frugilegus*: Polen
- Philopterus (Lipeurus) baculus* Nitzsch, 1818  
 Martin Mateo, M. P., 1975, *Rev. Iber. Parasitol.*, v. 35 (1-2), 41-79  
 as syn. of *Columbicola columbae* (Linne, 1758)
- Philopterus corvi* L., 1758  
 Gan, E. I.; and Shousmanov, Sh., 1976, *Uzbek. Biol. Zhurnal* (5), 54-56  
 [*Corvus corax*]: Kashka-Darya oblast
- Philopterus corvi* (Linnaeus, 1758), illus.  
 Zlotorzycka, J.; and Lucinska, A., 1975, *Polskie Pismo Entom.*, v. 45 (3-4), 547-563  
 key  
*Corvus corax corax*: Polen; Jugoslawien; UdSSR; Finland  
*Corvus corax laurencei*: Israel
- Philopterus crassipes* (Burmeister, 1838), illus.  
 Zlotorzycka, J.; and Lucinska, A., 1975, *Polskie Pismo Entom.*, v. 45 (3-4), 547-563  
 key  
*Nucifraga caryocatactes*: Schlesien; Finland
- Philopterus cristata*  
 Cooper, C. L.; and Crites, J. L., 1975, *J. Med. Entom.*, v. 12 (4), 483  
*Cyanocitta cristata*: South Bass Island, Ottawa County, Ohio
- Philopterus cursor* Nitzsch & Burmeister, 1838, illus.  
 Sanchez Acedo, C.; and Ramon Vericad, J., 1973, *Rev. Iber. Parasitol.*, v. 33 (1), 29-38  
*Buteo buteo*: Alto Aragon
- Philopterus fringillae*  
 Brown, N. S.; and Wilson, G. I., 1975, *Am. Midland Naturalist*, v. 94 (1), 154-165  
 comparison of ectoparasites from North America and Europe  
*Passer domesticus*: Stockton-on-Tees, England
- Philopterus garruli* Boisduval & Lacordaire, 1835, illus.  
 Zlotorzycka, J.; and Lucinska, A., 1975, *Polskie Pismo Entom.*, v. 45 (3-4), 547-563  
 key  
*Garrulus glandarius glandarius*: Polen; Finland

*Philopterus guttatus* (Denny, 1842), illus.  
*Zlotorzycka, J.; and Lucinska, A.*, 1975, Pol-  
 skie Pismo Entom., v. 45 (3-4), 547-563  
 key  
*Corvus monedula spermologus*: Polen  
*C. m. monedula*: Finland

*Philopterus icterodes* Nitzsch, 1818  
*Martin Mateo, M. P.*, 1975, Rev. Iber. Para-  
 sitol., v. 35 (1-2), 41-79  
 as syn. of *Anatoecus icterodes* (Nitzsch,  
 1818)

*Philopterus jejunus* Nitzsch, 1818  
*Martin Mateo, M. P.*, 1975, Rev. Iber. Para-  
 sitol., v. 35 (1-2), 41-79  
 as syn. of *Anaticola anseris* (Linne, 1758)

*Philopterus magnus* Fedorenko, 1973  
*Zlotorzycka, J.; and Lucinska, A.*, 1976, Pol-  
 skie Pismo Entom., v. 46 (2), 261-318  
 as syn. of *Docophorulus coarctatus magnus*  
 (Fedorenko, 1973)

*Philopterus ocellatus* (Scopoli, 1763)  
*Andrews, S. E.; and Threlfall, W.*, 1975, Proc.  
 Helm. Soc. Washington, v. 42 (1), 24-28  
*Corvus brachyrhynchos* (head, neck): insular  
 Newfoundland

*Philopterus ocellatus*  
*Rak, H.; Anwar, M.; and Niak, A.*, 1975, Bull.  
 Soc. Path. Exot., v. 68 (6), 588-591  
*Athene noctua*: Iran

*Philopterus ocellatus* (Scopoli, 1763, illus.  
*Zlotorzycka, J.; and Lucinska, A.*, 1975, Pol-  
 skie Pismo Entom., v. 45 (3-4), 547-563  
 key  
*Corvus corone cornix*: Polen; Finland

*Philopterus picae*  
*Rak, H.; Anwar, M.; and Niak, A.*, 1975, Bull.  
 Soc. Path. Exot., v. 68 (6), 588-591  
*Pica pica*: Iran

*Philopterus picae* (Denny, 1842), illus.  
*Zlotorzycka, J.; and Lucinska, A.*, 1975, Pol-  
 skie Pismo Entom., v. 45 (3-4), 547-563  
 key  
*Pica pica pica*: Polen  
*Pica pica fennorum*: Finland

*Philopterus squalidus* Nitzsch, 1818  
*Martin Mateo, M. P.*, 1975, Rev. Iber. Para-  
 sitol., v. 35 (1-2), 41-79  
 as syn. of *Anaticola crassicornis* (Scopoli,  
 1763)

*Philopterus syrnii*  
*Tyler, J. D.; and Buscher, H. N.*, 1975, Proc.  
 Oklahoma Acad. Sc., v. 55, 166-168  
*Speotyto cunicularia*: Oklahoma

*Phoenicopteriella nov. gen.*  
*Fain, A.*, 1970, Acarologia, v. 12 (2), 313-325  
*Ereynetidae, Speleognathinae*  
 tod: *P. mirabilis* nov. spec.

*Phoenicopteriella mirabilis* nov. spec. (tod),  
 illus.  
*Fain, A.*, 1970, Acarologia, v. 12 (2), 313-325  
*Phoenicopterus ruber* (fosses nasales pres  
 des narines): fraichement importe d'Afrique  
 du Nord et mort a Anvers

*Pholeoixodes*  
*Morel, P. C.; and Aubert, M. F. A.*, 1975,  
 Cahiers O.R.S.T.O.M., s. Entom. Med. et Para-  
 sitol., v. 13 (2), 99-109  
 keys to Palearctic females, nymphs and  
 larvae

*Pholeoixodes angustus* (Neumann, 1899)  
*Morel, P. C.; and Aubert, M. F. A.*, 1975, Ca-  
 hiers O.R.S.T.O.M., s. Entom. Med. et Para-  
 sitol., v. 13 (2), 99-109

*Pholeoixodes arboricola* (Schulze et Schlottke,  
 1929), illus.  
*Aubert, M. F. A.*, 1977, Ann. Parasitol., v.  
 52 (4), 481-490  
 comparison with *Pholeoixodes rugicollis*  
*Parus major*: Nantes (Loire-Atlantique)

*Pholeoixodes arboricola* (Schulze & Schlottke,  
 1929)  
*Morel, P. C.; and Aubert, M. F. A.*, 1975,  
 Cahiers O.R.S.T.O.M., s. Entom. Med. et Para-  
 sitol., v. 13 (2), 99-109  
 keys to Palearctic nymphs and larvae

*Pholeoixodes canisuga* (Johnston, 1849), illus.  
*Aubert, M. F. A.*, 1977, Ann. Parasitol., v.  
 52 (4), 481-490  
 comparison with *Pholeoixodes rugicollis*  
*Vulpes vulpes*: Goviller (Meurthe-et-Mos-  
 elle)

*Pholeoixodes canisuga* (Johnston, 1849), illus.  
*Morel, P. C.; and Aubert, M. F. A.*, 1975,  
 Cahiers O.R.S.T.O.M., s. Entom. Med. et Para-  
 sitol., v. 13 (2), 99-109  
 keys to Palearctic females, nymphs and  
 larvae  
*Vulpes vulpes*  
*Martes foina*  
 all from France

*Pholeoixodes crenulatus* (=*P. filippovae*), illus.  
*Morel, P. C.; and Aubert, M. F. A.*, 1975,  
 Cahiers O.R.S.T.O.M., s. Entom. Med. et Para-  
 sitol., v. 13 (2), 99-109  
 keys to Palearctic females, nymphs and  
 larvae

*Pholeoixodes filippovae* (Cerny, 1962)  
*Morel, P. C.; and Aubert, M. F. A.*, 1975, Ca-  
 hiers O.R.S.T.O.M., s. Entom. Med. et Para-  
 sitol., v. 13 (2), 99-109  
 synonymy

*Pholeoixodes hexagonus* (Leach, 1815), illus.  
*Morel, P. C.; and Aubert, M. F. A.*, 1975,  
 Cahiers O.R.S.T.O.M., s. Entom. Med. et Para-  
 sitol., v. 13 (2), 99-109  
 keys to Palearctic females, nymphs and  
 larvae  
*Martes foina*  
*Vulpes vulpes*  
 all from France

*Pholeoixodes kaiseri* (Arthur, 1957), illus.  
*Morel, P. C.; and Aubert, M. F. A., 1975,*  
*Cahiers O.R.S.T.O.M., s. Entom. Med. et Para-*  
*sitol., v. 13 (2), 99-109*  
*keys to Palearctic females, nymphs and*  
*larvae*

*Pholeoixodes lividus* (Koch, 1844)  
*Morel, P. C.; and Aubert, M. F. A., 1975,*  
*Cahiers O.R.S.T.O.M., s. Entom. Med. et Para-*  
*sitol., v. 13 (2), 99-109*  
*keys to Palearctic nymphs and larvae*

*Pholeoixodes pomerantzevi* (Serdyokova, 1941)  
*Morel, P. C.; and Aubert, M. F. A., 1975, Ca-*  
*hiers O.R.S.T.O.M., s. Entom. Med. et Parasi-*  
*tol., v. 13 (2), 99-109*

*Pholeoixodes rugicollis*, illus.  
*Aubert, M. F. A., 1977, Ann. Parasitol., v.*  
*52 (4), 481-490*  
*description of males obtained by breeding*  
*wild nymphs, comparison with *Pholeoixodes**  
**canisuga* and *P. arboricola**  
**Martes foina*: Fecocourt (Meurthe-et-Mos-*  
*elle)*  
**M. martes*: Nelling (Moselle)*  
**Vulpes vulpes*: Sancey-le-Grand (Doubs)*

*Pholeoixodes rugicollis* (Schulze et Schlottke,  
1929), illus.  
*Morel, P. C.; and Aubert, M. F. A., 1975,*  
*Cahiers O.R.S.T.O.M., s. Entom. Med. et Para-*  
*sitol., v. 13 (2), 99-109*  
*morphology of female redescribed, first*  
*description of larva and nymph, keys to*  
*Palearctic females, nymphs and larvae*  
**Martes foina**  
**Martes sp.**  
**Vulpes vulpes**  
*all from France*

*Pholeoixodes stromi* (Filippova, 1957)  
*Morel, P. C.; and Aubert, M. F. A., 1975, Ca-*  
*hiers O.R.S.T.O.M., s. Entom. Med. et Parasi-*  
*tol., v. 13 (2), 99-109*

*Pholeoixodes subterraneus* (Filippova, 1961)  
*Morel, P. C.; and Aubert, M. F. A., 1975,*  
*Cahiers O.R.S.T.O.M., s. Entom. Med. et Para-*  
*sitol., v. 13 (2), 99-109*  
*keys to Palearctic nymphs and larvae*

*Phormia regina*, illus.  
*Damsky, L. J.; et al., 1976, Minnesota Med.,*  
*v. 59 (5), 303-305*  
*human myiasis, case reports of aural and*  
*superficial scalp wound involvement, clinical*  
*and laboratory observations: Minnesota*

*Phormia regina*, illus.  
*Kenney, M.; et al., 1976, Am. J. Clin. Path.,*  
*v. 66 (5), 786-791*  
*intestinal myiasis discovered at post-mortem*  
*examinations, appendices of 2 men contained*  
*tentatively identified *Sarcophaga* sp. and*  
**Phormia regina* respectively: New York*

*Phrioxocephalus cincinnatus* Wilson  
*Mearns, A. J.; and Sherwood, M. J., 1977,*  
*Ann. N. York Acad. Sc., v. 298, 210-224*  
**Phrioxocephalus cincinnatus*, distribution*  
*on *Citharichthys sordidus* (eye) in relation*  
*to discharge of waste water, possibility*  
*that elevated levels of chlorinated hydro-*  
*carbons in fish tissue are inimical to*  
*attached macroparasites: southern Califor-*  
*fornia coastal waters*

*Phthiraptera*  
*Złotorycka, J.; Eichler, W.; and Ludwig, H.*  
*W., 1974, Parasitol. Schriftenr., v. 22, 1-160*  
*lice of domestic animals, keys to species*  
*and subspecies, descriptions, illustrations,*  
*hosts, economic and epidemiological impor-*  
*tance, extensive compilation: Central Europe*

*Phthirunculus sumatranaus* Kuhn and Ludwig, illus.  
*Kim, K. C., 1971, J. Med. Entom., v. 8 (1),*  
*49-55*  
*redescription*  
**Petaurista petaurista grandis*: Taiwan*

*Phthirus. See Phthirus.*

*Phyllostomonyssus n. g.*  
*Fain, A., 1970, Acarologia, v. 12 (1), 160-163*  
*Gastronyssidae, Rodhainyssinae*  
*tod: *P. conradayunkeri* n. sp.*

*Phyllostomonyssus conradayunkeri* n. sp. (tod),  
*illust.*  
*Fain, A., 1970, Acarologia, v. 12 (1), 160-163*  
*Artibeus literatus*  
**A. jamaicensis**  
*(fosses nasales of all): all from Venezuela,*  
*Estado Zulia, Distrito Perija, 10 kms et 18*  
*kms Ouest de Machiques*

*Phyllostomyobia* g. n.  
*Fain, A., 1973, Rev. Zool. et Botan. Afri-*  
*caines, v. 87 (3), 614-621*  
*Myobiidae*  
*tod: *P. mimon* sp. n.*

*Phyllostomyobia chrotopterus* sp. n.  
*Fain, A., 1973, Rev. Zool. et Botan. Afri-*  
*caines, v. 87 (3), 614-621*  
*Chrotopterus sp.: Joinville, Bresil*

*Phyllostomyobia leptonycteris* sp. n.  
*Fain, A., 1973, Rev. Zool. et Botan. Afri-*  
*caines, v. 87 (3), 614-621*  
*Leptonycteris nivalis: Texas*

*Phyllostomyobia mimon* sp. n. (tod)  
*Fain, A., 1973, Rev. Zool. et Botan. Afri-*  
*caines, v. 87 (3), 614-621*  
**Mimon bennetti*: British Guiana*

*Phyllostomyobia mimon* ssp. *jamaicensis* ssp. nov.  
*Fain, A., 1976, Acta Zool. et Path. Antverpi-*  
*ensia (64), 3-32*  
**Macrotus waterhousi* (face): Jamaica*

- Physconelloides* Ewing, 1927  
 Tendeiro, J., 1975, *Garcia de Orta, s. Zool.*, v. 4 (1), 57-69  
 Goniodidae  
 key, phylogenetic position
- Physconelloides passerinae* Emerson, illus.  
 Tendeiro, J., 1975, *Garcia de Orta, s. Zool.*, v. 4 (1), 57-69
- Physconelloides zenaidurae* (McGregor), illus.  
 Tendeiro, J., 1975, *Garcia de Orta, s. Zool.*, v. 4 (1), 57-69
- Phytoseiidae* gen. sp.  
 Diusembaev, E. B.; and Chelebiev, K. A., 1975, *Zool. Zhurnal*, v. 54 (1), 124-127  
*Lagurus lagurus*: Karagandinsk oblast
- Picicola roberti* sp. n., s. lat.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S. P. L. 480 Proj., 1-41  
*Picus erythropygus*: Chaiyaphum and Kamphaeng Phet Provinces, Thailand  
*Dinopium javanense intermedium*: Lampang and Kampaeng Provinces, Thailand
- Picicola roberti* sp. n., s. str.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S. P. L. 480 Proj., 1-41  
*Picus chlorolophus*: Khlong Khlung, Kamphaeng Phet Province, Thailand  
 [previously published as n. sp. by Somadden and Tandan, 1975]
- Pitrufquenia* Marelli, 1932  
 Złotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, *Parasitol. Schriftenr.*, v. 22, 1-160  
 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *P. coypus* Marelli, 1932
- Pitticola* gen. n.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S. P. L. 480 Proj., 1-41  
 key to species  
 tod: *P. australis* sp. n.
- Pitticola angolensis* sp. n.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S. P. L. 480 Proj., 1-41  
 key  
*Pitta angolensis angolensis*: Congo
- Pitticola australis* sp. n. (tod)  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S. P. L. 480 Proj., 1-41  
 key  
*Pitta versicolor* (skin): N. Australia
- Pitticola emersoni* sp. n.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S. P. L. 480 Proj., 1-41  
 key  
*Pitta phayrei*: Thali, Ban Muang Khai, Loei Province, Thailand
- Pitticola magnus* sp. n.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S. P. L. 480 Proj., 1-41  
 key  
*Pitta o. oatesi*: Dan Sai, Kok Sathon, Phu Lonlo Mt., Loei Province, Thailand
- Pitticola malaya* sp. n.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S. P. L. 480 Proj., 1-41  
 key  
*Pitta brachyura*: R. Panjang, Malaya
- Pitticola meinertzhageni* sp. n.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S. P. L. 480 Proj., 1-41  
 key  
*Pitta guajana affinis*  
*P. guajana guajana*  
 all from Java
- Pitticola obscurus* sp. n.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S. P. L. 480 Proj., 1-41  
 key  
*Anthocichla phayrei obscura*
- Pitticola quadripustulosus* (Harrison, 1916)  
 [n. comb.] s. str.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S. P. L. 480 Proj., 1-41  
 key  
*Pitta maxima* (skin): Halmahera Is., Indonesia; New Guinea
- Pitticola quadripustulosus* [n. comb.] s. lat.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S. P. L. 480 Proj., 1-41  
*Pitta sordida* (skin)  
*P. steerei* (skin): Philippine Islands
- Pitticola usherae* sp. n.  
 Tandan, B. K., 1971?, Final Tech. Rep. U. S. P. L. 480 Proj., 1-41  
 key  
 [p. 32 as *Pitta usherae*]  
*Pitta grantina usheri* [sic]: North Borneo
- Placomyobia* Jameson, 1970  
 Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 3-32  
 key
- Plagiodontochirus* g. n.  
 Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
 Atopomelidae  
 tod: *Plagiodontochirus nudus* sp. n.
- Plagiodontochirus nudus* sp. n. (tod)  
 Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
*Plagiodontia hylaeum*: San Domingo
- Plocopsylla enderleini* Wagner, 1933, illus.  
 Traub, R., 1968, *J. Med. Entom.*, v. 5 (3), 375-404  
 discussion of convergent evolution and morphological modifications in helmet-bearing fleas

*Plocopsylla pallas* (Rothschild, 1914), illus.  
Traub, R., 1968, J. Med. Entom., v. 5 (3), 375-404  
discussion of convergent evolution and morphological modifications in helmet-bearing fleas

*Plutarchusia* Oudemans 1904  
Atyeo, W. T.; and Peterson, P. C., 1977, J. Parasitol., v. 63 (1), 145-148  
key to species, includes: *P. longitarsa* (Megnin & Trouessart); *P. brachytarsa* sp. n.; *P. chelopus* Oudemans; *P. pseudochelopus* Dubinin

*Plutarchusia brachytarsa* sp. n., illus.  
Atyeo, W. T.; and Peterson, P. C., 1977, J. Parasitol., v. 63 (1), 145-148  
key  
*Thalasseus sandvicensis acuflavidus*: 13 km. WSW Sisal, Yucatan

*Plutarchusia longitarsa* (Megnin & Trouessart)  
Atyeo, W. T.; and Peterson, P. C., 1977, J. Parasitol., v. 63 (1), 145-148  
key  
*Squatarola squatarola*: France; Italy; Texas

*Plutarchusia pseudochelopus* Dubinin  
Atyeo, W. T.; and Peterson, P. C., 1977, J. Parasitol., v. 63 (1), 145-148  
key  
*Erolia melanotus*: Texas

*Pneumonyssus caninum*, illus.  
Garlick, N. L., 1977, Canine Pract., Santa Barbara, v. 4 (4), 42-47  
*Pneumonyssus caninum*, dogs, chronic respiratory disease, pathology of lesions in bronchi, kidney, fat tissue near renal pelvis, and liver, mite-associated pigments indicate the mite's ability to penetrate tissue and migrate throughout the host's body: dog pounds in Sumter and Columbia, South Carolina

*Pneumonyssus mossambicensis*  
McConnell, E. E.; et al., 1974, Onderstepoort J. Vet. Research, v. 41 (3), 97-168  
pathological and parasitological survey of 100 free-ranging chacma baboons  
*Papio ursinus* (lung): Kruger National Park, Transvaal

*Pneumonyssus santos-diasi*, Zumpt and Till, 1954, illus.  
Kim, J. C. S., 1976, J. Med. Primatol., v. 5 (1), 3-12  
*Pneumonyssus santos-diasi*, morphology, pulmonary pathology, scanning electron microscope  
*Papio cynocephalus* (lungs)

*Pneumonyssus simicola* (Banks 1901)  
Furman, D. P., 1977, J. Parasitol., v. 63 (4), 748-755  
descriptions of larvae and adults and leg and palpal chaetotaxy of all stages including nymphs, phylogenetic implications of comparative ontogeny of leg and palpal chaetotaxy in halarachnid mites  
*Macaca nemestrina* (bronchi, trachea): primate colony, University of California, Berkeley  
*Macaca mulatta* (exper.)

*Pneumonyssus simicola*  
Prosl, H., 1976, Ztschr. Parasitenk., v. 50 (2), 214  
Rhesusaffe

*Pneumonyssus simicola*  
Rawlings, C. A.; and Splitter, G. A., 1973, Lab. Animal Sc., v. 23 (2), 259-261  
*Pneumonyssus simicola* in *Macaca mulatta* causing multiple bronchopleural fistulas and resultant tension pneumothorax, Oesophago-stomum contributing to chronic debilitating condition, fatal outcome, case report

*Pneumonyssus simicola* Banks  
Sakakibara, I., 1970, Southeast Asian J. Trop. Med. and Pub. Health, v. 1 (4), 524-525  
*Pneumonyssus simicola*, successful transfer of mites from *Macaca irus* and *M. speciosa* to *Tupaia glis* (exper.) (trachea, middle lobe of lung): South Thailand

*Pneumonyssus vocalis*, illus.  
McConnell, E. E.; et al., 1974, Onderstepoort J. Vet. Research, v. 41 (3), 97-168  
pathological and parasitological survey of 100 free-ranging chacma baboons  
*Papio ursinus* (laryngeal ventricle): Kruger National Park, Transvaal

*Podargoecus tasmaniensis* n. sp., illus.  
Price, R. D., 1976, Proc. Entom. Soc. Wash., v. 78 (3), 274-276  
*Aegotheles cristatus*: Granton, Tasmania

*Polygenis gwyni* (C. Fox)  
Miller, B. E.; et al., 1975, J. Med. Entom., v. 12 (4), 425-430  
*Polygenis gwyni*, infected *Sigmodon hispidus berlandieri*, bait with oral systemic insecticide, phoxim, field conditions, effective control; some unmeasured control of natural mite infections; advantages for control of fleas in active plague foci

*Polylopodium* (Kjellum) Brennan 1969  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere

*Polylopodium* (*Polylopodium*) Brennan and Jones 1961  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere

*Polyplax* Enderlein, 1904  
Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
key

*Polyplax* sp.  
Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan

- Polyplax* sp.  
Owen, D., 1976, Lab. Animals, v. 10 (3), 271-278  
*Rattus norvegicus*: Carshalton
- Polyplax abyssinica* Ferris 1923  
Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
*Arvicanthis niloticus*  
*Desmodilliscus braueri*  
*Taterillus gracilis*  
*Atelerix spiculus*  
*Gerbillus gerbillus*  
*Myomys daltoni*  
*Mus musculoides*  
*Hylomyscus alleni*  
*Crocidura* sp.  
all from Nigeria
- Polyplax affinis* (Burm.): Fahrenholz, 1912;  
Jancke, 1938 (misidentification)  
Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16  
as syn. of *Polyplax serrata* (Burmeister)
- Polyplax affinis* (Burm.) (partim): Ferris, 1916  
Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16  
as syn. of *Polyplax serrata* (Burmeister)
- Polyplax affinis* (Burm.) (partim): Ferris, 1916  
(non) *Polyplax affinis* (Burm.): Jancke, 1938  
Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16  
as syn. of *Hoplopleura affinis* (Burmeister)
- Polyplax alaskensis* Ewing 1927  
Winchell, E. J., 1977, J. Parasitol., v. 63 (4), 756-757  
*Microtus breweri*: Muskeget Island, 5 miles west of Nantucket, Massachusetts
- Polyplax asiatica* Ferris  
Kim, K. C., 1971, J. Med. Entom., v. 8 (1), 49-55  
synonymy  
*Bandicota indica nemorivaga*: Taiwan
- Polyplax asiatica* Ferris, 1923  
Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16  
synonymy  
*Nesokia indica*: Iran
- Polyplax asiatica* Ferris  
Reisen, W. K.; et al., 1975, Kalikasan, v. 4 (2), 145-154  
*Bandicota indica nemorivaga*: Taiwan
- Polyplax auricularis*  
Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Peromyscus leucopus*  
*P. maniculatus*  
all from Fires Creek area, Nantahala Mountains, North Carolina
- Polyplax brachyrhyncha* Cummings, 1915  
Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16  
synonymy  
*Acomys dimidiatus*: Iran
- Polyplax brachyrhynchus* Cummings, 1915, illus.  
Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
synonymy, description of nymphal stages  
*Acomys cahirinus*: Dahomey; Togo
- Polyplax calomysci*, n. sp., illus.  
Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16  
*Calomyscus bairwardi*: N of Persepolis, Fars Province, Iran  
*Tatera indica*: Ahwaz, Khuzistan Province, Iran
- Polyplax cummingsi* Ferris, 1916  
Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
*Dasyurus incomitus*: Nigeria
- Polyplax cummingsi* Ferris, 1916, sensu Ferris, 1923 [et auct.]  
Kleynhans, K. P. N., 1969, Onderstepoort J. Vet. Research, v. 36 (2), 299-302  
as syn. of *Polyplax solivaga* Johnson, 1962
- Polyplax cutchicus* n. sp., illus.  
Mishra, A. C.; and Kaul, H. N., 1973, J. Med. Entom., v. 10 (1), 43-46  
*Rattus cutchicus*: Baneshwar (Bar ka Ghat), Sirohi distt, Rajasthan State, India  
[no host]: Mount Abu, Sirohi distt, Rajasthan State, India
- Polyplax gerbilli* Ferris  
Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16  
Syn.: *Eremophthirius gerbilli* (Ferris)  
*Meriones libycus*: Iran
- Polyplax gracilis* Fahrenholz, 1910, sensu Ferris, 1916  
Kleynhans, K. P. N., 1969, Onderstepoort J. Vet. Research, v. 36 (2), 299-302  
as syn. of *Polyplax solivaga* Johnson, 1962
- Polyplax grammomydis* Werneck, 1953  
Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
*Crocidura* sp.: Dahomey
- Polyplax hannswrangeli* Eichler  
Haitlinger, R., 1976, Polskie Pismo Entom., v. 46 (2), 207-239  
seasonal variance  
*Clethrionomys glareolus*: Gory Sowie
- Polyplax kaiseri* Johnson, illus.  
Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16  
description of nymphs  
*Gerbillus cheesmani*  
*G. nanus*  
all from Iran

*Polyplax kaiseri* Johnson, 1960  
 Kim, K. C.; and Emerson, K. C., 1973, Rev.  
*Zool. et Botan. Africaines*, v. 87 (3), 425-455  
*Gerbillus gerbillus*: Nigeria

*Polyplax otomydis* Cummings, 1912, *sensu* Ferris,  
 1951  
 Kleynhans, K. P. N., 1969, Onderstepoort J.  
*Vet. Research*, v. 36 (2), 299-302  
 as syn. of *Polyplax solivaga* Johnson, 1962

*Polyplax oxyrrhynchus* Cummings, 1915, illus.  
 Kim, K. C.; and Emerson, K. C., 1973, Rev.  
*Zool. et Botan. Africaines*, v. 87 (3), 425-455  
 description of nymphal stages  
*Acomys cahirinus*: Dahomey; Togo  
*A. dimidiatus*: Egypt

*Polyplax paradoxa* Johnson  
 Kim, K. C.; and Emerson, K. C., 1971, *J. Med.*  
*Entom.*, v. 8 (1), 7-16  
*Meriones persicus*  
*M. crassus*  
 all from Iran

*Polyplax parataterae* sp. nov., illus.  
 Kim, K. C.; and Emerson, K. C., 1973, Rev.  
*Zool. et Botan. Africaines*, v. 87 (3), 425-455  
*Tatera kempii*: Kouande and Soubroukou, Atacora Region, Dahomey; Ayitedjou, Eastern Region, Dahomey; Zizongkame, Central Region, Dahomey; Bimberke, Borgou Region, Dahomey; Kudu, Shagunu, and Ugar Jabar, Northern Region, Nigeria; Ilashe, Western Region, Nigeria; Pagala, Pева, and Ezime, Togo  
*Steatomys caurinus*: Mada River, Northern Region, Nigeria  
*Mus musculoides*: Afon, Northern Region, Nigeria  
*Mastomys natalensis*: Pagala, Togo  
*Arvicantis niloticus*: Padori, Togo

*Polyplax reclinata* (Nitzsch)  
 Haitlinger, R., 1976, *Polskie Pismo Entom.*, v. 46 (2), 207-239  
 seasonal variance  
*Crocidura suaveolens*: Gory Sowie

*Polyplax reclinata* (Nitzsch), illus.  
 Kim, K. C., 1971, *J. Med. Entom.*, v. 8 (1), 49-55  
 description of nymphs, synonymy  
*Suncus murinus*: Taiwan

*Polyplax reclinata* (Nitzsch)  
 Kim, K. C.; and Emerson, K. C., 1971, *J. Med. Entom.*, v. 8 (1), 7-16  
 synonymy  
*Crocidura russual*: Iran

*Polyplax reclinata* (Nitzsch, 1864)  
 Kim, K. C.; and Emerson, K. C., 1973, Rev.  
*Zool. et Botan. Africaines*, v. 87 (3), 425-455  
*Crocidura* sp.: Dahomey; Nigeria; Togo

*Polyplax serrata* (Burmeister), illus.  
 do Amaral, V.; et al., 1975, *Biologico*, S. Paulo, v. 41 (8), 240-242  
*Polyplax serrata*, laboratory mice treated with lysolform followed by daily change of bedding and spraying cages with 2-isopropoxyphenyl-N-methylcarbamate: Sao Paulo, Brazil

*Polyplax serrata* (Burmeister 1839)  
 Artz, V., 1975, *Entom. Germanica*, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Apodemus flavicollis*  
*A. sylvaticus*  
*Microtus arvalis*  
 all from Schleswig-Holstein

*Polyplax serrata* (Burm.)  
 Haitlinger, R., 1976, *Polskie Pismo Entom.*, v. 46 (2), 207-239  
 seasonal variance  
*Clethrionomys glareolus*  
*Apodemus tauricus*  
*A. sylvaticus*  
*A. agrarius*  
 all from Gory Sowie

*Polyplax serrata* (Burmeister)  
 Kim, K. C.; and Emerson, K. C., 1971, *J. Med. Entom.*, v. 8 (1), 7-16  
 synonymy  
*Mus musculus*: Iran

*Polyplax serrata*  
 Prosl, H., 1976, *Ztschr. Parasitenk.*, v. 50 (2), 214  
*Maus*

*Polyplax serrata*  
 Stewart, S. J.; et al., 1976, *Exper. Parasitol.*, v. 40 (3), 373-379  
*Polyplax serrata*, mice, effects of limb disability and consequent inability to groom on lousiness: failure to induce immune tolerance after neonatal exposure

*Polyplax serrata affinis* Fahrenholz, 1938  
 Kim, K. C.; and Emerson, K. C., 1971, *J. Med. Entom.*, v. 8 (1), 7-16  
 as syn. of *Polyplax serrata* (Burmeister)

*Polyplax serrata paxi* Eichler, 1952  
 Kim, K. C.; and Emerson, K. C., 1971, *J. Med. Entom.*, v. 8 (1), 7-16  
 as syn. of *Polyplax serrata* (Burmeister)

*Polyplax smallwoodae* Johnson, 1960, illus.  
 Kim, K. C.; and Emerson, K. C., 1973, Rev.  
*Zool. et Botan. Africaines*, v. 87 (3), 425-455  
 description of nymphal stages  
*Lophuromis sikapusi*: Dahomey; Nigeria; Togo

*Polyplax solivaga* Johnson, 1962, illus.  
 Kleynhans, K. P. N., 1969, Onderstepoort J.  
*Vet. Research*, v. 36 (2), 299-302  
 description of male, synonymy  
*Aethomys (Aethomys) chrysophilus*: Sycamore, eastern Transvaal  
*"Mus chrysophilus" . . . now known as Aethomys (Aethomys) chrysophilus": Mfongosi, Zululand*

*Polyplax spinulosa* (Burmeister 1839)  
 Artz, V., 1975, Entom. Germanica, v. 1 (2),  
 105-143  
 ectoparasites of small mammals, prevalence  
 in relation to ecological factors (geology,  
 soil type, vegetation patterns), family of  
 host and sex of host; technique for live  
 parasitism rates  
*Mustela erminea*: Schleswig-Holstein

*Polyplax spinulosa* (Burmeister)  
 Johnson, P. T., 1972, Brigham Young Univ. Sc.  
 Bull., Biol. ser., v. 17 (5), 1-62  
 synonymy  
*Rattus rattus*  
*Proechimys semispinosus*  
*Oryzomys minutus*  
 all from Venezuela

*Polyplax spinulosa* (Burmeister, 1839)  
 Kim, K. C.; and Emerson, K. C., 1973, Rev.  
 Zool. et Botan. Africaines, v. 87 (3), 425-455  
*Rattus rattus*: Nigeria

*Polyplax spinulosa* (Burmeister, 1838)  
 Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),  
 189-199  
 arthropods ectoparasitic upon mammals and  
 birds, factors affecting host specificity  
*Rattus norvegicus*: New Hebrides

*Polyplax spinulosa* (Burmeister)  
 Mitchell, C. J., 1971, J. Med. Entom., v. 8  
 (1), 56-61  
*Laelaps nuttalli*, *Polyplax spinulosa*, *Xenop-*  
*sylla astia*, *X. cheopis* on *Bandicota beng-*  
*alensis*, seasonal fluctuations; prevalence  
 of *B. bengalensis* and accompanying decrease  
 in *Rattus rattus* and *X. cheopis* has dimin-  
 ished the threat of plague: Calcutta, India

*Polyplax spinulosa*  
 Prosl, H., 1976, Ztschr. Parasitenk., v. 50  
 (2), 214  
 Ratte

*Polyplax spinulosa* (Burmeister)  
 Reisen, W. K.; et al., 1975, Kalikasan, v. 4  
 (2), 145-154  
*Rattus exulans*: Thailand  
*R. e. querctei*: Luzon, Philippines  
*R. luzonicus*: Luzon, Philippines  
*R. norvegicus*: Taiwan; Okinawa  
*R. n. caraco*: Korea  
*R. r. rattus*: Taiwan  
*R. r. flavipectus*: Korea  
*R. r. mindanensis*: Luzon, Philippines  
*R. r. rufescens*: Okinawa  
*R. r. thai*: Thailand  
*Suncus murinus*: Taiwan  
*S. m. riukiuensis*: Okinawa  
*Apomys datae*: Luzon, Philippines  
*Mus caroli*: Korea  
*Mus spp.*: Okinawa

*Polyplax spinulosa*  
 Whitaker, J. O., jr.; Jones, G. S.; and  
 Pascal, D. D., jr., 1975, J. Elisha Mitchell  
 Scient. Soc., v. 91 (1), 13-17  
*Rattus norvegicus*: Fires Creek area, Nanta-  
 hala Mountains, North Carolina

*Polyplax stephensi* (Christophers & Newstead)  
 Kim, K. C.; and Emerson, K. C., 1971, J. Med.  
 Entom., v. 8 (1), 7-16  
 synonymy  
*Tatera indica*: Iran

*Polyplax subtaterae* Bedford, 1936, illus.  
 Kim, K. C.; and Emerson, K. C., 1973, Rev.  
 Zool. et Botan. Africaines, v. 87 (3), 425-455  
 description of nymphal stages  
*Taterillus nigerriae*: Dahomey; Nigeria  
*T. gracilis*: Dahomey  
*Crocidura sp.*: Dahomey

*Polyplax taterae* Ferris, 1923  
 Kim, K. C.; and Emerson, K. C., 1973, Rev.  
 Zool. et Botan. Africaines, v. 87 (3), 425-455  
*Lemniscomys striatus*: Nigeria

**Porocephaliasis**  
 Brochery, J. L.; et al., 1976, Nouv. Presse  
 Med., v. 5 (28), 1755 [Letter]  
 human porocephaliasis demonstrated by abdomi-  
 nal x-ray as multiple calcified nymphs  
 located in the mid-abdominal area: France  
 (native of Senegal)

**Porocephalosis**  
 Smith, J. A.; et al., 1975, Ann. Trop. Med.  
 and Parasitol., v. 69 (4), 503-512  
*Armillifer armillatus*, human, case report of  
 severe disseminated porocephalosis with  
 paraplegia and gangrene and coexisting  
 Hodgkin's disease; review of 60 other cases  
 shows *Armillifer* infestation as 3rd commonest  
 cause of hepatic granulomata, possible con-  
 genital case as well as 1st cutaneous in-  
 volvement are reported, malignant tumors  
 were associated with 33% of the cases, sug-  
 gested that pentastomes may be able to  
 cause neoplasia

**Porocephalus sp., illus.**  
 Prathap, K.; Ramachandran, C. P.; and Haug,  
 N., 1968, Med. J. Malaya, v. 23 (2), 92-95  
 human hepatic and pulmonary porocephaliasis  
 probably of *Porocephalus moniliiformis* origin,  
 lesions discovered accidentally at autopsy of  
 Orang Asli Aborigine, probable infection from  
 improperly cooked snake meat: Pahang State,  
 Malaya

**Porocephalus armillatus, illus.**  
 Lim, B. L.; and Krishnansamy, M., 1973, South-  
 east Asian J. Trop. Med. and Pub. Health, v. 4  
 (2), 282-284 [Demonstration]  
 extensive apparently fatal infection in *Rat-*  
*tus bowersi* (entire abdominal cavity) caught  
 at Bukit Lagong Forest Reserve, north of  
 Kuala Lumpur, Malaysia

**Porocephalus clavatus, illus.**  
 King, N. W., jr., 1976, Scient. Publication  
 (317). Pan Am. Health Organ., 169-198

- Porocephalus crotali*  
Banaja, A. A.; James, J. L.; and Riley, J., 1977, Internat. J. Parasitol., v. 7 (1), 27-40  
Reighardia sternai, *Porocephalus crotali*,  
Armillifer moniliformis, tegumental chloride  
cells (previously termed cuticular cells),  
ultrastructure, osmoregulatory function
- Porocephalus crotali*, illus.  
Trainer, J. E., jr.; Self, J. T.; and Richter,  
K. M., 1975, J. Parasitol., v. 61 (4), 753-  
758  
*Porocephalus crotali*, cuticle, ultrastruc-  
ture, function, phylogenetic implications  
(clearly pro-arthropodan, uniqueness supports  
status of independent phylum)
- Porocephalus moniliformis*  
Prathap, K.; Ramachandran, C. P.; and Haug,  
N., 1968, Med. J. Malaya, v. 23 (2), 92-95  
human hepatic and pulmonary porocephaliasis  
probably of *Porocephalus moniliformis* origin,  
lesions discovered accidentally at autopsy of  
Orang Asli Aborigine, probable infection from  
improperly cooked snake meat: Pahang State,  
Malaya
- Porribius* Jordan, 1946  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
diagnosis, key, key to Australian species
- Porribius bathyllus* (M. Rothschild, 1936), illus.  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
synonymy, key, diagnosis  
*Chalinolobus gouldii*: Australian Capital  
Territory  
*Pipistrellus tasmaniensis*: New South Wales  
*Nyctinomus australis*: Australian Capital  
Territory; South Australia  
bat: South Australia
- Porribius caminae* (Rothschild, 1903), illus.  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
synonymy, key, diagnosis  
*Nyctophilus geoffroyi*: Tasmania  
*Eptesicus pumilus*: Australian Capital Terri-  
tory; Tasmania  
*Chalinolobus gouldii*: South Australia; Tas-  
mania; Victoria  
*Pipistrellus tasmaniensis*: Tasmania  
*Myotis adversus*: Australian Capital Territory;  
New South Wales  
*Nyctinomus australis*: South Australia  
bats: South Australia; Victoria
- Porribius earinus* (M. Roths.), 1936  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Porribius caminae* (Rothschild,  
1903)
- Porribius reductus* (C. Roths.), 1903  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Porribius caminae* (Rothschild,  
1903)
- Portunion conformis* Muscatine, 1956  
Lapota, D., 1976, Bull. South. Calif. Acad.  
Sc., v. 75 (1), 55-56  
incidence of infection  
*Hemigrapsus oregonensis* (hepato-pancreas  
tissue): Tijuana Estuary near city of Impe-  
rial Beach, San Diego County, California
- Potusdia Conci*, 1942  
Emerson, K. C.; and Price, R. D., 1975, Brig-  
ham Young Univ. Sc. Bull., Biol. ser., v. 20  
(3), 1-77  
as syn. of *Trichodectes* Nitzsch, 1818
- Probopyrus pandalicola*  
Anderson, G., 1977, Marine Biol., v. 42 (3),  
239-251  
*Probopyrus pandalicola*, energy flow in para-  
sitized and unparasitized laboratory *Palae-*  
*monetes pugio* population, secondary repro-  
duction, metabolism, ingestion and egestion;  
temperature, season, host age, sex, and re-  
productive condition, effect on energetics of  
host-parasite systems
- Probopyrus pandalicola*  
Walker, S. P., 1977, Exper. Parasitol., v. 41  
(1), 198-205  
*Probopyrus pandalicola* in *Palaeomonetes pugio*,  
discontinuous ingestion of host hemolymph,  
possible role of significant losses of hemo-  
lymph in parasitic castration: near Aurora,  
North Carolina
- Proctolaelaps pygmaeus* Mueller  
Amanniazova, R. D., 1975, Izvest. Akad. Nauk  
Turkmensk. SSR, s. Biol. Nauk (6), 48-54  
seasonal distribution in different land-  
scapes  
*Rhombomys opimus*: Turkmenistan
- Proctophyllodes* sp.  
Howell, F. G.; and Chapman, B. R., 1976,  
Southwest. Nat., v. 21 (3), 275-280  
*Petrochelidon pyrrhonota*: northwestern Texas
- Proctophyllodes* [sp.] aff. *glandarinus* (Koch,  
1841)  
Shumilo, R. P.; Cerny, V. V.; and Tikhon,  
E. I., 1973, Parazity Zhivot. i Rasten., Akad.  
Nauk Moldavsk. SSR (9), 192-208  
*Dendrocopos major*: Moldavian SSR
- Proctophyllodes* [sp.] aff. *ludovicianus* Atyeo et  
Braasch, 1966  
Shumilo, R. P.; Cerny, V. V.; and Tikhon,  
E. I., 1973, Parazity Zhivot. i Rasten., Akad.  
Nauk Moldavsk. SSR (9), 192-208  
*Dendrocopos major*: Chernovtzy oblast,  
Ukrainian SSR
- Proctophyllodes acanthicaulus* Gaud, 1957  
Shumilo, R. P.; Cerny, V. V.; and Tikhon,  
E. I., 1973, Parazity Zhivot. i Rasten., Akad.  
Nauk Moldavsk. SSR (9), 192-208  
*Dendrocopos major*: Moldavian SSR
- Proctophyllodes egglestoni*  
Cooper, C. L.; and Crittes, J. L., 1975, J. Med.  
Entom., v. 12 (4), 483  
*Agelaius phoeniceus*: South Bass Island,  
Ottawa County, Ohio

*Proctophyllodes (Alloptes) megamerus* Trouessart, 1887

Atyeo, W. T.; and Gaud, J., 1976, J. Kansas Entom. Soc., v. 49 (4), 489-491  
as syn. of *Anorthalloptes megamerus* Trouessart n. comb.

*Proctophyllodes motacillae* Gaud, 1953  
Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Picoides tridactylus*: Chernovtzy oblast, Ukrainian SSR

*Proctophyllodes musicus*  
Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
*Turdus migratorius*: South Bass Island, Ottawa County, Ohio

*Proctophyllodes occidentalis*  
Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
*Cyanocitta cristata*: South Bass Island, Ottawa County, Ohio

*Proctophyllodes picae* (Koch, 1840)  
Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Dendrocopos major*: Moldavian SSR

*Proctophyllodes stylifer* (Buchholz, 1969)  
Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Dendrocopos major*: Moldavian SSR

*Proctophyllodes troncatus*  
Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
*Passer domesticus*: South Bass Island, Ottawa County, Ohio

*Proctophyllodes troncatus* Robin, 1877  
Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Dendrocopos major*: Moldavian SSR

*Proctophyllodes truncatus*  
Brown, N. S.; and Wilson, G. I., 1975, Am. Midland Naturalist, v. 94 (1), 154-165  
comparison of ectoparasites from North America and Europe  
*Passer domesticus*: Boston, Mass.; Stockton-on-Tees, England

*Proctophyllodes truncatus* Robin  
McGroarty, D. L.; and Dobson, R. C., 1974, Am. Midland Naturalist, v. 91 (2), 479-486  
ectoparasites, seasonal fluctuations  
*Passer domesticus*: northwestern Indiana

*Proctophyllodes truncatus*  
Tieben, G. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 405 [Abstract]  
techniques for collecting ectoparasites from small birds  
*Passer domesticus*

*Proctophyllodidae*  
Peterson, P. C., 1972, Steenstrupia, v. 2 (14), 197-205  
*Alloptidae* and *Proctophyllodidae*, associations between orders of birds and feather mite families

*Prodajus ovatus* Pillai  
Balasubrahmanyam, K.; and Jeyaseelan, M. J. P., 1976, Current Sc., Bangalore, v. 45 (16), 603  
*Gastrosaccus simulans*: Porto Novo, southeast coast of India

*Prodidelphoecius* g. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Atopomelidae*  
tod: *Prodidelphoecius euphallus* sp. n.

*Prodidelphoecius euphallus* sp. n. (tod)  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Monodelphis scalops*: Thereseopolis, Organ Mts., Bresil

*Proechinophthirus fluctus*  
Kurtz, D. A.; and Kim, K. C., 1976, Pesticides Monit. J., v. 10 (3), 79-83  
*Antarctophthirus callorhini*, *Proechinophthirus fluctus*, sucking lice of northern fur seals, residues of DDT, dieldrin and PCB in lice and seals: Pribilof Islands, Alaska

*Proenderleinellus calvus* (Waterston, 1917)  
Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
*Cricetomys gambianus*: Dahomey; Nigeria; Togo

*Proknekalia* n. subgen.  
Keirans, J. E.; Hoogstraal, H.; and Clifford, C. M., 1977, Ann. Entom. Soc. Am., v. 70 (2), 221-228  
subgen. of *Ornithodoros*  
tod: *O. (P.) peringueyi* Bedford & Hewitt (1925)

*Prolabidocarpus* Lawrence, 1948: 369  
Fain, A., 1971, Acarologia, v. 12 (4), 824-826  
as syn. of *Schizocarpus* Trouessart, 1896

*Prolinognathus foleyi* Fahrenholz, 1939  
Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
*Procavia ruficeps*: Nigeria

*Prolistrophorus amazonicus* *musculinus* subsp. n.  
Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (2), 330-332  
*Mus musculinus brevirostris*: Surinam

*Prolistrophorus argentinus* (Hirst, 1921), illus.  
Lizaso, N. M., 1975, Mem. Inst. Butantan, v. 39, 73-77

*Prolistrophorus dolichus*, sp. n., illus.  
Lizaso, N. M., 1975, Mem. Inst. Butantan, v. 39, 73-77  
rato: captured in Instituto Butantan, Sao Paulo, Brasil

*Prolistrophorus frontalis* (Hirst, 1921), illus.  
Lizaso, N. M., 1975, Mem. Inst. Butantan,  
v. 39, 73-77

*Prolistrophorus hirstianus* sp. n.  
Fain, A., 1973, Rev. Zool. et Botan. Afri-  
cains, v. 87 (2), 330-332  
*Scapteromys tomentosus*: Argentine

*Prolistrophorus pernambucensis* sp. n.  
Fain, A., 1973, Rev. Zool. et Botan. Afri-  
cains, v. 87 (2), 330-332  
*Oryzomys* sp.: Bresil

*Prolistrophorus striatus* sp. n.  
Fain, A., 1973, Rev. Zool. et Botan. Afri-  
cains, v. 87 (2), 330-332  
*Zygodontomys brevicaudata microtinus*: Surinam

*Prolistrophorus surinamensis* sp. n.  
Fain, A., 1973, Rev. Zool. et Botan. Afri-  
cains, v. 87 (2), 330-332  
*Nectomys squamipes melanius*: Surinam

*Proschoengastia Vercammen-Grandjean* 1967  
Brennan, J. M.; and Goff, M. L., 1977, J. Par-  
asitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in  
the Western Hemisphere

*Prostigmata*  
Edler, A.; and Nilsson, A., 1973, Entom.  
Scand., v. 4 (4), 274-282  
ectoparasites of small mammals from two  
woodland habitats, seasonal variation, fre-  
quency and intensity of infestation, numer-  
ical comparison of ectoparasitic groups:  
southern Sweden

*Protelicola* Bedford, 1932  
Emerson, K. C.; and Price, R. D., 1975, Brig-  
ham Young Univ. Sc. Bull., Biol. ser., v. 20  
(3), 1-77  
as syn. of *Felicola* Ewing, 1929

*Proterothrix* sp.  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),  
189-199  
arthropods ectoparasitic upon mammals and  
birds, factors affecting host specificity  
*Rhipidura spilodera*  
*Pachycephala pectoralis*  
all from New Hebrides

*Protocalliphora azurea*  
Borisova, V. I., 1975, Biol. Nauk., Min.  
Vyssh. i. Sredn. Spetsial. Obrazovan. SSSR  
(141), year 18, (9), 14-18  
nest ectoparasite specificity  
+[*Hirundo rustica*]  
+[*Parus major*]  
+[*Muscicapa albicollis*]  
+[*Sturnus vulgaris*]  
+[*Phoenicurus phoenicurus*]  
+[*Motacilla alba*]  
+[*Passer montanus*]  
(nest of all)

*Protodactylina* Laubier, Maillard & Oliver  
Cressey, R. F., 1977, Tr. Am. Micr. Soc.,  
v. 96 (4), 467-476  
as syn. of *Bariaka* Cressey, 1966

*Protodactylina pamela* Laubier, Maillard &  
Oliver  
Cressey, R. F., 1977, Tr. Am. Micr. Soc.,  
v. 96 (4), 467-476  
[as syn. of *Bariaka pamela* (Laubier, Mail-  
lard & Oliver) [n. comb.]

*Protogyropinae*  
Emerson, K. C.; and Price, R. D., 1976, Florida  
Entom., v. 59 (4), 425-428  
Gyropidae  
key

*Protomyobia* Ewing  
Jameson, E. W., jr.; and Dusbabek, F., 1971,  
J. Med. Entom., v. 8 (1), 33-36  
key to females, includes: *P. nodosa*; *P.*  
*brevisetosa*; *P. onoi*; *P. claparedei*

*Protomyobia brevisetosa*  
Whitaker, J. O., jr.; Jones, G. S.; and  
Pascal, D. D., jr., 1975, J. Elisha Mitchell  
Scient. Soc., v. 91 (1), 13-17  
*Sorex fumeus*  
*S. palustris*  
all from Fires Creek area, Nantahala Moun-  
tains, North Carolina

*Protomyobia brevisetosa* Whitaker & Pascal, 1971  
(not Jameson, 1948)  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Protomyobia onoi* Jameson & Dusba-  
bek, 1971

*Protomyobia claparedei*  
Basolo, F., jr.; and Funk, R. C., 1974, Tr.  
Illinois State Acad. Sc., v. 67 (2), 211-221  
*Cryptotis parva parva*: Coles County,  
Illinois

*Protomyobia claparedei*  
Whitaker, J. O., jr.; Jones, G. S.; and  
Pascal, D. D., jr., 1975, J. Elisha Mitchell  
Scient. Soc., v. 91 (1), 13-17  
*Sorex cinereus*  
*Blarina brevicauda*  
*Peromyscus maniculatus*  
all from Fires Creek area, Nantahala Moun-  
tains, North Carolina

*Protomyobia onoi*, n. sp., illus.  
Jameson, E. W., jr.; and Dusbabek, F., 1971,  
J. Med. Entom., v. 8 (1), 33-36  
key  
*Sorex araneus*: CSSR (Cerny dul stream,  
Krkonoše Mountains; Veltrusy; Stribrec;  
Lest near Krupina)  
*S. unguiculatus*: Japan (near Abashiri, Hok-  
kaido)  
*S. caecutiens*: Japan (Hokkaido)

*Protomyobia onoi* Jameson & Dusbabek, 1971  
Whitaker, J. O., jr.; and Wilson, N., 1974,  
Am. Midland Naturalist, v. 91 (1), 1-67  
Syn.: *Protomyobia brevisetosa* Whitaker &  
Pascal, 1971 (not Jameson, 1948)

- Prowichmannia spiniferum  
 Basolo, F., jr.; and Funk, R. C., 1974, Tr.  
 Illinois State Acad. Sc., v. 67 (2), 211-221  
*Peromyscus leucopus noveboracensis*: Coles  
 County, Illinois
- Przhevalskiana silenus Brauer  
 Abul-hab, J.; and Al-S'adi, H., 1974, Beitr.  
 Trop. Landwirtsch. u. Vet.-Med., v. 12 (2),  
 153-158  
*Przhevalskiana silenus* in goats, incidence  
 survey, seasonal distribution: slaughter  
 house in Baghdad, Iraq
- Przhevalskiana silenus (Brauer), illus.  
 Cheema, A. H., 1977, Zentralbl. Vet.-Med.,  
 Reihe B, v. 24 (8), 648-655  
*Przhevalskiana silenus*, goats (skin),  
 histopathology: Shiraz abattoir, Iran
- Przhevalskiana silenus Brauer, 1858, illus.  
 Goksu, K., 1975, Vet. Fak. Dergisi, Istanbul  
 Univ., v. 1 (1), 45-52  
 black goats: abattoir of Antalya, Turkey
- Pseudoalabidocarpus new genus  
 McDaniel, B., 1972, Brigham Young Univ. Sc.  
 Bull., Biol. ser., v. 17 (2), 15-32  
 Labidocarpidae  
 [lapsus pp. 27, 29 as Pseudolabidocarpus]  
 key; tod: Pseudoalabidocarpus secus new  
 species
- Pseudoalabidocarpus secus new species (tod),  
 illus.  
 McDaniel, B., 1972, Brigham Young Univ. Sc.  
 Bull., Biol. ser., v. 17 (2), 15-32  
*Phyllostomus elongatus*  
*P. discolor*  
 all from T.F. Amazonas, 108 km SE Esmeralda,  
 Rio Mavaca, Venezuela
- Pseudocharopinus dasyaticus (Pillai, 1962),  
 illus.  
 Kabata, Z., 1968, J. Nat. Hist., v. 2 (4),  
 505-523  
 synonymy, description of female  
*Dasyatis fluviorum* (gills): Moreton Bay.  
 Queensland
- Pseudocharopinus malleus (Nordmann, 1832),  
 illus.  
 Raibaut, A.; and Maamouri, K., 1975, Bull. Mus.  
 National Hist. Nat., Paris, 3. s. (320), Zool.  
 (227), 1037-1047  
 description, detailed study, Syn.: *Pseudo-*  
*charopinus pastinaceae* (Van Beneden, 1851)  
*Torpedo torpedo* (fentes branchiales  
 internes): Golfe de Tunis  
*T. marmorata* (fentes branchiales internes):  
 golfe de Tunis  
*Taeniura grabata* (fentes branchiales  
 internes): Tunisie  
*Dasyatis pastinaca* (= *Trygon pastinaca*):  
 Tunisie
- Pseudocharopinus pastinaceae (Van Beneden, 1851)  
 Raibaut, A.; and Maamouri, K., 1975, Bull. Mus.  
 National Hist. Nat., Paris, 3. s. (320), Zool.  
 (227), 1037-1047  
 as syn. of *P. malleus* (Nordmann, 1832)
- Pseudochondracanthus sp., illus.  
 Pillai, N. K., 1964, J. Marine Biol. Ass.  
 India, v. 6 (1), 61-83  
 brief description  
*Plagusia* sp. (buccal cavity): Trivandrum,  
 South India
- Pseudochondracanthus longitruscans Yamaguti 1939,  
 illus.  
 Pillai, N. K., 1964, J. Marine Biol. Ass.  
 India, v. 6 (1), 61-83  
 description  
*Pseudorhombus arsius* (gills): Trivandrum,  
 South India
- Pseudochondracanthus psettodes Kirtisinghe,  
 1950  
 Pillai, N. K., 1964, J. Marine Biol. Ass.  
 India, v. 6 (1), 61-83  
 as syn. of *Chondracanthus alatus* Heller,  
 1865
- Pseudocycnoides armatus (Bassett-Smith, 1898)  
 Rohde, K., 1976, Ztschr. Parasitenk., v. 51  
 (1), 49-69  
*Scomberomorus commersoni* (gills): near  
 Heron Island
- Pseudocycnus appendiculatus Heller, 1868, illus.  
 Hewitt, G. C., 1969, N. Zealand J. Marine and  
 Freshwater Research, v. 3 (1), 169-176  
 description of female  
 Syn.: *P. spinosus* Pearse, 1952  
*Thunnus alalunga*: Ariel Reef, Gisborne,  
 New Zealand
- Pseudocycnus appendiculatus Heller, 1865, illus.  
 Pillai, N. K., 1964, J. Marine Biol. Ass.  
 India, v. 6 (1), 61-83  
 description  
*Euthynnus affinis*: Trivandrum, South India  
*Neothunnus macropterus*: Vizhingom, South  
 India  
 (gills of all)
- Pseudocycnus armatus (Bassett-Smith, 1898),  
 illus.  
 Pillai, N. K., 1964, J. Marine Biol. Ass.  
 India, v. 6 (1), 61-83  
 synonymy, description  
*Indocybium guttatum* (gills): Trivandrum  
 and Vizhingom, South India
- Pseudocycnus spinosus Pearse, 1952  
 Hewitt, G. C., 1969, N. Zealand J. Marine and  
 Freshwater Research, v. 3 (1), 169-176  
 as syn. of *P. appendiculatus* Heller, 1868
- Pseudolabidocarpus new genus [lapsus pp. 27, 29  
 for Pseudoalabidocarpus new genus]  
 McDaniel, B., 1972, Brigham Young Univ. Sc.  
 Bull., Biol. ser., v. 17 (2), 15-32
- Pseudolamproglena gen. nov.  
 Boxshall, G. A., 1976, Bull. Brit. Mus. (Nat.  
 Hist.), Zool., v. 30 (6), 209-215  
*Lernaeidae*, *Lamprogleninae*, tod: *P. annulata*  
 sp. nov.

*Pseudolamproglena annulata* sp. nov. (tod), illus.  
Boxshall, G. A., 1976, Bull. Brit. Mus. (Nat. Hist.), Zool., v. 30 (6), 209-215  
*Cyprintron macrostomus* (gills): river Tigris, Mosul, Iraq

*Pseudolamproglena simplex* sp. nov., illus.  
Boxshall, G. A., 1976, Bull. Brit. Mus. (Nat. Hist.), Zool., v. 30 (6), 209-215  
*Labeo diplostomus* (gills): Dal Lake, Kashmir, India

*Pseudolynchia canariensis* Bequaert  
Kleib, T. R.; and DeGiusti, D. L., 1975, J. Wildlife Dis., v. 11 (1), 130-135  
*Haemoproteus columbae* and *Pseudolynchia canariensis* in *Columba livia*, seasonal occurrence of *H. columbae* highest during fall and winter, correlating with changes in vector population: Detroit, Michigan

*Pseudolynchia canariensis* (Macquart)  
Sanders, D. P.; and Petersen, J. L., 1975, Proc. Indiana Acad. Sc., v. 84, 1974, 287-288  
*Pseudolynchia canariensis*, biting teachers and custodians of school, active in early morning, apparently from pigeons roosting in building, problem eliminated by insecticide spraying: South Bend, Indiana

*Pseudolynchia maura*  
Gallucci, B. B., 1974, J. Protozool., v. 21 (2), 264-275  
*Columba livia*: Raleigh, North Carolina

*Pseudolynchia serratipes* Maa, 1966  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Ducula bakeri*: New Hebrides

*Pseudopandarus longus* (Gnanamuthu), illus.  
Pillai, N. K., 1964, J. Marine Biol. Ass. India, v. 6 (1), 61-83  
synonymy, description  
*Scoliodon sorrokowah* (body surface): Quilon, Trivandrum, and Vizhingom, South India

*Pseudopygmephorus sellnicki*  
Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Microtus ochrogaster ochrogaster*  
*Peromyscus leucopus noveboracensis*  
*Cryptotis parva parva*  
all from Coles County, Illinois

*Pseudoschoengastia Lipovsky 1951*  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere

*Pseudoschoengastia* [sp.]  
Loomis, R. B.; and Goff, M. L., 1973, J. Med. Entom., v. 10 (2), 113-117  
*Peromyscus boylii*: NE of Santa Lucia, Sinaloa, Mexico

*Pseudoschoengastia bisetosa* n. sp., illus.  
Loomis, R. B., 1976, Bull. South Calif. Acad. Sc., v. 75 (3), 278-281  
*Peromyscus truei lagunae*: La Laguna, Baja California Sur, Mexico  
*P. eva* (ears): Baja California Sur, Mexico (El Chorro; 11 km W Santiago; La Burrera; 3.2 km S San Antonio)  
*P. truei* (ears): La Laguna, Baja California Sur, Mexico  
*Perognathus spinatus*: 3.2 km S San Antonio, Baja California Sur, Mexico

*Pseudoschoengastia smithi* n. sp., illus.  
Loomis, R. B., 1976, Bull. South Calif. Acad. Sc., v. 75 (3), 278-281  
*Peromyscus eremicus sinaloensis*: 13 km SSE Alamos, Rio Cuchujaqui, Sonora, Mexico  
*P. eremicus* (ears): 16 km E Navojoa, Sonora, Mexico

*Pseudoschoengastia tricosa*, Geest & Loomis, 1968 [et auct]  
Brennan, J. M., 1973, J. Med. Entom., v. 10 (1), 107-109  
as syn. of *Vanidicus tricosus* Brennan & Jones, 1961

*Pseudoschoengastia turkmenica* sp. n., illus.  
Shluger, E. G.; and Amanguliev, A., 1975, Entom. Obozr., v. 54 (2), 463-470  
*Apodemus sylvaticus*: Western Kopetdag, Kara-Kala region (Iol-Dere ravine), Turkmenia

*Pseudosusa Vercammen-Grandjean* 1960  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere

*Psittaconirmus* sp.  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Trichoglossus haematodus*: New Hebrides

*Psitticimex uritui*  
Keirans, J. E.; Radovsky, F. J.; and Clifford, C. M., 1973, J. Med. Entom., v. 10 (5), 511-516  
+*Myiopsitta monachus* (nest): Los Leones, 30°20' S, 65°10' W, 70 km NW Cruz del Eje, Cordoba Province, Argentina

*Psorergates*  
Coring, J., 1975, Deutsche Tierarztl. Wchnschr., v. 82 (12), 491-492  
ovine scabies, brief review of clinical aspects, diagnosis

*Psorergates ovis*  
Sinclair, A. N., 1976, N. Zealand Vet. J., v. 24 (7), 149-152  
*Psorergates ovis*, fleece derangement in infected Merino sheep before and after treatment as measurement of treatment success

*Psorergates simplex*  
Rak, H., 1974, Rev. Fac. Vet. Univ. Teheran, v. 29 (4), 21-28  
*Mus musculus*: Iran

- Psorergates simplex** Tyrrell, 1883  
 Spicka, E. J., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 418-422  
**Psorergates simplex**, sex ratio and stages found  
**Mus musculus**(skin pouches, ears): Pike County, Indiana
- [**Psoroptes**] psoroptic mange  
 Durez, J.; and Hargot, F., 1977, Ann. Med. Vet., v. 121 (1), 59-63  
 psoroptic mange, cattle, high pressure spraying with crotoxyphos, good results, no residues in milk, dairy products, or meat
- Psoroptes**  
 Jackson, W. T., 1963, State Vet. J. (54), v. 18, 220-222  
**Psoroptes**, sheep: shipped from Belfast, Northern Ireland to Birkenhead
- Psoroptes**  
 Prajapati, R. B.; and Hiregaudar, L. S., 1976, Indian Vet. J., v. 53 (2), 150-151  
 psoroptic mange of buffaloes, mineral and plant oils, burnt engine lubricating oil cheaper, more effective
- Psoroptes** sp.  
 Basson, P. A.; et al., 1970, Onderstepoort J. Vet. Research, v. 37 (1), 11-28  
 parasitic and other diseases of Syncerus caffer, some pathological findings, age of host  
**Syncerus caffer** (bases of the horns): Kruger National Park
- Psoroptes bovis**  
 Frick, W., 1977, Monatsh. Vet.-Med., v. 32 (8), 291-294  
 different concentrations of dichlorvos, cattle
- Psoroptes communis** var. **cuniculi**  
 Patyk, S.; and Kliszewski, W., 1976, Med. Wet., v. 32 (8), 471-473  
 ectoparasites, domestic animals, control with enolophosphates IPO-62 and IPO-63
- Psoroptes communis** var. **ovis**  
 Coring, J., 1975, Deutsche Tierarztl. Wchnschr., v. 82 (12), 491-492  
 ovine scabies, brief review of clinical aspects, diagnosis
- Psoroptes communis** **ovis**  
 Kirkwood, A. C., 1977, Parasitology, v. 75 (2), xxii-xxviii [Abstract]  
**Psoroptes communis** **ovis** on sheep, reappearance in 1973, may not be controlled by showering as opposed to dipping: Britain
- Psoroptes communis** var. **ovis**  
 Oberg, C.; Diaz, L.; and Valenzuela, G., 1974, Bol. Chileno Parasitol., v. 29 (3-4), 99-102  
**Ovis aries**: Chile
- Psoroptes communis** var. **ovis**  
 Patyk, S.; and Kliszewski, W., 1976, Med. Wet., v. 32 (8), 471-473  
 ectoparasites, domestic animals, control with enolophosphates IPO-62 and IPO-63
- Psoroptes communis** **ovis** Hering  
 Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397  
 seasonal distribution  
**Ovis aries**: Hissar and suburbs, India
- Psoroptes cuniculi**  
 Frick, W., 1977, Monatsh. Vet.-Med., v. 32 (8), 291-294  
 different concentrations of dichlorvos, rabbits
- Psoroptes cuniculi**  
 Il'iashchenko, V. I., 1973, Vestnik Sel'skohoz. Nauki Kazakhstana (11), 119-121  
**Psoroptes cuniculi**, ciodrin, aerosol foam applied within cochlea, rabbits
- Psoroptes equi** var. **cervinus**, illus.  
 Colwell, D. A.; and Dunlap, J. S., 1975, J. Wildlife Dis., v. 11 (1), 66-67  
**Cervus canadensis nelsoni** (dermis): lower Lochsa River drainage, northern Idaho
- Psoroptes equi** var. **cuniculi**  
 Alcaino, H.; and Tagle, I., 1966, Bol. Chileno Parasitol., v. 21 (1), 18-19  
**cconejo angora** (oido): Santiago, Chile
- Psoroptes equi** var. **ovis**  
 Gonzalez, H.; et al., 1967, Bol. Chileno Parasitol., v. 22 (2), 50-52  
**Psoroptes equi** var. **ovis**, asuntol in a single bath treatment ineffective in treating or preventing mange in sheep, clinical trial
- Psoroptes ovis**  
 Wilson, G. I.; Blachut, K.; and Roberts, I. H., 1977, Research Vet. Sc., v. 22 (3), 292-297  
**Psoroptes ovis**, infectivity to sheep introduced into naturally contaminated enclosures after periods of vacancy (under conditions in southwestern United States), recommended time lapse before contaminated animal enclosures can be used by clean sheep; experimental transfer of mites to sheep following periods of off-host storage at various temperatures, mite survival rate
- Psoroptic mites**  
 Chattopadhyay, S. K.; et al., 1977, Indian J. Animal Sc., v. 45 (9), 1975, 709-710  
 psoroptic and sarcoptic mites, dermatitis in Rambouillet sheep: India
- Pterodectes ralliculae** sp. n., illus.  
 Atyeo, W. T.; and Gaud, J., 1977, J. Parasitol., v. 63 (1), 141-144  
**Rallicula f. forbesi**: Mafulu, Central Division, Papua New Guinea; Buhuni, upper Aroa River, Papua New Guinea  
**R. m. mayri**: Cyclops Mountains, Humboldt Bay, West Irian
- Pterolichus gaudi** Cerny, 1971  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
**Tetrastes bonasia**: Chernovtzy oblast, Ukrainian SSR

*Pterolichus rubidus petaliferus* Trouessart, 1898  
 Peterson, P. C., 1972, Steenstrupia, v. 2  
 (14), 197-205  
 as syn. of *Echinacarus petaliferus* (Trouessart)

*Pterolichus solutocurtus* Dubinin, 1956  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Perdix perdix*: Moldavian SSR

*Pteronyssoides striatus* (Robin, 1877)  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Dendrocopos major*  
*D. leucotos*  
 all from Moldavian SSR

*Pteronyssus* sp.  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Streptopelia turtur*: Moldavian SSR

*Pteronyssus brevipes* Berlese, 1884  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Dendrocopos major*: Moldavian SSR; Chernovtzy oblast, Ukrainian SSR  
*D. syriacus*: Moldavian SSR  
*D. leucotos*: Moldavian SSR; Chernovtzy oblast, Ukrainian SSR  
*D. medius*: Moldavian SSR; Chernovtzy oblast, Ukrainian SSR  
*Picoides tridactylus*: Chernovtzy oblast, Ukrainian SSR

*Pteronyssus dubinini* Cerny et Schumilo, 1973  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Picus viridis*  
*P. canus*  
 all from Chernovtzy oblast, Ukrainian SSR

*Pteronyssus gaudi* Cerny  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Dryocopus martius*: Chernovtzy oblast, Ukrainian SSR

*Pteronyssus gracilis* (Nitzsch, 1818)  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Picus viridis*: Chernovtzy oblast, Ukrainian SSR  
*Dendrocopos major*: Moldavian SSR; Chernovtzy oblast, Ukrainian SSR  
*D. syriacus*: Moldavian SSR  
*D. medius*: Moldavian SSR; Chernovtzy oblast, Ukrainian SSR  
*D. minor*: Chernovtzy oblast, Ukrainian SSR

*Pteronyssus longiscutatus* Cerny et Schumilo, 1973  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Dendrocopos minor*: Chernovtzy oblast, Ukrainian SSR

*Pteronyssus monoplax* Cerny, 1969  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Dendrocopos major*: Moldavian SSR; Chernovtzy oblast, Ukrainian SSR  
*D. leucotos*: Moldavian SSR; Chernovtzy oblast, Ukrainian SSR  
*D. medius*: Moldavian SSR  
*Picoides tridactylus*: Chernovtzy oblast, Ukrainian SSR

*Pteronyssus picoides* Cerny et Schumilo, 1973  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Picoides tridactylus*: Chernovtzy oblast, Ukrainian SSR

*Pterophagus strictus* Megnin, 1877  
 Shumilo, R. P.; Cerny, V. V.; and Tikhon, E. I., 1973, Parazity Zhivot. i Rasten., Akad. Nauk Moldavsk. SSR (9), 192-208  
*Columba oenas*: Chernovtzy oblast, Ukrainian SSR

*Pterophthirus Ewing*, 1923  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 as syn. of *Hoplopleura Enderlein*, 1904

*Pterophthirus alata* Ewing, 1923; [et auct.]  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 as syn. of *Hoplopleura alata* Ferris, 1921

*Pterophthirus audax* Ewing, 1923; [et auct.]  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 as syn. of *Hoplopleura audax* Ferris, 1921

*Pterophthirus imitans* Werneck, 1942  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 as syn. of *Hoplopleura imitans* (Werneck)

*Pterophthirus wernecki* Guimaraes, 1950  
 Johnson, P. T., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (5), 1-62  
 as syn. of *Hoplopleura wernecki* (Guimaraes)

*Pteropimyobia* gen. nov.  
 Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621  
 Myobiidae  
 tod: *P. nyctineme* sp. n.

*Pteropimyobia nyctineme* sp. n. (tod)  
 Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621  
*Nyctineme* [i.e., *Nyctimene*] *bougainvillei*: Buin (Ile de Bougainville)

- Pteropimyobia pahangensis sp. n.  
Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 614-621  
Macroglossus minimus sobrinus: Pahang, Malaya
- Pterygosomidae  
Gabrisch, K., 1976, Prakt. Tierarzt, v. 57, Sondernummer, 37-40  
parasites of reptiles, diagnosis, treatment, brief review
- Phthirus pubis, illus.  
Awan, K. J., 1977, Am. J. Ophthalmol., v. 83 (6), 906-907  
Phthirus pubis infection of both eyelids of 5-year-old child, effective treatment using cryotherapy followed by topical application of gamma benzene hexachloride, clinical case report: Virginia
- Phthirus pubis  
Epstein, E., 1975, Med. Aspects Human Sexual., v. 9 (1), 8-27  
diagnosis of Phthirus pubis in humans, modes of dissemination, increasing infestations, treatment with Kwell ointment
- Phthirius pubis, illus.  
Faucheu, M.-J., 1975, Bull. Soc. Sc. Nat. Ouest France, v. 73 (2-3), 69-76  
Pediculus humanus capitis, Phthirius pubis, feet, respiratory system, functional morphology, scanning electron microscopy
- Phthirus pubis  
Gerwels, J. W.; and Beckett, J., 1975, Med. Aspects Human Sexual., v. 9 (10), 7-27  
Phthirus pubis, Sarcoptes scabiei var. hominis, dermatologic manifestations of venereally transmitted human infections
- Phthirus pubis  
Schenone, H.; and Reyes, H., 1967, Bol. Chileno Parasitol., v. 22 (2), 56-59  
human ectoparasites, control measures, lindane: Chile
- Phthirus pubis  
Vedy, J., 1971, Medecine Trop., v. 31 (4), 463-465  
human unilateral Phthirus pubis infection of eye followed rapidly by anterior and posterior or subcapsular cataract, case report, possible causal relationships: Fort-Lamy
- Phthirus p. pubis  
Eichler, W., 1976, Ang. Parasitol., v. 17 (2), 76-85  
annoyance to man, holiday situations: Baltic coast, German Democratic Republic
- Ptilonyssoides novaeguineae (Hirst, 1921), n. comb., illus.  
Sakakibara, I., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 298-309  
synonymy, description, dorsal views  
Paradisaeidae, ribbontail  
Paradisaeidae, bird of paradise  
Paradisaeidae, rifle bird  
all from New Guinea
- Ptilonyssoides paradisaeus n. sp., illus.  
Sakakibara, I., 1968, J. Med. Entom., v. 5 (3), 298-309  
Paradisaeidae, ribbontail: Mt. Kaindi  
Paradisaeidae, bird of paradise: Kepilam; Pindiu; Nakata Ridge, Wau; Oriomo River  
Melanocharis nigra: Oransbari, NW Geelvink Bay  
Meliphagidae, honey eater?: Ambunti  
Icteridae, grackle?: Oriomo River  
Cicinnurus regius: Oransbari, NW Geelvink Bay  
bird: Jumbora; Bulolo River  
all from New Guinea
- Ptilonyssus agelaii Fain & Aitken  
Pence, D. B.; and Castro, S. D., 1976, J. Med. Entom., v. 13 (1), 71-95  
as syn. of P. sairae Castro
- Ptilonyssus astridae Fain, 1956  
Fain, A.; Herin, A.; and Puylaert, F., 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
Euschistospiza dybowskii  
Vidua macroura  
(fosses nasales of all): all from Cameroun
- Ptilonyssus aureliani Fain, 1956  
Fain, A.; Herin, A.; and Puylaert, F., 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
Camaroptera brevicaudata (fosses nasales): Cameroun
- Ptilonyssus camptostoma n. sp., illus.  
Hyland, K. E.; and Moorhouse, A., 1970, Acarologia, v. 12 (1), 43-58  
Camptostoma imberbe (nasal passages): Tlalocatlan, Veracruz, Mexico
- Ptilonyssus chalybeaedomesticae Amaral, 1967  
Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
Progne dominicensis cryptoleuca (nasal cavity): Herradura, Prov. of Pinar del Rio, Cuba
- Ptilonyssus constrictus Ford, 1961  
Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
body measurements
- Ptilonyssus constrictus constrictus Ford, 1961, illus.  
Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
Parula a. americana (nasal cavity): Cuba (Havana; Aguacate, Mandinga, Baracoa, Prov. of Oriente)  
Vermivora chrysoptera (nasal cavity): Havana, Cuba  
Dendroica tigrina (nasal cavity): Laguna del Tesoro, Prov. of Las Villas, Cuba  
Dendroica cerulea (nasal cavity): Havana, Cuba  
Dendroica d. dominica (nasal cavity): Havana, Cuba  
Dendroica virens waynei (nasal cavity): Havana, Cuba  
Dendroica petechia aestiva (nasal cavity): Havana, Cuba

- Ptilonyssus constrictus longisetosus ssp. n., illus.  
Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
*Seiurus motacilla* (nasal cavity): Botanical Garden, Havana, Cuba  
*Wilsonia citrina* (nasal cavity): Havana, Cuba  
*Helmintheros vermiculus* (nasal cavity): Havana, Cuba  
*Protonotaria citrea* (nasal cavity): Havana, Cuba
- Ptilonyssus cyanocittae  
Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
*Cyanocitta cristata*: South Bass Island, Ottawa County, Ohio
- Ptilonyssus echinatus Berlese & Trouessart, 1889  
Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
*Hirundo rustica erythrogaster* (nasal cavity): Cacocum, Prov. of Oriente, Cuba
- Ptilonyssus echinatus Berlese et Trouessart, 1889  
Fain, A.; Herin, A.; and Puylaert, F., 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
*Hirundo aethiopica* (fosses nasales): Cameroun
- Ptilonyssus estrildicola Fain, 1959, illus.  
Sakakibara, I., 1968, J. Med. Entom., v. 5 (3), 298-309  
 chestnut-sided manakin [i. e.? mannikin]: Enarotali, New Guinea
- Ptilonyssus estrildicola taeniopygiae Fain, 1963  
Fain, A.; Herin, A.; and Puylaert, F., 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
*Eodice malabarica* (fosses nasales): Cameroun
- Ptilonyssus fringillicolus Fain, 1959  
Fain, A.; Herin, A.; and Puylaert, F., 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
*Serinus mozambicus* (fosses nasales): Cameroun
- Ptilonyssus garridoi Cruz  
Pence, D. B.; and Casto, S. D., 1976, J. Med. Entom., v. 13 (1), 71-95  
 as syn. of *P. sairae* Castro
- Ptilonyssus hirsti Castro et Pereira, 1947  
Fain, A.; Herin, A.; and Puylaert, F., 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
*Passer griseus*  
*Petronia dentata* (fosses nasales of all): all from Cameroun
- Ptilonyssus insularis cubanus  
Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
*Dives atroviolaceus* (nasal cavity): Aguate, Mantinga, Baracoa, Prov. of Oriente, Cuba
- Ptilonyssus insularis insularis Cerny, 1969  
Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
*Quiscalus niger caribaeus* (nasal cavity): Isla de Pinos (Cayo Piedra; Jucaro; La Cocodrila)  
*Dives atroviolaceus* (nasal cavity): La Cocodrila, Isla de Pinos
- Ptilonyssus japiuibensis Castro, 1948  
Hyland, K. E.; and Moorhouse, A., 1970, Acarologia, v. 12 (1), 43-58  
*Empidonax alnorum* (nasal passages): Sontecomapan, Veracruz, Mexico
- Ptilonyssus japiuibensis  
Pence, D. B.; and Casto, S. D., 1976, J. Med. Entom., v. 13 (1), 71-95  
 as syn. of *P. sairae* Castro
- Ptilonyssus japiuibensis cyanocompsae Fain & Aitken  
Pence, D. B.; and Casto, S. D., 1976, J. Med. Entom., v. 13 (1), 71-95  
 as syn. of *P. sairae* Castro
- Ptilonyssus lanii Zumpt et Tilly, 1955  
Fain, A.; Herin, A.; and Puylaert, F., 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
*Corvinella corvina* (fosses nasales): Cameroun
- Ptilonyssus lanii  
Pence, D. B.; and Casto, S. D., 1976, J. Med. Entom., v. 13 (1), 71-95  
 valid species
- Ptilonyssus ludovicianus Cerny, 1969  
Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
*Pheucticus ludovicianus* (nasal cavity): Soledad, Prov. of Las Villas, Cuba
- Ptilonyssus ludovicianus Cerny  
Pence, D. B.; and Casto, S. D., 1976, J. Med. Entom., v. 13 (1), 71-95  
 as syn. of *P. sairae* Castro
- Ptilonyssus mimicola Fain & Hyland, 1963 status nov.  
Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
 "we consider this taxon as a distinct species and not as a subspecies of *Ptilonyssus euroturi* Fain and Hyland, 1963"  
*Mimocichla plumbea schistacea* (nasal cavity): Cabo Cruz, Vereon, Prov. of Oriente, Cuba
- Ptilonyssus motacillae  
Pence, D. B.; and Casto, S. D., 1976, J. Med. Entom., v. 13 (1), 71-95  
 valid species
- Ptilonyssus novaeguineae, Fain & Hyland, 1962  
Sakakibara, I., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 298-309  
 as syn. of *Ptilonyssoides novaeguineae* (Hirst, 1921) n. comb.

- Ptilonyssus nudus**  
 Brown, N. S.; and Wilson, G. I., 1975, Am. Midland Naturalist, v. 94 (1), 154-165  
 comparison of ectoparasites from North America and Europe  
*Passer domesticus*: Stockton-on-Tees, England
- Ptilonyssus nudus Berlese et Trouessart, 1889**  
 Fain, A.; Herin, A.; and Puylaert, F., 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
*Passer griseus* (fosses nasales): Cameroun
- Ptilonyssus nudus Berlese & Trouessart**  
 McGroarty, D. L.; and Dobson, R. C., 1974, Am. Midland Naturalist, v. 91 (2), 479-486  
 ectoparasites, seasonal fluctuations  
*Passer domesticus*: northwestern Indiana
- Ptilonyssus orioli Fain, 1956, illus.**  
 Sakakibara, I., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 298-309  
 brief description
- Ptilonyssus ploceanus Fain, 1956**  
 Fain, A.; Herin, A.; and Puylaert, F., 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
*Ploceus cucullatus*  
*P. vitellinus*  
*Euplectes macrourus*  
*E. hordeaceus*  
*E. ardens*  
*E. orix*  
*Quelea quelea*  
*Q. erythrops*  
*Petronia dentata*  
*Serinus mozambicus*  
 (fosses nasales of all): all from Cameroun
- Ptilonyssus richmondenae**  
 Pence, D. B.; and Casto, S. D., 1976, J. Med. Entom., v. 13 (1), 71-95  
 valid species  
*Pyrrhuloxia sinuata*: Texas
- Ptilonyssus sairae Castro**  
 Pence, D. B.; and Casto, S. D., 1976, J. Med. Entom., v. 13 (1), 71-95  
 synonymy, taxonomic status, comparative morphology, variation  
*Piranga rubra*: Texas  
*Pipilo fuscus*: Texas  
*Amphispiza bilineata*: Texas  
*Pheucticus melanocephalus*: Texas  
*Dolichonyx oryzivorus*: Florida  
*Dendroica cerulea*: Florida  
*Dendroica tigrina*: Florida  
*Parula americana*: Florida  
*Limnothlypis swainsonii*: Florida  
*Seiurus aurocapillus*: Florida  
*Dendroica caeruleascens*: Florida  
*Dendroica striata*: Florida  
*Geothlypis trichas*: Florida
- Ptilonyssus strandtmanni Fain, 1956**  
 Fain, A.; Herin, A.; and Puylaert, F., 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
*Apus affinis* (fosses nasales): Cameroun
- Ptilonyssus teretistris Cerny, 1969**  
 Cerny, V.; and Dubabek, F., 1971, Acarologia, v. 12 (3), 479-491  
*Teretistris fornsi* (nasal cavity): El Dorado, Prov. of Las Villas, Cuba
- Ptilonyssus teretistris Cerny**  
 Pence, D. B.; and Casto, S. D., 1976, J. Med. Entom., v. 13 (1), 71-95  
 as syn. of *P. sairae* Castro
- Ptilonyssus terpsiphonei Fain, 1956, illus.**  
 Sakakibara, I., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 298-309  
 Paradisaeidae: Oriomo River, SE New Guinea
- Ptilonyssus triscutatus (Vitzthum, 1935)**  
 Fain, A.; Herin, A.; and Puylaert, F., 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
*Merops nubicus*  
*Melittophagus bullocki*  
 (fosses nasales of all): all from Cameroun
- Ptilonyssus triscutatus Vitzthum, 1935, illus.**  
 Guevara-Benitez, D., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 117-123  
 description of female  
*Merops apiaster* (arbol respiratorio): las Vegas, Pantano del Cubillas, provincia de Granada
- Ptilonyssus trouessarti (Hirst, 1921), illus.**  
 Sakakibara, I., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 298-309  
 description, dorsal view. svn.: *Rhinonyssoides trouessarti* Hirst, 1921  
 bird: Oriomo River, Papua, New Guinea
- Ptilonyssus trouessarti pseudotrouessarti, n. ssp., illus.**  
 Sakakibara, I., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 298-309  
 leather neck bird: Bulolo River, NE New Guinea
- Ptilonyssus viduicola Fain, 1962**  
 Fain, A.; Herin, A.; and Puylaert, F., 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
*Vidua macroura* (fosses nasales): Cameroun
- Ptilopsylla Jordan & Rothschild**  
 Mahnert, V., 1976, Rev. Suisse Zool., v. 83 (3), 769-776  
*Ischnopsyllinae*  
 key
- Pulex Linne, 1758**  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis
- Pulex Linnaeus**  
 Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
 brief description, key
- Pulex sp.**  
 Coultrip, R. L.; et al., 1973, J. Med. Entom., v. 10 (3), 303-309  
 fleas, ticks, mammals, survey for vectors and reservoir hosts of Rocky Mountain spotted fever and sylvatic plague, serological evidence for presence of rickettsial agent but presence of plague not demonstrated  
*Didelphis marsupialis*  
*Urocyon cinereoargenteus*  
*Taxidea taxus*  
*Mephitis mephitis*  
*Lynx rufus*  
 all from Fort Ord, California

## Pulex spec. Eaton, 1875

Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Notiopsylla kerguelensis*  
(Taschenberg, 1880)

## Pulex sp.

Tyler, J. D.; and Buscher, H. N., 1975, Proc.  
Oklahoma Acad. Sc., v. 55, 166-168  
*Cynomys ludovicianus*: Oklahoma

## Pulex canis. Curtis, 1826

Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Ctenocephalides canis* (Curtis,  
1826)

## Pulex canis. Duges, 1832

Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Ctenocephalides f. felis* (Bouche,  
1835)

## Pulex cuniculi. Dale, 1878

Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Spilopsyllus cuniculi* (Dale, 1878)

## Pulex echidnae. Denny, 1843

Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Bradiopsylla echidnae* (Denny, 1843)

## Pulex fasciatus. Bosc, 1801

Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Nosopsyllus fasciatus* (Bosc, 1801)

## Pulex felis Bouche, 1835

Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Ctenocephalides f. felis* (Bouche,  
1835)

## Pulex irritans (Linnaeus)

Amin, O. M., 1973, J. Med. Entom., v. 10 (1),  
110-111  
*Canis familiaris*: Racine-Kenosha Co., Wis-  
consin

## Pulex irritans

Ashford, R. W.; et al., 1973, Tr. Roy. Soc.  
Trop. Med. and Hyg., v. 67 (4), 568-601  
man: Kutaber area, Ethiopia

## Pulex irritans

Aubert, M. F. A.; and Beaucournu, J. C., 1976,  
Ann. Parasitol., v. 51 (1), 143-156  
Survey of Siphonaptera of some carnivores  
with brief notes on biology and chorology  
*Vulpes vulpes*  
*Meles meles*  
all from Nord-Est de la France

## Pulex irritans Linne, 1758, illus.

Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
diagnosis

*Hirundo neoxena*: New South Wales  
fowl: New South Wales

*Trichosurus vulpecula*: Tasmania

*Felis catus*: New South Wales

*Canis familiaris*: New South Wales; Victoria

pig: New South Wales

*Homo sapiens*: Australian Capital Territory;  
New South Wales; Victoria; Western Aus-  
tralia

## Pulex irritans

Haarlov, N.; and Kristensen, S., 1976, Med-  
lemsbl. Danske Dyrlægeforen., v. 59 (12),  
517-520

hunde: Denmark

## Pulex irritans Linneaus

Haas, G. E.; et al., 1973, J. Med. Entom.,  
v. 10 (3), 281-289

fleas of mammals, seasonal occurrence, geo-  
graphic distribution, host and nest prefer-  
ence, sex ratio, degree of plague infection  
*Urocyon cinereoargenteus*: west of Rio Grande  
in and near Jemez Mts., New Mexico

## Pulex irritans, probably

Haas, G. E.; et al., 1973, J. Med. Entom.,  
v. 10 (3), 281-289

fleas of mammals, seasonal occurrence, geo-  
graphic distribution, host and nest prefer-  
ence, sex ratio, degree of plague infection  
*Homo sapiens*: west of Rio Grande in and  
near Jemez Mts., New Mexico

## Pulex irritans

Kamel, O. M.; Nassif, M.; and Nagy, M., 1976,  
PANS, v. 22 (3), 350-353  
temephos effective against *Pediculus humanus*  
*humanus*, but not effective against *Pulex ir-*  
*ritans*: Egypt

## Pulex irritans

Letov, G. S.; and Letova, G. I., 1973, Zool.  
Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation  
to epizootiology of plague  
*Citellus undulatus*: Tuva

## Pulex irritans L.

Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),  
189-199  
arthropods ectoparasitic upon mammals and  
birds, factors affecting host specificity  
man: New Hebrides

## Pulex irritans

Pisarska, P., 1975, Dokl. Sel'skokhoziaistv.  
Akad. im. Georgija Dimitrova, v. 8 (3), 79-81  
*Vulpes vulpes*: village of Kalougerovo,  
district of Pazardzhik, Bulgaria

## Pulex irritans

Poliakov, V. K.; et al., 1976, Zool. Zhurnal,  
v. 55 (10), 1538-1551  
rodent fleas, zoological, parasitological,  
epidemiological and ecological characteris-  
tics of steppe, desert-steppe and desert  
regions of Transsural plague focus  
*Rhombomys opimus*: northeastern part of  
Caspian lowland

- P[ulex] irritans  
 Roberts, C. J., 1975, Entom. Gaz., v. 26 (2), 139-145  
*Homo sapiens*: Isle of Man
- Pulex irritans**  
 Skuratowicz, W., 1976, Polskie Pismo Entom., v. 46 (1), 25-27  
*Vulpes corsac*: Zaamar, Mongolia
- Pulex irritans Linnaeus**, 1758  
 Smit, F. G. A. M., 1974, Senckenbergiana Biol., v. 55 (4-6), 357-398  
 [no host]: Nepal
- Pulex irritans Linnaeus** 1758  
 Towell, D. E.; and Price, M. A., 1976, Southwest. Entom., v. 1 (1), 20  
*Bassariscus astutus flavus*: Kerr County, Texas
- Pulex irritans Linnaeus**  
 Traub, R., 1951, Proc. Biol. Soc. Wash., v. 64, 1-24  
 domestic dog: Cotabato Province, Mindanao, Parang, Bugasan, Philippine Islands  
 Mydans: Palawan Province, Palawan Island, Brook Point, Philippine Islands
- Pulex kerguelensis**. Taschenberg, 1880  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 as syn. of *Notiopsylla kerguelensis* (Taschenberg, 1880)
- Pulex simulans Baker**, illus.  
 Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
 description  
*Canis familiaris*  
*Vulpes fulva*  
*Felis domestica*  
*Marmota monax*  
 all from Alabama
- Pulex simulans Baker**  
 Stone, J. E.; and Pence, D. B., 1977, J. Parasitol., v. 63 (3), 463  
*Felis rufus*: near Benjamin, Knox County, west Texas
- Pulgæs.** See Fleas.
- Pulicidae**  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 diagnosis
- Pulicidae**  
 Lewis, R. E., 1972, J. Med. Entom., v. 9 (6), 511-520  
*Pulicidae*, world-wide distribution by zoogeographical regions and subregions, host preferences; list of genera and species
- Pulicidae Stephens**  
 Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
 brief description
- Pumiliopsis spathepedes** sp. nov., illus.  
 Bennet, P. S., 1975, J. Marine Biol. Ass. India, v. 16 (1), 1974, 156-160  
*Sardinella sirm* (eye): Tuticorin, south-east coast of India
- Pupipara** [sp.], illus.  
 Gwahaba, J. J., 1975, J. East Africa Nat. Hist. Soc. and National Mus. (153), 1-14  
*Corvus albus*: Kampala, Uganda
- Pyemotes ventricosus** (Newport), illus.  
 Audy, J. R.; Radovsky, F. J.; and Vercammen-Grandjean, P. H., 1972, J. Med. Entom., v. 9 (6), 487-494
- Pyemotidae** [sp.]  
 Basolo, F., Jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Peromyscus leucopus noveboracensis*: Coles County, Illinois
- Pygiopsylla Rothschild**, 1906  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 diagnosis, key, key to Australian species
- Pygiopsylla arcuata** Holland, 1971, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis
- Pygiopsylla colossus** Rothschild, 1906, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis  
*Rattus lutreolus*  
*Pseudomys higginsi*  
*Tasmanian rat*  
 all from Tasmania
- Pygiopsylla congrua** Jordan and Rothschild, 1922  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 as syn. of *Pygiopsylla zethi* (Rothschild, 1904)
- Pygiopsylla echidnae** Denny, 1843  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 as syn. of *Bradiopsylla echidnae* (Denny, 1843)
- Pygiopsylla gravis** Rothschild, 1908, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis  
*Mus assimilis*: Victoria  
*Rattus assimilis*: New South Wales; Victoria  
*R. fuscipes assimilis*: Victoria
- Pygiopsylla hilli** (Rothschild, 1904), illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis, syn.: *Ceratophyllus hilli*. Rothschild, 1904  
*Bettongia penicillata*  
*Pseudocheirus occidentalis*  
*Pseudocheirus* or *Bettongia*  
 all from Western Australia

*Pygiopsylla hoplia* Jordan and Rothschild, 1922, illus.  
*Dunnet, G. M.; and Mardon, D. K., 1974,*  
*Austral. J. Zool., Suppl. s. (30), 1-273*  
 synonymy, key, diagnosis  
*Thylogale stigmatica:* New South Wales  
*Potorous tridactylus:* New South Wales; Tasmania; Victoria  
*Trichosurus vulpecula fuliginosus:* Tasmania  
*Pseudocheirus peregrinus:* Victoria  
*Isoodon obesulus:* South Australia; Tasmania; Victoria; New South Wales  
*Thylacis obesulus:* Queensland; South Australia; Tasmania  
*Perameles obesula:* Tasmania  
*Isoodon macrourus:* New South Wales  
*Perameles macroura:* Queensland  
*Isoodon torosus:* Queensland  
*Isoodon sp.:* Queensland  
*Perameles nasuta:* New South Wales; Queensland; Tasmania; Victoria  
*Perameles ? nasuta:* New South Wales  
*P. gunnii:* Tasmania  
*Perameles sp.* Queensland; Tasmania  
*Echymipera rufescens:* Queensland  
*bandicoot:* Queensland  
*Dasyurus maculatus:* New South Wales; Tasmania; Victoria  
*?Dasyurus maculatus:* Tasmania  
*Dasyurus viverrinus:* Tasmania  
*Dasyurus quoll:* Tasmania  
 native cat: Tasmania  
 marsupial cat: Tasmania  
*Sarcophilus harrisii:* Tasmania  
*Antechinus flavipes:* Victoria  
*Antechinus stuartii:* Victoria  
*Antechinus swainsonii:* Tasmania; Victoria  
*Antechinus minimus:* Tasmania  
*Rattus rattus:* Queensland; Tasmania; Victoria  
*R. fuscipes fuscipes:* Western Australia  
*R. assimilis:* New South Wales; Queensland; South Australia; Victoria  
*R. fuscipes assimilis:* Victoria  
*R. f. greyii:* South Australia; Victoria  
*R. lutreolus:* Tasmania; Victoria  
*R. l. velutinus:* Tasmania  
*R. norvegicus:* Tasmania  
*R. culmorum:* Queensland  
*Rattus sp.:* Tasmania  
 grey scrub rat: Queensland  
 native rat: Victoria; Tasmania  
*Hydromys chrysogaster:* Queensland; Tasmania; Victoria  
*Mastacomys fuscus:* New South Wales; Tasmania  
*Pseudomys higginssii:* Tasmania  
*Uromys caudimaculatus:* Queensland  
*Melomys sp.:* Queensland  
*Oryctolagus cuniculus:* Victoria  
 cattle: Queensland  
*Ornithorhynchus anatinus:* Tasmania  
*Platypus*

*Pygiopsylla hoplia* Jordan and Rothschild  
*Shepherd, R. C. H.; and Edmonds, J. W., 1976,*  
*Austral. Entom. Mag., v. 3 (4), 63-66*  
*Oryctolagus cuniculus:* Victoria

*Pygiopsylla iridis* Holland, 1971, illus.  
*Dunnet, G. M.; and Mardon, D. K., 1974,*  
*Austral. J. Zool., Suppl. s. (30), 1-273*  
 key, diagnosis  
*Isoodon obesulus:* Queensland  
*bandicoot:* Queensland  
*Rattus assimilis:* New South Wales; Queensland

*Pygiopsylla pavida* Rothschild, 1916  
*Dunnet, G. M.; and Mardon, D. K., 1974,*  
*Austral. J. Zool., Suppl. s. (30), 1-273*  
 as syn. of *Acanthopsylla pavida* (Rothschild, 1916)

*Pygiopsylla rainbowi* Rothschild, 1908, illus.  
*Dunnet, G. M.; and Mardon, D. K., 1974,*  
*Austral. J. Zool., Suppl. s. (30), 1-273*  
 key, diagnosis  
*Isoodon obesulus:* Victoria  
*Phascogale swainsonii:* Victoria  
*Antechinus swainsonii:* Victoria  
*Epimys rutilus:* New South Wales  
*Rattus rattus:* Victoria  
*R. assimilis:* New South Wales; Victoria; Australian Capital Territory  
*R. f. assimilis:* "  
*R. f. greyi:* South Australia; Victoria  
*Mus assimilis:* Victoria  
*Rattus lutreolus:* "  
*Rattus fuscipes:* Victoria

*Pygiopsylla robinsoni* Rothschild 1908 [et auct.]  
*Traub, R., 1951, Proc. Biol. Soc. Wash., v. 64,*  
*1-24*  
 as syn. of *Stivalius robinsoni* (Rothschild 1905)

*Pygiopsylla rothschildi* Rothschild, 1906  
*Dunnet, G. M.; and Mardon, D. K., 1974,*  
*Austral. J. Zool., Suppl. s. (30), 1-273*  
 as syn. of *Acanthopsylla r. rothschildi* (Rainbow, 1905)

*Pygiopsylla sinuata* Holland, 1971, illus.  
*Dunnet, G. M.; and Mardon, D. K., 1974,*  
*Austral. J. Zool., Suppl. s. (30), 1-273*  
 key, diagnosis  
*wallaby*  
*Isoodon obesulus*  
*Rattus assimilis*  
*Rattus sp.*  
 all from Queensland

*Pygiopsylla solida* Rothschild, 1916  
*Dunnet, G. M.; and Mardon, D. K., 1974,*  
*Austral. J. Zool., Suppl. s. (30), 1-273*  
 as syn. of *Geohollandia solida* (Rothschild, 1916)

*Pygiopsylla tunneyi* Mardon and Dunnet, 1972,  
 illus.  
*Dunnet, G. M.; and Mardon, D. K., 1974,*  
*Austral. J. Zool., Suppl. s. (30), 1-273*  
 key, diagnosis

*Pygiopsylla woodwardi* Rothschild, 1906  
*Dunnet, G. M.; and Mardon, D. K., 1974,*  
*Austral. J. Zool., Suppl. s. (30), 1-273*  
 as syn. of *Acanthopsylla woodwardi* (Rothschild, 1904)

*Pygiopsylla zethi* (Rothschild, 1904), illus.  
*Dunnet, G. M.; and Mardon, D. K., 1974,*  
*Austral. J. Zool., Suppl. s. (30), 1-273*  
 synonymy, key, diagnosis  
*Bettongia cuniculus:* Tasmania; Victoria  
*Potorous tridactylus:* Tasmania  
*Isoodon obesulus:* Tasmania  
*Thylacis obesulus:* Queensland; Tasmania  
*Perameles obesula:* Tasmania; Victoria  
*Isoodon macrourus:* New South Wales  
*Isoodon:* Queensland

*Pygiopsylla zethi* (Rothschild, 1904), illus.--

Continued.

Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273

*Perameles nasuta*: New South Wales; Tasmania;  
Victoria

*Perameles gunnii*: Tasmania

*Dasyurops maculatus*: Tasmania

*Dasyurus viverrinus*: New South Wales

*D. quoll*: Tasmania

*Rattus fuscipes*: Victoria

*R. lutreolus velutinus*: Tasmania

*Lepus sp.*: Tasmania

*Ornithorhynchus anatinus*: Tasmania

#### *Pygiopsyllidae*

Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
diagnosis

#### *Pygmephorus* sp.

Whitaker, J. O., jr.; Jones, G. S.; and  
Pascal, D. D., jr., 1975, J. Elisha Mitchell  
Scient. Soc., v. 91 (1), 13-17  
*Sorex cinereus*  
*S. fumeus*  
*S. palustris*  
*Blarina brevicauda*  
all from Fires Creek area, Nantahala Mountains,  
North Carolina

#### *Pygodelphys*

Jones, J. B., 1974, N. Zealand J. Marine and  
Freshwater Research, v. 8 (2), 255-273  
key

#### *Pygodelphys novaeseelandiae* (Schellenberg, 1922), illus.

Jones, J. B., 1974, N. Zealand J. Marine and  
Freshwater Research, v. 8 (2), 255-273  
*Cnemidocarpa nisiotis*  
*Pyura rugata*  
(branchial basket of all): all from  
Wellington Harbour, New Zealand

*Quadraceps birostris* (Giebel, 1874)

Ward, R. A.; and Downey, J. C., 1973, J. Med.  
Entom., v. 10 (4), 391-396  
*Sterna fuscata oahuensis*  
*S. lunata*  
all from Sand Island, Midway Atoll, Pacific  
Ocean

*Quadraceps hopkinsi* Timmermann, 1953

Ward, R. A.; and Downey, J. C., 1973, J. Med.  
Entom., v. 10 (4), 391-396  
*Anous minutus melanogenys*: Sand Island,  
Midway Atoll, Pacific Ocean

*Quadraceps ornatus striolatus* (Nitzsch, 1866)

Ward, R. A.; and Downey, J. C., 1973, J. Med.  
Entom., v. 10 (4), 391-396  
*Larus hyperboreus*: Sand Island, Midway  
Atoll, Pacific Ocean

*Quadraceps separatus* (Kellogg & Kuwana, 1902)

Ward, R. A.; and Downey, J. C., 1973, J. Med.  
Entom., v. 10 (4), 391-396  
*Anous stolidus pileatus*: Eastern Island,  
Midway Atoll, Pacific Ocean

*Quadraseta* Brennan 1970

Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in  
the Western Hemisphere

- Radfordia* sp.  
Sandhu, P. S.; and Kapoor, V. C., 1977, Entom. News, v. 88 (5-6), 151-152  
*Rattus rattus*  
*Mus booduga*  
*Tatera indica*  
 all from Punjab, India
- Radfordia affinis*  
Owen, D., 1976, Lab. Animals, v. 10 (3), 271-278  
*Rattus norvegicus*  
*Mus musculus*  
 all from Carshalton
- Radfordia affinis*  
Prosl, H., 1976, Ztschr. Parasitenk., v. 50 (2), 214  
*Maus*
- Radfordia affinis*  
Spicka, E. J., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 418-422  
*Mus musculus*: Pike County, Indiana
- Radfordia bachai* Howell & Elzinga, 1962  
Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
 Syn.: *Lavoimyobia hughesi* Paran, 1966
- Radfordia (Graphiurobia) chiropodomys* Fain, 1974, illus.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 3-32  
 description  
*Chiropodomys gliroides* (cou du cote dorsal): Batavia
- Radfordia (Austromyobia) dendromus* Fain, 1972, nov. tax.  
Fain, A.; and Lukoschus, F., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 622-632  
*Dendromus melanotis pecilei*: Angola  
*Poemys nigrifrons*: Kikuyu, Kenya
- Radfordia (Graphiurobia) eliomys* sp. nov., illus.  
Fain, A.; and Lukoschus, F., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 622-632  
*Eliomys quercinus*: Gafza, Tunisie; Fang, Suisse; Valkenburg, Nederland; Pescasseroli, Italie
- Radfordia ensifera* Poppe  
Goff, M. L., 1975, J. Med. Entom., v. 12 (1), 52-54  
*Mus musculus*  
*Rattus rattus*  
 all from Midway Islands
- Radfordia ensifera*  
Prosl, H., 1976, Ztschr. Parasitenk., v. 50 (2), 214  
*Ratte*
- Radfordia ensifera*  
Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Rattus norvegicus*: Fires Creek area, Nantahala Mountains, North Carolina
- Radfordia expansa*, n. sp., illus.  
Jameson, E. W., jr.; and Whitaker, J. O., 1975, J. Med. Entom., v. 12 (3), 341-344  
*Rattus losea*: Ku-kuan, Taichung Prefecture, Taiwan
- Radfordia (Graphiurobia) graphiuri* Fain, 1972, illus.  
Fain, A.; and Lukoschus, F., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 622-632  
 description  
*Graphiurus huerti*: Flanpleu, Cote d'Ivoire  
*G. murinus*: Mumbwa, Zambie
- Radfordia (Graphiurobia) graphiuri* ssp. *kivuana* ssp. nov.  
Fain, A.; and Lukoschus, F., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 622-632  
*Graphiurus vulcanicus* (poils du cou): Rutshuru, Kivu, République du Zaïre
- Radfordia hamiltoni*, n. sp., illus.  
Jameson, E. W., jr.; and Whitaker, J. O., 1975, J. Med. Entom., v. 12 (3), 341-344  
*Baiomys taylori*: Denton, Denton County, and 3.2 km E of College Station, Brazos County, Texas
- Radfordia (Idiurobia) idiuri* spec. nov. (tod of subgen.)  
Fain, A., 1973, Rev. Zool. et Botan. Africaines, v. 87 (2), 330-332  
*Idiurus zenkeri*: Irangi, Zaire
- Radfordia lemnina*  
Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Microtus ochrogaster* ochrogaster: Coles County, Illinois
- Radfordia lemnina*  
Buckner, R. L.; and Gleason, L. N., 1974, Tr. Kentucky Acad. Sc., v. 35 (3-4), 70-75  
 seasonal occurrences  
*Microtus ochrogaster*: Warren County, Kentucky
- Radfordia neotomae*, n. sp., illus.  
Jameson, E. W., jr.; and Whitaker, J. O., 1975, J. Med. Entom., v. 12 (3), 341-344  
*Neotoma fuscipes*: 8 km W of Winters, Yolo County, California
- Radfordia (Austromyobia) pachyuromys* sp. nov., illus.  
Fain, A.; and Lukoschus, F., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 622-632  
*Pachyuromys duprasi*: Wadi Nabrun, Egypte  
*Psammomys obesus*: El Katatba
- Radfordia (Syconycterobia) pseudomys* Fain, 1974, illus.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 3-32  
 description  
*Pseudomys hermannsburgensis* (paupiere, tête): Ehrenberg Range, Central Australia
- Radfordia subuliger*  
Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Peromyscus leucopus noveboracensis*: Coles County, Illinois

*Radfordia subuliger*

Buckner, R. L.; and Gleason, L. N., 1974, Tr. Kentucky Acad. Sc., v. 35 (3-4), 70-75  
seasonal occurrences  
*Peromyscus leucopus*: Warren County, Kentucky

*Radfordia subuliger*

Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Peromyscus leucopus*  
*P. maniculatus*  
all from Fires Creek area, Nantahala Mountains, North Carolina

*Radfordia (Hylomysobia) zelotomys* spec. nov., illus.

Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 3-32  
*Zelotomys hildegardae* (poils dans la region posterieure du corps): Highlands, Kenya

*Raillietiella gowrii*

Karuppaswamy, S. A., 1977, Experientia, v. 33 (6), 735-736  
*Raillietiella gowrii*, occurrence of  $\beta$ -chitin in cuticle as opposed to  $\alpha$ -chitin found in arthropod cuticle, suggests that Pentastomida may be considered independent phylum

*Raillietiella hemidactyli*

Lavoipierre, M. M. J.; and Lavoipierre, M., 1965, Med. J. Malaya, v. 20 (1), 72-73  
American cockroach as intermediate host in life cycle of *Raillietiella hemidactyli*  
*Hemidactylus frenatus* (lungs)  
*Platyurus platyurus* (lungs)  
*Periplaneta americana*  
all from Singapore

*Raillietiella hemidactyli*, illus.

Lavoipierre, M. M. J.; and Rajamanickam, C., 1973, J. Med. Entom., v. 10 (3), 301-302  
life cycle  
*Periplaneta americana* (hemocoel)  
*Hemidactylus frenatus* (lungs)  
*Cosymbotus platyurus* (lungs)  
*Gehyra mutilata* (lungs)  
(all exper.)

*Raillietiella hemidactyli*

Rajamanickam, C.; and Lavoipierre, M. M. J., 1965, Med. J. Malaya, v. 20 (2), 171  
*Periplaneta australasiae* as an intermediate host in the life cycle of *Raillietiella hemidactyli*: Malayisa

*Raillietiella orientalis*

Deakins, D. E., 1973, Tr. Am. Micr. Soc., v. 92 (2), 287-288  
*Raillietiella orientalis*, encysted larvae in hemocoel of adult female represent excellent example of parasitic opportunism and new alternative in an already complex life cycle

*Ratemia Fahrenholz*, 1916

Złotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *R. squamulata* (Neumann, 1911)

*Raymondia* sp.

Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaijan

*Raymondia hardyi* Fiedler, 1954

Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
reinstated, distinctions from *R. waterstoni* Jobling

*Raymondia lobulata* Speiser, 1900

Vazirani, T. G.; and Advani, R., 1976, Oriental Insects, v. 10 (3), 453-457  
*Megaderma lyra lyra*: Darch (62 km from Kota), Ranthambore and Nangal Village, Rajasthan, India

*Raymondia pagodarum* Speiser, 1900

Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Hipposideros armiger*: Kuala Lumpur  
*H. galeritus*: Batu caves, Selangor

*Raymondia pseudopagodarum* Jobling, 1951

Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Rhinolophus affinis superans*  
*R. stheno*  
*R. fulgens*  
*R. macrotis dohrni*  
all from Malaya

*Raymondia (Brachyotheaca) spinosa*, n. sp., illus.

Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Megaderma lyra*: Kuala Lumpur, Selangor

*Raymondia waterstoni* Jobling

Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
distinctions from *R. hardyi* Fiedler, 1954

*Rectijanua* Gaud, 1961

Atyeo, W. T.; and Peterson, P. C., 1976, J. Georgia Entom. Soc., v. 11 (4), 349-366  
key to species

*Rectijanua* species

Atyeo, W. T.; and Peterson, P. C., 1976, J. Georgia Entom. Soc., v. 11 (4), 349-366  
*Anas acuta*: Iran  
*Plectropterus gambiensis*: Cameroon; Rhodesia

*Rectijanua braaschi*, new species, illus.

Atyeo, W. T.; and Peterson, P. C., 1976, J. Georgia Entom. Soc., v. 11 (4), 349-366  
key  
*Aythya collaris* (spinal tract in cervical region): Puxico, Stoddard County, Missouri  
*A. erythrophthalma*: Colombia  
*A. australis*: Celebes, Indonesia  
*A. affinis*: Iowa  
*A. nyroca*: Egypt  
*Dendronetta galericulata*: Korea

*Rectijanua graciliora*, new species, illus.  
Atyeo, W. T.; and Peterson, P. C., 1976, J. Georgia Entom. Soc., v. 11 (4), 349-366  
key  
*Dendrocygna viduata*: Nord-Cameroun, Camer-  
oon; Saint Lucia, Zululand, Republic of  
South Africa; north of Bor, Upper Nile prov.,  
Sudan

*Rectijanua oxyurae*, new species, illus.  
Atyeo, W. T.; and Peterson, P. C., 1976, J. Georgia Entom. Soc., v. 11 (4), 349-366  
key  
*Oxyura dominica*: Chone, Manabi prov., Ecu-  
ador; Cali, Calle del Cauca dept., Colombia;  
Brownsville, Texas, U.S.A.; Ariguanabo Marsh,  
Cuba; Paraguay

*Rectijanua radfordi* Gaud, 1961, illus.  
Atyeo, W. T.; and Peterson, P. C., 1976, J. Georgia Entom. Soc., v. 11 (4), 349-366  
key, diagnosis, redescription  
*Pteronetta hartlaubi*: Maroua, Nord-Cameroun,  
Cameroon and southern Cameroon

*Rectijanua striata*, new species, illus.  
Atyeo, W. T.; and Peterson, P. C., 1976, J. Georgia Entom. Soc., v. 11 (4), 349-366  
key  
*Dendrocygna javanica*: Chiangmai and Muan  
Fang, Chiangmai prov., Thailand; Pahand  
lowlands, Malaysia  
*Dendrocygna bicolor helva*

*Rectijanua sublobata*, new species, illus.  
Atyeo, W. T.; and Peterson, P. C., 1976, J. Georgia Entom. Soc., v. 11 (4), 349-366  
key  
*Sarkidiornis melanota*: Maoura, Nord-Cameroun,  
Cameroon

*Reighardia sternae* (Diesing, 1864) Ward, 1899,  
illus.  
Bakke, T. A., 1972, Norwegian J. Zool., v. 20  
(4), 273-277  
*Reighardia sternae* in *Larus canus* (trachea  
and air sacs), age and sex of host, seasonal  
variance: Agdenes, Norway

*Reighardia sternae*  
Banaja, A. A.; James, J. L.; and Riley, J.,  
1976, Parasitology, v. 72 (1), 81-91  
*Reighardia sternae* implanted into gulls,  
low egg production, short patent period,  
low fecundity offset by auto-reinfection and  
possibly by direct transmission from bird to  
bird

*Reighardia sternai*  
Banaja, A. A.; James, J. L.; and Riley, J.,  
1977, Internat. J. Parasitol., v. 7 (1), 27-40  
*Reighardia sternai*, *Porocephalus crotali*,  
*Armillifer moniliformis*, tegumental chloride  
cells (previously termed cuticular cells),  
ultrastructure, osmoregulatory function

*Reticulipeurus Keler*, 1958  
Zlotorzycka, J.; Eichler, W.; and Ludwig, H.  
W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
lice of domestic animals, keys to species  
and subspecies, descriptions, illustrations,  
hosts, economic and epidemiological impor-  
tance, extensive compilation: Central Europe  
includes: *R. corpulentus* (Clay, 1938); *R.*  
*polytrapezius* *polytrapezius* (Burmeister,  
1838)

*Rhabdopedilon Keler*, 1938  
Emerson, K. C.; and Price, R. D., 1975, Brig-  
ham Young Univ. Sc. Bull., Biol. ser., v. 20  
(3), 1-77  
as syn. of *Bovicola Ewing*, 1929

*Rhadinopsylla (Rectofrontia) altaica* Wagn.  
Letov, G. S.; and Letova, G. I., 1973, Zool.  
Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation  
to epizootiology of plague  
*Citellus undulatus*: Tuva

*Rhadinopsylla cedestis* Roths.  
Amanniazova, R. D., 1975, Izvest. Akad. Nauk  
Turkmen. SSR, s. Biol. Nauk (6), 48-54  
seasonal distribution in different land-  
scapes  
*Rhombomys opimus*: Turkmenistan

*Rhadinopsylla cedestis*  
Avetisian, G. A.; and Ezekelian, V. Kh.,  
1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
fleas, seasonal and geographic distribution  
*Microtus socialis*: Armenia

*Rhadinopsylla (R.) dahurica sila* Labuneiz  
Letov, G. S.; and Letova, G. I., 1973, Zool.  
Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation  
to epizootiology of plague  
*Citellus undulatus*: Tuva

*Rhadinopsylla dahurica vicinoides* n. ssp., illus.  
Smit, F. G. A. M., 1974, Senckenbergiana  
Biol., v. 55 (4-6), 357-398  
*Pitymys sikimensis*: Dhorpatan, Nepal

*Rhadinopsylla fraterna* (Baker)  
Haas, G. E.; et al., 1973, J. Med. Entom.,  
v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geo-  
graphic distribution, host and nest prefer-  
ence, sex ratio, degree of plague infection  
+*Peromyscus maniculatus*? (nest of uncertain  
origin)  
+*Neotoma cinerea* (nest)  
*Clethrionomys gapperi*  
+*Microtus longicaudus*? (nest of uncertain  
origin)  
all from west of Rio Grande in and near  
Jemez Mts., New Mexico

*Rhadinopsylla integella* Jordan & Rothschild 1921  
Artz, V., 1975, Entom. Germanica, v. 1 (2),  
105-143  
ectoparasites of small mammals, prevalence  
in relation to ecological factors (geology,  
soil type, vegetation patterns), family of  
host and sex of host; technique for live  
parasitism rates  
*Clethrionomys glareolus*: Schleswig-Holstein

*Rhadinopsylla integella*  
Brinck-Lindroth, G.; and Smit, F. G. A. M.,  
1973, Entom. Scand., v. 4 (4), 302-322  
castration and intersexuality due to hyper-  
parasitism by nematodes: Stora Sjofallet  
National Park, Sweden

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Rhadinopsylla integella Jord. & Roths.  
Haitlinger, R., 1975, Polskie Pismo Entom., v. 45 (2), 373-396  
seasonal variance  
*Clethrionomys glareolus*  
*Apodemus tauricus*  
*Sorex araneus*  
all from Gory Sowie
- Rhadinopsylla (Actenophthalmus) integella (Jordan & Rothschild)  
Hallas, T. E.; and Bang, P., 1976, Flora og Fauna, København, v. 82 (1), 11-18  
*Microtus agrestis*: eastern Denmark
- Rhadinopsylla integella caucasica  
Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
fleas, seasonal and geographic distribution  
*Microtus nivalis*: Armenia
- Rhadinopsylla (Actenophthalmus) isacanthus (Rothschild)  
Hallas, T. E.; and Bang, P., 1976, Flora og Fauna, København, v. 82 (1), 11-18  
*Clethrionomys glareolus*: eastern Denmark
- Rhadinopsylla isacantha  
Vaughan, J. A., 1977, Entom. Month. Mag. (1340-1343), v. 112, 1976, 45-48  
straggler fleas on rabbits, *Oryctolagus cuniculus*, from Surrey and on myxomatous rabbits throughout Britain
- Rhadinopsylla (Ralipsylla) li transbaikalica Ioff et Sifl.  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Rhadinopsylla (Actenophthalmus) mesoides Smit, 1957  
Skuratowicz, W.; Bartkowska, K.; and Mitev, D., 1976, Bull. Acad. Polon. Sc., Cl. II., s. Sc. Biol., v. 24 (12), 741-746  
+*Pitymys subterraneus* (nest): Rhodope Mts., Studenec near Smoljan, Bulgaria
- Rhadinopsylla pentacantha (Rothschild 1897)  
Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Apodemus flavicollis*  
*A. sylvaticus*  
*Microtus arvalis*  
*Mustela nivalis*  
all from Schleswig-Holstein
- Rhadinopsylla pentacantha (R.) rothschildi Ioff  
Letov, G. S.; and Letova, G. I., 1973, Zool. Zhurnal, v. 52 (4), 525-531  
fleas, geographic distribution in relation to epizootiology of plague  
*Citellus undulatus*: Tuva
- Rhadinopsylla sectilis  
Egoscue, H. J., 1976, Great Basin Nat., v. 36 (4), 475-480  
fleas of *Peromyscus maniculatus sonoriensis* and 3 sympatric rodents compared, degree of flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Peromyscus crinitus pergracilis*  
*Microtus longicaudus latus*  
all from western Utah
- Rhadinopsylla sectilis sectilis (Jordan & Rothschild)  
Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Reithrodontomys megalotis*  
*Peromyscus maniculatus*  
*P. leucopus*  
*P. boylii*  
*P. truei*  
*Neotoma albigenula*  
+*N. cinerea* (nest)  
all from west of Rio Grande in and near Jemez Mts., New Mexico
- Rhadinopsylla ukrainica  
Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
fleas, seasonal and geographic distribution  
*Microtus socialis*: Armenia
- Rhadinopsylla ucrainica  
Shiranovich, P. I.; et al., 1977, Izvest. Akad. Nauk Azerbaidzhan. SSR, s. Biol. Nauk (2), 89-95  
Siphonaptera of *Meriones erythrourus*, seasonal distribution, temperature and precipitation in relation to population dynamics of host, incidence of plague and its epizootiology: Transcaucasus
- Rhadinopsylla pentacantha (R.)  
Brinck-Lindroth, G.; and Smit, F. G. A. M., 1973, Entom. Scand., v. 4 (4), 302-322  
castration and intersexuality due to hyperparasitism by nematodes: Czechoslovakia

Rhinibius Brennan and Yunker 1969  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere

Rhinoestrus purpureus, illus.

Konjanovski, D.; Kotevski, D.; and Dochovski, M., 1969, Makedon. Med. Pregl., v. 24 (5-6), 59-66

Rhinonyssoides novaeguineae, Strandtmann & Wharton, 1958

Sakakibara, I., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 298-309  
 as syn. of Ptilonyssoides novaeguineae (Hirst, 1921) n. comb.

Rhinonyssoides trouessarti Hirst, 1921

Sakakibara, I., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 298-309  
 as syn. of Ptilonyssus trouessarti (Hirst, 1921)

Rhinonyssus chettusiae sp. n., illus.

Butenko, O. M., 1973, Zool. Zhurnal., v. 52 (12), 1872-1875  
 Chettusia gregaria (nasal cavity): Kazakhstan, East-Kazakhstan oblast, Kamysh-zabod

Rhinonyssus coniventris Trouessart, 1894

Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
 Charadrius melodus (nasal cavity): Cayo Lanzanillo, north of Sagua la Grande, Prov. of Las Villas, Cuba  
 Charadrius wilsonia wilsonia (nasal cavity): Cayo Lanzanillo, Cuba  
 Arenaria interpres morinella (nasal cavity): Cayo Tio Pepe, north of Sagua La Grande, Cuba

Rhinonyssus himantopus Strandtmann, 1951

Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
 Himantopus himantopus mexicanus (nasal cavity): Canal de Vijil, La Gloria, Prov. of Camaguey, Cuba

Rhinonyssus novaeguineae Hirst, 1921

Sakakibara, I., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 298-309  
 as syn. of Ptilonyssoides novaeguineae (Hirst, 1921) n. comb.

Rhinonyssus rhinolethrum

George, R. R.; and Bolen, E. G., 1975, J. Wildlife Dis., v. 11 (1), 17-22  
 endoparasites of Dendrocygna autumnalis, prevalence higher in juveniles, pathology: Nueces County, southern Texas

Rhinonyssus spinactitis Dusbabek, 1969

Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
 Actitis macularia (nasal cavity): Canal de Vijil, La Gloria, Prov. of Camaguey, Cuba

Rhinonyssus tringae Fain, 1963  
 Cerny, V.; and Dusbabek, F., 1971, Acarologia, v. 12 (3), 479-491  
 Tringa melanoleuca (nasal cavity): Laguna Los Dias Mones near Trinidad, Prov. of Las Villas, Cuba

Rhinonyssus vanellus sp. n., illus.

Butenko, O. M., 1973, Zool. Zhurnal., v. 52 (12), 1872-1875

Vanellus vanellus (nasal cavity): Riazan, Omsk, and Novosibirsk oblasts; Karasuk region, Novosibirsk oblast; Kazakhstan

Rhinophaga elongata, illus.

McConnell, E. E.; et al., 1974, Onderstepoort J. Vet. Research, v. 41 (3), 97-168  
 pathological and parasitological survey of 100 free-ranging chacma baboons  
 Papio ursinus (nasal cavity): Kruger National Park, Transvaal

Rhinophaga papionis

McConnell, E. E.; et al., 1974, Onderstepoort J. Vet. Research, v. 41 (3), 97-168  
 pathological and parasitological survey of 100 free-ranging chacma baboons  
 Papio ursinus (maxillary recess of nasal cavity): Kruger National Park, Transvaal

Rhipicentor nuttalli

Perchman, G. E., 1976, Rhodesian Vet. J., v. 7 (1), 15-16  
 Rhipicentor nuttalli, case report, infestation in a dog, paralysis

Rhipicephalus [sp.]

Isenbuegel, E., 1976, Prakt. Tierarzt, v. 57, Sondernummer, 21-27  
 Igel

Rhipicephalus sp.

Rarotra, J. R.; Yadav, M. P.; and Sethi, M. S., 1977, Indian J. Animal Research, v. 11 (1), 17-22  
 isolation of 3 strains of Coxiella burnetii from Hyalomma and Rhipicephalus ticks

Rhipicephalus annulatus var. caudatus Neumann, 1897

Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of Boophilus microplus (Canestrini, 1887)

Rhipicephalus appendiculatus

Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299

Argasidae and Ixodidae, geographic distribution in Ethiopia  
 cheval  
 zebu  
 ane  
 chien  
 mouton  
 all from Ethiopia

Rhipicephalus appendiculatus Neumann, 1901

Branagan, D., 1973, Trop. Animal Health and Prod., v. 5 (3), 153-165

Rhipicephalus appendiculatus, survival and development of all 3 instars under quasi-natural conditions in Kenya

- Rhipicephalus appendiculatus**  
 Brown, C. G. D.; et al., 1973, Nature (5420), v. 245, 101-103  
 Theileria parva, infection and transformation of bovine lymphoid cells in vitro using both in vitro tick feed material and ground tick supernatant (Rhipicephalus appendiculatus)
- Rhipicephalus appendiculatus**  
 Brown, C. G. D.; et al., 1977, Tropenmed. u. Parasitol., v. 28 (3), 342-348  
 Theileria parva, immunization of cattle against East Coast fever by inoculation of a tick-derived (Rhipicephalus appendiculatus) stablate of T. parva infective particles and the intramuscular injection at daily intervals of N-pyrrolidinomethyl tetracycline
- Rhipicephalus appendiculatus**  
 Browning, T. O., 1976, Physiol. Entom., v. 1 (2), 107-114  
 Rhipicephalus pulchellus, R. appendiculatus, aggregation on grass stems, laboratory and field studies, no evident response to chemical stimulus
- Rhipicephalus appendiculatus**  
 Clifford, C. M.; Flux, J. E. C.; and Hoogstraal, H., 1976, J. Med. Entom., v. 13 (1), 40-47  
 Ixodidae on Lepus, seasonal and regional abundance, age and sex of host  
 Lepus crawshayi: Kenya
- Rhipicephalus appendiculatus**  
 Cunningham, M. P.; et al., 1973, Isotopes and Radiation Parasitol. III, 145-154  
 Theileria parva harvested from infected Rhipicephalus appendiculatus, relationship between number of infective particles inoculated into cattle and severity of ensuing infection; effects of irradiation at various doses on suspensions of infective particles of high or low concentration subsequently inoculated into cattle
- Rhipicephalus appendiculatus**  
 Cunningham, M. P.; et al., 1973, J. Protozool., v. 20 (2), 298-300  
 Theileria parva infective particles harvested from Rhipicephalus appendiculatus using an in vitro feeding technique and subjected to cobalt irradiation, increasing doses of irradiation destroyed increasing numbers of IP's, no evidence that IP's which survived were attenuated, appears unlikely that vaccination against East Coast fever could be achieved using these methods
- Rhipicephalus appendiculatus**  
 Grootenhuis, J. G.; et al., 1975, J. Wildlife Dis., v. 11 (1), 122-127  
 impala Theileria, morphology, transmission experiments, attempted transmission to splenectomized steer by inoculation and tick vector Rhipicephalus appendiculatus; no cross-reactivity with other theilerial parasites, indirect fluorescent antibody test
- Rhipicephalus appendiculatus**  
 Grootenhuis, J. G.; et al., 1977, J. Parasitol., v. 63 (6), 1127-1129  
 Theileria sp. from naturally-infected eland transmitted transstadially by Rhipicephalus appendiculatus experimentally to a susceptible eland
- Rhipicephalus appendiculatus** Neumann, 1907  
 d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
 Phacochoerus  
 Potamochoerus  
 all from Africa
- Rhipicephalus appendiculatus**  
 Irvin, A. D.; et al., 1972, Vet. Rec., v. 91 (21), 513, 514-516, 517  
 theilerial piroplasms acquired by Rhipicephalus appendiculatus and R. simus (salivary glands) (exper.) fed on naturally infected Taurotragus oryx patterssonianus were not transmitted to cattle, role of eland in epidemiology of cattle theilerioses is questionable: Kenya
- Rhipicephalus appendiculatus**  
 Joyner, L. P., 1971, Symposia Brit. Soc. Parasitol., v. 9, 1-37  
 laboratory maintenance of tick-borne Babesia and Theileria, extensive review: collection of field material and infection of laboratory animals; management and preparation of experimental animals; cyclical maintenance; mechanical transmission; tissue culture; low-temperature preservation
- Rhipicephalus appendiculatus** Neumann  
 Kaufman, W., 1976, J. Exper. Biol., London, v. 64 (3), 727-742  
 fluid secretion by in vitro salivary glands of ixodid ticks with progression of feeding, control of salivation is probably neural rather than hormonal
- Rhipicephalus appendiculatus**  
 Kimber, C. D.; Purnell, R. E.; and Sellwood, S. A., 1973, Research Vet. Sc., v. 14 (1), 126-127  
 Theileria parva, detection in salivary glands of Rhipicephalus appendiculatus using fluorescent antibody techniques
- Rhipicephalus appendiculatus**  
 Leahy, M. G.; et al., 1976, Vet. Parasitol., v. 1 (3), 249-256  
 Rhipicephalus appendiculatus, attraction of male to female ticks in relation to feeding, results suggest possible existence of female sex pheromone
- Rhipicephalus appendiculatus**  
 McCall, H., 1976, Tr. Roy. Soc. Trop. Med. and Hyg., v. 70 (4), 286 [Demonstration]  
 Rhipicephalus appendiculatus, stimulation of acid phosphatase activity in salivary glands from Theileria parva infected and non-infected unfed ticks, parasite maturation not induced

- Rhipicephalus appendiculatus** Neum.  
MacLeod, J.; et al., 1977, Bull. Entom. Research, v. 67 (1), 161-173  
seasonal activity and attachment sites of ticks on cattle, infestation patterns on other domestic and wild animals: Central Province of Zambia
- Rhipicephalus appendiculatus** Neum.  
MacLeod, J.; and Colbo, M. H., 1976, Bull. Entom. Research, v. 66 (1), 65-74  
role of cattle in maintaining immature stages of *Amblyomma variegatum* and *Rhipicephalus appendiculatus*, relationship of larva-nymph ratios to seasonal periodicity and body localization: Zambia
- Rhipicephalus appendiculatus**  
Martins, M., 1976, Tr. Roy. Soc. Trop. Med. and Hyg., v. 70 (4), 286 [Demonstration]  
*Rhipicephalus appendiculatus*, histochemical studies of salivary glands of non-infected and *Theileria parva*-infected ticks
- Rhipicephalus appendiculatus**  
Matson, B. A.; and Norval, R. A. I., 1977, Rhodesian Vet. J., v. 8 (1), 2-6  
seasonal occurrence of adult ixodid ticks on cattle on a highveld farm: Rhodesia
- Rhipicephalus appendiculatus**  
Matthewson, M. D.; and Baker, J. A. F., 1975, J. South African Vet. Ass., v. 46 (4), 341-344  
arsenic resistance: Republic of South Africa; Swaziland
- Rhipicephalus appendiculatus**, illus.  
Morel, P. C.; and Balis, J., 1976, Rev. Elevage et Med. Vet. Pays Trop., n. s., v. 29 (2), 141-148  
description
- Rhipicephalus appendiculatus**  
Mugera, G. M.; Bitakaramire, P. K.; and Munyua, W. K., 1973, Isotopes and Radiation Parasitol. III, 129-137  
cattle, immunization against East Coast fever using *Theileria parva*-infected *Rhipicephalus appendiculatus* irradiated at graded doses, comparison of immunity produced by attachment of ticks vs. inoculation of tick tissue, circulating antibodies demonstrated by capillary agglutination test
- Rhipicephalus appendiculatus**  
Mugera, G. M.; Mworia, G. M.; and Munyua, W. K., 1973, Bull. Epizoot. Dis. Africa, v. 21 (4), 501-505  
T[heileria] parva, calves (exper.), transmission by *Rhipicephalus appendiculatus*, reduction of parasites and, in some cases, complete recovery and immunity after early treatment with chlortetracycline hydrochloride
- Rhipicephalus appendiculatus**  
Munyua, W. K.; Mugera, G. M.; and Bitakaramire, P. K., 1973, Bull. Epizoot. Dis. Africa, v. 21 (1), 75-85  
cattle, pathogenesis and pathology of East Coast fever induced by gamma irradiated *Theileria parva* infected *Rhipicephalus appendiculatus*, immunogenesis

- Rhipicephalus appendiculatus** (Neumann, 1901)  
Newson, R. M.; Mella, P. N. P.; and Franklin, T. E., 1973, Trop. Animal Health and Prod., v. 5 (4), 281-283  
*Rhipicephalus appendiculatus* on *Bos indicus* (ears), correlation of tick burden to host hierarchical status in the herd
- Rhipicephalus appendiculatus**  
Oteng, A. K., 1973, Bull. Epizoot. Dis. Africa, v. 21 (4), 449-459  
Uganda strain of *Theileria parva*, cattle (exper.), symptoms, fever, haematology, parasitaemia, pathology, transmission by blood and *Rhipicephalus appendiculatus*, no cross-immunity between strains of *T. parva*
- Rhipicephalus appendiculatus**  
Purnell, R. E.; et al., 1973, Isotopes and Radiation Parasitol. III, 139-144  
*Rhipicephalus appendiculatus* (unfed nymphs; engorged nymphs; moulting nymphs; unfed adults), effects of irradiation assessed by evaluating subsequent performance of ticks when fed on rabbits (mortality, attachment, feeding, mating, egg-laying); effects of irradiation on *Theileria parva* in salivary glands of adult ticks
- Rhipicephalus appendiculatus**  
Purnell, R. E.; et al., 1973, Ztschr. Tropenmed. u. Parasitol., v. 24 (2), 181-185  
*Theileria gorgonis*, exacerbation in 4 splenectomized *Connochaetes taurinus*, failure to transmit to cattle by blood passage or via *Rhipicephalus appendiculatus* ticks despite establishment of parasite in ticks; exacerbated *Anaplasma marginale* infection in *C. taurinus* was successfully blood-passaged to calves; results indicate that blue wildebeest is probably not a reservoir for *T. gorgonis* but may be for *A. marginale*: Tanzania; Kenya
- Rhipicephalus appendiculatus**  
Purnell, R. E.; et al., 1974, J. Comp. Path., v. 84 (4), 533-537  
*Theileria lawrencei* Serengeti strain, comparative infectivity for cattle of stabiles derived from adult vs. nymphal *Rhipicephalus appendiculatus*
- Rhipicephalus appendiculatus**  
Purnell, R. E.; et al., 1975, J. Parasitol., v. 61 (4), 725-729  
comparison of development of *Theileria mutans* in adult *Amblyomma variegatum* with *T. parva* in *Rhipicephalus appendiculatus*
- Rhipicephalus appendiculatus**  
Purnell, R. E.; et al., 1975, Trop. Animal Health and Prod., v. 7 (3), 133-137  
*Theileria parva*-infected ticks (*Rhipicephalus appendiculatus*), establishment of an experimental field population for field challenge of cattle (*Bos taurus*) immunized against East Coast fever

- Rhipicephalus appendiculatus**  
 Purnell, R. E.; Sansom, B. F.; and Sellwood, S. A., 1973, Isotopes and Radiation Parasitol. III, 161-163  
 Theileria parva infective particles harvested from *Rhipicephalus appendiculatus*, possible technique for quantitative assay by labelling with <sup>3H</sup>-thymidine
- Rhipicephalus appendiculatus, illus.**  
 Schein, E.; Warnecke, M.; and Kirmse, P., 1977, Parasitology, v. 75 (3), 309-316  
 Theileria parva, life cycle in gut of *Rhipicephalus appendiculatus*, morphology of developmental stages
- Rhipicephalus appendiculatus, illus.**  
 Schreuder, B. E. C.; and Uilenberg, G., 1976, Tropenmed. u. Parasitol., v. 27 (4), 422-426  
 technique for infecting ticks (*Amblyomma variegatum* and *Rhipicephalus appendiculatus*) with cattle Theiliidae by injecting bovine blood with high parasitemia through cuticle into fully engorged nymphs, after moulting ticks transmitted parasite to susceptible calf
- Rhipicephalus appendiculatus Neumann 1901**  
 Smith, M. W., 1973, Ann. Trop. Med. and Parasitol., v. 67 (4), 483-492  
*Rhipicephalus appendiculatus*, *Amblyomma variegatum*, immature stages, effect of immersion in water (in laboratory but under field conditions), implications for correlation of seasonal periodicity with rainfall
- Rhipicephalus appendiculatus**  
 Tukahirwa, E. M., 1976, Parasitology, v. 72 (1), 65-74  
*Rhipicephalus appendiculatus*, pre-feeding and feeding periods of larvae, nymphs, and adults on *Oryctolagus cuniculus*, pattern of engorgement
- Rhipicephalus appendiculatus Neumann, 1901**  
 Uilenberg, G.; Robson, J.; and Pedersen, V., 1974, Tropenmed. u. Parasitol., v. 25 (2), 207-216  
*Amblyomma variegatum*, successful transstadial transmission of *Theileria mutans*, doubtful transmission of *Theileria parva*; *Rhipicephalus appendiculatus*, successful transmission of *Theileria parva* but transmission of *Theileria mutans* needs confirmation
- Rhipicephalus appendiculatus**  
 Uilenberg, G.; Schreuder, B. E. C.; and Mpanga, C., 1976, Tropenmed. u. Parasitol., v. 27 (3), 323-328  
*Theileria mutans*, successful experimental transmission to cattle by *Amblyomma variegatum*; attempted transmission using *Rhipicephalus appendiculatus* unsuccessful in 7 trials, suggests possibility that *T. mutans* in East Africa is different species from that of South Africa
- Rhipicephalus appendiculatus**  
 Wood, W. F.; et al., 1975, J. Chem. Ecol., v. 1 (4), 501-509  
 ixodid ticks, phenolic compounds as pheromones, sexual attractants, chemical extraction and bioassay
- Rhipicephalus appendiculatus**  
 Young, A. S.; et al., 1977, J. Parasitol., v. 63 (5), 903-907  
*Theileria lawrencei*-infected *Rhipicephalus appendiculatus*, experimental field population established in a paddock and maintained by *Syncerus caffer*, transmission to cattle introduced into paddock, the lethal *T. lawrencei* challenge established in the paddock may be suitable for testing the efficacy of *T. lawrencei* immunization procedures for cattle
- Rhipicephalus appendiculatus**  
 Young, A. S.; et al., 1977, Tropenmed. u. Parasitol., v. 28 (2), 185-194  
 successful transmission of *Theileria* parasites from eland (*Taurotragus oryx*) to cattle by feeding *Rhipicephalus appendiculatus* and *R. pulchellus* on them; cattle recovered from infections produced antibodies to *Theileria* sp. (eland) and *T. sp.* (*Githunguri*) previously also recovered from cattle, indications that the 2 species may be related and possibly represent a new species infective for cattle
- Rhipicephalus appendiculatus**  
 Young, A. S.; et al., 1977, Vet. Parasitol., v. 3 (4), 283-290  
 cattle immunized with *Theileria lawrencei* stabilates from *Rhipicephalus appendiculatus* either by fortuitous recovery or by chemoprophylaxis with oxytetracycline, survival without signs of clinical disease after prolonged natural challenge to *T. lawrencei* derived from *Syncerus caffer*
- Rhipicephalus appendiculatus**  
 Young, A. S.; and Purnell, R. E., 1973, Trop. Animal Health and Prod., v. 5 (3), 146-152  
*tick (Rhipicephalus appendiculatus)* transmission of *Theileria lawrencei* (*Serengeti*) from buffalo to cattle and between intact cattle (*Bos taurus*), difficult to produce infective stabilates
- Rhipicephalus armatus**  
 Clifford, C. M.; Flux, J. E. C.; and Hoogstraal, H., 1976, J. Med. Entom., v. 13 (1), 40-47  
 Ixodidae on *Lepus*, seasonal and regional abundance, age and sex of host  
*Lepus capensis*: Kenya
- Rhipicephalus australis** Fuller, 1899  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Boophilus microplus* (*Canestrini*, 1887)
- Rhipicephalus bequaerti** Zumpt, 1948  
 d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
*Potamochoerus*: Africa
- Rhipicephalus bergeoni** n. sp., illus.  
 Morel, P. C.; and Balis, J., 1976, Rev. Elevation et Med. Vet. Pays Trop., n. s., v. 29 (2), 141-148  
 betail: Hubeta, Ethiopia

*Rhipicephalus bursa*

Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299

Argasidae and Ixodidae, geographic distribution in Ethiopia  
chien  
zebu  
all from Ethiopia

*Rhipicephalus bursa*

Borut, S.; and Feldman-Muhsem, B., 1976, J. Parasitol., v. 62 (2), 318-320  
Argasidae spp., Ixodidae spp., in vitro spermogenesis

*Rhipicephalus bursa*

Daubney, R.; and Mahlau, E. A., 1967, Research Vet. Sc., v. 8 (3), 375-397  
*Hyalomma a. anatolicum*, *Rhipicephalus bursa*, equine encephalomyelitis virus isolated from ticks: Near East

*R[hipicephalus] bursa*

Gladenko, I. M.; et al., 1975, Veterinariia, Kiev (42), 102-107  
*R[hipicephalus] bursa*, *H[yalomma] plumbeum*, sheep treated with dip in trolene, sevin or dicresyl, tick control, no effect on sheep

*Rhipicephalus bursa*

Joyner, L. P., 1971, Symposia Brit. Soc. Parasitol., v. 9, 1-37  
laboratory maintenance of tick-borne Babesia and Theileria, extensive review: collection of field material and infection of laboratory animals; management and preparation of experimental animals; cyclical maintenance; mechanical transmission; tissue culture; low-temperature preservation

*R[hipicephalus] bursa*

Malinin, O. O.; and Shuliak, V. D., 1975, Veterinariia, Kiev (42), 107-109  
*R[hipicephalus] bursa*, *H[yalomma] plumbeum*, sheep treated with combination of sevin and trolene, good tick control, no negative effect on sheep (various blood values monitored)

*Rhipicephalus bursa Canestrini i Fanzago*

Mikacic, D., 1972, Acta Parasitol. Jugoslavica, v. 3 (1), 49-54  
seasonal occurrence: Rab and Pag

*Rhipicephalus bursa*

Neitz, W. O., 1972, Onderstepoort J. Vet. Research, v. 39 (2), 83-85  
Theileria ovis, experimental transmission by *Rhipicephalus evertsi mimeticus* and *R. bursa* to splenectomized sheep; reaction of sheep to infestation

*Rhipicephalus bursa*

Rarotra, J. R.; Yadav, M. P.; and Sethi, M. S., 1977, Indian J. Animal Research, v. 11 (1), 17-22  
isolation of 3 strains of *Coxiella burnetii* from *Hyalomma* and *Rhipicephalus* ticks

*Rhipicephalus bursa*

Rudolph, D.; and Knuelle, W., 1974, Nature (5452), v. 249, 84-85  
ixodid ticks, water vapor uptake from atmosphere, site (mouthparts) and mechanism (may be related to hygroscopic properties of salivary secretion)

*Rhipicephalus bursa Can & Banz*, 1877, illus.

Sanchez Acedo, C.; and Ramon Vericad, J., 1973, Rev. Iber. Parasitol., v. 33 (1), 29-38  
*Lepus europeus*: Alto Aragon

*Rhipicephalus bursa*

Trifonov, T., 1975, Vet. Med. Nauki, v. 12 (5), 70-79  
ticks of farm and wild animals, seasonal distribution: Burgas district [and/or] Michurin

*Rhipicephalus camicasi* n. sp., illus.

Morel, P. C.; Mouchet, J.; and Rodhain, F., 1976, Rev. Elevage et Med. Vet. Pays Trop., n. s., v. 29 (4), 337-340  
zebu: Ethiopie (Harrar, Hai Dora); Afars et Issas (Bankwale)  
*Lepus capensis*: Ethiopie (Shoa, parc Awash); Afars et Issas (Obok and Dikhil)  
mouton: Afars et Issas (Assa Geila, Randa, Dikhil and Ali Sabiet)  
chevre: Afars et Issas (Medeho, Dikhil and Ali Sabiet)  
dromadaire: Afars et Issas (Ali Sabiet)

*Rhipicephalus capensis* Koch, 1844

d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
Phacocherus  
Potamochoerus  
all from Africa

*Rhipicephalus capensis*

Matthewson, M. D.; and Baker, J. A. F., 1975, J. South African Vet. Ass., v. 46 (4), 341-344  
arsenic resistance: Republic of South Africa; Swaziland

*Rhipicephalus complanatus* Neumann, 1910

d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
Phacocherus  
Potamochoerus  
*Hylocoerus meinertzhageni*  
all from Africa

*Rhipicephalus compositus*

Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
Argasidae and Ixodidae, geographic distribution in Ethiopia  
zebu: Ethiopia

*Rhipicephalus compositus* Neumann, 1897

d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
Phacocherus  
Potamochoerus  
*Hylocoerus meinertzhageni*  
all from Africa

- Rhipicephalus compositus Neum.**  
 MacLeod, J.; et al., 1977, Bull. Entom. Research, v. 67 (1), 161-173  
 seasonal activity and attachment sites of ticks on cattle, infestation patterns on other domestic and wild animals: Central Province of Zambia
- Rhipicephalus compositus**  
 Matson, B. A.; and Norval, R. A. I., 1977, Rhodesian Vet. J., v. 8 (1), 2-6  
 seasonal occurrence of adult ixodid ticks on cattle on a highveld farm: Rhodesia
- Rhipicephalus compositus**  
 Wood, W. F.; et al., 1975, J. Chem. Ecol., v. 1 (4), 501-509  
 ixodid ticks, phenolic compounds as pheromones, sexual attractants, chemical extraction and bioassay
- Rhipicephalus cuspidatus Neumann, 1906**  
 d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
*Phacochoerus*: Africa
- Rhipicephalus dux Doenitz, 1910**  
 d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
*Phacochoerus*  
*Potamochoerus*  
*Hylochoerus meinertzhageni*  
 all from Africa
- Rhipicephalus evertsii**  
 Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
 Argasidae and Ixodidae, geographic distribution in Ethiopia  
*cheval*  
*chevre*  
*mouton*  
*zebu*  
 all from Ethiopia
- Rhipicephalus evertsii**  
 Clifford, C. M.; Flux, J. E. C.; and Hoogstraal, H., 1976, J. Med. Entom., v. 13 (1), 40-47  
 Ixodidae on *Lepus*, seasonal and regional abundance, age and sex of host  
*Lepus crawshayi*: Kenya
- Rhipicephalus evertsii Neum.**  
 MacLeod, J.; et al., 1977, Bull. Entom. Research, v. 67 (1), 161-173  
 seasonal activity and attachment sites of ticks on cattle, infestation patterns on other domestic and wild animals: Central Province of Zambia
- Rhipicephalus evertsii**  
 Matson, B. A.; and Norval, R. A. I., 1977, Rhodesian Vet. J., v. 8 (1), 2-6  
 seasonal occurrence of adult ixodid ticks on cattle on a highveld farm: Rhodesia
- Rhipicephalus evertsii**  
 Mathewson, M. D.; and Baker, J. A. F., 1975, J. South African Vet. Ass., v. 46 (4), 341-344  
 arsenic resistance: Republic of South Africa; Swaziland
- Rhipicephalus evertsii**  
 Nayar, M. A.; and Isa, J. F. W., 1973, Bull. Epizoot. Dis. Africa, v. 21 (2), 153-157  
*Rhipicephalus evertsii* and *Amblyomma variegatum* larvae, acaricides
- Rhipicephalus evertsii Neumann**  
 Pester, F. R. N.; and Laurence, B. R., 1974, J. Zool., London, v. 174 (3), 397-406  
*Gazella thomsonii*  
*G. granti*  
*Connochaetes taurinus*  
*Giraffa camelopardalis tippelskirchi*  
*Alcelaphus buselaphus cookei*  
 all from Kenya
- Rhipicephalus evertsii**  
 Uilenberg, G.; and Schreuder, B. E. C., 1977, Tropenmed. u. Parasitol., v. 28 (2), 181-184  
*Rhipicephalus evertsii*, successful transmission of *Theileria parva* from engorged nymphs to cross-bred steers (exper.) confirms the potential of *R. evertsii* as vector of East Coast fever; similar trials with *Amblyomma variegatum* were unsuccessful
- Rhipicephalus evertsii Neumann**  
 Wills, W.; and Larouze, B., 1976, Melsheimer Entom. Ser. (21), 1-4  
 goats (perianal region): Senegal (Pakala; Dioukhane-Serera)
- Rhipicephalus evertsii, illus.**  
 Young, A. S.; and Purnell, R. E., 1973, Bull. Epizoot. Dis. Africa, v. 21 (4), 377-383  
 development of *Babesia equi* in the salivary glands of *Rhipicephalus evertsii*  
*Equus burchelli*: north-western region of Loliondo controlled area, Tanzania
- Rhipicephalus evertsii evertsii**  
 Carmichael, I. H., 1976, Onderstepoort J. Vet. Research, v. 43 (1), 27-29  
*Syncerus caffer*: Ngamiland, Botswana
- Rhipicephalus evertsii evertsii**  
 Clifford, C. M.; Flux, J. E. C.; and Hoogstraal, H., 1976, J. Med. Entom., v. 13 (1), 40-47  
 Ixodidae on *Lepus*, seasonal and regional abundance, age and sex of host  
*Lepus capensis*: Kenya
- Rhipicephalus evertsii evertsii Neumann**  
 Rechav, Y.; Knight, M. M.; and Norval, R.A.I., 1977, J. Parasitol., v. 63 (3), 575-579  
*Rhipicephalus evertsii evertsii*, life cycle under controlled laboratory conditions: preoviposition, oviposition, incubation, feeding period of larvae and nymphs, weight of replete nymphs, emergence of adults
- Rhipicephalus evertsii evertsii Neumann**  
 Rechav, Y.; and von Maltzahn, H. C., 1977, Ann. Entom. Soc. Am., v. 70 (5), 768-770  
*Boophilus decoloratus*, *Rhipicephalus evertsii*, water loss from eggs at various temperatures and relative humidities and correlation between weight loss, hatching, and saturation deficits

- Rhipicephalus evertsi evertsi*  
Young, E.; et al., 1973, Research J. National Parks Republic South Africa (16), 77-81  
*Equus zebra zebra*: Mountain Zebra National Park
- Rhipicephalus evertsi evertsi*  
Young, E.; et al., 1973, Research J. National Parks Republic South Africa (16), 195-198  
*Antidorcas marsupialis*: Mountain Zebra National Park near Cradock, Cape Province
- Rhipicephalus evertsi mimeticus*  
Neitz, W. O., 1972, Onderstepoort J. Vet. Research, v. 39 (2), 83-85  
Theileria ovis, experimental transmission by *Rhipicephalus evertsi mimeticus* and *R. bursa* to splenectomized sheep; reaction of sheep to infestation
- Rhipicephalus glabroscutatum*  
Young, E.; et al., 1973, Research J. National Parks Republic South Africa (16), 77-81  
*Equus zebra zebra*  
*Connochaetes gnou*  
*Redunca fulvorufula*  
*Damaliscus dorcas phillipsi*  
all from Mountain Zebra National Park
- Rhipicephalus glabroscutatum*  
Young, E.; et al., 1973, Research J. National Parks Republic South Africa (16), 195-198  
*Antidorcas marsupialis*: Mountain Zebra National Park near Cradock, Cape Province
- Rhipicephalus haemaphysaloides* Supino  
Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397  
seasonal distribution  
*Canis familiaris* (footpads, ears): Hissar and suburbs, India
- Rhipicephalus humeralis*  
Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
Argasidae and Ixodidae, geographic distribution in Ethiopia  
zebu: Ethiopia
- Rhipicephalus hurti* Wilson  
Pester, F. R. N.; and Laurence, B. R., 1974, J. Zool., London, v. 174 (3), 397-406  
*Giraffa camelopardalis tippelskirchi*: Kenya
- Rhipicephalus kochi*  
Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
Argasidae and Ixodidae, geographic distribution in Ethiopia
- Rhipicephalus kochi* group  
Clifford, C. M.; Flux, J. E. C.; and Hoogstraal, H., 1976, J. Med. Entom., v. 13 (1), 40-47  
Ixodidae on *Lepus*, seasonal and regional abundance, age and sex of host  
*Lepus crawshayi*: Kenya
- Rhipicephalus kochi Doenitz*, 1905  
d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
*Potamochoerus*: Africa
- Rhipicephalus longicoxatus*  
Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
Argasidae and Ixodidae, geographic distribution in Ethiopia
- Rhipicephalus longus*  
Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
Argasidae and Ixodidae, geographic distribution in Ethiopia  
zebu: Ethiopia
- Rhipicephalus longus* Neumann, 1907  
d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
*Phacochoerus*  
*Potamochoerus*  
*Hylocoerus meinertzhageni*  
all from Africa
- Rhipicephalus longus* Neumann, 1907; [et auct.]  
Saratsiotis, A., 1977, Rev. Elevage et Med. Vet. Pays Trop., n. s., v. 30 (1), 51-59  
as syn. of *Rhipicephalus senegalensis* Koch, 1844
- Rhipicephalus lunulatus* Neumann, 1899  
d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
*Potamochoerus*: Africa
- Rhipicephalus lunulatus* Neumann, 1907, illus.  
Saratsiotis, A., 1977, Rev. Elevage et Med. Vet. Pays Trop., n. s., v. 30 (1), 51-59  
*Rhipicephalus muhsamae*, *R. lunulatus*, life cycle study, description of intermediate stages, comparison with other species of *R. simus*-*R. senegalensis* complex  
synonymy  
boeufs: region de Pastoria-Kindia, Ouest africain
- Rhipicephalus masseyi* Nuttall & Warburton, 1908  
d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
*Phacochoerus*  
*Potamochoerus*  
all from Africa
- Rhipicephalus micropla* Canestrini, 1890  
Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
as syn. of *Boophilus microplus* (Canestrini, 1887)
- Rhipicephalus muelensi* Zumpt, 1943  
d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
*Phacochoerus*  
*Potamochoerus*  
all from Africa

*Rhipicephalus muhsamae* Morel et Vassiliades, 1965, illus.  
*Saratsiotis*, A., 1977, Rev. Elevage et Med. Vet. Pays Trop., n. s., v. 30 (1), 51-59  
*Rhipicephalus muhsamae*, *R. lunulatus*, life cycle study, description of intermediate stages, comparison with other species of *R. simus*-*R. senegalensis* complex  
 Syn.: *Rhipicephalus groupe simus*  
 boeufs: region de Pastoria-Kindia, Ouest africain

*Rhipicephalus oculatus*  
 Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
 Argasidae and Ixodidae, geographic distribution in Ethiopia

*Rhipicephalus pravus*  
 Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
 Argasidae and Ixodidae, geographic distribution in Ethiopia  
 cheval  
 chevre  
 dromadaire  
 zebu  
 all from Ethiopia

*Rhipicephalus pravus* group  
 Clifford, C. M.; Flux, J. E. C.; and Hoogstraal, H., 1976, J. Med. Entom., v. 13 (1), 40-47  
 Ixodidae on Lepus, seasonal and regional abundance, age and sex of host  
*Lepus capensis*  
*L. crassayi*  
 all from Kenya

*Rhipicephalus pravus* Doenitz, 1910  
 d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
*Phacochoerus*  
*Potamochoerus*  
 all from Africa

*Rhipicephalus pravus* gp.  
 MacLeod, J.; et al., 1977, Bull. Entom. Research, v. 67 (1), 161-173  
 seasonal activity and attachment sites of ticks on cattle, infestation patterns on other domestic and wild animals: Central Province of Zambia

*Rhipicephalus pulchellus*, illus.  
 Balashov, Yu. S.; and Leonovich, S. A., 1976, Entom. Obozr., v. 55 (4), 946-952  
 ixodid ticks of the tribe Amblyommatini, morphology of Haller's organ, scanning electron microscopy

*Rhipicephalus pulchellus*  
 Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
 Argasidae and Ixodidae, geographic distribution in Ethiopia  
 aine  
 cheval  
 chevre  
 dromadaire  
 mouton  
 zebu  
 all from Ethiopia

*Rhipicephalus pulchellus*  
 Browning, T. O., 1976, Physiol. Entom., v. 1 (2), 107-114  
*Rhipicephalus pulchellus*, *R. appendiculatus*, aggregation on grass stems, laboratory and field studies, no evident response to chemical stimulus

*Rhipicephalus pulchellus*  
 Clifford, C. M.; Flux, J. E. C.; and Hoogstraal, H., 1976, J. Med. Entom., v. 13 (1), 40-47  
 Ixodidae on *Lepus*, seasonal and regional abundance, age and sex of host  
*Lepus capensis*  
*L. crassayi*  
 all from Kenya

*Rhipicephalus pulchellus* group  
 Clifford, C. M.; Flux, J. E. C.; and Hoogstraal, H., 1976, J. Med. Entom., v. 13 (1), 40-47  
 Ixodidae on *Lepus*, seasonal and regional abundance, age and sex of host  
*Lepus capensis*: Kenya

*Rhipicephalus pulchellus* Gerstacker  
 Pester, F. R. N.; and Laurence, B. R., 1974, J. Zool., London, v. 174 (3), 397-406  
*Connochaetes taurinus*: Kenya  
*Equus burchelli*: "

*Rhipicephalus pulchellus*, illus.  
 Scholten, T., 1976, Canad. Med. Ass. J., v. 115 (6), 491-492  
*Rhipicephalus pulchellus* found embedded in skin of shoulder of woman who had recently returned from visiting Kenya and Tanzania and while there had had close contact with cattle: Canada

*Rhipicephalus pulchellus*  
 Wood, W. F.; et al., 1975, J. Chem. Ecol., v. 1 (4), 501-509  
 ixodid ticks, phenolic compounds as pheromones, sexual attractants, chemical extraction and bioassay

*Rhipicephalus pulchellus*  
 Young, A. S.; et al., 1977, Tropenmed. u. Parasitol., v. 28 (2), 185-194  
 successful transmission of *Theileria* parasites from eland (*Taurotragus oryx*) to cattle by feeding *Rhipicephalus appendiculatus* and *R. pulchellus* on them; cattle recovered from infections produced antibodies to *Theileria* sp. (eland) and *T. sp.* (*Githunguri*) previously also recovered from cattle, indications that the 2 species may be related and possibly represent a new species infective for cattle

*Rhipicephalus pusillus* Gil Collado, 1936, illus.  
 Sanchez Acedo, C.; and Ramon Vericad, J., 1973, Rev. Iber. Parasitol., v. 33 (1), 29-38  
*Sus scrofa*  
*Vulpes vulpes*  
*Lepus europeus*  
*Martes foina*  
*Meles meles*  
 all from Alto Aragon

- Rhipicephalus reichenowi*  
 Clifford, C. M.; Flux, J. E. C.; and Hoogstraal, H., 1976, *J. Med. Entom.*, v. 13 (1), 40-47  
 Ixodidae on *Lepus*, seasonal and regional abundance, age and sex of host  
*Lepus capensis*: Kenya
- Rhipicephalus reichenowi* Zumpt, 1943  
 d'Huart, J. P., 1973, *Rev. Zool. et Botan. Africains*, v. 87 (2), 421-424  
*Phacochoerus*  
*Potamochoerus*  
 all from Africa
- Rhipicephalus rossicus*  
 Balashov, Yu. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, *Zool. Zhurnal*, v. 55 (9), 1308-1317  
 ixodid and argasid ticks, fine structure and function of palpal receptor organ
- Rhipicephalus rossicus*, illus.  
 Balashov, Yu. S.; and Leonovich, S. A., 1976, *Entom. Obozr.*, v. 55 (4), 946-952  
 ixodid ticks of the tribe Amblyommataini, morphology of Haller's organ, scanning electron microscopy
- Rhipicephalus sanguineus* (Latreille)  
 Amin, O. M., 1973, *J. Med. Entom.*, v. 10 (1), 110-111  
*Canis familiaris*: Racine-Kenosha Co., Wisconsin
- Rhipicephalus sanguineus* (Latreille)  
 Amin, O. M., 1976, *Great Lakes Entom.*, v. 9 (4), 195-198  
*Canis familiaris*: Kenosha County, Wisconsin
- Rhipicephalus sanguineus* (Latreille, 1806)  
 Amin, O. M.; and Madbouly, M. H., 1973, *J. Med. Entom.*, v. 10 (3), 295-298  
*Rhipicephalus sanguineus*, *Hippobosca longipennis*, *Heterodoxus spiniger* on *Canis familiaris*, geographic distribution, seasonal variance, climate, sex ratio of parasites: Egypt
- Rhipicephalus sanguineus*  
 Barnham, M., 1977, *Brit. Med. J.* (6097), v. 2, 1288 [Letter]  
 ticks on humans as unusual cause of arthropod bites in England; 2 persons with *Rhipicephalus sanguineus* infestation without direct contact with dogs reported from London
- Rhipicephalus sanguineus*  
 Bergeon, P.; and Balis, J., 1974, *Rev. Elevage et Med. Vet. Pays Trop.*, n.s., v. 27 (3), 285-299  
 Argasidae and Ixodidae, geographic distribution in Ethiopia  
 chien  
 zebu  
 all from Ethiopia
- Rhipicephalus sanguineus*  
 Bradley, R. E.; and Eidelberg, A. J., 1976, *Am. J. Vet. Research*, v. 37 (10), 1219-1220  
*Rhipicephalus sanguineus*, fospirate-treated collars, dogs
- Rhipicephalus sanguineus*  
 de Chaneet, G., 1976, *Austral. Vet. J.*, v. 52 (9), 433 [Letter]  
*Rhipicephalus sanguineus*, dogs, recent establishment, seasonal prevalence: southern areas of Western Australia
- Rhipicephalus sanguineus* group  
 Clifford, C. M.; Flux, J. E. C.; and Hoogstraal, H., 1976, *J. Med. Entom.*, v. 13 (1), 40-47  
 Ixodidae on *Lepus*, seasonal and regional abundance, age and sex of host  
*Lepus capensis*: Kenya  
*L. crawshayi*: Kenya; Uganda
- Rhipicephalus sanguineus*  
 Colgrove, D. J., 1976, *J. Am. Vet. Med. Ass.*, v. 168 (7), 591-592  
*Babesia canis*, dogs, clinical signs, diagnosis, pyrimethamine therapy, possible tick vectors: Oahu Island, Hawaii
- Rhipicephalus sanguineus*  
 Crawford, K. L., 1971, *Maryland State Med. J.*, v. 20 (11), 95-96  
 diagnostic differentiation of common ticks of Maryland, ticks as disease vectors, control and treatment measures
- Rhipicephalus sanguineus*  
 Davidson, D. E., Jr.; et al., 1975, *Southeast Asian J. Trop. Med. and Pub. Health*, v. 6 (4), 540-543  
*Rhipicephalus sanguineus*, tick vector of canine ehrlichiosis implicated in epizootic at the Military Working Dog Center, Pakchong, Korat Province, Thailand
- Rhipicephalus sanguineus*  
 Dipeolu, O. O., 1975, *Nigerian J. Animal Prod.*, v. 2 (2), 222-226  
 pigs (below origin of tail): Ibadan and Eruwa, Western Nigeria
- Rhipicephalus sanguineus* (Latreille)  
 Dukes, J. C.; and Rodriguez, J. G., 1976, *J. Kansas Entom. Soc.*, v. 49 (4), 562-566  
*Dermacentor variabilis*, *Amblyomma americanum*, *Rhipicephalus sanguineus*, choice tube bioassay to measure responses to various host odors and several chemical compounds
- Rhipicephalus sanguineus*  
 Fujisaki, K.; Kitaoka, S.; and Morii, T., 1976, *National Inst. Animal Health Quart.*, v. 16 (3), 122-128  
 comparative observations, feeding, molting, oviposition and hatching, ixodid ticks, laboratory cultural conditions
- Rhipicephalus sanguineus*  
 Gilot, B., 1975, *Bull. Soc. Path. Exot.*, v. 68 (6), 529-538  
 survey of area ticks as possible vectors of *Rickettsia* spp., *Dermacentor marginatus*, *D. reticulatus* and *Ixodes hexagonus* positive for *R. conori*; *Rhipicephalus sanguineus* and *Haemaphysalis punctata* gave negative results: areas of southern France

- Rhipicephalus sanguineus**, illus.  
Gilot, B.; et al., 1977, Ann. Parasitol., v. 52 (3), 353-362  
*Rhipicephalus turanicus*, differentiation from *R. sanguineus*, analysis of suburban biotopes (Midi mediterranean-Provence et Languedoc, France), comparison with *Dermacentor reticulatus* in similar biotopes (Alpes du Nord)
- Rhipicephalus sanguineus** (Latreille)  
Gladney, W. J.; Ernst, S. E.; and Drummond, R. O., 1974, J. Med. Entom., v. 11 (5), 569-572  
*Amblyomma americanum*, *Rhipicephalus sanguineus*, *Dermacentor andersoni*, guinea pigs (exper.), topical chlordimeform highly effective as tick detachment agent (more effective against adults than nymphs) and caused a slow and incomplete kill of detached ticks (more toxic to nymphs than to adults)
- Rhipicephalus sanguineus**  
Groves, M. G.; et al., 1975, Am. J. Vet. Research, v. 36 (7), 937-940  
dogs, first direct experimental evidence that *Rhipicephalus sanguineus* is an efficient vector of *Ehrlichia canis*, transmission occurs transstadially but not transovarially
- Rhipicephalus sanguineus**  
Guru, P. Y.; Dhanda, V.; and Gupta, N. P., 1976, Indian J. Med. Research, v. 64 (7), 1041-1045  
technique for preparing cell cultures from developing adult tissues of *Haemaphysalis spinigera*, *H. obesa*, and *Rhipicephalus sanguineus*
- Rhipicephalus sanguineus**  
Horak, I. G., 1976, J. South African Vet. Med. Ass., v. 47 (1), 17-18  
*Rhipicephalus sanguineus*, *Heterodoxus* sp., *Ctenocephalides canis*, dogs, Sendran-impregnated collar, good results
- Rhipicephalus sanguineus** (Latreille), illus.  
Huang, C. C.; et al., 1976, Bull. Inst. Zool., Acad. Sinica, v. 15 (1), 1-8  
*Rhipicephalus sanguineus*, spermatogenesis, meiosis, protein synthesis through meiotic divisions, RNA synthesis limited to pre-meiotic stage
- Rhipicephalus sanguineus** (Latreille, 1806)  
d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
*Phacochoerus*: Africa  
*Hylochoerus meinertzhageni*: Katanda, Africa
- Rhipicephalus sanguineus**  
Huxsoll, D. L., 1976, Vet. Parasitol., v. 2 (1), 49-60  
*Rhipicephalus sanguineus* as vector of canine ehrlichiosis, review
- Rhipicephalus sanguineus**  
Jaskoski, B. J.; and Molinari, A. F., 1974, Tr. Illinois State Acad. Sc., v. 67 (4), 465-469  
*Rhipicephalus sanguineus*, analysis of nature of egg shell lipids
- Rhipicephalus sanguineus** (Latreille, 1806)  
Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
synonymy
- Rhipicephalus sanguineus** (Latreille, 1806)  
Kigaye, M. K.; and Matthysse, J. G., 1973, Bull. Epizoot. Dis. Africa, v. 21 (4), 429-435  
*Rhipicephalus sanguineus*, technique for testing acaricide (carbaryl and malathion) susceptibility with disposable pipette, can be used for monitoring development of tick resistance
- Rhipicephalus sanguineus**  
Leeflang, P.; Pimentel, W. J.; and Blotkamp, J., 1974, Bull. Epizoot. Dis. Africa, v. 22 (1), 51-53  
*Babesia canis*, *Hepatozoon canis*, *Haemobartonella canis*, dog, case report, also infested with *Rhipicephalus sanguineus*: Nigeria
- Rhipicephalus sanguineus**  
Lewis, G. E., jr.; et al., 1977, Am. J. Vet. Research, v. 38 (12), 1953-1955  
*Rhipicephalus sanguineus*, adults, transmission of *Ehrlichia canis* to susceptible dogs, experimental results indicate that the dog is capable of infecting the tick with *ehrlichiae* only when the former is acutely ill
- Rhipicephalus sanguineus**  
McCully, R. M.; et al., 1975, Onderstepoort J. Vet. Research, v. 42 (4), 117-133  
*Hepatozoon* sp. in wild carnivores and *H. canis* in dogs compared, location in host, developmental stages, lesions, pathogenesis; attempt to transmit *Hepatozoon* from jackal to dogs by means of *Rhipicephalus sanguineus* was inconclusive: South Africa
- Rhipicephalus sanguineus** gp.  
MacLeod, J.; et al., 1977, Bull. Entom. Research, v. 67 (1), 161-173  
seasonal activity and attachment sites of ticks on cattle, infestation patterns on other domestic and wild animals: Central Province of Zambia
- Rhipicephalus sanguineus** Latreille  
Maldonado Capriles, J.; and Medina-Gaud, S., 1977, J. Agric. Univ. Puerto Rico, v. 61 (3), 402-404  
dogs: Puerto Rico
- Rhipicephalus sanguineus** (Latreille, 1806)  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
dog: New Hebrides
- Rhipicephalus sanguineus** (Latreille 1806)  
Mikacic, D., 1972, Acta Parasitol. Jugoslavica, v. 3 (1), 49-54  
seasonal occurrence: Rab

- Rhipicephalus sanguineus*, illus.  
Munaf, H. B., 1976, Southeast Asian J. Trop. Med. and Pub. Health, v. 7 (3), 492  
*Rhipicephalus sanguineus*, nymphs collected during field survey found to be parasitized by Hunterellus hookeri chalcid wasps: Indonesia
- Rhipicephalus sanguineus*  
Nagar, S. K.; Raizada, R. N.; and Saxena, V. K., 1977, Indian J. Animal Sc., v. 47 (10), 654-663  
cat  
dog  
lesser panda  
jaguar  
horse  
camel  
pig  
all from Union Territory of Delhi
- Rhipicephalus sanguineus* (Latreille)  
Patrick, C. D.; and Hair, J. A., 1975, J. Med. Entom., v. 12 (3), 389-390  
multi-host ticks, laboratory rearing procedures and equipment
- Rhipicephalus sanguineus*  
Pester, F. R. N.; and Laurence, B. R., 1974, J. Zool., London, v. 174 (3), 397-406  
*Connochaetes taurinus*  
*Giraffa camelopardalis tippelskirchi*  
all from Kenya.
- Rhipicephalus sanguineus*  
Rarotra, J. R.; Yadav, M. P.; and Sethi, M. S., 1977, Indian J. Animal Research, v. 11 (1), 17-22  
isolation of 3 strains of *Coxiella burnetii* from *Hyalomma* and *Rhipicephalus* ticks
- Rhipicephalus sanguineus*  
Rotramel, G. L.; Schwan, T. G.; and Doty, R. E., 1976, Am. J. Epidemiol., v. 104 (3), 287-293  
geographic, seasonal and host distribution of suspected tick vectors and correlation with reported cases of Rocky Mountain spotted fever: California
- Rhipicephalus sanguineus* Latr., 1806  
Sanchez Aedo, C.; and Ramon Vericad, J., 1973, Rev. Iber. Parasitol., v. 33 (1), 29-38  
*Meles meles*: Alto Aragon
- Rhipicephalus sanguineus*, illus.  
Saratsiotis, A.; and Battelli, C., 1975, Riv. Parassitol., Roma, v. 36 (2-3), 207-214  
*Rhipicephalus turanicus*, R. *sanguineus*, morphologic comparisons of larval, nymphal and adult stages
- Rhipicephalus sanguineus*  
Seneviratna, P.; Weerasinghe, N.; and Ariyadasa, S., 1973, Research Vet. Sc., v. 14 (1), 112-114  
Haemobartonella canis, transmission to splenectomised dogs by all stages of *Rhipicephalus sanguineus*, stage-to-stage as well as transovarial transmission
- Rhipicephalus sanguineus* Latreille  
Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397  
seasonal distribution  
*Bubalus bubalis*  
*Canis familiaris* (footpads, ears)  
all from Hissar and suburbs, India
- Rhipicephalus sanguineus*  
Tagle, I., 1976, Agric. Tecn., Chile, v. 36 (3), 137  
perro: Santiago de Chile
- Rhipicephalus sanguineus*  
Tharaldsen, J., 1973, Norwegian J. Zool., v. 21 (4), 327-328 [Abstract]  
quarantine station, Oslo, Norway
- Rhipicephalus sanguineus*  
Theis, J. H.; et al., 1976, J. Med. Entom., v. 13 (1), 26-39  
*Rhipicephalus sanguineus* feeding on dog, inflammation area, changes in flow rate of cells and total protein content of draining lymph, age and size of dogs, importance in disease transmission
- Rhipicephalus sanguineus* (Latreille)  
Theis, J. H.; and Franti, C. E., 1971, J. Med. Entom., v. 8 (1), 23-28  
*Rhipicephalus sanguineus*, dogs, survey, 1965-1966, lowered infestation rates due to dog eradication program, ecological data (distribution on host body, rainfall, temperature, humidity, seasonal distribution), analysis by multiple regression models: Singapore Island
- Rhipicephalus sanguineus*  
Varma, M. G. R., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (1), 92-102  
*Canis familiaris*: British Honduras
- Rhipicephalus sanguineus* (Latreille)  
Wills, W.; and Larouze, B., 1976, Melsheimer Entom. Ser. (21), 1-4  
dogs: Djikoroni, Mali; Senegal (Thies; Rufisque)  
monkey: Djikoroni, Mali
- Rhipicephalus sanguineus* sanguineus  
Chinny, W. A.; and Ayitey-Smith, E., 1977, Nature, London (5592), v. 265, 366-367  
*Rhipicephalus sanguineus* sanguineus, salivary gland homogenate antagonizes action of histamine and potentiates action of acetylcholine on guinea pig ileum, advantage to ixodid ticks in having both histamine-blocking agent and histamine in their saliva, possible relationship of acetylcholine potentiation to tick paralysis
- Rhipicephalus schulzei*, illus.  
Balashov, Iu. S.; and Leonovich, S. A., 1976, Entom. Obozr., v. 55 (4), 946-952  
ixodid ticks of the tribe Amblyommatini, morphology of Haller's organ, scanning electron microscopy
- Rhipicephalus schulzei*  
Diusembayev, E. B.; and Chelebiev, K. A., 1975, Zool. Zhurnal, v. 54 (1), 124-127  
*Lagurus lagurus*: Karagandinsk oblast

*Rhipicephalus senegalensis* Koch, 1844  
*d'Huart*, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
 Phacochoerus  
 Potamochoerus  
 all from Africa

*Rhipicephalus senegalensis* Koch, 1844  
*Saratsiotis*, A., 1977, Rev. Elevage et Med. Vet. Pays Trop., n. s., v. 30 (1), 51-59  
 synonymy

*Rhipicephalus simus*  
*Ashford*, R. W.; et al., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (4), 568-601  
 porcupine: Kutaber area, Ethiopia

*Rhipicephalus simus*  
*Bergeon*, P.; and *Balis*, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
 Argasidae and Ixodidae, geographic distribution in Ethiopia  
 chevre  
 chien  
 dromadaire  
 mouton  
 zebu  
 all from Ethiopia

*Rhipicephalus simus*  
*Carmichael*, I. H., 1976, Onderstepoort J. Vet. Research, v. 43 (1), 27-29  
*Syncerus caffer*: Ngamiland, Botswana

*Rhipicephalus simus* Koch, 1844  
*d'Huart*, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
 Phacochoerus  
 Potamochoerus  
*Hylocoerus meinertzhageni*  
 all from Africa

*Rhipicephalus simus*, illus.  
*Irvin*, A. D.; et al., 1972, Vet. Rec., v. 91 (21), 513, 514-516, 517  
 theilerial piroplasms acquired by *Rhipicephalus appendiculatus* and *R. simus* (salivary glands) (exper.) fed on naturally infected *Taurotragus oryx pattersonianus* were not transmitted to cattle, role of eland in epidemiology of cattle theilerioses is questionable: Kenya

*Rhipicephalus simus* Koch  
*MacLeod*, J.; et al., 1977, Bull. Entom. Research, v. 67 (1), 161-173  
 seasonal activity and attachment sites of ticks on cattle, infestation patterns on other domestic and wild animals: Central Province of Zambia

*Rhipicephalus simus*  
*Matson*, B. A.; and *Norval*, R. A. I., 1977, Rhodesian Vet. J., v. 8 (1), 2-6  
 seasonal occurrence of adult ixodid ticks on cattle on a highveld farm: Rhodesia

*Rhipicephalus simus* Koch  
*Pester*, F. R. N.; and *Laurence*, B. R., 1974, J. Zool., London, v. 174 (3), 397-406  
*Giraffa camelopardalis tippelskirchi*: Kenya

*Rhipicephalus groupe simus*  
*Saratsiotis*, A., 1977, Rev. Elevage et Med. Vet. Pays Trop., n. s., v. 30 (1), 51-59  
 as syn. of *Rhipicephalus muhsamae* Morel et Vassiliades, 1965

*Rhipicephalus simus* Koch, 1844; [et auct.]  
*Saratsiotis*, A., 1977, Rev. Elevage et Med. Vet. Pays Trop., n. s., v. 30 (1), 51-59  
 as syn. of *Rhipicephalus senegalensis* Koch, 1844

*Rhipicephalus simus*  
*Wood*, W. F.; et al., 1975, J. Chem. Ecol., v. 1 (4), 501-509  
 ixodid ticks, phenolic compounds as pheromones, sexual attractants, chemical extraction and bioassay

*Rhipicephalus simus longoides* Zumpt, 1943  
*Saratsiotis*, A., 1977, Rev. Elevage et Med. Vet. Pays Trop., n. s., v. 30 (1), 51-59  
 as syn. of *Rhipicephalus senegalensis* Koch, 1844

*Rhipicephalus simus senegalensis* Koch, 1844; [et auct.]  
*Saratsiotis*, A., 1977, Rev. Elevage et Med. Vet. Pays Trop., n. s., v. 30 (1), 51-59  
 as syn. of *Rhipicephalus senegalensis* Koch, 1844

*Rhipicephalus sulcatus*  
*Bergeon*, P.; and *Balis*, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
 Argasidae and Ixodidae, geographic distribution in Ethiopia  
 zebu: Ethiopia

*Rhipicephalus sulcatus* Neumann, 1908  
*d'Huart*, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
*Hylocoerus meinertzhageni*: Africa

*Rhipicephalus supertritius*  
*Bergeon*, P.; and *Balis*, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
 Argasidae and Ixodidae, geographic distribution in Ethiopia

*Rhipicephalus supertritius* Neum.  
*MacLeod*, J.; et al., 1977, Bull. Entom. Research, v. 67 (1), 161-173  
 seasonal activity and attachment sites of ticks on cattle, infestation patterns on other domestic and wild animals: Central Province of Zambia

*Rhipicephalus theilieri* Bedford & Hewitt, 1925  
*Neitz*, W. O.; *Boughton*, F.; and *Walters*, H.S., 1972, Onderstepoort J. Vet. Research, v. 39 (2), 117-122  
*Rhipicephalus theilieri*, rabbits (exper.), successful rearing of 7 generations of ticks, wide variation in duration of developmental phases and life cycle, high rate of mortality, implications for tick survival in nature; hosts and distribution in Africa

*Rhipicephalus tricuspis*  
 Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299

Argasidae and Ixodidae, geographic distribution in Ethiopia  
 zebu:  
 dromadaire  
 all from Ethiopia

*Rhipicephalus tricuspis*  
 Carmichael, I. H., 1976, Onderstepoort J. Vet. Research, v. 43 (1), 27-29  
*Syncerus caffer*: Ngamiland, Botswana

*Rhipicephalus tricuspis* Doenitz, 1906  
 d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
*Potamochoerus*: Africa

*Rhipicephalus tricuspis* Don.  
 MacLeod, J.; et al., 1977, Bull. Entom. Research, v. 67 (1), 161-173  
 seasonal activity and attachment sites of ticks on cattle, infestation patterns on other domestic and wild animals: Central Province of Zambia

*Rhipicephalus turanicus*  
 Balashov, Yu. S.; Ivanov, V. P.; and Ignat'ev, A. M., 1976, Zool. Zhurnal, v. 55 (9), 1308-1317  
 ixodid and argasid ticks, fine structure and function of palpal receptor organ

*Rhipicephalus turanicus*, illus.  
 Balashov, Yu. S.; and Leonovich, S. A., 1976, Entom. Obozr., v. 55 (4), 946-952  
 ixodid ticks of the tribe Amblyommatini, morphology of Haller's organ, scanning electron microscopy

*Rhipicephalus turanicus*  
 Bergeon, P.; and Balis, J., 1974, Rev. Elevage et Med. Vet. Pays Trop., n.s., v. 27 (3), 285-299  
 Argasidae and Ixodidae, geographic distribution in Ethiopia  
 zebu: Ethiopia

*Rhipicephalus turanicus*, illus.  
 Gilot, B.; et al., 1977, Ann. Parasitol., v. 52 (3), 353-362  
*Rhipicephalus turanicus*, differentiation from *R. sanguineus*, analysis of suburban biotopes (Midi mediterranean--Provence et Languedoc, France), comparison with *Dermacentor reticulatus* in similar biotopes (Alpes du Nord)

*Rhipicephalus turanicus* Pomerantzev  
 Sandhu, P. S.; and Kapoor, V. C., 1976, Entom. News, v. 87 (9-10), 292-294  
*Funambulus pennanti*: Ludhiana, India

*Rhipicephalus turanicus*, illus.  
 Saratsiotis, A.; and Battelli, C., 1975, Riv. Parassitol., Roma, v. 36 (2-3), 207-214  
 synonymy  
*Rhipicephalus turanicus*, *R. sanguineus*, morphologic comparisons of larval, nymphal and adult stages  
 chevre: Sardaigne, Italie  
 vache: Pouilles, Italie  
 mouton: Pouilles, Italie  
 chien: Pouilles, Italie

*Rhipicephalus turanicus*  
 Trifonov, T., 1975, Vet. Med. Nauki, v. 12 (5), 70-79  
 ticks of farm and wild animals, seasonal distribution: Burgas district [and/or] Michurin

*Rhipicephalus ziemanni* Neumann, 1904  
 d'Huart, J. P., 1973, Rev. Zool. et Botan. Africains, v. 87 (2), 421-424  
*Phacochoerus*  
*Potamochoerus*  
 all from Africa

*Rhipistoma leporis* Osborn, 1896  
 Jones, E. K.; et al., 1972, Brigham Young Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.  
 as syn. of *Haemaphysalis leporispalustris* (Packard, 1869)

*Rhopaloceras styliferum* Taschenberg, 1882  
 Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
 as syn. of *Chelopistes meleagridis* (Linne, 1758)

*Rhopalopsyllidae*  
 Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
 diagnosis

*Rhopalopsyllidae* Oudemans, 1909  
 Lewis, R. E., 1973, J. Med. Entom., v. 10 (3), 255-260  
*Rhopalopsyllidae*, *Malacopsyllidae*, *Vermipsyllidae*, world-wide distribution by zoogeographical regions, host preferences; list of genera and species

*Rhopalopsyllidae* Oudemans  
 Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
 brief description

*Rhopalopsyllus* Baker  
 Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
 brief description, key

*Rhopalopsyllus gwyni* C. Fox, illus.  
 Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
 description  
*Didelphis virginiana*  
*Sciurus carolinensis*  
*Oryzomys palustris*  
*Sigmodon hispidus*  
 all from Alabama

- Rhynchophthirina  
 Emerson, K. C.; and Price, R. D., 1976, Florida  
 Entom., v. 59 (4), 425-428  
 Mallophaga  
 key
- Rhynchopsyllus pulex  
 Whitaker, J. O., jr.; and Easterla, D. A.,  
 1975, Southwest. Nat., v. 20 (2), 241-254  
*Eumops perotis*: Big Bend National Park,  
 Texas, and Coahuila, Mexico
- Riccardoella sp., illus.  
 Fain, A., 1970, Acarologia, v. 12 (2), 313-325
- Ricinidae  
 Emerson, K. C.; and Price, R. D., 1976, Florida  
 Entom., v. 59 (4), 425-428  
 Amblycera  
 key
- Ricinus sp., nymph  
 Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),  
 189-199  
 arthropods ectoparasitic upon mammals and  
 birds, factors affecting host specificity  
*Lichmera incana*: New Hebrides
- Ricinus mugimaki (Uchida, 1915)  
 Marshall, A. G., 1976, Ecol. Entom., v. 1 (3),  
 189-199  
 arthropods ectoparasitic upon mammals and  
 birds, factors affecting host specificity  
*Rhipidura spilodera*  
*R. fuliginosa*  
 all from New Hebrides
- Riedlinia assadovi Muljarskaja et Dubovchenko,  
 1970  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976,  
 Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst.  
 Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Riedlinia coeca Oudemans, illus.  
 Audy, J. R.; Radovsky, F. J.; and Vercammen-  
 Grandjean, P. H., 1972, J. Med. Entom., v. 9  
 (6), 487-494
- Rosca rogans Stebbing, 1923; Barnard, 1936  
 Trilles, J. P., 1975, Bull. Mus. National  
 Hist. Nat., Paris, 3. s. (290), Zool. (200),  
 303-345  
 as syn. of *Nerocila cephalotes* Schioedte et  
 Meinert, 1881
- Rosensteiniidae Cooreman, 1954  
 McDaniel, B., jr.; and Baker, E. W., 1962,  
 Fieldiana: Zoology, v. 44 (16), 127-131  
 "should be considered as a distinct family"
- Rothschildopsylla Guimaraes  
 Mahnert, V., 1976, Rev. Suisse Zool., v. 83  
 (3), 769-776  
 Ischnopsyllinae  
 key

- Sabelliphilus* M. Sars, 1862  
 Stock, J. H., 1968, Bull. Zool. Mus. Univ.  
 Amsterdam, v. 1 (9), 89-105  
 key
- Sacculina carcinii* (Thompson), illus.  
 Bocquet-Vedrine, J.; Chassard-Bouchaud, C.;  
 and Hubert, M., 1977, Biol. Cell., v. 30 (2),  
 165-170  
*Sacculina carcinii*, fine structure of integument of roots, light and electron microscopy  
*Carcinus maenas* (abdomen)
- Sacculina carcinii* Thompson  
 Chassard-Bouchaud, C.; and Hubert, M., 1976,  
 Cell and Tissue Research, v. 167 (3), 351-361  
*Sacculina carcinii*, 3 stages of ecdisial gland regression in infected *Carcinus maenas*, ultrastructure
- Saemundssonia albemarlensis* (Kellogg & Kuwana, 1902)  
 Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
*Sterna fuscata oahuensis*: Sand Island, Midway Atoll, Pacific Ocean
- Saemundssonia chathamensis* n. sp.  
 Timmermann, G., 1977, Bonn. Zool. Beitrage, v. 28 (1-2), 135-140  
*Thinornis novaeseelandiae*: Chatham Is., Neuseeland Archipel
- Saemundssonia conica*  
 Timmermann, G., 1977, Bonn. Zool. Beitrage, v. 28 (1-2), 135-140  
 measurements
- Saemundssonia hexagona* (Giebel, 1874)  
 Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
*Phaethon rubricauda rothschildi*: Eastern Island, Midway Atoll, Pacific Ocean
- Saemundssonia lari* (O. Fabricius, 1780)  
 Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
*Larus hyperboreus*: Sand Island, Midway Atoll, Pacific Ocean
- Saemundssonia minitans* n. sp., illus.  
 Timmermann, G., 1977, Bonn. Zool. Beitrage, v. 28 (1-2), 135-140  
*Malacorhynchus membranaceus*: Lake Yangebup, West-Australien
- Saemundssonia remota* Timmermann, 1951  
 Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
 elevated to specific status  
*Anous stolidus pileatus*: Eastern Island, Midway Atoll, Pacific Ocean
- Saemundssonia sagulata* Timmermann, 1971  
 Forrester, D. J.; et al., 1974, Proc. Helminth. Soc. Washington, v. 41 (1), 55-59  
*Grus canadensis tabida*: Florida
- Saemundssonia sagulata* Timmermann, 1971  
 Forrester, D. J.; Bush, A. O.; and Williams, L. E., jr., 1975, J. Parasitol., v. 61 (3), 547-548  
*Grus canadensis pratensis*: Florida
- Saemundssonia snyderi* (Kellogg & Paine, 1910)  
 Ward, R. A.; and Downey, J. C., 1973, J. Med. Entom., v. 10 (4), 391-396  
*Sterna lunata*: Sand Island, Midway Atoll, Pacific Ocean
- Salmincola californiensis*, illus.  
 Kabata, Z.; and Cousens, B., 1977, J. Fish. Research Bd. Canada, v. 34 (2), 191-202  
*Salmincola californiensis*, sites of larval attachment on fry and juvenile *Oncorhynchus nerka*, pathology; first report of "burrowing phenomenon"
- Salmincola carpionis* Kroyer, 1837  
 Mudry, D. R.; and McCart, P. J., 1976, J. Fish. Research Bd. Canada, v. 33 (2), 271-275  
*Salvelinus alpinus* (gills): Alaska; Yukon
- Salmincola edwardsii* Olsson, 1869  
 Mudry, D. R.; and McCart, P. J., 1976, J. Fish. Research Bd. Canada, v. 33 (2), 271-275  
*Salvelinus alpinus* (gills): Alaska; Yukon
- Salmincola (Brevibrachia) extensus*  
 Kabata, Z., 1977, Proc. Biol. Soc. Wash., v. 90 (2), 189-193  
 key
- Salmincola (Brevibrachia) extumescens*  
 Kabata, Z., 1977, Proc. Biol. Soc. Wash., v. 90 (2), 189-193  
 key
- Salmincola (Brevibrachia) jacuticus*  
 Kabata, Z., 1977, Proc. Biol. Soc. Wash., v. 90 (2), 189-193  
 key
- Salmincola (Brevibrachia) longimanus* Gundrizer, 1974, illus.  
 Kabata, Z., 1977, Proc. Biol. Soc. Wash., v. 90 (2), 189-193  
*Salmincola longimanus*, redescription, morphological variability, key  
*Thymallus brevirostris* (nostrils): Lake Mumuday in drainage area of the river Kobdo
- Salmincola (Brevibrachia) nordmanni*  
 Kabata, Z., 1977, Proc. Biol. Soc. Wash., v. 90 (2), 189-193  
 key
- Salmincola (Brevibrachia) strigatus*  
 Kabata, Z., 1977, Proc. Biol. Soc. Wash., v. 90 (2), 189-193  
 key
- Sarconesia chlorogaster* (Wied.), illus.  
 Joerg, M.E., 1976, Prensa Med. Argent., v. 63 (2), 47-51  
 human anal myiasis, general clinical manifestations, diagnosis, medical management, review

- Sarcophaga, illus.**  
 Rigoli, E.; and Piccoli, G., 1972, Parassitologia, v. 14 (2-3), 353-355  
 Sarcophaga, human cutaneous myiasis, case histories, mental retardation and senility: territory of Treviso
- Sarcophaga sp.**  
 Cheong, W. H.; Mahadevan, S.; and Lie, K. J., 1973, Southeast Asian J. Trop. Med. and Pub. Health, v. 4 (2), 281 [Demonstration]  
 Sarcophaga sp., human intestinal myiasis with third stage larvae removed from man's stool immediately after defecation on 2 separate occasions: Malaysia
- Sarcophaga sp., illus.**  
 Kenney, M.; et al., 1976, Am. J. Clin. Path., v. 66 (5), 786-791  
 intestinal myiasis discovered at post-mortem examinations, appendices of 2 men contained tentatively identified Sarcophaga sp. and Phormia regina respectively: New York
- Sarcophaga plinthopyga**  
 Murray, V. I. E.; and Thompson, K., 1976, Trop. Agric., Trinidad, B. W. I., v. 53 (3), 263-266  
 wound myiasis, incidence  
 dog  
 man  
 all from Trinidad and Tobago
- Sarcophaga ruficornis Fabr.**  
 Roy, P.; and Dasgupta, B., 1977, Proc. Indian Acad. Sc., Sect. B, v. 86 (3), 207-209  
 Sarcophaga ruficornis in Bufo melanostictus (eyes, paratoid glands), wound myiasis: Siliguri, West Bengal
- Sarcoptes [sp.]**  
 Dipeolu, O. O., 1975, Nigerian J. Animal Prod., v. 2 (2), 222-226  
 pigs (back, flank): Ibadan and Eruwa, Western Nigeria
- Sarcoptes [sp.]**  
 Rathore, M. S.; and Lodha, K. R., 1974, Indian Vet. J., v. 51 (2), 149-153  
 Sarcoptes [sp.], Camelus dromedarius, lindane, sumithion, malathion; lindane most effective and economical: Rajasthan
- Sarcoptes sp.**  
 Sikdar, A.; and Harbola, P. C., 1975, Indian J. Animal Health, v. 14 (2), 187  
 Sarcoptes sp., pashmina bearing goats, successful treatment with Ascabiol
- Sarcoptes spp.**  
 Steele, J. H.; et al., 1976, Internat. J. Zoonoses, v. 3 (2), 65-76  
 problems in sheep and goats: Cyprus
- Sarcoptes bovis**  
 Frick, W., 1977, Monatsh. Vet.-Med., v. 32 (8), 291-294  
 different concentrations of dichlorvos, cattle
- Sarcoptes scabiei**  
 Ahumada Padilla, M., 1976, Prensa Med. Mexicana, v. 41 (3-4), 125-127  
 Sarcoptes scabiei, children and adults, crotamiton cream as acaricide well tolerated with good symptomatic relief: Mexico
- Sarcoptes scabiei, illus.**  
 Dahl, O., 1976, Tidsskr. Norske Laegefor., v. 96 (9-10), 548-551  
 epidemiology of Sarcoptes scabiei in humans, increasing incidence since epidemic of World War II, clinical review: Norway
- Sarcoptes scabiei, illus.**  
 Dorresteijn, G. M.; and van Bronswijk, J. E. M. H., 1977, Tijdschr. Diergeneesk., v. 102 (12), 748-753  
 Trixacarus caviae, guinea-pigs, clinical and histological features, morphological differentiation from Sarcoptes scabiei and Notoedres muris, transmission to humans
- Sarcoptes scabiei Latr. 1802**  
 Dorsz, E., 1972, Polski Tygod. Lekar., v. 27 (5), 192-194  
 Sarcoptes scabiei, human scabies in Poland in the 16th to 18th centuries, historical review
- Sarcoptes scabiei, illus.**  
 Fernandez, N.; Torres, A.; and Ackerman, A. B., 1977, Arch. Dermat., Chicago, v. 113 (3), 320-324  
 Sarcoptes scabiei, pathologic findings in papular, vesicular, nodular and Norwegian variants of human scabies
- Sarcoptes scabiei**  
 Kennedy, B.; and Huisman, J., 1972, Nederl. Tijdschr. Geneesk., v. 116 (34), 1504-1507  
 Sarcoptes scabiei in humans, epidemiology and statistics of 67 cases: Rotterdam
- Sarcoptes scabiei**  
 Lal, J.; et al., 1976, Indian Vet. J., v. 53 (7), 543-545  
 Sarcoptes scabiei, sheep, Cedrus deodara oil more efficacious than benzyl benzoate and tetraethylthiuram monosulphide
- Sarcoptes scabiei**  
 Meier, J. E., 1976, J. Zoo Animal Med., v. 7 (4), 31  
 Nasua narica yucatanica: San Diego Zoo, received from Yucatan Peninsula, Mexico
- Sarcoptes scabiei, illus.**  
 Meierhenry, E. F.; and Clausen, L. W., 1977, J. Am. Vet. Med. Ass., v. 171 (9), 983-984  
 Sarcoptes scabiei in Tayassu tajacu and Mus musculus (skin of both), treatment with ectoral, benzyl benzoate, and lindane + ectoral gave only temporary relief
- Sarcoptes scabiei**  
 Misra, S. C.; and Basistan, A. K., 1972, Indian J. Animal Research, v. 6 (2), 99-100  
 Sarcoptes scabiei, puppies, malathion and ectopar, good results

- Sarcoptes scabiei**  
Misson, R.; et al., 1973, Medecine et Armees, v. 1 (4), 69-72  
human scabies, clinical review, diagnosis, treatment with ascabiol
- Sarcoptes scabiei**  
Raghavan, R. S.; et al., 1976, Indian Vet. J., v. 53 (5), 369-372  
Sarcoptes scabiei and other skin diseases, dogs, calves, clinical symptoms, Scabieza administered intramuscularly, good results
- Sarcoptes scabiei (possibly var. aucheniae)**  
Rusch, K., 1966, Bol. Chileno Parasitol., v. 21 (4), 130-132  
Sarcoptes scabiei, severe debilitating sarcoptic mange in Lama lama successfully treated with neguvon, associated infections of Fasciola hepatica responded to carbon tetrachloride therapy, clinical case report: experimental breeding farm, Chile
- Sarcoptes scabiei**  
Schenone, H.; et al., 1970, Bol. Chileno Parasitol., v. 25 (1-2), 42-45  
Sarcoptes scabiei, increasing incidence in humans according to survey of cases 1960-1969 probably resulting from decreased interest shown by health departments and decreased ability of doctors to diagnose condition: Santiago, Chile
- Sarcoptes scabiei**  
Shaw, P. K.; and Juraneck, D. D., 1976, J. Infect. Dis., v. 134 (4), 414-416  
recent trends in human scabies as compiled by Center for Disease Control: United States
- Sarcoptes scabiei**  
Sheahan, B. J., 1975, J. Comp. Path., v. 85 (1), 87-95  
Sarcoptes scabiei, pigs, natural vs. experimental infections, histological and histochemical alterations in ear lesions, raised serum protein levels not accompanied by increases in passive haemagglutination titres
- Sarcoptes scabiei**  
Sheahan, B. J., 1975, J. Comp. Path., v. 85 (1), 97-110  
Sarcoptes scabiei, iron-treated vs. iron-deprived pigs (exper.), histological, histochemical, and ultrastructural changes at skin sites, immediate and delayed hypersensitivity reactions
- Sarcoptes scabiei**  
Sheahan, B. J.; O'Connor, P. J.; and Kelly, E. P., 1974, Vet. Rec., v. 95 (8), 169-170  
Sarcoptes scabiei, pigs, compensatory weight gains following treatment for sarcoptic mange; ears of pigs should be treated during spraying or dipping
- Sarcoptes scabiei, illus.**  
Shelley, W. B.; and Wood, M. G., 1976, J. Am. Med. Ass., v. 236 (10), 1144-1145  
severe pruritus with papular eruptions of 1-year's duration in man finally diagnosed as scabies after immature Sarcoptes scabiei found in cross section of papular biopsy, case history, cure with gamma benzene hexachloride: Pennsylvania
- Sarcoptes scabiei**  
Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397  
seasonal distribution  
Bubalus bubalis (neck, back, legs, groin)  
Bos indicus (face, neck, legs)  
Canis familiaris (body)  
all from Hissar and suburbs, India
- Sarcoptes scabiei**  
Soennichsen, N.; and Barthelmes, H., 1976, Ang. Parasitol., v. 17 (2), 65-70  
scabies, human, epidemiology, skin tests, cross reactions between Notoedres alepis and Sarcoptes scabiei, diagnostic value of tests
- Sarcoptes scabiei**  
Svartman, M.; et al., 1972, Lancet, London (7744), v. 1, 249-251  
Sarcoptes scabiei in man and possibly also dogs implicated in large epidemic of acute glomerulonephritis, scabetic lesions containing beta-hemolytic streptococci were found in large numbers of both the sick and well population of a small village in Trinidad
- Sarcoptes scabiei, illus.**  
Szpakowska, J., 1976, Przegl. Dermat., v. 63 (1), 65-68  
Sarcoptes scabiei, humans, comparative review of 4 diagnostic techniques, scrapings preserved in paraffin oil most efficient
- Sarcoptes scabiei**  
Thorold, P. W., 1972, J. South African Vet. Ass., v. 43 (2), 201-203  
Sarcoptes scabiei, sheep, diagnosis, economic importance, and control with fenchlorphos
- Sarcoptes scabiei**  
Venugopal, G.; and Nair, S. G., 1975, Kerala J. Vet. Sc., v. 6 (1-2), 89-93  
Sarcoptes scabiei, haematological studies in mange-infested goats: Mannuthy, Trichur, India
- Sarcoptes scabiei var. aucheniae** (Escomel, 1929)  
Chu-Vela, J.; and Guerrero, C. A., 1973, Rev. Invest. Pecuarias, v. 2 (1), 23-28  
Sarcoptes scabiei var. aucheniae, alpacas, Trichlorphon, Benzene hexachloride, various administration methods
- Sarcoptes scabiei var. bovis**  
Oberg, C.; Diaz, L.; and Valenzuela, G., 1974, Bol. Chileno Parasitol., v. 29 (3-4), 99-102  
Bos taurus: Chile
- Sarcoptes scabiei canis**  
Dash, P. K.; Chakraborti, A.; and Prusty, B. M., 1977, Livestock Advis., v. 2 (4), 37-38  
Sarcoptes scabiei canis, dogs, lindane, good results
- Sarcoptes scabiei canis, illus.**  
Dominguez O., J.; et al., 1977, Veterinaria, Mexico, v. 8 (2), 37-41  
Sarcoptes scabiei canis, experimental transmission to dog from human having Turner's syndrome and scabies, possibility of human cases of canine scabies under conditions of hormone imbalance or immunological unresponsiveness

- Sarcoptes scabiei var. canis**  
 Ruiz-Maldonado, R.; Tamayo, L.; and Dominguez, J., 1977, Arch. Dermat., Chicago, v. 113 (12), 1733 [Letter]  
 Sarcoptes scabiei var. canis causing severe Norwegian type scabies in young girl, family dogs also infested and healthy dog (exper.) sucessfully infested with mites from the girl, clinical case report, successfully treated with phenylbutazone after unsuccessful therapy with benzyl benzoate: Mexico
- Sarcoptes scabiei var. canis**  
 Stone, W. B.; Roscoe, D. E.; and Weber, B. L., 1976, N. York Fish and Game J., v. 23 (2), 182-183  
 Sarcoptes scabiei var. canis, nat. and exper. transfer from red foxes to humans, mites unable to reproduce well in human tissue
- Sarcoptes scabiei var. hominis, illus.**  
 Barthelmes, H.; Soennichsen, N.; and Barthelmes, R., 1974, Paediat. u. Grenzgeb., v. 13 (2-3), 133-146  
 scabies in children and adolescents, etiology, diagnosis, clinical aspects
- Sarcoptes scabiei var. hominis, illus.**  
 Epstein, E., 1973, Med. Aspects Human Sexual., v. 7 (10), 228-242  
 Sarcoptes scabiei var. hominis, diagnosis in humans, sexual contact as potential means of dissemination, syphilis as common complication, treatment with Kwell lotion
- Sarcoptes scabiei var. hominis**  
 Gerwels, J. W.; and Beckett, J., 1975, Med. Aspects Human Sexual., v. 9 (10), 7-27  
 Pthirus pubis, Sarcoptes scabiei var. hominis, dermatologic manifestations of venereally transmitted human infections
- Sarcoptes scabiei var. hominis**  
 Jackson, R., 1977, Canad. Med. Ass. J., v. 116 (2), 156-161  
 Sarcoptes scabiei var. hominis in man causing eczema, possible allergic reaction to presence of mites
- Sarcoptes scabiei hominis**  
 Konstantinov, D.; and Ristov, R., 1969, Makedon. Med. Prekl., v. 24 (5-6), 93-101  
 increasing incidence of human scabies: Macedonia
- Sarcoptes scabiei var. hominis, illus.**  
 Parlette, H. L., 1976, Arch. Dermat., Chicago, v. 112 (3), 409-410  
 incidence of human Sarcoptes scabiei hominis increasing, need for diagnostic awareness, clinical diagnostic methods, medical management with Kwell lotion or cream or with benzyl benzoate
- Sarcoptes scabiei var. hominis**  
 Pastuszky, I., 1975, Orvosi Hetilap, v. 116 (7), 383-387  
 Sarcoptes scabiei var hominis in humans, epidemiology, clinical aspects of treatment and control, increasing incidence: Hungary
- Sarcoptes scabiei var. hominis**  
 Schenone, H.; and Reyes, H., 1967, Bol. Chileno Parasitol., v. 22 (2), 56-59  
 human ectoparasites, control measures, lindane: Chile
- Sarcoptes scabiei var. ovis**  
 Coring, J., 1975, Deutsche Tierarztl. Wchnschr., v. 82 (12), 491-492  
 ovine scabies, brief review of clinical aspects, diagnosis
- Sarcoptes scabiei var. ovis**  
 Oberg, C.; Diaz, L.; and Valenzuela, G., 1974, Bol. Chileno Parasitol., v. 29 (3-4), 99-102  
 Ovis aries: Chile
- Sarcoptes scabiei var. ovis**  
 Patyk, S.; and Kliszewski, W., 1976, Med. Wet., v. 32 (8), 471-473  
 ectoparasites, domestic animals, control with enolophosphates IPO-62 and IPO-63
- Sarcoptes scabiei var. suis**  
 de Chaneet, G., 1972, Austral. Vet. J., v. 48 (10), 581-582 [Letter]  
 pigs, results of survey: Midland abattoirs, Western Australia
- Sarcoptes scabiei var. suis**  
 Oberg, C.; Diaz, L.; and Valenzuela, G., 1974, Bol. Chileno Parasitol., v. 29 (3-4), 99-102  
 Sus scrofa: Chile
- Sarcoptes scabiei var. suis**  
 Upadhyay, A. N.; Ahluwalia, S. S.; and Asthana, V. S., 1977, Indian Vet. J., v. 54 (6), 495-496  
 pigs, first record for India: Central Dairy Farm, Aligarh, India
- Sarcoptes suis**  
 Frick, W., 1977, Monatsh. Vet.-Med., v. 32 (8), 291-294  
 different concentrations of dichlorvos, swine
- Sarcoptes suis ?**  
 Manickam, R.; and Kathaperumal, V., 1975, Kerala J. Vet. Sc., v. 5 (2), 150-153  
 mites probably belonging to Sarcoptes suis, efficacy of tetraethylthiuram monosulphide (poor results) and benzyl benzoate (good results), pigs
- Sarcoptes suis**  
 Patyk, S.; and Kliszewski, W., 1976, Med. Wet., v. 32 (8), 471-473  
 ectoparasites, domestic animals, control with enolophosphates IPO-62 and IPO-63
- Sarcoptic mange**  
 Hanson, C. J., 1977, Vet. Rec., v. 100 (4), 77-78 [Letter]  
 sarcoptic mange in guinea pigs, demodectic mange in golden hamsters, canolene, good results
- Sarcoptic mites**  
 Chattopadhyay, S. K.; et al., 1977, Indian J. Animal Sc., v. 45 (9), 1975, 709-710  
 psoroptic and sarcoptic mites, dermatitis in Ramboillet sheep: India

- Sasacarus** Brennan and Jones 1959  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Sasacarus (Multisetosa) persicus** Vercammen-Grandjean et al., 1970, illus.  
 Kudriashova, N. I.; Neronov, V. M.; and Farhang-Azad, A., 1976, Biul. Moskov. Obshch. Ispyt. Prir., Otdel. Biol., n. s., v. 81 (3), 55-65  
*Cricetus migratorius*  
*Meriones persicus*  
*Citellus fulvus*  
 all from Iran
- Satanicopites**, n. gen.  
 Fain, A.; and Laurence, B. R., 1975, J. Med. Entom., v. 12 (4), 415-417  
*Sarcoptidae*, Diaboloctoptinae; tod: *Satanicopites armatus* n. sp.
- Satanicopites armatus**, n. gen., n. sp. (tod), illus.  
 Fain, A.; and Laurence, B. R., 1975, J. Med. Entom., v. 12 (4), 415-417  
 producing sarcoptic mange  
*Sarcophilus harrisii*: London Zoo
- Satanicopites phascogale** (Fain & Domrow, 1974), n. comb.  
 Fain, A.; and Laurence, B. R., 1975, J. Med. Entom., v. 12 (4), 415-417  
 syn.: *Diaboloctoptes phascogale* Fain and Domrow, 1974
- Sauronyssus saurarum** Oudemans  
 Svahn, K., 1975, Norwegian J. Zool., v. 23 (4), 277-295  
*Sauronyssus saurarum*, life cycle, successful transmission of *Karyolysus* [spp.] to lizards
- Saussurites** Tendeiro, 1971  
 Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69  
*Goniodidae*  
 key, phylogenetic position
- Saussurites clayae** (Tendeiro), illus.  
 Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69
- Saussurites flavus** (Rudow), illus.  
 Tendeiro, J., 1975, Garcia de Orta, s. Zool., v. 4 (1), 57-69
- Scabies**  
 Aterman, K.; Krause, V. W.; and Ross, J. B., 1976, Canad. Med. Ass. J., v. 115 (5), 443-444  
 case report of scabies in young child presenting with symptoms of Letterer-Siwe's disease, differential diagnosis presented: Halifax, Nova Scotia
- Scabies**  
 Blumenthal, D. S.; Taplin, D.; and Schultz, M. G., 1976, Am. J. Epidemiol., v. 104 (6), 667-672  
 scabies outbreak in school children, epidemiologic survey: Florida
- Scabies**  
 Bognar, I.; and Bodanszky, H., 1975, Orvosi Hetilap, v. 116 (7), 367-369  
 scabies in infants, clinical symptoms and epidemiology as differentiated from infections in adults: Hungary
- Scabies**  
 Bonnet, J.; Calas, E.; and Vervloet, D., 1969, Marseille Med., v. 106 (4), 361-362  
 increased occurrence of human scabies, benzyl benzoate, ascabiol: Marseille, France
- Scabies**  
 Courtney, J. F., 1971, Med. Times, New York, v. 99 (2), 142-147  
 scabies prevalent throughout Europe especially among soldiers and probably also affecting Napoleon
- Scabies**  
 Dahl, O., 1976, Tidsskr. Norske Laegefor., v. 96 (8-10), 551-553  
 scabies, both typical burrowing and crusted Norwegian type, epidemic among patients and staff of hospital, clinical aspects, treatment methods: Norway
- Scabies**  
 El-Mofty, A. M.; Nada, M. M.; and Ragab, M. S., 1972, Med. J. Cairo Univ., v. 40 (1), 35-38  
 incidence of human scabies, survey of hospital patients coming from various regions to hospital in Cairo, Egypt
- Scabies**  
 Engel, H. O., 1977, Brit. Med. J. (6087), v. 2, 642  
 scabies, more of an occupational disease than one of sexual transmission
- Scabies**  
 Faninger, A.; Mihajlovska, N.; and Odeh, M., 1972, Nar. Zdrav., v. 28 (4), 131-135  
 human scabies, epidemiologic survey, increasing incidence: Yugoslavia
- Scabies**  
 Hernandez-Perez, E., 1976, Arch. Dermat., Chicago, v. 112 (10), 1400-1401  
 successful topical application of thiabendazole solution in 80% of scabies-infected patients; patients with persistent scabious nodules further treated with triamcinolone diacetate intralesionally: San Salvador
- Scabies**  
 Johnson, S. A. M., 1975, Med. Aspects Human Sexual., v. 9 (2), 6-23  
 scabies most frequently diagnosed skin disorder related to human sexual contacts
- Scabies**  
 Kanaaneh, H. A. K.; Rabi, S. A.; and Badarneh, S. M., 1976, Am. J. Pub. Health, v. 66 (6), 564-567  
 mass eradication program for human scabies carried out successfully in Arabic village using community-wide health education, benzylbenzoate treatment of villagers and lindane spraying of infected dwellings: western Galilee, Israel

## Scabies

Lee, B.; and Groth, P., 1977, Pediatrics, Am. Acad. Pediat., v. 59 (4), 643 [Letter]  
human scabies, reports of nervous system toxicity resulting from therapy with gamma benzene hexachloride

## Scabies

Lolic, M.; et al., 1975, Bol. Chileno Parasitol., v. 30 (3-4), 50-53  
*Pediculus humanus capitis*, scabies, prevalence survey in schoolchildren, suggested measures for control: Santiago, Chile

## Scabies

Lomholt, G., 1976, Tidsskr. Norske Laegefor., v. 96 (30), 1587-1588  
scabies incidence of 20% among patients of dermatologic clinic covering the northern most areas of Norway

## Scabies

Miller, D. A.; and Weg, J. G., 1977, Am. Rev. Resp. Dis., v. 115 (4, pt. 2), 267 [Abstract]  
scabies in immunocompromised patient whose infection was masked by pustular psoriasis, epidemic outbreak in personnel caring for patient in intensive care unit, definitive and prophylactic therapy of personnel and contacts with gamma benzene hexachloride lotion: Michigan

## Scabies

Mohar, N., 1971, Medicinar, Zagreb, v. 22 (3), 203-207  
increasing incidence of scabies occurring in Croatian Republic, epidemiology, suggested control measures

## Scabies

Nair, B. K. H.; Joseph, A.; and Kandamutha, M., 1977, Indian J. Med. Research, v. 65 (4), 513-518  
human scabies, epidemiologic survey of coastal fishing village showed prevalence of 59% in inhabitants, significant association between infection and poor nutritional state and with heavy helminthic infestation: Adimathura, Kerala State, India

## Scabies

Orkin, M.; Epstein, E.; and Maibach, H. I., 1976, J. Am. Med. Ass., v. 236 (10), 1136-1139  
extensive review of treatment and control of human scabies and pediculosis

## Scabies

Rollier, R.; et al., 1974, Maroc Med. (579), v. 54, 321-322  
child, Norwegian type scabies associated with *Hymenolepis nana* intestinal infection, case report: Casablanca

## Scabies

Rycroft, R. J. G.; and Calnan, C. D., 1977, Brit. Med. J. (6082), v. 2, 303-304  
scabies outbreak among employees of fleet of pleasure crafts and among their families, absence of typical scabetic lesions and burrows complicated diagnosis, year-long epidemic finally contained after treatment with gamma benzene hexachloride lotion: Thames River area, Great Britain

## Scabies

Schenone, H.; et al., 1972, Bol. Chileno Parasitol., v. 27 (1-2), 2-6  
scabies, human, results of epidemiologic survey of increasing incidence, prophylactic measures instituted by public health authorities, mass treatment with lindane emulsion: Santiago, Chile

## Scabies

Solomon, L. M.; Fahrner, L.; and West, D. P., 1977, Arch. Dermat., Chicago, v. 113 (3), 353-357  
possible toxic reactions of gamma benzene hexachloride in humans treated for scabies and in experimental animals, indications and methods currently recommended for use, review

## Scabies

Stanojeva, L. J.; et al., 1972, Makedon. Med. Pregl., v. 27 (5-6), 465-471  
scabies, children in pediatric clinic, successful use of benzyl-benzoate and scabin; dermatitis after use of sulfuratum ointment: Macedonia

## Scabies

Szpkowska, J., 1976, Polski Tygod. Lekar., v. 31 (10), 407-409  
humans, prevalence survey, 1967-1971: Lodz, Poland

## Scabies

Van Heerden, A., 1977, J. South African Vet. Ass., v. 48 (1), 25-33  
sheep scabies, summary of outbreaks between 1967 and 1976, epidemiology, control: Republic of South Africa

## Scabies

Vankos, J.; and Reffy, F., 1976, Orvosi Hetilap, v. 117 (23), 1403-1405  
increasing incidence of human scabies, most prevalent in winter months, epidemiology and 10-year statistical records of the Clinic for Dermatologic and Venereal Diseases: Budapest

## Scabies

Villalobos, D.; and Neuman, V., 1975, Bol. Chileno Parasitol., v. 30 (1-2), 2-5  
scabies, human, thiabendazole topical ointment, occasional mild secondary dermatitis: Chile

## Scabies

Whittle, H. C.; et al., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (3), 349-363  
scabies, pyoderma, and nephritis, clinical and epidemiological study: Zaria, Nigeria

## Scabies

Wood, J. C., 1975, Vet. Rec., v. 97 (24), 485  
ovine scabies, dieldrin ineffective, gamma-BHC effective

## Scabies

Wranicz, A.; and Czernielewski, A., 1974, Przegl. Dermat., v. 41 (5), 693-696  
scabies, woman, erythematous-bullous skin eruptions at sites of novoscabin treatment of infested skin, possible toxic reaction to therapy, clinical case report: Poland

*Scambicornus* Heegaard, 1944  
 Stock, J. H., 1968, Bull. Zool. Mus. Univ.  
 Amsterdam, v. 1 (9), 89-105  
 synonymy, key

*Scambicornus brachysetosus* Reddiah, 1968, illus.  
 Humes, A. G., 1975, Smithsonian Contrib. Zool.  
 (202), 41 pp.  
 description

*Scambicornus calcaratus*, new species, illus.  
 Humes, A. G., 1975, Smithsonian Contrib. Zool.  
 (202), 41 pp.  
*Actinopyga miliaris*: New Caledonia (reef between Isle Ndie and Mt. Kumuru, northwest of Noumea; west of Isle Mando, near Noumea)  
*A. obesa palauensis*: New Caledonia (north of Isle Maitre, near Noumea)  
*A. plebeja*: New Caledonia (northwestern side of Isle Maitre; north of Isle Maitre; west of Isle Mando, near Noumea)  
*A. serratidens*: New Caledonia (Ricaudy Reef)  
*A. echinates*: New Caledonia (Rocher a la Voile, Noumea; Ricaudy Reef, near Noumea; north of Isle Maitre, near Noumea)  
*A. lecanora*: New Caledonia (eastern side of Isle Maitre; north of Isle Maitre, near Noumea; beach west of Paita, northwest of Noumea)

*Scambicornus campanulipes* (Humes and Cressey, 1961)  
 Humes, A. G., 1975, Smithsonian Contrib. Zool.  
 (202), 41 pp.  
*Actinopyga plebeja*: New Caledonia (northwestern side of Isle Maitre, near Noumea)  
*A. lecanora*: New Caledonia (north of Isle Maitre)

*Scambicornus carinatus* n. sp., illus.  
 Stock, J. H., 1968, Bull. Zool. Mus. Univ.  
 Amsterdam, v. 1 (9), 89-105  
*Stichopus monotuberculatus*: Dahlak Archipelago, southwestern end of island of Umm Abak, Ethiopia

*Scambicornus idoneus* (Humes and Cressey, 1961)  
 Humes, A. G., 1975, Smithsonian Contrib. Zool.  
 (202), 41 pp.  
*Holothuria leucospilota*: New Caledonia (Rocher a la Voile, Noumea)  
*Halodeima atra*: New Caledonia (Rocher a la Voile; Ricaudy Reef; reef between Isle Ndie and Mt. Kumuru, northwest of Noumea)  
*Actinopyga echinates*: New Caledonia (Rocher a la Voile, Noumea)  
*Microthele nobilis*: New Caledonia (Goro; west of Isle Mando, near Noumea)

*Scambicornus modestus* (Humes and Cressey, 1961)  
 Humes, A. G., 1975, Smithsonian Contrib. Zool.  
 (202), 41 pp.  
*Stichopus chloronotus*: New Caledonia (Rocher a la Voile, Noumea)  
*S. variegatus*: New Caledonia (reef between Isle Ndie and Mt. Kumuru, northwest of Noumea; eastern side of Isle Maitre, near Noumea; west of Isle Ngou, near Noumea)

*Scambicornus poculiferus* (Humes and Cressey, 1961)  
 Humes, A. G., 1975, Smithsonian Contrib. Zool.  
 (202), 41 pp.  
*Synapta maculata*: New Caledonia (reef 5 kms south of Yate; 1 km offshore from Goro village)

*Scambicornus sewelli*, new species, illus.  
 Humes, A. G., 1975, Smithsonian Contrib. Zool.  
 (202), 41 pp.  
*Halodeima edulis*: New Caledonia (near reef between Isle Ndie and Mt. Kumuru, northwest of Noumea; Ricaudy Reef, Noumea; western side of Isle Maitre, near Noumea; southwestern side of Port Ngea, 2 kms north of Ricaudy Reef)  
*Halodeima coluber*: New Caledonia (southwestern side of Port Ngea, 2 kms north of Ricaudy Reef; eastern side of Isle Maitre, near Noumea)  
*Halodeima atra*: New Caledonia (Rocher a la Voile; Ricaudy Reef; reef between Isle Ndie and Mt. Kumuru, northwest of Noumea)  
*Holothuria curiosa*: New Caledonia (Ricaudy Reef; eastern side of Isle Maitre)  
*Actinopyga echinates*: New Caledonia (Ricaudy Reef, near Noumea)  
*Microthele nobilis*: New Caledonia (west of Isle Mando)

*Scambicornus subtilis* (Humes and Cressey, 1961)  
 Humes, A. G., 1975, Smithsonian Contrib. Zool.  
 (202), 41 pp.  
*Halodeima edulis*: New Caledonia (near reef between Isle Ndie and Mt. Kumuru, northwest of Noumea; Ricaudy Reef, Noumea; Rocher a la Voile, Noumea; western side of Isle Maitre, near Noumea; southwestern side of Port Ngea, 2 kms north of Ricaudy Reef, near Noumea)  
*H. coluber*: New Caledonia (eastern side of Isle Maitre)  
*H. atra*: New Caledonia (Rocher a la Voile, Noumea; Ricaudy Reef; reef between Isle Ndie and Mt. Kumuru, northwest of Noumea)  
*Holothuria curiosa*: New Caledonia (Ricaudy Reef; eastern end of Isle Maitre, near Noumea)  
*Actinopyga echinates*: New Caledonia (Ricaudy Reef)  
*Microthele nobilis*: New Caledonia (Goro; west of Isle Mando, near Noumea)

*Scambicornus tuberatus* (Humes and Cressey, 1961)  
 Humes, A. G., 1975, Smithsonian Contrib. Zool.  
 (202), 41 pp.  
*Bohadschia vitiensis*: New Caledonia (Anse Vata, Noumea)  
*B. argus*: New Caledonia (western side of Isle Maitre, near Noumea; west of Isle Ngou, near Noumea)

*Scambicornus tylotus*, new species, illus.  
 Humes, A. G., 1975, Smithsonian Contrib. Zool.  
 (202), 41 pp.

*Bohadschia argus*: New Caledonia (western side of Isle Maitre, near Noumea; west of Isle Ngou, near Noumea)

*Scaphothrix* Lawrence, 1935  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-713  
 diagnosis, chaetotaxy suggests possible synonymy with *Ixodiderma*

- Schaphothrix convexa* Lawrence, 1935, illus.  
Jack, K. M., 1971, *Acarologia*, v. 12 (4), 684-713  
description
- Schizocarpus Trouessart*, 1896  
Fain, A., 1971, *Acarologia*, v. 12 (4), 824-826  
validity of name, "publiee le 31 janvier 1896"; definition  
Syns.: *Histiophorus* Friedrich, 1895: 433, publie en mars 1896; *Haptosoma* Kramer, 1896: 134, publie le 30 mars 1896; *Prolabidocarpus* Lawrence, 1948: 369.
- Schizolabicarpus* g. n.  
Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
Chirodiscidae  
tod: *S. vittatus* sp. n.
- Schizolabicarpus vittatus* sp. n. (tod)  
Fain, A., 1976, *Acta Zool. et Path. Antverpiensia* (64), 37-67  
*Rhinolophus malayanus*: Wang Tangga, Malaya
- Schoengastia californica* Ewing, 1925  
Wrenn, W. J.; and Loomis, R. B., 1973, *J. Med. Entom.*, v. 10 (1), 97-100  
nomen dubium
- Schoengastiella* (Audya) *evillensis* n. sp., illus.  
Vercammen-Grandjean, P. H., 1975, *Rev. Zool. Africaine*, v. 89 (2), 397-439  
*Grammomys dolichurus surdaster* (nasal passages): Kikuswe, near Elisabethville (Katanga Prov., Zaire)  
*Rattus natalensis microdon* (nasal passages): near river Myunga, in Baya, near Elisabethville
- Schoengastiella* (Audya) *nasicola* (Vercammen-Grandjean), illus.  
Vercammen-Grandjean, P. H., 1975, *Rev. Zool. Africaine*, v. 89 (2), 397-439  
synonymy, description
- Schoengastiella* (Fainiella) *womersleyi*, Vercammen-Grandjean, Langston, and Audy, 1973 (due to a clerical error)  
Vercammen-Grandjean, P. H., 1975, *Rev. Zool. Africaine*, v. 89 (2), 397-439  
as syn. of *Walchia* (Fainiella) *womersleyi* n. comb.
- Schoutedenichia* (*Nasichia*) *aethomyia* n. sp., illus.  
Vercammen-Grandjean, P. H., 1975, *Rev. Zool. Africaine*, v. 89 (2), 397-439  
*Aethomys nyikae walambae* (nasal passage): Baya, near Elisabethville (Katanga Prov., Zaire)
- Schoutedenichia* (*Nasichia*) *bisetosa* Domrow, 1962  
Kundin, W. D.; Nadchatram, M.; and Keong, A., 1972, *J. Med. Entom.*, v. 9 (6), 558-559  
Malaysian trombiculid mites, duration of attachment of larvae on laboratory mice and rats, data for estimation of population densities
- Schoutedenichia* (*Nasichia*) *doxa* n. sp., illus.  
Vercammen-Grandjean, P. H., 1975, *Rev. Zool. Africaine*, v. 89 (2), 397-439  
*Arvicanthis abyssinicus*  
*Otomys angoniensis elassodon*  
(nasal passages of all): all from Lanet, near Nakaru (Kenya)
- Schoutedenichia* (*Nasichia*) *leporis* Vercammen-Grandjean, illus.  
Vercammen-Grandjean, P. H., 1975, *Rev. Zool. Africaine*, v. 89 (2), 397-439  
description, syn.: *Schoutedenichia* (*Nasichia*) *paradoxa* *leporis* Vercammen-Grandjean, 1963  
*Lepus crawshayi*: region of Astrida, Riv. Akaniaru (Rwanda)  
*Aethomys nyikae walambae*: region of Elisabethville (Katanga Prov., Zaire)  
*Grammomys dolichurus surdaster*: region of Elisabethville (Katanga Prov., Zaire)  
*Rattus natalensis microdon*: region of Elisabethville (Katanga Prov., Zaire)  
*R. jacksoni*: region of Elisabethville (Katanga Prov., Zaire)  
*Pelomys fallax*: region of Elisabethville (Katanga Prov., Zaire)  
*Saccostomus campestris*: region of Elisabethville (Katanga Prov., Zaire)  
*Otomys angoniensis elassodon*: region of Nairobi (Kenya)  
*Rhabdomys pumilio*: region of Nairobi (Kenya) (nasal passages of all)
- Schoutedenichia* (*Nasichia*) *lipsi* n. sp., illus.  
Vercammen-Grandjean, P. H., 1975, *Rev. Zool. Africaine*, v. 89 (2), 397-439  
*Aethomys nyikae walambae*  
*Cricetomys gambianus viator*  
*Rattus natalensis microdon*  
*R. jacksoni*  
*Pelomys fallax*  
*Saccostomus campestris*  
*Steatomys pratensis*  
*Tatera valida liodon*  
*Grammomys dolichurus surdaster*  
(nasal passages of all): all from region of Elisabethville (Katanga Prov.)
- Schoutedenichia* (*Nasichia*) *microdoxa* n. sp., illus.  
Vercammen-Grandjean, P. H., 1975, *Rev. Zool. Africaine*, v. 89 (2), 397-439  
*Otomys angoniensis elassodon* (nasal passages): Kahawa, near Nairobi (Kenya)
- Schoutedenichia* (*Nagpurensis*) sp. nov., illus.  
Srivastava, S. P.; and Wattal, B. L., 1975, *Indian J. Entom.*, v. 35 (2), 1973, 150-155  
*Rattus norvegicus*  
*Rattus rattus*  
*Mus musculus*  
*Suncus murinus*  
all from Nagpur (Maharashtra State), India
- Schoutedenichia* (*Jadin*, Vercammen-Grandjean, & Herman), illus.  
Audy, J. R.; Radovsky, F. J.; and Vercammen-Grandjean, P. H., 1972, *J. Med. Entom.*, v. 9 (6), 487-494

*Schoutedenichia (Nasichia) paradoxa* (Jadin, Vercammen-Grandjean and Herman, 1954), illus.  
*Vercammen-Grandjean*, P. H., 1975, Rev. Zool. Africaine, v. 89 (2), 397-439  
 synonymy, diagnosis, description

*Schoutedenichia (Nasichia) paradoxa leporis*  
*Vercammen-Grandjean*, 1963  
*Vercammen-Grandjean*, P. H., 1975, Rev. Zool. Africaine, v. 89 (2), 397-439  
 as syn. of *Schoutedenichia (Nasichia) leporis* *Vercammen-Grandjean*

*Schoutedenichia (Nasichia) paradoxa paradoxa*,  
*Vercammen-Grandjean*, 1958  
*Vercammen-Grandjean*, P. H., 1975, Rev. Zool. Africaine, v. 89 (2), 397-439  
 as syn. of *Schoutedenichia (Nasichia) paradoxa* (Jadin, Vercammen-Grandjean and Herman, 1954)

*Schoutedenichia (Nasichia) schoutedeni* (Vercammen-Grandjean), illus.  
*Vercammen-Grandjean*, P. H., 1975, Rev. Zool. Africaine, v. 89 (2), 397-439  
 synonymy, description  
*Arvicathis abyssinicus rubescens*: *Astrida*  
*Cricetomys dissimilis preparator*: *Astrida*  
*Dasyurus bentleyae*: *Astrida*  
*Otomys irroratus vulcanicus*: *Astrida*  
*Dendrohyrax arboreus adolfifriedericici*: Riv. Akanyaru  
*Crocidura occidentalis kivu*: *Astrida*  
*Gerbilliscus boehmi*: *Astrida*  
*Aethomys walambae pedester*: *Musha* (Rwanda)  
*Otomys angoniensis elassodon*: *Lanet*, near Nakuru (Kenya)  
 (nasal passages of all)

*Schoutedenocoptes aquilae* Fain, 1956  
*Fain, A.; Herin, A.; and Puylaert, F.*, 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
*Accipiter badius*  
*Melierax gabar*  
*Butastur rufipennis*  
 (fosses nasales of all): all from Cameroun

*Schoutedenocoptes dartevellei* Fain, 1956  
*Fain, A.; Herin, A.; and Puylaert, F.*, 1977, Rev. Zool. Africaine, v. 91 (2), 385-396  
*Tockus nasutus* (fosses nasales): Cameroun

*Scipio aulacodi* (Neumann, 1911)  
*Kim, K. C.; and Emerson, K. C.*, 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
*Thryonomys swinderianus*: Nigeria

*Sclerolistrophorus* g. n.  
*Fain, A.*, 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Listrophoridae*  
 tod: *S. oxymycterus* sp. n.

*Sclerolistrophorus oryzomys* sp. n.  
*Fain, A.*, 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Oryzomys capito laticeps*: Chapata, Mato Grosso, Bresil

*Sclerolistrophorus oxymycterus* sp. n. (tod)  
*Fain, A.*, 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Oxymycterus judex*: Joinville, Bresil

*Scolecimorpha*  
*Jones, J. B.*, 1974, N. Zealand J. Marine and Freshwater Research, v. 8 (2), 255-273  
 key

*Scolopsyllus* new genus  
*Mendez, E.*, 1968, J. Med. Entom., v. 5 (3), Aug. 1, 405-410  
*Rhopalopsyllidae, Rhopalopsyllinae*, tod:  
*S. colombianus* n. sp.

*Scolopsyllus colombianus* n. sp. (tod), illus.  
*Mendez, E.*, 1968, J. Med. Entom., v. 5 (3), Aug. 1, 405-410  
*Oryzomys caliginosus*: Colombia, Departamento del Valle, Municipio de Cali, Quebrada Honda near Pichinde and Departamento del Valle, Municipio de Cali, Valle del Rio Pichinde  
*Oryzomys (Oligoryzomys) sp. or Reithrodontomys mexicanus*: Colombia, Departamento del Valle, Municipio de Cali, Quebrada Honda near Pichinde  
*Oryzomys alfaroi*: Colombia, Departamento del Valle, Municipio de Cali, Valle de Rio Pichinde

*Scutacarus* sp.  
*Basolo, F., jr.; and Funk, R. C.*, 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Peromyscus leucopus noveboracensis*: Coles County, Illinois

*Shiinoa* gen. nov.  
*Kabata, Z.*, 1968, J. Nat. Hist., v. 2 (4), 497-504  
 tod: *S. occlusa* sp. nov.

*Shiinoa occlusa* gen. et sp. nov. (tod), illus.  
*Kabata, Z.*, 1968, J. Nat. Hist., v. 2 (4), 497-504  
*Shiinoa occlusa*, unique mode of attachment  
*Scomberomorus commersoni* (gill filaments): off Green Island, Queensland

*Shunsennia* Jameson and Toshioka 1953  
*Brennan, J. M.; and Goff, M. L.*, 1977, J. Parasit., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere

*Shunsennia tarsalis* Jameson and Toshioka  
*Reisen, W. K.; et al.*, 1975, Kalikasan, v. 4 (2), 145-154  
*Rattus norvegicus caraco*: Korea

*Sigmactenus alticola* Traub, 1954, illus.  
*Traub, R.*, 1968, J. Med. Entom., v. 5 (3), 375-404  
 discussion of convergent evolution and morphological modifications in helmet-bearing fleas

*Sigmactenus toxopeusi* Smit, 1953, illus.  
Traub, R., 1968, J. Med. Entom., v. 5 (3), 375-404  
discussion of convergent evolution and morphological modifications in helmet-bearing fleas

*Simachothrombium* Feider, 1950  
Vercammen-Grandjean, P. H.; and Fieder, Z., 1973, Riv. Parassitol., Roma, v. 34 (2), 121-126  
as syn. of *Centrotrombodium* Kramer, 1896

*Siphona* Meigen, 1803, of authors, not of Meigen  
Pont, A. C., 1973, Austral. J. Zool., Suppl. s. (21), 129-296  
as syn. of *Haematobia* Lepeletier & Serville, in Latreille et al., 1828

*Siphona exigua* (de Meijere)  
Pont, A. C., 1973, Austral. J. Zool., Suppl. s. (21), 129-296  
as syn. of *Haematobia irritans exigua* de Meijere

**Siphonaptera**  
Beaucournu, J. C.; and Deunff, J., [1976], Ann. Parasitol., v. 50 (6), 1975, 831-835  
parasites of fleas, importance of immediate examination and proper preparation techniques, summary of some findings in France including parasitic castration of fleas by hyperparasites

**Siphonaptera**  
Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
key to genera: Australia

**Siphonaptera**  
Edler, A.; and Nilsson, A., 1973, Entom. Scand., v. 4 (4), 274-282  
ectoparasites of small mammals from two woodland habitats, seasonal variation, frequency and intensity of infestation, numerical comparison of ectoparasitic groups: southern Sweden

**Siphonaptera**  
George, R. S., 1974, Provisional atlas of the insects of the British Isles. Part 4. Siphonaptera. Fleas, 12 pp., maps.  
provisional atlas of flea fauna: British Isles

**Siphonaptera**  
Grinbergs, A., 1976, Latvijas Entom. (18), 5-26  
catalogue of fleas and hosts in Latvia

**Siphonaptera**  
Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42  
host relationships, review of literature, key to Alabama Siphonaptera, includes:  
*Rhopalopsyllus*; *Echidnophaga*; *Xenopsylla*; *Pulex*; *Odontopsyllus*; *Orchopeas*; *Nosopsyllus*; *Stenoponia*; *Leptopsylla*; *Ctenophthalmus*; *Peromyscopsylla*; *Epitedia*; *Ctenocephalides*; *Cediopsylla*

*Siseca rara* (Walch)  
Dohany, A. L.; Phang, O. W.; and Rapmund, G., 1977, Southeast Asian J. Trop. Med. and Pub. Health, v. 8 (2), 200-206  
*Rattus muelleri*: North Borneo

*Siteroptes absidatus*  
Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Microtus ochrogaster ochrogaster*  
*Peromyscus leucopus noveboracensis*  
all from Coles County, Illinois

*Smitella* new genus  
Traub, R., 1968, J. Med. Entom., v. 5 (3), 375-404  
*Pygiopsyllidae*, *Pygiopsyllinae*, tod: S. thambetosa n. sp..

*Smitella thambetosa* n. gen., n. sp. (tod), illus.  
Traub, R., 1968, J. Med. Entom., v. 5 (3), Aug. 1, 375-404  
murid rodent: Cyclops Range, Mt. Dafonsero, Netherlands New Guinea (West Irian)

*Solenodes cypricus* Keler, 1939  
Martin Mateo, M. P., 1975, Rev. Iber. Parasitol., v. 35 (1-2), 41-79  
as syn. of *Goniodes dispar* Burmeister, 1838

*Solenopotes Enderlein*, 1904  
Zlotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *S. (S.) capillatus* Enderlein, 1904

*Solenopotes capillatus*  
Majewski, T.; et al., 1976, Med. Wet., v. 32 (12), 744-746  
*Solenopotes capillatus*, cattle, dichlorfas effective and non-toxic

*Solenopotes capillatus*  
Neuhäuser, H., 1974, Vet. Med. Rev. (4), 348-361  
cattle lice, Tiguvon Spot-on, compared with Tiguvon Pour-on: Australia

*Solenopotes capillatus*  
Ormazdi, H.; and Baker, K. P., 1977, Vet. Parasitol., v. 3 (1), 85-88  
cattle, added benefit of national warble fly eradication scheme (annual dressing with pour-on organophosphorus compounds) is considerable reduction in pediculosis: Northern Ireland compared with Republic of Ireland

*Solenopotes ferrisi* (Fahrenholz)  
Watson, T. G.; and Anderson, R. C., 1975, Canad. J. Zool., v. 53 (8), 1047-1054  
louse populations on *Odocoileus virginianus*, seasonal changes, distribution on body: Long Point, Ontario

*Spelaeorhynchus cubanus* Santos Dias, 1958  
*Dusbabek, F.*, 1970, *Acarologia*, v. 12 (2),  
 258-261  
 as syn. of *S. praecursor* Neumann, 1902

*Spelaeorhynchus praecursor* Neumann, 1902, illus.  
*Dusbabek, F.*, 1970, *Acarologia*, v. 12 (2),  
 258-261

nymph described

Syn.: *S. cubanus* Santos Dias, 1958  
*Artibeus jamaicensis parvipes*: Cueva del  
 Indio, Tapaste, Prov. of Havana; Soroa, Prov.  
 of Pinar del Rio; Cueva Bonita, Sierra Cubi-  
 tas, Prov. of Camaguey; Cueva de los Cayames,  
 Punta del Este, Isla de Pinos

*Speleochir* Fain, 1966  
*Fain, A.*, 1971, *Acarologia*, v. 12 (3), 509-521  
 redefinition, key, includes subgens.: *Speleo-*  
*ochir*; *Neospeleochir* n. subg.

*Speleochir* Fain, 1966  
*Fain, A.*, 1971, *Acarologia*, v. 12 (3), 509-521  
 subgen. of *Speleochir* Fain, 1966  
 key, tod: *Speleochir* (*Speleochir*) aitkeni  
*Fain, 1966*

*Speleochir* (*Speleochir*) aitkeni Fain, 1966 (tod  
 of subgen.)  
*Fain, A.*, 1971, *Acarologia*, v. 12 (3), 509-521  
 key

*Speleochir barbulata* nov. spec., illus.  
*Fain, A.* and *Aitken, T. H. G.*, 1970, *Acarolo-*  
*gia*, v. 12 (2), 326-338  
*Mimon crenulatum* (*fosses nasales*): APEG  
 Forest (Varzea), IPEAN, Belem, Bresil

*Speleochir* (*S.*) *barbulata* Fain et Aitken, 1970  
*Fain, A.*, 1971, *Acarologia*, v. 12 (3), 509-521  
 key

*Speleochir* (*S.*) *brasiliensis* Fain et Aitken,  
 1969  
*Fain, A.*, 1971, *Acarologia*, v. 12 (3), 509-521  
 key, "Une erreur materielle nous a fait  
 dire dans la description originale (page 39)  
 que la coxa III portait 2 poils. C'est un  
 seul poil qu'il fallait lire. La formule  
 coxale est donc 2-I-I-I."

*Speleochir* (*Neospeleochir*) *duboisi* (Fain, 1955)  
 (tod. of subgen.)  
*Fain, A.*, 1971, *Acarologia*, v. 12 (3), 509-521  
 key

*Speleochir* (*S.*) *phyllostomi* (Clark, 1967)  
*Fain, A.*, 1971, *Acarologia*, v. 12 (3), 509-521  
 key

*Speleochir* *phyllostomi* Clark, illus.  
*Fain, A.* and *Aitken, T. H. G.*, 1970, *Acarolo-*  
*gia*, v. 12 (2), 326-338

*Speleocola* Lipovsky 1952  
*Brennan, J. M.*; and *Goff, M. L.*, 1977, *J. Par-*  
*asitol.*, v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in  
 the Western Hemisphere

*Speleocola* Lipovsky, 1952  
*Goff, M. L.*; and *Brennan, J. M.*, 1977, *J.*  
*Parasitol.*, v. 63 (6), 1089-1091  
 redescription, key to species, includes:  
*S. tadaridae* Lipovsky 1952; *S. clangula* sp.  
 n.; *S. secunda* Brennan and Jones 1960;  
*S. cortezi* Loomis and Webb 1969; *S. nolae*  
 sp. n.

*Speleocola clangula* sp. n., illus.  
*Goff, M. L.*; and *Brennan, J. M.*, 1977, *J.*  
*Parasitol.*, v. 63 (6), 1089-1091  
 key  
*Rhipidomys* sp.: Venezuela, Monagas, 2 km  
 N, 4 km W of Caripe (San Agustin)

*Speleocola nolae* sp. n., illus.  
*Goff, M. L.*; and *Brennan, J. M.*, 1977, *J.*  
*Parasitol.*, v. 63 (6), 1089-1091  
 key  
*Pteroptynx kappleri*: Venezuela, Monagas,  
 2 km S, 2 km W of Caripe, Hda. Tucusito

*Speleognathinae*  
*Fain, A.*, 1971, *Acarologia*, v. 12 (3), 509-521  
 genera redefined, key to genera and species

*Speleognathopsis* (*Neospeleognathopsis*) Fain, 1958  
*Fain, A.*, 1971, *Acarologia*, v. 12 (3), 509-521  
 as syn. of *Neospeleognathopsis* Fain, 1958

*Speleognathopsis* (*Paraspeleognathopsis*) Fain,  
 1958  
*Fain, A.*, 1971, *Acarologia*, v. 12 (3), 509-521  
 as syn. of *Paraspeleognathopsis* Fain, 1958

*Speleognathopsis gallardi* Fain, 1955  
*Fain, A.*, 1971, *Acarologia*, v. 12 (3), 509-521  
 as syn. of *Speleomys gallardi* (Fain, 1955)  
 [n. comb.]

*Speleognathus* Womersley, 1936  
*Fain, A.*, 1971, *Acarologia*, v. 12 (3), 509-521  
 redefinition, key

*Speleognathus australis* Womersley, illus.  
*Fain, A.*, 1970, *Acarologia*, v. 12 (2), 313-325

*Speleognathus australis* Womersley, 1936  
*Fain, A.*, 1971, *Acarologia*, v. 12 (3), 509-521  
 key

*Speleomyotis* Fain, 1962  
*Fain, A.*, 1971, *Acarologia*, v. 12 (3), 509-521  
 subgen. of *Neospeleognathopsis* Fain, 1958  
 key

*Speleomys* nov. gen.  
*Fain, A.*, 1971, *Acarologia*, v. 12 (3), 509-521  
*Ereynetidae*, *Speleognathinae*  
 key, tod: *S. gallardi* (Fain, 1955) [n.  
 comb.]

*Speleomys gallardi* (Fain, 1955) [n. comb.]  
 (tod.), illus.  
*Fain, A.*, 1971, *Acarologia*, v. 12 (3), 509-521  
 key  
 Syn.: *Speleognathopsis gallardi* Fain, 1955

- Speleorodens Fain, 1962**  
 Fain, A., 1971, *Acarologia*, v. 12 (3), 509-521  
 redefinition, key  
 Syn.: *Paraspeleognathopsis* (*Speleorodens*)  
 Fain, 1963
- Speleorodens clethrionomys Fain et Lukoschus, 1968, illus.**  
 Fain, A., 1971, *Acarologia*, v. 12 (3), 509-521  
 key
- Speleorodens cricetidarum (Clark, 1967), illus.**  
 Fain, A., 1971, *Acarologia*, v. 12 (3), 509-521  
 key
- Speleorodens derricki (Womersley, 1954), illus.**  
 Fain, A., 1971, *Acarologia*, v. 12 (3), 509-521  
 key
- Spelecrodens strandtmanni (Fain, 1955) (= S. sciuri Clark, 1960)**  
 Fain, A., 1971, *Acarologia*, v. 12 (3), 509-521  
 key
- Sphinctopsylla inca (Rothschild, 1914), illus.**  
 Traub, R., 1968, *J. Med. Entom.*, v. 5 (3), 375-404  
 discussion of convergent evolution and morphological modifications in helmet-bearing fleas
- Spilopsyllus Baker, 1905**  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis
- Spilopsyllus cuniculi (Dale 1878)**  
 Artz, V., 1975, *Entom. Germanica*, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Vulpes vulpes*: Schleswig-Holstein
- Spilopsyllus cuniculi**  
 Aubert, M. F. A.; and Beaucournu, J. C., 1976,  
*Ann. Parasitol.*, v. 51 (1), 143-156  
 survey of Siphonaptera of some carnivores with brief notes on biology and chorology  
*Vulpes vulpes*  
*Felis silvestris*  
 all from Nord-Est de la France
- Spilopsyllus cuniculi (Dale, 1878), illus.**  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 diagnosis, syn.: *Pulex cuniculi*. Dale, 1878  
*Felis catus*: Tasmania
- Spilopsyllus cuniculi (Dale, 1878)**  
 Hinaidy, H. K., 1976, *Zentralbl. Vet.-Med., Reihe B*, v. 23 (1), 66-73  
*Vulpes vulpes*: Osterreich
- Spilopsyllus cuniculi**  
 Kutzer, E.; and Frey, H., 1976, *Berl. u. Munchen. Tierarztl. Wchnschr.*, v. 89 (24), 480-483  
*Lepus europaeus*: Austria
- S[pi]lopsyllus cuniculi**  
 Roberts, C. J., 1975, *Entom. Gaz.*, v. 26 (2), 139-145  
*Oryctolagus cuniculus*  
*Corvus c. cornix*  
 all from Isle of Man
- Spilopsyllus cuniculi Dale, 1878**  
 Sanchez Acedo, C.; and Ramon Vericad, J., 1973, *Rev. Iber. Parasitol.*, v. 33 (1), 29-38  
*Sus scrofa*: Alto Aragon
- Spilopsyllus cuniculi**  
 Shepherd, R. C. H.; et al., 1977, *J. Austral. Entom.*, v. 16 (1), 1-5  
*Lepus europaeus*: Walpeup, Mallee; Point Cook, central Victoria
- Spilopsyllus cuniculi (Dale)**  
 Shepherd, R. C. H.; and Edmonds, J. W., 1976, *Austral. Wildlife Research*, v. 3 (1), 29-44  
 Spilopsyllus cuniculi, establishment and spread after release on wild population of *Oryctolagus cuniculus* for possible control of rabbit population by myxoma virus, quicker spread when released during host breeding season, upon release myxoma-infected fleas did not become established, localization on hosts, 4 year period: Mallee region, Victoria
- Spilopsyllus cuniculi**  
 Shepherd, R. C. H.; and Edmonds, J. W., 1976, *Austral. Vet. J.*, v. 52 (8), 389-390 [Letter]  
*Felis catus*  
*Canis familiaris*  
*Vulpes vulpes*  
*Lepus europaeus*  
*Rattus norvegicus*  
*R. rattus*  
*Mus musculus*  
 all from Victoria
- Spilopsyllus cuniculi (Dale)**  
 Shepherd, R. C. H.; and Edmonds, J. W., 1977, *J. Hyg., Cambridge*, v. 79 (3), 405-409  
 Spilopsyllus cuniculi, effectiveness in the transmission and maintenance of myxoma virus (Lausanne strain) in the rabbit population: Mallee region of Victoria
- Spilopsyllus cuniculi Dale**  
 Sobey, W. R.; Conolly, D.; and Menzies, W., 1977, *J. Hyg., Cambridge*, v. 78 (3), 349-353  
 simple method of breeding large numbers of rabbit fleas (Spilopsyllus cuniculi)
- Spinturnix spp., illus.**  
 Sanchez-Acedo, C.; Otero, J.; and Albala-Perez, F., 1974, *Rev. Iber. Parasitol.*, v. 34 (3-4), 245-252  
*Rhinolophus ferrum equinum*  
*Nyctalus maximus*  
 all from Spain
- Spinturnix sp. b Bradshaw & Ross, 1961**  
 Whitaker, J. O., jr.; and Wilson, N., 1974, *Am. Midland Naturalist*, v. 91 (1), 1-67  
 as syn. of *Spinturnix bakeri* Rudnick, 1960

- Spinturnix* sp. O Bradshaw & Ross, 1961  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of *Spinturnix orri* Rudnick, 1960
- Spinturnix acuminatus barbastelli* (Kol., 1856), illus.  
 Pinchuk, L. M., 1971, Parazity Zhivot. i Rass-  
 ten., Akad. Nauk Moldavsk. SSR (7), 93-110  
 description  
*Barbastella barbastellus*: Moldavia
- Spinturnix acuminatus acuminatus* (Koch, 1836), illus.  
 Pinchuk, L. M., 1971, Parazity Zhivot. i Rass-  
 ten., Akad. Nauk Moldavsk. SSR (7), 93-110  
 description  
*Nyctalus noctula*  
*N. leisleri*  
*Myotis myotis*  
*Vespertilio serotinus*  
 all from Moldavia
- Spinturnix americanus*  
 Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Myotis yumanensis*: Big Bend National Park, Texas  
*M. velifer*: Big Bend National Park, Texas, and Coahuila, Mexico  
*M. thysanodes*: Big Bend National Park, Texas  
*Eptesicus fuscus*: Big Bend National Park, Texas, and Coahuila, Mexico  
*Antrozous pallidus*: Big Bend National Park, Texas
- Spinturnix americanus* (Banks, 1902)  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 synonymy
- Spinturnix bakeri*  
 Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Eptesicus fuscus*: Big Bend National Park, Texas
- Spinturnix bakeri* Rudnick, 1960  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 synonymy
- Spinturnix carloshoffmanni* Hoffman  
 Reisen, W. K.; Kennedy, M. L.; and Reisen, N. T., 1976, J. Parasitol., v. 62 (4), 628-635  
 winter ecology of ectoparasites collected from hibernating *Myotis velifer* (incidence, intensity, monthly changes, parasite and host sex ratio, interspecific associations, parasite age structure, etc.)  
*Myotis velifer*: Harmon County, southwestern Oklahoma
- Spinturnix carnifex* (Koch, 1939), illus.  
 Pinchuk, L. M., 1971, Parazity Zhivot. i Rass-  
 ten., Akad. Nauk Moldavsk. SSR (7), 93-110  
 description  
*Vespertilio serotinus*  
*Myotis oxygnathus*  
 all from Moldavia
- Spinturnix grossus* Kohls & Jeilison, 1948 (not Banks, 1910)  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of *Spinturnix americanus* (Banks, 1902)
- Spinturnix iowae* Keegan, 1943  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 as syn. of *Spinturnix americanus* (Banks, 1902)
- Spinturnix myoti* (Kolenati, 1856), illus.  
 Pinchuk, L. M., 1971, Parazity Zhivot. i Rass-  
 ten., Akad. Nauk Moldavsk. SSR (7), 93-110  
 description  
*Myotis oxygnathus*  
*M. daubentonii*  
*M. dasycneme*  
*Rhinolophus hipposideros*  
*Myotis myotis*  
 all from Moldavia
- Spinturnix mystacinus* (Kolenati, 1857), illus.  
 Pinchuk, L. M., 1971, Parazity Zhivot. i Rass-  
 ten., Akad. Nauk Moldavsk. SSR (7), 93-110  
 description  
*Myotis mystacinus*: Moldavia
- Spinturnix orri*  
 Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Antrozous pallidus*: Big Bend National Park, Texas
- Spinturnix orri* Rudnick, 1960  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
 Am. Midland Naturalist, v. 91 (1), 1-67  
 synonymy
- Spinturnix plecotinus* (Koch, 1839), illus.  
 Pinchuk, L. M., 1971, Parazity Zhivot. i Rass-  
 ten., Akad. Nauk Moldavsk. SSR (7), 93-110  
 description  
*Plecotus auritus*: Moldavia
- Spinturnix psi* Kolenati, 1856  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976,  
 Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst.  
 Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaijan
- Spinturnix psi* (Kolen.)  
 Petrova, A. D.; and Taskaeva, E. Z., 1975,  
 Biul. Moskov. Obsh. Ispyt. Prir., Otdel  
 Biol., v. 80 (5), 58-64  
*Miniopterus schreibersii*: Kun'min, Yun'nan province (southeastern Chinese People's Republic)
- Stachiella ermineae* (Hopkins)  
 Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Mustela erminea*: Schleswig-Holstein
- Stachiella mustelae* (Schrank)  
 Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Mustela nivalis*: Schleswig-Holstein

- Steatonyssus Kolenati**  
 Uchikawa, K.; and Kumada, N., 1977, Eisei Dobutsu (Japan. J. San. Zool.), v. 28 (4), 423-429  
 key to species found in Japan
- Steatonyssus sp.**  
 Howell, F. G.; and Chapman, B. R., 1976, Southwest. Nat., v. 21 (3), 275-280  
 found in samples of debris from cliff swallow nests containing the bats *Tadarida brasiliensis* and *Eptesicus fuscus*: northwestern Texas
- Steatonyssus sp., illus.**  
 Pinchuk, L. M., 1971, Parazity Zhivot. i. Rasten., Akad. Nauk Moldavsk. SSR (7), 110-115  
 description  
 [no host]: Moldavia
- Steatonyssus sp.**  
 Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Lasionycteris noctivagans*: Fires Creek area, Nantahala Mountains, North Carolina
- Steatonyssus species**  
 Whitaker, J. O., jr.; and Mumford, R. E., 1977, Entom. News, v. 88 (9-10), 255-258  
*Myotis riparius*  
*Histiotus velatus*  
 all from Minas Gerais, Brazil
- Steatonyssus antrozoi Radovsky and Furman**  
 Dooley, T. J.; Bristol, J. R.; and Canaris, A. G., 1976, J. Mamm., v. 57 (1), 189-191  
*Antrozous pallidus pallidus*: southwestern United States
- Steatonyssus antrozoi**  
 Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Myotis yumanensis*  
*Antrozous pallidus*  
 all from Big Bend National Park, Texas
- Steatonyssus emarginatus Radovsky and Furman**  
 Dooley, T. J.; Bristol, J. R.; and Canaris, A. G., 1976, J. Mamm., v. 57 (1), 189-191  
*Pipistrellus hesperus maximus*: southwestern United States
- Steatonyssus emarginatus**  
 Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Pipistrellus hesperus*: Big Bend National Park, Texas
- Steatonyssus furmani**  
 Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Lasiurus cinereus*: Big Bend National Park, Texas
- Steatonyssus furmani**  
 Whitaker, J. O., jr.; Jones, G. S.; and Pascal, D. D., jr., 1975, J. Elisha Mitchell Scient. Soc., v. 91 (1), 13-17  
*Lasiurus borealis*: Fires Creek area, Nantahala Mountains, North Carolina
- Steatonyssus hsui Li**  
 Uchikawa, K.; and Kumada, N., 1977, Eisei Dobutsu (Japan. J. San. Zool.), v. 28 (4), 423-429  
 as syn. of *Steatonyssus longispinosus* Wang, 1963, probably
- Steatonyssus longispinosus Wang, 1963, illus.**  
 Uchikawa, K.; and Kumada, N., 1977, Eisei Dobutsu (Japan. J. San. Zool.), v. 28 (4), 423-429  
 redescription, key  
 . Syn.: *S. hsui* Li, probably  
*Pipistrellus abramus*: Japan (Kita-ku and Moriyama-ku, Nagoya City; Gifu City; Koshigaya City; Nagasaki City)
- Steatonyssus murinus Lucas, 1840**  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Steatonyssus occidentalis (Ewing)**  
 Dooley, T. J.; Bristol, J. R.; and Canaris, A. G., 1976, J. Mamm., v. 57 (1), 189-191  
*Pipistrellus hesperus maximus*  
*Eptesicus fuscus pallidus*  
 all from southwestern United States
- Steatonyssus occidentalis**  
 Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Eptesicus fuscus*  
*Tadarida brasiliensis*  
*T. macrotis*  
 all from Big Bend National Park, Texas
- Steatonyssus periblepharus Kolenati, 1858, illus.**  
 Pinchuk, L. M., 1971, Parazity Zhivot. i. Rasten., Akad. Nauk Moldavsk. SSR (7), 110-115  
 description  
*Vespertilio serotinus*: Moldavia
- Steatonyssus spinosus Willmann, 1936, illus.**  
 Pinchuk, L. M., 1971, Parazity Zhivot. i. Rasten., Akad. Nauk Moldavsk. SSR (7), 110-115  
 description  
*Vespertilio serotinus*  
*Nyctalus leisleri*  
*Myotis dasycneme*  
*Plecotus auritus*  
*Pipistrellus pipistrellus*  
*Nyctalus noctula*  
*Myotis oxygnathus*  
 all from Moldavia
- Steatonyssus spinosus Willmann, 1936**  
 Uchikawa, K.; and Kumada, N., 1977, Eisei Dobutsu (Japan. J. San. Zool.), v. 28 (4), 423-429  
 key  
*Nyctalus lasiopterus aviator*: Okaya City and Aomori Prefecture, Japan  
*Vespertilio superans*: Tenmabayashi Village, Aomori Prefecture, Japan
- Steatonyssus superans Zemskaya, 1951**  
 Uchikawa, K.; and Kumada, N., 1977, Eisei Dobutsu (Japan. J. San. Zool.), v. 28 (4), 423-429  
 key  
*Vespertilio superans*: Tenmabayashi Village, Aomori Prefecture, Japan  
*Nyctalus lasiopterus aviator*: Aomori Prefecture, Japan

- Stellicomes pambanensis* sp. nov., illus.  
Padmanabha Rao, C. A., 1964, J. Marine Biol.  
Ass. India, v. 6 (1), 89-93  
*Pentaceros hedemanni*: Gulf of Mannar,  
near Pamban
- Stellicomes tumidulus*  
Padmanabha Rao, C. A., 1964, J. Marine Biol.  
Ass. India, v. 6 (1), 89-93  
*Pentaceros hedemanni*: Gulf of Mannar,  
near Pamban
- Stenepteryx hirundinis*  
Borisova, V. I., 1975, Biol. Nauk., Min.  
Vyssh. i. Sredn. Spetsial. Obrazován. SSSR  
(141), year 18, (9), 14-18  
nest ectoparasite specificity  
+[*Delichon urbica*] (nest)
- Stenepteryx hirundinis*  
Roberts, C. J., 1975, Entom. Gaz., v. 26 (2),  
139-145  
+*Delichon urbica* (nest): Isle of Man
- Stenischia lewisi* n. sp., illus.  
Smit, F. G. A. M., 1974, Senckenbergiana  
Biol., v. 55 (4-6), 357-398  
*Apodemus gurkha*: Lethe, Dhorpatan, Chad-  
ziou Khola and Thaksang, Nepal
- Stenischia pagiana* Lewis, 1969, illus.  
Smit, F. G. A. M., 1974, Senckenbergiana  
Biol., v. 55 (4-6), 357-398  
*Soriculus nigrescens*: Nepal
- Stenischia rhadinopsylloides* n. sp., illus.  
Smit, F. G. A. M., 1974, Senckenbergiana  
Biol., v. 55 (4-6), 357-398  
*Pitymys sikkimensis*: Ringmo, Phoksumdo lake,  
Nepal
- Stenistomera alpina*  
Egoscue, H. J., 1976, Great Basin Nat., v. 36  
(4), 475-480  
fleas of *Peromyscus maniculatus sonoriensis*  
and 3 sympatric rodents compared, degree of  
flea exchange, frequency, host preference  
*Peromyscus maniculatus sonoriensis*  
*Peromyscus crinitus pergracilis*  
*Neotoma lepida lepida*  
all from western Utah
- Stenistomera alpina* (Baker)  
Haas, G. E.; et al., 1973, J. Med. Entom.,  
v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geo-  
graphic distribution, host and nest prefer-  
ence, sex ratio, degree of plague infection  
*Ochotona princeps*  
*Sylvilagus nuttallii*  
*Peromyscus truei*  
*Neotoma mexicana*  
+*N. cinerea* (nest)  
*Lynx rufus*  
all from west of Rio Grande in and near  
Jemez Mts., New Mexico
- Stenistomera macrodactyla*  
Egoscue, H. J., 1976, Great Basin Nat., v. 36  
(4), 475-480  
fleas of *Peromyscus maniculatus sonoriensis*  
and 3 sympatric rodents compared, degree of  
flea exchange, frequency, host preference  
*Peromyscus crinitus pergracilis*: western  
Utah
- Stenistomera macrodactyla* Good  
Haas, G. E.; et al., 1973, J. Med. Entom.,  
v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geo-  
graphic distribution, host and nest prefer-  
ence, sex ratio, degree of plague infection  
*Peromyscus truei*: west of Rio Grande in and  
near Jemez Mts., New Mexico
- Stenocrotaphus Keler*, 1939  
Zlotorycka, J.; Eichler, W.; and Ludwig, H.  
W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
lice of domestic animals, keys to species  
and subspecies, descriptions, illustrations,  
hosts, economic and epidemiological impor-  
tance, extensive compilation: Central Europe  
includes: *S. gigas* (Taschenberg, 1879)
- Stenoponia Jordan and Rothschild*  
Sanford, L. G.; and Hays, K. L., 1974, Bull.  
(458) Alabama Agric. Exper. Station, 3-42  
brief description, key
- Stenoponia americana*  
Buckner, R. L.; and Gleason, L. N., 1974, Tr.  
Kentucky Acad. Sc., v. 35 (3-4), 70-75  
seasonal occurrences  
*Microtus ochrogaster*  
*Peromyscus leucopus*  
all from Warren County, Kentucky
- Stenoponia americana* (Baker)  
Haas, G. E.; et al., 1973, J. Med. Entom.,  
v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geo-  
graphic distribution, host and nest prefer-  
ence, sex ratio, degree of plague infection  
*Peromyscus maniculatus*: west of Rio Grande  
in and near Jemez Mts., New Mexico
- Stenoponia americana* (Baker), illus.  
Sanford, L. G.; and Hays, K. L., 1974, Bull.  
(458) Alabama Agric. Exper. Station, 3-42  
description  
*Peromyscus* sp.  
*P. gossypinus*  
*Oryzomys palustris*  
*Neotoma floridana illinoensis*  
*Pitymys pinetorum*  
*Mus musculus*  
all from Alabama
- Stenoponia americana* (Baker)  
Whitaker, J. O., jr.; Jones, G. S.; and  
Pascal, D. D., jr., 1975, J. Elisha Mitchell  
Scient. Soc., v. 91 (1), 13-17  
*Peromyscus maniculatus*: Fires Creek area,  
Nantahala Mountains, North Carolina
- Stenoponia americana* (Baker)  
Whitaker, J. O., jr.; and Schmeltz, L. L.,  
1974, Proc. Indiana Acad. Sc., v. 83, 1973,  
478-481  
*Scalopus aquaticus* (fur): Indiana
- Stenoponia ivanovi*  
Avetisian, G. A.; and Ezekelian, V. Kh.,  
1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
fleas, seasonal and geographic distribution  
*Microtus nivalis*  
+*Arvicola terrestris* (nest)  
all from Armenia

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

*Stenoponia ponera* Traub & Johnson, 1952, illus.  
*Traub, R.*, 1968, J. Med. Entom., v. 5 (3), 375-  
 404  
 discussion of convergent evolution and morpho-  
 logical modifications in helmet-bearing fleas

*Stenoponia tripectinata*  
*Shiranovich, P. I.*; et al. 1977, Izvest.  
 Akad. Nauk Azerbaizhan. SSR, s. Biol. Nauk  
 (2), 89-95  
 Siphonaptera of *Meriones erythrourus*, sea-  
 sonal distribution, temperature and precipi-  
 tation in relation to population dynamics of  
 host, incidence of plague and its epizooti-  
 ology: Transcaucasus

*Stenoponia tripectinata* Tirabosch  
*Shumilo, R. P.*; and *Lunkashu, M. I.*, 1973,  
 Parazity Zhivot. i Rasten., Akad. Nauk Mol-  
 davsk. SSR (9), 208-214  
*Erythropus vespertinus*: Moldavian SSR

*Stenoponia tripectinata tripectinata*  
*Ozsan, K.*; et al., 1974, Mikrobiyol. Bul.,  
 v. 8 (3), 267-269  
*Meriones*: Turkey

*Stenoponia vlasovi* Ioff et Tifl.  
*Amanniazova, R. D.*, 1975, Izvest. Akad. Nauk  
 Turkmensk. SSR, s. Biol. Nauk (6), 48-54  
 seasonal distribution in different land-  
 scapes  
*Rhombomys opimus*: Turkmenistan

*Stephanius Tendeiro*, 1969  
*Tendeiro, J.*, 1975, Garcia de Orta, s. Zool.,  
 v. 4 (1), 57-69  
*Goniodiidae*  
 key, phylogenetic position

*Stephanius affinis* (Taschenberg), illus.  
*Tendeiro, J.*, 1975, Garcia de Orta, s. Zool.,  
 v. 4 (1), 57-69

*Stephanocircidae*  
*Dunnet, G. M.*; and *Mardon, D. K.*, 1974,  
 Austral. J. Zool., Suppl. s. (30), 1-273  
 diagnosis

*Stephanocircinae*  
*Traub, R.*; and *Dunnet, G. M.*, 1973, Austral.  
 J. Zool., Suppl. s. (20), 41-128  
 diagnosis, relationship with Craneopsyllinae

*Stephanocircus Skuse*, 1893  
*Dunnet, G. M.*; and *Mardon, D. K.*, 1974,  
 Austral. J. Zool., Suppl. s. (30), 1-273  
 diagnosis, key, key to species and subspecies

*Stephanocircus Skuse*, 1893  
*Traub, R.*; and *Dunnet, G. M.*, 1973, Austral.  
 J. Zool., Suppl. s. (20), 41-128  
 revision, description, diagnosis

*Stephanocircus s. str.*  
*Traub, R.*; and *Dunnet, G. M.*, 1973, Austral.  
 J. Zool., Suppl. s. (20), 41-128  
 key to species and subspecies

*Stephanocircus concinnus* Rothschild, 1916, illus.  
*Dunnet, G. M.*; and *Mardon, D. K.*, 1974,  
 Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis  
*Rattus fuscipes*  
*rat*  
*Uromys caudimaculatus*  
 all from Queensland

*Stephanocircus concinnus* Rothschild, 1916, illus.  
*Traub, R.*; and *Dunnet, G. M.*, 1973, Austral.  
 J. Zool., Suppl. s. (20), 41-128  
 key, diagnosis, redefinition

*Stephanocircus dasyuri* Skuse  
*Beveridge, I.*; and *Barker, I. K.*, 1976,  
 Austral. J. Zool., v. 24 (2), 265-272  
 helminths and arthropods, *Antechinus stu-*  
*artii*, seasonal and sex-related variations  
 in numbers of helminths, parasites unlikely  
 directly involved in seasonal mortality of  
 male host; ectoparasites may contribute to  
 anemia in hosts: Powelltown, Victoria

*Stephanocircus dasyuri* Skuse, 1893, illus.  
*Dunnet, G. M.*; and *Mardon, D. K.*, 1974,  
 Austral. J. Zool., Suppl. s. (30), 1-273  
 key, diagnosis  
*Bettongia penicillata*: Western Australia  
*Potorous tridactylus*: New South Wales; Tas-  
 mania; Victoria  
*Pseudocheirus peregrinus*: Victoria  
*Perameles obesula*: Tasmania  
*Thylacis obesulus*: Queensland; South  
 Australia; Tasmania  
*Isoodon obesulus*: New South Wales; South  
 Australia; Tasmania; Victoria  
*I. macrourus*: New South Wales  
*Isoodon*: Tasmania  
*Perameles nasuta*: New South Wales; Queens-  
 land; Victoria  
*Perameles gunnii*: Tasmania  
 bandicoot: New South Wales; Queensland;  
 Tasmania  
*Dasyurops maculatus*: Tasmania; Victoria;  
 New South Wales  
*Dasyurus quoll*: Tasmania  
*D. viverrinus*: "  
 marsupial cat": "  
 native cat": New South Wales; Tasmania  
*Antechinus swainsoni*: Victoria  
*Sminthopsis murina*: Western Australia  
*Rattus rattus*: Tasmania  
*R. assimilis*: Queensland; Victoria  
*R. fuscipes assimilis*: Victoria  
*R. f. greyi*: Victoria  
*R. fuscipes*: Western Australia  
*R. lutreolus*: Tasmania; Victoria  
*R. conatus*: Queensland  
*Hydromys chrysogaster*: Tasmania  
*Mastacomys fuscus*: Victoria  
*Melomys cervinipes*: Queensland  
*Rattus norvegicus*: Queensland

*Stephanocircus dasyuri* Skuse, 1893, illus.  
*Traub, R.*, 1968, J. Med. Entom., v. 5 (3), 375-  
 404  
 discussion of convergent evolution and morpho-  
 logical modifications in helmet-bearing fleas

*Stephanocircus dasyuri* Skuse, 1893, illus.  
*Traub, R.*; and *Dunnet, G. M.*, 1973, Austral.  
 J. Zool., Suppl. s. (20), 41-128  
 key, diagnosis, redefinition

*Stephanocircus domrowi*, sp. nov., illus.  
 Traub, R.; and Dunnet, G. M., 1973, Austral.  
*J. Zool.*, Suppl. s. (20), 41-128  
 key  
*Gymnobelideus leadbeateri*: Loch Valley,  
 Noojee, Tanjil Bren, and Tommy's Bend,  
 6 miles E. of Marysville, Victoria

*Stephanocircus domrowi* Traub and Dunnet, 1973,  
 illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis

*Stephanocircus greeni*, sp. nov., illus.  
 Traub, R.; and Dunnet, G. M., 1973, Austral.  
*J. Zool.*, Suppl. s. (20), 41-128  
 key  
*Antechinus swainsonii*  
*A. stuartii*  
 all from Silverband Falls, Grampains, Victoria

*Stephanocircus greeni greeni* Traub and Dunnet, 1973, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis

*Stephanocircus greeni tasmanica*, subsp. nov., illus.  
 Traub, R.; and Dunnet, G. M., 1973, Austral.  
*J. Zool.*, Suppl. s. (20), 41-128  
 key  
*Antechinus* sp.: Maatsuyker Island, S. E.  
 Tasmania  
*A. swainsonii*: Maatsuyker Island, S. E.  
 Tasmania  
*A. minimus*: Maatsuyker Island, S. E. Tasmania;  
 Waratah, Tasmania  
*Rattus lutreolus*: Cradle Mountain, Tasmania  
 tiger cat: Pieman Heads, Tasmania

*Stephanocircus greeni tasmanica* Traub and Dunnet, 1973, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis  
*Dasyurus maculatus*  
*Antechinus swainsonii*  
*A. minimus*  
*Antechinus* sp.  
*Rattus lutreolus*  
 all from Tasmania

*Stephanocircus harrisoni* sp. nov., illus.  
 Traub, R.; and Dunnet, G. M., 1973, Austral.  
*J. Zool.*, Suppl. s. (20), 41-128  
 key  
*Thylacis obesulus*: Mt. Glorius, Mt. Nebo  
 and Brisbane, Queensland  
 bandicoot: Bunya Mountains, Indooroopilly,  
 Maleny and Cooloolabin, Queensland  
*Perameles nasuta*: Upper Allyn, Barrington  
 Tops, Canungra and Yabba State Forest,  
 New South Wales  
*Isoodon*: Australia  
*Macropus rufus*: Australia

*Stephanocircus harrisoni* Traub and Dunnet, 1973,  
 illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis  
*Macropus rufus*: Australia  
*Thylacis obesulus*: Queensland  
*Isoodon* sp.: Australia  
*Perameles nasuta*: New South Wales  
 bandicoot: Queensland

*Stephanocircus jarvisi* Rothschild, 1908  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 as syn. of *Coronapsylla jarvisi* (Rothschild, 1908)

*Stephanocircus jarvisi* Rothschild, 1908  
 Traub, R.; and Dunnet, G. M., 1973, Austral.  
*J. Zool.*, Suppl. s. (20), 41-128  
 as syn. of *Coronapsylla jarvisi* (Rothschild, 1908), comb. nov.

*Stephanocircus pectinipes* Rothschild, 1915,  
 illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis, syn.: *Stephanocircus simsoni* Rothschild [of] Oudemans, 1909 (*nec* Rothschild, 1905)  
*Rattus rattus*: New South Wales; Victoria  
*R. fuscipes fuscipes*: Western Australia  
*R. assimilis*: New South Wales; Victoria  
*R. fuscipes assimilis*: Victoria  
*R. greyi*: South Australia  
*R. lutreolus*: Tasmania; Victoria  
*R. l. assimilis*: Victoria  
*Mastacomys fuscus*: "  
*Pseudomys higginsi*: Tasmania

*Stephanocircus pectinipes* Rothschild, 1915, illus.  
 Traub, R.; and Dunnet, G. M., 1973, Austral.  
*J. Zool.*, Suppl. s. (20), 41-128  
 key, diagnosis, redefinition

*Stephanocircus simsoni* Rothschild, 1905, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 key, diagnosis  
*Burramys parvus*: Victoria  
*Dasyurus maculatus*: Tasmania  
*D. quoll*: Tasmania  
*Antechinus swainsonii*: Victoria  
*Rattus assimilis*: Australian Capital Terri-  
 tory; Victoria  
*R. lutreolus*: Tasmania  
*R. velutinus*: "  
*Gyomys fumeus*: Victoria

*Stephanocircus simsoni* Rothschild [of] Oudemans, 1909 (*nec* Rothschild, 1905)  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 as syn. of *Stephanocircus pectinipes* Roths-  
 child, 1915

- Stephanocircus simsoni* Rothschild, 1905, illus.  
Traub, R.; and Dunnet, G. M., 1973, Austral.  
*J. Zool.*, Suppl. s. (20), 41-128  
key, diagnosis, redefinition  
*Dasyurus quoll*: Maydena, Tasmania  
*Rattus lutreolus*: Tasmania  
*Antechinus swainsonii*: Australia  
*Burramys parvus*: "  
*Pseudomys fumeus*: "  
*Rattus fuscipes*: "
- Stephanocircus thomasi*. Rothschild, 1903  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
as syn. of *Stephanopsylla thomasi* (Rothschild,  
1903)
- Stephanopsylla* Rothschild, 1911  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
diagnosis
- Stephanopsylla thomasi* (Rothschild, 1903), illus.  
Dunnet, G. M.; and Mardon, D. K., 1974,  
Austral. J. Zool., Suppl. s. (30), 1-273  
diagnosis, syn.: *Stephanocircus thomasi*.  
Rothschild, 1903  
*Phascogale tapoatafa*: Victoria  
*Thetomys ferculinus*: Western Australia
- Sternopsylla* Jord. & Roths.  
Liu, C. Y.; Wu, H. Y.; and Wu, F. L., 1977,  
*Acta Entom. Sinica*, v. 20 (2), 229-235  
subgen. of *Sternopsylla*  
key
- Sternopsylla* Jord. & Roths.  
Liu, C. Y.; Wu, H. Y.; and Wu, F. L., 1977,  
*Acta Entom. Sinica*, v. 20 (2), 229-235  
key to subgenera
- Sternopsylla* Jordan & Rothschild  
Mahnert, V., 1976, *Rev. Suisse Zool.*, v. 83  
(3), 769-776  
*Ischnopsyllinae*  
key
- Sternopsylla* (Tanglha) *laxisinuata* sp. nov.,  
illus.  
Liu, C. Y.; Wu, H. Y.; and Wu, F. L., 1977,  
*Acta Entom. Sinica*, v. 20 (2), 229-235  
bats: Bai Cun, Ji-gung, Bo-mi Xian, Tibet
- Sternopsylla* (Tanglha) *megatarsalia* sp. nov.  
(tod of subgen.), illus.  
Liu, C. Y.; Wu, H. Y.; and Wu, F. L., 1977,  
*Acta Entom. Sinica*, v. 20 (2), 229-235  
bats: Bai Cun, Ji-gung, Bo-mi Xian, Tibet
- Sternopsylla* *texana*  
Whitaker, J. O., jr.; and Easterla, D. A.,  
1975, *Southwest. Nat.*, v. 20 (2), 241-254  
*Leptonycteris nivalis*  
*Tadarida brasiliensis*  
all from Big Bend National Park, Texas
- Sternopsylla* (Tanglha) *truncata* sp. nov., illus.  
Liu, C. Y.; Wu, H. Y.; and Wu, F. L., 1977,  
*Acta Entom. Sinica*, v. 20 (2), 229-235  
bats: Bai Cun, Ji-gung, Bo-mi Xian, Tibet
- Sternostoma* sp. A  
Cerny, V.; and Dusbabek, F., 1971, *Acarologia*,  
v. 12 (3), 479-491  
*Thalasseus sandvicensis acuflavidus* (nasal  
cavity): El Socorro, north of Sagua La  
Grande, Prov. of Las Villas, Cuba
- Sternostoma* sp. B  
Cerny, V.; and Dusbabek, F., 1971, *Acarologia*,  
v. 12 (3), 479-491  
*Teretistris fornsi* (nasal cavity): El Dorado,  
Sagua La Grande, Prov. of Las Villas,  
Cuba
- Sternostoma angrensis* (Castro, 1948)  
Fain, A.; Herin, A.; and Puylaert, F., 1977,  
Rev. Zool. Africaine, v. 91 (2), 385-396  
*Hirundo aethiopica* (fosses nasales): Cameroun
- Sternostoma christinae* n. sp., illus.  
Guevara-Benitez, D.; Lopez-Roman, R.; and  
Ubeda-Ontiveros, J. M., 1974, Rev. Iber.  
Parasitol., v. 34 (3-4), 161-170  
*Phylloscopus collybita* (fosses nasales):  
Granada, Espana
- Sternostoma colii* Fain, 1956  
Fain, A.; Herin, A.; and Puylaert, F., 1977,  
Rev. Zool. Africaine, v. 91 (2), 385-396  
*Colius striatus* (fosses nasales): Cameroun
- Sternostoma cooremani* Fain, 1956  
Fain, A.; Herin, A.; and Puylaert, F., 1977,  
Rev. Zool. Africaine, v. 91 (2), 385-396  
*Merops orientalis* (fosses nasales): Cameroun
- Sternostoma cryptorhynchum* Berlese et Trouessart,  
1889  
Fain, A.; Herin, A.; and Puylaert, F., 1977,  
Rev. Zool. Africaine, v. 91 (2), 385-396  
*Clytospiza monteiri* (fosses nasales): Cameroun
- Sternostoma fulicae* Fain and Bafort, 1963,  
illus.  
Guevara-Benitez, D.; and Ubeda-Ontiveros, J.  
M., 1975, Rev. Iber. Parasitol., v. 35 (1-2),  
81-93  
description of larva, redescription of female  
*Fulica atra* (arbol respiratorio): El Padul  
and Alhama de Granada, provincia de Granada
- Sternostoma hirundinis* Fain, 1956  
Cerny, V.; and Dusbabek, F., 1971, *Acarologia*,  
v. 12 (3), 479-491  
*Hirundo rustica erythrogaster* (nasal cavity):  
Sabaniya, Baracoa, Prov. of Oriente, Cuba
- Sternostoma hirundo* spec. nov., illus.  
Fain, A.; Herin, A.; and Puylaert, F., 1977,  
Rev. Zool. Africaine, v. 91 (2), 385-396  
*Hirundo rustica*: Chirundu, Afrique du Sud  
*H. smithi*: Butare, Rwanda  
*H. aethiopica*: Galim, Cameroun  
(fosses nasales of all)
- Sternostoma kelloggi* Hyland & Clark, 1959  
Cerny, V.; and Dusbabek, F., 1971, *Acarologia*,  
v. 12 (3), 479-491  
*Mimus polyglottos orpheus* (nasal cavity):  
Baracoa, Prov. of Oriente, Cuba

## ARTHROPODA

- Sternostoma longisetosa* Hyland, 1961  
 Hyland, K. E.; and Moorhouse, A., 1970, *Acarologia*, v. 12 (1), 43-58
- Empidonax traillii* (nasal passages): Sontecomapan and Tlacotalpan, Veracruz, Mexico
- E. alnorum* (nasal passages): Sontecomapan and Tlacotalpan, Veracruz, Mexico
- E. virescens* (nasal passages): Tlacotalpan, Veracruz, Mexico
- Muscivora tyrannus* (nasal passages): Tlacotalpan, Veracruz, Mexico
- Pyrocephalus rubinus* (nasal passages): Tlacotalpan, Veracruz, Mexico
- Sternostoma nectarinia* Fain, 1956  
 Fain, A.; Herin, A.; and Puylaert, F., 1977, *Rev. Zool. Africaine*, v. 91 (2), 385-396  
*Nectarinia pulchella* (fosses nasales): Cameroun
- Sternostoma quiscalis* Fain & Aitken, 1967  
 Cerny, V.; and Dusbabek, F., 1971, *Acarologia*, v. 12 (3), 479-491  
*Quiscalus niger caribaeus* (nasal cavity): Jucaro, Isla de Pinos
- Sternostoma sinense* Fain et Bafort, 1963  
 Fain, A.; Herin, A.; and Puylaert, F., 1977, *Rev. Zool. Africaine*, v. 91 (2), 385-396  
*Phoeniculus purpureus*  
*Quelea quelea*  
*Q. erythrops*  
 (fosses nasales of all): all from Cameroun
- Sternostoma sturnicola* Fain, 1956  
 Fain, A.; Herin, A.; and Puylaert, F., 1977, *Rev. Zool. Africaine*, v. 91 (2), 385-396  
*Lamprocolius purpureus* (fosses nasales): Cameroun
- Sternostoma tracheacolum*  
 Aeckerlein, W., 1974, *Prakt. Tierarzt*, v. 55 (8), 432-433  
 treatment not yet established  
*Poephila gouldiae*
- Sternostoma tracheacolum* Lawrence, 1948, illus.  
 Blasco Sabio, C.; and Portus Vinyeta, M., 1974, *Rev. Iber. Parasitol.*, v. 34 (1-2), 33-47  
*Sternostoma tracheacolum*, description, finding in Spanish canaries, treatment with Sevin in food, clinical aspects
- Sternostoma tracheacolum* Lawrence, 1948, illus.  
 Guevara-Benitez, D.; and Ubeda-Ontiveros, J. M., 1974, *Rev. Iber. Parasitol.*, v. 34 (1-2), 83-102  
*Sternostoma tracheacolum*, morphology, variability, life cycle, treatment with methyl salicylate + nitrobenzol unsuccessful  
*Serinus canarius* (nasal cavity, trachea, lungs): Granada
- Sternostoma tracheacolum* Lawrence, 1948  
 Hyland, K. E.; and Moorhouse, A., 1970, *Acarologia*, v. 12 (1), 43-58  
*Tyrannus melancholicus* (nasal passages): Tlacotalpan, Veracruz, Mexico
- Sternostoma tracheacolum* Lawrence  
 McGroarty, D. L.; and Dobson, R. C., 1974, *Am. Midland Naturalist*, v. 91 (2), 479-486  
 ectoparasites, seasonal fluctuations  
*Passer domesticus*: northwestern Indiana
- Sternostomoides orlando* Dusbabek, 1969  
 Cerny, V.; and Dusbabek, F., 1971, *Acarologia*, v. 12 (3), 479-491  
*Mimocichla plumbea rubripes* (nasal cavity): Santa Fe, Prov. of Havana, Cuba  
*Mimocichla plumbea schistacea* (nasal cavity): Gran Piedra, Prov. of Oriente, Cuba
- Sternostomoides spatulatus* (Furman, 1957)  
 Cerny, V.; and Dusbabek, F., 1971, *Acarologia*, v. 12 (3), 479-491  
*Catharus fuscescens fuscescens* (nasal cavity): Havana, Cuba
- Stilbometopa podopostyla* Speiser  
 Greiner, E. C., 1975, *J. Wildlife Dis.*, v. 11 (2), 150-156  
*Haemoproteus* in *Zenaida macroura*, prevalence with respect to year, season, host age; no correlation between parent and nestling infections; collection of potential vectors (Culicidae and Hippoboscidae): Lancaster County, Nebraska
- Stivalius abacetus* Jordan & Rothschild, 1922, illus.  
 Traub, R., 1968, *J. Med. Entom.*, v. 5 (3), 375-404  
 discussion of convergent evolution and morphological modifications in helmet-bearing fleas
- Stivalius anaxilas* M. Rothschild, 1934, illus.  
 Traub, R., 1968, *J. Med. Entom.*, v. 5 (3), 375-404  
 discussion of convergent evolution and morphological modifications in helmet-bearing fleas
- Stivalius ferinus* (Rothschild, 1908)  
 Smit, F. G. A. M., 1974, *Senckenbergiana Biol.*, v. 55 (4-6), 357-398  
*Suncus murinus*: Nepal
- Stivalius insolli* Traub, 1950, illus.  
 Traub, R., 1968, *J. Med. Entom.*, v. 5 (3), 375-404  
 discussion of convergent evolution and morphological modifications in helmet-bearing fleas
- Stivalius molestus* Jordan, 1936  
 Dunnet, G. M.; and Mardon, D. K., 1974, *Austral. J. Zool. Suppl. s. (30)*, 1-273  
 as syn. of *Metastivalius molestus* (Jordan, 1936)
- Stivalius mordax* (Rothschild, 1908), illus.  
 Traub, R., 1968, *J. Med. Entom.*, v. 5 (3), 375-404  
 discussion of convergent evolution and morphological modifications in helmet-bearing fleas

- Stivalius novaeguineae* (Rothschild, 1904), illus.  
Traub, R., 1968, J. Med. Entom., v. 5 (3), 375-404  
discussion of convergent evolution and morphological modifications in helmet-bearing fleas
- Stivalius pomerantzi* sp. nov., illus.  
Traub, R., 1951, Proc. Biol. Soc. Wash., v. 64, 1-24  
*Rattus* sp.: Mindanao, Davao Province, East Slope of Mt. McKinley, Philippine Islands
- Stivalius ralius* sp. nov., illus.  
Traub, R., 1951, Proc. Biol. Soc. Wash., v. 64, 1-24  
*Apomys*: Mindanao, Davao Province, East Slope of Mt. McKinley, Philippine Islands
- Stivalius rectus*. Jordan and Rothschild, 1922  
Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
as syn. of *Metastivalius rectus* (Jordan and Rothschild, 1922)
- Stivalius robinsoni* (Rothschild 1905), illus.  
Traub, R., 1951, Proc. Biol. Soc. Wash., v. 64, 1-24  
synonymy, description of aedeagus  
*Sciurus*  
*Tupaia*  
*Paradoxurus*  
*Viverra tangalunga*  
all from Philippine Islands
- Stivalius rugatus* Jordan, 1937, illus.  
Traub, R., 1968, J. Med. Entom., v. 5 (3), 375-404  
discussion of convergent evolution and morphological modifications in helmet-bearing fleas
- Stivalius spiramus* Jordan 1926  
Traub, R., 1951, Proc. Biol. Soc. Wash., v. 64, 1-24  
valid species
- Stomoxynae*  
Pont, A. C., 1973, *Austral. J. Zool.*, Suppl. s. (21), 129-296  
key to Australian genera, includes: *Stomoxys* Geoffroy; *Haematobia* Lepeletier and Serville
- Stomoxys* Geoffroy  
Pont, A. C., 1973, *Austral. J. Zool.*, Suppl. s. (21), 129-296  
key, description
- Stomoxys calcitrans* (Linnaeus), illus.  
Pont, A. C., 1973, *Austral. J. Zool.*, Suppl. s. (21), 129-296  
synonymy, description, review: Australia
- Strebla consocius*  
Whitaker, J. O., jr.; and Mumford, R. E., 1977, Entom. News, v. 88 (9-10), 255-258  
*Phyllostomus hastatus*: Minas Gerais, Brazil
- Strelkoviacarus critesi*  
Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
*Agelaius phoeniceus*: South Bass Island, Ottawa County, Ohio
- Stricticimex parvus*  
Williams, J. E.; et al., 1976, Bull. World Health Organ., v. 53 (4), 365-369  
*Stricticimex parvus* and *Cimex insuetus* implicated as possible vectors of Kaeng Khoi virus: caves of central Thailand
- Strigiphilus* sp.  
Rak, H.; Anwar, M.; and Niak, A., 1975, Bull. Soc. Path. Exot., v. 68 (6), 588-591  
*Streptopelia turtur*: Iran
- Strotrichopsylla talpae talpae*  
Owen, D., 1976, Lab. Animals, v. 10 (3), 271-278  
*Rattus norvegicus*: Carshalton
- Sturnidoecus* sp.  
Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Turdus poliocephalus*: New Hebrides
- Sturnidoecus philippensis* Tandan & Kumar, 1969  
Tandan, B. K., 1971?, Final Tech. Rep. U. S. P. L. 480 Proj., 1-41  
description  
*Basilaris miranda*: city and Province of Davao, Mindanao Island, Philippine Islands
- Styliidia biarticulata* (Hermann, 1804)  
Gadzhiev, A. T.; and Dubovchenko, T. A., 1976, *Vestnik Zool.*, Akad. Nauk Ukrainsk. SSR, Inst. Zool. (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Styliidia biarticulata* (Hermann, 1804)  
Hurka, K., 1976, Acta Entom. Bohemoslov., v. 73 (5), 343-347  
*Rhinolophus ferrumequinum*: Osh region, Kirgizia
- Styliidia biloba* (Theodor et Moscona, 1954)  
Hurka, K., 1976, Acta Entom. Bohemoslov., v. 73 (5), 343-347  
key to males and females
- Styliidia biloba orientalis* Hurka & Povolny, 1968  
Hurka, K., 1976, Acta Entom. Bohemoslov., v. 73 (5), 343-347  
as syn. of *Styliidia orientalis* Hurka & Povolny, 1968 stat. n.
- Styliidia burmensis siamensis* Theodor, 1968  
Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Hipposideros* sp.: Kedah
- Styliidia caudata* Theodor, 1967  
Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Rhinolophus refulgens*: Gunong Benom, Karak, Pahang
- Styliidia fraterna*  
Garnham, P. C. C., 1973, Tr. Roy Soc. Trop. Med. and Hyg., v. 67 (1), 2-3 [Demonstration]  
*Rhinolophus*: Gomanton Cave, Sabah

*Stylidia fraterna* Theodor, 1967  
 Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Rhinolophus affinis superans*  
*R. refulgens*  
*R. stheno*  
 all from Gunong Benom, Pahang

*Stylidia nuditerga* Theodor, 1967  
 Hurka, K., 1976, Acta Entom. Bohemoslov., v. 73 (5), 343-347  
 key to males and females

*Stylidia orientalis* Hurka & Povolny, 1968 stat. n., illus.  
 Hurka, K., 1976, Acta Entom. Bohemoslov., v. 73 (5), 343-347  
 key to males and females, redescription  
 Syn.: *Stylidia biloba orientalis* Hurka & Povolny, 1968  
*Rhinolophus ferrumequinum*: Eastern Afghanistan, Lalandia; Western Kirgizia, Kadamedzhay, Okhna cave (distr. Osh)  
*R. hippocideros midas*: Eastern Afghanistan, Abdulkil near Shigi

*Stylidia ornata theodori* Klein, 1972, illus.  
 Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Rhinolophus macrotis dohrni*  
*R. stheno*  
 all from Gunong Benom, Pahang

*Stylidia traubi* Theodor, 1967  
 Theodor, O., 1973, J. Med. Entom., v. 10 (6), 556-569  
*Hipposideros* sp.  
*Cynopterus brachycotis*  
 all from Bukit Lagong forest reserve, Kepong, Selangor

*Subtriquetra subtriquetra* Sambo, 1922, illus.  
 Vargas V., M., 1975, Rev. Biol. Trop., v. 23 (1), 67-75  
*Subtriquetra subtriquetra*, "Description and measurements of the egg, larva and nymph... place this pentastomid in the Porocephalidae"  
*Cichlasoma nigrofasciatum* (natatory vesicle)  
*Priapichthys annectens*  
*Lebistes* spp.  
 tadpole  
 (all exper.)

*Suricatoecus* Bedford, 1932  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 synonymy

*Suricatoecus quadraticeps* (Chapman), illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 key, syn.: *Trichodectes quadraticeps* Chapman, 1897

*Symoca brachyrrhyncha* (Cummings)  
 Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16  
 as syn. of *Polyplax brachyrrhyncha* Cummings

*Symoca brachyrrhyncha* Fahrenholz, 1938  
 Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
 as syn. of *Polyplax brachyrrhynchus* Cummings, 1915

*Symoca brachyrrhyncha* var. *minor* Fahrenholz, 1939  
 Kim, K. C.; and Emerson, K. C., 1971, J. Med. Entom., v. 8 (1), 7-16  
 as syn. of *Polyplax brachyrrhyncha* Cummings

*Symoca brachyrrhyncha minor* Fahrenholz, 1939  
 Kim, K. C.; and Emerson, K. C., 1973, Rev. Zool. et Botan. Africaines, v. 87 (3), 425-455  
 as syn. of *Polyplax brachyrrhynchus* Cummings, 1915

*Syndelphys* gen. nov.  
 Lafargue, F.; and Laubier, L., 1977, Arch. Zool. Exper. et Gen., v. 118 (2), 173-196  
*Notodelphyidae*  
 tod: *S. reducta* sp. n.

*Syndelphys reducta* sp. n. (tod), illus.  
 Lafargue, F.; and Laubier, L., 1977, Arch. Zool. Exper. et Gen., v. 118 (2), 173-196  
*Didemnum moseyeli*: Golfe d'Eilat (Mer Rouge)

*Synosternus cleopatrae*  
 Klein, J. M.; et al., 1975, Medecine et Malad. Infect., v. 5 (4), 198-207  
*Synosternus cleopatrae*, *Xenopsylla ramesis*, *X. nubica*, vectors of human plague in Mauritania

*Syringophilinae*  
 Kethley, J. B.; and Johnston, D. E., 1975, Misc. Publication Entom. Soc. Am., v. 9 (5), 231-236  
 review of evolutionary relationships of bird and mammal ectoparasites and their hosts, resource tracking patterns of parasites through evolutionary time, selective pressure from hosts, host-transfers through time, discordances of parasite and host taxonomy in relation to parasite's ecological needs on host topography; particular discussion of Syringophilinae with mathematical analysis of host and parasite taxonomy

*Syringophiloides minor*  
 Brown, N. S.; and Wilson, G. I., 1975, Am. Midland Naturalist, v. 94 (1), 154-165  
 Comparison of ectoparasites from North America and Europe  
*Passer domesticus*: Boston, Mass.; Stockton-on-Tees, England

*Syringophiloides minor* (Berlese)  
 Casto, S. D., 1973, J. Med. Entom., v. 10 (5), 524  
*Syringophiloides minor*, collection method from living birds  
*Passer domesticus* (quills): Lubbock County, Texas

- Syringophiloidus minor (Berlese)  
Casto, S. D., 1975, Am. Midland Naturalist,  
v. 93 (2), 495-498  
Syringophiloidus minor, generation time  
obtained by relating age of infested  
quills to occurrence of adult male mites,  
minimum time necessary for development from  
egg to adult male estimated to be 39-50 days
- Syringophiloidus minor (Berlese)  
Casto, S. D., 1975, J. Med. Entom., v. 12 (1),  
23-27  
Syringophiloidus minor, infestation rates  
in different age categories of *Passer dom-*  
*esticus*, infestation patterns of different  
feathers (primaries, primary coverts, sec-  
ondaries, rectrices) in juvenal and nuptial  
plumage, selective advantage of infestation  
patterns and probable source of dispersants  
which colonize nuptial feathers during post-  
juvenal molt: Lubbock, Texas
- Syringophiloidus minor (Berlese & Trouessart)  
McGroarty, D. L.; and Dobson, R. C., 1974, Am.  
Midland Naturalist, v. 91 (2), 479-486  
ectoparasites, seasonal fluctuations  
*Passer domesticus*: northwestern Indiana
- Syringophiloidus minor  
Tieben, G. L., 1976, Proc. Indiana Acad. Sc.,  
v. 85, 1975, 405 [Abstract]  
techniques for collecting ectoparasites  
from small birds  
*Passer domesticus*

- Taeniacanthodes haakeri* Ho  
Ho, J.-S., 1975, Fish Bull. (165), State Calif., Resources Agency, Dept. Fish and Game, 69-72  
*Paralichthys californicus* (dorsal or anal fins): Anaheim Bay
- Taeniacanthus dentatus* sp. nov., illus.  
Sebastian, M. J., 1964, J. Marine Biol. Ass. India, v. 6 (1), 94-97  
*Bembrops caudimaculata* (inner surface of opercle): Palk Bay
- Tamiophila grandis* (Rothschild)  
Amin, O. M., 1973, J. Med. Entom., v. 10 (1), 110-111  
*Tamias striatus*: Parkside, Wisconsin
- Tamiopsochirus* g. n.  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
Listrophoridae  
tod: *T. pahangensis* sp. n.
- Tamiopsochirus pahangensis* sp. n. (tod)  
Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 37-67  
*Tamiops maclellandi novemlineatus*: Gunong Benom, Pahang, Malaysia
- Tanglha* subg. nov.  
Liu, C. Y.; Wu, H. Y.; and Wu, F. L., 1977, Acta Entom. Sinica, v. 20 (2), 229-235  
subgen. of *Sternopsylla*  
key, tod: *Sternopsylla* (*Tanglha*) *megatar-salia* sp. nov.
- Tarsonemoides truncatus*  
Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Microtus ochrogaster ochrogaster*  
*Peromyscus leucopus noveboracensis*  
all from Coles County, Illinois
- Tarsopsylla octodecimdentata* (Kolenati 1863)  
Beaucournu, J. C., 1976, Ann. Soc. Entom. France, n. s., v. 12 (2), 199-213  
Ceratophyllidae of French mammals, geographic distribution, ecology, sex ratio, epidemiological role, review: France
- Tarsopsylla octodecimdentata coloradensis* (Baker)  
Haas, G. E.; et al., 1973, J. Med. Entom., v. 10 (3), 281-289  
fleas of mammals, seasonal occurrence, geographic distribution, host and nest preference, sex ratio, degree of plague infection  
*Tamiasciurus hudsonicus*: west of Rio Grande in and near Jemez Mts., New Mexico
- Tarsopsylla octodecimdentata octodecimdentata* (Kolenati, 1863)  
Mehl, R., 1972, Fauna, Oslo, v. 25 (4), 247-257  
*Vulpes vulpes*: Norge
- Tarsopsylla octodecimdentata octodecimdentata*  
Szabo, I., 1972, Parasitol. Hungar., v. 5, 329-347  
*Sciurus vulgaris fuscoater*: Sopron and environments, west Hungary
- Tecomatlana Hoffmann* 1947  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere
- Tecomatlana texana* (= *Trombicula texana*)  
Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Tadarida macrotis*: Big Bend National Park, Texas
- Teredicola typicus* C. B. Wilson, 1942  
McKoy, J. L., 1975, N. Zealand J. Marine and Freshwater Research, v. 9 (3), 417-421  
*Bankia australis*: Bay of Islands, Whangarei, Mahurangi, Waitemata and Coromandel Harbours, North Island, New Zealand  
*Lyrodus pedicellatus*: Coromandel Harbour, North Island, New Zealand
- Tetragonyssus microti* Ewing, 1933  
Whitaker, J. O., jr.; and Wilson, N., 1974, Am. Midland Naturalist, v. 91 (1), 1-67  
as syn. of *Laelaps kochi* Oudemans, 1936
- Tetragrypus* Ewing, 1924  
Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
as syn. of *Gyropus* Nitzsch, 1818
- Thaumapsylla breviceps* Rothschild, 1907  
Smit, F. G. A. M., 1977, Beaufortia (330), v. 26, 39-42  
*Rousettus aegyptiacus*: Jos, central Nigeria
- Thaumapsylla breviceps* Rothschild 1907, illus.  
Traub, R., 1951, Proc. Biol. Soc. Wash., v. 64, 1-24  
description  
*Rousettus*: Mindanao, Davao City, Sitio Tegato, Luangbay Cave, Philippine Islands  
bat: Davao Province, Davao Gulf, Samal Is., Tawang Cave, Philippine Islands
- Thaumapsylla dina* Jordan, 1937  
Smit, F. G. A. M., 1975, Rev. Zool. Africaine, v. 89 (1), 191-210  
*Rousettus lanosus kempfi* (leg): Cherangani Hills, Kenya
- Thaumapsylla longiforceps* sp. nov., illus.  
Traub, R., 1951, Proc. Biol. Soc. Wash., v. 64, 1-24  
*Rousettus*: Mindanao, Davao City, Sitio Tegato, Luangbay Cave, Philippine Islands  
bat: Davao Province, Davao Gulf, Samal Is., Tawang, Bat Cave, Philippine Islands  
*Eonycteris robusta*: Cotabato Province, Mindanao, Cotabato City, Central Cave, Philippines Islands
- Thersitina gasterosteii* (Pagenstecher, 1861)  
Dickinson, A. B.; and Threlfall, W., 1976, Proc. Helminth. Soc. Washington, v. 43 (1), 86-87  
*Pungitius pungitius* (gills): insular Newfoundland

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

## Thewkachela new genus

Ide, G. S.; and Kethley, J. B., 1977, An. Entom. Soc. Am., v. 70 (4), 559-562  
*Cheyletidae*  
 tod: *T. ratufi* n. sp.

## Thewkachela ratufi n. sp. (tod), illus.

Ide, G. S.; and Kethley, J. B., 1977, An. Entom. Soc. Am., v. 70 (4), 559-562  
*Ratufa affinis*: Sabah, Mt. Kinabalu, Tenom-pols; Thailand  
*R. bicolor*: Thailand, Songkhla; Nathawi, Nathawi

## Thompsonia sp., illus.

Phang, V. P. E., 1976, Malayan Nature J., v. 29 (2), 90-98  
*Thompsonia* sp., morphology, localization on *Portunus pelagicus*, infestation rate, effect on host: shores of Singapore

## Thrassis aridis

Coultrip, R. L.; et al., 1973, J. Med. Entom., v. 10 (3), 303-309  
 fleas, ticks, mammals, survey for vectors and reservoir hosts of Rocky Mountain spotted fever and sylvatic plague, serological evidence for presence of rickettsial agent but presence of plague not demonstrated  
*Dipodomys heermanni*: Fort Ord, California

## Thrassis bacchi caducus (Jordan)

Egoscue, H. J., 1977, Great Basin Nat., v. 37 (1), 75-76  
*Lagurus curtatus intermedius*: Uinta County, Wyoming

## Thrassis bacchi johnsoni Hubbard

O'Farrell, T. P., 1975, Am. Midland Naturalist, v. 93 (2), 377-387  
*Lagurus curtatus*: Arid Lands Ecology Reserve, Benton County, Washington

## Thrassis francisi

Croft, R. E.; and Kingston, N., 1975, J. Wildlife Dis., v. 11 (2), 229-233  
*Falco mexicanus*: Wyoming

## Thrassis petiolatus (Baker)

O'Farrell, T. P., 1975, Am. Midland Naturalist, v. 93 (2), 377-387  
*Spermophilus townsendii*: Arid Lands Ecology Reserve, Benton County, Washington

## Thyromyobia subgen. nov.

Fain, A., 1976, Acta Zool. et Path. Antverpiensia (64), 3-32  
 subgen. of *Acanthophthirius*  
 tod: A. (*Thyromyobia*) *peruvianus* spec. nov.

## Thysanocercus sp.

Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity  
*Collocalia esculenta*: New Hebrides

## Thysanote gymnobrachiata sp. nov., illus.

Kabata, Z., 1968, J. Nat. Hist., v. 2 (4), 505-523

*Epinephelus merra* (gill rakers): off Heron Island, Queensland

## Tiarapsylla argentina Jordan, 1942, illus.

Traub, R., 1968, J. Med. Entom., v. 5 (3), 375-404  
 discussion of convergent evolution and morphological modifications in helmet-bearing fleas

## Tick paralysis

Chinery, W. A.; and Ayitey-Smith, E., 1977, Nature, London (5592), v. 265, 366-367  
*Rhipicephalus sanguineus sanguineus*, salivary gland homogenate antagonizes action of histamine and potentiates action of acetylcholine on guinea pig ileum, advantage to ixodid ticks in having both histamine-blocking agent and histamine in their saliva, possible relationship of acetylcholine potentiation to tick paralysis

## Tick paralysis

Cooper, B. J.; and Spence, I., 1976, Nature, London (5579), v. 263, 693-695  
*Ixodes holocyclus*, mice, paralysis produced is due to temperature-dependent inhibition of evoked release of acetylcholine at neuromuscular junction

## Tick paralysis

Crawford, K. L., 1971, Maryland State Med. J., v. 20 (11), 95-96  
 diagnostic differentiation of common ticks of Maryland, ticks as disease vectors, control and treatment measures

## Tick paralysis

Darrow, G. L., 1974, Postgrad. Med., v. 56 (4), 187-188  
 tick paralysis in 6-year-old girl, clinical case report, complete reversal of symptoms after removal of tick from child's scalp: Florida

## Tick paralysis

Dipeolu, O. O., 1976, Ztschr. Parasitenk., v. 49 (3), 293-295  
*Amblyomma variegatum*, cause of tick paralysis in sheep experimentally infected with ticks, first case reported, case history, possibility of natural cases appearing, need for diagnostic awareness: Nigeria

## Tick paralysis

Doube, B. M.; Kemp, D. H.; and Bird, P. E., 1977, Austral. Vet. J., v. 54 (1), 39-43  
*Ixodes holocyclus*, calves, paralysis, pathogenicity, field collected and laboratory reared ticks, little difference between ticks from different geographic localities; site of attachment had no influence on tick toxicity

## Ticks

Gothe, R.; and Kunze, K., 1974, Proc. 6. Internat. Conf. World Ass. Adv. Vet. Parasitol. (Vienna, Austria, Sept. 18-20, 1973), 369-382 Argas walkerae larvae causing tick paralysis in chicken, neuropharmacological investigation to assess whether the assumed toxin has an action on the acetylcholine system and whether such action has a role in pathogenesis of tick paralysis

## Ticks

Gothe, R.; and Kunze, K., 1976, Ztschr. Parasitenk., v. 50 (2), 188 Argas walkerae-induced paralysis, vulnerability of nervus ischiadicus

## Ticks

Lechevalier, B.; Houtteville, J. P.: and Blet, J. N., 1974, Nouv. Presse Med., v. 3 (8), 456 [Letter] ocular paralysis in man who had been bitten on lower eye lid by tick, case report: Caen, France

## Ticks

Perchman, G. E., 1976, Rhodesian Vet. J., v. 7 (1), 15-16 Rhipicentor nuttalli, case report, infestation in a dog, paralysis

## Ticks

Rosenstein, M., 1976, Avian Dis., v. 20 (2). 407-409 Argas persicus larvae, paralyzed chickens, case report, malathion

## Ticks

Arthur, D. R., 1973, J. Wildlife Dis., v. 9 (1), 74-84 tick-host-disease relationships, review

## Ticks

Askenase, P. W., 1977, Am. J. Trop. Med. and Hyg., v. 26 (6, Pt. 2), 96-103 immune inflammatory responses to parasites, interconnections between immediate and delayed hypersensitivities, role of basophils, mast cells, and vasoactive amines (Trichostyngylus colubriformis; ticks; Schistosoma mansoni), workshop report

## Ticks

Banerjee, K.; and Bhat, H. R., 1977, Indian J. Med. Research, v. 66 (2), 175-179 correlation between numbers of persons infected with Kyasanur forest disease and intensity of infection in the local tick vectors, intensity in Haemaphysalis spinigera very significant while that of *H. turturis* is of little importance: India

## Ticks

Barnham, M., 1977, Brit. Med. J. (6097), v. 2, 1288 [Letter] ticks on humans as unusual cause of arthropod bites in England; 2 persons with Rhipicephalus sanguineus infestation without direct contact with dogs reported from London

## Ticks

Burgdorfer, W., 1975, J. Med. Entom., v. 12 (3), 269-278 Rocky Mountain spotted fever, history, incidence, tick vectors, clinical aspects, epidemiology, control, extensive review

## Ticks

Byford, I.; Colditz, P.; and Sibbick, R., 1976, Queensland Agric. J., v. 102 (1), 11-15 tick-resistant dairy cattle, Australian Friesian Sahiwal, high milk and beef production

## Ticks

Dyk, V., 1976, Veterinarstvi, v. 26 (6), 267-268 ticks, elimination from a region, ecological factors, general discussion

## Ticks

Giroud, P., 1974, Medecine et Malad. Infect., v. 4 (10), 549-550 ticks as vectors of human disease, preventing human contamination during laboratory studies

## Ticks

Gothe, R.; and Hartig, M., 1975, Deutsche Tierarztl. Wchnschr., v. 82 (10), 413-419 ticks, resistance to acaricides, extensive review

## Ticks

Guerrant, R. L.; et al., 1976, Arch. Int. Med., Chicago, v. 136 (7), 811-813 tickborne oculoglandular tularemia, case report of woman who accidentally contaminated eye with blood while removing engorged tick from her leg: rural Virginia

## Ticks

Gwahaba, J. J., 1975, J. East Africa Nat. Hist. Soc. and National Mus. (153), 1-14 Corvus albus (chin): Kampala, Uganda

## Ticks

Hattwick, M. A. W.; O'Brien, R. J.; and Hanson, B. F., 1976, Ann. Int. Med., v. 84 (6), 732-739 statistical epidemiologic survey of tick-borne Rocky Mountain spotted fever in the United States and its increasing incidence

## Ticks

Howell, C. J., 1977, J. South African Vet. Ass., v. 48 (1), 11-12 larvae and adult ticks in South Africa showed varying degrees of resistance to acaricides, brief review

## Ticks

Lancaster, J. L., jr., 1973, Bull. (779), Arkansas Agric. Exper. Station, 39 pp. Ixodidae and Argasidae, guide to ticks of Arkansas

## Ticks

Lavarde, V.; et al., 1975, Nouv. Presse Med., v. 4 (40), 2886-2887 [Letter] tick-borne Borrelia infection in man who had been traveling in Morocco, presenting symptom of fever of unknown origin, history of tick bite: France

## INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

## Ticks

Morin, B.; et al., 1976, *Nouv. Presse Med.*, v. 5 (31), 1965-1968  
development in humans of acute inflammatory polyradiculoneuritis 1-11 weeks after history of tick bite, 9 case reports, exact etiology unknown: France

## Ticks

Osvath, P.; and Endre, L., 1975, *Orvosi Hetilap*, v. 116 (24), 1398-1400  
use of tick extract to hyposensitize children with bronchial asthma

## Ticks

Rehacek, J., 1976, *Invert. Tissue Culture, Applications Med.*, Biol., and Agric. (Kurstak and Maramorosch), 21-33  
tick cell and tissue culture in arbovirus investigations, review

## Ticks

Solomon, K. R.; and Kuhn, P. C., 1976, *J. Econom. Entom.*, v. 69 (1), 17-20  
counting of tick larvae, design, construction and use of photoelectric counter

## Ticks

Theis, J. H.; and Ettleman, D. S., 1975, *Am. J. Vet. Research*, v. 36 (4), Part 1, 469-470  
dogs, surgical technique for cannulating right cervical lymphatic duct, use in study of lymph changes induced by feeding ticks

## Ticks

Wharton, R. H., 1976, *World Animal Rev.* (20), 8-15  
tick resistance to acaricides, table of world-wide geographical and chronological records, alternate methods of tick control, comprehensive review

## Tick

Whitaker, J. O., jr.; and Easterla, D. A., 1975, *Southwest. Nat.*, v. 20 (2), 241-254  
*Lasiurus cinereus*: Big Bend National Park, Texas

## Ticks

Yunker, C. E., 1975, *Med. Biol.*, v. 53 (5), 302-311  
review of tick-borne viruses associated with seabirds in North America and near-by islands

Tinaminyssus carapachibeyus Dusbabek, 1969  
Cerny, V.; and Dusbabek, F., 1971, *Acarologia*, v. 12 (3), 479-491  
*Geotrygon chrysia* (nasal cavity): *Carapachibey*, Isla de Pinos

Tinaminyssus chiarellii Amaral & Baquer, 1963, illus.  
Hyland, K. E.; and Moorhouse, A., 1970, *Acarologia*, v. 12 (1), 43-58  
description  
*Pitangus sulphuratus* (nasal passages): *Catemco*, Veracruz, Mexico

Tinaminyssus juxtamelloii sp. n., illus.  
Pence, D. B.; and Canaris, A. G., 1976, *J. Parasitol.*, v. 62 (1), 116-118  
*Columba fasciata* (nasal passages): *Mimbres*, Luna County, New Mexico

## Toritrombicula Sasa 1954

Brennan, J. M.; and Goff, M. L., 1977, *J. Parasitol.*, v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere

## Toucanectes gen. nov.

Fain, A., 1968, *J. Nat. Hist.*, v. 2 (4), 459-461  
Hypoderidae, tod: *T. ramphastos* sp. nov.

## Toucanectes ramphastos sp. nov. (tod), illus.

Fain, A., 1968, *J. Nat. Hist.*, v. 2 (4), 459-461  
*Ramphastos sulfuratus* (under skin of breast, flanks): imported from South America to Antwerp, Belgium

## Trabeculus hexakon (Waterston, 1914)

Ward, R. A.; and Downey, J. C., 1973, *J. Med. Entom.*, v. 10 (4), 391-396  
*Puffinus pacificus chlororhynchos*: Eastern Island, Midway Atoll, Pacific Ocean  
*P. nativitatis*: Eastern Island, Midway Atoll, Pacific Ocean  
*Pterodroma leucoptera hypoleuca*: Midway Atoll, Pacific Ocean

## Trichobius n. sp.

Whitaker, J. O., jr.; and Easterla, D. A., 1975, *Southwest. Nat.*, v. 20 (2), 241-254  
*Mormoops megalophylla*: Big Bend National Park, Texas

## Trichobius new species

Whitaker, J. O., jr.; and Mumford, R. E., 1977, *Entom. News*, v. 88 (9-10), 255-258  
*Anoura caudifera*: Minas Gerais, Brazil

## Trichobius corynorhini Cockrell

Reisen, W. K.; Kennedy, M. L.; and Reisen, N. T., 1976, *J. Parasitol.*, v. 62 (4), 628-635  
winter ecology of ectoparasites collected from hibernating *Myotis velifer* (incidence, intensity, monthly changes, parasite and host sex ratio, interspecific associations, parasite age structure, etc.)  
*Plecotus townsendii*: Harmon County, southwestern Oklahoma

## Trichobius corynorhini

Whitaker, J. O., jr.; and Easterla, D. A., 1975, *Southwest. Nat.*, v. 20 (2), 241-254  
*Myotis volans*: Coahuila, Mexico  
*Plecotus townsendii*: Big Bend National Park, Texas

## Trichobius major Coquillet

Reisen, W. K.; Kennedy, M. L.; and Reisen, N. T., 1976, *J. Parasitol.*, v. 62 (4), 628-635  
winter ecology of ectoparasites collected from hibernating *Myotis velifer* (incidence, intensity, monthly changes, parasite and host sex ratio, interspecific associations, parasite age structure, etc.)  
*Myotis velifer*: Harmon County, southwestern Oklahoma

## Trichobius major

Whitaker, J. O., jr.; and Easterla, D. A., 1975, *Southwest. Nat.*, v. 20 (2), 241-254  
*Myotis velifer*: Big Bend National Park, Texas

## Trichobius sphaeronotus

Whitaker, J. O.; jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Leptonycteris nivalis*: Big Bend National Park, Texas

## Trichodectes Nitzsch, 1818

Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 synonymy

## Trichodectes Nitzsch, 1818

Zjotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160  
 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *T. canis* (de Geer, 1778)

## Trichodectes barbara Neumann, 1913, illus.

Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 key

*Eira barbara*: Venezuela

## Trichodectes canis (DeGeer), illus.

Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 synonymy, key

## Trichodectes canis de Geer

Singh, A.; and Chhabra, R. C., 1974, Indian J. Animal Sc., v. 43 (5), 1973, 393-397  
 seasonal distribution  
*Canis familiaris* (abdomen): Hissar and suburbs, India

## Trichodectes fallax Werneck, 1948

Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 key

## Trichodectes felis Werneck, 1934

Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Felicola felis* (Werneck)

## Trichodectes ferrisi Werneck, 1944, illus.

Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 key

## Trichodectes floridanus McGregor, 1917

Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Trichodectes canis* (DeGeer)

## Trichodectes galictidis Werneck, 1934, illus.

Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 synonymy, key

## Trichodectes latifrons Fahrenholz, 1919

Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Trichodectes canis* (DeGeer)

## Trichodectes melis (J. Fabricius, 1805), illus.

Mehl, R., 1972, Fauna, Oslo, v. 25 (4), 265-274

*Meles meles*: Norge

## Trichodectes melis, illus.

Sanchez Acedo, C.; and Vericad, J. R., 1973, Rev. Iber. Parasitol., v. 33 (1), 29-38  
*Meles meles*: Alto Aragon

## Trichodectes melis (J. C. Fabricius, 1805)

Stefan, P., 1977, Biologia, Bratislava, s. B., Zool. (2), v. 32 (5), 367-379

*Meles meles*: Slovakia

## Trichodectes mephitidis Neumann, 1913 (nec Packard, 1872)

Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Trichodectes galictidis* Werneck, 1934

## Trichodectes minutus Paine, 1912

Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Neotrichodectes minutus* (Paine)

## Trichodectes nasuatus Osborn, 1902

Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Neotrichodectes pallidus* (Piaget, 1880)

## Trichodectes octomaculatus Paine

Amin, O. M., 1976, Great Lakes Entom., v. 9 (4), 195-198  
*Procyon lotor hirtus*: Kenosha County, Wisconsin

## Trichodectes odocoilei McGregor, 1917

Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Tricholipeurus parallelus* (Osborn)

## Trichodectes pallidus Piaget, 1880

Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Neotrichodectes pallidus* (Piaget, 1880)

## Trichodectes paranensis Keler, 1934

Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Trichodectes galictidis* Werneck, 1934

## Trichodectes pinguis euarctidos Hopkins, 1954

Rogers, L. L., 1975, J. Wildlife Dis., v. 11 (2), 189-192

*Ursus americanus*: Michigan

*Trichodectes potus* Werneck, 1934, illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 key  
*Potus flavus*: Venezuela

*Trichodectes pubescens* Neumann, 1905  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Bovicola equi* (Linnaeus)

*Trichodectes quadraticeps* Chapman, 1897  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Suricatoecus quadraticeps* (Chapman)

*Trichodectes semiarmatus* Neumann, 1913  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Cebidicola semiarmatus* (Neumann)

*Trichodectes subrostratus* Burmeister, 1838  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Felicola subrostratus* (Burmeister)

*Trichodectes subrostratus* Stephens, 1829 (nomen nudum)  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Felicola subrostratus* (Burmeister)

*Trichodectes vestitus* Railliet, 1895  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Bovicola equi* (Linnaeus)

*Trichodectes virginianus* Peters, 1930  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of *Tricholipeurus lipeurooides* (Megnin)

*Tricholipeurus albimarginatus* (Werneck), illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 synonymy, key

*Tricholipeurus lipeurooides* (Megnin), illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 synonymy, key

*Tricholipeurus lipeurooides* (Megnin)  
 Watson, T. G.; and Anderson, R. C., 1975, Canad. J. Zool., v. 53 (8), 1047-1054  
 louse populations on *Odocoileus virginianus*, seasonal changes, distribution on body: Long Point, Ontario

*Tricholipeurus parallelus* (Osborn), illus.  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 synonymy, key

*Tricholipeurus parallelus*  
 Kirkpatrick, C. M.; et al., 1976, Research Bull. Purdue Univ., Agric. Exper. Station (932), 1-42  
*Odocoileus virginianus*: Naval Weapons Support Center, Crane, Indiana

*Tricholipeurus parallelus*  
 Thornton, J. E.; et al., 1973, J. Wildlife Dis., v. 9 (2), 160-162  
*Antilope cervicapra*: Texas

*Tricholipeurus parallelus* (Osborn)  
 Watson, T. G.; and Anderson, R. C., 1975, Canad. J. Zool., v. 53 (8), 1047-1054  
 louse populations on *Odocoileus virginianus*, seasonal changes, distribution on body: Long Point, Ontario

*Trichosurolaelaps*  
 Tenorio, J. M.; and Radovsky, F. J., 1973, J. Med. Entom., v. 10 (2), 147-157  
 key to species, includes: *T. strandtmanni* n. sp.; *T. septoria* n. sp.; *T. harrisoni* Domrow, 1961; *T. crassipes* Womersley, 1956; *T. dixoa* Domrow, 1972; *T. marra* Domrow, 1972; *T. striata* Domrow, 1958; *T. fallax* Domrow, 1972; *T. emanuelae* Domrow, 1958; *T. whartoni* Mitchell & Strandtmann, 1964; *T. bakeri* Mitchell & Strandtmann, 1964; *T. domrowi* Mitchell & Strandtmann, 1964

*Trichosurolaelaps bakeri* Mitchell & Strandtmann, 1964  
 Tenorio, J. M.; and Radovsky, F. J., 1973, J. Med. Entom., v. 10 (2), 147-157  
 key  
*Echymipera rufescens*

*Trichosurolaelaps domrowi* Mitchell & Strandtmann, 1964  
 Tenorio, J. M.; and Radovsky, F. J., 1973, J. Med. Entom., v. 10 (2), 147-157  
 key  
*Peroryctes longicauda*

*Trichosurolaelaps septoria* n. sp., illus.  
 Tenorio, J. M.; and Radovsky, F. J., 1973, J. Med. Entom., v. 10 (2), 147-157  
 key  
*Phalanger vestitus*: N of Mt. Giluwe, Tambul, New Guinea (NE); Mt. Giluwe, New Guinea (SE)

*Trichosurolaelaps strandtmanni* n. sp., illus.  
 Tenorio, J. M.; and Radovsky, F. J., 1973, J. Med. Entom., v. 10 (2), 147-157  
 key  
*Phalanger gymnotis*: Wau Creek, Morobe Dist., New Guinea (NE)

*Trifur tortuosus* Wilson, 1917, illus.  
 Kovaleva, A. A.; and Gaevskaya, A. V., 1975, Vestnik Zool., Akad. Nauk Ukrainsk. SSR, Inst. Zool. (4), 78-79  
*Merluccius hubbsi*: Folklendsko-Patagonisk shelf, south-western Atlantic

## ARTHROPODA

- Trigonodectes Keler, 1944**  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 as syn. of Trichodectes Nitzsch, 1818
- Trimenopon Cummings, 1913**  
 Złotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *T. (T.) hispidum* (Burmeister, 1838)
- Trimenopon hispidum (Burmeister), illus.**  
 Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
 synonymy, key
- Trimenopon jenningsi**  
 Prosl, H., 1976, Ztschr. Parasitenk., v. 50 (2), 214  
 Meerschweinchen
- Trimenoponidae**  
 Emerson, K. C.; and Price, R. D., 1976, Florida Entom., v. 59 (4), 425-428  
 Amblycera  
 key
- Trinoton Nitzsch, 1818**  
 Złotorzycka, J.; Eichler, W.; and Ludwig, H. W., 1974, Parasitol. Schriftenr., v. 22, 1-160 lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *T. anserinum anserinum* (J. C. Fabricius, 1805); *T. querquedulae ludwig-freundi* Eichler, 1954
- Trinoton anserinum (Fabricius, 1805)**  
 Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
 synonymy, key
- Trinoton anserinum**  
 Seegar, W. S.; et al., 1976, Science (4266), v. 194, 739-740  
*Cygnus olor*: Black Sea, U.S.S.R.  
*C. columbianus columbianus*: North Carolina
- Trinoton anseris (Sulzer, 1776) in Hopkins & Clay, 1952**  
 Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
 as syn. of *Trinoton anserinum* (Fabricius, 1805)
- Trinoton lari (De Geer, 1778) in Hopkins & Clay, 1952**  
 Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
 as syn. of *Trinoton querquedulae* (Linne, 1758)
- Trinoton querquedulae (Linne, 1758)**  
 Martin, M. P., 1973, Rev. Iber. Parasitol., v. 33 (2-3), 281-294  
 synonymy, key  
*Anas platyrhynchos*  
*Aix galericulata*  
 all from Spain
- Trinoton querquedulae (Linnaeus)**  
 Turner, B. C.; and Threlfall, W., 1975, Proc. Helminth. Soc. Washington, v. 42 (2), 157-169 parasites of *Anas crecca* and *A. discors*, incidence and intensity, age and sex of host *Anas crecca*  
*A. discors*  
 all from eastern Canada
- Trispelognathus (Trispelognathus) striatus**  
 (Crossley, 1952)  
 Fain, A.; and Aitken, T. H. G., 1970, Acarologia, v. 12 (2), 326-338  
*Geotrygon montana* (fosses nasales): APEG Forest (Station A), Belem, Bresil
- Trixacarus (Caviacoptes) caviae** Fain, Hovell and Hyatt, 1972  
 Beresford-Jones, W. P.; Fain, A.; and Thoday, K. L., 1976, Acta Zool. et Path. Antverpiensia (64), 33-36  
 case reports, treatment with shampoo containing gamma benzene hexachloride  
*Cavia porcellus*: England
- Trixacarus caviae (Fain et al., 1972), illus.**  
 Dorresteijn, G. M.; and van Bronswijk, J. E. M. H., 1977, Tijdschr. Diergeneesk., v. 102 (12), 748-753  
*Trixacarus caviae*, guinea-pigs, clinical and histological features, morphological differentiation from *Sarcopeltis scabiei* and *Notoedres muris*, transmission to humans
- Trixacarus (Caviacoptes) caviae (Fain, Hovell & Hyatt, 1972), illus.**  
 Thoday, K. L.; and Beresford-Jones, W. P., 1977, J. Small Animal Practice, v. 18 (9), 591-595  
*Trixacarus caviae* in *Cavia porcellus* (skin), clinical features, diagnosis, gamma benzene hexachloride, good results
- Trombewingia Fonseca 1955**  
 Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Trombicula akamushi (Brumpt)**  
 Reisen, W. K.; et al., 1975, Kalikasan, v. 4 (2), 145-154  
*Rattus luzonicus*  
*R. rattus mindanensis*  
 all from Luzon, Philippines
- Trombicula alfreddugesi, illus.**  
 Bullmore, C. C.; et al., 1976, Feline Pract., v. 6 (6), 36  
*Trombicula alfreddugesi*, cat (ears), case report, tresaderm
- Trombicula aplodontiae Brennan & Wharton**  
 Easton, E. R., 1975, J. Med. Entom., v. 12 (3), 295-298  
*Aplodontia rufa*: Oregon
- Trombicula arenicola Loomis, 1954**  
 Tanigoshi, L. K.; and Loomis, R. B., 1974, Melanderia, v. 17, 1-27  
 as syn. of *Hypnocoela arenicola* (Loomis) n. comb.

- Trombicula autumnalis*  
 Coignoul, F., 1976, Ann. Med. Vet., v. 120  
 (8), 549-550  
 chats (oreilles, extremites des membres)  
 chien (entre les doigts, nez)
- Trombicula autumnalis*  
 Diusembaev, E. B.; and Chelebiev, K. A., 1975,  
*Zool. Zhurnal*, v. 54 (1), 124-127  
*Lagurus lagurus*: Karagandinsk oblast
- Trombicula autumnalis*  
 Ridgway, J. R., 1973, *Vet. Rec.*, v. 92 (14),  
 382 [Letter]  
*Trombicula autumnalis*, horses, lesions and  
 clinical signs, effectively treated with  
 tripelenamine HCl and wash of derris, case  
 report: field at foot of the North Downs
- Trombicula deliense* (Walch)  
 Reisen, W. K.; et al., 1975, *Kalikasan*, v. 4  
 (2), 145-154  
*Rattus luzonicus*  
*R. rattus mindanensis*  
 all from Luzon, Philippines
- Trombicula fitchi*  
 Whitaker, J. O., jr.; Spicka, E. J.; and  
 Schmeltz, L. L., 1976, *Proc. Indiana Acad.*  
*Sc.*, v. 85, 1975, 431-436  
*Sciurus niger*  
*S. carolinensis*  
 all from Indiana
- Trombicula japonica* Tanaka et al.  
 Reisen, W. K.; et al., 1975, *Kalikasan*, v. 4  
 (2), 145-154  
*Rattus norvegicus caraco*: Korea
- Trombicula montanensis* Brennan, 1946  
 Tanigoshi, L. K.; and Loomis, R. B., 1974,  
*Melanderia*, v. 17, 1-27  
 as syn. of *Hyponeocula montanensis* (Brennan)  
 n. comb.
- Trombicula montanensis* [of] Brown & Brennan,  
 1952; Gould, 1956 (in part)  
 Tanigoshi, L. K.; and Loomis, R. B., 1974,  
*Melanderia*, v. 17, 1-27  
 as syn. of *Hyponeocula arenicola* (Loomis)  
 n. comb.
- Trombicula musajevi* Muljarskaja, 1970  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976,  
*Vestnik Zool.*, Akad. Nauk Ukrainsk. SSR, Inst.  
*Zool.* (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Trombicula* (*Leptotrombidium*) *myotis* Ewing  
 Amin, O. M., 1976, *Great Lakes Entom.*,  
 v. 9 (4), 195-198  
*Tamias striatus ohionensis*: Kenosha County,  
 Wisconsin
- Trombicula quadriensis* Womersley & Heaslip  
 Beveridge, I.; and Barker, I. K., 1976,  
*Austral. J. Zool.*, v. 24 (2), 265-272  
 helminths and arthropods, *Antechinus stu-*  
*artii*, seasonal and sex-related variations  
 in numbers of helminths, parasites unlikely  
 directly involved in seasonal mortality of  
 male host; ectoparasites may contribute to  
 anemia in hosts: Powellite, Victoria
- Trombicula (Miyatrombicula) tokyoensis shanghai-*  
*ensis* subsp. nov., illus.  
 Lu, P. Y., 1977, *Acta Entom. Sinica*, v. 20  
 (4), 461-464  
*Mustela sibirica davidiana* (ears)
- Trombicula whartoni*  
 Basolo, F., jr.; and Funk, R. C., 1974, *Tr.*  
*Illinois State Acad. Sc.*, v. 67 (2), 211-221  
*Microtus ochrogaster ochrogaster*: Coles  
 County, Illinois
- Trombiculids*  
 Edler, A.; and Nilsson, A., 1973, *Entom.*  
*Scand.*, v. 4 (4), 274-282  
 ectoparasites of small mammals from two  
 woodland habitats, seasonal variation, fre-  
 quency and intensity of infestation, numer-  
 ical comparison of ectoparasitic groups:  
 southern Sweden
- Trombiculid larvae*, illus.  
 Rosales Perez, S.; and Jimenez Brito, G., 1969,  
*Med. Cutan.*, v. 4 (3), 35-38  
 clinical aspects of dermatitis caused by  
*trombiculid* larvae, differential  
 diagnosis, complications, treatment with DDT  
 and benzyl benzoate: Mexico
- Trombiculidae*  
 Artz, V., 1975, *Entom. Germanica*, v. 1 (2),  
 105-143  
 ectoparasites of small mammals, prevalence  
 in relation to ecological factors (geology,  
 soil type, vegetation patterns), family of  
 host and sex of host; technique for live  
 parasitism rates: Schleswig-Holstein
- Trombiculidae*, illus.  
 Brennan, J. M.; and Goff, M. L., 1977, *J. Par-*  
*asitol.*, v. 63 (3), 554-566  
 key to subfamilies, and to 87 genera in  
 Western Hemisphere
- Trombiculinae* Ewing 1929  
 Brennan, J. M.; and Goff, M. L., 1977, *J. Par-*  
*asitol.*, v. 63 (3), 554-566  
*Trombiculidae*  
 key; key to genera
- Trombicigastia schlugeri* Muljarskaja et Dubovchen-  
 ko, 1970  
 Gadzhiev, A. T.; and Dubovchenko, T. A., 1976,  
*Vestnik Zool.*, Akad. Nauk Ukrainsk. SSR, Inst.  
*Zool.* (2), 24-28  
*Rhinolophus mehelyi*: Azerbaidzhan
- Tropicoseius bakeri* sp. n., illus.  
 Dusbabek, F.; and Cerny, V., 1970, *Acarologia*,  
 v. 12 (2), 269-281  
*Chlorostilbon ricordii ricordii* (nasal cavi-  
 ty): Sabanya, near Baracoa, Prov. of Ori-  
 ente, Cuba
- Trouessalges pecari da Fonseca* "probably", illus.  
 Meleney, W. P., 1975, *J. Parasitol.*, v. 61  
 (3), 530-534  
*Tayassu tajacu* (ears): Hidalgo County,  
 New Mexico

- Trouessartia sp.**  
 Marshall, A. G., 1976, Ecol. Entom., v. 1 (3), 189-199  
 arthropods ectoparasitic upon mammals and birds, factors affecting host specificity
- Turdus poliocephalus**  
**Rhipidura spilodera**  
**R. fuliginosa**  
 all from New Hebrides
- Trouessartia rosteri**  
 Cooper, C. L.; and Crites, J. L., 1975, J. Med. Entom., v. 12 (4), 483  
*Sturnus vulgaris*: South Bass Island, Ottawa County, Ohio
- Troupeavia sp.**  
 Basolo, F., jr.; and Funk, R. C., 1974, Tr. Illinois State Acad. Sc., v. 67 (2), 211-221  
*Peromyscus leucopus noveboracensis*: Coles County, Illinois
- Tunga, illus.**  
 Audy, J. R.; Radovsky, F. J.; and Vercammen-Grandjean, P. H., 1972, J. Med. Entom., v. 9 (6), 487-494
- Tunga caecigena** Jordan & Rothschild, illus.  
 Audy, J. R.; Radovsky, F. J.; and Vercammen-Grandjean, P. H., 1972, J. Med. Entom., v. 9 (6), 487-494
- Tunga monositus** Barnes & Radovsky, illus.  
 Audy, J. R.; Radovsky, F. J.; and Vercammen-Grandjean, P. H., 1972, J. Med. Entom., v. 9 (6), 487-494
- Tunga penetrans** (Linnaeus), illus.  
 Audy, J. R.; Radovsky, F. J.; and Vercammen-Grandjean, P. H., 1972, J. Med. Entom., v. 9 (6), 487-494
- Tunga penetrans**  
 Cooper, J. E., 1976, Vet. Rec., v. 98 (23), 472 [Letter]  
 Tunga penetrans, pigs, gamma benzene hexachloride, successful treatment: Tanzania
- Tunga penetrans**  
 Dipeolu, O. O., 1975, Nigerian J. Animal Prod., v. 2 (2), 222-226  
 pigs (belly, flank): Ibadan and Eruwa, Western Nigeria
- Tunga penetrans**, illus.  
 Goldman, L., 1976, J. Am. Med. Ass., v. 236 (12), 1386  
 tungiasis reported in group of women who recently traveled to Africa, epidemiology, clinical management: Cincinnati
- Tunga penetrans**  
 Reinhardt, C. A., 1976, Acta Trop., v. 33 (2), 105-132  
*Xenopsylla cheopis*, *Echidnophaga gallinacea*, Tunga penetrans, ultrastructure of midgut epithelium in relation to feeding behavior patterns (temporary vs. stationary parasites)
- Tunga penetrans**, illus.  
 Scholten, T.; et al., 1977, Canad. Med. Ass. J., v. 117 (4), 368-369  
 Tunga penetrans, woman, flea discovered in ulcer on toe: Canada, had recently visited in Peru
- Tunga penetrans**  
 Tan-Lim, K. N.; and Pluis, A. H., 1972, Nederl. Tijdschr. Geneesk., v. 116 (24), 1013-1016  
 Tunga penetrans in humans, case reports and clinical management, prophylaxis, local application of nebacetin or ichthyoil: Netherlands (infections contracted in Cameroon and Surinam)
- Tunga penetrans** (*Sarcopsylla penetrans*)  
 Verhulst, A., 1976, Vet. Rec., v. 98 (19), 384  
 Tunga penetrans, localization in sow teats causing agalactia: farms on island of Mateba, in Moanda and Kinkenge, Republic of Zaire
- Tur anomalus** Tipton et al., 1966  
 Tenorio, J. A. M.; and Radovsky, F. J., 1973, J. Med. Entom., v. 10 (4), 385-391  
 as syn. of *Laelaps* (*Mastigolaelaps*) anomala (Tipton et al., 1966) Furman, 1972
- Turturicola Th. Clay et Meinertzhagen**, 1937  
 Tendeiro, J., 1977, Rev. Zool. Africaine, v. 91 (3), 704-712  
 synonymy, key to species, includes: *T. puylaerti* n. sp.; *T. arabica* Tendeiro, 1965; *T. clayae* Tendeiro, 1965; *T. thompsoni* Tendeiro, 1965; *T. verheyeni* n. sp.; *T. salimalii* Th. Clay et Meinertzhagen, 1937; *T. cruzesilvai* Tendeiro, 1965
- Turturicola puylaerti** n. sp., illus.  
 Tendeiro, J., 1977, Rev. Zool. Africaine, v. 91 (3), 704-712  
*Streptopelia vinacea* (savannae ?): Yagona, Cameroun
- Turturicola verheyeni** n. sp., illus.  
 Tendeiro, J., 1977, Rev. Zool. Africaine, v. 91 (3), 704-712  
*Streptopelia vinacea* vinacea: Niantougou Togo
- Typhloceras favosus** benrachidi ssp. nova, illus.  
 Beaucournu, J. C.; and Abdelkhalek, T., 1977, Ann. Parasitoi., v. 52 (5), 577-581  
*Apodemus sylvaticus* ssp.: Ain-Draham, N.-O. de la Tunisie
- Typhloceras poppei** Wagner 1903  
 Artz, V., 1975, Entom. Germanica, v. 1 (2), 105-143  
 ectoparasites of small mammals, prevalence in relation to ecological factors (geology, soil type, vegetation patterns), family of host and sex of host; technique for live parasitism rates  
*Apodemus flavicollis*  
*A. sylvaticus*  
 all from Schleswig-Holstein

*Typhloceras poppei* Wagner  
 Hallas, T. E.; and Bang, P., 1976, Flora og  
 Fauna, København, v. 82 (1), 11-18  
 seasonal distribution  
*Clethrionomys glareolus*  
*Apodemus agrarius*  
*Apodemus flavicollis*  
 all from eastern Denmark

*Typhlodromus* sp.  
 Basolo, F., jr.; and Funk, R. C., 1974, Tr.  
 Illinois State Acad. Sc., v. 67 (2), 211-221  
*Peromyscus leucopus noveboracensis*: Coles  
 County, Illinois

*Typhlopsylla tristis*. Rothschild, 1900  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 as syn. of *Choristopsylla tristis* (Roths-  
 child, 1900)

*Tyranninnyssus callinectoides* Brooks & Strandt-  
 mann, 1960  
 Hyland, K. E.; and Moorhouse, A., 1970, Aca-  
 rologia, v. 12 (1), 43-58  
*Myiarchus tyrannulus* (nasal passages):  
 Tlacotalpan, Veracruz, Mexico

*Tyranninnyssus spinosus* Brooks & Strandt-  
 mann, 1960  
 Cerny, V.; and Dusbabek, F., 1971, Acarologia,  
 v. 12 (3), 479-491  
*Tyrannus caudifasciatus flavescens* (nasal  
 cavity): Carapachibey, Isla de Pinos  
*Tyrannus caudifasciatus caudifasciatus* (nasal  
 cavity): Canal de Vijil, La Gloria, Prov.  
 of Camaguey, Cuba

*Tyranninnyssus spinosus* Brooks & Strandt-  
 mann, 1960  
 Hyland, K. E.; and Moorhouse, A., 1970, Aca-  
 rologia, v. 12 (1), 43-58  
*Tyrannus melancholicus* (nasal passages):  
 Tlacotalpan, Veracruz, Mexico

*Tyranninnyssus tyrannisoides* Brooks & Strandtmann,  
 1960  
 Hyland, K. E.; and Moorhouse, A., 1970, Aca-  
 rologia, v. 12 (1), 43-58  
 as syn. of *T. tyrannus* Brooks & Strandtmann,  
 1960

*Tyranninnyssus tyrannus* Brooks & Strandtmann,  
 1960, illus.  
 Hyland, K. E.; and Moorhouse, A., 1970, Aca-  
 rologia, v. 12 (1), 43-58  
 diagnosis of species emended, redescription  
 Syn.: *T. tyrannisoides* Brooks & Strandtmann,  
 1960  
*Empidonax traillii* (nasal passages): Sonte-  
 comapan and Tlacotalpan, Veracruz, Mexico  
*E. alnorum* (nasal passages): Sontecomapan  
 and Tlacotalpan, Veracruz, Mexico  
*E. flaviventris* (nasal passages): Tlacotal-  
 pan, Veracruz, Mexico  
*Tyrannus melancholicus* (nasal passages):  
 Tlacotalpan, Veracruz, Mexico

*Tyranninnyssus tyrannus caribaeus* Cerny, 1969  
 Cerny, V.; and Dusbabek, F., 1971, Acarologia,  
 v. 12 (3), 479-491  
*Contopus caribaeus caribaeus* (nasal cavity):  
 Santo Tomas, Cienaga de Zapata, Prov. of Las  
 Villas, Cuba

*Tyrophagus* sp.  
 Basolo, F., jr.; and Funk, R. C., 1974, Tr.  
 Illinois State Acad. Sc., v. 67 (2), 211-221  
*Peromyscus leucopus noveboracensis*  
*Cryptotis parva parva*  
 all from Coles County, Illinois

*Tyrophagus castellanii* Hirst  
 Sandhu, P. S.; and Kapoor, V. C., 1976, Entom.  
 News, v. 87 (9-10), 292-294  
*Funambulus pennanti*: Village Barewal (Lud-  
 hiana District), India

*Tyrophagus lintneri* (Osborne)  
 Sandhu, P. S.; and Kapoor, V. C., 1976, Entom.  
 News, v. 87 (9-10), 292-294  
*Funambulus pennanti*: Ludhiana, India

- Uchida Ewing, 1930  
*Złotorzycka, J.; Eichler, W.; and Ludwig, H.*  
*W., 1974, Parasitol. Schriftenr., v. 22, 1-160*  
*lice of domestic animals, keys to species*  
*and subspecies, descriptions, illustrations,*  
*hosts, economic and epidemiological impor-*  
*tance, extensive compilation: Central Europe*  
*includes: U. numidae (Giebel, 1874); U.*  
*pallidulus (Neumann, 1912)*
- Uchida numidae Gb., 1874  
*Gan, E. I.; and Shousmanov, Sh., 1976, Uzbek.*  
*Biol. Zhurnal (5), 54-56*  
*[Gallus gallus]: Kashka-Darya oblast*
- Uchida numidae Ewing, 1930  
*Martin, M. P., 1973, Rev. Iber. Parasitol.,*  
*v. 33 (2-3), 281-294*  
*as syn. of Menacanthus numidae (Giebel 1874)*
- Ugandobia (Ugandobia) balionycteris sp. n.  
*Fain, A., 1973, Rev. Zool. et Botan. Afri-*  
*caines, v. 87 (3), 614-621*  
*Balionycteris maculata: Selangor*
- Ugandobia balionycteris salomonensis subsp.  
 nov.  
*Fain, A., 1976, Acta Zool. et Path. Antverpi-*  
*ensia (64), 3-32*  
*Emballonura dianae (ventre): Riba Caves,*  
*Auki, Malaita, Solomon Islands*
- Unionicola intermedia Koenike  
*Baker, R. A., 1976, Parasitology, v. 73 (2),*  
*xxxiii [Abstract]*  
*Unionicola intermedia on gills of Anodonta*  
*anatina, host response*
- Unionicola intermedia  
*Baker, R. A., 1976, J. Invert. Path., v. 27*  
*(3), 371-376*  
*Unionicola intermedia, structure of pedipalps*  
*and attachment to Anodonta anatina, damage to*  
*host gill tissue, cellular response of host*
- Unionicola intermedia, illus.  
*Baker, R. A., 1977, Parasitology, v. 75 (3),*  
*301-308*  
*Unionicola intermedia, midgut caeca, con-*  
*tents, structure, function, relation to*  
*feeding activities of mite and tissue re-*  
*sponses of its host (Anodonta anatina),*  
*parasite feeds on mucus and blood cells*  
*which are products of inflammatory response,*  
*parasite digestive enzymes are confined to*  
*intracellular vacuoles*  
*Anodonta anatina (gills): Yorkshire*
- Upupicola upupae  
*Rak, H.; Anwar, M.; and Niak, A., 1975, Bull.*  
*Soc. Path. Exot., v. 68 (6), 588-591*  
*Upupa epops: Iran*
- Uroboophilus fallax Minning, 1934  
*Jones, E. K.; et al., 1972, Brigham Young*  
*Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
*as syn. of Boophilus microplus (Canestrini,*  
*1887)*
- Uroboophilus krijgsmani Minning, 1934  
*Jones, E. K.; et al., 1972, Brigham Young*  
*Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
*as syn. of Boophilus microplus (Canestrini,*  
*1887)*
- Uroboophilus rotundiscutatus Minning, 1934  
*Jones, E. K.; et al., 1972, Brigham Young*  
*Univ. Sc. Bull., Biol. ser., v. 17 (4), 40 pp.*  
*as syn. of Boophilus microplus (Canestrini,*  
*1887)*
- Uropoda sp.  
*Diusembaev, E. B.; and Chelebiev, K. A., 1975,*  
*Zool. Zhurnal, v. 54 (1), 124-127*  
*+Lagurus lagurus (nest): Karagandinsk oblast*
- Uropodella Camin  
*Athias-Henriot, C., 1977, J. Austral. Entom.*  
*Soc., v. 16 (3), 225-235*  
*Liroaspidae*
- Uropodellidae Camin  
*Athias-Henriot, C., 1977, J. Austral. Entom.*  
*Soc., v. 16 (3), 225-235*  
*as syn. of Liroaspidae Traegardh*
- Uropodina sp. Kramer  
*Ammanniazova, R. D., 1975, Izvest. Akad. Nauk*  
*Turkmensk. SSR, s. Biol. Nauk (6), 48-54*  
*seasonal distribution in different land-*  
*scapes*  
*Rhombomys opimus: Turkmenistan*
- Uropsylla Rothschild, 1905  
*Dunnet, G. M.; and Mardon, D. K., 1974,*  
*Austral. J. Zool., Suppl. s. (30), 1-273*  
*key, diagnosis*
- Uropsylla tasmanica Rothschild, 1905, illus.  
*Dunnet, G. M.; and Mardon, D. K., 1974,*  
*Austral. J. Zool., Suppl. s. (30), 1-273*  
*diagnosis*  
*Perameles nasuta: New South Wales*  
*Dasyurops maculatus: Victoria*  
*Dasyurus maculatus: Tasmania*  
*D. viverrinus: Tasmania*  
*D. quoll: "*  
*D. geoffroii: Western Australia*  
*Sarcophilus harrisii: Tasmania*  
*Thylacinus: Tasmania*  
*Felis sp.: Victoria*

- Vanidicus** Brennan and Jones 1961  
*Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566*  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Vanidicus chalepus** n. sp., illus.  
*Brennan, J. M., 1973, J. Med. Entom., v. 10 (1), 107-109*
- Oryzomys albicularis: NW of Merida (Santa Rosa), Merida, Venezuela
  - Heteromys anomalus: NE of Mirimire (near La Pastora), Falcon, Venezuela
  - Monodelphis brevicaudata: NW of San Felipe (Miras de Aroa), Yaracuy, Venezuela
  - unidentified host: NW of Merida (Santa Rosa), Merida, Venezuela
- Vanidicus jojosti** n. sp., illus.  
*Brennan, J. M., 1973, J. Med. Entom., v. 10 (1), 107-109*
- Proechimys guyannensis: NW of Caripe, La Laguna, Monagas, Venezuela; S of Rio Chico (near Puerto Tuy), Miranda, Venezuela; SE of Ciudad Bolivar (Hato San Jose), Bolivar, Venezuela
  - Heteromys anomalus: N of Caracas Country Club (Quebrada Chacaíto), Miranda, Venezuela
  - Oryzomys albicularis: N of Caracas Country Club (Quebrada Chacaíto), Miranda, Venezuela; NW of Merida (Santa Rosa), Merida, Venezuela
  - unidentified host: NW of Merida (Santa Rosa), Merida, Venezuela
- Vanidicus tricosus** Brennan & Jones, 1961, illus.  
*Brennan, J. M., 1973, J. Med. Entom., v. 10 (1), 107-109*  
 redescription  
 Syn.: *Pseudoschoengastia tricosa*, Geest & Loomis, 1968 [et auct.]
- Vargatula** Brennan and Yunker 1966  
*Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566*  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Vatacarus** sp., illus.  
*Audy, J. R.; Radovsky, F. J.; and Vercammen-Grandjean, P. H., 1972, J. Med. Entom., v. 9 (6), 487-494*
- Vatacarus ipoides** Southcott, illus.  
*Audy, J. R.; Radovsky, F. J.; and Vercammen-Grandjean, P. H., 1972, J. Med. Entom., v. 9 (6), 487-494*
- Vatacarus ipoides** Southcott  
*Nadchatram, M.; and Audy, J. R., 1965, Med. J. Malaya, v. 20 (1), 80-81*  
 life cycle adaptations of *Vatacarus ipoides* recovered from air-sacs of tidal reef snakes (*Laticauda colubrina*): Singapore
- Vatacarus kuntzi**, n. sp., illus.  
*Nadchatram, M.; and Radovsky, F. J., 1971, J. Med. Entom., v. 8 (1), 37-40*
- Laticauda colubrina* (trachea): Botel Tobago (Lan Yu or Orchid Island), SE of Formosa
- Vergrandia** Yunker and Jones 1961  
*Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566*  
 synoptic key to 87 genera of chiggers in the Western Hemisphere
- Vermipsylla ioffi**, illus.  
*Kunitskaia, N. T.; and Prokop'ev, V. N., 1976, Entom. Obozr., v. 55 (4), 800-807*  
 fleas, number of egg tubes
- Vermipsylla perplexa** n. sp., illus.  
*Smit, F. G. A. M., 1974, Senckenbergiana Biol., v. 55 (4-6), 357-398*  
 [no host]: Lake Titi, Nepal
- Vermipsyllidae** Wagner, 1889  
*Lewis, R. E., 1973, J. Med. Entom., v. 10 (3), 255-260*
- Rhopalopsyllidae, Malacopsyllidae, Vermipsyllidae, world-wide distribution by zoogeographical regions, host preferences; list of genera and species

## Wagenaaria Brennan 1967

Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere

## Wagenaaria similis

Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Mormoops megalophylla*: Big Bend National Park, Texas

## Wagnerina schelkovnikovi

Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
fleas, seasonal and geographic distribution  
*Microtus nivalis*: Armenia

## Walchia Ewing 1931

Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere

## Walchia

Shluger, E. G.; and Amanguliev, A., 1975, Entom. Obozr., v. 54 (2), 463-470  
key to species

## Walchia americana Ewing

Dohany, A. L.; and Cromroy, H. L., 1976, Florida Entom., v. 59 (2), 183-190  
chiggers, scutal measurements: Gainesville, Florida

## Walchia americana

Whitaker, J. O., jr.; Spicka, E. J.; and Schmeltz, L. L., 1976, Proc. Indiana Acad. Sc., v. 85, 1975, 431-436  
*Sciurus niger*  
*S. carolinensis*  
all from Indiana

## Walchia cognata sp. n., illus.

Shluger, E. G.; and Amanguliev, A., 1975, Entom. Obozr., v. 54 (2), 463-470  
key  
*Cricetulus migratorius*  
*Meriones persicus*  
*Microtus socialis*  
*Apodemus sylvaticus*  
*Crocidura sp.*  
all from Western Kopetdagh, Karakalinskii region (Iol-Dere and Ai-Dere ravines), Turkmenia

## Walchia montana sp. n., illus.

Kudriashova, N. I., 1976, Zool. Zhurnal, v. 55 (7), 1100-1102  
*Meriones persicus*: east of Maku and south of Rezaie, Iran

## Walchia parvula Schluger, 1955

Shluger, E. G.; and Amanguliev, A., 1975, Entom. Obozr., v. 54 (2), 463-470  
key  
*Calomyscus bailwardi*: Firuza ravine, Turkmenia

## Walchia schelkovnikovi sp. n., illus.

Kudriashova, N. I., 1976, Zool. Zhurnal, v. 55 (7), 1100-1102  
*Meriones persicus*: west of Ebkhera, Iran

## Walchia valskayae sp. n., illus.

Kudriashova, N. I., 1976, Zool. Zhurnal, v. 55 (7), 1100-1102

*Meriones persicus*: vicinity of der. Adzhami, Iran; east of Maku, south of Rezaie and south of Shamirzada, Iran

## Walchia (Fainiella) womersleyi n. comb.

Vercammen-Grandjean, P. H., 1975, Rev. Zool. Africaine, v. 89 (2), 397-439  
Syns.: *Fainiella womersleyi* Vercammen-Grandjean, 1953; *Gahrilepia (Fainiella) womersleyi*, Vercammen-Grandjean and Fain, 1957; *Schoengastiella (Fainiella) womersleyi*, Vercammen-Grandjean, Langston and Audy, 1973 (due to a clerical error)

## Walchia (Fainiella) womersleyi katangaensis n. ssp., illus.

Vercammen-Grandjean, P. H., 1975, Rev. Zool. Africaine, v. 89 (2), 397-439  
*Cricetomy gambianus viator* (nasal fossae): Baya, near Elisabethville (Katanga Prov., Zaire)

## Walchiella oudemansi (Walch)

Dohany, A. L.; Phang, O. W.; and Rappmund, G., 1977, Southeast Asian J. Trop. Med. and Pub. Health, v. 8 (2), 200-206  
*Rattus cremoriventer*  
*R. muelleri*  
*R. tiomanicus*  
all from North Borneo

## Walchiella oudemansi

Hadi, T. R.; et al., 1976, Southeast Asian J. Trop. Med. and Pub. Health, v. 7 (3), 487-489  
Ancol, Jakarta, Indonesia

## Walchioides Vercammen-Grandjean 1960

Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere

## Warble fly

Andrews, A. H.; Melrose, D. R.; and Lewis, W. H. E., 1976, Vet. Rec., v. 99 (10), 187  
warble fly, bulls, "pour-on" fenthion, good results

## Warble fly

Dear, J. P., 1977, Vet. Rec., v. 100 (12), 252  
[Letter]  
warble fly infestation of red deer may present obstacle to warble fly eradication in cattle: north and west Scotland

## Warble fly

Minar, J.; et al., 1974, Veterinarstvi, v. 24 (3), 119-120  
warble fly, treatment with hypocid, cattle: central Slovakia

## Warble fly

Ormazdi, H.; and Baker, K.P., 1977, Vet. Parasitol., v. 3 (1), 85-88  
cattle, added benefit of national warble fly eradication scheme (annual dressing with pour-on organophosphorus compounds) is considerable reduction in pediculosis: Northern Ireland compared with Republic of Ireland

## Werneckiella Eichler, 1940

Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
as syn. of *Bovicola* Ewing, 1929

## Werneckiella Eichler, 1940

Złotorzycka, J.; Eichler, W.; and Ludwig, H., 1974, Parasitol. Schriftenr., v. 22, 1-160  
lice of domestic animals, keys to species and subspecies, descriptions, illustrations, hosts, economic and epidemiological importance, extensive compilation: Central Europe includes: *W. equi equi* (Denny, 1842); *W. equi asini* Eichler, 1953

## Werneckodectes Conci, 1946

Emerson, K. C.; and Price, R. D., 1975, Brigham Young Univ. Sc. Bull., Biol. ser., v. 20 (3), 1-77  
as syn. of *Trichodectes* Nitzsch, 1818

## Whartonacarus Vercammen-Grandjean 1960

Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere

## Whartonia Ewing 1944

Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere

## Whartonia carpenteri Brennan

Dooley, T. J.; Bristol, J. R.; and Canaris, A. G., 1976, J. Mamm., v. 57 (1), 189-191  
*Pipistrellus hesperus maximus*  
*Antrozous pallidus pallidus*  
all from southwestern United States

## Whartonia perplexa

Whitaker, J. O., jr.; and Easterla, D. A., 1975, Southwest. Nat., v. 20 (2), 241-254  
*Eptesicus fuscus*  
*Antrozous pallidus*  
all from Big Bend National Park, Texas

## Wohlfahrtia atra new species

Aldrich, J. M., 1927, Proc. U. S. Nat. Mus. (2648), v. 69, 1926, 1-26  
Yellow Dragon Gorge, near Songpan, Szechuan Province, China

## Wohlfartia bella (Macq.), illus.

Gil Collado, J.; Zapatero, L. M.; and Guillen, J. L., 1974, Rev. Iber. Parasitol., v. 34 (1-2), 9-27  
*Wohlfartia bella*, description of larval stages and adults

## Wohlfahrtia magnifica (Schiner, 1862), illus.

Schumann, H.; Ribbeck, R.; and Beulig, W., 1976, Arch. Exper. Vet.-Med., v. 30 (6), 799-806

## morphology

two-humped camel (vagina): Somonen Bajan-Undur and Sant Sant (Uwurchangai-Aimak), Mongolian Democratic Republic

## Wohlfahrtia vigil

Boonstra, R., 1977, Canad. J. Zool., v. 55 (6), 1057-1060

*Wohlfahrtia vigil*, seasonal incidence and effect on *Microtus townsendii* populations, parasitism seemed to be facilitated by presence of *Cuterebra* spp.: Westham Island, British Columbia

## Womersia Wharton 1947

Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere

## Wurunjerria Mardon and Dunnet, 1972

Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
key, diagnosis

## Wurunjerria warnekei Mardon and Dunnet, 1972, illus.

Dunnet, G. M.; and Mardon, D. K., 1974, Austral. J. Zool., Suppl. s. (30), 1-273  
diagnosis  
*Gymnobelideus leadbeateri*: Victoria

*Xenacarus* Greenberg, 1951 (non Kishida, 1925)  
preoccupied  
Loomis, R. B.; and Goff, M. L., 1973, J. Med.  
Entom., v. 10 (2), 113-117  
as syn. of *Xenodontacarus* nomen novum

*Xenodaeria telios* Jordan, 1932  
Smit, F. G. A. M., 1974, *Senckenbergiana Biol.*, v. 55 (4-6), 357-398  
*Soriculus nigrescens*  
*S. baileyi*  
*S. caudatus*  
*Pitymys sikkimensis*  
all from Nepal

*Xenodontacarus* nomen novum  
Loomis, R. B.; and Goff, M. L., 1973, J. Med.  
Entom., v. 10 (2), 113-117  
*Trombiculidae*, Leeuwenhoekiae  
key to species, tod: *Xenodontacarus plumosus* (Greenberg, 1951) n. comb.  
Syn.: *Xenacarus* Greenberg, 1951 (non Kishida, 1925) preoccupied

*Xenodontacarus* Loomis and Goff 1973  
Brennan, J. M.; and Goff, M. L., 1977, J. Parasitol., v. 63 (3), 554-566  
synoptic key to 87 genera of chiggers in the Western Hemisphere

*Xenodontacarus brevicalcar* (Brennan & Jones, 1954) n. comb.  
Loomis, R. B.; and Goff, M. L., 1973, J. Med.  
Entom., v. 10 (2), 113-117  
key  
Syns.: *Acomatacarus brevicalcar* Brennan & Jones, 1954; *Acomatacarus* (*Xenacarus*) *brevicalcar* (sic): Crossley, 1960; *Odontacarus brevicalcar*: Brennan & Jones, 1959  
*Perognathus californicus*: Hastings Natural History Reservation, Monterey Co., California  
*Peromyscus crinitus*: Joshua Tree National Monument, Riverside Co., California

*Xenodontacarus folius* n. sp., illus.  
Loomis, R. B.; and Goff, M. L., 1973, J. Med.  
Entom., v. 10 (2), 113-117  
key  
*Peromyscus boylii*: NE of Santa Lucia, Sinaloa, Mexico

*Xenodontacarus plumosus* (Greenberg, 1951) n. comb. (tod)  
Loomis, R. B.; and Goff, M. L., 1973, J. Med.  
Entom., v. 10 (2), 113-117  
key  
Syns.: *Acomatacarus* (*Xenacarus*) *plumosus* Greenberg, 1951; *Odontacarus plumosus*: Brennan & Jones, 1959  
*Neotoma micropus*: S of Aetna, Barber Co., Kansas  
*Peromyscus leucopus*: S of Aetna, Barber Co., Kansas  
*P. maniculatus*: E of Gorham, Russell Co., Kansas; Wind Cave Natl. Park, Custer Co., South Dakota

*Xenodontacarus serratus* n. sp., illus.  
Loomis, R. B.; and Goff, M. L., 1973, J. Med.  
Entom., v. 10 (2), 113-117  
key  
*Artibeus lituratus* (chin): E of Panuco, Sinaloa, Mexico

*Xenopsylla* Glinkiewicz, 1907  
Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
key, key to Australian species, diagnosis

*Xenopsylla* Glinkiewicz  
Sanford, L. G.; and Hays, K. L., 1974, *Bull. (458) Alabama Agric. Exper. Station*, 3-42  
brief description, key

*Xenopsylla* spp.  
Thaung, U.; Khai Ming, C.; and Myint Thein, 1975, *Southeast Asian J. Trop. Med. and Pub. Health*, v. 6 (4), 555-561  
*Bandicota bengalensis*  
*Rattus rattus*  
*R. exulans*  
*R. norvegicus*  
*Mus musculus*  
*Crocidura caeruleus*  
all from Burma

*Xenopsylla astia* (Rothschild), illus.  
Kamala Bai, M.; and Prasad, R. S., 1976, *Ann. Trop. Med. and Parasitol.*, v. 70 (4), 467-472  
*Xenopsylla cheopis*, *X. astia*, nutritional efficacy of blood meal, nature of blood factors of host which stimulate ovarian maturation

*Xenopsylla astia* Roths.  
Mitchell, C. J., 1971, *J. Med. Entom.*, v. 8 (1), 56-61  
*Laelaps nuttalli*, *Polyplax spinulosa*, *Xenopsylla astia*, *X. cheopis* on *Bandicota bengalensis*, seasonal fluctuations; prevalence of *B. bengalensis* and accompanying decrease in *Rattus rattus* and *X. cheopis* has diminished the threat of plague: Calcutta, India

*Xenopsylla astia*  
Ozsan, K.; et al., 1974, *Mikrobiyol. Bul.*, v. 8 (3), 267-269  
Meriones: Turkey

*Xenopsylla astia* (Rothschild)  
Prasad, R. S., 1976, *Ztschr. Parasitenk.*, v. 50 (1), 81-86  
*Xenopsylla cheopis* and *X. astia* fed on sterile male rats treated with cortisone and progesterone, no influence on reproductive potential

*Xenopsylla astia*  
Thaung, U.; Khai Ming, C.; and Myint Thein, 1975, *Southeast Asian J. Trop. Med. and Pub. Health*, v. 6 (4), 555-561  
*Xenopsylla cheopis*, *X. astia*, flea vectors of human plague, rodent-vector survey, seasonal distribution, DDT susceptibility tests show fleas to be persistently resistant: Burma

*Xenopsylla astia*  
Velimirovic, B., 1973, *Ztschr. Tropenmed. u. Parasitol.*, v. 24 (4), 539-548  
program for regular plague-oriented surveillance of small mammals and flea vectors: port of Saigon, Viet-Nam

- Xenopsylla australiaca* Mardon and Dunnet, 1971, illus.  
*Dunnet, G. M.; and Mardon, D. K., 1974,*  
*Austral. J. Zool., Suppl. s. (30), 1-273*  
 key, diagnosis  
*Notomys mitchelli:* Victoria  
*Pseudomys albocinereus:* Western Australia  
*Rattus rattus:* Western Australia  
*R. norvegicus:* " "  
*Mus musculus:* "
- Xenopsylla cheopis* (Rothschild)  
*Bowman, M. C.; et al., 1973, J. Med. Entom., v. 10 (4), 405-410*  
*Xenopsylla cheopis, control, trichlorfon and dichlorvos in rodent bait, feces from rodents fed treated baits, and vapors from both*
- Xenopsylla cheopis* (Rothschild)  
*Chamberlain, W. F.; and Becker, J. D., 1977, Southwest. Entom., v. 2 (4), 179-182*  
*Xenopsylla cheopis, inhibition of cocoon formation and adult emergence by insect growth regulators, possible means of control*
- Xenopsylla cheopis* (Rothschild, 1903), illus.  
*Dunnet, G. M.; and Mardon, D. K., 1974,*  
*Austral. J. Zool., Suppl. s. (30), 1-273*  
 key, diagnosis, syn.: *Xenopsylla pachyuro-myidis* Glinkiewicz, 1907  
*Rattus rattus:* Queensland  
*R. norvegicus:* New South Wales; Queensland  
*Epimys decumanus:* New South Wales  
*rat:* New South Wales; Queensland; Victoria; Western Australia  
*rat, white:* Queensland  
*mice:* New South Wales  
*Melomys littoralis:* Queensland
- Xenopsylla cheopis*  
*Hadi, T. R.; et al., 1976, Southeast Asian J. Trop. Med. and Pub. Health, v. 7 (3), 487-489*  
*Bandicota indica setifera*  
*Rattus exulans*  
*R. norvegicus*  
*R. r. diardii*  
*Suncus murinus*  
 all from Ancol, Jakarta, Indonesia
- Xenopsylla cheopis*  
*Ising, E., 1975, Ztschr. Ang. Zool., v. 62 (4), 435-445*  
*Xenopsylla cheopis, Bromophos as systemic insecticide in guinea pig blood, given in feed; low toxicity to mammals*
- Xenopsylla cheopis* (Rothschild), illus.  
*Kamala Bai, M.; and Prasad, R. S., 1976, Ann. Trop. Med. and Parasitol., v. 70 (4), 467-472*  
*Xenopsylla cheopis, X. astia, nutritional efficacy of blood meal, nature of blood factors of host which stimulate ovarian maturation*
- Xenopsylla cheopis* (Roths.)  
*Mitchell, C. J., 1971, J. Med. Entom., v. 8 (1), 56-61*  
*Laelaps nuttalli, Polyplax spinulosa, Xenopsylla astia, X. cheopis on Bandicota bengalensis, seasonal fluctuations; prevalence of B. bengalensis and accompanying decrease in Rattus rattus and X. cheopis has diminished the threat of plague: Calcutta, India*
- Xenopsylla cheopis*  
*Neville, A. C.; Parry, D. A. D.; and Woodhead-Galloway, J., 1976, J. Cell Sc., v. 21 (1), 73-82*  
*Xenopsylla cheopis, chitin crystallites in cuticle*
- Xenopsylla cheopis* (Rothschild)  
*Prasad, R. S., 1976, Ztschr. Parasitenk., v. 50 (1), 81-86*  
*Xenopsylla cheopis and X. astia fed on sterile male rats treated with cortisone and progesterone, no influence on reproductive potential*
- Xenopsylla cheopis*  
*Reed, W. P.; et al., 1970, Medicine, Baltimore, v. 49 (6), 465-486*  
*role of fleas as vectors of human bubonic plague in southwestern United States*
- Xenopsylla cheopis*  
*Reinhardt, C. A., 1976, Acta Trop., v. 33 (2), 105-132*  
*Xenopsylla cheopis, Echidnophaga gallinacea, Tunga penetrans, ultrastructure of midgut epithelium in relation to feeding behavior patterns (temporary vs. stationary parasites)*
- Xenopsylla cheopis* (Rothschild)  
*Reisen, W. K.; et al., 1975, Kalikasan, v. 4 (2), 145-154*  
*Rattus exulans: Thailand*  
*Rattus rattus thai: Thailand*  
*Rattus norvegicus: Taiwan; Luzon, Philippines*  
*Rattus norvegicus caraco: Korea*  
*Rattus rattus rattus: Taiwan*  
*Rattus rattus mindanensis: Luzon, Philippines*  
*Rattus luzonicus: Luzon, Phillipines*  
*Bandicota indica nemorivaga: Taiwan*  
*Suncus murinus: Taiwan*  
*Chrotomys whiteheadi: Luzon, Philippines*  
*Rattus spp.: Luzon, Philippines*
- Xenopsylla cheopis* (Rothschild), illus.  
*Sanford, L. G.; and Hays, K. L., 1974, Bull. (458) Alabama Agric. Exper. Station, 3-42*  
*description*  
*Rattus norvegicus: Dale, Houston, and Pike counties, Alabama*
- Xenopsylla cheopis*  
*Thaung, U.; Khai Ming, C.; and Myint Thein, 1975, Southeast Asian J. Trop. Med. and Pub. Health, v. 6 (4), 555-561*  
*Xenopsylla cheopis, X. astia, flea vectors of human plague, rodent-vector survey, seasonal distribution, DDT susceptibility tests show fleas to be persistently resistant: Burma*
- Xenopsylla cheopis* Roths., illus.  
*Vashchenok, V. S., 1975, Entom. Obozr., v. 54 (2), 352-354*  
*Xenopsylla cheopis, formation, structure, and pigmentation of corpora lutea, suggested that these cells fulfill a secretory function*

*Xenopsylla cheopis*  
 Velimirovic, B., 1973, Ztschr. Tropenmed. u. Parasitol., v. 24 (4), 539-548  
 program for regular plague-oriented surveillance of small mammals and flea vectors  
*Bandicota indica*  
*Rattus norvegicus*  
*R. rattus*  
*R. exulans*  
*Suncus murinus*  
 all from port of Saigon, Viet-Nam

*Xenopsylla conformis*  
 Amanniazova, R. D., 1975, Izvest. Akad. Nauk Turkmensk. SSR, s. Biol. Nauk (6), 48-54  
 seasonal distribution in different landscapes  
*Rhombomys opimus*: Turkmenistan

*Xenopsylla conformis*  
 Avetisian, G. A.; and Ezekelian, V. Kh., 1975, Biol. Zhurnal Armenii, v. 28 (8), 56-63  
 fleas, seasonal and geographic distribution  
*Microtus socialis*: Armenia

*Xenopsylla conformis* Wagn.  
 Poliakov, V. K.; et al., 1976, Zool. Zhurnal, v. 55 (10), 1538-1551  
 rodent fleas, zoological, parasitological, epidemiological and ecological characteristics of steppe, desert-steppe and desert regions of Transsural plague focus  
*Rhombomys opimus*  
*Meriones tamariscinus*  
*M. meridianus*  
 all from northeastern part of Caspian low-land

*Xenopsylla conformis*  
 Shiranovich, P. I.; et al., 1977, Izvest. Akad. Nauk Azerbaidzhan. SSR, s. Biol. Nauk (2), 89-95  
 Siphonaptera of *Meriones erythrourus*, seasonal distribution, temperature and precipitation in relation to population dynamics of host, incidence of plague and its epizootiology: Transcaucasus

*Xenopsylla gerbilli*, illus.  
 Kunitskaia, N. T.; and Prokop'ev, V. N., 1976, Entom. Obozr., v. 55 (4), 800-807  
 fleas, number of egg tubes

*Xenopsylla gerbilli gerbilli* Wagn.  
 Amanniazova, R. D., 1975, Izvest. Akad. Nauk Turkmensk. SSR, s. Biol. Nauk (6), 48-54  
 seasonal distribution in different landscapes  
*Rhombomys opimus*: Turkmenistan

*Xenopsylla hirtipes* Roths.  
 Amanniazova, R. D., 1975, Izvest. Akad. Nauk Turkmensk. SSR, s. Biol. Nauk (6), 48-54  
 seasonal distribution in different landscapes  
*Rhombomys opimus*: Turkmenistan

*Xenopsylla nubica*  
 Klein, J. M.; et al., 1975, Medecine et Malad. Infect., v. 5 (4), 198-207  
*Synosternus cleopatrae*, *Xenopsylla ramesis*, *X. nubica*, vectors of human plague in Mauritania

*Xenopsylla pachyuromyidis* Glinkiewicz, 1907  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
 Austral. J. Zool., Suppl. s. (30), 1-273  
 as syn. of *Xenopsylla cheopis* (Rothschild, 1903)

*Xenopsylla ramesis*  
 Klein, J. M.; et al., 1975, Medecine et Malad. Infect., v. 5 (4), 198-207  
*Synosternus cleopatrae*, *Xenopsylla ramesis*, *X. nubica*, vectors of human plague in Mauritania

*Xenopsylla ramesis*  
 Ozsan, K.; et al., 1974, Mikrobiyol. Bul., v. 8 (3), 267-269  
 +wild rodents (burrow)  
*Meriones*: Turkey

*Xenopsylla skrjabini* Ioff, 1938  
 Kir'iakova, A. N., 1970, Parazitologija, Leningrad, v. 4 (3), 267-270  
*Xenopsylla skrjabini*, adults receiving radioactive methionine through feeding on *Rhombomys opimus* and white mice, transmission of isotope to eggs, larvae, and pupae for two generations

*Xenopsylla skrjabini* Joff  
 Poliakov, V. K.; et al., 1976, Zool. Zhurnal, v. 55 (10), 1538-1551  
 rodent fleas, zoological, parasitological, epidemiological and ecological characteristics of steppe, desert-steppe and desert regions of Transsural plague focus  
*Rhombomys opimus*  
*Meriones tamariscinus*  
*M. meridianus*  
 all from northeastern part of Caspian low-land

*Xenopsylla vexabilis* Jordan, 1925, illus.  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
 Austral. J. Zool., Suppl. s. (30), 1-273  
 synonymy, key, diagnosis  
*Isoodon macrourus*: Northern Territory, Australia  
*Dasyurus hallucatus*: Northern Territory, Australia  
*Antechinus* sp.: Northern Territory, Australia  
*Rattus villosissimus*: Northern Territory, Australia; Queensland  
*R. leucopus*: "  
*Conilurus penicillatus*: Northern Territory, Australia  
*Leporillus jonesi*: South Australia  
*Zyzomys argurus*: Northern Territory, Australia  
*Pseudomys minnie*: South Australia  
*Melomys* sp.: Queensland

*Xenopsylla vexabilis hawaiiensis*. Jordan, 1936  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
 Austral. J. Zool., Suppl. s. (30), 1-273  
 as syn. of *Xenopsylla vexabilis* Jordan, 1925

*Xenopsylla vexabilis meseris*. Jordan, 1936  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 as syn. of *Xenopsylla vexabilis* Jordan, 1925

*Xenopsylla vexabilis vexabilis*. Jordan, 1936  
 Dunnet, G. M.; and Mardon, D. K., 1974,  
*Austral. J. Zool.*, Suppl. s. (30), 1-273  
 as syn. of *Xenopsylla vexabilis* Jordan, 1925

*Xenoryctes Zachvatkin*, 1941  
 Fain, A.; and Whitaker, J. O., jr., 1975, J.  
*Med. Entom.*, v. 12 (3), 369-370  
 key to hypopi of species, includes: X.  
*krameri krameri* (Michael, 1886); X. k. japo-  
 nensis Fain, Lukoschus & Uchikawa, 1974;  
 X. nudus n. sp.; X. punctatus Fain, 1968;  
 and X. latiporus Fain & Whitaker, 1973

*Xenoryctes krameri japonensis* Fain, Lukoschus &  
 Uchikawa, 1974  
 Fain, A.; and Whitaker, J. O., jr., 1975, J.  
*Med. Entom.*, v. 12 (3), 369-370  
 key

*Xenoryctes krameri krameri* (Michael, 1886)  
 Fain, A.; and Whitaker, J. O., jr., 1975, J.  
*Med. Entom.*, v. 12 (3), 369-370  
 key

*Xenoryctes latiporus* Fain & Whitaker, 1973  
 Fain, A.; and Whitaker, J. O., jr., 1975, J.  
*Med. Entom.*, v. 12 (3), 369-370  
 key

*Xenoryctes latiporus*  
 Whitaker, J. O., jr.; Jones, G. S.; and  
 Pascal, D. D., jr., 1975, J. Elisha Mitchell  
*Scient. Soc.*, v. 91 (1), 13-17  
 Blarina brevicauda  
 Peromyscus leucopus  
 all from Fires Creek area, Nantahala Moun-  
 tains, North Carolina

*Xenoryctes latiporus* Fain & Whitaker, 1973  
 Whitaker, J. O., jr.; and Wilson, N., 1974,  
*Am. Midland Naturalist*, v. 91 (1), 1-67  
 Syn.: Dermacarus heptneri Rupes & Whitaker  
(not Zachvatkin, 1941), 1968

*Xenoryctes nudus* n. sp., illus.  
 Fain, A.; and Whitaker, J. O., jr., 1975, J.  
*Med. Entom.*, v. 12 (3), 369-370  
 key, description of hypopus only  
*Sorex fumeus* (hair): Navel Branch, Fires  
 Creek, Clay Co., North Carolina

*Xenoryctes nudus*  
 Whitaker, J. O., jr.; Jones, G. S.; and  
 Pascal, D. D., jr., 1975, J. Elisha Mitchell  
*Scient. Soc.*, v. 91 (1), 13-17  
*Sorex fumeus*  
*S. palustris*  
*Blarina brevicauda*  
 all from Fires Creek area, Nantahala Moun-  
 tains, North Carolina

*Xenoryctes punctatus* Fain, 1968  
 Fain, A.; and Whitaker, J. O., jr., 1975, J.  
*Med. Entom.*, v. 12 (3), 369-370  
 key

*Xiphioipsylla ?apriona* Jordan & Rothschild, 1913  
 Smit, F. G. A. M., 1975, *Rev. Zool. Africaine*,  
 v. 89 (1), 191-210  
*Tachyoryctes splendens*: Cherangani Hills,  
 Kenya

*Xiphioipsylla hippia* Jordan & Rothschild, 1913  
 Smit, F. G. A. M., 1975, *Rev. Zool. Africaine*,  
 v. 89 (1), 191-210  
*Crocidura* sp.: Cherangani Hills, Kenya

*Xiphioipsylla hyparetes* J. & R. 1913  
 Smit, F. G. A. M., 1975, *Rev. Zool. Africaine*,  
 v. 89 (1), 191-210  
*Lophuromys flavopunctatus*: Naro Moru track,  
 Mt. Kenya

*Xiphioipsylla levis* Smith, 1960  
 Smit, F. G. A. M., 1975, *Rev. Zool. Africaine*,  
 v. 89 (1), 191-210  
*Chrysocloris stuhlmanni fosteri*: Cherangani  
 Hills, Kenya

- Zibethacarus*, n. gen.  
*Rupes*, V.; Yunker, C. E.; and Wilson, N.,  
 1971, J. Med. Entom., v. 8 (1), 17-22  
*Labidophoridae*; tod: *Z. ondatrae* (*Rupes* &  
 Whitaker, 1968) [n. comb.]
- Zibethacarus ondatrae* (*Rupes* & Whitaker, 1968)  
 [n. comb.] (tod), illus.  
*Rupes*, V.; Yunker, C. E.; and Wilson, N.,  
 1971, J. Med. Entom., v. 8 (1), 17-22  
 description  
*Ondatra zibethica*: U.S.A., Montana, Hamilton (Ravalli Co.) and Dillon (Beaverhead Co.)
- Zonurobia* Lawrence, 1935  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-  
 713  
 key to species, diagnosis
- Zonurobia circularis* Lawrence, illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-  
 713  
 key, description
- Zonurobia circularis capensis* Lawrence 1935  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-  
 713  
 key, description  
*Platysaurus torquatus*: Mtoko District,  
 Southern Rhodesia  
*P. intermedius purgivensis*: Purgive River,  
 Ngango, Southern Rhodesia
- Zonurobia circularis circularis* Lawrence, 1935,  
 illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-  
 713  
 key, description  
*Platysaurus guttatus rhodesianus*: Southern  
 Rhodesia (Natoppas; Kondo-umtali; White  
 Water, Umtali)  
*P. intermedius rubriger*: Lake McIlwaine,  
 Macheke, Southern Rhodesia  
*P. intermedius rhodesianus*: Bembesi, Um-  
 singuane, Southern Rhodesia  
*P. intermedius purgivensis*: Purgive River,  
 Ngungo, Southern Rhodesia  
*P. ocellatus winerii*: Chilanimani Mts.,  
 Southern Rhodesia
- Zonurobia circularis latior* Lawrence 1935,  
 illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-  
 713  
 key, description
- Zonurobia circularis longipilis* Lawrence 1935,  
 illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-  
 713  
 key, description
- Zonurobia circularis rhodesiensis* n. ssp.,  
 illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-  
 713  
*Platysaurus imperator*  
*P. torquatus*  
 all from Mtoko District, Southern Rhodesia
- Zonurobia circularis spiniventer* Lawrence 1935,  
 illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-  
 713  
 key, description
- Zonurobia circularis transvaalense* Lawrence 1935,  
 illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-  
 713  
 key, description
- Zonurobia cordylensis* Lawrence 1935, illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-  
 713  
 key, description
- Zonurobia debilipes debilipes* Lawrence 1935,  
 illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-  
 713  
 key, description
- Zonurobia debilipes mossambica* Lawrence 1958,  
 illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-  
 713  
 key, description
- Zonurobia montana* Lawrence 1935, illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-  
 713  
 key, description
- Zonurobia polyzonensis* Lawrence 1935, illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-  
 713  
 key, description
- Zonurobia sanguinea* Lawrence 1935, illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-  
 713  
 key, description
- Zonurobia semilunaris* Lawrence 1935, illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-  
 713  
 key, description
- Zonurobia subquadrata* Lawrence 1935, illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-  
 713  
 key, description
- Zonurobia transvaalica* (Lawrence) 1935, illus.  
 Jack, K. M., 1971, Acarologia, v. 12 (4), 684-  
 713  
 key, description
- Zygoribatula* sp.  
*Basolo*, F., jr.; and *Funk*, R. C., 1974, Tr.  
 Illinois State Acad. Sc., v. 67 (2), 211-221  
*Peromyscus leucopus noveboracensis*: Coles  
 County, Illinois

the first time in history, the world's population has reached the point where it is greater than the capacity of the earth to support it. This is a momentous event in the history of the world, and it is a warning to all people that we must take steps now to prevent a catastrophe. We must find ways to reduce our consumption of natural resources and to increase our efficiency in using them. We must also work to ensure that the world's population does not continue to grow uncontrollably. This is a challenge that we must meet if we are to ensure a sustainable future for ourselves and for generations to come.

## MESOZOA

## Dicyemid Mesozoa

Lapan, E. A., 1975, Comp. Biochem. and Physiol., v. 52 (4A), 651-657  
dicyemid Mesozoa, contribution to acidification of *Octopus vulgaris* urine, symbiotic rather than parasitic relationship

Dicyemennea californica McConaughey, illus.  
Matsubara, J. A.; and Dudley, P. L., 1976,  
J. Parasitol., v. 62 (3), 377-389  
Dicyemennea californica, adult nematogens and rhombogens, fine structure  
*Octopus bimaculoides* (kidneys): Pacific Bio-Marine Laboratories, Venice, California

Dicyemennea californica McConaughey, illus.  
Matsubara, J. A.; and Dudley, P. L., 1976,  
J. Parasitol., v. 62 (3), 390-409  
Dicyemennea californica, preeclosional vermiform stages and infusoriform larvae, fine structure, *Octopus bimaculoides*

## COELENTERATA

*Polypodium* sp., illus.  
Suppes, V. C.; and Meyer, F. P., 1975, J. Parasitol., v. 61 (4), 772-774  
*Polyodon spathula* (eggs): Osage River

## PLATYHELMINTHES

*Bipalium kewense*  
Daly, J. J.; Farris, H. E.; and Matthews, H. M., 1976, Vet. Med. and Small Animal Clin., v. 71 (11), 1540-1542  
accidental parasitism of dogs and cats

*Bipalium kewense* Moseley 1878, illus.  
Daly, J. J.; Matthews, H. M.; and Farris, H. E., jr., 1977, Health Lab. Sc., v. 14 (1), 39-43  
Bipalium kewense, experimental evidence in dogs shows that gastrointestinal pseudoparasitism unlikely

*Didymorchis* Haswell 1900  
Mane-Garzon, F., 1960, An. Mus. Hist. Nat., Montevideo, 2. s., v. 7 (1), 1-8  
key to species, includes: *Didymorchis cherapsis* Hasw.; *D. paranephropis* Hasw.; *D. astacopsidis* Hasw.; *D. haswelli* n. sp.

*Didymorchis haswelli* n. sp., illus.  
Mane-Garzon, F., 1960, An. Mus. Hist. Nat., Montevideo, 2. s., v. 7 (1), 1-8  
key  
*Parastacus saffordi* (cavidad branquial):  
Aigua, Departamento de Lavalleja, Uruguay

*Fecampia spiralis* Baylis, 1949  
Christensen, A. M., 1976, Ophelia, v. 15 (1), 77-97  
as syn. of *Kronborgia spiralis* (Baylis, 1949) [n. comb.]

*Kronborgia spiralis* (Baylis, 1949) [n. comb.], illus.  
Christensen, A. M., 1976, Ophelia, v. 15 (1), 77-97  
*Kronborgia spiralis* [n. comb.], redescription, morphological features, life history, host-parasite relationships  
Syn.: *Fecampia spiralis* Baylis, 1949  
*Serolis schythei*: off Argentine coast

*Temnocephala novae-zealandiae*, illus.  
Williams, J. B., 1977, Austral. J. Zool., v. 25 (2), 187-191  
*Temnocephala novae-zealandiae*, epidermal sensory receptors

*Temnocephala semperi* Weber  
Rohde, K., 1966, Med. J. Malaya, v. 20 (4), 356  
*Potamon rafflesii* (carapace and gill chambers): Genting Simpah, Malaya

## MOLLUSCA

*Anodonta anatina*, glochidia larvae  
Campbell, A. D., 1974, Proc. Roy. Soc. Edinb., sect. B, Biol., v. 74, 347-364  
*Salmo trutta* (gills, fins, maxillary fold)  
*Perca fluviatilis*  
*Esox lucius*  
*Gasterosteus aculeatus*  
all from Loch Leven, Scotland

*Anodonta cygnea*  
Lee, R. L. G., 1977, Lond. Naturalist (1976) (56), 57-70  
*Carassius carassius* (gills)  
*Cyprinus carpio* (gills)  
*Rutilus rutilus*  
*Gobio gobio* (gills)  
*Perca fluviatilis*  
*Gymnocephalus cernua*  
*Anguilla anguilla*  
all from Serpentine lake, Hyde Park and Kensington Gardens, central London

*Balcis aciculata*  
Hoskin, G. P.; and Cheng, T. C., 1970, Proc. Symp. Mollusca (Cochin, Jan. 12-16, 1968), pt. 3, 780-798  
*Holothuria atra*  
*Actinopyga mauritiana*  
all from Hawaii

*Balcis intermedia* (Cantraine), illus.  
Caso, M. E., [1969], An. Inst. Biol. Univ. Nac. Auton. Mexico, s. Cien. Mar y Limnol., v. 39 (1), 1968, 31-39  
*Holothuria glaberrima*: Norte de Veracruz, Ver.

*Gastropoda*

Luetzen, J., 1972, *Steenstrupia*, v. 2 (16), 233-246  
survey, associations between parasitic gastropods and crinoids

*Glochidia [sp.]*

Cloutman, D. G.; and Becker, D. A., 1977, J. Parasitol., v. 63 (2), 372-376  
*Micropterus salmoides*  
*M. punctulatus*  
(gills of all): all from Lake Fort Smith, Crawford County, Arkansas

*Glochidium [sp.], indet.*

Dabrowska, Z., 1970, *Acta Parasitol. Polon.*, v. 17 (20-38), 189-193  
*Barbus barbus* (fin)  
*Abramis brama* (fin)  
*Blicca bjoerkna* (gills)  
*Leuciscus leuciscus* (gills)  
*L. idus* (gills)  
*Chondrostoma nasus* (fin)  
*Aspius aspius* (fin)  
*Rutilus rutilus* (fin, gills)  
*Scardinius erythrophthalmus* (gills)  
*Esox lucius* (fin, gills)  
*Pungitius pungitius* (fin, gills)  
*Perca fluviatilis* (fin, gills, skin surface)  
*Lucioperca lucioperca* (gills)  
*Acerina cernua* (gills)  
*Leuciscus cephalus* (fin, gills)  
all from Vistula River near Warsaw

*Glochidia [sp.]*

Gruninger, T. L.; Murphy, C. E.; Britton, J. C., 1977, *Southwest. Nat.*, v. 22 (4), 525-535  
*Ictalurus punctatus*  
*Pomoxis annularis*  
*Lepomis macrochirus*  
(gills of all): all from Eagle Mountain Lake, Texas

*Goodingia gen. n.*

Luetzen, J., 1972, *Steenstrupia*, v. 2 (16), 233-246  
tod: *G. varicosa* (Schepman & Nierstrasz) [n. comb.]

*Goodingia varicosa* (Schepman & Nierstrasz) [n. comb.] (tod), illus.

Luetzen, J., 1972, *Steenstrupia*, v. 2 (16), 233-246  
redescription  
Syn.: *Mucronalia varicosa* Schepman & Nierstrasz, 1909  
*Capillaster multiradiatus* (?)

*Margaritifera margaritifera*, illus.

Meyers, T. R.; and Millemann, R. E., 1977, J. Parasitol., v. 63 (4), 728-733

*Margaritifera margaritifera*, comparative susceptibility of 6 species of salmonid fishes to infection with glochidia using known numbers of parasites under controlled conditions, mortality rates  
*Oncorhynchus nerka kennerlyi* (gills) (exper.)  
*Salmo clarki* (gills) (exper.)  
*Salmo salar* (gills) (exper.)  
*Salmo gairdneri* (gills) (exper.)  
*Oncorhynchus kisutch* (gills, fins, buccal cavity) (exper.)  
*Oncorhynchus tshawytscha* (gills, fins, buccal cavity) (exper.)

*Monogamus n. gen.*

Luetzen, J., 1976, *Israel J. Zool.*, v. 25 (1-2), 38-51  
Prosobranchia  
tod: *M. entopodia* n. sp.

*Monogamus entopodia* n. sp. (tod), illus.

Luetzen, J., 1976, *Israel J. Zool.*, v. 25 (1-2), 38-51  
*Echinometra mathaei* (tube feet near peristome): Gulf of Elat, Red Sea

*Monogamus interspinosa* n. sp., illus.

Luetzen, J., 1976, *Israel J. Zool.*, v. 25 (1-2), 38-51  
*Echinometra mathaei* (skin): western Pacific Ocean (Amboina; Obilatu, the Moluccas; Solomon Island; Tahiti)

*Mucronalia nitidula* (Pease, 1860), illus.

Hoskin, G. P.; and Cheng, T. C., 1970, Proc. Symp. Mollusca (Cochin, Jan. 12-16, 1968), pt. 3, 780-798

*Mucronalia nitidula* on *Holothuria atra*, external and internal anatomy, functional morphology, host specificity  
*Holothuria atra* (body surfaces): off Queen's Surf Beach, Oahu, Hawaii; Kaneohe Bay, Oahu, Hawaii; Island of Kauai, Hawaii

*Mucronalia varicosa* Schepman & Nierstrasz, 1909.

Luetzen, J., 1972, *Steenstrupia*, v. 2 (16), 233-246  
as syn. of *Goodingia varicosa* (Schepman & Nierstrasz) [n. comb.]

*Pisolamia* n. g.

Bouchet, P.; and Luetzen, J., 1976, Compt. Rend. Acad. Sc., Paris, v. 282, s. D., (10), 1013-1016  
Stiliferidae, tod: *Stilifer brychius*

*Stilifer* sp., illus.

Jones, S.; and James, D. B., 1970, Proc. Symp. Mollusca (Cochin, Jan. 12-16, 1968), pt. 3, 799-804  
*Stilifer* sp. in *Holothuria atra* (cloacal chamber), description, early development: localities in the neighborhood of Manadapam

*Stilifer brychius* Watson, to *Pisolamia* n. g. [comb. not made]

Bouchet, P.; and Luetzen, J., 1976, Compt. Rend. Acad. Sc., Paris, v. 282, s. D., (10), 1013-1016  
*Oneirophanta mutabilis* (hemal system): golfe de Gascogne

## ANNELIDA

## Adenodrilus n. gen.

Holt, P. C., 1977, Proc. Biol. Soc. Washington, v. 90 (3), 726-734  
Branchiobdellida  
tod: A. hemophagus n. sp.

## Adenodrilus hemophagus n. sp. (tod), illus.

Holt, P. C., 1977, Proc. Biol. Soc. Washington, v. 90 (3), 726-734  
Pacifastacus leniusculus klamathensis (gill):  
Elk Creek, Douglas Co., Oregon

## Aestabdella gen. n.

Burreson, E. M., 1976, J. Parasitol., v. 62 (5), 789-792  
Piscicolidae, tod: A. abditovesiculata  
(Moore 1952) comb. n.

## Aestabdella abditovesiculata (Moore 1952) comb. n. (tod), illus.

Burreson, E. M., 1976, J. Parasitol., v. 62 (5), 789-792  
revised diagnosis, description

Syn.: Johanssonia abditovesiculata Moore 1952  
Arothron hispidus: Honolulu aquarium  
Leptocottus armatus (mouth, pelvic fins):  
Yaquina Bay, Oregon; Tomales Bay, Colorado  
Lagoon, Long Beach, and Newport Bay, California

Psettichthys melanostictus: Yaquina Bay,  
Oregon

Gymnothorax mordax: Tijuana Slough, San  
Diego, California

Hypsopsetta guttulata: Newport Bay, California

## Aestabdella platycephali (Ingram 1957) [comb. n.]

Burreson, E. M., 1976, J. Parasitol., v. 62 (5), 789-792  
Syn.: Ichthyobdella platycephali Ingram 1957

## Antarctobdella crozetensis Sawyer, 1972

Sawyer, R. T.; and de Villiers, A. F., 1976,  
Hydrobiologia, v. 48 (3), 267-268  
description, "Dollfus' (1971) record of A.  
tcherniai from Marion should be referred to  
A. crozetensis": Gunners point (N.E. coast),  
Marion Island

## Antarctobdella tcherniai [of] Dollfus, (1971)

Sawyer, R. T.; and de Villiers, A. F., 1976,  
Hydrobiologia, v. 48 (3), 267-268  
"Dollfus' (1971) record of A. tcherniai  
from Marion should be referred to A.  
crozetensis"

## Austrobdella

Sanjeeva Raj, P. J., 1976, J. Marine Biol.  
Ass. India, v. 16 (2), 1974, 381-397  
key to species of fish-leeches of Indian  
Ocean

## Austrobdella bilobata Ingram, 1957

Sanjeeva Raj, P. J., 1976, J. Marine Biol.  
Ass. India, v. 16 (2), 1974, 381-397  
review of fish-leeches of the Indian Ocean,  
biology and behavior, geographic distri-  
bution, key

## Austrobdella californiana n. sp., illus.

Burreson, E. M., 1977, Tr. Am. Micr. Soc., v. 96 (2), 263-267  
Hippoglossina stomata  
Pleuronichthys verticalis  
P. decurrens  
Scorpaena guttata  
all from Newport Beach, California

## Batracobdella cryptobranchii n. sp., illus.

Johnson, G. M.; and Klemm, D. J., 1977, Tr. Am. Micr. Soc., v. 96 (3), 327-331  
Cryptobranchus alleganiensis bishopi: North Fork of the White River, Ozark County, Missouri

## Batracobdella phalera

Curry, M. G., 1977, Wasmann J. Biol., v. 35 (1), 65-67  
Delaware

## Batracobdella phalera (Graf, 1899)

Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97

key  
unattached: Berkeley and Sumter Counties,  
South Carolina; Gates and Bertie Counties,  
North Carolina; Chesterfield County, Virginia

## Batracobdella picta (Verrill, 1872)

Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97

key  
Ambystoma maculata  
A. talpoideum

all from Macon County, North Carolina

## Beringbdella nom. nov. for Levinsenia Vasiliev, 1939

Caballero y Caballero, E., [1974], An. Inst. Biol. Univ. Nac. Auton. Mexico, s. Cien. Mar y Limnol., v. 41 (1), 1970, 155

Syn.: Piscicola rectangulata Levinsen, 1882

## Beringbdella rectangulata (Levinsen, 1882) n. comb.

Caballero y Caballero, E., [1974], An. Inst. Biol. Univ. Nac. Auton. Mexico, s. Cien. Mar y Limnol., v. 41 (1), 1970, 155

Syn.: Piscicola rectangulata Levinsen, 1882

## Branchellion

Sanjeeva Raj, P. J., 1976, J. Marine Biol. Ass. India, v. 16 (2), 1974, 381-397  
key to species of fish-leeches of Indian  
Ocean

## Branchellion angeli Sigalas, 1921

Sanjeeva Raj, P. J., 1976, J. Marine Biol. Ass. India, v. 16 (2), 1974, 381-397  
review of fish-leeches of the Indian Ocean,  
biology and behavior, geographic distri-  
bution, key

## Branchellion australis Leigh-Sharpe, 1916

Sanjeeva Raj, P. J., 1976, J. Marine Biol. Ass. India, v. 16 (2), 1974, 381-397  
review of fish-leeches of the Indian Ocean,  
biology and behavior, geographic distri-  
bution, key

- Branchellion lobata* Moore, 1952, illus.  
Moser, M.; and Anderson, S., 1977, Canad. J. Zool., v. 55 (4), 759-760  
*Branchellion lobata* in *Squatina californica* (spiracle valves on head, around cloaca, ventral surface of embryos within uterus): off Santa Barbara, California
- Branchellion lobata*, illus.  
Russo, R. A., 1975, Calif. Fish and Game, v. 61 (4), 228-232  
*Triakis semifasciata*  
*Mustelus henlei*  
*Squalus acanthias*  
*Notorhynchus maculatus*  
*Galeorhinus zyopterus*  
all from California
- Branchellion parkeri* Richardson, 1949  
Sanjeeva Raj, P. J., 1976, J. Marine Biol. Ass. India, v. 16 (2), 1974, 381-397  
review of fish-leeches of the Indian Ocean, biology and behavior, geographic distribution, key
- Branchellion plicobranchus* Sanjeeva Raj, 1953  
Sanjeeva Raj, P. J., 1976, J. Marine Biol. Ass. India, v. 16 (2), 1974, 381-397  
review of fish-leeches of the Indian Ocean, biology and behavior, geographic distribution, key
- Branchellion ravenelii* (Girard, 1850)  
Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97  
key
- Branchellion torpedinis* Savigny, 1822  
Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97  
key
- Calliobdella carolinensis* Sawyer and Chamberlain, 1972  
Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97  
as syn. of *Calliobdella vivida* (Verrill, 1872)
- Calliobdella vivida* (Verrill, 1872)  
Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97  
key  
Syn.: *Calliobdella carolinensis* Sawyer and Chamberlain, 1972
- Cystobranchus Diesing* 1859  
Hayunga, E. G.; and Grey, A. J., 1976, J. Parasitol., v. 62 (4), 621-627  
key to species, includes: *Cystobranchus mammillatus*; *C. mayeri* sp. n.; *C. fasciatus*; *C. respirans*; *C. virginicus*; *C. verrilli*; *C. vividus*
- Cystobranchus* Sanjeeva Raj, P. J., 1976, J. Marine Biol. Ass. India, v. 16 (2), 1974, 381-397  
key to species of fish-leeches of Indian Ocean
- Cystobranchus anomolatus* Kaburaki, 1921  
Sanjeeva Raj, P. J., 1976, J. Marine Biol. Ass. India, v. 16 (2), 1974, 381-397  
review of fish-leeches of the Indian Ocean, biology and behavior, geographic distribution, key
- Cystobranchus meyeri* sp. n., illus.  
Hayunga, E. G.; and Grey, A. J., 1976, J. Parasitol., v. 62 (4), 621-627  
key  
*Catostomus commersoni* (pectoral, pelvic and caudal fins): Lisha Kill, tributary of Mohawk River (Hudson River drainage), Niskayuna Township, Schenectady County, New York
- Cystobranchus verrilli* Meyer  
White, G. E.; and Crisp, N. H., 1973, Tr. Kentucky Acad. Sc., v. 34 (3, 4), 47-48  
*Esox masquinongy*: mile 220.0, Kentucky River, Kentucky
- Cystobranchus virginicus* Hoffmann, 1964, illus.  
Paperna, I.; and Zwerner, D. E., 1974, Proc. Helminth. Soc. Washington, v. 41 (1), 64-67  
*Cystobranchus virginicus*, histopathological changes in dermis and epidermis of *Ictalurus catus*: York River, Virginia
- Cystobranchus virginicus* Hoffman, 1964  
Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97  
key
- Dero (Allodero) hylae*  
Harman, W. J., 1976, Tr. Am. Micr. Soc., v. 95 (2), 274 [Abstract]  
"The parasitic form can be cultured, and it develops the characteristics of an undescribed species in a closely related genus."
- Dina dubia* (Moore et Meyer, 1951)  
Vincent, B.; and Vaillancourt, G., 1977, Naturaliste Canad., v. 104 (3), 269-271  
[no host]: fleuve Saint-Laurent, Gentilly, Quebec
- Dina lineata*  
Matysiak, K., 1976, Acta Hydrobiol., v. 18 (3), 259-276  
leeches, distribution in relation to degree of water pollution: rivers Bzura and Ner
- Dinobdella ferox*, illus.  
Kagei, N., 1973, Nettai (Tropics), v. 8 (1), 1-5  
*Macacca mulatta* (nasal passage): Osaka, Japan, recently imported from India
- Erpobdella monostriata*  
Matysiak, K., 1976, Acta Hydrobiol., v. 18 (3), 259-276  
leeches, distribution in relation to degree of water pollution: rivers Bzura and Ner
- Erpobdella nigricollis*  
Matysiak, K., 1976, Acta Hydrobiol., v. 18 (3), 259-276  
leeches, distribution in relation to degree of water pollution: rivers Bzura and Ner

*Erpobdella octoculata*  
 Matysiak, K., 1976, *Acta Hydrobiol.*, v. 18  
 (3), 259-276  
 leeches, distribution in relation to degree  
 of water pollution: rivers Bzura and Ner

*Erpobdella punctata* (Leidy, 1879)  
 Maloney, S. D.; and Chandler, C. M., 1976,  
*Am. Midland Naturalist*, v. 95 (1), 42-48  
 upper Stones river drainage, middle Tennessee

*Erpobdella punctata costalis* subsp. nov., illus.  
 Sawyer, R. T.; and Shelley, R. M., 1976, *J.  
 Nat. Hist.*, v. 10 (1), 65-97  
 key  
 [no host]: South Carolina (Santee River  
 Swamp near Jamestown, Williamsburg-Georgetown  
 County Line; U.S. 78 and Indian Field Swamp,  
 E.S.E. St. George, Dorchester County; North  
 Edisto River at S.C. Highway 21, Orangeburg  
 County; Sampit River at Sampit, Georgetown  
 County); North Carolina (Little Mountain  
 Creek, 2.5 miles S. Badin, Yadkin River  
 System, Stanly County)

*Erpobdella punctata punctata* (Leidy, 1870), illus.  
 Sawyer, R. T.; and Shelley, R. M., 1976, *J.  
 Nat. Hist.*, v. 10 (1), 65-97  
 key  
 [no host]: McCormick, York, and Pickens  
 Counties, South Carolina; Union, North  
 Carolina

*Erpobdella testacea*  
 Matysiak, K., 1976, *Acta Hydrobiol.*, v. 18  
 (3), 259-276  
 leeches, distribution in relation to degree  
 of water pollution: rivers Bzura and Ner

*Glossiphonia complanata* (L.), illus.  
 Damas, D., 1977, *Arch. Zool. Exper. et Gen.*,  
 v. 118 (1), 29-42  
*Glossiphonia complanata*, anatomy and development  
 of female genital apparatus during annual cycle, histology, ultrastructure

*Glossiphonia complanata*  
 Matysiak, K., 1976, *Acta Hydrobiol.*, v. 18  
 (3), 259-276  
 leeches, distribution in relation to degree  
 of water pollution: rivers Bzura and Ner

*Glossiphonia heteroclitia*  
 Matysiak, K., 1976, *Acta Hydrobiol.*, v. 18  
 (3), 259-276  
 leeches, distribution in relation to degree  
 of water pollution: rivers Bzura and Ner

*Glossiphonia stagnalis*  
 Lank, D. R., jr., 1971, *Proc. Indiana Acad.  
 Sc.*, v. 81 (2), 359-364  
 in collection jars, probably attached to  
*Rana catesbeiana* at time of collection: Indiana

*Glossiphonia swampina* (Bosc, 1802), illus.  
 Sawyer, R. T.; and Shelley, R. M., 1976, *J.  
 Nat. Hist.*, v. 10 (1), 65-97  
 key  
 unattached: Berkeley County, South Carolina;  
 Gates, Bertie, and Onslow Counties, North  
 Carolina

*Glyptonotobdella antarctica* Sawyer and White,  
 1969  
 Sawyer, R. T.; and de Villiers, A. F., 1976,  
*Hydrobiologia*, v. 48 (3), 267-268  
 description: Duiker's Point (N.E. coast),  
 Marion Island

*Gnathobdelliformes* Caballero, 1952  
 Mason, J., 1976, *J. Roy. Soc. N. Zealand*, v. 6  
 (3), 255-276  
 diagnosis; key to New Zealand species

*Goddardobdella elegans*, illus.  
 Richardson, L. R., 1976, *J. Parasitol.*, v. 62  
 (5), 847-848  
 pathological gigantism in *Goddardobdella  
 elegans* infecting cattle (teat-cisterns):  
 vicinity of Townsville, northeastern Queensland

*Goddardobdella elegans* (Grube 1867), illus.  
 Sobari, S.; et al., 1976, *Austral. Vet. J.*,  
 v. 52 (4), 197-198 [Letter]  
*Goddardobdella elegans*, beef cows (udders),  
 leeches localized in milk cistern, histological changes: near Ingham, north Queensland

*Haemadipsa hainana* Song, Zhang et Tan, sp. nov.,  
 illus.  
 Song, D.; et al., 1977, *Tung Wu Hsueh Pao  
 (Acta Zool. Sinica)*, v. 23 (1), 102-108  
 [no host]: Qionghai Xian and Tunchang Xian,  
 Hainan Dao, Guangdong Province (China)

*Haemadipsa qomolangma* Song et Jiang, sp. nov.,  
 illus.  
 Song, D.; et al., 1977, *Tung Wu Hsueh Pao  
 (Acta Zool. Sinica)*, v. 23 (1), 102-108  
 [no host]: Nyanang Xian, Qomolangma Feng  
 Area, Xizang (China)

*Haemadipsa tianmushana* Song, sp. nov., illus.  
 Song, D.; et al., 1977, *Tung Wu Hsueh Pao  
 (Acta Zool. Sinica)*, v. 23 (1), 102-108  
 [no host]: Tianmu Shan, Zhejiang Province,  
 China

*Haemadipsa yanyuanensis* Liu et Song, sp. nov.,  
 illus.  
 Song, D.; et al., 1977, *Tung Wu Hsueh Pao  
 (Acta Zool. Sinica)*, v. 23 (1), 102-108  
 [no host]: Yanyuan Yizu Zizhixian, Sichuan  
 Province, China

*Haemopis marmorata* (Say, 1824) sensu Moore 1901  
 Maloney, S. D.; and Chandler, C. M., 1976,  
*Am. Midland Naturalist*, v. 95 (1), 42-48  
 upper Stones river drainage, middle Tennessee

*Haemopis marmorata* (Say, 1824)  
 Sawyer, R. T.; and Shelley, R. M., 1976, *J.  
 Nat. Hist.*, v. 10 (1), 65-97  
 key  
 [no host]: Macon County, North Carolina

*Haemopis sanguisuga*  
 Matysiak, K., 1976, *Acta Hydrobiol.*, v. 18  
 (3), 259-276  
 leeches, distribution in relation to degree  
 of water pollution: rivers Bzura and Ner

*Haemopis septagon* sp. nov., illus.

Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97

## key

[no host]: North Carolina (New Hope Creek Floodplain off N.C. Highway 54, Durham County; Milburnie Rd., Wake County; Harrellsville, Hertford County; Gates County; Wilmington, New Hanover County); South Carolina (1 mile N.E. Plantersville, Georgetown County); Virginia (Five Forks, James City County)

*Haemopis terrestris*

Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97

[no host]: West Baton Rouge, Louisiana; Pine Bluff, Arkansas; Choctaw County, Mississippi; Tuskegee National Forest, Alabama + crayfish (burrow): Gainesville, Florida

*Helobdella* [sp.]

Crewe, W.; and Cowper, S. G., 1973, Tr. Roy. Soc. Trop. Med. and Hyg., v. 67 (1), 25 [Demonstration]

Bulinus truncatus: laboratory aquarium

*Helobdella elongata* (Castle, 1900)

Maloney, S. D.; and Chandler, C. M., 1976, Am. Midland Naturalist, v. 95 (1), 42-48 upper Stones river drainage, middle Tennessee

*Helobdella elongata* (Castle, 1900)

Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97

## key

[no host]: Orangeburg and Dorchester Counties, South Carolina; Gates, Bertie, Carteret, and Columbus Counties, North Carolina

*Helobdella elongata* (Castle, 1900)

Vincent, B.; and Vaillancourt, G., 1977, Naturaliste Canad., v. 104 (3), 269-271 [no host]: fleuve Saint-Laurent, Gentilly, Quebec

*Helobdella lineata* (Verrill, 1874)

Maloney, S. D.; and Chandler, C. M., 1976, Am. Midland Naturalist, v. 95 (1), 42-48 upper Stones river drainage, middle Tennessee

*Helobdella lineata* (Verrill, 1874)

Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97

## key

unattached: Georgetown, Berkeley, Charleston, Orangeburg, Dorchester, Darlington, York, Aiken, and Pickens Counties, South Carolina; Gates, Carteret, Onslow, Columbus, and Chatham Counties, North Carolina

*Helobdella stagnalis*

Curry, M. G., 1977, Wasmann J. Biol., v. 35 (1), 65-67 Delaware

*Helobdella stagnalis*

Matysiak, K., 1976, Acta Hydrobiol., v. 18 (3), 259-276

leeches, distribution in relation to degree of water pollution: rivers Bzura and Ner

*Helobdella stagnalis* (Linnaeus, 1758)

Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97

## key

[no host]: Georgetown, Orangeburg, and Sumter Counties, South Carolina; Gates, Bertie, Onslow, and Columbus Counties, North Carolina

*Hemiclepsis marginata*

Letch, C. A., 1977, Tr. Roy. Soc. Trop. Med. and Hyg., v. 71 (5), 380-381 [Demonstration]

*Hemiclepsis marginata* as vector of fish trypanosomes in River Lee; isoenzyme techniques for characterization of isolated fish trypanosomes supports finding that all should be classified as single species

*Hemiclepsis marginata*

Matysiak, K., 1976, Acta Hydrobiol., v. 18 (3), 259-276

leeches, distribution in relation to degree of water pollution: rivers Bzura and Ner

*Hirudinea*

Negele, R. D., 1975, Fisch u. Umwelt (1), 123-126

*Hirudinea* as pests or disease vectors in fishes, review

*Hirudinea*

Sawyer, R. T.; and Shelley, R. M., 1976, J.

Nat. Hist., v. 10 (1), 65-97

key to leeches known and expected from North and South Carolina

[*Hirudinea* spp.] unidentified leeches

Nagel, M., 1976, J. Parasitol., v. 62 (3), 494-495

*Ictalurus punctatus*

*Ptylodictis olivaris*

all from Lake Texoma, Oklahoma

[*Hirudinea* sp.] leech

Tasto, R. N., 1975, Fish Bull. (165), State Calif. Resources Agency, Dept. Fish and Game, 123-135

*Leptocottus armatus* (isthmus): Anaheim Bay

*Hirudo antipodum* Benham, 1904

Mason, J., 1976, J. Roy. Soc. N. Zealand, v. 6 (3), 255-276

as syn. of *Hirudobdella antipodum* (Benham,

1904) Goddard, 1910

*Hirudo intermedia*

Goldsmid, J. M., 1977, Tr. Roy. Soc. Trop. Med. and Hyg., v. 71 (1), 86 [Letter]

human (vagina): Rhodesia

*Hirudo mauiana* Benham, 1907

Mason, J., 1976, J. Roy. Soc. N. Zealand, v. 6 (3), 255-276

as syn. of *Richardsonianus mauianus* (Benham, 1907) Soos, 1969

- Hirudo medicinalis**  
 Euzeby, J.; and Graber, M., 1976, Bull. Acad. Vet. France, v. 49 (1), 47-51  
*Schistosoma mansoni*, review of possible biological control measures against *Biomphalaria glabrata* in Guadeloupe (castration by *Clino-stomum* sp.; predation by *Cambarus affinis*; parasitism by *Hirudo medicinalis*)
- Hirudo nipponica**, illus.  
 Kikuchi, S.; et al., 1977, Eisei Dobutsu (Japan. J. San. Zool.), v. 28 (4), 393-400  
*Hirudo nipponica*, morphology, denticular arrangement, scanning electron microscopy
- Hirudo pulchra** Song, sp. nov., illus.  
 Song, D.; et al., 1977, Tung Wu Hsueh Pao (Acta Zool. Sinica), v. 23 (1), 102-108  
 [no host]: Ningbo, Zhejiang Province, China
- Hirudo sjoestedti**  
 Goldsmid, J. M., 1977, Tr. Roy. Soc. Trop. Med. and Hyg., v. 71 (1), 86 [Letter]  
 human (thigh): Rhodesia
- Hirudobdella Goddard**, 1910  
 Mason, J., 1976, J. Roy. Soc. N. Zealand, v. 6 (3), 255-276  
 diagnosis
- Hirudobdella antipodum** (Benham, 1904) Goddard, 1910, illus.  
 Mason, J., 1976, J. Roy. Soc. N. Zealand, v. 6 (3), 255-276  
 key, diagnosis, description  
 Syn.: *Hirudo antipodum* Benham, 1904  
 +*Puffinus griseus* (burrows): Open Bay Island off west coast of New Zealand
- Hirudobdella benhami** n. sp., illus.  
 Mason, J., 1976, J. Roy. Soc. N. Zealand, v. 6 (3), 255-276  
 key  
 Caswell Sound, Fiordland, New Zealand
- Ichthyobdella platycephali** Ingram 1957  
 Burreson, E. M., 1976, J. Parasitol., v. 62 (5), 789-792  
 as syn. of *Aestabdella platycephali* (Ingram 1957) [comb. n.]
- Ilinobdella alba** Meyer, 1940  
 Baker, J. C.; and Crites, J. L., 1976, Proc. Helminth. Soc. Washington, v. 43 (1), 37-39  
*Ictalurus punctatus* (pectoral, anal, caudal fin): island region of western Lake Erie
- Ilinobdella alba** (Mayer, 1940)  
 Maloney, S. D.; and Chandler, C. M., 1976, Am. Midland Naturalist, v. 95 (1), 42-48  
*Micropterus dolomieu* (caudal fin): upper Stones river drainage, middle Tennessee
- Ilinobdella alba**  
 Nagel, M., 1976, J. Parasitol., v. 62 (3), 494-495  
*Aplodinotus grunniens*: Lake Texoma, Oklahoma
- Ilinobdella moorei**  
 Grunerger, T. L.; Murphy, C. E.; Britton, J. C., 1977, Southwest. Nat., v. 22 (4), 525-535  
*Ictalurus punctatus*  
*Lepomis gulosus*  
*Pomoxis annularis*  
*Lepomis macrochirus*  
*Lepomis microlophus*  
 all from Eagle Mountain Lake, Texas
- Ilinobdella moorei** (Meyer, 1940) Meyer, 1946  
 Hensley, G. H.; and Nahas, F. M., 1975, Calif. Fish and Game, v. 61 (4), 201-208  
*Ictalurus catus* (skin, gills, fins): Sacramento-San Joaquin Delta, California
- Ilinobdella moorei** (Meyer, 1940)  
 Maloney, S. D.; and Chandler, C. M., 1976, Am. Midland Naturalist, v. 95 (1), 42-48  
*Ambloplites rupestris*  
*Chaenobryttus gulosus*  
*Lepomis gibbosus*  
*L. macrochirus*  
*L. megalotis*  
*Micropterus dolomieu*  
*M. salmoides*  
*Notropis cornutus*  
*Ictalurus melas*  
*Etheostoma squamiceps*  
 (fins of all): all from upper Stones river drainage, middle Tennessee
- Ilinobdella moorei**  
 Nagel, M., 1976, J. Parasitol., v. 62 (3), 494-495  
*Aplodinotus grunniens*  
*Ictalurus punctatus*  
 all from Lake Texoma, Oklahoma
- Ilinobdella moorei** Meyer, 1940  
 Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97  
 as syn. of *Myzobdella lugubris* Leidy, 1851
- Ilinobdella moorei**  
 White, G. E., 1977, J. Parasitol., v. 63 (6), 1138  
*Cyprinus carpio*  
*Ictalurus punctatus*  
*Aplodinotus grunniens*  
*Lepomis* sp.  
 all from Ohio River
- Ilinobdella moorei** (Meyer)  
 White, G. E.; and Crisp, N. H., 1973, Tr. Kentucky Acad. Sc., v. 34 (3, 4), 47-48  
*Lepomis* sp.: Eagle Creek, Carroll County  
*Ictalurus natalis*: Hell-for-Certain Creek, Leslie County  
*Micropterus punctulatus*: Eagle Creek, Carroll County  
 all from Kentucky
- Johanssonia**  
 Sanjeeva Raj, P. J., 1976, J. Marine Biol. Ass. India, v. 16 (2), 1974, 381-397  
 key to species of fish-leeches of Indian Ocean
- Johanssonia** sp.  
 Khan, R. A., 1976, Canad. J. Zool., v. 54 (11), 1840-1849  
*Gadus morhua*

- Johanssonia* sp.  
 Khan, R. A., 1977, J. Fish. Research Bd. Canada, v. 34 (11), 2193-2196  
*Gadus morhua* (exper.), used to transmit *Trypanosoma murmanensis*
- Johanssonia abditovesiculata* Moore 1952  
 Burreson, E. M., 1976, J. Parasitol., v. 62 (5), 789-792  
 as syn. of *Aestabdella abditovesiculata* (Moore 1952) comb. n.
- Johanssonia platycephali* Ingram, 1957  
 Sanjeeva Raj, P. J., 1976, J. Marine Biol. Ass. India, v. 16 (2), 1974, 381-397  
 review of fish-leeches of the Indian Ocean, biology and behavior, geographic distribution, key
- Leech. See [Hirudinea]
- Levinsenia* Vasiliev, 1939 renamed *Beringbdella* nom. nov.  
 Caballero y Caballero, E., [1974], An. Inst. Biol. Univ. Nac. Auton. Mexico, S. Cien. Mar y Limnol., v. 41 (1), 1970, 155
- Limnobdella australis* [of] Richardson, 1949 [et auct.]  
 Mason, J., 1976, J. Roy. Soc. N. Zealand, v. 6 (3), 255-276  
 as syn. of *Richardsonianus mauianus* (Benham, 1907) Soos, 1969
- Limnobdella australis* var. *mauiensis* Ingram, 1957  
 Mason, J., 1976, J. Roy. Soc. N. Zealand, v. 6 (3), 255-276  
 as syn. of *Richardsonianus mauianus* (Benham, 1907) Soos, 1969
- Macrobdella decora* (Say, 1824)  
 Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97  
 key  
 [no host]: Oconee County, South Carolina; Alamance and Jackson Counties, North Carolina; Fairfax County, Virginia
- Macrobdella diplostertia* sp. n., illus.  
 Meyer, M. C., 1975, Proc. Helminth. Soc. Washington, v. 42 (2), 82-85  
 host preference unknown: Osage River, Osage County, Missouri
- Macrobdella ditetra* Moore, 1953, illus.  
 Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97  
 key  
 [no host]: Berkeley, Charleston, and Georgetown Counties, South Carolina; Beaufort and Carteret Counties, North Carolina
- Macrobdella sestertia* Whitman  
 Smith, D. G., 1977, J. Parasitol., v. 63 (4), 759-760  
 rediscovery, brief description: Chebacco Lake, Hamilton Tp., Essex County, Massachusetts
- Malmiana*  
 Sanjeeva Raj, P. J., 1976, J. Marine Biol. Ass. India, v. 16 (2), 1974, 381-397  
 key to species of fish-leeches of Indian Ocean
- Malmiana diminuta* sp. n., illus.  
 Burreson, E. M., 1977, J. Parasitol., v. 63 (1), 130-136  
*Sebastes melanops* (skin, fins): Oregon State University Marine Science Center Public Aquarium, collected from Oregon estuarine and coastal waters; off central Oregon coast
- Scorpaenichthys marmoratus* (skin, fins): Oregon State University Marine Science Center Public Aquarium, collected from Oregon estuarine and coastal waters; Puget Sound, Washington
- Ophiodon elongatus* (skin, fins): Oregon State University Marine Science Center Public Aquarium, collected from Oregon estuarine and coastal waters; Vancouver Public Aquarium, Vancouver, B. C., Canada
- Sebastes* spp.: Vancouver Public Aquarium, Vancouver, B. C., Canada
- Enophrays bison*: Vancouver Public Aquarium, Vancouver, B. C., Canada
- Myoxocephalus polyacanthocephalus*: Vancouver Public Aquarium, Vancouver, B. C., Canada
- Hippoglossus stenolepis*: Vancouver Public Aquarium, Vancouver, B. C., Canada
- Malmiana stellata* Moore, 1958  
 Sanjeeva Raj, P. J., 1976, J. Marine Biol. Ass. India, v. 16 (2), 1974, 381-397  
 review of fish-leeches of the Indian Ocean, biology and behavior, geographic distribution, key
- Malmiana virida* sp. n., illus.  
 Burreson, E. M., 1977, J. Parasitol., v. 63 (1), 130-136  
*Enophrays bison* (behind pectoral fins): Yaquina Bay, Newport, Oregon
- Marvinmeyeria* (=Oculobdella) *lucida*  
 Klemm, D. J., 1973, Malacol. Rev., v. 6 (1), 66-67  
*Stagnicola exilis*: Huron drainage system of Michigan
- Marvinmeyeria lucida* (Moore, 1954)  
 Vincent, B.; and Vaillancourt, G., 1977, Naturaliste Canad., v. 104 (3), 269-271  
 [no host]: fleuve Saint-Laurent, Gentilly, Quebec
- Mooreobdella melanostoma* sp. nov., illus.  
 Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97  
 key  
 [no host]: South Carolina (shore of Lake Marion at Santee State Park near Santee, Orangeburg County; pond near Belle Isle Gardens, 3 miles S. Georgetown, Georgetown County; Loring Lee Mill Pond off U.S. 76, Sumter County; Edisto River at S.C. Highway 434, Bamberg County); North Carolina (Merchant's Mill Pond, Gates County; Hoggard Mill Swamp, Bertie County; Yates Pond, Wake County)

*Mooreobdella microstoma* [sensu] Sawyer (1971)  
 Sawyer, R. T.; and Shelley, R. M., 1976, J.  
 Nat. Hist., v. 10 (1), 65-97  
 as syn. of *M. tetragon* sp. nov.

*Mooreobdella ochotherenai* [sic] (Caballero, 1932)  
 new combination  
 Sawyer, R. T.; and Shelley, R. M., 1976, J.  
 Nat. Hist., v. 10 (1), 65-97

*Mooreobdella tetragon* sp. nov., illus.  
 Sawyer, R. T.; and Shelley, R. M., 1976, J.  
 Nat. Hist., v. 10 (1), 65-97  
 key  
 Syn.: *M. microstoma* [sensu] Sawyer (1971)  
 [no host]: South Carolina (Warrenville Pond  
 near Graniteville and pond at Vaucluse, Aiken  
 County; Lake Marion at Eutawville, Orangeburg  
 County; ponds at Fort Mill Golf Course, York  
 County; Sweet Creek, Lancaster County; Huger  
 Boat Landing, Berkeley County); North Caroli-  
 na (Merchant's Mill Pond, Gates County; Hog-  
 gard Mill Swamp, Bertie County; pond near  
 Cape Hatteras lighthouse, Dare County)

*Myzobdella lugubris* Leidy, 1851, illus.  
 Sawyer, R. T.; and Shelley, R. M., 1976, J.  
 Nat. Hist., v. 10 (1), 65-97  
 key  
 Syn.: *Ilinobdella moorei* Meyer, 1940  
*Palaemonetes paludosus* (dorsal abdominal sur-  
 face): Craven County, North Carolina  
 [no host]: Berkeley, Charleston, Colleton,  
 Anderson, and Pickens Counties, South  
 Carolina; Duplin and Pender, Wake, and  
 Transylvania Counties, North Carolina

*Myzobdella moorei* (Meyer 1940) Meyer 1946  
 Miller, R. L.; Olson, A. C., jr.; and Miller,  
 L. W., 1973, Calif. Fish and Game, v. 59 (3),  
 196-206  
*Ictalurus punctatus*  
*Lepomis cyanellus*  
*L. macrochirus*  
*Micropodus salmoides*  
*Notemigonus crysoleucas*  
*Pomoxis annularis*  
*P. nigromaculatus*  
 all from southern California reservoirs

*Nephelopsis obscura* Verrill, 1872  
 Davies, R. W.; and Everett, R. P., 1977, Canad.  
 J. Zool., v. 55 (3), 620-627  
*Nephelopsis obscura*, life history, growth and  
 age structure related to seasonal changes,  
 seasonal population movements from deep-water  
 zone to shore zone; no direct correlation  
 between cocoon production and water tempera-  
 ture: Newsome Pond and Jail Pond, Alberta,  
 Canada

*Oceanobdella blennii* (Knight-Jones)  
 Davies, A. J.; and Johnston, M. R. L., 1976,  
 J. Protozool., v. 23 (2), 315-320  
*Haemogregarina bigemina* in *Blennius pholis*,  
 incidence in relation to length of host,  
 structure and development, no evidence for  
 leech *Oceanobdella blennii* as vector, cir-  
 cumstantial evidence for *Gnathia maxillaris*  
 as vector: Wales

*Oceanobdella pallida* n. sp., illus.  
 Burreson, E. M., 1977, Tr. Am. Micr. Soc.,  
 v. 96 (4), 526-530  
*Parophrys vetulus* (mouth and gill cavity):  
 Pacific Ocean, 5 km west of Newport, Oregon

*Oligobdella biannulata* (Moore, 1900), illus.  
 Sawyer, R. T.; and Shelley, R. M., 1976, J.  
 Nat. Hist., v. 10 (1), 65-97  
 biological observations, key  
*Desmognathus auriculatus* (exper.)  
*D. quadramaculatus*: Caldwell County, North  
 Carolina  
*D. ochrophaeus*: Caldwell County, North  
 Carolina  
*Leurognathus marmoratus*: Clay County, North  
 Carolina  
 [no host]: Greenville, Oconee, and Pickens  
 Counties, South Carolina; Watauga, Avery,  
 and Macon Counties, North Carolina

*Ornithobdella Benham*, 1909  
 Mason, J., 1976, J. Roy. Soc. N. Zealand, v. 6  
 (3), 255-276  
 diagnosis

*Ornithobdella edentula* Benham, 1909, illus.  
 Mason, J., 1976, J. Roy. Soc. N. Zealand, v. 6  
 (3), 255-276  
 key, diagnosis, description  
 +*Eudyptes robustus* (nests): Snares Islands,  
 New Zealand

*Ozobranchus*  
 Sanjeeva Raj, P. J., 1976, J. Marine Biol.  
 Ass. India, v. 16 (2), 1974, 381-397  
 key to species of fish-licees of Indian  
 Ocean

*Ozobranchus branchiatus* (Menziess, 1791)  
 Sanjeeva Raj, P. J., 1976, J. Marine Biol.  
 Ass. India, v. 16 (2), 1974, 381-397  
 review of fish-licees of the Indian Ocean,  
 biology and behavior, geographic distri-  
 bution, key

*Ozobranchus branchiatus* (Menziess, 1791)  
 Sawyer, R. T.; and Shelley, R. M., 1976, J.  
 Nat. Hist., v. 10 (1), 65-97  
 key

*Ozobranchus margoi* (Apathy, 1890)  
 Sanjeeva Raj, P. J., 1976, J. Marine Biol.  
 Ass. India, v. 16 (2), 1974, 381-397  
 review of fish-licees of the Indian Ocean,  
 biology and behavior, geographic distri-  
 bution, key

*Ozobranchus margoi* (Apathy, 1890)  
 Sawyer, R. T.; and Shelley, R. M., 1976, J.  
 Nat. Hist., v. 10 (1), 65-97  
 key

*Ozobranchus papillatus* Kaburaki, 1921  
 Sanjeeva Raj, P. J., 1976, J. Marine Biol.  
 Ass. India, v. 16 (2), 1974, 381-397  
 review of fish-licees of the Indian Ocean,  
 biology and behavior, geographic distri-  
 bution, key

- Ozobranchus polybranchus** Sanjeeva Raj, 1951  
 Sanjeeva Raj, P. J., 1976, J. Marine Biol.  
 Ass. India, v. 16 (2), 1974, 381-397  
 review of fish-leeches of the Indian Ocean,  
 biology and behavior, geographic distribution, key
- Ozobranchus shipleyi** Harding, 1909  
 Sanjeeva Raj, P. J., 1976, J. Marine Biol.  
 Ass. India, v. 16 (2), 1974, 381-397  
 review of fish-leeches of the Indian Ocean,  
 biology and behavior, geographic distribution, key
- Philobdella gracilis** Moore, 1901, illus.  
 Sawyer, R. T.; and Shelley, R. M., 1976, J.  
 Nat. Hist., v. 10 (1), 65-97  
 key  
 [no host]: Berkeley, Charleston, Dorchester,  
 and York Counties, South Carolina; Columbus  
 County, North Carolina
- Piscicola**  
 Gerard, J. P., 1976, Bull. Franc. Piscicult.  
 (262), 1-4  
 masoten treatment of fish parasites, toxicity
- Piscicola**  
 Sanjeeva Raj, P. J., 1976, J. Marine Biol.  
 Ass. India, v. 16 (2), 1974, 381-397  
 key to species of fish-leeches of Indian  
 Ocean
- Piscicola caeca** Kaburaki, 1921  
 Sanjeeva Raj, P. J., 1976, J. Marine Biol.  
 Ass. India, v. 16 (2), 1974, 381-397  
 review of fish-leeches of the Indian Ocean,  
 biology and behavior, geographic distribution, key
- Piscicola funduli**  
 Nigrelli, R. F.; Pokorny, K. S.; and Ruggieri,  
 G. D., 1975, J. Protozool., v. 22 (3), 43A  
 [Abstract]  
 Trypanoplasma sp. nov. found in both toad-  
 fish and in leech infesting it, leech as  
 apparent vector  
*Opsanus tau*: Long Island Sound
- Piscicola geometra** (Linnaeus, 1761) Blainville,  
 1818  
 Ejsymont, L., 1970, Acta Parasitol. Polon.,  
 v. 17 (20-38), 203-216  
*Silurus glanis* (skin, pectoral fins, gill  
 cavity): river Biebrza basin, Poland
- Piscicola geometra** (Linne, 1761)  
 Kulakiv's'ka, O. P., 1976, Vestnik. Zool.,  
 Akad. Nauk Ukrainsk. SSR, Inst. Zool. (4),  
 82-84  
*Umbra crameri* (skin): Duna delta
- Piscicola geometra**  
 Matysiak, K., 1976, Acta Hydrobiol., v. 18  
 (3), 259-276  
 leeches, distribution in relation to degree  
 of water pollution: rivers Bzura and Ner
- Piscicola geometra**, illus.  
 Negele, R. D., 1975, Fisch u. Umwelt (1), 123-  
 126  
 Hirudinea as pests or disease vectors in  
 fishes, review
- Piscicola olivacea** Harding, 1920  
 Sanjeeva Raj, P. J., 1976, J. Marine Biol.  
 Ass. India, v. 16 (2), 1974, 381-397  
 review of fish-leeches of the Indian Ocean,  
 biology and behavior, geographic distribution, key
- Piscicola punctatus**  
 Heckmann, R.; and Farley, D. G., 1973, J.  
 Wildlife Dis., v. 9 (3), 221-224  
*Hesperoleucus symmetricus symmetricus* (fins):  
 foothill streams east of Fresno, California
- Piscicola punctata** (Verrill, 1871)  
 White, G. E., 1974, Tr. Am. Micr. Soc., v. 93  
 (2), Apr., 280-282  
*Catostomus commersoni*: Kentucky River drain-  
 age system
- Piscicola punctata** (Verrill)  
 White, G. E.; and Crisp, N. H., 1973, Tr. Ken-  
 tucky Acad. Sc., v. 34 (3, 4), 47-48  
*Catostomus commersoni*: mile 170.5, Ken-  
 tucky River, Kentucky
- Piscicola rectangulata** Levinson, 1882  
 Caballero y Caballero, E., [1974], An. Inst.  
 Biol. Univ. Nac. Auton. Mexico, s. Cien. Mar  
 y Limnol., v. 41 (1), 1970, 155  
 as syn. of *Beringbdella rectangulata* (Levin-  
 sen, 1882) n. comb.
- Piscicolaria reducta** Meyer 1940  
 Erickson, J. E., 1976, J. Parasitol., v. 62  
 (3), 409  
*Etheostoma zonale* (caudal and anal fins):  
 Zumbro River, near Zumbro Falls and Jar-  
 rett, Wabasha County, Minnesota  
*Percina phoxocephala*: Zumbro River, Zumbro  
 Falls, Wabasha County, Minnesota  
*Etheostoma caeruleum*: Zumbro River, Jarrett,  
 Wabasha County, Minnesota  
*Percina maculata*: Zumbro River, near Mill-  
 ville, Wabasha County, Minnesota
- Piscicolaria reducta** Meyer  
 Murray, A. B.; Nance, W. S.; and Tarter, D.  
 C., 1977, Tr. Am. Micr. Soc., v. 96 (3), 412  
*Etheostoma blennoides* (caudal and pectoral  
 fins): Twelvepole Creek at Dickson Dam,  
 Wayne County, West Virginia
- Piscicolaria reducta**  
 Nagel, M., 1976, J. Parasitol., v. 62 (3),  
 494-495  
*Ictalurus punctatus*: Lake Texoma, Oklahoma
- Piscicolaria reducta**  
 White, G. E., 1977, J. Parasitol., v. 63 (6),  
 1138  
*Percina caprodes*: Ohio River
- Piscicolaria reducta** Meyer  
 White, G. E.; and Crisp, N. H., 1973, Tr. Ken-  
 tucky Acad. Sc., v. 34 (3, 4), 47-48  
*Notropis atherinoides*: mile 249, Kentucky  
 River, Kentucky  
*Percina caprodes*: mile 249, Kentucky River,  
 Kentucky

- Placobdella montifera**  
*Curry, M. G., 1977, Wasmann J. Biol., v. 35 (1), 65-67*  
*Anodontata cataracta (mantle cavities): Delaware*
- Placobdella montifera (Moore, 1906)**  
*Vincent, B.; and Vaillancourt, G., 1977, Naturaliste Canad., v. 104 (3), 269-271 [no host]: fleuve Saint-Laurent, Gentilly, Quebec*
- Placobdella multilineata Moore, 1953, illus.**  
*Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97*  
 description, key  
*Pseudemys scripta scripta: Charleston County, South Carolina*  
*Chelydra serpentina: Bertie County, North Carolina*  
 [no host]: Berkeley, Georgetown, Sumter, and York Counties, South Carolina; Gates, Dare, Tyrrell, Carteret, Pender, and Chatham Counties, North Carolina
- Placobdella nuchalis sp. nov., illus.**  
*Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97*  
 key  
 no host: South Carolina (S.C. Highway 210 and Four Hole Swamp, Orangeburg County; stream near Ashepoo River, 2 miles N. U.S. 17, Colleton County); North Carolina (Merchant's Mill Pond and Duke Swamp, Gates County; small pool in nearly dry canal off Nine Mile Creek, 0.75 miles N.W. Cypress Creek, Duplin County; Hoggard Mill Swamp, Bertie County)
- Placobdella ornata (Verrill, 1872)**  
*Maloney, S. D.; and Chandler, C. M., 1976, Am. Midland Naturalist, v. 95 (1), 42-48*  
*Chelydra serpentina: upper Stones river drainage, middle Tennessee*
- Placobdella papillifera (Verrill, 1872), illus.**  
*Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97*  
 description, key  
*Sternotherus odoratus: Berkeley County, South Carolina*  
 [no host]: Williamsburg, Sumter, Colleton, Abbeville, and Pickens Counties, South Carolina; Gates, Bertie, Chatham, and Jackson Counties, North Carolina; St. Tammany Parish, Louisiana
- Placobdella parasitica**  
*Curry, M. G., 1977, Wasmann J. Biol., v. 35 (1), 65-67*  
*Delaware*
- Placobdella parasitica (Say)**  
*McAuliffe, J. R., 1977, J. Parasitol., v. 63 (3), 580-581*  
 varying Haemogregarina infection levels in 3 turtle species may be a function of their basking behavior which affects incidence of parasitism by the presumed leech vector  
*Chrysemys picta bellii*  
*Chelydra serpentina*  
*Emydoidea blandingii*  
 all from Nebraska Sandhills
- Placobdella parasitica (Say, 1824)**  
*Maloney, S. D.; and Chandler, C. M., 1976, Am. Midland Naturalist, v. 95 (1), 42-48*  
*Chelydra serpentina (hind legs, posterior region)*  
*Pseudemys scripta (hind legs)*  
 all from upper Stones river drainage, middle Tennessee
- Placobdella parasitica (Say, 1824)**  
*Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97*  
 key  
*Kinosternon subrubrum: Pickens County, South Carolina*  
*Sternotherus odoratus: Union County, North Carolina*  
 unattached: Georgetown, Orangeburg, Berkeley, and Dorchester Counties, South Carolina; Chatham County, North Carolina
- Placobdella parasitica**  
*White, G. E., 1977, J. Parasitol., v. 63 (6), 1138*  
*Cyprinus carpio (eye): Ohio River*
- Placobdella rugosa**  
*Lank, D. R., jr., 1971, Proc. Indiana Acad. Sc., v. 81 (2), 359-364*  
 in collection jars, probably attached to *Rana catesbeiana* at time of collection: Indiana
- Placobdella translucens sp. nov., illus.**  
*Sawyer, R. T.; and Shelley, R. M., 1976, J. Nat. Hist., v. 10 (1), 65-97*  
 key  
 host(s) unknown: South Carolina (pond 1 1/2 miles S. Black River on S.C. Highway 51, Georgetown County; 1 mile N. Huger on S.C. Highway 41, Berkeley County); Louisiana (Cedar Ridge Swamp off La. Highway 22 and in barrow pit on La. Highway 22 near Petite Amite, Livingston Parish)
- Poecilobdella granulosa**  
*Dev, B.; and Mishra, G. C., 1976, Current Sc., Bangalore, v. 45 (15), 556-557 [Letter]*  
*Poecilobdella granulosa, giant nerve cells, sub-pharyngeal and segmental ganglia, demonstration technique*
- Poecilobdella granulosa, illus.**  
*Mishra, G. C.; and Dev, B., 1976, Ztschr. Parasitenk., v. 50 (1), 43-51*  
*Poecilobdella granulosa, localization of acetylcholinesterase and butyrylcholinesterase in salivary glands; roles of these and other enzymes in biting*
- Pontobdella**  
*Sanjeeva Raj, P. J., 1976, J. Marine Biol. Ass. India, v. 16 (2), 1974, 381-397*  
 key to species of fish-leeches of Indian Ocean
- Pontobdella aculeata Harding, 1924**  
*Sanjeeva Raj, P. J., 1976, J. Marine Biol. Ass. India, v. 16 (2), 1974, 381-397*  
 review of fish-leeches of the Indian Ocean, biology and behavior, geographic distribution, key

- Pontobdella australiensis* Goddard, 1909  
 Sanjeeva Raj, P. J., 1976, *J. Marine Biol.*  
 Ass. India, v. 16 (2), 1974, 381-397  
 review of fish-leeches of the Indian Ocean,  
 biology and behavior, geographic distribution, key
- Pontobdella loricata* Harding, 1924  
 Sanjeeva Raj, P. J., 1976, *J. Marine Biol.*  
 Ass. India, v. 16 (2), 1974, 381-397  
 review of fish-leeches of the Indian Ocean,  
 biology and behavior, geographic distribution, key
- Pontobdella macrothela* (Schmarda, 1861)  
 Sanjeeva Raj, P. J., 1976, *J. Marine Biol.*  
 Ass. India, v. 16 (2), 1974, 381-397  
 review of fish-leeches of the Indian Ocean,  
 biology and behavior, geographic distribution, key
- Pontobdella rayneri* Baird, 1869  
 Sanjeeva Raj, P. J., 1976, *J. Marine Biol.*  
 Ass. India, v. 16 (2), 1974, 381-397  
 review of fish-leeches of the Indian Ocean,  
 biology and behavior, geographic distribution, key
- Pontobdella tasmanica* (Hickman, 1942)  
 Sanjeeva Raj, P. J., 1976, *J. Marine Biol.*  
 Ass. India, v. 16 (2), 1974, 381-397  
 review of fish-leeches of the Indian Ocean,  
 biology and behavior, geographic distribution, key
- Pterobdella*  
 Sanjeeva Raj, P. J., 1976, *J. Marine Biol.*  
 Ass. India, v. 16 (2), 1974, 381-397  
 key to species of fish-leeches of Indian Ocean
- Pterobdella amara* Kaburaki, 1921  
 Sanjeeva Raj, P. J., 1976, *J. Marine Biol.*  
 Ass. India, v. 16 (2), 1974, 381-397  
 review of fish-leeches of the Indian Ocean,  
 biology and behavior, geographic distribution, key
- Richardsonianus Soos*, 1968  
 Mason, J., 1976, *J. Roy. Soc. N. Zealand*, v. 6 (3), 255-276  
 diagnosis
- Richardsonianus mauianus* (Benham, 1907) Soos, 1969, illus.  
 Mason, J., 1976, *J. Roy. Soc. N. Zealand*, v. 6 (3), 255-276  
 synonymy, key, diagnosis, description  
 New Zealand
- Stibarobdella macrothela* (Schmarda, 1861)  
 Sawyer, R. T.; and Shelley, R. M., 1976, *J. Nat. Hist.*, v. 10 (1), 65-97  
 key  
*Carcharhinus falciformis*  
*Paralichthys dentatus*  
 all from waters off Carteret County, North Carolina
- Theromyzon* sp. (O. F. Mueller, 1774)  
 Vincent, B.; and Vaillancourt, G., 1977, *Naturaliste Canad.*, v. 104 (3), 269-271  
*Anas discors* (contenu stomachal): Gentilly, Quebec
- Theromyzon tessulatum*  
 Matysiak, K., 1976, *Acta Hydrobiol.*, v. 18 (3), 259-276  
 leeches, distribution in relation to degree of water pollution: rivers Bzura and Ner
- Trachelobdella*  
 Sanjeeva Raj, P. J., 1976, *J. Marine Biol.*  
 Ass. India, v. 16 (2), 1974, 381-397  
 key to species of fish-leeches of Indian Ocean
- Trachelobdella leptcephali* Ingram, 1957  
 Sanjeeva Raj, P. J., 1976, *J. Marine Biol.*  
 Ass. India, v. 16 (2), 1974, 381-397  
 review of fish-leeches of the Indian Ocean,  
 biology and behavior, geographic distribution, key
- Trachelobdella oregonensis* sp. n., illus.  
 Burreson, E. M., 1976, *J. Parasitol.*, v. 62 (5), 793-798  
*Scorpaenichthys marmoratus* (fins): mouth of Yaquina Bay, Newport, Oregon
- Trachelobdella rugosa* Moore, 1898  
 Sawyer, R. T.; and Shelley, R. M., 1976, *J. Nat. Hist.*, v. 10 (1), 65-97  
 key
- Zeylanicobdella arugamensis* De Silva, 1963  
 Sanjeeva Raj, P. J., 1976, *J. Marine Biol.*  
 Ass. India, v. 16 (2), 1974, 381-397  
 review of fish-leeches of the Indian Ocean,  
 biology and behavior, geographic distribution

