



United States  
Department of  
Agriculture

Agricultural  
Research  
Service

# Index-Catalogue of Medical and Veterinary Zoology

Special Publication No. 6

Subject: Nematoda and Nematode  
Diseases

Part 2: Supergenera, Genera,  
Species, and Subspecies: C-E

Microfiche or printed copies of this publication may be purchased from the National Technical Information Service, 5285 Port Royal Road, Springfield, Va. 22161. For additional information, contact NTIS at the address above or call NTIS order desk at (703) 487-4650.

United States  
Department of  
Agriculture

Agricultural  
Research  
Service

Issued  
July 1983

# Index-Catalogue of Medical and Veterinary Zoology

Special Publication No. 6

Subject: Nematoda and Nematode  
Diseases

Part 2: Supergenera, Genera,  
Species, and Subspecies: C-E

By  
Mildred A. Doss, Visiting Scientist (USDA Retired)  
and

Deborah T. Hanfman, Technical Information Specialist

## PREFACE

The purpose of this section of the Index-Catalogue of Medical and Veterinary Zoology is to make available the bibliographic records on Nematoda and nematode diseases of animals that have accumulated in the parasite files of the Index-Catalogue during the period 1920-64. It is a continuation, in part, of the Roundworm Catalogue compiled by C. W. Stiles and A. Hassall (published as Hygienic Laboratory Bulletin No. 114). References appearing after 1964 will be found in the Nematoda sections of the Index-Catalogue from Supplements 15 on.

Users should bear in mind that this is an Index-Catalogue, not a treatise, and should not expect to find reasons for any given entry. Nor does citing of synonymy mean that it is necessarily correct. The same statement holds for hosts, body locations, and geographic localities cited. All possible care has been taken to make this publication as accurate as possible, but in a compilation of this scope extending over a period of 44 years and representing the cumulated efforts of many individuals, the manner of recording information and the style have varied. Our task has been to make these records as consistent as possible and to correct obvious errors.

As in other publications of this series, the Index-Catalogue: Authors must be used as the bibliographical key. Qualified persons requiring copies of the Author Catalogues, 2d Edition (Parts 1-18) and Supplements 1-14, and the reprinted Roundworm Catalogue may obtain them by submitting a request to the Index-Catalogue of Medical and Veterinary Zoology, Animal Parasitology Institute, Agricultural Research Service, USDA, Beltsville, Md. 20705.

The style used follows that of the Roundworm Catalogue; that is, the arrangement is alphabetical by family, subfamily, genus, and species. After each new taxon is listed the author of that new taxon, followed in alphabetical order by other references to that name. During the early days of compiling the Index-Catalogue, the hosts, body locations, and geographic localities were not always recorded in the Parasite Catalogue when they were recorded in the Host Catalogue. If the hosts, body location in hosts, geographic locality of hosts, and synonymy have been recorded in the parasite files of the Index-Catalogue, they are also given.

The assistance of Shirley J. Edwards, the staff of the Index-Catalogue, and J. Ralph Lichtenfels is gratefully acknowledged.

- Calodium caudinflatum* Molin, 1858  
*Orosz*, D., 1932 a, 30, 31, 33  
 as syn. of *Capillaria caudinflata* (Molin, 1858)
- Calodium caudinflatum* Molin, 1858  
*Sprehn*, C. E. W., 1932 c, 774  
 as syn. of *Capillaria longicolle* (Rudolphi, 1819)
- Calodium columbae* Rud.  
*Orosz*, D., 1932 a, 31  
 [? for *Capillaria columbae*]
- Calodium mucronata* Molin, 1858  
*Sprehn*, C. E. W., 1932 c, 775  
 as syn. of *Capillaria mucronata* (Molin, 1858)
- Calodium plica*  
*Perrier*, E., 1897 a, 1411  
 renard (vessie)
- Calodium plica* Duj.  
*Riley*, W. A., 1921 a, 93  
 as syn. of *Trichosoma plica* Rud.
- Calodium splenaecum* Duj.  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 27  
 as syn. of *Capillaria splenaeca* (Duj.)
- Calodium strumosa*  
*Orosz*, D., 1932 a, 31  
 Syn.: *C. annulata*
- Calodium temue* Duj.  
*Baile*, C., 1912 c, 127
- Calodium temue* Duj.  
*Kotlán*, S.; and *Orosz*, D., 1931 a, 114  
 as syn. of *Capillaria columbae* (Rud., 1819)
- Calodium temue* Duj., 1845  
*Morgan*, D. O., 1932 b, 188  
 as syn. of *Capillaria columbae*
- Calodium* [sic] *temue* Dujardin, 1945  
*Mettrick*, D. F., 1959 c, 66  
 as syn. of *Capillaria columbae* (Rudolphi, 1819)
- Calodium temue* Dujardin  
*Orosz*, D., 1932 a, 30, 45, 50  
 as syn. of *Capillaria columbae* (Rud., 1819)
- Calodium temue*  
*Perrier*, E., 1897 a, 1411  
 pigeon (intestin.)
- Calodium temue* Dujardin, 1845 nec *Eucoleus tenuis* Dujardin, 1845  
*Sprehn*, C. E. W., 1932 c, 770  
 as syn. of *Capillaria columbae* (Rudolphi, 1819)
- Calodium temue* Duj., 1845  
*Travassos*, L. P., 1914 c, 429  
 as syn. of *Capillaria dujardini* Travassos 1914
- Calodium temue* Duj.  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 25  
 as syn. of *Capillaria columbae* (Rud.)
- Camallanidae*  
*Ali*, S. M., [1957 a], 21-22  
 key to genera
- Camallanidae Railliet & Henry*  
*Augustine*, D. L., 1929 a, 433
- Camallanidae*  
 de Barros Barreto, A. L. G. A., 1918 b, 19
- Camallanidae*  
*Baylis*, H. A., 1923 i, 24-38
- Camallanidae Railliet and Henry*, 1916  
*Baylis*, H. A., 1939 a, xxvii, 206  
 key to genera
- Camallanidae Raill. & Henry*, 1915  
*Baylis*, H. A.; and *Daubney*, R., 1923 a, 569-570
- Camallanidae Railliet & Henry*, 1915  
*Baylis*, H. A.; and *Daubney*, R., 1926 a, 230
- Camallanidae*  
*Chabaud*, A. G.; and *Petter*, A. J., 1961 b, 61  
 cloacal papillae
- Camallanidae Railliet and Henry*, 1915  
*Chakravarty*, G. K.; and *Majumdar*, G., 1960 a, 93-94  
 keys  
 contains subfamilies: *Camallaninae* n. sp.; *Neocamallaninae* n. sp.
- Camallanidae*  
*Chakravarty*, G. K.; *Majumdar*, G.; and *Sain*, S. K., 1961 a, 223  
 emendation
- Camallanidae*  
*Chitwood*, B. G., 1937 c, 75  
*Camallanoidea*
- Camallanidae*  
*Chitwood*, B. G.; and *Wehr*, E. E., 1932 a, 168  
 taxonomy
- Camallanidae Railliet and Henry*, 1915  
*Chitwood*, B. G.; and *Wehr*, E. E., 1934 a, 304, 313, 332, 334, pl. 1  
*Spiruroidea*
- Camallanidae*  
*Dyk*, V.; and *Lucky*, Z., 1954 d, 222-225  
 revision
- Camallanidae*  
*Filipjev*, I. N., 1934 b, 71  
*Spirurata*
- Camallanidae*  
*Gupta*, S. P., 1959 c, 771-779  
*Camallanidae from fish, amphibia, and reptiles*: East Pakistan
- Camallanidae Railliet and Henry*, 1915  
*Olsen*, L. S., 1952 a, 194-195
- Camallanidae*  
*Rauther*, M., 1930 a, 375
- Camallanidae*  
*Schuurmans Stekhoven*, J. H., 1935 f, V.c 22, V.c 23  
*Spiruroidea*
- Camallanidae Raill. & Henry*  
*Skrjabin*, K. I., 1920 a, 24
- Camallanidae*  
*Skrjabin*, K. I., 1923 h, 299
- Camallanidae Railliet & Henry*  
*Skrjabin*, K. I., 1923 m, 29, 45-46
- Camallanidae*  
*Sprehn*, C. E. W., 1927 e, 39
- Camallanidae*  
*Törnquist*, N., 1931 a, 441 pp.

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Camallanidae Railliet, 1915  
Travassos, L. P., 1920 h, 69
- Camallanidae  
Van Cleave, H. J.; and Mueller, J. F., 1934 a, 301  
diagnosis
- Camallanidae R. & H.  
Ward, H. B., 1918 b, 528
- Camallanidae  
Wölker, G., 1924 a, 2
- Camallanidae Railliet and Henry, 1915  
Yeh, L. S., 1960 d, 117, 118  
key, includes: Camallaninae subf. nov.; Procamallaninae subf. nov.
- Camallanidae R. & H., 1915  
Yorke, W.; and Maplestone, P. A., 1926 a, 11, 289, 376, 377, 379
- Camallanid[ae sp.] Moorthy, 1938  
Baylis, H. A., 1939 b, 214, 264, 265  
Barbus puckelli  
Lepidocephalichthys thermalis  
Ophiocephalus gachua
- Camallanidae [sp.]  
Crawford, W. W., [1937 a], 255  
Enallagma sp.: Glenwood Lake, near Minneapolis,  
Minnesota
- Camallanidae [sp.]  
Kulasiri, C.; and Fernando, C. H., 1956 a, 420-424  
Ceylon fish
- Camallanid[ae sp.] larva  
Moorthy, V. N., 1938 d, 335, 336, 337, 338, 341, pl. 3,  
figs. 12-14  
Barbus puckelli  
Lepidocephalichthys thermalis  
Ophicephalus gachua
- [Camallanidae sp.]  
Travassos, L. P., 1941 e, 631, 632  
Brycon hilarii  
Pygocentrus nattereri  
Pimelodus fuer  
all from Estrada de Ferro Noroeste, Brasil
- Camal[lanidae spp.]  
Travassos, L. P.; and Teixeira de Freitas, J. F., 1942 a,  
284  
Pygocentrus nattereri: Brasil
- Camallanides n.g.  
Baylis, H. A.; and Daubney, R., 1922 a, 325-328
- Camallanides Baylis & Daubney, 1922  
Baylis, H. A.; and Daubney, R., 1923 a, 569-570
- Camallanides Baylis & Daubney, 1922  
Baylis, H. A.; and Daubney, R., 1926 a, 230  
type: C. prashadi B. & D.
- Camallanides  
Baylis, H. A., 1934 i, 33, 34
- Camallanides Baylis and Daubney, 1922  
Baylis, H. A., 1939 b, xxvii, 206, 214  
Camallanidae  
type: Camallanides prashadi Baylis and Daubney, 1922
- Camallanides  
Chitwood, B. G.; and Wehr, E. E., 1932 a, 168  
taxonomy
- Camallanides Baylis and Daubney, 1922  
Chitwood, B. G.; and Wehr, E. E., 1934 a, 332, 334, pl. 1
- Camallanides Baylis and Zaubney, [?Daubney], 1922  
Fujita, T., 1927 b, 44-45
- Camallanides Baylis & Daubney  
Rauther, M., 1930 a, 375
- Camallanides Baylis and Daubney, 1922  
Törnquist, N., 1931 a, vi, 229, 250, 252, 253, 255, 269,  
270, 286, 290, 292, 293, 294, 377, 378, 390, 415  
Schlangen (Indischen)
- Camallanides Baylis & Daubney, 1922  
Yeh, L. S., 1960 d, 119  
Camallaninae subf. nov.  
key
- Camallanides Baylis & Daubney, 1922  
Yorke, W.; and Maplestone, P. A., 1926 a, 376, 379  
type: C. prashadi Baylis & Daubney, 1922
- Camallanides sp.  
Gupta, S. P., 1959 c, 771, 777, 778-779, figs. 16-18  
Hydrophis cyanocinctus: Derma, East Pakistan
- Camallanides ? bungari MacCallum, 1918  
Törnquist, N., 1931 a, vi, 378  
Syn.: Camallanus bungari MacCallum, 1918  
Bungarus candidus: Java (Buitensorg)
- Camallanides (Procamallanides) piscatori n. sp.  
Khera, S., [1956 a], 31, 106-110, pl., figs. 87-91  
Natrix piscator: Lucknow
- Camallanides prashadi n.g. n.sp.  
Baylis, H. A.; and Daubney, R., 1922 a, 325-328, figs.  
60-63  
Bungarus fasciatus
- Camallanides prashadi Baylis & Daubney, 1922  
Baylis, H. A.; and Daubney, R., 1923 a, 569-570  
Zamenis mucosus  
Bungarus fasciatus
- Camallanides prashadi Baylis & Daubney, 1922  
Baylis, H. A.; and Daubney, R., 1926 a, 230
- Camallanides prashadi, Baylis & Daubney, 1922  
Baylis, H. A., 1929 g, 50  
Naja hannah  
Bungarus fasciatus  
Ptyas mucosus
- Camallanides prashadi Baylis and Daubney, 1922 (type)  
Baylis, H. A., 1939 b, xxvii, 214-218, 263, figs. 127-  
130  
Naja hannah (= N. bungarus): Zool. Gardens, Calcutta  
Bungarus fasciatus: Zool. Gardens, Calcutta  
Ptyas (Zamenis) mucosus: Zool. Gardens, Calcutta
- Camallanides prashadi Baylis & Daubney  
Karve, J. N., 1930 a, 488-489, ?figs. 9-17  
Rana tigrina
- Camallanides prashadi Baylis & Daubney  
Rauther, M., 1930 a, 375
- Camallanides prashadi (Baylis & Daubney)  
Schuurmans Stekhoven, J. H., 1939 a, 575
- Camallanides prashadi Baylis and Daubney, 1922  
Törnquist, N., 1931 a, vi, 232, 278, 279, 377-378, 394,  
416  
type  
Naja hannah  
Bungarus fasciatus  
Ptyas (Zamenis) mucosus  
Rana tigrina (Dunndarm)  
all from Nagpur, India
- Camallanides prashadi Baylis & Daubney  
Walton, A. C., 1932 c, 151  
Rana tigrina
- Camallanides prashadi Baylis and Daubney, 1922  
Walton, A. C., 1935 a, 34, 36  
Rana tigerina [sic]: India

## NEMATODA AND NEMATODE DISEASES

- Canallanides prashidi* [sic]  
Walton, A. C., 1950 c, 625  
  *Rana tigrina* [sic]: Burma, Ceylon, India
- Canallanides prashidi* Baylis & Daubney, 1922  
Yorke, W.; and Maplestone, P. A., 1926 a, 379, fig. 260  
  type of genus  
  *Bungarus fasciatus*
- Camallanides* (*Procamallanides*) *ptyas* n. sp.  
Khanna, S., [1956 a], 31, 110-114, pl., figs. 92-96  
  *Ptyas (Zamenis) mucosus*: Lucknow
- Camallanina* (Chitwood, 1936)  
Chitwood, B. G.; and Chitwood, M. B., 1937 b, 15
- Camallamina* [sic]  
Dougherty, E. C., 1951 a, 374
- Camallaninae* Seurat 1918  
Seurat, L. G., 1918 a, Dec., 261
- Camallaninae*  
Seurat, L. G., 1918 d, Jan. 15, 25
- Camallanoidea* n. superf.  
Travassos, L. P., 1920 h, 69
- Camallanoidea* Trav., 1920  
Chitwood, B. G., 1937 c, 75  
  *Camallanata* n. subord.
- Camallanoidea* Travassos  
Törnquist, N., 1931 a, 5, 6
- Camallanus* [n. gen.]  
Railliet, A.; and Henry, C. A. L., 1915 a, 448, 452  
  Syn.: *Cucullanus*  
  includes: *C. lacustris*; *C. laeviconchus*; *C. tridentatus*; *C. papillifer*; *C. melanocephalus*; *C. nigrescens*; *C. microcephalus*; *C. dumetili*; *C. trispinosus*; *C. confusus*; *C. undulatus*; *C. orthagorisci*; *C. roseus*
- Camallanus*  
Augustine, D. L., 1929 a, 433
- Camallanus*  
Baylis, H. A., 1920 g, 259
- Camallanus Railliet & Henry*, 1915  
Baylis, H. A., 1923 i, 24-25, 26, 27, 30, 33, 34
- Camallanus*  
Baylis, H. A., 1924 d, 23
- Camallanus Railliet and Henry*, 1915  
Baylis, H. A., 1939 b, xxvii, 206, 207  
  *Camallanidae*  
  key to species, type: *C. lacustris* (Zoega, in Müller, 1777)
- Camallanus Railliet & Henry*, 1915  
Baylis, H. A.; and Daubney, R., 1926 a, 230  
  type: *C. lacustris* (Zoega)
- Camallanus*  
Bogdanova, E. A., 1959 b, 146  
  Volga river in region of future Stalingrad reservoir
- Camallanus*  
Chitwood, B. G., 1932 d, 88
- Camallanus*  
Chitwood, B. G., 1937 c, 75
- Camallanus*  
Chitwood, B. G.; and Wehr, E. E., 1932 a, 168  
  taxonomy
- Camallanus Railliet and Henry*  
Chitwood, B. G.; and Wehr, E. E., 1934 a, 286, 304, 305-306, 332, 334, fig. 6AA, pl. 1
- Camallanus Railliet and Henry*, 1915  
Fujita, T., 1927 b, 43-44
- Callanus* [? for *Camallanus*]  
Hilton, W. A., 1921 a, 55
- Camallanus*  
MacCallum, G. A., [1919 a], [121] -134
- Camallanus*  
[MacCallum, G. A.], 1920 a, [121] -134
- Camallanus*  
MacCallum, G. A., 1921 c, 280
- Camallanus*  
Magath, T. B., 1920 d, 448-453
- Camallanus Railliet & Henry*  
Rauther, M., 1930 a, 261, 298, 304, 329, 340, 350, 375
- Camallanus*  
Reichenow, E.; and Wilker, G., 1929 a, 190
- Camallanus Railliet and Henry*, 1915 of MacCallum, 1819  
Schad, G. A., 1962 c, 1037  
  as syn. of *Kalicephalus* Molin, 1861
- Camallanus Railliet and Henry*, 1915  
Schuurmans Stekhoven, J. H., 1935 f, V.c 23
- Camallanus Railliet & Henry*  
Seurat, L. G., 1918 a, 261  
  Syn.: *Cucullanus* auct. non Mueller 1777
- Camallanus Railliet & Henry*, 1915  
Seurat, L. G., 1918 d, 25
- Camallanus*  
Seurat, L. G., 1918 i, 281
- Camallanus*  
Seurat, L. G., 1920 c, 24
- Camallanus*  
Skrjabin, K. I., 1919 a, 7
- Camallanus Railliet & Henry*  
Skrjabin, K. I., 1923 m, 46
- Camallanus Railliet and Henry*, 1915  
Törnquist, N., 1931 a, v. 5, 127, 229, 233, 242, 246, 249, 250, 251, 252, 253, 254, 257, 269, 270, 271, 272, 279, 287, 289, 290, 292, 293, 294, 323-325, 338, 351, 352
- Camallanus*  
Travassos, L. P., 1920 f, 41, 44
- Camallanus*  
Travassos, L. P., 1920 h, 69
- Camallanus Railliet & Henry*  
Travassos, L. P.; Artigas, P.; and Pereira, C., 1928 a, 20  
  type: *C. lacustris* (Zoega)
- Camallanus Railliet and Henry*, 1915  
Van Cleave, H. J.; and Mueller, J. F., 1934 a, 301  
  *Camallanidae*  
  diagnosis
- Camallanus*  
Ward, H. B., 1917 c, 7, 9, fig. 3
- Camallanus R. & H.*  
Ward, H. B., 1918 b, 518, 519, 528
- Camallanus*  
Wülker, G., 1924 a, 2, 5, 15, 24, 39, 61  
  Syn.: *Cucullanus*
- Camallanus Railliet and Henry*, 1915  
Yeh, L. S., 1960 d, 119  
  *Camallaninae*  
  key
- Camallanus Railliet & Henry*, 1915  
Yorke, W.; and Maplestone, P. A., 1926 a, 9, 10, 377-378  
  type: *C. lacustris* Zoega, 1776

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Camallanus* sp.  
Anderson, M. G., 1935 b, 78  
*Natrix sipedon*: Bass Islands region, Lake Erie
- Camallanus* sp.  
Bangham, R. V., 1929 a, 198-201
- Camallanus* sp.  
Bangham, R. V., 1933 a, 223, 226  
*Micropterus dolomieu*  
*M. pseudoplites*  
*Aplites salmoides*  
all from Ohio
- Camallanus* sp.  
Bangham, R. V., 1939 a, 265  
*Chaenotrytus gulosus*: southern Florida
- Camallanus* sp.  
Bangham, R. V., 1939 a, 267  
*Eupomotis microlophus*: southern Florida
- Camallanus* sp.  
Bangham, R. V., 1939 a, 266  
*Helioperca macrochira*: southern Florida
- Camallanus* sp.  
Bangham, R. V., 1939 a, 265  
*Huro salmoides*: southern Florida
- Camallanus* sp.  
Bangham, R. V., 1939 a, 266  
*Pomoxis sparoides*: southern Florida
- Camallanus* sp.  
Bangham, R. V., 1939 a, 267  
*Sclerotis punctatus punctatus*: southern Florida
- Camallanus* sp.  
Bangham, R. V., 1941 a, 291, 292, 295, 305  
black crappie  
stump-knocker  
black-spotted sunfish  
*Lepisosteus platyrhincus*  
*Amia calva*  
*Notemigonus crysoleucas bosci*  
*Ameiurus natalis*  
large-mouthed black bass  
bluegill  
all from Florida
- Camallanus* sp.  
Bangham, R. V., 1941 b, 446  
*Percina caprodes caprodes*: Buckeye Lake, Ohio
- Camallanus* sp.  
Bangham, R. V., 1941 b, 446  
*Microplus dolomieu dolomieu*: Buckeye Lake, Ohio
- Camallanus* sp.  
Bangham, R. V., 1941 b, 445  
*Ameiurus natalis natalis*: Buckeye Lake, Ohio
- Camallanus* spp.  
Bangham, R. V., 1944 a, 292, 293, 302, 305, 306, 309,  
310, 311, 312, 313, 314, 315, 316, 318, 321, 323  
*Ameiurus natalis natalis*  
*Perca flavescens*  
*Stizostedion vitreum vitreum*  
*Micropterus dolomieu dolomieu*  
*Huro salmoides*  
*Lepomis gibbosus*  
*L. macrochirus macrochirus*  
*Ambloplitis rupestris*  
*Pomoxis [sic] nigro-maculatus*  
all from northern Wisconsin
- Camallanus* spp.  
Bangham, R. V.; and Venard, C. E., 1942 a, 23, 25, 27, 28,  
29, 30, 31, 32, 33, 34, 35, 36, 37  
*Zygonectes dispar*  
*Z. chrysotus*  
*Amia calva*  
*Ictalurus punctatus*  
*Ameiurus nebulosus*  
*A. melas*  
*Opladelus olivaris*  
*Gambusia patruelis*  
*Huro salmoides*  
*Allotis humilis*  
*Helioperca macrochira*  
*Eupomotis microlophus*  
*Pomoxis annularis*  
*Pomoxis sparoides*  
*Elassoma zonatum*  
*Chrysoperca interrupta*  
*Aplodinotus grunniens*  
*Lepibema chrysops*
- Camallanus* sp.  
Barysheva, A. F., 1960 a, 280  
[*Paleucus cultratus*] (intestine): Gorkov reservoir
- Camallanus* sp. Chatterji, 1936  
Baylis, H. A., 1939 b, xxvii, 214, 261  
*Morenia ocellata*: Rangoon, Burma
- Camallanus* sp. Moorthy, 1938  
Baylis, H. A., 1939 b, 214, 265  
*Cyclops leuckarti*: Mysore
- Camallamus* sp.  
Chatterji, R. C., 1936 a, 92  
*Morenia ocellata* (intestine): Rangoon
- Camallanus* spp.  
Chitwood, B. G.; and Chitwood, M. B., 1937 b, 45
- Camallamus* sp.  
Fischthal, J. H., 1947 a, 208  
*Lepomis m. macrochirus*: Wisconsin
- Camallamus* sp.  
Karve, J. N., 1952 a, 1  
*Ophiocephalus leucopunctatus*: Poona
- Camallanus* [sp.]  
Krecker, F. H., 1919 a, 183-187  
*Apomotis cyanellus*
- Camallanus* spec.  
Kreis, H. A., 1962 a, 110  
*Iguana* spec.
- Camallamus* sp.  
Krepkogorskaia, T. A., 1927 a, 106-107  
*Lucioperca lucioperca*
- Camallamus* sp. ind.  
Kung, C. C., 1948 b, 141, 143, 144, 163, figs. 4-7  
bull-frog: South Africa
- Camallamus* sp.  
Kuntz, R. E., 1941 a, 34
- Camallamus* sp.  
Kuntz, R. E.; and Self, J. T., 1944 a, 37  
*Rana sphenocephala*: Oklahoma
- Camallamus* larvae  
Lavrov, G. D., 1957 a, 128  
*Lucioperca lucioperca*  
*Perca fluviatilis*  
(vitreous body of both): both from Volga

## NEMATODA AND NEMATODE DISEASES

- Camallanus* sp.  
Liu, C. K.; and Wu, H. W., 1941 a, 67-69, 73, fig. 3  
*Macrone longirostris*: Pehpei, Szechuan
- Camallanus* sp.  
McLain, A. L., 1952 a, 94  
*Petromyzon marinus*: Lake Huron basin
- Camallanus* sp.  
Meyer, F. P., 1958 a, 510, 511  
*Cyprinus carpio*: Trumbull Lake, Iowa
- Camallanus* [sp.]  
Mirza, M. B.; and Basir, M. A., 1938 a, 219  
*Rana* sp.: Hyderabad Deccan, India
- Camallanus* sp.  
Moorthy, V. N., 1938 d, 323, 334, 338, 342, pl. 4, figs. 18-20
- Camallanus* sp.  
Nigrelli, R. F., 1940 b, 551  
fresh-water fishes: N. York Aquarium
- Camallanus* sp.  
Rankin, J. S., 1937 b, 193, 246, 261  
*Triturus viridescens viridescens*: North Carolina (Buchanan's Pond)
- Camallanus* sp., larva  
Rankin, J. S. (jr.), 1945 a, 143, 147  
*Triturus v. viridescens*: Massachusetts
- Camallanus* sp.  
Rees, F. G., 1946 a, 39, 40  
*Serranus cabrilla*: Porcupine Bank
- Camallanus* sp.  
Romanova, G. P., 1957 a, 157  
*Lucioperca sandra*: Rybinsk reservoir
- Camallanus* sp.  
Shevchenko, N. N., 1957 c, 141, 144  
*Emys orbicularis*: central Donets
- Camallanus* sp.  
Shul'man, S. S., 1954 d, 217  
*Acipenser nudiventris*: Aral sea
- Camallanus* sp.  
Sparks, A. K., 1951 a, 355, 356, 357, pl. 2, fig. 9  
*Huso salmoides*: Texas
- Camallanus* [sp.]  
Travassos, L. P.; and Teixeira de Freitas, J. F., 1942 a, 284, 286  
*Charax gibbosus*  
*Astronotus ocellatus*  
both from Brasil
- Camallanus* sp.  
Venard, C. E., 1940 a, 55, 57  
*Huso salmoides*: Reelfoot Lake
- Camallanus* sp.? Mirza and Basir, 1938  
Walton, A. C., 1950 e, 41  
frogs: India
- Camallanus* sp.? of Kung, 1948  
Walton, A. C., 1953 a, 648  
bull frog: Africa
- Camalonus* [sic] sp.  
Zmeev, G. Ia., 1932 b, 257  
*Mesocottus haitzei*: Amur river
- Camallanus* amazonicus n. sp.  
Ribeiro, D. J., [1941 b], 723-728, pls. 1-2, figs. 1-11  
Syns.: *Cucullanus microcephalus* Dies., 1851 nec *Duj.*, 1845; *Camallanus trispinosus* (Leidy, 1851) pro parte  
*Podocnemis expansa*: Belém, Estado do Pará, Brasil
- Camallamus americanus*, nov. spec.  
Magath, T. B., 1919 a, 49-170, figs. A-Q, pls. 7-16, figs. 1-134  
*Chelydra serpentina*  
*Chrysemys marginata*  
*Chrysemys picta*  
*Chrysemys scripta*  
*Chrysemys trossti*  
*Chrysemys elegans*  
*Malacoclemmys lesueuri*  
*Armochelys odoratus*
- Camallanus americanus* Magath, 1919  
Baylis, H. A.; and Dautney, R., 1922 a, 323, 324
- Camallanus americanus* Magath  
Chitwood, B. G., 1932 d, 88  
as syn. of *C. microcephalus* (Duj., 1845)
- Camallanus americanus*  
Chitwood, B. G.; and Chitwood, M. B., 1937 b, 15, fig. 14 A-C
- Camallanus americanus*  
Chitwood, B. G.; and Chitwood, M. B., 1938 a, 104, 105, fig. 103 CC
- Camallanus americanus*  
Harrah, E. C., 1922 a, 59  
*Chelydra serpentina*
- Camallanus americanus* Magath, 1918  
Harwood, P. D., 1932 b, 60  
as syn. of *C. trispinosus* (Leidy, 1851)
- Camallanus americanus*  
Hetherington, D. C., 1923 a, 60, pl. 3, fig. 33
- Camallanus americanus*  
Hsu, H. F., 1933 b, 14  
oesophageal glands
- Camallanus americanus*  
Hsu, H. F., 1933 i, 277, 283, 284  
oesophageal glands
- Camallanus americanus*  
Mueller, J. F., 1927 b, 503
- Camallanus americanus*  
Schwartz, B. I., 1921 f, 392
- Camallanus americanus* Magath, 1919  
Sprehn, C. E. W., 1932 m, 278, 279
- Camallanus americanus* Magath, 1919  
Tornquist, N., 1931 a, 41, 233, 240, 245, 267, 359, 370  
as syn. of *Camallanus scabrac MacCallum*, 1918
- Camallanus americanus* Magath  
Walton, A. C., [1927 a], 143  
as syn. of *Camallanus trispinosus* (Leidy)
- Camallanus americanus* Magath, 1919  
Yorke, W.; and Maplestone, P. A., 1926 a, 378  
tortoises
- Camallanus americanus* Magath, 1919  
Yeh, L. S., 1960 d, 123  
as syn. of *Serpinema microcephalus* (Duj., 1845) n. comb.
- Camallanus anabantis* n. sp.  
Pearse, A. S., 1933 c, 182-183, figs. 5-9  
*Anabas testudineus*  
*Clarias batrachus*  
both from Bangkok, Siam
- Camallanus anabantis* Pearse 1933  
Chakravarty, G. K., 1937 a, 298  
*Anabas testudineus*: India
- Camallanus anabantis* Pearse  
Chakravarty, G. K., 1939 a, 375, figs. 1-3  
*Anabas testudineus*: [India]

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Camallanus anabantis* Pearse  
Chakravarty, G. K., 1940 a, 131
- Camallanus anabantis* Pearse  
Kulasiri, C.; and Fernando, C. H., 1956 a, 420, 421  
life history  
*Ophicephalus punctatus*  
*Puntius filamentosus*  
*Rasbora daniconius*  
all from Ceylon
- Camallanus anabantis* Pearse, 1933 in part  
Yeh, L. S., 1960 b, 108  
as syn. of *Zeylanema anabantis* n. comb.
- Camallanus anabantis* Pearse, 1933 (in part)  
Yeh, L. S., 1960 d, 111-112  
as syn. of *Zeylanema pearsei* sp. nov.
- Camallanus ancyloclirus* Ward & Magath  
Augustine, D. L., 1929 a, 433
- Camallanus ancyloclirus*  
Magath, T. B., 1919 a, 138
- Camallanus (?) ancyloclirus* Ward and Magath, 1917  
Meyer, F. P., 1958 a, 500  
*Cyprinus carpio*: Trumbull Lake, Iowa
- Camallanus ancyloclirus* Ward & Magath  
Pearse, A. S., 1924 b, 177  
*Carpoides thompsoni*: Lake Pepin
- Camallanus ancyloclirus*  
Roberts, L. S., 1957 a, 54  
*Cyprinus carpio*: Lake Texoma, Oklahoma
- Camallanus ancyloclerus* [sic] Ward & Mag.  
Self, J. T.; and Campbell, J. W., [1957 a], 397  
*Ictiobus bubalus*  
*I. cyprinella*  
both from Lake Texoma
- Camallanus ancyloclirus* Ward and Magath, 1916  
Törnquist, N., 1931 a, vi, 286, 350  
*Carpoides thompsoni*: Fairport, Iowa; Pepin Lake, Wisconsin
- Camallanus ancyloclirus*  
Van Cleave, H. J.; and Mueller, J. F., 1934 a, 301  
key
- Camallanus ancyloclirus*  
Ward, H. B., 1917 c, 12, fig. 3
- Camallanus ancyloclirus* Ward & Magath  
Ward, H. B., 1918 b, 529, fig. 822
- Camallanus ancyloclirus* Ward & Magath, 1916  
Yorke, W.; and Maplestone, P. A., 1926 a, 378  
carp
- Camallanus atridentus* n. sp.  
Khera, S., [1956 a], 31, 103-106, figs. 84-86  
*Ophicephalus punctatus*: Saharanpur
- Camallanus baylisi* n. sp.  
Karve, J. N., 1930 a, 486-488  
*Rana tigrina*
- Camallanus baylisi* Karve, 1930  
Karve, J. N., 1944 a, 77  
*Rana tigrina*: Talegaon near Poona
- Camallanus baylisi* Karve, 1930  
Baylis, H. A., 1939 b, xxvii, 207, 210-212, 263, figs. 123-124  
*Rana tigrina*: Nagpur, Central Provinces
- Camallanus baylisi* Karve, 1930  
Törnquist, N., 1931 a, 416  
*Rana tigrina* (Dünndarm): Indien (Nagpur)
- Camallanus baylisi* Karve  
Walton, A. C., 1932 c, 151, 153, 154  
*Rana tigrina*
- Camallanus baylisi* Karve, 1930  
Walton, A. C., 1935 a, 33, 35  
measurements
- Camallanus baylisi*  
Walton, A. C., 1950 c, 625  
*Rana tigrina*: Burma, Ceylon, India
- Camallanus bungari* n. sp.  
MacCallum, G. A., [1919 a], 130-131, fig. 65  
*Bungarus candidus*: Buitenzorg, Java
- Camallanus bungari* MacCallum  
Baylis, H. A.; and Daubney, R., 1922 a, 328  
*Bungarus candidus*
- Camallanus bungari* MacCallum, 1918  
Chitwood, B. G., 1932 d, 88  
as syn. of *Kalicephalus bungari*
- Camallanus bungari* MacCallum, 1918  
Schad, G. A., 1962 c, 1134  
as syn. of *Kalicephalus bungari* (MacCallum, 1918)  
Chitwood, 1932
- Camallanus bungari* MacCallum, 1918  
Törnquist, N., 1931 a, 378  
as syn. of *Camallanides?* *bungari* MacCallum, 1918
- Camallanus carangis* n. sp.  
Olsen, L. S., 1954 a, 258-260, figs. 1-6  
*Caranx*: Fiji Islands
- Camallanus chelydrae* [n. sp.]  
MacCallum, G. A., [1919 a], 128  
*Chelydra serpentina*: N. Y. Aquarium
- Camallamus chelydrae*  
MacCallum, G. A., 1921 c, 136
- Camallamus chelydrae* MacCallum  
Chitwood, B. G., 1932 d, 88  
as syn. of *C. microcephalus* (Duj., 1845)
- Camallamus chelydrae* MacCallum, 1918  
Törnquist, N., 1931 a, 358, 370  
as syn. of *Camallanus scabrac* MacCallum, 1918
- Camallanus chelydrae* MacCallum, 1918  
Törnquist, N., 1931 a, 358, 370  
as syn. of *Camallanus trispinosus* Leidy, 1852
- Camallanus chelydrae* MacCallum, 1918  
Yeh, L. S., 1960 d, 123  
as syn. of *Serpinema microcephalus* (Duj., 1845) n. comb.
- Camallanus confusus* Railliet & Henry, 1915  
Baylis, H. A.; and Daubney, R., 1922 a, 325
- Camallanus confusus* Railliet & Henry, 1915  
Törnquist, N., 1931 a, 351, 352  
as syn. of *Camallanus microcephalus* Duj., 1845
- Camallanus confusus* Railliet & Henry, 1915  
Yorke, W.; and Maplestone, P. A., 1926 a, 378  
as syn. of *C. microcephalus* (Duj., 1845)
- Camallanus cotti* n. sp.  
Fujita, T., 1927 a, 170-171, fig. 2  
*Parasilurus asotus*  
*Zacco platypus*  
*Opsarichthys uncirostris*  
*Cottus pollax*  
all from Lake Biwa

- Camallanus cotti*  
 Fujita, Tsumenobu, 1929 a, 87  
*Zacco platypus*  
*Opsarichthys uncirostris*  
*Cottus pollux*  
*Parasilurus asotus*  
*Camallanus cotti* Fujita, 1927  
 Törnquist, N., 1931 a, vi, 286, 350  
*Parasilurus asotus*: Japan: See Biwa  
*Zacco platypus*: Japan: See Biwa  
*Opsarichthys uncirostris*: Japan: See Biwa  
*Cottus pollux*: See Tazawa  
*Camallanus cotti* (Fujita, 1927)  
 Yamaguti, S., 1935 g, 377, fig. 55  
*Mogurnda obscura*  
*Cottus pollux*  
*Zacco platypus*  
*Z. temminckii*  
*Chasmogobius macrognathos*  
*Leuciscus hakonensis*  
*Camallanus cotti* (Fujita, 1927)  
 Yamaguti, S., 1941 b, 343, 377-378  
*Rhinogobius similis*: Japan  
*Camallanus cyathocephalus* n. sp.  
 MacCallum, G. A., [1919 a], 130, fig. 64  
*Chrysemys scabra*: Zool. Park, N.Y.  
*Camallanus cyathocephalus* MacCallum, 1918  
 Chitwood, B. G., 1932 d, 88  
 as syn. of *C. microcephalus* (Duj., 1845)  
*Camallanus cyathocephalus* MacCallum, 1918  
 Törnquist, N., 1931 a, 359  
 = young female of *C. scabrae* MacCallum, 1918  
*Camallanus cyathocephalus* MacCallum, 1918  
 Yeh, L. S., 1960 d, 123  
 as syn. of *Serpinema microcephalus* (Duj., 1845) n. comb.  
*Camallanus cyathopharynx*, sp. n.  
 Baylis, H. A., 1923 k, 24-25, 27, figs. 1-2  
*Heterobranchus anguillaris*: Cairo  
*Camallanus cyathopharynx* [sic]  
 Fujita, T., 1927 a, 171  
 for *C. cyathopharynx*?  
*Camallanus cyathopharynx* Baylis, 1923  
 Törnquist, N., 1931 a, 373  
 as syn. of *Paracamallanus cyathopharynx* Baylis, 1923  
*Camallanus cyathopharynx* Baylis, 1923  
 Yorke, W.; and Maplestone, P. A., 1926 a, 379  
 as syn. of *Paracamallanus cyathopharynx* (Baylis, 1923)  
*Camallanus dumerilii* (Perrier, 1871)  
 Baylis, H. A.; and Daubney, R., 1922 a, 325  
*Camallanus dumerilii* (Perrier)  
 Skrjabin, K. I., 1923 m, 47  
*Camallanus elegans* n. sp.  
 MacCallum, G. A., [1919 a], 129  
*Chrysemys elegans*: N.Y. Aquarium (Florida)  
*Camallanus elegans* MacCallum  
 Chitwood, B. G., 1932 d, 88  
 as syn. of *C. microcephalus* (Duj., 1845)  
*Camallanus elegans*  
 Fujita, T., 1927 a, 171  
*Camallanus elegans*  
 Hall, M. C., 1929 b, 64  
*Asellus aquaticus*  
*Camallanus elegans* MacCallum, 1918  
 Törnquist, N., 1931 a, 359  
 as syn. of *C. scabrae* MacCallum, 1918  
*Camallanus elegans* MacCallum, 1918  
 Yeh, L. S., 1960 d, 123  
 as syn. of *Serpinema microcephalus* (Duj., 1845) n. comb.  
*Camallanus floridanae* n. sp.  
 MacCallum, G. A., [1919 a], 128-129  
*Chrysemys floridiana*: N. Y. Aquarium  
*Camallanus floridanae* MacCallum  
 Chitwood, B. G., 1932 d, 88  
 as syn. of *C. microcephalus* (Duj., 1845)  
*Camallanus floridanae* MacCallum, 1918  
 Törnquist, N., 1931 a, 358, 359  
 as syn. of *C. scabrae* MacCallum, 1918  
*Camallanus floridinae* [sic]  
 Yeh, L. S., 1960 d, 123  
 as syn. of *Serpinema microcephalus* (Duj., 1845) n. comb.  
*Camallanus hypophthalmichthys*  
 Achmerov, A. Kh., 1959 c, 107  
*Hypophthalmichthys molitrix*: RSFSR  
*Camallanus hypophthalmichthys* Achmerov, 1954 (?)  
 Yeh, L. S., 1960 d, 120  
*Camallanus intermedius* n. sp.  
 Hsü, H. F.; and Hoepli, R. J. C., 1931 a, 567, 580-583,  
 588, pl. 3, figs. 11-13; pl. 5, figs. 23-24  
*Geoclemys reevesi* (small intestine, rectum): Nanking  
 and Chungking, China  
*Camallanus intermedius* Hsü and Hoepli, 1931  
 Hsü, H. F.; and Hoepli, R., 1938 a, 458, 460, 1 pl.,  
 fig. 9  
*Camallanus intermedius* Hsü and Hoepli, 1931  
 Hoepli, R. J. C.; and Hsü, H. F., 1931 a, 558, 560  
*Geoclemys reevesi* (small intestine):  
*Camallanus intermedius*  
 Hsü, H. F., 1933 b, 14, 15  
 oesophageal glands  
*Camallanus intermedius* Hsü a. Hoepli, 1931  
 Hsü, H. F., 1933 i, 277, 278, 281-284, 286, figs. 2-5  
 oesophageal glands  
*Camallanus intermedius* Hsü and Hoepli, 1931  
 Hsü, H. F.; and Li, S. Y., 1940 a, 559, 560-561, 565  
*Geoclemys reevesi*: China  
*Camallanus intermedius* Hsü and Hoepli, 1931  
 Yamaguti, S., 1935 i, 393, 400-401  
*Geoclemmys reevesii* (small intestine): Tarumi  
*Camallanus johni* n. sp.  
 Yeh, L. S., 1960 a, 103-106, pl., figs. 1-7  
*Xenopus* sp.: Tanganyika territory  
*Camallanus kaapstaadi* n. sp.  
 Southwell, T.; and Kirshner, A., 1937 e, 245, 261-263,  
 figs. 8-11  
*Xenopus laevis*: England, from South Africa  
*Camallanus kachugae* n. sp.  
 Baylis, H. A.; and Daubney, R., 1922 a, 322-325, figs. 57-  
 59  
*Kachuga smithii*: Punjab  
*Camallanus kachugae* Baylis and Daubney, 1922  
 Baylis, H. A., 1933 c, 632  
*Camallanus kachugae* Baylis and Daubney, 1922  
 Baylis, H. A., 1939 b, xvii, 207-210, 262, figs. 120-122  
*Kachuga smithii*: Ferozepore, Punjab  
*Camallanus kachugae* Baylis and Daubney, 1922  
 Khera, S., [1956 a], 96  
 unidentified tortoise

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Camallanus kachugae* (Baylis & Daubney)  
Schuurmans Stekhoven, J. H., 1939 a, 575, 581  
[p. 575 C. *cachugae*]
- Camallanus kachugae* Baylis and Daubney, 1922  
Törnquist, N., 1931 a, vi, 232, 235, 278, 286, 323, 326, 366-370  
Kachuga smithii: Indien: Ferozepore, Punjab
- Camallanus kachugae* Baylis & Daubney, 1922  
Yorke, W.; and Maplestone, P. A., 1926 a, 378, fig. 258  
Kachuga smithii
- Camallanus kirandensis* n. sp.  
Baylis, H. A., 1928 i, 554-556, figs. 3, 4  
*Barbus* sp.
- Camallanus kirandensis* Baylis, 1928  
Törnquist, N., 1931 a, vi, 286, 350  
Tanganyika barbel (? *Barbus* sp.): Afrika (Tanganyika (Kirando))
- Camallanus lacustris* [sic] (Zoega, 1776)  
Agapova, A. I., 1956 a, 29, 37, 41, 52, 53, 54  
Esox lucius  
Leuciscus idus  
Perca fluviatilis  
Lucioperca lucioperca  
Acerina cernua  
all from Reservoirs western Kazakhstan
- Camallanus lacustris*  
Agapova, A. I., 1957 a, 125, 128  
distribution in reservoirs: Kazakhstan
- Camallanus lacustris*  
Agapova, A. I., 1960 a, 196, 203, 205  
Esox lucius  
Perca fluviatilis  
both from Kustanai oblast
- Camallanus lacustris* Zoega  
Akherov, A. K., 1941 b, 46  
Perca schrenki  
Schizothorax pseudaksaiensis (intestine)  
both from Lake Balkhash
- Camallanus lacustris* (Zoega, 1776)  
Akherov, A. Kh.; and Bogdanova, E. A., [1958 a], 155  
Lucioperca lucioperca  
Perca fluviatilis  
both from zone of future Stalingrad reservoir
- Camallanus lacustris* Zoega  
Augustine, D. L., 1929 a, 433
- Camallanus lacustris*  
Balashov, Iu. S., 1953 a, 77  
Perca fluviatilis: Lake Iaskh
- Camallanus lacustris* Zoega  
de Barros Barreto, A. L. C. A., 1922 a, 69
- Camallanus lacustris*  
Barysheva, A. F., 1949 a, 7  
*Salmo* *salar* m. *relictus*: Lake Ladoga
- Camallanus lacustris* (Zoega)  
Barysheva, A. F., 1960 a, 280  
[*Esox* *lucius*]  
[*Alburnus* *alburnus*]  
[*Silurus* *glanis*]  
[*Perca* *fluviatilis*]  
[*Acerina* *cernua*]  
(intestine of all): all from Gorkov reservoir
- Camallanus lacustris* Zoega  
Barysheva, A. F.; and Bauer, O. N., [1958 a], 195  
Perca fluviatilis  
*Coregonus lavaretus*  
*Silurus glanis*  
*Acerina cernua*  
*Myoxocephalus quadricornis* lönbergi  
*Leuciscus idus*  
*Lota lota*  
*Salmo* *salar* sebago  
all from Lake Ladoga
- Camallanus lacustris* (Zoega, 1776)  
Baylis, H. A., 1923 k, 24  
Syn.: *Cucullanus elegans*  
*Lucioperca sandra*: Leipzig
- Camallanus lacustris*  
Baylis, H. A., 1929 b, 121
- Camallanus lacustris* (Zoega, in Müller, 1776)  
Baylis, H. A., 1939 b, 491  
Perca fluviatilis: Wiltshire and Berkshire; Middlesex  
*Acerina cernua*: Buckinghamshire, Brit. Is.
- Camallanus lacustris* (Zoega, 1777)  
Baylis, H. A.; and Daubney, R., 1926 a, 230
- Camallanus lacustris* Zoega  
Bogatova, Z. K., 1936 a, 1150  
[*Perca* *fluviatilis*] *okum*  
*nalm*  
[*Esox* sp.] *shchuk*
- Camallanus lacustris*  
Borovitskaya, M. P., 1952 a, 14, 20  
*Tinca tinca*  
Perca fluviatilis  
both from Danube
- Camallamus lacustris* Zolga  
Bykhovskaya, I., 1936 a, 125, 130, 134, 136, 137
- Camallanus lacustris* Zoega  
Bykhovskaya, I. E. (Pavlovskaya), 1936 d, 284  
Schizothorax pseudaksaiensis issyk-kuli: Chu river
- Camallanus lacustris* Zoega  
Bykhovskaya, I. E., 1940 a, 102, 104, 105, 106, 107, 108, 109, 110, 112, 113, 114, 115, 117, 121-122, 123, 124, 125, 127, 128, 129, 130  
Perca fluviatilis
- Camallanus lacustris* (Zoega)  
Bykhovskiy, B. E., 1936 a, 453, 467  
Perca fluviatilis: Baraba Lakes
- Camallanus lacustris*  
Bykova, E. V., 1939 a, 40  
Perca fluviatilis: Lake Charkhal, West-Kazakhstan
- Camallanus lacustris*  
Chitwood, B. G., 1940 b, 218, 219, 222, 223, fig. 152 P- DD, 153 A-CC [i.e. C]
- Camallanus lacustris*  
Chitwood, B. G.; and Chitwood, M. B., 1937 b, 4, 35  
Cyclops
- Camallanus lacustris*  
Chitwood, B. G.; and Chitwood, M. B., 1940 b, 140, 141, 151, fig. 117 H, 124 I
- Camallanus lacustris*  
Chitwood, M. B.; and Chitwood, B. G., 1940 b, 126, fig. 112 F
- Camallanus lacustris*  
Dobrokhotova, O. V., 1960 a, 112, 113, 114, 116, 123, 124, 125  
Stenodus leucichthys nelma (intestine)  
Esox lucius (intestine, pyloric caecum)  
Rutilus rutilus lacustris (intestine)  
Leuciscus idus (intestine)  
Lota lota (intestine)  
Perca fluviatilis (intestine, pyloric caecum)  
*Acerina cernua* (intestine)  
all from Lake Zaisan
- Camallanus lacustris* Zoega  
Dogiel, V. A.; and Bykhovskiy, B. E., 1934 a, 305, 309- 310, 313, 314, 342, 343, 344  
Pelecus cultratus  
Abramis brama  
Chalcalburnus chalcooides

*Camallanus lacustris* Zoega.—Continued.  
*Dogiel, V. A.; and Bykovskii, B. E., 1934 a, 305, 309-310, 313, 314, 342, 343, 344*  
*Aspius aspius*  
*Lucioperca lucioperca*  
*Esox lucius*  
*Perca fluviatilis*  
*all from Aral sea*  
*Camallanus lacustris* (Zoega)  
*Dogiel, V. A.; and Petrushevskii, G. K., 1934 b, 668, 669, 671*  
*Lachs: Flusse Wig*  
*Camallanus lacustris* Zoega  
*Dogiel, V.; and Petrushevskii, G., 1935 a, 158, 160, 165*  
*Salmo salar*  
*Camallanus lacustris [sic] Zoëga*  
*Dubinina, M. N., 1949 b, 116*  
*Silurus glanis*  
*Lucioperca lucioperca*  
*both from Volga delta*  
*Camallanus lacustris* Zoega  
*Dyk, V., 1954 b, 283*  
*okoun říční*  
*mnišek jednovoustý*  
*štika obecná*  
*all from Moravia*  
*Camallanus lacustris*  
*Dyk, V., 1955 c, 168*  
*okoun: Slovakia*  
*Camallanus lacustris [sic]*  
*Dyk, V., 1956 d, 279*  
*Flussbarsch*  
*Zander*  
*both from Böhmen*  
*Camallanus lacustris*  
*Dyk, V., 1959 c, 36*  
*štika: Vranovská přehr.*  
*Camallanus lacustris* Zoega 1776  
*Dyk, V.; and Lücký, Z., 1953 b, 89-92, pl., 4 figs.*  
*pike-perches: Suth [sic] Moravia*  
*Camallanus lacustris*  
*Dyk, V.; and Lücký, Z., 1954 b, 79, 80*  
*okoun říční*  
*candát*  
*Camallanus lacustris*  
*Dyk, V.; and Lücký, Z., 1954 d, 222, 223, 224, 225, fig. 2*  
*Camallanus lacustris*  
*Fujita, T., 1927 a, 171*  
*Camallanus lacustris* (Zoega, 1887)  
*Golikova, M. N., 1960 a, 115*  
*Perca fluviatilis*  
*Esox lucius*  
*Anguilla anguilla*  
*Mesocyclops leucarti*  
*Acanthocyclops viridis*  
*Cyclops strenuus*  
*all from Kaliningrad region*  
*Camallanus lacustris*  
*Gorbunova, M., 1936 a, 7, 11, 14, 17*  
*Esox lucius*  
*Camallanus lacustris*  
*Gvozdev, E. V.; Agapova, A. N.; and Martekhov, P. F., 1953 a, 107*  
*Perca schrenki: Ili Basin*  
*Camallanus lacustris*  
*Hall, M. C., 1929 b, 36, 59, 62*  
*Perca fluviatilis*  
*Lucioperca sandra*  
*Acerina cernua*  
*Aspro zingel*

*Camallanus lacustris*.—Continued.  
*Hall, M. C., 1929 b, 36, 59, 62*  
*Leuciscus rutilus*  
*Aspius rapax*  
*Barbus fluviatilis*  
*Tinca vulgaris*  
*Esox lucius*  
*Lota vulgaris*  
*Salmo salar*  
*Trutta trutta*  
*Salvelinus fontinalis*  
*Coregonus oxyrinchus*  
*Osmorus eperlanus*  
*Silurus glanis*  
*Anguilla vulgaris*  
*Cyclops sp.*  
*Agrion sp.*  
*Camallanus lacustris*  
*Harant, H.; and Vernières, P., 1933 c, 263*  
*Camallanus lacustris*  
*Himsworth, (Sir) H., 1959 a, 219*  
*"possibility of utilising frogs infected with the larvae to reduce the incidence of guinea-worm infection in rural areas": Nigeria*  
*Camallanus lacustris* Zoega, 1776  
*Ivanitskii, S. V., 1940 a, 151*  
*Silurus glanis*  
*Perca fluviatilis*  
*both from Ukraine*  
*Camallanus lacustris*  
*Izilimova, N. A., 1959 d, 117*  
*Rybinak reservoir*  
*Camallanus lacustris* Zoëga  
*Jenni, W., 1945 a, 273, 274, figs. 3a-c*  
*Syn.: Cucullanus elegans*  
*Perca fluviatilis*  
*Esox lucius*  
*Anguilla vulgaris*  
*Trutta lacustris*  
*Lota vulgaris*  
*all from Zürichsees*  
*Camallanus lacustris*  
*Kobayashi, H., 1921 a, 347*  
*Camallanus lacustris* (Zoega)  
*Kobayashi, H., 1921 b, 402*  
*Syn.: Cucullanus elegans Zeder*  
*Camallanus lacustris*  
*Kogteva, E. P., [1958 a], 251*  
*Coregonus lavaretus maraenoides*  
*Osmorus eperlanus m. spirinchus*  
*Esox lucius*  
*Anguilla anguilla*  
*Perca fluviatilis*  
*Lota lota*  
*Cottus gobio*  
*all from Pskov-Chud reservoir*  
*Camallanus lacustris* (Zoega, 1776)  
*Kortas, R. A., [1959 a], 97*  
*Esox lucius*  
*Anguilla anguilla*  
*Lota lota*  
*Perca fluviatilis*  
*Acerina cernua*  
*all from Lake Trakai*  
*Camallanus lacustris*  
*Kortas, R. A., 1959 b, 166*  
*zherekh [Aspius aspius]: Lithuania*  
*Camallanus lacustris* Zoega  
*Kotova, E. I., 1935 a, 131*  
*Perca fluviatilis: Bezhetsk reservoir*

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Camallanus lacustris* Zoega  
 Kotova, E. I., [1937 a], 133, 134, 135, 137, 138  
   *Acerina cernua*  
   *Perca fluviatilis*  
   *Esox lucius*  
   all from Klyazma river in region of Bolshevik Biological Station
- Camallanus lacustris* (Zoega, 1776)  
 Koval, V. P.; and Prianik, G. I., [1958 a], 218  
   *okun* [*Perca fluviatilis*]  
   *sudak* [*Lucioperca lucioperca*]  
   *shchuka* [*Esox lucius*]  
   all from southern Bug
- Camallanus lacustris* (Zoega, 1776)  
 Kozicka, J., 1959 a, 59, 61  
   *Perca fluviatilis*  
   *Lucioperca lucioperca*  
   *Acerina cernua*  
   *cyprinid fry*  
   *Scardinius erythrophthalmus*  
   all from Druzno lake
- Camallanus lacustris* (Zoega)  
 Kudriavtseva, E. S., 1957 a, 1295  
   *nel'ma* [*Stenodus leucichthys nelma*]  
   *sig* [*Coregonus*]  
   *kharius* [*Thymallus*]  
   *shchuka* [*Esox lucius*]  
   *ersh* [*Acerina cernua*]  
   all from Northern Dvina basin
- Camallanus lacustris* (Zoega, 1776)  
 Kupriyanova, R. A., 1954 a, 373, 374, 375, figs. 1a, 2  
   biology
- Camallanus lacustris* Zoega  
 Kugnetsova, E. G., 1938 a, 261, 262, 263-264, 265, 266  
   *Perca fluviatilis*: Zaisan Lake and Black Irtysh River
- Camallanus lacustris* (Zoega)  
 Lavrov, G. D., 1957 a, 128  
   *Perca fluviatilis*: Volga
- Camallanus lacustris* (Zoega 1776)  
 Layman, E. M., 1932 a, 96  
   *Perca fluviatilis*  
   *Abramis brama*  
   *Esox lucius*
- Camallanus lacustris*  
 Magath, T. B., 1919 a, 97, 115
- Camallanus lacustris*  
 Maksimova, A. P., 1962 b, 154  
   *Perca schrenki* (intestine): Balkhash Lake
- Camallanus* [sic] *lacustris* (Zoega)  
 Markevich, A. P., 1934 b, 63, fig. 44  
   *okun* [*Perca fluviatilis*] (intestine)  
   *ersh* [common gremble]  
   *shchuk* [*Esox reicherti*]  
   *nalim* [eel-pout] (*Lota lota*)  
   *Lososyey ryby* [salmonid fishes]  
   *ugr* [*Anguilla anguilla*]  
   all from Province de Leningrad
- Camallanus lacustris* (Zoega, 1776)  
 Markova, T. G., 1958 a, 1805  
   pike: Oka river
- Camallanus lacustris*  
 Matevosian, E. M.; Petrochenko, V. I.; and Garishakava, N. N., 1959 a, 151  
   *okun'* [*Perca fluviatilis*] (intestine): Volga
- Camallanus lacustris* [sic]  
 Michalović, M., 1954 a, 72  
   *okoun*: Komárna
- Camallanus lacustris* Zoega  
 Milicer, W., 1938 a, 99, 114  
   *Esox lucius*  
   *Gasterosteus aculeatus*  
   *Perca fluviatilis*  
   all from Wigry-Seas
- Camallanus lacustris*  
 Monchenko, V. I., 1956 a, 88  
   *Cyclops strenuus*  
   *Mesocyclops leucarti*  
   *Acanthocyclops viridis*
- Camallanus lacustris* (Zoega)  
 Nagibina, L. F., [1958 a], 136, 142  
   *Perca fluviatilis* (intestine)  
   *Lota lota*  
   both from new Vygozera
- Camallanus lacustris* (Zoega)  
 Novikova, A. G., 1938 a, 255, 256  
   *Esox lucius*: Black Irtysh River
- Camallanus lacustris*  
 Novikova, K. M., 1936 a, 159  
   [smelt]
- Camallanus lacustris* Zoega  
 Osmanov, S. O., 1954 a, 111  
   *Esox lucius*: delta Amu-Darya
- Camallanus lacustris*  
 Osmanov, S. O., 1959 a, 197  
   *plotva* [*Rutilus rutilus*]: Aral Sea
- Camallanus lacustris*  
 Palii, M. A., 1954 a, 69  
   *Perca fluviatilis*  
   *Esox lucius*  
   (intestine of both): both from Berezhany fishery station
- Camallanus lacustris*  
 Palii, M. O., 1957 a, 119  
   *Perca fluviatilis*: western Bug
- Camallanus lacustris* (Zoega, 1776)  
 Parukhin, A. M.; and Kupriyanova, R. A., [1954 a], 497-498, fig. 1  
   doubling of anterior end of body
- Camallanus lacustris* (Zoega)  
 Petrushevskii, G. K., 1931 c, 101  
   *plotva* [*Rutilus rutilus*]  
   *shchuka* [*Esox lucius*]  
   *sudak* [*Lucioperca lucioperca*]  
   *okun* [*Perca fluviatilis*]  
   *ersh* [*Acerina cernua*]  
   all from Gulf of Finland
- Camallanus lacustris*  
 Petrushevskii, G. K., 1937 a, 178, 186, 187  
   *Salmo irideus*: Leningrad district
- Camallanus lacustris*  
 Petrushevskii, G. K., [1958 c], 281, 282  
   *Osmerus eperlanus* var. *spirinchus*  
   *Coregonus sardinella* *vessiculus*  
   *okun* [*Perca fluviatilis*]  
   all from Beloe ozero
- Camallanus lacustris* (Zoega, 1776)  
 Petrushevskii, G. K., 1958 f, 169
- Camallanus lacustris* (Zoega)  
 Petrushevskii, G. K.; and Bykova, I., 1935 a, 40, 42, 49, 58, 60, 62, 68, 70, 77  
   *Thymallus thymallus*  
   *Coregonus larvareetus*  
   *Esox lucius*  
   *Perca fluviatilis*  
   *Acerina cernua*  
   *Lota lota*  
   all from Karelia
- Camallanus lacustris*  
 Petrushevskii, G. K.; Posdnjakova (Vikhrova), M. N.; and Shul'man, S. S., [1958 a], 338  
   *Esox lucius*  
   *Anguilla anguilla*  
   *Lota lota*  
   all from Braslav lake, Belorussia

- Camallanus lacustris*  
Polianskiy, Iu. I.; and Shul'man, S. S., 1956 a, 19,  
21  
shchuki [*Esox lucius*]
- Camallanus lacustris*  
Podnitskova (Vikhrova), M. N., [1958 a], 336  
Perca fluviatilis  
Lota lota  
both from Novgorod oblast
- Camallanus lacustris* (Zoega)  
Rauther, M., 1930 a, 375
- Camallanus lacustris* (Zoega)  
Rawson, D., 1952 a, 879, 882, 884  
*Esox lucius*: Shropshire Union Canal  
Perca fluviatilis: Swithland reservoir
- Camallanus lacustris* (Zoega)  
Ruszkowski, J. S., 1925 c, 184  
as syn. of *Cucullanus elegans* Zed.
- Camallanus lacustris* (Zoega)  
Ruszkowski, J. S., 1926 b, 184  
as syn. of *Cucullanus elegans* Zed.
- Camallanus lacustris* (Zoega)  
Schuurmans Stekhoven, J. H., 1935 f, V.c 23, V.c 24,  
V.c 25, V.c 36, V.c 37, V.c 38, fig. 390  
Perca fluviatilis  
*Acerina cernua*  
*Lota vulgaris*  
*Anguilla vulgaris*  
*Silurus glanis*  
*Esox lucius*  
*Omerus eperlanus*  
*Lucioperca sandra*  
*Acerina schraetzer*  
*Aspro zingel*  
*Morone labrax*  
*Rhombus maximus*  
*Gasterosteus aculeatus*  
*Cyprinus carpio*  
*Barbus fluviatilis*  
*Tinca vulgaris*  
*Leuciscus rutilus*  
*L. alburneus*  
*Alburnus lucidus*  
*Aspius rapax*  
*Salmo salar*  
*S. trutta*  
*S. fontinalis*  
*Coregonus lavaretus*  
*C. oxyrinchus*  
*Thymallus vulgaris*  
*Cyclops* sp.  
*Agrion larven*  
*Asellus aquaticus*
- Camallanus* [sic] *lacustris* (Zoega)  
Schuurmans Stekhoven, J. H., 1937 a, 462, 480, 483,  
fig. 81
- Camallanus lacustris* (Zoega)  
Schuurmans Stekhoven, J. H., 1939 a, 575, 581, fig. 161
- Camallanus lacustris*  
Serov, N. P., 1956 a, 315  
*Acerina cernua*: lake Chelkar
- Camallanus lacustris*  
Seurat, L. G., 1920 c, 16, 18, 112, 115, 145-146, 209
- Camallanus lacustris* Zoega  
Shevchenko, N. N., 1954 b, 79  
*Esox lucius*  
Perca fluviatilis  
*Silurus glanis*  
*Acerina cernua*  
all from northern Donets river
- Camallanus lacustris* Zoega  
Shevchenko, N. N., 1956 b, 278, 290, 291, 292, 293  
*Lucioperca lucioperca*  
Perca fluviatilis  
*Acerina cernua*  
*Silurus glanis*  
*Esox lucius*  
*Lota lota*  
all from northern Donets
- Camallanus lacustris*  
Shlipnikova, R. L., [1958 a], 275  
Perca fluviatilis  
*Esox lucius*  
both from lake Vyrt's'f'arv
- Camallanus* (lacustris ?)  
Shul'man, S. S., 1954 d, 236  
*Pseudoscaphirhynchus kaufmanni*
- Camallanus lacustris*  
Shul'man, S. S., [1958 c], 337  
okun' [Perca fluviatilis]  
ersh [Acerina cernua]  
both from lake Zhizhitsa, Velikie Luki oblast
- Camallanus lacustris*  
Shul'man, S. S.; Berenius, Iu. N.; and Zakharova, E. A.,  
1959 a, 53, 57, 62, 63, 69  
*Lota lota*  
*Esox lucius*  
Perca fluviatilis  
*Acerina cernua*  
all from Lake Siam
- Camallanus lacustris* (Zoega, 1776)  
Sidorov, E. G., 1956 a, 242  
shchuka [*Esox lucius*]  
okun' [Perca fluviatilis]  
both from Irgiz-Turgay Basin
- Camallanus lacustris* (Zoega, 1776)  
Sidorov, E. G., 1957 a, 137, 140  
Perca fluviatilis: lac Kourgaldjine
- Camallanus lacustris*  
Sidorov, E. G., 1958 a, 40  
Perca fluviatilis  
*Esox lucius*  
both from Nura river
- Camallanus lacustris*  
Sidorov, E. G., 1959 a, 136  
central Kazakhstan
- Camallanus lacustris* (Zoega)  
Skrjabin, K. I., 1923 m, 46-47, fig. 49
- Camallanus lacrustis* [sic] Z.  
Smirnova, K. V., 1954 b, 188  
Perca fluviatilis: Don river
- Camallanus lacustris*  
Smirnova, K. V., [1958 a], 333  
okun' [Perca fluviatilis]: lake Charkhal
- Camallanus lacustris* Zoega  
Stoliarov, V. P., 1952 a, 271  
okun': Rybinsk reservoir
- Camallanus lacustris* Zoega  
Stoliarov, V. P., 1954 b, 163, 172  
Perca fluviatilis  
*Lucioperca lucioperca*  
*Esox lucius*  
(intestines of all): all from Rybinsk reservoir
- Camallanus lacustris* Z.  
Stoliarov, V. P., 1955 a, 191  
sudak [*Lucioperca lucioperca*]  
ersh [Acerina cernua]  
okun' [Perca fluviatilis]  
nalim [*Lota lota*]  
shchuka [*Esox lucius*]  
all from upper Volga

- Camallanus lacustris* (Zoega, 1776)  
 Sufrin, J., 1923 a, 61  
 synonymy  
*parche, grémille*  
*Cyclops*  
*Agrion*  
*Camallanus lacustris*  
 Tell, Kh., 1958 a, 225  
*Perca fluviatilis*  
*Lucioperca lucioperca*  
*Acerina cernua*  
*Esox lucius*  
*Lota lota*  
 all from lake Vyrt's'iarv
- Camallanus lacustris*  
 Titova, S. D.; and Skripchenko, E. G., 1960 a, 100, 105, 106  
*Perca fluviatilis*  
*Esox lucius*  
*Acerina cernua*  
*Lota lota*  
 (intestine of all): all from Ob river
- Camallanus lacustris* Zoega, 1776  
 Törnquist, N., 1931 a, v. 173, 225, 228, 231, 232, 233, 235, 236, 242, 244, 247, 248, 249, 252, 254, 258, 262, 263, 264, 265, 267, 269, 271, 273, 275, 276, 278, 281, 282, 286, 287, 288-289, 325, 326-340, 342, 343, 344, 345, 347, 349, 381, 390, 415, 436, 438, 439, 440, 441, figs. 11-13, pl. 1, fig. 6, pl. 2, figs. 4-6, pl. 8, figs. 1, 3, 6-7, pl. 10, figs. 1-4, 6-8, pl. 9, figs. 1-5, pl. 13, figs. 6a-c, pl. 16, figs. 1a-c, pl. 17, figs. 15a-b  
 type  
 Syns.: *Echinorhynchus lacustris* Zoega, 1776; *Cucullanus lacustris* Müller, 1779; *C. viviparus* Bloch, 1782 (nicht v. Linstow, 1906); *C. anguillae* Schrank, 1788; *C. luciopercae* Schrank, 1788; *C. percae* Schrank, 1788; *C. cernuae* Gmelin, 1790; *C. lucii* Viborg, 1795; *C. armatus* Zeder, 1800; *C. coronatus* Zeder, 1800; *C. elegans* Zeder, 1800; *C. papillosum* Zeder, 1800; *C. alatus* Rud., 1802; *C. tincae* Rud., 1819; *Oxyuris velocissima* larva; *Ascaris velocissima* Mergus merganser  
*Perca fluviatilis*  
*Osmorus sperlanus*  
*Lota lota*  
*Anguilla anguilla*  
*Acerina cernua*  
*Siluris glanis*  
*Esox lucius*
- Camallanus lacrustis* [sic] (Zoega, 1776)  
 Vejnar, F., 1956 a, 164, 172  
*Perca fluviatilis*  
*Lucioperca sandra*  
 both from Czechoslovakia
- Camallanus lacrustis* [sic] Zoega  
 Volkova, M. M., 1941 a, 32  
*Perca fluviatilis*: Ob river
- Camallanus lacustris*  
 Ward, H. B., 1918 b, 517, fig. 814
- Camallanus lacrustis* [sic]  
 Wiśniewski, W. L., 1958 a, 32  
*Perca fluviatilis*  
*Acerina cernua*  
*Esox lucius*  
*Lucioperca lucioperca*  
 all from Drużno Lake, Poland
- Camallanus lacustris* Zoega  
 Wulker, G., 1924 a, 46  
 Syn.: *Cucullanus elegans*
- Camallanus lacustris* (Zoega, 1776)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 378  
 type of genus  
 fishes
- Camallanus lacustris* Zoega  
 Zakhvatkin, V. A., 1938 b, 194, 195, 197, 198, 201, 203, 205, 229, 230, 232-233, 242  
*Stenodus leucichthys nelma*: Zaissan See  
*Lota lota*  
*Perca fluviatilis*  
*Stenodus leucichthys*  
*Rutilus rutilus lacustris*  
*Leuciscus idus*: Zaissan See; Irtysh Fluss  
*Esox lucius*
- Camallanus lacustris* Zoega  
 Zakhvatkin, V. A., 1951 a, 125, 144  
*Alburnus alburnus*  
*Esox lucius*  
*Perca fluviatilis*  
*Acerina cernua*  
 all from Transcarpathia
- Camallanus lacustris* Zoega  
 Zakhvatkin, V. A.; and Kulakivs'ka, O. P., 1951 a, 153  
 upper Dniester
- Camallanus lacustris*  
 Zakhvatkin, V. A.; and Petrushevskiy, G. K., 1952 a, 83  
*Aspro zingel*: Tesza river
- Camallamus laeviconchus* (Wedl, 1862) Railliet & Henry, 1915  
 Törnquist, N., 1931 a, 296  
 as syn. of *Procamallamus laeviconchus* Wedl, 1862
- Camallamus laeviconchus* (Wedl, 1862) Railliet & Henry, 1915  
 Yorke, W.; and Maplestone, P. A., 1926 a, 380  
 as syn. of *Procamallamus laeviconchus* (Wedl, 1862)
- Camallamus macrocephalus* (Dujardin)  
 Schuurmans Stekhoven, J. H., 1939 a, 575
- Camallamus magathii* n. sp.  
 Sprehn, C. E. W., 1932 m, 276-279, figs. 3-5  
*Cinosternum scorpioides integrum* (Darm): Bolivien
- Camallamus magnorugosus* n. sp.  
 Caballero y C., E., 1939 c, 73, 76-79, 80, 81, pl. 2, figs. 1-5  
*Chrysemys* [sic] ornata: Alvarado, Ver., Mexico
- Camallamus magnorugosus* Caballero, 1939  
 Caballero y C., E., 1939 d, 281  
 Tortuga: Mexico
- Camallamus mazabukae* n. sp.  
 Kung, C. C., 1948 b, 141-144, 163, figs. 1-3  
 bull-frog: South Africa
- Camallamus mazabukae*  
 Walton, A. C., 1953 a, 648  
 bull frog: Africa
- Camallamus melanocephalus*  
 Fujita, T., 1927 a, 171
- Camallamus melanocephalus* (Rud.)  
 Schuurmans Stekhoven, J. H., 1935 c, V.c 23, V.c 24, V.c 25, V.c 38, fig. 391  
*Sarda pelamys*  
*Auxis rochei*  
*Scombrus coliae*  
*Orcynus thynnus*
- Camallamus melanocephalus* (Rud.)  
 Schuurmans Stekhoven, J. H., 1939 a, 575
- Camallamus melanocephalus* Rudolphi, 1819  
 Törnquist, N., 1931 a, 286, 325, 347-348, 440, pl. 13, fig. 8  
 Syn.: *Cucullanus melanocephalus* Rud., 1819  
*Scombrus sarda*  
*S. rochei*  
*S. colias*  
*Thynnus vulgaris*  
 all from Belgien

- Camallanus melanocephalus* (Rud., 1819)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 378  
*Pelamys* sp.  
*Auris* sp.  
*Scomber* sp.
- Camallanus microcephalus* (Duj., 1845)  
 Baylis, H. A., 1933 c, 632
- Camallanus microcephalus* (Duj., 1845)  
 Baylis, H. A.; and Daubney, R., 1922 a, 323, 324, 325
- Camallanus microcephalus* (Duj.)  
 Blanc, G. R., 1924 a, 241
- Camallanus microcephalus* (Dujardin, 1845)  
 Chitwood, B. G., 1932 d, 88  
 Syns.: *C. scabrae* MacCallum; *C. troosti* MacCallum;  
*C. chelydrius* MacCallum; *C. floridiana* MacCallum;  
*C. elegans* MacCallum; *C. testudinis* MacCallum; *C. seurati* Magath; *C. americanus* Magath; *C. trispinosus* Leidy; *C. cyathocephalus* MacCallum, 1918
- Camallanus microcephalus*  
 Chitwood, B. G.; and Chitwood, M. B., 1938 a, 62, 63,  
 97, fig. 58 C, 98 E-F
- Camallanus microcephalus*  
 Chitwood, M. B.; and Chitwood, B. G., 1940 a, 126, 130,  
 131, figs. 112 G, 114 Z-CC
- Camallanus microcephalus* (Fuj., 1845)  
 Guilford, H. G., 1959 a, 122, 123  
*Chrysemys picta*  
*Chalydra serpentina*  
*Clemmys insculpta*  
*Emys blandingi*  
 all from Wisconsin
- Camallanus microcephalus*  
 Hall, M. C., 1929 b, 36, 62  
*Emys lutaria*  
*Cyclops* sp.  
*C. serrulatus*
- Camallanus microcephalus*  
 Magath, T. B., 1919 a, 140, 142
- Camallanus microcephalus* (Duj.)  
 Massino, B. G., 1924 b, 55  
*Emys orbicularis*
- Camallanus microcephalus*  
 Popov, N. P.; and Kalantarian, E. V., 1927 a, 178  
*Emys orbicularis* (stomach): Armenia
- Camallanus microcephalus* (Fuj., 1845)  
 Rausch, R., 1947 b, 438, 439-440  
*Chalydra serpentina*  
*Emys blandingi*  
*Chrysemys bellii marginata*  
*Graptemys geographicus*  
 all from Ohio
- Camallanus microcephalus*  
 Schad, G. A.; Kuntz, R. E.; and Wells, W. H., 1960 a,  
 950, 957  
*Clemmys caspica rivulata*  
*Emys orbicularis*  
 both from Turkey
- Camallanus microcephalus*  
 Schuurmans Stekhoven, J. H., 1939 a, 581
- Camallanus microcephalus* (Dujardin)  
 Seurat, L. G., 1918 a, 261  
 Syn.: *Cucullarus microcephalus* Duj. 1845
- Camallanus microcephalus* (Duj.)  
 Seurat, L. G., 1918 d, 25-26  
*Clemmys leprosa*: Médéa
- Camallanus microcephalus* (Duj.)  
 Seurat, L. G., 1918 f, 578
- Camallanus microcephalus*  
 Seurat, L. G., 1920 c, 68, 86, 146
- Camallanus microcephalus* (Duj.)  
 Skrjabin, K. I., 1923 m, 47, figs. 50, 51  
*Emys lutaria*
- Camallanus microcephalus* (Duj.)  
 Skrjabin, K. I.; and Popov, N. P., 1924 b, 6
- Camallanus microcephalus* (Duj.)  
 Skrjabin, K. I.; and Popov, N. P., 1927 a, 137  
*Emys* (stomach): Armenia
- Camallanus microcephalus* Dujardin, 1845  
 Törnquist, N., 1931 a, vi, 235, 239, 254, 272, 273,  
 275, 278, 279, 286, 326, 351, 358, 366, 367, 385, 438,  
 440, 441, pl. 8, figs. 2, 8-9, pl. 14, fig. 1, pl. 16,  
 fig. 3  
 Syns.: ? *Cucullarus testudinis* Rud., 1819; *C. microcephalus* Dujardin, 1845; *C. dumerilii* Perrier, 1871;  
*Camallanus confusus* Railliet & Henry, 1915; *Camallanus seurati* Magath, 1919  
*Emys orbicularis* (Darm)  
*Clemmys caspica*  
*C. leprosa*  
*Emys* sp.
- Camallanus microcephalus* (Duj., 1845) Railliet and Henry,  
 1915  
 Walton, A. C., 1935 a, 33, 35  
 measurements  
*Rana pipiens*: Wisconsin, U.S.A.
- Camallanus microcephalus* (Duj., 1845) Raill. and Henry,  
 1915  
 Walton, A. C., 1938 a, 49-50  
 synonymy
- Camallanus microcephalus*  
 Walton, A. C., 1950 b, 162  
*Rana pipiens*: U.S.
- Camallanus microcephalus* (Dujardin, 1845) Railliet and  
 Henry, 1915  
 Williams, R. W., 1953 a, 176  
*Chalydra serpentina*: Oklahoma
- Camallanus microcephalus* (Duj., 1845)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 378  
*Emys lutaria*
- Camallanus multilineatus* n. sp.  
 Kung, C. C., 1948 b, 141, 145-146, 163, figs. 8-11  
*Rana catesbeiana*: N. America
- Camallanus multilineatus*  
 Walton, A. C., 1953 a, 648  
*Rana catesbeiana*: U.S.A.
- Camallanus multiruga*, sp. n.  
 Walton, A. C., 1932 c, 151-154  
 frog: Accra, West Africa
- Camallanus multiruga* Walton, 1932  
 Walton, A. C., 1935 a, 33, 35  
 measurements  
 frog: West Africa
- Camallanus multiruga*  
 Walton, A. C., 1950 e, 41  
 frogs: Africa
- Camallanus nigrescens* (v. Linstow, 1906)  
 Baylis, H. A., 1933 c, 632
- Camallanus nigrescens* v. Linstow, 1906  
 Törnquist, N., 1931 a, vi, 286, 325, 351  
 Syn.: *Cucullarus nigrescens* v. Linstow, 1906  
*Rana hexadactyla* (Darm)

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

*Camallanus nigrescens* (v. Linst.)  
 Walton, A. C., 1932 c, 151, 153, 154  
*Rana hexadactyla*

*Camallanus nigrescens* (v. Linst., 1906) Railliet and Henry, 1915  
 Walton, A. C., 1935 a, 33, 35  
 measurements  
 Syn.: *Cucullananus nigrescens* v. Linst., 1906  
*Rana hexadactyla*: Europe

*Camallanus nigrescens* (Linst., 1906)  
 Yorke, W.; and Maplestone, F. A., 1926 a, 378  
*Rana hexadactyla*

*Camallanus nodulosus* sp. nov.  
 Gupta, S. P., 1959 c, 771, 772, 773, 775, figs. 1-5  
 key  
*Rana cyanophlyctis*: Dacca, East Pakistan

*Camallanus octorugatus* sp. n.  
 Baylis, H. A., 1933 c, 628-632, figs. 12-15  
*Heosemys grandis*: Kedah, Fed. Malay States

*Camallanus ophicephali* n. sp.  
 Pearse, A. S., 1933 c, 183-184, figs. 10-14  
*Ophicephalus striatus*: Bangkok, Siam

*Camallanus ophicephali* Pearse, 1934  
 Karve, J. N., 1941 a, 9, 34-37, figs. 28-30  
*Ophicephalus marulius*

*Camallanus oxycephalus* Ward & Magath  
 Augustine, D. L., 1929 a, 433

*Camallanus oxycephalus* Ward and Magath  
 Bangham, R. V., 1933 a, 224, 225  
*Micropterus dolomieu*  
*Aplites salmoides*

*Camallanus oxycephalus* Ward and Magath  
 Bangham, R. V., 1937 a, 358  
*Micropterus dolomieu*  
*Chaenobryttus gulosus*  
 both from Wayne county, Ohio

*Camallanus oxycephalus* Ward and Magath  
 Bangham, R. V., 1941 a, 304  
*Warmouth bass*  
*bluegill*  
 both from Florida

*Camallanus oxycephalus* Ward and Magath  
 Bangham, R. V., 1941 b, 447, 448  
*Lepomis cyanellus*  
*L. macrochirus*  
*Lepibema chrysops*  
 all from Buckeye Lake, Ohio

*Camallanus oxycephalus*  
 Bangham, R. V., 1955 a, 190, 192, 193  
*Lepibema chrysops*  
*Micropterus d. dolomieu*  
*Ambloplites r. rupestris*  
*Pomoxis nigro-maculatus*  
*P. annularis*

*Camallanus oxycephalus* Ward and Magath, 1917  
 Bangham, R. V.; and Hunter, G. W., 1939 a, 395, 400,  
 402, 403, 406, 407, 408, 409, 413, 415, 427, 430, 431,  
 432, 433, 434, 436, 437, 438, 439, 440, 441, 442, 443,  
 444, 445, 446, 447  
*Hiodon tergisus*  
*Percopais omisco-maycus*  
*Rhinichthys cataractae*  
*Notropis heterodon*

*Camallanus oxycephalus* Ward and Magath, 1917.—Continued.  
 Bangham, R. V.; and Hunter, G. W., 1939 a, 395, 400,  
 402, 403, 406, 407, 408, 409, 413, 415, 427, 430, 431,  
 432, 433, 434, 436, 437, 438, 439, 440, 441, 442, 443,  
 444, 445, 446, 447

*N. hudsonius*  
*N. whippili*  
*N. atherinoides*  
*Ericymbe buccata*  
*Lepibema chrysops*  
*Perca flavescens*  
*Stizostedion canadense griseum*  
*Percina caprodes*  
*Ammocrypta pellucida*  
*Hadropterus maculatus*  
*Micropterus dolomieu*  
*Aplites salmoides*  
*Eupomatis gibbosus*  
*Ambloplites rupestris*  
*Pomoxis annularis*  
*Labidesthes sicculus*  
*Aplodinotus grunniens*  
*Ictalurus punctatus*  
*Noturus flavus*  
*Stizostedion vitreum*  
*Rheocrypta copelandi*  
*Etheostoma bleekeri*  
*Halioperca incisor*  
*Pomoxis sparoides*

*Camallanus oxycephalus* Ward and Magath, 1917  
 Bangham, R. V.; and Venard, C. E., 1942 a, 23, 33, 34,  
 37  
*Huro salmoides*  
*Chaenobryttus gulosus*  
*Pomoxis sparoides*

*Camallanus oxycephalus*  
 Fischthal, J. H., 1947 b, 278  
*Salmo trutta fario*: Brule river

*Camallanus oxycephalus*  
 Fischthal, J. H., 1949 b, 30

*Camallanus oxycephalus*  
 Fischthal, J. H., 1950 d, 101, 102, 104, 107, 108, 109,  
 111, 112  
*Esox lucius*  
*Pomoxis nigro-maculatus*  
*Perca flavescens*  
*Percina caprodes semifasciata*  
*Huro salmoides*  
*Lepomis gibbosus*  
*L. m. macrochirus*  
*Ambloplites r. rupestris*  
 all from Wisconsin

*Camallanus oxycephalus* Ward and Magath, 1917  
 Fischthal, J. H., 1952 b, 24, 26, 30, 32, 36, 37, 38, 39,  
 40, 41, 43, 44, 45, 46, 47, 48, 50, 52, 54, 55, 57  
*Amia calva*  
*Semotilus a. atromaculatus*  
*Esox lucius*  
*E. m. masquinongy*  
*Perca flavescens*  
*Stizostedion v. vitreum*  
*Micropterus d. dolomieu*  
*M. salmoides*  
*Lepomis gibbosus*  
*L. m. macrochirus*  
*Ambloplites r. rupestris*  
*Pomoxis nigro-maculatus*  
*Rhinichthys c. cataractae*  
*Pilocictis olivaris*  
 all from northwest Wisconsin

- Camallanus oxycephalus*  
Fujita, T., 1927 a, 171
- Camallanus oxycephalus*  
Harms, C. E., [1960 a], 262  
*Ictalurus punctatus*: northeastern Kansas
- Camallanus oxycephalus* Ward & Magath 1917  
Harms, C. E., 1960 b, 697  
*Ictalurus punctatus* (intestine): Kansas
- Camallanus oxycephalus*  
Huggins, E. J., 1958 b, 33  
fish: South Dakota
- Camallanus oxycephalus*  
Hunter, G. W. III, 1942 a, 282, 286  
*Lepomis gibbosus*
- Camallanus oxycephalus*  
Kruager, R. F., 1954 a, 278  
*Pomoxis annularis*  
*Pomoxis nigromaculatus*  
both from Allen Township, Hancock County, Ohio
- Camallanus oxycephalus* Ward  
MacCallum, G. A., [1919 a], 127  
*Mississippi alligator*: N. Y. Aquarium
- Camallanus oxycephalus*  
Magath, T. B., 1919 a, 138
- Camallanus oxycephalus* Ward & Magath  
Pearse, A. C., 1924 b, 177  
moon eye  
mud cat  
yellow bass  
short-headed seahorse  
log perch  
black crappie  
white bass  
walleyed pike
- Camallanus oxycephalus* (Ward & Magath)  
Pratt, H. S., 1923 a, 63  
*Ambloplites rupestris*: Oneida Lake, N.Y.
- Camallanus oxycephalus* (Ward & Magath)  
Schuurmans Stekhoven, J. H., 1939 a, 575, 581, 582
- Camallanus oxycephalus* Ward and Magath  
Self, J. R.; and Timmons, H. F., 1955 a, 352  
*Carpoides carpio*: Lake Texoma
- Camallanus oxycephalus* Ward and Magath, 1916  
Törnquist, N., 1931 a, 235, 239, 241, 254, 286, 325, 348-350, 440, 441, pl. 13, fig. 9, pl. 17, fig. 17  
white bass (Darm): Fairport, Iowa  
black crappie: Oneida Lake, N.Y.  
*Ambloplites rupestris*: Pepin Lake, Wisconsin  
*Pomoxis sparcides*
- Camallanus oxycephalus* Ward and Magath, 1917  
Vanard, C. E., 1941 a, 15  
*Chaenobryttus gulosus*: Reelfoot Lake near Samburg
- Camallanus oxycephalus* Ward and Magath, 1917  
Van Cleave, H. J.; and Mueller, J. F., 1934 a, 294, 295, 301, 302, pl. 38, fig. 9  
*Ambloplites rupestris*  
*Perca flavescens*  
both from Oneida Lake
- Camallanus oxycephalus*  
Ward, H. B., 1917 c, 12, fig. 14
- Camallanus oxycephalus* Ward & Magath  
Ward, H. B., 1918 b, 529, fig. 823
- Camallanus oxycephalus* (Ward and Magath, 1917)  
Wilson, W. D., [1958 a], 395, 396, 397  
*Micropterus salmoides*  
*Pomoxis nigromaculatus*  
*Aplodinotus grunniens*  
all from Leavenworth county state lake, Kansas
- Camallanus oxycephalus* Ward & Magath, 1916  
Yorke, W.; and Maplestone, P. A., 1926 a, 378  
white bass  
black crappie
- Camallanus papillifer* (Molin, 1858)  
Dogiel, V. A., 1932 b, 264  
*Acipenser sturio* (Magen)
- Camallanus papillifer* (Molin)  
Skrjabin, K. I., 1923 m, 47  
*Acipenser sturio*
- Camallanus papilliferus* (Molin, 1858)  
Yorke, W.; and Maplestone, P. A., 1926 a, 378  
*Acipenser sturio*
- Camallanus parvus* n. sp.  
Caballero y C., E., 1939 f, 448-450, figs. 1-3  
*Kinosternon hirtipes* (stomach): Tasquillo, State of Hidalgo, Mexico
- Camallanus parvus* Caballero, 1939  
Yeh, L. S., 1960 d, 122  
as syn. of *Serpinema magathi* (Sprehn, 1932) n. comb.
- Camallanus pipiensis* Walton, 1935  
Yeh, L. S., 1960 d, 120  
[lapsus for *C. pipiensis* Walton, 1935]
- Camallanus pipiensis* n. sp.  
Walton, A. C., 1935 a, 33-34, 35, fig. 2  
*Rana pipiens*: Wisconsin, Iowa, and Illinois, U.S.A.
- Camallanus pipiensis*  
Walton, A. C., 1950 b, 162  
*Rana pipiens*: U.S.
- Camallanus ptychozoondis* n. sp.  
MacCallum, G. A., [1919 a], 129-130, fig. 63  
*Ptychozoon hemalocephalum*: Buitenzorg, Java
- Camallanus ptychozoondis* MacCallum, 1918  
Törnquist, N., 1931 a, vi, 286, 323, 325, 371-372  
*Ptychozoon hemalocephalum*: Java (near Buitenzorg)
- Camallanus ranae* n. sp.  
Khera, S., [1956 a], 31, 96-99, pl., figs. 74-77  
*Rana cynophleictis*: Lucknow
- Camallanus roseus* (Leidy, 1851)  
Baylis, H. A.; and Daubney, R., 1922 a, 325
- Camallanus salmonae*  
Chakravarty, G. K., 1942 a, 441-442  
*Salmo* sp.: Kashmir
- Camallanus scabrae* n. sp.  
MacCallum, G. A., [1919 a], 127-128, fig. 61  
*Chrysomys scabra*  
*C. picta*  
both from N.Y. Aquarium
- Camallanus scabrae* MacCallum  
Caballero y C., E., 1939 f, 450
- Camallanus scabrae* MacCallum, 1918  
Caballero y C., E., 1943 b, 195-200, pl., figs. 1-4  
*Dermatemys mawii*: Mexico
- Camallanus scabrae* MacCallum  
Chitwood, B. G., 1932 d, 88  
as syn. of *C. microcephalus* (Duj., 1845)
- Camallanus scabrae* (McCallum)  
Schuurmans Stekhoven, J. H., 1937 a, 433, 435, 480
- Camallanus scabrae* MacCallum, 1918  
Törnquist, N., 1931 a, vi, 41, 232, 233, 235, 240, 245, 249, 252, 254, 255, 256, 258, 259, 260, 264, 265, 267, 270, 272, 273, 277, 278, 279, 286, 287, 289, 325, 353, 357, 358-366, 367, 370, 440, 441, pl. 14, fig. 2, pl. 16, fig. 4, pl. 17, figs. 18a-b  
*Aromochelys odoratus*  
*Chrysomys picta*  
*C. troosti*  
*C. elegans*  
*Ghalydra serpentina*

- Camallanus scabrae* MacCallum, 1918.—Continued.
- Tornquist, N., 1931 a, vi, 41, 232, 233, 235, 240, 245, 249, 252, 254, 255, 256, 258, 259, 260, 264, 265, 267, 270, 272, 273, 277, 278, 279, 286, 287, 289, 325, 353, 357, 358-366, 367, 370, 440, 441, pl. 14, fig. 2, pl. 16, fig. 4, pl. 17, figs. 18a-b
- Chrysemys marginata*
- Chrysemys scripta*
- Malaclemmys lesueuri*
- ?C. floridiana
- C. scabra
- Pseudemys elegans*
- Syns.: *C. troosti* MacCallum, 1918; *C. chelydrae* MacCallum, 1918; ?*C. floridiana* MacCallum, 1918; *C. elegans* MacCallum, 1918; *C. cyathocephalus* MacCallum, 1918; *C. americanus* Matauth, 1919
- Camallanus scabrae* MacCallum, 1918
- Yeh, L. S., 1960 d, 123  
as syn. of *Serpinema microcephalus* (Duj., 1845) n. comb.
- Camallanus serratus* [n. comb.]
- Schuurmans Stekhoven, J. H., 1939 a, 581
- Camallanus seurati* n. sp.
- Magath, T. B., 1919 a, 140, 141, 156, fig. L, pl. 16, fig. 134
- Camallanus seurati*
- Baylis, H. A.; and Daubney, R., 1922 a, 325
- Camallanus seurati* Magath
- Chitwood, B. G., 1932 d, 88  
as syn. of *C. microcephalus* (Duj., 1845)
- Camallanus seurati* Magath
- Rauther, M., 1930 a, 375, fig. 404
- Camallanus seurati* Magath, 1919
- Törnquist, N., 1931 a, 351, 352  
as syn. of *C. microcephalus* Duj., 1845
- Camallanus seurati* Magath
- Walton, A. C., 1928 a, 141-142  
  *Malaclemys centrata*
- Camallanus seurati* Magath, 1919
- Yeh, L. S., 1960 d, 123  
as syn. of *Serpinema microcephalus* (Duj., 1845) n. comb.
- Camallanus singhi* (Ali, 1957) n. comb.
- Yeh, L. S., 1960 d, 120
- Camallanus sweeti*, n. sp.
- Moorthy, V. N., 1937 a, pls. 1-2, figs. 1-9
- Ophicephalus gachua*
- Cyclops leuckarti*
- ? *Barbus puckelli* or *Lepidocephalichthys thermalis*  
all from Mysore State, South India
- Camallanus sweeti*
- Moorthy, V. N., 1938 d, 323-342, pls. 1-2, figs. 1-10, pl. 3, figs. 11, 15-17
- Ophicephalus gachua*
- Lepidocephalichthys thermalis*
- Mesocyclops leuckarti* (exper.)
- M. hyalinus* (exper.)
- Barbus puckelli*
- B. (*Puntius*) *ticto*
- Gambusia* sp.  
all from Chitaldrug District, Mysore, India
- Camallanus sweeti* Moorthy, 1937
- Baylis, H. A., 1939 a, xxvii, 207, 212-214, 264, 265, figs. 125-126
- Ophicephalus gachua*
- Cyclops leuckarti*
- C. hyalinus*
- Barbus puckelli*
- B. *ticto*
- Lepidocephalichthys thermalis*
- Gambusia*  
all from Chitaldrug district, Mysore State
- Camallanus sweeti* Moorthy, 1937
- Chabaud, A. G., 1954 d, 377
- Camallanus sweeti*
- Chitwood, B. G.; and Chitwood, M. B., 1938 a, 62, 63, fig. 58 B
- Camallanus sweeti*
- Chitwood, M. B., 1940 a, 228, fig. 156 A-F
- Camallanus sweeti* Moorthy
- Kulasiri, C.; and Fernando, C. H., 1956 a, 420, 422
- life history
- Anabas testudineus*
- Ophicephalus punctatus*
- O. striatus*
- Rasbora daniconius*  
all from Ceylon
- Camallanus sweeti* (Moorthy)
- Schuurmans Stekhoven, J. H., 1939 a, 575, 582, 633, 634, fig. 213
- Camallanus testudinis* sp. nov.
- MacCallum, G. A., 1921 c, 280, fig. 150
- tortoise: Ohio
- Camallanus testudinis* MacCallum
- Chitwood, B. G., 1932 d, 88  
as syn. of *C. microcephalus* (Duj., 1845)
- Camallanus testudinis*
- Törnquist, N., 1931 a, 287, 323
- Blandings Schildkröte* (im hinteren Teil Oesophagus u. im Magen) [fide MacCallum]
- Camallanus testudinis* MacCallum, 1918
- Yeh, L. S., 1960 d, 123  
as syn. of *Serpinema microcephalus* (Duj., 1845) n. comb.
- Camallanus thapari* sp. nov.
- Gupta, S. P., 1959 c, 771, 772, 774-775, figs. 6-9  
key
- Rana tigrina*: Dacca, East Pakistan
- Camallanus trichogasterae* n. sp.
- Pearse, A. S., 1933 c, 184-185, figs. 15-17
- Trichogaster trichopterus*: Bangkok, Siam
- Camallanus tridentatus* (v. Drasche)
- Baylis, H. A., 1927 k, 41-42
- Arapaima gigas*
- Camallanus tridentatus* v. Drasche, 1884
- Szidat, L., 1956 d, 564-567, 574, 570, figs. 20-23
- Percichthys trucha*: Lago Pellegrini, Patagonia
- Camallanus tridentatus* v. Drasche, 1883
- Törnquist, N., 1931 a, vi, 286, 350
- Syn.: *Cucullarus tridentatus* v. Drasche, 1883
- Arapaima gigas*: Brasilien: Amazonas
- Camallanus tridentatus* (Drasche)
- Travassos, L. P.; Artigas, P.; and Pereira, C., 1928 a, 20
- Arapaima gigas*
- Camallanus tridentatus* (Drasche, 1884)
- Yorke, W.; and Maplestone, P. A., 1926 a, 378
- Vastres cuvieri*
- Camallanus trispinosus* (Leidy)
- Augustine, D. L., 1929 a, 433
- Camallanus trispinosus* (Leidy, 1851)
- Baylis, H. A.; and Daubney, R., 1922 a, 325
- Camallanus trispinosus* Leidy
- Chitwood, B. G., 1932 d, 88  
as syn. of *C. microcephalus* (Duj., 1845)
- Camallanus trispinosus*
- Chitwood, B. G.; and Wehr, E. E., 1934 a, 305, fig. 20

- Camallanus trispinosus* (Leidy)  
 Harwood, P. D., 1931 b, 101  
*Pseudemys elegans*  
*P. hieroglyphica*
- (?) *Camallanus trispinosus* (Leidy, 1851)  
 Harwood, P. D., 1932 b, 60-61, 66  
 Syn.: *C. americanus* Magath, 1918  
*Chelydra serpentina*  
*Kinosternon subrubrum hippocrepis*  
*Pseudemys elegans*  
*Deirochelys reticularia* (?)  
*Amyda ferox* (?)  
*Chrysemys picta*
- Camallanus trispinosus*  
 McKnight, T. J., 1959 a, 1106  
*Trionyx ferox* Emory  
*T. spinifera*  
*Pseudemys scripta elegans*  
*Cramatemys pseudogeographica*  
*Chelydra serpentina*  
 all from Lake Texoma, Oklahoma
- Camallanus trispinosus* (Leidy)  
 Magath, T. B., 1919 a, 53, 140, 141, 142
- Camallanus trispinosus* (Leidy, 1851)  
 Pérez Vigueras, I., 1936 a, 69  
*Pseudemys palustris*: Cuba
- Camallanus trispinosus* (Leidy, 1851)  
 Reiber, R. J., 1941 a, 96-97, 98  
*Chelydra serpentina*  
*Chrysemys picta* dorsalis  
*Pseudemys troostii*  
 all from Reelfoot Lake, Tenn.
- Camallanus trispinosus* (Leidy, 1851) pro parte  
 Ribeiro, D. J., [1941 b], 724  
 ? as syn. of *C. amazonicus* n. sp.
- Camallanus trispinosus* Leidy, 1852  
 Törnquist, N., 1931 a, vi, 286, 370-371  
 Syns.: *Cuculamus trispinosus* Leidy, 1852; ?*Cuculamus microcephalus* Duj., pro parte Dies., 1851; ?*Camallanus scabrac MacCallum*, 1918; ?*Camallamus chelydrae MacCallum*, 1918  
*Emys guttata*  
*E. reticulata*  
*E. serrata*  
*Chelydra serpentina*
- Camallanus trispinosus* (Leidy)  
 Walton, A. C., [1927 a], 142-143  
*Chelydra serpentina*
- Camallanus trispinosus* (Leidy)  
 Ward, H. B., 1918 b, 529  
*Emys guttata*  
*E. reticulata*  
*E. serpata*  
*Chelydra serpentina*
- Camallanus trispinosus*  
 Wharton, G. W., 1938 b, 21  
 turtle
- Camallanus trispinosus*  
 Wharton, G. W., 1940 b, 42  
 respiration
- Camallanus trispinosus*  
 Wharton, G. W., 1941 b, 81-87
- Camallanus trispinosus*  
 Wieczorowski, E., 1939 a, 395, 397  
*Chrysemys marginata* or *C. elegans*: Wisconsin
- Camallanus trispinosus* (Leidy, 1851)  
 Yeh, L. S., 1960 d, 123  
 as syn. of *Serpinema microcephalus* (Duj., 1845) n. comb.
- Camallamus trispinosus* (Leidy, 1851)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 378  
*tortoises*
- Camallamus troosti* n. sp.  
 MacCallum, G. A., [1919 a], 128  
*Chrysemys troosti*: N.Y. Aquarium
- Camallamus troosti* MacCallum  
 Chitwood, B. G., 1932 d, 88  
 as syn. of *C. microcephalus* (Duj., 1845)
- Camallamus troosti* MacCallum, 1918  
 Törnquist, N., 1931 a, 358  
 as syn. of *C. scabrae* MacCallum, 1918
- Camallamus troosti* MacCallum, 1918  
 Yeh, L. S., 1960 d, 123  
 as syn. of *Serpinema microcephalus* (Duj., 1845) n. comb.
- Camallamus truncatus* (Rudolphi, 1814) new comb.  
 Törnquist, N., 1931 a, 232, 233, 235, 254, 278, 282, 286, 325, 327, 339, 340-347, 415, 440, 441, pl. 13, fig. 7, pl. 16, fig. 2, pl. 17, fig. 16  
 Syn.: *Cuculamus truncatus* Rud., 1814  
*Osmerus eperlanus*  
*Silurus glanis*  
*Lucioperca lucioperca*  
*Esox lucius*  
*Lota lota*  
*Coregonus lavaretus oxyrhynchus*
- Camallamus truncatus* (Rudolphi, 1814)  
 Agapova, A. I., 1956 a, 29-30, 37, 53, 54  
*Esox lucius*  
*Lucioperca lucioperca*  
*L. volgensis*  
 all from Reservoirs western Kazakhstan
- Camallanus truncatus*  
 Agapova, A. I., 1962 b, 139  
*Lucioperca lucioperca* (intestine): Syr-Darya river
- Camallanus truncatus* (Rudolphi, 1814)  
 Akhmerov, A. K.; and Bogdanova, E. A., [1958 a], 155  
*Lucioperca lucioperca*  
*Perca fluviatilis*  
 both from zone of future Stalingrad reservoir
- Camallanus truncatus* (Rudolphi)  
 Barysheva, A. F., 1960 a, 280  
 [Lota lota] (intestine)  
*Perca fluviatilis* (intestine)  
*Lucioperca lucioperca* (intestine)  
*Acerina cernua* (intestine)  
*Leuciscus idus* (intestine)  
 all from Gorkov reservoir
- Camallanus truncatus*  
 Barysheva, A. F.; and Bauer, O. N., [1958 a], 195  
*Lucioperca lucioperca*: Lake Ladoga  
*Silurus glanis*: Lake Ladoga  
*Pelecus cultratus*: Lake Ladoga
- Camallanus truncatus*  
 Bogdanova, E. A., [1959 a], 75  
*Esox lucius* (intestine): Volga river
- Camallanus truncatus*  
 Bykhovskaya, I. E.; and Bykhovskii, B. E., 1940 a, 157  
*Lucioperca lucioperca*: Sea of Azov
- Camallanus truncatus*  
 Dogiel, V. A.; and Bykhovskii, B. E., 1934 a, 305, 343, 310, 312  
*Lucioperca lucioperca*: Aral Sea
- Camallanus truncatus* (Rud.)  
 Dubinin, M. N., 1949 b, 116  
*Lucioperca lucioperca*: Volga delta

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

*Camallanus truncatus* Rudolphi

Dyk, V., 1954 b, 284  
candát obecný

okoun říční

both from Moravia

*Camallanus truncatus*

Dyk, V., 1955 d, 42 (4)  
okoun říční

*Camallanus truncatus*

Dyk, V., 1955 e, 164, 165, 168, fig. 165  
candát: Slovakia

*Camallanus truncatus*

Dyk, V.; and Lucký, Z., 1954 d, 222, 223, 224, 225,  
figs. 1-2

*Camallanus truncatus*

Isfumova, N. A., 1959 a, 117, 118  
sudák [Lucioperca lucioperca]: Rybinsk reservoir

*Camallanus truncatus* Rudolphi, 1814

Kasták, V., 1956 d, 629  
Lucioperca lucioperca: Czechoslovakia

*Camallanus truncatus*

Kogteva, E. P., [1958 a], 251  
Lucioperca lucioperca: Pskov-Chud reservoir

*Camallanus truncatus*

Kudriavtseva, E. S., 1960 a, 1741  
zander: Kubensk lake

*Camallanus truncatus* (Rudolphi, 1814)

Kuprišanova, R. A., 1954 a, 373, 374, 375, fig. 1b  
biology

*Camallanus truncatus* Rudolphi

Lavrov, G. D., 1957 a, 127  
Lucioperca volgensis: Volga

*Camallanus truncatus* (Rudolphi)

Markevich, A. P., 1934 b, 64  
sudák [Lucioperca lucioperca] (intestine): Province de Leningrad

*Camallanus truncatus*

Matevosian, E. M.; Petrochenko, V. I.; and Garizhskaya, N. N., 1959 a, 151  
plotva [Rutilus rutilus]  
sudák [Lucioperca lucioperca]  
(intestine of both): both from Volga

*Camallanus truncatus*

Monchenko, V. I., 1956 a, 88  
Cyclopes strenuus  
Mesocyclops leucarti  
Acanthocyclops viridis

*Camallanus truncatus* (Rud.) [i.e., *Camallanus truncatus*?]

Osmann, S. O., 1954 a, 111  
Lucioperca lucioperca: delta Amu-Darya

*Camallanus truncatus*

Petrushhevskiy, G. K., [1958 c], 281  
Lucioperca lucioperca: Beloe ozero

*Camallanus truncatus*

Petrushhevskiy, G. K.; Posdnikova (Vikhrova), M. N.; and Shul'man, S. S., [1958 a], 338  
Lucioperca lucioperca: Braslav lake, Belorussia

*Camallanus truncatus* (Rud.)

Schuurmans Stekhoven, J. H., 1935 c, V.c 23-V.c 24, V.c 36, V.c 37, V.c 38, fig. 389  
Silurus glanis  
Lucioperca sandra

Esox lucius

Lota vulgaris

Coregonus lavaretus

C. oxyrhynchus

Osmerus eperlanus

*Camallanus truncatus* (Rud.)

Schuurmans Stekhoven, J. H., 1939 a, 575, 581, 583

*Camallanus truncatus* Rud.

Shevchenko, N. N., 1954 b, 79

Lucioperca lucioperca: northern Donets river

*Camallanus truncatus* Rudolphi

Shevchenko, N. N., 1956 b, 278, 290, 291, 292

Lucioperca lucioperca

Perca fluviatilis

Acerina cernua

Silurus glanis

all from northern Donets

*Camallanus truncatus*

Shlapnikova, R. L., [1958 a], 275

Lucioperca lucioperca: lake Vyrt's'iarv

*Camallanus truncatus*

Shul'man, S. S., [1958 c], 337

sudák [Lucioperca lucioperca]: lake Zhishitsa,

Velikie Luki oblast

*Camallanus truncatus*

Shul'man, S. S.; Berenius, Iu. N.; and Zakharova, E. A.,

1959 a, 53, 57, 62, 63, 69

Acerina cernua

Esox lucius

Perca fluviatilis

Lota lota

all from lake Siam

*Camallanus truncatus*

Sidorov, E. G., 1959 a, 136

central Kazakhstan

*Camallanus truncatus* (R.)

Smirnova, K. V., 1954 b, 187

Lucioperca lucioperca: Don river

*Camallanus truncatus*

Smirnova, K. V., 1959 a, 127

sudák [Lucioperca lucioperca]: Tsimlanskoe reservoir

*Camallanus truncatus* Torg

Stoliarov, V. P., 1952 a, 271

sudák: Rybinsk reservoir

*Camallanus truncatus* Rudolphi

Stoliarov, V. P., 1954 b, 163, 172

Lucioperca lucioperca (intestine): Rybinsk reservoir

*Camallanus truncatus* R.

Stoliarov, V. P., 1955 a, 191

sudák [Lucioperca lucioperca]

shchuka [Esox lucius]

all from upper Volga

*Camallanus undulatus* Railliet and Henry, 1915

Baylis, H. A., 1933 a, 632

Syn.: Cucullamus viviparus v. Linstow, 1906, nec

Bloch, 1782

*Camallanus undulatus* Raill. & Henry, 1915

Baylis, H. A.; and Daubney, R., 1922 a, 325

*Camallanus undulatus* Railliet and Henry, 1915

Törnquist, N., 1931 a, vi, 371

Syn.: Cucullamus viviparus v. Linstow, 1906 (Nicht

Bloch, 1782)

Demonia revesii

Clinosternon

(Darm of both)

*Camallamus undulatus* Railliet & Henry, 1915

Yorke, W.; and Maplestone, P. A., 1926 a, 378

Demonia sp.

*Camallamus unispiculus* n. sp.

Khera, S., [1956 a], 31, 100-103, figs. 78-83

Mastacembelus armatus

*Camallamus wolgensis* n. sp.

Levashov, M. M., 1929 a, 123-126, figs. 4, 5

Pelecus cultratus

*Camallamus volgensis*

Dyk, V.; and Lucký, Z., 1954 d, 222, 223, 225

## NEMATODA AND NEMATODE DISEASES

- Camallarus zacconis* n. sp.  
Li, S. Y., 1941 a, 195, 196-198, 199, pl. 1, figs. 6-9  
*Zacco temminki*: Chengtu, Szechuan
- Camelostrongylus* n. g.  
Orlov, I. V., 1933 b, 97-98, 102, 113  
mt: *C. mentulatus* (Railliet and Henry, 1907)
- Camelostrongylus* Orloff, 1933  
Baylis, H. A., 1936 a, 366  
as syn. of *Ostertagia* Ransom, 1907
- Camelostrongylus* Orloff, 1933  
Lent, H.; and Teixeira de Freitas, J. F., 1934 a, chart 1  
type species: *C. mentulatus* (Railliet and H., 1909)  
Orloff, 1933
- Camelostrongylus* Orloff, 1933  
Travassos, L., 1937 e, II, 27, 95, 130  
Syn.: *Ostertagia* Baylis, 1936 p.p.  
type: *C. mentulatus* (Railliet & Henry, 1909)
- Camelostrongylus* [sp.]  
van Bemmel, A. C. V.; Peters, J. C.; and Zwart, P.,  
1960 a, 1204  
Antelope cervicapra: Royal Rotterdam Zoo
- Camelostrongylus* spp.  
Daubney, R., 1957 a, 17  
sheep, control: Syria
- Camelostrongylus* [sp.]  
Guralp, N., 1958 e, 181, 184  
sheep (fourth stomach): Turkey
- Camelostrongylus* mentulatus (Railliet et Henry, 1909) n.  
comb. (mt)  
Orlov, I. V., 1933 b, 98-100, figs. 1-2  
Syns.: *Ostertagia* mentulata Railliet et Henry, 1909;  
*O. mentulata* Ransom, 1911; *Strongylus capillaris* Pricollo, 1913; *Strongylus capillaris* Railliet, 1914;  
*Ostertagia* mentulata Looss, 1917 (selon Travassos,  
1921); *Ostertagia* mentulata Travassos 1918  
*Camelus dromedarius* (caillette)
- Camelostrongylus* mentulatus  
Orlov, I. V., 1937 c, 10, 50, 53  
[sheep]: Central Asia
- Camelostrongylus* mentulatus  
Andreeva, N. K., 1958 a, 59-78, pl IV, fig. 2
- Camelostrongylus* mentulatus (Raill. et Henry, 1909) Orloff,  
1933  
Asadov, S. M., 1957 a, 86  
*Gazella subgutturosa*: Azerbaidzhan
- Camelostrongylus* mentulatus (Railliet et Henry, 1909)  
Orloff, 1933  
Asadov, S. M.; and Kolesnichenko, M. L., 1961 a, 62  
[*Camelus bactrianus*] (abomasum): Azerbaidzhan
- Camelostrongylus* mentulatus (Railliet & Henry, 1909)  
Badanin, N. V., 1938 a, 62, 66  
chameaux turcoman: USSR
- Camelostrongylus* mentulatus  
Badanin, N. V., 1958 a, 86  
ovine, influence of breeds
- Camelostrongylus* mentulatus  
van Bemmel, A. C. V.; Zwart, P.; and Peters, J. C.,  
1962 a, 828  
*Saiga tatarica*: Rotterdam zoo, Dlijdorp
- Camelostrongylus* mentulata  
Bhalerao, G. D., 1942 d, 241  
sheep  
goats  
both from India
- Camelostrongylus* mentulatus (Railliet and Henry)  
Bhalerao, G. D., 1942 e, 28  
sheep  
goats  
both from Lahore
- Camelostrongylus* mentulatus Railliet and Henry, 1909,  
Orlov, 1933  
Court, R.; and Saquenet, A., 1945 a, 77  
mouton: Algérie
- Camelostrongylus* mentulatus  
Dikmans, G., 1935 c, 57  
Syn.: *Ostertagia* mentulata  
*Saiga tatarica*: Nat. Zool. Gard., Washington, D.C.  
(imported from Russia via Zool. Gard., Hannover,  
Germany)
- Camelostrongylus* mentulatus  
Ermolova, E. N., 1961 a, 368  
sheep: southern Kazakhstan region
- Camelostrongylus* mentulatus  
Ferry, R., 1961 a, 13  
dromadaire (niveau de la caillette): N'Guigmi, Niger-Est
- Camelostrongylus* mentulatus [sic] (Railliet u. Henry, 1909)  
Gebauer, O., 1933 b, 323  
*Gazella dama* (Labmagen): Tiergarten Schönbrunn
- Camelostrongylus* mentulatus (Railliet et Henry, 1909) Orloff, 1933  
Guoth, S., 1960 b, 421, 424  
*Capra aegagrus*: Tatra National Park
- Camelostrongylus* mentulatus (Railliet & Henry, 1909)  
Jansen, J. (jr.), 1959 a, 509  
*Auchenia glama*  
Antelope cervicapra  
(fourth stomach of both): both from zoological garden  
in the Netherlands
- Camelostrongylus* mentulatus  
Jaskoski, B. J.; and Williamson, W. M., 1958 a, 36  
*Camelus bactrianus* (small intestine): Chicago  
zoological park
- Camelestrongylus* [sic] mentulata (Raill. et Henry, 1909)  
Raevskaya, Z. A.; and Badanin, N. V., 1933 a, 33-35.  
113, figs. 28-31  
*Camelus dromedarius*  
*Ovis aries*  
both from SSSR
- Camelostrongylus* mentulatus  
Rose, M.; Prades-Saquinet; and Court, R., 1948 a, 151
- Camelostrongylus* mentulatus (Railliet et Henry, 1909)  
Saquenet, A., 1945 a, 152-153, 154, figs. 26-29  
Syns.: *Ostertagia* mentulata (Railliet et Henry, 1909);  
*Strongylus capillaris* (Pricollo, 1913)  
mouton  
chameau  
both from Algérie
- Camelostrongylus* mentulatus (Railliet y Henry, 1909)  
Tagle Villarroel, I., 1956 b, 82  
ovejas: zona Central, Chile
- Camelostrongylus* mentulatus (Railliet & Henry, 1909)  
Orlogg, 1933  
Travassos, L., 1937 e, II, 3, 130-131, 432, 437, 439,  
440, pl. 86, figs. 2-3, pl. 88, fig. 2  
Syn.: *Ostertagia* mentulata Railliet & Henry, 1909  
*Camelus dromedarius*  
*Gazella dama*  
*Ovis aries*  
*Capra hircus*  
*Saiga tartarica*
- Camelostrongylus* mentulatus  
Tulabaev, B., 1956 a, 50  
treatment

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Cameronia n. g.**  
*Basir, M. A., 1958 c, 201*  
 type species: *C. biovata*
- Cameronia biovata gen. et sp. nov. (type species)**  
*Basir, M. A., 1958 c, 201-203, figs. 1-5*  
*Gryllotalpa africana*
- Cameronia biovata Basir, 1948**  
*Kloss, G. R., 1959 b, 162-164, figs. 8-10*  
*Scapteriscus tenuis: Brasil*
- Cameronia biovata Basir, 1948**  
*Kloss, G. R., 1959 f, 153-154, pl. VI, figs. 1-8*  
*Scapteriscus tenuis: Brasil*
- Cameronia biovata Basir, 1948**  
*Rao, P. N., 1958 a, 78, 79, figs. 114-117*  
*Gryllotalpa africana (intestine): Hyderabad, Andhra Pradesh (India)*
- Cameronia biovata Basir, 1948**  
*Travassos, L., 1953 b, 277, 282, 283, 284, pl., figs. 19-21*  
*Gryllotalpa sp.: Brasil, India*
- Cameronia multiovata Leibersperger 1960**  
*Jarry, D. M., 1961 a, 771, 772-773, figs. A-B*  
*Gryllotalpa gryllotalpa: Erlangen, bei Hersbruck und Bischofsheim/Rhön*
- Cameroniinas Kloss, 1959**  
*Kloss, G. R., 1959 f, 152*
- Camerostrongylus gen. nov.**  
*Wolfgang, R. W., 1951 a, 361*  
 tod: *C. didelphis* sp. nov.
- Camerostrongylus didelphis** sp. nov. (tod)  
*Wolfgang, R. W., 1951 a, 352, 361-363, figs. 20-26*  
*Didelphis marsupialis insularis: Trinidad*
- Capillaria Zeder**  
*Augustine, D. L., 1929 a, 448-449*
- Capillaria**  
*Babenakas, M. A., 1960 a, 10*
- Capillaria**  
*Baylis, H. A., 1924 d, 22*
- Capillaria**  
*Baylis, H. A., 1925 g, 71*
- Capillaria**  
*Baylis, H. A., 1925 k, 316*
- Capillaria Zeder**  
*Baylis, H. A., 1929 i, 261-263*
- Capillaria Zeder**  
*Baylis, H. A., 1931 f, 541-542*  
 Syns.: *Trichosoma Duj.; Trichosomum Creplin; Calodium Duj.; Thominx Duj.; Liniseus Duj.; Eucoteus Duj.; Hepaticola Hall*  
 type: *C. anatis*
- Capillaria**  
*Baylis, H. A., 1937 c, 411*  
 Syn.: *Eucoleus*
- Capillaria Zeder, 1800**  
*Baylis, H. A., 1939 b, xxviii, 232, 240-241*  
*Trichinellidae, Trichurinae*  
 key to species, type: *C. anatis* (Schrank, 1790)  
 Syns.: *Trichosoma Rud., 1819; Thominx Dujardin, 1845; Eucoleus Dujardin, 1845; Calodium Dujardin, 1845; Liniscus Dujardin, 1845; Hepaticola Hall, 1916*
- Capillaria Zeder, 1800**  
*Baylis, H. A.; and Daubney, R., 1926 a, 238-239*  
 type: *C. tumida* Zeder
- Capillaria**  
*Chitwood, B. G., 1930 e, 35*
- Capillaria Zeder, 1800**  
*Erlich, I., 1937 b, 18-19*
- Capillaria**  
*Erlich, I.; and Mikadic, D., 1939 a, 554*  
 Syn.: *Trichosomum*
- Capillaria**  
*van Heesbergen, T., 1928 a, 6-7, 19, 2 figs.*
- Capillaria Zeder 1800**  
*Heinze, K., 1933 a, 393-406*
- Capillaria Zeder**  
*Irwin-Smith, V. A., 1920 a, 556-557*  
 type: *C. tumida* Zeder
- Capillaria**  
*Jansen, J., 1949 a, 383*
- Capillaria**  
*Kalanter'ian, E. V., 1924 b, 24*  
 key to species
- Capillaria**  
*Kotlán, S.; and Gross, D., 1931 a, 112-114*
- Capillaria Zed.**  
*Lopez Neyra, C. R., 1924 a, 111*
- Capillaria (Zeder, 1800) str. s. mihi**  
*Lopez-Neyra, C. R., 1947 c, 212-213, 232-235, 238*  
 Syns.: *Capillaria Zeder, 1800 p.p.; Trichosoma Rudolphi, 1819 p.p.; Calodium Dujardin, 1845 p.o.; Liniscus Dujardin, 1845*
- Capillaria Zeder, 1800**  
*Miller, M. J., 1937 b, 97*
- Capillaria Zeder**  
*Morishita, K., 1926 a, 22*
- Capillaria**  
*Müller, G. A., 1929 a, 209*
- Capillaria Zeder, 1800**  
*Orosz, D., 1932 a, 32*  
 Syns.: *Trichocephalus Goede; Filaria Fröhlich; Lin-guatula Schrank; Capillaria Zeder; Trichocephalus Rudolphi; Hamularia Rudolphi; Trichosoma Rudolphi; Trichosomum Creplin; Trichosomum Dujardin; Thominx Dujardin; Eucoleus Dujardin; Calodium Dujardin; Liniscus Dujardin; Trichocephalus Dujardin; Trichosoma Stossich; Trichosomum Neveu-Lémairé*
- Capillaria**  
*Otte, W., 1927 a, 61*
- Capillaria Zed.**  
*Rauther, M., 1930 a, 269, 317, 366*  
 type: *C. anatis* (Schrank)
- Capillaria**  
*Rebrassier, R. E., 1928 a, 111-112*
- Capillaria**  
*Rietz, J. H., 1927 a, 657-658*
- Capillaria**  
*Riley, W. A.; and Christenson, R. O., 1930 a, 58*
- Capillaria**  
*Riou, J., 1948 a, 38*  
*triphenylmethane*
- Capillaria**  
*Roman, E., 1949 a, 1369, 1370*
- Capillaria Zed.**  
*Shul'ts, R. E. S., 1927 e, 296*

- Capillaria Zed.  
Sjöberg-Klaavu, A. H., 1926 b, 524
- Capillaria  
Skrjabin, K. I., 1920 a, 15
- Capillaria Zed.  
Skrjabin, K. I., 1920 b, 47-48
- Capillaria, Zeder, 1800  
Skrjabin, K. I., 1923 1, 298, 299
- Capillaria Zed.  
Skrjabin, K. I., 1923 n, 85
- Capillaria  
Skrjabin, K. I., 1924 c, 63, 64
- Capillaria  
Skrjabin, K. I., 1929 b, 10, 15
- Capillaria  
Skrjabin, K. I.; and Shul'ts, R. E. S., 1929 a, 39
- Capillaria Zeder  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 440-441  
Syn.: Trichosoma Rud.
- Capillaria  
Sprehn, C. E. W., 1927 e, 57
- Capillaria  
Sprehn, C. E. W., 1928 e, 130, 131
- Capillaria  
Sprehn, C. E. W., 1930 r, 774
- Capillaria Zeder, 1800  
Sprehn, C. E. W., 1932 c, 767  
type species: *C. anatis* (Schrank, 1790)  
Syns.: *Trichosoma Rudolphi*, 1819; *Liniscus Dujardin*, 1845; *Thomoxen Dujardin*, 1845; *Calodium Dujardin*, 1845
- Capillaria Zeder, 1800  
Teixeira de Freitas, J. F., 1959 b, 6  
espécie tipo: *C. anatis* (Schrank, 1790) Travassos, 1915  
Syns.: *Trichosoma Rudolphi*, 1819; *Trichosomum Creplin*, 1829; *Calodium Dujardin*, 1845; *Liniscus Dujardin*, 1845
- Capillaria Zeder, 1800  
Teixeira de Freitas, J. F.; and Lent, H., 1935 e, 111
- Capilria [sic]  
Travassos, L. P., 1920 h, 70
- Capillaria Zeder  
Travassos, L. P.; Artigas, P.; and Pereira, C., 1928 a, 28-29  
type: *C. anatis* (Schrank)
- Capillaria  
Truche, C., 1937 a, 345
- Capillary [for Capillaria Zed., 1800]  
Tsuchiya, H.; and Rector, L. E., 1936 a, 707
- Capillaria  
Urioste, O., 1923 a, 15, 16
- Capillaria Zeder, 1800  
Van Cleave, H. J.; and Mueller, J. F., 1934 a, 290  
key, diagnosis
- Capillaria  
Wagner, O., 1936 c, 245-269
- Capillaria Zeder  
Ward, H. B., 1918 b, 535
- Capillaria Zeder, 1800  
Yorke, W.; and Maplestone, P. A., 1926 a, 23-28  
type: *C. anatis* (Schrank)
- Capillaria  
Zakharov, N. P., 1920 b, 8-12  
type: *C. tumida* Zed.
- Capillaria Travassos sub. gen.  
Morishita, K., 1926 a, 22
- Capillaria sp.  
Adams, A. R. D., 1933 b, 7  
knot (*Tringa* sp.): Edinburgh Zool. Gardens
- Capillaria sp.  
Adams, A. R. D., 1933 b, 7  
fowls: Taiping, Fed. Malay States
- Capillaria sp.  
Adams, A. R. D., 1933 b, 7  
turkey: Taiping, Fed. Malay States
- Capillaria [sp.]  
Aktan, F.; and Çelik, H., [1958 a], 39
- Capillaria sp.  
Aldous, C. M., 1941 a, 30  
herring gulls: Moosehead Lake, Maine
- Capillaria sp.  
Alicata, J. E., 1936 e, 82  
chicken: Hawaii
- Capillaria sp.  
Alicata, J. E., 1938 h, 94  
poultry: Hawaii
- Capillaria sp.  
Alwar, V. S.; and Lalitha, C. M., 1958 b, 292  
*Felis catus*: Madras
- Capillaria [sp.]  
Anczykowski, F., 1952 a, 64
- Capillaria sp.  
Andrews, J. S.; and Maldonado, J. F., 1939 a, 56  
chickens: Puerto Rico
- Capillaria sp.  
Andrews, J. S.; and Maldonado, J. F., 1939 a, 56  
*Macacus rhesus*: Puerto Rico
- Capillaria sp.  
Andrews, J. S.; and Maldonado, J. F., [1941 c], 135  
*gallina*  
mono (*M. rhesus*)  
both from Puerto Rico
- Capillaria sp.  
Andrews, J. S.; and Maldonado, J. F., [1941 c], 135  
cabro: Puerto Rico
- Capillaria sp.  
Andrews, M. N., 1937 a, 150  
cats: Canton
- Capillaria [sp.]  
Andrews, W. H., 1937 a, 72  
pathogenicity, poultry
- Capillaria sp.  
Angstrom, C. I., 1949 a, 80  
chickens  
robin  
pheasants  
guinea hen
- Capillaria sp.  
Angstrom, C. I., 1950 a, 83  
chickens  
pigeons  
both from Kingston, N. York
- Capillaria sp.  
Angstrom, C. I., 1951 a, 81  
chickens  
pheasant  
both from N. York

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Capillaria sp.  
Angstrom, C. I., 1952 a, 93  
pigeons: New York
- Capillaria sp.  
Angstrom, C. I., 1954 a, 91  
chickens  
pheasants  
pigeon  
all from Kingston, N. York
- Capillaria sp.  
Angstrom, C. I., 1955 a, 108  
chickens  
turkey  
pigeon  
all from New York
- Capillaria sp.  
Arnao de McGregor, M., 1953 a, 67  
*Gallus gallus domesticus* (intestino): Lima
- Capillaria sp.  
Arnao Mendoza, M., 1951 a, 79  
*Gallus gallus domesticus* (intestino): [Peru]
- Capillaria spp.  
Ash, J. S., 1957 a, 163, 164, 165  
*Turdus viscivorus*  
*T. pilaris*  
*T. ericetorum*  
*T. musicus*  
(Lieberkühn's crypts of all): all from Hampshire county, England
- Capillaria sp.  
Babero, B. B., 1953 c, 538, 540  
*Lagopus mutus*: Alaska
- Capillaria sp.  
Babero, B. B.; and Okpala, I., 1962 b, 232  
*Agama colonarum*: Nigeria
- Capillaria sp.  
Babić, I., 1936 a, 298  
*Coccothraustes coccothraustes*: Jugoslaviens
- Capillaria sp.  
Baker, D. W., 1934 b, 47  
raccoon: New York State
- Capillaria sp.  
Bangham, R. V., 1939 a, 265  
*Chaenobryttus gulosus*: southern Florida
- Capillaria sp.  
Bangham, R. V., 1939 a, 267  
*Eupomotis microlophus*: southern Florida
- Capillaria sp.  
Bangham, R. V., 1941 a, 292, 304  
*Erimyzon suetta suetta*  
stump-knocker  
both from Florida
- Capillaria sp.  
Bangham, R. V., 1941 c, 166, 168  
*Ameiurus nebulosus*  
*Micropterus dolomieu*  
both from Algonquin Park Lakes
- Capillaria sp.  
Bangham, R. V.; and Venard, C. E., 1942 a, 26, 37  
*Erimyzon suetta oblongus*
- Capillaria sp.  
Barysheva, A. F.; and Bauer, O. N., [1958 a], 194  
*Lota lota*: Lake Ladoga
- Capillaria sp.  
Bauer, O. N., 1947 a, 16, 17  
*Coregonus albula*: Tuloma River  
*C. sardinella*: Yenisei River
- Capillaria sp.  
Baumgartner, L. L., 1940 a, 6  
*Sciurus niger rufiventris*: Ohio
- Capillaria sp. Moorthy, 1938  
Baylis, H. A., 1939 b, xxviii, 246, 264  
*Barbus puckelli*  
*B. ticto*  
*Lepidocephalichthys thermalis*  
all from Mysore
- Capillaria sp.  
Baylis, H. A.; and Jones, E. I., 1933 a, 633  
*Scyllium catulus* (spiral valve): Plymouth, England
- Capillaria sp.  
Baylis, H. A.; and Jones, E. I., 1933 a, 633  
*Pleuronectes platessa* (rectum): Plymouth, England
- Capillaria sp.  
Bellava, M. Ia., 1959 b, 109  
*Sciurus vulgaris* (small intestine): Belovezhskaya Pushcha
- Capillaria [sp.]  
Bell, R. R., 1957 a, 294  
cattle: North Carolina
- Capillaria sp. 1  
Belopol'skaiia, M. M., 1952 c, 158  
*Calidris maritima* (oesophagus): Sem Ostrovov
- Capillaria sp. 2  
Belopol'skaiia, M. M., 1952 c, 158  
*Alca torda*  
*Fratercula arctica*  
(intestine of both): both from Sem Ostrovov
- Capillaria sp.  
Berland, B., 1961 a, 39, 40, fig. 50  
*Molva byrkjelange*: Norwegian coast
- Capillaria sp.  
Bernard, J., 1961 e, 780, 783  
*Erinaceus europaeus*  
*Pitymys subterraneus*  
both from Belgique
- Capillaria sp.  
Besubik, B., [1957 a], 469-470, 482  
*Anas platyrhynchos*: Poland
- Capillaria sp. Morgan, 1925  
Bhalerao, G. D., 1933 f, 168, 169  
ox: Wales
- Capillaria spec.  
Boch, J.; and Forstner, M. J., 1959 a, 221, 222, 223  
*Tetrao urogallus*  
*Lyrurus tetrix*  
both from Alps
- Capillaria sp.  
Böhm, L. K., 1939 a, 621  
*Alces alces*: Schönbrunner Tiergarten
- Capillaria sp.  
Boerner, F. (jr.); and Crawley, H., 1923 a, 1
- Capillaria sp.  
Bondareva, V. I., 1946 a, 128, 129  
wild goats  
*Capra cylindricornis*  
both from Daghestan
- Capillaria [sp.]  
Borges Ferreira, L. D. B., 1958 a, 349-350
- Capillaria [sp.]  
Bouvier, O.; Burgisser, H.; and Schweizer, R., 1951 a, 281  
oiseaux divers

- Capillaria [sp.]  
Brada, W., 1956 a, 105  
Brasil
- Capillaria sp.  
Brenes Madrigal, R. R.; and Bravo Hollis, M., 1960 a,  
451-452, pl. 1, figs. 1-3  
*Kinosternon cruentatum (intestino delgado)*: Costa Rica
- Capillaria [sp.]  
Brisard, A., 1950 a, 538, 540  
treatment  
mouton  
chien
- Capillaria [sp.]  
Bruce, E. A., 1932 a, 9-10  
poultry, treatment
- Capillaria [sp.]  
Brunett, E. L.; and Angstrom, G. I., 1942 a, 50  
chickens  
pigeon  
both from Poultry Disease Lab., Ithaca, N.Y.
- Capillaria [sp.]  
Brunett, E. L.; and Ellis, C. C., 1937 a, 42  
pigeon: New York State
- Capillaria sp.  
Buckley, J. J. C., 1945 a, 670  
*Plesiositagra spilonota*: London Zoo
- Capillaria spp.  
Bump, G., 1937 a, 309  
turkey  
pheasants  
grouse  
quail  
Hungarian partridge
- Capillaria spp.  
Bump, G., 1938 a, 269, 271  
grouse  
pheasant  
quail
- Capillaria sp.  
Bump, G., 1939 a, 246, 247  
grouse  
pheasants  
ducks
- Capillaria sp.  
Bump, G., 1940 a, 237, 239  
grouse: New York State
- Capillaria sp.  
Bump, G., 1941 a, 220  
pheasants: N. York
- Capillaria sp.  
Cagnolati, G. C.; and Lucchetti, M. L., 1960 a, 77  
*Apodemus sylvaticus*: Tevere Valley, Italy
- Capillaria sp.  
Cameron, T. W. M., 1928 e, 98  
*Felis planiceps*
- Capillaria spp.  
Campana-Rouget, Y., 1956 c, 462  
*Lycodontis vicinus*  
*Murenophis robusta*  
both from mer ouest-africains
- Capillaria [sp.]  
Campbell, A. D., 1959 a, 17  
(faecal samples): Eastern Region, Nigeria
- Capillaria [sp.]  
Carta, A., 1939 d, 363-373
- Capillaria sp.  
Chen, H. T., 1934 a, 262, 265, 268  
cats: Canton, China
- Capillaria sp.  
Chen, H. T., 1937 a, 152-153, figs. 11-13  
Canton, China
- Capillaria sp.  
Chiaberashvili, E. A., 1957 a, 130  
*Neogobius fluviatilis*: Tsiv river, Georgia SSR
- Capillaria sp.  
Chittwood, B. G., 1938 c, 64  
*Micronycteris megalotis mexicana*: Xmahit Cave, Tekax,  
Yucatan
- Capillaria [sp.]  
Chubb, L. G., 1958 a, 28  
poultry
- Capillaria spp.  
Clapham, P. A., 1957 a, 195, 196  
*Accipiter nisus*  
*A. gentilis*  
*Falco peregrinus*  
*F. tinnunculus*  
*Turdus viscivorus*  
*T. pilaris*  
*T. musicus*  
all from Hampshire-Dorset county line, England
- Capillaria spp.  
Clapham, P. A., 1961 a, 37  
*Perdix perdix*: Great Britain
- Capillaria spp.  
Colglasier, M. L.; Foster, A. O.; Enzie, F. D.; and  
Thompson, D. E., 1960 a, 267, 268  
treatment
- [Capillaria sp.] capillarid  
Conaway, C. H., 1952 a, 240  
*Sorex palustris navigator*: Montana
- Capillaria sp.  
Cooperider, D. E.; and Goff, O. E., 1949 a, 148
- Capillaria sp.  
Cowan, I. M., 1946 b, 85, 88, 89  
*Odocoileus hemionus columbianus*: Westholme, Duncan,  
Goldstream (Vancouver Island)
- Capillaria [sp.]  
Cram, E. B., 1936 c, 27 pp  
diagnosis, synonymy  
birds (upper digestive tract)
- Capillaria sp.  
Cross, S. X., 1938 a, 442  
*Perca flavescens*  
*Catostomus commersonni*  
*Stizostedion vitreum*  
all from Wisconsin
- Capillaria spp.  
Cross, W. B., 1958 a, 84  
turkeys, prevention and control
- Capillaria [sp.]  
Curial, O., 1954 a, 4, figs. 1-2  
ovos
- Capillaria [sp.]  
Cvetkovic, L., 1953 a, 49  
complicating cholera
- Capillaria sp.  
Czapliński, B.; and Przyjazkowski, Z., 1956 a, 189, 190  
hens
- Capillaria sp.  
Czapla, Z., 1958 a, 697, 698, 699  
*Citellus citellus* (blind gut): Poland

- Capillaria [sp.]**  
Davies, S. F. M., 1958 a, 447  
poultry
- Capillaria sp.**  
Dewhurst, L. W.; Trautman, H. J.; and Pieter, W. J., 1958 a, 30  
beef cattle: Arizona
- Capillaria sp.**  
Dikmans, G., 1929 a, 27  
cattle: Porto Rico
- Capillaria sp.**  
Dinsburg, A. G., 1939 a, 103  
*Odocoileus virginianus*: Florida
- Capillaria species**  
Dixit, S. G., 1951 a, 75  
poultry: State of Bombay
- Capillaria sp.**  
Dogiel, V. A.; and Karolinskaya, K., 1936 a, 63  
*Apus apus*
- Capillaria sp.**  
Dogiel, V. A.; and Petrushevskii, G. K., 1934 b, 663, 666, 668, 669, 671  
Lachse [salmon]: Wig Fluss' und Niwa-Fluss
- Capillaria sp.**  
Dogiel, V.; and Petrushevskii, G., 1935 a, 145, 146, 147, 152, 154, 158, 160, 165, 169  
salmon
- Capillaria [sp.]**  
Dorney, R. S.; and Kabat, C., 1960 a, 38, 39, 42  
*Bonasa umbellus*: Wisconsin
- Capillaria [sp.]**  
van Dorssen, C. A., 1951 a, 728  
eenden
- Capillaria [sp.]**  
van Dorssen, C. A.; and Donker-Boet, J., 1955 a, 1076, 1077  
Kippen en kuikens [chickens]  
Pauwan [peahen]
- Capillaria sp.**  
Drozdz, J., 1958 a, 717  
*Bison bonasus*: Poland
- Capillaria sp.**  
Dubinin, V. B., 1936 a, 47  
*Thymallus vulgaris*
- Capillaria sp.**  
Dubinina, M., 1937 a, 562, 570, 571  
*Nycticorax nycticorax*: Astrakhan State Reservation
- Capillaria sp.**  
Dubinina, M. N.; and Serkova, O. P., 1951 a, 87, 93  
*Mergus albellus*: Tadzhikistan
- Capillaria spp.**  
Ehlers-Bhodigen, S., 1961 a, 51 pp.  
Huhn
- Capillaria sp.**  
Erickson, A. B., 1946 a, 500, 501, 506  
key  
*Mustela vison*: Minnesota
- Capillaria (C.) sp.**  
Erlich, I., 1937 b, 21-25, 28, 29, 30, 31, 32-33, fig. 2  
Katzen: Zagreb
- Capillaria sp. miki**  
Erlich, I., 1947 a, 80, 83, 84, 85, fig. 2  
domestic cat (urinary bladder)
- Capillaria sp.**  
Euzéby, J. A., 1957 c, 17  
*Bibos indicus*: Federation of Malaya
- Capillaria [sp.]**  
Evans, W. M., 1937 a, 49  
mink: N. York State Vet. Coll.
- Capillaria sp.**  
Fallis, A. M., 1938 a, 87  
lambs: Ontario
- Capillaria sp.**  
Farr, M. M.; and Wehr, E. E., 1952 a, 186  
goslings: Maryland
- Capillaria sp.**  
Fedushkin, A. V., 1949 a, 24  
*Tetrao urogallus*: Russia
- Capillaria sp.**  
Ferreira d'Almeida, R. R., 1937 a, 297  
*Tinamus major major*: Breu
- Capillaria sp.**  
Ferri, A. G.; Correa, W. M.; and Martins, L. F., 1960 a, 490-492, figs. 1-3  
duck (beak epidermis)
- Capillaria [sp.] ova**  
Fox, H., 1940 a, 16  
*Orycterus afer*: Phila. Zool. Garden
- Capillaria sp. Sprehn**  
Freund, L., 1930 c, 107
- Capillaria [sp.]**  
Fritzsche, K., 1944 b, 25  
Russland
- Capillaria spp.**  
Furmaga, S., 1957 c, 219, 225, 229, 287-288, fig. 33  
*Falco subbuteo*  
*F. peregrinus*  
*Accipiter nisus*  
*Buteo buteo*  
*B. lagopus*  
*Asio otus*  
*A. flammeus*  
*Athene noctua*  
*Accipiter gentilis*  
*Strix aluco*  
all from Lublin
- Capillaria sp.**  
Galli-Valerio, B., 1940 a, 355-356  
*Mustela putorius*: Bréyaz de Champex V.
- Capillaria [sp.]**  
Galli-Valerio, B., 1940 b, 356  
*Mustela putorius*: Rafeoex Vd.
- Capillaria sp. al.**  
Gambles, R. M., 1939 a, 29  
duck: Cyprus
- Capillaria sp.**  
Garkavi, B. L., 1950 e, 73-74  
badger: Southern Kirgizia
- Capillaria spp.**  
Gates, D. W., 1933 a, 59  
chickens (small intestine): New York State
- Capillaria sp.**  
Gil'bert, L. I., 1930 a, 110  
*Acrocephalus palustris*: western SSSR
- Capillaria sp.**  
Gil'bert, L. I., 1930 a, 110  
*Dendrocopos major*: western SSSR

- Capillaria sp.  
Ginetsinskaya, T. A., 1949 c, 91  
*Anas strepera*: Volga delta
- Capillaria sp. 1  
Ginetsinskaya, T. A., 1952 b, 63  
*Porzana porzana* (caeca): Astrakhan preserve
- Capillaria sp. 2  
Ginetsinskaya, T. A., 1952 b, 63  
*Podiceps cristatus* (intestine): Astrakhan preserve
- Capillaria sp.  
Giuliani, V., 1955 b, 452  
*Vulpes vulpes*: Prov. Aquila
- Capillaria [sp.]  
Goble, F. C.; and Kutz, H. L., [1946 a], 397  
*Turdus m. migratorius*: New York State
- Capillaria sp.  
Goldberg, A., 1954 a, 31, 32, 33  
*Mephitis mephitis nigra*: Beltsville, Maryland
- Capillaria spp.  
Graham, R.; et al., 1933 a, 45, figs.
- Capillaria [sp.]  
Graham, R.; Thorp, F. (jr.); and Hectorne, R. L., 1929 a, 1060-1063  
chickens
- Capillaria spp.  
Graham, R.; Torrey, J. P.; Mizelle, J. D.; and Michael, V. M., 1937 a, 22-23, 41, figs. 10-12  
ducks  
geese  
guinea fowls  
pigeons  
turkeys
- Capillaria [sp.]  
Grundmann, A. W.; Frandsen, J. C.; and Warnock, R. G., 1961 a, 75
- Capillaria sp.  
Gusev, A. V., 1951 a, 100, 102  
*Nyctereutes procyonoides*: northwest SSSR
- Capillaria sp.  
Gushanskaya, L. Kh., 1951 a, 84  
*Pastor roseus*  
*Turdus piloris*  
*Tringa hypoleucos*  
*Anas crecca*  
all from Komi ASSR
- Capillaria sp. Fedjuschkin, 1949  
Gushanskaya, L. K., 1952 b, 212  
*Tetrao urogallus*: SSSR
- Capillaria sp. Matewossian, 1938  
Gushanskaya, L. K., 1952 b, 212  
*Tetrao urogallus*: Bashkiria, SSSR
- Capillaria sp.  
Gushanskaya, L. K., 1952 b, 212  
*Phasianus colchicus*: SSSR
- Capillaria sp.  
Gvozdev, E. V., 1954 a, 42  
*Tetraogallus himalayensis*: Kazakhstan
- Capillaria [sp.] larvae  
Habermann, R. T.; and Williams, F. P. (jr.), 1958 a, 1006, 1007, 1008, 1009, pls. 104, fig. 18, 105, fig. 19
- Capillaria sp.  
Hall, J. E.; Sonnenberg, B.; and Hodes, J. R., 1955 a, 641  
*Peromyscus leucopus*: vicinity of Fort George Meade, Maryland
- Capillaria [sp.]  
Hamerton, A. E., 1933 b, 479  
*Pseudaspis cana* (lung): London Zool. Gard.
- Capillaria [sp.]  
Hamerton, A. E., 1933 b, 478  
*Paroaria cucullata* (duodenum): London Zool. Gard.
- Capillaria sp.  
Hanson, K. B., 1933 e, 10  
minks: U.S.
- Capillaria sp.  
Harant, H.; and Vernieres, P., 1933 c, 257, 262-263, figs. 2, 8-9  
*Phoxinus phoxinus*
- Capillaria sp.  
Harkema, R., 1936 a, 189  
*Cynomys leucurus ludovicianus*
- Capillaria sp.  
Harwood, P. D., 1933 a, 130  
*Aegistodon piscivorus* (intestine): Houston, Texas
- Capillaria sp.  
Herman, C. M., 1939 a, 484  
*Bitis gabonica*: N. York Zool. Park
- Capillaria sp.  
Hilbert, K. F., 1950 a, 79  
pigeon: Farmingdale, N. York
- Capillaria sp.  
Hilbert, K. F., 1951 b, 77  
chickens: Farmingdale, N. York
- Capillaria sp.  
Hilbert, K. F., 1952 a, 89  
chickens  
pigeons  
pea fowl  
all from New York
- Capillaria sp.  
Hilbert, K. F., 1954 a, 86-88  
chickens  
pigeons
- Capillaria [sp.]  
Hilbert, K. F., 1955 a, 104  
chicken  
pigeon  
turkey  
all from Farmingdale, New York
- Capillaria sp.  
Hilbert, K. F.; and Eisenberg, D., 1949 a, 70, 74  
chickens  
pigeons
- Capillaria [sp.]  
Hilbert, K. F.; and Spiegel, M. B., 1942 a, 53  
chickens  
peacock  
pigeon  
all from Dis. Lab., Farmingdale, Long Island, N.Y.
- Capillaria [sp.]  
Hilbert, K. F.; and Versilis, H., 1937 a, 46  
chickens: New York State (Farmingdale Lab., Long Island)
- Capillaria [sp.]  
Hilbrich, 1954 a, 7  
Geflügel
- Capillaria sp.  
Holl, F. J., 1932 a, 89, 90, 94, 99, 101, 103  
*Triturus viridescens*: North Carolina
- Capillaria sp.  
Houdemer, F. E., 1927 a, 206  
*Gallus dom.*

- Capillaria sp.  
Houdeimer, F. E., 1932 a, 199  
rats  
souris  
(estomac of both): both from Tonkin
- [Capillaria sp.] Härmaaksjuka  
Hülpfers, G.; Lilleengen, K.; and Henricson, T., 1941 a,  
191, 193, 197, 198, 199  
tjädern [Tetrao urogallus]  
orre [Tetrao tetrix]  
järpe [hasel hen]  
raphóna [partridge]  
all from Sweden
- Capillaria sp. (Zeder, 1800) Travassos, 1915  
Hunter, W. S.; and Quay, T. L., 1953 a, 411, 412  
Ammospiza maritima macgillivraii: Beaufort, North  
Carolina
- Capillaria [sp.]  
Hurt, L. M., 1939 d, 44  
quail: Los Angeles County
- Capillaria [sp.]  
Jansen, J.; and v. d. Hurk, C. F. G. W., 1945 a, 206
- Capillaria [sp.]  
Jansen, J.; and v. d. Hurk, C. F. G. W., 1945 b, 305, 306  
Kippen [fowl]
- Capillaria sp.  
Jennings, A. R.; and Soulsby, E. J. L., 1956 a, 272  
Larus canus: England
- Capillaria spp.  
Jennings, A. R.; and Soulsby, E. J. L., 1957 a, 219, 220  
Rissa tridactyla  
Turdus ericetorum  
Phasianus colchicus  
all from England
- Capillaria sp.  
Johnston, T. H.; and Mawson, P. M., 1945 a, 75, 151  
Phalacrocorax fuscescens: Tasmania
- Capillaria sp.  
Johnston, T. H.; and Mawson, P. M., 1949 a, 63, 64  
Aracana flavigaster  
Podiceps cristatus  
both from Australia
- Capillaria sp. Mathevossian, 1938  
Kasimov, G. B., 1956 c, 474  
Tetrao urogallus: Bashkirskaja ASSR
- Capillaria sp. Guschanskaja, 1952  
Kasimov, G. B., 1956 c, 475  
Phasianus colchicus: Gruzinskaja SSR
- Capillaria sp. Schulz, Gnedina et Kadenazi, 1938  
Kasimov, G. B., 1956 c, 475  
Tetrao urogallus volgensis: Bashkirskaja ASSR
- Capillaria [sp.]  
Kelley, R. S., 1934 a, 203  
Triturus viridescens viridescens: Pa., Mass., Ohio,  
Mich.
- Capillaria sp.  
Kirshenblat, Ia. D., 1951 a, 71  
Microtus arvalis
- Capillaria sp.  
Kobulei, T.; and Vershen'i, L., 1953 a, 195-196, fig. 3  
Crocidura leucodon: Hungaria
- Capillaria sp.  
Kotlán, S., 1939 c, 655, fig. 13  
fácán [Phasianus colchicus]: Kistápé
- Capillaria spec.  
Kreis, H. A., 1950 a, 158, 159  
Okapi
- Capillaria sp.  
Kreis, H. A., 1958 a, 4, 22  
"host unknown": Iceland
- Capillaria sp.  
Krijgsman, B. J., 1933 d, 378  
Syn.: Trichosoma sp.  
Kip (darm): Nederlandsch-Indië
- Capillaria sp.  
Lalitha, C. M.; and Alwar, V. S., 1960 b, 179  
Anas boschas domesticus: Madras
- Capillaria [sp.]  
Lampio, T., 1951 c, 44  
fox: Finland
- Capillaria spp.  
Lancaster, W. E., 1957 a, 156  
fowls  
turkeys  
both from Malaya
- Capillaria [sp.]  
Lepage, G., 1950 f, 263  
poultry: Norwich
- Capillaria sp.  
Law, R. G.; and Kennedy, A. H., 1932 b, 29  
mink: Ontario
- Capillaria sp.  
Law, R. G.; and Kennedy, A. H., 1932 b, 30  
raccoon: Ontario
- Capillaria sp.  
LeDune, E. K., 1935 a, 394  
ruffed grouse: Urbana Game Farm, Champaign Co.
- Capillaria spp.  
Lee, Y. C.; et al., 1957 a, 62, 67  
ducks: Taiwan
- Capillaria spp.  
Lee, Y. C.; and Chang, C. H., 1958 a, 49  
goats: Taiwan, China
- Capillaria spp.  
Lee, Y. C.; and Chang, C. H., 1958 b, 59, 60, 61, 62,  
70  
goats: Taiwan
- Capillaria [sp.]  
Leiper, R. T.; in Hamerton, A. E., 1937 a, 472  
Balearica pavonina: London Zoological Society's Gar-  
dens
- Capillaria sp.  
Lent, H.; and Teixeira de Freitas, J. F., 1937 a, 307  
Galli gallinacei: Rio
- Capillaria sp.  
Lent, H.; and Teixeira de Freitas, J. F., 1948 a, 5, 7  
Sterna sp.: Montevideo

- Capillaria [sp.]**  
Levine, P. P., 1934 a, 287  
pheasants: New York State
- Capillaria sp.**  
Lewis, E. A., 1927 c, 177  
cat
- [**Capillaria sp.] capillarie**  
Liddo, S., 1951 a, 507-510  
pipistrelli: Puglia
- Capillaria sp.**  
Ljubimov, M. P., 1927 a, 126, 127, 129  
Fuligula ferina
- Capillaria sp.**  
Lu, Chao, 1941 a, 253, 255, 258, 260, 261  
cat  
Mus norvegicus  
both from China
- Capillaria sp.?**  
MacCallum, G. A., 1925 b, 221-222
- Capillaria [sp.]**  
McGilvray, C. D., 1940 d, 9-10  
poultry: Ontario
- Capillaria [sp.]**  
McGilvray, C. D., 1944 b, 11
- Capillaria spp.**  
Mackerras, M. J., 1958 b, 107, 127, 128, 146  
Thylacis obesulus  
Hydromys chrysogaster  
Rattus assimilis  
Bos taurus  
all from Australia
- Capillaria sp.**  
McTaggart, H. S., 1960 b, 247, 249  
mink (alimentary canal): Britain
- Capillaria sp.**  
Madsen, H., 1945 a, 96
- Capillaria sp. Freitas & Almeida 1935**  
Madsen, H., 1945 a, 68, 90  
Anas bahamensis
- Capillaria sp.**  
Maksimova, A. P., 1957 a, 149  
Leuciscus idus: central Kazakhstan.
- Capillaria sp.**  
Maldiūnaitė, S., [1960 a], 57, 59  
Martes martes martes: Lithuania
- Capillaria (s. l.) sp.**  
Mamaev, Iu. L., 1959 a, 165  
teterov [Lyrurus tetrix]: eastern Siberia
- Capillaria sp.**  
Matevosian, E. M., 1938 b, 377  
Tetrao urogallus  
Coloeus monedula  
both from Bashkiria
- Capillaria spp.**  
Mawson, P. M., 1956 b, 164  
Corvus b. brachyrhynchos  
Querquedula discors  
Anas platyrhynchos domesticus  
A. rubripes  
A. clangula hiemalis  
all from Montreal Island
- Capillaria sp.**  
Mawson, P. M., 1960 a, 261, 262, 283  
Isocodon obesulus  
Parameloides gunni  
both from Tasmania
- Capillaria sp.**  
Mikačić, D., 1938 a, 133, 136, 137, 139  
moutons: Yougoslavie
- Capillaria spp.**  
Mikačić, D.; and Erlich, I., 1940 a, 388, 389  
guiske(ole): Yougoslavie
- Capillaria sp.**  
Mikačić, D.; and Erlich, I., 1941 a, 469-470, 471, 472, 473, 475  
canard: Zagreb
- Capillaria spp.**  
Moore, E. J., 1933 a, 28, 41  
quail (oesophagus, intestines, crop)
- Capillaria [sp.]**  
Moorthy, V. N., 1938 a, 375-377, figs. 1-4  
Barbus puckelli  
B. ticto  
Lepidocephalichthys thermalis  
all from Chitaldrug Dist., Mysore, India
- Capillaria sp.**  
Morgan, B. B.; and Hamerstrom, F. N., 1941 a, 195, 198  
Tympanuchus cupido americanus: Wisc.
- Capillaria sp.**  
Morgan, D. O., 1925 b, 171
- Capillaria sp.**  
Morishita, K.; and Tani, T., 1960 a, pl. I figs. 1-5  
man, cutaneous eruption
- Capillaria sp.**  
Muroma, E., 1951 a, 160  
Ondatra zibethica: Finland
- Capillaria spp.**  
Muroma, E., 1951 a, 161, 162  
Tetrao urogallus  
Perdix perdix  
Phasianus colchicus  
Somateria mollissima  
all from Finland
- Capillaria sp.**  
Myers, B. J.; and Kuntz, R. E., 1960 a, 857-858  
Rattus rattus: Lan Yi Island
- Capillaria sp.**  
Myers, B. J.; Kuntz, R. E.; and Wells, W. H., 1962 a, 536  
Gerbillus gerbillus: Egypt
- Capillaria sp.**  
Narayana, J. V.; and Rao, B. V., 1959 a, 492-493  
domestic fowl, unusual case
- Capillaria sp.**  
Narotsky, S., 1951 a, 73  
chicken: East Aurora, N. York
- Capillaria sp.**  
Narotsky, S., 1952 a, 81  
New York
- Capillaria sp.**  
Nelson, T. H., 1934 a, 296  
chicken: Kansas

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Capillaria sp.**  
Seneviratna, P., 1955 b, 36  
fowl: Peradeniya
- Capillaria sp.**  
Serkova, O. P., 1948 a, 211, 231, 237, 240  
*Nyroca ferina*: Barabın lakes
- Capillaria sp.**  
Shah, H. L.; and Pandit, C. N., 1959 a, 5  
fowl: Madhya Pradesh, India
- Capillaria sp.**  
Shaw, J. N., 1947 a, 5  
cutthroat trout: Oregon
- Capillaria sp.**  
Shul'man, S. S.; Berenius, Iu. N.; and Zakharova, E. A., 1959 a, 69  
*Lota lota*: Lake Siam
- Capillaria sp.** Skwortzow  
Shul'ts, R. E. S.; and Dobrova, M. I., 1934 a, 331  
*Arvicola terrestris*
- Capillaria sp.**  
Shul'ts, R. E. S.; Gnedina, M. P.; and Kadenatsii, A. N., 1938 a, 35  
glukharia [woodgrouse]  
galki [jackdaw]  
both from Bashkiria
- Capillaria sp.**  
Sidorov, E. G., 1958 a, 40  
*Leuciscus idus*: Nurinsk reservoir
- Capillaria sp.**  
Sidorov, E. G., 1959 a, 136  
central Kazakhstan
- [**Capillaria sp.**] Capillarien  
Siegmund, O., 1960 b, 672, 673, 675, 676  
chickens, hygromycin
- [**Capillaria sp.**] Capillarien  
Siegmund, O.; and v. Bülow, V., 1959 a, 176, 177, 178  
hygromycin B
- Capillaria sp.**  
Simić, C.; and Petrović, Zl., 1954 a, 658, 659  
*Citellus citellus*: Vojvodina
- Capillaria sp.**  
Simić, C. P.; and Petrović, Z., 1955 c, 325  
*Citellus citellus*: Vojvodina
- Capillaria [sp.]**  
Skrjabin, K. I.; and Popov, N. P., 1927 a, 135  
*Erinaceus transcaucasicus*: Armenia
- Capillaria sp.**  
Skrjabin, K. I.; and Shul'ts, R. S., 1934 b, 391  
Dinde: U. R. S. S.
- Capillaria sp.**  
Skvortsov, A. A., [1935 a], 317, 326  
*Arvicola terrestris* (intestine): Volga river near Gorkii, Russia
- Capillaria [sp.]**  
Smith, C. F., 1949 a, 455, 456, 457  
chickens: Kansas
- Capillaria spp.**  
Sörensen, H. J., 1958 a, 676  
statistics  
Huhn: Arnsberg
- Capillaria sp.**  
Sokolova, G. A., 1959 a, 84  
*Fringilla coelebs*: Old Peterhof
- Capillaria sp.**  
Spasskiy, A. A.; and Oshmarin, P. G., 1939 a, 46, 66, 67, 69  
*Corvus cornix*  
*C. frugilegus*  
*Garrulus glandarius*  
all from Gorkii oblast
- Capillaria sp.**  
Spasskii, A. A.; Ryzhikov, K. M.; and Sudarikov, V. E., 1952 a, 109  
*Plecotus auritus*: Lake Baikal zone
- Capillaria sp.**  
Steward, J. S., [1932 b], 201  
sheep (small intestine): Cambridgeshire, England
- Capillaria sp.**  
Steward, J. S., [1932 b], 201  
little owl (caecum): Cambridgeshire, England
- Capillaria sp.**  
Steward, J. S., [1932 b], 201  
jackdaw (intestine): Cambridgeshire, England
- Capillaria sp.**  
Steward, J. S., [1932 b], 201  
homing pigeon (intestine): Cambridgeshire, England
- Capillaria sp.**  
Steward, J. S., [1932 b], 201  
hedgehog (intestine): Cambridgeshire, England
- Capillaria sp.**  
Steward, J. S., [1932 c], 199  
*Dama dama* (viscera): Foxley, Herefordshire
- Capillaria sp.**  
Stoican, E.; Burlan, V.; Trepcea, L.; and Mateescu, I., 1958 a, 423  
phenothiazine
- Capillaria [sp.]**  
Stubbs, E. L.; and Crawley, H., 1922 a, 461-462  
chickens, pathology
- Capillaria [sp.]**  
Sugimoto, M., 1928 g, 244-250 (42-48)  
Formosan fowl
- Capillaria sp.**  
Sultanov, M. A., 1947 a, 138  
*Circus aeruginosus*: Tashkent oblast
- Capillaria sp.**  
Sultanov, M. A., 1958 a, 72  
chickens  
geese  
both from Tashkent oblast
- Capillaria sp.** Law & Kennedy, 1932  
Swales, W. E., 1933 a, 475  
P[rocyon] lotor: Kirkfield, Ontario
- Capillaria sp.**  
Swales, W. E., 1933 a, 475, 477  
*Mustela vison*: Kirkfield, Ontario
- Capillaria sp.**  
Swales, W. E., 1933 a, 476  
 *Gallus gallus*: Ontario, British Columbia

- Capillaria [sp.]**  
 Swierstra, D.; Jansen, J. (JR.); and van den Broek, E., 1959 b, 1305  
 camel  
 giraffe  
*Anser canagicus*  
 python  
 (faeces of all): all from Netherlands
- Capillaria sp.**  
 Tang, C. C., 1936 b, 230  
 cat: Canton
- Capillaria sp. Yamaguti, 1935**  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 249, 139  
 Elaphe quadrivirgata: Japão
- Capillaria sp. (Stiles and Hassall, 1894)**  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 249  
 Syn.: *Trichosoma* sp. Stiles and Hassall, 1894 sp. inq.  
*Constrictor constrictor*
- Capillaria sp. Yamaguti, 1935.**  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 267  
*Muraenesox cinereus* (intestino delgado): Japão
- Capillaria sp. (Yamaguti, 1935) sp. inq.**  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 269  
 Syn.: *Hepaticola* sp. Yamaguti, 1935  
*Scomber japonicus*
- Capillaria sp. Baylis and Jones, 1933 sp. inq.**  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 269  
*Pleuronectes platea* (recto): Inglaterra
- Capillaria sp. Baylis and Jones, 1933 sp. inq.**  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 269, 273  
*Scylliorhinus catulus*: Inglaterra
- Capillaria sp. n.**  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 b, 351-353  
*Metachirops opossum*
- Capillaria sp. (Gervais, 1870)**  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 125  
 Syn.: *Trichosoma* sp. Gervais, 1870  
*Delphinus delphis* (pulmões): Europa
- Capillaria sp. Lewis, 1930**  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 127  
*Bos taurus*: Europa
- Capillaria sp. Elton, Ford, and Baker, 1931**  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 127  
*Mus sylvaticus*: Europa
- Capillaria sp. (Bockum, 1888)**  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 125  
 Syn.: *Trichosoma* sp. Bockum, 1888  
*Meles meles meles* (intestino)
- Capillaria sp. (Creplin, 1846)**  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 121  
 Syn.: *Trichosomum* sp. Creplin, 1846  
*Felis silvestris*
- Capillaria sp. Cameron, 1928**  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 127  
*Felis planiceps*: Jardim Zoológico Londres
- Capillaria sp. Brumpt, 1911**  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 125, 139  
*Cervus elaphus*: Europa
- Capillaria sp. (Sandground, 1921)**  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 126  
 Syn.: *Trichosomum* sp. Sandground, 1921  
*Felis catus*  
*Canis familiaris*
- Capillaria sp. (Schlotthauber, 1860)**  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 125  
 Syn.: *Trichosoma* sp. Schlotthauber, 1860  
*Felis catus*
- Capillaria sp. Skrjabin, 1929**  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 127, 139  
*Ovis aries*: Moscou
- Capillaria sp. Skwortsow in Schulz and Dobrova, 1933**  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 129  
*Microtus terrestris*: Europa
- Capillaria sp. Steward, 1931**  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 127
- Capillaria sp. Yamaguti, 1935**  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 129  
*Nyctereutes procyonoides*: Japão
- Capillaria sp.**  
 Teixeira de Freitas, J. F.; and Lent, H., 1937 b, 91-97  
*Noctilio leporinus*: Santa Clara, Cuba
- Capillaria [sp.]**  
 Teixeira de Freitas, J. F.; and Lins de Almeida, J., 1935 a, 310-363, pls. 1-10, figs. 1-49
- Capillaria sp. Baylis, 1931**  
 Teixeira de Freitas, J. F.; and Lins de Almeida, J., 1935 b, 148  
*Querquedula circia*  
*Spatula clypeata*
- Capillaria sp.**  
 Teixeira de Freitas, J. F.; and Lins de Almeida, J., 1935 b, 141-142, pl. 6, figs. 45-47  
*Poecilonetta bahamensis* (esophago): Manguinhos, Rio de Janeiro, Brasil
- Capillaria spp.**  
 Teuscher, E.; and Stünzi, H., 1956 a, 265, 266  
*Ovis aries*  
*Strepsiceros strepsiceros*  
*Giraffa camelopardalis*  
*Rangifer tarandus*  
*Camelus bactrianus*  
*Lama glama*  
 all from Zool. Gartens Zürich
- Capillaria sp.**  
 Teuscher, E.; and Stünzi, H., 1956 a, 269  
*Dasyurus villosus*: Zool. Gartens, Zürich
- Capillaria [sp.]**  
 Thienpont, D.; and Mortelmans, J., 1962 a, 851  
 treatment

- Capillaria [sp.]  
Todd, A. C., [1945 a], 137, 138  
domestic fowls
- Capillaria [sp.] (Rud. 1819)  
Toshchev, A. P., 1949 c, 181  
dogs (urinary bladder); eastern Siberia
- Capillaria sp.  
Travassos, L., 1914 c, 429
- Capillaria [spp.]  
Travassos, L., [1941 a], 709  
*Phalacrocorax olivaceus olivaceus*
- Capillaria [sp.]  
Travassos, L.; and Teixeira de Freitas, J. F., 1943 a, 398  
*Mycteria americana*: Estrada de Ferro Noroeste do Brasil
- Capillaria sp.  
Travassos, L.; and Teixeira de Freitas, J. F., 1949 a, 622  
*Tinamus s. solitarius*: Brasil
- Capillaria [sp.]  
Travassos, L.; Teixeira de Freitas, J. F.; and Lent, H., 1939 a, 234  
*Piaya cayana macroura*: Estrado de Ferro Noroeste, Brasil
- Capillaria [sp.]  
Travassos, L.; Teixeira de Freitas, J. F.; and Lent, H., 1939 a, 231  
*Crax blumenbachii*: Estrado de Ferro Noroeste, Brasil
- Capillaria sp.  
Vavilova, N. M., 1926 a, 113, 128  
*Milvus korshun*
- Capillaria sp.  
Walker, T., 1937 a, 29  
*Phasianus colchicus*: South Wales
- Capillaria sp.  
Walton, A. C., [1927 a], 145  
*Sitta sp.*
- Capillaria sp.? Holl, 1932  
Walton, A. C., 1938 a, 51  
*Triturus viridescens*: U.S.A.
- Capillaria sp.  
Wehr, E. E.; and Herman, C. M., 1954 a, 240  
*Branta canadensis*: Michigan
- Capillaria spp.  
Wilson, A. L.; Morgan, D. O.; Parnell, I. W.; and Rayski, C., 1953 a, 182  
sheep: Argyllshire
- Capillaria sp.  
Wilson, G. I., 1955 a, [84], pl. III, figs. 22-24
- Capillaria sp.  
Wilson, G. I., 1956 a, 40  
*Passer domesticus*: Maryland
- Capillaria sp.  
Wolfgang, R. W., 1951 a, 371-372, figs. 45-46  
*Didelphis marsupialis insularis*: Trinidad
- Capillaria sp.  
Wright, W. H.; and Van Volkenberg, H. L. in Van Volkenberg, H. L., 1937 a, 77  
chicken: Mayaguez, Puerto Rico
- Capillaria sp.  
Yamaguti, S., 1935 i, 402  
*Elaphe quadrivirgata* (small intestine): Japan
- Capillaria sp.  
Yamaguti, S., 1935 k, 433, 456  
*Nyctereutes procyonoides viverrinus* (urinary bladder): Japan
- Capillaria sp.  
Yamaguti, S., 1941 e, 441, 445  
*Fuligula fuligula*: Lake Biwa, Japan
- Capillaria sp.  
Zajíček, D.; and Valenta, Z., 1958 c, 412, 415, 421, 423, figs. 18, 29 (14)  
*Macacus rhesus*; CSR
- Capillaria sp.  
Zajíček, D.; and Valenta, Z., 1958 d, 820, 823, 825, 827, 828  
*Macacus rhesus*
- Capillaria [sp.]  
Zavadil, R., 1957 a, 373  
*Ovis musimon*  
*Camelus bactrianus*
- Capillaria sp.  
Zdun, W. K., 1937 a, 21, 22, 23, 24, 26  
*Hauskatze*: Poland
- Capillaria spec.  
Zwart, D., 1959 c, 825  
kip: Dutch New-Guinea
- Capillaria abbulata  
Graham, R.; Thorp, F.; and Hectorne, R. L., 1929 a, 1063  
lapsus for *C. annulata*
- Capillaria acerinae nov. spec.  
Thieme, H., 1961 a, 135-138, fig. 1  
*Acerina cernua* (Leber)  
*Perca fluviatilis* (?)
- Capillaria aerophila (Creplin) Trav.  
Baylis, H. A., 1931 f, 541
- Capillaria aerophila (Creplin, 1839) Railliet, 1915  
Baylis, H. A., 1937 c, 410-412  
silver foxee (lungs)
- Capillaria aerophila  
Borchert, A., 1950 f, 8
- Capillaria aerophila  
Borovkova, A. M., 1941 a, 68-74
- Capillaria (= Trichosoma) aerophila  
Bouvier, G.; Burgisser, H.; and Schweizer, R., 1951 a, 280  
*Vulpes vulgaris*
- Capillaria serophilis [sic]  
Cameron, T. W. M.; and Parnell, I. W., 1933 a, 141, 153  
*Vulpes vulpes*: Scotland

*Capillaria aerophila* (Creplin, 1839) Travassos, 1915  
 Christensen, N. O.; Olsen, S. J.; and Roth, H., 1946 a,  
 514  
 cats: Copenhagen

*Capillaria aerophila*  
 Christenson, R. O., 1935 b, 318-321, figs. 1, 3  
 eggs

*Capillaria aerophila* (Creplin, 1839)  
 Christenson, R. O., 1935 c, 145-154  
 morphology

*Capillaria aerophila* (Creplin, 1839)  
 Christenson, R. O., 1938 a, 119-136, figs. 1-3  
 red fox; Minnesota  
 dog  
 cat: Europe and U.S.

*Capillaria aerophila*  
 Clarkson, M. J.; and Owen, L. N., 1959 a, 343  
 cat: Bahama Islands

[*Capillaria aerophila*] Lungewürmer  
 Dautzenberg, C. H., 1931 a, 490-491  
 Silberfuchs, treatment

*Capillaria aerophila* Creplin  
 Dinulescu, G.; et al., 1957 a, 300  
 oameni

*Capillaria aerophila*  
 Ehrenford, F. A.; Napier, R.; and Eshenour, R. W.,  
 1959 a, 513, 514, 515, figs. A,A'  
 diagnosis, dogs

*Capillaria aerophila*  
 Enzie, F. D., 1951 a, 210, 211, 212, fig. 1 (b)  
 cat: North America

*Capillaria aerophila* (Creplin, 1839) Travassos, 1915  
 Erickson, A. B., 1944 b, 366, 367, 370  
 key

*Capillaria aerophila* (Creplin, 1839)  
 Erlich, I., 1938 c, 555-556, 562, 567, 568, 570, 571  
 Canis familiaris: Zagreb

*Capillaria aerophila* (Creplin, 1839)  
 Erlich, I., 1938 d, 49-50, 63-70, pl., figs. a-c

*Capillaria aerophila*  
 Errington, B. J., 1930 a, 239-246

*Capillaria aerophila*  
 Freund, L., 1929 b, 167-173, 1 fig.  
 Silberfuchs

*Capillaria aerophila*  
 Freund, L., 1929 c, 33-48  
 Silberfuchs

*Capillaria aerophila* (Creplin)  
 Freund, L., 1930 c, 77, 79-81, fig. 34

*Capillaria aerophila*  
 Freund, L., 1933 b, 247

[*Capillaria aerophila*] lungworm  
 Geyer, L. J., 1929 a, 10

*Capillaria aerophila* (Creplin, 1839)  
 Goble, F. C.; and Cook, A. H., 1942 a, 451, 452, 453,  
 455  
*Vulpis fulva*  
*Urocyon c. cinereoargenteus*  
 both from New York

*Capillaria aerophila*  
 Gunn, C. D., 1948 a, 7  
 foxes, treatment: Canada

*Capillaria aerophila*  
 Habermann, R. T.; and Williams, F. P. (jr.), 1958 a,  
 988, 1002, 1003, 1004, 1005, pls. 102, fig. 14B, pl.  
 103, figs. 15, 16  
 dogs  
 cats

*Capillaria aerophila*  
 Hall, M. C., 1922 q, 181  
 dog, cat, fox

*Capillaria aerophila* (Creplin)  
 Hall, M. C., 1922 y, 131, 151-152  
 dog  
 cat  
 fox  
 marten

*Capillaria aerophila*  
 Hall, M. C., [1923 b], 23

*Capillaria aerophila*  
 Hall, M. C., 1923 l, 43, 51  
 cats  
 fox  
 dog

*Capillaria aerophila*  
 Hanson, K. B., 1925 d, 5-6  
 foxes

*Capillaria aerophila*  
 Hanson, K. B., 1925 e, 52

[*Capillaria aerophila*] lung worm  
 Hanson, K. B., 1928 a, 21-23  
 foxes

[*Capillaria aerophila*] lungworm  
 Hanson, K. B., 1928 b, 16-17  
 foxes, treatment and control

[*Capillaria aerophila*] lungworm  
 Hanson, K. B., 1928 c, 34, 74  
 foxes, treatment and control

- [*Capillaria* sp.]  
*Nicoll, W.*, 1911 a, 674-676  
 hare
- Capillaria* sp.  
*Nouvel, J.*; and *Petter, A.*, 1959 a, 374  
*Francolinus erckeli* (intestin): Parc Zoologique, Paris
- Capillaria* sp.  
*Nouvel, J.*; and *Petter, A.*, 1959 a, 374  
*Nettapus coromandelianus* (intestin): Parc Zoologique, Paris
- Capilleria* [sic] sp.  
*Okabe, K.*; *Matsuse, M.*; and *Kamo, M.*, (1955 b), 185  
 rats: Saga Prefecture
- Capillaria* sp.  
*Olsen, O. W.*; and *Wade, L. L.*, 1950 a, 741, 742  
 sheep, treatment
- [*Capillaria*] *Kapillaria* sp.  
*Cross, D.*, (1931 a)  
 Hausvögel
- Capillaria* sp.  
*Cross, D.*, 1932 a, 29-54  
 domestic birds
- Capillaria* sp.  
*Pallii, M. A.*, 1954 a, 69  
*Scardinius erythrophthalmus* (intestine): Bereshan fishery station
- Capillaria* sp.  
*Pallii, M. A.*, 1957 a, 120  
*Scardinius erythrophthalmus*: western Bug
- Capillaria* spp.  
*Parnell, I. W.*, 1956 a, 19  
 sheep: Scotland
- Capillaria* sp.  
*Parnell, I. W.*; *Rayaki, C.*; *Dunn, A. M.*; and *Mackintosh, G.*, 1954 a, 69, 78  
 sheep: Scotland
- Capillaria* [sp.]  
*Pearse, A. S.*, 1932 b, 144-145, 146, 147, 148  
*Triturus pyrrhogaster*: Samboji, Japan
- Capillaria* sp.  
*Peters, N.*, 1933 a, 14  
*Sterna hirundo hirundo*: Elbe bei Hamburg
- Capillaria* [sp.]  
*Petrov, A. M.*, 1930 a, 122  
*Tetraastes bonasia sakhalinensis*: Sakhalin Island
- Capillaria* sp.  
*Petrov, A. M.*; and *Chertkova, A. N.*, 1950 b, 91  
*Milvus korschun*: Southern Kirgizia
- Capillaria* sp.  
*Petrov, A. M.*; and *Chertkova, A. N.*, 1959 b, 167  
*Mogera robusta* (stomach): Primorsk krai
- Capillaria* nov. sp.  
*Petrushhevskii, G. K.*; and *Bykhovskaya, I.*, 1935 a, 41, 43, 68  
*Lota lota*: Karelia
- Capillaria* sp.  
*Pillers, A. W. N.*, 1933 b, 1161, fig. 1(1)  
 egg
- Capillaria* sp.  
*Pillers, A. W. N.*, 1933 c, 964  
 canary: Glos. (England)
- Capillaria* sp.  
*Pinto, C. F.*; and *Lins de Almeida, J.*, 1935 a, 62  
*Cairina moschata domestica*: Brasil
- Capillaria* sp.  
*Pinto, C. F.*; and *Lins de Almeida, J.*, 1937 b, 480  
*Cairina moschata domestica*: Bresil
- [*Capillaria* sp.] capillary worms  
*Flatt, C. S.*; and *Schwabe, O.*, 1958 a, 727
- Capillaria* sp.  
*Polianski, I. I.*, 1955 a, 89  
*Hippoglossus hippoglossus*: Barents sea
- Capillaria* sp.  
*Pollard, H. B. C.*, 1932 a, 1 (1)  
 pheasants
- Capillaria* sp.  
*Porter, A.*, 1944 a, 320  
 ova and a few adults  
*Numenius arquata*
- Capillaria* sp.  
*Porter, A.*, 1946 a, 385  
*Perdix perdix*
- Capillaria* spp.  
*Porter, A.*, 1947 a, 624  
*Raphicerus campestris*  
*Lutreola vison*  
 both from London Zool. Gardens
- Capillaria* [sp.]  
*Porter, A.*, 1954 a, 314  
*Salmo salar*: Zoological society of London gardens
- Capillaria* sp.  
*Porter, A.*, 1954 a, 316  
*Geophagus brasiliense*: zoological society of London gardens
- Capillaria* sp.  
*Priadko, E. I.*, 1961 b, 344  
 bovine cattle (small intestine): Kazakhstan
- Capillaria* sp.  
*Price, E. W.*, 1928 e, 201  
 chicken: Texas
- Capillario* [sic] sp.  
*Rajagopalan, V. R.*, 1957 a, 21  
 ova: Madras
- Capillaria* sp.  
*Ramanujachari, S.*; and *Alwar, V. S.*, 1954 a, 56  
 Australian pheasant (caecum): Madras zoo
- Capillaria* sp.  
*Rankin, J. S.*, 1937 b, 242  
*Triturus v. viridescens*: Penn.
- Capillaria* sp.  
*Rankin, J. S. (jr.)*, 1945 a, 143, 146  
*Coluber c. constrictor*  
*Lampropeltis t. triangulum*  
 both from Massachusetts
- Capillaria* sp.  
*Rankin, J. S. (jr.)*, 1946 b, 757  
*Tamias striatus*: western Massachusetts
- Capillaria* [sp.]  
*Raun, E. S.*, 1958 a, 53  
 livestock, treatment

- Capillaria* sp.  
Rausch, R. L., 1952 c, 439  
*Clethrionomys rutilus dawsoni*: Kotzebue, Alaska
- Capillaria* spp.  
Rausch, R.; and Tiner, J. C., 1948 a, 738, 746, 747  
*Sciurus c. carolinensis*  
*S. niger rufiventer*  
*S. carolinensis leucotis*  
*Tamias striatus*  
*Glaucomys v. volans*  
*Citellus franklini*
- Capillaria* sp.  
Read, C. P., 1949 c, 244, 247, pl. II, fig. 8  
*Piranga erythromelas*: Wisconsin
- Capillaria* sp.  
Rector, E. J.; and Rector, L. E., 1934 a, 630  
*Scalops aquaticus* (epithelium of tongue)
- Capillaria* sp.  
Rees, F. G., 1946 a, 39, 40, 41  
*Conger conger*: Irish Atlantic Slope
- Capillaria* sp. (petei) [eggs]  
Reinisch, M., 1940 a, 280  
*Erinaceus europaeus*: Budapest (Zool. Garden)
- Capillaria* sp. (petei) [eggs]  
Reinisch, M., 1940 a, 281, 283  
*Connochaetes taurinus*: Budapest (Zool. Garden)
- Capillaria* sp.  
Resang, A. A.; Fischer, H.; and Muchlis, A., 1959 a, 96  
*Gallus domesticus*: Indonesia
- Capillaria* sp.  
Reyes, R. V., 1938 a, 23  
*gallinas*: Oundinamarca, Colombia
- Capillaria* sp.  
Richter, S., 1959 a, 38  
*Capreolus capreolus*: P.R. Croatia
- Capillaria* sp.  
Roberts, F. H. S., 1935 d, 229  
calf, first record: Mackay, Australia
- Capillaria* sp.  
Roberts, F. H. S., 1939 c, 164  
cattle: Queensland, Australia
- Capillaria* [sp.]  
Robinson, V. B.; Newberne, J. W.; and Brooks, D. M., 1957 a, 277  
*Procyon lotor*: Indiana
- Capillaria* [sp.]  
Roe, R. J., 1938 a, 27  
avian: Cyprus
- Capillaria* spec.  
Roveda, R. J.; and Ringuelet, R., 1947 a, 78  
*Anser anser domesticus*: Argentina
- Capillaria* sp.  
Rykovskii, A. S., 1959 a, 254  
*Alces alces*
- Capillaria* sp.  
Rykovskii, A. S., 1960 a, 1608  
control  
*Lyrurus tetrix*: Yaroslavl region
- Capillaria* sp.  
Rybavý, B., 1956 b, 163, 176  
*Myotis myotis*: Czechoslovakia
- Capillaria* sp.  
Rybavý, B., 1960 b, 205, fig.  
*Saxicola rubetra* (intestine): Albania
- Capillaria* sp.  
Sarwar, M. M., 1944 a, 60, 61  
*Bos bubalis*: Bareilly district (U.P.)
- Capillaria* [sp.]  
Sasenhoff, I., 1951 a, 141  
poultry: Bavaria
- Capillaria* [sp.]  
v.d. Schaaf, A.; et al., 1959 a, 238  
kuiken
- Capillaria* [sp.]  
v.d. Schaaf, A.; v. Dorssen, C. A.; Donker-Voet, J.; and Jaartsveld, F. H. J., 1957 a, 711  
kippen en kuikens: Netherlands
- Capillaria* sp.  
Schacher, J. F.; and Cheon, C. H., 1960 a, 210, 211  
*Rattus norvegicus* (intestine): Malaya
- Capillaria* sp.  
Schad, G. A., 1956 a, 208  
*Peromyscus maniculatus*: Quebec
- Capillaria* sp.  
Schad, G. A.; Kuntz, R. E.; and Wells, W. H., 1960 a, 950  
*Corvus monedula* soemmeringii: Turkey
- Capillaria* sp.  
Schiller, E. L.; and Morgan, B. B., 1949 b, 40  
*Rattus norvegicus*: Wisconsin
- Capillaria* spp.  
Schoop, G.; and Lamina, J., 1959 a, 497, 501  
Haushuhn: Süd-Hessen
- Capillaria* [sp.]  
Schott, G., 1960 a, 166  
Dohle  
Krähe  
Pfautaube  
Tummlertaube  
Bankenvaughn  
all from Zoologische Garten Berlin
- Capillaria* sp.  
Schuurmans Stekhoven, J. H. (Jr.), 1952 a, 318, 319, 323-324, fig. 3  
*Felis goeffreyi* (tráquea): Argentina
- Capillaria* sp.  
Sealander, J. A., 1943 a, 362  
minks: Southern Michigan
- Capillaria* sp.  
Seddon, H. R., 1947 c, 9  
ox: Australia
- Capillaria* [sp.]  
Semellini, L., 1959 a, 33, 34  
polli
- Capillaria* sp.  
Seneviratne, P., 1955 a, 58  
cats: Ceylon

- Capillaria aerophila*  
Hanson, K. B., 1929 f, 5 pp.  
foxes, treatment and control
- [*Capillaria aerophila*] Lungenwurmer  
Hanson, K. B., 1929 i, 89  
Silberfuchs
- [*Capillaria aerophila*] lungworm  
Hanson, K. B., 1929 j, 18-21
- Capillaria aerophila*  
Hanson, K. B., 1929 k, 58-59, 68  
foxes, treatment
- Capillaria aerophila*  
Hanson, K. B., 1931 b, 427
- Capillaria aerophila*  
Hanson, K. B., 1934 a, 12-16
- Capillaria aerophila* Creplin  
Heidegger, E., 1931 a, 146, figs. 3-5
- Capillaria aerophila* (Crepl.)  
Isaichikov, I. M., 1927 a, 137, 155, 156, 164  
*Felis catus dom.*
- [*Capillaria aerophila*] lungworms  
Jeffreys, G. A., 1928 b, 26, 42  
silver foxes
- [*Capillaria aerophila*] lungworms  
Jeffreys, G. A., 1929 a, 333-335  
silver foxes, immunization against lungworms
- [*Capillaria aerophila*] lungworms  
Jeffreys, G. A., 1929 b, 70  
silver foxes, immunization against lungworms
- Capillaria aerophila*  
Kirner, P., 1933 a, 247, 248, figs. 6, 12  
Silberfuchs (Kot)
- Capillaria aerophila*  
Lampio, T., 1951 d, 29  
fox: Finland
- Capillaria aerophila*  
Law, R. G., 1930 a, 25-28
- Capillaria aerophilum* Crepl.  
Lopez Neyra, C. R., 1924 a, 111
- Capillaria aerophila* Creplin, 1839  
Lukasiak, J., 1937 a, 322-323, 324, 327, 340  
chat: Warszawie
- Capillaria aerophila* (Creplin, 1839)  
Lukasiak, J., 1939 a, 97, 103  
*Vulpes vulpes*: Pologne
- Capillaria aerophila*  
Massino, B. G., 1924 a, 61
- Capillaria aerophila*  
Massino, B. G., 1927 b, 130  
[cat]: Bukhara
- Capillaria aerophila*  
Mimoglu, M. M., 1951 a, 295-299  
cats: Turkey
- Capillaria aerophila*  
Mimoglu, M. M., 1954 a, 307  
cats: Turkey
- Capillaria aerophila*  
Müller, A., 1931 a, 7-11  
Silberfuch
- Capillaria aerophila*  
Müller, A., 1936 a, 325-329  
Silberfuch
- Capillaria aerophila*  
Muroma, E., 1951 a, 160  
*Vulpes vulpes*: Finland
- Capillaria aerophila*  
Nevenić, V. V., 1953 c, 237, 239, 240  
chien: Macédoine, Serbie et Monténégro
- '*Capillaria aerophila* (Creplin, 1839)  
Nöller, W.; and Schmid, F., 1932 a, 737, 743, 745,  
figs. 12-16  
eggs  
Fuchs
- Capillaria aerophila* (Creplin, 1839) Railliet, 1915  
Oldham, J. N., 1938 a, 1135  
synonymy
- Capillaria aerophila*  
Ott, H. I.; and Bower, S. E., 1959 a, 471  
dog: California
- Capillaria aerophila*  
Pallaake, P. S., 1930 c, 201, 204
- Capillaria aerophila* (Creplin)  
Petrov, A. M., 1926 a, 91, 96, 100
- Capillaria aerophila* (Creplin, 1849)  
Petrov, A. M., 1940 a, 210-211, 222, 223, 224, 226, 231  
synonymy  
*Vulpes vulpes*  
*Alopex lagopus*  
*Nyctereutes procyonoides*  
*Canis lupus*  
*Felis catus dom.*  
*Canis familiaris*  
*Martes sibiraea*  
*M. marta*  
*M. foina*  
*Putorius putorius*  
*Meles meles*
- Capillaria aerophila*  
Pierce, R., 1954 b, 24, 32
- Capillaria aerophila*  
Price, E. W.; and Harwood, P. D., 1942 a, 1164
- Capillaria aerophila*  
Priesner, A., 1929 a, 553-555  
Fuchs
- Capillaria aerophila* (Creplin, 1839)  
Rankin, J. S. (jr.), 1946 b, 758, 765, 766  
*Vulpes fulva*: western Massachusetts
- Capillaria aerophila*  
Riley, W. A.; and Christenson, R. O., 1930 a, 57
- Capillaria aerophila*  
Rukhlfadov, D. P., 1941 d, 83  
*Martes foina rosanowi*  
*Vulpes vulpes krymea montana*  
all from Crimean game reserve

*Capillaria aerophila* (Creplin)  
Seurat, L. G., 1920 c, 7, 209

*Capillaria aerophila*  
Skrjabin, K. I., 1927 b, 33  
koshka [cat]: Don oblast

*Capillaria aerophila* (Dujardin)  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W.,  
[1922 a], 440, 448

[*Capillaria aerophila*] Lungewurmer  
Stetter, R., 1929 a, 47-48  
Silberfuchs: Deutschland

[*Capillaria aerophila*] lung worm  
Stiegman, W., 1927 a, 52

*Capillaria aerophila*  
Taylor, E. L., 1933 e, 21  
foxes (bronchioles and bronchi)

*Capillaria aerophila* (Creplin, 1839) Trav.  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 91-93,  
pls. 2-3, figs. 13-21  
Erinaceus europaeus  
Felis catus dom.  
Canis familiaris  
C. lupus  
Vulpes fulva  
V. vulpes  
Vulpes sp.  
Martes marten  
Meles sp.  
M. meles

*Capillaria* (= *Euccoleus*) *aerophilus*  
Wagner, O., 1936 c, 248, 262-264, 265, pl., fig. 14 a-d,  
15 a  
Katze

*Capillaria aerophila*  
Watkins, C. V.; and Harvey, L. A., 1942 a, 166

*Capillaria aerophila*  
Wetzel, R.; and Quittek, G., 1940 a, 357  
Fuchs  
Katze

*Capillaria aerophila* (Creplin, 1839)  
Witenberg, G., 1934 a, 238  
dog  
cat

*Capillaria agui*  
Campana-Rouget, Y., 1948 a, 278  
[lapsus for *C. ugui* Yamaguti]

*Capillaria alaudae* (Rud. 1819) [? n. comb.]  
Madsen, H., 1945 a, 28, 68-69, 78, 95, 96  
synonymy  
*Alauda arvensis*

*Capillaria alpha* n. sp.  
Boch, J.; and Forstner, M. J., 1959 a, 222, 223, figs.  
2-7

Tetrao urogallus  
Lyrurus tetrix  
both from Alps

*Capillaria amarali* n. sp.  
Teixeira de Freitas, J. F.; and Lent, H., 1934 a, 271-  
272, pl. 53, figs. 1-3  
*Liophis miliaris miliaris*: Manguinhos, Rio de Janeiro, Brasil

*Capillaria amarali* Teixeira de Freitas and Lent, 1934  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 243,  
table 1  
*Liophis miliaris miliaris*: Brasil

*Capillaria americana* n. sp.  
Read, C. P., 1949 a, 234, 235, 236, 237, pl. 1, figs.  
5-7

key  
*Glaucomys volans volans*  
*Sciurus carolinensis leucotis*  
*Peromyscus maniculatus bairdii*  
*P. leucopus noveboracensis*

*Capillaria anatinis* (Schrank)  
Mawson, P. M., 1956 b, 163  
Anas rubripes  
*Glaucionetta clangula americana*: Montreal Island

*Capillaria anatina* (Schrank, 1790)  
Pérez Vigueras, I., 1936 a, 56  
For *C. anatis* (Schrank, 1790)  
*Anser anser dom.*: Habana, Cuba

*Capillaria anatis* Schrank  
Baylis, H. A., 1929 b, 264  
goose  
wild ducks

*Capillaria anatis* (Schrank)  
Baylis, H. A., 1931 f, 541  
Syns.: *Trichocephalus anatis* Schrank; *Capillaria tumida* Zeder; *Trichocephalus capillaris* Rud.; *Trichosoma brevicolle* Rud.

*Capillaria anatis* Schrank, 1790  
Bolek, E.; and Schanzel, H., 1960 a, 111, 112, 113  
South Moravian geese

*Capillaria anatis* (Schrank, 1790)  
Burdzhanadze, P. L., 1943 a, 61  
Anas boschas dom.  
*Anser anser dom.*  
both from Georgia [SSR]  
*Capillaria anatis* (Schrank 1790)  
Chatterji, R. C., 1940 c, 62  
duck

*Capillaria anatis*  
Davies, T. I., 1938 c, 285  
Anas boschas dom.: South of England; Mid and South Wales

*Capillaria anatis* (Schrank, 1790)  
Dubinina, M. N., 1948 a, 177, 180, 183  
*Anser anser*: Astrakhan preserve

*Capillaria anatis*  
Dyk, V., 1952 a, 188

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Capillaria (C.) anatis*  
Dzhavadov, M. K., [1935 c], 44  
domestic geese: Azerbaidzhan
- Capillaria anatis*  
Feditschin, A. V., 1937 a, 168  
domestic goose (*Anser anser domest.*): Western Siberia
- Capillaria anatis* (Schrank, 1890)  
Foggie, A., 1933 a, 62, 63  
duck (caeca): England
- Capillaria anatis* Schr., 1799  
Ginetsinskaya, T. A., 1947 a, 27  
domestic goose: Leningrad oblast
- Capillaria (C.) anatis* (Schrank, 1790)  
Gorshkov, I. P., 1937 a, 192, 195-196, 197, figs. 6-8  
[domestic geese]: Tobolsk, Kurgan
- Capillaria anatis* (Schrank, 1790)  
Gower, W. C., 1939 a, 607, 618, 620, 621, 622  
synonymy  
*Anser ferus*  
*Harelda glacialis*  
*Merganser castor*  
*Oidemia fusca*  
*Querquedula querquedula*  
*Clangula hyemalis*  
*Mergus merganser*  
all from Europe
- Capillaria anatis*  
Hall, M. C., 1922 s, 538
- Capillaria anatis*  
Hall, M. C., [1923 b], 57
- Capillaria anatis*  
Jennings, A. R.; and Soulsby, E. J. L., 1956 a, 272  
*Larus ridibundus*: England
- Capillaria anatis*  
Karel, R., 1953 a, 30  
geese: Brnenském kraji
- Capillaria anatis* (Schrank, 1790)  
Kopyrin, A. V., 1946 a, 147  
domestic goose: Omsk oblast
- Capillaria anatis* (Schrank)  
Kotlán, S.; and Orosz, D., 1931 a, 114  
Syns.: *C. tumida* Zed.; *Trichosoma brevicolle* Rud.
- Capillaria anatis* (Schrank, 1790)  
Kreis, H. A., 1962 a, 110  
*Phoenicopterus roseus*
- Capillaria (s. str.) anatis* Schrank, 1790  
Kurashvili, B. E., 1941 a, 80, 90, 94  
Anser anser (small intestine): Georgia, SSR
- Capillaria anatis* (Schrank, 1790)  
Lalitha, C. M.; and Alwar, V. S., 1960 b, 179  
Anas boschas domesticus: Madras
- Capillaria anatis* (Schrank)  
Lewis, E. A., 1927 d, 130  
dom. duck
- Capillaria anatis* (Schrank)  
Litubimov, M. P., 1926 a, 30
- Capillaria anatis* (Schrank, 1790)  
Litubimova, A. P., 1947 a, 148  
*Cygnus olor*
- Capillaria anatis* Schr.  
Lopez Neyra, C. R., 1924 a, 113
- Capillaria anatis* of Gorschkov, 1937  
Madsen, H., 1945 a, 57  
as syn. of *C. anseris* nom. nov.
- Capillaria anatis* (?)  
Madsen, H., 1945 a, 92  
*Otis tarda*
- Capillaria anatis* (Schrank 1790)  
Madsen, H., 1945 a, 46, 47, 48, 49, 50, 51, 52, 53, 54,  
55, 56, 57, 59, 60, 61, 67, 69, 71, 72, 87, 90, 92, 96,  
105, fig. 17 a-i  
synonymy  
*Anas crecca*: Gaup, Sjaelland  
*A. plathyrynchos*: Jylland; Sjaelland  
*Fulica atra*: " "  
*Anas querquedula*  
*A. plathyrynchos* domestica
- Capillaria anatis* (Schrank 1790) Travassos 1915  
Madsen, H., 1951 a, 262, 264  
Syns.: *Trichocephalus anatis* Schrank, 1790; *Filaria phasiani* Froelich 1791 (?); *Linguatula unilinguis* Schrank, 1796 (?); *Filaria tetricis* Froelich, 1802 (?); *Capillaria tumida* Zeder 1803; *C. semiteres* Zeder, 1803 p.p. (?); *Hamularia nodulosa* Rud. 1809 p.p. (?); *Trichocephalus capillaris* Rud. 1809 p.p.; *Trichosoma brevicolle* Rud. 1819 p.p. nec *Trichosoma brevicolle* Rud. 1819 of Eberth 1863 (= *Capillaria mergi* Holger Madsen, 1945); *T. longicolle* Rud. 1819; *T. collare* v. Linstow, 1873; *T. retusum* Railliet 1895; *T. dubium* Kowalewski 1894; *Capillaria uruguayensis* Calsada 1937 (?) nec *C. anatis* (Schrank, 1790) of Gorschkov 1937 (= *C. anseris* Holger madsen, 1945); *Echinococcus collaris* (v. Linstow, 1873) of Lopez-Neyra 1947  
domestic gallinaceous and anatine birds  
gallinaceous game birds  
both widely distributed in Europe
- Capillaria anatis* (Schrank, 1790) Travassos, 1915  
Madsen, H., 1952 a, 3, 12, 36-38  
*Phasianus colchicus*  
*Perdix perdix*  
*Lyrurus tetrix*  
all from Denmark
- Capillaria anatis* (Schrank, 1790)  
Mettrick, D. F., 1959 c, 70-71, 82, 83, fig. 5, figs. a-d  
Syns.: *Capillaria tumida* Zeder, 1803; *Trichocephalus capillaris* Rudolphi, 1809; *Trichosoma brevicolle* Rudolphi, 1819  
Anser anser anser (intestine)  
*Anas platyrhyncha*  
*Anas penelope*  
*Aix sponsa*  
all from Hertfordshire
- Capillaria anatis* (Schrank, 1790)  
Oross, D., 1932 a, 31, 43-45, 49, 50-51, 52, fig. 4  
Syns.: *Trichocephalus anatis* Schrank, 1790; *Capillaria tumida* Zeder, 1803; *Trichocephalus capillaris* Rudolphi, 1809; *Trichosoma brevicolle* Rudolphi, 1819; *Trichosoma brevicolle* (Schrank) Diesing, 1851, Stosich, 1890, Railliet, 1895, Kowalewski, 1901; *Trichosoma brevicolle* (Schrank) Dujardin, 1845, Eberth, 1863 waterfowl (caecum and small intestine): Hungary?

- Capillaria anatis* Schrank, 1799  
 Panova, L. G., 1956 a, 141  
 duck: Leningrad oblast
- Capillaria anatis* (Schrank, 1790)  
 Pemberton, R. T., 1961 a, 461  
*Numenius a. arquata* (intestine): Britain
- Capillaria anatis* (Schrank, 1790)  
 Perez Vigueras, I., 1936 a, 56
- Capillaria (C.) anatis* (Schrank)  
 Petrov, A. M., 1926 a, 99, 101, 109, 110, 111, 113  
*Anser anser* dom.
- Capillaria anatis* (Schrank, 1790)  
 Petrov, A. M.; and Chertkova, A. N., 1950 a, 91  
*Mergus merganser*: Southern Kirgizia
- Capillaria anatis* (Schrank)  
 Raether, M., 1930 a, 366  
 type of genus
- Capillaria anatis* (Schrank, 1790)  
 Ryzhikov, K. M., 1959 a, 239, 240  
*Cygnus cygnus*  
*C. olor*  
 both from SSSR
- Capillaria anatis*  
 Ryzhova, A. A.; and Sheretnevskaya, E. N., 1958 a, 254,  
 256  
 geese  
 ducks  
 both from Gorky oblast
- Capillaria anatis* (Schrank)  
 Schuurmans Stekhoven, J. H., 1937 a, 442
- Capillaria anatis* (Schrank, 1790)  
 Serkova, O. P., 1948 a, 210, 240  
*Anser anser*: Barabın lakes
- Capillaria anatis*  
 Seurat, L. G., 1920 c, 17
- Capillaria anatis* (Schrank, 1790)  
 Shultz, R. E. S.; Gnedenina, M. P.; and Kadenatsii, A. N.,  
 1938 a, 35  
*gusia dom.* [dom. goose]: Bashkiria
- Capillaria (C.) anatis* (Schrank, 1790)  
 Shumakovitch, E. E., 1948 b, 160  
*Anser a. dom.*: northern Sakhalin
- Capillaria anatis*  
 Skrjabin, K. I., 1926 b, 308  
*Anas boschas fera*
- Capillaria anatis* (Schrank)  
 Sprehn, C. E. W., 1930 r, 773
- Capillaria anatis* (Schrank, 1790)  
 Sprehn, C. E. W., 1932 c, 767, 857, 861, 865, 867  
 Syns.: *Trichocephalus anatis* Schrank, 1790; *Lingualtula trichocephala* Schrank, 1797; *Capillaria tumida* Zeder, 1803; *Trichocephalus capillaris* Rudolphi, 1809; *Trichosoma brevicolle* Rudolphi, 1819; *Capillaria anatis* (Schrank, 1790) Travassos, 1915  
*Anser anser* (Gans) (Blinddärme)  
*Mergus serrator*  
*Oidemia fusca*  
*Anas querquedula*  
 all from Europa
- Capillaria anatis* Schrank  
 Stefflova-Leiská, M., 1957 a, 342  
 geese  
 ducks  
 both from Czechoslovakia
- Capillaria anatis* (Schrank, 1790) Trav., 1915  
 Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
 1935 a, 319-322, 361, pl. 1, figs. 1-5; pl. 2, fig. 6;  
*Anas boschas* dom.  
*Anser ferus* dom.  
*Anser cinereus* dom.  
*Mergus merganser*  
*Anser anser*  
*Querquedula querquedula*  
*Anser ferus*  
*Harelda glacialis*  
*Merganser castor*  
*M. serratus*  
*Oidemia fusca*  
*Querquedula circia*  
*Otis tarda*  
*Anser cinereus*  
*Anas boschas*  
*Bernicla sandwichensis*  
 all from Europa and ? Argentina
- Capillaria anatis* Zed.  
 Vavilova, N. M., 1926 a, 113, 128  
*Anas boschas* dom.
- Capillaria anatis* (Schrank, 1790)  
 Vil'danov, M. G., 1938 a, 365  
*Anser anser* dom.: Bashkiria
- Capillaria anatis* (Schrank, 1790)  
 Walker, T., 1937 a, 29  
*Anas boscas* [sic] dom.: South Wales
- Capillaria anatis*  
 Wetzel, R.; and Quittek, G., 1940 a, 362  
 prepupal period  
*Junggangs*
- Capillaria anatis* (Schrank)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 24  
 type of genus  
*Anser ferus*  
*Harelda* sp.  
*Merganser* spp.  
*Oidemia* sp.  
*Querquedula* sp.
- Capillaria angrense* n. sp.  
 Teixeira de Freitas, J. F., 1934 b, 243-244, pl. 42,  
 figs. 8-9; pl. 43, fig. 10  
*Molossus rufus*: Angra dos Reis, Estado do Rio, Brasil
- Capillaria angrensis* Freitas, 1934  
 Skrjabin, K. I.; et al., 1954 a, 387  
 as syn. of *Thomoxen angrensis* (Freitas, 1934) Skrjabin  
 et Schikhobalova, 1954 [n. comb.]
- Capillaria angrensis* Freitas, 1934  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 115-  
 116  
*Molossus rufus* (intestino): Brasil
- Capillaria angusta* Duj.  
 Galli-Valerio, B., 1940 b, 284  
*Passer domesticus*: Suisse: Lausanne  
*Fringilla coccotraustes*: Suisse: Sonchaud Vaud
- Capillaria angusta* (Duj. 1845)  
 Madsen, H., 1945 a, 69, 95, 96  
 synonymy  
*Fringilla coelebs*

- Capillaria angusta* (Dujardin, 1845)  
Sprehn, C. E. W., 1932 c, 768, 837  
Syns.: *Trichosoma angustum* Dujardin, 1845; *C. angusta* (Dujardin, 1845) Travassos, 1915  
*Fringilla coelebs*: Europa
- Capillaria angusta* (Duj.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Fringilla coelebs*
- Capillaria annulata* (Molin, 1858) [n. comb.]  
Cram, E. B., 1926 f, 46-48  
turkeys (esophagus)
- Capillaria annulata*  
Cram, E. B., 1927 e, 70  
*Gallus gallus*: Mayaguez, Porto Rico
- Capillaria annulata*  
Cram, E. B., 1928 a, 1-2, fig. 1  
chickens  
turkeys
- Capillaria annulata* (Molin)  
Cram, E. B., 1931 e, 242, 245, 252, 253-255, 256, 257, 273, fig. 7, pl. 42, fig. 1  
*Colinus virginianus*  
*Gallus gallus*  
*Meleagris gallopavo*  
*Phasianus colchicus*  
*Chrysolophus pictus*  
*Bonasa umbellus*  
*Perdix perdix*  
*Tetrao urogallus*  
*Lyrurus tetrix*
- Capillaria annulata* (Molin, 1858) Cram, 1926  
Cram, E. B., 1936 c, 3, 4-7, fig. 1  
description, distribution, pathology, life history  
Syn.: *C. semiteres* Zeder, 1803  
*Bonasa umbellus*  
*Numida* sp.  
*Perdix perdix*  
*Chrysolophus pictus*  
*Tetrao urogallus*
- Capillaria annulata* (Zeder)  
Adams, F. M.; and Geiser, S. W., 1933 a, 253, 256-257  
*Gallus domesticus*: Dallas County, Texas
- Capillaria annulata*  
Albrecht, A., 1933 c, 485  
Hühner, Waldhühner, Wachtel, Gänse
- Capillaria annulata*  
Allen, R. W., 1947 a, 87-88  
incidence, chickens: Middle West
- Capillaria annulata* (Molin, 1858) Cram 1926  
Allen, R. W., 1949 a, 35  
*Eisenia foetida*  
*Allolobophora caliginosa*  
*Lumbricus terrestris*
- Capillaria annulata* (Molin, 1858) Cram, 1926  
Allen, R. W., 1950 a, 58-64  
susceptibility of various earthworms  
*Lumbricus terrestris*  
*Allolobophora caliginosa trapezoides*: Maryland  
*A. c. typica*  
*A. longa*  
*Eisenia foetida*  
all from Illinois
- Capillaria annulata*  
Allen, R. W.; and Wehr, E. E., 1942 a, 72-73  
chicken, turkey, earthworms as possible intermediate hosts
- Capillaria [Thominx] annulata*  
Augustine, D. L., 1929 a, 449
- Capillaria annulata* (Molin)  
Baylis, H. A., 1929 i, 264  
turkey  
fowl  
pheasant
- Capillaria annulata*  
Beaudette, F. R., 1930 a, [4]  
chickens: Mamaroneck, New York; Maplewood, N. Jersey  
(brought in from Pennsylvania)
- Capillaria annulata*  
Beaudette, F. R., [1932 ? a], 133  
poultry (esophagus, crop)
- Capillaria annulata*  
Beaudette, F. R., 1940 d, 1
- Capillaria annulata*  
Beaudette, F. R.; and Hudson, C. B., 1930 a, 562-564  
common fowl
- Capillaria annulata*  
Bhalerao, G. D., 1936 e, 52  
fowls: India
- Capillaria annulata*  
Bump, G., 1936 a, 325, 336, 340-341  
grouse
- Capillaria annulata*  
Bump, G., 1937 a, 309
- Capillaria annulata*  
Bump, G., 1938 a, 269, 271
- Capillaria annulata* (Molin, 1858) Cram, 1926  
Carvalho, J. C. M., 1940 a, 422  
*Gallus gallus domesticus*
- Capillaria annulata* (Molin, 1858)  
Cassamagnaghi, A. (hijo), 1945 a, 237-249, figs. 1-5  
*Anas boschas*: Uruguay
- Capillaria annulatum*  
Clifford, R. L. (jr.), 1958 a, 309
- Capillaria annulata* Molin  
Collinge, W. E., 1932 a, 109  
pheasants
- Capillaria annulata* (Molin)  
Collinge, W. E., 1933 a, 63  
pheasant (crop)
- Capillaria annulata*  
Cuvillier, E.; and Jones, M. F., 1933 a, 254
- Capillaria annulata*  
Daulatram, J., 1949 a, 21  
white leghorn (mucosa of pharynx and oesophagus)
- Capillaria annulata*  
Dikmans, G., 1929 a, 27  
chickens: Porto Rico
- Capillaria annulata* (Molin, 1858)  
Edgar, S. A., 1949 a, 218  
*Gallus domesticus* (mucosa of mouth)
- Capillaria annulata*  
Edgar, S. A.; and Frasier, J. A., 1957 a, 249-250  
piperazine, ineffective
- Capillaria annulata*  
Emmel, M. W., 1939 b, 612  
turkeys
- Capillaria annulata* (Molin, 1858)  
Ergun, H., 1960 a, 38  
chickens (digestive tract): Ankara, Turkey

## NEMATODA AND NEMATODE DISEASES

- Capillaria annulata* (Molin, 1858)  
 Erlich, I.; and Mikacic, D., 1939 a, 570, 572, 573, 575,  
 579  
 poulet: Zagreb
- Capillaria annulata* (Molin, 1858)  
 Freitas, M. G., 1957 b, 379  
 galinhas: Estado de Minas Gerais
- Capillaria annulata*  
 Freitas, M. G.; and Hipólito, O., 1943 a, 208  
*Gallus gallus domesticus*
- Capillaria annulata* (Molin, 1858) Cram, 1926  
 Freitas, M. G.; and Hipólito, O., 1949 a, 55, 57, 58  
*Callus gallus domesticus*: Minas Gerais
- Capillaria annulata*  
 Galli-Valerio, B., 1939 c, 100  
*Phasianus colchicus*: Parc de Mon Repos, Lausanne
- Capillaria annulata* Duj.  
 Galli-Valerio, B., 1940 b, 358  
*Mus rattus*: Lausanne; Le Repos, V. d'Illiez V.
- Capillaria annulata*  
 Gates, D. W., 1933 a, 59  
*Reeves pheasants (crops)*: New York State
- Capillaria annulata* (Molin, 1858)  
 Giovannoni, M.; and Kubiak, G. V. L., 1947 a, 230  
*Gallus domesticus*
- Capillaria annulata*  
 Glaser, E. (G.), 1942 d, 8
- Capillaria annulata* (Molin, 1858)  
 Graham, G. L., 1935 a, 61-62  
 Syns.: *Trichosomum strumosum* Reibisch, 1893; *Trichosoma delicatissimum* Perroncito and Tomiolo, 1899  
 [associated with 'diphtheritic' disease]  
*Phasianus colchicus torquatus*
- Capillaria annulata*  
 Graham, R.; Thorp, F. (jr.); and Hectorne, R. L., 1939 a, 152-154  
 chickens
- Capillaria annulata* (Molin)  
 Graham, R.; Torrey, J. P.; Mizelle, J. D.; and Michael, V. M., 1937 a, 41  
 bobwhite quail  
 ruffed grouse  
*Allolobophora caliginosa*  
*Eisenia foetida*
- Capillaria annulata*  
 Great Britain, Ministry of Agriculture and Fisheries, 1932 g, 4 pp, fig. 4  
 poultry
- Capillaria annulata*  
 Great Britain, Ministry of Agriculture and Fisheries, 1932 i, 36, fig. 15  
 fowls and turkeys (gullet and crop)
- Capillaria annulata*  
 Hamilton, C. M., 1931 a, 865-866  
 Hungarian partridges
- Capillaria annulata*  
 Hendrickson, J. M.; and Devolt, H. M., 1928 a, 59  
 pheasants
- Capillaria annulata*  
 Hilbrich, P., 1950 a, 26
- Capillaria annulata*  
 Hudson, C. B., 1931 a, 78-81  
 transmission by sale of birds
- Capillaria annulata*  
 Hung, S. L., 1926 c, 49-50  
 pathological lesions
- Capillaria annulata*  
 Hutson, L. R., 1950 a, 139  
 poultry: Barbados, B. W. I.
- Capillaria annulata* (Molin)  
 Kotlán, S.; and Croz, D., 1931 a, 114  
 Syns.: *Calodium annulatum*; *Trichosomum strumosum* Reibisch; *Trichosoma delicatissimum* Perr. & Tomiolo; *Eucoleus strumosus* (Reibisch)
- Capillaria annulata*  
 Krijgsman, B. J., 1933 d, 378  
 Syn.: *Trichosoma annulata* kip (oesophagus, keel): Nederlandsch-Indië
- Capillaria (s. str.) annulata* (Molin, 1858)  
 Kurashvili, B. E., 1941 a, 80, 89, 94  
*Anas boschas* dom. (esophagus): Georgia, SSR
- Capillaria annulata*  
 Lamica, J., 1961 a, 45, fig. 1
- Capillaria annulata*  
 Legg, J., 1946 a, 41  
 chickens (crop, esophagus)
- Capillaria annulata*  
 Lucas, A.; and Laroche, M., 1957 c, 569-575  
 treatment
- Capillaria annulata* (Molin 1858)  
 Madsen, H., 1945 a, 42, 45, 69-70, 75, 86, 91, 92, 96  
 synonymy  
*Bonasa umbellus*  
*Chrysolophus pictus*  
*Colinus virginianus*  
*Gallus gallus*  
*Lyrurus tetrix*  
*Meleagris gallopavo*  
*Numida sp.*  
*Perdix perdix*  
*Phasianus colchicus* formae div.  
*Syrmaticus reevesi*  
*Tetrao urogallus*
- Capillaria annulata* (Molin, 1858)  
 Morgan, D. O., 1932 b, 194
- Capillaria annulata* (Molin, 1858)  
 Mudaliar, S. V.; and Alwar, V. S., 1947 b, 94  
 fowl: Madras
- Capillaria annulata* Molin, 1858  
 Nickel, E. A., 1953 a, 72  
 treatment
- Capillaria annulata* (Molin, 1858)  
 Gross, D., 1932 a, 31, 33, 47-48, 49, 50-51, 52, fig. 6  
 Syns.: *Calodium annulatum* Molin, 1858; *Trichosomum strumosum* Reibisch, 1893; *Trichosoma delicatissimum* Perroncito et Tomiolo, 1900; *Eucoleus strumosus* Wassilkowa et L. Gouchanskaja, 1930  
 chickens (oesophagus and crop): Hungary?
- Capillaria annulata* (Molin 1858)  
 Pallaska, G., 1944 a, 97  
 pathology, birds
- Capillaria (Thominx) annulata* (Molin, 1858)  
 Petrov, A. M.; Dshavadov, M. K.; and Prasolova, M. A., [1935 a], 47, 48  
 chickens: Azerbaidschan
- Capillaria (Thominx) annulata*  
 Petrov, A. M.; Dshavadov, M. K.; and Prasolova, M. A., 1936 a, 270  
 hen: Azerbaidschan
- Capillaria annulata*  
 Pini, T., 1958 a, 408  
 polli

- Capillaria annulata* (Molin, 1858)  
 Pinto, C. F.; and Lins de Almeida, J., 1935 a, 61  
*Gallus domesticus*: Brasil
- Capillaria annulata* (Molin)  
 Pinto, C. F.; and Lins de Almeida, J., 1937 b, 479  
*Gallus domesticus*: Brésil
- Capillaria annulata*  
 Ressang, A. A.; Fischer, H.; and Muchlis, A., 1959 a, 96  
*Gallus domesticus*: Indonesia
- Capillaria annulata* Molin  
 Roveda, R. J., 1943 a, 291, 292, 293  
*Gallus gallus*: Argentina
- Capillaria annulata* (Molin)  
 Roveda, R. J.; and Ringuelet, R., 1947 a, 75  
*Gallus gallus domesticus*: Argentina
- Capillaria annulata*  
 Schmid, F., 1941 c, 133-134  
*Hühner*
- Capillaria annulata*  
 Schoop, G.; and Lamina, J., 1960 a, 140  
 statistics
- Capillaria annulata*  
 Schwartz, B. I., 1936 d, 57  
*Helodrilus foetidus*  
*H. caliginosus*
- Capillaria annulata*  
 Schwartz, B. I., 1937 d, 62  
 life history  
 chickens  
 turkeys  
 earthworms
- Capillaria annulata* (Molin, 1858)  
 Seddon, H. R., 1947 c, 16  
*fowl*: Australia
- Capillaria annulata*  
 Seneviratna, P.; and Seneviratna, D., 1955 a, 53  
 domestic poultry: Ceylon
- Capillaria annulata*  
 Shillinger, J. E., 1942 a, 1230
- Capillaria annulata* (Molin, 1858)  
 Shul'man-Al'bova, R. E., 1954 b, 194  
*Phasianus colchicus pallasi*: below Leningrad
- Capillaria annulata* (Molin)  
 Sprehn, C. E. W., 1930 r, 773
- Capillaria annulata* (Molin, 1858)  
 Sprehn, C. E. W., 1932 c, 768, 899, 890, 891, fig. 361  
 Syns.: *Trichosoma annulatum* Molin, 1858; *T. strumosum* Reibisch, 1893  
*Gallus gallus* (*Oesophagus und Kropf*)  
*Meleagris gallopavo*  
*Phasianus colchicus*  
 all from Europa
- Capillaria annulata*  
 Sprehn, C. E. W., 1932 e, 189, 190, 1 fig.  
*Hühner*
- Capillaria (Thominx) annulata* (Molin, 1858) Cram, 1925  
 Sugimoto, M., 1939 a, 90-91, 220, 221  
 synonymy  
*Chrysolophus pictus*  
*Gallus domesticus*  
*Lyrurus tetrix*  
*Perdix perdix*  
*Phasianus colchicus*  
*Tetrao urogallus*  
 all from Formosa
- Capillaria annulata*  
 Swales, W. E., 1933 a, 476  
*Gallus gallus*: Canada
- Capillaria annulata*  
 Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 895  
*Gallus gallus domesticus*: Netherlands
- Capillaria annulata*  
 Taylor, E. L., 1929 c, 539, fig. 5
- Capillaria annulata* (Molin, 1858) Cram, 1926  
 Teixeira de Freitas, J. F.; and Lins de Almeida, J., 1935 a, 331-332, 341, 343, 344, 362, pl. 5, fig. 24; pl. 6, fig. 25  
*Lophortix californica* [etc.]
- Capillaria annulata* (Molin, 1858) Cram, 1927  
 Teixeira de Freitas, J. F.; and Lins de Almeida, J., 1935 b, 130-133, 144, 156, pl. 1, figs. 1-5  
 synonymy  
*Gallus gallus domesticus*  
*Meleagris gallopavo*  
*Phasianus colchicus*  
*Lyrurus tetrix*  
 (oesophago of all)
- Capillaria annulata*  
 Thomas, E. F., 1930 a, 95  
*quail*
- Capillaria annulata* (Molin, 1858) Cram, 1926  
 Todd, A. C., 1946 a, 228, 230, 231, 234, 235, pl. 1, figs. 1-3  
*chicken*: East Tennessee
- Capillaria annulata* (Molin, 1858) Cram, 1926  
 Todd, A. C., 1946 b, 425, 426, 430, 432  
*chickens*: Tennessee
- Capillaria annulata*  
 Todd, A. C., 1947 a, 470  
*chickens*: Tennessee
- Capillaria annulata* (Molin, 1858) Cram, 1926  
 Tolgay, N.; Hwang, J. C.; and Wehr, E. E., [1960 a], 185, 195-196, 206, 207, pl. I, figs. 6, 7  
 Syns.: *Trichosoma annulatum* Molin, 1858; *T. strumosum* Reibisch, 1893; *T. delicatissimum* Perroncito and Tomolo, 1899; *Capillaria strumosa* (Reibisch, 1893) Travassos, 1915; *T. annulata* (Molin, 1858) Gram, 1925; *Eucoleus strumosa* (Reibisch, 1893) Wassilkowa and Gouchanskaja, 1930  
*Alectoris graeca* (crop): Turkey
- Capillaria annulata* (Molin, 1858)  
 Tubangui, M. A., 1947 a, 255  
 domestic chicken: Luzon
- Capillaria annulata*  
 Van Volkenberg, H. L., 1938 a, 8  
*poultry*: Puerto Rico
- Capillaria annulata* (Molin, 1858)  
 Van Volkenberg, H. L., 1939 a, 9  
*chicken*: Puerto Rico
- Capillaria annulata* (Molin, 1858)  
 Vražić, O., 1954 a, 290, 291, 292  
*Phasianus colchicus*: P. R. Croatia
- Capillaria annulata*  
 Wehr, E. E., 1936 a, 18-20  
*Helodrilus foetidus*  
*H. caliginosus*
- Capillaria annulata*  
 Wehr, E. E., 1937 c, 230-233, pl. 1, fig. 3; pl. 2, fig. 1  
*turkeys*

## NEMATODA AND NEMATODE DISEASES

- Capillaria annulata*  
Wehr, E. E., [1939 c], 53-54  
    bobwhite quail  
    turkey  
    pheasant  
    ruffed grouse  
    Hungarian partridge  
    chicken  
    *Helodrilus foetidus*  
    *H. caliginosus*
- Capillaria annulata*  
Wehr, E. E., 1950 a, 41, 42, 43  
    *Eisenia foetidus*  
    *Allolobophora caliginosus*  
    turkey
- Capillaria annulata*  
Wehr, E. E., 1952 d, 17  
    transmission studies  
    "require an intermediate host, the earthworm for transfer"
- Capillaria annulata*  
Wehr, E. E.; and Allen, R. W., 1945 a, 12, 13, 14  
    *Eisenia (Helodrilus) foetida* (exper.)  
    *Allolobophora (Helodrilus) caliginosa* (exper.)  
    turkeys (exper.)
- Capillaria annulata*  
Wehr, E. E.; and Christensen, J. F., 1942 a, 1028, 1029,  
    fig. 2
- Capillaria annulata*  
Wright, W. H.; and Van Volkenberg, H. L. in Van Volkenberg, H. L., 1937 a, 77  
    chicken; Mayaguez, Puerto Rico
- Capillaria annulata*  
Zuccheri, P. J., 1940 a, 71  
    life history
- Capillaria annulata*  
Zuccheri, P. J., 1942 a, 96-106  
    earthworms
- Capillaria annulosa* Duj.  
Baylis, H. A., 1928 e, 303
- Capillaria annulosa*  
Bernard, J., 1961 e, 782, 783  
    *Rattus norvegicus*  
    *Apodemus sylvaticus*  
    *Clethrionomys glareolus*  
    all from Belgique
- Capillaria annulosa*  
Ehrlich, H., 1944 a, 125  
    Ratte: London
- Capillaria annulosa* (Duj., 1845)  
James, P. M., 1954 a, 186  
    *Rattus norvegicus*: Kent
- Capillaria annulosum* Duj.  
Kalantar'ian, E. V., 1924 b, 24
- Capillaria annulosa*  
Leiper, R. T., 1926 l, 707
- Capillaria annulosa* (Duj.)  
Lewis, E. A., 1927 d, 130  
    brown rat
- Capillaria annulosa* Duj.  
Lopez-Neyra, C. R., 1922 a, 411 (10)  
    *Epimys norvegicus*
- Capillaria annulosa* Duj., 1845, Hall, 1916  
Lukasiak, J.; and Strankovski, M., 1933 a, 365, 366  
    *Mus norvegicus* (intestin et duodenum)  
    *Epimys rattus* (intestin et duodenum)
- Capillaria annulosa*  
Merdivenci, A., 1962 a, 228  
    *Rattus rattus*  
    *R. norvegicus*  
    both from Turkey
- Capillaria annulosa*  
Orbe, G., 1940 b, 245  
    Ratten: London
- Capillaria annulosa* (Duj.) 1849  
Roman, E., 1951 a, 176-183, 193, 208, 209, 210, 215, 217, 234, 240, 243, 253, figs. 64-70  
    *Rattus norvegicus*: region lyonnaise
- Capillaria annulosa*  
Sprehn, C. E. W., 1927 e, 57
- Capillaria annulosa* Dujardin  
Sprehn, C. E. W., 1930 s, 262  
    *Epimys norvegicus*
- Capillaria annulosa* (Dujardin, 1845)  
Sprehn, C. E. W., 1932 c, 768, 829, 830  
    Syns.: *Calodium annulosum* Dujardin, 1845; *Trichosoma annulosum* (Dujardin, 1845) Dujardin, 1845; *T. muris-decumani* Bellingham, 1845; *Capillaria annulosa* (Dujardin, 1845) Hall, 1916  
    *Epimys norvegicus*  
    *E. rattus*  
    (Darm of both): both from Europa
- Capillaria annulosa* (Duj., 1845) Trav.  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 94-95, pl. 4, fig. 29  
    *Mus (Epimys) norvegicus*  
    *M. (Epimys) rattus*  
    both from Europa
- Capillaria annulosa*  
Vasil'ev, V. V., 1949 a, 75  
    *Evotomys glareolus*  
    *Apodemus flavicollis*  
    both from Leningrad
- Capillaria annulosa* (Duj.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 25  
    rats
- Capillaria anseris*  
Ablasov, N. A., 1957 a, 134  
    Anser anser dom.: Kirgizifä
- Capillaria anseris* Madsen 1945  
Andrievskaya, N. Iu., 1955 a, 138  
    geese (small intestine): Odessa oblast
- Capillaria anseris*  
Andrievskaya, N. Iu., 1956 a, 21  
    goose (small intestine): Odessa oblast
- Capillaria anseris*  
Andrievskaya, N. Iu., 1957 a, 157  
    geese: Odessa oblast
- Capillaria anseris* (Madsen, 1945)  
Belokobylenko, V. T., 1960 b, 191  
    domestic geese  
    domestic ducks  
    both from Alma-Ata oblast
- Capillaria anseris*, Madsen, 1945  
Buša, V., 1961 b, 363  
    Anser anser domesticus: Slovakia

- Capillaria bursata*  
Pomrakinskaya, N. A., [1954 a], 543  
chickens: Mariiskaya ASSR
- Capillaria bursata* (Freitas et Almeida, 1934)  
Solov'ev, G. V., 1960 a, 146  
hens: Kirgizia
- Capillaria bursata*  
Sultanov, M. A., 1958 a, 65, 71, 72  
chickens  
turkeys  
both from Tashkent oblast
- Capillaria bursata*  
Sultanov, M. A., 1959 a, 334  
hens: Uzbekistan
- Capillaria bursata* Freitas et Almeida, 1934  
Sultanov, M. A., 1959 c, 70  
kuritsa [*Gallus g. domesticus*]  
indeika [*Meleagris gallopavo*]  
both from Uzbekistan
- Capillaria bursata* Teixeira de Freitas and Lins de Almeida, 1934  
Todd, A. C., 1946 a, 232, 233, 234, 235, pl. 2, figs. 13-15  
chicken: East Tennessee
- Capillaria bursata* Teixeira de Freitas and Lins de Almeida,  
Todd, A. C., 1946 b, 425, 427, 432  
chickens
- Capillaria bursata*  
Todd, A. C., 1947 a, 470  
chickens: Tennessee
- Capillaria bursata* Teixeira de Freitas and Lins de Almeida, 1934  
Todd, A. C., 1947 c, 191-193, figs. 1-3
- Capillaria bursata*  
Tolgay, N., 1957 a, 10, 11, 12, 25, 32, 34-35, 37, 38,  
figs. 18-20  
fowl: Ankara
- Capillaria cadovulvata* n. sp.  
Madsen, H., 1945 a, 4, 10, 14, 15, 16, 20, 28, 29, 30,  
31, 34, 36, 71, 92, 97, 104, figs. 9 e-g, 10 a-h  
synonymy  
*Perdix perdix*: Jylland; Fyn  
*Phasianus colchicus*: Jylland; Fyn; Sjaelland; Lolland-  
Falster
- Capillaria cadovulvata* Madsen, 1945  
Bernard, J., 1961 a, 34, 35, 36, 37, figs. 1-2  
*Phasianus colchicus* (intestin): Franc-Waret (Namur)
- Capillaria cadovulvata*  
Clapham, P. A., 1949 a, 69-70, pl., figs. 1-2
- Capillaria cadovulvata*  
Clapham, P. A., 1961 a, 37, 40  
*Perdix perdix*  
*Phasianus colchicus*  
both from Great Britain
- Capillaria cairinae* n. sp.  
Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
1935 b, 139-141, fig. 1  
*Cairina moschata* dom.: Rio de Janeiro, Brasil
- Capillaria cairinae* Freitas and Lins de Almeida, 1935  
Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
1935 a, 340, 341, 362, pls. 8-9, figs. 42-46  
*Cairina moschata* dom.: Brasil
- Capillaria cairinae* Freitas & Almeida 1935  
Madsen, H., 1945 a, 45, 71, 89, 97  
*Cairina moschata domestica*
- Capillaria calliopsis* n. sp.  
Yamaguti, S., 1941 e, 441, 443-444, fig. 3  
*Calliope calliope calliope*: Siriya, Aomori Prefecture
- Capillaria capillare* (v. Linst.) [n. comb.]  
Zekharov, N. P., 1920 b, 9  
*Crocidura aranea*  
*Talpa europaea*
- Capillaria capillaris* (Linstow, 1882)  
Furnaga, S., 1958 a, 695, 696  
*Talpa europaea*: Lublin
- Capillaria capillaris* (Linstow, 1882) Stiles et Stanley, 1932  
Furnaga, S., 1959 a, 204, 206-211, fig. 1  
*Talpa europaea*: Lublin
- Capillaria capillaris* (Linstow, 1882)  
James, P. M., 1954 a, 186  
*Talpa europaea*: West Wales
- Capillaria capillaris* Linstow, 1882  
Lukasiak, J., 1939 a, 96, 103  
*Talpa europaea*: Poland
- Capillaria capillaris* (Rud. 1809)  
Madsen, H., 1945 a, 72  
= *Capillaria anatis* (Schrank 1790)
- Capillaria capillaris*  
Prokopič, J., 1958 a, 177  
*Sorex araneus*  
*Neomys fodiens*  
both from Czechoslovakia
- Capillaria capillaris* Linstow 1882  
Prokopič, J., 1959 c, 105  
*Sorex araneus*  
*Neomys fodiens*  
*Talpa europaea*  
(urinary bladder of all): all from Czechoslovakia
- Capillaria capillaris* (Linstow, 1882)  
Rukhladeva, M. N., 1946 a, 225  
*Neomys fodiens*: Khopersk state preserve, SSSR
- Capillaria capillaris* (Linstow, 1882) Stiles et Stanley, 1932  
Sołtys, A., 1954 a, 354, 355, 356, 357, 362-363  
Syn.: *C. urincola* Sołtys, 1952  
*Sorex araneus*  
*S. minutus*  
*Crocidura russulus*  
*Neomys fodiens*  
*Talpa europaea*  
all from Białowiesza National Park
- Capillaria capillaris* (Linst., 1882) Stiles and Stanley, 1932  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 103,  
pl. 7, fig. 55  
*Sorex araneus*  
*Crocidura russulus*  
*Talpa europaea*  
all from Europa
- Capillaria caprimulgii* (Rud. 1819) nom. nud.  
Madsen, H., 1945 a, 72, 94  
synonymy  
*Caprimulgus europaeus*
- Capillaria caprimulgii* (Rud.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Caprimulgus europaeus*
- Capillaria carbonis* (Rudolphi, 1814)  
Ablasov, N. A.; Iksanov, K. I.; and Chibichenko, N. T.,  
1960 a, 181  
*Palecanus rufescens*: lake Balkhash

- Capillaria carbonis* (Rudolphi, 1819)  
 Dubinin, V. B., 1954 a, 212  
*Pelecanus onocrotalus* (intestine)  
*P. crispus*  
 both from Volga delta
- Capillaria carbonis* (Rud., 1819)  
 Dubinina, M. N.; and Serkova, O. P., 1951 a, 86, 93  
*Phalacrocorax pygmaeus*: Tadzhikistan
- Capillaria carbonis* (Rud. 1819)  
 Madsen, H., 1945 a, 72, 89  
 synonymy  
*Phalacrocorax carbo*
- Capillaria carbonis* (Rudolphi)  
 Nikol'skaya, N. P., 1939 a, 62  
*Phalacrocorax carbo*: Astrakhan reserve, Volgadelta
- Capillaria carbonis* (Rud.)  
 Skrjabin, K. I., 1923 n, 86  
*Phalacrocorax carbo*
- Capillaria carbonis* (Rudolphi, 1819)  
 Sprehn, C. E. W., 1932 c, 769, 868  
 Syns.: *Trichosoma carbonis* Rudolphi, 1819; *Capillaria carbonis* (Rudolphi, 1819) Travassos, 1915  
*Phalacrocorax carbo*: Europa; Asien
- Capillaria carbonis* (Rud.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Phalacrocorax carbo*
- Capillaria carcharhini* n. sp.  
 MacCallum, G. A., 1925 a, 1-2, pl. 1, figs. 1-3  
*Carcharhinus commersonii*: Woods Hole
- Capillaria carcharhini* (MacCallum, 1925)  
 Heinze, K., 1933 a, 393, 394-395, 404, fig. 2  
*Carcharhinus lamia* (Flosse, Mund, Nasenregion): Nordamerika
- Capillaria carcharhini* MacCallum, 1925  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 268, pl. 8, figs. 81-82  
 sp. inq.  
*Carcharhinus lamia*: America do Norte
- Capillaria carioca* n. sp.  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 268, pl. 9, figs. 86-90  
*Sphaeroides testudineus* (intestino): Rio de Janeiro, Brasil
- Capillaria carioca* Freitas et Lent, 1935  
 Skrjabin, K. I.; et al., 1954 a, 387  
 as syn. of *Thominx carioca* (Freitas et Lent, 1935)  
 Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria (Thominx) catenata* n. sp.  
 Van Cleave, H. J.; and Mueller, J. F., 1932 a, 65-68, pl. 14, figs. 1-5  
*Eupomotis gibbosus*  
*Ambloplites rupestris*  
*Stizostedion vitreum*  
 all from Oneida Lake
- Capillaria catenata* Van Cleave, and Mueller, 1932  
 Van Cleave, H. J.; and Mueller, J. F., 1934 a, 290  
 key  
*Eupomotis gibbosus*  
*Ambloplites rupestris*  
*Micropterus salmoides*  
*Stizostedion vitreum*  
 all from Oneida Lake
- Capillaria catenata* Van Cleave and Mueller  
 Bangham, R. V., 1939 a, 266  
*Helioperca macrochira*: southern Florida
- Capillaria catenata* Van Cleave and Mueller  
 Bangham, R. V., 1941 a, 294, 304  
*Ictalurus punctatus*: Florida
- Capillaria catenata* Van Cleave and Mueller, 1932  
 Bangham, R. V., 1944 a, 311, 312, 313, 314, 315, 318, 320, 323  
*Micropterus dolomieu*  
*Huso salmoides*  
*Lepomis gibbosus*  
*Ambloplites rupestris*  
 all from northern Wisconsin
- Capillaria catenata*  
 Bangham, R. V., 1951 a, 213, 216, 217  
*Rhinichthys osculus carringtonii*  
*Gila straria*  
*Richardsonius balteatus hydrophlox*  
 all from Wyoming
- Capillaria catenata*  
 Fantham, H. B.; and Porter, A., 1948 a, 633  
*Catostomus commersonii*: Quebec
- Capillaria catenata* Van Cleave and Mueller, 1932  
 Fischthal, J. H., 1947 a, 190, 193, 200, 205, 209, 210, 211, 214, 219  
*Perca flavescens*  
*Stizostedion v. vitreum*  
*Micropterus d. dolomieu*  
*Lepomis gibbosus*  
*L. m. macrochirus*  
*Ambloplites r. rupestris*  
*Pomoxis nigro-maculatus*  
 all from Wisconsin
- Capillaria catenata*  
 Fischthal, J. H., 1950 d, 103, 109, 111  
*Stizostedion v. vitreum*  
*Lepomis m. macrochirus*  
*Ambloplites r. rupestris*  
 all from Wisconsin
- Capillaria catenata* Van Cleave and Mueller, 1932  
 Fischthal, J. H., 1952 b, 46, 48, 50, 52, 57  
*Lepomis gibbosus*  
*L. m. macrochirus*  
*Ambloplites r. rupestris*  
 all from northwest Wisconsin
- Capillaria catenata*  
 Hunter, G. W. III, 1942 a, 279, 284, 286  
*Ambloplites rupestris*  
*Esox americanus*
- Capillaria (Thominx) catenata* Van Cleave et Mueller, 1932  
 Skrjabin, K. I.; et al., 1954 a, 388  
 as syn. of *Thominx catenata* (Van Cleave et Mueller, 1932) Skrjabin et Schikhobalova, 1954
- Capillaria catenata* Van Cleave and Mueller, 1932  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 257-258, pl. 11, figs. 97-99  
*Eupomotis gibbosus*  
*Ambloplites rupestris*  
*Stizostedion vitreum*  
 all from Oneida Lake, U.S.A.
- Capillaria catostomi* n. sp.  
 Pearse, A. S., 1924 a, 157, fig. 10  
*Catostomus commersonii*: Wis.
- Capillaria catostomi* Pearse  
 Pearse, A. S., 1924 b, 177  
 sucker
- Capillaria catostomi* Pearse, 1924  
 Heinze, K., 1933 a, 394, 397-398, 404, fig. 8  
*Catostomus commersoni* (Darm): Sturgeon Bay, Wis.; Lake Michigan

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Capillaria anseris* Madsen, 1945  
*Gagarin*, V. G., 1952 a, 404  
 geese: SSSR
- Capillaria anseris* Madsen, 1945  
*Gagarin*, V. G., 1956 b, 215, 224, 225  
*Anser anser* dom.: SSSR
- Capillaria anseris* Madsen, 1945  
*Lesin'sh*, K. P., 1959 a, 109  
 geese: south-east districts of Estonian SSR
- Capillaria anseris* (?)  
 Madsen, H., 1945 a, 89  
*Nesochen sandvicensis*
- Capillaria anseris* Madsen, 1945  
*Panova*, L. G., 1956 a, 141  
 geese: Leningrad oblast
- Capillaria anseris* Madsen, 1945  
*Paudere*, V. Ia., 1957 a, 324, 325, 326, 328  
 ducks  
 geese  
 both from Latvian SSR
- Capillaria anseris* Madsen, 1945  
*Paudere*, V. Ia., 1958 a, 337, 338  
 intensity of infection, domestic birds: Latvia
- Capillaria anseris* (Madsen, 1945)  
*Sultanov*, M. A., 1958 b, 19  
 seryl gus [*Anser anser*]: Uzbekistan
- Capillaria anseris* (Madsen, 1945)  
*Zaskind*, L. N., 1958 a, 133  
 domestic geese
- Capillaria appendiculata* n. sp.  
*Teixeira de Freitas*, J. F., 1933 a, 1195-1196, figs. 5-6  
*Phalacrocorax brasiliensis* (gros intestin): Rio de Janeiro
- Capillaria appendiculata* Freitas 1933  
 Madsen, H., 1945 a, 70, 89, 96  
*Phalacrocorax olivaceus*
- Capillaria aramidesi* n. sp.  
*Teixeira de Freitas*, J. F., and *Lins de Almeida*, J., 1933 a, 169-170, figs. 1-5  
*Aramides cayanae*: Rio de Janeiro, Brasil
- Capillaria aramidesi* Freitas & Almeida 1933  
 Madsen, H., 1945 a, 70, 92  
*Aramides* sp.
- Capillaria aramidesi* Freitas et Almeida, 1933  
*Skrjabin*, K. I.; et al., 1954 a, 387  
 as syn. of *Thominx aramidesi* (*Freitas et Almeida*, 1933)  
*Skrjabin* and *Schikhobalova*, 1954 [n. comb.]
- Capillaria armeniaca* sp. n.  
*Kirshenblat*, Ia. D., 1939 a, 123-124, 125, 127-128,  
 figs. 4-5  
*Citellus xanthopygmnus*: Armenia
- Capillaria armenica* Kirschenblatt, 1939  
*Alician*, M. T., 1956 a, 131, 165  
*Citellus citellus* (anterior section small intestine): Armenia
- Capillaria armenica* Kirschenblatt, 1939  
*Tokobaev*, M. M., 1959 a, 135  
*Citellus relictus*: Kirghizia
- Capillaria armenica*  
*Tokobaev*, M. M., 1962 a, 1100  
*Citellus relictus*: Central Asian mountains
- Capillaria auritae* Travassos, 1914  
 Imperial Bureau of Agricultural Parasitology, St. Albans,  
 England, 1933 b, 217, 233  
*Didelphis marsupialis aurita* (small intestine): Brazil
- Capillaria auritae* Travasso, 1914  
*Skrjabin*, K. I.; et al., 1954 a, 387  
 as syn. of *Thominx auritae* (Travassos, 1914) *Skrjabin* et *Schikhobalova*, 1954 [n. comb.]
- Capillaria auritae* Trav.  
*Teixeira de Freitas*, J. F.; and *Lent*, H., 1935 c, 701  
 [i.e. 301]  
*Metachirops opossum*
- Capillaria auritae* Trav., 1914  
*Teixeira de Freitas*, J. F.; and *Lent*, H., 1935 e,  
 109-110, 111
- Capillaria auritae* Trav., 1914  
*Teixeira de Freitas*, J. F.; and *Lent*, H., 1936 c, 110-111,  
 pls. 10-11, figs. 72-78  
*Didelphys aurita*  
*Metachirops opossum*  
 both from Brasil
- Capillaria auritae* Travassos  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 25  
*Didelphys aurita*
- Capillaria avellari* n. sp.  
*Teixeira de Freitas*, J. F.; and *Lins de Almeida*, J., 1935 b, 124, 141, 147, pl. 6, figs. 41-44  
*Mycteria mycteria* (esophago): *Lassance*, Estado de Minas Geraes, Brasil
- Capillaria avellari* Freitas & Almeida 1935  
 Madsen, H., 1945 a, 70, 89, 97  
*Mycteria americana*
- Capillaria bacillata*  
*Bernard*, J., 1961 e, 782, 783  
*Rattus norvegicus*  
*Apodemus sylvaticus*  
*Arvicola terrestris*  
*Clethrionomys glareolus*  
 all from Belgique
- Capillaria bacillatum* Eberth  
*Kalanter'ian*, E. V., 1924 b, 24
- Capillaria bacillata* (Eberth)  
*Miure*, M.; et al., 1956 a, 1373  
 rats: Kumamoto Prefecture
- Capillaria bacillata* (Eberth)  
*Miyazaki*, I., 1946 a, 28  
*Rattus norvegicus norvegicus*  
*R. norvegicus hibernicus*  
 both from Kagoshima Pref.
- Capillaria bacillata*  
*Momma*, K., 1930 a, 110
- Capillaria bacillata* (Eberth)  
*Morishita*, Takuro, 1954 a, 36  
 house rat: Yonago City, Japan
- Capillaria bacillata* (Eberth, 1863)  
*Roman*, E., 1951 a, 86, 146, 164, 166, 170-176, 193, 212,  
 213, 214, 215, 234, 239, 242-243, 253, fig. 54, 57, 59-63  
*Apodemus sylvaticus*: region lyonnaise
- Capillaria bacillata*  
*Seurat*, L. G., 1920 c, 7
- Capillaria bacillata*  
*Sprehn*, C. E. W., 1927 e, 57  
*Mus musculus*
- Capillaria bacillata* (Eberth)  
*Sprehn*, C. E. W., 1930 s, 262, 267  
*Mus musculus*  
*Epimys norvegicus*
- Capillaria bacillata* (Eberth, 1863)  
*Sprehn*, C. E. W., 1932 c, 768, 831  
 Syns.: *Trichosomum bacillatum* Eberth, 1863; *Capillaria bacillata* (Eberth, 1863) Travassos, 1915  
*Mus musculus* (oesophagus): Europa

## NEMATODA AND NEMATODE DISEASES

- Capillaria bacillata* (Eberth)  
Tanaka, Hideo; Ikuzawa, M.; and Moriya, S., 1951 a, 23  
*Rattus n. norvegicus*
- Capillaria bacillata* (Eberth, 1863)  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 101,  
pls. 6-7, figs. 48-50  
*Mus (Epimys) norvegicus*  
*M. (Mus) musculus*  
both from ? Europa
- Capillaria bacillata* (Eberth)  
Yorke, W.; and Maplestone, P. A., 1926 a, 25, 28  
*Mus musculus*
- Capillaria bacillata* Eberth, 1863  
Yoshida, S.; and Momma, K., 1925 a, 249-252  
rat (gastric wall)
- Capillaria bacillata* (Eberth, 1863) Hall, 1916  
Yoshida, S.; and Momma, K., 1925 e, 551-556  
rat (gastric wall)
- Capillaria baicalensis* nov. sp.  
Ryzhikov, K. N.; and Sudarikov, V. E., 1954 a, 603-606,  
pl., figs. 1-8  
*Batrachocottus baicalensis*: Lake Baikal
- Capillaria bakeri* (Mueller and Van Cleave, 1932) n. comb.  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 256,  
Pl. 5, figs. 40-44  
Syn.: *Hepaticola bakeri* Mueller and Van Cleave, 1932  
*Leucichthys artedi tullibee*  
*Abramis (Notemigonus) crysoleucus*  
*Catostomus (Decapterus) commersonii*  
all from Oneida Lake, U.S.A.
- Capillaria baskakowi* (Schulz)  
Baylis, H. A., 1931 f, 541
- Capillaria baskakowi*  
Freund, L., 1933 b, 248  
*Citellus musicus* (oesophagus)
- Capillaria baskakowi* (Schulz, 1929) Baylis, 1931  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 114-  
115, pl. 14, figs. 95-96  
*Citellus musicus planicola*  
*C. pygmaeus*  
both from Russia
- Capillaria bilobata* n. sp.  
Bhalerao, G. D., 1933 f, 166-169, 172-173, figs. 1-7  
cattle (abomasum): Muktesar, India
- Capillaria bilobata* n. sp.  
Bhalerao, G. D., 1933 g, 390  
cattle (abomasum): India
- Capillaria bilobata* Bhalerao, 1933  
Bhalerao, G. D., 1941 c, 16  
goat: India
- Capillaria bilobata* Bhalerao, 1933  
Bhalerao, G. D., 1942 h, 137  
cattle  
goat  
both from Muktesar
- Capillaria bilobata* Bhalerao, 1933  
Baylis, H. A., 1939 b, xxviii, 241, 245-246, 256, fig.  
148  
*Bos indicus*: Muktesar, United Provinces
- Capillaria bilobata* Bhalerao 1933  
Drózd, J., 1961 a, 66-70, figs. 6-7  
*Bison bonasus* (abomasum): Poland
- Capillaria bilobata* Bhalerao, 1933  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 115,  
pls. 12-13, figs. 97-101  
*Bos taurus*: India
- Capillaria bisonis* sp. nov.  
Koffman, M., 1942 a, 156, 157, 158, 164, 165, 166, 167,  
168, 189, 191, 192, figs. 1-7  
*Bison europeus*: Sweden
- Capillaria blarinæ* n. sp.  
Ogren, R. E., 1953 b, 135-138, pl. 1, figs. 1-13  
*Blarina brevicauda* (esophagus)
- Capillaria blarinæ* Ogren, 1953  
Bernard, J., 1960 c, 3-9  
as syn. of *C. oesophagicolæ* Soltys, 1952
- Capillaria blarinæ* Ogren, 1953  
Bernard, J., 1961 b, 61-66, 67, fig. 1  
as syn. of *C. (Eucoleus) oesophagicolæ* Soltys, 1952
- Capillaria blarinæ* Ogren, 1953  
Bernard, J., 1961 d, 360, 361  
as syn. of *C. oesophagicolæ* Soltys, 1952
- Capillaria blarinæ* Ogren, 1953  
Oswald, V. H., 1958 a, 331  
*Blarina brevicauda*: central Ohio
- Capillaria blarinæ* Ogren, 1953  
Skrjabin, K. I.; et al., 1954 a, 387  
as syn. of *Thominix blarinæ* (Ogren, 1953) Skrjabin et  
Schikhobalova, 1954 [n. comb.]
- Capillaria blomei* Travassos 1914  
Madsen, H., 1945 a, 12, 21, 70  
= *C. longicollis* (Mehlis 1831)
- Capillaria blomei* Travassos  
Yorke, W.; and Maplestone, P. A., 1926 a, 27
- Capillaria böhmi* spec. nov.  
Supperer, R., 1953 a, 50-54, figs. 1-2  
*Vulpes vulpes*  
*V. argentatus*  
both from Nieder-Oesterreich und Nord-Mähren
- Capillaria böhmi* Supperer, 1953  
Skrjabin, K. I.; et al., 1954 a, 387  
as syn. of *Thominix böhmi* (Supperer, 1953) Skrjabin et  
Schikhobalova, 1954 [n. comb.]
- Capillaria böhmi* Supperer, 1953  
Żarnowski, E.; and Patyk, W., 1960 a, 205, 206-207, 208,  
209, 210, 211, 212, 213, 214, pl. II, figs. 5-8, pl. IV,  
figs. 13-16  
as syn. of *Thominix böhmi* (Supperer, 1953) Skrjabin et  
Schikhobalova, 1954
- Capillaria bombinatoris* (Linst.)  
Morishita, K., 1926 a, 20
- Capillaria bombinatoris* (Linst., 1892) Trav., 1915 sp. inq.  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 254,  
pl. 4, figs. 38-39  
synonymy  
*Bombinator igneus* (intestino): Europa
- Capillaria bombinatoris* (v. Linst., 1892) Trav., 1915  
Walton, A. C., 1935 a, 43, 44  
measurements  
= *Trichosoma bombinatoris* v. Linst., 1892  
*Bombina bombina*: Europe
- Capillaria bombinatoris* (Linst.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Bombinator igneus*
- Capillaria bonnevillei*, n. sp.  
Grundmann, A. W.; and Frandsen, J. C., 1960 a, 206-208,  
figs. 1-4  
*Dipodomys ordii marshalli*: Utah
- Capillaria bonnevillei* Grundmann and Frandsen (1960)  
Grundmann, A. W.; Frandsen, J. C.; and Warnock, R. G.,  
1961 a, 75

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Capillaria bovis* (Schnyder, 1906)  
 Altaev, A. Kh., 1959 a, 11  
 sheep: Dagestan ASRR
- Capillaria bovis* (Schnyder, 1906) Ransom, 1911  
 Asadov, S. M., 1958 a, 1032  
 zebu  
 buffalo  
 both from Azerbaijan
- Capillaria bovis* (Schnyder, 1906) Ransom, 1911  
 Asadov, S. M., 1959 c, 92  
*Rupicapra rupicapra caucasica*: Azerbaijan
- Capillaria bovis* Schnyder  
 Baylis, H. A., 1929 i, 263  
 ox
- Capillaria bovis* Schnyder, 1906  
 Bhalerao, G. D., 1933 f, 168, 169  
 ox: Switzerland
- Capillaria bovis* (Schnyder, 1906)  
 Bobkova, A. F., 1959 a, 19  
 cows: White Russian Polesia
- Capillaria bovis* (Schnyder, 1906)  
 Burdzhazadze, P. L., 1943 a, 61  
*Bos taurus*: Georgia [SSR]
- Capillaria bovis*  
 Cabral Goncalves, P., 1961 a, 77-79, pl.  
 sheep: Brasil
- Capillaria bovis* Schnyder, 1906, Ransom, 1911  
 Erhardová, B.; and Kotrlý, A., 1955 a, 46, 47, 65, fig. 6  
*Capreolus capreolus*  
*Cervus elaphus*  
*Ovis musimon*  
*Dama dama*  
 all from Jindřichův Hradec, Mariánské Lázně, Beroun,  
 jižní Morava, Jeseníky
- Capillaria bovis*  
 Euseby, J., 1957 c, 17  
*Bubalus bubalis*  
*Bibos indicus*  
 both from Federation of Malaya
- Capillaria bovis* (Schnyder, 1906) Ransom, 1911  
 Freitas, M. G.; and Costa, H. M. A., 1959 b, 229-233  
 bovinos: Minas Gerais
- Capillaria bovis*  
 Gregoire, C.; et al., 1957 a, 485  
 bovids: Belgique
- Capillaria bovis* (Schnyder, 1906) Ransom, 1911  
 Guoth, S., 1960 a, 367, 368  
*Cervus elaphus* (tenké crevo): Tatranského Národného  
 Parku
- Capillaria bovis*  
 Hall, M. C., 1922 h, 376
- Capillaria bovis*  
 Hall, M. C., [1923 b], 41
- Capillaria bovis*  
 Isshiki, O., 1939 a, 28, 29  
*Bos taurus*
- Capillaria bovis* (Schnyder, 1906)  
 Isshiki, O.; and Ogata, S., 1937 a, 240-249, pl. 18,  
 figs. 1-4  
 calf: Japan (1st report)
- Capillaria bovis* (Schnyder, 1906)  
 Kadematsui, A. N., 1958 b, 108
- Capillaria bovis*  
 Lancaster, W. E., 1957 a, 156  
 buffalo  
 cattle  
 both from Malaya
- Capillaria (C.) bovis* Schnyder  
 Lebedev, M. N., 1929 a, 39-42, figs. 1-6  
 sheep
- Capillaria bovis* Schnyder  
 Lopez Neyra, C. R., 1924 a, 111
- Capillaria bovis* (Schnyder, 1906)  
 Mamedov, A. K., 1959 d, 115, 116  
*bui vol* [*Bos bubalis*]  
 zebu  
 both from Azerbaijan
- Capillaria bovis*  
 Morgan, D. O., 1925 b, 171
- Capillaria bovis*  
 Morgan, D. O.; and Soulsby, E. J. L., 1956 a, 1029  
 cattle: South-west England
- Capillaria bovis* (Schnyder, 1906)  
 Mudaliar, S. V.; and Alwar, V. S., 1947 b, 94  
 cattle: Madras
- Capilaria [sic] bovis*  
 Obitz, K., 1933 b, 162, 164
- Capillaria bovis*  
 Orlov, I. V., 1937 c, 9  
 [sheep]: Dalme Vostok Krai
- Capillaria bovis* Schnyder, 1906  
 Petrov, A. M.; Dzhavadov, M. K.; and Skarbilovich, T. S.,  
 [1935 a], 6, 8-9, 14  
 cattle  
 buffalo  
 both from Azerbaijan
- Capillaria bovis*  
 Petrov, A. M.; Dzhavadov, M. K.; and Skarbilovich, T. S.,  
 1934 a, 246  
 cattle  
 buffalo  
 both from Azerbaijan
- Capillaria (C.) bovis* (Schnyder, 1906)  
 Petrov, A. M.; and Orlov, I. V., 1930 o, 274-277  
 Syn.: *C. longipes* Ransom, 1911  
 Rind
- Capillaria bovis* (Schnyder, 1906) Ransom, 1911  
 Priadko, E. I., 1961 b, 344  
 bovine cattle (small intestine): Kazakhstan
- Capillaria bovis* (Schnyder, 1906)  
 Prokopic, J., 1954 a, 272, 273  
 cattle: Czechoslovakia
- Capillaria bovis* (Schnyder, 1906) Ransom, 1911  
 Read, C. P., 1949 b, 232
- Capillaria bovis* (Schnyder)  
 Roveda, R. J.; and Ringuelet, R., 1947 a, 68  
*Bos taurus*: Argentina
- Capillaria bovis* (*longipes*) Schnyder 1906  
 Rukavina, J.; Delić, S.; and Jovov, K., 1958 a, 61, 62,  
 63, 64, 65, fig. 1  
 cattle (small intestines): Yugoslavia
- Capillaria bovis*  
 Ryšavý, B., 1953 b, 143  
 sheep

- Capillaria bovis* Schnyder, 1906  
 Schanzel, H., 1960 a, 6  
 Rind: Czechoslovakia
- Capillaria bovis* Schnyder, 1906  
 Schanzel, H., 1960 c, 382  
 Rind: Jeseniky
- Capillaria bovis*  
 Shorb, D. A., 1940 a, 224, 225, fig. 1B
- Capillaria bovis* (Schnyder, 1906)  
 Shul'ta, R. E. S.; and Kadenataii, A. N., 1950 a, 153  
 Nemorhaedus goral: Far East
- Capillaria bovis* (Schnyder)  
 Sjöberg-Klaavu, A. H., 1926 b, 524  
 rind
- Capillaria bovis* (Schnyder)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W.,  
 [1922 a], 446
- Capillaria bovis*  
 Sprehn, C. E. W., 1927 e, 57  
*Bos taurus*
- Capillaria bovis* (Schnyder, 1906)  
 Sprehn, C. E. W., 1932 c, 769  
 Syns.: *Trichosoma bovis* Schnyder, 1906; *Capillaria bovis* (Schnyder, 1906) Ransom, 1911  
*Rind (Bos taurus)*: Europa
- Capillaria bovis* (Schnyder, 1906) Ransom  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 107-108, pl. 8, figs. 61-63; pl. 9, figs. 64-69  
*Bos taurus*  
*Ovis aries*  
*Antilocapra americana*  
 all from Europa and U.S.A.
- Capillaria bovis* (Schnyder, 1906) Ransom, 1911  
 Trach, V. N., 1957 d, 39  
*sheep*: Ukrainian Polesie
- Capillaria bovis*  
 Trofimov, V. N., 1940 a, 233, 234  
*Ovis vignei*: Moscow Zoological gardens
- Capillaria bovis* Schnyder, 1906  
 Vaidyanathan, S. N., 1941 a, 94-97, figs. 1-6  
*calf (intestine)*: Madras
- Capillaria bovis*  
 Willemse, A. E. R.; and Doorme, H., 1941 a, 186
- Capillaria bovis* (Schnyder)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*cattle*
- Capillaria bovis*  
 Zavadil, R., 1957 a, 373  
*Camelus bactrianus* (exper.)
- Capillaria brachyauchenia* n. comb. [i.e., n. name]  
 Walton, A. C., 1935 b, 135  
 Syn.: *C. brevicollis* Walton, 1935 not *C. brevicolle* (Rud.) Bittner, 1926
- Capillaria brachyauchenia* Walton, 1935  
 Walton, A. C., 1938 a, 51  
 = *C. brevicollis* Walton, 1935, not *C. brevicolle*, Bittner, 1926
- Capillaria brasiliiana* Teixeira de Freitas, J. F., 1933 a, 1196-1197, figs. 7-8  
*Nycticorax* [sic] *naevius* (intestin grêle): Rio de Janeiro
- Capillaria brasiliiana* Freitas 1933  
 Madsen, H., 1945 a, 71, 89, 97  
*Nycticorax nycticorax*
- Capillaria brasiliiana* Freitas, 1933  
 Skrjabin, K. I.; et al., 1954 a, 387  
 as syn. of *Thominix brasiliiana* (Freitas, 1933) Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria breve* (Linstow, 1877)  
 Sprehn, C. E. W., 1932 c, 769  
 Syms.: *Trichosoma breve* Linstow, 1877; *Capillaria breve* (Linstow, 1877) Travassos, 1915  
*Totanus fuscus*: Europa
- Capillaria brevicollis* [(Rud., 1819) n. comb.]  
 Bittner, H., 1926 a, 730  
 Gans
- Capillaria brevicollis* n. sp.  
 Walton, A. C., 1935 a, 43-44  
*Triturus viridescens*: Woods Hole, Mass.
- Capillaria brevicollis* Walton, 1935  
 Walton, A. C., 1935 b, 135  
 as syn. of *C. brachyauchenia* n. comb. [i.e., n. name]
- Capillaria brevicollis* Walton, 1935, nec *C. brevicolle*, Bittner, 1926  
 Walton, A. C., 1938 a, 51  
 as syn. of *C. brachyauchenia* Walton, 1935
- Capillaria brevicollis* (Eberth 1863)  
 Madsen, H., 1945 a, 71  
 = *C. mergi* nom. nov.
- Capillaria brevicollis* (Rud. 1819)  
 Madsen, H., 1945 a, 71  
 = *C. anatis* (Sohranek 1790)
- Capillaria brevicollis* (Mehlis 1831)  
 Madsen, H., 1945 a, 71  
 = *C. mergi* nom. nov.
- Capillaria brevicollis* Walton, 1935  
 Rankin, J. S., 1937 b, 243, 260  
*Triturus v. viridescens*
- Capillaria brevicollis* Walton, 1935  
 Skrjabin, K. I.; et al., 1954 a, 387  
 as syn. of *Thominix brevicollis* (Walton, 1935) Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria brevicollis* Walton, 1935  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 250, 272  
*Molge viridescens* (intestino): U.S.A.
- Capillaria brevipes*  
 Alderson, L. E., 1951 a, 77  
*Cervus canadensis nelsoni*: Wyoming
- Capillaria brevipes*  
 Augustine, D. L., 1929 a, 448, fig. 219
- Capillaria brevipes* Ransom  
 Baylis, H. A., 1929 i, 262-263, fig. 195  
*sheep*
- Capillaria brevipes* Ransom, 1911  
 Bhalerac, G. D., 1933 f, 168, 169  
*sheep (small intestine)*: United States
- Capillaria brevipes*  
 Dikmans, G., 1930 a, 52  
*cattle*

- Capillaria brevipes**  
Dikmans, G.; and Shorb, D. A., 1942 a, 860
- Capillaria brevipes**  
Euseby, J., 1957 c, 19  
*Capra hircus*: Federation of Malaya
- Capillaria brevipes Ransom, 1911**  
Freeborn, S. B.; and Stewart, M. A. 1937 a, 7, 60
- [**Capillaria**] **brevipes**  
Goldsbury, A. I., 1955 a, 25  
*antelope*: North Dakota
- Capillaria brevipes**  
Goldsbury, A. I.; and Eveleth, D. F., 1954 a, 641  
*Antilocapra americana*: North Dakota
- Capillaria brevipes**  
Hall, M. C., 1922 p, 376, fig. 10
- Capillaria brevipes**  
Hall, M. C., 1923 b, 41, fig. 37
- Capillaria brevipes**  
Hall, M. C., 1933 k, 369  
*sheep*: Maryland
- Capillaria brevipes**  
Kates, K. C.; and Shorb, D. A., 1943 a, 55, 57, 59, fig. 14  
[identification of eggs], *sheep*
- Capillaria brevipes**  
Lancaster, W. E., 1957 a, 156  
*goat*  
*sheep*  
both from Malaya
- Capillaria brevipes Ransom, 1911**  
Mitskevich, V. I., 1957 b, 203  
*reindeer* (small intestine)
- Capillaria brevipes Ransom**  
van Nederveen, H. J., 1921 a, 86-87, fig. 3
- Capillaria brevipes**  
Obitz, K., 1933 b, 162, 164
- Capillaria brevipes (Ransom, 1911)**  
Oytun, H. S., 1937 a, 30, 34
- Capillaria brevipes**  
Petrov, A. M.; and Orlov, I. V., 1930 a, 275, 276
- Capillaria brevipes**  
Shorb, D. A., 1942 a, 332  
*sheep*: Beltsville, Md.
- Capillaria brevipes Ransom**  
Skrjabin, K. I., 1929 b, 10
- Capillaria brevipes Ransom**  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 440, 445
- Capillaria brevipes**  
Sprehn, C. E. W., 1927 e, 57  
*Ovis aries*
- Capillaria brevipes Ransom**  
Sprehn, C. E. W., 1928 g, 198, 201
- Capillaria brevipes Ransom, 1911**  
Sprehn, C. E. W., 1932 c, 769  
*Schaf*: Nordamerika
- Capillaria brevipes Ransom, 1911**  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 108-109, pl. 9, fig. 70; pl. 10, fig. 21  
*Ovis aries* (intest. delgado): U.S.A.
- Capillaria brevipes**  
Van Volkenberg, H. L., 1938 a, 8  
*goat*: Puerto Rico
- Capillaria brevipes Ransom, 1911**  
Van Volkenberg, H. L., 1939 a, 9  
*cattle, goat*: Puerto Rico
- Capillaria brevipes**  
Woodhouse, C. A.; Reid, J. J.; and Schmidt, H., [1941 a], 160  
*cattle*: Texas Gulf Coast area
- Capillaria brevipes Ransom**  
Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*sheep*
- Capillaria brevis (v. Linstow 1877)**  
Madsen, H., 1945 a, 71, 93, 97  
synonymy  
*Tringa erythropus*
- Capillaria brevis (Linst. 1877)**  
Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Totanus fuscus*
- Capillaria brevispicula**  
Bogdanova, E. A., [1959 a], 77  
*Atramus brama* (intestine): Volga river
- Capillaria brevispicula (Linstow)**  
Bykhovskaiia, I. E.; and Bykhovskii, B. E., 1940 a, 156, 157  
*Pelecanus cultratus*
- Capillaria brevispicula**  
Dobrokhotova, O. V., 1960 a, 116  
*Leuciscus idus* (intestine): Lake Zaisan
- Capillaria brevispicula (Linstow) 1873**  
Dogiel, V.; and Bykhovskii, B. E., 1934 a, 305, 313, 314, 343  
*Leuciscus idus oxyanus*: Aral Sea
- Capillaria brevispicula (Linstow 1873)**  
Ergens, R., 1960 b, 86  
*Rutilus rubilio* (intestine): Albania
- Capillaria brevispicula**  
Gvozdev, E. V., 1945 b, 41  
*Diplophisa dorsalis*: Narogno-Asiatic Region
- Capillaria brevispicula**  
Gvozdev, E. V.; Agapova, A. N.; and Martekhov, P. F., 1953 a, 109  
*Nemachilus labiatus*  
*N. dorsalis*  
both from Ili Basin
- Capillaria brevispicula (v. Linst.) 1873**  
Heinze, K., 1933 a, 399, 400, 404, fig. 13  
Syn.: *Trichosoma brevispiculum* v. Linst.  
*Blicca bjoerkna*  
*Lota vulgaris*  
(Darm of both): both from Ratzeburg, Hameln (Deutschland)
- Capillaria brevispicula (Linstow, 1873)**  
Ikhsanov, K. I., 1961 a, 105  
Lake Issyk-Kul
- Capillaria brevispicula**  
Maksimova, A. P., 1962 b, 154  
*Atramus brama* (intestine): Balkhash Lake
- Capillaria brevispicula (Linst.)**  
Markovich, A. P., 1934 b, 64  
*Lota lota* (intestine): Próvinse de Leningrad
- Capillaria brevispicula Linst.**  
Shevchenko, N. N., 1954 b, 79  
*Rutilus rutilus*  
*Leuciscus idus*  
both from northern Donets river

- Capillaria brevispicula* (linstow)  
Shevchenko, N. N., 1956 b, 279, 282, 284  
*Leuciscus idus*  
*Rutilus rutilus*  
both from northern Donets
- Capillaria brevispicula*  
Sidorov, E. G., 1958 a, 40  
*Gobio gobio lepidolemus*: Nura river
- Capillaria brevispicula*  
Sidorov, E. G., 1959 a, 136
- Capillaria brevispicula* (Linst.)  
Skrjabin, K. I., 1923 m, 88  
*Blicca bjoerkna*  
*Lota vulgaris*
- Capillaria brevispicula*  
Smirnova, K. V., 1954 a, 186  
*Pelecus cultratus*: Don river
- Capillaria brevispicula* (Linst., 1873) Trav., 1915  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 257,  
pl. 5, fig. 45  
synonymy  
*Blicca bjoerkna*  
*Lota vulgaris*  
*Leuciscus idus oxyanus*  
(intestino of all): all from Allemania and U.R.S.S.
- Capillaria brevispicula*  
Titova, S. L.; and Skripchenko, E. G., 1960 a, 105  
*Acerina cernua* (intestino): Ob river
- Capillaria brevispicula* Linst.  
Volkova, M. M., 1941 a, 33  
*Rutilus rutilus*  
*Leuciscus idus*  
both from Ob river
- Capillaria brevispicula* (Linst.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Blicca bjoerkna*  
*Lota sp.*
- Capillaria buccalis* n. sp.  
Yamaguti, S., 1943 e, 5-7  
*Bufo vulgaris japonicus*
- Capillaria buccalis*  
Walton, A. C., 1953 a, 648  
*Bufo bufo japonicus*: Japan
- Capillaria* (C.) *bufonis* n. sp.  
Morishita, K., 1926 a, 19-21, 22, 27, pl. 5, figs. 48-53  
*Bufo formosus*
- Capillaria bufonis* Morishita, 1926  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 250-251,  
pl. 3, figs. 23-27  
*Molge pyrrhogaster*  
*Bufo formosus*  
(intestino delgado of both): both from Japão
- Capillaria bufonis* Morishita, 1926  
Walton, A. C., 1935 a, 43, 44  
measurements  
*Bufo formosus*: Japan
- Capillaria bufonis*  
Walton, A. C., [1946 a], 24  
*Bufo bufo formosus*  
B. b. *japonicus*  
both from Japan
- Capillaria bufonis* Morishita, 1926  
Yamaguti, S., 1935 h, 391-392  
*Diemyctylus pyrrhogaster*: Kyoto
- Capillaria bufonis* Morishita, 1926  
Yamaguti, S., 1941 c, 397, 399-400, fig. 4  
*Bufo vulgaris japonicus*: Siga Prefecture, Japan
- Capillaria bursata* n. sp.  
Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
1934 a, 273-275, pls. 54-55, figs. 1-6  
*Gallus gallus domesticus*: Rio de Janeiro, Brasil
- Capillaria bursata* Freitas and Lins de Almeida, 1934  
Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
1935 a, 338-339, 341, 362, pl. 7, figs. 34-35  
*Gallus gallus dom.*: Rio de Janeiro
- Capillaria bursata* Freit. et Alm. 1934  
Bezubik, B., 1958 a, 685, 686, 687  
*Perdix perdix*: Lublin
- Capillaria bursata* Freitas et Almeida, 1934  
Bezubik, B., 1959 a, 182-183  
*Perdix perdix*: Lublin
- Capillaria bursata* Freitas et Almeida, 1934  
Birová-Volosinovičová, V., 1959 a, 23-26, fig. 2  
*Meleagris gallopavo* dom. (Dunndarm): CSR
- Capillaria bursata*, Freitas et Almeida, 1934  
Birová-Volosinovičová, V., 1960 a, 246, 247, 248, 249  
*Gallus gallus domesticus* (tenké čivo, slepé črevá):  
Slovensko
- Capillaria bursata* Freitas et Almeida, 1934  
Birová-Volosinovičová, V., 1960 b, 431-433, fig. 3  
*Meleagris gallopavo*: Slovakia
- Capillaria bursata* Freitas et Almeida, 1934  
Chertkova, A. N., 1950 a, 86-87, fig. 2  
*Gallus g. dom.*: SSR (Tambovskaià i Kostromskaià oblast,  
Vladivostok)
- Capillaria bursata* Freitas and Almeida  
Edgar, S. A., 1953 a, 952  
chicken: Alabama
- Capillaria bursata* Freitas & Almeida, 1934  
Freitas, M. G., 1957 b, 379  
*galinhas* [chickens]: Estado de Minas Gerais
- Capillaria bursata* Freitas et Lins de Almeida, 1934  
Freitas, M. G.; and Hipolito, O., 1949 a, 55, 57, 58  
*Gallus gallus domesticus*: Minas Gerais
- Capillaria bursata* (Freitas et Almeida, 1934)  
Gagarin, V. G., 1956 b, 215, 225  
*Gallus gallus dom.*: SSSR
- Capillaria bursata* Freitas et Almeida, 1934  
Gvozdev, E. V., 1957 a, 161, 162, 163, 165  
*domashchnix kyr* (duodenum): Aksu-Djabagli Kazakhstan
- Capillaria bursata*  
Gvozdev, E. V., 1958 b, 123  
domestic hen: Kazakhstan
- Capillaria bursata* (Freitas and Lins, 1934)  
Lins de Almeida, J., 1934 c, 29  
*Gallus domesticus*: Brasil
- Capillaria bursata* Freitas & Almeida 1934  
Madsen, H., 1945 a, 12, 13, 18, 21, 36, 71, 92, fig. 6 f  
synonymy  
*Gallus gallus domesticus*  
*Phasianus colchicus* formae div.
- Capillaria bursata* Freitas et Almeida, 1934  
Mamaev, Iu. L., 1959 a, 165  
*kamennyi glukhar'* [*Tetrao urogalloides*]: eastern  
Siberia
- Capillaria bursata* Freitas et Almeida, 1934  
Osikowski, E., 1960 a, 268, fig. 2  
hens: Bulgaria
- Capillaria bursata* Freitas and Almeida, 1934  
Pinto, C. F.; and Lins de Almeida, J., 1937 b, 479  
*Gallus domesticus*: Brasil

- Capillaria bursata*  
Pomraskinskaya, N. A., [1954 a], 543  
chickens: Mariinskaya ASSR
- Capillaria bursata* (Freitas et Almeida, 1934)  
Solov'ev, G. V., 1960 a, 146  
hens: Kirgizia
- Capillaria bursata*  
Sultanov, M. A., 1958 a, 65, 71, 92  
chickens  
turkeys  
both from Tashkent oblast
- Capillaria bursata*  
Sultanov, M. A., 1959 a, 334  
hens: Uzbekistan
- Capillaria bursata* Freitas et Almeida, 1934  
Sultanov, M. A., 1959 c, 70  
kuritsa [*Gallus g. domesticus*]  
indeika [*Meleagris gallopavo*]  
both from Uzbekistan
- Capillaria bursata* Teixeira de Freitas and Lins de Almeida, 1934  
Todd, A. C., 1946 a, 232, 233, 234, 235, pl. 2, figs. 13-15  
chicken: East Tennessee
- Capillaria bursata* Teixeira de Freitas and Lins de Almeida,  
Todd, A. C., 1946 b, 425, 427, 432  
chickens
- Capillaria bursata*  
Todd, A. C., 1947 a, 470  
chickens: Tennessee
- Capillaria bursata* Teixeira de Freitas and Lins de Almeida, 1934  
Todd, A. C., 1947 c, 191-193, figs. 1-3
- Capillaria bursata*  
Tolgay, N., 1957 a, 10, 11, 12, 25, 32, 34-35, 37, 38,  
figs. 18-20  
fowl: Ankara
- Capillaria cadovulvata* n. sp.  
Madsen, H., 1945 a, 4, 10, 14, 15, 16, 20, 28, 29, 30,  
31, 34, 36, 71, 92, 97, 104, figs. 9 e-g, 10 a-h  
synonymy  
*Perdix perdix*: Jylland; Fyn  
*Phasianus colchicus*: Jylland; Fyn; Sjaelland; Lolland-  
Falster
- Capillaria cadovulvata* Madsen, 1945  
Bernard, J., 1961 a, 34, 35, 36, 37, figs. 1-2  
*Phasianus colchicus* (intestin): Franc-Waret (Namur)
- Capillaria cadovulvata*  
Clapham, P. A., 1949 a, 69-70, pl., figs. 1-2
- Capillaria cadovulvata*  
Clapham, P. A., 1961 a, 37, 40  
*Perdix perdix*  
*Phasianus colchicus*  
both from Great Britain
- Capillaria cairinae* n. sp.  
Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
1935 b, 139-141, fig. 1  
*Cairina moschata* dom.: Rio de Janeiro, Brasil
- Capillaria cairinae* Freitas and Lins de Almeida, 1935  
Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
1935 a, 340, 341, 362, pls. 8-9, figs. 42-46  
*Cairina moschata* dom.: Brasil
- Capillaria cairinae* Freitas & Almeida 1935  
Madsen, H., 1945 a, 45, 71, 89, 97  
*Cairina moschata* domestica
- Capillaria calliopsis* n. sp.  
Yamaguti, S., 1941 e, 441, 443-444, fig. 3  
*Calliope calliope* calliope: Siriya, Aomori Prefecture
- Capillaria capillare* (v. Linst.) [n. comb.]  
Zakharov, N. P., 1920 b, 9  
*Crocidura aranea*  
*Talpa europaea*
- Capillaria capillaris* (Linstow, 1882)  
Furmaga, S., 1958 a, 695, 696  
*Talpa europaea*: Lublin
- Capillaria capillaris* (Linstow, 1882) Stiles et Stanley,  
1932  
Furmaga, S., 1959 a, 204, 206-211, fig. 1  
*Talpa europaea*: Lublin
- Capillaria capillaris* (Linstow, 1882)  
James, P. M., 1954 a, 186  
*Talpa europaea*: West Wales
- Capillaria capillaris* Linstow, 1882  
Lukasiak, J., 1939 a, 96, 103  
*Talpa europaea*: Poland
- Capillaria capillaris* (Rud. 1809)  
Madsen, H., 1945 a, 72  
= *Capillaria anatis* (Schrank 1790)
- Capillaria capillaris*  
Prokopic, J., 1958 a, 177  
*Sorex araneus*  
*Neomys fodiens*  
both from Czechoslovakia
- Capillaria capillaris* Linstow 1882  
Prokopic, J., 1959 c, 105  
*Sorex araneus*  
*Neomys fodiens*  
*Talpa europaea*  
(urinary bladder of all): all from Czechoslovakia
- Capillaria capillaris* (Linstow, 1882)  
Rukhliadeva, M. N., 1946 a, 225  
*Neomys fodiens*: Khopersk state preserve, SSSR
- Capillaria capillaris* (Linstow, 1882) Stiles et Stanley,  
1932  
Soltys, A., 1954 a, 354, 355, 356, 357, 362-363  
Syn.: *C. urincola* Soltys, 1952  
*Sorex araneus*  
*S. minutus*  
*Crocidura russulus*  
*Neomys fodiens*  
*Talpa europaea*  
all from Bialowieza National Park
- Capillaria capillaris* (Linst., 1882) Stiles and Stanley,  
1932  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 103,  
pl. 7, fig. 55  
*Sorex araneus*  
*Crocidura russulus*  
*Talpa europaea*  
all from Europa
- Capillaria caprimulgii* (Rud. 1819) nom. nud.  
Madsen, H., 1945 a, 72, 94  
synonymy  
*Caprimulgus europaeus*
- Capillaria caprimulgii* (Rud.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Caprimulgus europaeus*
- Capillaria carbonis* (Rudolphi, 1814)  
Abissov, N. A.; Iksanov, K. I.; and Chibichenko, N. T.,  
1960 a, 181  
*Pelecanus rufescens*: lake Balkhash

- Capillaria carbonis* (Rudolphi, 1819)  
 Dubinin, V. B., 1954 a, 212  
*Pelecanus onocrotalus* (intestine)  
*P. crispus*  
 both from Volga delta
- Capillaria carbonis* (Rud., 1819)  
 Dubinina, M. N.; and Serkova, O. P., 1951 a, 86, 93  
*Phalacrocorax pygmaeus*: Tadzhikistan
- Capillaria carbonis* (Rud. 1819)  
 Madsen, H., 1945 a, 72, 89  
 synonymy  
*Phalacrocorax carbo*
- Capillaria carbonis* (Rudolphi)  
 Nikol'skaya, N. P., 1939 a, 62  
*Phalacrocorax carbo*: Astrakhan reserve, Volgadelta
- Capillaria carbonis* (Rud.)  
 Skrjabin, K. I., 1923 m, 86  
*Phalacrocorax carbo*
- Capillaria carbonis* (Rudolphi, 1819)  
 Sprehn, C. E. W., 1932 c, 769, 868  
 Syns.: *Trichosoma carbonis* Rudolphi, 1819; *Capillaria carbonis* (Rudolphi, 1819) Travassos, 1915  
*Phalacrocorax carbo*: Europa; Asien
- Capillaria carbonis* (Rud.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Phalacrocorax carbo*
- Capillaria carcharhini* n. sp.  
 MacCallum, G. A., 1925 a, 1-2, pl. 1, figs. 1-3  
*Carcharhinus commersoni*: Woods Hole
- Capillaria carcharhini* (MacCallum, 1925)  
 Heinze, K., 1933 a, 393, 394-395, 404, fig. 2  
*Carcharhinus lamia* (Flosse, Mund, Nasenregion): Nordamerika
- Capillaria carcharhini* MacCallum, 1925  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 268, pl. 8, figs. 81-82  
 sp. inq.  
*Carcharhinus lamia*: America do Norte
- Capillaria carioca* n. sp.  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 268, pl. 9, figs. 86-90  
*Sphaeroides testudineus* (intestino): Rio de Janeiro, Brasil
- Capillaria carioca* Freitas et Lent, 1935  
 Skrjabin, K. I.; et al., 1954 a, 387  
 as syn. of *Thominx carioca* (Freitas et Lent, 1935)  
 Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria (Thominx) catenata* n. sp.  
 Van Cleave, H. J.; and Mueller, J. F., 1932 a, 65-68, pl. 14, figs. 1-5  
*Eupomotis gibbosus*  
*Ambloplites rupestris*  
*Stizostedion vitreum*  
 all from Oneida Lake
- Capillaria catenata* Van Cleave, and Mueller, 1932  
 Van Cleave, H. J.; and Mueller, J. F., 1934 a, 290  
 key  
*Eupomotis gibbosus*  
*Ambloplites rupestris*  
*Micropterus salmoides*  
*Stizostedion vitreum*  
 all from Oneida Lake
- Capillaria catenata* Van Cleave and Mueller  
 Bangham, R. V., 1939 a, 266  
*Helioperca macrochira*: southern Florida
- Capillaria catenata* Van Cleave and Mueller  
 Bangham, R. V., 1941 a, 294, 304  
*Ictalurus lacustris punctatus*: Florida
- Capillaria catenata* Van Cleave and Mueller, 1932  
 Bangham, R. V., 1944 a, 311, 312, 313, 314, 315, 318, 320, 323  
*Micropterus dolomieu*  
*Huso salmoides*  
*Lepomis gibbosus*  
*Ambloplites rupestris*  
 all from northern Wisconsin
- Capillaria catenata*  
 Bangham, R. V., 1951 a, 213, 216, 217  
*Rhinichthys osculus carringtonii*  
*Gila straria*  
*Richardsonius balteatus hydrophlox*  
 all from Wyoming
- Capillaria catenata*  
 Fantham, H. B.; and Porter, A., 1948 a, 633  
*Catostomus commersoni*: Quebec
- Capillaria catenata* Van Cleave and Mueller, 1932  
 Fischthal, J. H., 1947 a, 190, 193, 200, 205, 209, 210, 211, 214, 219  
*Perca flavescens*  
*Stizostedion v. vitreum*  
*Micropterus d. dolomieu*  
*Lepomis gibbosus*  
*L. m. macrochirus*  
*Ambloplites r. rupestris*  
*Pomoxis nigro-maculatus*  
 all from Wisconsin
- Capillaria catenata*  
 Fischthal, J. H., 1950 d, 103, 109, 111  
*Stizostedion v. vitreum*  
*Lepomis m. macrochirus*  
*Ambloplites r. rupestris*  
 all from Wisconsin
- Capillaria catenata* Van Cleave and Mueller, 1932  
 Fischthal, J. H., 1952 b, 46, 48, 50, 52, 57  
*Lepomis gibbosus*  
*L. m. macrochirus*  
*Ambloplites r. rupestris*  
 all from northwest Wisconsin
- Capillaria catenata*  
 Hunter, G. W. III, 1942 a, 279, 284, 286  
*Ambloplites rupestris*  
*Esox americanus*
- Capillaria (Thominx) catenata* Van Cleave et Mueller, 1932  
 Skrjabin, K. I.; et al., 1954 a, 388  
 as syn. of *Thominx catenata* (Van Cleave et Mueller, 1932) Skrjabin et Schikhobalova, 1954
- Capillaria catenata* Van Cleave and Mueller, 1932  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 257-258, pl. 11, figs. 97-99  
*Eupomotis gibbosus*  
*Ambloplites rupestris*  
*Stizostedion vitreum*  
 all from Oneida Lake, U.S.A.
- Capillaria catostomi* n. sp.  
 Pearse, A. S., 1924 a, 157, fig. 10  
*Catostomus commersoni*: Wis.
- Capillaria catostomi* Pearse  
 Pearse, A. S., 1924 b, 177  
 sucker
- Capillaria catostomi* Pearse, 1924  
 Heinze, K., 1933 a, 394, 397-398, 404, fig. 8  
*Catostomus commersoni* (Darm): Sturgeon Bay, Wis.; Lake Michigan

- Capillaria catostomi* Pearse, 1924  
*Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 266, pl.*  
*8, fig. 76*  
*Catostomus commersoni:* Wisconsin  
*Capillaria catostomi* Pearse  
*Van Cleave, H. J.; and Mueller, J. F., 1932 a, 65, 68*
- Capillaria caudata*  
*Radoš, J., 1956 a, 521*  
*pheasants: CSR*
- Capillaria caudinflata*  
*Allen, R. W.; and Wehr, E. E., 1942 a, 72-73*  
*earthworm, probably *Helodrilus caliginosus*:* Beltsville,  
*Md.*
- Capillaria caudinflata* (Molin)  
*Baylis, H. A., 1929 i, 264*  
*fowl*  
*pheasant*
- Capillaria caudinflata* (Molin, 1858)  
*Belokobylenko, V. T., 1958 a, 112, 113*  
*seasonal and growth dynamics in Alma-Atinsk oblast*
- Capillaria caudinflata*  
*Belokobylenko, V. T., 1960 a, 173*  
*chickens: Alma-Atinsk oblast*
- Capillaria caudinflata* (Molin, 1758)  
*Bezubik, B., 1958 a, 685, 686*  
*Perdix perdix:* Lublin
- Capillaria caudinflata* (Molin, 1858) Travassos, 1915  
*Bezubik, B., 1959 a, 181-182*  
*Perdix perdix:* Lublin
- Capillaria caudinflata* (Molin, 1858) Travassos, 1915  
*Bezubik, B., 1960 b, 38, 43-44, 45*  
*Lyrurus tetrix (intestine): Poland*
- Capillaria caudinflata* (Molin, 1858)  
*Birová-Volosinovičová, V., 1960 a, 246, 247, 248, 249*  
 *Gallus gallus domesticus (temké črevo, slepé čreva):*  
*Slovensku*
- Capillaria caudinflata* (Molin, 1858)  
*Birová-Volosinovičová, V., 1960 b, 433*  
 *Meleagris gallopavo:* Slovakia
- Capillaria caudinflata*  
*Dvořák, R., 1956 a, 120, 124, 125, fig. 3*  
*cause of death during transportation*  
*partridges: Czechoslovakia*
- Capillaria caudinflata* (Molin) Wawilowa  
*Edgar, S. A., 1953 a, 952*  
*chicken: Alabama*
- Capillaria caudinflata* (Molin, 1858)  
*Ergün, H., 1960 a, 38*  
*chickens (digestive tract): Ankara, Turkey*
- Capillaria caudinflata* (Molin, 1858)  
*Gagarin, V. G., 1952 a, 404*  
*hen: SSSR*
- Capillaria caudinflata* (Molin, 1858) Travassos, 1915  
*Gvozdev, E. V., 1957 a, 161, 162, 163, 165*  
*domashchnix kyr (duodenum): Aksu-Djabagli Kazakhstan*
- Capillaria caudinflata*  
*Gvozdev, E. V., 1958 b, 123, 130*  
*domestic hen*  
*teterevinykh ptits [Tetraonidae]*  
*Tetrao urogallus*  
*Tetrastes bonasia*  
*all from Kazakhstan*
- Capillaria caudinflata*  
*Hilbrich, P., 1950 a, 26*
- Capillaria caudinflata*  
*Jansen, J. (jr.), 1958 a, 614, 615, 616, fig. A*  
*Columba livia domestica:* Netherlands
- Capillaria caudinflata*  
*Kasimov, G. B., [1954 a], 303*  
*gallinaceous game birds: forest zone, SSSR*
- Capillaria caudinflata* (Molin, 1858)  
*Kasimov, G. B., 1956 c, 465-470, figs. 379-381*  
*Alectoris graeca*  
*Coturnix coturnix*  
*Lagopus scoticus*  
*Meleagris gallopavo*  
*M. gallopavo sylvestris*  
*Meleagris sp.*  
*Tetrastes bonasia*  
*T. bonasia vicinatus*
- Capillaria caudinflata* (Molin)  
*Kotlán, S.; and Orosz, D., 1931 a, 113-114*  
*Syns.: *Trichosoma longicolle* Rud. (Duj.); *T. gallinum* Kowalewski; *T. meleagris gallopavo* Barile; *Capillaria caudinflata baltica* Otte*
- Capillaria (Thominx) caudinflata* (Molin, 1858)  
*Kurashvili, B. E., 1941 a, 80, 89, 94*  
*Anas boschas dom. (small intestine): Georgia, SSR*
- Capillaria caudinflata*  
*Lamina, J., 1961 a, 45, 46, fig. 2*  
*Hühner: Süd-Hessen*
- Capillaria caudinflata* (Molin, 1858)  
*Lesin'sh, K. P., 1959 a, 109*  
*hens: south-east districts of Estonian SSR*
- Capillaria caudinflatum* Molin  
*Lopez Neyra, C. R., 1924 a, 112*
- Capillaria caudinflatum* (Molin 1858)  
*Madsen, H., 1945 a, 72*  
*= *C. longicollis* (Mehlis 1831)*
- Capillaria caudinflata* (Molin 1858) Wawilowa 1926  
*Madsen, H., 1951 a, 257, 260-261, 264, 265*  
*Syns.: *Gordius* (*Drahtwurm*) des Huhs, Goëze, 1782 (?); *Filaria gallinae* Schrank, 1788 (?); *Capillaria semiteres* Zeder, 1803 p.p. (?); *Hamularia nodulosa* Rudolphi, 1809 p.p. (?); *Trichosoma columbae* Rudolphi, 1819 (?); *T. longicollis* Rud. 1819 of Mehlis 1831; *Calodium tenuum* Dujardin 1845 (?); *C. caudinflatum* Molin 1858; *Trichosoma gallinum* Kowalewski 1894; *T. papillosum* Blome 1909; *T. papilligera* Railliet and Henry 1911; *T. meleagris-gallopavo* Barile, 1812; *Capillaria dujardini* Travassos, 1914 (?), non 1915; *C. meleagris* (Barile, 1912) of Travassos, 1915; *C. blomei* Travassos, 1915; *C. caudinflata* (Molin, 1858) var. *balthica* Otte 1928; *C. bursata* Freitas and Almeida 1934; *C. gallinaceum* (Goëze, 1782) of López-Neyra 1947; *C. columbae* (Rud. 1819) var. *sturni* Cannon, 1939; *C. longicollis* (Mehlis 1831) of Holger Madsen 1945*
- Columba*  
*Otis tetraz*  
*Sturnus vulgaris*  
*Turdus migratorius*  
*numerous gallinaceous (not in USA)*  
*domestic goose*  
*muscovy duck*  
*house sparrow (exper.)*
- Capillaria caudinflata* (Molin, 1859) Wawilowa, 1926  
*Madsen, H., 1952 a, 3, 10, 12, 33-36*  
*Columba palumbus*  
*Phasianus colchicus*  
*Perdix perdix*  
*Lyrurus tetrix*  
*all from Denmark*

- Capillaria caudinflata* (Molin)  
Mawson, P. M., 1956 b, 163-164  
*Turdus m. migratorius*: Montreal Island
- Capillaria caudinflata* (Molin)  
Morehouse, N. F., 1939 a, 35  
Syn.: *C. longicollis* (Rud.)  
*Gallus domesticus* (lower digestive tract): Iowa; Minnesota; Ohio; Illinois; Wisconsin; Pennsylvania; Missouri; Kansas; Indiana; Michigan
- Capillaria caudinflata*  
Morehouse, N. F., 1942 a, 133 leaves  
life cycle  
*Helodrilus* (*Allolobophora*) *caliginosus*
- Capillaria caudinflata* (Molin, 1858)  
Morehouse, N. F., 1944 a, 217, 218-221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, pl. 1, figs. 1-27; pl. 2, figs. 1-5  
Syn.: *C. gallinum* (Kowal., 1894)  
*Lyrurus tetrix*  
*Tetrao urogallus*  
*Perdix coturnix*  
*Gallus domesticus*: Iowa; Minn.; Ohio; Ill.; Wisc.; Penn.; Missouri; Kans.; Ind.; Mich.  
*Perdix perdix*  
*P. cinerea*  
*Helodrilus* (*Allolobophora*) *caliginosus* (exper.)  
*Lagopus lagopus*  
*L. scoticus*  
*Phasianus colchicus*  
*Chrysolophus pictus*  
*Passer domesticus*
- Capillaria caudinflata* Molin, 1858  
Nickel, E. A., 1953 a, 72  
treatment
- Capillaria caudinflata* (Molin, 1858)  
Nickel, E. A., 1953 b, 245-248, figs. 1-3  
biology, pathogenicity
- Capillaria caudinflata* (Molin, 1858)  
Orosz, D., 1932 a, 30, 31, 33-36, 40, 50, 51, 52, 53,  
fig. 1  
Syns.: *Trichosoma longicolle* Rud. (Dujardin, 1845);  
*Calodium caudinflatum* Molin, 1858; *T. gallinum*  
Kowalewski, 1894; *T. caudinflatum* Kowalewski, 1900;  
*Trichosomum meleagris gallopavo* Barile, 1912; *Capillaria caudinflata* v. *baltica* Otte, 1827; *C. meleagris gallopavo* (Barile); *C. gallina* (Kow.).  
chickens  
turkey  
(small intestine; rarely in caecum of both); both from Hungary?
- Capillaria caudinflata* (Molin, 1858) Travassos, 1915  
Osikovski, E., 1960 a, 269, fig. 3  
hens: Bulgaria
- Capillaria* (*Thominx*) *caudinflata*  
Otte, W., 1927 a, 61
- Capillaria caudinflata* (Molin, 1858)  
Owen, R. W., 1951 a, 107, 110  
*Gallus gl. dom.*: Mid Wales
- Capillaria caudinflata* (Molin, 1858)  
Paudere, V. Ia., 1956 a, 252  
chickens: Latvian SSR
- Capillaria caudinflata* (Molin, 1858) Travassos, 1915  
Paudere, V., 1958 a, 336  
intensity of infection, domestic birds: Latvia
- Capillaria caudinflata* (Molin, 1858) Travassos, 1915  
Paudere, V. Ia., 1958 b, 264, 265  
hen  
turkey  
both from Latvian SSR
- Capillaria* (*Thominx*) *caudinflata* (Molin, 1858)  
Petrov, A. M.; Dzhavadov, M. K.; and Prasolova, M. A., [1935 a], 47, 48  
chickens: Azerbaidzhan
- Capillaria* (*Thominx*) *caudinflata*  
Petrov, A. M.; Dzhavadov, M. K.; and Prasolova, M. A., 1936 a, 270  
hens: Azerbaidschan
- Capillaria caudinflata*  
Pomriaskinskaià, N. A., [1954 a], 543  
chickens: Mariiskaià ASSR
- Capillaria caudinflata*  
Pouplard, L., 1958 a, 91-92, 94, 95, 97, pl.  
volaille: Belgique
- Capillaria caudinflata* (Molin, 1858)  
Read, C. P., 1949 c, 240-241  
*Sturnus vulgaris*: Michigan  
chickens: Texas
- Capillaria caudinflata* (Molin, 1858)  
Read, C. P., 1950 b, 91  
*Turdus migratorius*: Champaign, Ill.
- Capillaria caudinflata* Molin 1858  
Ryšavý, B., 1955 b, 114-115, fig. 18  
*Turdus merula*  
*Lanius collurio*  
*Sitta europaea*  
*Emberiza schoeniclus*  
all from Lednické reservace
- Capillaria caudinflata* Molin, 1858  
Ryšavý, B., 1957 a, 321  
*Turdus pilaris*  
*T. merula*  
*T. philomelos*  
*Dryocopus martius*  
*Erythacus rubecula*  
all from Czechoslovakia
- Capillaria caudinflata* Molin, 1858  
Ryšavý, B.; and Prokopic, J., 1958 a, 500  
*Garrulus glandarius*: Topol'čianská
- Capillaria caudinflata* (Molin, 1858)  
Ryshikov, K. M.; Chertkova, A. N.; and Veitsman, L. N., 1952 a, 146, 150  
*Numida meleagris*
- Capillaria caudinflata*  
Ryzhova, A. A.; and Sheretnevskaya, E. N., 1958 a, 257  
chickens: Gorky oblast
- Capillaria caudinflata*  
Schoop, G.; and Lamina, J., 1960 a, 140  
statistics
- Capillaria caudinflata*  
Schwartz, B., 1942 f, 44  
turkey
- Capillaria caudinflata*  
Shumilo, R. P.; and Korolevskaya, S. P., 1961 a, 40
- Capillaria* (*C.*) *caudinflata* Molin  
Skrjabin, K. I., 1920 a, 17
- Capillaria* (*C.*) *caudinflata* Mol.  
Skrjabin, K. I., 1920 b, 51-52  
*Coturnix dactylisonatus*  
*Gallus gallus dom.*
- Capillaria* (*C.*) *caudinflata*, Molin, 1858  
Skrjabin, K. I., 1923 i, 298  
Haushuhn  
*Coturnix dactylisonatus*  
both from Italien; Polen
- Capillaria caudinflata* (Molin, 1858)  
Solov'ev, G. V., 1960 a, 146  
hens: Kirgizia

- Capillaria caudinflata** (Molin)  
Sprehn, C. E. W., 1930 r, 773
- Capillaria caudinflata**  
Sultanov, M. A., 1958 a, 65, 72  
chickens: Tashkent oblast
- Capillaria caudinflata** (Molin, 1858)  
Sultanov, M. A., 1959 c, 70  
kuritsa [Gallus g. domesticus]: Uzbekistan
- Capillaria caudinflata**  
Swierstra, D.; Jansen, J. (jr.); and van den Broek, E.,  
1959 a, 895  
Gallus gallus domesticus  
Columba livia domestica  
both from Netherlands
- Capillaria caudinflata** (Molin, 1858)  
Todd, A. C., 1946 a, 229, 230, 231, 235, pl. 1, figs.  
4-6  
chicken: East Tennessee
- Capillaria caudinflata** (Molin, 1858)  
Todd, A. C., 1946 b, 425, 426, 430, 432  
chickens: Tennessee
- Capillaria caudinflata**  
Todd, A. C., 1947 a, 470  
chickens: Tennessee
- Capillaria caudinflata**  
Tolgav, N., 1957 a, 10, 11, 12, 25, 28, 29-32, 33, 35,  
37, 38, figs. 14-17  
fowl: Ankara
- Capillaria caudinflata** Molin  
Vavilova, N. M., 1926 a, 113, 124-126, 131, figs. 9-11  
Gallus gallus dom.
- Capillaria caudinflata**  
Wehr, E. E., 1952 d, 17  
transmission studies
- Capillaria caudinflata**  
Wehr, E. E.; and Allen, R. W., 1945 a, 12, 13, 14, fig. 1  
life cycle  
Eisenia (Helodrilus) foetida (exper.)  
Allaclobophora (Helodrilus) caliginosa (exper.)  
turkeys (exper.)
- Capillaria** (Thominx) caudinflata var. baltica [? n. var.]  
Otte, W., 1927 a, 61, fig. 1  
huhn
- Capillaria caudinflata** var. baltica Otte, 1927  
Kotlán, S.; and Orosz, D., 1931 a, 113  
as syn. of *C. caudinflata* (Molin, 1858)
- Capillaria caudinflata** var. baltica Otte, 1927  
Orosz, D., 1932 a, 30, 31, 33, 50, 52, 53  
as syn. of *C. caudinflata* (Molin, 1858)
- Capillaria cesarpintoi** n. sp.  
Teixeira de Freitas, J. F.; and Lent, H., 1934 b, 263-265  
Leimadophis poecilopyrus: Manguinhos, Rio de Janeiro,  
Brasil
- Capillaria cesarpintoi** Teixeira de Freitas and Lent, 1934  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 243-  
244  
Leimadophis poecilopyrus (estomago, intestino delgado)  
Liophis miliaris miliaris (intestino delgado)  
both from Brasil
- Capillaria chandleri** n. sp.  
Read, C. P., 1949 b, 233, 235, 237, pl. 1, figs. 1-2  
*Citellus franklini*: Wisconsin
- Capillaria charadrii** (Rudolphi, 1819) Travassos, 1915  
Gram, E. B., 1936 c, 3, 19, 24  
nomen nudum  
Syn.: *Trichosoma charadrii* Rudolphi, 1819  
*Aegialitis minor*  
*Charadrius dubius*  
*C. hiaticula*  
*Himantopus himantopus*  
**Capillaria charadrii** (Rud. 1819)  
Madsen, H., 1945 a, 72, 92, 93  
synonymy  
*Charadrius dubius curonicus*  
*Himantopus himantopus*  
**Capillaria charadrii** (Rud.)  
Skrjabin, K. I., 1923 n, 87  
*Charadrius dubius*
- Capillaria charadrii** (Rudolphi, 1819)  
Sprehn, C. E. W., 1932 c, 769  
Syns.: *Trichosoma charadrii* Rudolphi, 1819; *Capillaria charadrii* (Rudolphi, 1819) Travassos, 1915  
*Himantopus himantopus*: Europa; Amerika
- Capillaria charadrii** (Rud.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Aegialitis* sp.  
*Himantopus* sp.
- Capillaria chelydrae**  
Harwood, P. D., 1932 b, 63  
[for *C. serpentina* n. sp.]
- Capillaria chelydrae** Harwood  
Harwood, P. D., 1933 a, 130  
[for *C. serpentina* Harwood, 1932]
- Capillaria chelydrae** Harwood, 1932  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 248  
as syn. of *C. serpentina* Harwood, 1932
- Capillaria cholidicola** n. sp.  
Sołtys, A., 1952 a, 166, 167, 168, 175, 177-179, 200,  
203-204, 207, fig. 8  
*Sorex araneus*: National Park of Białowieża (Poland)
- Capillaria cholidicola**  
Prokopič, J., 1958 a, 177  
*Sorex araneus*  
*S. minutus*  
both from Czechoslovakia
- Capillaria chrysotidis** (Walter 1866)  
Madsen, H., 1945 a, 73, 93  
synonymy  
*Amazona amazonica*
- Capillaria chrysotidis** (Stossich)  
Travassos, L. P., 1930 a, 10  
*Amazonia amazonica*
- Capillaria chrysotidis** (Walter)  
Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Chrysotis amazonicus*
- Capillaria cincti** n. sp.  
Yamaguti, S., 1941 e, 441, 444-445, fig. 5  
*Cinclus pallasi pallasi*: Maizuru, Japan
- Capillaria collaris** (v. Linstow)  
Baylis, H. A., 1929 i, 264  
fowl
- Capillaria collaris**  
Bhalerao, G. D., 1936 e, 52  
fowl: India
- Capillaria collare**  
Bittner, H., 1926 a, 730
- Capillaria collaris**  
Broadbent, M., 1942 a, 200, 201, 202, 203, 204  
domestic fowl: Queensland

- Capillaria collaris* (Linstow, 1873) Travassos, 1915  
 Carvalho, J. C. M., 1940 a, 423  
*Gallus gallus domesticus*
- Capillaria collaris* (Linstow, 1873)  
 Freitas, M. G., 1957 b, 379  
*galinhas*: Estado de Minas Gerais
- Capillaria collaris*  
 Freitas, M. G.; and Hipólito, O., 1943 a, 208  
*Gallus gallus domesticus*
- Capillaria collaris* (Linstow, 1873) Travassos, 1915  
 Freitas, M. G.; and Hipólito, O., 1949 a, 55, 57, 58  
*Gallus gallus domesticus*: Minas Gerais
- Capillaria collare*  
 Hall, M. C., 1922 s, 538
- Capillaria collare*  
 Hall, M. C., [1923 b], 57
- Capillaria collaris* Linstow, Travassos  
 Koffman, M., 1939 a, 529, 531-533, figs. 17-18  
 Syn.: *Trichosoma collare* Linstow  
*Höns*: Sverige
- Capillaria collaris* (Linst., 1873)  
 Lent, H.; and Teixeira de Freitas, J. F., 1937 a, 307  
*Gallinha domestica*
- Capillaria collaris* (Linstow, 1873)  
 Lent, H.; Teixeira de Freitas, J. F.; and Cavalcanti  
 Froenca, M., 1945 a, 271, 272  
*Gallus g. domesticus*: Paraguai
- Capillaria collare* Linst.  
 Lopez Neyra, C. R., 1924 a, 112
- Capillaria collaris* (von Linstow, 1873)  
 Madsen, H., 1941 a, 31-32, 33, 34  
*Phasianus colchicus*  
*Perdix perdix*  
 both from Denmark
- Capillaria collaris* (v. Linst. 1873)  
 Madsen, H., 1945 a, 4, 10, 11, 15, 20, 21, 29, 31, 32,  
 33, 34, 35, 36, 58, 73, 75, 84, 92, 97, 104, fig. 11 a-f,  
 12 a-c  
*Perdix perdix*: Fyn  
*Phasianus colchicus*: Jylland; Sjaelland  
*Gallus gallus domesticus*
- Capillaria collaris* (v. Linstow, 1873)  
 Morehouse, N. F., 1944 a, 220  
*Gallus domesticus*
- Capillaria collaris*  
 Morgan, D. O., 1932 b, 191, 192, 193
- Capillaria collaris* (Linstow, 1873)  
 Orosz, D., 1932 a, 31, 49, 52, 53  
*chickens*
- Capillaria collaris* (v. Linstow, 1873)  
 Owen, R. W., 1951 a, 107, 110-111  
*Gallus g. dom.*: Mid Wales
- Capillaria collaris*  
 Rietz, J. H., 1929 a, 144  
*chickens*: West Virginia
- Capillaria collaris*  
 Robert, R., 1932 a, 10, 12, 51, 52, 57  
*diagnosis, treatment*  
*Poule*
- Capillaria collaris*  
 Roberts, F. H. S., 1938 a, 111  
*fowls* (confined to caeca): Queensland
- Capillaria collaris*  
 Roberts, F. H. S., 1940 e, 32
- Capillaria collaris* (Linstow, 1873)  
 Seddon, H. R., 1947 c, 16, 18  
 Syn.: *C. retusa*  
*fowl*  
*pigeon*  
 both from Australia
- Capillaria (Thominx) collare* Linst.  
 Skrjabin, K. I., 1920 a, 17
- Capillaria (Thominx) collare* Linstow  
 Skrjabin, K. I., 1920 b, 56-57, 58  
*Gallus gallus dom.*
- Capillaria (Thominx) collare*, Linstow, 1873  
 Skrjabin, K. I., 1923 i, 298, 299  
*Haushuhn*: Deutschland
- Capillaria collare* (Linstow, 1873)  
 Sprehn, C. E. W., 1932 c, 769-770, 891  
 Syns.: *Trichosoma collare* Linstow, 1873; *Capillaria collare* (Linstow, 1873) Travassos, 1915  
*Gallus gallus* (Darm): Europa
- Capillaria collaris* (Linst., 1873) Trav., 1915  
 Teixeira de Freitas, J. F.; and Lent, H., 1937 h, 91  
*Gallus gallus dom.*: Habana, Cuba
- Capillaria collaris* (Linst., 1873) Trav.  
 Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
 1935 a, 332-337, 341, 362, 363, pls. 6-7, figs. 26-33;  
 pl. 8, fig. 36  
*synonymy*  
*Gallus gallus dom.* (intest. delgado, estomago, cecco)  
*Numida meleagris dom.* (cecco)  
*Meleagris gallopavo* (intestino)  
*Lyrurus tetrix*
- Capillaria collaris* (Linst.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 25, 28  
*Gallus dom.*
- Capillaria columbae*  
 Albiston, H. E., 1943 b, 305
- Capillaria columbae*  
 Andrews, J. S.; and Maldonado, J. F., 1939 a, 56  
*pigeon*: Puerto Rico
- Capillaria columbae*  
 Andrews, J. S.; and Maldonado, J. F., [1941 c], 135  
*paloma*: Puerto Rico
- Capillaria columbae* Rud. 1819  
 Andrievskala, N. F., 1955 a, 138  
*hens* (large intestine): Odessa oblast
- Capillaria columbae*  
 Andrievskala, N. F., 1956 a, 21  
*hen*  
*turkey*  
*(small intestine of both)*: both from Odessa oblast
- Capillaria columbae*  
 Andrievskala, N. F., 1957 a, 157  
*geese*  
*turkeys*  
*both from Odessa oblast*
- Capillaria columbae*  
 Apaza Spengler, S. A., 1959 a, 37  
*treatment*

- Capillaria columbae**  
 Arnao de McGregor, M., 1953 a, 67  
*Gallus gallus domesticus* (intestino): Lima
- Capillaria columbae**  
 Arnao Mendoza, M., 1951 a, 79  
*Columba libia domestica* (intestino): [Peru]
- Capillaria columbae**  
 Baker, A. D.; Conklin, R. L.; Maw, W. A.; and Fogerty, C. D., 1929 a, 61
- Capillaria columbae (Rudolphi)**  
 Baylis, H. A., 1929 i, 264, 265  
 pigeon  
 fowl  
 turkey
- Capillaria columbae (Rudolphi, 1819) Travassos, 1915**  
 Baylis, H. A., 1939 b, xxviii, 241-242, 259, fig. 144  
 synonymy  
 domestic pigeon  
 fowl  
 turkey
- Capillaria columbae (Rud., 1819)**  
 Baylis, H. A.; and Daubney, R., 1922 a, 330  
 pigeon
- Capillaria columbae**  
 Belokobylenko, V. T., 1958 a, 112  
 seasonal and growth dynamics: Alma-Atinsk oblast
- Capillaria columbae**  
 Belokobylenko, V. T., 1960 a, 173  
 chickens: Alma-Atinsk oblast
- Capillaria columbae (Rud., 1819) Travassos, 1915**  
 Bhalerao, G. D.; and Rao, N. S. K., 1944 b, 34  
 pigeon  
 fowl  
 both from Nizam's Dominions, Bombay Presidency and the United Provinces
- Capillaria columbae (Rudolphi, 1819)**  
 Birová-Volosinovičová, V., 1960 a, 246, 247, 248, 249  
*Gallus gallus domesticus* (tenké črevo, slepé črevá): Slovensko
- Capillaria columbae**  
 Bittner, H., 1926 a, 730, fig. 325
- Capillaria columbae (Rudolphi, 1819) Travassos, 1915**  
 Borges Farreira, L. D. B., 1955 b, 19-29, figs. 1-8  
*Gallus gallus domesticus*  
*Meleagris gallopavo*  
 both from Portugal
- Capillaria columbae**  
 Broadbent, M., 1942 a, 200, 201, 202, 203, 204  
 domestic fowl: Queensland
- Capillaria columbae Rud., 1819**  
 Burdzhianadze, P. L., 1943 a, 61  
*Columba livia*: Georgia [SSR]
- Capillaria columbae (Rud., 1819) Travassos, 1915**  
 Carvalho, J. C. M., 1940 a, 423  
*Columba livia domestica*
- Capillaria columbae**  
 Cauthem, G. E., 1938 a, 367  
 pigeons, control
- Capillaria columbae**  
 Chitwood, M. B., 1940 a, 236, fig. 163 O-Q
- Capillaria columbae**  
 Christenson, R. O., [1940 h], 41  
*Gallus gallus*  
 mourning doves  
 both from Alabama
- Capillaria columbae**  
 Christenson, R. O., [1941 a], 43  
 Alabama
- Capillaria columbae**  
 Christenson, R. O., [1942 a], 30  
*Gallus gallus*: Alabama
- Capillaria columbae**  
 Clapham, P. A., 1957 a, 195  
*Columba oenas*  
*C. palumbus*  
 both from Hampshire-Dorset county line, England
- Capillaria columbae**  
 Cram, E. B., 1931 e, 274
- Capillaria columbae**  
 Earle, H. H. (jr.); and Christenson, R. O., 1940 a, 33, 34, fig. 3
- Capillaria columbae**  
 Edgar, S. A., 1948 a, 396, 397  
 chickens, sodium fluoride treatment
- Capillaria columbae (Rudolphi)**  
 Edgar, S. A., 1953 a, 952  
 as syn. of *C. obsignata* Holger Madsen, 1945
- Capillaria columbae**  
 El Refaii, A. el H. H., 1960 a, 23, 35-39, 51, 54
- Capillaria columbae (Rudolphi, 1819) ?**  
 Erlich, I.; and Mikadić, D., 1939 a, 572-574, 575, 579  
 poulet: Zagreb
- Capillaria columbia sic**  
 Faulkner, D. E., [1957 a], 38  
 fowl: Nyasaland
- Capillaria columbae**  
 Foggie, A., 1933 a, 60  
 as syn. of *C. dujardini* Travassos, 1914
- Capillaria columbae (Rudolphi, 1819) Travassos, 1915**  
 Freire, J. J., 1948 a, 12, 14, fig. 2  
*Columba livia domestica*: Rio Grande do Sul
- Capillaria columbae (Rudolphi, 1819)**  
 Freitas, M. G., 1957 b, 379, 380  
*galinhas* [chickens]  
*pombos* [pigeon]  
 both from Estado de Minas Gerais
- Capillaria columbae (Rud., 1919) Travassos, 1915**  
 Freitas, M. G.; and Hipólito, O., 1949 a, 55  
*Gallus gallus domesticus*: Minas Gerais
- Capillaria columbae (Rud., 1819)**  
 Gagarin, V. G., 1952 a, 404  
 hen: USSR
- Capillaria columbae (Rud., 1819)**  
 Gagarin, V. G., 1956 b, 215, 225  
*Gallus gallus dom.*: SSSR
- Capillaria columbae (Rud., 1819)**  
 Giovannoni, M.; and Kubik, G. V. L., 1947 a, 231  
*Columba livia domestica*
- Capillaria columbae (Rudolphi, 1819)**  
 Giovannoni, M.; and de Mello Malheiro, D., 1952 a, 596  
*Columba livia domestica*

- Capillaria columbae*  
Glaser, E. S., 1942 d, 8
- Capillaria columbae*  
Glaser, E. G., 1943 j, 16
- Capillaria columbae* (Rud.)  
Graybill, H. W., 1924 a, 205-207  
chicken  
turkey
- Capillaria columbae*  
Guilhon, J., 1951 b, 243, 244, 245  
diethylene diamine
- Capillaria columbae*  
Guilhon, J., 1954 b, 113  
pigeon, treatment: France
- Capillaria columbae*  
Guilhon, J., 1958 a, 230  
treatment
- Capillaria columbae*  
Guilhon, J.; and Graber, M., 1962 b, 181
- Capillaria columbae*  
Guilhon, J.; and Jolivet, G., 1959 a, 415
- Capillaria columbae*  
Gvozdev, E. V., 1958 b, 123  
domestic hen: Kazakhstan
- Capillaria columbae* (Rud., 1819)  
Gvozdev, E. V.; and Agapova, A. I., 1953 a, 135  
chickens: Kazakhstan
- Capillaria columbae* Rud.  
Irwin-Smith, V. A., 1920 a, 557-559, figs. 7-14
- Capillaria columbae*  
Jennings, A. R.; and Soulsby, E. J. L., 1956 a, 272  
*Columba palumbus*: England
- Capillaria columbae*  
Jennings, A. R.; and Soulsby, E. J. L., 1957 a, 219  
*Columba palumbus*: England
- Capillaria columbae* (Rud.)  
Johnston, T. H.; and Mawson, P. A., 1941 a, 250, 251  
*Columba livia*: Adelaide; Melbourne
- Capillaria columbae* (Rudolphi, 1819)  
Kasimov, G. B., 1956 c, 470-473, figs. 382-384  
*Numida meleagris*
- Capillaria columboe* [sic]  
Kaura, R. L., 1938 a, 28  
India
- Capillaria columbae*  
Kerr, K. B., 1954 a, 19
- Capillaria columbae*  
Kerr, K. B., 1954 c, 34-36
- Capillaria columbae*  
Kocjan, L., 1935 a, 66-77  
pigeons: northern Yugoslavia
- Capillaria columbae* Rudolphi, Travassos  
Koffman, M., 1939 a, 529, 533-534, figs. 19-21  
Syns.: *Calodium tenue* Dujardin; *Capillaria dujardini* Travassos; *Eucolleus tenuis* Dujardin; *Trichosoma columbae* Rudolphi; *T. tenuissimum* Dies.  
Höhs: Sverige
- Capillaria columbae* (Rud.)  
Kotlán, S.; and Orosz, D., 1931 a, 114  
Syns.: *Trichosomum tenuissimum* Dies.; *Calodium tenue* Duj.; *Capillaria dujardini* Trav.
- Capillaria columbae* (Rud., 1819)  
Kreis, H. A., 1962 a, 110  
*Columba* spec.
- Capillaria columbae*  
Krijgsman, B. J., 1933 d, 379  
Syn.: *Trichosomum tenuissimum*  
Duif (Darm): Nederlandsch-Indië
- Capillaria* (s. str.) *columbae* (Rud., 1819) Travassos, 1915  
Kurashvili, B. E., 1941 a, 80, 89, 94  
*Gallus* g. dom. (caecum): Georgia, SSR
- Capillaria columbae* (Rud., 1819) Travassos, 1915  
Kurashvili, B. E., 1957 a, 319-321, fig. 170  
*Columba* l. *livia*: Georgian SSR
- Capillaria columbae* (Rudolphi, 1819)  
Kurtpinar, H.; Merdivençi, A.; and Ergin, H., 1954 a, 1589, 1591-1593, figs. 1-2  
*Columba livia domestica*
- Capillaria columbae* (Rud.)  
LeRoux, P. L., 1926 a, 211
- Capillaria columbae*  
Lesbouries, G., 1935 a, 446
- Capillaria columbae* (Rudolphi, 1819) Travassos, 1915  
Lesin'sh, K. P., 1959 a, 109  
hens: south-east districts of Estonian SSR
- Capillaria columbae*  
Levine, P. P., 1936 a, 291
- Capillaria columbae* (Rud.)  
Levine, P. P., 1937 a, 427-428  
viability of ova under various environmental conditions
- Capillaria columbae*  
Levine, P. P., 1937 b, 76-77
- Capillaria columbae* (Rud.)  
Levine, P. P., 1938 b, 131-132  
viability of ova under various environmental conditions
- Capillaria columbae* (Rud.)  
Levine, P. P., 1938 d, 45-52  
chicken
- Capillaria columbae*  
Levine, P. P.; et al., 1954 a, 78  
chickens: N. York
- Capillaria columbae*  
Levine, P. P.; et al., 1955 a, 94  
chickens  
homing pigeon  
both from New York State
- Capillaria columbae*  
Levine, P. P.; et al., 1957 a, 119  
chickens  
pheasant  
guinea fowl  
pea fowl  
duck  
all from New York
- Capillaria columbae*  
Levine, P. P.; Dougherty, E.; Fabricant, J.; and Moore, E. N., 1951 a, 70  
chickens: N. York

- Capillaria columbae*  
Levine, P. P.; Fabricant, J.; Dougherty, E.; and Moore,  
E. N., 1950 a, 73  
chickens  
pigeon  
both from N. York
- Capillaria columbae*  
Levine, P. P.; Gillespie, J. H.; Morre, E. N.; and  
Fabricant, J., 1949 a, 67  
chickens
- Capillaria columbae*  
Levine, P. P.; Peckham, M. C.; Fabricant, J.; and  
Moore, E. N., 1952 a, 76  
chickens: New York
- Capillaria columbae* (Rudolphi, 1819)  
Lins de Almeida, J., 1934 c, 29  
*Gallus domesticus*: Brasil
- Capillaria columbae* Rud.  
Lopez Neyra, C. R., 1924 a, 112
- Capillaria columbae* Rud.  
Lopez-Neyra, C. R., 1947 b, 195, 216, 236
- Capillaria columbae*  
Lüthgen, W., 1961 a, 18
- Capillaria columbae* (Rud., 1819)  
Madsen, H., 1941 a, 31, 33, 34  
*Perdix perdix*: Denmark
- Capillaria columbae* of Graybill, 1924  
Madsen, H., 1945 a, 26  
as syn. of *C. obsignata* nom. nov.
- Capillaria columbae* Rud. 1819  
Madsen, H., 1945 a, 23, 24, 25, 73, 92, 93, 104  
not a syn. of *Capillaria columbae auctorium noviorum*
- Capillaria columbae* (Rud. 1819)  
Madsen, H., 1945 a, 4, 25, 73, 86
- Capillaria columbae* Graybill 1924  
Madsen, H., 1945 a, 25, 26, 73, 104  
= *C. obsignata* nom. nov.
- Capillaria columbae* (Rudolphi, 1819)  
Mayaudon T., H.; and Gil Garcia, C., [1960 a], 47-54,  
figs. 1-7  
domestic birds: Venezuela
- Capillaria columbae* (Rudolphi, 1819)  
Mettrick, D. F., 1959 c, 66-68, 82, 83, fig. 2 a-d  
Syns.: *Calodium tenue* Dujardin, 1845; *Trichosomum tenuissimum* Diesing, 1851; *Capillaria dujardini* Travassos, 1915  
*Columba livia domestica* (intestine): Hertfordshire
- Capillaria columbae*, Graybill, 1924  
Mettrick, D. F., 1959 c, 75, 82, 83, fig. 9 a-d  
as syn. of *C. obsignata* (Madsen, 1945)
- Capillaria columbae* Sprehn, 1932  
Mettrick, D. F., 1959 c, 75, 82, 83, fig. 9 a-d  
as syn. of *C. obsignata* (Madsen, 1945)
- Capillaria columbae*  
Mettrick, D. F., 1960 d, 265  
*Columba livia* dom.: Great Britain
- Capillaria columbae*  
Meyer, W., 1962 a, 306  
treatment
- Capillaria columbae* Rudolphi, 1819  
Miller, M. J., 1937 b, 91, 92, 93, 94, 97-98, 101, figs.  
7-13  
domestic pigeon, pathology: Quebec
- Capillaria columbae*  
Minett, F. C., 1955 a, 49  
poultry: India
- Capillaria columbae*  
Mitchell, G., 1949 a, 77  
chickens
- Capillaria columbae*  
Mitchell, G. B., 1950 a, 87  
chickens
- Capillaria columbae* (Rud., 1819)  
Mönnig, H. O., 1928 a, 808  
Pigeon
- Capillaria columbae* (Rud., 1819)  
Mönnig, H. O., 1933 d, 469  
Kippen: Utrecht
- Capillaria columbae*  
Morehouse, N. F., 1939 a, 35  
*Gallus domesticus* (lower digestive tract): Minnesota;  
Ohio; Illinois; Wisconsin; Pennsylvania; Maryland;  
Rhode Island; Georgia
- Capillaria columbae* (Rudolphi, 1819)  
Morehouse, N. F., 1944 a, 217, 219, 220, 222, 223, 224,  
225, 243, 244, 245, 246
- Capillaria columbae* (Rud., 1819) Travassos, 1915  
Morgan, D. O., 1932 b, 184, 188-190, 191, figs. 6-10  
Syns.: *Trichosoma columbae* Rud., 1819; *Calodium tenuum* Duj., 1845; *Trichosoma tenuissimum* Dies., 1851; *Trichosoma columbae* Neveu-Lemaire, 1912; *Capillaria dujardini* Travassos, 1914  
*Columba livia domestica*  
*C. livia*  
*Zenaidura carolinensis*  
*Gallus domesticus*  
*Meleagris gallopavo*
- Capillaria columbae*  
Morgan, D. O.; and Wilson, J. E., 1938 a, 166, 167  
poultry: Scotland
- Capillaria columbae* Rudolphi, 1819  
Moskvin, S. N., 1958 a, 181  
chicken: Albania
- Capillaria columbae*  
Narotsky, S., 1954 a, 82  
chickens: East Aurora, N. York
- Capillaria columbae*  
Narotsky, S., 1955 a, 97  
chickens: New York
- Capillaria columbae* Rudolphi, 1819  
Nickel, N. A., 1953 a, 73  
treatment
- Capillaria columbae* (Rud.)  
Olson, C.; and Levine, P. P., 1939 a, 3-7  
chickens (exper.), cellular elements and hemoglobin  
in blood
- Capillaria columbae* (Rudolphi, 1819)  
Orosz, D., 1932 a, 31, 45-47, 49, 50-51, 52, 53, fig. 5  
Syns.: *Trichosoma tenuissimum* Rud., 1803; *T. columbae* Rud., 1819; *Calodium tenue* Dujardin; *Capillaria dujardini* Travassos, 1915; *Eucoleus tenuis* Duj., 1845  
pigeon (small intestine): Hungary?

- Capillaria columbae*  
Packer, W. S., 1952 a, 97  
chicken: N. York
- Capillaria columbae*  
Packer, W. S., 1954 a, 95  
chickens: N. York
- Capillaria columbae*  
Packer, W. S., 1955 a, 111  
chickens: New York
- Capillaria columbae* (Rud., 1819)  
Panova, L. G., 1956 a, 141  
chicken: Leningrad oblast
- Capillaria columbe* [sic] (Rud., 1819)  
Paudere, V. Ia., 1956 a, 252  
chickens: Latvian SSR
- Capillaria columbae* (Rudolphi, 1819) Travassos, 1915  
Paudere, V., 1958 a, 336  
domestic birds, intensity of infection: Latvia
- Capillaria columbae* (Rud., 1819) Travassos, 1915  
Paudere, V. Ia., 1958 b, 264, 265  
hen  
turkey  
both from Latvian SSR
- Capillaria columbae* Rudolphi, 1819  
Pavlov, P., 1941 c, 254  
Columba livia: Bulgaria
- Capillaria columbae*  
Pérez Vigueras, I., 1929 b, 167
- Capillaria columbae* (Rud., 1819)  
Pérez Vigueras, I., 1936 a, 56  
Colubris [sic] livia dom.  
Meleagris gallopavo  
both from Habana, Cuba
- Capillaria (?) columbae* Rud., 1819  
Pinto, C. F.; and Lins de Almeida, J., 1935 a, 55, 61,  
62, fig. 3  
Gallus domesticus  
Columba livia domestica  
(intestino delgado of both): both from Brasil
- Capillaria ? columbae* (Rud.)  
Pinto, C. F.; and Lins de Almeida, J., 1937 b, 469, 471,  
479, 480, fig. 3  
Gallus domesticus  
Columba livia domestica  
both from Brésil
- Capillaria columbae*  
Porter, J. E.; and Rhodes, W. H., 1956 a, 23
- Capillaria columbae*  
Pouplard, L., 1958 a, 89, 90, 92-93, 94, 95, 96, pl.  
volaille: Belgique
- Capillaria columbae*  
Pouplard, L.; and Fievez, L., 1955 a, 149  
piperazine
- Capillaria columbae*  
Rayner, J. A., 1932 a, 308  
Columba livia: Macdonald College, P. Q.
- Capillaria columbae* (Rudolphi, 1819)  
Read, C. P., 1949 c, 243  
Syns.: Calodium tenuum Dujardin, 1845; Trichosomum  
(Calodium) tenuissimum Diesing, 1851; Capillaria  
dujardini Travassos, 1914  
pigeon (large intestine)
- Capillaria columbae* Rud., 1819  
Reyes, R. V., 1938 a, 23  
paloma: Cundinamarca, Colombia
- Capillaria columbae*  
Rietz, J. H., 1929 a, 144  
chickens: Ohio; West Virginia
- Capillaria columbae*  
Robert, R., 1932 a, 10, 12, 53, 57  
pigeon, diagnosis, treatment
- Capillaria columbae* (Rud., 1819)  
Roberts, F. H. S., 1932 e, 346, 347  
domestic fowl, domestic pigeon, 1st report from  
Queensland
- Capillaria columbae*  
Roberts, F. H. S., 1938 a, 111  
fowl: Queensland
- Capillaria columbae*  
Roberts, F. H. S., 1940 e, 32  
(not *C. collaris* from fowl, as reported in 1932)  
fowl: Queensland
- Capillaria columbae*  
Roveda, R. J., 1943 a, 292, 293  
Gallus gallus: Argentina
- Capillaria columbae* (Rudolphi)  
Roveda, R.; and Ringuelet, R., 1947 a, 75, 76  
Columba livia domestica  
Gallus gallus domesticus  
both from Argentina
- Capillaria columbae* (Rudolphi, 1819)  
Rybář, B., 1957 a, 322  
Streptopelia decaocto: Czechoslovakia
- Capillaria columbae* (Rudolphi, 1819)  
Ryzhikov, K. M.; Chertkova, A. N.; and Veitsman, L. N.,  
1952 a, 146, 148-150, figs. 2-4  
Numida meleagris
- Capillaria columbae*  
Rykhova, A. A.; and Sheretnevskaya, E. N., 1958 a, 257  
chickens: Gorky oblast
- Capillaria columbae*  
Schwartz, B. I., 1937 d, 62  
life cycle  
pigeons  
chickens
- Capillaria columbae* (Rudolphi, 1819)  
Seddon, H. R., 1947 c, 16, 18  
fowl  
pigeon  
both from Australia
- Capillaria columbae* (Rud.)  
Skrjabin, K. I., 1920 b, 65, 68-70
- Capillaria columbae* (Rud. 1819)  
Skrjabin, K. I., 1923 i, 299  
Haustaube  
Felsentaube  
Zenaidura carolinensis  
all from Europa [and/or] Florida
- Capillaria columbae* (Rudolphi, 1819)  
Solov'ev, G. V., 1960 a, 147  
hens: Kirgizia

- Capillaria columbae* (Rudolphi)  
Sprehn, C. E. W., 1930 J, 256  
*Columba livia*
- Capillaria columbae* (Rud.)  
Sprehn, C. E. W., 1930 r, 773
- Capillaria columbae* (Rudolphi, 1819)  
Sprehn, C. E. W., 1932 c, 770, 871, 891  
Syns.: *Trichosoma columbae* Rudolphi, 1819; *Calodium tenuis* Dujardin, 1845 nec *Eucoleus tenuis* Dujardin, 1845; *Capillaria dujardini* Travassos, 1914; *C. columbae* (Rudolphi, 1819) Travassos, 1915  
*Columba livia*  
*Gallus gallus*  
*Meleagris gallopavo*  
all from Europa [and/or] Asien
- Capillaria columbae* Rudolphi  
Stefflová-Leiaká, M., 1957 a, 342  
chickens: Czechoslovakia
- Capillaria columbae* (Rudolphi, 1819)  
Sturges, G. W., 1929 a, H7  
pigeon: Ceylon
- Capillaria (Capillaria) columbae* (Rudolphi, 1819) Travassos, 1915  
Sugimoto, M., 1939 a, 91-92, 220, 222  
synonymy  
*Columba livia*  
*C. livia domestica*  
*Gallus domesticus*  
*Meleagris gallopavo*  
*Zenaidura macroura carolinensis*  
all from Formosa
- Capillaria columbae* (Rudolphi, 1819)  
Sultanov, M. A., 1959 c, 70  
kuritza [*Gallus g. domesticus*]  
obyknovennaya gorlitza [*Turtur turtur*]  
both from Uzbekistan
- Capillaria columbae*  
Swales, W. E., 1933 a, 476  
*Columba livia*: Quebec
- Capillaria columbae* (Rud., 1819) Trav.  
Teixeira de Freitas, J. F.; and Lent, H., 1937 h, 91  
*Columba livia* dom.: Habana, Cuba
- Capillaria columbae* (Rud., 1819) Trav.  
Teixeira de Freitas, J. F.; and Lins de Almeida, J., 1935 a, 326-330, 341, 345, 361, 362, pls. 4-5, figs. 14-22; pl. 9, fig. 47  
synonymy  
*Columba livia* dom.  
*Gallus gallus* dom.  
*Meleagris gallopavo*
- Capillaria columbae* (Rudolphi, 1819)  
Todd, A. C., 1946 a, 230, 231, 233, 235, pl. 1, figs. 7-8  
chicken: East Tennessee
- Capillaria columbae* (Rudolphi, 1819)  
Todd, A. C., 1946 b, 425, 427, 432  
chickens
- Capillaria columbae*  
Todd, A. C., 1947 a, 470  
chickens: Tennessee
- Capillaria columbae*  
Van Volkenberg, H. L., 1938 a, 8  
poultry: Puerto Rico
- Capillaria columbae* (Rudolphi, 1819)  
Van Volkenberg, H. L., 1939 a, 9  
turkey: Puerto Rico
- Capillaria columbae* (Rud.)  
Velling, G., 1953 a, 549
- Capillaria columbae*  
van Vloten, J. G. C., 1954 a, 348  
pigeons: Utrecht
- Capillaria [sic] columbae*  
van Vloten, J. G. C., 1956 a, 264  
duiven
- Capillaria columbae*  
van Vloten, J. G. C., 1957 a, 604  
duiven
- Capillaria columbae*  
van Vloten, J. G. C., 1958 a, 313  
duiven
- Capillaria columbae*  
van Vloten, J. G. C., 1959 a, 732  
duiven: [Netherlands]
- Capillaria columbae* (Rudolphi, 1819)  
Vražić, O., 1954 a, 290, 291, 292  
*Phasianus colchicus*: P. R. Croatia
- Capillaria columbae* (Rudolphi, 1819)  
Wadowski, S., 1939 a, 132-133, 134  
Syn.: *Trichosomum tenuissimum* Diesing, 1891  
kury [hens]: [Poland]
- Capillaria columbae*  
Wehr, E. E., 1937 d, 573  
development, pigeon
- Capillaria columbae*  
Wehr, E. E., [1939 c], 58  
domestic and wild pigeon  
mourning dove  
chicken  
turkey
- Capillaria columbae*  
Wehr, E. E., 1939 f, 1-19, figs. 1-3  
development  
pigeons  
chickens  
turkeys  
all from U.S.
- Capillaria columbae*  
Wehr, E. E.; and Christensen, J. F., 1942 a, 1011, 1033-1034
- Capillaria columbae*  
Wetzel, R.; and Quittek, G., 1940 a, 362  
prepatent period  
Taube  
Kücken
- Capillaria columbae*  
Willomitzer, J., 1956 a, 296, 298  
Tauben: Brno
- Capillaria columbae* (Rud., 1819) Travassos, 1915  
Yamaguti, S.; and Mitunaga, Y., 1943 b, 300, 305  
*Columba livia domestica*: Formosa
- Capillaria columbae* (Rud.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 25, fig. 4  
*Columba* dom.

- Capillaria columbae* var. *sturni* n. var.  
 Cannon, D. G., 1939 a, 41-42  
*Sturnus vulgaris*: Macdonald College, Quebec
- Capillaria columbae* var. *sturni*  
 Cannon, D. G., in McNaughton; et al., [1939? a], 111  
*starlings*: Canada
- Capillaria combologoides* n. sp.  
 Erlich, I.; and Mikacic, D., 1940 a, 121-125, 126, 127,  
 128, 129, figs. 1-3  
*Meleagris gallopavo*: Yugoslavia
- Capillaria combologoides* Erlich et Mikacic, 1940  
 Chertkova, A. N., 1950 a, 86, 87-88, fig. 3  
*Meleagris gallopavo*: SSSR (Moskovskaja oblast)
- Capillaria combologoides* Erlich et Mikacic, 1940  
 Skrjabin, K. I.; et al., 1954 a, 388  
 as syn. of *Thominx combologoides* (Erlich et Mikacic,  
 1940) Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria concerta*  
 Vasil'kova, Z. G.; and Gouchanskaja, L., 1930 a, 623  
 [for *C. contorta*?]
- Capillaria confusa* n. sp.  
 Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
 1935 b, 124, 139, 145, pl. 3, figs. 22-23; pl. 4, figs.  
 23A-25  
*Aramides cayanaea*: Rio de Janeiro, Brasil
- Capillaria confusa* Freitas & Almeida 1935  
 Madsen, H., 1945 a, 73, 92, 97  
*Aramides cajanea*
- Capillaria confusa* Freitas et Almeida, 1935  
 Skrjabin, K. I.; et al., 1954 a, 388  
 as syn. of *Thominx confusa* (Freitas et Almeida, 1935)  
 Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria contorta* (Creplin)  
 Baylis, H. A., 1928 g, 337  
*Corvus corone*
- Capillaria contorta* (Creplin)  
 Baylis, H. A., 1929 a, 264, 265  
 duck
- Capillaria contorta*  
 Beaudette, F. R., [1932? a], 133  
 quail (crop and esophagus)
- Capillaria contorta* (Creplin, 1829)  
 Belopol'skaja, M. M., 1952 b, 157-158  
*Somateria mollissima* (ceca, rectum): Sem Ostrovov
- Capillaria contorta* Creplin, 1839  
 Bernard, J., 1961 a, 32, 33, 34  
*Corvus frugilegus* (cavité buccale et oesophage):  
 Gembloux
- Capillaria contorta* (Creplin, 1839)  
 Bezubik, B., 1956 c, 76  
*Hydrocoloeus ridibundus*  
*Larus marinus*  
 both from Poland
- Capillaria contorta*  
 Boyd, E. M., 1947 b, 184  
*Sturnus vulgaris*: North America
- Capillaria contorta*  
 Boyd, E. M., 1951 b, 65, 67, 74, 75, 79, 80, 81, fig. 17  
*Sturnus vulgaris*: North America
- Capillaria contorta*  
 Boyd, E. M.; Diminno, R. L.; and Nesslinger, C., 1956 a,  
 336  
*Cyanocitta cristata*: New England
- Capillaria contorta*  
 Bump, G., 1936 a, 336, 340-341  
 black and mallard ducks  
 wood duck
- Capillaria contorta*  
 Bump, G., 1937 a, 309  
 black duck  
 mallard duck  
 blue winged teal  
 wood duck  
 lesser scaup duck
- Capillaria contorta*  
 Bump, G., 1938 a, 269, 271  
 lesser scaup  
 black duck  
 mallard duck  
 blue winged teal
- Capillaria contorta* (Creplin)  
 Canavan, W. P. N., 1931 a, 199  
*Corvus americanus*
- Capillaria contorta* (Creplin, 1839) Travassos, 1915  
 Carvalho, J. C. M., 1940 a, 422  
*Meleagris gallopavo*
- Capillaria contorta* (Creplin, 1839)  
 Cassamagnago, A. (hijo). 1945 a, 237, 244-247, 248  
 figs. 6-8  
*Gallus g. domesticus*: Uruguay
- Capillaria contorta* (Creplin, 1839)  
 Chabaud, A. G., 1952 c, 401, 403, 404, 405, 406  
 = *C. vanelli* Yanaguti, 1935
- Capillaria contorta*  
 Clapham, P. A., 1957 a, 195, 196  
*Anas platyrhynchos*  
*A. acuta*  
*Corvus frugilegus*  
*Pica pica*  
*Garrulus glandarius*  
*Sturnus vulgaris*  
 all from Hampshire-Dorset county line, England
- Capillaria contorta*  
 Clifford, R. L. (jr.), 1958 a, 309
- Capillaria contorta* (Creplin)  
 Cram, E. B., 1931 e, 241, 243, 245, 256-258, 273  
*Colinus virginianus*  
*Anas platyrhyncha* dom.  
*Phasianus colchicus*  
*P. colchicus torquatus*  
*Lophortyx californica*  
*Dafila acuta*
- Capillaria contorta*  
 Cram, E. B., 1932 c, 93  
*Meleagris gallopavo* (oesophagus, dilated and undilated)  
*Colinus virginianus* *virginianus* (crop)  
 both from Beltsville, Md.
- Capillaria contorta* (Creplin, 1839) Travassos, 1915  
 Cram, E. B., 1936 c, 3, 8-19, figs. 2-6  
 synonymy, description, pathology, life history  
*Anas boschas domestica*  
*A. querquedula*  
*Chaulilasmus streperus*

*Capillaria contorta* (Creplin, 1839) Travassos, 1915.—  
Continued.

Cram, E. B., 1936 c, 3, 8-19, figs. 2-6

*Dafila acuta*  
*Nettion crecca*  
*Spatula clypeata*  
*Tadorna tadorna*  
*Charadrius hiaticula*  
*Gelochelidon nilotica*  
*Philomachus pugnax*  
*Sterna hirundo*  
*Thalasseus maximus*  
*Urria grylle*  
*Accipiter nisus*  
*Buteo buteo*  
*Bonasa umbellus*  
*Crossoptilon mantchuricum*  
*Meleagris gallopavo*  
*Perdix perdix*  
*Coloeus monedula*  
*Corvus brachyrhynchos*  
*C. frugilegus*  
*Erythacus rubecula*  
*Oenanthe oenanthe*  
*Phoenicurus phoenicurus*

*Capillaria contorta* (Crepl., 1839)

Dubinina, M. N.; and Serekova, O. P., 1951 a, 87, 93  
*Anas p. platyrhyncha*  
*A. strepera*  
*Netta rufina*  
all from Tadzhikistan

*Capillaria contorta*

Dvořák, R., 1956 a, 121, fig. 4  
partridges, death during transportation: Czechoslovakia

*Capillaria contorta*

Emmel, M. W., 1939 b, 612-614, figs. 1-4  
turkeys

*Capillaria contorta* (Creplin, 1839)

Freitas, M. G., 1957 b, 380  
peru [turkey]: Estado de Minas Gerais

*Capillaria contorta* Crepl.

Galli-Valerio, B., 1940 b, 283, 285  
*Accipiter nisus*: Suisse: Alp de Serix  
*Corvus corone*: Lausanne, Suisse  
*Buteo vulgaris*: Suisse: Sempach, Champéry Valais  
*Astur palumbarius*: Suisse: Orbe Vaud

*Capillaria contorta*

Gates, D. W., 1939 a, 59  
pigeon (small intestine): New York State

*Capillaria contorta* Creplin, 1889

Gil'bert, L. I., 1930 a, 109  
*Vanellus vanellus*  
*Corvus cornix*

*Capillaria contorta* (Creplin, 1839)

Gower, W. C., 1939 a, 607, 617, 620

synonymy  
*Anas platyrhynchos*  
*Accipiter nisus*  
*Nettion crecca*  
*Larus canus*  
*L. ridibundus*  
*Charadrius hiaticula*  
*Recurvirostra avocetta*  
*Vanellus vanellus*  
*Buteo butea*

*Capillaria contorta* (Creplin, 1839).—Continued.  
Gower, W. C., 1939 a, 607, 617, 620

*Philomachus pugnax*  
*Corvus corone*  
*C. cornix*  
*C. frugilegus*  
*Colvenus monedula spermologus*  
*Sturnus vulgaris*  
*Erythacus rubecula*

*Capillaria contorta*  
Great Britain—Ministry of Agriculture and Fisheries,  
1932 i, 36  
duck

*Capillaria contorta*  
Hall, M. C., 1922 s, 538, fig. 15

*Capillaria contorta*  
Hall, M. C., [1923 b], 57, fig. 63

*Capillaria contorta*  
Hall, M. C., 1935 i, 51-52  
turkeys: Virginia  
mountain quail: from Oregon to Maryland  
bobwhite quail (exper.)

*Capillaria contorta*  
Hilbrich, P., 1950 a, 26

*Capillaria contorta*  
Hobmaier, A., 1932 a, 290-296, figs. 68, 70  
quail: California  
*Phasianus colchicus torquatus*: California  
chicken (exper.)

*Capillaria contorta* (Creplin, 1839)  
Ivanitskii, S. V., 1940 a, 136  
*Orilous galbula*: Ukraine

*Capillaria contorta*  
Jennings, A. R.; and Soulsby, E. J. L., 1956 a, 272  
*Larus ridibundus*: England

*Capillaria contorta*  
Jennings, A. R.; and Soulsby, E. J. L., 1957 a, 219  
*Larus canus*: England

*Capillaria contorta*  
Korkhaus, R., 1935 a, 20, figs. 9, 10  
*Corvus cornix*: Kurisch. Nehrung (Rossitten)

*Capillaria contorta* (Creplin)  
Kotlan, S.; and Orosz, D., 1931 a, 114

*Capillaria contorta* (Creplin 1839) Travassos 1915  
Kreis, H. A., 1958 a, 4, 23  
synonymy  
*Larus marinus* (*oesophagus*): Iceland

*Capillaria contorta* (Creplin, 1839)  
Kreis, H. A., 1962 a, 110  
*Petronia petronia*

*Capillaria contorta* Travassos, 1915  
Krotov, A. I., 1952 a, 273  
*Gelochelidon n. nilotica* (small intestine): Amu-Darya

*Capillaria* (Thominx) *contorta* (Creplin) Travassos  
Kurashvili, B. E., 1941 a, 94  
*Anas boschas* dom.

*Corvus* sp.  
(esophagus & subcuticle of muscular stomach of both)

*Capillaria contorta* (Creplin)  
Liubimov, M. P., 1926 a, 14, 17, 18, 19, 20, 21-22, 29,  
30, 31  
*Anas boschas* dom.  
*A. boschas*  
*A. circia*

*Capillaria contorta* (Creplin).—Continued.

Ljubimov, M. P., 1926 a

A. clypeata

A. crecca

A. strepera

Tadorna cornuta

*Capillaria contorta*

Ljubimov, M. P., 1927 a, 127

*Capillaria contorta* Creplin

Lopez Neyra, C. R., 1924 a, 113

*Capillaria contorta*

Lucas, A.; and Laroche, M., 1957 c., 569-575  
treatment

*Capillaria contorta*

Madsen, H., 1941 a, 29, 31, 33  
Phasianus colchicus: Denmark

*Capillaria contorta* (Creplin 1839)

Madsen, H., 1945 a, 3, 6, 37, 38, 39, 40, 41, 42, 43,  
44, 45, 47, 48, 49, 54, 55, 67, 73, 75, 79, 82, 88, 89,  
90, 91, 92, 93, 95, 97, 104, 105, figs. 13 a-c, 14 a-e  
synonymy

Anas crecca: Jylland; Sjaelland

A. querquedula: Sjaelland

A. plathyryhynchos: Jylland; Sjaelland

Nyroca fuligula: Sjaelland

Bucephala clangula: Sjaelland

Phasianus colchicus: Jylland; Sjaelland

Anas plathyryhynchos domesticus

A. strepera

Daptria acuta

Spatula clypeata

Tadorna tadorna

Gelochelidon nilotica

Sterna hirundo

S. macrura

Larus ridibundus

L. argentatus

Vanellus vanellus

Cephus grylle

Accipiter nisus

Buteo buteo

Bonasa umbellus

Colinus virginianus

Crossoptilon mantchuricum

Lophortyx californica

Meleagris gallopavo

Oreortyx picta

Perdix perdix

Coloeus monedula

Corvus corone cornix

Corvus corone corone

C. frugilegus

Erythacus rubecula

Phoenicurus ochruros

Sturnus vulgaris

Anas acuta

Chauliasmus streperus

Falco rusticulus obsoletus

Charadrius hiaticula

Eudromias morinellus

Erolia alpina

Capella gallinago

Philomachus pugnax

Recurvirostra avosetta

Larus canus

Thalasseus maximus

*Capillaria contorta* (?)

Madsen, H., 1945 a, 91

Accipiter nisus

*Capillaria contorta* (?)

Madsen, H., 1945 a, 93

Cephus grylle

*Capillaria contorta* (?) error!

Madsen, H., 1945 a, 93

Plautus alle

*Capillaria contorta* (?)

Madsen, H., 1945 a, 95

Oenanthe oenanthe

*Capillaria contorta* (?)

Madsen, H., 1945 a, 95

Corvus corax

*Capillaria contorta* (?)

Madsen, H., 1945 a, 95

Corvus brachyrhynchos

*Capillaria contorta* (Creplin 1839) Travassos 1915

Madsen, H., 1951 a, 257-260

Syns: Trichosomum contortum Creplin, 1839; T. annulatum Molin, 1858; T. longicolle Rudolphi, 1819 of Stosch, 1890; T. strumosum Reibisch 1893; T. delicatissimum Perroncito and Tomiolo 1900; Capillaria perforans Kotlan and Orosz, 1931; C. lophortygis Baylis 1934; C. vanelli Yamaguti 1935; Eucoleus raiallieti Lopez-Neyra 1947  
fowls and other domestic birds: widely distributed

*Capillaria contorta* (Creplin, 1839) Travassos, 1915

Madsen, H., 1952 a, 3, 10, 12, 30-32

Phasianus colchicus

*Capillaria contorta* Creplin, 1839

Markov, G. S., 1939 b, 188-189, 209

Sturnus vulgaris: Old Peterhof

*Capillaria contorta* Creplin, 1839

Markov, G. S., 1940 a, 743

Sturnus vulgaris: Old Peterhof

*Capillaria contorta* (Creplin, 1839)

Mettnick, D. F., 1959 c, 71-72, 81, 82, 83, fig. 6 a-c  
Syns.: Trichosomum obtusum Mehlis, 1831; T. contortum Creplin, 1839; Capillaria perforans Kotlan and Orosz, 1931; C. vanelli Yamaguti, 1935

Perdix perdix

Phasianus colchicus

Corvus frugilegus

C. corone

C. monedula

(mucosa lining of oesophagus of all): all from  
Hertfordshire

*Capillaria contorta* (Creplin, 1839)?

Mikacic, D.; and Erlich, I., 1940 a, 388, 389

guske(oie): Yougoslavie

*Capillaria contorta* (Creplin 1839)

Mikacic, D.; and Erlich, I., 1941 a, 469, 472, 473, 476  
canard: Zagreb

*Capillaria contorta*

Morehouse, N. F., 1944 a, 220

quail (exper.)

domesticated duck (exper.)

European pheasant

turkey (exper.)

*Capillaria contorta*

Morgan, B. B.; and Hamerstrom, F. N., 1941 a, 195, 197,  
198

Tymanuchus cupido americanus

Pedioecetes phasianellus campestris

both from Wisc.

- Capillaria contorta** (Creplin, 1839)  
 Morgan, B. B., and Waller, E. F., 1941 a, 17, 19, 21  
*Corvus brachyrhynchos brachyrhynchos*: U.S.
- Capillaria contorta** (Creplin, 1838)  
 Olsen, O. W., 1938 d, 25  
*Phasianus colchicus torquatus*: Minnesota
- Capillaria contorta** (Creplin, 1839)  
 Oroz, D., 1932 a, 31, 36-37, 49, 50, 51, 52  
 Syn.: *Trichosomum contortum* Creplin, 1839  
*waterfowl (duck, goose) (oesophagus and crop)*: Hungary?
- Capillaria contorta** Creplin  
 Panova, L. G., 1926 a, 84-85  
*Larus canus*  
*L. ridibundus*  
*L. cachinnans*
- Capillaria contorta** Creplin  
 Panova, L. G., 1926 b, 36, 37  
*Anas boschas dom.*  
*Nettion crecca*  
*Tadorna tadorna*
- Capillaria contorta** (Creplin, 1839)  
 Pemberton, R. T., 1961 a, 456, 458, 459, 461  
*Corvus f. frugilegus*  
*C. monedula spermologus*  
*C. c. corone*  
*Turdus e. ericetorum*  
*(oesophagus of all)*: all from Britain
- Capillaria contorta**  
 Radoš, J., 1956 a, 521  
 pheasants, death in crating: CSR
- Capillaria contorta** (Crepl.)  
 Schuurmans Stekhoven, J. H., 1937 a, 442
- Capillaria contorta**  
 Schwartz, B. I., [1941 e], 89  
 wild turkeys  
 Hungarian partridges  
 both from Pennsylvania
- Capillaria contorta** (Creplin, 1839)  
 Serkova, O. P., 1948 a, 210, 231, 237, 240, 241  
*Anas platyrhyncha*  
*A. strepera*  
*A. acuta*  
*Spatula clypeata*  
*Larus ridibundus*  
 all from Barabin lake
- Capillaria contorta** Crepl.  
 Skrjabin, K. I., 1916 e, 68
- Capillaria contorta** (Creplin)  
 Skrjabin, K. I., 1923 m, 85-86, figs. 126-128  
*Anas boschas*  
*A. boschas dom.*  
*A. crecca*  
*Larus ridibundus*  
*L. canus*  
*Uria grylle*  
*Vanellus cristatus*  
*Charadrius hiaticula*  
*Machetes pugnax*  
*Recurvirostra avocetta*
- Capillaria contorta** (Creplin, 1839)  
 Skrjabin, K. I.; et al., 1954 a, 388  
 as syn. of *Thominx contorta* (Creplin, 1839) Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria contorta** Creplin  
 Solonitsyn, I. A., 1928 a, 88  
*Corvus cornix*  
*Vanellus cristatus*  
*Larus ridibundus*  
*Saxicola oenanthe*
- Capillaria contorta**  
 Speakman, H. B., 1938 a, 20  
 pheasants: near Normandale
- Capillaria contorta** (Creplin)  
 Sprehn, C. E. W., 1930 r, 773
- Capillaria contorta** (Creplin, 1839)  
 Sprehn, C. E. W., 1932 c, 770, 833, 834, 835, 844, 851, 852, 860, 861, 872, 873, 875, 877, 883  
 Syns.: *Trichosoma contortum* Creplin, 1839; *Capillaria contorta* (Creplin, 1839) Travassos, 1915  
*Anas platyrhyncha*  
*Accipiter nisus*  
*Anas crecca*  
*Larus canus*  
*L. ridibundus*  
*Charadrius hiaticula*  
*Recurvirostra avocetta*  
*Philomachus pugnax*  
*Corvus corone*  
*C. cornix*  
*C. frugilegus*  
*Coloeus monedula spermologus*  
*Sturnus vulgaris*  
*Erythacus rubecula*  
*Buteo buteo*  
*Vanellus vanellus*  
 all from Europa [and/or] Asien
- Capillaria contorta** Creplin  
 Stefflová-Leiská, M., 1957 a, 343  
 geese: Czechoslovakia
- Capillaria contorta** (Creplin, 1839) Travassos, 1915  
 Sugimoto, M., 1925 a, 58-59, 93  
 Syn.: *Trichosoma contortus* Creplin, 1839  
*Anas domestica*
- Capillaria (Thominx) contorta** (Creplin, 1839) Travassos, 1915  
 Sugimoto, M., 1939 a, 92-93, 222, 223, 224, 225, 226, 227  
 Syn.: *Trichosoma contortum* Creplin, 1839  
*Accipiter nisus*  
*Aegialitis hiaticola*  
*Alle alle*  
*Anas platyrhyncha domestica*  
*Buteo buteo*  
*Cephus grylle*  
*Anas platyrhyncha platyrhyncha*  
*Charadrius hiaticula tundrae*  
*Coloeus monedula spermologus*  
*Corvus corone corone*  
*Corvus corone cornix*  
*Corvus frugilegus*  
*Erythacus rubecula*  
*Larus canus*  
*L. ridibundus*  
*L. rubecula*  
*Machetes pugnax*  
*Nettion crecca crecca*  
*Nisus communis*  
*Philomachus pugnax*  
*Phoenicurus phoenicurus*  
*Recurvirostra avosetta avosetta*  
*Rubecula familiaris*  
*Sturnus vulgaris vulgaris*  
*Thalasseus maximus maximus*  
*Vanellus cristatus*  
 all from Formosa

- Capillaria contorta*  
Taylor, E. L., 1929 c, 539
- Capillaria contorta* (Duj., 1845)  
Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
1933 a, 169  
Aramides cayanea: Rio de Janeiro
- Capillaria contorta* (Creplin, 1839) Trav.  
Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
1935 a, 330-331, 341, 343, 345, 362, pl. 5, fig. 23  
Anser ferus dom.  
A. boschas dom.  
*Phasianus colchicus torquatus*  
[etc.]  
*Cosmopolita*
- Capillaria contorta* (Creplin, 1839) Travassos, 1915  
Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
1935 b, 124, 125-129, 143, pl. 3, figs. 16-20  
synonymy  
*Accipiter nisus*  
*Buteo vulgaris*  
*B. obsoletus*  
*Trypanocorax frugilegus*  
*Coloeus monedula*  
*Corone cornix*  
*C. corone*  
*Erythacus rubecula*  
*Ruticilla tithys*  
*Sturnus vulgaris*  
*Meleagris gallopavo*  
*Lophortrix californica*  
*Vanellus vanellus*  
*Aegialitis hiaticola*  
*Recurvirostra avocetta*  
*Pavoncella pugnax*  
*Sterna maxima*  
*Larus ridibundus*  
Anser ferus dom.  
*Larus canus*  
*Alle alle*  
*Uria grylle*  
*Nettion crecca*  
*Anas boschas*  
(?) *A. platyrhyncha*  
A. boschas dom.  
*Ortyx texanus*  
*Carone [sic] americana*
- Capillaria contortum*  
Van Roskel, H., 1929 b, 305, 306, 307, figs. 92-95  
California valley quail (lining of crop): California
- Capillaria contorta*  
Vasil'iu, G. D., 1939 a, 91  
*Corvus corone cornix*  
*C. frugilegus frugilegus*
- Capillaria contorta* (Creplin)  
Vasil'kova, Z. G., 1926 a, 113  
*Sterna anglica*  
*S. fluviatilis*
- Capillaria contorta* (Crepl.)  
Vasil'kova, Z. G., 1927 a, 45, 46, 47
- Capillaria contorta* Creplin  
Vavilova, N. M., 1926 a, 113, 114  
*Corvus cornix*  
*C. frugilegus*
- Capillaria contorta*  
Wehr, E. E., 1937 c, 230-233, pl. 1, fig. 2; pl. 2, fig.  
3; pl. 3  
turkeys
- Capillaria contorta*  
Wehr, E. E., [1939 a], 53-54  
bobwhite quail  
domestic duck  
turkey  
pheasant
- Capillaria contorta*  
Wehr, E. E., 1948 c, 80  
cause of death in turkeys
- Capillaria contorta*  
Wehr, E. E., 1950 a, 22, 41, 42  
turkey, control
- Capillaria contorta*  
Wehr, E. E., 1952 d, 17  
*Eisentia foetida*
- Capillaria contorta*  
Wehr, E. E.; and Christensen, J. F., 1942 a, 1028, 1029
- Capillaria contorta*  
Wehr, E. E.; and Coburn, D. R., 1943 a, 14, 15  
Hungarian partridges: near Honey Grove, Pa.  
ringneck pheasant  
ruffed grouse  
bobwhite quail  
domestic turkey  
*Meleagris gallopavo silvestris*: near Williamsport,  
near Honey Grove, Pa.
- Capillaria contorta*  
Wetzel, R.; and Quittak, G., 1940 a, 362  
prepatent period  
Pekingenten  
Puten  
Falken  
Wachtelhühner
- Capillaria contorta*  
Wu, K., 1937 d, 4  
*Anas domestica*: Hangchow area
- Capillaria contorta* (Crepl.)  
Yorke, W.; and Mapleson, P. A., 1926 a, 25, 28  
*Corvus sp.*  
*Sterna sp.*
- Capillaria contorta* (Crepl., 1839) Travassos, 1915  
Zekhnov, M. I., 1947 a, 136, 137, 140, 141, 142  
*Corvus frugilegus*
- Capillaria contorta* (Creplin, 1839), Travassos, 1915  
Zekhnov, M. I., 1949 a, 234, 236-237, 239, 240  
*Corvus frugilegus*: Russia
- Capillaria contorta* (Creplin, 1839) Travassos, 1915  
Zekhnov, M. I., 1953 a, 56  
*Corvus cornix*, growth changes
- Capillaria convoluta* (Fourment) Travassos  
Johnston, T. H.; and Mawson, P. M., 1945 a, 75, 150, 151,  
figs. 50-51  
*Macronectes giganteus*  
*Thalassarche melanophris*  
both from Adelaide, South Australia
- Capillaria convoluta* (Fourment 1885)  
Madsen, H., 1945 a, 73, 89  
synonymy  
*Macronectes giganteus*
- Capillaria convoluta* (Fourment)  
Mawson, P. M., 1953 a, 291, 297  
*Macronectes giganteus*: Heard Island

- Capillaria convoluta* (Fourn.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Ossifraga gigantea*
- Capillaria cooperi* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1945 b, 243, 244,  
245, figs. 7-8  
*Callionymus calauropomus*: St. Vincent Gulf, South  
Australia  
*Cantherines hippocrepis*: Glenelg, South Australia
- Capillaria copyschi* sp. nov.  
Gupta, S. P., 1960 d, 879-881, figs. 1-8  
*Copyschus copyschus saularis* (small intestine): East  
Pakistan
- Capillaria coregoni* n. sp.  
Shul'man-Al'bova, R. E., [1954 a], 781-782, fig. 1  
*Coregonus lavaretus pidschian*: White sea, Karelian  
coast
- Capillaria coregoni* Schulman-Albova, 1950  
Shul'man, S. S.; and Shul'man-Al'bova, R. E., 1953 a,  
69-70, 108, fig. 22  
*Coregonus lavaretus pidschian pidschianoides*: White  
sea
- Capillaria corvicola* (Wassilkowa) [n. comb.]  
Baylis, H. A., 1931 f, 542
- Capillaria corvicola* (Vasil'kova, 1930)  
Gram, E. B., 1936 c, 3, 19-20  
[as *C. corvicula* (Wassilkowa, 1930) Baylis, 1931]
- Capillaria corvicola* (Wassilkowa & Gouchanskaja 1930)  
Madsen, H., 1945 a, 44, 73, 95, 97  
synonymy  
*Corvus corone cornix*  
*Pica pica*  
*Garrulus glandarius*
- Capillaria corvicola* (Wassilkowa, 1930) Baylis, 1931  
Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
1935 b, 137  
synonymy  
*Pica pica*  
*Corone cornix*  
*Garrulus glandarius*  
(esophago of all): all from U.R.S.S.
- Capillaria corvicula* (Wassilkowa, 1930) Baylis, 1931  
Gram, E. B., 1936 c, 3, 19-20  
[for *C. corvicola* (Vasil'kova, 1930)]  
description  
*Coloeus monedula*  
*Corvus cornix*  
*Garrulus glandarius*  
*Pica pica*
- Capillaria corvorum* (Rud. 1819) nom. nud.  
Madsen, H., 1945 a, 74, 95  
synonymy  
*Coloeus monedula*  
*Nucifraga caryocatactes*  
*Pica pica*
- Capillaria corvorum* (Rud., 1819)  
Dubinina, M. N.; and Kulakova, A. P., 1960 a, 354  
Syn.: *C. resectum* Duj., 1845  
*Corvus frugilegus*: Volga delta
- Capillaria corvorum* (Rud., 1819)  
Kurashvili, B. E., 1957 a, 321-322  
*Turdus merula aterrimus*  
*T. ericetorum philomelus*  
*T. v. viscivorus*
- Capillaria corvorum* (Rud., 1819)  
Le Van Hoa, 1960 a, 600-602, fig. 3A-D  
*Corvus corone*: Richelieu (Indre-et-Loire)
- Capillaria corvorum* (Rudolphi, 1819) Travassos, 1915  
Lopez-Neyra, C. R., 1947 a, 217, 235  
Syn.: *Trichosomum resectum* Dujardin, 1845
- Capillaria corvorum* (Rudolphi, 1819) Travassos, 1915  
Luft, K., 1960 a, 354  
Syns.: *Trichosomum corvi monedulae* Bellingham, 1845;  
*T. resecta* (Dujardin, 1845) Travassos, 1915  
*Garrulus glandarius*: Lublin Palatinate  
*Pica pica*
- Capillaria corvorum* (Rud., 1819)  
Panin, V. Ia., 1960 b, 170, 171  
*Corvus corone*  
*Pastor roseus*  
(intestine of both): both from Za'sansk basin
- Capillaria corvorum* Rudolphi 1819  
Ryshavy, B., 1960 b, 205  
*Coloeus monedula* (intestine): Albania
- Capillaria corvorum* (Rudolphi, 1819)  
Sprehn, C. E. W., 1932 c, 770, 834, 835  
Syns.: *Trichosoma corvorum* Rudolphi, 1819; *C. corvorum* (Rudolphi, 1819) Travassos, 1915  
*Coloeus monedula spermologus*  
*Nucifraga caryocatactes*  
*Pica pica*  
all from Europa
- Capillaria corvorum*  
Vasiliu, G. D., 1939 a, 92  
*Pica pica*  
*Nucifraga caryocatactes*
- Capillaria corvorum* (Rud.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Corvus sp.*  
*Pica sp.*  
*Nucifraga sp.*
- Capillaria costacruzi* n. sp.  
Travassos, L. P., 1932 c, 61-64, 3 figs.  
*Rana sp.* (intestino): Portugal
- Capillaria costacruzi* Travassos, 1932  
Skrjabin, K. I.; et al., 1954 a, 389  
as syn. of *Thominix costacruzi* (Travassos, 1932) Skrjabin  
et Schikhobalova, 1954 [n. comb.]
- Capillaria costacruzi* Trav., 1932  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 251-  
252, pl. 3, figs. 28-31  
*Rana sp.* (intestino): Espinho, Portugal
- Capillaria costacruzi* Trav., 1932  
Walton, A. C., 1938 a, 51  
*Rana* (sp.?): Portugal, Europe
- Capillaria costacruzi*  
Walton, A. C., 1949 a, 40  
*Rana spp.?*: Europe
- Capillaria crassicauda*  
Chervakov, V. F., 1925 a, 74
- Capillaria crassicauda* (Bellingham)  
Isaichikov, I. M., 1925 c, 111, 112, 124  
*Rattus norvegicus*
- Capillaria crassicauda* Bellingham  
Kalantar'ian, E. V., 1924 b, 24  
*Mus decumanus*
- Capillaria crassicauda* (Bellingham)  
Zakharov, N. P., 1920 b, 9  
*Mus decumanus*
- Capillaria crotali* (Rud., 1819) Trav., 1915 sp. inq.  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 249  
*Crotalus terrificus terrificus* (intestino): Brasil

- Capillaria crotali* (Rud.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Crotalus terrificus*
- Capillaria crypturi* (Rud. 1819)  
Madsen, H., 1945 a, 74, 89  
synonymy  
*Tinamus tao*
- Capillaria crypturi* (Rud., 1819)  
Teixeira de Freitas, J. F., 1934 a, 260  
synonymy  
*Tinamus tao: Brasil*
- Capillaria crypturi* (Rud.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Tinamus tao*
- Capillaria cubana* n. sp.  
Teixeira de Freitas, J. F.; and Lent, H., 1937 h, 94-95,  
96-97, pls. 5-24, figs. 18-24  
*Artibeus jamaicensis parvipes: Habana, Cuba*
- Capillaria curilica* sp. n.  
Zhukov, E. V., 1959 a, 200  
southern Kurils
- Capillaria curilica*  
Zhukov, E. V., [1961 a], 80-81, fig. 62  
*Salvelinus leucomaenis: Lake Shikotan*
- Capillaria curvicauda* (Duj. 1845)  
Madsen, H., 1945 a, 74, 94, 97  
synonymy  
*Hirundo rustica*  
*Apus apus*
- Capillaria curvicauda* (Dujardin, 1845)  
Sprehn, C. E. W., 1932 c, 770, 845, 846  
Syns.: *Trichosoma curvicauda* Dujardin, 1845; *C. curvicauda* (Dujardin, 1845) Travassos, 1915  
*Hirundo rustica*  
*Apus apus*  
both from Europa
- Capillaria curvicauda* (Duj.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Hirundo sp.*  
*Micropus sp.*
- Capillaria cutanea* (Swift, Boots, and Miller, 1922) [n. comb.]  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 126,  
pl. 16, figs. 125-127  
Syn.: *Trichosoma cutaneum* Swift, Boots, and Miller,  
1922  
*Macacus rhesus: U.S.A.*
- Capillaria cylindrica* (Eberth, 1863) Travassos, 1915  
Cram, E. B., 1936 c, 3, 20, fig. 7  
description  
*Buteo buteo*
- Capillaria cylindrica* (Eberth 1863)  
Madsen, H., 1945 a, 43, 74, 75, 91, 98  
synonymy  
*Buteo buteo*
- Capillaria cylindrica* (Eberth, 1863)  
Sprehn, C. E. W., 1932 c, 771, 851  
Syns.: *Trichosoma cylindricum* Eberth, 1863;  
*Capillaria cylindrica* (Eberth, 1863) Travassos, 1915  
*Buteo buteo: Europa*
- Capillaria cylindrica* (Eberth, 1863) Travassos, 1915  
Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
1935 b, 134, pl. 5, fig. 34  
synonymy  
*Buteo vulgaris (esophago)*
- Capillaria cylindrica* (Eberth)  
Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Buteo vulgaris*
- Capillaria delicatissimum* (Perroncito & Tomiclo 1899)  
Madsen, H., 1945 a, 75  
Syn.: *C. annulata* (Molin 1858)
- Capillaria diesingii* (Kolenati, 1856)  
Teixeira de Freitas, J. F., 1934 b, 240  
synonymy  
*Myotis murinus*
- Capillaria diesingi* (Kolenati, 1856) Stiles and Nolan.  
1931  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 123  
*Myotis murinus: Velho Mundo*
- Capillaria dispar* Dujardin, 1845  
Brill, H., 1932 a, 293-294  
[*Falco peregrinus*]
- Capillaria dispar* (Dujardin, 1845) Travassos, 1915  
Cram, E. B., 1936 c, 3, 20-21, figs. 8-9  
synonymy, description  
*Buteo buteo*
- Capillaria dispar* (Duj. 1845)  
Madsen, H., 1945 a, 43, 67, 75, 91, 98  
*Buteo buteo; Falco subbuteo; (?) Falco peregrinus*
- Capillaria dispar* (?)  
Madsen, H., 1945 a, 91  
*Falco peregrinus*
- Capillaria dispar* Duj.  
Solonitsyn, I. A., 1928 a, 89  
*Falco tinunculus*
- Capillaria dispar* (Dujardin, 1845)  
Sprehn, C. E. W., 1932 c, 771, 849, 851  
Syns.: *Trichosoma dispar* Dujardin, 1845; *Capillaria dispar* (Dujardin, 1845) Travassos, 1915  
*Buteo buteo; Falco subbuteo: both from Europa*
- Capillaria dispar* (Dujardin, 1845) Travassos, 1915  
Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
1935 b, 126, 129-130, pl. 3, fig. 21  
synonymy  
*Buteo vulgaris (esophago); Falco subbuteo*
- Capillaria dispar* (Duj.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 25, 28  
*Buteo sp.; Falco sp.*
- Capillaria dromondi* Travassos 1915  
Madsen, H., 1945 a, 46, 49, 67, 75, 89, 98  
*Cygnus melanocoriphus*
- Capillaria dromondi* Travassos  
Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Cygnus sp.*
- Capillaria (Thominx) dubia* n. sp.  
Travassos, L. P., 1917 e, 149 [*4 of reprint*]  
*Atilla cinerea: Brazil*
- Capillaria dubia* (Kowalewsky)  
Baylis, H. A., 1929 i, 264  
fowl
- Capillaria dubia*  
Bittner, H., 1926 a, 730
- Capillaria dubia*  
Foster, A. C., 1939 b, 102  
fowl: Panama
- Capillaria dubia* (Kowalewski 1894)  
Madsen, H., 1945 a, 75  
Syn.: *C. collaris* (v. Linstow 1873)
- Capillaria dubia* Travassos 1917  
Madsen, H., 1945 a, 76, 94  
*Lathria cinerea*
- Capillaria dubia*  
Mallari, A. I., 1937 a, 310  
fowl
- Capillaria dubia* (Kowalewski, 1895) Travassos, 1915  
Orosz, D., 1932 a, 31, 40, 52, 53  
as syn. of *C. retusa* (Railliet, 1893)

- Capillaria dubia n. sp.  
Ricci, M., 1949 a, 192, 193, 195, figs. 3, 4  
*Myotis daubentonii*: Roma (Frascati), Italia
- Capillaria (Thominx) dubia Kowal.  
Skrjabin, K. I., 1920 a, 17
- Capillaria (Thominx) dubia Kow.  
Skrjabin, K. I., 1920 b, 53, 57-58
- Capillaria (Thominx) dubia, Kowalewsky, 1895  
Skrjabin, K. I., 1923 i, 298, 299  
Haushuhn: Galizien
- Capillaria dubia Travassos, 1917  
Teixeira de Freitas, J. F.; and Lins de Almeida, J., 1935 b, 135-136, 156, pl. 1, fig. 7; pl. 2, figs. 6, 8-9  
*Attila cinereus (esophago)*: Brasil
- Capillaria dubia Travassos  
Yorke, W.; and Maplestone, P. A., 1926 a, 25, 28  
*Attila cinerea*
- Capillaria dujardini n. n.  
Travassos, L. P., 1914 c, 429  
Syn.: *Calodium tenue* Duj., 1845, not *Trichosomum tenue* Duj., 1845
- Capillaria dujardini  
Bittner, H., 1926 a, 730
- Capillaria dujardini Travassos, 1914  
Foggie, A., 1933 a, 60, 61, 63  
Syn.: *C. columbae*  
pigeon  
fowl (duodenum, small intestine, occasionally rectum)  
both from Edinburgh
- Capillaria dujardini  
Hall, M. C., 1922 ff, 538
- Capillaria dujardini  
Hall, M. C., [1923 b], 57
- Capillaria dujardini Travassos (?)  
Kotlán, S.; and Orosz, D., 1931 a, 114  
as syn. of *Capillaria columbae* (Rud., 1819)
- Capillaria dujardini Travassos 1915  
Madsen, H., 1945 a, 4, 10, 11, 20, 22, 23, 24, 25, 26, 37, 73, 75, 86, 92, 93, 98, 104, 105, fig. 7 a-f  
synonymy  
*Perdix perdix*: Jylland; Fyn; Sjaelland  
*Phasianus colchicus*: Sjaelland  
*Columba livia*  
*C. livia domestica*  
*Gallus gallus domesticus*  
*Sturnus vulgaris*
- Capillaria dujardini Travassos, 1915  
Mettrick, D. F., 1959 c, 66, 83  
as syn. of *Capillaria columbae* (Rudolph, 1819)
- Capillaria dujardini Travassos, 1914  
Morgan, D. C., 1932 b, 188  
as syn. of *C. columbae*
- Capillaria dujardini Travassos, 1914  
Orosz, D., 1932 a, 31, 45, 50, 52, 53  
as syn. of *C. columbae* (Rud., 1819)
- Capillaria dujardini Travassos, 1914  
Owen, R. W., 1951 a, 107, 111  
*Gallus g. dom.*: Mid Wales
- Capillaria dujardini (Travassos, 1915)  
Pemberton, R. T., 1961 a, 461  
*Columbia livia domestica* (duodenum): Britain
- Capillaria (C.) dujardini Travassos  
Skrjabin, K. I., 1920 b, 65, 70
- Capillaria (C.) dujardini Travassos 1914  
Skrjabin, K. I., 1923 i, 299  
Hausstaube  
Felsentaube  
*Zonaidura carolinensis*  
all from Brasilien
- Capillaria dujardini Travassos, 1914  
Sprehn, C. E. W., 1932 c, 770  
as syn. of *C. columbae* (Rudolph, 1819)
- Capillaria dujardini Travassos  
Yorke, W.; and Maplestone, P. A., 1926 a, 25  
as syn. of *C. columbae* (Rud.)
- Capillaria dujardini var. sturni  
Madsen, H., 1945 a, 95  
*Sturnus vulgaris*
- Capillaria eberthi n. sp.  
Teixeira de Freitas, J. F.; and Lent, H., 1935 b, 351-352  
*Metachirops opossum*: Petropolis, Estado do Rio de Janeiro, Brasil
- Capillaria eberthi Freitas and Lent, 1935  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 119-120, pls. 14-16, figs. 114-119  
*Metachirops opossum*: Brasil
- Capillaria eberthi Freitas et Lent, 1935  
Skrjabin, K. I.; et al., 1954 a, 389  
as syn. of *Thominx eberthi* (Freitas et Lent, 1935)  
Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria ellisi n. sp.  
Johnston, T. H.; and Mawson, P. M., 1945 b, 243, 246, 247, figs. 9-10  
*Chenopsis atrata*: Tailem Bend
- Capillaria emberizae n. sp.  
Yamaguti, S., 1941 e, 441, 442-443, fig. 2  
*Emberiza variabilis*: Siriya, Aomori Prefecture  
*Anthus trivialis hodgsoni*: " " "  
*Sturnia violacea*: " " "  
*Emberiza sulphurata*: " " "
- Capillaria emberizae Yamaguti  
Johnston, T. H.; and Mawson, P. M., 1944 a, 60, 63, 66, pl., fig. 11  
*Emberiza citrinella*: Dunedin, New Zealand
- Capillaria entomelas  
Cameron, T. W. M.; and Parnell, I. W., 1933 a, 143
- Capillaria entomelas (Duj.)  
Freund, L., 1930 c, 107
- Capillaria entomelas Duj.  
Galli-Valerio, B., 1940 b, 355  
*Mustela martes*: Lignerolles Vd.
- Capillaria entomelas  
Miessner, H.; and Sprehn, C. E. W., 1932 a, 110  
control  
Nerz
- Capillaria entomelas  
Sprehn, C. E. W., 1927 e, 57  
*Mustela foina*
- Capillaria entomelas (Duj.)  
Sprehn, C. E. W., 1928 i, 765
- Capillaria entomelas (Dujardin, 1845)  
Sprehn, C. E. W., 1932 c, 771, 823, 824, fig. 362  
Syns.: *Trichosoma entomelas* Dujardin, 1845; *Calodium alatum* Molin, 1858; *Capillaria entomelas* (Dujardin, 1845) Travassos, 1915  
*Putorius putorius* (Darm)  
*Lutreola vison* (Nerz)  
*Martes foina*  
all from Europa [and/or] Amerika
- Capillaria entomelas  
Sprehn, C. E. W. in Hanson, K. B., 1933 b, 438, fig. 17  
treatment  
Nerz (Darm): Deutschland

## NEMATODA AND NEMATODE DISEASES

## Capillaria entomelias

Sprehn, C. E. W., 1950 a, 110  
Nerz

## Capillaria entomelias (Dujardin, 1845)

Sprehn, C. E. W., 1954 c, 92  
Nerz

## Capillaria entomelias

Swierstra, D.; Jansen, J. (jr.); and van den Broek, E.,  
1959 b, 1302  
Procyon lotor: Netherlands

## Capillaria entomelias (Duj.)

Yorke, W.; and Maplestone, P. A., 1926 a, 25  
Mustela foina

## Capillaria ? erinacei (Rudolphi, 1819)

Baylis, H. A., 1939 a, 491  
Erinaceus europaeus: Shropshire; Westmorland, Brit.  
Is.

## Capillaria erinacei

Bernard, J., 1961 e, 780  
Erinaceus europaeus: Belgique

## Capillaria erinacei (Rud.)

Dinnik, Iu. A.; and Dinnik, N. N., 1949 a, 365, 367,  
fig. 3

## Capillaria erinacei Rud.

Galli-Valerio, B., 1940 b, 353  
Erinaceus europaeus: Lausanne; Yvonne, Vd.

## ? Capillaria erinacei (Rud., 1819) pro parte

Le Van Hoa, 1960 a, 594-597, figs. 1, 3E  
as syn. of C. exigua Dujardin, 1845

## Capillaria erinacei (Rud.)

Lewis, E. A., 1927 d, 130  
hedgehog

## Capillaria erinacei (Rudolphi 1819) Travassos 1915

Prokopič, J., 1957 c, 98, 106, 109, 111, fig. 8 a-c  
Syns.: Trichoms [sic] erinacei Rudolphi 1819; Trichosomum exiguum Dujardin 1845; Capillaria erinacei-europaei Diesing 1851; C. exigua (Dujardin 1845)  
Travassos 1915; Aonchoteca [sic] erinacei (Rudolphi 1819)  
Lopez Neyra 1946  
Erinaceus europaeus  
E. roumanicus  
Sorex araneus  
(Žaludek, jícen, tenké střevo of all): all from CSR

## Capillaria erinacei (Rudolphi 1819)

Prokopič, J., 1959 c, 106  
Erinaceus europaeus  
E. roumanicus  
(small intestine of both): both from Czechoslovakia

## Capillaria erinacei

Reinisch, M., 1940 a, 282  
Erinaceus europaeus: Budapest (Zool. Garden)

## Capillaria erinacei

Rukhlitadev, D. P., 1941 d, 83  
Meles meles tauricus: Crimean game reserve

## Capillaria erinacei

Sprehn, C. E. W., 1927 e, 57  
Erinaceus europaeus

## Capillaria erinacei (Rudolphi, 1819)

Sprehn, C. E. W., 1932 c, 771, 804  
Syns.: Trichosoma erinacei Rudolphi, 1819; Capillaria erinacei (Rudolphi, 1819) Travassos, 1915  
Erinaceus europaeus: Europa

## Capillaria erinacei

Swierstra, D.; Jansen, J. (jr.); and van den Broek, E.,  
1959 a, 897  
Erinaceus europaeus: Netherlands

## Capillaria erinacei (Rud., 1819) Trav., 1915

Tixeira de Freitas, J. F.; and Lent, H., 1936 c, 86-87,  
pl. 1, figs. 1-4  
Syn.: Trichosomum exiguum Duj., 1845  
Erinaceus europaeus  
Erinaceus sp.  
both from Europa

## Capillaria erinacei (Rud.)

Yorke, W.; and Maplestone, P. A., 1926 a, 25  
Erinaceus europaeus

## Capillaria erinacei europaei Diesing 1851

Prokopič, J., 1957 c, 98, 106, 109, 111, fig. 8 a-c  
as syn. of C. erinacei (Rudolphi 1819) Travassos 1915

## Capillaria eupomotis n. sp.

Ghittino, P., 1961 a, 193-204, figs. 1-12  
Salmo gairdneri  
S. trutta  
Eupomotis gibbosus  
Phoxinus phoxinus  
Leuciscus souffia muticellus  
L. cephalus cabeda  
(liver of all): all from Italy

## Capillaria euryali n. sp.

Ricci, M., 1949 a, 188-189, 194, 195, fig. 1  
Rhinolophus euryale: Roma (Monte Sacro), Italia

## Capillaria exigua (Dujardin, 1845)

Baylis, H. A., 1939 a, 491  
Erinaceus europaeus: Westmorland, Brit. Is.

## Capillaria exigua Dujardin, 1845

Bernard, J., 1960 a, 220, 221-224, fig. 2  
Crocidura russula: Gembloux

## Capillaria exigua

Bernard, J., 1961 e, 781  
Crocidura russula  
C. leucodon  
both from Belgique

## Capillaria exigua

Cameron, T. W. M.; and Parnell, I. W., 1933 a, 149, 153  
Erinaceus europaeus: Scotland

## Capillaria exigua Duj.

Galli-Valerio, B., 1940 b, 353  
Erinaceus europaeus: Champ de l'air s. Lausanne

## Capillaria exigua (Duj., 1845)

Joyeux, C.; and Baer, J. G., 1937 b, 32-34, 35, figs. 3-4  
Syn.: Trichosoma exiguum Duj., 1845  
Crocidura russula (musaraigne)

## Capillaria exigua Dujardin, 1845

Le Van Hoa, 1960 a, 594-597, figs. 1, 3E  
Syns.: ? C. erinacei (Rud., 1819) pro parte; C. erinacei sensu Freitas et Lent (nec Joyeux et Baer)  
Erinaceus europaeus (estomac): Richelieu (Indre-et-Loire)

## Capillaria exigua (Dujardin 1845) Travassos 1915

Prokopič, J., 1957 c, 98, 106, 109, 111, fig. 8 a-c  
as syn. of C. erinacei (Rudolphi 1819) Travassos 1915

## Capillaria exigua

Reinisch, M., 1940 a, 282  
Erinaceus europaeus: Budapest (Zool. Garden)

- Capillaria exigua**  
 Sprehn, C. E. W., 1927 e, 57  
*Erinaceus*
- Capillaria exigua** (Dujardin, 1845)  
 Sprehn, C. E. W., 1932 c, 771, 804  
 Syns.: *Trichosoma exiguum* Dujardin, 1845; *Capillaria exigua* (Dujardin, 1845) Travassos, 1915  
*Erinaceus europaeus*: Europa
- Capillaria exigua** (Duj., 1845)  
 Thomas, R. J., 1953 a, 151, 166  
*Sorex araneus*: Inner Hybrides
- Capillaria exiguum** Dujardin, 1845  
 Wagner, O., 1936 c, 259  
*Erinaceus europaeus* (Darm.)
- Capillaria exigua** (Duj.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Erinaceus sp.*
- Capillaria exilis** (Duj.)  
 Baylis, H. A., 1928 g, 337  
*Turdus merula*  
*Sturnus vulgaris*
- Capillaria ? exilis** (Dujardin, 1845)  
 Baylis, H. A., 1939 a, 491  
*Turdus ericetorum*: Cambridgeshire, Brit. Is.  
*T. viscidus*: Lincolnshire?  
*Sturnus vulgaris*: Kent  
*Phasianus colchicus*: Glamorganshire
- Capillaria exilis**  
 Boyd, E. M., 1947 b, 184  
*Sturnus vulgaris*: North America
- Capillaria exilis**  
 Boyd, E. M., 1951 b, 65, 67, 72, 73, 77, 78, 79, 80, 82,  
 figs. 12, 14  
*Sturnus vulgaris*: North America
- Capillaria exile** Duj.  
 Galli-Valerio, B., 1940 b, 284, 285  
*Merula nigra*: Suisse: Lausanne  
*M. torquata*: Suisse: Zermatt Valais
- Capillaria exile**  
 Jennings, A. R.; and Soulsby, E. J. L., 1957 a, 219, 220  
*Sturnus vulgaris*  
*Passer domesticus*  
 both from England
- Capillaria exile**  
 Lopez-Neyra, C. R., 1947 b, 245, pl. 14, figs. 3-6
- Capillaria exile** (Dujardin, 1845)  
 Lopez-Neyra, C. R., 1947 c, 217, 234, 236, 237, fig. 4  
*Turdus merula*: Granada
- Capillaria exilis** (Duj. 1845)  
 Madsen, H., 1945 a, 68, 76, 83, 95, 98, 105  
 synonymy  
*Turdus merula*
- Capillaria exilis** (Dujardin 1845) Travassos 1915  
 Madsen, H., 1951 a, 263-264  
 Syns.: *Trichosomum exile* Dujardin 1845; *nec Liniscus exilis* Dujardin 1845 (= *Capillaria incrassata* (Diesing, 1851)); *nec Trichosomum exile* Dujardin, 1845 of Eberth, 1863 (= *Capillaria rasilis* Holger Madsen 1945)
- Capillaria exilis** (Dujardin, 1845)  
 Mettrick, D. F., 1959 c, 69, 82, 83, fig. 4 a-d  
 Syns.: *Trichosomum exile* Dujardin, 1845  
*Turdus merula*  
*T. ericetorum*  
*Sturnus vulgaris*  
 (intestine of all): all from Hertfordshire
- Capillaria exilis**  
 Mettrick, D. F., 1960 d, 265, 266  
*Turdus merula*  
*T. ericetorum*  
*Sturnus vulgaris*  
 all from Great Britain
- Capillaria exilis** (Dujardin, 1845)  
 Pemberton, R. T., 1961 a, 461  
*Turdus e. ericetorum*  
*Columba p. palumbus*  
 (mid-intestine of both): both from Britain
- Capillaria exile**  
 Rayner, J. A., 1932 a, 308  
*Planesticus migratorius*: Macdonald College, P. Q.
- Capillaria exile** (Dujardin, 1845)  
 Sprehn, C. E. W., 1932 c, 771  
 Syn.: *Trichosoma exile* (Dujardin, 1845) Travassos, 1915  
*Turdus merula*: Europa
- Capillaria fagei** (Duj.)  
 Sultanov, M. A., 1959 c, 70  
*chernozobyi drozd* [*Turdus atrogularis*]: Uzbekistan
- Capillaria exilis** (Duj.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 25  
*Turdus merula*
- Capillaria fagei** n. sp.  
 Arvy, L., 1951 c, 179-180, 181, fig.  
*Triturus helveticus*  
*T. vulgaris*
- Capillaria fagei** Arvy, 1951  
 Skrjabin, K. I.; et al., 1954 a, 365  
*Triturus helveticus*  
*T. vulgaris*
- Capillaria fagei** Arvy, 1951  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Orlov, I. V., 1957 a, 412-413  
 as syn. of *Hepaticola fagei* (Arvy, 1951)
- Capillaria fagei**  
 Walton, A. C., 1956 a, 654  
*Triturus helveticus*: Europe
- Capillaria falconis** (Goeze, 1882) Lopez-Neyra, 1946  
 Gagarin, V. G.; Ablasov, N. A.; and Chibichenko, N. T., 1957 a, 112  
*Circus aeruginosus* (*lynia kamyshovogo lynia*): southern Kirgizia
- Capillaria falconis**  
 Jennings, A. R.; and Soulsby, E. J. L., 1957 a, 220  
*Accipiter nisus*: England
- Capillaria falconis**  
 Lopez-Neyra, C. R., 1947 c, 232, 236, 238
- Capillaria falconis** (Goeze, 1782) Lopez-Neyra, 1946  
 Ryšavý, B., 1957 a, 322  
*Accipiter nisus*: Czechoslovakia

- Capillaria falconis* (Goeze, 1782) Lopez-Neyra, 1946  
 Skrjabin, K. I.; et al., 1954 a, 365  
 Syn.: *Cucullanus falconis buteonis* Goeze, 1782
- Capillaria falconis* (Goeze, 1782) Lopez-Neyra, 1946  
 Tenora, F.; and Lusk, S., 1960 a, 207  
 [Buteo buteo] káné lesní (intestine): Czechoslovakia
- Capillaria falconis-nisi* (Diesing 1851) emend. mea.  
 Madsen, H., 1945 a, 68, 76, 91, 99, 105  
 synonymy  
*Accipiter nisus*
- Capillaria falconis-nisi* (Diesing)  
 Mawson, P. M., 1956 b, 163  
 owl  
*Bubo v. virginianus*  
 both from Montreal Island
- Capillaria falconis-nisi* (Diesing, 1851)  
 Read, C. P., 1949 c, 241-242, 245, 247, pl. I, figs. 3-7  
 key  
*Asio wilsonianus*  
*Cryptoglaux acadica*  
*Bubo v. virginianus*  
*Buteo borealis*  
 all from Wisconsin
- Capillaria falconum* Rud.  
 Galli-Valerio, B., 1940 b, 285  
*Astur palumbinus*: Suisse: Orbe Vaud  
*Accipiter nisus*: Suisse: Alp de Serix
- Capillaria falconum* (Rug. 1819)  
 Madsen, H., 1945 a, 68, 76, 77, 85, 91, 99  
 synonymy  
*Buteo buteo*  
*Milvus milvus*  
*Circus pygargus*  
(?) *C. cyaneus*  
*Accipiter nisus*
- Capillaria falconum* (?)  
 Madsen, H., 1945 a, 91  
*Circus cyaneus*
- Capillaria falcona* (Rud.)  
 Skrjabin, K. I., 1923 m, 87  
*Milvus milvus*
- Capillaria falconum* (Rudolphi, 1819)  
 Sprehn, C. E. W., 1932 c, 772, 851, 852  
 Syns.: *Trichosoma falconum* Rudolphi, 1819; *C. falconum* (Rudolphi, 1819) Travassos, 1915  
*Accipiter nisus*  
*Buteo buteo*  
*Circus cyaneus*  
*C. pygargus*  
 all from Europa [and/or] Amerika
- Capillaria falconum* (Rud.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 26, 28  
*Buteo* sp.  
*Milvus* sp.  
*Circus* sp.  
*Accipiter* sp.
- Capillaria felis-catti* Diesing  
 Baylis, H. A., 1929 i, 263  
 wild cat  
 dom. cat
- Capillaria felis-catti* (Diesing, 1851)  
 Baylis, H. A., 1939 a, 491  
*Felis silvestris*: Perthshire, Brit. Is.
- Capillaria feliscati*  
 Böhm, L. K., 1928 d, 163
- Capillaria felis-catti*  
 Ehrenford, F. A.; Napier, R.; and Eshenour, R. W., 1959 a, 513, 514, 515  
 diagnosis, dogs
- Capillaria felis-catti*  
 Enzie, F. D., 1951 a, 210, 211, 212, fig. 1 (a)  
 cat: North America
- Capillaria (Thominx) felis cati* (Diesing, 1851)  
 Erlich, I., 1937 b, 20-21, 24, 28, 30, 31, 34, fig. 1  
 Katzen: Zagreb  
[For correction see 1938, 594]
- Capillaria (Thominx) felis-catti*  
 Erlich, I., 1938 a, 594  
 Katzen: Zagreb
- Capillaria felis cati* (Bellingham, 1844)  
 Erlich, I., 1947 a, 79, 80, 82, 85  
 species inquirenda
- Capillaria felis cati* Zakharov, 1920  
 Erlich, I., 1947 a, 80, 81, 85, fig. 1  
 renamed *C. (Thominx) skrjabini* nom. nov.
- Capillaria felis-catti*  
 Habermann, R. T.; and Williams Fletcher, P. (jr.), 1958 a, 988, 1002, 1003, pl. 102, fig. 14A  
 identification and control, cat
- Capillaria feliscati*  
 Hall, M. C., 1922 q, 181  
 cat
- Capillaria felis cati*  
 Isaichikov, I. M., 1927 d, 136, 155, 156, 157, 158-159,  
 161, 167, 169  
*Felis catus* dom.
- Capillaria felis cati* Dies.  
 Lopez Neyra, C. R., 1924 a, 111
- Capillaria felis-cati* Diesing, 1851  
 Lukasiak, J., 1937 a, 322-323, 324, 327, 340-341, 342,  
 fig. 8  
 chat: Warszawie
- Capillaria feliscati* Bell.  
 Lukasiak, J.; and Strankowski, M., 1933 a, 364  
*Felis domesticus*  
*F. catus*  
(vessie urinaire of both)
- Capillaria felis-cati* (Diesing, 1851)  
 Pinto, C. F.; and Lins de Almeida, J., 1935 a, 60  
*Felis catus domesticus*: Brasil
- Capillaria felis-cati* (Dies.)  
 Pinto, C. F.; and Lins de Almeida, J., 1937 b, 478  
*Felis catus domesticus*: Brésil
- Capillaria felis-cati* (Bellinagh.)  
 Reichenow, E.; and Wölker, G., 1929 a, 112
- Capillaria feliscati* Bellingham, 1844  
 Rodonaia, T. E., 1951 a, 130, 137  
*Felis silvestris caucasicus*  
*Chaus chaus*  
 both from Georgian SSR
- Capillaria felis-cati* (Diesing)  
 Roveda, R. J.; and Ringuelet, R., 1947 a, 74  
*Felis catus domesticus*: Argentina
- Capillaria (Thominx) felis cati*  
 Skrjabin, K. I., 1927 g, 253  
[cat]: Georgia

- Capillaria gastrica* (Baylis, 1926)  
Teixeira de Freitas, J. F.; and Lent, H., 1935 e, 111
- Capillaria gastrica* (Baylis, 1926) Baylis, 1931  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 112-113, pl. 12, figs. 89-93  
Syn.: *C. muris* [(Uyeyama, 1928)]  
*Mus norvegicus*  
*M. rattus*  
*M. alexandrinus*  
all from Europa; Japão; Argentina; [and/or] Brasil
- Capillaria gigantotecta* nov. sp.  
Liubimova, A. P., 1947 a, 148, 149-150  
*Cygnus musicus*: Moskva Zoopark
- Capillaria gigantotecta* Lubimova, 1947  
Ryzhikov, K. M., 1959 a, 239  
*Cygnus cygnus*: SSSR
- Capillaria gracilis* (Bellingh.) 1844  
Heinze, K., 1933 a, 395, 404, fig. 3  
Syn.: *Trichosoma gracilis* Bellingh.  
*Merluccius esculentus*  
*M. merluccius*
- Capillaria gracilis* (Bellingham, 1840) Trav., 1915  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 258-259, 277, pl. 5, figs. 46-50  
synonymy  
*Merluccius esculentus*  
*M. merluccius*  
both from Irlanda, Italia
- Capillaria gracilis* (Bellingham)  
Yorke, W.; and Maplestone, P. A., 1926 a, 26, 28  
*Merluccius* spp.
- Capillaria grallinae* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1945 b, 243, 246, 247-248, figs. 14-16  
*Grallina cyanoleuca*: Tailem Bend
- Capillaria graucalina* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1941 a, 250-251, 252, figs. 1-2  
*Coracina novae-hollandiae*: West Burleigh, Queensland
- Capillaria gymnorhinae* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1947 a, 547, 548-549, 550, fig. 1  
*Gymnorhina hypoleuca*: Adelaide district
- Capillaria halli* nom. nov.  
Kalantar'fan, E. V.; in Skrjabin, K. I., 1924 a, 10
- Capillaria halli* nom. nov.  
Kalantar'fan, E. V., 1924 b, 18, 19, 20, 23, 31, 32, Armenian summary, p. 17; French summary, p. 4, 5; figs. 1-4  
Syns.: *Trichosoma du mulot* Dujardin; *T. muris sylvatici* Duj.  
*Crycetulus migratorius*: Armeni
- Capillaria hathawayi* n. sp.  
Read, C. P., 1948 a, 163-164, figs. 1-3  
*Squalus acanthias*: Gulf of Mexico
- Capillaria helenae* n. sp.  
Layman, E. M., 1930 a, 86, 102, figs. 47-49  
*Azuma emmnion*  
*Sebastodes schlegelii*  
*Myoxocephalus brandti*
- Capillaria helenae* Laymann, 1930.—Continued.  
Heinze, K., 1933 a, 394, 397, 398, 404, 405, fig. 9  
*Azuma emmnion*  
*Sebastodes schlegelii*  
*Myoxocephalus brandti*
- Capillaria helenae* Layman, 1930  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 259, 277, pl. 5, fig. 51  
*Azuma emmnion*  
*Sebastodes schlegelii*  
*Myoxocephalus brandti*  
? *Limanda schrenki*  
all from Mares do Japão
- Capillaria helenae* Layman, 1930  
Zhukov, E. V., 1959 a, 200  
southern Kurils
- Capillaria helenae* Layman, 1930  
Zhukov, E. V., [1961 a], 79, fig. 60  
*Hemitripterus villosus*: Lake Putiatin; Lake Shikotan  
*Hexagrammos lagocephalus*: Lake Shikotan  
*Myoxocephalus brandti*: Lake Shikotan
- Capillaria hepatica* Bancroft, 1893  
Agapova, A. I., 1953 a, 152  
*Ellobius talpinus*  
*Cricetus cricetus*  
both from Kazakhstan
- Capillaria hepatica* (Bancroft, 1899)  
Aloian, M. T., 1956 a, 130-131, 165  
*Sciurus persicus*  
*Microtus nivalis*  
(liver of both): both from Armenia
- Capillaria hepatica* (Bancroft, 1894)  
Ameel, D. J., 1942 a, 267  
*Ondatra zibethica*: Michigan
- Capillaria hepatica*  
Ash, L. R., 1962 b, 67  
rats: Hawaii
- Capillaria hepatica* Bancroft  
Baldassari, M. T., 1935 a, 717  
rats: Toulon
- Capillaria hepatica* Bancroft  
Baylis, H. A., 1931 f, 533-543
- Capillaria hepatica* (Bancroft, 1894)  
Baylis, H. A., 1935 d, 545  
*Ondatra zibethica*: Great Britain
- Capillaria hepatica* (Bancroft, 1893)  
Baylis, H. A., 1939 a, 491  
*Apodemus sylvaticus*: Buckinghamshire, Brit. Is.  
*Oryctolagus cuniculus*: Gloucestershire, Brit. Is.  
*Ondatra zibethica*: Shropshire, Brit. Is.
- Capillaria hepatica* (Bancroft, 1894) Travassos, 1915  
Baylis, H. A., 1939 b, xxviii, 241, 242-245, 254, figs. 145-147  
Syns.: *Trichosomum tenuissimum* Leidy, 1891, nec Diesing, 1851; ?*Hepaticola anthropopitheci* Troisier, Deschiens, Limousin and Delorme, 1928  
rats  
man  
both from India
- Capillaria hepatica*  
Bezukladnikova, N. A., 1958 a, 156  
*Ellobius talpinus*: Alma-Atinsk oblast
- Capillaria hepatica*  
von Brand, T.; and Otto, G. F., 1940 a, 41-42  
calcification

- Capillaria hepatica*  
Brosius, O. T.; Thomas, E. E.; and Brosius, B., 1948 a,  
95-97  
human, case report: Puerto Armuelles, Panama
- Capillaria hepatica*  
Brown, J. H.; and Roy, G. D., 1943 a, 183  
*Citellus richardsonii*: Southern Alberta
- Capillaria hepatica*  
Brumpt, E., 1936 1, 1073, fig. 560
- Capillaria hepatica* (Bancroft, 1893) Travassos, 1915  
Caballero y C., E.; and Grocott, R. G., [1953 a], 211-  
215, figs. 1-2  
*Ateles geoffroyi vellerosus*: Palenque, Chiapas
- Capillaria hepatica* (Bancroft, 1893)  
Carvalho, J. C. M., 1940 a, 422  
*Mus norvegicus* (sic)
- Capillaria hepatica*  
Chin, T. G., 1939 a, 549, 550, 551, 552, 553, 554, 557  
rats  
?cat  
both from Kweiyang
- Capillaria hepatica*  
Chitwood, B. G., 1934 a, 10  
*Castor canadensis canadensis* (liver): Nat. Zool.  
Park, Wash., D.C.
- Capillaria hepatica*  
Cluver, E. H., [1957 b], 79  
infant (liver): South Africa
- Capillaria hepatica*  
Cluver, E. H., [1958 a], 75  
European child: South Africa
- Capillaria hepatica*  
Cochrane, J. C.; Sagorin, L.; and Wilcocks, M. G.,  
1957 a, 751-755  
child, extreme eosinophilia, hepatomegaly, and hyper-  
globulinaemia: South Africa
- Capillaria hepatica*  
Cochrane, J. C.; and Skinstad, E. E., 1960 a, 21-22  
man, follow-up case
- Capillaria hepatica*  
Davis, D. E., 1951 b, 465  
Norway rats, relation between population level and  
prevalence of infection
- Capillaria hepatica* Bancrofti  
Dinulescu, G.; et al., 1957 a, 298, 299, 300, 301, 302  
oameni
- Capillaria hepatica*  
Dissanaike, A. S., 1961 a, 9-11, figs. 1-4  
*Bandicota malabarica* (liver): Ceylon
- Capillaria hepatica*  
Ehrlich, H., 1944 a, 125  
Ratte: Baltimore, Toulon, St. Louis
- Capillaria hepatica* (Bancroft, 1893)  
Engler, G.; and Sanchez, G., 1940 a, 443-444  
human, case report, hexaresocinal: Panama
- Capillaria hepatica* (Bancroft 1893)  
Erhardová, B., 1958 b, 51, 82, 86  
*Apodemus flavicollis*  
*Clethrionomys glareolus*  
both from Czechoslovakia
- Capillaria hepatica* (Bancroft, 1893) Travassos, 1915  
Erickson, A. B., 1947 b, 258, 259  
key  
*Sylvilagus floridanus*
- Capillaria hepatica* (Bancroft, 1893)  
Erlich, I., 1942 b, 135-136, 138, 142, 143, 144, 145  
*Lepus europaeus*  
*Epmis* [sic] *norvegicus* [sic]  
kaninchens  
ratte  
maus
- Capillaria hepatica*  
Ewing, G. M.; and Tilden, I. L., 1956 a, 341-348  
human, fourth case report
- Capillaria hepatica*  
Faust, E. C.; and Martinez, W. H., 1935 a, 332-335,  
figs. 1-2  
contaminations  
man (eggs in feces): Panama
- Capillaria hepatica*  
Firlotte, W. R., 1948 a, 188, 189, 190  
*Rattus norvegicus*
- Capillaria hepatica*  
Foster, A. O., 1939 a, 8  
ova  
*Ateles geoffroyi*: Panama  
man: Chagres River villages, Panama
- Capillaria hepatica*  
Foster, A. O., 1940 a, 13  
human (feces), frequent occurrences: along Chagres  
River
- Capillaria hepatica*  
Foster, A. O.; and Johnson, C. M., 1939 a, 639-644, pl.,  
figs. 1-2  
occurrence in human faeces  
*Cebus capucinus imitator*  
*Tayassu pecari spiradens*  
*Ateles geoffroyi*  
all from Panama villages
- Capillaria hepatica* (Bancroft, 1893)  
Freeman, R. S., 1958 a, 33  
epizootiology  
*Peromyscus maniculatus*: Algonquin Park, Ontario
- Capillaria hepatica*  
Freund, L., 1933 b, 247, 248, fig. 1
- Capillaria hepatica*  
Graham, G. L., 1960 a, 847, 849  
monkeys (liver)
- Capillaria hepatica*  
Habermann, R. T.; and Williams, F. P. (jr.), 1957 a, 423,  
fig. 5  
*Macaca mulatta*
- Capillaria hepatica*  
Habermann, R. T.; and Williams, F. P. (jr.), 1958 a,  
983, 985, 998, 999, pl. 100, fig. 9  
identification and control  
*Rhesus monkey*  
'no treatment for this parasite is known' . . . 'has  
not been observed in laboratory rat or mouse'
- Capillaria hepatica* (Bancroft, 1893)  
Harkema, R., 1936 a, 159, 165, 167, 188-189  
*Thomomys fossor*: Wyoming  
*Rattus norvegicus*: North Carolina  
*Geomys bursarius*: Philadelphia  
*Sylvilagus floridanus alacer*: Oklahoma

- Capillaria felis cati* (Bellingham)  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 441, 448
- Capillaria feliscati*  
Sprehn, C. E. W., 1927 e, 57  
*Felis catus*
- Capillaria felis-cati* (Diesing, 1851)  
Sprehn, C. E. W., 1932 c, 773, 819, 820  
Syns.: *Trichosoma felis-cati* Diesing, 1851; *Capillaria felis-cati* (Diesing, 1851) Railliet, 1915  
*Felis catus* (Harnblase)  
*F. sylvestris* (Harnblase)  
both from Europa [and/or] Nordafrika
- Capillaria felis-cati* (Dies., 1851) Trav.  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 85, 96-97, 133, pls. 4-5, figs. 31-37  
*Felis (F.) catus*  
*F. (F.) silvestris*  
*Felis* sp.
- Capillaria felis-cati* (Dies.)  
Travassos, L. P., 1921 l, 67
- Capillaria felis-cati* (Dies.)  
Travassos, L. P., [1922 i], 152
- Capillaria felis-cati* (Diesing, 1851)  
Witenberg, G. G., 1934 a, 238  
cat
- Capillaria feliscati* Bellingham  
Yorke, W.; and Maplestone, P. A., 1926 a, 26  
*Felis catus*
- Capillaria (Thominx) felis cati* (Bellg.)  
Zakharov, N. P., 1920 b, 16-20, fig.
- Capillaria felis-cati* (Diesing)  
Zdun, W. K., 1937 a, 21, 22, 23, 26  
Hauskatze: Poland
- Capillaria filiformis* (v. Linst.)  
Baylis, H. A., 1928 g, 337  
*Molge cristatus*
- Capillaria filiformis* v. Linstow (Wilkie, 1930)  
Pearse, A. S., 1932 b, 137, 139, 140-141  
*Triturus pyrrhogaster*: Japan (Samboji; Inokasira; Tanichi; Yumoto; Amori; Akita; Komami)  
*Hynobius tokyoensis*: Japan (Tanichi)  
*Onychodactylus japonicus*: Japan (Yumoto)  
*Pseudosalamandra stejnegeri*: Japan (Kyushu)
- Capillaria filiforme* (Linst.)  
Skrjabin, K. I., 1923 m, 87-88  
*Triton alpestris*  
*T. cristatus*
- Capillaria filiformis* (Linst., 1885)  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 252, pl. 3, fig. 32  
synonymy  
*Molge cristata*  
*M. alpestris*  
*M. pyrrhogaster*  
*Hynobius stejnegeri*  
*Hynobius* sp.  
(intestino of all)
- Capillaria filiformis* (v. Linst., 1885) Trav. 1915  
Walton, A. C., 1935 a, 43, 44  
measurements  
Syn.: *Trichosoma filiforme* v. Linst., 1885
- Capillaria filiformis* (v. Linst., 1885) Trav. 1915.—  
Continued.  
Walton, A. C., 1935 a, 43, 44  
*Triturus alpestris*: Europe  
*T. cristatus*: "  
*T. vulgaris*: "  
*T. pyrrhogaster*: Japan  
*Hyla* sp.? "  
*Hynobius stejnegeri*: "
- Capillaria filiformis* (v. Linst., 1885) Trav., 1915  
Walton, A. C., 1938 a, 51  
*Hynobius tokyoensis*  
*Onychodactylus japonicus*  
both from Japan
- Capillaria filiformis* (v. Linst.)  
Wilkie, J. S., 1930 b, 607  
*Triturus pyrrhogaster*  
*Hynobius* sp.  
*H. stejnegeri*
- Capillaria filiformis* (Linst.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 26, 28  
*Triton* sp.
- Capillaria fluminensis* n. sp.  
Teixeira de Freitas, J. F., 1946 a, 13-14, figs. 1-5  
*Didelphis marsupialis aurita*: Angra dos Reis, Estado do Rio, Brasil
- Capillaria fluminensis* Freitas, 1946  
Skrjabin, K. I.; et al., 1954 a, 389  
as syn. of *Thominx fluminensis* (Freitas, 1946) Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria freitasi* n. sp.  
Read, C. P., 1949 a, 244, 246, 247, pl. II, figs. 14-15  
key  
*Passarella iliaca iliaca*: Wisconsin
- Capillaria freitaslenti* n. sp.  
Araujo, T. L.; and Gandra, Y., 1941 a, 29-30, 32, pl. 7, figs. 6-9  
*Tropidurus torquatus torquatus*: Goiás
- Capillaria freitaslenti* Araujo et Gandra, 1941  
Skrjabin, K. I.; et al., 1954 a, 378  
as syn. of *Eucoleus freitaslenti* (Araujo et Gandra, 1941) Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria fringillae* (Rudolphi, 1819) mihi [n. comb.]  
López-Neyra, C. R., 1957 b, 217, 232, 238  
Syn.: *Trichosomum angustum* Dujardin, 1845
- Capillaria fringillae* (Rud. 1819) nom. nud.  
Madsen, H., 1945 a, 77, 95  
synonymy  
*Fringilla coelebs*
- Capillaria fringillae* (Rudolphi, 1819)  
Sprehn, C. E. W., 1932 c, 772, 837  
Syns.: *Trichosoma fringillae* Rudolphi, 1819; *Capillaria fringillae* (Rudolphi, 1819) Travassos, 1915  
*Fringilla coelebs*: Europa
- Capillaria fringillae* (Rud.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 26  
*Fringilla coelebs*
- Capillaria fritschi* n. n.  
Travassos, L. P., 1914 c, 429  
Syn.: *Trichosoma papillosum* Fritsch 1886
- Capillaria fritschi* (Trav. 1914)  
Heinze, K., 1933 a, 397, 404  
Syn.: *Trichosoma papillosum* Fritsch 1886  
*Malapterurus electricus* (Darm): Aegypten

- Capillaria fritschi* Trav., 1914  
*Teixeira de Freitas, J. F.; and Lent, H.*, 1935 a, 266,  
 273, pl. 8, figs. 77-78  
*Malapterurus electricus* (estomago): Egypto
- Capillaria fritschi* Travassos  
*Yorke, W.; and Maplestone, P. A.*, 1926 a, 26  
*Malapterurus electricus*
- Capillaria (C.) gallina* Kowal. [n. comb.]  
*Skrjabin, K. I.*, 1920 a, 17
- Capillaria (C.) gallina* Kow.  
*Skrjabin, K. I.*, 1920 b, 52-54, 58
- Capillaria (C.) gallina*, Kowalewsky, 1895  
*Skrjabin, K. I.*, 1923 i, 298  
*Haushuhn: Galizien*
- Capillaria gallina*  
*Adusoo, M.; and Piir, E.*, 1961 b, 94  
*treatment*
- Capillaria gallina* (Kowalewsky)  
*Babić, I.*, 1936 a, 301  
*Gallus gallus: Jugoslawiens*
- Capillaria gallina* (Kowalewsky)  
*Baylis, H. A.*, 1929 i, 264  
*fowl*
- Capillaria gallina*  
*Bhalerao, G. D.*, 1936 e, 52  
*fwls: India*
- Capillaria gallina* Kowalewsky  
*Koffman, M.*, 1939 a, 529, 534-535  
*Syn.: Trichosoma gallina Kowalewsky*  
*Höns: Sverige*
- Capillaria gallimum* [sic!] Kow.  
*Lopez-Neyra, C. R.*, 1924 a, 112
- Capillaria gallina* (Kowalewski 1895)  
*Madsen, H.*, 1945 a, 12, 13, 77  
*Syn.: C. longicollis (Mehlis 1831)*
- Capillaria gallinum* (Kowal., 1894)  
*Morehouse, N. F.*, 1944 a, 220  
*as syn. of C. caudinflata (Molin, 1858)*
- Capillaria gallina* (Kowalewski, 1895)  
*Orosz, D.*, 1932 a, 31, 52, 53  
*as syn. of C. caudinflata (Molin)*
- Capillaria gallina*  
*Roveda, R. J.*, 1943 a, 292  
*Gallus gallus: Argentina*
- Capillaria (C.) gallina* Kowalewski, 1895  
*Shumakovitch, E. E.*, 1948 b, 159  
*hen: northern Sakhalin*
- Capillaria gallina* (Kowalewsky, 1895)  
*Sprehn, C. E. W.*, 1932 c, 772, 891  
*Syn.: Trichosoma gallina Kowalewsky, 1895*  
*Huhn (Gallus gallus) (Darm): Europa*
- Capillaria gallinae*  
*Bittner, H.*, 1926 a, 730
- Capillaria gallinae*  
*Heiss, K.*, 1936 a, 255
- Capillaria gallinae* (Goeze, 1782)  
*Lopez-Neyra, C. R.*, 1947 b, 216, 233, 236, 238  
*Syn.: Trichosoma longicolle Rudolphi, 1819*
- Capillaria gallinae*  
*Lopez-Neyra, C. R.*, 1947 b, 244, pl. 12, figs. 3-4
- Capillaria gallinae* (Goeze, 1782)  
*Pozo-Lora, R.*, 1960 a, 406  
*gallina: Cordoba*
- Capillaria gallinae* (Goeze, 1782)  
*Sultanov, M. A.*, 1959 a, 70  
*kuritsa [Gallus g. domesticus]: Uzbekistan*
- Capillaria gallinae*  
*Tesoure Vallejo, M.*, 1954 a, 23, figs.  
*gallinas*
- Capillaria gastrica* (Baylis) [n. comb.]  
*Baylis, H. A.*, 1931 f, 541
- Capillaria gastrica* Baylis, 1926  
*Aloian, M. T.*, 1956 a, 129-130, 167, fig. 1  
*Microtus socialis*  
*M. s. schidlovskii*  
*both from Armenia*
- Capillaria gastrica* (Baylis)  
*Alves Meira, J.*, 1932 b, 85-94, figs. 1-5, 7  
*Epimys norvegicus*  
*E. alexandrinus*  
*E. ratus alexandrinus*
- Capillaria gastrica* (Baylis)  
*Baer, J. G.*, 1932 d, 259  
*pathogenicity*  
*Probable syn.: Hepaticola cancerogena Beatti, 1930*  
*rat (paroi gastrique)*
- Capillaria gastrica*  
*Bernard, J.*, 1961 e, 782  
*Rattus norvegicus: Belgique*
- Capillaria gastrica*  
*DeGiusti, D. L.*, 1957 a, 375  
*Rattus rattus norvegicus: Detroit*
- Capillaria gastrica* Baylis  
*Dubinin, V. B.*, [1954 d], 273, 274, fig. 8  
*Microtus arvalis (stomach): Volga delta*
- Capillaria gastrica*  
*Freund, L.*, 1933 b, 248  
*Ratte (Magenwand)*
- Capillaria gastrica* (Baylis, 1926)  
*James, P. M.*, 1954 a, 186  
*Apodemus sylvaticus: Kent*
- Capillaria gastrica* Baylis  
*Kirshenblat, I. D.*, 1938 a, 11, 13, 28-30, 71, 80, 84, 88  
*Apodemus sylvaticus*  
*Microtus socialis satunini*  
*both from Tiflis*
- Capillaria gastrica* Baylis  
*Massia, G.; and Roman, E.*, 1936 a, 332-348  
*Syns.: Hepaticola muris; H. cancerogena*
- Capillaria gastrica* (Baylis) 1926  
*Roman, E.*, 1951 a, 65, 157-170, 193, 208, 209, 210, 211,  
 215, 217, 234, 240, 243, 249, 253, figs. 49-53, 55, 56,  
 58  
*= cancerogena (Beatti) 1929*  
*Rattus norvegicus: region lyonnaise*
- Capillaria gastrica* (Baylis, 1926)  
*Sadovskaja, N. P.*, 1956 a, 271  
*Rattus norvegicus caraco: Primorskii krai*

- Capillaria hepatica**  
Herman, C. M., 1939 b, 305, 306, 307  
*Rattus norvegicus*: New York Zool. Park
- Capillaria hepatica**  
Hoeppli, R. J. C., 1953 a, 76, 80, pl. 4, figs. 15-16
- Capillaria hepatica**  
Hoeppli, R. J. C.; and Li, F., [1951 a], 340-342, 347,  
352, 361, pl. 3, fig. 11  
eggs embedded in tissue
- Capillaria hepatica Bancroft, 1893**  
Hohner, L., 1955 b, 340  
Sumpfbiber
- Capillaria hepatica**  
Hsieh, H. C., 1959 b, 105  
human: Taiwan
- Capillaria hepatica**  
Inatomi, S., 1958 a, 210-211 (22-23)  
egg shell structure, electron microscopy
- Capillaria hepatica**  
Inatomi, S., 1960 c, 261-264, figs. 1-6  
egg shell structure
- Capillaria hepatica (Bancroft)**  
Johnston, T. H., 1916 a, 42, 43  
*Mus musculus*  
*Epimys norvegicus*  
*E. ratus*
- Capillaria hepatica (Bancroft)**  
Johnston, T. H.; and Mawson, P. M., 1949 a, 64  
*Rattus rattus*  
*R. norvegicus*  
*Mus musculus*  
all from South Australia
- Capillaria hepatica Bancroft**  
Kirshenblat, I. D., 1938 a, 13, 14, 28, 80, 88  
*Microtus arvalis transcaucasicus*: Tsikhis-Dzhvari  
*Chionomys nivalis*: Halband
- Capillaria hepatica**  
Knight, I. M., 1951 a, 200  
*Ondatra zibethica*: British Columbia
- Capillaria hepatica**  
Layne, J. N.; and Griffio, J. V. (jr.), 1961 a, 31-36  
incidence  
*Peromyscus floridanus*: Florida
- Capillaria hepatica**  
Leiper, R. T., 1926 1, 707  
rats
- Capillaria hepatica (Bancroft, 1893)**  
Lubinsky, G., 1956 a, 457, figs. 1-3  
*Thomomys talpoides*  
*Peromyscus maniculatus*  
both from Alberta, Canada
- Capillaria hepatica (Bancroft, 1896)**  
Lubinsky, G., 1957 e, 624  
*Peromyscus maniculatus*  
*Thomomys talpoides*  
both from Alberta
- Capillaria hepatica**  
Luttermoser, G. W., 1936 a, 525, 536-537  
experimental infections of rats and mice  
*Rattus norvegicus*
- Capillaria hepatica**  
Luttermoser, G. W., 1936 b, 352, 354, 359  
*Rattus norvegicus*: Baltimore, Md.
- Capillaria hepatica**  
Luttermoser, G. W., 1937 b, 559-560  
rats, mice, resistance
- Capillaria hepatica**  
Luttermoser, G. W., 1938 a, 321-340, 2 pls., figs. 1-4  
rat  
mouse  
(both exper.)
- Capillaria hepatica**  
Luttermoser, G. W., 1938 b, 275-289  
factors influencing development and viability of eggs
- Capillaria hepatica (Bancroft, 1893)**  
Mackerras, M. J., 1958 b, 129, 130  
*Rattus norvegicus*  
*R. rattus*  
*Mus musculus*  
*Rattus sp.*  
all from Australia
- Capillaria hepatica**  
McQuown, A. L., 1950 a, 761-767, figs. 1-2, 4  
report of genuine and spurious cases
- Capillaria hepatica**  
McQuown, A. L., 1954 a, 448-452, pls., figs. 1-6  
woman (stool): New Orleans  
*Sciurus niger*: Louisiana
- Capillaria hepatica (?) (Bancroft, 1893) Travassos, 1915**  
Meyer, M. C.; and Reilly, J. R., 1950 a, 470, 472, 474  
*Ondatra z. zibethica*: Maine
- Capillaria hepatica (Bancroft)**  
Miura, M.; et al., 1956 a, 1373, 1374, 1375  
rats  
*Rattus norvegicus*  
both from Kumamoto Prefecture
- Capillaria hepatica (Bancroft)**  
Miyazaki, I., 1946 a, 28  
*Rattus norvegicus norvegicus*  
*R. n. hibernicus*  
both from Kagoshima Pref.
- Capillaria hepatica Bancroft 1893**  
Mokošík, J., 1956 a, 498, 502, 504, 506, 507, 508  
rats: Brno
- Capillaria (= Hepaticola) hepatica Bancr., 1893**  
de Monte, T.; and Pilleri, G., 1952 a, 184, 186, 187  
*Epimys norvegicus*: Trieste
- Capillaria (= Hepaticola) hepatica Bancr., 1893**  
de Monte, T.; and Pilleri, G., 1952 b, 353-355, pl. 3  
*Epimys norvegicus*: Trieste
- Capillaria hepatica (Bancroft, 1893)**  
Morgan, D. O., 1932 a, 65-66  
rabbit (exper.)
- Capillaria hepatica**  
Morini, E. C.; and Boero, J. J., 1958 a, 147-149, figs.  
1-3  
guinea pigs: Argentina
- Capillaria hepatica**  
Morishita, K.; and Tani, H., 1956 a, 595  
Syn.: *Hepaticola hepatica*  
human
- Capillaria hepatica (Bancroft)**  
Morishita, Takuro, 1954 a, 36  
house rat: Yonago City, Japan
- Capillaria hepatica (Bancroft, 1893) Baylis, 1931**  
Okabe, K., 1943 b, 737, 741, 744  
*Rattus norvegicus*: North China

- Capillaria hepatica**  
Orbe, G., 1940 b, 245  
Ratten: Baltimore, Toulon, St. Louis
- Capillaria hepatica**  
Otto, G. F.; et al., 1954 a, 319-336, figs. 1-4, 6-10  
eosinophilia, hepatomegaly
- Capillaria hepatica**  
Otto, G. F.; and von Brand, T., 1941 a, 13-17  
natural and experimental calcification
- Capillaria hepatica**  
Pasricha, C. L.; Panja, G.; and Bhaduri, N. V., 1941 a,  
475-476  
Nesocia bengalensis: Calcutta
- Capillaria hepatica (Bancroft)**  
Penn, G. H. (jr.), 1942 b, 349  
Ondatra zibethica rivalica: Louisiana
- Capillaria hepatica (Bancroft, 1893)**  
Rausch, R., 1961 a, 17-18, fig. 1  
occurrence  
Thomomys talpoides tenellus: Wyoming  
Neotoma cinerea fusca: Oregon  
Peromyscus maniculatus ?macrorhinus: Alaska  
Lemmus sibiricus harroldi: Alaska
- Capillaria hepatica (Bancroft, 1893) Trav., 1915**  
Read, C. P., 1949 a, 224  
Sigmodon hispidus: Houston, Texas
- Capillaria hepatica**  
Sato, A.; and Shimatani, T., 1960 a, 181-183  
Rattus norvegicus  
R. rattus  
both from Kyoto Prefecture
- Capillaria hepatica**  
Sato, A.; and Shimatani, T., 1961 b, 27-31  
culture method of eggs
- Capillaria hepatica**  
Sato, A.; Yoshida, S.; and Kato, S., 1953 a, 28  
rats: Kyoto
- Capillaria hepatica**  
Schwetz, J., 1956 c, 282  
Syn.: Hepaticola hepatica  
Dasymys bentleyae  
Mastomys coucha  
Pelomys fallax  
Gerbiliscus (Tatera) lubergulae  
G. (T.) valida  
Lophuromys aquila  
Stochomys longicaudatus  
Hybomys univittatus
- Capillaria hepatica**  
Shimatani, T., 1961 a, 1063-1083  
ecology of eggs
- Capillaria hepatica**  
Shimatani, T.; and Sato, A., 1960 a, 374 (30)  
ecology of eggs
- Capillaria hepatica**  
Smit, J. D., 1960 a, 473-478, figs. 1-6  
dog
- Capillaria hepatica**  
Sofyts, A., 1952 a, 178, fig. 9
- Capillaria hepatica (Bancroft)**  
Tanaka, H.; Ikuzawa, M.; and Moriya, S., 1951 a, 23, 25,  
26  
Rattus n. norvegicus  
R. r. alexandrinus
- Capillaria hepatica (Bancroft, 1893)**  
Teixeira de Freitas, J. F.; and Lent, H., 1936 a, 323-325  
figs. 1-2  
Homo sapiens  
Anthropopithecus troglodytes  
Erinaceus sp.  
Sorex araneus  
Felis (F.) catus  
Canis (C.) familiaris  
Cynomys socialis  
Marmota monax  
Castor canadensis  
Mus (Epimys) norvegicus  
M. (E.) rutilus  
M. (E.) alexandrinus  
M. (M.) musculus  
M. (M.) sylvaticus  
Golunda (Pelomys) campanae  
Acomys selousi  
Fiber zibethicus  
Thomomys fossor  
Cavia rufescens pamparum  
Lepus (L.) europaeus  
Oryctolagus cuniculi  
Mus (Epimys) norvegicus albus (exper.)  
M. (M.) musculus albus (exper.)  
Cavia porcellus (exper.)  
Sciurus aestuans: Angra dos Reis, Estado do Rio de Janeiro, Brasil
- Capillaria hepatica (Bancroft, 1893) Trav.**  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 103-107, pl. 7, fig. 56; pl. 8, figs. 57-60  
Homo sapiens  
Anthropopithecus troglodytes  
Erinaceus sp.  
Sorex araneus  
Felis (F.) catus  
Canis (C.) familiaris  
Cynomys socialis  
Marmota monax  
Castor canadensis  
Mus (Epimys) norvegicus  
M. (E.) rutilus  
M. (E.) alexandrinus  
M. (M.) musculus  
M. (M.) sylvaticus  
Golunda (Pelomys) campanae  
Acomys selousi  
Fiber zibethicus  
Thomomys fossor  
Cavia rufescens pamparum  
Lepus (L.) europaeus  
Oryctolagus cuniculus
- Capillaria (sic) hepatica**  
Tsuchiya, H.; and Rector, L. E., 1936 a, 707  
wild rats: Saint Louis
- Capillaria hepatica (Bancroft, 1893)**  
Tubangui, M. A., 1947 a, 255  
Rattus norvegicus: Luzon
- Capillaria hepatica (Bancroft, 1893) Travassos, 1915**  
Turhan, B.; Unat, E. K.; Yenermen, M.; and Sümer, C.,  
1953 a, 149-159  
man: Istanbul
- Capillaria hepatica**  
Vanni, V., 1938 e, 529-531, pl., figs. 1-4  
Mus decumanus: Roma
- Capillaria hepatica**  
Vanni, V., 1948 b, 11, 13, fig. 3  
Mus
- Capillaria hepatica**  
Vanni, V., 1948 d, [3] pp.

- Capillaria hepatica* (Bancroft, 1893) Travassos, 1915  
 Vianna, Y. L., 1954 a, 8, figs. 3-6  
*Canis (C.) familiaris*: Rio de Janeiro
- Capillaria hepatica*  
 Vitiello, M., 1939 a, 322, 323, 326  
*ratti di fogna*
- Capillaria hepatica* (Bancroft, 1893) Travassos 1915  
 Vogelsang, E. G.; and Espín, J., 1949 b, 73-78, fig. 1  
*Myopotamus coypus*: Argentina  
*Akodon venezuelensis*: Venezuela
- Capillaria hepatica* (Bancroft, 1893)  
 Vogelsang, E. G.; and Rodriguez C., C. A., 1952 a, 314  
*Mus rattus*: Jardin zoologico de Maracay
- Capillaria hepatica*  
 Wantland, W. W.; Kemple, H. M.; Beers, G. R.; and Dye, K. E., 1957 a, 177-181  
*Rattus norvegicus*
- Capillaria hepatica* (Bancroft, 1894)  
 Warwick, T., 1936 a, 396, 397, 398  
*Ondatra zibethica*: Shropshire
- Capillaria hepatica* (Bancroft)  
 Warwick, T., 1941 a, 195  
*Ondatra zibethica*: British Isles
- Capillaria hepatica*  
 Weiner, D., 1960 a, 48  
*larva migrans*
- Capillaria hepatica*  
 Wetzel, R.; and Quittek, G., 1940 a, 364-365  
*prepatent period*  
*Ratte*  
*Kaninchchen*
- Capillaria hepatica*  
 Winsor, H., 1940 a, 23  
*rats*  
*mice*  
*both from Phila. Zool. Garden*
- Capillaria hepatica* (Bancroft, 1893)  
 Wittenberg, G. G., 1934 a, 238  
*dog*  
*cat*
- Capillaria hepatica* (Bancroft, 1893)  
 Wright, K. A., 1961 a, 167-182, figs. 1-17  
*life cycle, description of adult*
- Capillaria hepatica*  
 Wright, K. A., 1962 a, 42  
*somatic muscle cells, electron microscopy*
- Capillaria hepatica*  
 Wright, K. A., 1962 b, 47  
*cytology of intestinal cells*
- Capillaria hepaticola*  
 Cluver, E. H., 1939 a, 50-51  
*Taterona brantsi*  
*Rattus rattus*  
*both from Kroonstad, Union South Africa*
- Capillaria hepatophila n. sp.*  
 Babos, A., 1954 a, 141-146, figs. 1-5
- Capillaria heterodontis n. sp.*  
 Harwood, P. D., 1932 b, 63, 66, pl. 5, figs. 11-13  
*Heterodon contortrix (rectum)*: Houston, Tex.
- Capillaria heterodontis* Harwood, 1932  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 244, pl. 1, figs. 1-3  
*Heterodon contortrix (recto)*: U.S.A.
- Capillaria hirundinis* (Rud. 1819) nom. nud.  
 Madsen, H., 1945 a, 77, 94  
*synonymy*  
*Hirundo rustica*
- Capillaria hirundinis* (Rudolphi, 1819)  
 Sprehn, C. E. W., 1932 c, 772, 845  
*Syns.*: *Trichosoma hirundinis* Rudolphi, 1819; *Capillaria hirundinis* (Rudolphi, 1819) Travassos, 1919  
*Hirundo rustica*: Europa
- Capillaria hirundinis* (Rud.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 26  
*Hirundo rustica*
- Capillaria hydrochoeri* Travassos, 1916  
 Skrjabin, K. I.; et al., 1954 a, 390  
*as syn. of Thominix hydrochoeri* (Travassos, 1916)  
*Skrjabin et Schikhobalova, 1954 [n. comb.]*
- Capillaria hydrochoeri* Trav., 1916  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 111-112, pls. 11-12, figs. 81-88  
*Hydrochoerus capibara*: Brasil
- Capillaria hydrochoeri* Travassos, 1916  
 Travassos, L. P., 1945 a, 156  
*Hydrochoerus hydrochaeris*: Porto Cabral
- Capillaria hydrochoeri* Travassos, 1916  
 Travassos, L. P.; Teixeira de Freitas, J. F.; and Lent, H., 1939 a, 226  
*Hydrochoerus capybara*: Estrado de Ferro Noroeste, Brasil
- Capillaria hydrochoeri* Travassos  
 Yorke, W.; and Maplestone, P. A., 1926 a, 26, 28  
*Hydrochoerus capibara*
- Capillaria incrassata* Dies.  
 Baylis, H. A., 1928 g, 337  
*Sorex araneus*
- Capillaria incrassata* Diesing  
 Bernard, J., 1961 a, 66-67  
*Neomys fodiens* (bladder): near Oxford
- Capillaria incrassata* Diesing 1851  
 Bernard, J., 1961 c, 129-131, 147  
*Sorex araneus* ( vessie urinaire): Vimpelles (Seine-et-Marne)
- Capillaria incrassata* Diesing, 1851  
 Bernard, J., 1961 d, 358  
*Sorex araneus*: Vosges
- Capillaria incrassata*  
 Bernard, J., 1961 e, 780, 781  
*Talpa europaea*  
*Sorex araneus*  
*Neomys fodiens*  
*Crocidura russula*  
*C. leucodon*  
*all from Belgique*
- Capillaria incrassata* (Diesing 1851)  
 Dubinin, V. B., [1954 d], 274  
*Crocidura suvecloensis*: Volga delta
- Capillaria incrassata* (Dies., 1851)  
 James, P. M., 1954 a, 186  
*Sorex araneus*: Kent, Shropshire
- Capillaria incrassata* (Dies., 1851)  
 Joyeux, C.; and Baer, J. G., 1937 b, 34-35, fig. 5  
*Syns.*: *Liniscus exilis* Duj., 1845; *Trichosoma exile* (Duj., 1845, p. 29, nec p. 15); *T. incrassatum* Dies., 1851  
*Crocidura russula*

- Capillaria incrassata* (Diesing, 1851)  
Soltys, A., 1952 a, 175, 176
- Capillaria incrassata*  
Sprehn, C. E. W., 1927 e, 57  
*Sorex araneus*
- Capillaria incrassata* (Diesing, 1851)  
Sprehn, C. E. W., 1932 c, 772, 805  
Syns.: *Trichosoma incrassata* Diesing, 1851; *Liniscus exilis* Dujardin, 1845; *Capillaria incrassata* (Diesing, 1851) Travassos, 1915  
*Sorex araneus*: Europa
- Capillaria incrassata* (Dies., 1851)  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 97-98  
*Sorex araneus*: Europa
- Capillaria incrassata* (Dies.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 26  
*Sorex araneus*
- Capillaria (Thominx [sic]) inequalis* n. sp.  
Walton, A. C., 1935 a, 43, 44, 45  
*Triturus viridescens*  
*Ambystoma opacum*  
both from Durham, N. C.
- Capillaria inequalis* Walton, 1935  
Rankin, J., 1937 b, 182, 184, 185, 186, 189, 190, 193, 194, 195, 202, 203, 207, 208, 209, 210, 211, 212, 215, 216, 243, 260  
*Ambystoma opacum*  
*Desmognathus fuscus fuscus*  
*D. ochrophaeus carolinensis*  
*D. ochrophaeus ochrophaeus*  
*D. quadramaculatus*  
*Plethodon glutinosus*  
*Triturus v. viridescens*  
all from North Carolina
- Capillaria inequalis* Walton, 1935  
Skrjabin, K. I.; et al., 1954 a, 390  
as syn. of *Thominx inequalis* (Walton, 1935) Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria inequalis* Walton, 1935  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 252-253  
*Molge viridescens*  
*Ambystoma opacum*  
both from U.S.A.
- Capillaria inflexa* Rud.  
Galli-Valerio, B., 1940 b, 285  
*Turdus viscivorus*: Suisse: Lausanne
- Capillaria inflexa*  
Lopez Neyra, G., 1947 b, 244, pl. 13, figs. 1-7
- Capillaria inflexa* (Rud., 1819) Travassos, 1915  
Lopez-Neyra, C. R., 1947 c, 217, 233, 236, 237, 238, figs. 1-3  
Syns.: *Trichosoma turdi* Rudolphi, 1819; *T. ornatum* Dujardin, 1843; *Calodium ornatum* Dujardin, 1845  
*Monticola cyanea*  
*Turdus philomelas*  
both from Granada
- Capillaria inflexa* (Rud. 1819)  
Madsen, H., 1945 a, 68, 77, 78, 94, 95, 99  
synonymy  
*Turdus viscivorus*  
*Monticola solitarius*
- Capillaria inflexa* (Rudolphi, 1819)  
Petrov, A. M.; and Chertkova, A. N., 1950 b, 90  
*Turdus merula*: Southern Kirgizia
- Capillaria inflexa* (Rudolphi, 1819)  
Sprehn, C. E. W., 1932 c, 772, 852  
Syns.: *Trichosoma inflexum* Rudolphi, 1819; *Capillaria inflexa* (Rudolphi, 1819) Travassos, 1915  
*Turdus viscivorus*: Europa
- Capillaria inflexa* (Rud.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 26  
*Monticola sp.*  
*Turdus sp.*
- Capillaria intestinalis* n. sp.  
Vanni, V., 1937 c, 486, pls. 4-6, figs. 16-21  
*Mus rattus*  
*M. norvegicus*  
both from Roma
- Capillaria intestinalis*  
Drbohlav, J.; and Gabriel, J., 1939 a, 561, 570  
rats: Prague
- Capillaria intestinalis*  
Jírovec, O.; and Stecker, J., 1944 a, 50, 53  
*Epimys norvegicus*: Prague
- Capillaria (sp. intestinalis)*  
Liddo, S.; and Sangiorgi, M., 1941 a, 244, 245
- Capillaria italicica* n. sp.  
Ricci, M., 1949 a, 190-192, 193, 195, figs. 3--1), 2)  
*Myotis nattereri*: Aquila, Italia
- Capillaria italicica* Picci, 1949  
Morozov, Iu. F., 1961 a, 96, 97  
*Myotis daubentonii* (intestine)  
*Nyctalus lisleri*  
*Vespertilio pipistrellus*  
all from Belovezha Forest
- Capillaria jaenschi* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1945 b, 243, 244, 245-247, figs. 11-13  
*Phalacrocorax sulcirostris*  
*P. fuscescens*  
*P. carbo*  
*P. melanoleucas*  
*Pelecanus conspicillatus*  
*Larus novaehollandiae*  
*Chlidonias leucopareia*
- Capillaria kutori* nov. sp.  
Rukhličděva, M. N., 1946 a, 225, 226  
*Neomys fodiens*: Khopersk state preserve
- Capillaria kutori* Ruchladieva, 1946  
Bernard, J., 1960 d, 218-221, fig. 1  
Syn.: *C. ventricola* Soltys, 1952  
*Sorex araneus*  
*S. minutus*  
both from Gembloux-Bailleux
- Capillaria kutori* Ruchladieva, 1946  
Bernard, J., 1961 d, 359-360  
Syn.: *C. ventricola* Soltys, 1952  
*Sorex araneus*: Vosges
- Capillaria kutori*  
Bernard, J., 1961 e, 781  
*Sorex araneus*  
*S. minutus*  
*Neomys fodiens*  
all from Belgique
- Capillaria kutori* Ruchladieva, 1946  
Prokopič, J., 1956 a, 120, fig. 8c-d  
*Sorex araneus*  
*Neomys fodiens*  
both from Czechoslovakia

- Capillaria kutori Ruchladieva, 1946  
 Prokopič, J., 1957 b, 55, 56, 62, fig. 8 a, b  
 Neomys fodiens  
 Sorex araneus  
 S. minutus  
 all from Czechoslovakia
- Capillaria kutori Ruchljadewa 1946  
 Prokopič, J., 1957 d, 151, 152  
 Sorex araneus  
 Neomys fodiens  
 both from High Tatra mountains
- Capillaria kutori  
 Prokopič, J., 1958 a, 177  
 Sorex araneus  
 S. minutus  
 S. alpinus  
 Neomys fodiens  
 all from Czechoslovakia
- Capillaria kutori Ruchladewa, 1946  
 Prokopič, J., 1959 b, 179, 181, 182  
 Alpenspitzmaus (*Sorex alpinus hercynicus*): Riesengs-  
 birges, Czechoslovakia
- Capillaria kutori Ruchladewa 1946  
 Prokopič, J., 1959 c, 105, 113, 115  
 Sorex araneus (small intestine, stomach, esophagus)  
 S. minutus " " " "  
 Neomys fodiens " " " "  
 Sorex alpinus (intestine)  
 Crocidura suavolens (small intestine)  
 all from Czechoslovakia
- Capillaria kutori Ruchladiewa, 1946  
 Sołtys, A., 1954 a, 354, 355, 361-362  
 Syn.: Capillaria ventricola Sołtys, 1952  
 Sorex araneus  
 S. minutus  
 Neomys anomalus milleri  
 N. fodiens  
 all from Białowieża National Park
- Capillaria laricola (Wassilkowa)  
 Baylis, H. A., 1931 f, 542
- Capillaria laricola (Wassilkowa, 1930) Baylis, 1931  
 Cram, E. B., 1936 c, 3, 21  
 description
- Capillaria laricola (Wassilkowa)  
 Johnston, T. H.; and Mawson, P. M., 1947 a, 547, 549, 550,  
 fig. 2  
 Larus novaehollandiae: Tailem Bend, Australia
- Capillaria laricola (Wassilkowa & Gouchanskaja 1930)  
 Madsen, H., 1945 a, 44, 78, 93, 99  
 synonymy  
 Larus canus  
 L. argentatus  
 L. ridibundus  
 Sterna hirundo  
 Chlidonias nigra
- Capillaria laricola (Wassilkowa, 1930)  
 Šerkova, O. P., 1948 a, 210, 237, 241  
 Larus canus  
 Sterna hirundo  
 Hydrochelidon nigra  
 all from Barabın Lakes
- Capillaria laricola (Wassilkowa, 1930) Baylis, 1931  
 Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
 1935 b, 136-137, 146  
 synonymy  
 Larus ridibundus  
 L. canus
- Capillaria laricola (Wassilkowa, 1930) Baylis, 1931.—  
 Continued.  
 Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
 1935 b, 136-137, 146  
 L. argentatus  
 Sterna forsteri  
 Hydrochelidon nigra
- Capillaria latridopsis n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1945 b, 243, 244,  
 245, figs. 4-6  
 Latridopsis forsteri: Kangaroo Island, South Australia
- Capillaria leidyella Travassos 1915  
 Madsen, H., 1945 a, 68, 78, 94, 99  
 synonymy  
 Colaptes mexicanus
- Capillaria leidyella Trav.  
 Walton, A. C., 1923 a, 67
- Capillaria leidyella Travassos  
 Yorke, W.; and Maplestone, P. A., 1926 a, 26  
 Colaptes maximus
- Capillaria leidyi n. n.  
 Travassos, L. P., 1914 c, 429  
 Syn.: Trichosoma tenuissimum Leidy 1891 not Diesing,  
 1850
- Capillaria leidyi  
 Sprehn, C. E. W., 1927 e, 57  
 Mus norvegicus
- Capillaria leidyi Travassos  
 Sprehn, C. E. W., 1930 s, 262  
 Epimys norvegicus
- Capillaria leidyi (Travassos)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 26  
 Mus norvegicus
- Capillaria lemni Retzius "sp. inq."  
 Kalantar'fan, E. V., 1924 b, 24
- Capillaria lemni Retzius  
 Skrjabin, K. I., 1923 m, 87  
 Arvicola amphibius
- Capillaria lemni  
 Sprehn, C. E. W., 1927 e, 57  
 Microtus terrestris
- Capillaria lemni (Ratzius, 1841)  
 Sprehn, C. E. W., 1932 c, 773, 828  
 Syns.: Trichosoma lemni Ratzius, 1841; Capillaria  
 lemni (Ratzius, 1841) Travassos, 1915  
 Arvicola amphibius (Magen): Europa
- Capillaria lemni (Dies., 1851) Trav.  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 122  
 Microtus (Arvicola) terrestris
- Capillaria lemni (Retzius)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 26  
 Microtus terrestris
- Capillaria lepidopodis n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1944 a, 61, 63, 66,  
 pl., fig. 13  
 Lepidopus caudatus: St. Vincent's Gulf, South Austral-  
 ia
- Capillaria leporis (Diesing, 1851) Travassos, 1915  
 Dougherty, E. C.; and Goble, F. C., 1946 a, 10  
 as syn. of *Protostromgylus pulmonalis* (v. Frölich,  
 1802) Goble and Dougherty, 1943

- Capillaria leporis [sic] Duj.  
Kalantar'ian, E. V., 1924 b, 24
- Capillaria lepruris [sic]  
Sprehn, C. E. W., 1927 e, 57  
Lepus
- Capillaria leporis (Diesing, 1851)  
Sprehn, C. E. W., 1932 c, 773, 826  
Syns.: Trichosoma leporis Diesing, 1851 nec Dujardin,  
1845; Capillaria leporis (Diesing, 1851) Travassos,  
1915  
Lepus europaeus: Europa
- Capillaria leporis (Dies.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 26  
Lepus timidus
- Capillaria leucisci, n. sp.  
Hesse, A. J., 1923 a, 65-70  
Leuciscus phoxinus (intestine)
- Capillaria leucisci Hesse, 1923  
Harant, H.; and Verniere, P., 1933 c, 263  
Vairons
- Capillaria leucisci Hesse, 1923  
Heinze, K., 1933 a, 394, 399, 400-401, 404, fig. 14  
Phoxinus phoxinus (Darm): Perthshire, Schottland
- Capillaria leucisci Hesse, 1923  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 259-  
260, figs. 52-56  
Leuciscus (Phoxinus) phoxinus (intestino): Loch  
Lubnaig, Pertshire, Escocia
- Capillaria leucisci Hesse  
Yorke, W.; and Maplestone, P. A., 1926 a, 26  
Leuciscus phoxinus
- Capillaria lewaschoffii n. sp.  
Heinze, K., 1933 a, 394, 399, 402-403, 404, fig. 19  
Syn.: C. tuberculata v. Linstow of Lewaschoff, 1926  
Pelecus cultratus (Darm): Wolga bei Saratow
- Capillaria lewaschoffii Heinze, 1933  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 260-  
261, pl. 6, figs. 57-59  
synonymy  
Pelecus cultratus (intestino): U. R. S. S.
- Capillaria linearis (Leidy)  
Baylis, H. A., 1929 i, 263  
cat
- Capillaria lineare  
Hall, M. C., 1923 l, 42-43, 51  
cat
- Capillaria linearis (Leidy)  
Lewis, E. A., 1927 c, 130  
cat
- Capillaria lineare Leidy  
Lopez Neyra, C. R., 1924 a, 111
- Capillaria linearis (Leidy, 1856)  
Read, C. P., 1949 a, 224
- Capillaria linearis (Leidy)  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W.,  
[1922 a], 448
- Capillaria linearis  
Sprehn, C. E. W., 1927 e, 57  
Felis catus
- Capillaria linearis (Leidy)  
Sprehn, C. E. W., 1930 s, 258  
Felis catus
- Capillaria lineare (Leidy, 1856)  
Sprehn, C. E. W., 1932 c, 773, 819  
Syns.: Trichosoma lineare Leidy, 1856; T. felis-cati  
Stossich, 1890 e. p.; Capillaria lineare (Leidy,  
1856) Travassos, 1915  
Felis catus (Dünndarm): Nordamerika
- Capillaria linearis (Leidy, 1856) Trav.  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 123-  
124  
Felis (F.) catus  
F. (F.) silvestris
- Capillaria linearis (Leidy, 1856)  
Witenberg, G. G., 1934 a, 238  
cat
- Capillaria lineare  
Wooldridge, G. H., 1923 a, 325
- Capillaria linearis (Leidy)  
Yorke, W.; and Maplestone, P. A., 1926 a, 26  
Felis catus
- Capillaria lineare Leidy  
Zakharov, N. P., 1920 b, 17
- Capillaria linsi n. sp.  
Teixeira de Freitas, J. F.; and Lent, H., 1935 c, 701-  
702, 703 [i.e. 301-302, 303]  
Galictis vittata: Manguinhos, Rio de Janeiro, Brasil
- Capillaria linsi Freitas and Lent, 1935  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 117-  
118, pl. 13, figs. 102-107, pl. 14, figs. 108-109  
Grison vittata: Brasil
- Capillaria linstowi n. n.  
Travassos, L. P., 1914 c, 429  
Syn.: Trychosoma capillare v. Linstow 1882 nec Rud.,  
1809
- Capillaria linstowi Trav.  
Lewis, E. A., 1927 d, 130  
mole
- Capillaria linstowi Travassos, 1914  
Lukasiak, J.; and Strankovski, M., 1933 a, 364  
Talpa europea  
Crocidura aranea  
(vesseur urinaire of both)
- Capillaria linstowi  
Sprehn, C. E. W., 1927 e, 57  
Talpa europaea
- Capillaria linstowi Travassos, 1914  
Sprehn, C. E. W., 1932 c, 773, 805  
Syn.: Trichosoma capillare Linstow, 1882 nec Rudolphi,  
1809  
Crocidura russula (Darm): Europa
- Capillaria linstowi Travassos  
Yorke, W.; and Maplestone, P. A., 1926 a, 26  
Talpa europaea  
Crocidura sp.
- Capillaria longivaginata (v. Linst.)  
Baylis, H. A., 1928 g, 337  
Alauda arvensis
- Capillaria longevaginata (v. Linstow 1879)  
Madsen, H., 1945 a, 28, 68, 69, 78  
Syn.: C. alaudae (Rud. 1819), after v. Linstow 1889

- Capillaria longevaginata* (Linstow, 1879)  
 Sprehn, C. E. W., 1932 c, 774, 838  
 Syns.: *Trichosoma alauda* Rudolphi, 1819 (*nomen nudum*);  
*T. longevaginata* Linstow, 1879; *Capillaria longevaginata* (Linstow, 1879) Travassos, 1915  
*Alauda arvensis*: Europa
- Capillaria longevaginata* (Linst.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 26  
*Alauda arvensis*
- Capillaria longicauda* n. sp.  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 352-353  
*Metachirops opossum*: Petropolis, Estado Rio de Janeiro, Brasil
- Capillaria longicauda* Freitas and Lent, 1935  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 120, pl. 15, figs. 120-121; pl. 16, figs. 122-123  
*Metachirops opossum*: Brasil
- Capillaria longicauda* Freitas and Lent, 1935  
 Babero, B. B., 1960 a, 455  
*Didelphis virginiana*: Georgia
- Capillaria longicauda* (Freitas et Lent, 1935)  
 Skrjabin, K. I.; et al., 1954 a, 391  
 as syn. of *Thominx longicauda* (Freitas et Lent, 1935)  
 Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria longicollis* (Rud.)  
 Babić, I., 1936 a, 301  
*Phasianus colchicus*: Jugoslawiens
- Capillaria longicollis* (Rud.)  
 Baylis, H. A., 1928 g, 337  
*Phasianus colchicus*
- Capillaria longicollis* (Rudolphi)  
 Baylis, H. A., 1929 i, 264  
 fowl  
 pheasant
- Capillaria longicollis* (Rudolphi, 1819)  
 Baylis, H. A., 1939 a, 491  
*Phasianus colchicus*: Cheshire, Brit Is.; Westmorland, Brit. Is.  
*Perdix perdix*: Forfarshire  
*Otis tetraz orientalis*: Hampshire, Brit. Is.
- Capillaria longicolle*  
 Bittner, H., 1926 a, 730
- Capillaria longicollis*  
 Bump, G., 1937 a, 309
- Capillaria longicollis*  
 Bump, G., 1938 a, 269, 271
- Capillaria longicollis* (Rud.)  
 Clapham, P. A., 1935 c, 140, 142  
*Perdix perdix*
- Capillaria longicollis*  
 Clapham, P. A., 1936 b, 62, 63-64  
 fatal infestation  
*Perdix perdix*
- Capillaria longicollis*  
 Clapham, P. A., 1937 a, 50-51  
 pathology, partridges
- Capillaria longicollis*  
 Clapham, P. A., 1938 b, 48  
 domestic pigeon  
*Alectoris chukor*
- Capillaria longicollis*  
 Clapham, P. A., 1940 c, 40, 41, 42  
 wild birds as transmitters  
 poultry
- Capillaria longicollis*  
 Clapham, P. A., 1950 b, 141  
 treatment  
 aves
- Capillaria longicolle* (Rud.) 1819  
 Collinge, W. E., [1932 c], 57, 78, 79, 81  
 partridge (duodenum, caeca): England
- Capillaria longicollis Rudolphi*, 1819  
 Daub, M., 1951 a, 7  
 treatment  
*Geflügel*
- Capillaria longicollis*  
 El Refai, Abd el Hai Hamed, 1960 a, 23, 39-40, 51, 54
- Capillaria longicollis* (Rudolphi, 1819)  
 Erlich, I.; and Mikacic, D., 1939 a, 570-571, 572, 573, 574, 575, 577, 579, 580  
 poulet: Zagreb
- Capillaria longicollis* (Rud., 1819)  
 Erlich, I.; and Mikacic, D., 1940 a, 121, 126, 127, 128  
*Meleagris gallopavo*: Yugoslavia
- Capillaria longicollis*  
 Fediushin, A. V., 1948 a, 483  
 distribution
- Capillaria longicolle* Rud.  
 Galli-Valerio, B., 1939 c, 100  
*Phasianus colchicus*: Parc de Mon Repos, Lausanne  
*Sterna perdix*: Tessin
- Capillaria longicolle* Rud.  
 Galli-Valerio, B., 1940 b, 283  
*Perdix saxatilis*: Suisse: Tessin  
*Phasianus colchicus*: Suisse: Sion Valais  
*Lyrurus tetrix*: Suisse: Arête de Chaud Vaud  
*Tetrao urogallus*: Suisse: Col de Jaman Vaud  
*Lagopus mutus*: Suisse: Dérotchaz Valais
- Capillaria longicollis*  
 Gambles, R. M., 1939 a, 29  
 fowl: Cyprus
- Capillaria longicollis Rudolphi*, 1819  
 Gardiner, J. L.; and Wehr, E. E., 1949 a, 18  
*Meleagridis gallopavo silvestris*: Maryland
- Capillaria longicollis*  
 Gross, A. O., 1926 a, 6  
*Bonasa umbellus*
- Capillaria longicollis*  
 Hare, T. 2, 1937 a, 683-684  
 pigeons
- Capillaria longicollis* (Rud.)  
 Huus, J., 1928 a, 4, 31
- Capillaria longicollis* (Rud.)  
 Huus, J., 1928 b, 4, 31
- Capillaria longicollis*  
 Huus, J., 1929 a, 9
- Capillaria longicollis*  
 Huus, J., 1931 a, 9
- Capillaria longicollis*  
 Keymer, I. F.; Rose, J. H.; Beesley, W. N.; and Davies, S. F. M., 1962 a, 888  
*Phasianus colchicus*: Great Britain

## NEMATODA AND NEMATODE DISEASES

- Capillaria longicollis* Rudolphi, Travassos  
 Koffman, M., 1939 a, 529, 530-531, 532, figs. 14-16  
 Syns.: *Calodium caudinflatum* Molin, *Hamularia nodulosa* Rudolphi; *Trichosoma annulatum* Molin; *T. caudinflatum* Kowalewsky; *T. gallinum* Kowalewsky; *T. longicolle* Rud.  
 Höns: Sverige
- Capillaria longicollis*  
 Lancaster, W. E., 1957 a, 156  
 fowl: Malaya
- Capillaria longicolle* Rud.  
 Lopez Neyra, C. R., 1924 a, 112
- Capillaria longicollis*  
 Lund, H. M., 1946 a, 643-646, 647, 648, 649, 658, 660  
*Tetrao urogallus*: Norway
- Capillaria longicollis* (Rud., 1819)  
 Madsen, H., 1941 a, 31, 33  
*Phasianus colchicus*  
*Perdix perdix*  
 both from Denmark
- Capillaria longicollis* (Rud. 1819) auctt. nov.  
 Madsen, H., 1945 a, 4, 10, 12, 13, 14, 15, 16, 17, 18,  
 20, 21, 22, 25, 31, 35, 37, 56, 78, 91, 92, 93, 99, 105,  
 figs. 5 a-f, 6 a-e  
 Syn.: *C. longicollis* (Mehlis 1831)  
*Lyrurus tetrix*: Jylland  
*Perdix perdix*: Jylland; Fyn; Sjaelland; Lolland-  
 Falster  
*Gallus gallus domesticus*  
*Meleagris gallopavo domesticus*  
*Phasianus colchicus formae*  
*Coturnix coturnix*  
*Alectoris rufa*  
*A. graeca chukar*  
*Columba livia dom.*  
*Lagopus lagopus*  
*Tetrao urogallus*  
*Numida meleagris*  
*Columba palumbus*  
*Lagopus mutus*
- Capillaria longicollis* (Mehlis 1831) nomen auctoris  
 emendavi  
 Madsen, H., 1945 a, 11, 70, 72, 77, 78, 79, 80, 82, 85,  
 86, 87, 104  
 synonymy
- Capillaria longicollis* (Duj. 1845)  
 Madsen, H., 1945 a, 78  
 Syn.: *C. collaris* (v. Linstow 1873) p. p. (?)
- Capillaria longicollis* (Eberth 1863)  
 Madsen, H., 1945 a, 78  
 Syn.: *C. collaris* (v. Linstow 1873)
- Capillaria longicollis* (Parona 1886)  
 Madsen, H., 1945 a, 78  
 Syn.: *C. cadovulvata* n. sp. p. p. (?)
- Capillaria longicollis* (Mehlis, 1831)  
 Mettrick, D. F., 1959 c, 72-74, 81, 82, 83, fig. 7 a-d  
*Phasianus colchicus*  
*Gallus domesticus*  
*Columba livia domestica*  
*Perdix perdix*  
*Otis tarda*  
 (intestine of all): all from Hertfordshire
- Capillaria longicollis* (Rud., 1819)  
 Mönnig, H. O., 1933 d, 469  
 Kippen (dunnen darm): Utrecht
- Capillaria longicollis*  
 Monne, L.; and Höning, G., 1954 a, 559  
 properties of egg envelopes
- Capillaria longicollis* (Rud., 1819) Travassos, 1915  
 Morehouse, N. F., 1944 a, 219  
*Phasianus colchicus*  
*Lagopus lagopus*  
 chickens  
 all from Utrecht
- Capillaria longicollis* (Rud., 1819) Travassos, 1915  
 Morgan, D. O., 1932 b, 184, 185-188, 189, 190, 191,  
 figs. 1-5  
 Syns.: *Trichosoma longicolle* Rud., 1819; *Calodium caudinflatum* Molin, 1858; *Trichosoma gallinum* Kowal., 1894; *Trichosoma caudinflatum* Kowal., 1901  
*Gallus domesticus*  
*Phasianus colchicus*  
*Chrysolophus pictus*  
*Perdix perdix*  
*Coturnix coturnix*  
*Lyrurus tetrix*  
*Tetrao urogallus*  
*Lagopus scoticus*
- Capillaria longicollis*  
 Morgan, D. O.; and Wilson, J. E., 1938 a, 166, 167, 169  
 poultry: Scotland
- Capillaria longicollis*  
 Muroma, E., 1951 a, 162  
*Lagopus lagopus*: Finland
- Capillaria longicollis*  
 Olinger, I. M., 1957 a, 501  
*Tetrao urogallus*  
*Tetrastes bonasia*  
 both from European part of RSFSR
- Capillaria longicollis* (Rudolphi, 1819)  
 Orosz, D., 1932 a, 31, 52, 53  
 chickens
- Capillaria longicollis*  
 Orr, W., 1938 b, 97  
 fowls: Malaya
- Capillaria longicolle* Rud.  
 Otte, W., 1927 a, 61
- Capillaria longicollis*  
 Pillers, A. W. N., 1929 c, 566  
 exotic pheasant
- Capillaria longicollis*  
 Pouplard, L., 1958 a, 91-92, 94, 95, 97, pl.  
 volaille: Belgique
- Capillaria longicollis* (Rudolphi)  
 Roveda, R. J.; and Ringuelet, R., 1947 a, 75  
*Gallus gallus domesticus*: Argentina
- Capillaria (C.) longicolle* Rud.  
 Skrjabin, K. I., 1920 a, 17
- Capillaria longicolle* (Rud.)  
 Skrjabin, K. I., 1920 b, 48-49  
*Phasianus colchicus*  
*Chrysolophus pictus*  
*Tetrao urogallus*  
*Lyrurus tetrix*  
*Lagopus scoticus*  
*Perdix perdix*
- Capillaria (C.) longicolle*, Rud., 1819  
 Skrjabin, K. I., 1923 i, 298  
 Haushuhn

- Capillaria (G.) longicolle*, Rud., 1819.—Continued.  
*Skrjabin*, K. I., 1923 i, 298  
*Phasianus colchicus*  
*P. pictus*  
*Auerhuhn*  
*Birkhuhn*  
*Moorhuhn*  
*Rebhuhn*
- Capillaria longicolle* (Rudolphi, 1819)  
*Sprehn*, C. E. W., 1932 c, 774, 885, 888, 889, 891  
 Syns.: *Hamularia nodulosa* Rudolphi, 1808 (*nomen nudum*); *Trichosoma longicolle* Rudolphi, 1819; *T. annulatum* Molin, 1858; *Calodium caudinflatum* Molin, 1858;  
*Capillaria longicolle* (Rudolphi, 1819) Travassos, 1915  
*Gallus gallus* (Duodenum)  
*Phasianus colchicus*  
*Tetrao urogallus*  
*Coturnix coturnix*  
*Perdix perdix*  
*Otis tarda*  
*Lyrurus tetrix*  
 all from Europa
- Capillaria longicollis* Rudolphi  
*Stefflova-Leiska*, M., 1957 a, 342  
 chickens: Czechoslovakia
- Capillaria longicollis*  
*Swierstra*, D., 1948 b, 835  
 Kalkoen
- Capillaria longicollis*  
*Swierstra*, D., 1948 c, 149-153  
 phenothiazine
- Capillaria longicollis* (Rud., 1819)  
*Teixeira de Freitas*, J. F.; and *Lins de Almeida*, J., 1935 a, 322-326, 345, 361, 363, pl. 2, figs. 7-11; pl. 3, figs. 12-13; pl. 10, figs. 48-49  
*Gallus gallus* dom.  
*Lyrurus tetrix*  
*Tetrao urogallus*  
*Coturnix coturnix*  
*Sterna cinerea*  
*Crysolophus pictus*  
*Numida meleagris*  
*Lagopus scoticus*  
*Phasianus colchicus*  
*Perdix perdix*
- Capillaria longicolle* (Rudolphi, 1819)  
*Vrazic*, O., 1957 a, 26, 30, 31, 32  
*Perdix perdix*: P. R. Croatia
- Capillaria longicollis* (Rudolphi, 1819)  
*Walker*, T., 1937 a, 29  
*Gallus gallus* dom.: South Wales
- Capillaria longicollis* (Rud.)  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 26  
*Gallus* sp.
- Capillaria longifila* (Duj. 1845)  
*Madsen*, H., 1945 a, 79, 94, 99  
 synonymy  
*Prunella modularis*
- Capillaria longifila* (Dujardin, 1845)  
*Sprehn*, C. E. W., 1932 c, 774, 844  
 Syns.: *Trichosoma longifila* Dujardin, 1845; *Capillaria longifila* (Dujardin, 1845) Travassos, 1915  
*Prunella modularis*: Europa
- Capillaria longifila* (Duj.)  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 26  
*Accentor modularis*
- Capillaria longipes*  
*Andrews*, J. S.; and *Maldonado*, J. F., 1939 a, 53  
 calves: Puerto Rico
- Capillaria longipes*  
*Andrews*, J. S.; and *Maldonado*, J. F., [1941 d], 129  
 becerros: Puerto Rico
- Capillaria longipes* Ransom  
*Baylis*, H. A., 1929 i, 263  
 sheep
- Capillaria longipes* Ransom, 1911  
*Bhalerao*, G. D., 1933 f, 168, 169  
 sheep (small intestine): United States
- Capillaria longipes* Ransom  
*Brade-Birks*, S. G., 1927 a, 52
- Capillaria longipes* Ransom  
*Cameron*, T. W. M., 1922 b, 187  
 sheep: Britain
- Capillaria longipes*  
*Cameron*, T. W. M., 1923 d, 55
- Capillaria longipes*  
*Couturier*, M. A. J., [1961 a], 71  
*Capra aegagrus ibex*
- Capillaria longipes*  
*Euzéby*, J., 1957 c, 19  
*Capra hircus*: Federation of Malaya
- Capillaria longipes* Ransom, 1911  
*Freeborn*, S. B.; and *Stewart*, M. A., 1937 a, 7, 60
- Capillaria longipes*  
*Hall*, M. C., 1922 b, 376, fig. 11
- Capillaria longipes*  
*Hall*, M. C., [1923 b], 41, fig. 38
- Capillaria longipes*  
*Kreis*, H. A., 1950 a, 158, 163  
*okapi*
- Capillaria longipes*  
*Krippner*, H., 1959 a, 17, 21  
*Schafe*: Westberlin
- Capillaria longipes*  
*Lancaster*, W. E., 1957 a, 156  
 goats  
 sheep  
 both from Malaya
- Capillaria longipes*  
*Leiper*, J. W. G., 1937 a, 1412  
 worm count, goats
- Capillaria longipes*  
*Leiper*, J. W. G.; and *Clapham*, P. A., 1938 a, 77, 80  
*Hydropotes inermis*: Whipsnade Park in Bedfordshire  
 (Zool. Soc. of London)
- Capillaria longipes*  
*Lewis*, E. A., 1927 d, 124
- Capillaria longipes*  
*Morgan*, D. O., 1924 a, 92

- Capillaria longipes*  
Morgan, D. O., 1925 b, 171
- Capillaria longipes*  
Morgan, D. O., 1930 b, 71  
goat
- Capillaria longipes*  
Morgan, D. O., 1930 c, 227
- Capillaria longipes*  
Morgan, D. O., 1933 a, 177 (9)  
goats: St. Albans, England
- Capillaria longipes*  
Morgan, D. O.; and Corner, H. H., 1939 a, 209  
lambs: Scottish Border Counties
- Capillaria longipes*  
Morgan, D. O.; Parnell, I. W.; and Rayski, C., 1951 a, 195
- Capillaria longipes*  
Obitz, K. A., 1933 b, 162, 164
- Capillaria longipes Ransom, 1911*  
Oldham, J. N.; and Morgan, D. O., 1934 a, 43, 45  
goats (small intestine): St. Albans, England
- Capillaria longipes*  
Patyk, S., 1953 a, 106  
sheep: Poland
- Capillaria longipes*  
Patyk, S., 1956 c, 171, 172  
cattle: western territories of Poland
- Capillaria longipes Ransom, 1911*  
Patyk, S., 1960 a, 233, 240, 241, 243, 245, 248, 249, 253  
cattle (small intestine): West Poland
- Capillaria (C.) longipes Ransom*  
Petrov, A. M.; and Orlov, I. V., 1930 a, 275, 276  
as syn. of *C. (C.) bovis* (Schnyder, 1906)  
*Ovis aries*  
*Antilocapra americana*
- Capillaria longipes*  
Porter, D. A., 1942 a, 305, 306, 308  
incidence, cattle: southeastern United States
- Capillaria longipes*  
Robertson, D., 1933 a, 321, 323  
lambs: North of Scotland
- Capillaria longipes Ransom*  
Robertson, D., 1937 d, 2022, 2036  
sheep: Scotland
- Capillaria longipes*  
Robertson, D., 1939 b, 232, 233, 234, 235  
hill sheep: Scotland
- Capillaria longipes*  
Robertson, D., 1942 a, 59  
sheep: Scotland
- Capillaria longipes (Ransom, 1911)*  
Rýšavý, B.; and Erhardová, B., 1952 a, 122, 123, 124,  
fig. 5; pl. 1, fig. 6  
sheep  
wild ruminants
- Capillaria longipes (Ransom, 1911)*  
Sjöberg-Klaavu, A. H., 1934 a, 984, 991, 993  
treatment: Süd-Osterbotten, Finland
- Capillaria longipes Ransom*  
Skrjabin, K. I., 1929 b, 10
- Capillaria longipes Ransom*  
Sluiter, C. F.; Swellengrebel, N. H.; and Ihle, J. E. W.,  
[1922 a], 446
- Capillaria longipes*  
Sprehn, C. E. W., 1927 e, 57  
*Ovis aries*
- Capillaria longipes Ransom*  
Sprehn, C. E. W., 1928 g, 198, 201
- Capillaria longipes Ransom, 1911*  
Sprehn, C. E. W., 1932 c, 774  
*Ovis aries*: Nordamerika
- Capillaria longipes*  
Swales, W. E., 1939 d, 191, 193  
sheep, phenothiazine, efficient treatment: Canada
- Capillaria longipes*  
Tetley, J. H., 1937 a, 806, 813  
distribution in sheep
- Capillaria longipes*  
Tetley, J. H., 1941 c, 250  
epidemiology, sheep: Manawatu district, New Zealand
- Capillaria longipes*  
Tetley, J. H., 1949 a, 26, 190  
sheep: N. Zealand
- Capillaria (Trichosoma) longipes Ransom*  
Wetzel, R.; and Schoop, G., 1925 a, 495-496, 1 fig.  
*Schafe*: Deutschland
- Capillaria longipes Ransom*  
Yorke, W.; and Maplestone, P. A., 1926 a, 26  
antelope  
sheep
- Capillaria longispicula (Sonsino)*  
Gendre, E., 1928 a, 77  
*Python sebae*
- Capillaria longispicula (Sonsino, 1889) Trav., 1915*  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 245,  
pl. 1, figs. 4-6  
synonymy  
*Python molurus* (intestino): India
- Capillaria longispicula (Sonsino, 1889)*  
Yamashita, J.; Fujimoto, Y.; and Ohbayashi, M., 1953 a,  
510, 512, fig. 2  
*Python reticulatus*: circus in Wakkanai, Hokkaido,  
imported from Burma
- Capillaria longispicula (Sonsino, 1889)*  
Yamashita, J.; and Nakamata, M., 1954 a, 149, 150, 156,  
pl. fig. 4  
*Python reituclaris*: Sapporo Zool. Gardens
- Capillaria longispicula*  
Yamashita, J.; and Nakamata, M., 1954 b, 28  
imported animals: Hokkaido
- Capillaria longispicula (Sonsino)*  
Yamashita, J.; and Nakamata, M., 1954 b, 26  
*Python molurus*
- Capillaria longistriata sp. nov.*  
Walton, A. C., 1923 a, 65-67, 69, pl. 6, figs. 1, 6, 7,  
9-12  
*Colaptes auratus luteus*: Monticello, Illinois

- Capillaria longistriata* Walton 1923  
 Madsen, H., 1945 a, 68, 79, 94, 99  
*Colaptes auratus*
- Capillaria longistriata* Walton  
 Yorke, W.; and Maplestone, P. A., 1926 a, 26  
*Colaptes sp.*
- Capillaria lophortygis* n. sp.  
 Baylis, H. A., 1934 i, 131-132, fig. 3  
*Californian quail (presumably Lophortyx californica):*  
*Brisbane, Queensland*
- Capillaria lophortygis* Baylis 1934  
 Cram, E. B., 1936 c, 3, 21-22, fig. 10  
*description*
- Capillaria lophortygis* Baylis 1934  
 Madsen, H., 1945 a, 38, 44, 79  
*Syn.: C. contorta (Creplin 1839)*
- Capillaria lophortygis* Baylis, 1934  
 Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
 1935 b, 138, 156, pl. 1, fig. 10  
 (?) *Lophortix californica*: (?) *America do Norte*
- Capillaria magalhæsi* n. sp.  
 Lent, H.; and Teixeira de Freitas, J. F., 1937 a, 308-  
 309, pl. 1, figs. 1-6  
*Micropogon undulatus: Brasil*
- Capillaria manica* (Duj. 1845)  
 Madsen, H., 1945 a, 79, 95, 99  
*synonymy*  
*Fringilla coelebs*
- Capillaria manica* (Dujardin, 1845)  
 Sprehn, C. E. W., 1932 c, 774, 837  
*Syns.: Thominx manica Dujardin, 1845; Capillaria*  
*manica (Dujardin, 1845) Travassos, 1915*  
*Fringilla coelebs: Europa*
- Capillaria manica* Duj.  
 Yorke, W.; and Maplestone, P. A., 1926 a, 26, 28  
*Fringilla coelebs*
- Capillaria martinezii* n. sp.  
 Caballero y C., E., 1942 a, 649-653, figs. 1-6  
*Natalus mexicanus: Tlalpan, D. F., Mex.*
- Capillaria maxillosa* n. sp.  
 Vaz, Z.; and Pereira, C., 1934 a, 100-101, 103, figs. 29-  
 31  
*Salminus maxillosus: Estado de S. Paulo*
- Capillaria maxillosa* Vaz and Pereira, 1934  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 261,  
 pl. 11, figs. 100-102  
*Salminus maxillosus (estomago): Brasil*
- Capillaria meleagris-gallopavo*  
 Swales, W. E., 1933 a, 477  
*[for C. meleagrisgallopavo]*
- Capillaria megrelica* n. sp.  
 Rodonafa, T. E., 1947 a, 57-60, fig.  
*Capra hircus (rumen): Zugdidakii & Tsalendzhikhskii*  
*regions*
- Capillaria meleagris*  
 Hall, M. C., 1922 s, 538
- Capillaria meleagris*  
 Hall, M. C., [1923 b], 57
- Capillaria meleagris* Barile  
 Lopez Neyra, C. R., 1924 a, 112
- Capillaria (Thominx) meleagris*  
 Yorke, W.; and Maplestone, P. A., 1926 a, 28
- Capillaria meleagris-gallopavo* (Barile, 1912)  
 Baker, A. D., 1932 a, 128  
*poultry [? Gallus gallus]: Quebec*
- Capillaria meleagris gallopavo* (Barile)  
 Baker, A. D.; Conklin, R. L.; Maw, W. A.; and Fogert, C.  
 D., 1929 a, 61
- Capillaria meleagris-gallopavo* (Barile)  
 Baylis, H. A., 1929 i, 264  
*turkey*
- Capillaria meleagris gallopavo*  
 Bittner, H., 1926 a, 730
- Capillaria meleagris-gallopavo*  
 Cram, E. B., 1925 a, 230  
*turkey: Bethesda, Md.*
- Capillaria meleagris-gallopavo*  
 Cram, E. B., 1932 c, 93  
*Phasianus colchicus torquatus (intestine): New Jersey*
- Capillaria meleagris-gallopavo*  
 Graham, R.; Thorp, F. (jr.); and Hectorne, R. L., 1930 a,  
 154  
*chickens*
- Capillaria meleagris-gallopavo* (Barile 1912)  
 Madsen, H., 1945 a, 12, 13, 22, 79  
*Syn.: C. longicollis (Mehlis 1831)*
- Capillaria meleagris gallopavo* (Barile, 1912)  
 Orosz, D., 1932 a, 31, 52, 53  
*as syn. of C. caudinflata (Molin)*  
*turkey*
- Capillaria meleagris gallopavo* Barile, 1912  
 Shul'man-Al'bova, R. E., 1954 b, 194  
*Phasianus colchicus pallasi: below Leningrad*
- Capillaria meleagris gallopavo* Barile  
 Skrjabin, K. I., 1920 b, 59, 60
- Capillaria (Thominx) meleagris gallopavo* Barile  
 Skrjabin, K. I., 1920 b, 61-62
- Capillaria meleagris gallopavo* Barile 1912  
 Skrjabin, K. I., 1923 i, 299  
*Truthuhn: Italien*
- Capillaria meleagris-gallopavo* (Barile, 1912)  
 Sprehn, C. E. W., 1932 c, 774-776, 891, fig. 363  
*Syns.: Trichosoma meleagris-gallopavo Barile, 1912;*  
*Capillaria meleagris-gallopavo (Barile, 1912) Travas-*  
*sos, 1915*  
*Meleagris gallopavo: Europa, Amerika*
- Capillaria meleagris-gallopavo*  
 Swales, W. E., 1933 a, 476, 477  
*Gallus gallus: Quebec*
- Capillaria meleagris-gallopavo* (Barile)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 26  
*Meleagris sp.*
- Capillaria mergi* nom. nov. [n. sp.]  
 Madsen, H., 1945 a, 46, 47, 48, 49, 50, 51, 52, 54, 55,  
 56, 59, 61, 66, 67, 68, 71, 79, 90, 91, 99, 105, fig.  
 19 a-g  
*Eucephala clangula: Sjaelland*  
*Melanitta fusca*

- Capillaria mergi* nom. nov. [n. sp.]—Continued.
- Madsen, H., 1945 a, 46, 47, 48, 49, 50, 51, 52, 54, 55, 56, 59, 61, 66, 67, 68, 71, 79, 90, 91, 99, 105, fig. 19 a-g
- Somateria mollissima  
Mergus merganser: Sjaelland  
M. serrator: Sjaelland  
Clangula hyemalis
- Capillaria michiganensis* n. sp.  
Read, C. P., 1949 b, 233, 235, 237, pl. I, figs. 3-4  
Ondatra zibethica: Michigan
- Capillaria michiganensis*  
Burnett, M. P., 1956 a, 45  
muskrat: Colorado
- Capillaria mingazzini* Rizzo  
Skrjabin, K. I., 1923 m, 87  
Tropidonotus natrix
- Capillaria mingazzinii* (Rizzo, 1902) Trav., 1915  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 245-246, pl. 1, figs. 7-8  
synonym  
Tropidonotus natrix (intestino): Italia
- Capillaria mingazzinii* (Rizzo)  
Yorke, W.; and Maplestone, P. A., 1926 a, 26  
Tropidonotus natrix
- Capillaria minima* n. sp.  
Travassos, L. P.; Artigas, P.; Pereira, C., 1928 a, 29-30, pl. 10, figs. 109-110  
Anostomatinae sp.  
Leporinus sp.
- Capillaria minima* Travassos, Artigas u. Pereira, 1928  
Heinze, K., 1933 a, 394, 397, 399, 404, fig. 11  
Anostomatinae sp.  
Leporinus sp.  
(Darm of both): both from Brasilien, Prov. São Paulo
- Capillaria minima* Travassos, Artigas, and Pereira, 1928  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 264  
as syn. of *Capillostrongyloides minimum* (Trav., Art. and Pereira, 1928)
- Capillaria minima*  
Vaz, Z.; and Pereira, C., 1934 a, 101
- Capillaria miniopertae* n. sp.  
Mawson, P., 1959 a, 151-152, 153, figs. 1-3  
Miniopterus blepotis: Queensland
- Capillaria minute* n. sp.  
Chen, H. T., 1937 a, 151-152, 153, figs. 8-10  
Suncus coeruleus: Canton, China
- Capillaria modiglianii* (Parona, 1897) Trav., 1915  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 246, pl. 1, figs. 9-11  
synonym  
Lachesis sumatrana (intestino): Sumatra
- Capillaria modiglianii* (Parona)  
Yorke, W.; and Maplestone, P. A., 1926 a, 26  
Lachesis sumatrana
- Capillaria mogurndae* n. sp.  
Yamaguti, S., 1941 b, 343, 344, 394, pl. IV, fig. 1 a-b  
Mogurnda obscura: Lake Ogura, Japan
- Capillaria montevidensis* n. sp.  
Calzada, V., 1937 b, 73-76, figs. 1-4  
Gallus dom.: Uruguay
- Capillaria montevidensis* Calzada 1937  
Madsen, H., 1945 a, 79, 92  
Gallus gallus domesticus
- Capillaria montevidensis* Calzada 1937  
Madsen, H., 1951 a, 263, 264  
fowl: Uruguay
- Capillaria mucronata*  
Cameron, T. W. M.; and Parnell, I. W., 1933 a, 143
- Capillaria mucronata*  
Enukidze, G. P., 1954 a, 115  
Martes: Lagodekhi preserve, Gruzinsk. SSR
- Capillaria mucronata* (Molin)  
Freund, L., 1930 c, 100
- Capillaria mucronata*  
Lubimov, A. P., 1931 c, 35, 36, 37, 38, fig. 8  
mink  
polecat  
both from Moskva
- Capillaria mucronatum* Molin  
Lukasiak, J.; and Strankovski, M., 1933 a, 364  
Mustela foina (vessie urinaire)
- Capillaria* (C.) *mucronata* (Molin, 1858)  
Morozov, F. N., 1939 a, 5, 7, 27, 28, figs. 10-11  
Putorius putorius: Gorkii oblast
- Capillaria mucronata* (Molin, 1858)  
Petrov, A. M., 1940 a, 222, 223, 224, 225  
Arctogale nivea  
A. erminea  
Martes zibellina  
M. martes  
M. foina  
Putorius putorius  
Lutreola lutreola  
L. vison
- Capillaria mucronata*  
Petrov, A. M.; and Panyshova, L. V., 1952 a, 70  
phenothiazine
- Capillaria mucronata* (Molin, 1858)  
Petrov, A. M.; and Panyshova, L. V., 1953 a, 167-172  
phenothiazine
- Capillaria mucronata* (Molin, 1858)  
Rodonafa, T. E., [1948 a], 661  
silver-black foxes (urinary bladder): Georgian SSR  
fur farms
- Capillaria mucronata* Molin, 1858  
Rodonafa, T. E., 1951 a, 131, 138  
Martes m. lorenzi  
Meles m. minor  
both from Georgian SSR
- Capillaria mucronata* (Molin, 1858) Travassos, 1915  
Rodonafa, T. E., 1956 a, 174, 178  
Martes foina  
M. martes  
Meles m. minor  
all from Lagodekhskii state preserve
- Capillaria mucronata*  
Rukhlfadov, D. P., 1941 d, 83  
Martes foina rosanowi: Crimean game reserve
- Capillaria mucronata* (Molin, 1858)  
Skarbilovich, T. S., 1945 b, 687-688  
Lumbricus sp. (exper.)  
L. rubellus (exper.)

- Capillaria mucronata* (Molin, 1858)  
 Skarbilovich, T. S., 1945 c, 717, 718  
*Lumbricus rubellus*  
*Lumbricus* sp.
- Capillaria mucronata* (Molin, 1858)  
 Skarbilovich, T. S., 1950 d, 27-33, figs. 1-5  
 biology  
 mink  
 sable
- Capillaria mucronata*  
 Sprehn, C. E. W., 1927 e, 57  
*Mustela foina*
- Capillaria mucronata* (Molin)  
 Sprehn, C. E. W., 1928 i, 765
- Capillaria mucronata* (Molin, 1858)  
 Sprehn, C. E. W., 1932 c, 775, 823  
 Syns.: *Calodium mucronata* Molin, 1858; *Capillaria mucronata* (Molin, 1858) Travassos, 1915  
*Mustela foina*: Europa
- Capillaria mucronata* (Molin, 1858) Trav., 1915  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 124,  
 pl. 16, fig. 124  
*Martes (M.) foina*: Europa
- Capillaria mucronata* (Molin)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 26  
*Mustela foina*
- Capillaria mucronatum* (Molin)  
 Zakharov, N. P., 1920 b, 9  
*Mustela foina*
- Capillaria multicellularis* n. sp.  
 Yamaguti, S., 1941 d, 409, 410-411, 438, pl. VIII,  
 figs. 1-4; fig. 2  
*Rattus norvegicus* var. *albus*: Kyoto, Japan
- Capillaria murinae* n. sp.  
 Travassos, L. P., 1914 c, 429  
*Eunectes murina*
- Capillaria murinae* Travassos, 1914  
 Teixeira de Freitas, J. F.; and Lent, H., 1934 b, 264  
*Eunectes murinae*: Matto-Grosso, Brasil
- Capillaria murinae* Trav., 1914  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 246-  
 247, pl. 2, figs. 15-17  
*Eunectes murinus* (estomago): Brasil
- Capillaria murinae* Travassos  
 Yorke, W.; and Maplestone, P. A., 1926 a, 26  
*Eunectes murina*
- Capillaria muris* (Uyeyama)  
 Baylis, H. A., 1931 f, 542
- Capillaria muris* [(Uyeyama, 1928)]  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 113  
 as syn. of *C. gastrica* (Baylis)
- Capillaria muris-musculi* (Diesing 1861)  
 Dubinin, V. B., 1954 d, 273  
*Apodemus agrarius*: Volga delta
- Capillaria muris musculi* Crepl.  
 Kalantar'ian, E. V., 1924 b, 24  
 "sp. inq."
- Capillaria muris-musculi*  
 Sprehn, C. E. W., 1927 e, 57  
*Mus musculus*
- Capillaria muris-musculi* (Diesing)  
 Sprehn, C. E. W., 1930 s, 267  
*Mus musculus*
- Capillaria muris-musculi* (Diesing, 1861)  
 Sprehn, C. E. W., 1932 c, 775, 831  
 Syns.: *Trichosoma muris-musculi* Diesing, 1861; *Capillaria muris-musculi* (Diesing, 1861) Travassos, 1915  
*Mus musculus*: Europa
- Capillaria muris-musculi* (Dies., 1861) Trav.  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 124-  
 125  
*Mus musculus*
- Capillaria muris-musculi* (Dies.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 26  
*Mus musculus*
- Capillaria muris-sylvatici* (Diesing, 1851)  
 Aloian, M. T., 1956 a, 128, 166, 167  
*Apodemus sylvaticus*  
*Cricetulus migratorius*  
*Microtus arvalis*  
 (small intestine of all): all from Armenia
- Capillaria muris-sylvatici* (Dies.)  
 Baylis, H. A., 1926 h, 462  
*Apodemus sylvaticus*
- Capillaria muris sylvatici* (Dies.)  
 Baylis, H. A., 1928 g, 338  
*Apodemus sylvaticus*  
*Evotomys glareolus*
- Capillaria ? muris-sylvatici* (Diesing, 1851)  
 Baylis, H. A., 1939 a, 492  
*Apodemus sylvaticus*: Westmorland, Brit. Is.
- Capillaria muris-sylvatici*  
 Bernard, J., 1961 e, 783  
*Clethrionomys glareolus*: Belgique
- Capillaria muris sylvatici* (Diesing 1851)  
 Erhardová, B., 1958 b, 50-51, 80, 82, 83, 86, 88  
*Apodemus flavicollis*  
*A. sylvaticus*  
*Rattus norvegicus*  
*Clethrionomys glareolus*  
*Microtus arvalis*  
 (tenké střevo of all): all from Czechoslovakia
- Capillaria muris-sylvatici* (Diesing) 1851  
 Erhardová, B.; and Ryšavý, B., 1955 b, 86, fig. 16  
*Microtus arvalis*  
*Clethrionomys glareolus*  
*Apodemus sylvaticus*  
*A. flavicollis*  
 all from Czechoslovakia
- Capillaria muris sylvatici* (Diesing, 1859) Travassos, 1915  
 Genov, T., 1959 a, 96  
*Apodemus agrarius* (stomach): western Bulgaria
- Capillaria muris-sylvatici* (Duj., 1845)  
 James, P. M., 1954 a, 186  
*Apodemus sylvaticus*  
*Clethrionomys glareolus*  
*Microtus agrestis*  
 all from West Wales
- Capillaria muris-sylvatici* Dies.  
 Kirshenblat, I. D., 1938 a, 11, 13, 30-31, 71  
*Apodemus sylvaticus*  
*Microtus socialis satunini*  
 both from Tiflis

- Capillaria muris-sylvatici* (Diesing, 1851)  
 Rausch, R.; and Tiner, J. D., 1949 a, 686, 689, 692  
*Microtus p. pennsylvanicus*: Wisconsin
- Capillaria muris-sylvatici* (Diesing, 1851)  
 Read, C. P., 1949 b, 231-232, 237, pl. II, figs. 10-13  
*Microtus p. pennsylvanicus*: Wisconsin
- Capillaria muris sylvatici*  
 Roman, E., 1939 a, 167-169, fig.  
*Evotomys glareolus*: Saint-Cyr au Mont-d'Or (Rhône)
- Capillaria muris-sylvatici* (Dies.) 1851 ?  
 Roman, E., 1951 a, 65, 183-192, 193, 214, 216, 217, 218,  
 234, 239, 243, 244, 245, 247, 253, figs. 71-78  
*Clethrionomys glareolus*  
*Microtus agrestis*  
 both from region lyonnaise
- Capillaria muris-sylvatica* (Diesing, 1851)  
 Sadovská, N. P., 1956 a, 271  
*Apodemus speciosus*  
*A. agrarius*  
 both from Primorskii krai
- Capillaria muris-sylvatici* Diesing 1851  
 Sołtys, A., 1949 b, 241-242, 254, 256, 258  
*Apodemus flavicollis*  
*Clethrionomys glareolus*  
 both from Nat. Parc Białowiesza, Poland
- Capillaria muris-sylvatici*  
 Sprehn, C. E. W., 1927 e, 57  
*Mus sylvaticus*
- Capillaria muris-sylvatici* (Diesing, 1851)  
 Sprehn, C. E. W., 1932 c, 775, 830  
 Syns.: *Trichosoma muris-sylvatici* Diesing, 1851;  
*Capillaria muris-sylvatici* (Diesing, 1851) Travassos,  
 1915  
*Apodemus sylvaticus*: Europa
- Capillaria muris-sylvatici* (Dies., 1851)  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 98-99,  
 pl. 5, figs. 38-39; pl. 6, figs. 40-41  
*Mus sylvaticus*  
*Cricetus acedula*  
*Evoomys glareolus*  
 all from Europa
- Capillaria muris sylvatici*  
 Tenora, F., 1957 a, 352  
*Clethrionomys glareolus*: Czechoslovakia
- Capillaria muris-sylvatici* (Diesing) 1851  
 Tenora, F.; and Baruš, V., 1955 a, 471, 476  
*Apodemus flavicollis*: Lednice
- Capillaria muris-sylvatici* (Diesing, 1851)  
 Thomas, R. J., 1953 a, 146, 147, 163, 164, 165, 166  
*Apodemus sylvaticus*  
*Clethrionomys glareolus*  
 both from Inner Hebrides
- Capillaria muris-sylvatici* (Dies.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 26  
*Mus sylvaticus*
- Capillaria murrayensis* n. sp.  
 Johnston, J. H.; and Mawson, P. M., 1940 e, 340, 342  
*McCullochella macquariensis*: Tailem Bend, Australia
- Capillaria mustellae* Stiles et Baker 1935  
 Prokopič, J., 1958 b, 162  
 as syn. of *C. putorius* Rudolphi 1819
- Capillaria mustelorum* sp. nov.  
 Cameron, T. W. M.; and Parnell, I. W., 1933 a, 142-143,  
 153, fig. 7  
*Mustela nivalis*  
*Martes martes*  
 both from Scotland
- Capillaria mustelorum*  
 Bernard, J., 1961 e, 780, 783, 784  
*Erinaceus europaeus*  
*Mustela nivalis*  
*M. erminea*  
*M. putorius*  
 all from Belgique
- Capillaria mustelorum* Cameron et Parnell  
 Bernard, J., 1961 e, 779, 781  
 [*C. mustelae*, p. 781]  
*Eliomys quercinus*: Belgique
- Capillaria mustelorum*  
 Hamilton, W. J. (Jr.); and Cook, A. H., 1955 a, 32  
*Martes pennanti pennanti*: New York
- Capillaria mustelorum* (?) Cameron and Parnell  
 Leiper, J. W. G., 1936 a, 120  
*Mustela nivalis*: Mimms Park, Hertfordshire, England
- Capillaria mustelorum* Cameron y Parnell, 1922  
 Lopez-Neyra, C. R., 1947 c, 214, 232
- Capillaria mustellorum* Cameron et Parnell 1932  
 Prokopič, J., 1958 b, 162  
*Mustela nivalis* (Žaludek): Czechoslovakia
- Capillaria mustelorum* Cameron and Parnell, 1932  
 Read, C. P., 1949 a, 225, 228, pl. 1, figs. 6-9  
*Mustela frenata novaboracensis*: Michigan  
*M. vison*: Wisconsin; Texas
- Capillaria mustelorum* Cameron and Parnell, 1932  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 128,  
 pl. 16, fig. 128  
*Mustela nivalis*  
*Martes martes*  
 both from Europa
- Capillaria myoxi-nitelae* (Diesing, 1851) Travassos, 1915  
 Baruš, V.; and Tenora, F., 1956 a, 656  
 as syn. of *Skrjabinocapillaria myoxi-nitelae* (Diesing, 1851) emend. Baruš a Tenora, 1955
- Capillaria myoxy-nitellae*  
 Bernard, J., 1961 e, 781  
*Eliomys quercinus*: Belgique
- Capillaria myoxi-nitelae* (Diesing, 1881)  
 Le Van Hoa, 1960 a, 602-605, figs. 2F, 4  
*Eliomys quercinus* (estomac): Richelieu (Indre-et-Loire)
- Capillaria myoxi-nitelae*  
 Sprehn, C. E. W., 1927 e, 57  
*Eliomys quercinus*
- Capillaria myoxi-nitelae* (Diesing, 1851)  
 Sprehn, C. E. W., 1932 c, 775, 827  
 Syns.: *Trichosoma myoxi-nitelae* Diesing, 1851; *Capillaria myoxi-nitelae* (Diesing, 1851) Travassos, 1915  
*Eliomys quercinus*: Europa
- Capillaria myoxi-nitelae* (Dies., 1851) Trav.  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 122  
*Eliomys quercinus*: Europa

- Capillaria myoxi nitelae (Dies.)**  
Yorke, W.; and Maplestone, P. A., 1926 a, 26  
*Eliomys quercinus*
- Capillaria neopolchra sp. n.**  
Babos, S., 1954 a, 1, 6-9, figs. 4-7  
*Myotis daubentonii*  
*M. myotis*  
both from Ungarn
- Capillaria neopolchra Babos, 1954**  
Sofyts, A., 1958 b, 693, 694  
bats: Lublin
- Capillaria neopolchra Babos, 1954**  
Sofyts, A., 1959 a, 600, 607, 610, 613  
*Myotis daubentonii*  
*M. nattereri*  
*Nyctalus noctula*  
*Myotis myotis*  
*Pipistrellus nathusii*  
all from Lublin
- Capillaria nodulosa (Rud. 1808)**  
Madsen, H., 1945 a, 80  
Syn.: *C. longicollis* (Mehlis 1831) (?)
- Capillaria nyrocinarum n. sp.**  
Madsen, H., 1945 a, 46, 47, 48, 49, 51, 52, 54, 55, 61, 62, 63, 64, 67, 80, 90, 99, 105, figs. 20 a-h, 21 a-e  
*Nyroca fuligula*: Sjaelland  
*N. marila*: Sjaelland  
*Bucephala clangula*: Sjaelland  
*Clangula hyemalis*: Sjaelland  
*Oidemia nigra*: Jylland; Sjaelland  
*Melanitta fusca*: Sjaelland  
*Somateria mollissima*: Sjaelland  
*S. spectabilis*: Sjaelland
- Capillaria nyrocinarum (Madsen, 1945)**  
Mettrick, D. F., 1959 c, 74, 82, 83, fig. 8 a-d  
*Somateria mollissima* (intestine): Hertfordshire
- Capillaria nyrocinarum Madsen, 1945**  
Skrjabin, K. I.; et al., 1954 a, 391  
as syn. of *Thomomix nyrocinarum* (Madsen, 1945) Skrjabin et Schikhobalova, 1953 [n. comb.]
- Capillaria obsignata nom. nov.**  
Madsen, H., 1945 a, 4, 23, 25, 26, 27, 37, 68, 73, 80, 92, 93, 100, 104, pl., fig. 8 a-g  
[for *C. columbae* of Graybill, 1924]  
*Gallus gallus domesticus*  
*Meleagris gallopavo domesticus*  
*Columba livia domestica*: New Jersey
- Capillaria obsignata**  
Brown, N. C.; Hollinshead, D. T.; Kingsbury, P. A.; and Malone, J. C., 1962 a, 379  
treatment
- Capillaria obsignata**  
Clarke, M. L., 1962 b, 1431-1432  
poultry
- Capillaria obsignata Holger Madsen, 1945**  
Edgar, S. A., 1953 a, 952  
Syn.: *C. columbae* (Rudolphi)  
chicken: Alabama
- Capillaria obsignata**  
Edgar, S. A.; Davis, D. C.; and Frazier, J. A., 1957 a, 501  
poultry, piperazine
- Capillaria obsignata**  
Edgar, S. A.; and Frazier, J. A., 1957 a, 249-250  
poultry, piperazine
- Capillaria obsignata**  
Farr, M. M., 1959 b, 41  
survival of eggs on soil
- Capillaria obsignata**  
Farr, M. M., 1961 a, 3, 4, 7, 8, 9, 10, 11, 12  
survival of eggs
- Capillaria obsignata**  
Frazier, M. N., 1959 a, 478-484  
poultry, hygromycin
- Capillaria obsignata**  
Frazier, M. N., 1962 a, 854-856  
artificial propagation in chickens
- Capillaria obsignata Madsen, 1945**  
Hendriks, J., 1962 a, 314-322  
chickens (exper.), promintic
- Capillaria obsignata Madsen, 1945**  
Hwang, J. C.; and Wehr, E. E., 1959 a, 47  
occurrence in peafowl, transmission to chickens  
*Pavo cristatus*: near Lanham, Maryland
- Capillaria obsignata Madsen, 1945**  
Hwang, J. C.; and Wehr, E. E., 1960 a, 475-479, figs. 1-7  
occurrence in peafowl, systematics  
*Pavo cristata*: Lanham, Maryland
- Capillaria obsignata**  
Jansen, J. (Jr.), 1958 a, 614, 615, 616, fig.  
*Columba livia domestica*: Netherlands
- Capillaria obsignata**  
Kerr, K. B., 1954 a, 19
- Capillaria obsignata**  
Kerr, K. B., 1954 c, 34-36  
control
- Capillaria obsignata Holger Madsen 1945**  
Madsen, H., 1951 a, 257, 261-262  
fowls and other domestic gallinaceous birds  
domestic pigeon  
*Turdus migratorius*: USA  
*Perdix perdix*: Denmark  
*Phasianus colchicus*: Denmark
- Capillaria obsignata Madsen, 1945**  
Madsen, H., 1952 a, 3, 10, 11, 12, 32-33  
*Phasianus colchicus*  
*Perdix perdix*
- Capillaria obsignata (Madsen, 1945)**  
Mettrick, D. F., 1959 c, 75, 82, 83, fig. 9 a-d  
Syns.: *Capillaria columbae*, Graybill, 1924; *C. columbae* Sprehn, 1932  
*Columba livia* (intestine): Hertfordshire
- Capillaria obsignata Madsen, 1945**  
Osikovski, E., 1960 a, 268, fig. 1  
hens: Bulgaria
- Capillaria obsignata**  
Payne, D. D.; Gerry, R. W.; and Witter, R. L., 1960 a, 546  
poultry, control

- Capillaria obsignata* Madsen, 1945  
 Read, C. P., 1949 c, 242-243  
*Turdus migratorius*: Ohio; Wisconsin  
*Columba livia domestica*: Louisiana
- Capillaria obsignata* Madsen, 1945  
 Sultanov, M. A., 1958 b, 19  
*kuritsa* [*Gallus g. domesticus*]  
*obyknovennaya goriltsa* [*Turtur turtur*]: Uzbekistan
- Capillaria obsignata*  
 Swierstra, D.; Jansen, J. (jr.); and van den Broek, E.,  
 1959 a, 895  
*Gallus gallus domesticus*  
*Columba livia domestica*  
 both from Netherlands
- Capillaria obsignata* Madsen, 1945  
 Teixeira de Freitas, J. F.; and da Silva, A. A. J., 1960  
 a, 192, 194-195, 196, figs. 7-12  
*Gallus g. dom.* (small intestine): Bahia, Brasil
- Capillaria obsignata*  
 Thiempont, D.; and Mortelmans, J., 1962 a, 852  
 treatment
- Capillaria obsignata*  
 Wehr, E. E., 1952 d, 17  
 transmission studies
- Capillaria obtusa* (Rud. 1819)  
 Madsen, H., 1945 a, 80  
 Syn.: *C. tenuissima* (Rud. 1803)
- Capillaria obtusa* (v. Linstow 1877) nomen solutum  
 Madsen, H., 1945 a, 80, 94  
 synonymy  
*Asio otus*
- Capillaria obtusiuscula* (Rud. 1819)  
 Chabaud, A. G., 1952 c, 403, 405, 406
- Capillaria obtusiuscula* (Rudolphi 1819) Travassos, 1915  
 Cram, E. B., 1936 c, 3, 22, fig. 11  
 description  
*Megalornis grus*  
*Vanellus vanellus*
- Capillaria obtusiuscula* (Rud. 1819)  
 Madsen, H., 1945 a, 80, 92, 100  
 synonymy  
*Grus grus*  
*Vanellus vanellus*
- Capillaria obtusiuscula* (Rud.)  
 Schuurmans Stekhoven, J. H., 1937 a, 442, 489
- Capillaria obtusiuscula*  
 Seurat, L. G., 1920 c, 17
- Capillaria obtusiuscula* (Rud.)  
 Skrjabin, K. I., 1923 m, 87  
*Grus cinerea*
- Capillaria (Thominx) obtusiuscula* Rud.  
 Solonitsyn, I. A., 1928 a, 89, fig. 12  
*Grus cinereus*
- Capillaria obtusiuscula* (Rudolphi, 1819)  
 Sprehn, C. E. W., 1932 c, 775, 886  
 Syns.: *Trichosoma obtusiuscula* Rudolphi, 1819; *Capillaria obtusiuscula* (Rudolphi, 1819) Travassos, 1915  
*Megalornis grus*: Europa
- Capillaria obtusiuscula* (Rud.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 26  
*Grus grus*
- Capillaria oesophagicola* sp. n.  
 Soltys, A., 1952 a, 166, 167, 168, 175, 177, 200, 205,  
 207, fig. 7  
*Sorex araneus*: National Park of Białowieża
- Capillaria oesophagicola* Soltys, 1952  
 Soltys, A., 1954 a, 354, 355, 356, 357, 359-361, fig. 1  
*Sorex araneus*  
*S. minutus*  
*Neomys fodiens*  
*N. anomalus milleri*  
*Sorex macropygmaeus*  
 all from Białowieża National Park
- Capillaria oesophagicola* Soltys, 1952  
 Bernard, J., 1960 b, 114-115  
*Talpa europaea*
- Capillaria oesophagicola* Soltys, 1952  
 Bernard, J., 1960 c, 3-9, fig. 1  
*Sorex araneus*  
*S. minutus*  
*Neomys fodiens*  
 all from Belgique
- Capillaria oesophagicola* Soltys, 1952  
 Bernard, J., 1961 b, 61-66, 67, fig. 1  
 Syn.: *C. blarinæ* Ogren, 1953  
*Neomys fodiens* (oesophagus): near Oxford
- Capillaria oesophagicola* Soltys, 1952  
 Bernard, J., 1961 d, 361-362, 363, fig. 1  
*Sorex araneus*: Le Bonhomme (Haut-Rhin)
- Capillaria oesophagicola*  
 Bernard, J., 1961 e, 780, 781  
*Talpa europaea*  
*Sorex araneus*  
*Neomys fodiens*  
 all from Belgique
- Capillaria oesophagicola* Soltys, 1952  
 Skrjabin, K. I.; et al., 1954 a, 380  
 as syn. of *Eucleus oesophagicola* (Soltys, 1952)  
 Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria okapi* sp. n.  
 Leiper, R. T., 1935 a, 12  
*okapi*: London Zool. Soc. Gardens
- Capillaria okapi* Leiper, 1935  
 Baer, J. G., 1950 a, 175, 183, 186, figs. 54-57  
 key  
*okapi*
- Capillaria orectolobi* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1951 b, 18, 20, 24,  
 fig. 7  
*Orectolobus devisi*: Port Willunga, South Australia
- Capillaria orectolobi* Johnston et Mawson, 1951  
 Skrjabin, K. I.; et al., 1954 a, 391  
 as syn. of *Thominx orectolobi* (Johnston et Mawson,  
 1951) Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria ornata* (Duj. 1843)  
 Madsen, H., 1945 a, 28, 81, 95, 100  
 synonymy  
*Anthus pratensis*
- Capillaria ornata* (Dujardin, 1843)  
 Sprehn, C. E. W., 1932 c, 776, 838  
 Syns.: *Trichosoma ornata* Dujardin, 1843; *Capillaria ornata* (Dujardin, 1843) Travassos, 1915  
*Anthus pratensis*: Europa

- Capillaria ornata* (Duj.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 26  
*Anthus pratensis*
- Capillaria ornelasii*  
de Almeida, E., 1930 a, 21
- Capillaria ovis*  
Petrov, A. M.; Dzhavadov, M. K.; and Skarbilovich, T. S., 1936 a, 247  
zebu: Azerbaidschan
- Capillaria ovo puncta*  
Sprehn, C. E. W., 1932 c, 776, 835  
[for *C. ovo punctatum*] (Linstow, 1873)
- Capillaria ovo punctata* (v. Linst.)  
Baylis, H. A., 1928 g, 338  
*Sturnus vulgaris*
- Capillaria ovo punctata* (v. Linstow, 1873)  
Baylis, H. A., 1939 a, 492  
*Sturnus vulgaris*: Kent; London  
*Turdus merula*: Middlesex; Hertfordshire
- Capillaria ovo punctatum*  
Boyd, E. M., 1947 b, 184  
*Sturnus vulgaris*: North America
- Capillaria ovo punctatum*  
Boyd, E. M., 1951 b, 65, 67, 72, 73, 75, 77, 78, 79, 80,  
82, figs. 11, 13  
*Sturnus vulgaris*: North America
- Capillaria ovo punctata*  
Clapham, P. A., 1940 b, 92  
*Corvus frugilegus*
- Capillaria ovo punctata*  
Clapham, P. A., 1940 c, 41, 43  
wild birds as transmitters  
rooks: near St. Albans, Eng.
- Capillaria ovo punctata*  
Jennings, A. R.; and Soulsby, E. J. L., 1957 a, 219  
*Turdus merula*: England
- Capillaria ovo punctata* (v. Linstow, 1873) Travassos, 1915  
Kreis, H. A., 1953 a, 37-40, figs. 1 A-F  
*Sturnus vulgaris*: Europa; Nordafrika
- Capillaria ovo punctata* (v. Linst., 1873)  
Kreis, H. A., 1962 a, 110  
*Sturnus vulgaris*
- Capillaria ovo punctata* (Linist.)  
Lewis, E. A., 1927 d, 130  
starling
- Capillaria ovo punctata* (v. Linstow 1873)  
Madsen, H., 1945 a, 81, 95, 100  
synonymy  
*Sturnus vulgaris*
- Capillaria ovo punctata* Linstow, 1873  
Markov, G. S., 1939 b, 189, 209  
*Sturnus vulgaris*: Old Peterhof
- Capillaria ovo punctata* Linstow, 1873  
Markov, G. S., 1940 a, 743  
*Sturnus vulgaris*: Old Peterhof
- Capillaria ovo punctatum* (von Linstow)  
Mawson, P. M., 1956 b, 163  
Syn.: *C. quiscula* Read, 1949  
*Sturnus vulgaris vulgaris*  
*Quiscalus quiscula*  
both from Montreal Island
- Capillaria ovo punctata* (v. Linstow, 1873)  
Mettrick, D. F., 1959 a, 65-66, 82, 83, fig. 1 a-e  
Syn.: *Trichosoma ovo punctata* v. Linstow, 1873  
*Turdus merula*  
*Sturnus vulgaris*  
(intestine of both): both from Hertfordshire
- Capillaria ovo punctata*  
Mettrick, D. F., 1960 d, 259, 265  
*Turdus merula*  
*Sturnus vulgaris*  
both from Great Britain
- Capillaria ovo punctata*  
Mettrick, D. F., 1960 e, 269, 275  
*Corvus frugilegus*: Great Britain
- Capillaria ovo punctata*  
Morgan, D. O., 1931 a, 118  
*Sturnus vulgaris*
- Capillaria ovo punctatum* (Linstow, 1873)  
Sprehn, C. E. W., 1932 c, 776, 835  
[as *C. ovo puncta* (Linstow, 1873)]  
Syns.: *Trichosoma ovo puncta* Linstow, 1873; *Capillaria ovo puncta* (Linstow, 1873) Travassos, 1915  
*Sturnus vulgaris*: Europa
- Capillaria ovo punctata* (Linst.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 26  
*Sturnus vulgaris*
- Capillaria pachyderma* (v. Linstow 1877)  
Madsen, H., 1945 a, 81, 89, 100  
synonymy  
*Poliocephalus ruficollis*
- Capillaria pachyderma* (Linist.)  
Skrjabin, K. I., 1923 m, 86  
*Colymbus nigricans*
- Capillaria pachyderma* (Linstow, 1877)  
Sprehn, C. E. W., 1932 c, 776, 870  
Syns.: *Trichosoma pachyderma* Linstow, 1877; *Capillaria pachyderma* (Linstow, 1877) Travassos, 1915  
*Podiceps ruficollis*: Europa
- Capillaria pachyderma* (Linist., 1877) Travassos, 1915  
Teixeira de Freitas, J. F.; and Lins de Almeida, J., 1935  
b, 135  
synonymy  
*Podiceps* (sic) *fluviatilis* (esophago)  
*P. auritus* (esophago)
- Capillaria pachyderma* (Linist.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 26, 28  
*Podicipes fluviatilis*
- Capillaria pachykeramota*  
Sprehn, C. E. W., 1927 e, 57  
*Felis tigrina*
- Capillaria pachykeramota* (Wedl)  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 99-100, pl. 6, figs. 42-44  
*Felis* (*Herpailurus*) *tigrina*  
*Acinonyx jubatus*  
both from Europa
- Capillaria pachykeramota* (Wedl)  
Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Felis tigrina*
- Capillaria palmata* n. sp.  
Chandler, A. C., 1938 e, 107-108, 114, pl. 1, figs. 1-4  
*Nycticeius humeralis*: Houston, Texas

- Capillaria papillifer* Linstow, 1876  
Dogiel, V. A.; and Navtsevich, N., 1936 a, 93, 112  
swallow: Pererhof
- Capillaria papillifer* (v. Linstow 1877)  
Madsen, H., 1945 a, 81, 94, 100  
synonymy  
*Gelochelidon urbica*  
(?) *Hirundo rustica*  
*Delichon urbica*
- Capillaria papillifer* (?)  
Madsen, H., 1945 a, 94  
*Hirundo rustica*
- Capillaria papillifer* (Linstow, 1877)  
Sprehn, C. E. W., 1932 c, 776, 845  
Syns.: *Trichosoma papillifer* Linstow, 1877; *Capillaria papillifer* (Linstow, 1877) Travassos, 1915
- Capillaria papillifer* (Linst.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 27, 28  
*Chelidon* sp.  
*Hirundo* sp.
- Capillaria papilligera* (Railliet & Henry 1911)  
Madsen, H., 1945 a, 12, 82
- Capillaria papilligera* Railliet und Henry in Blome, 1911  
Sprehn, C. E. W., 1932 c, 776, 888  
Syns.: *Trichosoma papillosum* Blome, 1909 nec Wedl, 1856; *Capillaria blomei* Travassos, 1914  
*Tetrao urogallus*: Europa
- Capillaria papilligera* (Railliet & Henry)  
Yorke, W.; and Maplestone, P. A., 1926 a, 27, 28  
*Tetrao urogallus*
- Capillaria papillosa* (Polonio, 1860)  
Alcian, M. T., 1956 a, 129, 166  
*Rattus norvegicus*  
*Cricetus auratus brandti*  
(urinary bladder of both): both from Armenia
- Capillaria papillosa* Polonio, 1860  
Lukasiak, J.; and Strankovski, M., 1933 a, 364, 365, 366  
*Mus norvegicus*  
*Epimys rattus*  
( vessie urinaire of both)
- Capillaria papillosum* (Blome 1909)  
Madsen, H., 1945 a, 82  
Syn.: *Capillaria longicollis* (Mehlis 1831)
- Capillaria papillosa*  
Sprehn, C. E. W., 1927 e, 57  
*Mus norvegicus*
- Capillaria papillosa* (Polonio)  
Sprehn, C. E. W., 1930 s, 262  
*Epimys norvegicus*
- Capillaria papillosa* (Polonio)  
Sprehn, C. E. W., 1932 c, 776, 829  
Syns.: *Trichosoma papillosa* Polonio, 1860; *Capillaria papillosa* (Polonio, 1860) Travassos, 1915  
*Epimys norwegicus*: Europa
- Capillaria papillosa* (Polonio, 1860)  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 100-101, pl. 6, figs. 45-47  
Syn.: *Capillaria schmidii* [(Linst.)]  
*Mus* (*Epimys*) *norwegicus*  
*M. (E.) rutilus*  
both from Europa
- Capillaria papillosa* (Polonio)  
Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Mus norvegicus*
- Capillaria parilis* (Kow. 1903)  
Madsen, H., 1945 a, 68, 82, 94, 100  
synonymy  
*Bubo bubo*
- Capillaria parilis* (Kowalewsky)  
Yorke, W.; and Maplestone, P. A., 1926 a, 27, 28  
*Bubo ignavus*
- Capillaria parvumspinosa* (Railliet & Henry 1911)  
Madsen, H., 1945 a, 82, 89  
synonymy  
*Rhea americana*
- Capillaria parvumspinosa* R. & H.  
Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Rhea americana*
- Capillaria pearsei* n. sp.  
Baylis, H. A., 1928 e, 303, fig. 25  
*Praomys tullbergi*  
*Funisciurus auriculatus oliviae*
- Capillaria pearsei* Baylis, 1928  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 114, pl. 12, fig. 94  
*Funisciurus auriculatus oliviae*  
*Mus* (*Epimys*) *tullbergi*  
both from Africa do Sul
- Capillaria penidoi* n. sp.  
Teixeira de Freitas, J. F.; and Lins de Almeida, J., 1935 b, 124, 138-139, 148, pl. 2, figs. 11-15  
*Nothura maculosa* (papo): Avaré, Estado de S. Paulo, Brasil
- Capillaria penidoi* (Freitas & Almeida 1935)  
Madsen, H., 1945 a, 82, 89, 101  
*Nothura maculosa*
- Capillaria pereirai* n. sp.  
Teixeira de Freitas, J. F.; and Lent, H., 1935 c, 702-703 [i.e. 302-303]  
Molossidae: Angra dos Reis, Estado do Rio, Brasil
- Capillaria pereirai* Freitas and Lent, 1935  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 118-119, pl. 14, figs. 110-113  
Molossidae: Brasil
- Capillaria pérezii* n. sp.  
Teixeira de Freitas, J. F.; and Lent, H., 1937 h, 92, 96, pls. 1-2, figs. 1-8  
Anhinga anhinga: Pinar del Rio, Cuba
- Capillaria perezi* (Freitas & Lent 1937)  
Madsen, H., 1945 a, 82, 89, 101  
Anhinga anhinga
- Capillaria perforans* n. sp.  
Kotlán, S.; and Orosz, D., 1931 a, 114  
turkey (crop)
- Capillaria perforans* Kotlán and Orosz, 1931  
Cram, E. B., 1936 c, 322-323  
description, pathology
- Capillaria perforans* Kotlán & Orosz 1931  
Madsen, H., 1945 a, 38, 39, 44, 45, 82  
Syn.: *C. contorta* (Creplin 1839)
- Capillaria perforans* Kotlán and Orosz, 1931  
Mettrick, D. F., 1959 c, 71  
as syn. of *C. contorta* (Creplin, 1839)
- Capillaria perforans* Kotlán és Orosz, 1931  
Orosz, D., 1932 a, 37-40, 49, 50-51, 53, fig. 2  
turkey (under mucous membrane of crop): Hungary?
- Capillaria perforans*  
Reis, J.; and Nobrega, P., 1938 a, 21-24, pls. 5-8,  
figs. A-K  
*Numida meleagris dom.*  
*Phasianus colchicus torquatus*  
*Numida ptylorhyncha*  
all from Brasil

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Capillaria perforans* Kotlan et Orosz, 1931  
 Skrjabin, K. I.; et al., 1954 a, 391  
 as syn. of *Thominix perforans* (Kotlan et Orosz, 1931)  
 Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria perforans* Kotlan and Orosz, 1931  
 Teixeira de Freitas, J. F.; and Lins de Almeida, J., 1935 a, 337, 362, pl. 8, figs. 37-39  
*Meleagris gallopavo* (esophago ao ventriculo sucenturado): Hungria
- Capillaria perforans* Kotlán & Orosz, 1931  
 Vaz, Z., 1939 a, 87-92, pl. figs. 1-12 on p. 89, pl. 15, figs. A-B  
 redeescription  
*Meleagris gallopavo*: Hungria  
*Numida meleagris*: S. Paulo, Brasil  
*N. tylocephala*: S. Paulo, Brasil  
*Phasianus colchicus*: S. Paulo, Brasil
- Capillaria perforans* (Kotlán i Orosz 1931)  
 Vrazic, O., 1954 a, 290, 291, 292  
*Phasianus colchicus*: P. R. Croatia
- Capillaria petrowi* nov. sp.  
 Rukhladeva, M. N., 1946 a, 225-226  
*Neomys fodiens*: Khopersk state preserve
- Capillaria petrowi* Ruchladieva, 1946  
 Prokopič, J., 1957 b, 56, 62, fig. 8 c, d  
*Neomys fodiens*: Czechoslovakia
- Capillaria petrowi*  
 Prokopič, J., 1958 a, 177  
*Sorex araneus*  
*Neomys fodiens*  
 both from Czechoslovakia
- Capillaria petrowi* Ruchladewa 1946  
 Prokopič, J., 1959 c, 105  
*Neomys fodiens*  
*Sorex araneus*  
 (esophagus, stomach of both): both from Czechoslovakia
- Capillaria phasiana* (Frölich 1791)  
 Madsen, H., 1945 a, 82  
 Syn.: *C. longicollis* (Mehlis 1831) (?)
- Capillaria phasianina* n. sp.  
 Kotlán, S., 1939 c, 653-656, 657, figs. 10-13  
 fácán: Kistápe
- Capillaria phasianina* Kotlán 1940  
 Madsen, H., 1951 a, 262-263, 264  
*Phasianus colchicus*: Denmark; Hungary  
*Perdix perdix*: Denmark; England  
*Chrysolophus pictus*: Denmark
- Capillaria phasianina* Kotlán, 1940  
 Madsen, H., 1952 a, 3, 10, 11, 12, 38-39  
*Phasianus colchicus*  
*Perdix perdix*: Denmark  
*Tragopan temminckii*: England
- Capillaria phasianina* Kotlán, 1940  
 Skrjabin, K. I.; et al., 1954 a, 392  
 as syn. of *Thominix phasianina* (Kotlán, 1940) Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria phasianina*  
 Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 895  
*Pavo cristatus*: Netherlands
- Capillaria physiculi* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 75, 150, fig. 49  
*Physiculus barbatus*: Tasmania
- Capillaria picorum* (Ruf. 1819)  
 Madsen, H., 1945 a, 68, 82-83, 94, 101  
 synonymy  
*Picus canus*  
*P. viridis*  
*Dryobates major*
- Capillaria picorum* (Rudolphi, 1819)  
 Sprehn, C. E. W., 1932 c, 776, 847  
 Syns.: *Trichosoma picorum* Rudolphi, 1819; *Capillaria picorum* (Rudolphi, 1819) Travassos, 1915  
*Picus canus canus*  
*Dryobates major pinetorum*  
*Picus viridis virescens*  
 all from Europa; Amerika
- Capillaria picorum* (Rud.) Travassos  
 Walton, A. C., 1923 a, 67
- Capillaria picorum* (Rud.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Dendrocopus* sp.  
*Gecinus* spp.
- Capillaria pintoi* n. sp.  
 Teixeira de Freitas, J. F., 1934 b, 241-242, pl. 41, figs. 3-5; pl. 42, fig. 6  
 Chiroptera: Lassance, Estado de Minas Gerais, Brasil
- Capillaria pintoi* Freitas, 1934  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 116-117  
 Chiroptera: Brasil
- Capillaria pipistrelli*, n. sp.  
 Yamaguti, S., 1941 d, 409, 411-412, fig. 3  
*Pipistrellus abramus*: Mt. Omine, Nara Prefecture, Japan
- Capillaria pipistrelli*  
 Kamegai, Satoru; Nonobe, H.; Suzuki, T.; and Machida, M., 1959 a, 410  
 Kanto area
- Capillaria pipistrelli* Yamaguti, 1941  
 Yamashita, J.; and Mori, H., 1953 a, 499, 500-501, 503, fig. 2  
*Nyctalus maximus aviator*: Sapporo, Hokkaido
- Capillaria pirangue* n. sp.  
 Durbin, C. G., 1952 c, 238-239, figs. 1-2  
*Piranga erythromelas*
- Capillaria piscicola* n. sp.  
 Travassos, L. P.; Artigas, P.; and Pereira, C., 1928 a, 29, pl. 10, figs. 105-108  
*Acestrorhamphus* sp.
- Capillaria piscicola* Trav., Artigas and Pereira, 1928  
 Heinze, K., 1933 a, 394, 397, 398-399, 404, fig. 10  
*Acestrorhamphus* sp. (Darm): Brasilien, Prov. São Paulo
- Capillaria piscicola* Trav., Artigas, and Pereira, 1928  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 261-262, pl. 7, figs. 60-65  
*Acestrorhamphus* sp.: Brasil
- Capillaria piscicola*  
 Vaz, Z.; and Pereira, C., 1934 a, 101  
 measurements
- Capillaria plectroplites* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1940 e, 341, 342, figs. 1-2  
*Plectroplites ambiguus*  
*Percalates colonorum*  
*Therapon bidyana*  
 all from Swan Reach, Australia
- Capillaria plectroplites* J. and M., 1940  
 Johnston, T. H.; and Mawson, P. M., 1947 a, 547, 549  
*Plectroplites ambiguus*: South Australia

- Capillaria plica*  
Allen, J. A., 1924 b, 18  
domesticated foxes (urinary bladder, kidney)
- Capillaria plica*  
Bartels, K. P., 1956 a, 139  
Hunde
- Capillaria plica* (Rudolphi)  
Baylis, H. A., 1929 i, 263, 265  
fox  
wolf  
dog
- Capillaria plica* (Rud., 1819)  
Beliaeva, M. Ia., 1959 b, 109  
*Putorius putorius* (stomach): Belovezhskaya Pushcha
- Capillaria plica*  
Bernard, J., 1961 e, 783  
*Vulpes vulpes*: Belgique
- Capillaria plica*  
Boch, J., 1956 a, 355, fig. 1  
influence of age on treatment
- Capillaria plica*  
Bohm, L. K., 1928 d, 163
- Capillaria plica*  
Borgman, R. F., 1953 a, 111
- Capillaria plica*  
Bouvier, G.; Burgisser, H.; and Schweizer, R., 1951 a,  
280  
*Vulpes vulgaris*
- Capillaria (C.) plica Rudolphi*, 1819  
Burdzhanadze, P. L., 1937 a, 189, 190, 192, 193  
dogs  
cats  
both from Georgia [SSR]
- Capillaria plica* (Rud., 1819)  
Burdzhanadze, P. L., 1943 a, 61  
*Canis familiaris*: Georgia [SSR]
- Capillaria plica* (Rud., 1819)  
Chirkova, A. F.; Romanova, N. P.; and Shmal'gauzen, V. I.,  
1958 a, 150-151  
*Alopex lagopus*: European Russia
- Capillaria plica*  
Chitwood, M. B.; and Enzie, F. D., 1953 a, 27-28, fig.  
1A  
domestic cat: North America
- Capillaria plica*  
Delianova, R. Sh., 1957 a, 69  
distribution
- Capillaria plica*  
Ehrenford, F. A.; Napier, R.; and Eshenour, R. W., 1959  
a, 513, 514, 515  
diagnosis, dogs
- Capillaria plica*  
Enigk, K., 1950 d, 560-571  
Hund  
Fuchs  
Wolf  
*Lumbricus herculeus*  
*Dendrobaena rubrubicunda*
- Capillaria plica*  
Enigk, K., [1950 f], 19
- Capillaria plica*  
Enigk, K., 1951 c, 128  
Silberfuchs
- Capillaria plica*  
Enzie, F. D., 1951 a, 211, 212, fig. 1 (e)  
cat?: North America
- Capillaria plica* (Rudolphi, 1819) Railliet, 1915  
Erickson, A. B., 1944 b, 366, 370  
key
- Capillaria (C.) plica* (Rudolphi, 1819)  
Erlich, I., 1937 b, 19-20, 24, 28, 29, 30, 34  
Katzen: Zagreb
- Capillaria plica* (Rudolphi, 1819)  
Erlich, I., 1938 c, 554-555, 562, 567, 568, 570  
*Canis familiaris*: Zagreb
- Capillaria plica* (Rudolphi, 1819)  
Erlich, I., 1947 a, 79, 81, 82, 85  
domestic cat (urinary bladder)
- Capillaria plica* (Rud.)  
Freund, L., 1930 c, 83, 96-98
- Capillaria plica*  
Freund, L., 1933 b, 249, 250, fig. 2: 8
- Capillaria plica* (Rudolphi 1819)  
Furmaga, S.; and Wysocki, E., 1951 a, 99, 100, 117-118,  
fig. 10  
*Canis vulpes*: Lublin
- Capillaria plica* (Rud., 1819)  
Garkavi, B. L., 1950 e, 73  
dog: Southern Kirgizia
- Capillaria plica* (Rud., 1819)  
Gorshunov, E. I., 1937 a, 142  
[dog]: Gorkii oblast
- Capillaria plica*  
Gorshunova, O. K., 1934 a, 26, 37  
*Canis familiaris*: Kaisk
- Capillaria plica*  
Grieder, H., 1935 a, 83, 86, 88-89, 91, figs. 5-6  
pathology, treatment  
Farmfuchse
- Capillaria plica*  
Gunn, C. D., 1948 a, 7  
treatment, foxes
- Capillaria plica*  
Habermann, R. T.; and Williams Fletcher, P. (jr.),  
1958 a, 988, 1002, 1003, pl. 102, fig. 14C  
identification, control, cat, dog
- Capillaria plica*  
Hanson, K. B.; and McBlain, W. G., 1935 a, 473  
control, foxes
- Capillaria plica*  
Hirsch, E. A., 1955 a, 106  
foxhound
- Capillaria plica* (Rud., 1819) Travassos, 1915  
Ianchev, Ia., 1961 a, 45  
*Vulpes vulpes crucigera*: Southern Bulgaria
- Capillaria plica*  
Isaichikov, I. M., 1925 d, 95
- Capillaria plica*  
Kirner, P., 1933 a, 248, 249  
Fuchs (Harn u. Nierenbecken)
- Capillaria plica*  
Konde, W. N., 1950 a, 135-137, fig. 2

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Capillaria plica**  
Korneev, A. P.; and Koval', V. P., [1959 a], 164  
*Vulpes vulpes*: Ukrainian SSR
- Capillaria plica**  
Kozic, L., 1952 a, 517
- Capillaria plica** (Rudolphi, 1819)  
Kozłowska, J., 1956 a, 220  
foxes: Poland
- Capillaria plica** (Rudolphi, 1819)  
Kozłowska, J., 1957 a, 183, 186, 190  
lisy  
hodowane (bred foxes)  
dzikie (wild foxes)  
all from Poland
- Capillaria plica** (Rud., 1819)  
Kreis, H. A., 1962 a, 110  
*Felis catus*
- Capilaria** [sic] **plica**  
Krotov, A. I., 1960 c, 485
- Capillaria plica**  
Law, R. G., 1930 a, 28
- Capillaria plica** Rud., 1819; Railliet, 1915  
Law, R. G.; and Kennedy, A. H., 1932 b, 29  
fox (urinary bladder): Ontario
- Capillaria plica**  
Lentz, J. B., 1942 a, 100  
fox: Massachusetts
- Capillaria plica** Rud.  
Lopez Neyra, C. R., 1924 a, 111
- Capillaria plica**  
Lopez-Neyra, C. R., 1947 b, pl. 1, fig. 8
- Capillaria plica**  
Lorber, E., 1932 a, 165, 166
- Capillaria plica** (Rudolphi, 1819)  
Lukasiak, J., 1939 a, 97, 103  
*Vulpes vulpes*: Pologne
- Capillaria plica** Rud.  
Lukasiak, J.; and Strankovski, M., 1933 a, 364  
*Canis familiaris*  
*C. lupus*  
*C. vulpes*  
( vessie urinaire of all)
- Capillaria plica**  
Medway, W.; and Skelley, J. F., 1961 a, 907-908, fig. 1  
dog
- Capillaria plica**  
Miessner, H.; and Sprehn, C. E. W., 1932 a, 110  
control  
Fuchs
- Capillaria plica**  
Müller, A., 1936 a, 325-329  
Silberfuchs
- Capillaria plica**  
Neumüller, O., 1930 d, 208, 209
- Capillaria plica**  
Nevenić, V. V., 1953 c, 237, 239, 240  
chiens: Macédoine, et Monténégro
- Capillaria plica**  
Nöller, W.; and Schmid, F., 1932 a, 743, 744  
eggs  
Silverfuch (Harnblase)
- Capillaria plica**  
Otten, E., 1957 a, 114-116  
Dackelhündin
- ? **Capillaria plica** (Rud.)  
Parker, E. R., 1935 a, 11  
(as *C. trichocephalus*)
- Capillaria plica** (Rudolphi, 1819)  
Petrov, A. M.; and Borovkova, A. M., 1942 a, 159-160  
developmental cycle  
*Lumbicus rubellus*  
*L. terrestris*  
(both exper.)
- Capillaria plica**  
Petrov, A. M.; and Pansheva, L. V., 1948 a, 12  
silver foxes (bladder), phenothiazine
- Capillaria plica**  
Popova, N. P.; and Kalantarjan, E. V., 1927 a, 175  
[dog]: Armenia
- Capillaria plica**  
Price, E. W.; and Van Volkenberg, H. L. in Van Volkenberg, H. L., 1937 a, 76  
cat: Puerto Rico
- Capillaria plica** (Rudolphi, 1819)  
Rankin, J. S. (jr.), 1946 b, 758, 766  
*Rattus norvegicus*  
*Vulpes fulva*  
both from western Massachusetts
- Capillaria plica**  
Rayski, C., 1938 a, 282, 287, 290  
renard: Pologne
- Capillaria plica** (Rud., 1819)  
Rodonafá, T. E., 1951 a, 130, 136, 137  
*Vulpes vulpes alticola*  
*Thos aureus*  
*Canis lupus cubanensis*  
all from Georgian SSR
- Capillaria plica** (Rudolphi, 1819) Travassos, 1915  
Rodonafá, T. E., 1956 a, 174  
*Canis*  
*Thos aureus*  
both from Lagodekhskii state preserve
- Capillaria plica**  
Romanov, I. V., 1957 a, 36  
fox: Gorkov oblast
- Capillaria plica** (Rudolphi, 1819)  
Romanov, I. V., [1959 b], 300  
*Vulpes vulpes* (urinary bladder, stomach): Krasnoiarsk Territory
- Capillaria plica**  
Rukhlia'dev, D. P., 1941 d, 83  
*Meles meles tauricus*  
*Vulpes vulpes krymea montana*  
both from Crimean game reserve
- Capillaria plica** (Rud., 1819)  
Rukhlia'dev, D. P.; and Rukhlia'deva, M. P., [1954 a], 599, 601, 602  
*Ursus arctos caucasicus*: Kavkaz State Preserve
- Capillaria plica**  
Schlaaff, C., 1959 a, 539, 562  
*Thos mesomelas*  
*Alopex lagopus*  
both from Leipziger Zoological Gardens
- Capillaria plica**  
Schmid, F., 1933 b, 308, 309  
Silberfuchs: Deutschland

- Capillaria plica*  
Schmid, F., 1934 b, 33-36, figs. 5, 7  
Silberfuchs (Harnorgane), pathology
- Capillaria plica*  
Schwartz, B.I., 1925 n, 221  
occurrence: United States
- Capillaria plica*  
Secord, A. C., 1933 b, 11-12  
dog: North America
- Capillaria plica*  
Skrjabin, K. I., 1920 d, 11
- Capillaria plica*  
Skrjabin, K. I., 1927, 21
- Capillaria plica* (Rud.)  
Sluiter, G. P.; Swellengrebel, N. H.; and Ihle, J. E. W.,  
[1922 a], 440, 447
- Capillaria plica*  
Solomon, S. G., 1933 b, 161 (p. 5)  
dogs: South Russia
- Capillaria plica*  
Sprehn, C. E. W., 1927 e, 57  
Canis  
Vulpes
- Capillaria plica* (Rud.)  
Sprehn, C. E. W., 1928 i, 765, 767
- Capillaria plica* (Rudolphi)  
Sprehn, C. E. W., 1930 s, 247  
Canis fam.
- Capillaria plica*  
Sprehn, C., 1930 v, 172  
Fuchse
- Capillaria plica* (Rudolphi, 1819)  
Sprehn, C. E. W., 1932 c, 777, 821, 822, fig. 364  
Syns.: *Trichosoma plica* Rudolphi, 1819; *Capillaria plica* (Rudolphi, 1819) Railliet, 1915  
*Canis familiaris* (Harnblase, selten Nieren)  
*Vulpes vulpes*  
both from Europa [and/or] Amerika
- Capillaria plica*  
Sprehn, C., 1950 a, 110  
Fuchs
- Capillaria plica* (Rudolphi, 1819)  
Sprehn, C., 1954 c, 91  
Silber- und Blaufuchs
- Capillaria plica*  
Swales, W. E., 1933 a, 474, 477  
*Vulpes fulva*: Ontario, Prince Edward Island
- Capillaria plica*  
Swales, W. E., 1933 c, 481  
*Vulpes fulva*: Quebec
- Capillaria plica* (Rud.) Trav.  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 87-89,  
pl. 1, figs. 5-6; pl. 2, figs. 7-9  
*Felis* sp. (?)  
*Canis (C.) familiaris*  
*C. (C.) lupus*  
*C. (C.) sp.*  
*Vulpes fulva*  
*Vulpes sp.*  
*V. vulpes*  
all from Europa [and/or] U. S. A.
- Capillaria plica*  
Ulrich, K., 1930 d, 214  
Rotfuchs
- Capillaria plica*  
Van Volkenberg, H. L., 1938 a, 8  
dog: Puerto Rico
- Capillaria plica* (Rudolphi, 1819)  
Van Volkenberg, H. L., 1939 a, 9  
dog  
cat  
both from Puerto Rico
- Capillaria plica*  
Volkmar, F., 1930 a, 518-520  
silver foxes
- Capillaria plica*  
Wagner, O., 1936 c, 248, 258  
Katze
- Capillaria plica* (Rudolphi, 1819)  
Watkins, C. V.; and Harvey, L. A., 1942 a, 157, 159, 160,  
163, 164, 165, 166, 167, 168, 169, 174, 176, 177, 178  
silver fox  
*Canis vulpis*
- Capillaria plica* (Rudolphi, 1819)  
Wetzel, R., [1933 a], 12  
Syn.: *Trichosoma plica* Rudolphi, 1819  
Hund (Harnblase, selten Niere)  
Fuchs (Harnblase)
- Capillaria plica* (Rudolphi, 1819)  
Wittenberg, G. G., 1934 a, 238  
dog
- Capillaria plica* (Rud.)  
Zakharov, N. P., 1920 b, 8, 9
- Capillaria (C.) plica* (Rud.)  
Zakharov, N. P., 1920 b, 12-15
- Capillaria podicipitis* n. sp.  
Yamaguti, S., 1941 e, 441, 444, fig. 4  
*Podiceps ruficollis japonicus*: Lake Ogura, Japan
- Capillaria polonica* n. sp.  
Lukasiak, J.; and Strankowski, M., 1933 a, 364-369  
*Mus norvegicus* (vessie urinaire)
- Capillaria polonica* Lukasiak and Strankowski, 1933  
Lukasiak, J., 1939 a, 100, 103  
*Epimys norvegicus*: Pologne
- Capillaria polonica* Lukasiak and Strankowski, 1933  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c,  
128-129, pl. 16, figs. 129-130  
*Mus (Epimys) norwegicus*: Europa
- Capillaria pomatostomi* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1945 b, 243, 246,  
247, fig. 17  
*Pomatostomus superciliosus*: Tailem Bend
- Capillaria prashadi* sp. nov.  
Maplestone, P. A.; and Bhaduri, N. V., 1942 b, 201, 204-  
205, figs. a-d  
*Mus decumanus*: Calcutta
- Capillaria protracta* (Duj. 1845)  
Madsen, H., 1945 a, 83, 92, 101  
synonymy  
*Vanellus vanellus*
- Capillaria protracta* (Duj.)  
Skrjabin, K. I., 1923 n, 86  
*Vanellus cristatus*

- Capillaria protracta* (Dujardin, 1845)  
 Sprehn, C. E. W., 1932 c, 777, 873  
 Syns.: *Trichosoma protractum* Dujardin, 1845; *Capillaria protracta* (Dujardin, 1845) Travassos, 1915  
*Vanellus vanellus*: Europa
- Capillaria protracta* (Duj.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Vanellus* spp.
- Capillaria pterophylli* n. sp.  
 Heinze, K., 1933 a, 394, 395-397, 405, figs. 4-6, 7  
*Pterophyllum eimekei*  
*Pterophyllum scalare*  
 both from Südamerika
- Capillaria pterophylli* Heinze, 1933  
 Lucky, Z., 1960 b, 421-424  
*Pterophyllum eimekei*: Aquarium (CSR)
- Capillaria pterophylli* Heinze, 1933  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 262-263, pl. 7, figs. 66-69  
*Pterophyllum eimekei*  
*P. scalare*
- Capillaria pudendotecta* nov. sp.  
 Liubimova, A. P., 1947 a, 148, 149  
*Cygnus olor*: Lake Chany, Western Siberia
- Capillaria pudendotecta* Lubimova, 1947  
 Ryzhikov, K. M., 1959 a, 249  
*Cygnus olor*: SSSR
- Capillaria pulchra* n. sp.  
 Teixeira de Freitas, J. F., 1934 b, 242-243, pl. 42, fig. 7; pl. 43, figs. 11-12  
*Nyctinomus brasiliensis*: Manguinhos, Rio de Janeiro, Brasil
- Capillaria pulchra* Freitas, 1934  
 Lent, H.; Teixeira de Freitas, J. F.; and Cavalcanti Proenca, M., 1946 b, 485, 488-489, figs. 8-11  
*Tadarida laticauda*: Asunción, Paraguay
- Capillaria pulchra* Freitas, 1934  
 Skrjabin, K. I.; et al., 1954 a, 392  
 as syn. of *Thominx pulchra* (Freitas, 1934) Skrjabin et Schikhobalova 1954 [n. comb.]
- Capillaria pulchra* Freitas, 1934  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 117  
*Nyctinomus brasiliensis*: Brasil
- Capillaria pulmonalis* (Froel., 1802) Rud., 1819, of Hall, 1916  
 Dougherty, E. C.; and Goble, F. C., 1946 a, 10  
 as syn. of *Protostringylus pulmonalis* (v. Frölich, 1802) Goble and Dougherty, 1943
- Capillaria pulmonalis* Rud., 1819  
 Shul'ts, R. E. S., 1931 d, 107  
 as syn. of *Protostringylus commutatus* (Diesing, 1851)
- Capillaria pusilla* n. sp.  
 Travassos, L. P., 1914 c, 429  
*Sturnira lilium*
- Capillaria pusilla* Travassos, 1914  
 Teixeira de Freitas, J. F., 1934 b, 241, pl. 41, figs. 1-2  
*Sturnira lilium*: Manguinhos, Rio de Janeiro, Brasil
- Capillaria pusilla* Trav., 1914  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 109-110, 131  
*Sturnira lilium*: Brasil
- Capillaria pusilla* Travassos  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Sturnira lilium*
- Capillaria putorii*  
 Cameron, T. W. M.; and Parnell, I. W., 1933 a, 143
- Capillaria putorii* (Rudolphi, 1819) Travassos, 1915  
 Christensen, N. O.; Olsen, S. J.; and Roth, H., 1946 a, 514, 515  
 cats: Copenhagen
- Capillaria putorii* (Rudolphi, 1819) Travassos, 1915  
 Christensen, N. O.; and Roth, H., 1946 a, 116, 117, 123, 124, 140, 414  
 cat: Copenhagen
- Capillaria putorii* (Rud.)  
 Freund, L., 1930 c, 111  
*Putorius putorius*  
*Arctogale nivalis*  
*A. erminea*  
*Kolonicus sibiricus*
- Capillaria putoria* (Rud., 1819)  
 Gagarin, V. G., 1958 a, 117  
 badger: southern Kirgizia
- Capillaria putorii* (Rud., 1819)  
 Garkavi, B. L., 1950 e, 73  
 badger: southern Kirgizia
- Capillaria putorii* Rud., 1819  
 Jacob, E., 1939 a, 476, fig. 2  
 Syn.: *Calodium alatum* Molin, 1858  
*Iltis*  
*Hauskatze*  
*Baumarder*  
 all from Norddeutschland
- Capillaria putorii* Rud.  
 Lavrov, N. P., 1943 a, 45, 46  
*Mustela erminea*: SSSR
- Capillaria putorii* (Rud., 1819)  
 Machul'skii, S. N., 1949 a, 598  
 sable: Buriat-Mongolia
- Capillaria putorii* (Rudolphi, 1819)  
 Machul'skii, S. N., [1954 a], 401, 403, 404, 405  
*Martes zibellina*  
*Colonocus sibiricus*  
*C. altaicus*  
*Mustela erminea transbaicalica*  
*Putorius eversmanni michnoi*  
*Gulo gulo*  
*Meles meles raddei*  
 all from Buriat Mongol ASSR
- Capillaria putorii*  
 Malžiūnaitė, S., [1960 a], 58, 59  
*Meles meles meles*: Lithuania
- Capillaria (C.) putorii* (Rud., 1819)  
 Morozov, F. N., 1939 a, 5, 6, 7, 26-27, fig. 9  
*Putorius putorius*  
*Arctogale nivalis*  
*A. erminea*  
*Martes foina*  
 all from Gorkii oblast
- Capillaria (C.) putorii* (Rud.)  
 Petrov, A. M., 1928 a, 238-242, 247, figs. 1-3  
*Arctogale nivalis*  
*A. erminea*  
*Kolonocus sibiricus*
- Capillaria putorii* (Rud., 1819)  
 Petrov, A. M., 1940 a, 209-210, 222, 223, 224, 225, 226, 231  
*Martes zibellina*  
*M. martes*  
*M. foina*  
*Lutreola lutreola*  
*Putorius putorius*  
*P. eversmanni*  
*Arctogale erminea*  
*A. nivalis*  
*Kolonocus sibiricus*  
*Lutra lutra*  
*Lutreola vison*  
*Meles meles*  
 all from Moscow Zool. Gardens

- Capillaria putorii*  
Petrov, A. M.; and Panyshova, L. V., 1952 a, 70  
phenothiazine
- Capillaria putorii* (Rud. 1819)  
Petrov, A. M.; and Panyshova, L. V., 1953 a, 167-172  
phenothiazine
- Capillaria putorii*  
Popov, V. A., 1949 a, 127  
*Mustela vison*
- Capillaria putorii* Rudolphi 1819  
Prokopic, J., 1958 b, 162  
Syns.: *Trichosoma putorii* Rudolphi 1819; *Trichosomum entomeles* Dujardin 1845; *Colodium alatum* Molin 1858;  
*Capillaria mustellae* Stiles et Baker 1935; *Aonchotheca putorii* Lopez-Neyra 1946  
*Putorius putorius* (žaludek a tenké střevo): Czechoslovakia
- Capillaria putorii* (Rudolphi, 1819) Trav., 1915  
Read, C. P., 1949 a, 224-325
- Capillaria putorii*  
Romanov, I. V., 1959 a, 1314, 1320  
sable  
fox (stomach)  
both from Krasnoyarsk territory
- Capillaria putorii* (Rudolphi, 1819)  
Romanov, I. V., 1960 a, 1001  
*Martes zibellina*  
*gornostai* [*Mustela erminea*]  
*Mustela sibirica*  
*Lutreola vison*  
*rosomakh* [*Gulo gulo*]  
*laska* [*Mustela nivalis*]  
all from Krasnofarsk krai
- Capillaria putorii* (Rud., 1819)  
Savinov, V. A., 1953 a, 100  
raccoon dog [*Nyctereutes procyonoides*]: Kalinin oblast
- Capillaria putorii*  
Shumakovitch, E. E.; and Ryzhikov, K. M., 1954 a, 216  
classification of form of reservoir parasitism
- Capillaria putorii*  
Skarbilovich, T. S., 1945 d, 533-534
- Capillaria putorii* (Rud., 1819)  
Skarbilovich, T. S., 1950 c, 22, 23, 24, figs. 1-2  
key  
sable  
mink
- Capillaria putorii*  
Sprehn, C. E. W., 1927 e, 57  
*Putorius putorius*
- Capillaria putorii* (Rudolphi, 1819)  
Sprehn, C. E. W., 1932 c, 778, 824  
Syns.: *Trichosoma putorii* Rudolphi, 1819; *Capillaria putorii* (Rudolphi, 1819) Travassos, 1915  
*Putorius putorius* (Iltis): Europa
- Capillaria putorii* (Rud.) Trav.  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 89-90,  
pl. 2, figs. 10-12  
synonymy  
*Lutra lutra*  
*Mustela (M.) erminea*  
*M. (M.) nivalis*  
*M. (Putorius) putorius*  
*M. (Kolonokus) sibirica*  
*M. (Mustela) vulgaris*  
*M. (Mustela) sp.*  
*M. (Lutreola) vison*  
*Martes (Martes) foina*
- Capillaria putorii* (Rud.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Putorius putorius*
- Capillaria quiscali* n. sp.  
Read, C. P., 1949 c, 243-244, 245, 247, pl. II, figs. 9-13  
key  
*Quiscalus quiscale aeneus*: Wisconsin
- Capillaria quiscula* Read, 1949  
Mawson, P. M., 1956 b, 163  
as syn. of *C. ovopunctatum* (von Linstow)
- Capillaria rangiferi* nov. sp.  
Mitskevich, V. I., 1957 b, 203, 205  
key  
reindeer (small intestine)
- Capillaria ransomia* Barker and Noyes, 1915  
Ameel, D. J., 1942 a, 267  
*Ondatra zibethica*: Michigan
- Capillaria ransomia* Barker & Noyes  
Freund, L., 1930 c, 111
- Capillaria ransomia*  
Knight, I. M., 1951 a, 188, 191, 193, 198, 199, 211  
*Ondatra zibethica*: British Columbia
- Capillaria ransomia*  
Rausch, R. L., 1946 e, 70  
*Ondatra zibethicus*: Ohio
- Capillaria ransomia*  
Sprehn, C. E. W., 1927 e, 57  
Fiber
- Capillaria ransomia* Barker und Noyer, 1915  
Sprehn, C. E. W., 1932 c, 778, 832  
*Ondatra zibethica*: Europa, Amerika
- Capillaria ransomia* Barker and Noyes, 1915  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 111,  
pl. 11, figs. 79-80  
Fiber zibethicus: U. S. A.
- Capillaria ransomia* Barker & Noyes  
Ward, H. B., 1918 b, 535
- Capillaria ransomia* Barker & Noyes  
Yorke, W.; and Maplestone, P. A., 1926 a, 27  
Fiber sp.
- Capillaria rara* n. sp.  
Ricci, M., 1949 a, 192-194, 195  
*Rhinolophus ferrum-equinum*: Roma (Monte Sacro).  
Italia
- Capillaria rasilis* nom. nov.  
Madsen, H., 1945 a, 68, 83, 95, 101, 105  
[for *Trichosoma exile* of Eberth, 1863]  
*Turdus merula*
- Capillaria rauschi* n. sp.  
Read, C. P., 1949 a, 225-226, 228, pl. 2, figs. 10-16  
*Sorex cinereus*: Wisconsin
- Capillaria rauschi* n. sp.  
Read, C. P., 1949 b, 235, 236  
key
- Capillaria rauschi* Read  
Conaway, C. H., 1952 a, 240  
*Sorex palustris navigator*: Montana
- Capillaria recondita* n. sp.  
Teixeira de Freitas, J. F.; and Lent, H., 1942 b, 326-328, figs. 1-4  
*Crossodactylus gaudichaudii*: Grajaú, Rio de Janeiro,  
D. F., Brasil

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Capillaria recurva* (Solger, 1877) [n. comb.]  
*Travassos, L. P.*, 1915 b, 158  
*Crocodilus americanus*
- Capillaria recurva* Solger, 1877  
*Harwood, P. D.*, 1932 b, 62, 63  
 American crocodile
- Capillaria recurva* (Solger, 1877) *Trav., 1915*  
*Teixeira de Freitas, J. F.; and Lent, H.*, 1935 a, 248,  
 pl. 2, figs. 18-20  
 synonymy  
*Crocodilus americanus*: Mexico
- Capillaria recurva* (Solger)  
*Yorke, W.; and Maplestone, P. A.*, 1926 a, 27  
*Crocodilus americanus*
- Capillaria resecta* Dujardin  
*Bauer, O. N.*, 1941 a, 81  
*Turdus viscivorus*  
*T. ericetorum*  
*T. merula*  
 all from Kavkaz
- Capillaria resecta* (Duj.)  
*Baylis, H. A.*, 1928 g, 338  
*Corvus monedula*  
*C. frugilegus*
- Capillaria resecta* (Dujardin, 1843)  
*Baylis, H. A.*, 1939 a, 492  
*Corvus corone*: Surrey, Brit. Is.  
*Garrulus glandarius*: Kent; Hampshire; Worcestershire;  
 Wiltshire; Herefordshire; Radnorshire; Surrey, Brit.  
 Is.
- Capillaria resectum* Duj., 1845  
*Dubinina, M. N.; and Kulakova, A. P.*, 1960 a, 354  
 as syn. of *C. corvorum* (Rud., 1819)
- Capillaria resecta* (Dujardin, 1845)  
*Gagarin, V. G.; Ablasov, N. A.; and Chibichenko, N. T.*,  
 1957 a, 112  
*Pica pica*: southern Kirgizia
- Capillaria resecta* Dujardin, 1845  
*Le Van Hoa*, 1960 a, 598-600, fig. 2  
*Garrulus glandarius* (intestin précaecal): Richelieu  
 (Indre-et Loire)
- Capillaria resecta* (Dujardin, 1845) *Travassos, 1915*  
*Luft, K.*, 1960 a, 354  
 as syn. of *Capillaria corvorum* (Rudolphi, 1819)  
*Travassos, 1915*
- Capillaria resecta* (Duj. 1843)  
*Madsen, H.*, 1945 a, 83-84, 95, 101  
 synonymy  
*Corvus frugilegus*  
*C. corax*  
*C. corone cornix*  
*Coloeus monedula*  
*Nucifraga caryocatactes*  
*Garrulus glandarius*  
*Corvus corone*  
*Pyrrhocorax graculus*
- Capillaria resecta*  
*Markowski, S.*, 1931 a, 20  
*Corvidae: Polski.*
- Capillaria resecta*  
*Markowski, St.*, 1931 b, 13  
*Cervidae: Pologne*
- Capillaria resecta* (Duj., 1843)  
*Markowski, S.*, 1933 c, 3, 4, 38, 39, 40-42, figs. 19-20  
 Syn.: *Trichosoma resectum* Dujardin  
*Coloeus monedula*  
*Corvus cornix*  
*C. frugilegus*  
*C. corax*  
 (intestine of all): all from Polen
- Capillaria resecta* (Dujardin, 1843)  
*Mettrick, D. F.*, 1959 c, 68-69, 82, 83, fig. 3 a-e  
 Syn.: *Trichosoma resectum* Dujardin, 1843  
*Corvus frugilegus*  
*C. monedula*  
 (intestine of both): both from Hertfordshire
- Capillaria resecta*  
*Mettrick, D. F.*, 1960 a, 265  
*Corvus frugilegus*  
*C. monedula*  
 both from Great Britain
- Capillaria resecta* (Dujardin, 1843)  
*Pemberton, R. T.*, 1961 a, 456, 458, 459, 461  
*Pica p. pica*  
*Corvus f. frugilegus*  
*C. monedula spermologus*  
 (lower intestine of all): all from Britain
- Capillaria resecta* (Dujardin, 1845)  
*Petrov, A. M.; and Chertkova, A. N.*, 1950 b, 90  
*Turdus merula*  
*T. viscivorus*  
 both from Southern Kirgizia
- Capillaria resecta* (Dujardin)  
*Schuurmans Stekhoven, J. H.*, 1937 a, 442
- Capillaria resecta*  
*Seurat, L. G.*, 1920 c, 17
- Capillaria resecta* Duj.  
*Solonitsyn, I. A.*, 1928 a, 89  
*Monedula turrium*
- Capillaria resecta* (Duj., 1843)  
*Spaskii, A. A.; and Oshmarin, P. G.*, 1939 a, 46, 55, 57,  
 65, 66, 67, 68, 69  
*Corvus cornix*  
*C. corax*  
*C. frugilegus*  
*Coloeus monedula*  
*Pica pica*  
*Garrulus glandarius*  
 all from Gorkii oblast
- Capillaria resecta* (Dujardin, 1843)  
*Sprehn, C. E. W.*, 1932 c, 778, 834, 835  
 Syns.: *Trichosoma resectum* Dujardin, 1843; *Capillaria resecta* (Dujardin, 1843) *Travassos, 1915*  
*Coloeus monedula spermologus*  
*Corvus frugilegus*  
*Garrulus glandarius*  
*Nucifraga caryocatactes*  
 all from Europa
- Capillaria resecta*  
*Sultanova, M. A.*, 1947 a, 138  
*Buteo ruginus*  
*B. lagopus*  
 both from Tashkent oblast
- Capillaria resecta*  
*Vasiliu, G. D.*, 1939 a, 91, 92, 93  
*Corvus frugilegus frugilegus*  
*Nucifraga caryocatactes caryocatactes*  
*Garulus glandarius glandarius*
- Capillaria resecta* (Duj.)  
*Vavilova, N. M.*, 1926 a, 111, 113, 126, 127, 128, fig. 12  
*Turdus merula*  
*Corvus cornix*  
*C. frugilegus*  
*Monedula turrium*  
*Emberiza citrinella*  
*Nucifraga caryocatactes*  
*Pica pica*

- Capillaria resecta* (Duj., 1843) Travassos, 1915  
 Yamaguti, S., 1941 e, 441, 442  
*Garrulus glandarius japonicus*: Nara, Japan
- Capillaria resecta* (Duj.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Corvus* sp.  
*Garrulus* sp.
- Capillaria resecta* (Dujardin, 1843)  
 Zekhnov, M. I., 1947 a, 136, 137, 140, 141, 142  
*Corvus frugilegus*
- Capillaria resecta* (Dujardin, 1843)  
 Zekhnov, I., 1949 a, 234, 235-236, 239, 240  
*Corvus frugilegus*: Russia
- Capillaria resecta* (Dujardin, 1843)  
 Zekhnov, M. I., 1953 a, 57  
 growth changes  
*Corvus cornix*
- Capillaria retusa*  
 Altara, I., 1932 a, 294  
 as syn. of *Trichosomum retusum*
- Capillaria retusa* (Railliet)  
 Baylis, H. A., 1929 i, 264  
 fowl  
 guinea fowl
- Capillaria retusa*  
 Bayon, H. P. G., [1933? a], 103  
 fowls (long intestine)
- Capillaria retusa*  
 Bhalerao, G. D., 1936 e, 52  
 fowls: India
- Capillaria retusa*  
 Bittner, H., 1926 a, 730, fig. 326
- Capillaria retusa*  
 Bump, G., 1937 a, 309
- Capillaria retusa*  
 Bump, G., 1938 a, 269, 271
- Capillaria retusa* (Railliet, 1893)  
 Burdzhadze, P. L., 1943 a, 61  
*Gallus gallus dom.*: Georgia [SSR]
- Capillaria retusa* (Raill., 1893)  
 Clapham, P. A., 1935 c, 140, 141, 142  
*Perdix perdix*, first report
- Capillaria retusa*  
 Clapham, P. A., 1936 b, 63  
*Perdix perdix*
- Capillaria retusa*  
 Clapham, P. A., 1961 a, 40  
*Phasianus colchicus*: Great Britain
- Capillaria retusa*  
 Clunies Ross, I., 1926 c, 133
- Capillaria retusa*  
 Cram, E. B., 1931 d, 231
- Capillaria retusa* (Railliet)  
 Cram, E. B., 1931 e, 241, 245, 273-274  
*Colinus virginianus*  
*Perdix perdix*  
*Meleagris gallopavo*  
*Numida meleagris*
- Capillaria retusa*  
 Cram, E. B., 1932 c, 94  
*Meleagris gallopavo* (intestine): Beltsville, Md.
- Capillaria retusa* Railliet, 1893  
 Daub, M., 1951 a, 7  
 treatment
- Capillaria retusa* (Railliet)  
 Edgar, S. A., 1953 a, 952  
 chicken: Alabama
- Capillaria retusa* (Railliet, 1883)  
 Ergün, H., 1960 a, 38  
 chickens (digestive tract): Ankara, Turkey
- Capillaria retusa* (Railliet, 1893)  
 Erlich, I.; and Mikačić, D., 1939 a, 571, 572, 573, 575, 579  
 poulet: Zagreb
- Capillaria* (C.) *retusa* (Raill., 1893)  
 Fedulshin, A. V., 1954 b, 153  
 domestic chickens: Western Siberia
- Capillaria retusa* (oeufs)  
 Floch, H., 1956 b, 31  
 Inini
- Capillaria retusa* (Railliet, 1893)  
 Fogie, A., 1933 a, 60, 61  
 fowl (caeca): Edinburgh
- Capillaria retusa* (Railliet, 1893)  
 Franken, T., 1939 a, 15-17
- Capillaria retusa* Railliet, 1893  
 Früh, O., 1951 a, 7  
 treatment
- Capillaria retusa*  
 Galzada, V., 1935 b, 545-555  
 Uruguay
- Capillaria retusa*  
 Galzada, V., 1936 c, 4, 5, 6, 7, 8, 9, 10, figs. 1-10  
 Uruguay
- Capillaria retusa*  
 Glaser, E. S., 1942 d, 8
- Capillaria retusa*  
 Glaser, E., 1943 j, 16
- Capillaria retusa*  
 Great Britain—Ministry of Agriculture and Fisheries,  
 1932 i, 36  
 fowls (intestine)
- Capillaria retusa*  
 Hall, M. C., 1922 s, 538
- Capillaria retusa*  
 Hall, M. C., [1923 b], 56
- Capillaria retusa*  
 Hilbrich, P., 1950 a, 26
- Capillaria retusum*  
 Hopkirk, C. S. M., 1934 b, 24  
 poultry
- Capillaria retusa*  
 Johnston, T. H., 1918 c, 213  
 domestic fowl
- Capillaria retusa*  
 Kaura, R. L., 1938 a, 28  
 India
- Capillaria retusa* (Railliet, 1893)  
 Orosz, D., 1932 a, 31, 40-42, 50-51, 52, 53, fig. 3  
 Syns.: *Hamularia nodulosa* Rudolphi, 1810; *Trichosomum longicolle* Rud. (Eberth, 1863); *Trichosoma retusum* Railliet, 1893; *T. dubium* Kowalewski, 1895; *Capillaria dubia* (Kow.) Travassos, 1915  
 chickens (caecum): Hungary
- Capillaria retusa* Railliet, Travassos  
 Koffman, M., 1939 a, 529, 530, fig. 13  
 Syns.: *Trichosoma dubium* Kowalewsky; *T. longicolle* Dujardin; *T. retusa* Railliet  
 Höns: Sverige

- Capillaria retusa* (Railliet)  
 Kotlán, S.; and Orosz, D., 1931 a, 113  
 Syns.: *Hamularia nodulosa* Rud. p.p.; *Trichosoma longicolle* Rud. p.p.; *Trichosoma retusum* Railliet; *Trichosoma dubium* Kowalewsky
- Capillaria retusa*  
 Koutz, F. R., 1953 b, 315  
 effect of built-up litter
- Capillaria retusa*  
 Krijgsman, B. J., 1933 d, 378  
 Syn.: *Trichosoma retusa*  
 Kip (midden- en eindarm): Nederlandsch-Indië
- Capillaria* (s. str.) *retusa* Railliet, 1893  
 Kurashvili, B. E., 1941 a, 80, 89, 94  
*Gallus* g. dom. (small intestine & caecum): Georgia,  
 SSR
- Capillaria retusa*  
 Lee, Y. C.; et al., 1957 a, 61, 66  
 hens: Taiwan
- Capillaria retusa* (Railliet)  
 LeRoux, P. L., 1926 a, 211, 216  
 fowl
- Capillaria retusa* (Railliet, 1893)  
 Lins de Almeida, J., 1934 c, 29  
*Gallus domesticus*: Brasil
- Capillaria retusa* Railliet  
 Lopez Neyra, C. R., 1924 a, 111-112
- Capillaria retusa* (Railliet 1893)  
 Madsen, H., 1945 a, 21, 32, 35, 84
- Capillaria retusa*  
 Merkens, J., 1941 a, 130  
 kip: Nederl.-Indië
- Capillaria retusa* (Railliet, 1895)  
 Mettrick, D. F., 1959 c, 76-78, 82, 83, fig. 10 a-d  
 Syns.: *Trichosoma retusum* Railliet, 1895; *T. retusum* Kowalewski, 1901; *Capillaria retusum*, Morgan, 1932  
*Phasianus colchicus*  
*Gallus domesticus*  
*Perdix perdix*  
 (caeca of all): all from Hertfordshire
- Capillaria retusum*, Morgan, 1932  
 Mettrick, D. F., 1959 c, 76  
 as syn. of: *Capillaria retusa* (Railliet, 1895)
- Capillaria retusa* (Raill., 1893)  
 Mönnig, H. O., 1928 a, 808  
 fowl
- Capillaria retusa*  
 Morehouse, N. F., 1939 a, 35  
*Gallus domesticus* (lower digestive tract): Ohio
- Capillaria retusa*  
 Morehouse, N. F., 1942 a, 104, 112-113
- Capillaria retusa* (Railliet, 1893)  
 Morehouse, N. F., 1944 a, 220, 222, 223, 224, 230, 243, 246  
 Syn.: *Trichosoma dubium*  
 chickens: Ala.; Iowa; Ohio
- Capillaria retusa* (Raill., 1893) Travassos, 1915  
 Morgan, D. O., 1932 b, 184, 191-193, figs. 11-17  
*Gallus domesticus*  
*Numida meleagris*  
 Syns.: *Trichosoma retusa* Rail., 1893; ? *Trichosoma longicolle* Duj., 1845; *Trichosoma longicolle* Eberth, 1863; *Trichosoma dubium* Kowal., 1894; *Trichosoma retusa* Kowal., 1901
- Capillaria retusa*  
 Morgan, D. O.; and Wilson, J. E., 1938 a, 166, 167  
 poultry: Scotland
- Capillaria retusa* Railliet, 1893  
 Nickel, E. A., 1953 a, 73  
 treatment
- Capillaria retusa*  
 Palimpsestov, M. A., 1937 a, 455  
 chicken: Mordovian autonomy
- Capillaria retusa* (Railliet, 1893)  
 Pérez Vigueras, I., 1936 a, 56  
*Gallus gallus* dom.  
*Numida meleagris* dom.  
 both from Prov. Habana, Cuba
- Capillaria retusa* (Raill., 1893)  
 Petrov, A. M.; Dzhavadov, M. K.; and Prasolova, M. A., [1935 a], 47-48  
 chickens: Azerbaidzhan
- Capillaria retusa*  
 Petrov, A. M.; Dzhavadov, M. K.; and Prasolova, M. A., 1936 a, 269  
 hen: Aserbaidschan
- Capillaria retusa* (Raill., 1893)  
 Pinto, C.; and Lins de Almeida, J., 1935 a, 61  
*Gallus domesticus*: Brasil
- Capillaria retusa* (Raill.)  
 Pinto, C. F.; and Lins de Almeida, J., 1937 b, 479  
*Gallus domesticus*: Brésil
- Capillaria retusa*  
 Ressang, A. A.; Fischer, H.; and Muchlis, A., 1959 a, 96  
*Gallus domesticus*: Indonesia
- Capillaria retusa*  
 Riaian, S. O., [1936 b], 43  
 fowl: Ireland
- Capillaria retusa*  
 Rietz, J. H., 1929 a, 144  
 chickens: Ohio; West Virginia
- Capillaria retusa*  
 Robert, R., 1932 a, 10, 12, 54  
 diagnosis, treatment  
 poule
- Capillaria retusa* (Raill., 1893) Trav., 1915  
 Roberts, F. H. S., 1932 e, 346, 347  
 domestic fowl (small intestine): Queensland
- Capillaria retusa*  
 Schoop, G.; and Lamina, J., 1960 a, 140  
 statistics
- Capillaria retusa* (Railliet, 1893)  
 Shul'ts, R. E. S.; Gnedina, M. P.; and Kadenatsii, A. N., 1938 a, 35  
 kurits dom. [domestic chicken]  
 gusia dom. [dom. goose]  
 both from Bashkiria
- Capillaria* (C.) *retusa* Railliet  
 Skrjabin, K. I., 1920 a, 17
- Capillaria* (C.) *retusa* (Raill.)  
 Skrjabin, K. I., 1920 b, 49-51, 63
- Capillaria* (C.) *retusa* (Railliet, 1893)  
 Skrjabin, K. I., 1923 i, 298, 299  
*Hausuhuhn*: Deutschland; Polen; Russland  
*Perlhuhn*: Frankreich

411 - 612

NEMATODA AND NEMATODE DISEASES

- Capillaria retusa* (Railliet, 1893)  
 Sprehn, C. E. W., 1932 c, 778, 891, 892  
 Syns.: *Trichosoma longicolle* Dujardin, 1845 nec *Rudolphi*, 1819; *T. retusa* Railliet, 1893; *T. dubium* Kowalewsky, 1895; *Capillaria retusa* (Railliet, 1893) Travassos, 1915  
*Gallus gallus* (Blinddarame)  
*Numida meleagris*  
 both from Europa
- Capillaria retusa* Railliet  
 Stefflová-Leiská, M., 1957 a, 342  
 chickens: Czechoslovakia
- Capillaria retusa* Railliet, 1893  
 Stoimenov, K. A., 1957 a, 123  
 hen: Kolarovgrad, Bulgaria
- Capillaria retusa* (Railliet, 1893) Travassos, 1915  
 Sugimoto, M., 1925 a, 59, 103  
 Syn.: *Trichosoma retusum* Railliet, 1893  
*Gallus domesticus*
- Capillaria* (C.) *retusa* (Railliet, 1893) Travassos, 1915  
 Sugimoto, M., 1939 a, 93-94, 220, 221  
 synonymy  
*Chrysocolaphus pictus*  
*Coturnix coturnix*  
*Gallus domesticus*  
*Lyrurus tetrix*  
*Numida meleagris*  
*Perdix perdix*  
*Phasianus colchicus*  
*P. versicolor versicolor*  
*Tetrao urogallus*  
 all from Formosa
- Capillaria retusa*  
 Swales, W. E., 1933 a, 476  
*Gallus gallus*: Canada
- Capillaria retusa* (Railliet, 1893)  
 Tagle V., I., 1953 a, 99  
*Gallus domesticus*: Chile
- Capillaria retusa*  
 Taylor, E. L., 1929 c, 539
- Capillaria retusa* (Railliet, 1893)  
 Todd, A. C., 1946 a, 232, 233, 234, 235, pl. 2, figs. 9-12  
 chicken: East Tennessee
- Capillaria retusa* (Railliet, 1893)  
 Todd, A. C., 1946 b, 425, 426, 427, 432  
 chickens
- Capillaria retusa*  
 Todd, A. C., 1947 a, 470  
 chickens: Tennessee
- Capillaria retusa*  
 Tolgay, N., 1957 a, 10, 11, 12, 25, 26-29, 35, 37, 38,  
 figs. 9-13  
 fowl: Ankara
- Capillaria retusa* (Railliet, 1893)  
 Tubangui, M. A., 1947 a, 255  
 domestic chicken: Luzon
- Capillaria retusa*  
 Van Volkenberg, H. L., 1938 a, 8  
 poultry: Puerto Rico
- Capillaria retusa* (Railliet, 1893)  
 Van Volkenberg, H. L., 1939 a, 9  
 chicken: Puerto Rico
- Capillaria retusa* (Railliet, 1893)  
 Vil'danov, M. G., 1938 a, 364, 365  
*Gallus gallus* dom.  
*Anser anser* dom.  
 both from Bashkiria
- Capillaria retusum*  
 Wickware, A. D., 1921 a, 733, 734, 736  
 treatment  
*Gallus* dom.
- Capillaria retusa*  
 Wright, W. H.; and Van Volkenberg, H. L. in Van Volkenberg, H. L., 1937 a, 77  
 chicken: Mayaguez, Puerto Rico
- Capillaria retusa* (Raill., 1893)  
 Yamaguti, S., 1935 j, 403, 430
- Capillaria retusa* (Railliet)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Gallus* dom.  
*Numida* sp.
- Capillaria rhinobati* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1945 b, 243-245,  
 figs. 1-3  
*Aptychotrema banksii*: Rapid Bay, South Australia
- Capillaria rhinolophi* n. sp. [lapsus]  
 Ricci, M., 1949 a, 193, figs. 3-5  
 [for *C. rara* Ricci, M., 1949]
- Capillaria rigidula* (Duj. 1845)  
 Madsen, H., 1945 a, 84, 94, 101  
 synonymy  
*Prunella modularis*
- Capillaria rigidula* (Dujardin, 1845)  
 Sprehn, C. E. W., 1932 c, 778, 844  
 Syns.: *Trichosoma rigidula* Dujardin, 1845; *Capillaria rigidula* (Dujardin, 1845) Travassos, 1915  
*Prunella modularis*: Europa
- Capillaria rigidula* (Duj.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Accentor modularis*
- Capillaria rivarolai* n. sp.  
 Lent, H.; Teixeira de Freitas, J. F.; and Cavalcanti Proença, M., 1946 b, 486-487, figs. 1-7  
*Tadarida laticaudata*: Asunción, Paraguay
- Capillaria romana* n. sp.  
 Ricci, M., 1949 a, 190, 191, 194, 195, fig. 2  
*Rhinolophus euryale*: Roma (Monte Sacro), Italia
- Capillaria romana* Ricci, 1949  
 Morozov, Iu. F., 1961 a, 96, 97
- Capillaria rubra* Linton  
 Heinze, K., 1933 a, 393  
*Spicella socialis*
- Capillaria* (?) *rubra* (Linton 1892)  
 Madsen, H., 1945 a, 84, 95, 101  
 synonymy  
*Spizilla socialis*
- Capillaria rubra* (Linton)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Spizella socialis*
- Capillaria rudolphii* n. sp.  
 Teixeira de Freitas, J. F., 1934 a, 260-261  
*Tinamus solitarius* (intestino delgado): Andra dos Reis, Estado do Rio Brasil; Serra do Tingua, Estado do Rio Brasil
- Capillaria rudolphi* Freitas 1934  
 Madsen, H., 1945 a, 74, 85, 89, 101  
*Tinamus solitarius*
- Capillaria rutili* n. sp.  
 Zakhvatkin, V. A.; and Azheganova, N. S., (1940) < Uchen. Zapiski Molotovsk. Gosudarstv. Univ., v. 4 (1), pp. 3-31
- Capillaria rutili* Zachvatkin et Ascheganova, 1940  
 Markevich, A. P., [1952 a], 284  
*Rutilus rutilus*

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Capillaria salvelini* sp. n.  
Poljanski, I. I., 1952 a, 140-143, fig. 4  
*Salvelinus alpinus*: Barents sea
- Capillaria salvelini* Poljansky  
Poljanski, I. I., 1955 a, 89  
*Salvelinus alpinus*: Murman
- Capillaria schmidtii* (v. Linst.)  
Baylis, H. A., 1928 e, 303
- Capillaria schmidtii* Linstow  
Kalantar'fan, E. V., 1924 b, 24
- Capillaria schmidtii* Linstow, 1874  
Lukasiak, J.; and Strankovski, M., 1933 a, 364, 366  
*Mus norvegicus* (*vessie urinaire*)  
M. (*Epimys*) *rattus* (*vessie urinaire*)
- Capillaria schmidtii*  
Sprehn, C. E. W., 1927 e, 57  
*Mus norvegicus*
- Capillaria schmidtii* (Linstow)  
Sprehn, C. E. W., 1930 s, 263  
*Epimys norvegicus*
- Capillaria schmidtii* (Linstow, 1874)  
Sprehn, C. E. W., 1932 c, 778, 829  
Syns.: *Trichosoma schmidtii* Linstow, 1874; *Capillaria schmidtii* (Linstow, 1874) Travassos, 1915  
*Epimys norvegicus*: Europa
- Capillaria schmidtii* [(Linstow)]  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 100-101  
as syn. of *C. papillosa* (Polonio, 1860)
- Capillaria schmidtii* (Linstow)  
Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Mus norvegicus*
- Capillaria schmidtii* (v. Linst.)  
Zakharov, N. P., 1920 b, 9  
*Mus decumanus*
- Capillaria semiteres* Zeder, 1803  
Cram, E. B., 1936 c, 4  
as syn. of *C. annulata* (Molin)
- Capillaria semiteres* Zeder 1803  
Madsen, H., 1945 a, 11, 85  
Syn.: *C. longicollis* (Mehlis 1891) (?)
- Capillaria semiteres*  
Orosz, D., 1932 a, 29
- Capillaria semiteres* Zeder, 1803  
Sugimoto, M., 1925 a, 59, 103  
Syn.: *Trichosoma annulatum* Molin, 1858  
*Gallus domesticus*
- Capillaria sentinosa* n. sp.  
Travassos, L., 1927 f, 215-217  
*Tetragonoptera* sp.
- Capillaria sentinosa* Travassos 1927  
Heinze K., 1933 a, 394, 399-400, 404, fig. 12  
*Astyanax fasciatus* (Darm): Brasilien, Prov. São Paulo
- Capillaria sentinosa* Travassos, 1927  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 263, pl. 8, figs. 70-72  
*Tetragonopterus* (*Astyanax*) *fasciatus*: São Paulo
- Capillaria sentinosa* Trav.  
Travassos, L. P.; Artigas, P.; and Pereira, C., 1928 a, 29, pl. 9, fig. 101, pl. 10, figs. 102-104  
*Astyanax fasciatus*
- Capillaria sentinosa*  
Vaz, Z.; and Pereira, C., 1934 a, 101  
measurements
- Capillaria serpentina* n. sp.  
Harwood, P. D., 1932 b, 62-63, 66, pl. 5, figs. 9-10  
*Chelydra serpentina* (*rectum*): Houston, Texas
- Capillaria serpentina* Harwood, 1932  
Skrjabin, K. I.; et al., 1954 a, 392  
as syn. of *Thominx serpentina* (Harwood, 1932) Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria serpentina* Harwood, 1932  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 248-249, pl. 2, figs. 21-22  
Syn.: *C. chelydrae* Harwood, 1932  
*Chelydra serpentina*: Texas
- Capillaria serpentina* Harwood, 1932  
Williams, R. W., 1953 a, 175, 177-178, figs. 1-2  
description of male  
*Chelydra serpentina*: Oklahoma
- Capillaria sibirica* sp. n.  
Romanov, I. V., 1960 b, 766-767, 768, figs. 1-2  
*Eutamias sibiricus*: Krasnoiarsk krai
- Capillaria sibirica*  
Machul'ski, S. N., [1959 a], 223  
*Eutamias sibiricus*: Buriat ASSR
- Capillaria similis* (Kow. 1904)  
Madsen, H., 1945 a, 68, 85, 94, 102  
synonymy  
*Turdus pilaris*
- Capillaria simile* (Kowalewsky, 1903)  
Sprehn, C. E. W., 1932 c, 779, 842  
Syns.: *Trichosoma simile* Kowalewsky, 1903; *Capillaria simile* (Kowalewsky, 1903) Travassos, 1915  
*Turdus pilaris*: Europa
- Capillaria similis* (Kowalewsky)  
Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Turdus pilaris*
- Capillaria* (*Thominx*) *skrjabini* nom. nov.  
Erlich, I., 1947 a, 80, 81, 85, fig. 1  
for *C. felis cati* Zakharov, 1920
- Capillaria sonsinoi* (Parona, 1897) Trav., 1915  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 247-248, pl. 1, figs. 12-14  
synonymy  
*Zamenis gemonensis* (*intestino*): Italia
- Capillaria sonsinoi* (Parona)  
Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Zamenis gemonensis*
- Capillaria soricicola* (Yokogawa in Nishigori 1924) [n. comb.]  
Baylis, H. A., 1931 f, 542
- Capillaria soricicola*  
Bernard, J., 1961 a, 781  
*Crocidura russula*: Belgique
- Capillaria soricicola* (Nishigori, 1924)  
Joyeux, C.; and Baer, J. G., 1937 b, 30-31, 35, 40, pl. 1, figs. 4-6  
Syn.: *Hepaticola soricicola* Nishigori, 1924  
*Crocidura russula*
- Capillaria speciosa* (v. Ben.)  
Skrjabin, K. I., 1923 m, 87  
*Vespertilio dasycnemus*  
*V. daubentonii*
- Capillaria speciosa*  
Sprehn, C. E. W., 1927 e, 57  
*Vespertilio*

- Capillaria speciosa* (Beneden, 1873)  
 Sprehn, C. E. W., 1932 c, 779, 806, 807, 808  
 Syns.: *Trichosoma speciosa* Beneden, 1873; *Capillaria speciosa* (Beneden, 1873) Travassos, 1915  
*Myotis dasycneme*  
*M. nattereri*  
*Leucone daubentonii*  
*Vespertilio serotinus*  
*Myotis myotis*  
*Nyctalus noctula*  
*Vesperugo discolor*  
 all from Europa
- Capillaria spiculata* n. sp.  
 Teixeira de Freitas, J. F., 1933 b, 962-964, figs. 3-4  
*Phalacrocorax brasiliensis*: Rio de Janeiro, Brasil
- Capillaria spiculata* Freitas 1933  
 Madsen, H., 1945 a, 85, 89, 102  
*Phalacrocorax olivaceus*
- Capillaria speciosa* (v. Beneden, 1873)  
 Teixeira de Freitas, J. F., 1934 b, 240-241  
 synonymy  
*Myotis dasycneme* [sic]  
*M. nattereri*  
*M. daubentonii*  
*Eptesicus serotinus*  
*Vespertilio murinus*  
 all from Belgica
- Capillaria speciosa* (v. Beneden)  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 102, pl. 7, figs. 51-54  
*Rhinolophus ferrum-equinum*  
*R. hipposideros*  
*Miniopterus schreibersii*  
*Myotis dasycneme*  
*M. daubentonii*  
*M. mystacinus*  
*M. nattereri*  
? *Nyctalus noctula*  
*Eptesicus serotinus*  
? *Vespertilio discolor*  
? *V. murinus*
- Capillaria (C.) speciosa* (v. Beneden, 1873)  
 Travassos, L. P., 1915 b, 151  
*Vespertilio dasycneme*  
*V. nattereri*  
*V. daubentonii*  
*Vesperus serotinus*  
*V. murinus*
- Capillaria speciosa* (Beneden)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Vespertilio spp.*
- Capillaria spinosa* [n. sp.]  
 MacCallum, G. A., 1926 d, 1-2  
*Carcharhinus milberti* (gill region)
- Capillaria spinosa* (MacCallum 1926)  
 Heinze, K., 1933 a, 393, 394, 404, fig. 1  
*Carcharhinus milberti* (Kiemenregion, Schlundhöhle, Rand der Flossen): Nordamerika
- Capillaria spinosa* MacCallum, 1926  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 269, pl. 8, fig. 83  
 sp. inc.  
*Carcharhinus milberti* (região bronchial): America do Norte
- Capillaria spinulosa* (Linst. 1890)  
 Dubinina, M. N.; and Serkova, O. P., 1951 a, 87, 93  
*Nyroca ferina*  
*Fulica atra*  
 both from Tadzhikistan
- Capillaria spinulosa* (Linstow, 1890)  
 Gower, W. C., 1939 a, 607, 620  
 synonymy  
*Nyroca ferina*: Europe
- Capillaria spinulosa* (v. Linstow 1890)  
 Madsen, H., 1945 a, 46, 47, 48, 49, 51, 52, 54, 55, 64, 65, 66, 67, 85, 90, 102, 105, fig. 22 a-h  
*Anas querquedula*: Jylland; Fyn; Sjaelland  
*Mareca penelope*: Sjaelland  
*Anas platyrhynchos*: Jylland; Sjaelland  
*Spatula clypeata*: Jylland  
*Nyroca fuligula*: Sjaelland  
*N. marila*: Sjaelland  
*N. ferina*: Jylland  
*Bucephala clangula*: Sjaelland  
*Anas penelope*
- Capillaria spinulosa* (v. Linstow, 1890)  
 Mettrick, D. F., 1959 c, 78, 79, 82, 83, fig. 11 a-d  
*Anas penelope*  
*Melanitta nigra*  
(caeca of both): both from Hertfordshire
- Capillaria spinulosa* (Linstow, 1890)  
 Sprehn, C. E. W., 1932 c, 779, 863  
 Syns.: *Trichosoma spinulosum* Linstow, 1890; *Capillaria spinulosa* (Linstow, 1890) Travassos, 1915  
*Nyroca ferina*: Europa
- Capillaria spinulosa* (Linstow)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27, 28  
*Nyroca ferina*
- Capillaria spiralis* (Molin 1859)  
 Madsen, H., 1945 a, 85, 89, 102  
 synonymy  
*Plegadis falcinellus*
- Capillaria spirale* (Molin, 1858) Travassos, 1915  
 Teixeira de Freitas, J. F.; and Lins de Almeida, J., 1935 b, 133-134, pl. 5, fig. 33  
 Syn.: *Trichosomum ibidis* Eberth, 1863  
*Plegadis falcinellus* (esophago): Italia
- Capillaria spiralis* (Molin)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Plegadis falcinellus*
- Capillaria splenacea*  
 Bernard, J., 1961 e, 781  
*Crocidura russula*: Belgique
- Capillaria splenacea* (Dujard 1843)  
 Dubinin, V. B., [1954 d], 274  
*Crocidura suaveolens*: Volga delta
- Capillaria splenacea* (Duj., 1843)  
 Joyeux, C.; and Baer, J. G., 1937 b, 28-30, 35, 40, figs. 1-2, pl. 1, figs. 1-3  
 Syn.: *Trichosoma splenaeum* Duj., 1843  
*Crocidura russula*
- Capillaria splenacea* Dujardin, 1843  
 Sołtys, A., 1952 a, 174, 175, 176
- Capillaria spenaeca* [sic]  
 Sprehn, C. E. W., 1927 e, 57  
*Sorex araneus*
- Capillaria splenacea* (Dujardin, 1843)  
 Sprehn, C. E. W., 1932 c, 779, 805  
 Syns.: *Trichosoma splenaeum* Dujardin, 1843; *Capillaria splenacea* (Dujardin, 1843) Travassos, 1915  
*Sorex araneus*  
*Crocidura russulus*  
*C. leucodon*  
all from Europa
- Capillaria splenacea* (Duj., 1843) Trav.  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 93-94, pl. 3, figs. 22-27; pl. 4, fig. 28  
*Sorex araneus*  
*Crocidura russulus*  
*C. russulus leucodon*  
all from Europa
- Capillaria splenacea* (Duj.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Sorex araneus*

- Capillaria striata* (v. Linstow 1879)  
 Madsen, H., 1945 a, 68, 77, 85, 102  
 Syn.: *C. falconum* (Rud. 1819) (?)  
*Accipiter nisus*
- Capillaria striata* (Linstow, 1879)  
 Sprehn, C. E. W., 1932 c, 779, 852  
 Syns.: *Trichosoma striatum* Linstow, 1879; *Capillaria striata* (Linstow, 1879) Travassos, 1915  
*Accipiter nisus*: Europa
- Capillaria striata* (Linstow)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27, 28  
*Accipiter nisus*
- Capillaria strigis* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1944 a, 60, 63, 65-66, pl., fig. 12  
*Ninox novaeseelandiae*: Invercargill, New Zealand
- Capillaria strigis* (Fröhlich, 1802), Lopez-Neyra, 1946  
 Rysávý, B., 1957 a, 322  
*Asio otus otus*: Czechoslovakia
- Capillaria strigis* Fröhlich 1802  
 Rysávý, B., 1960 b, 205  
*Strix aluco* (intestine): Albania
- Capillaria strigis*  
 Ryzhikov, K.; and Kozlov, D., 1959 a, 61  
*Bubo bubo*: Turkmenistan
- Capillaria strumosa* (Reibisch) Trav.  
 Baylis, H. A., 1931 f, 542
- Capillaria strumosa*  
 Bump, G., 1936 a, 336, 340-341  
 pheasant  
 quail
- Capillaria strumosa*  
 Bump, G., 1937 a, 309
- Capillaria strumosa*  
 Bump, G., 1938 a, 269, 271
- Capillaria strumosa*  
 Hall, M. C., 1922 s, 538
- Capillaria strumosa*  
 Hall, M. C., [1923 b], 57
- Capillaria strumosa*  
 Kobayashi, H., 1921 c, 469
- Capillaria strumosa* (?)  
 LeDune, E. K., 1935 a, 395  
 ruffed grouse: Urbana Game farm, Champaign Co.
- Capillaria strumosa*  
 LeRoux, P. L., 1926 a, 217
- Capillaria strumosa* (Reibisch, 1893)  
 Lins de Almeida, J., 1934 c, 29  
*Gallus domesticus*: Brasil
- Capillaria strumosa* Reibisch  
 Lopez Neyra, C. R., 1924 a, 112
- Capillaria strumosa* (Reibisch 1893)  
 Madsen, H., 1945 a, 69, 70, 86  
 Syn.: *C. annulata* (Molin 1858)
- Capillaria strumosa* (Reibisch., 1893)  
 Mönnig, H. O., 1928 a, 808  
 fowl
- Capillaria strumosa*  
 Rietz, J. H., 1929 a, 144  
 chickens: Ohio; West Virginia
- Capillaria strumosa*  
 Seurat, L. G., 1920 c, 7, 11, 17, 169
- Capillaria* (Thominx) *strumosa* Reibisch  
 Skrjabin, K. I., 1920 a, 17
- Capillaria* (Thominx) *strumosa* Reibisch  
 Skrjabin, K. I., 1920 b, 54-56  
*Phasianus colchicus*  
*Gallus gallus* dom.
- Capillaria* (Thominx) *strumosa* (Reibisch, 1893)  
 Skrjabin, K. I., 1923 i, 298  
*Haushuhn*  
*Phasianus colchicus*  
 all from Deutschland; Italien; Rumänien; Brasilien
- Capillaria strumosa* (Reibisch, 1893)  
 Wharton, L. D., 1918 b, 25, 27-28  
*Phasianus colchicus*  
*Gallus domesticus*  
 both from Philippines
- Capillaria strumosa* (Reibisch)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27, 28  
*Gallus* dom.  
*Phasianus* sp.
- Capillaria suis* n. sp.  
 Yamaguti, S., 1943 f, 427, 430-431, fig. 5  
*Sus leucomystax leucomystax*: Yamaguti and Wakayama prefectures
- Capillaria suis nov.* sp.  
 Pigolkin, A. U., [1959 a], 261-262, fig. 1  
*Sus scrofa*: Suputin preserve, Primorski krai
- Capillaria sunci* n. sp.  
 Chen, H. T., 1937 a, 149, 150-151, 153, figs. 1-7  
*Suncus coeruleus*: Canton, China
- ? *Capillaria talpae* (Siebold, 1850) Travassos, 1915  
 Furmagá, S., 1958 a, 695, 696  
*Talpa europaea*: Lublin
- Capillaria talpae* (Siebold, 1850) Travassos, 1915  
 Furmagá, S., 1959 a, 211-212, fig. 3  
*Talpa europaea*: Lublin
- Capillaria talpae* (Siebold 1850) Travassos 1915  
 Prokopič, J., 1957 g, 336-337, 338  
 Syns.: *Nematoidium talpae* Siebold 1850; *Trichosomum* sp. Creplin 1845; *Trichosoma talpae* (Diesing 1851)  
*Linstow* 1878  
*Talpa europaea* (tenké střevo): Czechoslovakia
- Capillaria talpae* (Siebold 1850)  
 Prokopič, J., 1959 c, 106  
*Talpa europaea* (small intestine): Czechoslovakia
- Capillaria talpae*  
 Sprehn, C. E. W., 1927 e, 57  
*Talpa europaea*
- Capillaria talpae* (Siebold, 1850)  
 Sprehn, C. E. W., 1932 c, 779, 805  
 Syns.: *Trichosoma talpae* Siebold, 1850; *Capillaria talpae* (Siebold, 1850) Travassos, 1915  
*Talpa europaea*: Europa
- Capillaria talpae* (Siebold, 1850) Trav.  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 121-122, 132  
? Syn.: *Trichosomum* sp. Creplin, 1845  
*Talpa europaea*
- Capillaria talpae* (Siebold)  
Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Talpa europaea*
- Capillaria tamias-striati* n. sp.  
Read, C. P., 1949 a, 226-227, 228, pl. 1, figs. 1-5  
*Tamias striatus*: Wisconsin

- Capillaria tamias-striati* n. sp.  
Read, C. P., 1949 b, 235, 236  
key
- Capillaria tandani* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1940 c, 341, 342  
*Tandanus tandanus*: Tailem Bend, Australia
- Capillaria tandani* Johnston and Mawson, 1940  
Johnston, T. H.; and Mawson, P. M., 1947 a, 548, 549,  
550, fig. 4  
*Tandanus tandanus*: Tailem Bend, Australia
- Capillaria tasmaniaca* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1945 a, 75, 149-150,  
figs. 46-48  
*Coelorrhynchus australis*: Antarctic
- Capillaria tenua* n. sp.  
Mueller, J. F., 1932 a, 263-266  
*Triturus viridescens* (intestine)
- Capillaria tenua* Mueller, 1932  
Fischthal, J. H., 1955 a, 179  
*Triturus v. viridescens*: south-central New York
- Capillaria tenua* Mueller, 1932  
Fischthal, J. H., 1955 b, 47  
*Triturus v. viridescens*: Promised Land State Forest  
Park, Dike County, Pennsylvania
- Capillaria (Thominx) tenua* (Dujardin 1845) Travassos 1915  
Prokopic, J., 1957 c, 98, 106-107, 109, 111, fig. 8 d-f  
as syn. of *Eucoleus tenuis* Dujardin 1845
- Capillaria tenua* Mueller, 1932  
Rankin, J. S., 1937 b, 243, 260  
*Triturus v. viridescens*
- Capillaria tenua* Mueller, 1932  
Rankin, J. S. (jr.), 1945 a, 143, 146, 148  
*Triturus v. viridescens*  
*Rana clamitans*  
*R. palustris*  
all from Massachusetts
- Capillaria tenua* Mueller, 1932  
Skrjabin, K. I.; et al., 1954 a, 393  
as syn. of *Thominx tenua* (Mueller, 1932) Skrjabin et  
Schikhobalova, 1954 [n. comb.]
- Capillaria tenua* Mueller, 1932  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 253,  
272, pl. 4, figs. 33-36  
*Molge viridescens* (intestino): U. S. A.
- Capillaria tenua* Mueller, 1932  
Walton, A. C., 1935 a, 43, 45  
measurements  
*Triturus viridescens*: U. S. A.
- Capillaria tenua*  
Walton, A. C., 1947 d, 684  
*Rana clamitanus*: N. America
- Capillaria tenuis* (Duj.) Trav.  
Baylis, H. A., 1931 f, 541
- Capillaria tenuis* (Dujardin 1845)  
Madsen, H., 1945 a, 86
- Capillaria tenuis* (Duj.) Trav.  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c,  
95-96, pl. 4, fig. 30  
*Erinaceus europaeus* (bronchios): Europa
- Capillaria tenuissima* (Rud.)  
Baylis, H. A., 1928 g, 338  
*Athene noctua*
- Capillaria tenuissima* (Rudolphi, 1803)  
Baylis, H. A., 1939 a, 492  
*Carine noctua*: Kent, Brit. Is.  
*Strix aluco*: Aberdeenshire; Wiltshire  
*Asio flammeus*: Kent; Norfolk, Brit. Is.
- Capillaria tenuissima* (Rud., 1803)  
Dubinina, M. N.; and Serkova, O. P., 1951 a, 87, 94  
*Asio otus otus*: Tadzhikistan
- Capillaria tenuissima* (Rud.)  
Lewis, E. A., 1927 d, 30  
*barn owl*
- Capillaria tenuissima* (Rud., 1803)  
Madsen, H., 1945 a, 80, 86, 94, 102  
synonymy  
*Buteo lagopus* (?)  
*Aegolius funereus*  
*Strix aluca*  
*Asio flammeus*  
*A. otus*  
*Athene noctua*  
*Glaucidium passerinum*
- Capillaria tenuissima* (?)  
Madsen, H., 1945 a, 91  
*Circus cyaneus*
- Capillaria tenuissima* (Diesing 1851), nec *C. tenuissima*  
(Rud. 1803)  
Madsen, H., 1945 a, 86  
Syn.: *C. columbae* (Rud. 1819), p. p.
- Capillaria tenuissima* (Rudolphi, 1803)  
Mettrick, D. F., 1959 c, 78, 79, 82, 83, fig. 12 a-e  
Syns.: *Trichocephalus tenuissimus* Rudolphi, 1803;  
*Trichosoma obtusum* Rudolphi, 1819  
*Strix aluco*  
*Tyto alba*  
*Asio flammeus*  
*Athene noctua*  
(caeca of all): all from Hertfordshire
- Capillaria tenuissimum* (Rud.)  
Skrjabin, K. I., 1920 b, 69
- Capillaria tenuissima* (Rudolphi, 1803)  
Sprehn, C. E. W., 1932 c, 779-780, 848, 849, 851  
Syns.: *Trichocephalus tenuissimus* Rudolphi, 1803;  
*Trichosoma obtusum* Rudolphi, 1819; *Capillaria tenuissima* (Rudolphi, 1803) Travassos, 1915  
*Buteo lagopus*  
*Asio otus*  
*Athene noctua*  
*Glaucidium passerinum*  
*Aegolius tengmalmi*  
*Strix aluco*  
*Asio flammeus*  
all from Europa
- Capillaria tenuissima*  
Sultanov, M., 1947 a, 139  
*Asio otus*
- Capillaria tenuissima* (Rud., 1803) Travassos, 1915  
Yamaguti, S., 1941 e, 441, 442  
*Strix uralensis hondoensis*: Kiso, Nagano Prefecture,  
and Yamada, Ise Province
- Capillaria tenuissima* (Rud.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 27, 28  
*Strix* sp.  
*Asio* sp.  
*Bubo* sp.

- Capillaria tetricis* (Froelich 1802)  
 Madsen, H., 1945 a, 86  
 Syn.: *C. longicollis* (Mehlis 1831) (?)
- Capillaria tiaras* nov. spec.  
 Madsen, H., 1945 a, 4, 10, 26, 28, 37, 86, 92, 103, 104,  
 fig. 9 a-d  
*Perdix perdix*: Jylland; Sjaelland
- Capillaria tiaras* Holger Madsen 1945  
 Madsen, H., 1951 a, 262  
*partridge chick*: Denmark
- Capillaria tiaras* Madsen, 1945  
 Madsen, H., 1952 a, 3, 10, 39  
*partridge chicks*: Denmark
- Capillaria tomentosa* Duj.  
 Harant, H.; and Vernières P., 1933 c, 263  
*cyprinides*
- Capillaria tomentosa* (Duj.) 1843  
 Heinze, K., 1933 a, 394, 399, 401, 404, fig. 15  
 Syn.: *Trichosomum tomentosum* Duj.  
*Scardinius erythrophthalmus*  
*Idus melanotus*  
*Cyprinus sp.*  
*(Darm of all)*
- Capillaria tomentosa* (Duj.)  
 Skrjabin, K. I., 1923 m, 88  
*Scardinius erythrophthalmus*  
*Idus melanotus*  
*Cyprinus sp.*
- Capillaria tomentosa* (Duj., 1843) Trav., 1915  
 Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 267-  
 268, pl. 8, figs. 79-80  
*synonymy*  
*Cyprinus sp.*  
*Idus melanotus*  
*Scardinius erythrophthalmus*  
*all from França*
- Capillaria tomentosa* (Duj.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Idus melanotus*  
*Scardinius sp.*  
*Cyprinus sp.*
- Capillaria totani* (v. Linstow 1875)  
 Madsen, H., 1945 a, 86-87, 93, 103  
*synonymy*  
*Actitis hypoleuca*
- Capillaria totani* (Linst.)  
 Skrjabin, K. I., 1923 m, 86  
*Fringoides hypoleucus*
- Capillaria totani* (Linstow, 1875)  
 Sprehn, C. E. W., 1932 c, 780, 877  
 Syns.: *Trichosoma totani* Linstow, 1875; *Capillaria totani* (Linstow, 1875) Travassos, 1915  
*Tringa hypoleuca*: Europa
- Capillaria totani* (Linstow)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27, 28  
*Tringoides sp.*
- Capillaria (C.) travassosi* nom. nov.  
 Erlich, I., 1947 a, 80, 81, 84, 85  
 for *C. felis cati* (Bellingham) of Freitas and Lent,  
 1936
- Capillaria traversae* sp. n.  
 Ash, L. R., 1962 b, 66-67  
*Rattus norvegicus*  
*R. rattus rattus*  
*R. rattus alexandrinus*  
*(small intestine of all)*: all from Honolulu, Hawaii
- Capillaria trichocephalous* (sic)  
 Parker, E. E., 1935 a, 11  
 [? for *C. plica* (Rud.)]
- Capillaria tridens* (Duj. 1845)  
 Madsen, H., 1945 a, 87, 95, 103  
*synonymy*  
*Luscinia luscinia*
- Capillaria tridens* (Dujardin, 1845)  
 Read, C. P., 1949 c, 241, pl. I, figs. 1-2  
*Agelaius phoeniceus*: Wisconsin
- Capillaria tridens* (Dujardin, 1845)  
 Sprehn, C. E. W., 1932 c, 780, 844  
 Syns.: *Thomomys tridens* Dujardin, 1845; *Capillaria tridens* (Dujardin, 1845) Travassos, 1915  
*Luscinia luscinia*: Europa
- Capillaria tridens* (Duj.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27, 28  
*Sylvia luscinia*
- Capillaria ? triloba* (v. Linstow, 1875)  
 Baylis, H. A., 1939 a, 492  
*Vanellus vanellus*: Kent, Brit. Is.
- Capillaria triloba* (Linstow, 1875)  
 Bezubik, B., 1956 c, 76  
*Vanellus vanellus*: Poland
- Capillaria triloba* (Linstow, 1875) Travassos, 1915  
 Cram, E. B., 1936 c, 3, 23-24, fig. 12  
*description*
- Capillaria triloba* (Linstow)  
 Liùbimov, M. P., 1926 a, 17, 20, 22, 29, 30  
*Anas circia*  
*A. strepera*
- Capillaria triloba* (v. Linstow 1875)  
 Madsen, H., 1945 a, 87, 92, 103  
*synonymy*  
*Vanellus vanellus*
- Capillaria triloba* (v. Linstow, 1875)  
 Mettrick, D. F., 1959 c, 80-81, 82, 83, fig. 13 a-e  
 Syn.: *Trichosoma trilobum* v. Linstow, 1875  
*Vanellus vanellus*  
*Haematopus ostralegus*  
*(lining of gizzard of both)*: both from Hertfordshire
- Capillaria triloba* (Linstow, 1875)  
 Serkova, O. P., 1948 a, 210, 241  
*Vanellus vanellus*: Barabın lakes
- Capillaria triloba* (Linst.)  
 Skrjabin, K. I., 1923 m, 86, fig. 129  
*Vanellus cristatus*
- Capillaria triloba*  
 Skrjabin, K. I., 1927 b, 33, 37  
*chibis*
- Capillaria triloba* Linstow  
 Solonitsyn, I. A., 1928 a, 88  
*Vanellus cristatus*
- Capillaria triloba* (Linstow, 1875)  
 Sprehn, C. E. W., 1932 c, 780, 873  
 Syns.: *Trichosoma trilobum* Linstow, 1875; *Capillaria triloba* (Linstow, 1875) Travassos, 1915  
*Vanellus vanellus*: Europa
- Capillaria triloba* (Linstow)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27, 28  
*Vanellus sp.*
- Capillaria tritonis* Duj.  
 Skrjabin, K. I., 1923 m, 87  
*Triton taeniatus*

- Capillaria tritonis-cristati* (Dies. 1861) [n. comb.]  
*Travassos, L. P., 1915 b, 157*  
*Triton cristatus*
- Capillaria tritonis-cristati* (Dis., 1861) *Trav., 1915*  
*Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 255*  
*synonymy*  
*sp. inq.*  
*Molge cristata*
- Capillaria tritonis-cristati* (Dis., 1861) *Trav., 1915*  
*Walton, A. C., 1935 a, 43, 45*  
*Syns.: Trichosoma tritonis Krabbe, 1857 ex. p.; T. tritonis-cristati Dies., 1861)*  
*measurements*  
*Triturus cristatus: Europe*
- Capillaria tritonis-cristati* (Dies.)  
*Yorke, W.; and Maplestone, P. A., 1926 a, 27*  
*Triton cristatus*
- Capillaria tritonis-punctati* (Dies., 1851) *Trav., 1915*  
*Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 253-254, pl. 4, fig. 37*  
*synonymy*  
*Molge vulgaris (intestino)*
- Capillaria tritonis-punctati* (Dies., 1861 after Duj., 1845)  
*Trav., 1915*  
*Walton, A. C., 1935 a, 43, 45*  
*measurements*  
*Syns.: Trichosoma tritonis Krabbe, 1857 ex. p.; T. tritonis-punctati Dies., 1861 after Duj., 1845*  
*Triturus vulgaris: France*
- Capillaria tritonis-punctati* (Dies.)  
*Yorke, W.; and Maplestone, P. A., 1926 a, 27*  
*Triton spp.*
- Capillaria tuberculata*  
*Behning, A. L., 1924 b, 76, 82*  
*sterlet: Volga Biol. Station*
- Capillaria tuberculata* (Linstow, 1904)  
*Dogiel, V. A., 1932 b, 264*  
*sterlet*
- Capillaria tuberculata* (Linstow)  
*Dubinin, V. B., 1952 c, 243-244*  
*[young sturgeon]: Lower Volga*
- Capillaria tuberculata* v. Linstow 1914 (nicht C. tuberculata v. Linstow von Lewaschoff beschrieben)  
*Heinze, K., 1933 a, 394, 399, 401-402, 403, 404, figs. 16-18*  
*Acipenser ruthenus (Darm): Wolga bei Saratow (U.S.S.R.)*
- Capillaria tuberculata* v. Linstow of Lewaschoff, 1926  
*Heinze, K., 1933 a, 401, 402*  
*as syn. of C. lewaschoffi n. sp.*
- Capillaria tuberculata* (Linstow)  
*Kurashvili, B. E.; and Tabidze, N. A., 1947 a, 70*  
*Acipenser gildenstadii*  
*Mullus barbatus*  
*(stomach and intestine of both): both from Black Sea*
- Capillaria tuberculata* (v. Linst.)  
*Levashov, M. M., 1929 a, 121-123, figs. 1-3*  
*Pelecus cultratus*
- Capillaria tuberculata* (Linstow, 1914)  
*Shul'man, S. S., 1954 d, 207-208, 217, 220-221, 226-227, 234-235*  
*Acipenser nudiventris: Caspian sea*  
*A. ruthenus: Tumak; Volga; Caspian basin*  
*A. gildenstadii: Caspian basin*  
*A. stellatus: Caspian basin*
- Capillaria tuberculata* (Linst.)  
*Skrjabin, K. I., 1923 m, 88, figs. 131, 132*  
*Acipenser ruthenus*
- Capillaria tuberculata* (Linst. 1914)  
*Skrjabin, K. I., 1924 c, 63, 65, 67, 68*  
*Acipenser ruthenus*
- Capillaria tuberculata* (Linst., 1914) *Trav., 1915*  
*Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 263-264, pl. 8, figs. 73-75*  
*synonymy*  
*Acipenser ruthenus (intestino): U.R.S.S.*
- Capillaria tuberculata* (Linstow)  
*Yorke, W.; and Maplestone, P. A., 1926 a, 27*  
*Acipenser ruthenus*
- Capillaria tumida* Zeder, 1803  
*Baylis, H. A.; and Daubney, R., 1926 a, 239*
- Capillaria tumida* Zeder  
*Irwin-Smith, V. A., 1920 a, 556*
- Capillaria tumida* Zeder  
*Kotlan, S.; and Orosz, D., 1931 a, 114*  
*as syn. of Capillaria anatis (Schrank, 1790)*
- Capillaria (C.) tumida* Zeder, 1803  
*Matevosian, E. M., 1938 b, 377*  
*Dafila acuta: Bashkiria*
- Capillaria tumida* Zeder, 1803  
*Mettrick, D. F., 1959 c, 70*  
*as syn. of Capillaria anatis (Schrank, 1790)*
- Capillaria tumida* Zeder, 1805  
*Orosz, D., 1932 c, 43, 50*  
*as syn. of C. anatis (Schrank, 1790)*
- Capillaria tumida* (Zeder, 1803)  
*Shul'ts, R. E. S.; Gnedina, M. P.; and Kadenatsii, A. N., 1938 a, 35*  
*shilokhvost [pintail duck]: Bashkiria*
- Capillaria tumida* Zed.  
*Skrjabin, K. I., 1923 m, 86, fig. 130*
- Capillaria tumida* Zeder, 1803  
*Sprehn, C. E. W., 1932 c, 767*  
*as syn. of C. anatis (Schrank, 1790)*
- Capillaria tumida* Zeder  
*Yorke, W.; and Maplestone, P. A., 1926 a, 25*  
*as syn. of C. anatis (Schrank)*
- Capillaria tumida* Zed.  
*Zakharov, N. P., 1920 b, 12*
- Capillaria turdi* (Rud. 1819) nom. nud.  
*Madsen, H., 1945 a, 87, 94*  
*synonymy*  
*Turdus viscivorus*  
*(?) Geocicla millissima*
- Capillaria turdi* (? error ?)  
*Madsen, H., 1945 a, 95*  
*Geocicla mollissima*
- Capillaria turdi* (Rud.)  
*Yorke, W.; and Maplestone, P. A., 1926 a, 27*  
*Geocichla mollissima*
- Capillaria ugui* n. sp.  
*Yamaguti, S., 1941 b, 343, 344-345, 394, pl. IV, fig. 2*  
*Leuciscus hakonensis: Obama, Hukui Prefecture, Japan*
- Capillaria agui* [sic]  
*Campana-Rouget, Y., 1948 a, 278*  
*[lapsus for C. ugui Yamaguti]*
- Capillaria ugui* Yamaguti, 1940  
*Zhukov, E. V., [1961 a], 79-80, fig. 61*  
*Leuciscus brandti: Lake Putiatin*

- Capillaria unilinguis* (Schrank 1796)  
 Madsen, H., 1945 a, 87  
 Syn.: *C. longicollis* (Mehlis 1831) (?)
- Capillaria urinicola* sp. n.  
 Sojtyš, A., 1952 a, 166, 167, 168, 175, 179-180, 200,  
 204, 207-208, fig. 10  
*Sorex araneus*: National Park of Białowieża (Poland)
- Capillaria urinicola* Sojtyš, 1952  
 Furmagá, S., 1958 a, 695, 696  
 Syn.: *Capillaris capillaris* (Linstow, 1882) s. str.  
 "C. urinicola was recognized as a separate species"
- Capillaria urinicola* Sojtyš, 1952  
 Furmagá, S., 1959 a, 208, 209, 210, fig. 2  
 "should be regarded as separate species"
- Capillaria uropapillata* n. sp.  
 Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
 1935 b, 124, 140-141, 144, pl. 5, figs. 35-40  
*Phasianus colchicus*: Jardim Zoológico, Rio de Janeiro, Brasil
- Capillaria uropapillata* Freitas and Lins de Almeida, 1935  
 Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
 1935 a, 339, 341, 362, pl. 8, figs. 40-41  
*Phasianus colchicus*: Brasil
- Capillaria uropapillata* Freitas & Almeida 1935  
 Madsen, H., 1945 a, 45, 88, 92, 103  
*Phasianus colchicus*
- Capillaria uropapillata* Freitas and Almeida 1935  
 Madsen, H., 1951 a, 260, 262, 264  
*Phasianus colchicus*: Brasil
- Capillaria uruguayensis* n. sp.  
 Calzada, V., 1937 b, 76-79, figs. 5-8  
*Gallus dom.*: Uruguay
- Capillaria uruguayensis* Calzada 1937  
 Madsen, H., 1945 a, 88, 92  
*Gallus gallus domesticus*
- Capillaria uruguayensis* Calzada, 1937  
 Skrjabin, K. I.; et al., 1954 a, 393  
 as syn. of *Thominix uruguayensis* (Calzada, 1937)  
 Skrjabin and Schikhobalova, 1954 [n. comb.]
- Capillaria uzbekistanica* nov. sp.  
 Sultanov, M. A., 1961 a, 75-76, fig. 6  
*Gallus gallus dom.* (small intestine): Uzbekistan
- Capillaria vanelli* n. sp.  
 Yamaguti, S., 1935 j, 403, 430, fig. 41  
*Vanellus vanellus* (esophagus): Tottori Prefecture
- Capillaria vanelli* (Rud., 1819)  
 Chabaud, A. G., 1952 c, 401, 404, 405, 406, figs. 1-6  
 Syns.: *Trichosomum protractum* Dujardin, 1945; *Trichosoma trilobatum* v. Linstow, 1875)  
*Vanellus vanellus*
- Capillaria vanelli* (Rud. 1819) nom. nud.  
 Madsen, H., 1945 a, 88, 92  
 synonymy  
*Vanellus vanellus*
- Capillaria vanelli* Yamaguti 1935  
 Madsen, H., 1945 a, 38, 44, 88  
 Syn.: *C. contorta* (Greplin 1839)
- Capillaria vanelli* Yamaguti, 1935  
 Mettrick, D. F., 1959 c, 71  
 as syn. of *C. contorta* (Greplin, 1839)
- Capillaria vanelli* (Rudolphi, 1919)  
 Sprehn, C. E. W., 1932 c, 780, 873  
 synonymy  
*Vanellus vanellus*: Europe
- Capillaria vanelli* (Rud.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Vanellus vanellus*
- Capillaria vazi* n. sp.  
 Teixeira de Freitas, J. F., 1933 b, 962, figs. 1-2  
*Odontophorus capueira*: Santa Catharina, Brésil
- Capillaria vazi* Freitas 1933  
 Madsen, H., 1945 a, 31, 37, 88, 91, 103  
*Odontophorus capueira*
- Capillaria vazi* Freitas 1933  
 Madsen, H., 1951 a, 263  
*Odontophora capueira*: Brazil
- Capillaria vazi* Freitas, 1933  
 Skrjabin, K. I.; et al., 1954 a, 393  
 as syn. of *Thominix vazi* (Freitas, 1933) Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria venteli* n. sp.  
 Teixeira de Freitas, J. F.; and Lins de Almeida, J.,  
 1935 b, 124, 139-140, 146, pl. 4, figs. 26-32  
*Cancromia cochlearia*  
*Ajaja ajaja*  
 (esophago of both): both from Brasil
- Capillaria venteli* Freitas & Almeida 1935  
 Madsen, H., 1945 a, 88, 89, 103  
*Cochlearius cochlearius*  
*Ajaja ajaja*
- Capillaria venteli* Freitas et Almeida, 1935  
 Skrjabin, K. I.; et al., 1954 a, 393  
 as syn. of *Thominix venteli* (Freitas et Almeida, 1935)  
 Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capillaria ventricola* sp. n.  
 Sojtyš, A., 1952 a, 166, 167, 168, 175, 176, 200, 203,  
 207, fig. 6  
*Sorex araneus*: National Park of Białowieża (Poland)
- Capillaria vespertilionis*  
 Sprehn, C. E. W., 1927 e, 57  
*Vespertilio noctula*
- Capillaria vespertilionis* (Rudolphi, 1819)  
 Sprehn, C. E. W., 1932 c, 780, 808  
 Syns.: *Trichosoma vanelli* Rudolphi, 1819; *Capillaria vanelli* (Rudolphi, 1819) Travassos, 1915  
*Nyctalus noctula*  
*Vesperugo discolor*  
 both from Europa
- Capillaria vespertilionis* (Rud., 1819)  
 Teixeira de Freitas, J. F., 1934 b, 239-240  
 synonymy  
*Nyctalus noctula*  
*Vespertilio discolor*
- Capillaria vespertilionis* (Rud., 1819) Trav.  
 Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 120-121, 131  
*Vespertilio lasiopterus*  
*V. discolor*  
*Nyctalus noctula*
- Capillaria vespertilionis* (Rud.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 27  
*Vespertilio noctula*
- Capillaria viguerasi* n. sp.  
 Teixeira de Freitas, J. F.; and Lent, H., 1937 h, 93-94,  
 96, pls. 3-4, figs. 9-17  
*Otopterus waterhousei minor*: Rincon de Guanabo, Cuba
- Capillaria wioletti* nov. sp.  
 Rukhlfadeva, M. N., 1950 a, 136-138, figs. 1-2  
*Arvicola terrestris*: Khoper state park

- Capillaria xochimilicensis n. sp.  
Caballero y C., E.; and Cerecero y Díaz, M. C., [1944 a],  
527-530, 538, fig. 1  
*Thamnophis angustirostris melanogaster*: Lago de Xochimilco, San Gregorio Atlapulco, D.F.
- Capillaria zederi (Freitas et Lent, 1935) Skrjabin et Schikhobalova, 1954 [n. comb.]  
Skrjabin, K. I.; et al., 1954 a, 373  
Syn.: *Capillostrongyloides zederi* Freitas et Lent,  
1935
- Capillariasis, Avian  
Brunett, E. L.; and Angstrom, C. I., 1941 a, 52  
chickens  
pigeon  
both from Ithaca, N. York
- Capillariasis, Avian  
Bushnell, L. D.; and Brandly, C. A., 1932 a, 106  
poultry
- Capillariasis, Avian  
Cram, E. B., 1933 a, 22  
poultry
- Capillariasis, Avian  
Cram, E. B., 1934 g, 334-335  
wild pintail ducks  
pheasants  
mountain quail  
turkeys  
bobwhite quail
- Capillariasis, Avian  
van Dorssen, C. A., 1951 a, 728  
Duiven
- Capillariasis, Avian  
Gagarin, V. G., 1956 b, 214-229  
domestic birds
- Capillariasis, Avian  
Glover, J. S., 1947 a, 61
- Capillariasis, Avian  
Glover, J. S., 1948 b, 83
- Capillariasis, Avian  
Glover, J. S., 1949 a, 99
- Capillariasis, Avian  
Glover, J. S., 1950 a, 75  
chicken
- Capillariasis, Avian  
Glover, J. S., 1951 a, 79  
chickens: Ontario
- Capillariasis, Avian  
Hare, Tom<sup>2</sup>, 1938 a, 197  
pigeon, treatment
- Capillariasis, Avian  
Henry, A. C. L., (1928 b)
- Capillariasis, Avian  
Henry, A. C. L., (1929 b)
- Capillariasis, Avian  
Hilbert, K. F., 1938 a, 50  
toucan: Poultry Disease Lab., Farmingdale, N.Y.
- Capillariasis, Avian  
Hilbert, K. F.; Tax, H.; and Spiegel, M. B., 1941 a, 55  
pigeons  
chickens  
both from Farmington, Long Island, New York
- Capillariasis, Avian  
Leonard, E. P.; et al., 1957 a, 59  
dog: New York
- Capillariasis, Avian  
Marzan, B.; and Turner, C., 1951 a, 337, 338  
*Gallus domesticus*  
*Meleagris gallopavo*  
both from Jugoslavia
- Capillariasis, Avian  
Miesaner, H., 1928 b, 47, 49  
Hühner  
Puten  
both from Germany
- Capillariasis, Avian  
Poisson, H., 1933 a, 428  
fowl paralysis
- Capillariasis, Avian  
van der Schaaf, A.; et al., 1959 a, 236  
duiven
- Capillariasis, Avian  
Schmid, F., 1935 a, 150-151
- Capillariasis, Avian  
Torrey, J. P., 1936 a, 74-75  
pullet and hen mortality
- Capillariidae  
Skrjabin, K. I.; Shikhobalova, N. P.; and Orlov, I. V.,  
1957 a, 587 pp.
- Capillariidae [sp.]  
McCreas, R. C., 1956 a, 46  
eggs  
*Sylvilagus auduboni*: northern Colorado
- Capillariidae gen. sp. Morosow, 1956  
Petrov, A. M.; and Chertkova, A. N., 1959 b, 174  
*Talpa europaea* (small intestine): *Balovezhskaya*  
Pushcha
- Capillariidae  
Oshmarin, P. G., 1960 a, 1091
- Capillariinae  
Chitwood, B. G., 1937 c, 78  
Trichuridae
- Capillariinae  
Clark, W. C., 1961 b, 145  
key
- Capillariinae Railliet  
Isaichikov, I. M., 1925 c, 111
- Capillariinae  
Lent, H.; Teixeira de Freitas, J. F.; and Cavalcanti  
Proença, M., 1946 b, 487-488
- Capillariinae  
Roman, E., 1960 b, 348-352
- Capillariinae Raill.  
Skrjabin, K. I., 1920 b, 47
- Capillariinae .  
Skrjabin, K. I., 1923 i, 299
- Capillariinae Railliet  
Skrjabin, K. I., 1923 m, 84, 85
- Capillariinae Railliet, 1915  
Sprehn, C. E. W., 1932 c, 767
- Capillariinae Railliet, 1915  
Yorke, W.; and Maplestone, P. A., 1926 a, 4, 21, 23, 24,  
29
- Capillariinae Raill.  
Zakharov, N. P., 1920 b, 10, 11
- Capillariinae sp.  
Mackerras, I. M.; Mackerras, M. J.; and Sandars, D. F.,  
1953 a, 62  
*Iscodon obesulus*: Queensland
- Capillariinae sp.  
Teixeira de Freitas, J. F.; and Lent, H., 1936 c, 85-160  
mammiferos

- Capillarina (Thominx) strumosa* (Reibisch)  
Vasil'kova, Z.; and Gouchanskaja, L., 1930 a, 619  
*Lyrurus tetrix*
- Capillarinæ*  
López-Neyra, C. R., 1947 b, 248 pp.
- Capillarinæ Railliet*, 1915  
Travassos, L. P., 1920 h, 70
- Capillarinæ*  
Vasil'kova, Z.; and Gouchanskaja, L., 1930 a, 623
- Capillospirura* n.g.  
Skrjabin, K. I., 1924 c, 63, 64
- Capillospirura Skrjabin*, 1924  
Chabaud, A. G., 1959 c, 19  
as syn. of *Ascarophis Beneden*, 1871
- Capillospirura Skrjabin*, 1924  
Chitwood, B. G.; and Wehr, E. E., 1934 a, 319, 320, pl. 1
- Capillospirura Skrj.*  
Heinze, K., 1933 a, 403
- Capillospirura* [sp.] *Skrjabin*, 1924  
Dogiel, V. A., 1932 b, 263  
Sterlet (Darm)
- Capillospirura ovotrichuria* n. g. n. sp.  
Skrjabin, K. I., 1924 c, 60, 61, 63-65, 66, 67, 68, fig. 1  
Acipenser ruthenus
- Capillospirura ovotrichuria*  
Chulkova, V. N., 1939 a, 22, 30  
Acipenser sturio: Batum
- Capillospirura ovotrichuria*  
Dobrokhotova, O. V., 1960 a, 110, 111  
Acipenser ruthenus  
Acipenser baeri  
(intestine of both): both from Lake Zaïsan
- Capillospirura ovotrichuria Skrjabin*, 1924  
Dogiel, V. A., 1932 b, 264  
Sterlet
- Capillospirura ovotrichuria* Skrjabin  
Dubinin, V. B., 1952 c, 244  
(young sturgeon): Lower Volga
- Capillospirura ovotrichuria* Skrj. 1924  
Heinze, K., 1933 a, 394, 403, 404, fig. 20  
Accipenser ruthenus (Dünndarm): Wolgabassin (U.S.S.R.)
- Capillospirura ovotrichuria* Skrjabin, 1924  
Ivanov, A. S.; and Murygin, I. I., 1937 a, 258-260,  
figs. 5-8  
Acipenser gildenstädti  
A. stellatus  
A. ruthenus
- Capillospirura ovotrichuria* (Skrjabin)  
Smirnova, K. V., 1954 b, 181, 190  
Acipenser ruthenus: Don river  
A. gildenstädti: Don river  
A. stellatus: Tsimliansk reservoir; Don river
- Capillospirura skrjabini* (Layman, 1933) Bauer, 1948  
Skrjabin, K. I.; Shikhobalova, N. P.; and Sobolev, A. A., 1949 a, 220
- Capillostrongyloides* n. g.  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 264, 265  
Capillariinae  
contains: *C. minimum* (Trav., Art. and Pereira, 1928);  
*C. zederi* n. sp.  
tod: *C. zederi* n. sp.
- Capillostrongyloides* (Freitas y Lent, 1935) emend. mihi  
López-Neyra, C. R., 1947 a, 221, 238  
Syn.: *Capillaria Zeder*, 1800 p.p.
- Capillostrongyloides* Freitas & Lent, 1935  
Teixeira de Freitas, J. F., 1959 b, 6  
type species: *Capillostrongyloides zederi* Freitas & Lent, 1935
- Capillostrongyloides minimum* (Trav., Artigas, and Pereira, 1928) [n. comb.]  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 264, 274, pl. 9, figs. 84-85  
Syn.: *Capillaria minima* Trav., Art. and Pereira, 1928  
*Anostomatinae* sp.  
*Leporinus* sp.  
(estomago of both): both from Brasil
- Capillostrongyloides zederi* n. sp. (tod)  
Teixeira de Freitas, J. F.; and Lent, H., 1935 a, 264-265, pl. 10, figs. 91-96  
*Hoplias malabaricus*: Estado de São Paulo, Brasil
- Capillostrongyloides zederi* Freitas et Lent, 1935  
Skrjabin, K. I.; et al., 1954 a, 373  
as syn. of *Capillaria zederi* (Freitas et Lent, 1935)  
Skrjabin et Schikhobalova, 1954 [n. comb.]
- Capreocaulinae* nov. subfam.  
Shul'ts, R. E. S.; and Kadenatsii, A. N., 1948 a, 341, 344
- Capreocaulinae* Schulz et Kadenazii, 1948  
Boev, S. N.; and Shul'ts, R. E. S., 1950 a, 356  
includes: *Pneumostrongylus Mönnig*, 1932; *Bicaulus* Schulz et Boev, 1930; *Varestrongylus Bhalerao*, 1932; *Pneumocaulus* Schulz et Andreeva, 1948; *Capreocaulus* Schulz et Kadenazii, 1948; *Leptostrongylus Dougherty et Goble*, 1946
- Capreocaulus* nov. gen.  
Shul'ts, R. E. S.; and Kadenatsii, A. N., 1948 a, 341, 343  
tod: *C. capreoli* (Stroh et Schmid, 1938)
- Capreocaulus capreoli* (Stroh et Schmid, 1938) n. comb.  
(tod)  
Shul'ts, R. E. S.; and Kadenatsii, A. N., 1948 a, 341, 342, 343, figs. 1-3
- Capreocaulus capreoli*  
Boev, S. N., 1954 a, 780, 786  
? roedeer: Kazakhstan
- Capreocaulus capreoli*  
Boev, S. N., 1954 c, 167  
kosul'a [*Capreolus capreolus* or *C. pygargus*]: Kazakhstan
- Capreolus capreoli* (Stroh et Schmid, 1938) Schulz et Kadenazii, 1948  
Boev, S. N., 1957 a, 106  
Syns.: *Protostrongylus capreoli* Stroh et Schmid, 1938; *Varestrongylus capreoli* (Stroh et Schmid, 1938) Dougherty, 1945; *Leptostrongylus capreoli* (Stroh et Schmid, 1938) Dougherty et Goble, 1946
- Capreocaulus capreoli* (Stroh and Schmid, 1938)  
Boev, S. N., 1959 a, 931  
*Capreolus c. pygargus*: Kazakhstan
- Capreocaulus capreoli* (Stroh et Schmidt, 1938)  
Erhardova, B., 1957 a, 151, 152, fig. 4  
*Capreolus capreoli*  
*Ovis musimon*  
both from Czechoslovakia
- Capreocaulus capreoli* (Stroh et Schmid 1938) Schulz et Kadenazii 1948  
Zdárská, Z., 1960 b, 368, 369-372, 376, 377, figs. 15-18, pl. 2  
*Arion rufus*  
*A. subfuscus*  
*Deroceras reticulatum*  
*Vitrina pellucida*  
*Monachoides umbrosa*  
*Trichia unidentata*  
*Succinea putris*  
all from Czechoslovakia

## NEMATODA AND NEMATODE DISEASES

- Capreolagia** n. g.  
*Shultz, R. E. S.; Andreeva et Kadenazii in Skrjabin, K. I.; Shikhobalova, N. P.; and Shul'ts, R. E. S., 1954 b, 233  
tod; C. skrjabini*
- Capreolagia caprae** Andreeva i Nikol'skii, 1957  
*Andreeva, N. K., 1957 a, 478*
- Capreolagia crimensis** Kadenatsii i Andreeva, 1956  
*Andreeva, N. K., 1957 a, 478*
- Capreolagia skrjabini** [n. sp.] (tod)  
*Shul'ts, R. E. S.; Andreeva et Kadenatsii in Skrjabin, K. I.; Shikhobalova, N. P.; and Shul'ts, R. E. S., 1954 b, 233, 234-238, figs. 122a-122b  
Capreolus capreolus: Crimea*
- Capreolagia taurica** Kadenatsii i Andreeva, 1956  
*Andreeva, N. K., 1957 a, 478*
- Capsularia** Zeder, 1800  
*Baylis, H. A.; and Daubney, R., 1926 a, 255*
- Capsularia** Zeder 1800  
*Johnston, T. H.; and Mawson, P. M., 1943 d, 22, 33*
- Capsularia**  
*Johnston, T. H.; and Mawson, P. M., 1945 a, 114  
as syn. of Stomachus*
- Capsularia** Zeder 1800?  
*López-Neyra, C. R., 1946 c, 364  
as syn. of Porrocaecum Railliet y Henry, 1912*
- Capsularia**  
*Stefanski, W., 1936 b, 21*
- Capsularia Goeze**  
*Stiles, C. W.; and Brown, G., 1924 b, 1958, 1959*
- Capsularia Goeze**  
*Wulker, G., 1930 b, 14*
- Capsularia** Zeder, 1800  
*Yorke, W.; and Maplestone, P. A., 1926 a, 279  
as syn. of Porrocaecum Railliet & Henry, 1912*
- Capsularia halecis** J. G. H. Zeder, 1800  
*Dollfus, R. P. F., 1956 g, 62-63  
Syn.: Ascaris harengeum Schrank, 1788  
Clupea harengus: mer du Nord, Baltique*
- Capsularia halecis** Zeder  
*Seurat, L. G., 1920 c, 209  
Syn. for Ascaris halecis Gmel.*
- Capsularia marina**  
*Baylis, H. A., 1944 a, 119, 120, 121*
- Capsularia marina** (Linn.)  
*Johnston, T. H.; and Mawson, P. M., 1943 d, 20, 21, 22-32, 33, figs. 4-7  
synonymy  
Mustelus antarcticus: Port Phillip, Vict.  
Thyrsites atun: New South Wales, Tasmania, Victoria,  
South Australia, West Australia  
Platycephalus macrodon: Coast of New South Wales  
Sciæna antartica: Port Willunga, S. Aust. and  
Coast of New South Wales  
Istiompax australis: Port Phillip, Vict.  
Thunnus maccoyii: Port Willunga, S. Aust.  
Coryphaena hippurus: Jervis Bay, N. S. W.  
Koëa breviceps*
- Capsularia marina**  
*Johnston, T. H.; and Mawson, P. M., 1944 a, 60, 61  
Seriola grandis: Rapid Bay, South Australia  
Lepidopus caudatus: Glenelg, South Australia*
- Capsularia** *salaris* (Gmelin 1790) Zeder 1800  
*Tendeiro, J.; and Valdez, V., 1955 a, 73  
as syn. of Agamochæiliida *salaris* (Gmelin 1790) n. comb.*
- Capsularia** *salaris* Gmelin, 1790  
*Vitzthum, H., 1933 c, 371  
as syn. of Ascaris *salaris* Rudolphi, 1802*
- Capsularia** *salaris* (Gmelin, 1790) Zeder, 1800  
*Yamaguti, S., 1935 g, 338-339  
as syn. of Anisakis *salaris* (Gmelin, 1790) n. comb.*
- Capsularia** *salaris* (Gmelin, 1790) Zeder, 1800  
*Yorke, W.; and Maplestone, P. A., 1926 a, 280*
- Capsulariinae** nom. nov.  
*Johnston, T. H.; and Mawson, P. M., 1943 a, 22, 33  
[for Anisakinae]*
- Carabonema** n.g.  
*Stammer, H. J.; and Wachek, F., 1952 a, 185, 191*
- Carabonema** *hasei* n.g. n. sp.  
*Stammer, H. J.; and Wachek, F., 1952 a, 185-193, figs. 1-3*
- Pardileus calceatus  
Pseudophonus griseus  
P. pubescens  
Harpalus rufus  
H. smaragdinus  
H. anxius  
H. aeneus  
H. autumnalis  
H. picipennis  
Calathus erratus  
Amara fulva  
A. apricaria  
A. consularis  
A. aenea
- Carabonematidae** n. fam.  
*Stammer, H. J.; and Wachek, F., 1952 a, 185, 190-191*
- Carabonematidae** Stammer & Wachek 1952  
*Rühm, W., 1957 c, 243*
- Cardianema** n.g.  
*Alicata, J. E., 1933 e, 95-100  
mt: C. cistudinis (Leidy)*
- Cardianema** Alicata 1933  
*Chabaud, A. G.; and Anderson, R. C., 1959 a, 84  
key  
Onchocercidae; Ornithofilarinae*
- Cardianema** Alicata, 1933  
*Desportes, C., [1940 a], 400  
Aproctinae*
- Cardianema** Alicata, 1930  
*Skrjabin, K. I.; and Shikhobalova, N. P., 1936 a, 70  
Aproctinae  
key*
- Cardianema** *cistudinis* (Leidy, 1856) n. comb. (mt)  
*Alicata, J. E., 1933 e, 95-100  
Terrapene carolina (adults in cavity of heart; en-sheathed larvae in blood); vicinity of Washington, D.C.; Pennsylvania?*
- Cardianema** *cistudinis*  
*Chitwood, B. G.; and Chitwood, M. B., 1938 a, 66, fig. 59 J*
- Cardianema** *cistudinis*  
*Eads, R. B., 1957 a, 27  
microfilaria  
Triatoma gerstaeckeri nymph (blood in stomach contents)  
Welder Wildlife Refuge near Sinton, Texas*
- Cardiofilaria** n. g. [nomen solum]  
*Wehr, E. E., 1936 b, 61  
Dipetalonematidae, Dipetalonematinae*

- Cardiofilaria* n. g.  
Shtrom, Z. K., 1937 a, 217, 219-220, 221  
*Filariidae, Aprocinae*  
tod: *C. pavlovskyi* n.g. n. sp.
- Cardiofilaria Strom* 1937  
Chabaud, A. G.; and Anderson, R. C., 1959 a, 86
- Cardiofilaria pavlovskyi* n. gen., n. sp. (tod)  
Shtrom, Zh. K., 1937 a, 217-221, figs. 1-5  
*Oriolus oriolus kundoo*: Repetek, Sandwiste, Kara-Kum, Turkmenien
- Cardiofilaria pavlovskyi Strom* 1937  
Anderson, R. C.; and Chabaud, A. G., 1959 a, 58, 60, 61
- Cardiofilaria pavlovskyi*  
Chabaud, A. G.; and Anderson, R. C., 1959 a, 86
- Cardiofilaria skrjabini*  
Anderson, R. C., 1961 b, 201, 206  
as syn. of *Chandlerella skrjabini* (Petrov and Tschertkowa, 1947) n. comb.
- Cardiofilaria skrjabini Petrow et Tschertkowa*, 1947  
Gagarin, V. G.; Ablasov, N. A.; and Chibichenko, N. T., 1957 a, 112  
*Falco subbuteo*: southern Kirgizia
- Cardiofilaria skrjabini Petrow et Tschertkowa*, 1947  
Petrov, A. N.; and Chertkova, A. N. in Skrjabin, K. I.; and Shikhobalova, N. P., 1948 a, 368-370, fig. 147  
*Hypotriorchis subbuteo*: Iuzhnaya Kirgizia
- Cardiofilaria skrjabini Petrow et Tschertkowa*, 1947  
Petrov, A. M.; and Chertkova, A. N., 1950 b, 95, 96  
*Hypotriochis subbuteo*: southern Kirgizia
- Cardionema* n. g.  
Yamaguti, S., 1941 d, 409, 436, 437-438  
tod: *Cardionema ten*: Japan
- Cardionema Yamaguti*, 1941 (nec *Cardianema Alicata*, 1933)  
Dougherty, E. C., 1946 b, 18, 21  
as syn. of *Angiostrongylus Kamenskiy*, 1905
- Cardionema Yamaguti*, 1941  
Seneviratna, P., 1959 c, 135  
as syn. of *Angiostrongylus Kamensky*, 1905
- Cardionema* ten n. g., n. sp.  
Yamaguti, S., 1941 d, 409, 436-437, 438, pl. IX, figs. 27-29; figs. 29-30  
*Martes melampus melampus*: Yamasina near Kyoto, Japan
- Cardionema* ten Yamaguti  
Dougherty, E. C., 1946 b, 23  
as syn. of (?) *Angiostrongylus ten* (Yamaguti, 1941)  
comb. nov.
- Cardionema* ten Yamaguti, 1941  
Seneviratna, P., 1959 c, 135  
as syn. of *Angiostrongylus ten* (Yamaguti, 1941)  
Dougherty, 1946
- Cardionematinae* n. subfam.  
Yamaguti, S., 1941 d, 438  
tod: *Cardionema* n. g.
- Cardionematinae Yamaguti*, 1941  
Chabaud, A. G.; and Choquet, M. T., 1953 a, 176, 183  
key  
includes: *Cardionema Yamaguti*, 1941
- Cardionematinae Yamaguti*, 1941  
Dougherty, E. C., 1946 b, 20  
as syn. of *Filaroidinae Skrjabin*, 1933
- Carinella* n. g. [for *Carinema* n. g.]  
Pereira, C.; and Vaz, Z., (1931 a) 220
- Carinella carinu* n. sp. [for *Carinema carinii* n. sp.]  
Pereira, C.; and Vaz, Z., (1931 a), 220  
[nomen solum]
- Carinema* n. g.  
Pereira, C.; and Vaz, Z., (1931 a), 220  
[as *Carinella* n. g.]
- Carinema* n. gen.  
Pereira, C.; and Vaz, Z., 1933 a, 56-58  
*Aprocinae*  
tod: *C. carinii* n. sp.
- Carinema Pereira and Vaz*, 1933  
Anderson, R. C., 1957 b, 25, 26, 31, 32  
as syn. of *Aprocotella Cram*, 1931
- Carinema Pereira et Vaz* 1933  
Anderson, R. C.; and Chabaud, A. G., 1959 a, 60  
as syn. of *Aprocotella Cram* 1931
- Carinema Pereira et Vaz* 1933  
Chabaud, A. G.; and Anderson, R. C., 1959 a, 84  
as syn. of *Aprocotella Cram* 1927
- Carinema Pereira et Vaz*, 1933  
Desportes, C., [1940 a], 399  
*Aprocinae*
- Carinema Pereira and Vaz*, 1933  
Skrjabin, K. I.; and Shikhobalova, N. P., 1936 a, 71  
*Aprocinae*  
key
- Carinema ardae* n. sp.  
Mawson, P. M., 1957 a, 213, 214, 215, figs. 8-9  
*Ardea herodias*  
*Botaurus lentiginosis*  
both from Quebec
- Carinema campanae* n. sp.  
Chabaud, A. G.; and Golvan, Y., 1956 a, 405-413, figs. 1-3  
*Turdus musicus*: Richelieu (Indre et Loire)
- Carinema campanae* Chabaud et Golvan 1956  
Anderson, R. C.; and Chabaud, A. G., 1959 a, 57, 60  
as syn. of *Pseudaprocotella inornata* (Anderson 1956)  
n. comb.
- Carinema carinii* n. gen. n. sp. (tod)  
Pereira, C.; and Vaz, Z., 1933 a, 56-58  
*Xanthornus* sp.
- Carinema carinii* Pereira and Vaz, 1933  
Anderson, R. C., 1957 b, 25, 31  
as syn. of *Aprocotella carinii* (Pereira and Vaz, 1933)  
n. comb.
- Carinema dubia* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1940 c, 355, 356, 357-358, figs. 7-9  
*Pseudopsittacus mclennani*: North Queensland
- Carinema graucalinum* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1940 c, 355, 356, 358, figs. 10-11  
*Grauculus melanops*: Fraser Island, Queensland
- Carinema graucalinum*  
Anderson, R. C., 1957 b, 25, 33  
as syn. of *Paraprocta graucalinum* (Johnston and Mawson, 1940) n. comb.

- Carlosia* g. n.  
Travassos, L.; and Kloss, G. R., 1957 a, 296  
tod: *Carlosia tijucana* sp. n.
- Carlosia tijucana* sp. n. (tod)  
Travassos, L.; and Kloss, G. R., 1957 a, 296-297, figs.  
1-9  
*Veturius transversus*: Alto da Tijuca, D.F., Brasil
- Carnoya Gilson*  
Artigas, P., 1926 a, 59
- Carnoya Gilson*, 1898  
Artigas, P. T., 1929 a, 18, 70, 72, 87  
Ransomneminae  
type: *C. vitiensis* Gilson, 1898
- Carnoya Gilson*, 1898  
Baylis, H. A.; and Daubney, R., 1926 a, 31-32  
type: *C. vitiensis* Gilson
- Carnoya Gilson*, 1898  
Filipjev, I. N., 1934 b, 402, 404, 405, 418
- Carnoya Gilson*, 1898  
Filipjev, I. N.; and Schuurmans Stekhoven, J. H.,  
1941 a, 833, 835, 836, 837, 838, 849  
*Carnoyinae*
- Carnoya*  
Miranda, C., 1924 a, 45, 51
- Carnoya*  
Rauther, M., 1918 a, 446
- Carnoya Gilson*  
Rauther, M., 1930 a, 383
- Carnoya Gilson*  
Steiner, G., 1924 i, 22
- Carnyoioia* [sic]  
Travassos, L. P., 1925 d, 416
- Carnoya Gilson*  
Travassos, L. P., 1929 d, 20, 23, 24
- Carnoya* [sic] *Gilson*  
Travassos, L. P., 1931 g, 238, 239, 240  
type: *C. vitiensis* Gilson
- Carnoya* (gen.?) *dubia* n. sp.  
Dollfus, R. P., 1952 b, 216-218, figs. 80-84  
*Rhinocricus* sp.: Etat de São Paulo
- Carnoya pyramboia* n. sp.  
Artigas, P., 1926 a, 60-62, figs. 8-14  
myriapode
- Carnoya pyramboia* Artigas, 1926  
Artigas, P. T., 1929 a, 72-73, 74, 75, 76, pl. 26, figs.  
1-3; pl. 27, figs. 1-3; pl. 28, figs. 1-2  
myriapode diplopode: Pyramboia, Estado de São Paulo
- Carnoya pyramboia* Artigas, 1926  
Filipjev, I. N., 1934 b, 407, fig. 299
- Carnoya pyramboia* Artigas, 1926  
Filipjev, I. N.; and Schuurmans Stekhoven, J. H.,  
1941 a, 829, fig. 424
- Carnoya piramboia* Artigas  
Travassos, L. P., 1929 g, 23
- Carnoya vitiensis* Gilson  
Artigas, P., 1926 a, 60
- Carnoya vitiensis* Gilson, 1898  
Baylis, H. A.; and Daubney, R., 1926 a, 32
- Carnoya vitiensis*  
Jaegerskiold, L. A. K. E., 1901 a, 31
- Carnoya vitiensis* Gilson  
Rauther, M., 1930 a, 383
- Carnoya vitiensis* Gilson  
Steiner, G., 1924 i, 8
- Carnoya vitiensis* Gilson  
Travassos, L. P., 1929 d, 23
- Carnoya vitiensis* Gilson  
Travassos, L. P., 1931 a, 238
- Carnoyidae* fam. n.  
Travassos, L. P.; and Kloss, G. R., 1960 a, 518  
includes: *Carnoyinae* Filipjev, 1934; *Brumptaeumiliinae* Dollfus, 1952; *Clementeinae* subfam. nov.
- Carnoyinae* n. subf.  
Filipjev, I. N., 1934 a, 37, 38  
Atractidae
- Carnoyinae*  
Filipjev, I. N., 1934 b, 404  
Cosmocercidae
- Carnoyinae*  
Filipjev, I. N.; and Schuurmans Stekhoven, J. H.,  
1941 a, 837
- Carolodelatorrella*, n. gen.  
Perez Vigueras, I., 1943 a, 315, 322-323  
tod: *Carolodelatorrella tiflophila*, n.-sp.
- Carolodelatorrella tiflophila* n. gen. n. sp. (tod)  
Perez Vigueras, I., 1943 a, 315, 320-322, 323, pls. 4,  
5, 6, 7  
Capromys prehensilis: Habana; Pinar del Río
- Castorstrongylus* n. g.  
Chapin, E. A., 1925 e, 679  
tod: *C. castoris* n. sp.
- Castorstrongylus*  
Popov, N. P., 1927 b, 193
- Castorstrongylus* Chapin  
Rauther, M., 1930 a, 376
- Castorstrongylus*  
Sprehn, C. E. W., 1927 e, 47
- Castorstrongylus* Chapin, 1925  
Yorke, W.; and Maplestone, P. A., 1926 a, 36, 46-47  
type: *C. castoris* Chapin
- Castorstrongylus castoris* n. sp.  
Chapin, E. A., 1925 e, 679, 680-681, figs. 3, 4  
*Castor canadensis*
- Castorstrongylus castori* Chapin, 1925  
Babero, B. B., 1953 b, 674  
beavers: Alaska
- Castorstrongylus castoris* (Chapin)  
Canavan, W. P. N., 1931 a, 199  
*Castor canadensis*

- Castorstrongylus castoris*  
Choquette, L. P. E.; and Pimlott, D. N., 1956 a, 209  
*Castor canadensis*: Newfoundland
- Castorstrongylus castoris Chapin*  
Freund, L., 1930 c, 111, fig. 52
- Castorstrongylus castoris*  
Morley, L. C., 1934 a, 16  
beavers: Pennsylvania
- Castorstrongylus castoris* (Chapin, 1925)  
Olsen, C. W., 1949 d, 64  
beaver: Colorado
- Castorstrongylus castori*  
Senger, C. M.; and Neiland, K. A., 1955 a, 638  
*Castor canadensis*: Oregon
- Castorstrongylus castoris*  
Sprehn, C. E. W., 1927 e, 47  
*Castor canadensis*
- Castorstrongylus castoris Chapin*, 1925  
Sprehn, C. E. W., 1932 c, 827  
*Castor canadensis*
- Castorstrongylus castoris Chapin*  
Yorke, W., and Maplestone, P. A., 1926 a, 47, fig. 20  
type of genus  
*Castor canadensis*
- Castronodus* g. n.  
Singh, S. N., 1934 a, 287  
type: *C. strassenii* (mt): Hyderabad State
- Castronodus* Singh, 1934  
Baylis, H. A., 1939 b, xxvi, 96, 112  
Spiruridae, Ascaropsinae  
type: *C. strassenii* Singh, 1934
- Castronodus strassenii* g. et sp. n. (mt)  
Singh, S. N., 1934 a, 287  
*Crocidura caerulea*: Hyderabad State
- Castronodus strasseni* Singh, 1934  
Singh, S. N., 1948 b, 219-225 (1-7), figs. 1-11  
*Crocidura coerulea*: Hyderabad Deccan
- Castronodus strassenii* Singh, 1934 (type)  
Baylis, H. A., 1939 b, xxvi, 112-113, 255  
*Crocidura caerulea*: Hyderabad
- Castronodus strassenii* Singh, 1934  
Gupta, S. P., 1960 b, 582-584, figs. 16-20  
*Crocidura caerulea* (nodules in stomach wall): East Pakistan
- Ceguera* (*Filaria lagrimalis*)  
Balmaeda, F. J., 1889 a, 154, 155, 156
- Ceguera*  
Torrent, P. B., 1943 a, 155-157
- Cephalobellus brevicaudatus* (Leidy, 1851) n. comb.  
Christie, J. R., 1933 a, 358  
Syn.: *Thelastoma brevicaudatum* Leidy
- Cephalobellus brevicaudatum* (Leidy, 1851) Christie, 1933  
Basir, M. A., 1949 f, 31, 32-34, 35, figs. 1-4  
key  
Syns.: *Thelastoma brevicaudatum* Leidy, 1851; *Aorurus* (*Thelastoma*) *brevicaudatum* Leidy, 1853; *Thelastomum brevicaudatum* Leidy. 1853; *Aorurus* (*Thelastoma*) *brevi-*
- Cephalobellus brevicaudatum* (Leidy, 1851) Christie, 1933.—Continued.  
Basir, M. A., 1949 f, 31, 32-34, 35, figs. 1-4  
*caudatus* (Leidy, 1851) Walton, 1927; *Scarabaneema brevicaudatum* (Leidy, 1851) Christie, 1933; *Thelastoma indiana* Basir, 1940; *Cephalobellus lloydii* Baylis, 1946 *Leucophoea* sp.: North India, near Philadelphia, Pennsylvania
- Cephalobellus brevicaudatum* (Leidy, 1851)  
Baylis, H. A., 1946 a, 58, 59
- Cephalobellus julicola* (Dollfus, 1952) n. comb.  
Basir, M. A., 1956 a, 29  
Syn.: *Severianoia julicola* Dollfus, 1952  
*Julus terrestris*: France
- Cephalobellus lloydii* n. sp.  
Baylis, H. A., 1946 a, 53-59, figs. 1-2  
*Tipula paliostigma*  
*T. cleracea*  
both from Univ. Leeds, Yorkshire
- Cephalobellus lloydii* Baylis, 1946  
Basir, M. A., 1949 f, 31, 32, 34, 35  
as syn. of *C. brevicaudatum* (Leidy, 1851) Christie, 1933
- Cephalobellus magalhaesi* (Schwenk, 1926) n. comb.  
Basir, M. A., 1956 a, 28, pl. 4, figs. O-Q  
Syns.: *Bulhōesia magalhaesi* Schwenk, 1926; *Thelastoma magalhaesi* (Schwenk, 1926) Travassos, 1929  
key  
*barata selvagem*: Brazil
- Cephalobellus papilliger* n. sp.  
Cobb, N. A., 1920 d, 245  
larva of lamellicorn beetle: Moss Vale, N.S.W.  
Australia
- Cephalobellus papilliger* Cobb, 1920  
Basir, M. A., 1949 f, 34, 35  
key
- Cephalobellus papilliger* Cobb, 1920  
Baylis, H. A., 1946 a, 55, 56, 57, 58, 59
- Cephalobellus papilliger* Cobb, 1920  
Baylis, H. A.; and Daubney, R., 1926 a, 82
- Cephalobellus papilliger* Cobb, 1920  
Chitwood, B. G.; and Chitwood, M. B., 1933 b, 309-355  
histological anatomy
- Cephalobellus papilliger*  
Chitwood, B. G.; and Chitwood, M. B., 1937 b, 10, 34, 37  
41, 45, figs. 7, 50 D
- Cephalobellus papilliger*  
Chitwood, B. G.; and Chitwood, M. B., 1940 b, 138, 148,  
149, fig. 116 G, 122 Y-AA
- Cephalobellus papilliger*  
Chitwood, M. B.; and Chitwood, B. G., 1940 a, 128, 129,  
fig. 113 U-V
- Cephalobellus papilliger* Cobb, 1920  
Christie, J. R., 1933 a, 358  
Syn.: *Scarabaneema cylindricum* Christie, 1931  
Lamellicorn beetle: N. S. Wales
- Cephalobellus papilliger* Cobb  
Schuurmans Stekhoven, J. H., 1937 a, 388, 433, 437, 439,  
476, 478

- Cephalobellus papilliger* Cobb  
Schuurmans Stekhoven, J. H., 1939 a, 541, 543, 622, 624,  
figs. 132, 202
- Cephalobellus skaifei* n. sp.  
Osche, G., 1960 a, 413-417, figs. 6-7  
*Chersastus* sp. (?)  
*Julomorpha* spec.  
both from Hout Bay bei Kapstadt, Sudafrica
- Cephalobidae* n. fam.  
Chitwood, B. G.; and Chitwood, M. B., 1934 a, 8-9  
includes: *Cephalobinae*; *Daubayliinae*
- Cephalobidae*  
Chitwood, B. G., 1938 a
- Cephalobidae*  
Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a,  
103, 138, 142-143, 210, 730, 759  
*Anguilluloidea*  
key to subfamilies
- Cephalobidae* Chitwood & Chitwood  
Rühm, W., 1957 c, 242-243
- Cephalobidae*  
Schuurmans Stekhoven, J. H.; and Teunissen, R. J. H.,  
1938 a, 56
- Cephalobidae* Chitwood et Mac Intosh, 1934  
Sobolov, A. A., [1954 a], 679-680
- Cephalobidae* Chitwood and Chitwood, 1934  
Thorne, G., 1937 b, 1-16  
revision of family
- Cephalobiinae* n. s. fam.  
Artigas, P. T., 1929 a, 20, 91  
[lapsus p. 91 as *Cephalobinae*]  
*Thelastomidae*  
contains: *Cephalobium*
- Cephalobiinae*  
Filipjev, I. N., 1934 a, 30  
*Anguillulidae*  
type: *Cephalobium Cobb*
- Cephalobiinae*  
Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a,  
143, 148, 198, 210, 759
- Cephalobidae*
- Cephalobinae* [n. subfam.]  
Filipjev, I. N., 1934 a, 30, 31  
*Anguillulidae*
- Cephalobiinae*  
Filipjev, I. N., 1934 b, 97, 139, 354, 371, 374  
*Anguillulidae*
- Cephalobiinae*  
Artigas, P. T., 1929 a, 91  
[lapsus for *Cephalobiinae* n. s. fam.]
- Cephalobiinae*  
Schneider, W., 1939 a, 181, 197  
*Anguillulidae*
- Cephalobiinae*  
Schuurmans Stekhoven, J. H.; and Teunissen, R. J. H.,  
1938 a, 56  
*Cephalobidae*
- Cephalobinae* Filipjev, 1934 emend.  
Thorne, G., 1937 b, 2, 8  
type: *Cephalobus Bastian*
- Cephalobium microbivorum* n. sp.  
Cobb, N. A., 1920 d, 270-271, figs. 54 a-b  
*Gryllus neglectus*
- Cephalobium microbivorum* (Cobb)  
Ackert, J. E., [1920 a], 40  
occurrence, life history
- Cephalobium microbivorum* (Cobb)  
Ackert, J. E., 1921 b, 208-209  
occurrence, life history
- Cephalobium microbivorum* Cobb  
Ackert, J. E.; and Wadley, F. M., 1921 a, 97-115  
distribution, life history  
*Gryllus assimilis*
- Cephalobium microbivorum* Cobb, 1920  
Artigas, P. T., 1929 a, 92  
Angra dos Reis, Est. de Rio; Remedios, Est. de São Paulo
- Cephalobium microbivorum* Cobb, 1920  
Baylis, H. A.; and Daubney, R., 1926 a, 45
- Cephalobium microbivorum* Cobb, 1920  
Filipjev, I. N., 1934 b, 374, fig. 273  
*Gryllus*: U.S.A.
- Cephalobium microbivorum* Cobb, 1920  
Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a,  
769, 770, fig. 384  
*Gryllidae*: USA
- Cephalobium microbivorum* Cobb, 1920  
Travassos, L.; and Kloss, G. R., 1957 c, LI  
as syn. of *C. socialis* (Leidy, 1850) n. comb.
- Cephalobium microbivorum* Cobb, 1920  
Travassos, L.; and Kloss, G. R., 1960 b, 240  
as syn. of *Cephalobium socialis* (Leidy, 1850) Travassos  
& Kloss, 1957
- Cephalobium nitidum* n. sp.  
Artigas, P., 1929 a, 81-84, figs. 1-2 [For author supplement, see Part 1, Authors: Aall-Azzolina, 1932]  
*Gryllotalpa* sp. (intestine): Brasil
- Cephalobium nitidum* Artigas, 1925  
Artigas, P. T., 1929 b, 92-95, pl. 36, fig. 2; pl. 37,  
figs. 1, 3-4 [For author reference, see Supplement 1,  
Authors: A-B, 1953]  
*Gryllotalpa* sp.: Angra dos Reis (Estado do Rio);  
Remedios (Estado de São Paulo)
- Cephalobium nitidum* Artigas, 1925  
Filipjev, I. N., 1934 b, 374  
[mole cricket]: Brasil
- Cephalobium nitidum* Artigas, 1925  
Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a,  
770  
mole crickets: Brasil
- Cephalobium nitidum* Artigas, 1925  
Travassos, L.; and Kloss, G. R., 1957 c, LI  
as syn. of *Cephalobium socialis* (Leidy, 1850) n. comb.
- Cephalobium socialis* (Leidy, 1850) n. comb.  
Travassos, L.; and Kloss, G. R., 1957 c, LI  
Syns.: *Oxyuris socialis* Leidy, 1850; *Anguillula socialis* Leidy, 1856; *Cephalobium microbivorum* Cobb, 1920; *C. nitidum* Artigas, 1925  
*Gryllus assimilis*

*Cephalobium socialis* (Leidy, 1850) Travassos & Kloss, 1957  
*Travassos, L.*; and *Kloss, G. R.*, 1960 b, 239, 240-241, figs. A-G  
 Syns.: *Cephalobium microbivorum* Cobb, 1920; *Thelastoma socialis* Travassos, 1929  
*Gryllus assimilis* (intestino posterior); Brasil

*Cephalobus* [sp.]  
*Halbertsma, J. J.*, 1932 a, 2624-2626

*Cephalobus* sp.  
*Steiner, G.*, 1925 b, 14  
*Agamermis paradecaudata*: [? Java]

*Cephalobus* ? [sp.]  
*Van Cleave, H. J.*; and *Mueller, J. F.*, 1934 a, 306, 307, 310, pl. 39, fig. 12  
 ? free living species  
*Salmo fario*: Oneida Lake

*Cephalobus* (*Neocephalobus*) *aberrans* n. sg. n. sp.  
*Steiner, G.*, 1929 a, 88-90, pl. 9, figs. 1-6  
 guinea-pig (feces)

*Cephalobus* (*Neocephalobus*) *aberrans*  
*Gauget, G.*, 1938 a, 12, 37  
 Cobaye

*Cephalobus elongatus*  
*Chitwood, B. G.*; and *Chitwood, M. B.*, 1937 c, 131  
*Philomyicus dorsalis*: Virginia

*Cephalobus elongatus*  
*Pérez Vigueras, I.*, 1936 a, 80  
*Diatraea saccharalis*: Cuba

*Cephalobus elongatus de Man* (?)  
*Plank, H. K.*, 1929 a, 982-983  
*Diatraea saccharalis*: Cuba

*Cephalobus parasiticus* n. sp.  
*Sandground, J. H.*, 1939 a, 132-137, figs. 1-3  
*Macaca irus mordax*: Batavia

*Cephalobus parasiticus* Sandground 1939  
*Goodey, T.*, 1939 c, 135-142, 1-8  
 ? as syn. of *Turbatrix rediviva* (Linn., 1757) Peters, 1927

*Cephalobus parasiticus* Sandground, 1939  
*Goodey, T.*, 1943 e, 4  
 as syn. of *Turbator redivivus* (Linn., 1767) new comb.

*Cephalobus parasiticus* Sandground, 1939  
*Goodey, T.*, 1945 f, 70  
 as syn. of *Panagrellus redivivus* (Linn., 1767) n. comb.

*Cephalobus seistanensis* n. sp.  
*Baylis, H. A.*; and *Daubney, R.*, 1922 a, 341-342, figs. 72, 73  
*Gyraulus convexiusculus*: E. Persia

*Cephalobus seistanensis* Baylis and Daubney, 1922  
*Chitwood, B. G.*; and *Chitwood, M. B.*, 1934 a, 9  
 as syn. of *Daubaylia seistanensis* (Baylis and Daubney) n. comb.

*Cephalonema macrocephalum* n. sp.  
*Pierantoni, U.*, 1916 b, 151-152, pl. 10, figs. 5-9  
*Pheretina wendessiana*

*Cephalonema microcephalum* n. sp.  
*Pierantoni, U.*, 1916 b, 149-150, pl. 10, figs. 1-4  
*Pheretina wendessiana*

*Cephalonema microcephalum* Pierantoni, 1916  
*Baylis, H. A.*; and *Daubney, R.*, 1926 a, 241  
 type of *Pierantonioa* B. & D., 1916 = *Cephalonema* Pier., not Cobb

*Cephalostrongylus* n. g.  
*Irwin-Smith, V. A.*, 1920 a, 553-554  
 tod: *C. quadriradiatus* (Stevenson)

*Cephalostrongylus* Irwin-Smith, 1920  
*Baylis, H. A.*; and *Daubney, R.*, 1926 a, 183  
 as syn. of *Ornithostrongylus* Travassos

*Cephalostrongylus* Irwin-Smith, 1920  
*Sprehn, C. E. W.*, 1932 c, 720  
 as syn. of *Ornithostrongylus* Travassos, 1914

*Cephalostrongylus* Irwin-Smith, 1920  
*Yorke, W.*; and *Maplestone, P. A.*, 1926 a, 127  
 as syn. of *Ornithostrongylus* Travassos

*Cephalostrongylus columbae*  
*Irwin-Smith, V. A.*, 1920 a, 557  
 lapsus for *C. quadriradiatus*?

*Cephalostrongylus quadriradiatus* (Stevenson) (tod)  
*Irwin-Smith, V. A.*, 1920 a, 554-556, 560, figs. 1-6  
*Columba livia* dom.

*Cephalostrongylus quadriradiatus* (Stephenson, 1904) Irvin-Smith, 1920  
*Sprehn, C. E. W.*, 1932 c, 721  
 as syn. of *Ornithostrongylus quadriradiatus* (Stephenson, 1904)

*Cephalostrongylus quadriradiatus* (Stevenson)  
*Yorke, W.*; and *Maplestone, P. A.*, 1926 a, 129  
 as syn. of *Ornithostrongylus quadriradiatus* (Stev.)

*Cephaluris* n. g.  
*Akhtar, S. A.*, 1947 a, 104  
 tod: *C. ochotonae* n. sp.

*Cephaluris Akhtar*, 1947  
*Skrjabin, K. I.*; and *Shikhobalova, N. P.*, 1950 a, 591  
 key

*Cephaluris alaskensis* n. sp.  
*Akhtar, S. A.*, 1958 a, 59-61, 62, figs. 1-3  
*Ochotona collaris*: Alaska

*Cephaluris andrejevi* nov. sp.  
*Shul'ts, R. E. S.*, 1948 a, 175-176  
*Ochotona alpina*: Gorno-Altaisk autonomous region

*Cephaluris andrejevi* Schulz, 1948  
*Gvozdov, E. V.*, 1956 a, 99, 102  
*Ochotona alpina*  
*O. pricei*  
 both from Kazakhstan

*Cephaluris andrejevi* Schulz, 1948  
*Gvozdov, E. V.*, 1962 a, 69, 73  
*Ochotona rutila*  
*O. pusilla*  
*O. pallasi*  
*O. alpina*  
 all from Kazakhstan

*Cephaluris andrejevi* Schulz, 1948  
*Machul'skiy, S. N.*, [1959 a], 222  
*Ochotona hyperborea* svatoschi  
*O. daurica*  
 (large intestine of both): both from Buriat ASSR

- Cephaluris andrejevi Schulz*, 1948  
Spasskii, A. A.; and Ryzhikov, K. M., 1951 a, 36-39, figs.  
2-9  
*Ochotona alpina*: Altaiia
- Cephaluris andrejevi Schulz*, 1948  
Spasskii, A. A.; Ryzhikov, K. M.; and Sudarikov, V. E.,  
1952 a, 101  
*Ochotona alpina*: Lake Baikal zone
- Cephaluris andrejevi Schulz*, 1948  
Tokobaev, M. M., 1956 a, 146  
*Ochotona rutilla*: Kirgiziia
- Cephaluris andrejevi Schulz*, 1948  
Tokobaev, M. M., 1959 a, 136  
*Ochotona rutilla*  
*O. macrotis*  
both from Kirghizia
- Cephaluris collaris* n. sp.  
Akhtar, S. A., 1958 a, 57-59, 62, figs. 1-5  
*Ochotona collaris*: Alaska
- Cephaluris coloradensis*, n. sp.  
Olsen, L. S., 1949 a, 337, 338, 340, figs. 1-11  
*Ochotona princeps* figginsi
- Cephaluris coloradensis* Olsen, 1949  
Leiby, P. D., 1961 a, 311  
*Ochotona princeps*: Saquache County, Colorado
- Cephaluris coloradensis*  
Voge, M., 1956 a, 425  
*Ochotona princeps*: California
- Cephaluris hashmi* n. sp.  
Akhtar, S. A., 1956 a, 95-96, figs. 1-3  
*Ochotona rufescens* vulturna: Quetta
- Cephaluris ochotonae* n. sp. (tod)  
Akhtar, S. A., 1947 a, 104-106, pl., figs. 1-11  
*Ochotona rufescens*
- Cerascaris* n. g.  
Cobb, N. A., 1929 c, 289  
tod: *C. collare* n. sp.
- Cerascaris Cobb*, 1929  
Baylis, H. A., 1936 a, 79  
as syn. of *Contracaecum Railliet and Henry*, 1912
- Cerascaris Cobb*, 1929  
Hartwich, G., 1954 a, 1178, 1180, 1184
- Cerascaris collare* n. g., n. sp. (tod)  
Cobb, N. A., 1929 c, 287-289, figs. 7-11  
*Gobiomorus maculatus*
- Ceratospira* [n. g.]  
Schneider, A. F., 1866 a, 29, 104, 108-109  
type: *C. vesiculosa*
- Ceratospira Schneider*, 1866  
Baylis, H. A.; and Daubney, R., 1926 a, 225  
type: *C. vesiculosa* Schn.
- Ceratospira Schneider*, 1866  
Chabaud, A. G., 1959 c, 17  
*Theلaziidae*, *Theلaziinae*
- Ceratospira Schneider*  
Chitwood, B. G.; and Wehr, E. E., 1934 a, 315, 333, pl. 1
- Ceratospira Schneider*  
Cram, E. B., 1927 a, 311, 319  
type: *C. vesiculosa* Schn.
- Ceratospira*  
Griffiths, J. A., 1922 a, 472
- Ceratospira*  
Magath, T. B., 1919 a, 149
- Ceratospira Schneider*  
Perrier, E., 1897 a, 1410-1411
- Ceratospira Schn.*  
Rauther, M., 1930 a, 372
- Ceratospira Schneider*  
Steiner, G., 1919 a, 78
- Ceratospira*  
Steiner, G., 1921 d, 78
- Ceratospira Schneider*, 1866  
Yorke, W.; and Maplestone, P. A., 1926 a, 316, 322  
type: *C. vesiculosa* Schneider, 1866
- Ceratospira ophthalmica* (Linstow)  
Cram, E. B., 1927 a, 320-321, fig. 385  
*Carpophaga brenchleyi*
- Ceratospira ophthalmica*  
Wehr, E. E., 1930 e, 81
- Ceratospira ophthalmica* (Linst., 1898)  
Yorke, W.; and Maplestone, P. A., 1926 a, 322, fig. 220  
B, C  
*Zonoemas* sp.  
*Carpophaga* sp.
- Ceratospira thriponaxis* n. sp.  
Wehr, E. E., 1930 e, 80-81, pl. 10, figs. 1-3  
*Thriponax* sp.
- Ceratospira thriponaxis* Wehr, 1930  
Strachan, A. A., 1957 a, 186  
*Ramphastos culminatus*: Brazil
- Ceratospira vesiculosa* [n. g., n. sp.] (type)  
Schneider, A. F., 1866 a, 29, 104, 108-109
- Ceratospira vesiculosa* Schneider, 1866  
Baylis, H. A.; and Daubney, R., 1926 a, 225
- Ceratospira vesiculosa* Schneider  
Cram, E. B., 1927 a, 320, fig. 384  
*Psittacus sinensis*
- Ceratospira vesiculosa*  
Perrier, E., 1897 a, 1411  
*Psittacus sinensis* (chambre postérieure de l'oeil)
- Ceratospira vesiculosa* Schn.  
Rauther, M., 1930 a, 372
- Ceratospira vesiculosa* Schneider  
Rivolta, S.; and Delprato, P., 1881 a, 334  
*Psittacus sinensis*
- Ceratospira vesiculosa*  
Wehr, E. E., 1930 e, 81
- Ceratospira vesiculosa* Schneider, 1866  
Yorke, W.; and Maplestone, P. A., 1926 a, 322, fig. 220 A  
type of genus  
*Eclectus pectoralis*  
*Psittacus sinensis*

- Ceratospirura Schneider*  
Travassos, L. P., 1918 a, 217  
for *Ceratospira?*
- Cercoccephalus typicus Diesing*, 1861  
Sprehn, C. E. W., 1932 c, 532  
as syn. of *Anisakis typica* (Diesing, 1861)  
[? lapsus for *Conocephalus*]
- Cercocfilaria n. g.*  
Kalantarian, in Skrjabin, K. I., 1924 a, 10  
mt: *Filaria numidica* Seurat, 1917
- Cercocfilaria n. g.*  
Kalantar'ian, E. V., 1924 b, 21, 25, 31, Armenian summary, 17; French summary, 4  
Filaridae  
tod: *C. numidica* (Seurat, 1917)
- Cercocfilaria Kalantarian* 1924  
Chabaud, A. G.; and Anderson, R. C., 1959 a, 83  
as syn. of *Micipsella* Seurat 1921
- Cercocfilaria Kalantarian*, 1924  
Yorke, W.; and Maplestone, P. A., 1926 a, 418  
as syn. of *Micipsella* Seurat, 1921
- Cercocfilaria numidica* (Seurat, 1917) n. comb. (mt)  
Kalantarian, E. V., 1924 b, 19, 21, 25  
Syn.: *Filaria numidica* Seurat, 1917  
Lepus: Armenia
- Cercocfilaria numidica* (Seurat, 1917) Kalant., 1924  
Shul'ts, R. E. S., 1931 d, 138  
as syn. of *Micipsella numidica* (Seurat, 1917) Seurat, 1921
- Cercocfilaria numidica* (Seurat, 1917) Kalantarian, 1924  
Yorke, W.; and Maplestone, P. A., 1926 a, 419  
as syn. of *Micipsella numidica* (Seurat, 1917)
- Cerebrofilaria nov. gen.*  
Kazubski, S. L., 1958 a, 73-78  
Filarioidea
- Cerebrofilaria Kazubski* 1958  
Anderson, R. C.; and Chabaud, A. G., 1958 a, 264  
as syn. of *Aprocta Linstow* 1903
- Cerebrofilaria Kazubski* 1958  
Chabaud, A. G.; and Anderson, R. C., 1959 a, 73  
as syn. of *Aprocta Linstow* 1883
- Cerebrofilaria caprimulgii* nov. gen., nov. sp.  
Kazubski, S. L., 1958 a, 73-78, pl.  
*Caprimulgus europaeus* (brain)
- Ceylancylostoma*  
Baylis, H. A.; and Daubney, R., 1926 a, 167
- Ceylancylostoma*  
Castellani, A.; and Chalmers, A. J., 1919 a, 674
- Ceylancylostoma Lane*, 1916  
Yorke, W.; and Maplestone, P. A., 1926 a, 91  
type: *Ancylostoma (Ceylancylostoma) ceylanicum*
- Chabaudgolvania Freitas* 1958  
Hartwich, G., 1960 a, 615  
as syn. of *Megalobatrachonema Yamaguti* 1941
- Chabertia Railliet & Henry*  
Alessandrini, G. C., 1929 a, 175
- Chabertia*  
Andrlé, O.; Erhardová, B.; and Müller, K., 1958 a, 8  
treatment
- Chabertia Railliet & Henry*  
Baylis, H. A., 1929 c, 159
- Chabertia Railliet and Henry*, 1909  
Baylis, H. A., 1936 a, 290, 308  
Strongylidae, Oesophagostominae  
type: *C. ovina* (Gmelin, 1790)
- Chabertia Railliet & Henry*, 1909  
Baylis, H. A.; and Daubney, R., 1926 a, 164  
type: *C. ovina* (Gmelin)
- Chabertia*  
Bird, A. F., 1954 a, 362  
cuticle of larvae
- Chabertia*  
Clarke, E. A.; and Filmer, D. B., 1958 a, 397
- Chabertia*  
Ershov, V. S., 1943 a, 88, 93, 95, 96  
Ransominae
- Chabertia Railliet & H.*  
Fiebiger, J., 1923 a, 263, 284-285
- Chabertia Railliet & Henry*  
Gebauer, O., 1932 b, 167
- Chabertia*  
Hagan, W. A., 1919 b, 192
- Chabertia*  
Hoelzlund, S.; and Koffman, M., 1948 a, 256
- Chabertia*  
Ihle, J. E. W., 1922 d, 92, 93
- Chabertia Railliet and Henry*, 1909  
Krastin, N. I., 1937 a, 308, 309
- Chabertia*  
Kurtpinar, H.; Anteplioğlu, H.; and Ergün, H., 1950 a, 257, 258, 259, 261, 262
- Chabertia*  
LaPage, G., 1948 d, 315
- Chabertia R. & H.*  
Lopez Neyra, C. R., 1924 a, 163
- Chabertia Railliet & Henry*  
Rauther, M., 1930 a, 377
- Chabertia*  
Riedel, B. B.; and Arnold, J. L., 1956 a, 542  
nutrition
- Chabertia Railliet & Henry*  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 404, 405
- Chabertia*  
Sprehn, C. E. W., 1927 e, 48
- Chabertia Railliet u. Henry*, 1909  
Sprehn, C. E. W., 1932 c, 673, 681  
type: *C. ovina* (Fabricius, 1788)
- Chabertia*  
Travassos, L. P., 1920 h, 65
- Chabertia Railliet & Henry*, 1909  
Yorke, W.; and Maplestone, P. A., 1926 a, 6, 89  
type: *C. ovina* (Fab.)

- Chabertia [sp.]**  
Banks, J. A. W., [1955 a], 61, 62  
sheep: Southern Australia
- Chabertia [sp.]**  
Bouda, J., 1955 a, 47 (3), 51 (7)  
sheep: southern Moravia
- Chabertia sp.**  
Cairo University. Faculty of Veterinary Medicine. Department of Parasitology, 1958 a, 235  
sheep: Giza, Egypt
- Chabertia [sp.]**  
Carroll, H. T., 1957 a, 530  
ovine, treatment
- Chabertia spp.**  
Carroll, H. T., 1957 b, 6, 7  
control  
ovejas: Peru
- Chabertia [sp.]**  
Cociu, M.; and Wagner, G., 1962 a, 290  
*Capreolus capreolus*: Tiergarten Bukarest
- Chabertia spp.**  
Crofton, H. D., [1958 a], 307, 310, 315  
sheep: south-west England
- Chabertia sp.**  
Dale, D. G.; Gibbs, H. C.; and Jeffers, H., 1962 a, 266  
sheep, treatment
- Chabertia [sp.]**  
Francalanci, G.; and Manfredini, L., [1961 a], 487-489
- Chabertia sp.**  
Georgescu, L.; Fromunda, V.; and Nicolici, S., 1958 a, 382  
treatment  
ovins
- Chabertia [sp.]**  
Gordon, H. M., 1956 a, 259  
phenothiazine
- Chabertia sp.**  
Hayward, A. H., 1958 a, 14  
sheep, control: Afghanistan
- Chabertia [sp.]**  
Heguito, H. R., 1942 a, 42  
Ianares: Uruguay
- Chabertia [sp.]**  
Hitchcock, D. J., 1956 a, 34  
cattle: North Carolina
- Chabertia [sp.]**  
Kates, K. C., 1950 a, 55, 56  
sheep
- Chabertia [sp.]**  
de Kock, G., 1949 b, 525  
treatment
- Chabertia [sp.]**  
Lapage, G., [1933 a], 239, 268, 270  
cultivation on cultures of *Bacillus coli*  
sheep
- Chabertia [sp.]**  
Lockhart, G. P., 1936 a, 4
- Chabertia [sp.]**  
Oytun, H. S., 1937 a, 31, 33, 36, 37, 40, 41, 43, 44, 45, 46, 48, 50; 35, 37, 41, 42, 46, 49, 50, 51, 52, 54, 56; 12  
Anatolischen Schafen
- Chabertia sp.**  
Perrot, E.; Gaudin, O.; and Rondeau du Noyer, R., 1932 a, 1073  
pyrethrum treatment  
moutons
- Chabertia [sp.]**  
Petrov, A. M., 1959 a, 240-245  
sheep, oil of chenopodium ineffective
- Chabertia [spp.]**  
Reinisch, M., 1940 a, 283  
*Dama dama*  
*Ovis ar. platyura* var. astr.  
*Ovis ar. steatopyga* var. som.  
*Ovis ar. dacica*  
*Ovis ar. strepsiceros* var. hortob.  
all from Budapest (Zool. Garden)
- Chabertia [sp.]**  
Robinson, L. E., 1933 b, 335  
sheep, treatment
- Chabertia sp.**  
Shorb, D. A., 1942 a, 334, 335  
sheep: Beltsville, Md.
- Chabertia [sp.]**  
Spasskiy, A. A.; Ivashkin, V. M.; and Bogiav-lenskiy, Iu. K., 1959 a, 312  
sheep: Tuva autonomous oblast
- Chabertia spp.**  
Teuscher, E.; and Stunzi, H., 1956 a, 265, 266  
*Ammotragus lervia*  
*Lama vicugna*  
both from Zool. Gartens Zurich
- Chabertia [sp.]**  
Trach, V. N., 1959 d, 54  
freezing and drying
- Chabertia [sp.]**  
Viscontini, V., [1943 a], 4  
mouton: Algerie
- Chabertia [sp.]**  
Vujic, B.; and Anic, N., 1958 a, 605  
sheep
- Chabertia spp.**  
Walley, J. K., 1961 b, 161, 162, 163, 166, 167  
treatment
- Chabertia spp.**  
Whitlock, H. V., 1957 b, 10  
carneros: Ecuador
- Chabertia [sp.]**  
Zavadil, R., 1957 a, 373  
*Ovis musimon*  
*Camelus bactrianus*  
*Ovis aries*
- Chabertia hypostoma**  
Brumpt, E. J. A., 1922 f, 566
- Chabertia hypostoma**  
Brumpt, E. J. A., 1927 e, 670

- Chabertia ovina*  
Adams, A. R. D., 1933 b, 3  
sheep: Taiping, Fed. Malay States
- Chabertia ovina Railliet and Henry*, 1909  
Akhtar, S. A., 1937 b, 270  
sheep: Kabul, India
- Chabertia ovina*  
Al'binskaya, N. N., [1953 a], 101
- Chabertia ovina Fab.*  
Alessandrini, G. C., 1929 a, 175, fig. 159
- Chabertia ovina Fabricius*, 1788  
Altaev, A. Kh., 1959 a, 11  
sheep, goats: Dagestan, ASSR
- Chabertia ovina*  
Andrews, J. S., 1934 a, 51  
egg production following repeated experimental infections of sheep
- Chabertia ovina*  
Andrews, J. S., 1935 a, 89, 90, fig. 201  
morphology  
sheep
- Chabertia ovina*  
Arnao Mendoza, M., 1951 a, 76, 77, 78  
*Ovis aries*  
*Bos taurus*  
*Capra hircus*  
(intestino grueso of all): all from [Peru]
- Chabertia ovina*  
Artfukh, E. S., 1936 a, 119, 120, 122  
sheep: Ukraine
- Chabertia ovina (Fabricius)* 1788  
Asadov, S. M., 1954 a, 34, 38, 42  
*Capreolus capreolus*: Azerbaidzhan
- Chabertia ovina (Fabricius, 1788) Railliet et Henry* 1909  
Asadov, S. M., 1957 a, 86  
*Gazella subgutturosa*: Azerbaidzhan
- Chabertia ovina (Fabricius, 1788) Railliet et Henry* 1909  
Asadov, S. M., 1958 a, 1032  
buffalo: Azerbaidzhan
- Chabertia ovina (Fabricius, 1788) Railliet et Henry*, 1909  
Asadov, S. M., 1959 c, 92  
*Rupicapra rupicapra caucasica*: Azerbaidzhan
- Chabertia ovina (Gmelin, 1790) Railliet & Henry*, 1909  
Ault, C. N., 1943 c, 470, 480  
*caprino*  
*Ovis aries*  
*Bos taurus*  
all from Argentina
- Chabertia ovina*  
Australia. Commonwealth Scientific and Industrial Research Organization. Division of Animal Health and Production, [1951 a], 21  
treatment
- Chabertia ovina*  
Australia. Commonwealth Scientific and Industrial Research Organization, 1962 a, 10-11
- Chabertia ovina (Fabricius, 1788)*  
Babic, I., 1933 a, 102  
*Ovis aries*: Jugoslavija
- Chabertia ovina Fabricius*, 1788  
Badanin, N. V., 1938 a, 62, 66  
chameau turcoman: Ashkhabad
- Chabertia ovina (Fabricius, 1788)*  
Badanin, N. V., [1941 b], 332  
*Capreolus pygargus*: Trans-Ili Ala-Tau
- Chabertia ovina*  
Badanin, N. V., 1958 a, 86  
ovine, influence of breeds
- Chabertia ovina*  
Balozet, L., 1922 a, 822  
sheep: Maroc
- Chabertia ovina (Gmelin)*  
Baylis, H. A., 1929 c, 159-160, fig. 112  
ox  
sheep  
goat
- Chabertia ovina (Gmelin, 1790) Railliet and Henry*, 1909  
Baylis, H. A., 1936 a, 308-309  
Syn.: *Sclerostoma hypostomum* Dujardin, 1845 (part)  
ox  
sheep  
goat  
*Bos indicus*
- Chabertia ovina (Gmelin, 1790)*  
Baylis, H. A.; and Daubney, R., 1926 a, 164
- Chabertia ovina*  
Belfaeva, M. I., 1957 a, 35  
*Cervus elaphus*: Belovezh forest
- Chabertia ovina (Fabricius, 1788)*  
Belfaeva, M. I., 1959 b, 103  
*Cervus elaphus*  
*Capreolus capreolus*  
(small intestine of both): both from Belovezhskaya Pushcha
- Chabertia ovina*  
Belschner, H. G., 1944 a, 166
- Chabertia ovina*  
Bennetts, H. W., 1928 b, 49, 50  
*Ovis aries*: Australia
- Chabertia ovina (Fabricius, 1788)*  
Beshevli, L. E., 1957 b, 161  
sheep: Odessa oblast
- Chabertia ovina*  
Bhatia, B. B.; and Pande, B. P., 1961 a, 11-13,  
figs. 17-20  
Indian sheep (buccal cavity)
- Chabertia ovina (Fabricius, 1788)*  
Bobkova, A. F., 1959 a, 19  
cows: White Russian Polesia
- Chabertia ovina*  
Bohm, L. K.; and Supperer, R., 1956 a, 173  
Lamm: Dürnhof bei Zwettl, Nieder-Oesterreich
- Chabertia ovina*  
Boev, S. N.; Lavrov, L. I.; Zakhrialov, Fa. N.; and Maksimova, A. P., 1957 a, 153  
*arkhar* [*Ovis ammon*] (large intestine): uest du Tian-Chan
- Chabertia ovina (Fabricius, 1788)*  
Boev, S. N.; Sokolova, I. B.; and Bondareva, V. I., 1948 a, 90, 95  
*Ovis ammon*: Kazakhstan
- Chabertia ovina*  
Bondareva, V. I., [1941 a], 273  
sheep: East Kazakhstan oblast
- Chabertia ovina (Fabricius, 1788) Railliet et Henry*, 1901  
Bondareva, V. I., 1946 a, 126, 127, 128, 129  
*Capra cylindricornis*: Daghestan

- Chabertia ovina*  
Borchert, A., 1959 b, 434-435, fig. 28, pl. IV,  
figs. 21, 23, 25, 27  
diagnosis  
Schafe
- Chabertia ovina*  
Bouvier, G., 1947 a, 243, 244, 253, fig. 20  
chamois  
chevreuil  
both from Switzerland
- Chabertia ovina*  
Bouvier, G.; Burgisser, H.; and Schneider, P.  
A., 1955 a, 322  
chevreuil: Switzerland
- Chabertia ovina* (Fab.)  
Brade-Birks, S. G., 1927 a, 50, 51
- Chabertia ovina* (Fabric., 1788)  
Burdzhanadze, P. L., 1943 a, 58  
*Ovis aries*  
*Capra hircus*  
both from Georgia [SSR]
- Chabertia ovina* Maupas [(vide Seurat, 1920)]  
Butler, J. B.; and Humphries, A., 1932 a, 303  
infected by fungus (Catenaria)
- Chabertia ovina*  
Byrne, K. V., 1940 a, 125  
sheep: central Riverina district, N. S. W.
- Chabertia ovina* Fabricius  
Cameron, T. W. M., 1922 b, 185  
sheep: Britain
- Chabertia ovina*  
Cameron, T. W. M., 1923 b, 5, 57
- Chabertia ovina*  
Cameron, T. W. M., 1926 j, 185-190  
free living larvae, morphology
- Chabertia ovina*  
Cameron, T. W. M., 1930 b, 82
- Chabertia ovina*  
Cameron, T. W. M., 1932 f, 92  
*Cervus elaphus* (large intestine): Scotland
- Chabertia ovina*  
Cameron, T. W. M., 1933 c, 510  
British Empire; colder spots of Scotland and  
Canada; frequent occurrence in Australia and  
New Zealand; rare in Union of South Africa  
and Indian region
- Chabertia ovina*  
Cameron, T. W. M.; and Parnell, I. W., 1933 a,  
137, 138, 141, 152  
cattle  
sheep  
goats (domestic)  
*Capra hircus* (wild goat)  
*Cervus elaphus* (large intestine)  
*Capreolus capreolus* (large intestine)  
all from Scotland
- Chabertia ovina*  
Campbell, J. A.; and Gardiner, A. C., 1960 a,  
1006  
sheep
- Chabertia ovina*  
Carmichael, J., 1940 a, 21
- Chabertia ovina*  
Carrilho, J. A.; and Borges Ferreira, L. B. B.,  
1954 a, 33
- Chabertia ovina*  
Carroll, H. T., 1957 b, 4, 7, 8, 9, 10  
ovejas: Ecuador
- Chabertia ovina*  
Carroll, H. T., 1957 c, 5, 6, 12, 13, 14, 15  
ovejas: Peru
- Chabertia ovina*  
Carroll, T. H., 1957 a, 523  
ovine, treatment
- Chabertia ovina* Gmelin (1790)  
Chernikova, Kh. G., 1941 a, 16  
camels: Turkmenia
- Chabertia ovina*  
Chulko, L. S., 1961 a, 386  
sheep  
goats  
(large intestine of both): both from Aktyubinsk region
- Chabertia ovina*  
Clarke, F. C., 1913 a, 8  
*Odocoileus columbianus*: California
- Chabertia ovina*  
Clunies Ross, I., 1933 a, 198  
pathogenic importance
- Chabertia ovina*  
Clunies Ross, I.; et al., [1949 d], 45  
treatment: Australia
- Chabertia ovina*  
Clunies Ross, I.; et al., [1950 d], 48  
sheep, treatment
- Chabertia ovina*  
Clunies Ross, I.; and Graham, N. P. H., 1933 a,  
191, 194, 197, 199, 200  
sheep: Queensland
- Chabertia ovina* (Fabricius, 1788)  
Clunies Ross, I.; and Kauzal, G., 1933 a, 215-218  
pathogenic importance
- Chabertia ovina*  
Colombo, S., 1958 a, 201  
*Capra ibex* ibex  
*Rupicapra rupicapra*  
both from Parco Nazionale del Gen Paradise
- Chabertia ovina*  
Cooper-Rider, D. E.; Pearson, C. C.; and Kliewer,  
I. O., 1948 a, 14, 15, 16, 17, 18  
cattle: Oklahoma
- Chabertia ovina* Gmelin, 1790 Railliet and Henry,  
1909  
Court, R.; and Saquetnet, A., 1945 a, 75  
moutons: Algérie
- Chabertia ovina*  
Couturier, M. A. J., [1961 a], 71  
*Capra aegagrus* ibex

- Chabertia ovina**  
Crofton, H. D., 1955 a, 106  
egg count, sheep: southwest England
- Chabertia ovina**  
Crofton, H. D., [1958 a], 307, 309  
sheep: south-west England
- Chabertia ovina** (Railliet et Henry, 1909)  
Crombée-Langrand, M., 1935 a, 23, 25, 27, 57,  
58-60, figs. 3, 5, 6, 16, 20  
mouton: France
- Chabertia ovina**  
Cunliffe, G.; and Crofton, H. D., 1953 a, 276,  
279, 281, 283, 284, 286  
egg size and egg counts
- Chabertia ovina** (Fabricius, 1788) Railliet et Henry, 1909  
Cygas, J., [1960 a], 54  
cattle  
sheep  
both from Lithuania
- Chabertia ovina**  
Delić, S., 1961 a, 43, 44, 46, 47, 49  
sheep (digestive tract): Bosnia & Herzegovina
- Chabertia ovina**  
Descazeaux, J., 1926 b, 108, 110, fig. 15
- Chabertia ovina**  
Dikmans, G., 1934 d, 63  
Odocoileus virginianus: N. Y. State
- Chabertia ovina**  
Dikmans, G., 1939 d, 99  
Odocoileus columbianus  
O. virginianus
- Chabertia ovina**  
Dikmans, G.; and Andrews, J. S., 1933 a, 3, 4,  
5, 7, 8, 14, 17, 18, 20, 23, 24, pl. 1, fig. 1,  
pl. 4, fig. 1, pl. 6, fig. 5  
morphology
- Chabertia ovina**  
Dikmans, G.; and Shorb, D. A., 1942 a, 860,  
863, 886, 894, 895
- Chabertia ovina** (Fabricius, 1788)  
Dikov, G. I., 1957 b, 417-424  
sheep: Kazakhstan
- Chabertia ovina**  
Dikov, G. I., 1961 b, 358  
sheep: Djambul region
- Chabertia ovina**  
Dimitrijević, V.; Trumić, P.; Ercegovac, D.;  
and Turubatović, R., 1958 a, 63, 65  
sheep, treatment
- Chabertia ovina** (Fabricius, 1758)  
Dimitrova, E.; et al., 1958 a, 110, 113, 114,  
116, 119  
sheep: Sandarsk, Bulgaria
- Chabertia ovina**  
van Dorssen, C. A., 1951 a, 734  
schapen
- Chabertia ovina**  
Drežančić, I., 1958 b, 1012  
ovaca (sheep)
- Chabertia ovina**  
Duckworth, C. U., 1942 a, 267  
goats  
sheep
- Chabertia ovina**  
Duckworth, C. U., 1944 a, 345
- Chabertia ovina**  
Dungal, N.; and Gislason, G., 1936 a, 216, 217  
Ovis aries: Iceland
- Chabertia ovina**  
Du Toit, P. J., 1947 a, 980
- Chabertia ovina** (Fabricius, 1788)  
Dzhavadov, M. K., 1935 a, 27  
sheep  
goats  
both from Azerbaijan
- Chabertia ovina**  
Eckert, J., 1960 a, 617-619, figs. 6-7, 8  
sheep, diagnosis
- Chabertia ovina**  
Eisa, A. M.; and Rubin, R., 1960 a, 8
- Chabertia ovina**  
Enigk, K.; and Eckert, J., 1962 a, 182  
treatment
- Chabertia ovina** Gmelin, 1790  
Erhardová, B., 1954 a, 119, 125-127, 136, fig. 5
- Chabertia ovina** Gmelin, 1790  
Erhardová, B.; and Kotrly, A., 1955 a, 47-48, 65, fig. 7  
Capreolus capreolus  
Cervus elaphus  
Ovis musimon  
Dama dama  
all from po celé ČSR
- Chabertia ovina** (Fabricius 1788)  
Erhardova, B.; Luli, M.; Prokopíč, I.; and Ryšavy, B.,  
1960 a, 103, 110  
Capra hircus  
Ovis aries  
(large intestine of both): both from Albania
- Chabertia ovina**  
Erhardova, B.; and Ryšavý, B., 1956 a, 174, 175  
diagnosis
- Chabertia ovina**  
Ermolova, E. N., 1961 a, 368  
sheep: southern Kazakhstan region
- Chabertia ovina**  
Eveleth, D. F.; and Goldsby, A. I., 1945 a, 91, 92, 93,  
94  
sheep: North Dakota
- Chabertia ovina**  
Ewer, T. K.; and Sinclair, D. P., 1951 a, 35  
Canterbury sheep
- Chabertia ovina** (Fabricius, 1788) Railliet and Henry, 1909  
Ezzat, A. E., 1945 a, 9, 12, 15, 51, pl. 30, fig. 50,  
pl. 31, figs. 51-52  
Ammotragus lervia  
Boselaphus tragocamelus  
both from Giza Zool. Gardens, Egypt

- Chabertia ovina*  
Fallis, A. M., 1938 a, 87, 92, 118, 121, pl.,  
fig. 13  
lambs: Ontario
- Chabertia ovina* Gmelin, 1790  
Fedoseev, S. D., 1937 a, 123, 125, 132  
Gorkii oblast
- Chabertia ovina*  
Fenwick, D. W., 1937 a, 172, 173, 175  
lambs: South Wales
- Chabertia ovina*  
Fiebiger, J., 1923 a, 32, 283, 284-285, 410,  
419, 420, fig. 230  
Syn.: *Sclerostoma hypostomum*  
Schaf  
Reh
- Chabertia ovina*  
Floch, H., 1956 b, 30  
Inini
- Chabertia ovina*  
Forsyth, B. A.; Scott, M. T.; and Bainbridge,  
J. R., 1961 a, 67-74, 75  
sheep, treatment
- Chabertia ovina* (Fabricius, 1788)  
Freeborn, S. B.; and Stewart, M. A., 1937 a,  
7, 34-35, fig. 7  
synonymy
- Chabertia ovina* (Fabricius, 1788)  
Freitas, M. C., 1957 b, 376  
ovinos: Estado de Minas Gerais
- Chabertia ovina*  
Furmaga, S., 1960 a, 182, 183  
treatment  
Schafe
- Chabertia ovina*  
Gagarin, V. G., 1959 a, 135  
*Ovis ammon*  
*Capra sibirica*  
*Capreolus capreolus*  
domestic sheep  
all from Kirgizia
- Chabertia ovina* (Fabricius, 1788)  
Gagarin, V., 1960 a, 9, 10  
*Ovis ammon*  
*Capra sibirica*  
*Capreolus capreolus*  
all from Kirghizia
- Chabertia ovina* Fabr.  
Galli-Valerio, B., 1935 d, 324  
Syn.: *Sclerostoma hypostomum* Rud.  
Capra ibex: Park von Brétaye, Kanton Waadt
- Chabertia ovina* Fabr.  
Galli-Valerio, B., 1940 b, 390  
*Cervus capreolus*: Charmey Fr.
- Chabertia ovina*  
Gambles, R. M., 1939 a, 29  
sheep  
goat  
both from Cyprus
- Chabertia ovina* (Fab.)  
Gebauer, O., 1932 b, 148, 151, 154, 167-171,  
figs. 10-16  
*Bos taurus*  
*Capreolus capreolus*  
*Capra hircus*  
*Cervus elaphus*  
*Dama dama*  
*Gazella dorcas*  
*Ovis aries*  
*O. ammon*  
*Oryx leucoryx*  
*Rupicapra rupicapra*
- Chabertia ovina*  
Gonzales-Mugaburu, L.; and Parra Ormeño, B.,  
1956 a, 153, 154  
Vicugna vicugna: Huancayo, Peru
- Chabertia ovina*  
Gordon, H. M., [1943 e], 35
- Chabertia ovina*  
Gordon, H. M., 1950 b, (2), 15, 16, 17, 24, 26;  
(4), 66  
treatment
- Chabertia ovina*  
Gordon, H. M., 1955 d, 52  
sheep, piperazine: Australia
- Chabertia ovina*  
Gordon, H. M., 1956 a, 262  
sheep, phenothiazine: Australia
- Chabertia ovina*  
Gordon, H. M., 1957 b, 3, 4, 6  
sheep, piperazine
- Chabertia ovina*  
Gordon, H. M., 1958 a, 5, 13  
epidemiology in winter rainfall regions of  
Australia
- Chabertia ovina*  
Gordon, H. M.; and Graham, N. P. H., 1933 a,  
198-199  
sheep
- Chabertia ovina*  
Gordon, H. M.; and Turner, H. N., 1946 a, 85,  
86, 95
- Chabertia ovina*  
Gratzl, E., 1943 a, 163
- Chabertia ovina* (Fabricius, 1788)  
Grieder, H., 1934 a, 612, 613, 615, figs. 1,  
4-5  
Reh: Schweiz
- Chabertia ovina*  
Grieder, H., 1938 b, 25, 26, fig. 3  
Reh
- Chabertia ovina*  
Griffiths, H. J., 1936 a, 168-171  
fourth stage larva
- Chabertia ovina*  
Griffiths, H. J., 1947 a, 88  
sheep: Manitoulin Island, Ontario

- Chabertia ovina* (Fabricius, 1788) Railliet et Henry, 1909  
*Grigorjan*, G. A., 1949 b, 152  
*Capra aegagrus*: Armenia
- Chabertia ovina* (Fabricius, 1788) Railliet et Henry, 1909  
*Grigorjan*, G. A., 1952 a, 59  
*Capreolus capreolus*: Armenian SSR
- Chabertia ovina* (Fabricius 1788)  
*Güralp*, N., 1954 a, 34-39, figs. A-D
- Chabertia ovina* (Fabricius 1788)  
*Guildal*, J. A., 1962 a, 56  
*Dama dama*: Denmark
- Chabertia ovina* (Fabricius, 1788) Railliet et Henry, 1909  
*Guoth*, S., 1960 a, 366, 368  
*Cervus elaphus* (tlsté črevo): Tatranského Národného Parku
- Chabertia ovina* (Fabricius, 1788)  
*Guoth*, S., 1960 b, 423, 424  
*Capra ibex*: Tatra National Park  
*C. aegagrus*: Tatra National Park
- Chabertia ovina*  
*Hall*, M. C., 1922 h, 375
- Chabertia ovina*  
*Hall*, M. C., [1923 b], 39
- Chabertia ovina*  
*Hall*, M. C., 1925 n, 105  
*Odocoileus columbianus*
- Chabertia ovina*  
*Marshfield*, G. S.; *Carlson*, F. N.; and *Taylor*, J. B., [1944 a], 16  
sheep: South Dakota
- Chabertia ovina*  
*Hawkins*, P. A.; and *Cole*, C. L., 1945 a, 113, 114  
immunity
- Chabertia ovina*  
*Hawkins*, P. A.; *Cole*, C. L.; and *Kline*, E. E., 1945 a, 375
- Chabertia ovina*  
*Hawkins*, P. A.; *Cole*, C. L.; *Kline*, E. E.; and *Drudge*, J. H., 1944 a, 156, 160
- Chabertia ovina*  
*Heinemann*, E., 1941 a, 641-642, 1 fig.
- [*Chabertia ovina*]  
*Hermansson*, K. A., 1923 a, 143-149  
sheep
- Chabertia ovina*  
*Hofmann*, H. A., 1922 a, 200
- Chabertia ovina*  
*Honess*, R. F., 1951 a, 5  
sheep: Wyoming
- Chabertia ovina*  
*Honess*, R. F., 1957 a, 23  
cattle (colon): Wyoming
- Chabertia ovina*  
*Hsü*, S. L., 1947 a, 367  
sheep: China
- Chabertia ovina* (Fabr., 1788)  
*Hübner*, F., 1937 a, 425  
*Rehwild*: Ostpreussen
- Chabertia ovina*  
*Hübner*, F., (1938 a), 1-22  
*Rehwild*
- Chabertia ovina*  
*Hülpfers*, G.; and *Lagerlöf*, N., 1938 a, 216, 217, 223, 232, figs. 7, 14
- Chabertia ovina* (Fabricius)  
*Isshiki*, O., 1939 a, 30, 31, 34, 36  
*Ovis aries*
- Chabertia ovina*  
*Isshiki*, O., 1939 b, 86
- Chabertia ovina*  
*Jesse*, R. H. B., 1930 a, 681-687  
sheep: East Sussex
- Chabertia ovina*  
*Jesse*, R. H. B., 1934 a, 487, fig. B  
sheep
- Chabertia ovina* (Fab.)  
*Joan*, T., 1922 a, 13  
*Ovis*
- Chabertia ovina*  
*Johnston*, T. H., 1910 e, 78  
Syn.: *Sclerostomum hypostomum*  
sheep: New South Wales, South Australia
- Chabertia ovina*  
*Jones*, W. N., 1926 a, 37, 39
- Chabertia ovina*  
*Julius*, G. A.; et al., [1935 ?c], 37
- Chabertia ovina*  
*Julius*, (Sir) G. A.; et al., 1936 a, 33  
pathogenic effect on growth rate and health of lambs: Australia
- Chabertia ovina*  
*Kadyrov*, N. T., 1961 a, 374, 377  
sheep  
goat's  
both from Akmolinsk region
- Chabertia ovina*  
*Kates*, K. C.; and *Shorb*, D. A., 1943 a, 54, 56, 58, fig. 4  
[Identification of eggs]  
sheep
- Chabertia ovina*  
*Katiyar*, R. D., 1956 a, 23  
sheep (large intestine): India
- Chabertia ovina*  
*Kauzal*, G. P., 1933 d, 180, 181, 182, 183, 184, 186  
seasonal distribution  
sheep: New South Wales

- Chabertia ovina*  
Kauzal, G. P., 1936 a, 107-110  
pathogenic importance
- Chabertia ovina* (Fabricius, 1788)  
Khasanova, T. Kh., 1956 a, 213
- Chabertia ovina*  
Kingsbury, P. A., 1961 b, 271
- Chabertia ovina* (Gmelin, 1790)  
Kl'osov, M. D.; Gnatiuk, S. A.; and Bekerman, M. Id.,  
1941 b, 141
- Chabertia ovina* (Fabr.)  
Kobayashi, Harujiro, 1922 b, 44
- Chabertia ovina*  
de Kock, G., 1949 a, 70
- Chabertia ovina*  
Kock, P., 1942 a, 37, 38  
Rehwild: Höxter
- Chabertia ovina* Fabricius  
Koffmann, M., 1940 a, 327-330, 366, figs. 36-38  
synonymy  
sheep: Stockholm
- Chabertia ovina*  
Kohn, F. G., 1935 a, 108  
Ziege
- Chabertia ovina* (Fabr., 1788)  
Kopyrin, A. V., 1937 a, 298, 299  
goats  
sheep  
both from Mongolia
- Chabertia ovina* (Fabricius 1788) Railliet & Henry 1909  
Kreis, H. A., 1960 b, 27, 28, 56-59, fig. 11  
synonymy  
Ovis aries: Brasilien
- Chabertia ovina* (Fabricius, 1788)  
Kreis, H. A., 1962 a, 111, 112  
Capreolus capreolus  
Ovis aries  
Capra hircus  
C. hircus nanus
- Chabertia ovina*  
Krippner, H., 1959 a, 17, 21  
Schafe: Westberlin
- Chabertia ovina*  
Kulikov, N. S., 1959 a, 36  
overwintering: Irkutsk oblast
- Chabertia ovina* (Fabricius, 1788)  
Kurtpinar, H., 1956 a, 3231  
sheep, goats: Erzurum, Kars and Agri, Turkey
- Chabertia ovina*  
Lai, M.; and Palmas, G., [1958 a], 590, 591  
bovini  
ovini  
caprini
- Chabertia ovina*  
Lancaster, W. E., 1957 a, 157  
sheep: Malaya
- Chabertia ovina*  
Lange, E., 1957 a, 13, 15  
cattle
- Chabertia ovina*  
Lapage, G., 1957 d, 59
- Chabertia ovina*  
Latteur, J., 1957 b, 183, fig. 11  
prophylaxis
- Chabertia ovina*  
Lax, T., 1953 a, 149  
treatment
- Chabertia ovina*  
Leiper, J. W. G., 1957 a, 10  
goats (large intestine): Iraq
- Chabertia ovina*  
Leiper, J. W. G.; and Clapham, P. A., 1938 a, 77, 78  
Hydropotes inermis: Whipsnade Park in Bedfordshire  
(Zool. Soc. of London)
- Chabertia ovina*  
Le Roux, P. L., 1930 d, 58  
sheep
- Chabertia ovina*  
Le Roux, P. L., 1934 a, 56  
Suffolk sheep: Northern Rhodesia (imported from  
Transvaal)
- Chabertia ovina* (Fabricius, 1788) Railliet et Henry, 1909  
Lesin'sh, K. P., 1959 a, 107  
cows  
sheep  
both from south-east districts of Estonian SSR
- Chabertia ovina*  
Lewis, E. A., 1927 d, 124, 125
- Chabertia ovina*  
Liebmann, H., 1953 b, 37, figs. 25, 26
- Chabertia ovina*  
Lisboa, Laboratório de Patologia Veterinaria, 1936 a, 146
- Chabertia ovina*  
Longhurst, W. M.; and Douglas, J. R., 1953 a, 176  
black tailed deer  
sheep  
(large intestine of both): both from California
- Chabertia ovina* Fab.  
Lopez Neyra, C. R., 1924 a, 163
- Chabertia ovina* (Gmelin, 1790)  
Machul'skiy, S. N.; and Bogdanov, A. G., 1950 a, 69  
sheep: Burfat-Mongolian ASSR
- Chabertia ovina* (Fabricius, 1788)  
Mamedov, A. K., 1959 d, 115, 116  
buivol [Bos bubalis]  
zebu  
both from Azerbaidzhan
- Chabertia ovina*  
Marholdt, D., 1955 a, 52 pp., 1 pl., 1 fig.  
differential diagnosis  
Schafe (Dickdarm)
- Chabertia ovina* (Fabricius, 1788)  
Matevosian, E. M.; Garizhskaya, N. N.; and Kuznetsov, M.  
I., 1959 a, 140  
Saiga tatarica (large intestine): Kalmyk ASSR
- Chabertia ovina*  
Meldal-Johnson, C. M.; Muller, G. L.; and Thomas, R. J.,  
1960 a, 238  
treatment
- Chabertia ovina* (Fabr.)  
Mikadić, D., 1938 a, 119, 136, 137, 139  
moutons: Yougoslavie

- Chabertia ovina* (Fabr., 1788)  
 Mönning, H. O., 1928 a, 810-811  
 sheep
- Chabertia ovina*  
 Mönning, H. O., 1931 e, 260-261, fig. 11 [Legend of pl. gives fig. 10]
- Chabertia ovina*  
 Mönning, H. O., 1944 c, 769, fig. 12 (4)
- Chabertia ovina* (Fabr., 1788)  
 Monn, J., 1935 a, 46 pp.  
 Ziegen
- Chabertia ovina*  
 Monné, L., 1955 a, 93, 106  
 histochemical properties of egg envelopes and external cuticles of nematodes
- Chabertia ovina*  
 Monné, L., 1959 b, 344  
 histochemical study of external cuticle
- Chabertia ovina*  
 Monné, L.; and Höning, G., 1954 c, 261  
 physical and chemical properties of egg envelopes
- Chabertia ovina*  
 Morgan, D. O., 1924 a, 92, 93, 94
- Chabertia ovina*  
 Morgan, D. O., 1925 b, 170, 172
- Chabertia ovina*  
 Morgan, D. O., 1930 b, 71  
 goat
- Chabertia ovina*  
 Morgan, D. O., 1930 c, 224, 226, fig. 2
- Chabertia ovina*  
 Morgan, D. O., 1933 a, 177, 179  
 goats: St. Albans, England
- Chabertia ovina*  
 Morgan, D. O.; and Corner, H. H., 1939 a, 206-207  
 lambs: Scottish Border Counties
- Chabertia ovina*  
 Morgan, D. O.; Parnell, I. W.; and Rayski, C., 1951 a, 184, 195, 196, 197, 201, 204, 205, 209
- Chabertia ovina*  
 Morgan, D. O.; and Sloan, J. E. N., 1944 a, 437
- Chabertia ovina*  
 Morgan, D. O.; and Soulsby, E. J. L., 1956 a, 1029  
 cattle: south-west England
- Chabertia ovina* Fabricius, 1788, Railliet et Henry, 1909  
 Moskvin, S. N., 1958 a, 183  
 sheep  
 goat  
 both from Albania
- Chabertia ovina*  
 Mountjoy, S. A., 1944 a, 345
- Chabertia ovina*  
 Muller, G. L., 1959 a, 427-435  
 differential diagnosis; special emphasis on characteristic lengths of *C. ovina*
- Chabertia ovina* (Fabricius, 1788) Railliet et Henry, 1909  
 Muratov, E. A., [1953 a], 42, 43  
 Poephagus grunniens  
 cattle  
 both from Gorno-Badakhshan autonomous oblast
- Chabertia ovina* (Fabricius, 1788) Railliet et Henry, 1909  
 Muratov, E. A., 1956 a, 73  
 karakul sheep: Tadzhiksk, SSR
- Chabertia ovina*  
 Nagaty, H. F., 1942 b, 111  
 sheep: Cairo abattoir
- Chabertia ovina*  
 Nagaty, H. F., 1949 a, 425  
 sheep: Egypt
- Chabertia ovina*  
 Nardi, E., 1958 b, 427
- Chabertia ovina* (Fabr.)  
 van Nederveen, H. J., 1921 a, 84
- Chabertia ovina*  
 Nevenic, V.; Šibalić, S.; and Cvetković, Lj., 1958 b, 853  
 sheep, treatment
- Chabertia ovina*  
 Nevenić, V. V.; Šibalić, S.; and Cvetković, L., 1959 a, 25, 26  
 Schafe: Serbia: Zlatibor
- Chabertia ovina*  
 Obitz, K. A., 1933 b, 163; German summary, 169  
 Rinder: Hryczyn (Polen)
- Chabertia ovina* Gmelin, 1790  
 Oguz, T., 1961 a, 298-305, figs. 1-2
- Chabertia ovina* (Gmelin, 1790)  
 Oldham, J. N., 1938 a, 1135  
 synonymy
- Chabertia ovina* (Fabricius, 1788)  
 Oldham, J. N.; and Morgan, D. O., 1934 a, 43, 45  
 goats (caecum, large intestine): St. Albans, England
- Chabertia ovina* Fabricius, 1794  
 Olsen, O. W.; and Fenstermacher, R., 1943 a, 7, 8, 9, 18, fig. 1a, 1b  
 key
- Chabertia ovina*  
 Orlov, I. V., 1937 b, 435, 437, 439
- Chabertia ovina*  
 Orlov, I. V., 1937 c, 9, 29, 31, 35, 127, 243, 244, fig. 3  
 [sheep]: SSSR
- Chabertia ovina*  
 d'Orsonville, Z.; and Mario, E., 1932 b, 457-460  
 ovideos
- Chabertia ovina* (Fabricius, 1788)  
 Oytun, H. S., 1937 a, 28; 32
- Chabertia ovina*  
 Palimpsestov, M. A., 1937 a, 455, 457  
 sheep: Mordovian autonomy  
 cattle: Orenburg district
- Chabertia ovina*  
 Parnell, I. W., 1956 a, 15, 21, 23, 26  
 sheep: Scotland
- Chabertia ovina*  
 Parnell, I. W., 1961 b, 360  
 sheep: Western Australia
- Chabertia ovina*  
 Parnell, I. W.; and Dunn, A. M., 1955 a, 519  
 hill hogs, treatment: southern Scotland
- Chabertia ovina*  
 Parnell, I. W.; Rayski, C.; Dunn, A. M.; and Mackintosh, G., 1954 a, 70-71, 78, 93, 106, 108  
 sheep: Scotland
- Chabertia ovina*  
 Parnell, I. W.; Rayski, C.; Dunn, A. M.; and Mackintosh, G. M., 1954 b, 212, 214, 217, 218  
 egg count
- Chabertia ovina*  
 Patyk, S., 1953 a, 96, 106  
 sheep: Poland
- Chabertia ovina*  
 Patyk, S., 1956 c, 171, 172  
 cattle: western territories of Poland
- Chabertia ovina* (Fabricius, 1788) Railliet et Henry, 1909  
 Patyk, S., 1960 a, 233, 239, 241, 243, 248, 249, 253  
 cattle (large intestine): West Poland
- Chabertia ovina*  
 Pereira, C.; and Vaz, Z., 1930 a, 63, figs. 18, 19

- Chabertia ovina* (Fabric., 1788)  
 Petrov, A. M.; Dzhavadov, M. K.; and Skarbilo-vich, T. S., [1935 a], 8-9, 15  
 cattle: Azerbaidzhan
- Chabertia ovina*  
 Petrov, A. M.; Dzhavadov, M. K.; and Skarbilo-vich, T. S., 1936 a, 246, 247  
 cattle  
 zebu  
 both from Azerbaidschan
- Chabertia ovina* (Fab.)  
 Petrov, A. M.; and Schachowzawa, E. S., 1926 a, 78, 79, 80, 87
- Chabertia ovina*  
 Petrova-Pokrovskaiia, in Skrjabin, K. I., 1924 a, 10  
 [sheep]: Armenia
- Chabertia ovina* (Fab.)  
 Pillers, A. W. N., 1922 c, 367
- Chabertia ovina*  
 Pillers, A. W. N., 1929 c, 566  
 sheep
- Chabertia ovina* (Fabr., 1788)  
 Pinto, C. P.; and Lins de Almeida, J., 1935 a, 58  
*Ovis aries*  
*Capra hircus*  
 both from Brasil
- Chabertia ovina* (Fabr.)  
 Pinto, C. F.; and Lins de Almeida, J., 1937 a, 469, 476, 477  
*Ovis aries*  
*Capra hircus*  
 both from Brésil
- Chabertia ovina*  
 Pouplard, L., 1954 a, 263  
 mouton
- Chabertia ovina* (Fabricius, 1788)  
 Pozo-Lora, R., 1960 a, 408  
 oveja (intestin): Cordoba
- Chabertia ovina* (Fabricius, 1788) Railliet et Henry, 1909  
 Priadko, E. I., 1961 b, 344  
 bovine cattle (large intestine): Kazakhstan
- Chabertia ovina* (Gmelin, 1790)  
 Prokopič, J., 1954 a, 269, 273  
 cattle: Czechoslovakia
- Chabertia ovina* (Fab.)  
 Pukhov, V. I., 1928 a, 164-166, figs. 1, 2
- Chabertia ovina* (Gmelin, 1790)  
 Raevskaiia, Z. A.; and Badanin, N. V., 1933 a, 61-62, 113, fig. 77  
*Camelus bactrianus*: SSSR
- Chabertia ovina* (Fab.)  
 Rauther, M., 1930 a, 377, fig. 405
- Chabertia ovina* (Gmelin)  
 Rees, F. G., 1942 a, 200  
 Aberystwyth
- Chabertia ovina*  
 Reinisch, M., 1940 a, 283  
*Capra hircus angorensis*: Budapest (Zool. Garden)
- Chabertia ovina* Gmelin, 1790  
 Reyes, R. V., 1938 a, 21  
 oveja: Cundinamarca, Boyaca, Caldas, Colombia
- Chabertia ovine sic*  
 Riain, S. O., [1936 b], 45  
 lambs: Ireland
- Chabertia ovina* (Fabricius, 1785)  
 Richter, S., 1959 a, 36-37  
*Capreolus capreolus*: P. R. Croatia
- Chabertia ovina*  
 Roberts, F. H. S., 1936 c, 7  
 sheep: Queensland
- Chabertia ovina*  
 Roberts, F. H. S., 1936 d, 32, 36  
*Ovis aries*: Queensland
- Chabertia ovina*  
 Robertson, D., 1933 a, 321, 323  
 lambs: North of Scotland
- Chabertia ovina* Fab.  
 Robertson, D., 1937 d, 2022, 2032, 2037, 2038, 2039, 2040, 2042, 2044, pl. 93, fig. 4  
 sheep: Scotland
- Chabertia ovina*  
 Robertson, D., 1939 b, 231, 232, 234, 235  
 hill sheep: Scotland
- Chabertia ovina*  
 Robertson, D., 1941 a, 47-49  
 sheep, phenothiazine, field trials
- Chabertia ovina*  
 Robertson, D., 1942 a, 58, 59, 70, fig. 6  
 sheep: Scotland
- Chabertia ovina* (Fabricius, 1788) Railliet et Henry Rodonata, T. E., 1956 a, 157  
*Capra cylindricornis*  
*Capreolus c. capreolus*  
 both from Lagodekhskii state preserve
- Chabertia ovina*  
 Roe, R. J., 1935 a, 37  
 goat: Cyprus
- Chabertia ovina*  
 Roe, R. J., 1937 a, 39  
 caprine: Cyprus
- Chabertia ovina*  
 Roetti, C., 1939 b, 379  
 pecore: Scioa
- Chabertia ovina*  
 Rogers, W. P., 1940 b, 210, 213, 224
- Chabertia ovina* (Gmelin)  
 Roveda, R. J.; and Ringuelet, R., 1947 a, 68, 69, 70  
*Bos taurus*  
*Ovis aries*  
*Capra hircus*  
 all from Argentina
- Chabertia ovina* (Gmelin, 1790)  
 Rudakov, V. S., 1935 a, 59  
 sheep: Eastern Siberia
- Chabertia ovina*  
 Ruud, G., 1938 a, 15  
 Syn.: *Dochmias hypostomus*
- Chabertia ovina* (Gmelin, 1790)  
 Rykovskii, A. S., 1959 a, 254  
*Alces alces*
- Chabertia ovina*  
 Ryšavý, B., 1953 b, 141, 143  
 deer  
 sheep
- Chabertia ovina* (Gmelin, 1790)  
 Ryšavý, B.; and Erhardová, B., 1952 a, 119-120, 126,  
 fig. 3; pl. 1, fig. 13  
 key  
 sheep  
 wild ruminants
- Chabertia ovina*  
 Sanchez Botija, R., 1950 a, 269  
*Capra hircus*: Falces, Navarra
- Chabertia ovina*  
 Sandground, J. H., 1921 a, 327  
 sheep  
 goats
- Chabertia ovina*  
 Sankaranarayanan, M. V.; Das, D. N.; and Sundaram, S., 1957 a, 38, 43, 45, fig. 15  
 bursa as diagnostic character
- Chabertia ovina*  
 Satubaldin, Kh. S., 1955 a, 286, 289, 291  
 sheep  
 goats  
 both from Alma-Atinskaiia oblast
- Chabertia ovina*  
 Savickis, J., 1937 a, 321-326
- Chabertia ovina*  
 Schanzel, H., 1957 b, 327, 328, 329, 331, 332  
 effect of chemicals on ectogenic developing stages  
 sheep
- Chabertia ovina*  
 Schanzel, H., 1959 a, 251  
 ewes

- Chabertia ovina* Gmelin, 1790  
 Schanzel, H., 1960 a, 6  
 Rind: Czechoslovakia  
*Chabertia ovina* Gmelin, 1790  
 Schanzel, H., 1960 c, 382  
 Rind: Jeseniky  
*Chabertia ovina*  
 Seddon, H. R., 1933 b, 288  
 sheep (large bowel): N. South Wales  
*Chabertia ovina* (Gmelin, 1790)  
 Seddon, H. R., 1947 c, 11  
 sheep: Australia  
*Chabertia ovina*  
 Seghetti, L.: and Marsh, H., 1947 a, 187, 189, 190  
 sheep, phenothiazine  
*Chabertia ovina* (Fabricius)  
 Seurat, L. G., 1918 f, 581  
*Chabertia ovina*  
 Seurat, L. G., 1920 c, 19, 22, 32, 74, 189, 209  
*Chabertia ovina*  
 Shaw, J. N., 1929 b, 5  
 sheep  
 goats  
 both from Oregon  
*Chabertia ovina*  
 Shaw, J. N., 1947 a, 5  
*Chabertia ovina*  
 Shaw, J. N.; Simms, B. T.; and Muth, O. H., 1934 a, 21  
*Odocoileus columbianus*: Douglas Co., Oregon  
*Chabertia ovina* Gmelin  
 Shishkin, G. N., 1937 a, 607  
 sheep: Georgia  
*Chabertia ovina*  
 Shorb, D. A., 1942 a, 332  
 sheep: Beltsville, Md.  
*Chabertia ovina* (Fabricius, 1788)  
 Shul'ts, R. E. S.; and Kadenatsii, A. N., 1950 a, 153  
 Nemorhaedus goral: Far East  
*Chabertia ovina*  
 Shumakovich, E. E., 1934 a, 59  
 Mongolian Republic  
*Chabertia ovina*  
 Shumard, R. F.; and Eveleth, D. F., 1957 a, 226, 227  
 sheep, treatment  
*Chabertia ovina*  
 Simms, B. T.; et al., 1943 a, 332  
 sheep  
*Chabertia ovina* (Fab.)  
 Sjöberg-Klaavu, A. H., 1926 b, 528-529, pl. 4, figs.  
 14-16; pl. 5, fig. ?  
 rind  
*Chabertia ovina* (Fabricius, 1788)  
 Sjöberg-Klaavu, A. H., 1934 a, 981, 985, 991, 993  
 treatment: Süd-Osterbotten, Finland  
*Chabertia ovina*  
 Skerman, K. D., 1962 a, 327  
 treatment  
*Chabertia ovina* Fab.  
 Skrjabin, K. I., 1916 b, 55  
*Chabertia ovina*  
 Skrjabin, K. I., 1927 i, 48  
 [sheep]: Turkestan  
*Chabertia ovina* (Fab.)  
 Skrjabin, K. I., 1929 b, 10, 19, 20, 21, 22, 23, 24,  
 27, 67  
*Chabertia ovina*  
 Skrjabin, K. I.; and Shul'ts, R. E. S., 1933 b, 215  
 prophylaxis  
*Chabertia ovina*  
 Skrjabin, K. I.; and Vereshchagin, M. N., 1926 a, 110  
 [sheep]: Smolensk Gub.  
*Chabertia ovina*  
 Slivitskiy, M. G., 1962 a, 47  
 pigs, treatment  
*Chabertia ovina* (Fabricius)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W.,  
 [1922 a], 404, 444, fig. 209  
 Syn.: *Sclerostoma hypostomum* (Rud.)  
*Chabertia ovina*  
 Sokolovs, I. B., 1958 b, 87  
 sheep: Kzyl-Ordinsk oblast  
*Chabertia ovina* (Fabricius, 1788)  
 Sokolova, I. B.: and Boev, S. N., 1950 a, 226-233  
*Capreolus pygargus*: Kazakhstan  
*Chabertia ovina*  
 Sokolova, I. B.; and Lavrov, L. I., 1956 a, 106, 109  
 sheep  
 Saiga  
 both from Caspian region  
*Chabertia ovina*  
 Solomon, S. G., 1933 a, 6  
 goat (abomasum): Hebron, Palestine  
*Chabertia ovina*  
 Sommerville, R. I., 1956 b, 238  
 relation of globule leucocyte  
 ovine (abomasum)  
*Chabertia ovina*  
 Soulsby, E. J. L., 1956 b, 131  
*Chabertia ovina*  
 Sprehn, C. E. W., 1927 e, 48  
*Chabertia ovina* (Fab.)  
 Sprehn, C. E. W., 1928 g, 196, 204-205, fig. 5  
*Chabertia ovina* (Fabricius, 1788) (type)  
 Sprehn, C. E. W., 1932 c, 681-682, 809, 810, 811, 814,  
 figs. 303-304  
 Syns.: *Strongylus ovinus* Fabricius, 1788; *Sclerostoma ovinum* (Fabricius, 1788); *Strongylus hypostomus* Rudolphi, 1819; *Dochmias hypostomus* (Rudolphi, 1819); *Strongylus contortus* Rud., 1803 part.; *S. cervinus* Creplin, 1829 part.; *S. ventricosus* Rud., 1809 part.  
*Bos taurus*  
*Capreolus capreolus*  
*Capra hircus*  
*Ovis aries*  
*Cervus elaphus*  
*Dama dama*  
*Chabertia ovina*  
 Stewart, J. S., [1932 b], 201  
 sheep (large intestine): Herefordshire, England  
*Chabertia ovina*  
 Stewart, D. F., 1950 a, 295  
*Chabertia ovina*  
 Stewart, James<sup>3</sup>, [1933 a], 59-76  
 effect on host metabolism  
 sheep: eastern counties of England  
*Chabertia ovinus*  
 Stewart, James<sup>3</sup>; and Holman, H. H., 1944 a, 44  
*Chabertia ovina*  
 Stewart, W. L.; and Crofton, H. D., 1942 a, 515  
*Chabertia ovina* (Fabricius, 1788) Railliet and Henry, 1909  
 Sugimoto, M., 1925 a, 41, 98, 105, 109, 111  
 Syns.: *Strongylus ovinus* Fabricius, 1788; *S. contortus* Rudolphi, 1802; *S. hypostomus* Rudolphi, 1819; *Sclerostoma hypostomum* (Rudolphi, 1819) Dujardin, 1845; *Dochmias hypostomus* (Rudolphi, 1819) Diesing, 1851; *Sclerostomum hypostomum* (Rudolphi, 1819) Leuckart, 1867; *Sclerostomum ovinum* Stossich, 1899  
*Bos taurus*  
*Ovis aries*  
*Cervidae*  
*Capra hircus*  
*Chabertia ovina* (Fabricius, 1788) Railliet and Henry, 1909  
 Sugimoto, M., 1939 a, 110-112, 213, 214, 215, 216  
*Capra aries strepsiceros*  
*Bos taurus*  
*Capra aries erythrocephala*  
*C. a. hispanica*  
*C. a. laticaudata*  
*C. hircus*  
*C. h. mambicus*  
*Capreolus capreolus*  
*Cervus elaphus*  
*Dama dama*  
*Rupicapra rupicapra*  
*Gazella dorcas*  
*Ovis ammon*  
*Oryx leucoryx*  
*Ovis aries*

- Chabertia ovina*  
 Swales, W. E., 1933 c, 479  
*Ovis aries*: Ontario
- Chabertia ovina*  
 Swales, W. E., 1939 d, 190, 192, 193  
 sheep, phenothiazine: Canada
- Chabertia ovina*  
 Swierstra, D., 1948 b, 832, 840  
 Geit
- Chabertia ovina*  
 Swierstra, D.; Jansen, J. (jr.); and van den Broek, E.,  
 1959 a, 893, 894  
*Bos taurus*: Netherlands  
*Ovis aries*: Netherlands  
*Capra hircus*: Netherlands
- Chabertia ovina* (Gmelin, 1790)  
 Tagle V., I., 1953 c, 94, 95, 96  
*Bos taurus*  
*Ovis aries*  
*Capra hircus*  
 all from Chile
- Chabertia ovina*  
 Tetley, J. H., 1941 c, 244, 245, 246, 248, 263  
 sheep, epidemiology: Manawatu district, New Zealand
- Chabertia ovina* "perhaps"  
 Tetley, J. H., 1959 d, 283  
 seasonal availability in pastures  
 sheep
- Chabertia ovina*  
 Thomlinson, J. R., 1953 a, 80  
 sheep: Scotland
- Chabertia ovina*  
 Thorold, P. W.; Bosman, C. J.; and Baker, J. A. F., 1959 a, 439
- Chabertia ovina*  
 Threlkeld, W. L., 1941 b, 31-33  
 sheep: Virginia
- Chabertia ovina*  
 Threlkeld, W. L., 1942 b, 218  
 incidence, pathogenicity, sheep
- Chabertia ovina*  
 Threlkeld, W. L., 1942 c, 27  
 tests for hemolytic substance in *C. ovina*
- Chabertia ovina*  
 Threlkeld, W. L., 1944 a, 7
- Chabertia ovina*  
 Threlkeld, W. L., 1947 a, 12
- Chabertia ovina*  
 Threlkeld, W. L., [1948 a], 28  
 sheep
- Chabertia ovina*  
 Threlkeld, W. L., 1949 a, 27 pp., pls. 1-3,  
 figs. 1-27  
 life history, pathogenicity
- Chabertia ovina*  
 Todd, A. C.; Kelley, G. W.; and Hansen, M. F.,  
 1949 a, 3, 4, 5, 6  
 winter survival on pasture: Kentucky
- Chabertia ovina* (Fabricius, 1788) Railliet et Henry, 1909  
 Tomskikh, P. P., 1938 a, 139  
 [sheep]: Yaroslav district
- Chabertia ovina*  
 Tomskikh, P. T., 1956 a, 239  
 sheep: Cheliabinsk oblast
- Chabertia ovina*  
 Toshchev, A. P., 1949 a, 167  
 Zabaikal
- Chabertia ovina* (Fabricius, 1788) Railliet et Henry, 1909  
 Trach, V. N., 1956 b, 188  
 sheep, treatment
- Chabertia ovina* (Fabricius, 1788) Railliet et Henry, 1909  
 Trach, V. N., 1957 d, 32  
 sheep: Ukrainian Polesie
- Chabertia ovina* (Fabricius, 1786) Railliet et Henry, 1909  
 Trach, V. N., 1958 a, 900  
 sheep: Crimean highlands
- Chabertia ovina* (Fabricius, 1788) Railliet et Henry, 1909  
 Trach, V. N., 1959 b, 44, 45  
 sheep  
 cattle  
 both from Ukrainian Polesie
- Chabertia ovina*  
 Tulabaev, B., 1956 a, 47, 50  
 treatment
- Chabertia ovina* (Fabricius, 1788) Railliet et Henry, 1909  
 Ulijanov, S. D., 1958 a, 72  
 sheep: Alma-Atinsk oblast
- Chabertia ovina*  
 Ullrich, H., 1938 b, 152  
 Cerviden
- Chabertia ovina*  
 Underhill, B. M., 1920 a, 287
- Chabertia ovina* (Fabricius, 1788) Railliet et Henry, 1909  
 Vaivariniā, Kh. F., 1954 a, 306, 308  
 cattle  
 sheep  
 both from Latvian SSR
- Chabertia ovina*  
 Van Volkenberg, H. L., 1929 a, 28, 30  
 goat: Porto Rico (recently imported from U.S.)
- Chabertia ovina* (Fabricius, 1794)  
 Van Volkenberg, H. L., 1939 a, 10  
 goat: Puerto Rico (imported from Indiana)
- Chabertia ovina* (Railliet e Henry, 1909)  
 Veglia, F., 1920 a, 31  
 pecora: Pretoria
- Chabertia ovina*  
 Velu, H.; and Barotte, L., 1924 a, 344
- Chabertia ovina* (Fabricius)  
 Vereschagin, N. E., 1926 a, 20, 21, 22, 29, 32
- Chabertia ovina*  
 Voge, M., 1956 a, 425  
*Odocoileus hemionus*: California
- Chabertia ovina* (Gmelin, 1790)  
 Wertejuk, M., 1959 a, 315, 339, 341  
 influence of environment  
 sheep: Poland
- Chabertia ovina* (Fabricius, 1788)  
 Wetzel, R., 1931 f, 25-28  
 feeding habits, pathogenic action
- Chabertia ovina*  
 Wetzel, R., 1932 a, 1581  
 nutrition
- Chabertia ovina* (Fabricius, 1788)  
 Wetzel, R., [1933? a], 5  
 Syn.: *Strongylus hypostomum* Rudolphi, 1819  
 Rind (Colon)  
 Schaf  
 Ziege  
 Reh  
 Hirsch
- Chabertia ovina*  
 Wetzel, R., 1938 e, 442  
 pathogenicity
- Chabertia ovina*  
 Wetzel, R.; and Marholdt, D., 1955 a, 429, fig.  
 differential diagnosis of *C. ovina* and  
*Oesophagostomum venulosum*
- Chabertia ovina*  
 Wetzel, R.; and Quittek, G., 1940 a, 349  
 prepatent period  
 Lamm
- Chabertia ovina*  
 White, E. G.; and Cushnie, G. H., 1952 a, 381  
 nutrition

- Chabertia ovina**  
 Whitlock, H. V., 1957 b, 6, 7  
 carneros: Ecuador
- Chabertia ovina**  
 Whitlock, H. V., 1957 c, 7  
 ovejas: Peru
- Chabertia ovina**  
 Whitlock, H. V., 1959 a, 313, 314, 315, fig. 3 I  
 identification of first stage larvae, sheep
- Chabertia ovina**  
 Whitten, L. K., 1948 a, 115
- Chabertia ovina**  
 Wilson, A. L.; Morgan, D. O.; Parnell, I. W.;  
 and Rayski, C., 1953 a, 181  
 worm count, sheep
- Chabertia ovina**  
 Wood, W. A., [1932 c], 220, 221, 222  
 size of eggs  
 sheep (faeces)
- Chabertia ovina** (Gmelin, 1790) Railliet et Henry,  
 1909  
 Yamaguti, S., 1954 d, 105, 113-114, 121, pl. I,  
 fig. 6, pl. II, fig. 12  
 Ovis aries: Tokyo
- Chabertia ovina** (Fab.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 89,  
 fig. 51  
 type of genus  
 goats  
 sheep  
 cattle  
 deer
- Chabertia ovina**  
 Zakharian, G. P., 1953 a, 133-136  
 influence on digestion in sheep
- Chabertia ovina**  
 Zukula, S.; et al., 1962 a, 257
- Chabertia ovina** (Gmelin 1790) Railliet and Henry  
 1909  
 Zarnowski, E., 1949 c, 39, 47-50, figs. 10-16  
 Pologne
- Chabertia ovina**  
 Zima, L., 1954 a, 76
- Chabertia ovine** [sic]  
 Zorabian, L. I.; and Grigorian, G. A., 1949 a,  
 160  
 sheep, goats, phenothiazine, efficacy
- Chabertia ovis**  
 Fontanelli, E., 1951 a, 29, 34, 36, fig. 5  
 ovine
- Chabertia ovis**  
 Zavagli, V., 1949 a, 11, 12
- Chabertia rishati** n. sp.  
 Akhtar, S. A., 1937 a, 45-47, figs. 1-4  
 camel
- Chabertiinae** Popova, 1952  
 Skrjabin, K. I.; et al., [1953 a], 47, 71-85  
 includes: Okapistrongylus Berghe, 1937;  
 Gastorstrongylus Chapin, 1925; Chabertia  
 Railliet et Henry, 1909; Codiostomum Railliet  
 et Henry, 1911
- Chabertiosis, Ovine**  
 Akopian, V. D., 1961 a, 36-37  
 sheep, phenothiazine
- Chabertiosis, Ovine**  
 Deich, F. F., 1957 a, 464-468  
 sheep, control: Eastern Kazakhstan oblast
- Chabertiosis, Ovine**  
 Dikov, G. I., 1957 a, 20-22  
 ovine: Kazakhstan
- Chabertiosis, Ovine**  
 Dikov, G. I., 1957 c, 107  
 sheep, control: farm in south-eastern  
 Kazakhstan
- Chabertiosis, Ovine**  
 Hay, G. K. B., 1953 a, 16  
 sheep: West. Australia
- Chabertiosis, Ovine**  
 Shkodin, N. E., 1951 a, 323-324  
 epizoology-biology, prophylaxis  
 ovine: Kirghiz
- Chabertiosis, Ovine**  
 Ul'janov, S. D., 1960 a, 128-130  
 seasonal and age dynamics: south-eastern  
 Kazakhstan
- Chandlerella** n. g.  
 Yorke, W.; and Maplestone, P. A., 1926 a, 404,  
 411  
 type: C. bosei (Chandler, 1924)
- Chandlerella**  
 Alicata, J. E., 1933 e, 96  
 birds (body cavity)
- Chandlerella** Yorke and Maplestone, 1926  
 Anderson, R. C., 1961 b, 201-207  
 amended diagnosis, Splendidofilarinae  
 Syns.: Vagrifilaria Augustine, 1937; Para-  
 chandlerella Caballero, 1948
- Chandlerella** Yorke and Maplestone, 1926  
 Anderson, R. C., 1961 c, 322  
 Syn.: Skrjabinocta
- Chandlerella** Skrjabin 1923  
 Anderson, R. C.; and Chabaud, A. G., 1959 a, 59  
 as syn. of Splendidofilaria Skrjabin 1923
- Chandlerella** Yorke and Maplestone, 1926  
 Baylis, H. A., 1939 b, xxv, 2, 26  
 Filariidae, Filariinae  
 type: C. bosei (Chandler, 1924)
- Chandlerella** Yorke et Maplestone 1926  
 Chabaud, A. G.; and Anderson, R. C., 1959 a, 83  
 as syn. of Splendidofilaria Skrjabin 1923
- Chandlerella** Yorke and Mapl., 1926  
 Desportes, C., [1940 a], 399  
 Aproctinae
- Chandlerella** Yorke et Maplestone, 1926  
 Kurashvili, B. E., 1941 a, 74
- Chandlerella** Yorke & Maplestone  
 Rauther, M., 1930 a, 369
- Chandlerella**  
 Shikhobalova, N. P., 1930 b, 627
- Chandlerella** Yorke and Maplestone  
 Skrjabin, K. I.; and Shikhobalova, N. P.,  
 1936 a, 70  
 Aproctinae  
 key
- Chandlerella**  
 Yeh, Y. S., 1957 a, 34, 35, 36, 37
- Chandlerella** sp.  
 Kurashvili, B. E., 1941 a, 75, 90, 94  
 Corvus sp. (under cuticle of muscular stomach): Georgia, SSR
- Chandlerella bosei** (Chandler, 1924) [n. comb.]  
 Yorke, W.; and Maplestone, P. A., 1926 a, 411,  
 fig. 281  
 type of genus  
 Dissemurus paradiseus
- Chandlerella bosei** (Chandler, 1924) Yorke and  
 Maplestone, 1926 (type)  
 Anderson, R. C., 1961 b, 201, 206  
 Syn.: Filaria bosei  
 Dissemurus paradiseus
- Chandlerella bosei** (Chandler, 1924) Yorke and  
 Maplestone, 1926  
 Baylis, H. A., 1939 b, xxv, 26-27, 50, 57,  
 258, 259, fig. 13  
 synonymy  
 Dissemurus paradiseus: Zool. Gardens, Cal-  
 cutta  
 "crow"
- Chandlerella bosei** (Chandler, 1924)  
 Gil'bert, L. I., 1930 a, 108  
 Certhis familiaris: Moskovskaiia gub.  
 Falco tinnunculus: Armenia
- Chandlerella bosei** (Chandler)  
 Koroliwa [i.e., Koroleva], A. M., 1926 a,  
 105-106, 110, figs. 6, 7  
 Falco tinnunculus  
 Dissemurus paradiseus

- Chandlerella bosei* Chandler, 1924  
 Li, H. C., 1933 d, 209, 210
- Chandlerella bosei*, Yorke and Maplestone, 1926  
 Pandit, C. G.; Menon, K. P.; and Iyer, P. V. S., 1929 a, 959-962  
*Dissemurus paradiseus*  
*Chandlerella bosei* (Chandler)  
 Rauther, M., 1930 a, 369
- Chandlerella bosei* Yorke et Maplestone, 1926  
 Spasskii, A. A.; and Oshmarin, P. G., 1939 a, 48, 62, 63, 67, 69  
*Pica pica*: Gorkii oblast
- Chandlerella bosei* Chandler  
 Vavilova, N. M., 1926 a, 128-131, figs. 15-17  
*Dissemurus paradiseus*  
*Falco tinnunculus*  
*Certhia familiaris*
- Chandlerella braziliensis* sp. n.  
 Yeh, L. S., 1957 a, 33-34, 35, 36, 37, figs. 1-4  
*Rhamphastus dicolorus*: London Zoological Society Gardens (from Brazil)
- Chandlerella braziliensis* Yeh, 1957  
 Anderson, R. C., 1961 b, 201, 206  
*Rhamphastus dicolorus*
- Chandlerella chitwoodae* n. sp.  
 Anderson, R. C., 1961 c, 317-320, 322, figs. 1-10  
*Padda oryzivora*
- Chandlerella columbigallinae* (Augustine, 1937) n. comb.  
 Rasheed, S., 1960 a, 79-81, 113, figs. 13-16  
*Crocopus phoenicopterus* (peritoneal cavity): Hyderabad-Deccan, India
- Chandlerella columbigallinae* (Augustine, 1937)  
 Anderson, R. C., 1961 b, 201, 206  
 Syn.: *Vagrifilaria columbigallinae*  
*Columbigallina passerina nigrirostris*
- Chandlerella corophila* n. sp.  
 Hannum, C. A., 1943 a, 229  
*Heloderma suspectum*  
 ? *Pituophis sayi*  
 both from Arizona
- Chandlerella corophila* Hannum, 1942  
 Lopez-Neyra, C. R., 1956 b, 211  
 as syn. of *Splendidofilaria corophila* (Hannum, 1942) [n. comb.]
- Chandlerella ghesquieri* sp. nov.  
 Ezzat, M. A.; and Tadros, G., 1958 a, 13, 65-67, 70, figs. 70-73  
*Scotornis climacurus* (ocular globe): Belgian Congo
- Chandlerella lepidogrammi* n. sp.  
 Tubangui, M. A.; and Masilungan, V. A., 1937 b, 263-265, 267, pl. 1, figs. 1-3, pl. 3, fig. 6  
*Lepidogrammus cumingi*: Virac, Albay Province, Luzon
- Chandlerella lienalnis* Orloff, 1947 [? n. sp.]  
 Orlov in Skrjabin, K. I.; and Shikhobalova, N. P., 1948 b, 371, 375-376  
*Caccabis shukar*: Armenia
- Chandlerella lienalnis* Orloff, 1947  
 Anderson, R. C., 1961 b, 201, 206  
*Caccabis chukar*
- Chandlerella lienalnis* Orloff, 1947  
 Gushanskaya, L. K., 1952 b, 208  
*Alectoris graeca*: Armenia
- Chandlerella lienalnis* Orloff, 1947  
 Gvozdev, E. V., 1956 b, 72  
*Alectoris graeca*
- Chandlerella lienalnis*  
 Kasimov, G. B., [1954 a], 304  
*gallinaceous game birds*: mountainous zone, SSSR
- Chandlerella periarterialis* (Caballero, 1948) n. comb.  
 Anderson, R. C., 1961 b, 201, 206  
 Syn.: *Parachandlerella periarterialis*  
*Tyrannus* sp.
- Chandlerella petrowi* (Tschartkowa, 1946) n. comb.  
 Anderson, R. C., 1961 c, 322
- Chandlerella shaldybini* nov. sp.  
 Gubanov, N. M., 1954 b, 381  
 [no morphological description given]  
*Phalacrocorax urile* (kidney)
- Chandlerella sinensis* n. sp.  
 Li, H. C., 1933 d, 192, 193, 194, 209-210, 211, figs. 2, 4, 7, 8  
*Corvus sinensis* (lung)  
*Urocissa sinensis* (trachea)  
 both from Peiping, China
- Chandlerella sinensis* Hsi-chieh Li, 1933  
 Ali, S. M., [1957 a], 60, 82, 83, pl. 9, figs. 16-21  
*Corvus macrorhynchos* (heart): Hyderabad, Deccan (India)
- Chandlerella sinensis* Li, 1933  
 Anderson, R. C., 1961 b, 201, 206  
*Urocissa sinensis*
- Chandlerella sinensis* Hsi Chiehli, 1933  
 Kurashvili, B. E., [1954 a], 342  
*Corvus cornix*: Georgia, SSSR
- Chandlerella sinensis*  
 Kurashvili, B. E., 1956 d, 939  
 zoogeographical characteristics
- Chandlerella sinensis* Li Hsi Cheh, 1933  
 Kurashvili, B. E., 1957 a, 312, fig. 166  
*Corvus corone cornix*: Georgian SSR
- Chandlerella singhi* n. sp.  
 Ali, S. M., [1957 a], 60, 61, 62, 82, 83, pl. 9, figs. 22-25  
*Caprimulgus* sp. (heart): Hyderabad, Deccan (India)
- Chandlerella singhi* Ali, 1957  
 Anderson, R. C., 1961 b, 201, 206  
*Caprimulgus* sp.
- Chandlerella skrjabini* (Petrov and Tschartkowa, 1947) n. comb.  
 Anderson, R. C., 1961 b, 201, 206  
 Syn.: *Cardiofilaria skrjabini*  
*Hypotororchis subbuteo*
- Chandlerella stantschinskyi* sp. nov.  
 Gil'bert. L. I., 1930 a, 104, 107-108, 112, fig. 2 (4-5)  
*Oriolus oriolus*: western SSSR
- Chandlerella stantchinskyi* Gilbert, 1932  
 Anderson, R. C., 1961 b, 201, 206  
*Oriolus oriolus*  
*Corvus corax*  
 both from U. S. S. R.
- Chandlerella striata* n. sp.  
 Ochoterena, I.; and Caballero y C., E., 1932 b, 29-32  
*Rana montezumae*  
*R. halecina*
- Chandlerella striatus* Ochoterena and Caballero, 1932  
 Caballero y C., E., 1935 c, 115  
 as syn. of *Foleyellides striatus*
- Chandlerella striata*  
 Witenberg, G.; and Gerichter, C., 1944 a, 252  
 as syn. of *Foleyellides striatus* (Ochoterena & Caballero, 1932) Caballero, 1935
- Chandlerella thapari* n. sp.  
 Rasheed, S., 1960 a, 77-79, 113, figs. 9-12  
*Saxicola torquata indica* (peritoneal cavity): Hyderabad-Deccan, India
- Chandlerella travassosi* (Koroliowa, 1926) n. comb.  
 Anderson, R. C., 1961 b, 201, 206  
 Syn.: *Splendidofilaria travassosi*  
*Merops apiaster*
- Characostomum* [n. gen.]  
 Railliet, A., 1902 b, 109-110  
 type: *C. longemucronatum* (Molin)
- Characostomum* Railliet  
 Alessandrini, G. C., 1929 a, 185
- Characostomum* Railliet  
 Baylis, H. A., 1929 c, 167  
 as syn. of *Globocephalus* Molin

- Characostomum Railliet, 1902  
 Baylis, H. A., 1936 a, 328  
   as syn. of *Globocephalus Molin*, 1861
- Characostomum Railliet, 1902  
 Baylis, H. A.; and Daubney, R., 1926 a, 169  
   as syn. of *Globocephalus Molin*
- Characostomum Railliet  
 Cameron, T. W. M., 1924 h, 75
- Characostomum Raill.  
 Fiebiger, J., 1923 a, 263
- Characostomum  
 Ihle, J. E. W., 1922 b, 17
- Characostomum Railliet  
 Lopez Neyra, C. R., 1924 a, 157
- Characostomum Railliet  
 Sluiter, C. P.: Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 408-409  
   Syn.: *Globocephalus Molin*
- Characostomum Railliet, 1902  
 Sprehn, C. E. W., 1932 c, 695  
   as syn. of *Globocephalus Molin*, 1861
- Characostomum  
 Travassos, L. P., 1920 h, 65
- Characostomum Railliet, 1902  
 Yorke, W.; and Maplestone, P. A., 1926 a, 48  
   as syn. of *Globocephalus Molin*
- Characostomum amucronatum n. sp.  
 Smit, H. J.; and Noto Soediro, R., 1927 b, 49-51, fig. 2  
   pig
- Characostomum amucronatus  
 Krijgsman, B. J., 1933 d, 374  
   as syn. of *Globocephalus amucronatus*
- Characostomum amucronatum Smit & Noto Soediro  
 Maplestone, P. A., 1930 a, 104  
   as syn. of *Globocephalus urosubulatus*  
   (Aless.)
- Characostomum asmilium (Railliet, Henry et Joyeux, 1913)  
 Bezubik, B.; and Furmag, S., 1960 a, 336, 337, 341, 344  
   *Macacus cynomolgus* (duodenum and small intestine): Indonesia
- Characostomum asmilium Railliet, Henry, & Joyeux  
 Cameron, T. W. M., 1924 h, 72  
   as syn. of *Globocephalus asmilium* (R., H., & J.)
- Characostomum asmilium (Railliet, Henry et Joyeux)  
 Chysky, V., 1958 a, 318, 319, 324, 325, 326, fig. 6  
   *Macacus cynomolgus*
- Characostomum asmilium  
 Henry, A. C. L.; and Joyeux, C. E., 1920 a, 177  
   *Cercopithecus callitrichus*  
   *C. patas*
- Characostomum asmilium Railliet, Henry et Joyeux 1913  
 Rysavý, B.; and Dudek, J., 1960 a, 289
- Characostomum asmilium R., H., & J., 1913  
 Vevers, G. M., 1923 g, 905-906, 915, figs. 3-4; reprint, pp. 5-6  
   *Macacus nemestrinus*
- Nycticebus tardigradus
- Characostomum asmilium Raill., Henry, & Joyeux  
 Yorke, W.; and Maplestone, P. A., 1926 a, 49  
   as syn. of *Globocephalus asmilium* (R., H., & J.)
- Characostomum asmilium Railliet, Henry et Joyeux 1913  
 Zajícek, D.; and Valenta, Z., 1958 c, 406, 407, 408, 409, 422, 423, figs. 8-10, 30 (18)  
   *Macacus rhesus*  
   *M. cynomolgus*  
   both from CSR
- Characostomum asmilium  
 Zajícek, D.; and Valenta, Z., 1958 d, 820, 821, 822, 823, 825, 827, 828  
   *Macacus rhesus*  
   *M. cynomolgus*
- Characostomum longemucronatum (Molin) [n. comb.] (type)  
 Railliet, A., 1902 b, 109-110
- Characostomum longemucronatum (Molin)  
 Alessandrini, G. C., 1929 a, 185
- Characostomum longemucronatum  
 Brumpt, E. J. A., 1921 a, 206
- Characostomum longemucronatum Molin  
 Fiebiger, J., 1923 a, 293, 411, 420  
   Syn.: *Globocephalus longemucr.*  
   Schwein
- Characostomum longemucronatum  
 Goodey, T., 1922 c, 9
- Characostomum longemucronatus  
 Krijgsman, B. J., 1933 d, 374  
   as syn. of *Globocephalus longemucronatus*
- Characostomum longemucronatum Molin  
 Lopez Neyra, C. R., 1924 a, 157
- Characostomum longemucronatum (Mol.)  
 Macfie, J. W. S., 1923 a, 440
- Characostomum longemucronatum (Molin)  
 Railliet, A.; Henry, A. C. L.; and Bauche, J., 1919 a, 324
- Characostomum longemucronatum  
 Sandground, J. H., 1921 a, 327  
   pig
- Characostomum longemucronatum (Mol.)  
 Skrjabin, K. I., 1925 b, 136, 137, 143
- Characostomum longemucronatum (Mol.)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 408-409, 446
- Characostomum longemucronatum (Molin, 1861)  
 Sprehn, C. E. W., 1932 c, 696  
   as syn. of *Globocephalus longemucronatus*  
   Molin, 1861
- Characostomum longemucronatum (Mol.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 48  
   as syn. of *Globocephalus longemucronatus*  
   Molin
- Cheilonematodum n. g.  
 Johnston, T. H.; and Mawson, P. M., 1941 a, 250, 253  
   *Habronematinae*  
   tod: *C. halcyonis* n. sp.
- Cheilonematodum Johnston et Mawson, 1941  
 Chabaud, A. G., 1959 c, 19  
   *Habronematidae*
- Cheilonematodum halcyonis n. g. n. sp. (tod)  
 Johnston, T. H.; and Mawson, P. M., 1941 a, 250, 253, 254, figs. 11-12  
   *Halcyon sanctus*: Milson I., N. S. Wales;  
   Stradbroke I., Queensland
- Cheilospirura Diesing  
 Baylis, H. A., 1929 c, 237
- Cheilospirura (Diesing, 1861) Railliet, Henry and Sisoff, 1912  
 Baylis, H. A., 1939 b, xxvi, 130  
   subgen. of *Acuaria*  
   type: *A. (Cheilospirura) hamulosa* (Diesing, 1851)
- Cheilospirura Dies., 1860  
 Baylis, H. A.; and Daubney, R., 1922 a, 321
- Cheilospirura (Diesing, 1861) R., H., & Sisoff, 1912  
 Baylis, H. A.; and Daubney, R., 1926 a, 218  
   type: *A[cuaria] (Cheilospirura) hamulosa* (Dies.)
- Cheilospirura  
 Bump, G., 1939 a, 246  
   grouse

- Cheilospirura Diesing 1861  
 Chabaud, A. G.; and Petter, A. J., 1959 a, 331-349  
 Acuariidae, Acuariinae  
 key
- Cheilospirura  
 Chitwood, B. G.; and Wehr, E. E., 1932 a, 168  
 taxonomy
- Cheilospirura Diesing, 1861  
 Chitwood, B. G.; and Wehr, E. E., 1934 a, 323, 324, 333, pl. 1
- Cheilospirura Dies.  
 Cram, E. B., 1927 a, 211, 226  
 type: *C. hamulosa* (Dies.)
- Cheilospirura  
 Gil'bert, L. I., 1927 a, 56
- Cheilospirura Dies.  
 Perrier, E., 1897 a, 1411
- Cheilospirura Dies.  
 Semenov, V. D., 1926 a, 101
- Cheilospirura Dies. 1860  
 Skrjabin, K. I., (1923 m), 54
- Cheilospirura Dies. 1860  
 Skrjabin, K. I., 1924 d, 152
- Cheilospirura Dies., 1861  
 Skrjabin, K. I., 1941 b, 473  
 Acuariidae, Acuariinae
- Cheilospirura  
 Sobolev, A. A., 1943 b, 77
- Cheilospirura Diesing, 1861  
 Sprehn, C. E. W., 1932 c, 613  
 as syn. of *Acuaria Bremser*, 1811
- Cheilospirura  
 Travassos, L., 1920 h, 69
- Cheilospirura  
 Wehr, E. E., 1931 a, 4
- Cheilospirura  
 Wehr, E. E., 1933 b, 396
- Cheilospirura (Dies., 1861) Railliet, Henry &  
 Sisoff 1912 (subgenus)  
 Yorke, W.; and Mapleson, P. A., 1926 a, 331
- Cheilospirura Dies., 1861  
 Yorke, W.; and Mapleson, P. A., 1926 a, 327  
 as syn. of *Acuaria Bremser*, 1811
- Cheilospirura Dies., 1861 in part  
 Yorke, W.; and Mapleson, P. A., 1926 a, 318  
 as syn. of *Oxyspirura Drasche*, 1897
- Cheilospirura sp.  
 Africa, C. M.; and Garcia, E. Y., 1936 b, 603-607, pls. 1-3  
 man (eye): Philippines
- Cheilospirura sp.  
 Alicata, J. E.; Kartman, L.; and Fisher, H. I., 1948 a, 104  
*Acridotheres tristis*: Hawaii
- Cheilospirura sp.  
 Allen, A. A.; and Gross, A. O., 1926 a, 82, 83  
 [= *C. spinosa* Cram?]  
*Bonasa umbellus*
- Cheilospirura sp.  
 Angstrom, C. I., 1949 a, 80  
 chickens
- Cheilospirura sp.  
 Angstrom, C. I., 1950 a, 83  
 chickens: Kingston, N. York
- Cheilospirura sp.  
 Angstrom, C. I., 1951 a, 81  
 chickens: N. York
- Cheilospirura sp.  
 Angstrom, C. I., 1952 a, 93  
 chickens: New York
- Cheilospirura sp.  
 Beer, J., 1944 a, 92  
*Dendragapus o. richardsoni*: Washington
- Cheilospirura sp.  
 Bump, G., 1936 a, 336  
 pheasant  
 grouse
- Cheilospirura sp.  
 Bump, G., 1940 a, 237, 239  
 grouse: New York State
- Cheilospirura sp.  
 Bump, G., 1941 a, 220, 221  
 grouse: N. York
- Cheilospirura sp.  
 Chibichenko, N. T., [1959 a], 383  
*Bubo bubo* (glandular stomach): Kirgizskoi SSR
- Cheilospirura [sp.]  
 Dorney, R. S.; and Kabat, C., 1960 a, 38, 39, 40, 42, 47  
*Bonasa umbellus*: Wisconsin
- Cheilospirura sp.  
 Gagarin, V. G.; and Ablasov, N. A.; and Chibichenko, N. T., 1957 a, 110  
*Falco subbuteo*: southern Kirgizia
- Cheilospirura sp. I Spasskaja, 1949  
*Gushanskaia*, L. Kh., 1952 b, 197  
*Lagopus lagopus*: SSSR
- Cheilospirura sp.  
 Houdemer, F. E., 1927 a, 207, 244  
*Columba dom.*
- Cheilospirura sp.  
 Kurashvili, B. E., [1954 a], 342  
*Coturnix coturnix*: Georgia, SSSR
- Cheilospirura sp. Kurashvili, 1950  
 Kurashvili, B. E., 1957 a, 270  
*Coturnix coturnix*: Georgian SSR
- Cheilospirura sp.  
 Kurashvili, B. E., 1957 a, 271  
*Aythya nyroca*: Georgian SSR
- Cheilospirura spp.  
 Myers, B. J.; Kuntz, R. E.; and Wells, W. H., 1962 a, 535  
*Monticola solitarius*  
*Oenanthe hispanica melanoleuca*  
*O. o. oenanthe*  
 all from Egypt
- Cheilospirura sp. I  
 Spasskaja, L. P., 1949 a, 138  
*Lagopus lagopus*: Western Siberia
- Cheilospirura sp. II  
 Spasskaja, L. P., 1949 a, 138  
*Tringa erythropus*: Western Siberia
- Cheilospirura [sp.]  
 Travassos, L.; de Freitas, J. F. T.; and Lent, H., 1939 a, 238  
*Furnarius rufus commersoni*: Estrado de Ferro Noroeste, Brasil
- Cheilospirura [sp.]  
 Travassos, L.; de Freitas, J. F. T.; and Lent, H., 1939 a, 244  
*Uroleuca cyanoleuca*: Estrado de Ferro Noroeste, Brasil
- Cheilospirura sp.  
 Wehr, E. E.; and Coburn, D. R., 1943 a, 31  
*Meleagris gallopavo silvestris*: near Honey Grove, Pa.
- Cheilospirura sp.  
 Zhukov, E. V., 1956 a, 272-273  
*Falco tinnunculus* (under lining of gizzard): delta Duna
- Cheilospirura capillaris (Molin, 1860) Diesing, 1861  
 Sprehn, C. E. W., 1932 c, 636  
 as syn. of *Schistorophus acanthocephalicus* (Molin, 1860)
- Cheilospirura centrocerci n. sp.  
 Simon, F., 1939 a, 78-80, pl. A, figs. 1-3  
 Syn.: *Cheilospirura spinosa* Cram, 1927 [of Wehr, 1932]  
*Centrocercus urophasianus*: Wyoming; Montana
- Cheilospirura centrocerci Simon, 1939  
 Simon, F., 1940 a, 88-90, 99, fig. 13  
*Centrocercus urophasianus*

- Cheilospirura cephaloptera* Diesing, 1861  
 Yorke, W.; and Maplestone, P. A., 1926 a, 320  
 as syn. of *Oxyspirura cephaloptera* (Molin,  
 1860)
- Cheilospirura coturnicola* Semenow, 1925  
 Gil'bert, L. I., 1930 a, 100
- Cheilospirura coturnicola* (Semenov, 1926) Sobo-  
 lev, 1949  
 Gushanskaià, L. Kh., 1952 b, 195, 196  
*Coturnix coturnix*  
*Lyrurus tetrix*  
 both from SSSR
- Cheilospirura coturnicola* (Semenov, 1926) Sobo-  
 lev  
 Spasskaià, L. P., 1949 a, 138  
*Coturnix coturnix*: Western Siberia
- Cheilospirura coturnicola* (Semenov, 1926)  
 Sultanov, M. A., 1959 c, 69  
 [Alectorsi graeca] kamennaià kuropatka  
 [Coturnix coturnix] perepel  
 both from Uzbekistan
- Cheilospirura cyanocitta* n. sp.  
 Boyd, E. M., 1956 a, 72, 73-74, figs. 2 A-I  
*Cyanocitta cristata*: South Hadley, Hamp-  
 shire County, Massachusetts
- Cheilospirura cyanocitta*  
 Boyd, E. M.; Diminno, R. L.; and Nesslinger,  
 C., 1956 a, 336  
*Cyanocitta cristata*
- Cheilospirura falconis* n. sp.  
 Clapham, P. A., 1947 a, 29, 32-34, figs. 6-9  
*Falco tinnunculus*: Palestine
- Cheilospirura gallinae* nov. sp.  
 Sultanov, M. A., 1961 a, 73-74, fig. 4  
*Gallus gallus* dom. (sub cuticle of muscular  
 stomach): Uzbekistan
- Cheilospirura gruveli* (Gendre) [n. comb.]  
 Cram, E. B., 1927 a, 226, 227-228, fig. 291  
*Caccabis rufa*  
*Francolinus bicalcaratus*
- Cheilospirura gruveli* (Gendre, 1913)  
 Gagarin, V. G., 1954 a, 86, 95, 96, fig. 11  
*Alectoris graeca*  
*Coturnix coturnix*  
*Tetraogallus himalayensis*  
 all from Kirgiz SSR
- Cheilospirura gruveli* (Gendre, 1913)  
 Gvozdev, E. V., 1955 b, 62  
*Phasianus colchicus mongolicus*: Alma-Altinsk  
 Oblast
- Cheilospirura gruveli* (Gendre, 1913)  
 Gvozdev, E. V., 1956 b, 69, 72  
*Alectoris graeca*: South eastern Kazakhstan
- Cheilospirura gruveli* (Gendre, 1913)  
 Gvozdev, E. V., 1956 c, 82  
*Coturnix coturnix*: vicinity Alma Ata
- Cheilospirura gruveli* (Gendre, 1913)  
 Gvozdev, E. V., 1957 a, 168  
*Perdix daurica* (muscular stomach): Kazakh-  
 stan
- Cheilospirura gruveli* (Gendre, 1913)  
 Gvozdev, E. V., 1957 b, 160-161, 163, 164, 165  
*Alectoris graeca*  
*Coturnix coturnix*  
 (muscular stomach of both): both from Aksu-  
 Djabagli, Kazakhstan
- Cheilospirura gruveli*  
 Gvozdev, E. V., 1958 b, 124, 125  
 domestic hen  
*Phasianus colchicus*  
 both from Kazakhstan
- Cheilospirura gruveli* [sic]  
 Kurashvili, B. E., 1956 d, 939  
 zoogeographical characteristics
- Cheilospirura gruveli* (Gendre, 1913)  
 Kurashvili, B. E., 1957 a, 270-271, fig. 138  
*Caccabis rufa*  
*Francolinus bicalcaratus*  
*Alectoris graeca caucasica*  
 all from Georgian SSR
- Cheilospirura gruveli* (Gendre, 1913) Cram, 1927  
 Ortlepp, R. J., 1938 e, 97  
*Pternistes swainsoni*: Onderstepoort
- Cheilospirura gruveli* (Gendre, 1913) Cram, 1927  
 Tolgay, N.; Hwang, J. C.; and Wehr, E. E.,  
 [1960 a], 185, 192, 194-195, 206, 207, pl. I,  
 figs. 3-5  
 Syns.: *Mispharagus* sp. Gendre, 1912; *D. gru-  
 veli* Gendre, 1913; *Acuaria gruveli* (Gendre,  
 1913) Geidre, 1913; *A. (Cheilospirura) gru-  
 veli* (Geidre, 1913) Lopez-Neyra, 1923  
*Alectoris graeca* (gizzard and intestine):  
 Turkey
- [*Cheilospirura hamulosa*]  
 Alicata, J. A., 1936 c, 5 mimeographed leaves  
 chickens, control
- Cheilospirura hamulosa*  
 Alicata, J. E., 1936 e, 79-80  
*Conocephalus saltator* (exper.)  
*Atractomorpha ambigua* (exper.)  
*Oxya chirensis* (nat. and exper.): Hawaii  
*Orchestia platensis* (nat. and exper.): Ha-  
 waii  
*Tenebroides nana* (exper.)  
*Tribolium castaneum* (exper.)  
*Carpophilus dimidiatus* (exper.)  
*Dactylosternum abdominale* (exper.)  
*Typhaea stercorea* (exper.)  
*Palorus ratzeburgi* (exper.)  
*Euxestus* sp. (exper.)  
*Litargus balteatus* (exper.)  
*Oxydema fusiforme* (exper.)  
*Sitophilus oryzae* (exper.)
- Cheilospirura hamulosa*  
 Alicata, J. E., [1936 f], leaf 3  
*Conocephalus saltator*  
*Atractomorpha ambigua*  
*Oxya chirensis*  
 (all exper.)
- Cheilospirura hamulosa*  
 Alicata, J. E., 1937 a, 7 pp, fig. 1  
 chickens  
*Tenebroides nana*  
*Orchestia platensis*  
*Conocephalus saltator* (exper.)  
*Atractomorpha ambigua* (exper.)  
*Oxya chirensis* (exper.)  
*Tribolium castaneum* (exper.)  
*Carpophilus dimidiatus* (exper.)  
*Dactylosternum abdominale* (exper.)  
*Palorus ratzeburgi* (exper.)  
*Typhaea stercorea* (exper.)  
*Litargus balteatus* (exper.)  
*Euxestus* sp. (exper.)  
*Oxydema fusiforme* (exper.)  
*Sitophilus oryzae* (exper.)
- Cheilospirura hamulosa*  
 Alicata, J. E., 1938 c, 11-20, pls. 3-5  
 life history, transmission  
*Conocephalus saltator*  
*Atractomorpha ambigua*  
*Oxya chinensis*  
*Orchestia platensis*  
*Tribolium castaneum*  
*Tenebroides nana*  
*Carpophilus dimidiatus*  
*Dactylosternum abdominale*  
*Typhaea stercorea*  
*Palorus ratzeburgi*  
*Euxestus* sp.  
*Litargus balteatus*  
*Oxydema fusiforme*  
*Sitophilus oryzae*  
*Epitragus diremptus*

- Cheilospirura hamulosa*  
 Alicata, J. E., 1938 h, 94  
 poultry  
*Conocephalus saltator*  
*Atractomorpha ambigua*  
*Oxya chinensis*  
*Orchestia platensis*  
*Carpophilus dimidiatus* (exper.)  
*Dactylosternum abdominale* (exper.)  
*Epitragus diremptus*  
*Euxestus* sp. (exper.)  
*Litargus balteatus* (exper.)  
*Palorus ratzeburgi* (exper.)  
*Tenebroides nana*  
*Tribolium castaneum* (exper.)  
*Typhaea stercoria* (exper.)  
*Oxydema fusiforme* (exper.)  
*Sitophilus oryzae* (exper.)  
 all from Hawaii
- Cheilospirura hamulosa*  
 Alicata, J. E., 1939 b, 81-82  
*Dermestes vulpinus*  
*Gonocephalus seriatum*  
 both from Hawaii
- Cheilospirura hamulosa* (Diesing)  
 Alicata, J. E., 1947 a, 70, 79, 83  
*Conocephalus saltator*  
 chickens  
 turkeys  
*Carpophilus dimidiatus*  
*Dactylosternum abdominale*  
*Dermestes vulpinus*  
*Epitragus diremptus*  
*Euxestus* sp.  
*Gonocephalus seriatum*  
*Orchestia platensis*  
*Oxya chinensis*  
*Litargus balteatus*  
*Oxydema fusiforme*  
*Palorus ratzeburgi*  
*Sitophilus oryzae*  
*Tenebroides nana*  
*Tribolium castaneum*  
*Typhaea stercorea*  
*Atractomorpha ambigua*  
 all from Hawaii
- Cheilospirura hamulosa*  
 Angstrom, C. I., 1954 a, 91  
 chickens: Kingston, N. York
- Cheilospirura hamulosa*  
 Angstrom, C. I., 1955 a, 108  
 chicken: New York
- Cheilospirura hamulosa* Dies.  
 Augustine, D. I., 1929 a, 356, 431
- Cheilospirura hamulosa* (Diesing, 1851) Diesing, 1861  
 Baker, A. D., 1932 a, 128, 130  
 poultry: Quebec
- Cheilospirura hamulosa*  
 Baker, A. D.; Conklin, R. L.; Maw, W. A.;  
 and Fogerty, C. D., 1929 a, 60
- Cheilospirura hamulosa*  
 Beaudette, F. R., 1940 c, 1
- Cheilospirura hamulosa*  
 Belokobylenko, V. T., 1958 a, 112  
 seasonal and growth dynamics: Alma-Atinsk oblast
- Cheilospirura hamulosa*  
 Belokobylenko, V. T., 1960 a, 173  
 chickens: Alma-Atinsk oblast
- [*Cheilospirura hamulosa*]  
 Bice, C. M., 1935 a, 6, 26-27  
 control
- Cheilospirura hamulosa* (Diesing, 1851)  
 Birová-Volosinovičová, V., 1960 a, 247, 248, 249  
*Callus gallus domesticus* (stene svalnatého žaludku):  
 Slovensku
- Cheilospirura hamulosa* (Diesing, 1851)  
 Carvalho, J. C. M., 1940 a, 421  
*Callus gallus domesticus*
- Cheilospirura hamulosa* (Diesing, 1851)  
 Casarosa, L., 1950 a, 281-282, 285, figs. 1-2  
 Syns.: *Spiroptera hamulosa* Diesing, 1851; *Diapharus hamulosus* Stossich, 1890; *Spiroptera perforans* Centosciudi, 1911; *Acuaria hamulosa* Railliet, 1911
- Cheilospirura hamulosa* (Diesing, 1851)  
 Chabaud, A. G., 1954 d, 370
- Cheilospirura hamulosa*  
 Chitwood, M. B., 1940 a, 228, fig. 156 GG-HH
- Cheilospirura hamulosa*  
 Christenson, R. O., [1940 h], 41  
*Gallus gallus*: Alabama
- Cheilospirura hamulosa*  
 Christenson, R. O., [1941 a], 43  
 Alabama
- Cheilospirura hamulosa*  
 Christenson, R. O., [1942 a], 30  
*Gallus gallus*: Alabama
- Cheilospirura hamulosa*  
 Conklin, R. L., 1932 a, 126  
 chickens  
 grasshoppers  
 both from Quebec
- Cheilospirura hamulosa* (Dies.)  
 Cram, E. B., 1927 a, 226-227, fig. 290  
*Gallus gallus*  
*Meleagris gallopavo*  
*Phasianus gallus*
- Chei[1]ospirura hamulosa*  
 Cram, E. B., 1927 e, 70  
*Gallus gallus*: Mayaguez, Porto Rico
- Cheilospirura hamulosa*  
 Cram, E. B., 1930 d, 529-534
- Cheilospirura hamulosa* (Diesing)  
 Cram, E. B., 1931 c, 2, 8-13, 14, 25, 26, figs. 4-10  
*Melanoplus femur-rubrum*  
*Melanoplus differentialis*  
*Gallus dom.*  
*Meleagris gallopavo*
- Cheilospirura hamulosa*  
 Cram, E. B., 1931 f, 568-573; discussion, 574
- Cheilospirura hamulosa*  
 Cram, E. B., 1933 c, 20, 22, fig. 7  
 chicken (gizzard)
- Cheilospirura hamulosa*  
 Crawford, M., 1937 a, D 83  
 fowl: Ceylon
- Cheilospirura hamulosa*  
 Cuville, E., 1933 a, 244-245  
*Paroxya clavuliger*
- Cheilospirura hamulosa*  
 Cuville, E., 1934 b, 14-15  
*Paroxya clavuliger*  
 chickens  
 turkey
- Cheilospirura hamulosa*  
 Dikmans, G., 1929 a, 27  
 chickens: Porto Rico
- Cheilospirura hamulosa* (Diesing, 1851) Diesing, 1861  
 Dotzenko, T. K., 1953 a, 583-584  
*Oedaleus infernalis amurenensis*  
*Tetrix japonica*  
*Primnoea ussuriensis*  
*Aiolopus* sp.  
*Phaneroptera falcata*  
*Gampsocleis sedakowi*  
*Decticus verrucivorus*
- Cheilospirura hamulosa*  
 Dotzenko, T. K., 1954 a, 382-383
- Cheilospirura hamulosa*  
 Earle, H. H. (jr.); and Christenson, R. O., 1940 a, 33, 34, fig. 4
- Cheilospirura hamulosa*  
 Foster, A. O., 1939 b, 102  
 fowl: Panama
- Cheilospirura hamulosa* (Diesing, 1851)  
 Freitas, M. G., 1957 b, 378  
 galinhas: Estado de Minas Gerais
- Cheilospirura hamulosa* Dies.  
 Gendre, E., 1920 b, 39

- Cheilospirura hamulosa* (Diesing, 1851)  
 Giovannoni, M.; and Kubiak, G. V. L., 1947 a, 230  
*Gallus domesticus*  
*Cheilospirura hamulosa*  
 Graham, R.; et al., 1933 a, 43, figs.  
 chickens (gizzard)  
 turkeys  
*Cheilospirura hamulosa*  
 Graybill, H. W., 1931 a, 550-556  
*Cheilospirura hamulosa* (Diesing, 1851) Diesing, 1861  
 Gushanskaia, I. Kh., 1952 b, 196  
*Coturnix coturnix*  
*Phasianus colchicus*  
 both from SSSR  
*Cheilospirura hamulosa*  
 Hall, M. C., 1922 s, 537  
*Cheilospirura hamulosa*  
 Hall, M. C., [1923 b], 54  
*Cheilospirura hamulosa*  
 Hall, M. C., 1927 l, 942  
*Cheilospirura hamulosa*  
 Hall, M. C., 1929 b, 74, 77  
*Melanoplus femur-rubrum*  
*Cheilospirura hamulosa*  
 Hoffman, M. A., 1934 a, 20  
*Cheilospirura hamulosa* Dies.  
 Houdeimer, F. E., 1927 a, 206, 244  
*Gallus dom.*  
*Cheilospirura hamulosa* (Diesing, 1851)  
 Hsü, W. N., 1960 a, 105-106, 111, 112, pl. III,  
 figs. 17-20  
*Gallus gallus* (gizzard): Nanking, Kiangsu,  
 China  
*Cheilospirura hamulosa*  
 Ivashkin, V. M., 1961 a, 87  
 biological properties  
*Cheilospirura hamulosa* (Diesing, 1851)  
 Kasimov, G. B., 1956 c, 411-416, figs. 333-339  
*Cheilospirura hamulosa*  
 Kaura, R. L., 1938 a, 28  
 chicken  
 turkey  
 both from India  
*Cheilospirura hamulosa*  
 Khuan, S.-I., 1961 a, 307  
 chickens; Khabarovsk Krai  
*Cheilospirura hamulosa* (Dav.) Diesing  
 Kurashvili, B. E., 1941 a, 93  
*Cheilospirura hamulosa*  
 Kurashvili, B. E., 1956 d, 939  
 zoogeographical characteristics  
*Cheilospirura hamulosa* (Diesing, 1851)  
 Kurashvili, B. E., 1957 a, 269-270, fig. 137  
*Cheilospirura hamulosa* (Dies.)  
 Le Roux, P. L., 1926 a, 211, 212, 216  
 fowl  
*Cheilospirura hamulosa*  
 Li, H. C., 1933 a, 1339  
 feeding experiments  
*Cheilospirura hamulosa* Diesing, 1861  
 Li, H. C., 1933 c, 38, 39, 40  
 presence of bacteria  
*Cheilospirura hamulosa* Dies., 1861  
 Li, H. C., 1934 a, 187-188, pl. 13, figs. 1-2  
*Gallus bankiva*: Mongolia, China  
*Cheilospirura hamulosa*  
 Li, S. Y.; and Hsü, H. F., 1951 a, 32, 33, 34,  
 38  
 frequency, chicken: Peiping  
*Cheilospirura hamulosa* (Diesing, 1851)  
 Lins de Almeida, J., 1934 c, 29  
*Gallus domesticus*: Brasil  
*Cheilospirura hamulosa*  
 Noland, T. W., [1934 a], 12-14  
 associated with fowl paralysis  
*Cheilospirura hamulosa*  
 Noland, T. W., [1935 a], 15-17  
 present in 70% of fowl paralysis cases
- Cheilospirura hamulosa*  
 Perrier, E., 1897 a, 1411  
*coq*: Brésil  
*Cheilospirura hamulosa* (Dies.)  
 Pinto, C. F.; and Lins de Almeida, J., 1937 b,  
 479  
*Gallus domesticus*: Bresil  
*Cheilospirura hamulosa*  
 Price, E. W., 1928 e, 201  
 chicken: Texas  
*Cheilospirura hamulosa*  
 Ransom, B. H.; and Hall, M. C., 1924 a, 209  
 turkey  
*Cheilospirura hamulosa*  
 Rietz, J. H., 1929 a, 144  
 chickens: Ohio; West Virginia  
*Cheilospirura hamulosa* (Dies.)  
 Schwartz, B. I., 1925 o, 8  
*Gallus dom.*: Tonkin  
*Cheilospirura hamulosa* (Diesing, 1851)  
 Seneviratna, P., 1955 b, 36  
 domestic fowl: Polgahawela, Ampitiya  
*Cheilospirura hamulosa*  
 Seneviratna, P.; and Seneviratna, D., 1955 a,  
 53  
 domestic poultry: Ceylon  
*Cheilospirura hamulosa* (Diesing, 1851)  
 Solov'ev, G. V., 1960 a, 146  
 hens: Kirgizia  
*Cheilospirura hamulosa* (Diesing, 1851) Diesing,  
 1851  
 Sprehn, C. E. W., 1932 c, 615  
 as syn. of *Acuaria hamulosa* (Diesing, 1851)  
*Cheilospirura hamulosa* Diesing, 1861  
 Srivastava, H. D., 1939 u, 225-226  
 fowls: Delhi  
*Cheilospirura hamulosa* Diesing, 1851  
 Stoimenov, K. A., 1957 a, 123  
 hen: Kolarograd, Bulgaria  
*Cheilospirura* [sic] *hamulosa*  
 Sturgess, G. W., 1927 a, G5  
 fowls: Ceylon  
*Cheilospirura hamulosa*  
 Sultanov, M. A., 1958 a, 65, 72  
 chickens: Tashkent oblast  
*Cheilospirura hamulosa* (Diesing, 1851)  
 Sultanov, M. A., 1958 b, 19  
*kuritsa* [*Gallus g. domesticus*]  
*obyknovenyi perepel* [*Coturnix coturnix*]  
 both from Uzbekistan  
*Cheilospirura* [sic] *hamulosa*  
 Swales, W. E., 1933 a, 476  
*Gallus gallus*: Ontario, Quebec  
*Cheilospirura hamulosa*  
 Swanson, L. E., 1939 a, 30  
 chicken: Hawaiian Is.  
*Cheilospirura hamulosa* (Diesing, 1851)  
 Todd, A. C., 1946 b, 425, 427, 432  
 chickens: Tennessee  
*Cheilospirura hamulosa*  
 Todd, A. C., 1947 a, 470  
 chickens: Tennessee  
*Cheilospirura hamulosa*  
 Van Volkenberg, H. L., 1938 a, 8  
 poultry: Puerto Rico  
*Cheilospirura hamulosa* (Diesing, 1851)  
 Van Volkenberg, H. L., 1939 a, 8  
 chickens: Puerto Rico  
*Cheilospirura hamulosa* (Diesing, 1841)  
 Vogelsang, E. G.; and Mayaudon T., H., 1955 a,  
 35  
*Gallus gallus* dom.: Venezuela  
*Cheilospirura hamulosa*  
 Wehr, E. E.; and Christensen, J. F., 1942 a,  
 1030  
*Tribolium castaneum*

- Cheilospirura hamulosa*  
 Wetzel, R.; and Quittek, G., 1940 a, 363  
 prepreatent period  
 Kücken
- Cheilospirura hamulosa*  
 Wright, W. H.; and Van Volkenberg, H. L. in  
 Van Volkenberg, H. L., 1937 a, 77  
 chicken: Mayaguez, Puerto Rico
- Cheilospirura hamulosa* (Dies., 1851) Dies., 1861  
 Yamaguti, S., 1942 g, 95, 101-102, fig. 6  
*Gallus gallus*: Mukden
- Cheilospirura hamulosa* (Dies., 1851) Dies., 1861  
 Yamaguti, S., 1954 c, 134-135  
*Gallus gallus*: Macasser
- Cheilospirura hamulosa* Dies., 1851  
 Yorke, W.; and Maplestone, P. A., 1926 a, 329  
 as syn. of *Acuaria hamulosa* (Dies., 1851)
- Cheilospirura hyderabadiensis* n. sp.  
 Singh, S. N., 1948 a, 207-209, figs. 24-30  
*Accipiter nisus*: Hyderabad Deccan
- Cheilospirura longistriata* (Molin, 1859) Diesing,  
 1861, e. p.  
 Sprehn, C. E. W., 1932 c, 596  
 as syn. of *Habronema mansioni* Seurat, 1914
- Cheilospirura multispinosa* n. sp.  
 Pérez Vigueras, I., 1938 b, 502, 506-507,  
 legends of pls. 5, 6, pl. 5, figs. 1-5; pl. 6,  
 fig. 4  
*Botaurus lentiginosus* lentiginosus: Artemisa  
 (Prov. de Pinar del Rio, Cuba)
- Cheilospirura nasuta* [n. comb.]  
 Ransom, B. H., [1916 c], 93  
 chicken: Guam
- Cheilospirura nasuta* (Rudolphi, 1819) Ransom,  
 1916  
 Goble, F. C.; and Kutz, H. L., 1945 a, 323, 329  
 as syn. of *Disparynx nasuta* (Rudolphi,  
 1819) Stiles & Hassall, 1920
- Cheilospirura nasuta* Rud.  
 Johnston, T. H., 1918 c, 214  
 domestic fowl
- Cheilospirura nasuta* (Rudolphi, 1819) Ransom,  
 1916  
 Sprehn, C. E. W., 1932 c, 616  
 as syn. of *Acuaria nasuta* (Rudolphi, 1819)
- Cheilospirura ophthalmica* Linst., 1903  
 Yorke, W.; and Maplestone, P. A., 1926 a, 320  
 as syn. of *Oxyspirura ophthalmica* (Linst.,  
 1903)
- Cheilospirura pavonis* (Ortlepp)  
 Cram, E. B., 1927 a, 389-390  
*Pavo muticus*
- Cheilospirura pavonis*  
 Yamashita, J., 1938 i, 22  
*Pavo muticus*
- Cheilospirura posthellica*  
 Perrier, E., 1897 a, 1411  
*tinamou* (paroix stomacales)
- Cheilospirura rotundata* (Linstow)  
 Cram, E. B., 1927 a, 226, 229, fig. 292  
*Lanius minor*
- Cheilospirura serpentocephala* sp. nov.  
 Gil'bert, L. I., 1930 a, 98-100, 111-112, fig.  
 1  
*Tinnunculus tinnunculus*: western SSSR
- Cheilospirura skrabini* (Ozerska)  
 Cram, E. B., 1927 a, 389  
 [Passer dom.]
- Cheilospirura skrabini* Oserska, 1925  
 Gil'bert, L. I., 1930 a, 100
- Cheilospirura spinosa* n. sp.  
 Cram, E. B., 1927 a, 226, 229-231, figs. 293,  
 294  
*Bonasa umbellus*
- Cheilospirura spinosa*  
 Cram, E. B., 1929 c, 285-286  
*Bonasa umbellus*  
*Colinus virginianus*  
*Melanoplus femur-rubrum*
- Cheilospirura spinosa*  
 Cram, E. B., 1929 f, 5  
 life cycle
- Cheilospirura spinosa*  
 Cram, E. B., 1930 d, 529-534  
 life history
- Cheilospirura spinosa* Cram  
 Cram, E. B., 1931 c, 2, 8, 9, 13-17, 25, figs.  
 11-17  
*Colinus virginianus*  
*Melanoplus femur-rubrum*  
*M. differentialis*  
*Bonasa umbellus*
- Cheilospirura spinosa* Cram  
 Cram, E. B., 1931 e, 242, 243, 245, 267-270,  
 278  
*Colinus virginianus*  
*Bonasa umbellus*  
*Melanoplus femur-rubrum*
- Cheilospirura spinosa*  
 Cram, E. B., 1931 f, 568-573; discussion, 574  
 life history
- Cheilospirura spinosa* Cram  
 Bendell, J. F., 1955 a, 203, 204  
*Dendragapus obscurus fuliginosus*: Quisam  
 Lake, Vancouver Island
- Cheilospirura spinosa* Cram, 1927  
 Boughton, R. V., 1937 a, 8, 21-23, 29, 30, 31,  
 32, 34, 35, 36, 38, 45, 46, figs. 10-11  
*Colinus virginianus*  
*Bonasa umbellus*  
*Pedioecetes phasianellus campestris*  
 all from Minnesota
- Cheilospirura spinosa*  
 Boughton, R. V.; and Fredine, C. G., [1935 a],  
 6, 7  
*Bonasa umbellus*: Wisconsin
- Cheilospirura spinosa*  
 Bump, G., 1936 a, 325  
 grouse
- Cheilospirura spinosa*  
 Bump, G., 1937 a, 309  
 pheasants  
 grouse  
 quail  
*Hungarian partridge*  
*turkey*
- Cheilospirura spinosa*  
 Bump, G., 1938 a, 269  
*Hungarian partridge*  
 quail  
 grouse
- Cheilospirura spinosa*  
 Bump, G., 1939 a, 247  
 pheasants
- Cheilospirura spinosa*  
 Bump, G., 1942 a, 215, 216  
 grouse: New York State
- Cheilospirura spinosa* Cram, 1927  
 Clarke, C. H. D., 1936 a, 88, 95  
*Bonasa umbellus*  
*Pedioecetes phasianellus campestris*  
 both from Ontario
- Cheilospirura spinosa*  
 Dorney, R. S.; and Kabat, C., 1960 a, 38, 43  
 44
- Cheilospirura spinosa*  
 Erickson, A. B.; Highby, P. R.; and Carlson,  
 C. E., 1949 a, 193, 194  
 ruff grouse: Minnesota
- Cheilospirura spinosa*  
 Fisher, L. W., 1939 a, 35, 39  
*Bonasa umbellus umbellus*: Michigan
- Cheilospirura spinosa*  
 Gross, A. O., 1930 b, 31, 34  
 ruffed grouse  
 sharp-tailed grouse  
 both from Wisconsin

- Cheilospirura spinosa*  
Hall, M. C., 1929 b, 74, 77  
*Melanoplus femur-rubrum*
- Cheilospirura spinosa*  
Ivashkin, V. M., 1961 a, 87  
biological peculiarities
- Cheilospirura spinosa*  
Morgan, B. B.; and Hamerstrom, F. N., 1941 a, 195, 197, 198  
*Pedioecetes phasianellus campestris*  
*Melanoplus femur-rubrum*  
*M. differentialis*  
all from Wisconsin
- Cheilospirura spinosa* Cram, 1927  
Mueller, J. F., 1941 a, 14  
*Bonasa umbellus*: New Hampshire
- Cheilospirura spinosa*  
Schwartz, B. I.; et al., 1938 a, 432
- Cheilospirura spinosa*  
Shillinger, J. E., 1942 a, 1230
- Cheilospirura spinosa* Cram, 1927  
Simon, F., 1939 a, 80
- Cheilospirura spinosa* Cram, 1927 [of Wehr, 1932]  
Simon, F., 1939 a, 78  
as syn. of *C. centrocerci* n. sp.
- Cheilospirura spinosa* Cram, 1927  
Wehr, E. E., 1932 c, 90-91  
*Centrocercus urophasianus*: Wyoming; Montana
- Cheilospirura spinosa* Cram  
Williams, O. L., 1929 a, 76
- Cheilospirura streperina* (Johnston et Mawson, 1941)  
Skrjabin, K. I.; Shikhobalova, N. P.; and Sobolev, A. A., 1949 a, 118  
Syn.: *Acuaria (Cheilospirura) streperina* Johnston et Mawson, 1941
- Cheilospiruriasis*  
Refuerzo, P. G., 1940 b, 78, 124  
poultry: Philippines
- Cheiropteronema* n. g.  
Sandground, J. H., 1929 c, 519  
tod: *C. globocephala* n. sp.
- Cheiropteronema Sandground*, 1929  
Chitwood, B. G., 1938 c, 54, 58, 59, 60  
*Trichostrongylidae*, *Ollulaninae*
- Cheiropteronema Sandground*, 1929  
Shul'ts, R. E. S.; Orlov, I. V.; and Kutass, A. J., 1933 a, 304
- Cheiropteronema globocephala* n. sp. (tod)  
Sandground, J. H., 1929 c, 519-520, pl. 2, figs. 6, 7  
*Artibeus jamaicensis*
- Cheiropteronema globocephala* Sandground, 1929  
Chitwood, B. G., 1938 c, 54, 55, figs. 18-21  
*Artibeus jamaicensis yucatanicus*: Ebizo  
Cave, Oxkutzcab, Yucatan
- Cheiropteronema globocephala*  
Chitwood, B. G.; and Chitwood, M. B., 1938 a, 59, fig. 56 0
- Cheiropteronematinae* Skrjabin et Schikhobalova, 1952 [n. subf.]  
Skrjabin, K. I.; et al., [1953 a], 322, 382-384  
key  
tod: *Cheiropteronema Sandground*, 1929
- Chenofilaria* gen. nov.  
Kou, C. C., 1958 a, 62, 63, 69  
tod: *C. filaria* sp. nov.
- Chenofilaria filaria* sp. nov. (tod)  
Kou, C. C., 1958 a, 60, 62-63, 66, 69-70, 72, pl. I, figs. 9-11, pl. II, figs. 12-15  
*Manis pentadactyla aurita*: Kwangtung, China
- Chenospirura* n. g.  
Hsu, W. N., 1957 a, 48, 63, 75-76  
*Spiruridae, Spirurinae*  
mt: *C. asturi* n. g. n. sp.: Kwangtung Prov., China
- Chenospirura* gen. nov.  
Kou, C. C., 1958 a, 60, 66, 68  
*Habronematinae*  
tod: *C. kwangtungensis* sp. nov.
- Chenospirura asturi* n. g. n. sp. (mt)  
Hsu, W. N., 1957 a, 48, 63-64, 76, pl. V, figs. 84-91  
*Astur gentilis schvedowi*: Kwangtung Prov., China
- Chenospirura kwangtungensis* sp. nov. (tod)  
Kou, C. C., 1958 a, 60, 61, 62, 66, 68-69, 72, pl. I, figs. 1-8  
*Manis pentadactyla aurita*: Kwangtung, China
- Cherostrongylus*  
Travassos, L. P., 1925 f, 1260  
[for *Choerostrongylus*]
- Chevreuxia* n.g.  
Seurat, L. G., 1918 g, 106  
tod: *C. revoluta*
- Chevreuxia* Seurat, 1918  
Seurat, L. G., 1919 c, 179
- Chevreuxia* Seurat, 1918  
Baylis, H. A.; and Daubney, R., 1922 a, 321
- Chevreuxia* Seurat, 1918  
Baylis, H. A.; and Daubney, R., 1926 a, 219  
type: *C. revoluta* (Rudolphi)
- Chevreuxia* Seurat 1918  
Chabaud, A. G.; and Petter, A. J., 1959 a, 341  
*Acuariidae, Acuariinae*  
key
- Chevreuxia*  
Chitwood, B. G.; and Wehr, E. E., 1932 a, 168  
taxonomy
- Chevreuxia* Seurat, 1918  
Chitwood, B. G.; and Wehr, E. E., 1934 a, 323, 324, 333, pl. 1
- Chevreuxia* Seurat  
Cram, E. B., 1927 a, 211, 231-232  
type: *C. revoluta* (Rud.)
- Chevreuxia* Seurat  
Rauther, M., 1930 a, 373
- Chevreuxia* Seurat, 1918  
Skrjabin, K. I., 1941 b, 470, 473  
*Acuariidae, Acuariinae*
- Chevreuxia* Seurat, 1918  
Sobolev, A. A., 1943 b, 76, 77
- Chevreuxia*  
Sprehn, C. E. W., 1932 c, 613
- Chevreuxia*  
Travassos, L. P., 1920 h, 67
- Chevreuxia*  
Wehr, E. E., 1931 a, 4
- Chevreuxia*  
Wehr, E. E., 1933 b, 396  
[as *Chevreuxi*]
- Chevreuxia* Seurat, 1918  
Yorke, W.; and Maplestone, P. A., 1926 a, 327, 332-333  
type: *C. revoluta* (Rud., 1819)
- Chevreuxia australis* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1941 a, 254, 258, 259, figs. 20-21  
*Chlidonias leucopareia*: Tailem Bend
- Chevreuxia leiperi* sp. nov.  
Singh, S. N.; and Ali, S. M., 1961 a, 157-160, figs. 1-7  
*Dissoura episcopus episcopus* (gizzard):  
Hyderabad, Andhra Pradesh, India
- Chevreuxia revoluta* (Rud., 1819) [n. comb.] (tod)  
Seurat, L. G., 1918 g, 106-109  
*Himantopus himantopus*: Algeria
- Chevreuxia revoluta* (Rud.)  
Seurat, L. G., 1918 h, 1102
- Chevreuxia revoluta* (Rud.)  
Seurat, L. G., 1919 a, 986
- Chevreuxia revoluta* (Rud.)  
Seurat, L. G., 1919 c, 179  
*Himantopus himantopus*: Bône, Alger
- Chevreuxia revoluta*  
Seurat, L. G., 1920 c, 9, 10, 176, 180, fig. 1

- Chevreuxia revoluta (Rudolphi, 1819)  
 Baylis, H. A., 1939 a, 492  
 Charadrius hiaticula: Kent  
 Chevreuxia revoluta (Rudolphi, 1819)  
 Baylis, H. A.; and Daubney, R., 1926 a, 219  
 Chevreuxia revoluta (Rud.)  
 Cram, E. B., 1927 a, 232-233, fig. 294  
 Charadrius himantopus  
 Himantopus himantopus  
 H. melanopterus  
 Chevreuxia revoluta  
 Cram, E. B., 1932 c, 94  
 Recurvirostra americana ("under the corneus lining of the gizzard"): Salt Lake City, Utah  
 Chevreuxia revoluta (Rudolphi, 1829)  
 Gushanskala, L. Kh., 1950 c, 57  
 Himantopus candidus: SSSR  
 Chevreuxia revoluta (Rud.)  
 Kobayashi, H., 1922 b, 42  
 Chevreuxia revoluta (Rud.)  
 Rauther, M., 1930 a, 335, 373  
 Chevreuxia revoluta (Rudolphi, 1819)  
 Serkova, O. P., 1948 a, 216, 237, 241  
 Larus ridibundus: Barabin lakes  
 Chevreuxia revoluta (Rud., 1819)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 333, fig. 228  
 Himantopus himantopus
- Chilkaiya  
 Rai, P.; Bhatia, B. B.; and Pande, B. P., 1960 a, 13-14  
 Chinesocerca Skrjabin et Schikhobalowa 1937  
 Chabaud, A. G.; and Anderson, R. C., 1959 a, 85  
 as syn. of Paronchoicerca Peters 1936  
 Chinesocerca Skrjabin et Schikhobalowa 1937  
 Chabaud, A. G.; and Campana-Rouget, Y., 1956 b, 354, 356  
 as syn. of Striatofilaria Lubimov 1927  
 Chinesocerca Skrjabin et Schikhobalowa 1937  
 Skrjabin, K. I.; and Shikhobalova, N. P., 1948 a, 108, 145  
 key, type: C. bambusicola (Hsi Chieh Li, 1933)  
 Syn.: Houdemerus Chow, 1939  
 Chinesocerca bambusicola[e] (Hsi Chieh Li, 1933) n. comb.  
 Skrjabin, K. I.; and Shikhobalova, N. P., 1948 a, 146-147, fig. 28  
 Syns.: Onchocerca bambusicola Hsi Chieh Li, 1933;  
 Houdemerus bambusicola (Hsi Chieh Li, 1933) Chow, 1939  
 Bambusicola thoracica: [China]  
 Chinesocerca bambusicolae (Li 1933) Skrjabin et Schikhobalowa 1937  
 Chabaud, A. G.; and Campana-Rouget, Y., 1956 b, 355  
 as syn. of Striatofilaria bambusicolae (Hsi Chieh Li 1933) nov. comb.  
 Chinesocerca tonkinensis (Chow, 1939) [n. comb.]  
 Skrjabin, K. I.; and Shikhobalova, N. P., 1948 a, 146, 147-148, fig. 29  
 Syn.: Houdemerus tonkinensis Chow, 1939  
 Ardeola bacchus: [French Indochina]  
 Chinesocerca tonkinensis (Chow 1939) Skrjabin et Schikhobalowa 1937  
 Chabaud, A. G.; and Campana-Rouget, Y., 1956 b, 355  
 as syn. of Striatofilaria tonkinensis (Chow 1939) nov. comb.  
 Chinesocerca tonkinensis Chow, 1939  
 Oshmarin, P. G., 1950 c, 181  
 Ardeola bacchus  
 Botaurus stellaris  
 both from Far East  
 Chinesocerca tonkinensis  
 Shigin, A. A., 1954 b, 59  
 investigation of piscivorous birds of fish reservoirs  
 Chiropterofilaria gen. nov.  
 Yeh, L.-S.; Symes, C. B.; and Mataika, J. U., 1958 a, 227-230, 232  
 Pteropus hawaiiensis (peritoneal cavity)  
 mt: C. brevicaudata
- Chiropterofilaria ? sp.  
 Mackerras, M. J., 1962 a, 405  
 Tadarida loriae (abdominal cavity): Mossman, N. Queensland  
 Chiropterofilaria brevicaudata gen. et sp. nov. (mt)  
 Yeh, L.-S.; Symes, C. B.; and Mataika, J. U., 1958 a, 227-230, 232, figs. 1-7  
 Pteropus hawaiiensis (peritoneal cavity): Fiji (Taveuni and Viti Levu)  
 [Chiropterofilaria brevicaudata]  
 Yeh, L.-S.; Symes, C. B.; and Mataika, J. U., 1958 b, 11  
 Pteropus hawaiiensis: Fiji  
 Chiropterofilaria brevicaudata  
 Symes, C. B., 1960 a, 10  
 Pteropus hawaiiensis: Fiji  
 Chirostomylus Skarbilovitch, in Orloff, 1933  
 Travassos, L. P., 1937 e, 258  
 [for Chiroptestrongylus Skarbilovitch]  
 as syn. of Molinostromylus Skarbilovitch, 1934  
 Chitwoodiella gen. nov.  
 Basir, M. A., 1948 a, 4-7  
 Chitwoodiella Basir, 1948  
 Kloss, G. R., 1959 f, 160  
 Chitwoodiella ovofilamenta gen. et sp. nov.  
 Basir, M. A., 1948 a, 4-7, figs. 1-5  
 Gryllotalpa africana: Aligarh (North India)  
 Chitwoodiella ovofilamenta Basir, 1948  
 Basir, M. A., 1949 a, 112-114, figs. 1-3  
 Scapteriscus vicinus: B. W. I.  
 Chitwoodiella ovofilamenta Basir  
 Kloss, G. R., 1959 f, 161-162, pl. X, figs. 1-14  
 Gryllotalpa hexadactyla (intestino posterior): Brasil  
 Chitwoodiella ovofilamenta Basir, 1948  
 Rao, P. N., 1958 a, 49, 50, figs. 35-37  
 Gryllotalpa africana (intestine): Hyderabad, Andhra Pradesh (India)  
 Chitwoodiella thapari n. sp.  
 Travassos, L., 1953 b, 278-280, 284, figs. 1-9  
 Gryllotalpa sp.: Brasil  
 Chitwoodspira n. gen.  
 Chabaud, A. G.; Rousselot, R., 1956 c, 467-471  
 tod: C. wehri  
 Chitwoodspira Chabaud et Rousselot, 1956  
 Chabaud, A. G., 1959 c, 19  
 Hederidae, Habronematinae  
 Chitwoodspira wehri n. g., n. sp. (tod)  
 Chabaud, A. G.; and Rousselot, R., 1956 c, 467-470, 471, figs. 1, 2  
 Gorilla gorilla: Moyen-Congo  
 Chitwoodspira wehri  
 Chabaud, A. G.; and Petter, A. J., 1961 b, 64, pl. VI, fig. 33  
 cloacal papillae  
 Chitwoodspira wehri Chabaud et Rousselot, 1956  
 Noda, R.; and Yamada, H., 1961 a, 465-466  
 gorilla  
 Chlamydinema [n. gen.]  
 Noordhoek Hegt, J., 1910 a, 5-44  
 type: C. felineum  
 Chlamydinema Noordhoek Hegt, 1910  
 Baylis, H. A., 1939 b, 145  
 as syn. of Physaloptera Rudolphi, 1819  
 Chlamydinema Noordhoek Hegt, 1910  
 Baylis, H. A.; and Daubney, C., 1926 a, 222  
 as syn. of Physaloptera Rud.  
 Chlamydinema  
 Chitwood, B. G.; and Wehr, E. E., 1932 a, 168  
 taxonomy  
 Chlamydinema  
 Korke, V. T., 1928 e, 201  
 Chlamydinema Hegt 1910  
 Kreis, H. A., 1945 a, 579-581  
 Syn.: Physaloptera Rud. 1819 e. p.  
 Chlamydinema  
 Massino, B. G., 1923 c, 5  
 Chlamydinema Noordhoek Hegt  
 Mönnig, H. O., 1924 d, 449  
 Chlamydinema  
 Ortlepp, R. J., 1922 a, 1007

- Chlamydonema Hegt  
Rauther, M., 1930 a, 373
- Chlamydonema Hegt  
Shul'ts, R. E. S., 1927 e, 289, 291, 292
- Chlamydonema Hegt 1910  
Siddiqi, A. H.; and Adhami, U. M., [1956 a], 19-22, figs. 1-2  
synonymy, validity of its species
- Chlamydonema  
Sprehn, C. E. W., 1927 e, 56
- Chlamydonema Hegt, 1910  
Sprehn, C. E. W., 1932 c, 625, 629  
type: *C. praeputiale* (Linstow, 1889)
- Chlamidonema [sic] Hegth  
Travassos, L. P., 1920 b, 57
- Chlamydonema  
Travassos, L. P., 1920 g, 66, 73
- Chlamydonema  
Travassos, L. P., 1920 h, 67
- Chlamydonema Hegt, 1910  
Tuzdil, A. M., 1939 a, 55
- Chlamydonema Hegt, 1910  
Yorke, W.; and Maplestone, P. A., 1926 a, 351, 355, 356  
type: *C. felineum* Hegt, 1910
- Chlamydonema sp.  
Acharya, S. K., 1939 b, 7, 9  
pathogenic, Pariah dog: India
- Chlamydonema sp.  
Müller, G. W., [1936 a], 10, 13, fig. 8 (1)
- Chlamydonema canis Monnig, 1929  
Tuzdil, A. M., 1939 a, 55
- Chlamydonema felineum Hegt, 1910  
Baylis, H. A.; and Daubney, R., 1922 a, 322  
as syn. of *Physaloptera praeputialis* v. Linst.
- Chlamydonema felineum Hegt  
Korke, V. T., 1928 e, 199  
as syn. of *Physaloptera praeputialis* (Linst.)
- Chlamydonema felineum  
Krijgsman, B. J., 1933 d, 377  
as syn. of *C. praeputiale*
- Chlamydonema felineum  
Massino, B. G., 1923 c, 5
- Chlamydonema felineum N. Hegt  
Monnig, H. O., 1924 d, 449-450, fig. 25  
*Felis caffra*  
*Canis mesomelas*  
*Genetta ludia*  
*Felis pardus*  
all from Transvaal
- Chlamydonema felineus  
Ortlepp, R. J., 1922 a, 1007
- Chlamydonema felineum Hegt  
Railliet, A., 1925 b, 18  
as syn. of *Physaloptera praeputialis* Linst.
- Chlamydonema felineum Noordhoek Hegt  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 447
- Chlamydonema felineum Noorhoek-Hecht  
Smit, H. J., 1932 a, 174  
*Felis domestica* (maag)
- Chlamydonema felineum Hegt, 1910  
Sprehn, C. E. W., 1932 c, 629  
as syn. of *C. praeputiale* (Linstow, 1889)
- Chlamydonema felineum Hegt, 1910  
Yorke, W.; and Maplestone, P. A., 1926 a, 355, 356  
Syn.: *Physaloptera praeputialis* Linst., 1899  
type
- Chlamydonema fuelleborni n. sp.  
Mirza, M. B., 1934 a, 288-290, figs. 1-3  
*Felis catus domesticus*
- Chlamydonema fuelleborni Mirza and Singh, 1934  
Baylis, H. A., 1939 b, 149  
as syn. of *Physaloptera brevispiculum* v. Linstow, 1906
- Chlamydonema fuelleborni Mirza and Singh, 1934  
Siddiqi, A. H.; and Adhami, U. M., [1956 a], 22  
"valid"
- Chlamydonema lagothricis n. sp.  
Kreis, H. A., 1945 a, 552, 580, 581-587, figs. 6 A-C,  
7 A-B  
*Lagothrix* spec.: Rio Samiria, Loreto, Peru
- Chlamydonema lagothricis Kreis, 1945  
Skrjabin, K. I.; Shikhobalova, N. P.; and Sobolev, A. A., 1949 a, 84  
as syn. of *Physaloptera lagothricis* (Kreis, 1945)
- Chlamydonema malayense Yorke and Maplestone, 1926  
Baylis, H. A., 1939 b, 149  
as syn. of *Physaloptera brevispiculum* v. Linstow, 1906
- Chlamydonema malayense (Ortlepp 1922)  
Kreis, H. A., 1945 a, 580, 581  
key  
Syn.: *Physaloptera malayense* Ortlepp 1922  
Katzarten
- Chlamydonema malayense (Ortlepp)  
Shul'ts, R. E. S., 1927 e, 292
- Chlamydonema malayense  
Sprehn, C. E. W., 1927 e, 56
- Chlamydonema malayense (Ortlepp, 1922)  
Yorke, W.; and Maplestone, P. A., 1926 a, 356  
*Felis* sp.
- Chlamydonema masoodi [nomen nudum]  
Mirza, M. B., 1934 a, 289, 290
- Chlamydonema masoodi n. sp.  
Mirza, M. B., 1934 b, 267-270, figs. 1-3  
*Felis chaus*
- Chlamydonema masoodi Mirza, 1934  
Morgan, B. B., 1944 f, 384  
as syn. of *Physaloptera masoodi* (Mirza, 1934)
- Chlamydonema masoodi Mirza 1934  
Siddiqi, A. H.; and Adhami, U. M., [1956 a], 22  
"valid"
- Chlamydonema praeputiale (Linstow, 1884)  
Abdel Azim, M., 1939 a, 34  
cats: Egypte
- Chlamydonema praeputiale  
Adams, A. R. D., 1933 b, 6  
cats: Taiping and Seremban, Fed. Malay States
- Chlamydonema praeputialis (Linstow, 1889)  
Andrews, M. N., 1937 a, 147, 149, 150  
dogs  
cats  
both from Shanghai
- Chlamydonema praeputiali (?) [sic]  
Arenas y Martorell, R.; Kouri, P.; and Basnuevo, J. G., 1934 c, 636-637, 2 figs.  
perro (intestinal)
- Chlamydonema praeputiale von Linstow, 1889  
Bhattacharjee, J., 1937 a, 93  
synonymy  
cat: Burma
- Chlamydonema praeputiale  
Carlo, R., 1939 b, 380  
leopard: *Scioa*
- Chlamydonema praeputialis (v. Linstow, 1889)  
Hsu, H. F.; and Li, S. Y., 1941 b, 209  
dogs: Shanghai
- Chlamydonema praeputialis (v. Linst.)  
Isaichikov, I. M., 1927 d, 156, 163  
*Felis catus dom.*
- Chlamydonema praeputialis  
Isshiki, O., 1939 b, 79  
*Canis familiaris*
- Chlamydonema praeputiale (Linst.)  
Korke, V. T., 1928 e, 201
- Chlamydonema praeputialis (v. Linstow 1889)  
Kreis, H. A., 1945 a, 580  
key  
Syns.: *Physaloptera praeputialis* v. Linstow 1889; *P. felineum* (Hegt 1910); *C. felineum* Hegt 1910  
Katzarten
- Chlamydonema praeputiale  
Krijgsman, B. J., 1933 d, 377  
Syn.: *C. felineum*; *Physaloptera praeputialis*  
Tijger (darm)  
Kat (maag)  
both from Nederlandsch-Indië

- Chlamydonema praeputiale*  
 Lancaster, W. E., 1957 a, 160  
 as syn. of *Physaloptera praeputialis*
- Chlamydonema praeputiale* (Linstow, 1889)  
 Landram, J. F., 1950 a, 82  
 Lynx rufus: Wyoming
- Chlamydonema praeputialis*  
 Lu, C., 1941 a, 248, 252, 260  
 cat: China
- Chlamydonema praeputialis*  
 Mahajan, M. R., 1935 b, 38  
 leopard: Hyderabad
- Chlamydonema praeputiale*  
 Mangrulkar, M. Y., 1937 a, 243  
*Felis domesticus* Bareilly (U. P.), India
- Chlamydonema praeputialis* (Linstow)  
 Massino, B. G., 1923 c, 2, 3, 4, 5-9, 15, figs. 1-2
- Chlamydonema praeputialis* (Linst.)  
 Massino, B. G., 1924 a, 60, 61
- Chlamydonema praeputialis* (Linstow, 1888)  
 Massino, B. G., 1927 b, 130  
 Koskha [cat]: Bukhara
- Chlamydonema praeputialis* [sic]  
 Mirza, M. B., 1934 a, 289  
 [for *C. praeputialis*]
- Chlamydonema praeputialis* Travassos, 1917  
 Morgan, B. B., 1944 f, 376  
 as syn. of *Physaloptera praeputialis* Linstow, 1889
- Chlamydonema praeputialis*  
 Müller, G. W., [1936 a], 21, [?] fig. 13
- Chlamydonema praeputialis* (Linst.)  
 Petrov, A. M., 1926 a, 91, 93, 95, 99, 100, 101  
 dog  
 cat
- Chlamydonema praeputialis* Linstow  
 Popov, N. P., 1924 a, 15, 16; Armenian summary, 14;  
 French summary, 3  
 chats: Arménie
- Chlamydonema praeputialis* Linst.  
 Popov, N. P., 1924 b, 6, 7
- Chlamydonema praeputialis*  
 Popov, N. P., 1927 a, 212  
 [dog]: Kazakstan
- Chlamydonema praeputiale* (v. Linst.)  
 Rauther, M., 1930 a, 373
- Chlamydonema praeputialis*  
 Ressang, A. A.; Fischer, H.; and Muchlis, A., 1959 a, 96  
*Felis domestica*: Indonesia
- Chlamydonema praeputialis* (Linstow)  
 Schuurmans Stekhoven, J. H., 1937 a, 455, 480, 481
- Chlamydonema praeputiale*  
 Sen, S. K., 1949 a, 45  
 cat: Gwalior
- Chlamydonema praeputiale* (v. Linst.)  
 Shul'ts, R. E. S., 1927 e, 292
- Chlamydonema praeputiale*  
 Sprehn, C. E. W., 1927 e, 56
- Chlamydonema praeputiale* (Linstow, 1889)  
 Sprehn, C. E. W., 1932 c, 629-630, 819, 820  
 Syns.: *Physaloptera praeputiale* Linstow,  
 1889; *Chlamydonema felineum* Hegt, 1910; *C.  
 praeputiale* (Linstow, 1889) Yorke u. Maple-  
 stone, 1926  
*Felis catus*: Ostasien; Afrika, Südamerika
- Chlamydonema praeputiale* (Von Linstow, 1889)  
 Tang, C. C., 1936 b, 227, 230, 231  
 cat: China
- Chlamydonema praeputialis*  
 Thapar, G. S., 1956 a, 226  
 cat: Bengal
- Chlamydonema praeputiale* (Linst.)  
 Thwaite, J. W., 1927 b, 242  
*Felis tigrinum*
- Chlamydonema preputialis* [sic] (v. Linstow, 1888)  
 Travassos, L. P., 1917 e, 101-103  
 gatos
- Chlamydonema praeputiale* (von Linstow, 1889)  
 Tubangui, M. A., 1947 a, 270  
 dog: Luzon
- Chlamydonema praeputiale* (Linstow, 1889)  
 Tüdzil, A. N., 1939 a, 55
- Chlamydonema praeputiale* (Linstow, 1889)  
 Vogelsang, E. G.; and Rodríguez C., C., 1952 a,  
 313  
*Felis tigrina*: Jardin zoologico de Maracay
- Chlamydonema praeputiale* (Linstow, 1889)  
 Witenberg, G. G., 1934 a, 238  
 dog  
 cat
- Chlamydonema praeputiale* (Linst., 1889)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 356,  
 fig. 243  
 type of genus  
*Felis* spp.
- Chlamydonema tumefaciens* (Henry and Blanc, 1912)  
 Kreis, H. A., 1938 a, 281, 301-303, fig. 10  
*Cynomolgus fascicularis*  
*Pithecius fascicularis*  
 both from Zool. Garten Basel
- Chlamydonema tumefaciens* (Henry and Blanc, 1912)  
 Kreis, H. A., 1940 a, 165  
*Cynomolgus fascicularis*
- Chlamydonema tumefaciens* (Henry und Blanc 1912)  
 Kreis, H. A., 1945 a, 580, 581, 583, 585, 586  
 key  
 Syn.: *Physaloptera tumefaciens* Henry und  
 Blanc 1912  
*Macacus*  
*Pithecius*
- Chlamydonema tumefaciens* [sic]  
 Mirza, M. B., 1934 a, 289
- Chlamydonema tumefaciens* (Henry & Blanc)  
 Shul'ts, R. E. S., 1927 e, 292
- Chlamydonema tumefaciens*  
 Sprehn, C. E. W., 1927 e, 56  
*Macacus*
- Chlamydonema tumefaciens* (Henry & Blanc, 1912)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 356  
*Macacus* sp.
- Chlamydoprocata* n. gen.  
 Chandler, A. C., 1954 a, 313-315  
*Spiruridae*  
 mt: *C. itascensis* n. sp.
- Chlamydoprocata* Chandler, 1954  
 Chabaud, A. G., 1959 c, 17  
 as syn. of *Vigispirura* Petrov et Potekhina,  
 1953
- Chlamydoprocata itascensis* n. gen., n. sp. (mt)  
 Chandler, A. C., 1954 a, 313-315, figs. 1-3  
*Mephitis mephitis*: Minnesota
- Choerostrongylus* n. g.  
 Gedoelst, L., 1923 a, 630  
 tod: *Metastrongylus brevivaginatus* R. & H.
- Choerostrongylus* [sic]  
 Andrews, C. H., 1942 a, 4  
 epidemiology
- Choerostrongylus* Gedoelst  
 Baylis, H. A., 1929 c, 173
- Choerostrongylus* Gedoelst, 1923  
 Baylis, H. A.; and Daubney, R., 1926 a, 176  
 type: *C. pudendotectus* (Wostokow)
- Choerostrongylus* Gedoelst, 1923  
 de Bruyn, W. M., 1933 a, 149  
 type species: *C. pudendotectus* (Wostokow,  
 1905)
- Schwein (Atmungsweg): Eur.; As.; Afr.; Am.
- Choerostrongylus* Ged.  
 Skrjabin, K. I., 1924 h, 1215
- Choerostrongylus*  
 Sprehn, C. E. W., 1927 e, 62
- Choerostrongylus* Gedoelst, 1923  
 Sprehn, C. E. W., 1932 c, 737, 739  
 type species: *C. pudendotectus* (Wostokow,  
 1905)
- Choerostrongylus*  
 Travassos, L., 1925 f, 1259, 1260  
 type: *C. pudendotectus*

- Choerostrongylus Gedoelst*, 1923  
 Yorke, W.; and Maplestone, P. A., 1926 a, 160-161  
 subgenus of *Metastrongylus* Molin  
 contains: *M. (C.) pudendotectus*
- Choerostrongylus spp.*  
 Schwartz, B. I.; and Bishopp, F. C., 1942 a, 284
- Choerostrongylus brevivaginatus* (R. & H.) [n. comb.]  
 Gedoelst, L., 1923 a, 630
- Choerostrongylus brevivaginatus*  
 Baker, D. W., 1934 b, 47  
 pig: New York State
- Choerostrongylus brevivaginatus*  
 Besson, J., 1948 a, 69 pp.  
 porcine
- Choerostrongylus brevivaginatus* (Railliet and Henry, 1907) Gedoelst, 1923
- Dougherty, E. C., 1944 b, 72  
 as syn. of *Metastrongylus pudendotectus*  
 Vostokov, 1905
- Choerostrongylus brevivaginatus*  
 Hobmaier, A.; and Hobmaier, M., 1929 b, 369
- Choerostrongylus brevivaginatus*  
 Hobmaier, A.; and Hobmaier, M., 1930 c, 361-364
- Choerostrongylus pudendotectus* (Vostokov, 1905)  
 [n. comb.]  
 Skrjabin, K. I., 1924 h, 1216  
 Syn.: *Metastrongylus brevivaginatus* R. & H., 1907.
- Choerostrongylus pudendotectus* Vostokov  
 Skrjabin, K. I., 1925 b, 136, 138, 143
- Choerostrongylus pudendotectus* (Vostokov, 1905)  
 Skrjabin, 1924  
 Alicata, J. E., [1936 a], 41-44, 86, 87, fig. 18  
 synonymy  
*Helodrilus foetidus*  
*Lumbricus terrestris*  
*Helodrilus caliginosus* var. *trapezoides*  
*Lumbricus rubellus*
- Choerostrongylus pudendotectus*  
 Alicata, J. E., 1938 g, 96  
 swine: Hawaii
- Choerostrongylus pudendotectus* Vostokov  
 Alicata, J. E., 1947 a, 74, 83  
 swine: Hawaii
- Choerostrongylus pudendotectus*  
 Andrews, J. S., 1945 a, 114
- Choerostrongylus pudendotectus*  
 Andrews, J. S.; and Connelly, J. W., 1945 a, 8, 9, 10, 11, 12  
 pigs
- Choerostrongylus pudendotectus*  
 Apostolescu, C., 1956 a, 78
- Choerostrongylus pudendotectus*  
 Audisio, S. N., 1961 a, 181-183
- Choerostrongylus pudendotectus* (Vostokov, 1905)  
 Babic, I., 1933 a, 101  
 Sus scrofa: Jugoslavija
- Choerostrongylus pudendotectus* Vostokov, 1905  
 Badanin, N. V., 1930 a, 50  
 [kaban=wild boar]: Pribalkhash region, Central Asia
- Choerostrongylus pudendotectus* (Vostokov)  
 Baylis, H. A., 1929 c, 173, fig. 122  
 pig
- Choerostrongylus pudendotectus* (Vostokov, 1905)  
 Baylis, H. A.; and Daubney, R., 1926 a, 176
- Choerostrongylus pudendotectus*  
 Belkin, G. Ia.; and Shletser, A. M., 1936 a, 110  
 swine
- Choerostrongylus pudendotectus*  
 Borchert, A., 1950 d, 7
- Choerostrongylus pudendotectus* (Vostokov, 1905)  
 de Bruyn, W. M., 1933 a, 149  
 type species
- Choerostrongylus pudendotectus*  
 Casarosa, L., 1951 f, 119-127
- Choerostrongylus pudendotectus*  
 Chavarria Ch., M., 1937 a, v. 1 (10), 7
- Choerostrongylus pudendotectus* (Vostokov, 1905)  
 Chavarria Ch., M., 1938 c, 3  
 cerdo: Mexico
- Choerostrongylus pudendotectus*  
 Day, L. E.; Bengston, J. S.; and Raffensperger, H. B., 1927 a, 44, 45, 47, 50, 51
- Choerostrongylus pudendotectus*  
 Dayton, D. A., 1957 a, 282  
 Eisenia linnbergi (exper.)
- Choerostrongylus pudendotectus* (Vostokov, 1905)  
 Skrjabin, 1924  
 Diaz Ungria, C., 1951 b, 186-188, 190, 191, 193, figs. 8-13
- Choerostrongylus pudendotectus* (Vostokov, 1905)  
 Skrjabin, 1924  
 Diaz Ungria, C., 1953 a, 237, 238, 239-242, figs. 6-11  
 synonymy
- Choerostrongylus pudendotectus*  
 Divljanovic, D., 1956 a, 405-407  
 porcs: abattoir de la ville de Valjevo
- Choerostrongylus pudendotectus* (Vostokov, 1905)  
 Skrjabin, 1924  
 Dougherty, E. C., 1944 b, 72  
 as syn. of *Metastrongylus pudendotectus*  
 Vostokov, 1905
- Choerostrongylus pudendotectus* (Vostokov)  
 Dubinin, V. B., 1952 f, 77  
 swine: Volga delta
- Choerostrongylus pudendotectus* (Vostokov, 1905)  
 Dzhavadov, M. K., 1935 b, 30, 32-33, 34  
 swine: Azerbaidzhan
- Choerostrongylus pudendotectus* Vostokow, 1905  
 Fedoseev, S. D., 1937 a, 124, 131, 133  
 Sus scrofa: Gorkii oblast
- Choerostrongylus pudendotectus*  
 Foster, A. O., 1939 b, 102  
 swine: Panama
- Choerostrongylus pudendotectus*  
 Gambles, R. M., 1939 a, 30  
 pig?: Cyprus
- Choerostrongylus pudendotectus* (Vostokow)  
 Gedoelst, L., 1924 b, Nov., 251  
 porc indigene: Leopoldville
- Choerostrongylus pudendotectus*  
 Gel'ler, M., 1933 b, 9, 11, 12, 14, 15, figs. 2 (1-2, 5), 3 (10, 12)
- Choerostrongylus pudendotectus* Vostokow  
 Gendre, E., 1928 a, 76  
 porc: Dahomey
- Choerostrongylus pudendotectus*  
 Gorshunova, O. K., 1934 b, 42, 43, 44, 46
- Choerostrongylus pudendotectus*  
 Hobmaier, A.; and Hobmaier, M., 1929 a, 433-436  
 Schweine (Lunge)
- Choerostrongylus pudendotectus*  
 Hobmaier, A.; and Hobmaier, M., 1929 e, 393
- Choerostrongylus pudendotectus* (Vost.)  
 Houdemer, F. E., 1927 a, 201  
 suidés
- Choerostrongylus pudendotectus* (Vostokow, 1905)  
 Skrjabin 1924  
 Ineson, M. J., 1954 a, 579, 598-600  
 wild pigs  
 domestic pigs  
 both from N. Zealand
- Choerostrongylus pudendotectus*  
 Kates, K. C., 1941 b, 265, 271
- Choerostrongylus pudendotectus*  
 Klimsa, R., 1949 a, 238
- Choerostrongylus pudendotectus*  
 Knight, P. L., 1953 a, 319  
 survival time in vitro  
 swine

- Choerostyngylus pudendotectus*  
Lancaster, W. E., 1957 a, 159  
pig: Malaya
- Choerostyngylus pudendotectus*  
Lisboa, Laboratorio de Patología Veterinaria,  
1936 a, 146
- Choerostyngylus pudendotectus*  
Matov, K., 1936 c, 617-620  
biology
- Choerostyngylus pudendotectus* (Vostokov, 1905)  
Mikatić, D., 1937 a, 405-406, 408, 409, 410,  
413  
svinja: Zagreb
- Choerostyngylus pudendotectus*  
Milošević, S., 1937 a, 210, 212, 214, 217
- Choerostyngylus pudendotectus* (Wostokow, 1905)  
Skrjabin, 1924  
Oldham, J. N., 1938 a, 1135  
Syn.: *Metastrongylus brevivaginatus* Railliet  
and Henry, 1907
- Choerostyngylus pudendo-tectus*  
Osorio Tafall, B. F., 1946 a, 351  
Ciencia, Mexico
- Choerostyngylus pudendotectus*  
Palimpestov, M. A., 1934 a, 54-56  
differential diagnosis, swine
- Choerostyngylus pudendotectus*  
Pillers, A. W. N., 1933 a, 56  
pig
- Choerostyngylus pudendotectus* (Wostokow, 1905)  
Pozo-Lora, R., 1960 a, 408  
cerdo: Cordoba
- Choerostyngylus pudendotectus*  
Price, E. W., 1928 e, 201  
swine: Texas
- Choerostyngylus pudendotectus* (Wostokow)  
Railliet, A., 1925 b, 15  
Syns.: *Metastrongylus pudendotectus* Wastokow, 1905; *M. brevivaginatus* R. & H., 1907;  
*Choerostyngylus pudendotectus* (W.) Skrjabin  
porc
- Choerostyngylus pudendotectus* (Gedoelts 1923)  
Reyes, R. V., 1937 a, 1120  
cerdo: Colombia
- Choerostyngylus pudendotectus* Wostokow, 1905  
Reyes, R. V., 1938 a, 21  
cerdo: Cundinamarca, Chocó, Colombia
- Choerostyngylus [sic] pudendotectus* (Wostokow, 1905)  
Roberts, F. H. S., 1934 r, 3, 7  
Sus scrofa: Queensland (1st report)
- Choerostyngylus pudendotectus*  
Roe, R. J., 1935 a, 37  
? pig: Cyprus
- Choerostyngylus pudendotectus* (Wostokow)  
Roveda, R.; and Ringuelet, R., 1947 a, 71  
Sus scrofa domesticus: Argentina
- Choerostyngylus pudendotectus*  
Schneider<sup>3</sup>, 1931 a, 17
- Choerostyngylus [sic] pudendotectus* (Wostokow)  
Schuurman Stekhoven, J. H., 1939 a, 565, 572
- Choerostyngylus pudendotectus*  
Schwartz, B.<sup>1</sup>; and Alicata, J. E., 1931 a,  
21-27  
life history
- Choerostyngylus pudendotectus*  
Schwartz, Benjamin<sup>1</sup>; and Alicata, J. E., [1935  
b], 1, 3, 8-9, 11, 12, 13, 14, 15, 16, 22, 23,  
26-27, 29, 30, 32-34, 35, 39, 40, figs. 7, 11-  
12, 17-20  
Helodrilus caliginosus var. trapezoides  
(exper.)
- H. foetidus (exper.)  
pigs (exper.)  
guinea pigs (exper.)  
dog (exper.)
- Choerostyngylus pudendotectus*  
Schwartz, Benjamin<sup>1</sup>; and Lucker, J. T., 1935 a,  
432  
pigs
- Choerostyngylus pudendotectus*  
Schwartz, Benjamin<sup>1</sup>; and Lucker, J. T., 1937 a,  
640-652  
pigs, course of infection
- Choerostyngylus pudendotectus*  
Shope, R. E., 1939 a, 441-442  
? Helodrilus foetidus  
? H. caliginosus var. trapezoides  
? Octolasmis lacteum  
? Lumbricus terrestris
- Choerostyngylus pudendotectus*  
Shope, R. E., 1941 a, 50  
Eisénia foétida (exper.)  
Allolobophora caliginosa f. typica (exper.)  
A. longa (exper.)  
Lumbricus terrestris (exper.)
- Choerostyngylus pudendotectus*  
Shope, R. E., 1941 b, 491-518  
pigs
- Choerostyngylus pudendotectus*  
Shope, R. E., 1943 a, 100  
intermediate host for swine influenza virus
- Choerostyngylus pudendotectus*  
Shope, R. E., 1958 a, 613-614  
intermediate host for hog cholera virus
- Choerostyngylus pudendotectus*  
Shul'ts, R. E. S., 1930 c, 971, 973  
swine
- Choerostyngylus pudendotectus*  
Silva Leitão, J. L., 1945 c, 196
- Choerostyngylus pudendotectus*  
Silva Leitão, J. L., 1948 a, 204
- Choerostyngylus pudendotectus*  
Skrjabin, K. I.; Petrov, A. M.; Ozerskaia, V.  
N.; and Potemkin, V. A., 1933 a, 44  
diagnosis, swine
- Choerostyngylus pudendotectus*  
Skvortsov, A. A., 1940 b, 751, 755, 757, 758,  
759, 761, 762, 763, 764, 765  
pigs, development
- Choerostyngylus pudendotectus*  
Spindler, L. A., 1934 d, 40, 41, 42  
hogs: southern U.S.
- Choerostyngylus pudendotectus*  
Spindler, L. A., 1942 b, 758
- Choerostyngylus pudendotectus*  
Sprehn, C. E. W., 1927 e, 62
- Choerostyngylus pudendotectus* (Wostokow, 1905)  
(type)  
Sprehn, C. E. W., 1932 c, 739, 809  
Syns.: *Metastrongylus pudendotectus* Wostokow, 1905; *M. brevivaginatus* Railliet und Henry, 1907; *C. pudendotectus* (Wostokow, 1905) Gedoelst, 1923  
Schwein (Bronchien und Trachea): Europa; Asien; Afrika; Amerika
- Choerostyngylus pudendotectus*  
Swanson, L. E., 1941 b, 63  
swine: Georgia
- Choerostyngylus pudendotectus*  
Swierstra, D., 1948 b, 833  
Varken
- Choerostyngylus pudendotectus* (Wostokow, 1905)  
Tagle Villaruel, I., 1953 c, 97  
Sus scrofa domesticus: Chile
- Choerostyngylus pudendotectus* (Wostokow)  
Travassos, L. P., 1925 f, 1260
- Choerostyngylus pudendotectus*  
Tromba, F. G., 1959 a, 65
- Choerostyngylus pudendotectus* (Wostokow, 1905)  
Tropa, E.; and Sousa Dias, V., 1943 a, chart 2  
suíno: Pôrto
- Choerostyngylus pudendotectus*  
Van Volkenberg, H. L., 1936 c, 6, 7  
Sus scrofa: Puerto Rico

- Choerostrongylus pudendotectus*  
Van Volkenberg, H. L., 1938 a, 8  
pig: Puerto Rico
- Choerostrongylus pudendotectus* (Wostokow, 1905)  
Van Volkenberg, H. L., 1939 a, 7  
pig: Puerto Rico
- Choerostrongylus pudendotectus*  
Ward, J. W., 1946 b, 13  
hog: Mississippi
- Choerostrongylus pudendotectus* (Wostokow, 1905)  
Wetzel, R., [1933? a], 8  
Syns.: *Metastrongylus pudendotectus* (Wostokow, 1905; *M. brevivaginatus* Railliet und Henry, 1907  
Regenwürmer  
Schwein (Bronchien)
- Choerostrongylus pudendotectus*  
Wetzel, R.; and Quittek, G., 1940 a, 352  
as syn. of *Metastrongylus pudendotectus*
- Choerostrongylus pudendotectus* var. *estoniensis*  
Hobmaier, A.; and Hobmaier, M., 1929 a, 433, 434
- Choerostrongylus tenuicollis*  
Swierstra, D., 1948 b, 833  
Varken
- Choniangium*  
Baylis, H. A., 1924 d, 21
- Choniangium Railliet, Henry and Bauche*, 1914  
Baylis, H. A., 1936 a, 247, 259  
Strongylidae, Strongylinae  
synonymy  
type: *C. epistomum* (Piana, in Piana and Stazzi, 1900)
- Choniangium Railliet, Henry & Bauche*, 1914  
Baylis, H. A.; and Daubney, R., 1926 a, 153-154  
type: *C. epistomum* (Piana & Stazzi)
- Choniangium*  
Ihle, J. E. W., 1922 d, 93
- Choniangium R., H. & Bauche*, 1914  
Khalil, M., 1922 q, 228-229  
type: *C. epistomum*
- Choniangium R., H. & Bauche*  
Khalil, M., 1922 r, 24-25, 72  
type: *C. epistomum*
- Choniangium*  
Lane, C., 1921 c, 164
- Choniangium*  
Popov, N. P., 1927 b, 193
- Choniangium*  
Railliet, A.; Henry, A. C. L.; and Bauche, J., 1915 a, 116  
Syn.: *Asifia Lane*
- Choniangium Railliet, Henry & Bauche*  
Rauther, M., 1930 a, 376
- Choniangium*  
Sprehn, C. E. W., 1927 e, 47
- Choniagium* [sic]  
Travassos, L. P., 1920 h, 65
- Choniangium Railliet, Henry and Bauche*, 1914 emend.  
van der Westhuyzen, O. P., 1938 a, 52, 92-93  
Strongylinae  
Syn.: *Asifia Lane*, 1914  
type: *C. epistomum*
- Choniangium Railliet, Henry & Bauche*, 1914  
Yorke, W.; and Maplestone, P. A., 1926 a, 35, 40-41  
type: *C. epistomum* (Piana & Stazzi)
- Choniangium* sp. Ware, 1924  
Baylis, H. A., 1936 a, 261  
elephant: Coorg, South India
- Choniangium* sp.  
Ware, F., 1924 c, 283-286, figs. 1-4  
Elephas indicus
- Choniangium epistomum* (Piana, in Piana and Stazzi, 1900)  
Railliet, Henry and Bauche, 1914 (type)  
Baylis, H. A., 1936 a, 259, 260-261, fig. 122  
synonymy  
Indian elephant: Murshidabad, Bengal
- Choniangium epistomum* (Piana & Stazzi, 1900)  
Baylis, H. A.; and Daubney, R., 1926 a, 154
- Choniangium epistomum* (Piana and Stazzi, 1900)  
Bhattacharjee, J., 1937 a, 90  
synonymy  
elephant: Burma
- Choniangium epistomum* (Pianna, in Pianna and Stazzi 1900)  
Chatterji, R. C., 1940 c, 47  
elephant: Burma
- Choniangium epistomum* (Piana & Stazzi)  
Ihle, J. E. W., 1919 e, 100  
Elephas indicus
- Choniangium epistomum* Piana & Stazzi, 1900  
Khalil, M., 1922 q, 229, 276  
Indian elephant: India
- Choniangium epistomum* Piana & Stazzi, 1900  
Khalil, M., 1922 r, 25, 72  
Indian elephant: India
- Choniangium epistomum*  
Krijgsman, B. J., 1933 d, 375  
Syns.: *Sclerostoma epistomum*; *Asifia vasifa*  
Olfant (darm): Nederlandsch-Indië
- Choniangium epistomum*  
Lane, C., 1921 c, 166
- Choniangium epistomum*  
Malik, B. S.; and Singh, G., 1958 a, 191, 192, 193  
Indian elephant: India
- Choniangium epistomum* (Piana & Stazzi)  
Railliet, A., 1925 b, 13  
Éléphant indien
- Choniangium epistomum*  
Railliet, A.; Henry, A.; and Bauche, J., 1915 a, 119  
Syn.: *Asifia vasifa* Lane
- Choniangium epistomum*  
Sankaranarayanan, M. V.; Das, M. N.; and Sundaram, S., 1957 a, 35, 43, fig. 5  
bursa as diagnostic character
- Choniangium epistomum* Piana & Stazzi  
Smit, H. J., 1920 f, 2
- Choniangium epistomum* Piana & Stazzi  
Smit, H. J., 1922 b, 509
- Choniangium epistomum*  
Sprehn, C. E. W., 1927 e, 47
- Choniangium epistomum*  
Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 1302  
Elephas sp.: Netherlands
- Choniangium epistomum*  
Thapar, G. S., 1956 a, 226  
elephant: Assam
- Choniangium epistomum* (Piana and Stazzi, 1900)  
Railliet, Henry and Bauche, 1914 (type)  
van der Westhuyzen, O. P., 1938 a, 52, 93, 95, 166, 167, figs. 158-172  
Indian elephant
- Choniangium epistomum* (Piana and Stazzi)  
Wu, H. W., 1934 a, 512, 517-518, fig. 9  
Indian elephant: Nanking
- Choniangium epistomum* (Piana and Stazzi)  
Yorke, W.; and Maplestone, P. A., 1926 a, 41, fig. 14  
type of genus  
elephants
- Choniangium magnostomum* n. sp.  
van der Westhuyzen, O. P., 1938 a, 52, 93-95, 167-169, figs. 173-178  
Indian elephant
- Choniangium magnostomum* van der Westhuyzen, 1938  
Ramanujachari, G.; and Alwar, V. S., 1954 a, 52  
elephant (intestine): Topslip Coimbatore district
- Choniangium magnostomum*  
Sankaranarayanan, M. V.; Das, M. N.; and Sundaram, S., 1957 a, 35  
bursa as diagnostic character
- Chordoccephalus* n. gen.  
Alegret, M. J., 1941 a, 3, 7, 16, 18  
Acuariinae Railliet, Henry & Sisoff, 1912  
Syn.: *Echinuria en parte*  
tod: *C. squamatus* (Linstow, 1883) n. comb.  
[lapsus p. 18 and under sp. name on pp. 18, 19-21 (legends to figs) as *Cordoccephalus*]

- Chordocephalurus (Alegret 1941)  
 Chabaau, A. G.; and Petter, A. J., 1959 a, 339,  
 341  
 Acuariidae, Acuariinae  
 key  
 Chordocephalurus (Alegret 1941)  
 Petter, A. J., 1961 a, 768  
 subgenus of Syncuaria Gilbert 1927  
 key  
 Chordocephalurus squamatus (Linstow, 1883) n.  
 comb. (tod)  
 Alegret, M. J., 1941 a, 3, 7, 16-21, 30, figs.  
 7-14  
 Syns.: *Filaria squamata* Linstow, 1883;  
*Ammania squamata* (Linstow, 1883) Railliet,  
 Henry & Sisoff, 1912; *Echinuria squamata*  
 (Linstow, 1883) Cram, 1927; *E. squamata*  
 (Linstow, 1883) Cram, 1927, de H. F. Hsu,  
 1932  
*Phalacrocorax auritus floridanus*: Cuba  
 Chordodes annandalei Camer.  
 Camerano, L., 1915 b, 7, 10, 12, 17  
 Mantis sp.? Chitlong, Nepal; Maidan  
 (India)  
 Chordodes baramensis Roemer  
 Camerano, L., 1915 b, 7, 10, 13, 22  
*Hierodula basalis*  
 Chordodes baramensis Römer, 1896  
 Filipjev, I. N., 1934 b, 429, fig. 331A-B  
 Chordodes baramensis Roemer, 1896  
 Filipjev, I. N.; and Schuurmans Stekhoven, J.  
 H., 1941 a, 867, fig. 458A-B  
 Chordodes baramensis Romer  
 Rauther, M., 1930 a, 249-402, fig. 433  
 Chordodes brasiliensis Janda  
 Camerano, L., 1915 b, 8, 10, 16, 35  
*Stagmatoptera hyaloptera*  
 Chordodes brasiliensis Janda  
 Carvalho, J. C. M., 1946 a, 3, 5-7, figs. 3-4,  
 6-7  
*Stagmatoptera precaris*: Santa Teresa, Es-  
 pírito Santo, Brasil  
 Chordodes brasiliensis Janda, 1894  
 Carvalho, J. C. M., 1946 b, 5-6, figs. 8-10,  
 13-14, 24, 27, 29, 32-33  
 Chordodes brasiliensis  
 Goeldi, E. A., 1894 a, 41  
*Prag*  
 Chordodes brasiliensis  
 Krumbiegel, I., 1932 a, 239, fig. 2  
 Chordodes brasiliensis Janda  
 Rauther, M., 1930 a, 249-402, fig. 427  
 Chordodes caledoniensis (Villot)  
 Camerano, L., 1915 b, 7, 10, 16, 35  
 Mantis sp.?  
 Chordodes (Gordius) caledoniensis Villot, 1874  
 Goeldi, E. A., 1894 a, 40  
*Nova-Caledonia*  
 Chordodes caledoniensis Villot, 1874  
 Johnston, T. H., 1938 a, 166  
 Mantis: New Caledonia  
 Chordodes capensis Camerano  
 Baylis, H. A., 1927 e, 203  
*Homo*  
 Chordodes capensis Camerano  
 de Beauchamp, P. M., 1923 a, 69, pl. 2, fig. 2  
*C. Good Hope*  
 Chordodes capensis Camer.  
 Camerano, L., 1915 b, 8, 13, 22  
 Chordodes capensis Camerano  
 Faust, E. C., 1929 c, 485  
 Chordodes capensis Cam.  
 Sciacchitano, I., 1932 b, 246, 252, 253  
 Mantis: Mayumbe, Congo Belga, Capo di Buona  
 Speranza  
 Chordodes capensis Cam.  
 Sciacchitano, I., 1933 d, 50-51, 57  
*Blatta*: Congo Belga
- Chordodes capensis Camerano  
 Sciacchitano, I., 1937 b, 146, 150  
*Kunungu*  
 Chordodes capensis Camerano  
 Sciacchitano, I., 1958 a, 17, 21, 23-24, 82,  
 89-90, 100, 107  
 key  
*Blatta* spec.: Congo Belge  
 Chordodes capillatus Linstow  
 Camerano, L., 1915 b, 8, 10, 15, 28-29  
*Rhombodera scutata*: Lagenburg (Lago Nyassa)  
 Chordodes capillatus Linst.  
 Sciacchitano, I., 1932 b, 252  
*Africa*  
 Chordodes congolensis n. sp.  
 Sciacchitano, I., 1933 d, 52-53, 57, 58, fig.  
 2  
*Mantide*: Congo Belga  
 Chordodes congolensis Sciacchitano, 1933  
 Sciacchitano, I., 1958 a, 21, 62-64, 82, 88,  
 100, 107, figs. 77-79  
*Mantis* spec.: Congo Belge  
 Chordodes ferox Camerano  
 de Beauchamp, P. M., 1923 a, 68-69, pl. 3,  
 fig. 3  
*Congo Frang*  
 Chordodes ferox Camer.  
 Camerano, L., 1915 b, 8, 10, 14, 26  
*Mantide* sp.?  
 Chordodes ferox  
 Darteville, E., 1949 a, 19  
*Leopoldville*  
 Chordodes ferox Cam.  
 Sciacchitano, I., 1932 b, 247, 252  
*Kisantu*, Congo Belga  
 Chordodes ferox Cam.  
 Sciacchitano, I., 1933 d, 50, 51-52, 57  
*Mantide*: Congo Belga  
 Chordodes ferox Camerano  
 Sciacchitano, L., 1958 a, 13, 21, 25-26, 81,  
 87, 94, 99, 107, fig. 5  
 key  
*Congo Francese*; Congo Belge  
 Chordodes fukui Inoue  
 Inoue, I., 1952 b, 27, 29, 31, 32, fig. 3  
*Tenodera sinensis*  
*T. angustipennis*  
 Chordodes iturensis n. sp.  
 Sciacchitano, I., 1958 a, 29-32, 44, 83, 91,  
 100, 108, figs. 16-20  
 key  
*Periplanta* spec.: Congo Belge  
 Chordodes japonensis n. sp.  
 Inoue, I., 1952 a, 400-401, figs. 1-5  
*Tenodera sinensis*  
*T. angustipennis*  
 both from Honshu, Japan  
 Chordodes japonensis Inoue  
 Inoue, I., 1952 b, 27, 29, 30, 31, 32, fig. 2  
*Tenodera sinensis*  
*T. angustipennis*  
 Chordodes japonensis  
 Inoue, I., 1958 a, 203-218, figs. 1-5  
 life history, development and structure of  
 larva  
 Chordodes japonensis  
 Inoue, I., 1959 a, 151-156 (1-6)  
 adult organization  
 Chordodes kolensis n. sp.  
 Sciacchitano, I., 1933 d, 53-54, 57, 58, 59,  
 fig. 3  
*Mantide*: Congo Belga  
 Chordodes kolensis Sciacchitano  
 Sciacchitano, I., 1958 a, 21, 28-29, 39, 44,  
 64-67, 83, 90-91, 100, 108, figs. 12-15, 80-82  
 key  
*Mantis* spec.: Congo Belge

- Chordodes ligasiensis* n. sp.  
Siacchitano, I., 1933 d, 54, 55, 57, 58, fig. 4  
Mantide: Congo Belga
- Chordodes ligasiensis* Siacchitano, 1933  
Siacchitano, I., 1958 a, 21, 67-69, 82, 88, 100, 108, figs. 83-86  
key  
Mantis spec.: Congo Belge
- Chordodes maculatus* n. sp.  
Siacchitano, I., 1958 a, 35-37, 43, 83, 91, 100, 108, figs. 25-29  
key  
Mantis religiosa: Belgian Congo
- Chordodes madagascariensis* (Camerano)  
de Beauchamp, R. M., 1914 a, 111-113, fig. 2  
Sphodromantis scutata: Mission Stappers  
Sphodromantis liveola: Kasongo
- Chordodes madagascariensis* (Camerano)  
de Beauchamp, P. M., 1918 a, 16-18, fig. 2  
Mantide
- Chordodes madagascariensis* (Camerano)  
de Beauchamp, P. M., 1923 a, 68, pl. 2, fig. 1  
Congo Belge
- Chordodes madagascariensis* Camer.  
Camerano, L., 1915 b, 7, 8, 10, 14, 25-26  
Mantide sp.?
- Chordodes madagascariensis* Cam.  
Siacchitano, I., 1932 b, 247, 252, 253  
Sphodromantis scutata: Elisabethville, Congo  
Sphodromantis lineola: Kasongo, Congo Belga
- Chordodes madagascariensis* Cam.  
Siacchitano, I., 1933 d, 50, 51, 57  
Mantide: Congo Belga
- Chordodes madagascariensis* Camerano  
Siacchitano, I., 1958 a, 21, 24-25, 43, 81, 87, 95, 99, 100, 108  
key  
Mantis spec.  
M. religiosa  
both from Congo Belge
- Chordodes mobensis* n. sp.  
Siacchitano, I., 1958 a, 40-41, 82, 88, 100, 108, figs. 35-38  
key  
Mantis spec.: Tanganika
- Chordodes moraisi* (Carvalho, 1943) n. comb.  
Carvalho, J. C. M., 1944 b, 488, 490, 491, figs. 13-16  
Blatta orientalis  
Minablatta sp.  
both from Viçosa, Minas Gerais
- Chordodes ornatus* Grenacker  
Camerano, L., 1915 b, 7, 10, 15, 29  
Mantis sp.?
- Chordodes ornatus* Grenacher, 1868  
Goeldi, E. A., 1894 a, 40  
Mantis: Ilhas Philippinas; Brazil
- Chordodes oscillatus* sp. nov.  
Kir'ianova, E. S., 1953 b, 101-103, fig. 1  
Mantis sp.: Gruzia
- Chordodes parasitus*  
Camerano, L., 1915 b, 10  
Acanthoditis glabrata
- Chordodes parasitus* Creplin, 1847  
Dorier, A., 1930 a, 133  
Acanthodites glabrata (sauterelle): Brésil
- Chordodes parasitus* Creplin, 1847  
Goeldi, E. A., 1894 a, 40  
Acanthoditis glabrata: Brazil
- Chordodes parasitus* Creplin  
Janda, J., 1893 a, 603-604
- Chordodes parasitus*  
Müller, G. W., 1926 a, 193
- Chordodes pardalis* Camer.  
Camerano, L., 1915 b, 7, 10, 15, 30  
Aethiomerus adelphus
- Chordodes pilosus* n. sp.  
Moebius, K. A., 1855 a, 428-431, pl. 17, figs. 1-8  
Blabera gigantea: Angustura
- Chordodes pilosus* Moebius  
Camerano, L., 1915 b, 10  
Blattea gigantea
- Chordodes pilosus* Möbius, 1855  
Dorier, A., 1930 a, 133  
Blatta gigantea
- Chordodes pilosus* Moebius, 1855  
Goeldi, E. A., 1894 a, 40  
Blatta gigantea: Brazil
- Chordodes pilosus* Möbius, 1855  
Heinze, K., 1935 b, 24-26, figs. 1-2
- Chordodes pilosus* Möbius  
Janda, J., 1893 a, 604-605
- Chordodes pilosus* Möbius  
Jolivet, P., 1948 a, 88
- Chordodes pilosus* Moebius, 1855  
Montgomery, T. H. (jr.), 1898 a, 25, 28
- Chordodes pilosus* Möbius  
Rauther, M., 1930 a, 445  
type of genus
- Chordodes pilosus* Moebius, 1855  
Villot, F. C. A., 1874 a, 62
- Chordodes pollonerae* Camer.  
Camerano, L., 1915 b, 7, 8, 10, 16, 35  
Etrodidi: Assam  
Madiga aberrans: Somalia
- Chordodes pollonerae* Cam.  
Siacchitano, I., 1932 b, 252  
Somalia
- Chordodes pollonerae* Camerano  
Siacchitano, I., 1940 a, 442, 443, 444  
Madiga aberrans: Aodegle, Somalia
- Chordodes shipleyi* Camer.  
Camerano, L., 1915 b, 7, 10, 15, 30-31  
Mantis sp.?: Sarawak (Borneo)
- Chordodes siamensis* Camerano  
de Beauchamp, P. M., 1923 a, 69-70, pl. 3, fig. 4  
Lower Siam
- Chordodes siamensis* Camer.  
Camerano, L., 1915 b, 7, 10, 14, 25  
Mantis sp.?: Basso Siam.
- Chordodes siamensis* Cam.  
Siacchitano, I., 1932 b, 247, 252  
Ibembo, Congo Belga
- Chordodes siamensis* Cam.  
Siacchitano, I., 1933 d, 50, 51, 57  
Cavalletta: Congo belga (Kotili)
- Chordodes skorikovi* Camerano  
Camerano, L., 1903 d, 35
- Chordodes skorikovi* Camer.  
Camerano, L., 1915 b, 7, 10, 15, 31-32  
Mantis sp.?: Ceylan; Basso Siam
- Chordodes skorikovi* Camerano, 1903  
Kir'ianova, E. S., 1958 a, 361, fig. 2  
structure of copulative organs of males
- Chordodes tuberculatus* Linstow  
Camerano, L., 1915 b, 8, 13, 22  
Presso Langenburg
- Chordodes (Gerdius) tuberculatus* Villot, 1874  
Goeldi, E. A., 1894 a, 40  
Mantis: Nova-Hollanda
- Chordodes tuberculatus* Linstow  
Siacchitano, I., 1932 b, 252  
Africa
- Chordodes undulatus* Linstow  
Camerano, L., 1915 b, 7, 10, 12, 18  
Mantis sp.?: Sydney
- Chordodes undulatus* Linstow, 1906  
Johnston, T. H., 1938 a, 166  
Mantis sp.: Sydney. Australia

Chordodes (*Gordius*) *weberi* Villot, 1891  
 Goeldi, E. A., 1894 a, 41  
 Sumatra  
 Chordodes *weberi* Villot  
 Sciacchitano, L., 1958 a, 22-23, 80, 86, 96,  
 99, 100, 108, figs. 7, 8  
 key  
 Forficula spec.: Congo Belge  
 Christiella g. n.  
 Travassos, L.; and Kloss, G. R., 1957 b, 467  
 tod: *Christiella christiella* sp. n.  
*Christiella christiella* g. n., sp. n. (tod)  
 Travassos, L.; and Kloss, G. R., 1957 b, 466-  
 467, 469, figs. 1-7  
*Passalus quadricollis*: Parque Nacional de  
 Itatiaia. Rio de Janeiro, Brasil.  
*Chromadora micropapillata* n. sp.  
 Schuurmans Stekhoven, J. H. (jr.), 1942 d, 169, 170-172,  
 figs. 1A-C  
 Syns.: *Chromadora quadrilinea* pro parte; *C. quadrilinea* Micoletzky nec Filipjev  
*Suberites carnosus* var. *heinrothi*: Berliner Aquarium  
*Cissophyllinae*  
 Chitwood, B. G., 1937 c, 74  
*Katlniidae*  
*Cissophyllinae*  
 Filipjev, I. N., 1934 a, 39  
*Katlniidae*  
*Cissophyllinae*  
 Rauther, M., 1930 a, 382  
*Cissophyllum*  
 de Barros Barreto, A. L. C. A., 1918 b, 19, 21, 125  
 type sp.: *C. laverani*  
*Cissophyllum*  
 de Barros Barreto, A. L. C. A., 1919 b, 10, 11, 12, 54  
*Cissophyllum Railliet* and Henry, 1912  
 Baylis, H. A., 1936 a, 158, 181  
*Katlniidae*  
 type: *C. laverani* Railliet and Henry, 1912  
*Cissophyllum Railliet* & Henry, 1912  
 Baylis, H. A.; and Daubney, R., 1926 a, 19  
 type: *C. laverani* R. & H.  
*Cissophyllum Railliet* & Henry  
 Rauther, M., 1930 a, 382  
*Cissophyllum Railliet* and Henry, 1912  
 Törnquist, N., 1931 a, 4  
*Cissophyllum*  
 Travassos, L. P., 1920 f, 41  
 [as *Syssophyllum*]  
*Cissophyllum*  
 Travassos, L. P., 1920 h, 69  
 [as *Cissoffylus* (?)]  
*Cissophyllum R. & H.*, 1912  
 Yorke, W.; and Maplestone, P. A., 1926 a, 9, 241-242  
 type: *C. laverani* Railliet & Henry, 1912  
*Cissophyllum laverani*  
 de Barros Barreto, A., 1918 b, 126-128, 129, pl. 21,  
 figs. 1-3  
 Testudo emys  
*Cissophyllum laverani*  
 de Barros Barreto, A., 1919 b, 54, 55, 56, pl. 22,  
 figs. 1-3  
*Cissophyllum laverani* Railliet and Henry, 1912  
 Baylis, H. A., 1936 a, 181-182, fig. 97  
 Testudo emys: ? Assam and Burma  
*Cissophyllum laverani* Railliet & Henry, 1912  
 Baylis, H. A.; and Daubney, R., 1926 a, 19  
*Cissophyllum laverani* Railliet & Henry  
 Rauther, M., 1930 a, 382  
*Cissophyllum laverani* Railliet and Henry, 1912  
 Törnquist, N., 1931 a, 371  
*Cissophyllum laverani* R. & H.  
 Walton, A. C., [1927 a], 79, 81  
 as syn. of *Cissophyllum roseus* (Leidy)

*Cissophyllum laverani* Railliet & Henry, 1912  
 Yorke, W.; and Maplestone, P. A., 1926 a, 242, fig. 166  
 type of genus  
 Testudo emys  
*Cissophyllum leyensis* sp. nov.  
 Tubangui, M. A.; and Villaamil, R., 1933 a, 611-612,  
 615, pl. 3, figs. 1-5  
*Hydrosaurus pustulosus*: Palo, Leyte; Novaliches,  
 Rizal Province, Luzon  
*Cissophyllum penita* (Leidy)  
 de Barros Barreto, A. L. C. A., 1918 b, 126, 129-130  
*Chrysemys scripta*  
*Cissophyllum penita*  
 de Barros Barreto, A. L. C. A., 1919 b, 55, 56  
*Cissophyllum penita* (Leidy) Barreto, 1917  
 Yorke, W.; and Maplestone, P. A., 1926 a, 242  
*Chrysemys scripta*  
*Cissophyllum roseus* (Leidy)  
 de Barros Barreto, A. L. C. A., 1918 b, 126, 128-129  
 Testudo sp.  
 T. emys  
*Cissophyllum roseus*  
 de Barros Barreto, A. L. C. A., 1919 b, 54-55, 56  
*Cissophyllum roseus*  
 Chitwood, B. G.; and Alicata, J. E., 1932 a, 306  
*Cissophyllum roseus*  
 Chitwood, B. G.; and Chitwood, M. B., 1938 a, 60, fig.  
 57 Q  
*Cissophyllum roseus*  
 Chitwood, B. G.; and Wehr, E. E., 1934 a, 279, fig. 4d  
*Cissophyllum roseus* (Leidy)  
 Walton, A. C., [1927 a], 79-82, pl. 4, figs. 9, 10  
*Manouria fusca*  
 Testudo sp.  
*Cissophyllum roseus* (Leidy, 1851) Barreto, 1917  
 Yorke, W.; and Maplestone, P. A., 1926 a, 242  
 Testudo spp.  
*Cissophyllum*  
 de Barros Barreto, A. L. C. A., 1918 a, opposite pl.  
 21  
 [for *Cissophyllum*]  
*Citellina*  
 Manter, H. W., 1930 b, 26  
*Citellina Prendel*  
 Read, C. P. (jr.), 1957 b, 446-450  
*Citellina Prendel*  
 Shul'ts, R. E. S., [1930 ?b], 8-9, 10  
 type: *C. dispar* Prendel  
*Citellina alatau* nov. sp.  
 Spasskii, A. A.; Ryzhikov, K. M.; and Sudarikov, V. E., 1950 a, 34-39, figs. 1-8  
*Marmota menzbieri*: Talass Altai  
*Citellina alatau* Spasskii, Rjikow, and Sudarikov  
 Read, C. P., 1957 b, 448  
 as syn. of *Citellina triradiata* (Hall)  
*Citellina alatau* Spassky, Ryjikov et Sudarikov, 1950  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 103  
*Marmota menzbieri*: SSSR  
*Citellina alatau* Spassky, Ryjikov, Sudarikov, 1950  
 Tokobaev, M. M., 1956 a, 145  
*Marmota caudata*  
*M. baibacina*  
 both from Kirgizia  
*Citellina alatau*, Spassky, Ryjikov, Sudarikov, 1950  
 Tokobaev, M. M., 1959 a, 134, 135  
*Citellus relictus*  
*Marmota baibacina*  
*M. caudata*  
 all from Kirghizia  
*Citellina alatau*  
 Tokobaev, M. M., 1962 a, 1100  
*Citellus relictus*: Central Asian mountains  
*Citellina alpina* nov. spec.  
 Jettmar, H. M.; and Anschau, M., 1951 a, 419,  
 420, 421-426, figs. 5-13  
*Arctomys marmota*: Steiermark, Oesterreich

- Citellina alpina* Jettmar and Anschau  
Read, C. P., 1957 b, 448  
as syn. of *Citellina triradiata* (Hall)  
*Citellina dispar* n. g. n. sp.  
Prendel, A. R., 1928 a, 411, 413-414, 415, figs. 1-4  
    *Citellus suslikia*  
*Citellina dispar* Prendel, 1927  
Agapova, A. I., 1953 a, 154  
    *Arvicola terrestris*  
    *Marmota baibacina*  
    both from Kazakhstan  
*Citellina dispar* Prendel, 1928  
Dubinina, M. N., 1947 b, 178  
as syn. of *Citellina triradiata* (Hall)  
*Citellina dispar* Prendel, 1928  
Li, H. C., 1933 e, 1321  
*Citellina dispar* Prendel  
Manter, H. W., 1930 b, 26  
    *Citellus suslikia*  
*Citellina dispar* Prendel  
Shul'ts, R. E. S., [1930 ? b], 8, 9, 10  
    type of genus  
    *Citellus suslica*  
*Citellina levini* n. sp.  
Li, H. C., 1933 e, 1307, 1319-1321, pl. 1,  
figs. 1, 5-8  
    *Sciurus vulgaris* (intestine): Peiping, China  
*Citellina marmotae* n. sp.  
Manter, H. W., 1930 b, 26-29, pl. 4, figs. 1-8  
    *Marmota monax canadensis*  
*Citellina marmotae* Manter, 1930  
Li, H. C., 1933 e, 1321  
*Citellina marmotae* Manter, 1930  
McClure, G. W., 1934 a, 49, 51, 53, 54-55  
    *Marmota monax*: N. York Zool. Park  
*Citellina marmotae* Manter, 1930  
Rausch, R.; and Tiner, J. C., 1948 a, 736, 746,  
747  
    *Marmota monax*  
*Citellina marmotae* Manter  
Read, C. P., 1957 b, 446, 447, 448, 449, figs.  
1, 3-14, pl. II, figs. 15-17  
as syn. of *C. triradiata* (Hall)  
*Citellina petrowi* n. sp.  
Shul'ts, R. E. S., [1930 ? b], 4-9, 10, figs.  
1-9  
    *Petromys volans*: Northern Dvinsk  
*Citellina petrovi* Schulz, 1930  
Agapova, A. I., 1962 a, 82  
    *Sciurus vulgaris exalisdus* (caecum): Kazakhstan  
*Citellina petrowi* Schulz, 1930  
Machul'skii, S. N., [1959 a], 223  
    *Pteromys volans* (small and large intestine):  
    Buriat ASSR  
*Citellina petrowi* Schulz  
Read, C. P., 1957 b, 446, 447, 448, 449, figs.  
1, 3-14, pl. II, figs. 15-17  
as syn. of *C. triradiata* (Hall)  
*Citellina petrowi* Schulz, 1930  
Spasskii, A. A.; Ryzhikov, K. M.; and Sudarikov, V. E., 1952 a, 104  
    *Pteromys volans*: Lake Baikal zone  
*Citellina schulzi* Korneev, 1951  
Machul'skii, S. N., [1959 a], 223  
    *Marmota sibirica* (large intestine): Buriat  
    ASSR  
*Citellina skrjabini* nov. sp.  
Merkusheva, I. V., 1955 a, 103-106, figs. 1-5  
    *Citellus suslica*: BSSR, near Nesvizha  
*Citellina skrjabini* nov. sp.  
Merkusheva, I. V., 1957 a, 262  
    *Citellus suslica*: White Russia  
*Citellina triradiata* (Hall) Manter 1930 [n.  
comb.]  
Manter, H. W., 1930 b, 26, 28, 29  
*Citellina triradiata* (Hall)  
Dubinina, M. N., 1947 b, 178  
Syns.: *Oxyuris triradiata* Hall, 1916; *Citellina dispar* Praendel, 1928  
Targagan: Daursk Steppe  
*Citellina triradiata* Hall, 1916  
Grundmann, A. W., 1957 a, 108  
    *Citellus leucurus leucurus*: Great Salt Lake  
    Desert, southern Tooele County, Utah  
*Citellina triradiata* Hall  
Kapitonov, V. I., 1960 a, 456  
    *Marmota camtschatica*: Kamchatka  
*Citellina triradiata* Hall  
Kapitonov, V. I., 1960 b, 1437  
    *Marmota camtschatica* (blind gut): Iakutsk  
    ASSR  
*Citellina triradiata* Hall, 1916  
Li, H. C., 1933 e, 1320  
Syns.: *Oxyuris triradiata*  
*Citellina triradiata* (Hall)  
Read, C. P., 1957 b, 446, 447, 448, 449, figs.  
1, 3-14, pl. II, figs. 15-17  
Syns.: *Citellina dispar* Prendel; *C. marmotae* Manter; *C. petrowi* Schulz; *C. alpina* Jettmar and Anschau; *C. alatau* Spasski, Rjikow, and Sudarikow  
    *Citellus leucurus* ssp.: California  
    *C. undulatus ablusus*: southern Alaska  
    *C. undulatus barrowensis*: northern Alaska  
    *Marmota monax monax*: Pennsylvania  
    *M. monax rufescens*: Wisconsin  
    *Marmota* sp. (probably *M. monax monax*): Maryland  
    *Marmota* sp. (probably *M. monax prebigerum*): Connecticut  
    *Marmota marmota broweri*: northern Alaska  
*Citellina triradiata* (Hall)  
Shul'ts, R. E. S., [1930 ? b], 9, 10  
*Citellina* Hall, 1916  
Baylis, H. A.; and Daubney, R., 1926 a, 190-191  
    type: *C. bifurcatum* Hall  
*Citellinema*  
Cameron, T. W. M., 1923 h, 95  
*Citellinema* Hall 1916, emend.  
Dikmans, G., 1938 a, 58  
    *Trichostrongylidae*  
    type: *C. bifurcatum* Hall, 1916  
*Citellinema* Hall, 1916  
Lent, H.; and Teixeira de Freitas, J. F., 1934 a, chart 6  
    *Trichostrongylinae*  
    type species: *C. bifurcatum* Hall, 1916  
*Citellinema* Hall, 1916  
Orlov, I. V., 1933 b, 102  
*Citellinema* Hall  
Raether, M., 1930 a, 378  
*Citellinema*  
Sleggs, G. F., 1925 a, 410  
*Citellinema*  
Sprehn, C. E. W., 1927 e, 54  
*Citellinema* Hall, 1916  
Travassos, L. P., 1920 h, 204  
*Citellinema* Hall, 1916  
Travassos, L. P., [1921 g], 9, 10, 13, 38,  
104, 105  
    type: *C. bifurcatum* Hall, 1916  
*Citellinema* Hall, 1916  
Travassos, L. P., 1937 e, III, 28, 209-210  
    *Ornithostrongylinae*  
    type: *C. bifurcatum*  
    Syn.: *Warrenius Travassos*, 1921  
*Citellinema*  
Travassos, L. P.; and Darriba, A. R., 1929 a,  
433  
*Citellinema*  
Travassos, L. P.; and Darriba, A. R., 1929 b,  
564

*Citellinema Hall, 1916*  
 Yorke, W.; and Maplestone, P. A., 1926 a, 151-152  
 type: *C. bifurcatum* Hall  
*Citellinema bifurcatum*  
 Baumgartner, L. L., 1940 a, 6  
*Sciurus niger rufiventris*: Ohio  
*Citellinema bifurcatum* Hall, 1916  
 Baylis, H. A.; and Daubney, R., 1926 a, 190, 191  
*Citellinema bifurcatum* Hall, 1916  
 Dikmans, G., 1938 a, 55, 56, 57, 58, fig. 19 A-F  
 Syns.: *C. monacis* Manter, 1930; *C. sleggsi* Manter, 1930  
*Citellus elegans*: Jackson, Wyoming  
*C. armatus*  
*Sciurus niger neglectus*: Priest's Bridge, Md.  
*Tamias striatus*  
*Sciurus hudsonicus*: Bemidji, Minnesota  
*Marmota monax rufescens*: Ithaca, N. Y.  
*Sciurus carolinensis*  
*Glaucomys sabrinus macrotis*: Douglas Lake, Michigan  
*Citellus richardsoni*  
*Marmota monax canadensis*  
*Citellinema bifurcatum* (Sleggs)  
 Manter, H. W., 1930 b, 29  
*Citellinema bifurcatum* Hall  
 Manter, H. W., 1930 b, 29, 30, 31  
 type of genus  
*Citellinema bifurcatum* Hall, 1916  
 Rausch, R.; and Tiner, J. C., 1948 a, 734, 741, 742, 745, 746, 747  
*Sciurus carolinensis hypophaeus*  
*S. c. carolinensis*  
*Citellus richardsoni*  
*Marmota monax*  
*Glaucomys v. volans*  
*Sciurus niger rufiventer*  
*Tamiasciurus h. hudsonicus*  
*Sciurus carolinensis leucotis*  
*Glaucomys sabrinus macrotis*  
*Eutamias minimus jacksoni*  
 all from Manitoba  
*Citellinema bifurcatum* Hall  
 Rauther, M., 1930 a, 378  
*Citellinema bifurcatum* Hall, 1916  
 Reiber, R. J.; and Byrd, E. E., 1942 a, 81-83, 88, pl. 2, figs. 7-9  
*Sciurus carolinensis carolinensis*: Reelfoot Lake, Tenn.  
*Citellinema bifurcatum* (Sleggs, 1925) not Hall, 1916  
 Shul'ts, R. E. S., 1933 b, 75  
 as syn. of *C. sleggsi* Manter  
*Citellinema bifurcatum* Hall, 1916  
 Shul'ts, R. E. S., 1933 b, 74, 75, 77, 78  
*Citellus elegans*: Waldon, Colorado  
*Citellinema bifurcatum*  
 Sleggs, G. F., 1925 a, 410  
*Citellinema bifurcatum*  
 Sowls, L. K., 1948 a, 126  
*Citellus franklinii*: Manitoba  
*Citellinema bifurcatum*  
 Sprehn, C. E. W., 1927 e, 54  
*Citellus elegans*  
*Citellinema bifurcatum* Hall, 1916  
 Travassos, L. P., [1921 g], 38, 101, 104, 114, pl. 48, figs. 215-217  
*Citellus (Colobatis) elegans*: Estados Unidos  
*Citellinema bifurcatum* Hall, 1916 (type)  
 Travassos, L. P., 1937 e, III, 4, 8, 210, 211, 423  
*Citellus elegans*: America do Norte

*Citellinema bifurcatum* Hall  
 Yorke, W.; and Maplestone, P. A., 1926 a, 152, fig. 97  
 type of genus  
*Citellus elegans*  
*Citellinema [sic] bifurcum [sic]* Hall, 1916  
 Travassos, L. P., 1920 h, 204  
*Citellinema columbianum* n. sp.  
 Dikmans, G., 1938 a, 55, 56, 58, fig. 19G-H  
*Citellus columbianus*: Soda Springs, Idaho  
*Citellinema monacis* n. sp.  
 Manter, H. W., 1930 b, 30-31, pl. 4, figs. 9-31  
*Marmota monax canadensis*  
*Citellinema monacis* Manter  
 Crouch, H. B., 1936 a, 50  
*Marmota monax*: U. S. A.  
*Citellinema monacis* Manter, 1930  
 Dikmans, G., 1938 a, 55  
 as syn. of *Citellinema bifurcatum* Hall, 1916  
*Citellinema monacis* Manter, 1930  
 Shul'ts, R. E. S., 1933 b, 75, 77, 78  
*Marmota monax canadensis*: Maine, Amerika  
*Citellinema monacis* Manter, 1930  
 Travassos, L. P., 1937 e, III, 210, 212-213, 423, pl. 161, figs. 1-2  
*Marmota monax canadensis*: America do Norte  
*Citellinema nipponicum* n. sp.  
 Yamaguti, S., 1941 d, 409, 418-420, 438, pl. VIII, figs. 8-9; figs. 13-14  
*Sciurus lis*: Kiso, Nagano Prefecture, Japan  
*Citellinema orientale* n. sp.  
 Shul'ts, R. E. S., 1933 b, 74-78, figs. 1-6  
*Eutamias asiaticus orientalis*  
*Citellinema orientalis* Schulze, 1933  
 Travassos, L. P., 1937 e, III, 210, 213, 422, pl. 161, figs. 3-8  
*Eutamias asiaticus orientalis*: Russia  
*Citellinema quadrivittati* (Hall, 1916) Manter, 1930  
 Dikmans, G., 1938 a, 55, 57, 58  
*Citellinema quadrivittati* (Hall)  
 Manter, H. W., 1930 b, 30  
*Citellinema quadrivittati* (Hall, 1916)  
 Shul'ts, R. E. S., 1933 b, 77  
*Eutamias quadrivittatus*: Colorado, Crested Butte Mountain  
*Citellinema quadrivittati* (Hall, 1916) Manter, 1930  
 Travassos, L. P., 1937 e, III, 4, 210, 211, 422  
 Syn.: *Warrenius quadrivittati* Hall, 1916  
*Eutamias quadrivittatus*: America do Norte  
*Citellinema sleggsi* n. n.  
 Manter, H. W., 1930 b, 30  
 for: *Warrenius bifurcatum* Sleggs; *Citellinema bifurcatum* (Sleggs) not Hall  
*Citellinema sleggsi* Manter, 1930  
 Dikmans, G., 1938 a, 57  
 as syn. of *Citellinema bifurcatum* Hall, 1916  
*Citellinema sleggsi* Manter  
 Reiber, R. J.; and Byrd, E. E., 1942 a, 82, 83, 88, pl. 2, figs. 10-11  
*Sciurus carolinensis carolinensis*  
*Marmota monax monax*  
 both from Reelfoot Lake, Tenn.  
*Citellinema sleggsi* Manter, 1930  
 Shul'ts, R. E. S., 1933 b, 75, 77, 78  
 Syn.: *C. bifurcatum* (Sleggs, 1925) not Hall, 1916  
*Citellus richardsonii*: Saskatchewan, Kanada  
*Citellinema sleggsi* Manter, 1930  
 Travassos, L. P., 1937 e, III, 210, 211-212, 423, pl. 160, figs. 1-8  
 Syn.: *Warrenius bifurcatus* Sleggs, 1925  
*Citellus richardsonii*: America do Norte  
*Citellinematae* Skrjabin et Schulz, 1927 emend.  
 Skrjabin et Schikhobalova, 1952  
 Skrjabin, K. I.; et al., [1953 a], 319, 322, 384-392  
 key

- Citellinoides** n. g.  
 Dikmans, G., 1939 c, 1  
 Trichostrongylidae  
 tod: *C. zapodis* n. sp.
- Citellinoides zapodis** n. sp. (tod)  
 Dikmans, G., 1939 c, 1-2, figs. 1A-F  
*Napeozapus insignis*: Great Smoky Mountains, North Carolina
- Clavinema** n. g.  
*Yamaguti*, S., 1935 g, 337, 358, 360-362  
 Philometridae, Philometrinae  
 tod: *C. parasiluri* n. sp.
- Clavinema parasiluri** n. g. n. sp. (tod)  
*Yamaguti*, S., 1935 g, 337, 360-362, figs. 30-32  
*Parasilurus asotus*: Lake Ogura
- Clementeia** n. gen.  
*Artigas*, P., 1930 b, 31-34  
 mt: *C. clementei*
- Clementeia Artigas**, 1930  
 Filipjev, I. N., 1934 b, 405, 418  
*Ransomneminae*, *Kathlaniidae*
- Clementeia Artigas**, 1930  
 Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a, 835, 837, 842, 849  
*Kathlaniidae*, *Ransomneminae*
- Clementeia clementei** n. sp.  
*Artigas*, P., 1930 b, 31-34, pl. 15, figs. 1-7  
*myriapod*
- Clementeia clementei Artigas**, 1930  
 Filipjev, I. N., 1934 b, 411, fig. 306B-C, F
- Clementeia clementeia Artigas**, 1930  
 Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a, 843, fig. 431B-C, F
- Clementeia** (gen.??) *trispiculata* n. sp.  
*Dollfus*, R. P., 1952 b, 222-225, figs. 91-94  
*Leptodesmus jucundus*: Etat de Sao Paulo
- Clementeia tubulifera** n. sp.  
*Dollfus*, R. P., 1952 b, 218-222, figs. 85-90  
*Leptodesmus jucundus*: Bresil
- Clementeinae** subfam. nov.  
*Travassos*, L.; and Kloss, G. R., 1960 a, 518  
 type: *Clementeia Artigas*, 1930
- Cleoascaris**  
*Petrov*, A. M., 1940 a, 226  
 [for *Cleoascaris*]
- Cloacina** v. Linstow, 1898  
*Baylis*, H. A.; and Daubney, R., 1926 a, 162  
 type: *C. dahli* v. Linstow
- Cloacina Linstow** (emend.)  
*Johnston*, T. H.; and Mawson, P. M., 1938 c, 271  
*Trichoneminae*  
 type: *C. dahli* Linstow
- Cloacina Linstow**, 1898  
*Johnston*, T. H.; and Mawson, P. M., 1939 c, 529
- Cloacina Linstow**, 1898  
*Johnston*, T. H.; and Mawson, P. M., 1939 d, 143
- Cloacina Linstow**  
*Johnston*, T. H.; and Mawson, P. M., 1940 f, 365, 366  
*Trichoneminae*  
 key
- Cloacina**  
*Mawson*, P. M., 1961 c, 85-89  
 occurrence of oesophageal teeth in species of *Cloacina*
- Cloacina** v. Linst.  
*Rauther*, M., 1930 a, 304, 379
- Cloacina**  
*Travassos*, L. P., 1920 h, 66
- Cloacina** v. Linstow, 1898  
*Travassos*, L. P., 1921 g, 8
- Cloacina Linstow**, 1898  
*Yorke*, W.; and Maplestone, P. A., 1926 a, 175-176  
 type: *C. dahli* Linstow
- Cloacina** sp.  
*Johnston*, T. H.; and Mawson, P. M., 1939 c, 513, 533  
*Macropus ualabatus*
- Cloacina** sp.  
*Johnston*, T. H.; and Mawson, P. M., 1939 c, 514, 533  
*Macropus thetidis*: New England, N. S. Wales
- Cloacina** sp.  
*Johnston*, T. H.; and Mawson, P. M., 1939 d, 121, 133  
*Macropus welsbyi*: Stradbroke Island, Queensland
- Cloacina** sp.  
*Johnston*, T. H.; and Mawson, P. M., 1939 d, 121, 133  
*Macropus dorsalis*: Upper Mary River, Queensland
- Cloacina** sp.  
*Johnston*, T. H.; and Mawson, P. M., 1939 d, 122, 133  
*Macropus apicalis*: Upper Mary River, Queensland
- Cloacina** sp.  
*Johnston*, T. H.; and Mawson, P. M., 1939 d, 122, 133  
*Isoodon obesus*: Eidsvold, Queensland
- Cloacina** spp.  
*Mackerras*, M. J., 1958 b, 107, 188  
*Thylacis obesulus*  
*Wallabia welsbyi*  
 both from Australia
- Cloacina** sp. inq.  
*Mawson*, P. M., 1961 c, 88, 89, figs. 15-16
- Cloacina australis** n. sp.  
*Johnston*, T. H.; and Mawson, P. M., 1938 c, 263, 264, 274, 275, figs. 35-37  
*Macropus robustus erubescens*: Central Australia  
*M. robustus*: Mount Liebig; Cockatoo Creek, Central Australia
- Cloacina australis** J. and M.  
*Johnston*, T. H.; and Mawson, P. M., 1940 a, 95, 97  
*Macropus melanops*  
*Petrogale xanthopus*  
 both from South Australia
- Cloacina australis** J. and M.  
*Johnston*, T. H.; and Mawson, P. A., 1940 d, 367  
 key
- Cloacina australis** J. & M., 1938  
*Mackerras*, M. J., 1958 b, 113, 119, 120  
*Petrogale xanthopus*  
*Macropus melanops*  
*Osphranter erubescens*  
 all from Australia
- Cloacina bancroftorum** n. sp.  
*Johnston*, T. H.; and Mawson, P. M., 1939 d, 121, 129, 132, 133, figs. 29-33  
*Macropus dorsalis*: Upper Burnett River, Queensland
- Cloacina bancroftorum** Johnston and Mawson, 1939  
*Johnston*, T. H.; and Mawson, P. M., 1939 c, 514, 533  
*Macropus thetidis*: New England, N. S. Wales
- Cloacina bancroftorum** J. and M.  
*Johnston*, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina bancroftorum** J. & M., 1939  
*Mackerras*, M. J., 1958 b, 114, 116  
*Thylogale thetis*  
*Wallabia dorsalis*  
 all from Australia
- Cloacina bancroftorum** Johnston and Mawson 1939  
*Mawson*, P. M., 1961 c, 86
- Cloacina burnettiana** n. sp.  
*Johnston*, T. H.; and Mawson, P. M., 1939 d, 121, 129, 130-131, figs. 20-22  
*Macropus dorsalis*: Queensland: Upper Burnett River
- Cloacina burnettiana** J. and M.  
*Johnston*, T. H.; and Mawson, P. M., 1940 d, 367  
 key

- Cloacina burnettiana* J. & M., 1939  
 Mackerras, M. J., 1958 b, 116  
*Wallabia dorsalis*: Australia
- Cloacina communis* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1938 c, 263, 264, 275-277, figs. 38-41  
*Macropus robustus erubescens*: Central Australia  
*M. robustus*: Mount Liebig; Cockatoo Creek, Central Australia
- Cloacina communis* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1939 d, 121, 129, 131, 133  
*Macropus parryi*: Upper Dawson Valley (River Dee), Queensland
- Cloacina communis* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 a, 95, 97  
*Macropus melanops*  
*Petrogale xanthopus*  
 both from South Australia
- Cloacina communis* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 b, 468  
*Macropus major*: N. S. W.
- Cloacina communis* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina communis* J. & M., 1938  
 Mackerras, M. J., 1958 b, 113, 117, 118, 119, 120  
*Petrogale xanthopus*  
*Wallabia elegans*  
*Macropus major*  
*M. melanops*  
*Osphranter erubescens*  
 all from Australia
- Cloacina communis* Johnston and Mawson 1938  
 Mawson, P. M., 1961 c, 83, 88, 89, figs. 10-14  
*Macropus robustus*: near Marble Bar, Western Australia
- Cloacina cornuta* (Davey and Wood, 1938) J. and M. [n. comb.]  
 Johnston, T. H.; and Mawson, P. M., 1939 e, 208  
 Syn.: *Macroponstrongylus cornutus*  
*Macropus agilis*: North Queensland
- Cloacina cornutus* (C. and W.)  
 Johnston, T. H.; and Mawson, P. M., 1940 f, 367  
 key
- Cloacina cornuta* (Davey & Wood, 1938)  
 Mackerras, M. J., 1958 b, 115  
*Wallabia agilis*: Australia
- Cloacina curta* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1938 c, 263, 264, 279-280, figs. 51-54  
*Macropus robustus erubescens*  
*M. robustus*: Mount Liebig; Cockatoo Creek, Central Australia
- Cloacina curta* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 a, 95, 97  
*Macropus melanops*  
*Petrogale xanthopus*  
 both from South Australia
- Cloacina curta* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 f, 360, 364, 367  
*Macropus oxydromus*  
*Wallabia irma*  
 both from Cranbrook, South-western Australia  
 key
- Cloacina curta* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1941 e, 145  
*Thylogale eugenii*: Flinders Chase, Kangaroo Island, South Australia
- Cloacina curta* J. & M., 1938  
 Mackerras, M. J., 1958 b, 113, 114, 117, 119, 120  
*Petrogale xanthopus*  
*Thylogale eugenii*  
*Wallabia irma*  
*Macropus melanops*  
*M. oxydromus*  
*Osphranter erubescens*  
 all from Australia
- Cloacina dahli* v. Linstow, 1898  
 Baylis, H. A.; and Daubney, R., 1926 a, 162
- Cloacina dahli* v. Linstow  
 Johnston, T. H., 1910 a, 83  
*Macropus browni*: Bismarck Archipelago
- Cloacina dahli* Linstow (type)  
 Johnston, T. H.; and Mawson, P. M., 1938 c, 271
- Cloacina dahli* Linst.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina dahli* v. Linstow, 1898  
 Mackerras, M. J., 1958 b, 116  
*Wallabia browni*: Australia
- Cloacina dahli* Linstow, 1898  
 Oldham, J. N., 1933 b, 217-218, 237  
*Macropus browni* (alimentary canal): Ralum; Bismarck Archipelago
- Cloacina dahli* v. Linst.  
 Rauther, M., 1930 a, 379
- Cloacina dahli* Linstow  
 Yorke, W.; and Maplestone, P. A., 1926 a, 176, fig. 115  
 type of genus  
*Macropus browni*
- Cloacina digitata* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1940 b, 468, 469, 470, figs. 1-4  
*Macropus dorsalis*: Burnett River
- Cloacina digitata* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina digitata* Johnston and Mawson  
 Johnston, T. H.; and Mawson, P. M., 1949 a, 63, 66  
*Macropus agilis*: Australia
- Cloacina digita* [sic] J. & M., 1940  
 Mackerras, M. J., 1958 b, 115, 116  
*Wallabia agilis*  
*W. dorsalis*  
 both from Australia
- Cloacina dubia* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1938 c, 263, 264, 280-281, figs. 55-57  
*Macropus robustus erubescens*: Central Australia  
*M. robustus*: Mount Liebig, Cent. Australia
- Cloacina dubia* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 366  
 key
- Cloacina dubia* J. & M., 1938  
 Mackerras, M. J., 1958 b, 120  
*Osphranter erubescens*: Australia
- Cloacina elegans* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1938 c, 264, 271-273, figs. 23-27  
*Petrogale lateralis*: Hermannsburg, Central Australia
- Cloacina elegans* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina elegans* J. & M., 1938  
 Mackerras, M. J., 1958 b, 112  
*Petrogale lateralis*: Australia

- Cloacina ernabella* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1938 c, 264, 281-282, figs. 58-62  
*Petrogale lateralis*: Mount Liebig; Hermannsburg; Ernabella, Central Australia
- Cloacina ernabella* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 f, 367  
 key
- Cloacina ernabella* J. & M., 1938  
 Mackerras, M. J., 1958 b, 112  
*Petrogale lateralis*: Australia
- Cloacina expansa* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1939 c, 513, 528, 529, figs. 42-45  
*Macropus major*: Coonamble, N. S. Wales
- Cloacina expansa* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 f, 367  
 key
- Cloacina expansa* J. & M., 1939  
 Mackerras, M. J., 1958 b, 118  
*Macropus major*: Australia
- Cloacina frequens* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1938 c, 263, 264, 273-275, figs. 32-34  
*Macropus robustus erubescens*: Central Australia  
*M. robustus*: Mount Liebig; Cockatoo Creek, Central Australia
- Cloacina frequens* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 a, 95, 97  
*Macropus melanops*  
*Petrogale xanthopus*  
 both from South Australia
- Cloacina frequens* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina frequens* J. & M., 1938  
 Mackerras, M. J., 1958 b, 113, 119, 120  
*Petrogale xanthopus*  
*Macropus melanops*  
*Osphranter erubescens*  
 all from Australia
- Cloacina gallardi* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1940 b, 468, 470-471, figs. 8-11  
*Macropus ualabatus*: Ourimbah, N. S. W.
- Cloacina gallardi* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina gallardi* J. & M., 1940  
 Mackerras, M. J., 1958 b, 116  
*Wallabia bicolor*: Australia
- Cloacina hydriformis* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1938 c, 264, 272, 273, figs. 28-31  
*Macropus rufus*: Mount Liebig, Central Australia  
*Petrogale lateralis*: Mount Liebig; Hermannsburg; Ernabella, Central Australia
- Cloacina hydriformis* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 a, 95, 97  
*Macropus melanops*: South Australia
- Cloacina hydriformis* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina hydriformis* J. & M., 1938  
 Mackerras, M. J., 1958 b, 112, 119  
*Petrogale lateralis*  
*Macropus melanops*  
*Megaleia rufa*  
 all from Australia
- Cloacina hydriformis* Johnston and Mawson  
 Mawson, P. M., 1961 b, 83  
*Macropus robustus*: near Marble Bar, Western Australia
- Cloacina hydriformis* Johnston and Mawson 1938  
 Mawson, P. M., 1961 c, 86
- Cloacina inflata* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1938 c, 264, 285-286, figs. 77-80  
*Macropus rufus*: Mount Liebig, Central Australia
- Cloacina inflata* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina inflata* J. & M., 1938  
 Mackerras, M. J., 1958 b, 119  
*Megaleia rufa*: Australia
- Cloacina liebigi* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1938 c, 264, 284-285, figs. 73-76  
*Macropus rufus*: Mount Liebig, Central Australia
- Cloacina liebigi* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina liebigi* J. & M., 1938  
 Mackerras, M. J., 1958 b, 119  
*Megaleia rufa*: Australia
- Cloacina linstowi* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1940 b, 468, 469-470, figs. 5-7  
*Macropus ruficollis*: Burnett River
- Cloacina linstowi* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina linstowi* J. & M., 1940  
 Mackerras, M. J., 1958 b, 117  
*Wallabia rufogrisea*: Australia
- Cloacina longelabiata* nom. nov.  
 Johnston, T. H.; and Mawson, P. M., 1939 e, 209  
 Syn.: *C. minor* Johnston and Mawson, 1938
- Cloacina longelabiata* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 a, 95, 97  
*Macropus melanops*  
*Petrogale xanthopus*  
 both from South Australia
- Cloacina longelabiata* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina longelabiata* J. & M., 1939  
 Mackerras, M. J., 1958 b, 113, 119, 120  
 "new name for minor"  
*Petrogale lateralis*  
*P. xanthopus*  
*Macropus melanops*  
*Megaleia rufa*  
*Osphranter erubescens*  
 all from Australia
- Cloacina longispiculata* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1939 d, 121, 129, 131-132, figs. 25-28  
*Macropus dorsalis*: Queensland  
*M. agilis*: Gregory River District, Carpentaria, Queensland
- Cloacina longispiculata* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1939 c, 513, 533  
*Macropus rufus*: Wentworth, Southwestern N. S. Wales
- Cloacina longispiculata* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina longispiculata* J. & M., 1939  
 Mackerras, M. J., 1958 b, 115, 116, 119  
*Wallabia agilis*  
*W. dorsalis*  
*Megaleia rufa*  
 all from Australia

- Cloacina longispiculata* Johnston and Mawson 1939  
 Mawson, P. M., 1961 c, 87, 89, figs. 6-7
- Cloacina macropodis* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1938 c, 263, 264, 278-279, figs. 47-50  
*Macropus robustus erubescens*: Central Australia  
*Petrogale lateralis*: Mt. Liebig; Cockatoo Creek, Central Australia  
*Macropus robustus*: Mt. Liebig; Cockatoo Creek, Central Australia
- Cloacina macropodis* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1939 c, 513, 530, 533  
*Macropus ualabatus*: Lower Hawkesbury district: N. S. Wales
- Cloacina macropodis* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1939 d, 121, 122, 129, 130, 133  
*Macropus agilis*: Gregory River, North Queensland  
*M. welsbyi*: Stradbroke Island, Queensland  
*M. wilcoxi*: Queensland
- Cloacina macropodis* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 a, 95, 97  
*Macropus melanops*  
*Thylogale flindersi*  
*Petrogale xanthopus*  
 all from South Australia
- Cloacina macropodis* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina macropodis* J. & M., 1938  
 Mackerras, M. J., 1958 b, 113, 114, 115, 116, 118, 119, 120  
*Petrogale lateralis*  
*P. xanthopus*  
*Thylogale flindersi*  
*T. wilcoxi*  
*Wallabia agilis*  
*W. bicolor*  
*W. welsbyi*  
*Macropus melanops*  
*Osphranter erubescens*  
 all from Australia
- Cloacina macropodis* Johnston and Mawson 1939  
 Mawson, P. M., 1961 c, 87, 89, figs. 8-9
- Cloacina magna* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1938 c, 263, 264, 277  
*Macropus robustus erubescens*: Central Australia  
*M. robustus*: Cockatoo Creek, Central Australia
- Cloacina magna* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina magna* J. & M., 1938  
 Mackerras, M. J., 1958 b, 120  
*Osphranter erubescens*: Australia
- Cloacina magnipapillata* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1939 c, 513, 530-531, figs. 49-52  
*Macropus rufus*: Wentworth, N. South Wales  
*M. major*: Coonamble, N. South Wales
- Cloacina magnipapillata* J. & M.  
 Johnston, T. H.; and Mawson, P. M., 1939 b, 307  
*Macropus giganteus*: Wimmera
- Cloacina magnipapillata* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina magnipapillata* J. & M., 1939  
 Mackerras, M. J., 1958 b, 118, 119  
*Macropus major*  
*Megaleia rufa*  
 both from Australia
- Cloacina magnipapillata* Johnston and Mawson  
 Mawson, P. M., 1961 b, 82-83  
*Macropus robustus*: near Marble Bar, Western Australia
- Cloacina magnipapillata* Johnston and Mawson 1939  
 Mawson, P. M., 1961 c, 87, 88, figs. 2-5
- Cloacina minor* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1938 c, 263, 264, 283-284, figs. 63-66  
*Macropus robustus*: Mount Liebig; Cockatoo Creek; Hermannsburg; Central Australia  
*M. robustus erubescens*: Central Australia  
*M. rufus*: Mount Liebig; Central Australia  
*Petrogale lateralis*: Mount Liebig; Hermannsburg; Ernabella, Central Australia
- Cloacina minor* (Davey and Wood, 1938) J. and M. [n. comb.]  
 Johnston, T. H.; and Mawson, P. M., 1939 e, 208, 209  
 Syn.: *Macropostrongylus minor* Davey and Wood, 1938  
*Macropus robustus*: North Queensland
- Cloacina minor* Johnston and Mawson, 1938  
 Johnston, T. H.; and Mawson, P. M., 1939 e, 204, 208, 209  
 as syn. of *C. longelabiata* nom. nov.
- Cloacina minor* (D. and W.)  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina minor* (Davey and Wood, 1938)  
 Mackerras, M. J., 1958 b, 120  
*Osphranter isabellinus*: Australia
- Cloacina obtusa* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1939 c, 513, 528, 530, figs. 46-48  
*Macropus major*: Coonamble, N. S. Wales
- Cloacina obtusa* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 a, 95, 97  
*Macropus melanops*: South Australia
- Cloacina obtusa* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina obtusa* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 f, 360, 365  
*Macropus ocydromus*: Cranbrook, South-western Australia
- Cloacina obtusa* J. & M., 1939  
 Mackerras, M. J., 1958 b, 118, 119  
*Macropus major*  
*M. melanops*  
*M. ocydromus*  
 all from Australia
- Cloacina octodactyla* v. Linstow, 1906  
*Alicata*, J. E., 1933 c, 242  
 as syn. of *Metastrongylus elongatus*
- Cloacina octodactyla* v. Linstow, 1906  
*Baylis*, H. A., 1936 a, 387  
 as syn. of *Metastrongylus elongatus* (Duj., 1845)
- Cloacina octodactyla* v. Linstow, 1906  
*Dougherty*, E. C., 1944 b, 71  
 as syn. of *Metastrongylus apri* (Gmelin, 1790)  
*Vostokov*, 1905
- Cloacina octodactyla* v. Linst.  
*Hall*, M. C., 1922 y, 146  
 dog
- Cloacina octodactyla* (v. Linstow)  
*Sluiter*, C. P.; *Swellengrebel*, N. H.; and *Ihle*, J. E. W., [1922 a], 447
- Cloacina parva* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1938 c, 263, 264, 282-283, figs. 67-72  
*Macropus robustus*: Mount Liebig; Cockatoo Creek; Hermannsburg, Central Australia  
*M. robustus erubescens*: Central Australia  
*Petrogale lateralis*: Mount Liebig; Hermannsburg; Ernabella, Central Australia

- Cloacina parva* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 a, 95, 97  
*Macropus melanops*: South Australia
- Cloacina parva* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina parva* J. & M., 1938  
 Mackerras, M. J., 1958 b, 113, 119, 120  
*Petrogale lateralis*  
*Macropus melanops*  
*Osphranter erubescens*  
 all from Australia
- Cloacina parva* Johnston and Mawson  
 Mawson, P. M., 1961 b, 82  
*Macropus robustus*: near Marble Bar, Western Australia
- Cloacina parva* Johnston and Mawson 1939  
 Mawson, P. M., 1961 c, 86
- Cloacina petrogale* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1938 c, 264, 276, 277-278, figs. 42-46  
*Macropus rufus*: Central Australia  
*Petrogale lateralis*: Mount Liebig; Hermannsburg; Ernabella, Central Australia
- Cloacina petrogale* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 a, 95, 97  
*Thylogale flindersi*  
*Petrogale pearsoni*  
 both from South Australia
- Cloacina petrogale* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 360, 365, 367  
 key  
*Thylogale eugenii*: Kangaroo Island
- Cloacina petrogale* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1941 e, 145  
*Thylogale eugenii*: Flinders Chase, Kangaroo Island, South Australia
- Cloacina petrogale* J. & M., 1938  
 Mackerras, M. J.; 1958 b, 113, 114, 119  
*Petrogale lateralis*  
*P. pearsoni*  
*Thylogale eugenii*  
*T. flindersi*  
*Megaleia rufa*  
 all from Australia
- Cloacina robertsi* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1939 d, 121, 122, 129-130, figs. 16-19  
*Macropus agilis*: Gregory River, North Queensland  
*Petrogale penicillata*: Upper Burnett River, Queensland
- Cloacina robertsi* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina robertsi* J. & M., 1939  
 Mackerras, M. J., 1958 b, 113, 115  
*Petrogale penicillata*  
*Wallabia agilis*  
 both from Australia
- Cloacina setonicis*, sp. nov.  
 Mawson, P. M., 1961 b, 81-82, figs. 1-5  
*Setonix brachyurus*: Rottnest Island, Western Australia
- Cloacina setonicis* Mawson 1961  
 Mawson, P. M., 1961 c, 87, 88, fig. 1
- Cloacina similis* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1939 d, 122, 129, 131, figs. 23-24  
*Macropus apicalis*: Queensland  
*Petrogale penicillata*: Queensland: Upper Burnett River
- Cloacina similis* Johnston and Mawson, 1939  
 Johnston, T. H.; and Mawson, P. M., 1939 c, 514, 532-533  
*Macropus thetidis*: New England, N. S. Wales
- Cloacina similis* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 b, 468, 469  
*Macropus dorsalis*  
*M. ruficollis*  
*M. wilcoxi*  
 all from Burnett R.
- Cloacina similis* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina similis* J. & M., 1938  
 Mackerras, M. J., 1958 b, 113, 114, 115, 116, 117  
*Petrogale penicillata*  
*Thylogale thetis*  
*T. wilcoxi*  
*Wallabia bicolor*  
*W. dorsalis*  
*W. rufogrisea*  
 all from Australia
- Cloacina thetidis* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1939 c, 514, 531, 532, fig. 55  
*Macropus thetidis*: New England, N. S. Wales
- Cloacina thetidis* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 b, 468, 470, 471, fig. 12  
*Macropus parma*: Ourimbah  
*M. ruficollis*: Burnett R.  
*M. wilcoxi*: Burnett R.
- Cloacina thetidis* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina thetidis* J. & M., 1939  
 Mackerras, M. J., 1958 b, 114, 115, 117  
*Thylogale parma*  
*T. thetis*  
*T. wilcoxi*  
*Wallabia rufogrisea*  
 all from Australia
- Cloacina thetidis* Johnston and Mawson 1939  
 Mawson, P. M., 1961 c, 86
- Cloacina vestibulata* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1940 a, 95, 96, 97, figs. 1-2  
*Macropus melanops*: Mundalla
- Cloacina vestibulata* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 367  
 key
- Cloacina vestibulata* J. & M., 1940  
 Mackerras, M. J., 1958 b, 119  
*Macropus melanops*: Australia
- Cloacina wallabiae* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1939 c, 513, 531, 532, figs. 53-54  
*Macropus ualabatus*: Lower Hawkesbury district, N. S. Wales
- Cloacina wallabiae* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 366  
 key
- Cloacina wallabiae* J. & M., 1939  
 Mackerras, M. J., 1958 b, 116  
*Wallabia bicolor*: Australia
- Cloacinidae* n. fam.  
 Travassos, L. P., 1920 h, 66
- Cloacinidae* Trav. 1919  
 Travassos, L. P., [1921 g], 7, 8
- Cloacinidae*  
 Chitwood, B. G., 1937 c, 73  
*Strongyloidea*
- Cloacinidae*  
 Joan, T., 1922 a, 8
- Cloacinidae*  
 Popova, T. I., 1955 a, 74, map  
 geographical distribution  
 includes: *Cloacininae*; *Zoniolaiminae*
- Cloacinidae* Travassos, 1919  
 Yorke, W.; and Maplestone, P. A., 1926 a, 176
- Cloacininae* Stossich, 1899  
 Dougherty, E. C., 1946 d, 15
- Cloacininae*  
 Neveu-Lemaire, M., 1918 a, 7

- Cloeoascaris Baylis, 1923*  
*Baylis, H. A.; and Daubney, R., 1926 a, 6, 7*  
*type: C. spinicollis Baylis*
- Cloeoascaris Baylis, 1923*  
*Hartwich, G., 1954 a, 1178, 1180, 1184, 1188*
- Cloeoascaris Baylis*  
*Layman, E. M.; and Borovkova, M. M., 1926 a, 16,*  
*18*  
*[also as Cleoascaris]*
- Cleoascaris*  
*Petrov, A. M., 1940 a, 226*  
*[as Cleoascaris]*
- Cloeoascaris Baylis*  
*Rauther, M., 1930 a, 380*
- Cleoascaris*  
*Sprehn, C. E. W., 1927 e, 42*
- Cloeoascaris Baylis, 1923*  
*Sprehn, C. E. W., 1932 c, 532, 537*  
*type species: C. spinicollis Baylis, 1923*
- Cleoascaris*  
*Travassos, L. P., 1924 e, 153; Reprint, 13, 14*
- Cloeoascaris Baylis, 1923*  
*Yorke, W.; and Maplestone, P. A., 1926 a, 271,*  
*283*  
*type: C. spinicollis Baylis, 1923*
- Cloeoascaris longispiculum n. sp.*  
*Teixeira de Freitas, J. F.; and Lent, H.,*  
*1941 c, 267-270, figs. 1-13*  
*Pteronura brasiliensis: Salobra, Estado do*  
*Mato Grosso, Brasil*
- Cloeoascaris simiae [n. sp.]*  
*Mozgovoy, A. A., 1950 d, 267*
- Cloeoascaris simiae Mosgovoy, 1951 [nomen nov.]*  
*Skrjabin, K. I.; Shikhobalova, N. P.; and Moz-*  
*govoy, A. A., 1951 a, 473*  
*Syns.: C. spinicollis Baylis, 1923 (v opis-*  
*anii Schuurmans-Stekkhoven, 1937) nec C.*  
*spinicollis Baylis, 1923*  
*Cercopithecus leucampyx: Belgian Congo*
- Cloeoascaris spinicollis n. sp.*  
*Baylis, H. A., 1923 d, 459-463, figs. 1-3*  
*Lutra sp.: Kilosa*  
*Atilax paludinosus: Tanganyika Territory*
- Cloeoascaris spinicollis Baylis, 1923*  
*Baylis, H. A.; and Daubney, R., 1926 a, 6*
- Cloeoascaris spinicollis Baylis*  
*Loveridge, A., 1923 a, 713, 717*  
*Atilax paludinosus rubescens*  
*Aonyx capensis helios*  
*both from East Africa*
- Cloeoascaris spinicollis Baylis*  
*Loveridge, A., 1923 c, 713*  
*Aonyx capensis helios*
- Cleoascaris [sic] spinicollis (Baylis, 1923)*  
*Petrov, A. M., 1940 a, 226*  
*Lutra lutra: SSSR*
- Cleoascaris spinicollis Baylis*  
*Rauther, M., 1930 a, 380*
- Cloeoascaris spinicollis Baylis*  
*Schuurmans Stekhoven, J. H. (jr.), 1937 e, 20-*  
*21, figs. 47-54*  
*Cercopithecus leucampyx kandti*  
*Lutra sp.*  
*Atilax sp.*
- Cloeoascaris spinicollis Baylis, 1923 (v opisanii*  
*Schuurmans-Stekkhoven, 1937) nec C. spinicollis*  
*Baylis, 1923*  
*Skrjabin, K. I.; Shikhobalova, N. P.; and Moz-*  
*govoy, A. A., 1951 a, 473*  
*as syn. of Cloeoascaris simiae Mosgovoy, 1951*  
*[nomen nov.]*
- Cloeoascaris spinicollis*  
*Sprehn, C. E. W., 1927 e, 42*  
*Lutra sp.*  
*Atilax sp.*
- Cloeoascaris spinicollis Baylis, 1923*  
*Sprehn, C. E. W., 1932 c, 537, 823*  
*Lutra sp. (Darm): Europa*
- Cloeoascaris spinicollis Baylis, 1923*  
*Yorke, W.; and Maplestone, P. A., 1926 a, 283,*  
*fig. 196*  
*type of genus*  
*Lutra sp.*  
*Atilax sp.*
- Cobboldia [n. gen.]*  
*Leiper, R. T., 1910 c, 235-237*  
*type: C. vivipara [n. sp.]*
- Cobboldia Leiper, 1910*  
*Yorke, W.; and Maplestone, P. A., 1926 a, 250*  
*as syn. of Cobboldina Leiper, 1911*
- Cobboldia vivipara [n. sp.]*  
*Leiper, R. T., 1910 c, 235-237*
- Cobboldia vivipara Leiper, 1910*  
*Yorke, W.; and Maplestone, P. A., 1926 a, 252*  
*as syn. of Cobboldina vivipara (Leiper, 1910)*
- Cobboldina [n. gen.]*  
*Leiper, R. T., 1911 z, 555*  
*type: C. vivipara [n. comb.]*
- Cobboldina Leiper, 1911*  
*Baylis, H. A.; and Daubney, R., 1926 a, 34*  
*type: C. vivipara (Leiper)*
- Cobboldina Leiper, 1911*  
*Gallego Berenguer, J., 1947 a, 47, 57*  
*type: C. vivipara (Leiper, 1910)*
- Cobboldina*  
*Gedoelst, L., 1919 e, 911, 912*
- Cobboldina*  
*Khalil, M., 1922 o, 2*
- Cobboldina Leiper*  
*Rauther, M., 1918 a, 464*
- Cobboldina Leiper*  
*Rauther, M., 1930 a, 383*
- Cobboldina*  
*Sprehn, C. E. W., 1927 e, 44*
- Cobboldina*  
*Travassos, L. P., 1920 h, 62*
- Cobboldina Leiper, 1911*  
*Yorke, W.; and Maplestone, P. A., 1926 a, 243,*  
*250-252*  
*type: C. vivipara (Leiper, 1910)*
- Cobboldina hyracis n. sp.*  
*Ezzat, M. A. E., 1954 a, 173-175, figs. 7-11*  
*Dendrohyrax arboreus adolfi-friedericici: Con-*  
*go belge*
- Cobboldina longicauda spec. nov.*  
*Köhler, H.; and Supperer, R., 1960 a, 681-690,*  
*figs. 3-6, 8-13*  
*Procavia abessinica*
- Cobboldina vivipara [n. comb.]*  
*Leiper, R. T., 1911 z, 555*
- Cobboldina vivipara (Leiper, 1911)*  
*Baylis, H. A.; and Daubney, R., 1926 a, 34*
- Cobboldina vivipara Leiper, 1911*  
*Gallego Berenguer, J., 1947 a, 57-59, 70, pl.*  
*12, figs. 4-5*  
*Hippopotamus sp.*
- Cobboldina vivipara (Leiper, 1910)*  
*Gedoelst, L., 1916 a, 47*  
*Hippopotamus: Dolo, Belge Congo*
- Cobboldina vivipara Leiper 1910*  
*Gedoelst, L., 1919 e, 911*
- Cobboldina vivipara Leiper*  
*Rauther, M., 1930 a, 383*
- Cobboldina vivipara Leiper*  
*Sandground, J. H., 1929 a, 2*  
*Hippopotamus amphibius*
- Cobboldina vivipara*  
*Sprehn, C. E. W., 1927 e, 44*
- Cobboldina vivipara (Leiper, 1910)*  
*Yorke, W.; and Maplestone, P. A., 1926 a,*  
*252, fig. 173*  
*type of genus*  
*hippopotamus*
- Cobboldinidae fam. nov.*  
*Skrjabin, K. I., 1948 a, 750*  
*contains: Cobboldina Leiper, 1911; Leiper-*  
*nia Khalil, 1922*

- Cobboldininae Skrjabin, 1948**  
*Skrjabin, K. I.; Shikhobalova, N. P.; and Sobolev, A. A., 1949 a, 244*  
 includes: *Leiperenia Khalil, 1922; Cobboldinia Leiper, 1911*
- Cobboldostrongylus n. g.**  
*Sarwar, M. M., 1956 b, 146, 181-182, 187*  
 tod: *C. axei n. comb.*
- Cobboldostrongylus axei (Cobbold, 1879) n. comb. (tod)**  
*Sarwar, M. M., 1956 b, 146, 188, 198, 214, figs. 41-44*  
*Capra hircus*  
*Ovis nahura*  
*Gazella benetti*  
*Bos indicus*  
 all from Murree, Salt Range tract, Peshawar (West Pakistan)
- Cochlus Zeder, 1803 (part)**  
*Baylis, H. A., 1939 b, 171*  
 as syn. of *Spinitectus Fourment, 1883*
- Cochlus Zeder**  
*Schuurmans Stekhoven, J. H., 1935 f, V.c 21*  
 as syn. of *Goezia Zeder, 1800*
- Cochlus Zed., 1803. not Humph., 1797**  
*Stiles, C. W., 1912 m, 507*  
 rejected name
- Cochlus Zeder, 1803**  
*Yorke, W.; and Maplestone, P. A., 1926 a, 284*  
 as syn. of *Goezia Zeder 1800*
- Cochlus armatus Zeder, 1803**  
*Markevich, A. P., [1952 a], 264*  
 as syn. of *Goezia ascaroides (Goeze, 1782)*
- Cochlus armatus Zeder, 1803**  
*Yorke, W.; and Maplestone, P. A., 1926 a, 285*  
 as syn. of *Goezia ascaroides (Goeze, 1782)*
- Codiostomum Railliet & Henry, 1911**  
*Baylis, H. A.; and Daubney, R., 1926 a, 152-153*  
 type: *C. struthionis (Horst)*
- Codiostomum Railliet & Henry**  
*Cram, E. B., 1927 a, 30-31*  
 type: *C. struthionis (Horst)*
- Codiostomum**  
*Popov, N. P., 1927 b, 193*
- Codiostomum Railliet & Henry**  
*Rauther, M., 1930 a, 376*
- Codiostomum Railliet & Henry, 1911**  
*Yorke, W.; and Maplestone, P. A., 1926 a, 6, 37, 45-46*  
 type: *C. struthionis (Horst)*
- Codiostomum struthionis (Horst, 1885)**  
*Baylis, H. A.; and Daubney, R., 1926 a, 152*
- Codiostomum struthionis (Horst)**  
*Cram, E. B., 1927 a, 31-32, figs. 28-32*  
*Struthio molybdophanes*  
*S. camelus*  
*S. australis*
- Codiostomum struthionis**  
*Hall, M. C., 1921 i, 201*  
*Struthio camelus*
- Codiostomum struthionis (Horst)**  
*Mönnig, H. O., 1924 d, 458-459, figs. 44-46*  
*Struthio australis: S. Africa*
- Codiostomum struthionis (Horst, 1885)**  
*Mönnig, H. O., 1928 a, 808*  
*ostrich*
- Codiostomum struthionis**  
*Price, E. W., 1928 e, 201*  
*ostrich: Texas*
- Codiostomum struthionis (Horst)**  
*Yorke, W.; and Maplestone, P. A., 1926 a, 46, fig. 19*  
 type of genus  
*Struthio australis*
- Colobostrongylus n. g.**  
*Sandground, J. H., 1929 a, 8-9*  
 tod: *C. strongi n. sp.*
- Colobostrongylus n. g.**  
*Sandground, J. H., 1930 b, 469*  
 tod: *C. strongi n. sp.*
- Colobostrongylus Sandground**  
*Khalil, M., 1932 i, 441-442*  
 type: *C. strongi Sandground*
- Colobostrongylus**  
*Maplestone, P. A., 1932 c, 256*
- Colobostrongylus sandgroundi n. sp.**  
*Khalil, M. (Bey), 1932 i, 432, 441-443, figs. 6-8*  
*Colobus badius badius (small intestine): Liberia*
- Colobostrongylus strongi n. sp. (tod)**  
*Sandground, J. H., 1929 a, 9-11, pl. 1, figs. 1-4*  
*Colobus polykomos*
- Colobostrongylus strongi n. sp.**  
*Sandground, J. H., 1930 b, 469, 472-473, fig. 397, 1-4*  
*Colobus polykomos*
- Colobostrongylus strongi Sandground**  
*Khalil, M., 1932 i, 441, 442, 443*
- Colobostrongylus strongi Sandground**  
*Strong, R. P.; and Shattuck, G. C., 1930 a, 420*  
*Colobus polykomos*
- Comephorenema n. g.**  
*Layman, E. M., 1933 b, 52*  
 [for *Comephoronema n. g.

**Comephoronema n. g.**  
*Layman, E. M., 1933 b, 52, 53, 63, 85-86*  
 [p. 52: *Comephorenema*] Thelaziidae  
 tod: *C. werestschagini n. sp.*

**Comephoronema Layman, 1933**  
*Chabaud, A. G., 1959 c, 19*  
 as syn. of *Cystidicola Fischer, 1798*

**Comephoronema n. sp.**  
*Oshmarin, P. G., 1948 a, 187*

**Comephoronema werestschagini n. g. n. sp. (tod)**  
*Layman, E. M., 1933 b, 52, 53, 59, 60, 61, 62-63, 64, 69, 71, 87-88, 91, 97, pls. 5-6, figs. 40-58*  
*Comephorus dybcwski (stomach, intestine)*  
*Cottocomephorus grewingki (stomach, intestine)*  
*Lota lota (stomach, intestine)*  
*Comephorus baicalensis (stomach)*  
 all from Lake Baikal, USSR

**Conbracoecum [sic] collaris n. sp. Filipev [nomen solum]**  
*Barabash-Nikiforov, I. I., 1937 a, 162*  
*Alopex berengensis*

**Conispiculum n. g.**  
*Pandit, C. G.; Pandit, S. R.; and Iyer, P. V. S., 1929 f, 955*  
*Micropleurinae*  
 tod: *C. guindiensis n. sp.*

**Conispiculum n. g. [sic]**  
*Pandit, C. G.; Pandit, S. R.; and Iyer, P. V. S., 1929 d, 317-318 (11-12)*

**Conispiculum n. g. [sic]**  
*Pandit, C. G.; Pandit, S. R.; and Iyer, P. V. S., 1929 e, 317 (11)*

**Conispiculum Pandit, Pandit and Iyer, 1929**  
*Baylis, H. A., 1939 b, xxv, 46*  
*Filariidae, Aprocinae*  
 type: *C. flavesrens (Castellani and Willey, 1905)*

**Conispiculum Pandit, Pandit and Iyer, 1929**  
*Chabaud, A. G.; and Anderson, R. C., 1929 a, 77*  
*Onchocercidae, Oswaldofilariinae*  
 key*

- Conispiculum**  
 Johnston, T. H.; and Mawson, P. M., 1943 c, 184  
 key
- Conispiculum flavescens** (Castellani and Willey,  
 1905) (type)  
 Baylis, H. A., 1939 b, xxv, 46-49, 262, 265  
 Syns.: *Filaria flavescens* Castellani and  
 Willey, 1905; *Conispiculum guindiensis*  
 Pandit, Pandit and Iyer, 1929  
*Calotes versicolor*: Colombo, Ceylon, Guindy,  
 Madras
- Conispiculum flavescens** Pandit et al. (1929);  
 Raghavan and Misra (1949)  
*Lavoipierre*, M. M. J., 1958 b, 332, 339  
*Calotes versicolor*  
*Culex fatigans* (thoracic muscles)
- Conispiculum guindiensis** n. g., n. sp. (tod)  
 Pandit, C. G.; Pandit, S. R.; and Iyer, P. V.  
 S., 1929 f, 954-958, pls. 78-79  
*Calotes versicolor*
- Conispiculum guindiensis** (1929)  
 Pandit, C. G.; Pandit, S. R.; and Iyer, P. V.  
 S., 1929 c, 421-429, figs. 1-19, 1 graph, pls.  
 31-32  
 development in *Culex fatigans*, transmission
- Conispiculum guindiensis** n. g., n. sp.  
 Pandit, C. G.; Pandit, S. R.; and Iyer, P. V.  
 S., 1929 d, 317-318 (11-12)  
 life cycle  
*Culex fatigans*
- Conispiculum guindiensis** n. g., n. sp.  
 Pandit, C. G.; Pandit, S. R.; and Iyer, P. V.  
 S., 1929 e, 317 (11)  
*Calotes versicolor*
- Conispiculum guindiensis** Pandit, Pandit and Iyer,  
 1929
- Baylis, H. A., 1939 b, 46, 47, 49  
 as syn. of *Conispiculum flavescens* (Castellani  
 and Willey, 1905)
- Conispiculum guindiensis**  
 Menon Bhaskara, T., [1942 a], 96-97  
*Calotes versicolor*
- Conispiculum guindiensis**  
 Menon Bhaskara, T., [1943 a], 86-87  
*Calotes versicolor*
- Conispiculum guindiensis**  
 Menon Bhaskara, T.; Hamamurti, B.; and Sundara-  
 siva Rao, D., 1944 a, 374, 376, 377, diagram,  
 figs. 1-11b, pl. 1, figs. 1-9, pl. 2, figs. 2-  
 4, pl. 3, figs. 1-3, 6
- C[onispiculum] guindiensis** after Pandit et al.  
 (1929)  
 Nelson, G. S., 1960 b, 590, fig.
- Conispiculum guindiensis**  
 Pandit, C. G., [1948 a], 168
- Conispiculum guindiensis**  
 Pandit, C. G., [1949 a], 186-188
- Conispiculum guindiensis**  
 Pandit, C. G.; and Pandit, S. R., 1929 a,  
 318 (12)
- Conispiculum guindiensis**  
 Raghavan, N. G. S., 1952 a, 125-126  
*Calotes versicolor*: Guindy, near Madras
- C[onispiculum] guindiensis**  
 Raghavan, N. G. S.; and Misra, B. G., 1949 a,  
 243, 245  
*Culex fatigans*  
*Calotes versicolor*
- Conispiculum guindiensis**  
 Raghavan, N. G. S.; Misra, B. G.; and Krishnas-  
 wami, A. K., 1960 a, 219-222  
 hetrazan
- Conispiculum guindiensis**  
 Raghavan, N. G. S.; Singh, D.; and Bhatnagar,  
 V. N., 1956 a, 265-268  
*Calotes versicolor*
- Conispiculum guindiensis**  
 Rao, Y. S. N.; and Krishnan, G. N. V., 1955 a,  
 37-39
- Conispiculum guindiensis**  
 Singh, J., [1950 b], 238, 239
- Conocephalus Dies.**  
 Baylis, H. A., 1920 g, 257  
 as syn. of *Anisakis Duj.*
- Conocephalus Dies.**  
 Perrier, E., 1897 a, 1410
- Conocephalus Diesing nec Thunberg**  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 18  
 as syn. of *Anisakis Dujardin*, 1845
- Conocephalus Diesing**, 1861  
 Sprehn, C. E. W., 1932 c, 532  
 as syn. of *Anisakis Dujardin*, 1845
- Conocephalus Dies.**, 1861, not Thunb., 1812  
 Stiles, C. W., 1912 m, 507  
 rejected name
- Conocephalus Dies.**, 1861 not Thunb., 1812  
 Yorke, W.; and Maplestone, P. A., 1926 a, 272  
 as syn. of *Anisakis Duj.*, 1845
- Conocephalus typicus Diesing**, 1861  
 Baylis, H. A., 1932 b, 402  
 as syn. of *Anisakis typica* (Dies., 1861)
- Conocephalus typicus**  
 Baylis, 1920  
*Perrier*, E., 1897 a, 1410  
*dauphin*
- Conocephalus typicus Dies.**, 1861  
 Yorke, W.; and Maplestone, P. A., 1926 a, 273  
 as syn. of *Anisakis typica* (Dies., 1861)
- Conoweberia**  
 Baylis, H. A.; and Daubney, R., 1926 a, 164
- Conoweberia Ihle**  
 Daubney, R., 1924 a, 546
- Conoweberia** n. subg.  
 Ihle, J. E. W., 1922 d, 92  
 contains: *Oesophagostomum apiostomum*; *O.  
 brumpti*
- Conoweberia Ihle**, 1922 (subg.)  
 Leroux, P. L., 1940 a, 14, 15  
 subgen. of *Oesophagostomum*  
 key  
 subgenotype: *Oesophagostomum* (*Conoweberia*)  
*bifurcum* Creplin, 1849) Travassos & Vogel-  
 sang, 1932 = *Oesophagostomum* (*Conoweberia*)  
*apiostomum* (Willach, 1891) Ihle, 1922
- Conoweberia Ihle**, 1922  
 Skrjabin, K. I.; et al., [1953 a], 254  
 [lapsus for *Conoweberia*]
- Conoweberia**  
 Thornton, H., 1924 b, 397
- Conoweberia**  
 Travassos, L.; and Vogelsang, E., 1932 a, 252,  
 262, 271, 296, 298, 328, pl. 91, fig. 198  
 subgenus of *Oesophagostomum*  
 subgenotype: *Oesophagostomum* (*Conoweberia*)  
*blanchardi* (Railliet & Henry, 1912)
- Conoweberia Ihle**, 1922  
 Yorke, W.; and Maplestone, P. A., 1926 a, 88
- Contracaecum**  
 Layman, E. M., 1933 b, 37  
 [for *Contracaecum Railliet* and Henry]
- Contortospiculum** n. g.  
 Skrjabin, K. I., 1915 a, 898-908  
 Filiariidae  
 tod: *C. horrida* (Diesing, 1851)
- Contortospiculum Skrjabin**, 1915  
 Skrjabin, K. I., 1916 c, 706, 726, 729, 730,  
 732, 733, 737, 752, 754, 755, fig.
- Contortospiculum Skrjabin** 1915  
 Skrjabin, K. I., 1917 b, 472, 473-475, 478-480  
 tod: *C. horrida* Dies.
- Contortospiculum Skrj.**  
 Skrjabin, K. I., 1923 m, 81
- Contortospiculum Skrjabin**, 1915  
 Baylis, H. A.; and Daubney, R., 1926 a, 203,  
 204  
 as syn. of *Dicheilonema Diesing*, 1861

- Contortospiculum Skrjabin 1915  
 Chabaud, A. G.; and Anderson, R. C., 1959 a, 71  
 as syn. of *Dicheilonema Diesing* 1861
- Contortospiculum  
 Railliet, A., 1918 b, 106, 107, 108
- Contortospiculum Skrj.  
 Rauther, M., 1930 a, 369
- Contortospiculum  
 Skrjabin, K. I.; and Shikhobalova, N. P.,  
 1936 a, 73  
 Setariinae  
 key
- Contortospiculum Skrjabin, 1915  
 Skrjabin, K. I.; and Shikhobalova, N. P., 1945  
 a, 383, 384
- Contortospiculum Skrjabin, 1917  
 Sprehn, C. E. W., 1932 c, 581, 584  
 type species: *C. rheae* (Owen, 1843)  
 Syn.: *Dicheilonema Diesing*, 1861 e. p.
- Contortospiculum  
 Vogel, H.; and Gabaldon, A., 1932 a, 123
- Contortospiculum Skrjabin, 1915  
 Wehr, E. E., 1935 b, 86  
 as syn. of *Dicheilonema Dies.*, 1861
- Contortospiculum Skrjabin, 1917  
 Yorke, W.; and Maplestone, P. A., 1926 a, 13,  
 14, 421, 428-430, 437, 438  
 type: *C. rheae* (Owen, 1843)
- Contortospiculum americanum n. n.  
 Railliet, A., 1918 b, 107  
 new name for *Filaria* sp. Leidy 1884  
*Asio accipitrinus*
- Contortospiculum americanum Railliet, 1918  
 Sprehn, C. E. W., 1932 c, 584, 848  
 Syn.: *Filaria* sp. Leidy, 1884  
*Asio flammeus*: Nordamerika
- Contortospiculum americanum Railliet, 1918  
 Yorke, W.; and Maplestone, P. A., 1926 a, 430  
*Asio accipitrinus*
- Contortospiculum ciconiae (Gmel., 1791) [i.e.  
 Schrank, 1788] [n. comb.]  
 Skrjabin, K. I., 1915 a, 899, 903-904, 908, 1  
 pl., fig. 5  
 Syns.: *C. labiata* (Creplin, 1825) [n.  
 comb.]; *Filaria ciconiae* Gmelin, 1791; *F.  
 ardeae nigrae* Rudolphi, 1819; *F. labiata*  
 Creplin, 1825; *Dicheilonema labiatum* Diesing,  
 1860  
*Ciconia nigra*  
*C. alba*
- Contortospiculum ciconiae (Gm., 1791)  
 Skrjabin, K. I., 1923 e, 31
- Contortospiculum ciconiae (Gmelin)  
 Skrjabin, K. I., 1923 m, 81-82, figs. 120, 121  
*Ciconia alba*; *C. nigra*
- Contortospiculum ciconiae (Schrank, 1788)  
 Dubinin, M. N.; and Serkova, O. P., 1951 a,  
 86, 94  
*Egretta alba alba*: Tadzhikistan
- Contortospiculum ciconiae? (Creplin)  
 Nikol'skaiā, N. P., 1939 a, 62  
*Phalacrocorax carbo*: Astrakhan reservate,  
 Volgadelta
- Contortospiculum ciconiae (Schrank)  
 Schuurmans Stekhoven, J. H., 1937 a, 484
- Contortospiculum ciconiae (Schrank, 1788)  
 Sprehn, C. E. W., 1932 c, 584, 854  
 Syns.: *Filaria ciconiae* Schrank, 1788; *F.  
 labiata* Creplin, 1825; *Dicheilonema labiatum*  
 (Schrank, 1788) Diesing, 1861; *Contortospic-  
 ulum ciconiae* (Schrank, 1788)  
*Ciconia ciconia* (subkutan)  
*C. nigra*  
 both from Europa
- Contortospiculum ciconiae Schrank, 1788  
 Szidat, L., 1940 a, 572, 576, 577  
 Syn.: *Filaria labiata*  
*Ciconia nigra*  
*C. ciconia*
- Contortospiculum ciconiae (Schrank, 1788)  
 Witenberg, G., 1925 b, 203-208
- Contortospiculum ciconiae (Schrank, 1788)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 430  
*Ciconia nigra*
- Contortospiculum filiformis n. sp.  
 Kreis, H. A., 1936 b, 647-652, fig. 1  
*Rhea americana*: Zoologischen Garten Basel
- Contortospiculum filiforme Kreis, 1936  
 Kreis, H. A., 1938 a, 281  
*Rhea americana*: Zool. Garten Basel
- Contortospiculum filiformis Kreis, 1936  
 Kreis, H. A., 1940 a, 164  
*Rhea americana*
- Contortospiculum horrida (Dies., 1851) [n. comb.]  
(tod)  
 Skrjabin, K. I., 1915 a, 898, 899, 900-903,  
 904, 907, 908, 3 pls., figs. 1-4, 7  
 Syn.: *Filaria horrida* Dies., 1851  
*Rhea americana*  
*Struthio crux*  
*Otis tarda*
- Contortospiculum horridum  
 Skrjabin, K. I., 1926 d, 94  
*Rhea americana*
- Contortospiculum horridum (Dies., 1851)  
 Railliet, A., 1918 b, 106, 107
- Contortospiculum horrida (Diesing, 1851)  
 Skrjabin, 1917  
 Sprehn, C. E. W., 1932 c, 584  
 as syn. of *C. rheae* (Owen, 1843)
- Contortospiculum horrida (Diesing) 1851  
 Wesenberg-Lund, E., 1945 a, 89, 90, 91, 93,  
 94, pl., figs. 1-2, pl., fig. 3 (1-4)  
*Rhea americana*: Zoological garden, Copen-  
 hagen (from South America)
- Contortospiculum horrida (Dies.)  
 Witenberg, G. G., 1925 b, 204, 206, 208
- Contortospiculum horridum (Dies., 1851) Skrja-  
bin, 1917  
 Yorke, W.; and Maplestone, P. A., 1926 a, 430  
 as syn. of *Contortospiculum rheae* (Owen,  
 1843)
- ? Contortospiculum incertum n. sp.  
 Sandground, J. H., 1933 c, 542, 555-557,  
 figs. 14-15  
*Bhringa remifer* (coelom): Indo China
- Contortospiculum labiata (Creplin, 1825) [n.  
 comb.]  
 Skrjabin, K. I., 1915 a, 898, 900  
 as syn. of *C. ciconiae* (Gmel., 1791) [i.e..  
 Schrank, 1788] [n. comb.]
- Contortospiculum labiatum (Crepl., 1825)  
 Railliet, A., 1918 b, 106, 107  
*Ciconia nigra*
- Contortospiculum labiatum (Rud.)  
 Seurat, L. G., 1921 b, 37
- Contortospiculum nodulosum (Rudolphi, 1820)  
 Sprehn, C. E. W., 1932 c, 585, 840  
 Syns.: *Filaria obtuso-caudata* Rudolphi,  
 1819; *F. nodulosa* Rudolphi, 1820; Mono-  
 petalonema obtusae-caudatum Diesing, 1861;  
*C. nodulosum* (Rudolphi, 1820)
- Lanius collurio*  
*L. excubitor*  
 both from Europa; Asien; Amerika
- Contortospiculum nodulosum Rud., 1820  
 Sultanov, M. A., 1954 a, 60, 64  
*Lanius excubitor pallidrostris*: southern  
 Kzyly-Kum
- Contortospiculum nodulosum (Rud., 1820)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 430  
*Lanius* spp.
- Contortospiculum rheae  
 Hörschner, F., 1962 b, 185  
*Rhea americana*: Brusthöhle
- Contortospiculum rheae (Owen)  
 Lubimov, M. P., 1927 b, 296, 301  
*Rhea americana*

- Contortospiculum rheae* (Owen)  
Mönnig, H. O., 1929 e, 301  
*Rhea americana*
- Contortospiculum rheae* (Owen, 1843)  
Railliet, A., 1918 b, 107  
Syns.: *Filaria horrida* Dies. 1851; *Dicheilonema horridum* Dies. 1861  
*Rhea americana*  
*Struthio crux*  
*Otis tarda*
- Contortospiculum rheae* (Owen)  
Rauther, M., 1930 a, 369
- Contortospiculum rheae*  
Rehm, W. F.; and Meister, G., 1957 a, 89  
*Rhea americana*
- Contortospiculum rheae*  
Roberts, J. I., 1924 a, 413  
*Rhea americana*
- Contortospiculum rheae* (Owen, 1843) (type)  
Sprehn, C. E. W., 1932 c, 584, 885  
Syns.: *Filaria rheae* Owen, 1843; *F. horrida* Diesing, 1851; *Dicheilonema horridum* (Diesing, 1851) Diesing, 1861; *C. horrida* (Diesing, 1851) Skrjabin, 1917; *C. rheae* (Owen, 1843) Skrjabin, 1917  
*Otis tarda*: Europa; Amerika
- Contortospiculum rheae* Owen  
Tuleškov, Kh. M.; and Janchev, Ia., 1957 a, 341  
*Rhea americana*: Zoological Garden, Sofia
- Contortospiculum rheae*  
Vogelsang, E. G., (1927 a), 545  
Uruguay
- Contortospiculum rheae* (Owen)  
Vogelsang Wilckens, E. G., 1928 d, 429
- Contortospiculum rheae*  
Wetzel, R.; and Enigk, K., 1938 g, 20  
*Rhea americana*: Berliner Zool. Gärten; Zool. Garten in Halle und Bremen; Tierpark Hamburg-Stellingen
- Contortospiculum rheae* (Owen, 1843)  
Yorke, W.; and Maplestone, P. A., 1926 a, 430, fig. 293  
type of genus  
*Rhea americana*  
*Struthio crux*  
*Otis tarda*
- Contortospiculum spicularia*  
Beaudette, F. R., 1940 c, 1
- Contortospiculum spicularia*  
Mönnig, H. O., 1929 e, 299-302  
ostrich
- Contortylenchus chalcographi* (Fuchs, 1938) n. c.  
Rühm, W., 1956 b, 131, 139-140, 418  
Syn.: *Parasitylenchus contortus chalcographi* Fuchs, 1938  
*Pityogenes chalcographus*: Erlangen, Nürnberg, Mittelfranken Oberbayern
- Contortylenchus cryphali* [n. sp.]  
Rühm, W., 1954 b, 180, fig. 11
- Contortylenchus cryphali* n. sp.  
Rühm, W., 1956 b, 24, 69, 131, 137-138, 417, fig. 15 a-n  
*Cryphalus piceae* (Leibeshöhle): Mittelfranken, Frankenwald, Schwarzwald
- Contortylenchus cunicularii* [n. comb.]  
Rühm, W., 1954 b, 179, fig. 10
- Contortylenchus cunicularii* (Fuchs, 1929, Filipjev, 1934) n. c.  
Rühm, W., 1956 b, 131, 135-136, 416, fig. 14  
Syns.: *Tylenchus contortus cunicularii* Fuchs, 1939; *Aphelenchus cunicularii* (Fuchs, 1929) Filipjev, 1934  
*Hylastes cunicularius*  
*H. ater*  
both from Erlangen, Nürnberg, Mittelfranken, Schleswig-Holstein
- Contortylenchus diplogaster* [n. comb.]  
Hirschmann, W.; and Rühm, W., 1953 a, 7-10  
Buchdruckers
- Contortylenchus diplogaster* (v. Linstow, 1890) W. Ruehm, 1950  
Hirschmann, W.; and Rühm, W., 1954 a, 47, 60, pl. 13, fig. 12  
*Ips typographus*
- Contortylenchus diplogaster*  
Hirschmann, W.; and Rühm, W., 1955 a, 279, 280, 281, figs. 1-5  
*Ips typographus*
- Contortylenchus diplogaster*  
Rühm, W., 1954 b, 181, fig. 12
- Contortylenchus diplogaster* (v. Linstow, 1890) n. c. (tod)  
Rühm, W., 1956 b, 54, 67, 72, 73, 74, 76, 130, 132, 145-147, 418, fig. 20 a-n  
Syns.: *Allantonema diplogaster* v. Linstow, 1890; *Tylenchus contortus typographi* Fuchs, 1915; *Parasitylenchus contortus typographi* (Fuchs, 1915) Fuchs, 1929; *Tylenchus contortus cembrae* (Fuchs, 1915); *Parasitylenchus contortus cembrae* (Fuchs, 1915) Fuchs, 1929; *Aphelenchulus diplogaster* (Fuchs, 1915) Filipjev, 1934  
*Ips typographus*  
*I. cembrae*
- Contortylenchus laricis* (Fuchs, 1929) Filipjev, 1934  
Rühm, W., 1956 b, 132, 140-142, 419, fig. 17 a-k  
Syns.: *Tylenchus contortus laricis*; *Aphelenchulus laricis* Fuchs, 1929  
*Ips (Orthotomicus) laricis*: Erlangen  
*I. (O.) suturalis*: Fichtelgebirge, Höbing, Nürnberg
- Contortylenchus tomici* (Bovien 1937) Rühm 1950  
Rühm, W., 1954 a, 222, 223  
Syn.: *Aphelenchulus tomici* Bovien 1937  
*Pityogenes bidentatus*: Oberfranken  
*P. quadridens*: Schleswig-Holstein
- Contortylenchus tomici* (Bovien, 1937)  
Rühm, W., 1956 b, 131, 139, 140, 418, fig. 16 a-c  
Syn.: *Aphelenchulus tomici* Bovien, 1937  
*Pityogenes bidentatus*: Nürnberg, Erlangen, Oberfranken, Oberpfälzer Wald, Schleswig-Holstein  
*P. quadridens*: Nürnberg, Erlangen, Oberfranken, Oberpfälzer Wald, Schleswig-Holstein
- Contracoecum* [sic]  
Ass, M. Ia., 1961 a, 111, figs. 1-3, 2
- Contraecaeum* Railliet & Henry  
Baylis, H. A., 1920 g, 257, 258, 259, 261-262, 263  
Syn.: *Kathleena L.* & H.
- Contraecaeum* Railliet & Henry 1912  
Baylis, H. A., 1923 i, 4-8
- Contraecaeum*  
Baylis, H. A., 1924 d, 17, 18, 23
- Contraecaeum* Railliet and Henry, 1912  
Baylis, H. A., 1936 a, 66, 79  
Ascaridae, Anisakinae  
key to species, type: *C. spiculigerum* (Rud., 1809)  
Syns.: *Kathleena Leiper* and *Atkinson*, 1914; *Cerascaris Cobb*, 1929
- Contraecaeum*  
Baylis, H. A., 1937 d, 121-130
- Contraecaeum* Railliet & Henry, 1912  
Baylis, H. A.; and Daubney, R., 1923 a, 556-558, 560
- Contraecaeum* Railliet & Henry, 1912  
Baylis, H. A.; and Daubney, R., 1926 a, 6, 7  
type: *C. spiculigerum* (Rud.)  
Syn.: *Kathleena Leiper* & *Atkinson*

- Contracaecum Railliet and Henry, 1912  
 Berland, B., 1961 a, 27-29  
 "it is thought useful to raise the rank of Contracaecum ... to subfamily ... Contracaecum Railliet and Henry, 1912 (with synonyms); Heterophyllum Spaul, 1927; Phocascaris Host, 1932; Cloeoascaris Baylis, 1923; ? Raphidascaris Railliet and Henry, 1915, may be included in the subfamily"
- Contracaecum Railliet & Henry  
 Cram, E. B., 1927 a, 135, 146  
 type: *C. spiculigerum* (Rud.)
- Contracaecum  
 Dollfus, R. P., 1935 d, 90, 91, 92  
 [contains 3 subgenera: Contracaecum, Thynnascaris, Amphicaecum]
- Contracaecum  
 Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a, 82
- Contracaecum  
 Fujita, T., 1932 a, 24-30; English text, 36-40
- Contracaecum  
 Fujita, T., 1939 a, 248, 252  
 key to species
- Contracoecum [sic] Raill. et Henry?  
 Galli-Valerio, B., 1940 b, 352  
*Stercorarius parasiticus*: Martigny V.
- Contracoecum [sic]  
 Gedoelst, L., 1916 a, 20
- Contracaecum Railliet and Henry, 1912  
 Gower, W. C., 1939 a, 611  
 Ascaridae
- Contracaecum  
 Guiart, J., 1938 a, 6, 8, fig. 5B
- Contracaecum  
 Gunter, G., 1942 a, 275  
 [as Centrocaecum]
- Contracaecum  
 Hartwisch, G., 1954 a, 1172, 1178, 1180, 1181
- Contracaecum Railliet et Henry, 1912  
 Hsu, W. N., 1957 a, 49  
 Anisakidae, Anisakinae  
 key to species
- Contracoecum [sic] Railliet & Henry  
 Isaichikov, I. M., 1927 e, 129-130
- Contracaecum Railliet and Henry, 1912  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 74, 117  
 Syns.: Kathleena Leiper and Atkinson, 1914; *Cerascaris Cobb*, 1929
- Contracaecum  
 Kruse, D. N., 1959 a, 28
- Contracaecum Railliet and Henry  
 Layman, E. M., 1933 b, 37  
 [as Contraecaecum]
- Contracaecum Railliet & Henry  
 Layman, E. M.; and Borovkova, A. M., 1926 a, 16, 18
- Contracaecum Railliet & Henry  
 Layman, E. M.; and Mudretsova, K. A., 1926 a, 39, 44
- Contracaecum Baylis, 1928  
 Lopez-Neyra, C. R., 1946 c, 362, 368  
 Heterocheilidae, Anisakinae  
 key, type: *C. spiculigerum* (Rud. 1809)
- Contracoecum [sic]  
 Markevich, A. P., 1934 b, 66  
 Ukleika (*Alburnus alburnus*): Province de Leningrad
- Contracaecum R. & H.  
 Moennig, H. O., 1923 a, 105  
 type: *C. spiculigerum* Rud.
- Contracaecum R. & H.  
 Moennig, H. O., 1924 d, 437  
 Syn.: Kathleena Leiper & Atkinson
- Contracaecum  
 Mozgovoř, A. A., 1952 d, 129  
 biological peculiarities
- Contracaecum  
 Myers, B. J., 1960 b, 342  
 type of larval stage of Anisakinae
- Contracaecum Railliet & Henry  
 Rauther, M., 1930 a, 271, 296, 300, 380
- Contracaecum  
 Röhr, W.; Borkenhagen, M.; and Knaak, J., 1959 a, 219
- Contracaecum Railliet and Henry, 1912  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 14-V.c 15  
 Anisakinae, Heterocheilidae  
 key to species  
 Syn.: Kathleena Leiper and Atkinson
- Contracaecum Railliet & Henry 1912  
 Seurat, L. G., 1918 a, 243, 261-262
- Contracaecum  
 Seurat, L. G., 1920 c, 25, 26
- Contracaecum Railliet & Henry  
 Skrjabin, K. I., 1916 c, 706, 707, 712, 737, 739, 740
- Contracoecum [sic]  
 Skrjabin, K. I., 1919 a, 6, 7
- Contracoecum [sic]  
 Skrjabin, K. I., 1920 a, 7
- Contracaecum R. & H.  
 Skrjabin, K. I., 1923 m, 10, 37
- Contracoecum [sic] Raill. & Henry 1912  
 Skrjabin, K. I., 1924 c, 60, 61
- Contracaecum (Railliet et Henry, 1912) Mosgovoy, 1951  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoř, A. A., 1951 a, 477  
 key
- Contracaecum  
 Sprehn, C. E. W., 1927 e, 42
- Contracaecum Railliet u. Henry 1912  
 Sprehn, C. E. W., 1932 c, 532, 535  
 type species: *C. spiculigerum* (Rudolph, 1809)  
 Syn.: Kathleena Leiper u. Atkinson, 1914
- Contracaecum R. & H.  
 Stiles, C. W.; and Brown, G., 1924 b, 1959
- Contracaecum  
 Travassos, L. P., 1920 h, 64
- Contracaecum R. & H.  
 Travassos, L. P.; Artigas, P.; and Pereira, C., 1928 a, 14  
 type: *C. spiculigerum* (Rud.)
- Contracaecum Railliet and Henry, 1912  
 Van Cleave, H. J.; and Mueller, J. F., 1934 a, 291-292  
 diagnosis
- Contracoecum [sic] R. & H.  
 Ward, H. B., 1918 b, 533
- Contracaecum  
 Wüller, G., 1930 b, 2, 3, 5, 6
- Contracaecum Railliet & Henry, 1912  
 Yorke, W.; and Maplestone, P. A., 1926 a, 271, 281-283, fig. 187 C  
 type: *C. spiculigerum* (Rud., 1809)
- Contracoecum spp.  
 Agapova, A. I., 1956 a, 28, 45, 50  
*Alburnus alburnus*  
*Cyprinus carpio*  
 both from Reservoirs western Kazakhstan
- Contracaecum sp.  
 Akhmerov, A. Kh., 1954 d, 90-91  
*Oncorhynchus keta*  
*Salvelinus leucomaenis*  
*S. malma*  
 all from Kamchatka
- Contracaecum sp.  
 Allen, A. A.; and Gross, A. O., 1926 a, 82  
*Bonasa umbellus*
- Contracaecum sp.  
 Bangham, R. V., 1939 a, 268  
 larval stages  
*Xenotis megalotis marginatus*: southern Florida

- Contracaecum sp.**  
 Bangham, R. V., 1944 a, 293, 308, 309, 310, 311,  
 312, 314, 315, 316, 318, 323  
*Stizostedion vitreum vitreum*  
*Micropterus dolomieu dolomieu*  
*Lepomis gibbosus*  
*L. macrochirus macrochirus*  
 all from northern Wisconsin
- Contracaecum sp.**  
 Bangham, R. V.; and Hunter, G. W. III, 1939 a,  
 408, 417, 446  
*Ambloplites rupestris*: Lake Erie
- Contracaecum sp.**  
 Bangham, R. V.; and Venard, C. E., 1942 a, 26,  
 37  
*Erimyzon suetta oblongus*
- Contracaecum sp.**  
 Bangs, O.; and Loveridge, A., 1933 a, 148  
*Hagedashia hagedash nilotica* (stomach):  
 Tanganyika territory
- Contracaecum sp.**  
 Baylis, H. A., 1923 i, 7, 8  
*Coris julis*: Alexandria  
*Lucioperca sandra*: Leipz.  
*Ardea cinerea*: Damietta  
*Mugil capito*
- Contracaecum spp.**  
 Baylis, H. A., 1928 i, 548  
*Merluccius* sp.  
*Chaenocephalus aceratus*  
*Gadus* sp.  
*Notothenia ramsayi*  
*Cottoperca gobio*  
*Parachaenichthys georgianus*  
*Macruronus magellanicus*
- Contracaecum sp.**  
 Baylis, H. A., 1929 h, 548  
*Balaenoptera physalus*
- Contracaecum sp.**  
 Baylis, H. A., 1930 d, 118  
*Clarias lazera*  
*Hydrocyon* sp.  
*H. brevis*
- Contracaecum sp. (larval)** Baylis, 1929  
 Baylis, H. A., 1932 b, 402, 408  
*Balaenoptera physalus* (stomach)
- Contracaecum larva** Baylis and Daubney, 1923  
 Baylis, H. A., 1936 a, 92  
*Barilius bola*: Tharai River; Gandak River;  
 Saran, N. Bengal
- Contracaecum larva** Baylis and Daubney, 1923  
 Baylis, H. A., 1936 a, 92  
*Wallago attu*: Lucknow
- Contracaecum larva** Baylis and Daubney, 1923  
 Baylis, H. A., 1936 a, 92  
*Callichrous pabda*: Lucknow
- Contracaecum spp.**  
 Baylis, H. A., 1940 b, 402  
*Clarias theodoras*  
*C. platycephalus*  
*C. lazera*  
*C. liocephalus*  
*C. gariepinus*  
*Gnathonemus stanleyanus*  
*Haplochromis mahagiensis*  
*Lamprologus cunningtoni*  
 all from Belgian Congo
- Contracaecum sp. larva**  
 Baylis, H. A., 1947 b, 394  
*Tupinambis nigropunctatus*: Surinam
- Contracaecum (larval forms)**  
 Baylis, H. A.; and Daubney, R., 1923 a, 558  
*Barilius bola*  
*Callichrous pabda*  
*Wallago attu*  
*Cyprinus carpio*  
 all from India
- Contracaecum sp. (larvae)**  
 Bazikalova, A., 1932 a, 145  
*[Gadus callarias]* cod (body cavity, liver)  
*[Gadus aeglefinus]* piksha  
 both from Murman, Russia
- Contracaecum "Larve No. 2"** of Kreis, 1952  
 Berland, B., 1961 a, 12, 31  
 "evidently an *Anisakis* sp. larva"
- Contracaecum sp. (larva)**  
 Berland, B., 1961 a, 21-23, figs. 20-23  
*Gadus callarias* (liver)  
*Cyclopterus lumpus* (mesentery)  
 both from Norwegian coast
- Contracaecum sp.**  
 Bisserer, B., 1955 a, 769-770, figs. 3-4  
*Anhinga rufa levaillantii*: South Africa
- Contracaecum sp.**  
 Boulenger, C. L., 1923 a, 113  
*Nycticorax nycticorax*: Zanzibar
- Contracaecum sp. (larva)**  
 Butskaià, N. A., 1952 a, 48  
*Mullus barbatus* (liver, intestine): Danube
- Contracoecum sp.**  
 Bykhovskaià, I., 1936 a, 127, 130  
*Rutilus rutilus* (abdomen): Karelia
- Contracaecum sp.**  
 Caballero y C., E., 1951 a, 149  
*Casmerodus albus egretta*: Chiapas, Mexico
- Contracaecum spp.**  
 Campana-Rouget, Y., 1955 a, 819  
*Pristis pectinatus*  
*Torpedo torpedo*
- Contracoecum larvae**  
 Chernyshenko, A. S., 1955 a, 217, 218  
*Trigla hirundo* (intestine)  
*Scomber scomber* (pyloric caeca, body cavity)  
*Salmo trutta labrax* (stomach, small intestine, pyloric caeca)  
*Caspialosa kessleri pontica* (stomach, small intestine, pyloric caeca)  
*Mullus barbatus* (intestine, body cavity)  
*Gadus euxinus* (pyloric caeca, body cavity)  
*Sprattus sprattus phalerica* (intestine)  
*Engraulis encrasicholus* (intestine, body cavity, bile ducts, gall bladder)  
*Trachurus trachurus* (intestine, pyloric caeca, body cavity, wall of gonads)  
*Atherina mochon pontica* (intestine, body cavity)  
*Pomatomus saltatrix* (intestine)  
*Syngnathus typhle* (body cavity)  
*Trachinus draco* (stomach)  
*Belone acus* (intestine, body cavity)  
*Neogobius melanostomus* (intestine)  
*N. syrman* (intestine)  
*Smaris chrysanthus* (intestine)
- Contracoecum spp. (larvae)**  
 Chulkova, V. N., 1939 a, 22, 30  
*Engraulis encrasicholus*  
*Gobius* sp.  
*Ophidium barbatum*  
*Sargus annularis*  
*Scomber scomber*  
*Scorpaena porcus*  
*Smaris chrysanthus*  
*Solea nasuta*  
*Sprattella forelica*  
*Squalus acanthias*  
*Trachurus trachurus*  
*Typhle typhle*  
 all from Batum
- Contracaecum sp.**  
 Cram, E. B., 1926 d, 180  
*Bonasa umbellus*
- Contracaecum larvae**  
 Das, B. K.; and Rahimullah, M., 1933 a, 278  
*Ophiocephalus punctatus*: India

- Contracoecum sp. A  
Dogiel, V. A.; and Markov, G., 1937 a, 442,  
448, 455  
Salvelinus alpinus: Novaya Zemlia  
Contracoecum sp. B  
Dogiel, V. A.; and Markov, G., 1937 a, 443,  
448, 455  
Salvelinus alpinus: Novaya Zemlia  
Contracoecum sp.  
Dogiel, V. A.; and Rozova, A., 1941 a, 7, 10  
Myoxocephalus quadricornis labradoricus:  
North Siberia  
Contracaecum (Thynnascaris) sp.  
Dollfus, R. P., 1935 g, 264, 265, fig. 36  
Thunnus thynnus: Sidi Daoud, Tunisie  
Contracaecum sp. (larve encapsulée)  
Dollfus, R. P., 1952 d, 43  
Germo alalunga  
Contracoecum sp.  
Dubinina, M. N.; and Serkova, O. P., 1951 a,  
78, 94  
Circus ae. aeruginosus: Tadzhikistan  
Contracaecum sp.  
Fischthal, J. H., 1947 b, 278  
Eucalia inconstans: Brule river  
Contracaecum spp.  
Fischthal, J. H., 1949 b, 30  
Contracaecum sp.  
Fischthal, J. H., 1950 d, 89, 92, 94, 95, 96,  
97, 98, 99, 100, 102, 103, 104, 105, 106, 107,  
108, 109, 111, 113  
Boleosoma nigrum eulepis  
Notemigonus crysoleucas auratus  
Pimephales p. promelas  
Perca flavescens  
Hyborhynchus notatus  
Boleosoma n. nigrum  
Notropis cornutus frontalis  
N. heterodon  
Percina caprodes semifasciata  
Ameiurus n. natalis  
A. n. nebulosus  
Poecilichthys exilis  
Umbra limi  
Huro salmoides  
Lepomis gibbosus  
L. m. macrochirus  
Cottus b. bairdii  
Eucalia inconstans: Wisconsin  
Semotilus a. atramaculatus  
Amia calva  
Salmo trutta fario  
Catostomus c. commersonii  
Salvelinus f. fontinalis  
Contracaecum spp.  
Fischthal, J. H., 1952 b, 25, 26, 27, 28, 29,  
31, 32, 34, 35, 38, 39, 41, 42, 44, 45, 46,  
47, 48, 54, 57  
Catostomas c. commersonii  
Semotilus a. atramaculatus  
Ameiurus n. nebulosus  
A. n. natalis  
Perca flavescens  
Boleosoma n. nigrum  
B. n. eulepis  
Poecilichthys exilis  
Micropterus salmoides  
Lepomis gibbosus  
L. m. macrochirus  
Pomoxis nigra-maculatus  
Stizostedion v. vitreum  
Notropis heterodon  
N. h. heterolepis  
Umbra limi  
Poecilichthys flabellaris lineolatus  
Pungitius pungitius  
all from northwest Wisconsin
- Contracaecum sp.  
Fischthal, J. H., 1956 a, 227, 228, 229, 230,  
232  
Hypentelium nigricans  
Rhinichtys a. atratulus  
Hyborhynchus notatus  
Campostoma anomalum  
Boleosoma nigrum olmstedi  
Micropterus d. dolomieu  
all from South-Central New York streams  
Contracaecum sp.  
Foster, A. O., 1939 b, 102  
cat: Panama  
Contracaecum sp.  
Griffith, R. E., 1953 a, 55, 56  
Ameiurus nebulosus nebulosus  
Micropterus dolomieu dolomieu  
Catostomus macrourheilus  
all from Palouse area, Washington  
Contracaecum sp.  
Guiaart, J., 1938 a, 1-15  
Pagellus erythrinus: Monaco  
Centrocaecum [sic] sp.  
Gunter, G., 1942 a, 275  
Tursiops truncatus: Texas coast  
Contracaecum sp.  
Gushanskaia, L. Kh., 1951 a, 79  
Colymbus sp.: Komi ASSR  
Contracaecum spp.  
Haderlie, E. C., 1953 a, 351-352, 363, 367,  
424, 425, pl. 56 a, b, e  
Catostomus occidentalis (intestine)  
Oncorhynchus tshawytscha (liver, coelom)  
Salmo gairdneri (intestine)  
all from northern California  
Contracaecum [sp.]  
Hamerton, A. E., 1933 b, 478  
Haliastur indus (alimentary canal): London  
Zool. Gard.  
Contracaecum sp.  
Hare, R. C., 1943 a, 203  
Ameiurus melas: Ohio  
Contracaecum sp.  
Harms, C. E., [1960 a], 262  
Ictalurus natalis: northeastern Kansas  
Contracaecum sp.  
Harms, C. E., 1960 b, 697, 700  
Ictalurus natalis (mesentery): Kansas  
Contracaecum sp.  
Hoeppli, R. J. C., 1933 c, 4  
tissue changes in host  
Phoca barbata  
Cystophora sp.  
Contracaecum sp.  
Hoeppli, R. J. C., 1953 a, 75, 78, pl. 2,  
fig. 8  
Contracaecum spp. (immature forms)  
Hsu, H. F., 1933 e, 150  
Priacanthus cruentatus  
Areliscus abbreviatus  
Johnius dussumieri  
Pagrosomus major  
all from China  
Contracaecum sp.  
Huggins, E. J., 1958 b, 33  
fish: South Dakota  
Contracaecum sp.  
Huizinga, H. W.; and Haley, A. J., 1962 a, 38  
Leiostomus xanthurus: Chesapeake Bay  
Contracaecum sp. (juvenile)  
Hutton, R. F.; et al. 1959 a, 6, 24, 27, 31,  
35, pl. V, figs. 35-38  
Penaeus aztecus  
P. duorarum  
P. setiferus  
all from Florida  
Contracoecum sp.  
Ivanov, A. S., 1946 a, 122, 124  
Abramis sapo: Volga delta

- Contracaecum spp. (larvae)  
 Johnston, T. H., 1938 c, 7, 8, 20  
*Notothenia coriiceps*: Commonwealth Bay  
*nototheniid fish*: Commonwealth Bay  
*Trematomus scotti*: Shackleton Ice Shelf,  
 Queen Mary Land  
*T. hansonii*: Queen Mary Land
- Contracaecum spp. (larvae)  
 Johnston, T. H.; and Mawson, P. M., 1940 e,  
 340, 341, 344  
*Nannoperca australis*  
*Pseudaphritis urvillei*  
*Therapon bidyana*  
*McCullochella macquariensis*  
*Plectroplites ambiguus*  
*Percalates colonorum*  
*Mogurnda adspersus*  
*Carassius klunzingeri*  
*Nematalosa erebi*  
*Tandanus tandanus*
- Contracaecum spp., larvae  
 Johnston, T. H.; and Mawson, P. M., 1941 g,  
 110, 114-115  
*Pelecanus conspicillatus*: Perth, West  
 Aust.; Tailem Bend, S. Aust.  
*Eudyptula minor*: Brighton, S. Aust.  
*Xenorhynchus asiaticus*: Zool. Gardens,  
 Adelaide, from Murray River, South  
 Australia  
*Egretta alba*: Tailem Bend, S. Aust.  
*Notophoxys novae-hollandiae*: " " "
- Contracaecum sp.  
 Johnston, T. H.; and Mawson, P. M., 1941 g,  
 110, 115  
*Pelecanus conspicillatus*: Perth; Tailem Bend,  
 S. Aust.  
*Notophoxys pacifica*: Thompson R., Queensland  
*N. novae-hollandiae*: Tailem Bend, S. Aus-  
 tralia  
*Plotos novae-hollandiae*: Aust. Museum from  
 Queensland
- Contracaecum spp.  
 Johnston, T. H.; and Mawson, P. M., 1944 a, 60,  
 62  
*Eudyptula minor*: Dunedin, New Zealand  
*Galaxias attenuatus*: Lake Alexandrina, South  
 Australia  
*Sula serrator*: Dunedin, New Zealand
- Contracaecum (Thynnascaris) spp. larvae  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 75
- Contracaecum (Thynnascaris) sp.  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 135  
*Trematomus centronotus*
- Contracaecum (Thynnascaris) sp.  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 135  
*Physiculus barbatus*: Tasmania
- Contracaecum spp.  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 131-  
 132  
 "recorded from albatrosses and petrels"
- Contracaecum (?Thynnascaris) sp. larva  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 136  
*Zanclorhynchus spinifer*: Macquarie Island
- Contracaecum (s. str.) larvae  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 75,  
 124, 126-127, figs. 13-20  
*Trematomus scotti*  
*T. lepidorhinus*  
*T. newnesi*  
*T. hansonii*  
*T. eulepidotus*  
*T. centronotus*  
*Dacodraco hunteri*  
*Nematonurus armatus*  
*Parapercis allporti*  
*Notothenia cyanobrancha*  
*N. mizops*  
*N. rossi*  
*N. acuta*
- Contracaecum (s. str.) larvae--Continued.  
 Johnston, T. H.; and Mawson, P. M., 1945 a  
*Champscephalus gunnari*  
*Chaenichthys rhinoceratus*  
*C. rugosus*  
*Trematomus bernacchii*  
*T. loennbergi*  
*Pleuragramma antarcticum*  
*Artedidraco skottsbergi*  
*A. shackletoni*  
*Histiadraco velifer*  
*Racovitzia harrissoni*  
*Prionodraco evansi*  
*Cygnodraco mawsoni*  
*Pagetopsis macropterus*  
*Cryodraco antarcticus*  
*Chionodraco kathleenae*  
*Chaenodraco wilsoni*  
*Dolloidraco longedorsalis*  
*Pogonophryne scotti*  
*Gerlachea australis*  
*Bathydraco nudiceps*  
*Amblygaster neopilchardus*  
*Harpagifer bispinis*  
*Trematomus pennelli*  
*T. nicolai*  
*Dissostichus mawsoni*  
*Artedidraco skottsbergi*  
*A. shackletoni*  
*Histiadraco velifer*  
*Chionodraco kathleenae*
- Contracaecum spp., larvae (Phocascaris type)  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 117  
*Sula serrator*  
*Eudyptula minor*  
 "young stages of Contracaecum magnipapillatum  
 and C. eudyptulae respectively"
- Contracaecum spp.  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 75,  
 123-125, figs. 9-12  
 Weddell seals
- Contracaecum spp.  
 Johnston, T. H.; and Mawson, P. M., 1947 a,  
 547, 548, 551  
*Pelecanus conspicillatus*  
*Microcarba melanoleucus*  
*Chlidonias leucopareia*  
*Notophoxys novae-hollandiae*  
*Egretta alba*  
*Plectroplites ambiguus*  
*Therapon (Bidyana) bidyana*  
*Philypnodon grandiceps*  
*Tandanus tandanus*  
*McCullochella macquariensis*  
*Nannoperca australis*  
*Nematalosa erebi*  
*Mugilogobius galwayi*  
*Galaxias olidus*  
 all from Australia
- Contracaecum (Thynnascaris) sp.  
 Johnston, T. H.; and Mawson, P. M., 1951 a,  
 289, 295  
*Platycephalus bassensis*: Oyster Bay, Tas-  
 mania
- Contracaecum sp.  
 Johnston, T. H.; and Mawson, P. M., 1953 a, 65,  
 67  
*Megadyptes antipoda*: Auckland Islands
- Contracaecum sp. (larvae)  
 Kostina, T. A., 1961 a, 278  
*Spicara smaris* (serous covering of viscera):  
 Black Sea
- Contracaecum spp. (larvae)  
 Kotova, E. I., 1935 a, 129  
*Abramis brama*: Bezhetsk reservoirs
- Contracaecum sp.  
 Kreis, H. A., 1938 b, 90, 91  
*Kaupifalco macrogrammica*: Vila da Ponte  
 (Kubango), Afrika

- Contracaecum** (*Simplexonema*) spec.  
 Kreis, H. A., 1952 c, 252, 287-289, fig. 6A-D  
*Sebastes viviparus*: Thorshavn (Färöer)
- Contracaecum** spp.  
 Kreis, H. A., 1958 a, 14, 22  
*Gadus morrhua*  
*G. aeglefinus*  
*Molva molva*  
*Brosme brosme*  
*Cottus scorpius*  
*Anarrhinchus minor*  
 all from Iceland
- Contracaecum** sp.  
*Krepkogorskia*, T. A., 1927 a, 105  
*Alburnus chalcoides*  
*Aspius* sp.
- Contracaecum** sp., immature  
 Kruse, D. N., 1959 b, 31-32  
*Penaeus* (digestive gland and tissue surrounding stomach): northwest Gulf coast of Florida
- Contracaecum** sp., juvenile  
 Kruse, D. N., 1959 c, 129, 140, 141, 142, pl., figs. 21, 22  
*Penaeus aztecus*  
*P. duorarum*  
*P. setiferus*  
 (digestive gland and tissues of all): all from Alligator Harbor and Apalachicola Bay, Florida
- Contracaecum** spp.  
 Kurashvili, B. E., 1941 a, 79, 91, 94  
*Phalacrocorax carbo* (glandular stomach)  
*Aquila* sp. (small intestine)  
 both from Georgia, USSR
- Contracoecum** sp.  
 Kurashvili, B. E., [1954 a], 342  
*Nyroca nyroca*: Georgia, SSSR
- Contracaecum** larva  
 Kurashvili, B., 1960 a, 257  
*Trachurus mediterraneus ponticus*  
*Engraulis encrasicholus*  
 both from Black Sea
- Contracoecum** sp.  
 Layman, E. M., 1927 a, 206  
*Raja radiata*: Murmansk
- Contracoecum** spp.  
 Layman, E. M., 1930 a, 84  
*Scomber japonicus*  
*Trichiurus japonicus*  
*Gadus callarias v. macrocephalus*  
 all from Peter the Great Bay
- Contracaecum** sp. (larva)  
 Layman, E. M., 1933 b, 29, 30, 31, 37, 38, 39, 90-91  
*Coregonus migratorius* (intestine, stomach, body cavity)  
*C. lavaretus pidschian n. baicalensis* (intestine, liver, fatty tissue of body cavity)  
 both from Lake Baikal, USSR
- Contracaecum** sp. (larva)  
 Layman, E. M., 1933 b, 59, 60, 90  
*Cottocomephorus grewingki* (stomach, body cavity, intestine): Lake Baikal, USSR
- Contracoecum** sp.  
 Layman, E. M., 1937 a, 360  
*Oncorhynchus gorbuscha*
- Contracaecum** spp.  
 Lent, H.; and Teixeira de Freitas, J. F., 1948 a, 2, 48  
*Trichiurus lepturus*  
*Hoplias malabaricus*
- Contracaecum** sp.  
 Mamaev, Iu. L., 1959 a, 166  
*Calidris subminuta*: eastern Siberia
- Contracaecum** sp. ? (larva)  
 Markowski, S., 1938 b, 91, 92, 101, fig. 5  
*Zoarces viviparus*: Baltic
- Contracaecum** sp. Yamaguti, 1941  
 Mawson, P. M., 1956 a, 35, 42, 43-44, figs. 21-24  
 as syn. of *C. yamaguti* nom. nov.
- Contracaecum** sp.  
 Mudaliar, S. V.; and Alwar, V. S., 1947 b, 78  
 kite (intestine): Madras
- Controcoecum** [sic] sp.  
 Müller, G. W., [1936 a], 5, 6, 16, 24, figs. 1-2, 9 (6), 15
- Contracaecum** (larvae)  
 Myers, B. J.; Kuntz, R. E.; and Wells, W. H., 1962 a, 532  
*Decapterus russelli*  
*Pamadasys olivaceus*  
*Platycephalus townsendi*  
*Saurida undesquamis*  
*Schilbe mystus*  
 all from Egypt
- Contracaecum** sp.  
 Myers, B. J.; Kuntz, R. E.; Wells, W. H., 1962 a, 534  
*Nycticorax nycticorax nycticorax*
- Contracaecum** type larvae  
 Myers, B. J.; Wolfgang, R. W.; and Kuntz, R. E., 1960 a, 836  
*Lates niloticus*: Tonji District Bahr El Ghazal, Sudan (East Africa)
- Contracaecum** sp. "probably *Contracaecum micro-papillatus* Stossich"  
 Oglesby, L. B., 1960 a, 354  
*Pelecanus erythrorynchos* (stomach): Florida
- Contracaecum** [sp.]  
 Olsen, L. S., 1952 a, 178  
 immature female  
*Chautax* sp.: Tortugas, Florida
- Contracaecum** sp.  
 Ortlepp, R. J., 1924 a, 16  
*Catharina kwi-kwi*: Surinam
- Contracaecum** sp.  
 Osche, G., 1959 a, 458-484  
 life cycle, morphology
- Contracaecum** sp.  
 Pearse, A. S., 1936 b, 48, 58  
*Cichlasoma mayorum*  
*Rhamdia guatemalensis sacrificii*  
 both from Yucatan
- Contracecum** [sic] sp.  
 Pereira, C.; and Vaz, Z., 1933 b, 61  
*Cynolebias bellotti* (estomago): Argentina
- Contracoecum** sp. larva  
 Petrushevskiy, G. K., [1958 d], 310  
*Alosa caspia tanaica*: Black Sea
- Contracoecum** larv.  
 Petrushevskiy, G. K.; and Bykhovskaya, I., 1935 a, 40, 42  
*Rutilus rutilus*: Karelia
- Contracaecum** sp. (prob. *spiculigerum*)  
 Philip, C. B., 1938 b, 486  
*Phalacrocorax auritus*: Skilak Lake, Alaska
- Contracoecum** sp. (larva)  
 Pogorel'tseva, T. P., 1957 a, 16  
*Trachurus trachurus*
- Contracaecum** sp.  
 Quorstrup, E. R.; and Shillinger, J. E., 1941 a, 386  
*American merganser*: Bear River Wildlife Disease Research Station
- Contracaecum** sp.  
 Quorstrup, E. R.; and Shillinger, J. E., 1941 a, 386  
 cormorant: Bear River Wildlife Disease Research Station
- Contracaecum** sp.  
 Quorstrup, E. R.; and Shillinger, J. E., 1941 a, 386  
 white pelican: Bear River Wildlife Disease Research Station

- Contracaecum sp.  
 Rees, F. G., 1946 a, 39, 40  
   Conger conger  
   Merluccius merluccius  
   both from Irish Atlantic Slope
- Contracaecum sp. (larva)  
 Rees, F. G., 1946 a, 39: 40  
   Serranus cabrilla: Porcupine Bank  
   Trigla cuculus: Irish Atlantic Slope  
   T. gurnardus: Irish Atlantic Slope
- Contracaecum sp. larva  
 Rees, F. G., 1953 d, 195, 196  
   Anarhichas minor: east coast of Iceland
- Contracaecum spp.  
 Rivero, E., 1955 a, 24  
   merluza: Buenos Aires
- Contracaecum sp.  
 Savina, N. V., 1927 a, 219  
   Gadus aeglefinus
- Contracaecum sp.  
 Savina, N. V., 1927 a, 219  
   Salmo salar
- Contracaecum sp.  
 Savina, N. V., 1927 a, 216, 218  
   Gadus callarias
- Contracaecum spp. (larvae)  
 Schad, G. A.; Kuntz, R. E.; and Wells, W. H.,  
 1960 a, 950  
   Falco subbuteo subbuteo  
   Actitis hypoleucos  
   both from Turkey
- Contracaecum sp.? (larva)  
 Schuurmans Stekhoven, J. H., 1937 d, 38, 39,  
 figs. 46-48  
   flat-fish: Cay Sal Bank, South of Florida
- Contracaecum-Larven  
 Schuurmans Stekhoven, J. H. (jr.); and Allgén,  
 C., 1941 a, 76-77  
   Cerianthen: Kongoflusses
- Contracaecum sp.  
 Scott, D. M., 1957 a, 290  
   Erythrops erythrophthalma  
   Mysis mixta  
   Neomysis americana  
   all from Bras d'Or Lakes, Nova Scotia
- Contracoecum sp.  
 Serkova, O. P., 1948 a, 214, 241  
   Sturnia hirundo: Barabin lakes
- Contracaecum sp.  
 Serov, N. P., 1956 a, 295  
   Alburnus alburnus: lake Chelkar
- Contracaecum sp. larva  
 Skrjabin, A. S., [1959 a], 342, 343-344, fig. 2  
   Alepisaurus aesculapius: beach of Simushir  
   island, Pacific Ocean
- Contracaecum sp.  
 Smedley, E. M., 1934 a, 218-219  
   Clupea pallasi  
   Ophiodon elongatus  
   Scomber sp.  
   Merluccius productus  
   Hydrolagus colliei  
   Citharichthys stigmatus  
   Squalus sucklili  
   Sebastodes sp.  
   all from Pacific Biological Station, Nanaimo,  
   B. C.
- Contracaecum sp.  
 Sparks, A. K., 1951 a, 354, 355, 357, pl. 2,  
 fig. 8  
   Huso salmoides: Texas
- Contracoecum sp. larvae  
 Spasskii, A. A.; Roitman, V. A.; and Shagaeva,  
 V. G., 1961 a, 283  
   Salvelinus leucomaenoides  
   S. malma  
   both from Plotnikov river basin of Kamchatka  
   oblast
- Contracaecum sp. (larvae)  
 Stefanski, W., 1936 a, 65-70, figs. 1-3  
   Trachinus draco  
   Lophius piscatorius  
   both from Station Biologique d'Arcachon
- Contracaecum [sp.]  
 Stefanski, W., 1936 a, 87  
   Trachinus draco: Station biologique d'Arca-  
   chon
- Contracoecum sp.  
 Stefanski, W., 1936 b, 21, 22, 23, 24
- Contracaecum sp. larvae  
 Strelkov, I. A., [1961 a], 169, 170  
   Oncorhynchus gorbuscha  
   Gadus morhua  
   Theragra chalcogramma  
   Eleginus gracilis  
   Myoxocephalus jaok  
   M. stelleri  
   Podothecus acipenserinus  
   Trichodon trichodon  
   Pleuronectes stellatus  
   all from Kamchatka
- Contracoecum spp.  
 Sultanov, M., 1947 a, 138, 139  
   Circus aeruginosus  
   Bubo bubo  
   both from Tashkent oblast
- Contracaecum sp. (larva)  
 Szidat, L.; and Nani, A., 1951 a, 350-352, fig.  
 7  
   Basilichthys microlepidotus: río Limay,  
   Argentina
- Contracaecum Railliet a Henry 1912  
 Tenora, F.; and Lusk, S., 1960 a, 208  
   [Buteo buteo] káné lesní (intestine):  
   Czechoslovakia
- Contracoecum sp. larva  
 Titova, S. D., 1954 a, 84  
   gol'fan  
   taimen  
   nalm  
   all from lake Teletskoe
- Contracaecum [sp.]  
 de Toledo Piza, S. (jr.), 1931 a, 300-302  
   Carbo vigua (tubo digestivo)
- Contracaecum sp. (larva)  
 Travassos, L. P.; Artigas, P.; and Pereira, C.,  
 1928 a, 14  
   Pime洛della lateristriga  
   Acestrorhamphus sp.
- Contracaecum [sp.]  
 Travassos, L. P.; and Teixeira de Freitas, J.  
 F., 1941 a, 551  
   Tetragonopterus argenteus  
   Pygocentrus nattereri  
   both from Estrado de Ferro Noroeste do Brasil
- Contracaecum [sp.]  
 Travassos, L. P.; Teixeira de Freitas, J. F.;  
 and Lent, H., 1939 a, 227  
   Anhinga anhinga: Estrado de Ferro Noroeste,  
   Brasil
- Contracaecum [sp.]  
 Travassos, L. P.; Teixeira de Freitas, J. F.;  
 and Lent, H., 1939 a, 228  
   Butorides striatus striatus: Estrado de  
   Ferro Noroeste, Brasil
- Contracaecum [sp.]  
 Travassos, L. P.; Teixeira de Freitas, J. F.;  
 and Lent, H., 1939 a, 228  
   Casmerodius albus egretta: Estrado de Ferro  
   Noroeste, Brasil
- Contracoecum [sp.]  
 Travassos, L. P.; Teixeira de Freitas, J. F.;  
 and Lent, H., 1939 a, 248  
   ? Pseudoplatistoma sp.: Estrado de Ferro  
   Noroeste, Brasil

- Contracaecum sp. Railliet et Henry, 1912  
*Uspenskaya*, A. V., 1960 a, 239  
 Pandanus borealis  
*Calanus finmarchicus*  
 both from mer de Barents
- Contracaecum sp.  
*Vasil'kova*, E. G., 1927 a, 45, 48  
*Larus cachinnans*  
*L. canus*
- Contracaecum [sp.]  
*Vasquez Duclos*, M. S., 1960 a, 22, 24
- Contracoecum sp.  
*Volkova*, M. M., 1941 a, 32  
*Lota lota*: Ob river
- Contracoecum sp.?  
*Vuytske*, C., 1953 b, 12, 41, figs. 32, 33  
*Bubulcus ibis*: Kabenga
- Contracaecum non détermine  
*Vuytske*, C., [1954 a], 7
- Contracaecum sp.  
*Ward*, F., 1931 a, 208-214  
*Gambusia holbrooki*
- Contracaecum sp.  
*Worley*, D. E.; and *Bangham*, R. V., 1952 a, 211  
 yellow perch: Blue Sea Lake, Quebec  
 walleye: Baskatong Reservoir, Quebec
- Contracaecum (larva)  
*Wüller*, G., 1930 b, 4, fig. 2  
*Sagitta*
- Contracaecum (larvae)  
*Yamaguti*, S., 1935 g, 347-349  
*Ditrema temmincki*: Ise Bay  
*Pseudorhombus cinnamomeus*: Inland Sea  
*Pleuronichthys cornutus*: " "  
*Monacanthus cirrifer*: " "  
*Parapristipoma trilineatum*: " "  
*Zeus faber*: " "  
*Trachurus trachurus*: " "  
*Chelidonichthys kumu*: " "  
*Seriola quinqueradiata*: " "  
*Saurida argyrophanes*: " "  
*Branchiostegus japonicus*: Sea of Japan  
*Epinephelus akaara*: Inland Sea  
*Conger myriaster*: " "  
*Parapercis pulchella*: " "  
*Sillaga sihama*: Toyama Bay  
*Sciaena schlegeli*: " "  
*Trichiurus japonicus*: Toyama Bay  
*Cypselurus agoo*: Mutu Bay  
*Hyporhamphus sajori*: Inland Sea  
*Chelidonichthys kumu*: Tomioka (Kyūsyū)  
*Stromateoides argenteus*: Inland Sea  
*Spherooides sp.*: Pacific  
*Lophius litulon*: " "  
*Epinephelus akaara*: Inland Sea  
*Seriola quinqueradiata*: " "
- Contracaecum sp.  
*Yamaguti*, S., 1941 b, 343, 369, 395, pl. V,  
 figs. 33-34  
*Scomber japonicus*: Pacific
- Contracaecum larvae, Type I  
*Yamaguti*, S., 1941 b, 343, 369-370  
*Pseudorhombus pentophthalmus*: Tosa Bay  
*P. cinnamomeus*: " "  
*Caranx equula*: " "  
*Bembras japonicus*: " "  
*Acanthocepola limbata*: " "  
*Coelorhynchus parallelus*: " "  
*Pterois tanabensis*: " "  
*Brotula multibarbata*: " "  
*Antennarius tridens*: " "  
*Arnoglossus violaceus*: " "  
*Rogadius asper*: " "  
*Caitherines unicornu*: " "  
*Parazen japonicum*: " "  
*Apogonichthys carinatus*: " "  
*Pseudopriacanthus nipponicus*: " "  
*Saurida argyrophanes*: " "  
*Zebras zebrinus*: " "
- Contracaecum larvae, Type I--Continued.  
*Yamaguti*, S., 1941 b  
*Trichiurus japonicus*: Sea of Ariake  
*Conger myriaster*: Sea of Ariake  
*Atherina bleekeri*: Sea of Ariake  
*Acanthogobius hasta*: Sea of Ariake  
*Sillago sihama*: Inland Sea  
*Pseudocepola taeniosoma*: Maisaka  
*Neoperca sexfasciatus*: " "  
*Trachurus trachurus*: " "  
*Lophius setigerus*: " "  
*L. litulon*: " "  
*Sciaena schlegeli*: Wakasa Bay; Hamazima  
*Hoplobrotula armata*: Wakasa Bay  
*Callionymus valencienensis*: Wakasa Bay  
*Zeus faber*: Wakasa Bay  
*Chelidonichthys kumu*: East China Sea
- Contracaecum larvae, Type III  
*Yamaguti*, S., 1941 b, 343, 370  
*Canthigaster rivulata*  
*Upeneus chrysopleuron*  
 both from Tokushima
- Contracaecum larvae, Type IV  
*Yamaguti*, S., 1941 b, 343, 371  
*Coilia mystus*  
*Atherina bleekeri*  
*Sciaena schlegeli*  
 all from Sea of Ariake
- Contracaecum larvae, Type V  
*Yamaguti*, S., 1941 b, 343, 371  
*Saurida argyrophanes*  
*Conger myriaster*  
*Brotula multibarbata*  
*Rhinoplatus japonica*  
*Johnius goma*  
*Johnius sp.*  
*Sciaena albiflora*  
 all from East China Sea
- Contracaecum sp.  
*Yamaguti*, S., 1941 e, 441, 462, 479, pl. XI,  
 fig. 24  
*Mergus merganser merganser*: Gihu Prefecture,  
 Japan
- Contracaecum larvae, Type II  
*Yamaguti*, S., 1941 e, 343, 370  
*Hoplognathus punctatus*: Tokushima, Japan
- Contracaecum larvae  
*Yamaguti*, S., 1954 b, 122, 131-132  
*Synagris tasniopterus*  
*Saurida gracilis*  
*Chorinemus moadetta*  
*Otolithes sp.*
- Contracaecum sp.  
*Yamaguti*, S., 1954 b, 122, 130  
*Sphyraena zygaena*: Macassar
- Contracoecum larva  
*Zmeev*, G. Ia., 1932 b, 257  
*Mesopus olidus*: Amur river
- Contracaecum accipitris sp. n.  
*Inglis*, W. G., 1954 b, 822-825, figs. 1-3  
*Sarcogyps calvus*: Ramgarh, Central Provinces
- Contracaecum aduncum (Rud.) [n. comb.]  
*Baylis*, H. A., 1920 g, 262
- Contracaecum aduncum (Rud., 1809)  
*Baylis*, H. A., 1923 i, 4, 7  
*Alosa finta*
- Contracoecum aduncum (Rud.)  
*Baylis*, H. A., 1928 g, 338  
*Alosa alosa*
- Contracoecum aduncum  
*Akhmerov*, A. Kh., 1954 a, 969  
*Omcocorhynchus nerka asabatch*: Kamchatka
- Contracoecum aduncum  
*Akhmerov*, A. Kh., 1954 d, 90-91  
*Oncorhynchus nerka*  
*O. gorbuscha*  
*Salmo mykiss*  
*Salvelinus leucomaenis*  
 all from Kamchatka

- Contracaecum aduncum* (Rud.)  
*Barysheva, A. F.; and Bauer, O. N., [1958 a], 195*  
*Salmo salar:* Lake Ladoga  
*Contracaecum aduncum* (Rudolphi, 1802)  
*Berland, B., 1961 a, 6-20, figs. 1-7, 8-19*  
*Syns.: C. cyclopteri Kreis, 1952; C. clavatum of Kreis, 1952*  
*Clupea harengus*  
*Salmo trutta*  
*Argentina sphyraena*  
*Gadus callarias*  
*G. aeglefinus*  
*G. poutassou*  
*G. esmarkii*  
*G. virens*  
*G. pollachius*  
*Gadiculus thori*  
*Phycis blennoides*  
*Molva molva*  
*Onos cimbrius*  
*O. tricirratus*  
*Brosme brosme*  
*Anarrhichas lupus*  
*Sebastes viviparus*  
*S. marinus*  
*Cyclopterus lumpus*  
*Hippoglossus vulgaris*  
*Drepanopsetta platessoides*  
*Pleuronectes cynoglossus*  
*P. flesus*  
*Clupea finta*  
*Maurolicus muelleri*  
*Argyropelecus olfersi*  
*Syngnathus typhle*  
*Macrurus rupestris*  
*Merluccius merluccius*  
*Gadus minutus*  
*G. merlangus*  
*Beryx decadactylus*  
*Thunnus thynnus*  
*Xiphias gladius*  
*Gobius flavescens*  
*Cottus scorpius*  
*Pleuronectes limanda*  
*Solea vulgaris*  
*Raja batis*  
*all from Norwegian coast*  
*Contracaecum aduncum*  
*Berland, B., 1961 b, 1320-1321*  
*collection of nematodes using glacial acetic acid*  
*Contracoecum aduncum*  
*Borovitskaya, M. P., 1952 a, 14, 20*  
*Tinca tinca*  
*Perca fluviatilis*  
*both from Danube*  
*Contracoecum aduncum* (Rud.)  
*Butskaya, N. A., 1952 a, 47*  
*Pleuronectes flesus (intestine)*  
*Trigla lucerna (liver, intestine)*  
*both from Danube*  
*Contracoecum aduncum (larva)*  
*Butskaya, N. A., 1952 a, 47-48*  
*Scomber scomber*  
*Pleuronectes flesus*  
*Trachinus draco*  
*Engraulis encrasicholus*  
*Gadus euxinus*  
*all from Danube*  
*Contracoecum aduncum* (Rudolphi)  
*Demel, K., 1933 a, 135*  
*Cottus quadricornis*  
*Perca fluviatilis*  
*Salmo salar*  
*Zoarces viviparus*  
*Pleuronectes flessus*  
*Cottus scorpius*  
*C. bubalis*  
*all from Baltique*
- Contracoecum aduncum* (Rud.)  
*Dogiel, V. A.; and Rozova, A., 1941 a, 9, 10, 12, 13, 14, 15*  
*Myoxocephalus quadricornis labradoricus:*  
*North Siberia; White Sea*  
*M. quadricornis quadricornis:* Finnish Gulf  
*Contracaecum aduncum* (Rudolphi, 1802) H. B. Ward, 1918  
*Dollfus, R. P., 1956 f, 62*  
*Syn.: Ascaris clupeae P. J. van Beneden, 1870*  
*Clupea harengus: cotés de Belgique et du Boulonnais*  
*Contracaecum aduncum* (Rudolphi 1802, Baylis 1920)  
*Engelbrecht, H., 1958 a, 483, 484, 485, 492, 497, 504*  
*Anguilla vulgaris*  
*Perca fluviatilis*  
*Pleuronectes flesus*  
*all from [Germany]*  
*Contracaecum (=Ascaris) adunca*  
*Fujita, T., 1937 a, 1627, 1629, 1634*  
*Contracaecum adunca*  
*Fukui, T., 1960 a, 522*  
*fish: north Pacific*  
*Contracoecum aduncum*  
*Getsevichiute, S., 1955 a, 127-129*  
*seasonal infestation of liver of Baltic cod*  
*Contracecum [sic] aduncum*  
*Gheorghe, V.; and Cironeanu, I., 1953 a, 65-67*  
*Alosa pontica: Dunare*  
*Contracoecum aduncum* (Rudolphi)  
*Glukhova, V. M., 1956 a, 33-34, 38, 41, 42, 43, 46, 47*  
*Pleuronectes flesus bogdanovi*  
*Liopsetta glacialis*  
*Limanda limanda*  
*all from White Sea*  
*Contracaecum aduncum* Rud. 1802  
*Hartwich, G., 1954 a, 1175, 1176, 1178, 1183, 1187, 1210, 1211, pl. 9, fig. 43*  
*Contracaecum aduncum* (Rudolphi, 1802)  
*Heller, A. F., 1949 a, 256*  
*Gadus callarias*  
*Tautogolabrus adspersus*  
*Microgadus tomcod*  
*Salmo salar*  
*Acanthocottus scorpius*  
*Pseudopleuronectes americanus*  
*Scomber scombrus*  
*all from Canada*  
*Contracaecum aduncum*  
*Hsü, H. F., 1933 g, 1249*  
*as syn. of Ascaris adunca*  
*Contracoecum aduncum* Rud.  
*Janiszewska, J., 1937 b, 6*  
*life cycle*  
*flet (intestin)*  
*Contracoecum aduncum* (Rud.)  
*Janiszewska, J., 1937 c, 11-18, 1 pl., figs. 1-6*  
*Pleuronectes flesus (Darme)*  
*Contracaecum aduncum* (Rud.)  
*Janiszewska, J., 1949 a, 9, 25-27*  
*larvae in III development stage*  
*Scomber japonicus*  
*Trachurus trachurus*  
*Engraulis encrasicholus*  
*all from Adriatic Sea*  
*Contracoecum aduncum*  
*Jara, Z., 1953 a, 205*  
*sex and parasites*  
*Contracaecum (Thynnascaris) aduncum* (Rud.)  
*Johnston, T. H.; and Mawson, P. M., 1945 a, 133*  
*Contracaecum (Thynnascaris) aduncum* (Rud.)  
*Johnston, T. H.; and Mawson, P. M., 1951 a, 289, 290, 295*  
*Gadus morrhua*  
*Zeus faber: off Tatra Head, N.S.W.*  
*Caranx georgianus: Flinders Island, Tasmania*  
*unnamed fish: off River Murray mouth, South Australia*

- Contracaecum aduncum  
 Kostina, T. A., 1961 a, 279  
 Spicara smaris (stomach, intestine): Black Sea  
 Contracaecum aduncum (Rudolphi, 1802)  
 Koval, V. P.; and Pirianik, G. I., [1958 a], 218  
 puzanok: southern Bug  
 Contracaecum aduncum (Rudolphi 1802) Baylis 1920  
 Kreis, H. A., 1958 a, 13-14, 22  
 synonymy  
 Gadus aeglefinus  
 G. morrhua (G. callarias)  
 G. virens  
 Anarrhichas lupus  
 Sebastes marinus  
 Cottus scorpius  
 all from Iceland  
 Contracaecum (Erschovicaecum) aduncum (Rudolfi 1802) Baylis 1920  
 Kurashvili, B., 1960 a, 257  
 Engraulis encrasicholus  
 Mullus barbatus ponticus  
 Caspialosa kessleri pontica  
 C. caspia palaeostomi  
 Sarda sarda  
 all from Black Sea  
 Contracoecum aduncum larvae Rud., 1802  
 Kutikova, L. A., 1950 a, 138, 140, 141  
 influence of host feeding habits  
 Boreogadus saida  
 Contracaecum aduncum Rud.  
 Layman, E. M.; and Mudretsova, K. A., 1926 a, 42, 45  
 Alosa finta: Murman  
 Contracaecum aduncum (Rudolphi, 1802)  
 Margolis, L.; and Butler, T. H., 1954 a, 649-655, figs. 1-2, pls. I-II, figs. 1-11  
 Pandalus borealis  
 Contracoecum aduncum  
 Markevich, A. P., 1934 b, 66  
 Contracoecum aduncum (Rud., 1802)  
 Markowski, S., 1933 b, 3, 4, 5, 35, 36, 38-39, 40, figs. 22-25  
 Syn.: Ascaris adunca Rud., 1802  
 Perca fluviatilis  
 Salmo salar  
 Zoarces viviparus  
 Pleuronectes flesus  
 Cottus scorpius  
 C. bubalis  
 C. quadricornis  
 all from Polish Baltic  
 Contracoecum aduncum (Rud., 1802) (larva)  
 Markowski, S., 1933 b, 4, 5, 35, 36, 40, 41-43, fig. 26  
 Centronotus gunellus  
 Gadus morrhua  
 Syngnathus typhle  
 Osmerus eperlanus  
 Salmo salar  
 Clupea sprattus  
 C. harengus  
 Ammodytes lanceolatus  
 Lumpenus lampretaeformis  
 Pleuronectes flesus  
 P. limanda  
 Cottus scorpius  
 C. bubalis  
 all from Polish Baltic  
 Contracoecum aduncum (Rud. 1802) larva  
 Markowski, S., 1935 b, 253, 258  
 Gobius minutus: polnischen Balticums  
 Contracaecum aduncum (Rudolphi, 1802)  
 Markowski, S., 1937 a, 227-247, pls. 14-15, figs. 1-15  
 development  
 Contracaecum aduncum (Rudolphi, 1802)  
 Markowski, S., 1937 b, 14-15  
 biology
- Contracaecum aduncum (Rud.)  
 Markowski, S., 1938 b, 90, 91, 92, 100-101, fig. 4  
 Zoarces viviparus  
 Pleuronectes flesus  
 both from Baltic  
 Contracaecum aduncum (Rudolphi, 1802)  
 Markowski, S., 1939 a, 82, 89  
 Nerophis ophidion: Ostsee  
 Contracaecum (Erschovicaecum) aduncum (Rud., 1802) Baylis, 1920 (larvae)  
 Nikolaeva, V. M., 1961 a, 271  
 changes at times of host migration  
 Engraulis encrasicholus maeoticus (body cavity)  
 Contracaecum aduncum (Rudolphi, 1802) Baylis, 1923  
 Olsen, L. S., 1952 a, 181-182, 199  
 Sebastodes caurinus: San Juan Island, Washington  
 Contracoecum aduncum  
 Petrushevskii, G. K., [1958 b], 332  
 [Clupea harengus membras] sałaka: Luga estuary  
 Contracoecum aduncum  
 Petrushevskii, G. K., [1958 d], 306, 309, 310  
 Alosa kessleri pontica  
 A. brashnikovi meotica  
 A. caspia nordmanni  
 A. caspia tanaica  
 all from Black Sea  
 Contracoecum aduncum (Rudolphi)  
 Petrushevskii, G. K.; and Kogteva, E. P., 1954 a, 396  
 Gadus morhua callarias: Baltiiskoe more  
 Contracoecum aduncum (Rud.)  
 Petrushevskii, G. K.; and Kogteva, E. P., 1954 a, 396, 400-401  
 Gadus morhua morhua: Barentsovo more  
 Contracoecum aduncum  
 Petrushevskii, G. K.; and Shul'man, S. S., 1955 a, 119-125  
 Syn.: C. clavatum  
 infestation of liver of Baltic cod  
 Contracoecum aduncum  
 Pogorel'tseva, T. P., 1957 a, 16  
 Trachurus trachurus  
 Contracoecum (Erschoviacoecum) aduncum (Rudolphi, 1802)  
 Polianakii, I. I., 1955 a, 90-92, 93  
 Petromyzon marinus  
 Clupea harengus  
 Salmo salar  
 Mallotus villosus  
 Argentina silus  
 Brosme brosme  
 Molva molva  
 Pollachius pollachius  
 P. virens  
 Melanogrammus aeglefinus  
 Gadus morhua  
 Micromesistius poutassou  
 Gasterosteus aculeatus  
 Lycichtys denticulatus  
 Anarhichas lupus  
 Chirolophis ascanii  
 Lumpenus fabricii  
 Phodis gunnellus  
 Zoarces viviparus  
 Lycodes vahle gracilis  
 Ammodytes hexapterus marinus  
 Scomber scomber  
 Sebastes marinus  
 Icelus bicornis  
 Gymnacanthus tricuspidatus  
 Myoxocephalus scorpius  
 Arctozenus europeus  
 Cottunculus microps  
 Cyclopterus lumpus  
 Liparis liparis  
 Reinhardtius hippoglossi

Contracoecum (*Erschoviacoecum*) aduncum (Rudolphi, 1802).-- Continued.

*Polianakii*, I. I., 1955 a  
*Hippoglossus hippoglossus*  
*Hippoglossoides plateossoides*  
*Limanda limanda*  
*Platessa platessa*  
*Pleuronectes flesus*  
*Lophius piscatorius*  
 all from Barents sea

Contracoecum aduncum  
*Polianskii*, Iu. I., 1957 b, 180  
 Barents sea

Contracoecum aduncum  
*Polianskii*, Iu. I.; and Shul'man, S. S., 1956 a, 7, 8, 9, 10, 11, 13, 14  
 [*Pollachius virens*] barentsovomorskoi saidy  
 [*Gadus morhua* morhua] barentsovomorskoi tres-ki  
 [*Clupea harengus maris-albi*] belomorskoi sel'di  
 [*Myoxocephalus scorpius*] barentsovomorskikh bychkov  
 [*Gasterosteus aculeatus*] barentsovomorskikh trekhiglykh kolfishek

Contracoecum aduncum (Rudolphi, 1802)  
*Punt*, A., 1941 a, 4, 8, 9, 10, 12, 13, 14, 16, 17, 19, 20, 21, 22, 24, 25, 26, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 44, 56, 57, 58, 62, 64, 70, 71, 74, 80, 81, 84, 86, 87, 88, 90, 92, 95, 100, 101, 108, 109, figs. 1-3, 4A-B, 5-15, pl., figs. 16, 17A-B, 18, pl., figs. 24, 25A-C, figs. 26-27, 52A-F, 53-59  
*Scyllium catulus*: Wielingen  
*Clupea harengus*: Mer du Nord; Clay deep  
*Leptidopus caudatus*: Côte du Portugal  
*Ammodytes lanceolatus*: Mer du Nord  
*Gadus aeglefinus*: Upper scruff; Clay deep; Vikingbank; Côte de l'Islande  
*G. morrhua*: Clay deep; Vikingbank  
*G. virens*: Vikingbank  
*G. pollachius*: Côte du Portugal  
*Onos tricirratus*: Côte du Portugal  
*Onos mustela*: Ostende  
*Anarrhichas lupus*: Upper scruff  
*Callionymus lyra*: Ostende; Mer du Nord; Upper scruff  
*Lophius piscatorius*: Upper scruff; Clay deep  
*Conger vulgaris*: Côte du Portugal  
*Bromius brosme*: Ostende; Vikingbank  
*Zoarces viviparus*: Mer du Nord  
*Callionymus lyra*: Stroombank; Mer du Nord; Mariakerke; Middelkerke  
*Gobius minutus*: Mer du Nord  
*Pleuronectes cynoglossus*: Skagerak  
*Rhombus maximus*: Upper scruff  
*Trigla gurnardus*: Lingbank; Upper scruff  
*Cottus scorpius*: Ostende; Nieuport  
*Zeus faber*: Broersbank; Mer du Nord; Middelkerke; Nieuport; Côte du Portugal  
*Mullus surmuletus*: Mer du Nord  
*Petromyzon marinus*: Wenduyne; Wandelaar  
*Rhina squatina*: La Panne  
*Raja maculata*: Nieuport  
*R. calvata*: Mer du Nord; Le Coq  
*Gadus luscus*: Clay deep  
*Molva vulgaris*: Lingbank  
*Trachinus draco*  
*Drepanopsetta plateossoides*: Clay deep  
*Pleuronectes limanda*: Clay deep  
*Rhombus laevis*  
*Sebastes viviparus*: Kattegat  
*Trigla hirundo*: Upper scruff; Côte du Portugal  
*Cyclopterus lumpus*: Mariakerke  
*Liparis vulgaris*: Ostende  
*Caranx trachurus*: Mer du Nord; Upper scruff; Côte du Portugal  
*Scomber scombrus*: Upper scruff; Lingbank

Contracaecum aduncum (Rudolphi, 1802).-- Continued.

*Punt*, A., 1941 a  
*Sagitta spec.*  
*Remora* [sp.]  
*Merluccius vulgaris*: Côte du Portugal  
*Pagellus bogaraveo*: Côte du Portugal  
*Gadus merlangus*: Ostende; Upper scruff; Clay deep; Mer du Nord; Lingbank; Doggersbank; Côte du Portugal  
*Clupea finta*: Woudrichem; Clay deep; Côte du Portugal  
*Clupea sprattus*  
*C. alosa*  
*Syngnathus acus*  
*Ammodytes tobianus*  
*Centronotus gunnellus*  
*Trachinus vipera*  
*Callionymus maculata*  
*Pleuronectes platessa*  
*P. flesus*  
*Arnoglossus laterna*  
*Solea vulgaris*  
*S. lutea*  
*Agonus cataphractus*  
*Liparis montagui*

Contracaecum aduncum (Rud.)  
*Schuurmans Stekhoven*, J. H., 1935 f, V.c 15, V.c 16, V.c 36, fig. 367  
 ? Syns.: *C. biuncinata* Molin; *C. fabri* Rud.; and *C. rigidum* Rud.  
*Osmerus eperlanus*  
*Salmo salar*  
*Clupea finta*  
*C. alosa*  
*Atherinichthys microlepidotus*

Contracoecum aduncum  
*Shul'man*, S. S., 1954 d, 215, 226-227, 234-235  
*Huso huso*: Black sea  
*Acipenser guldenstaedti*: Black sea basin  
*A. stellatus*: Duna delta

Contracoecum aduncum  
*Shul'man*, S. S., 1956 a, 52, 58, table between 62 and 63  
*Clupea harengus pallasi n. maris*  
*Osmerus eperlanus dentex natio dvinensis*: White Sea  
*Eleginus navaga*

Contracoecum aduncum (Rudolphi, 1802)  
*Shul'man*, S. S., [1958 b], 295, 299  
*Lampetra japonicus*: White Sea

Contracaecum aduncum  
*Shul'man*, S. S., 1959 c, 185  
 [*Gadus*] treská; eastern sections of Baltic Sea

Contracoecum aduncum (Rudolphi, 1802)  
*Shul'man*, S. S.; and *Shul'man-Al'bova*, R. E., 1953 a, 76-83, 97, 104, 106, 107, 110, 120, 125, 128, 132, 134, 136, 140, 144, 146, 148, 150, 152, 154, 158  
*Lampetra japonica*  
*Clupea harengus pallasi maris-albi*  
*C. h. p. m.-a. major*  
*Salmo salar*  
*S. trutta*  
*Coregonus eperlanus dente*  
*Gadus morhua m. hiemalis*  
*G. m. maris-albi*  
*Coreodagus sarda*  
*Eleginus navaga*  
*Osmerus eperlanus dentex natio dvinensis*  
*Gasterosteus aculeatus*  
*Anarrhichas lupus*  
*Zoarces viviparus*  
*Pholis gunnellus*  
*Lumpenus fabricius*  
*Sebastes marinus*  
*Myoxocephalus scorpius*  
*M. quadricornis labradoricus*  
*Gymnacanthus ventralis*

- Contracoecum aduncum* (Rudolphi, 1802).-- Contin-  
ued.  
*Shul'man, S. S.; and Shul'man-Al'bova, R. E.,*  
*1953 a*  
*Icelurus bicornis derjugini*  
*Cyclopterus lumpus*  
*Limanda limanda*  
*Pleuronectes flesus bogdanovi*  
*Liopsetta glacialis*  
*Agonus cataphractus*  
*Pungitius pungitius*  
*Osmerus eperlanus dentex*  
*Coregonus lavaretus pidschian*  
*Stenodus leucichthys nelma*  
*all from White Sea*
- Contracaecum (Ershovicacum) aduncum* (Rudolphi, 1802) Baylis, 1920 [n. comb.]  
*Skrjabin, K. I.; Shikhobalova, N. P.; and*  
*Mozgovoi, A. A., 1951 a, 485-488 figs. 205-206*
- Contracaecum aduncum* (Rudolphi, 1802)  
*Strelkov, I. A., [1961 a], 169, 170*  
*Oncorhynchus gorbuscha*  
*O. tschawytscha*  
*O. nerca*  
*Salvelinus leucomaenis*  
*S. malma*  
*Osmerus eperlanus*  
*Gadus morhua*  
*Theragra chalcogramma*  
*Eleginus gracilis*  
*Myoxocephalus jaok*  
*M. stelleri*  
*Trichodon trichodon*  
*Lepidopsetta bilineata*  
*Limanda aspera*  
*Platessa quadrituberculata*  
*Pleuronectes stellatus*  
*all from Kamchatka*
- Contracaecum aduncum*  
*Swierstra, D.; Jansen, J. (jr.); and van den*  
*Broek, E., 1959 a, 897*  
*Gadus merlangus: Netherlands*
- Contracaecum aduncum* (Rudolphi 1809)  
*Tendeiro, J.; and Valdez, V., 1955 a, 68-73,*  
*figs. 7, 9, pl. fig. 7*  
*synonymy*  
*Alosa alosa*
- Contracaecum aduncum* (Rudolphi)  
*Uspenskaya, A. V., 1960 a, 223, 224, 230, 231,*  
*pls., figs. 26, 1-3, 27, 1-4*  
*Pandalus borealis*  
*Calanus finmarchicus*  
*both from mer de Barents*
- Contracaecum aduncum* (Rud.)  
*Walton, A. C., [1927 a], 67-68, 70*  
*Alosa sapidissima*  
*Serranus atrarius*
- Contracoecum adunca* (Rud.)  
*Ward, H. B., 1918 b, 533, fig. 830*
- Contracaecum aduncum* (Rud., 1802)  
*Yorke, W.; and Maplestone, P. A., 1926 a, 282*  
*Alosa sp.*  
*Clupea sp.*
- Contracaecum aduncum* (Rudolphi, 1802)  
*Zhukov, E. V., 1959 a, 200*  
*southern Kurils*
- Contracaecum aduncum* (Rudolphi, 1802)  
*Zhukov, E. V., [1961 a], 84*  
*Oncorhynchus gorbuscha: Lake Shikotan*  
*Salvelinus leucomaenis: " "*  
*Hypomesus olidus: " "*  
*Sebastodes trivittatus: " "*  
*Sebastodes sp.: " "*  
*Hexagrammos octogrammus: " "*  
*H. lagocephalus: " "*  
*Liopsetta obscura: " "*  
*Pleuronectes stellatus: " "*  
*Arctoscopus japonicus: " "*  
*Pholidapus dybowskii: " "*
- Contracaecum aduncum* (Rudolphi, 1802).-- Contin-  
ued.  
*Zhukov, E. V., [1961 a]*  
*Pholis pictus: Lake Shikotan*  
*Anarhichas orientalis: Lake Shikotan*  
*Zoarces elongatus: Lake Shikotan*  
*Eleginus gracilis: Lake Shikotan*  
*Gadus morhua macrocephalus: Lake Putiatin*  
*Theragra chalcogramma: " "*  
*Pneumatophorus japonicus: " "*  
*Myoxocephalus brandti: Lake Putiatin; Lake*  
*Shikotan*
- Contracaecum aduncum* (Rudolphi, 1802)  
*Zhukov, E. V.; and Strelkov, Iu. A., 1959 a,*  
*189*  
*Far East*
- Contracaecum ainterlabium n. sp.*  
*Lucker, J. T., 1941 d, 510-511*  
*Syns.: C. multipapillosa of Skrjabin, 1916*  
*(nec Ascaris multipapillosa Skrjabin, 1916;*  
*nec A. multipapillata von Drasche, 1882)*  
*Ardea sp.*
- Contracaecum ainterlabium* Lucker, 1941 nec *C.*  
*multipapillatum* (Drasche, 1882) Baylis, 1920  
*Skrjabin, K. I.; Shikhobalova, N. P.; and*  
*Mozgovoi, A. A., 1951 a, 499*  
*as syn. of *Heterotyphlum multipapillosum**  
*(Skrjabin, 1916) Mosgovoy, 1951*
- Contracaecum amoyense* Hsu, 1933  
*Hsu, H. F., 1933 j, 1247, 1272-1273, 1280*  
*[Correction for *C. amoyensis* Hsu, 1933]*  
*oesophageal glands*
- Contracaecum amoyense* Hsu, 1933  
*Hsu, H. F., 1934 a, 295*  
*Syn.: *C. amoyensis* Hsu, 1933*  
*[Correction of specific name, addenda]*
- Contracaecum amoyense* Hsu, 1934  
*Hartwich, G., 1954 a, 1176*
- Contracaecum amoyensis* n. sp.  
*Hsu, H. F., 1933 e, 147-149, 154, pl. 1, figs.*  
*1-6*  
*Muraenesox cinereus: Amoy, China*
- Contracaecum amoyensis* Hsu, 1933  
*Hsu, H. F., 1933 j, 1247, 1272-1273, 1280*  
*[Corrected to *C. amoyense* Hsu, 1933]*
- Contracaecum amoyensis* Hsu, 1933  
*Hsu, H. F., 1934 a, 295*  
*[Corrected to *C. amoyense* Hsu, 1933, addenda]*
- Contracaecum (Erschovicaecum) amoyensis* Hsu, 1933  
*Skrjabin, K. I.; Shikhobalova, N. P.; and Moz-*  
*govoi, A. A., 1951 a, 488*
- Contracaecum anasi* n. sp.  
*Mawson, P. M., 1956 a, 35, 41, 42-43, 47, figs.*  
*17-20*  
*Anas rubripes: Canada*
- Contracaecum andersoni* n. sp.  
*Vevers, G. M., 1923 j, 35-37, fig. 1*  
*Florida caerulea: Georgetown, B. Guiana*
- Contracaecum andersoni*  
*Bravo Hollis, M., 1939 a, 295, 296*
- Contracaecum andersoni* Vevers  
*Cram, E. B., 1927 a, 147, 149-150, fig. 218*  
*Florida coerulea*
- Contracaecum andersoni Baylis & Daubney*  
*Layman, E. M.; and Mudretsova, K. A., 1926 a,*  
*44, 45*
- Contracaecum andersoni*  
*Osche, G., 1958 a, 554*
- Contracaecum (C.) andersoni* Vevers, 1923  
*Skrjabin, K. I.; Shikhobalova, N. P.; and*  
*Mozgovoi, A. A., 1951 a, 478*
- Contracaecum andersoni* Vevers, 1923  
*Yorke, W.; and Maplestone, P. A., 1926 a, 282*  
*Florida caerulea*
- Contracaecum antarcticum* n. sp.  
*Johnston, T. H., 1938 c, 3, 7, 8, 16-17, figs.*  
*1-4*  
*Pygoscelis adeliae: Antarctic*
- Contracaecum arcuatum* (Ged.)  
*Mönnig, H. O., 1924 d, 437-438*  
*Ardea cinerea: Transvaal*

- Contracaecum arii n. sp.  
 Yamaguti, S., 1954 b, 122, 128-130, 133, pl. II, figs. 16-18  
*Arius* sp.: Banjermassin, Borneo
- Contracaecum (C.) asturi n. sp.  
 Hsu, W. N., 1957 a, 48, 49, 50-51, 71-72, pl. I, figs. 9-15  
*Astur gentilis schvedowi*: Kwangtung Prov., China Canton
- Contracaecum auctum (Rud.)  
 Baylis, H. A., 1920 g, 262
- Contracaecum auctum (Rud.)  
 Baylis, H. A., 1928 g, 338  
*Zeugopterus punctatus*  
*Regalecus glesne*  
*Lophius piscatorius*  
*Labrus maculatus*
- Contracaecum auctum (Rudolfi, 1802)  
 Baylis, H. A., 1939 b, 492  
*Callionymus lyra*: S. Devon, Brit. Is.
- Contracaecum (*Thynnascaris*) auctum (Rud.)  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 133
- Contracaecum auctum (Rud., 1802)  
 Laudien, L., 1933 a, 74-77  
*Zoarces viviparus* (Schleim auf der Haut): Stettin
- Contracaecum auctum Rud.  
 Layman, E. M.; and Mudretsova, K. A., 1926 a, 44, 45  
*Blennius* sp.
- Contracaecum auctum (Kud.)  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 15, V.c 16, V.c 17, V.c 38, fig. 371  
*Blennius viviparus*  
*Zeugopterus punctatus*  
 both from Ostsee
- Contracaecum auctum (Rud.)  
 Schuurmans Stekhoven, J. H., 1939 a, 626
- Contracaecum (C.) auctum (Rudolfi, 1802) Baylis, 1920  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 478
- ? Contracaecum auctum (Rud., 1802)  
 Stefanski, W., 1936 a, 85-87, fig. 16  
*Trachinus draco*: Station biologique d'Arcachon
- Contracaecum auctum (Rud.)  
 Walton, A. C., [1927 a], 69-70  
*Sarda mediterranea*  
*Cynoscion regalis*
- Contracaecum auctum (Rud., 1802)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 282  
*Blennius* sp.
- Contracaecum balistis (v. Linst., 1905) [? n. comb.]  
 Baylis, H. A., 1936 a, 92  
 Syn.: *Ascaris balistis* v. Linstow, 1905  
*Balistes mitis*  
*B. stellaris*  
 both from Ceylon
- Contracaecum bancrofti n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1941 g, 110, 112-113, figs. 3-5  
*Pelecanus conspicillatus*: Burnett R. and Thompson R., Queensland; Sydney Zool. Gardens, from N.S.W.; Morgan, S. Aust.
- Contracaecum bancrofti Johnston y Mawson, 1941  
 Alencaster Ybarra, G., 1948 a, 25-27, pl. 3, figs. 1-4  
*Pelecanus erithrorhynchus*: Mexico, D. F.
- Contracaecum bancrofti and/or C. spiculigerum  
 Johnston, T. H.; and Mawson, P. M., 1951 b, 18, 19, 21  
*Retropinna semoni*  
*Carassius klunzingeri*  
*Pseudaphritis urvillii*  
*Percalates colonorum*  
 all from lower Murray river
- Contracaecum baylisi n. sp.  
 Yamaguti, S., 1941 c, 343, 364-365, 395, pl. V, fig. 24; fig. 22  
*Zeus japonicus*: Inland Sea
- Contracaecum (*Thynnascaris*) baylisi (Yamaguti, 1941)  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 133
- Contracaecum (C.) baylisi Yamaguti, 1941  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 478
- Contracaecum benimasu nov. sp.  
 Fujita, T., 1932 a, 28-29, 39, figs. 16-18  
*Oncorhynchus masou*  
*O. nerka*  
 both from Ochotsk Sea
- Contracaecum benimasu  
 Fujita, T., 1937 a, 1628, 1629
- Contracaecum benimasu  
 Fujita, T., 1940 a, 392  
*Oncorhynchus nerka*  
*O. masou*
- Contracoecum bidentatum  
 Agapova, A. I., 1957 a, 127, 128  
 distribution in reservoirs: Kazakhstan
- Contracoecum bidentatum  
 Behning, A. L., 1924 b, 76, 82  
 sterlet: Volga Biol. Station
- Contracaecum bidentatum  
 Bogdanova, E. A., [1959 a], 75  
*Esox lucius* (intestine): Volga river
- Contracoecum bidentatum (Linstow, 1889)  
 Dogiel, V., 1932 b, 264  
 sterlet
- Contracoecum bidentatum (Linstow)  
 Dubinin, V. B., 1952 c, 244-245  
 [young sturgeon]: Lower Volga
- Contracaecum (Erschovicaecum) bidentatum (Linstow, 1899)  
 Geller, E. P.; and Babich, L. A., [1954 a], 133-138, figs. 1-5  
 biology
- Contracoecum bidentatum (Linst., 1889)  
 Ivanov, A. S.; and Murygin, I. I., 1937 a, 255-256, 257, 268  
*Acipenser güldenstädti*  
*A. ruthenus*  
 both from Volga River
- Contracoecum bidentatum (Linstow, 1899)  
 Kolarov, P., 1961 a, 381  
*Acipenser ruthenus*: Duna river
- Contracaecum bidentatum Linstow  
 Layman, E. M.; and Mudretsova, K. A., 1926 a, 42, 45  
*Acipenser ruthenus*
- Contracaecum bidentatum (Linst.)  
 Levashov, M. M., 1924 a, 185
- Contracoecum bidentatum (Linst.)  
 Levashov, M. M., 1925 a, 152-174
- Contracoecum bidentatum (Linstow, 1899)  
 Shul'man, S. S., 1954 d, 211, 215, 220-221, 226-227, 234-235  
*Huso huso*: Caspian sea  
*Acipenser nudiventris*: Caspian sea  
*A. ruthenus*: Black sea; Tumak; Volga;  
 Caspian basin  
*A. güldenstädti*: Caspian basin  
*A. stellatus*: Caspian basin
- Contracoecum bidentatum (Linst.)  
 Skrjabin, K. I., 1923 m, 38-39, fig. 39  
*Acipenser ruthenus*
- Contracoecum bidentatum (Linst. 1899)  
 Skrjabin, K. I., 1924 c, 60, 61-62, 67, 68  
*Acipenser ruthenus*
- Contracaecum (Erschovicaecum) bidentatum (Linstow, 1899) Skrjabin, 1917  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 488

- Contracoecum bidentatum* (Linst.)  
 Skvortsov, A. A., 1928 a, 558, 559-562, 572,  
 576, graphs 1-3  
*Lucioperca sandra*  
*Acipenser ruthenus*  
*Contracaeum bidentatum* (Linst., 1899)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 283  
*Acipenser ruthenus*  
*Contracoecum bidentatum* (Linst.)  
 Zakhvatkin, V. A., 1935 a, 90-97, 101, 102,  
 103  
*Acipenser ruthenus*  
*A. güldenstädti*  
 both from Okhansk, Kama-Flusse  
*Contracoecum bodenheimeri* n. sp.  
 Witenberg, G. G., 1929 a, 122-124, fig. G  
*Puffinus kuhli*  
*Contracaecum (C.) bodenheimeri* Witenberg, 1929  
 Skrjabin, K. I.; Shikhobalova, N. P.; and  
 Mozgovoi, A. A., 1951 a, 478  
*Contracaecum brachyurum* (Ward and Magath, 1917)  
 [? n. comb]  
 Van Cleave, H. J.; and Mueller, J. F., 1934 a,  
 292-293, 294, 295, pl. 38, figs. 4-6  
 Syns.: *Hysterothylacium brachyurum* Ward and  
 Magath, 1917; *H. cayugensis* (?) Wigdor, 1918  
*Micropterus salmoides*  
*Ambloplites rupestris*  
 both from Oneida Lake  
*Contracaecum brachyurum* (Ward and Magath)  
 Bangham, R. W., 1941 c, 168, 170  
*Micropterus dolomieu*  
*Lepomis gibbosus*  
 both from Algonquin Park Lakes  
*Contracaecum* sp., probably *C. brachyurum*  
 Bangham, R. V., 1944 a, 318, 320  
*Ambloplitis rupestris*: northern Wisconsin  
*Contracaecum brachyurum* (Ward and Magath, 1917)  
 Bangham, R. V., 1944 a, 303, 304, 323  
*Esox lucius*: northern Wisconsin  
*Contracaecum brachyurum*  
 Bangham, R. V., 1955 a, 188, 190, 191, 192  
*Notemigonus crysoleucas auratus*  
*Esox lucius*  
*E. m. masquinongy*  
*Percopsis omiscomaycus*  
*Stizostedion v. vitreum*  
*Poecilichthys exilis*  
*Micropterus d. dolomieu*  
*Huro salmoides*  
*Ambloplites r. rupestris*  
*Contracaecum brachyurum* (Ward and Magath)  
 Bangham, R. V.; and Hunter, G. W., 1939 a, 408,  
 415, 417, 444  
*Aplites salmoides*: Lake Erie  
*Contracaecum brachyurum*  
 Bangham, R. V.; and Venard, C. E., 1946 a, 35,  
 36, 40  
*Salvelinus fontinalis*  
*Lota maculosa*  
*Anguilla rostrata*  
 all from Algonquin Park lakes  
*Contracaecum brachyurum* Ward and Magath, 1917  
 Fischthal, J. H., 1947 a, 183, 185, 187, 211,  
 212, 219  
*Esox lucius*  
*Ambloplites r. rupestris*  
 both from Wisconsin  
*Contracaecum brachyurum*  
 Fischthal, J. H., 1950 d, 101, 103, 111  
*Esox lucius*  
*E. m. masquinongy*  
*Ambloplites r. rupestris*  
 all from Wisconsin  
*Contracaecum brachyurum* (Ward and Magath, 1917)  
 Fischthal, J. H., 1952 b, 30, 36, 40, 52, 57  
*Amia calva*  
*Esox lucius*  
*Stizostedion v. vitreum*  
*Ambloplites r. rupestris*  
 all from northwest Wisconsin
- Contracaecum brachyurum* (Ward and Magath, 1917)  
 Odlaug, T. O.; Arseneau, E. G.; and Brownell,  
 G. H., 1962 a, 31  
*Esox lucius*  
*Micropterus dolomieu*  
*Stizostedion vitreum*  
 all from Basswood Lake, Superior National  
 Forest, Minnesota  
*Contracaecum (C.) brachyurum* (Ward et Magath,  
 1917) Van Cleave et Muller, 1934  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Moz-  
 govoy, A. A., 1951 a, 480  
*Contracaecum brachyurum*  
 Worley, D. E.; and Bangham, R. V., 1952 a, 211,  
 212  
 northern pike: Baskatong Reservoir, Quebec  
*Contracaecum caballeroi* n. sp.  
 Bravo Hollis, M., 1939 a, 293-296, figs. 1-3  
*Anhinga anhinga*: Parque Zoologico de Chapul-  
 tecpec  
*Contracaecum caballeroi* Bravo Hollis, 1939  
 Lent, H.; and Teixeira de Freitas, J. F., 1948  
 a, 5, 36, 37-38, figs. 65-67  
*Phalacrocorax vigua*: Montevideo  
*Contracaecum callotariae* n. sp.  
 Yamaguti, S., 1951 d, 295-297, 305, pl. 1,  
 figs. 1-2  
*Callotaria ursina*: Pacific Ocean  
*Contracaecum (C.) cantonensis* n. sp.  
 Hsü, W. N., 1957 a, 48, 49, 51-53, 72-73, pl.  
 I, figs. 16-22  
*Astur gentilis schvedowi*  
*Buteo buteo burmanicus*  
 both from prov. Kwangtung, China: Canton  
*Contracaecum carlislei* n. sp.  
 Ortlepp, B. J., 1938 e, 63, 78-81, 101, figs.  
 14-15  
*Microcarbo africana africanaoides*: Pretoria  
 district, Transvaal  
*Contracaecum carlislei*  
 Osche, G., 1958 a, 554  
*Contracaecum (C.) carlislei* Ortlepp, 1938  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Moz-  
 govoy, A. A., 1951 a, 480  
*Contracaecum chaunaxi* n. sp.  
 Olsen, L. S., 1952 a, 178-179, 199, 208, 209,  
 pl. II, figs. 18-22  
*Chaunax* sp.: Tortugas, Florida  
*Contracaecum chaunaxi* Olsen, 1952  
 Chandler, A. C., 1954 e, 357  
*Chaunax* sp.: Dry Tortugas, Gulf Mexico  
*Contracaecum circi*  
 Osche, G., 1958 a, 545, 554  
*Contracaecum clavatum* (Rud.) [n. comb.]  
 Baylis, H. A., 1920 g, 262  
*Contracaecum clavatum* (Rud.)  
 Baylis, H. A., 1928 g, 338  
*Gadus morrhua*  
*Salmo trutta*  
*Hippoglossus hippoglossus*  
*Gadus aeglefinus*  
*G. pollachius*  
*Merluccius merluccius*  
*Cottus bubalis*  
*C. scorpius*  
*Scomber scomber*  
*Gadus merlangus*  
*Contracaecum clavatum* (Rud.)  
 Baylis, H. A., 1929 h, 547  
*Merluccius* sp.  
*Stromateus* sp.  
*Gadus* sp.  
*Contracaecum clavatum* (Rudolphi, 1809)  
 Baylis, H. A., 1939 b, 492  
*Alosa finta*: Sussex  
*Conger conger*: S. Devon, Brit. Is.  
*Gadus callarias*: Yorkshire, Brit. Is.  
*G. virens*: Yorkshire and Norfolk  
*G. merlangus*: S. Devon, Brit. Is.  
*Merluccius merluccius*: S. Devon, Brit. Is.  
*Capros aper*: S. Devon, Brit. Is.

- Contracaecum clavatum* (Rudolphi, 1809).--  
Continued.
- Baylis, H. A., 1939 b  
*Mullus surmuletus*: S. Devon, Brit. Is.  
*Zeus faber*: S. Devon, Brit. Is.  
*Brama raii*: Yorkshire  
*Trigla lyra*: S. Devon, Brit. Is.  
*Cottus bubalis*: S. Devon, Brit. Is.  
*Lophius piscatorius*: S. Devon, Brit. Is.
- Contracaecum clavatum*  
Anadón, E., 1955 a, 139  
measurement
- Contracoecum clavatum*  
Barysheva, A. F., 1949 a, 7  
*Salmo salar*: Lake Ladoga
- Contracaecum clavatum* (Rud., 1809)  
Baylis, H. A.; and Jones, E. I., 1933 a, 632  
*Mullus surmuletus* (intestine [and gill-chamber])  
*Conger vulgaris* (intestine)  
*Gadus merlangus* (stomach)  
*Merluccius merluccius* (stomach, intestine)  
*Lophius piscatorius* (stomach, intestine)  
*Cottus pubalis* (stomach)  
*Zeus faber* (stomach)  
*Capros aper* (intestine)  
all from Plymouth, England
- Contracaecum clavatum* of Kreis, 1952  
Berland, B., 1961 a, 6  
as syn. of *C. aduncum* (Rudolphi, 1802)
- Contracoecum clavatum* (Rud., 1818)  
Butskáia, N. A., 1952 a, 47  
*Pleuronectes flesus*: Danube
- Contracoecum clavatum* Rud.  
Chernyshenko, A. S., 1955 a, 217  
*Caspialosa kessleri pontica* (stomach)  
*C. caspia nordmanni* (stomach)  
*Bothus maeoticus* (stomach, small intestine)  
*Pleuronectes flesus* (small intestine)  
*Solea nasuta* (small intestine)  
*Scomber scomber* (stomach)  
all from Odessa Bay
- Contracaecum clavatum*  
Chitwood, B. G.; and Chitwood, M. B., 1937 b, 35
- Contracoecum clavatum*  
Chulkova, V. N., 1939 a, 22, 30  
*Caspialosa pontica*  
*Acipenser güldenstädti*  
*Gadus merlangus*  
*Corvina nigra* (intestine of all): all from Batum
- Contracaecum clavatum*  
Crofton, H. D., 1947 b, 61, 62  
*Pholis gunnellus*  
*Cottus scorpius*  
*C. bubalis*  
*Zoarces viviparus*  
*Onus mustelus*  
*Liparis montagui*  
all from Northumberland
- Contracoecum clavatum* Rud.  
Dogiel, V., 1936 a, 129-130, fig. 5  
*treska* [cod] (intestine): Lake Mogil'noe  
on Kil'din Island in Barents Sea
- Contracaecum (=Ascaris) clavata*  
Fujita, T., 1937 a, 1627, 1629, 1634
- Contracaecum clavatum*  
Harant, H.; and Vernières, P., 1933 c, 263
- Contracaecum clavatum* Rud., 1809  
Hartwich, G., 1954 a, 1178, 1182, 1183, 1185, 1186, 1187
- Contracaecum clavatum*  
Hsü, H. F., 1933 j, 1248  
as syn. of *Ascaris clavata*
- Contracaecum clavatum* Rud.  
Kahl, W., 1936 b, 509-520  
*Gadus merlangus*  
*G. morrhua*
- Contracaecum clavatum* Rud.-- Continued.  
Kahl, W., 1936 b  
*Gadus virens*  
*Sebastes norvegicus*  
*Ammodytes tobianus*  
*Salmo salar*  
*Salmo trutta*  
*Conger vulgaris*  
*Ammodytes lanceolatus*
- Contracaecum clavatum*  
Kahl, W., 1938 b, 514  
*Gadus morrhua*  
*G. virens*  
both from Nordsee
- Contracaecum clavatum*  
Kahl, W., 1939 a, 39-41  
*Wittlung*  
*Kabeljau*  
*Köbler*  
*Sandspierling* (*Ammodytes*)
- Contracaecum (Simplexonema) clavatum* (Rudolphi, 1809) Railliet u. Henry, 1912  
Kreis, H. A., 1952 c, 252, 265, 266-272, fig. 3A-F  
*Gadus morrhua*: Färöer  
*Anarrhichas lupus*: Thorshaven Rhid (?)
- Contracaecum (Erschovicaecum) clavatum* (Rudolphi 1809) Skrjabin 1920  
Kurashvili, B., 1960 a, 257  
*Acipenser güldenstädti colchicus*  
*Rhombus maeoticus*  
*Caspialosa kessleri pontica*  
*Mullus barbatus ponticus*  
*Salmo truttae labrax*  
all from Black Sea
- Contracaecum clavatum* Rud.  
Layman, E. M.; and Mudretsova, K. A., 1926 a, 43, 45  
*Trutta salar*
- Contracaecum clavatum* (Rud.)  
Linton, E., 1934 c, 124, 125  
*Gadus morrhua*  
*Microgadus tomcod*  
both from Woods Hole, Mass.
- Contracaecum clavatum* (Rudolphi 1809) Railliet y Henry 1912  
López-Neyra, C. R., 1946 c, 368-369  
*Syns.*: *Ascaris clavata* Rudolphi 1809; *A. gadi* Mueller; *Proboscidea gadi*  
*Gadus morrhua*  
*G. aeglefinus*  
*G. virens*  
*Merluccius vulgaris*  
*Molva byrkelandi*  
*M. vulgaris*  
*Brama brama*  
*Sebastes norvegicus*  
*Scomber scomber*  
*Clupea harengus*  
*Cyopterus lampus*  
*Argentina silus*  
*Pleuronectes cynoglossus*  
*Mullus barbatus*
- Contracaecum clavatum* Rudolfi  
Lüling, K. H., 1951 a, 8, 9, 12  
*Sebastes marinus*
- Contracoecum clavatum*  
Petrushhevskiy, G. K.; and Shul'man, S. S., 1955 a, 119-125  
as syn. of *C. aduncum*
- Contracaecum clavatum* (Rud., 1809)  
Rees, F. G., 1945 a, 166  
*Cottus bubalis*  
*Onos mustelus*  
both from Aberystwyth

- Contracaecum clavatum* (Rud.)  
Rees, F. G., 1946 a, 39, 40, 41  
Conger conger: Irish Sea and Irish Atlantic Slope  
*Gadus merlangus*: Irish Sea and Irish Atlantic Slope  
*G. virens*: Irish Atlantic Slope  
*Scomber scombrus*: Irish Atlantic Slope  
*Trachurus trachurus*: Irish Atlantic Slope
- Contracaecum clavatum* (Rud., 1809)  
Rees, G., 1953 d, 195, 196  
Syns.: *Ascaris clavata*; *A. gadi* Muller  
*Gadus virens*  
*G. callarias*  
both from east coast of Iceland
- Contracaecum clavatum* (Rud.)  
Savina, N. V., 1927 a, 216, 217-218, fig. 4  
*Gadus callarias*
- Contracaecum clavatum* (Rudolphi)  
Schuurmans Stekhoven, J. H., 1935 f, V.c 15,  
V.c 16, V.c 36, V.c 37, V.c 38, fig. 368  
*Salmo trutta*  
*S. salar*  
*Gadus merlangus*  
*G. morrhua*  
*G. aeglefinus*  
*G. pollachius*  
*G. virens*  
*G. barbatus*  
*Conger vulgaris*  
*Scomber scombrus*
- Contracaecum clavatum* (Rud.)  
Schuurmans Stekhoven, J. H., 1937 a, 429,  
469, 470, 471, fig. 82A-B
- Contracaecum clavatum* (Rud.)  
Schuurmans Stekhoven, J. H., 1939 a, 552, 561
- Contracoecum clavatum* (Rud.)  
Skrjabin, K. I., 1923 m, 38, figs. 34, 35  
*Trutta trutta*  
*Trutta salar*
- Contracaecum (Erschovicaecum) clavatum* (Rudolphi,  
1809) Baylis, 1920  
Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoy, A. A., 1951 a, 488
- Contracaecum clavatum* (Rud.)  
Taylor, E. L., 1925 b, 66-67  
*Gadus morrhua*  
*G. merlangus*  
*Solea* sp.  
*Raja* sp.  
*Belone belone*
- Contracaecum clavatum* Rud.  
Törnquist, N., 1931 a, 38  
Syn.: *Ascaris clavata* Rud.
- Contracaecum clavatum* (Rud.)  
Walton, A. C., [1927 a], 68  
*Gadus tomcod*  
*G. callarias*
- Contracaecum clavatum* (Rud.)  
Wüller, G., 1930 b, 5
- Contracaecum clavatum* (Rud., 1809)  
Yorke, W.; and Maplestone, P. A., 1926 a, 282  
fishes
- Contracaecum clelandi* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1941 g,  
110, 112, 113, figs. 9-10  
*Pelecanus conspicillatus*: Perth, West. Aust.
- Contracaecum coiliae* n. sp.  
Yamaguti, S., 1941 b, 343, 363-364, 395, pl.  
V, fig. 23; figs. 20-21  
*Coilia mystus*: Sea of Ariake, Kyūsyū
- Contracaecum (Thynnascaris) coiliae* (Yamag.,  
1941)  
Johnston, T. H.; and Mawson, P. M., 1945 a, 133
- Contracaecum (C.) coiliae* Yamaguti, 1941  
Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoy, A. A., 1951 a, 480
- Contracaecum collare* (Cobb, 1929) Mosgovoy, 1951  
[n. comb.]  
Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoy, A. A., 1951 a, 492
- Contracaecum collieri* n. sp.  
Chandler, A. C., 1935 c, 124, 125, 141-142,  
pl. 10, figs. 6-8  
Syn.: *C. micropapillatum* ?  
*Cyprinodon variegatus*  
*Paralichthys lethostigmus*  
*Sciaenops ocellatus*  
all from Galveston Bay
- Contracaecum corderoi* n. sp.  
Lent, H.; and Teixeira de Freitas, J. F.,  
1948 a, 6, 41, 43-45, figs. 87-103  
*Arctocephalus australis*: Uruguay
- Contracaecum corderoi* Lent et Freitas, 1948  
Campana-Rouget, Y.; and Paulian, P., 1960 a,  
191-192, figs. 1-2  
as syn. of *C. ogmohini* Johnston et Mawson,  
1941
- Contracaecum (C.) corderoi* Len et Freitas, 1948  
Delamure, S. L., [1956 b], 238, 239  
key
- Contracaecum corderoi*  
Osche, G., 1958 a, 554
- Contracaecum cornutum* (Stossich, 1904) [n. comb.]  
Baylis, H. A., 1923 i, 5-7, figs. 1-2  
Syn.: *Ascaris cornuta* Stossich 1904  
*Thynnus vulgaris*: Trieste
- Contracaecum cornutum* (Stossich, 1904) Baylis,  
1923  
Berland, B., 1961 a, 25-27, figs. 31-35  
Syn.: *C. (Thynnascaris) legendrei* Dollfus,  
1933  
*Thuninus thynnus*: Norwegian coast
- Contracaecum cornutum* (Stossich, 1905)  
Dollfus, R. P., 1933 a, 12
- Contracaecum (Thynnascaris) cornutum* (Stossich)  
Johnston, T. H.; and Mawson, P. M., 1945 a, 133
- Contracaecum cornutum* Stoss.  
Layman, E. M.; and Mudretsova, K. A., 1926 a,  
43, 45  
*Thynnus vulgaris*
- Contracaecum (Erschovicaecum) cornutum* (Stossich,  
1904) Baylis, 1923  
Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoy, A. A., 1951 a, 488
- Contracaecum cornutum* (Stossich, 1904)  
Yorke, W.; and Maplestone, P. A., 1926 a, 282  
*Thynnus* sp.
- Contracaecum crassicaudatum* n. sp.  
Fujita, T., 1939 a, 249, 252, pl. 10, figs.  
5-7  
*Oncorhynchus kisutch*: Suribachi Bay
- Contracaecum crassicaudatum*  
Fujita, T., 1940 a, 392  
*Oncorhynchus kisutch*
- Contracaecum crenulatum* n. sp.  
Schuurmans Stekhoven, 1937 d, 37-39, figs. 41-  
45  
*Cancroma cochlearia*: Leibeshöhle, Trombetas  
(affluent of Amazon river near Obidos)  
Brazil
- Contracaecum (C.) crenulatum* Schuurmans-Stekhovan,  
1937  
Skrjabin, K. I.; Shikhobalova, N. P.; and  
Mozgovoy, A. A., 1951 a, 480
- Contracaecum (Simplexonema) cyclopteri* n. sp.  
Kreis, H. A., 1952 c, 252, 265, 272-282, fig.  
4 A-L  
*Cyclopterus lumpus*: Klaksvik (Färöer)
- Contracaecum cyclopteri* Kreis, 1952  
Berland, B., 1961 c, 6  
as syn. of *C. aduncum* (Rudolphi, 1802)
- Contracaecum diomedae* (Linstow) Johnston [? n.  
comb.]  
Johnston, T. H., 1938 c, 3, 7, 8, 15-16  
Syns.: *Ascaris diomedae* Linstow, 1888;  
*Anisakis diomedae* Yorke and Maplestone, 1926  
["If *Phocascaris* is a valid genus . . .  
Linstow's species should be known as *Phocascaris diomedae*"]
- Diomedea exulans*: Southern Ocean, Southwest  
of Tasmania

- Contracaecum diomedae (Linstow) Johnston  
[? n. comb.] -- Continued.  
Johnston, T. H., 1938 c  
Diomedea nigripes: North Pacific  
Diomedea sp. (i.e. ?Phoebetria palpebrata)  
Contracaecum elongatum n. sp.  
Fujita, T., 1939 a, 250, 252, pl. 10, figs. 8-9, pl. 11, fig. 10  
Oncorhynchus nerka: Ochotsk Sea  
Contracaecum elongatum  
Fujita, T., 1940 a, 392  
Oncorhynchus nerka  
Contracaecum engonium n. sp.  
Baylis, H. A.; and Daubney, R., 1922 a, 284-285, figs. 19-20  
Ciconia nigra  
Contracaecum engonium Baylis and Daubney, 1922  
Baylis, H. A., 1936 a, 79, 85-87, figs. 36-37  
Ciconia nigra; Zoöl. Gardens, Calcutta  
Contracaecum engonium Baylis & Daubney  
Cram, E. B., 1927 a, 146, 150, fig. 219  
Ciconia nigra  
Contracaecum engonium Baylis  
Layman, E. M.; and Mudretsova, K. A., 1926 a, 43, 45  
Ciconia nigra  
Contracaecum (C.) engonium Baylis et Daubney, 1922  
Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 480  
Contracaecum engonium Baylis u Daubney, 1922  
Sprehn, C. E. W., 1932 c, 536, 854  
Ciconia nigra (Darm): Asien  
Contracaecum engonium Baylis and Daubney  
Szidat, L., 1940 a, 572, 577  
Schwarzen Storch (Ciconia nigra)  
Contracaecum engonium Baylis & Daubney, 1922  
Yorke, W.; and Maplestone, P. A., 1926 a, 282  
Ciconia nigra  
Contracaecum epinepheli n. sp.  
Yamaguti, S., 1941 b, 343, 358-359, 394, pl. IV, figs. 14-15; fig. 14  
Epinephelus akaara: Inland Sea  
Contracaecum (Thynnascaris) epinepheli (Yamag., 1941)  
Johnston, T. H.; and Mawson, P. M., 1945 a, 133  
Contracaecum (Erschovicaecum) epinepheli Yamaguti, 1941  
Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 488  
Contracaecum erraticum n. sp.  
Johnston, T. H.; and Mawson, P. M., 1940 f, 360, 361-363, figs. 1-2  
Wallabia sp.  
Contracaecum erraticum J. & M., 1940  
Mackerras, M. J., 1958 a, 118  
? wallaby: Australia  
Contracaecum eudyptes n. sp.  
Johnston, T. H.; and Mawson, P. M., 1953 a, 65, 67, 70, figs. 6-7  
Eudyptes cristatus  
Megadyptes antipoda  
both from Auckland Islands  
Contracaecum eudyptulae n. sp.  
Johnston, T. H.; and Mawson, P. M., 1942 a, 90, 92, 93-94, figs. 9-11  
Eudyptula minor: Australian coast: Encounter Bay; Goolwa; Fremantle, etc.  
Contracaecum eudyptulae Johnston and Mawson  
Johnston, T. H.; and Mawson, P. M., 1945 a, 75, 126, 152  
Eudyptula minor: Tasmania  
Contracaecum eudyptulae J. and M.  
Johnston, T. H.; and Mawson, P. M., 1947 a, 547, 551  
Eudyptula minor: Kangaroo Island  
Contracaecum eudyptulae  
Osche, G., 1958 a, 554
- Contracaecum (C.) eudyptulae Johnston et Mawson, 1942  
Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 480  
Contracaecum fabri (Rud., 1819) [n. comb.]  
Baylis, H. A., 1923 i, 4-5  
Syns.: Ascaris fabri Rud., 1819; A. biuncinata Molin 1858  
Zeus faber: Trieste  
Contracaecum fabri (Rud.)  
Baylis, H. A., 1929 h, 548  
Zeus faber  
Contracaecum fabri (Rud.)  
Janiszewska, J., 1949 a, 9, 19, 20-25, fig. 7, pls., figs. 6, 8  
larvae in III and IV development stage  
Trachurus mediterraneus  
T. trachurus  
Serranellus scriba  
S. cabrilla  
Conger conger  
Uranoscopus scaber  
Mullus barbatus  
M. surmuletus  
Crenilabrus pavo  
Ophidium barbatum  
all from Adriatic Sea  
Contracaecum (Thynnascaris) fabri (Rud., 1819)  
Johnston, T. H.; and Mawson, P. M., 1945 a, 133  
Contracaecum fabri Rud.  
Layman, E. M.; and Mudretsova, K. A., 1926 a, 43, 45  
Zeus faber  
Contracaecum fabri (Rud.)  
Schuurmans Stekhoven, J. H., 1935 f, V.c 15, V.c 17, V.c 38  
Zeus faber: Mittelmeer  
Contracaecum (C.) fabri (Rudolphi, 1819) Baylis, 1923  
Skrjabin, K. I.; and Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 480  
Contracaecum fabri (Rud., 1819)  
Yorke, W.; and Maplestone, P. A., 1926 a, 282  
Zeus faber  
Contracaecum fabri (Rudolphi, 1819)  
Zhukov, E. V., [1961 a], 85-86, fig. 65  
Pneumatophorus japonicus: Lake Putiatin  
Contracaecum falcigerum (R. & H.)  
Baylis, H. A., 1920 g, 262  
Contracaecum falcigera R. & H.  
Layman, E. M.; and Mudretsova, K. A., 1926 a, 43, 45  
Contracaecum falcigerum  
Sprehn, C. E. W., 1927 e, 42  
Contracaecum falcigerum (Railliet & Henry, 1907)  
Yorke, W.; and Maplestone, P. A., 1926 a, 282  
seals  
Contracaecum filiforme (Stossich, 1904)  
Baylis, H. A., 1923 i, 7  
Syn.: Ascaris filiformis Stossich, 1904  
Uranoscopus scaber: Trieste  
Contracaecum filiforme  
Chulkova, V. N., 1939 a, 22, 30  
Uranoscopus scaber: Batum  
Contracaecum filiforme Stossich  
Layman, E. M.; and Mudretsova, K. A., 1926 a, 42, 45  
Uranoscopus scaber  
Contracaecum filiformis Osmanov, 1940 nec C. filiformis (Stossich, 1904) Baylis, 1923  
Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 483  
as syn. of C. (C.) osmanovi Mosgovoi, 1951  
Contracaecum (C.) filiforme (Stossich, 1904)  
Baylis, 1923  
Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 480

- Contracaecum filiforme (Stoss., 1904)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 282  
 Uranocephalus scaber
- Contracaecum fuhrmanni n. sp.  
 Kreis, H. A., 1937 a, 487, 491-494, fig. 3  
 Plotus levallandi
- Contracaecum fuhrmanni  
 Osche, G., 1958 a, 554
- Contracaecum (C.) fuhrmanni Kreis, 1937  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 480
- Contracaecum (Thynnascaris) gadi (Mueller) [n. comb.]  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 75, 132, 136-137  
 Syn.: C. clavatum (Rud.) Baylis, 1920
- Contracaecum gadi (O. Fr. Müller 1776)  
 Tendeiro, J.; and Valdez, V., 1955 c, 118-120, fig. 16, pl. fig. 15  
 synonymy  
 Merluccius merluccius (estomago)
- Contracaecum gracile n. sp.  
 Yamaguti, S., 1935 g, 337, 346-347, figs. 10-11  
 provisional name  
 Muraenesox cinereus: Inland Sea
- Contracaecum gracile Yamaguti, 1935  
 Yamaguti, S., 1941 b, 343, 364  
 Conger myriaster: Sea of Ariake, Kyūshū, and Inland Sea
- Contracaecum gracile Yamaguti, 1935  
 Yamaguti, S., 1961 b, 222-223  
 Conger myriaster: Inland Sea, Japan
- Contracaecum (Thynnascaris) gracile (Yamaguti, 1935)  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 133
- Contracaecum (C.) gracile Yamaguti, 1935  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 480
- Contracaecum granulosum (Schneider, 1866) [n. comb.]  
 Baylis, H. A., 1932 g, 497  
 Fregata magnificens rothschildi (stomach): Trinidad, W.I.
- Contracaecum granulosum  
 Osche, G., 1958 a, 554
- Contracaecum (C.) granulosum (Schneider, 1866)  
 Baylis, 1932  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 480
- Contracaecum gypsophocae sp. nov.  
 Johnston, T. H.; and Mawson, P. M., 1941 d, 429, 430-431, figs. 1-2  
 Gypsophoca tasmanica: Derwent Heads, Tasmania
- Contracaecum habena (Linton) [n. comb.]  
 Linton, E., 1934 c, 125  
 Opsanus tau: Woods Hole, Mass. and Beaufort, N. Carolina
- Contracaecum habena (Linton, 1900) Linton, 1934  
 Chandler, A. C., 1943 d, 156-157, figs. 1-3  
 redescription
- Contracaecum habena (Linton, 1900) Linton, 1934  
 Olsen, L. S., 1952 a, 181  
 Opsanus tau: Beaufort, North Carolina
- Contracaecum (C.) habena (Linton, 1900) Linton, 1934  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 481
- Contracaecum hagedashiae n. sp.  
 Sandground, J. H., 1933 d, 274, 279-281, figs. 8-9  
 Hagedashia hagedash nilotica: Mwanza, Tanzania Territory
- Contracaecum haliaeeti, nom. nov.  
 Baylis, H. A.; and Daubney, R., 1923 a, 556-557  
 Syn.: C. (Ascaris) aquillae (Smith, Fox & White, 1908) Baylis, 1923  
 Haliaetus leucogaster; India
- Contracaecum haliaeeti Baylis and Daubney, 1923  
 Baylis, H. A., 1936 a, 79, 83-84  
 Syns.: ? Ascaris ceylanica v. Linstow, 1904 and 1907; ? A. zeylanica v. Linstow, 1907; ? A. fissicollis v. Linstow, 1906  
 Haliaetus leucocephalus: Zool. Gardens, Philadelphia  
 H. leucogaster: Barkuda Island, Lake Chilka, Orissa
- Ictyophaga (Poliaetus) ichthyaetus: Kalpitiya
- Haliastur indus: Colombo, Ceylon; Nedunneni, Northern Province, Ceylon
- Contracaecum haliaeeti Baylis & Daubney  
 Cram, E. B., 1927 a, 146, 150-151, figs. 220, 221  
 Haliaetus leucocephalus  
 H. leucogaster
- Contracaecum (C.) haliaeeti (Baylis and Daubney, 1923)  
 Gupta, S. P., 1960 a, 318, 319, pl., figs. 7-13  
 Haliastur indus: East Pakistan
- Contracaecum haliaeeti Baylis  
 Layman, E. M.; and Mudretsova, K. A., 1926 a, 44, 45
- Contracaecum haliaeeti  
 Osche, G., 1958 a, 498, 499, 545, 554, fig. 10 b  
 Haliaetus sp.
- Contracaecum (C.) haliaeeti Baylis et Daubney, 1923  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 481
- Contracaecum haliaeeti Baylis & Daubney, 1923  
 Yorke, W.; and Maplestone, P. A., 1926 a, 282  
 Haliaetus sp.
- Contracaecum hapalogenyos n. sp.  
 Yamaguti, S., 1961 b, 217, 220, 221, 224, 225, figs. 9-10  
 Hapalogenys sp. (small intestine): Inland Sea, Japan
- Contracaecum heardi n. sp.  
 Mawson, P. M., 1953 a, 291, 292-294, figs. 1-5  
 Pygoscelis papua  
 Eudyptes cristatus  
 E. chrysophorus  
 Aptenodytes patagonica  
 all from Heard Island
- Contracaecum himeu n. sp.  
 Yamaguti, S., 1941 e, 441, 457-459, 479, pl. X, figs. 19-21; figs. 19-20  
 Phajacrococax pelagicus pelagicus: Matue and Tokusima
- Contracaecum himeu Yamaguti, 1941  
 Ianchev, I., 1958 a, 405, 406  
 as syn. of Contracaecum (C.) spiculigerum Rudolphi, 1809, Railliet et Henry, 1912
- Contracaecum hippoglossi n. sp.  
 Fujita, T., 1932 a, 25, 36-37, figs. 1-3  
 Hippoglossus hippoglossus (body cavity): Nemuro, Japan
- Osmerus lanceolatus (body cavity): Mukawa, Hokkaido, Japan
- Oncorhynchus keta (body cavity): Ishihari river, Japan
- Contracaecum hippoglossi  
 Fujita, T., 1940 a, 378, 391, 393  
 Oncorhynchus kisutch: Bettobi, Hokkaido
- Mesopodus olidus: Chitose, Hokkaido
- Oncorhynchus nerka
- Contracaecum histiophori n. sp.  
 Yamaguti, S., 1935 g, 337, 342-343, fig. 6  
 Histiophorus orientalis: Toyama Bay
- Contracaecum histiophori Yamaguti, 1935  
 Olsen, L. S., 1952 a, 179-181, 199, 208, 209, 210, 211, pls. II-III, figs. 23-32  
 Istiophorus americanus: Florida coast

- Contraaecum (C.) histiophora Yamaguti, 1935  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 481
- Contraaecum histiophori Yamaguti, 1935  
 Ward, H. L., 1954 a, 258-259  
*Istiophorus americanus* (stomach): waters off Miami, Florida
- Contraaecum hoffmanni n. sp.  
 Caballero y C., E., 1935 a, 285-289  
*Cochlearius cochlearius* (recto): México
- Contraaecum (Ornithocaecum) hoffmanni Cabalero, 1935  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 491
- Contraaecum hypomesi nov. sp.  
 Fujita, T., 1932 a, 27-28, 38, figs. 10-12  
*Hypomesus japonicus* (body cavity): Ishikari river  
 H. olidus: Japan
- Clupea pallasi: Hinuma, Ibaraki prefecture, Japan
- Oncorhynchus nerka: Ochotsk Sea
- Contraaecum hypomesi  
 Fujita, T., 1937 a, 1628, 1629
- Contraaecum hypomesi Fujita  
 Fujita, T., 1939 a, 239, 248-249, 252, pl. 10, figs. 3-5  
*Oncorhynchus gorbuscha*: Anaiwa, Yoman, Kaihyoto  
 O. nerka: Kavacha  
 O. keta: Russakoff
- Contraaecum hypomesi  
 Fujita, T., 1940 a, 378, 391, 393  
*Oncorhynchus keta*: Aisaka, Aomori; Kushiro, Hokkaido  
 O. masou: Uotsu, Toyama  
 O. nerka  
 O. gorbuscha
- Contraaecum (*Thynnascaris*) iheringascaris (Pereira)  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 133
- Contraaecum (*Erschovicaecum*) iheringascaris (Pereira, 1935) Mosgovoy, 1951  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 488
- Contraaecum ilishae n. sp.  
 Yamaguti, S., 1941 b, 343, 365-366, 395, pl. V, figs. 25-26; fig. 23  
*Ilisha elongata*: Sea of Ariake, Kyusyu
- Contraaecum (*Thynnascaris*) ilishae (Yamag., 1941)  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 133
- Contraaecum (Contraaecum) ilishae Yamaguti, 1941  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 481
- Contraaecum (*Thynnascaris*) increscens (Molin)  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 132  
*Coryphaena*  
*Lophius*
- Contraaecum incurvum (Rud., 1819)  
 Baylis, H. A.; and Daubney, R., 1922 a, 282-284, figs. 17, 18  
*Histiophorus gladius*
- Contraaecum incurvum (Rud., 1819) Baylis and Daubney, 1922  
 Baylis, H. A., 1936 a, 79, 88-90, figs. 39-40  
 synonymy  
*Xiphias gladius*
- Scomeromorus maculatus: American waters
- Tetrapterus imperator: " "  
 Seriola sonata: " "  
 S. lalandi: " "  
 Hippoglossus platessoides: " "
- Histiophorus gladius*: Indian waters
- Contraaecum incurvum (Rudolphi, 1819) Baylis and Daubney, 1922  
 Berland, B., 1961 a, 24-25, figs. 25-30  
*Xiphias gladius* (ventricle, gills): Norwegian coast
- Contraaecum incurvum (Rud., 1819)  
 Dollfus, R. P., 1933 a, 12
- Contraaecum (*Thynnascaris*) incurvum (Rud.)  
 Dollfus, R. P., 1935 d, 90, 92, fig. 2C
- Contraaecum incurvum (Rud., 1819)  
 Dollfus, R. P., 1935 h, 258-274, figs. 33-35, 37-48  
*Xiphias gladius* (estomac): Castiglione près Alger
- Contraaecum (*Thynnascaris*) incurvum (Rud.)  
 Johnston, T. H.; and Mawson, P. M., 1943 d, 20, 21, 33, fig. 2  
*Xiphias estara*: Cronulla, N.S.W.
- Contraaecum incurvum Rud.  
 Layman, E. M.; and Mudretsova, K. A., 1926 a, 43, 45  
*Histiophorus gladius*
- Contraaecum incurvum (Rudolphi, 1819)  
 Nigrelli, R. F., 1938 c, 11-12, 14, fig. 5  
 synonymy  
*Xiphias gladius*: Louisburg, Nova Scotia
- Contraaecum incurvum (Rud.)  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 15, V.c 16, V.c 17, V.c 38, fig. 372  
*Xiphias gladius*: Ostsee, Mittelmeer
- Contraaecum (*Erschovicaecum*) incurvum (Rudolphi, 1819)
- Baylis et Daubney, 1922  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 489
- Contraaecum [*sic*] incurvum  
 Walton, A. C., 1924 b, 169, 181, 202, 204, 222, 223, 232
- Contraaecum incurvum (Rud.)  
 Walton, A. C., [1927 a], 68-69  
*Carcharias ceruleus*
- Contraaecum incurvum  
 Walton, A. C., 1940 a, 210, fig. 150 B
- Contraaecum incurvum (Rud., 1819)  
 Yamaguti, S., 1935 g, 342, fig. 5  
*Xiphias gladius*: Pacific
- Contraaecum incurvum (Rud., 1819)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 282  
*Xiphias gladius*  
*Histiophorus gladius*
- Contraaecum (*Thynnascaris*) inquires (Linton, 1901)  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 132  
*Rachycentron canadus*
- Contraaecum kamaensis n. sp.  
 Steiner, G., 1929 j, 369-372  
 Flussboden der Kama
- Contraaecum (*Simplexonema*) lari n. sp.  
 Kreis, H. A., 1952 c, 252, 265, 282-287, fig. 5A-G  
*Larus marinus*: Faroe
- Contraaecum lawrencei sp. n.  
 Bisser, B., 1955 a, 765-768, figs. 1-2  
*Anhinga rufa levillantii*: Zululand
- Contraaecum (*Thynnascaris*) legendrei Dollfus, 1933  
 Berland, B., 1961 a, 25  
 as syn. of *C. cornutum* (Stossich, 1904) Baylis, 1923
- Contraaecum (*Thynnascaris*) legendrei (Dollfus, 1933)  
 Dollfus, R. P., 1935 d, 89, 90, figs. 1, 2B  
 Syn.: *Thynnascaris legendrei* Dollfus, 1933  
*Germo alalonga*: Concarneau
- Contraaecum (*Thynnascaris*) legendrei R. Ph. Dollfus 1933  
 Dollfus, R. P., [1940 b], 281, 282, fig. 69  
 germon: Atlantique
- Contraaecum (*Thynnascaris*) legendrei R. Ph. Dollfus 1933  
 Dollfus, R.P., 1952 d, 43  
 Germon alalunga
- Contraaecum (*Thynnascaris*) legendrei Dollfus  
 Johnston, T. H.; and Mawson, P. M., 1943 d, 20, 21, 33, fig. 1  
*Platycephalus macrodon*: Coast of N.S.W.
- Thunnus maccoyii*: New South Wales; Victoria
- Upeneichthys porosus*: St. Vincent Gulf, S. Aust.
- Contraaecum (*Thynnascaris*) legendrei Dollfus  
 Johnston, T. H.; and Mawson, P. M., 1944 a, 61  
*Threpterus maculosus*: Cape Borda, South Australia
- Upeneichthys porosus*: Port Lincoln, South Australia

- Contracaecum (*Thynnascaris*) legendrei Dollfus  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 75, 132,  
 133-135, figs. 21-23  
*Upereichthys porosus*  
*Caranx georgianus*  
*Platycephalus bassensis*  
*P. fuscus*  
*P. laevigatus*  
 all from Derwent River, Hobart
- Contracaecum (*Thynnascaris*) legendrei  
 Johnston, T. H.; and Mawson, P. M., 1951 a, 289, 295  
*Promicrops lanceolatus*: Hummocky Island, Queensland
- Contracaecum (*Thynnascaris*) legendrei Dollfus  
 Johnston, T. H.; and Mawson, P. M., 1951 b, 18, 19, 21  
*Promicrops lanceolatus*: Caloundra, South Queensland  
*Sciaena antarctica*: Caloundra, South Queensland;  
 Kiama, New South Wales  
*Caranx georgianus*: St. Vincent Gulf, South Australia
- Contracaecum (*Erschovicaecum*) legendrei (Dollfus, 1933)  
 Dollfus, 1935  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A.  
 A., 1951 a, 489
- Contracaecum legendrei (Dollfus, 1933)  
 Yamaguti, S., 1941 b, 343, 361, 395, pl. V, fig. 20  
 Syn.: *Thynnascaris* legendrei Dollfus, 1933  
*Thynnus alalonga*: Pacific
- Contracaecum lobulatum (Schn.)  
 Baylis, H. A., 1920 g, 262
- Contracaecum lobulatum (Schneider, 1866) Baylis, 1920  
 Baylis, H. A., 1932 b, 402, 413  
 Syns.: *Ascaris lobulata* Schneider, 1866; ? *Ascaris delphini* Rudolphi, 1819; ? *Ascaris simplex* of Diesing, 1851 (part)  
*Platanista gangetica* (mouth, oesophagus, stomach, intestine)
- Contracaecum lobulatum (Schneider, 1866) Baylis and Daubney, 1923  
 Baylis, H. A., 1936 a, 79, 87-88, fig. 38  
 synonymy  
*Platanista gangetica*: Ganges and Hoogly Rivers
- Contracaecum lobulatum (Schneider, 1866)  
 Baylis, H. A.; and Daubney, R., 1923 a, 557-558, fig. 5  
*Platanista gangetica*: India
- Contracaecum (C.) lobulatum (Schneider, 1866) Baylis et Daubney, 1923  
 Delamare, S. L., [1956 b], 239  
 key
- Contracaecum lobulatum Schn.  
 Layman, E. M.; and Mudretsova, K. A., 1926 a, 42, 45  
*Platanista gangetica*
- Contracaecum lobulatum (Schneider)  
 Schuurmans Stekhoven, J. H., 1937 a, 470
- Contracaecum lobulatum (A. Schneider)  
 Schuurmans Stekhoven, J. H., 1939 a, 552, 560, 561
- Contracaecum (C.) lobulatum (Schneider, 1866) Baylis et Daubney, 1923  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A.  
 A., 1951 a, 481  
 Syn.: *Ascaris lobulata* Schneider, 1866; *A. delphini Rudolphi*, 1819
- Contracaecum lobulatum  
 Sprehn, C. E. W., 1927 e, 42
- Contracaecum lobulatum (Schneider, 1866)  
 Yorke, W.; and Maplestone, F. A., 1926 a, 283  
*Platanista* sp.
- Contracaecum longicaecum n. sp.  
 Schuurmans Stekhoven, J. H. (jr.), 1952 c, 315, 318,  
 319, 336-339, fig. 9  
*Platystoma* sp. (estómago e intestino): Argentina
- Contracaecum longicaudatum [n. sp.]  
 Dubinina, M. N., 1945 a, 168  
*Rana ridibunda*: Delta of the Volga
- Contracaecum longicaudatum larva nov.  
 Dubinina, M. N., 1950 c, 325-327, fig. 11  
*Rana ridibunda*: Volga delta
- Contracaecum longispiculum n. sp.  
 Fujita, T., 1940 a, 381-382, 392, fig. 3A-C  
*Oncorhynchus keta*: Tarandomari River, Karafuto
- Contracaecum (*Erschovicaecum*) longispiculum Fujita, 1940  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi,  
 A. A., 1951 a, 489
- Contracaecum lophii n. sp.  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 15, V.c 16,  
 V.c 37, fig. 369  
*Lophius piscatorius*: Ost- and Nordsee
- Contracaecum (C.) lophii Schuurmans Stekhoven, 1935  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A.  
 A., 1951 a, 481
- Contracaecum lophii Schuurmans Stekhoven, 1935  
 Stefanski, W., 1936 a, 82-85, figs. 13-15  
*Lophius piscatorius*: Station biologique d'Arcachon
- Contracaecum macquariae n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1940 e, 341, 342,  
 343, figs. 8-9  
*Macquaria australasica*: Goodradigbee River, N. S.  
 Wales
- Contracaecum macronectidis nov. sp.  
 Schuurmans Stekhoven, J. H. (jr.), 1950 c, 325, 336-  
 337, fig. 4  
*Macronectes giganteus*: Argentina
- Contracaecum macrozoarcium n. sp.  
 Nigrelli, R. F., 1946 a, 187, 188, 202, 203, 209-211,  
 213, fig. D(1-4)  
*Macrozoarces americanus*: New England
- Contracaecum macrurioidei [n. comb.]  
 Johnston, T. H., 1938 c, 25  
 Syn.: *Ascaris macrurioidei*  
*Macrurus* sp. (M. armatus)
- Contracaecum magnicollare n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1941 g, 111, 112,  
 114, figs. 11-12  
*Anous stolidus*: North-West Islet, Great Barrier  
 Reef, Queensland
- Contracaecum magnicollare Johnston and Mawson  
 Johnston, T. H.; and Mawson, P. M., 1942 c, 66, 67  
*Diomedea cauta*: Brighton, South Australia
- Contracaecum magnicollare Johnston and Mawson 1941  
 Johnston, T. H.; and Mawson, P. M., 1944 a, 60, 61  
*Sula sordida*: Dunedin, New Zealand  
*Anous stolidus*: Queensland
- Contracaecum magnicollare Johnston and Mawson  
 Mawson, P. M., 1956 a, 40, 41, fig. 15  
*Diomedea* sp.: Canada
- Contracaecum magnipapillatum n. sp.  
 Chapin, E. A., 1925 b, 3-4, fig. 4  
*Megalopterus hawaiiensis*: Hawaii
- Contracaecum magnipapillatum Chapin  
 Cram, E. B., 1927 a, 147, 161-162, fig. 236  
*Megalopterus hawaiiensis*
- Contracaecum magnipapillatum  
 Osche, G., 1958 a, 554
- Contracaecum (C.) magnipapillatum Chapin, 1925  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A.  
 A., 1951 a, 481
- Contracaecum magnum n. sp.  
 Smedley, E. M., 1934 a, 211-214, figs. 6-10  
*Ophidion elongatus*  
*Leptocottus armatus*  
*Apodichthys flavidus*  
 all from Pacific Biological Station [Nanaimo B.C.]
- Contracaecum (*Erschovicaecum*) magnum Smedley, 1934  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A.  
 A., 1951 a, 489
- Contracaecum marinum (Linné, 1767) [n. comb.]  
 Yamaguti, S., 1935 g, 344, fig. 7  
 Syn.: *Ascaris rigida* Rud., 1809  
*Lophius litulon*: Simonoseki
- Contracaecum marinum (Linnaeus, 1767) Railliet et Henry,  
 1912  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A.  
 A., 1951 a, 481
- Contracaecum matwejewi n. sp.  
 Layman, E. M.; and Mudretsova, K. A., 1926 a, 38, 40-41,  
 45, figs. 22-24  
*Sterna macrura*

- Contracaecum (*Erschovicaecum*) matwejewi Layman et Mudrezova, 1926  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 489
- Contracaecum melanogrammi n. sp.  
 Smedley, E. M., 1934 a, 214-218, figs. 11-14  
*Melanogrammus aeglefinus*: Atlantic Biological Station, St. Andrews, N.B.
- Contracaecum (*Erschovicaecum*) melanogrammi Smedly, 1934  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 489
- Contracaecum melichthysi n. sp.  
 Olsen, L. S., 1952 a, 175-177, 199, 206, 207, pl. I, figs. 1-11  
*Melichthys bumiva*: Honolulu, Hawaii
- Contracaecum mesopi n. sp.  
 Fujita, T., 1940 a, 382-383, 392, fig. 4A-C  
*Mesopodus olidus*: Ishikari River, Hokkaido
- Contracaecum mesopoi Fujita, 1940  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 481
- Contracaecum (C.) mexicanum n. sp.  
 Flores Barroeta, L., 1957 a, 277-283, figs. 1-4  
*Pelecanus occidentalis californicus*: Acapulco, Mexico
- Contracaecum microcephalum (Rud.) [n. comb.]  
 Baylis, H. A., 1920 g, 262
- Contracaecum microcephalum (Rud.)  
 Baylis, H. A., 1928 g, 338  
*Botaurus stellaris*
- Contracaecum microcephalum (Rud., 1809) Baylis, 1920  
 Baylis, H. A., 1936 a, 79, 81-82, fig. 33  
 Syn.: ? *Ascaris coronata* v. Linstow, 1906  
*Ardeola grayii*  
 herons  
 egrets  
 domestic duck  
 bitterns  
 storks  
 all from Samal Island, Lake Chilka, Orissa
- Contracaecum microcephalum (Rud., 1809)  
 Baylis, H. A., 1940 b, 402  
*Ardea purpurea*: Belgian Congo
- Contracaecum microcephalum (Rudolphi, 1819) Baylis, 1920  
 Ablasov, N. A.; Iksanov, K. I.; and Chibichenko, N. T., 1960 a, 182  
*Pelecanus rufescens*: lake Balkhash
- Contracaecum microcephalum (Rudolphi, 1809) Baylis, 1900  
 Alencaster Ybarra, G., 1948 a, 17-19, pl. 2, figs. 1-3  
*Nycticorax nycticorax naevius*: Mexico, D. F.
- Contracaecum microcephalum (Rud.)  
 Babic, I., 1936 a, 299  
*Ardea purpurea*: Jugoslawiens
- Contracaecum microcephalum (Rud.)  
 Baylis, H. A.; and Daubney, R., 1922 a, 282
- Contracaecum microcephalum (Rud., 1809)  
 Baylis, H. A.; and Daubney, R., 1923 a, 556  
*Ardeola grayi*: India
- Contracaecum microcephalum (Rud., 1819) Baylis, 1920  
 Caballero y C.; and Peregrina, D. I., 1938 a, 154-155, 162, fig. 2  
*Pelecanus erythrorynchus*  
*Nycticorax nycticorax naevius*  
 both from Valle de México, Chapultepec, D. F.
- Contracaecum microcephalum (Rud.)  
 Canavan, W. P. N., 1931 a, 216-217  
*Nycticorax nycticorax naevius*
- Contracaecum microcephalum ?  
 Chandler, A. C., 1935 c, 124, 125, 142-143, pl. 10, figs. 9-10  
 as syn. of *C. robustum* n. sp.
- Contracaecum microcephalum (Rud.)  
 Cram, E. B., 1927 a, 147, 152-153, 159, 160, fig. 222
- Contracaecum microcephalum (Rudolphi, 1809)  
 Dubinin, V. B., 1941 a, 380
- Contracaecum microcephalum (Rud., 1809)  
 Dubinin, V. B., 1949 d, 153, 154, fig. 12  
 cycle of development: Volga delta
- Contracaecum microcephalum (Rud., 1809) Baylis, 1920  
 Dubinina, M., 1937 a, 558-559, 567, 568, 569, 570, 573  
*Nycticorax nycticorax*: Astrakhan State Reservation
- Contracaecum microcephalum (Rud., 1809)  
 Dubinina, M. N.; and Serkova, O. P., 1951 a, 78, 94  
*Ardea cinerea*  
*Egretta alba*  
*Botaurus stellaris*  
 all from Tadzhikistan
- Contracaecum microcephalum (Rudolphi, 1809) Baylis, 1920  
 Ezzat, M. A.; and Tadros, G., 1958 a, 10, 35-36, 37, 38, fig. 30  
*Actophilornis africanus* (stomach): Belgian Congo
- Contracaecum microcephalum (Rud., 1809) Bayl., 1920  
 Ginetsinskaia, T. A., 1952 b, 63  
*Podiceps cristatus*: Astrakhan preserve
- Contracaecum microcephalum (Rudolphi, 1809)  
 Gower, W. C., 1939 a, 611, 617, 618  
 synonymy  
*Anas boschas*  
*A. domestica*  
*Ardea cinerea*  
*A. comata*  
*A. herodias*  
*A. minor*  
*A. nycticorax*  
*A. purpurea*  
*Ardea species*  
*A. stellaris*  
*Ardeola grayi*  
*A. ralloides*  
*Botaurus mugitans*  
*B. stellaris*  
*Butorides cirescens virescens*  
*Ciconia alba*  
*C. nigra*  
*Herodias egretta*  
*H. tricolor*  
*Nyctiardea grisea*  
*Nycticorax europaeus*  
*N. nycticorax*  
 ducks  
*Anas p. platyrhynchos*
- Contracaecum microcephalum Rud., 1809  
 Hartwich, G., 1954 a, 1176
- Contracaecum microcephalum (Rud.)  
 Hoepli, R. J. C.; and Hsü, H. F., 1929 a, 6, 13-15, 21, 23, figs. 6, 7  
*Ardeola bacchus*  
*Nycticorax nycticorax*
- Contracaecum microcephalum (Rud.)  
 Hoepli, R. J. C.; and Hsü, H. F., 1929 b, 24, 26-27  
*Ardeola bacchus*  
*Milvus govinda*  
*Nycticorax nycticorax*
- Contracaecum microcephalum  
 Hsü, H. F., 1933 b, 13  
 oesophageal glands
- Contracaecum microcephalum (Rudolphi, 1809)  
 Hsü, H. F., 1933 j, 1247, 1273, 1283  
 oesophageal glands

- Contracaecum (C.) microcephalum (Rudolphi, 1819)  
 Baylis, 1920  
 Hsü, W. F., 1957 a, 48, 49, 53, pl. II, figs. 23-27  
*Nycticorax nycticorax nycticorax*: Kwangtung Prov., China
- Contracaecum microcephalum (Rud., 1809)  
 Inglis, W. G., 1954 b, 822  
*Ardeola grayii*: Bengal
- Contracaecum microcephalum (Rud., 1809)  
 Ivanitskii, S. V., 1940, 150  
*Nycticorax nycticorax*: Ukraine
- Contracaecum microcephalum (Rud. 1809)  
 Johnston, T. H.; and Mawson, P. M., 1941 g, 111, 114  
*Anas boschas*: Lord Howe Island  
*A. superciliosa*: New South Wales
- Contracaecum microcephalum (Rud.)  
 Johnston, T. H.; and Mawson, P. M., 1953 a, 65, 68  
*Anas superciliosa*: Auckland Islands
- Contracaecum microcephalum  
 Kamegai, S.; Nonobe, H.; Suzuki, T.; and Machida, M., 1959 a, 410  
 Kanto area
- Contracaecum microcephalum (Rud., 1809) Baylis, 1920  
 Kurashvili, B. E., 1950 a, 58  
*Egretta alba*: Georgian SSR
- Contracaecum microcephalum (Rud., 1809) Baylis, 1920  
 Kurashvili, B. E., [1954 a], 342  
*Ardea alba*: Georgia, SSSR
- Contracaecum (C.) microcephalum (Rud., 1819)  
 Kurashvili, B. E., 1957 a, 219-222, fig. 110  
*Aythya nyroca*  
*Egretta alba*  
 both from Georgian SSR
- Contracaecum microcephalum Rud.  
 Layman, E. M.; and Mudretsova, K. A., 1926 a, 42, 45  
*Ardea* sp.
- Contracaecum microcephalum (Rud.)  
 Loveridge, A., 1923 a, 917, 918  
*Scopus umbretta bannermanni* (stomach)  
*Butorides atricapilla*  
*Ardeola ralloides* (stomach)  
*Ardea purpurea purpurea* (stomach)  
 all from East Africa
- Contracaecum (C.) microcephalum  
 Macko, J. K., 1961 f, 845-856  
*Ardea purpurea* (esophagus, glandular and muscular stomachs, intestine): East Slovakia
- Contracaecum microcephalum (Rud., 1809) Baylis, 1920  
 Myers, B. J.; Kuntz, R. E.; Wells, W. H., 1962 a, 534  
*Nycticorax nycticorax nycticorax*: Egypt
- Contracaecum microcephalum  
 Osche, G., 1958 a, 498, 499, 500, 503, 545, 554, fig. 10c  
*Anas platyrhyncha*
- Contracaecum microcephalum (Rud.)  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 16, V.c 17, V.c 38, V.c 39, V.c 40, fig. 374  
*Ardea purpurea*  
*Anas platyrhyncha*  
*Botaurus stellaris*  
*Ciconia ciconia*  
*C. nigra*
- Contracaecum microcephalum (Rudolphi)  
 Schuurmans Stekhoven, J. H. (jr.), 1937 e, 18, 19-20, figs. 42-46  
*Nycticorax nycticorax*
- Contracaecum microcephalum (Rudolphi 1809)  
 Schuurmans Stekhoven, J. H. (jr.), 1952 a, 318, 319, 335-336, fig. 8  
*Casmerodius albus egretta* (esófago, estómago, intestino delgado): Argentina
- Contracaecum microcephalum (Rudolphi, 1809)  
 Serkova, O. P., 1948 a, 214, 240  
*Botaurus stellaris*: Barabin lakes
- Contracaecum microcephalum  
 Shigin, A. A., 1954 b, 59, 60  
 piscivorous birds of fish reservoirs
- Contracaecum microcephalum (Rudolphi, 1819) Baylis, 1920  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 481
- Contracaecum microcephalum (Rud.)  
 Spaul, E. A., 1923 b, 223  
*Ardea purpurea*  
*Ardeola ralloides*  
*Scopus umbretta bannermanni*  
 all from Tanganyika Territory
- Contracaecum microcephalum (Rud.)  
 Sprehn, C. E. W., 1930 r, 771, 774
- Contracaecum microcephalum (Rudolphi, 1809)  
 Sprehn, C. E. W., 1932 c, 536, 854, 855, 856, 860, fig. 255  
 Syns.: *Ascaris microcephala* Rudolphi, 1809;  
*A. ciconiae* Rudolphi, 1819; *Kathleena arcuata* Gedoelst, 1916; *C. quadricuspe* Walton, 1923  
*Anas platyrhyncha* (Darm)  
*Ardea purpurea*  
*Nycticorax nycticorax*  
*Botaurus stellaris*  
*Ciconia ciconia*  
*C. nigra*  
 all from Europa [and/or] Asien [and/or] Afrika [and/or] Nordamerika
- Contracaecum (C.) microcephalum (Rudolphi, 1809)  
 Sultanov, M. A., 1959 c, 68  
 [*Ardea cinerea*] *seraia tsaplia*  
 [*Botaurus*] *vyp*  
 [*Nycticorax nycticorax*] *kvakva*  
 all from Uzbekistan
- Contracaecum microcephalum Rudolphi, 1819  
 Sultanov, M. A.; Ryzhikov, K. M.; and Kozlov, D. P., 1960 a, 59  
 [*Ardea cinerea*] *seraia tsaplia*  
 [*Ardea purpurea*] *ryzhaiia tsaplia*  
 both from mouth of Amu-Darya
- Contracaecum microcephalum Rudolphi, 1809  
 Szidat, L., 1940 a, 572, 576, 577, 578, 579  
*Ardea cinerea*  
*A. comata*  
*A. herodias*  
*A. minor*  
*Ciconia alba*  
*C. nigra*
- Contracaecum microcephalum (Rudolphi, 1809)  
 Vojtěchovská-Mayerová, M., 1953 a, 83, fig. 7  
*Phalacrocorax carbo*: Czechoslovakia
- Contracaecum microcephalum (Rudolphi, 1809)  
 Vuylsteke, C., 1953 b, 10, 41  
 Syn.: *Kathleena arcuata* Gedoelst, 1916  
*Anhinga rufa rufa*  
*Merops nubicus nubicoides*  
*Butorides striatus atricapillus*  
 all from Mabwe
- Contracaecum microcephalum (Rudolphi, 1809)  
 Vuylsteke, A., 1956 a, 453  
*Civettictis civetta*: Matadi
- Contracaecum microcephalum (Rudolphi, 1809)  
 Vuylsteke, C., 1957 a, 5  
*Nycticorax nycticorax nycticorax* (estomac):  
 Parc National de la Garamba, Congo Belge
- Contracaecum microcephalum (Rud.)  
 Walton, A. C., [1927 a], 67  
*Ardea herodias wardi*  
*Botaurus leutiginosus*  
*Hydranassa tricolor ruficollis*  
*Herodias egretta*  
*Nycticorax nycticorax*  
*Florida coerulea*  
*Elanoides forficatus*  
*Butorides virescens*  
*Esox lucius*

- Contraeacum microcephalum (Rud., 1809) Baylis, 1920  
 Yamaguti, S., 1935 j, 403, 404-405, figs. 1-2  
*Nycticorax nycticorax nycticorax* (esophagus, stomach): Japan
- Contraeacum microcephalum (Rud., 1809) Baylis, 1920  
 Yamaguti, S., 1941 e, 441, 455-456, 479, pl. X, figs. 13-15  
*Nycticorax nycticorax nycticorax*  
*Egretta garzetta garzetta*  
 both from Japan
- Contraeacum microcephalum (Rud., 1809) Baylis, 1920 (larva)  
 Yamaguti, S., 1941 e, 456, pl. X, figs. 14-15  
*Misgurnus anguillicaudatus*: southern suburb of Kyoto, Japan
- Contraeacum microcephalum (Rud., 1809) Baylis, 1920  
 Yamaguti, S.; and Mitunaga, Y., 1943 b, 300, 302  
*Nycticorax n. nycticorax*: Formosa
- Contraeacum microcephalum (Rud.) Baylis  
 Yamashita, J.; and Yamashita, Z., 1953 a, 504-506, 507, fig. 1  
*Phalacrocorax capillatus* (proventriculum): Nagar, Gifu Prefecture
- Contraeacum microcephalum (Rud., 1809)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 282  
*Ardea spp.*
- Contraeacum micropapillatum (Stossich) [n. comb.]  
 Baylis, H. A., 1920 g, 262
- Contraeacum ? micropapillatum (Stossich, 1890)  
 Baylis, H. A., 1939 a, 492  
*Stercorarius pomarinus*: Wiltshire, Brit. Is.
- Contraeacum micropapillatum (Stossich, 1890)  
 Baylis, H. A., 1940 b, 402  
*Pelecanus onocrotalus*: Belgian Congo
- Contraeacum micropapillatum (Stossich, 1890)  
 Baylis, 1920  
 Ablasov, N. A.; Iksanov, K. I.; and Chibichenko, N. T., 1960 a, 182  
*Pelecanus rufescens*: lake Balkhash
- Contraeacum micropapillatum (Stossich)  
 Babic, I., 1936 a, 300  
*Pelecanus sp.*: Jugoslawiens
- Contraeacum microcephalum (Rudolphi, 1809)  
 Bezubik, B., 1956 c, 74  
*Ardea cinerea*  
*A. purpurea*  
*Botaurus stellaris*  
*Ixobrychus minutus*  
 all from Poland
- Contraeacum micropapillatum  
 Bravo Hollis, M., 1939 a, 295, 296
- Contraeacum micropapillatum (Stossich)  
 Canavan, W. P. N., 1931 a, 217  
*Spatula clypeata*
- Contraeacum micropapillatum  
 Chandler, A. C., 1935 c, 124, 125, 141-142, pl. 10, figs. 6-8  
 ? as syn. of *C. collieri* n. sp.
- Contraeacum micropapillatum (Stossich, 1890)  
 Chow, C. Y., 1939 a, 21, 22, 23, 24-25, fig. 4  
*Falconidae*: Indochine française
- Contraeacum micropapillatum  
 Cram, E. B., 1926 d, 180  
*Glaucionetta clangula*
- Contraeacum micropapillatum (Stossich)  
 Cram, E. B., 1927 a, 146, 153-154, figs. 223-224  
*Pelecanus sp.*  
*P. crispus*  
*P. erythrorynchos*  
*Glaucionetta clangula*
- Contraeacum micropapillatum (Stossich, 1890)  
 Baylis, 1920  
 Ezzat, M. A.; and Tadros, G., 1958 a, 10, 35, 37, fig. 29  
*Butorides atricalla* (stomach)  
*Pelecanus onocrotalus* (stomach, oesophagus)  
*Phalacrocorax africanus* (stomach)  
 all from Belgian Congo
- Contraeacum micropapillatum (Stossich, 1890)  
 Gower, W. C., 1939 a, 611, 619  
 synonymy  
*Pelecanus species*  
*P. crispus*  
*P. erythrorynchos*  
*Glaucionetta clangula*
- Contraeacum (C.) micropapillatum Stossich, 1890, Baylis, 1920  
 Ianchev, I., 1958 a, 406, 407, fig. 8  
 Syn.: *Ascaris micropapillata* Stossich, 1890  
*pelecanis*: Zoological Garden, Sofia, Bulgaria
- Contraeacum micropapillatum Stoss.  
 Layman, E. M.; and Mudretsova, K. A., 1926 a, 42, 45  
*Pelecanus sp.*
- Contraeacum micropapillatus Stossich, probably Oglesby, L. B., 1960 a, 354  
*Pelecanus erythrorynchos* (stomach): Florida
- Contraeacum micropapillatum Osche, G., 1958 a, 554
- Contraeacum (C.) micropapillatum (Stossich, 1890) Baylis, 1920  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 482
- Contraeacum micropapillatum (Stossich, 1890) Vuylsteke, C., 1957 a, 5  
*Phalacrocoracides*: Parc National de la Garamba, Congo Belge
- Contraeacum micropapillatum (Stossich, 1890)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 282  
*Pelecanus spp.*
- Contraeacum milvi n. sp.  
 Yamaguti, S., 1935 j, 403, 406-407, figs. 5-6  
*Milvus migrans formosanus* (esophagus, stomach): Japan
- Contraeacum milvi Yamaguti, 1935  
 Yamaguti, S., 1941 e, 441, 460-461, figs. 23-25  
*Milvus migrans lineatus*: near Kyoto, Japan  
*M. migrans formosanus*: Formosa
- Contraeacum milvi Yamaguti, 1935  
 Inglis, W. G., 1954 b, 821  
*Butastur teesa*: Bhithi, Central Provinces
- Contraeacum milvi Osche, G., 1958 a, 554
- Contraeacum (C.) milvi Yamaguti, 1935  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 482
- Contraeacum milviensis, n. sp.  
 Karokhin, V. I., 1937 a, 275-280, figs. 1-6  
*Milvus lineatus*: Environs Barnaul, Siberia
- Contraeacum milviensis Osche, G., 1958 a, 554
- Contraeacum milvensis [sic] Karokhin, 1937  
 Serkova, O. P., 1948 a, 214, 240  
*Hypotriorchis subbuteo*: Barabin lakes
- Contraeacum (C.) milviensis Karokhin, 1937  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 482
- Contraeacum milviensis Karokhin, 1937  
 Zhukov, E. V., 1956 a, 271  
*Milvus korschun* (oesophagus): Astrakhan preserve
- Contraeacum monodontatum [lapsus]  
 Funita, T., 1939 a, pl. 11, figs. 13-14  
 [for *C. unidentatum* n. sp.]
- Contraeacum mulli (Wedl) [n. comb.]  
 Isaichikov, I. M., 1927 e, 130-132, 2 figs.  
*Mullus barbatus*  
*Zeus faber*

- Contracoecum mulli*  
Isaichikov, I. M., 1927 p, 113  
*Smaris chryselis*: Crimea  
*Engraulis encrassicholus*: Feodosia  
*Mullus barbatus*: Crimea  
*Pelamys sarda*: Crimea
- Contracoecum mulli*  
Chulkova, V. N., 1939 a, 22  
*Mullus barbatus*: Batum
- Contracaecum mulli* (Wedl 1855) Issaichikov 1927  
Kurashvili, B., 1960 a, 257  
*Mullus barbatus ponticus*: Black Sea
- Contracaecum multipapillatum* (Drasche)  
Baylis, H. A., 1920 g, 262
- Contracaecum multipapillatum* (Drasche)  
Cram, E. M., 1927 a, 146, 154-155, figs. 225-226  
Ardea sp.  
*Tantalus loculator*
- Contracaecum multipapillatum* (Drasche, 1882) Baylis, 1920  
Ezzat, M. A.; and Tadros, G., 1958 a, 11, 37, 38, 39, figs. 31, 32  
*Pelecanus onocrotalus* (stomach, oesophagus)  
hen (intestine)  
both from Belgian Congo
- Contracaecum multipapillatum*  
Hartwich, G., 1954 a, 1176, 1198, 1199, pl. 3, figs. 8e, 10
- Contracaecum multipapillatum* (Drasche, 1882)  
Hsü, H. F., 1933 f, 1247, 1270-1272, 1273, 1274, pl. 6, fig. 35; pl. 7, figs. 36-40; pl. 8, fig. 47; pl. 10, fig. 53  
oesophageal glands
- Contracaecum multipapillata* Drasche  
Layman, E. M.; and Mudretsova, K. A., 1926 a, 42, 45  
*Tantalus loculator*
- Contracaecum multipapillatum* (von Drasche, 1882)  
Baylis, 1920  
Lucker, J. T., 1941 d, 505-512, figs. 1-7  
redescription, synonymy  
*Mycteria americana* (= *Tantalus loculator*)  
Anhinga anhinga  
Ardea herodias
- Contracaecum multipapillatum*  
Osche, G., 1958 a, 545, 554
- Contracaecum multipapillatum*  
Schuurmans Stekhoven, J. H., 1937 a, 388, fig. 42F
- Contracaecum* (C.) *multipapillatum* (Drasche, 1882) Baylis, 1920  
Skrjabin, K. I., Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 482
- Contracaecum multipapillatum*  
Walton, A. C., 1923 a, 64
- Contracaecum multipapillosa* (Drasche) [n. comb.]  
Skrjabin, K. I., 1916 c, 707, 712-714, pl. 24, figs. 4-8; 739-740  
Ardea  
[for *multipapillata* v. Dr.?]
- Contracaecum multipapillosa* of Skrjabin, 1916  
(*nec Ascaris multipapillosa* Skrjabin, 1916; *nec A. multipapillata* von Drasche, 1882)  
Lucker, J. T., 1941 d, 511  
as syn. of *Contracaecum ainterlabium* n. sp.
- Contracaecum multipapillosa* Skrjabin, 1916  
Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 499  
as syn. of *Heterotyphlum multipapillosum* (Skrjabin, 1916) Mosgovoy, 1951
- Contracaecum multipapillosum* (Drasche)  
Witenberg, G. G., 1929 a, 124
- Contracaecum murrayense* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1940 e, 340, 341, 342, 344, figs. 10-13  
*McCullochella macquariensis*  
*Plectroplites ambiguus*  
*Percalates colonorum*  
all from Tailem Bend, Australia
- Contracaecum naitoi* nov. sp.  
Fujita, T., 1932 a, 26-27, 37-38, figs. 7-9  
*Taius tumifrons*: Shinchiku fish-market, Taiwan, Japan
- Contracaecum nasutum* (Schneider, 1866)  
Yorke, W.; and Maplestone, P. A., 1926 a, 282  
*Pelecanus* sp.
- Contracaecum nehlii* n. sp.  
Karokhin, V. I., 1949 a, 91-93, figs. 1-4  
*Colymbus nigricollis*: Altaiskii krai
- Contracaecum nehlii*  
Osche, G., 1958 a, 554
- Contracaecum nehlii*  
Schad, G. A.; Kuntz, R. E.; and Wells, W. H., 1960 a, 950  
*Gallinula chloropus chloropus*: Turkey
- Contracaecum* (C.) *nehlii* Karokhin, 1949  
Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 482
- Contracaecum* (*Thynnascaris*) *nototheniae* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1945 a, 75, 135, fig. 28  
*Notothenia rossi*: Kerguelen  
*N. macrocephala*: Macquarie Island
- Contracaecum nycticoracis* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1941 b, 9, 13, 15-16, figs. 14-15  
*Nycticorax caledonicus*: Bulli District, N. S. W.
- Contracaecum* (C.) *nycticoracis* Johnston et Mawson, 1941  
Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 482
- Contracaecum obtusocaudatum* (Rud.)  
Schuurmans Stekhoven, J. H., 1939 a, 552, 562
- Contracaecum ochotense* nov. sp.  
Fujita, T., 1932 a, 28, 38-39, figs. 13-15  
*Hypomesus japonicus*  
*H. olidus*  
*Clupea pallasii*  
*Oncorhynchus nerka*  
all from Japan
- Contracaecum ochotense*  
Fujita, T., 1937 a, 1628, 1629
- Contracaecum ochotense*  
Fujita, T., 1940 a, 391  
*Oncorhynchus nerka*  
*O. keta*
- Contracaecum ogcocephali* n. sp.  
Olsen, L. S., 1952 a, 177-178, 199, 206, 207, pl. I, figs. 12-17  
*Ogcocephalus radiatus*: Tortugas, Florida
- Contracaecum ogcocephali* Olsen, 1952  
Chandler, A. C., 1954 e, 357  
*Ogcocephalus radiatus*: Dry Tortugas, Gulf Mexico
- Contracaecum ogmohini* sp. nov.  
Johnston, T. H.; and Mawson, P. M., 1941 d, 429, 430, 431-432, figs. 3-4  
*Hydrurga leptonyx*: Port Adelaide, S. A.
- Contracaecum ogmohini* [sic] Johnston et Mawson, 1941  
Campana-Rouget, Y.; and Paulian, P., 1960 a, 191-192, figs. 1-2  
Syn.: *C. corderoi* Lent et Freitas, 1948  
*Arctocephalus* sp.: ile Amsterdam
- Contracaecum okadai* n. sp.  
Fujita, T., 1940 a, 378-379, 392, fig. 1A-C  
*Salvelinus malma*: Chitose River, Hokkaido
- Contracaecum* (C.) *okadai* Fujita, 1940  
Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 482
- Contracaecum oschmarini* nov. sp.  
Mozgovoy, A. A., 1950 b, 95-98, figs. 8-11  
*Uria lomvia*: Primorskii krai
- Contracaecum oschmarini*  
Krotov, A. I., 1960 c, 482  
Sakhalin
- Contracaecum oschmarini* Mosgovoy, 1950  
Krotov, A. I.; and Deliamure, S. L., 1952 a, 288  
*Uria alge inorta*: Tfulen Island
- U. lomvia arra*: Aniva Gulf

- Contracaecum oschmarini*  
Osche, G., 1958 a, 554
- Contracaecum (C.) oschmarini* Mosgovoy, 1950  
Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 482
- Contracaecum osculatum* (Rud.) [n. comb.]  
Baylis, H. A., 1920 g, 262
- Contracaecum osculatum* (Rud., 1802)  
Baylis, H. A. 1922 c, 425  
*Phoca hispida*: Klaas Billen Bay
- Contracaecum osculatum* (Rud., 1802)  
Baylis, H. A., 1923 i, 4  
*Halichoerus grypus*
- Contracaecum osculatum* (Rud., 1802)  
Baylis, H. A., 1937 d, 121-126, figs. 1-3  
Syns.: *Ascaris stenocephala* Railliet and Henry, 1907; *Kathleena rectangula* Leiper and Atkinson, 1915
- Cystophora cristata*  
*Erignathus barbatus*  
*Eumetopias jubata* [E. stelleri]  
*Halichoerus grypus*  
*Monachus albiventer*  
*Odobenus rosmarus*  
*Phoca groenlandica*  
*P. hispida* [P. foetida]  
*P. vitulina*  
*Hydrurga* [*Ogmorhinus*, *Stenorhynchus*] leptonyx  
*Leptonychotes weddelli*  
*Lobodon carcinophagus*  
*Mirounga* [*Macrorhinus*] *leonina*  
*Otaria byronia* [*O. jubata*]  
*Arctocephalus australis* [*A. falklandicus*]
- Contracaecum osculatum* (Rudolphi, 1802)  
Baylis, H. A., 1939 a, 492  
*Halichoerus gryphus*: Cornwall; Carmarthenshire
- Contracaecum osculatum* (Rudolphi, 1802)  
van den Broek, E.; and Wensvoort, P., 1959 a, 59, 60  
*Phoca vitulina* (stomach): Texal island, Dutch Waddenze
- Contracaecum osculatum* (Rudolphi, 1802) Baylis, 1920  
Caballero y C., E.; and Peregrina, D. I., 1938 b, 292-293  
*Mirounga angustirostris*: Isla de Guadalupe, Baja, California
- Contracaecum osculatum*  
Chitwood, B. G.; and Chitwood, M. B., 1937 b, 46
- Contracaecum osculatum*  
Conti, L. F., 1938 a, 4-7  
seals: San Diego Zoo. Gardens, and West Benito Island area, California
- Contracaecum osculatum*  
Cram, E. B., 1923 b, 238-239  
sea-lion
- Contracaecum (C.) osculatum* (Rud., 1802) Baylis, 1920  
Deliamure, S. L., [1956 a], 238, 239  
key
- Contracaecum osculatum* (Rud., 1802)  
Deliamure, S. L.; and Skrjabin, A. S., 1960 a, 12  
*Callorhinus ursinus ursinus*: Komandorskie Isles
- Contracaecum osculatum* (Rudolphi, 1802)  
Duncan, A., 1956 a, 640  
*Halichoerus grypus*: Isle of Man
- Contracaecum osculatum*  
Hartwich, G., 1954 a, 1175, 1176, 1178, 1182, 1183, 1187, 1200, 1201, 1208, 1209, pl. 4, figs. 13-14; pl. 5, fig. 36
- Contracaecum osculatum*  
Herman, C. M., 1942 a, 45, 47  
*Zalophus californianus*: San Diego Zoo
- Contracaecum osculatum*  
Hsü, H. F., 1933 j, 1248, 1249  
oesophageal glands
- Contracaecum osculatum*  
Hsü, H. F., 1933 j, 1272  
œsophageal glands
- Contracaecum osculatum* (Rud.)  
Johnston, T. H., 1937 b, 9, 13  
*Arctocephalus forsteri*: Pearson Island, off West Coast Eyre Peninsula, South Australia
- Contracaecum osculatum* (Rud.) Baylis  
Johnston, T. H., 1938 b, 3, 7, 8, 12-13, 18  
synonymy  
*Leptonychotes weddelli*: Antarctic
- Ommatophoca rossi*: Antarctic
- Mirounga leonina*: Macquarie Is.
- Hydrurga leptonyx*: Antarctic; Macquarie Is.
- Otaria jubata*  
*Stenorhynchus leptonyx*  
*Cystophora proboscidea*  
*Lophodon carcinophaga*: Ross Sea
- Trematomus bernacchii*: Ross Sea
- Macrorhinus angustirostris*  
*Phoca elephantina*  
*Macrorhinus leoninus*  
*Ogmorhinus leptonyx*  
*Cystophora cristata*
- Contracaecum osculatum* Rud.  
Johnston, T. H.; and Mawson, P. M., 1941 d, 429, 431  
*Neophoca cinerea*: Pearson I., S. A.
- Hydrurga leptonyx*: Port Adelaide, S. A.
- Contracaecum osculatum* (Rud.) Baylis  
Johnston, T. H.; and Mawson, P. M., 1945 a, 74, 120-122, 124, 152, figs. 9-10  
Syns.: *Ascaris rectangula* Leiper and Atkinson, 1914; *C. rectangulum* Baylis, 1920; *C. stenocephalum* Yorke & Maplestone, 1926; *C. antarcticum* (larva) Johnston, 1938; *C. ognorhini* Johnston and Mawson, 1941; *C. gypso-phocae* Johnston and Mawson, 1941; *Phocascaris hydrurgae* Johnston and Mawson, 1941
- Lobodon carcinophaga*  
*Hydrurga leptonyx*  
*Mirounga leonina*
- Contracaecum osculatum* (Rud.)  
Johnston, T. H.; and Mawson, P. M., 1952 a, 30, 36  
*Gypsophoca tasmaniensis*: Victoria
- Contracaecum (Synthetonema) osculatum* (Rudolphi, 1802) Railliet u. Henry, 1912  
Kreis, H. A., 1952 c, 252, 290-293, fig. 7A-D  
*Phoca spec.*: Färöer
- Contracaecum osculatum* (Rudolphi 1802) Baylis 1920  
Kreis, H. A., 1958 a, 15, 23  
synonymy  
*Phoca groenlandica*  
*Phocidae* sp.  
*Cystophora cristata*  
all from Iceland
- Contracaecum osculatum* (Rud., 1802)  
Kreis, H. A., 1962 a, 110  
*Zalophus californianus*
- Contracaecum osculatum*  
Krotov, A. I., 1960 c, 482  
Sakhalin
- Contracaecum osculatum* (Rudolphi, 1802) Baylis, 1920  
Krotov, A. I.; and Deliamure, S. L., 1952 a, 285  
*Phoca bispida ochotensis*: Cháisk Gulf
- Contracaecum osculatum*  
Larsen, S., 1962 a, 151
- Contracaecum osculatum* Rud.  
Layman, E. M.; and Mudretsova, K. A., 1926 a, 43, 45  
*Halichoerus grypus*
- Contracaecum osculatum* Baylis  
Lyster, L. L., 1940 e, 397, 398-399, 409, figs. 4-5  
*Phoca hispida*: Canada  
*P. vitulina*: Canada
- Contracaecum osculatum* (Rudolphi, 1802)  
Mackerras, M. J., 1958 a, 134, 135, 136  
*Neophoca cinerea*  
*Otaria forsteri*  
*Gypsophoca tasmanica*

*Contracaecum osculatum* (Rudolphi, 1802).--  
Continued.  
 Mackerras, M. J., 1958 a  
*Lobodon carcinophagus*  
*Hydrurga leptonyx*  
*Leptonychotes weddellii*  
*Macrorhinus proboscideus*  
 all from Australia  
*Contracaecum osculatum* (Rudolphi, 1802) Baylis,  
 1920  
 Margolis, L., 1954 c, 272, 279  
 Syn.: *Ascaris osculata* (Rudolphi, 1802)  
*Eumetopias jubata*  
*Phoca vitulina richardi*  
*Zalophus californianus*  
*Mirounga angustirostris*  
*Contracaecum osculatum* (Rudolphi, 1802) Baylis,  
 1920  
 Margolis, L., 1956 b, 489, 499, 503  
*Phoca vitulina richardi*  
*Eumetopias jubata*: Canadian Pacific coast  
*Contracoecum osculatum* (Rud., 1809)  
 Markowski, S., 1933 a, 110  
*Halichoerus grypus*: Ile de Hol  
*Contracaecum osculatum* (Rud.)  
 Mawson, P. M., 1953 a, 291, 292  
*Hydrurga leptonyx*: Heard Island  
*Mirounga leonina*: Heard Island; Macquarie  
 Island  
*Arctocephalus patagonica*: Macquarie Island  
*Contracaecum osculatum* (Rudolphi, 1802) Baylis,  
 1912  
 Mozgovoi, A. A., 1951 a, 16  
*Contracaecum osculatum* (Rudolphi, 1802) Baylis,  
 1920  
 Mozgovoi, A. A.; and Ryzhikov, K. M., 1950 a,  
 997  
*Contracaecum osculatum* [sic] (Rud., 1802) Baylis,  
 1920  
 Myers, B. J., 1957 a, 291  
*Erignathus barbatus*  
*Phoca groenlandica*: Quebec  
*P. hispida*  
*P. vitulina*  
*Contracaecum osculatum*  
 Osche, G., 1958 a, 493, 494, 495, 541, 554,  
 559  
*Contracaecum osculatum* (Rudolphi 1802)  
 Osche, G., 1959 a, 476-477, 478, figs. 13, 14  
*Phoca hispida*  
*Contracecum* [sic] *osculatum*  
 Rand, R. W., 1959 a, 34  
*Arctocephalus pusillus*: off south western  
 coast of Cape Province  
*Contracaecum osculatum* (Rud.)  
 Rauther, M., 1930 a, 271  
*Contracaecum osculatum*  
 Schroeder, C. R.; and Wegeforth, H. M., 1935 a,  
 336  
 seals  
*Contracaecum osculatum* (Rud.)  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 15,  
 V.c 16, fig. 366  
*Phoca vitulina*  
*P. groenlandica*  
*P. pantherina*  
*P. hispida*  
*Monachus albiventer*  
*Erignathus barbatus*  
*Odobaenus rosmarus*  
*Halichoerus grypus*  
*Cystophora cristata*  
*Ogmorhinus leptonyx*  
*Monachus albiventer*  
*Leptonychotes weddelli*  
*Contracaecum osculatum* (Rud.)  
 Schuurmans Stekhoven, J. H., 1937 a, 470  
*Contracaecum osculatum* (Rud.)  
 Schuurmans Stekhoven, J. H., 1939 a, 551, 560

*Contracaecum osculatum* (Rud.)  
 Skrjabin, K. I., 1926 c, 120, fig. 8  
*Phoca barbata*  
*Contracaecum* (C.) *osculatum* (Rudolphi, 1802) Bay-  
 lis, 1920  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Moz-  
 govoy, A. A., 1951 a, 483  
*Contracaecum osculatum*  
 Sprehn, C. E. W., 1927 e, 42  
*Contracaecum osculatum* (Rudolphi, 1802)  
 Sprehn, C. E. W., 1932 c, 537, 825  
 Syns.: *Fusaria osculata* (Rudolphi, 1802);  
*Ascaris osculata* Rudolphi, 1802; Kathleen  
*osculata* (Rudolphi, 1802)  
*Phoca vitulina* (Magen u. Darm)  
*Halichoerus grypus*  
 both from Mitteleuropa  
*Contracaecum osculatum*  
 Swierstra, D.; Jansen, J. (jr.); and van den  
 Broek, E., 1959 a, 896  
*Phoca vitulina*: Netherlands  
*Contracaecum osculatum* (Rud., 1802)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 282  
 seals  
*Contracaecum osculatum*  
 Walton, A. C., 1923 a, 63  
*Contracaecum osculatum baicalensis* nov. subsp.  
 Mozgovoy, A. A.; and Ryzhikov, K. M., 1950 a,  
 997, 998  
*Phoca sibirica*: Lake Baikal  
*Contracaecum osculatum baicalensis* Mosgovoy et  
 Ryjikov larvae  
 Bogdanova, E. A., [1958 c], 319-320  
*Coregonus autumnalis migratorius*  
*C. lavaretus baicalensis* n. dubowskii  
 both from Lake Baikal  
*Contracaecum* (C.) *osculatum baicalensis* Mosgovoy  
 et Ryjikov, 1950  
 Deliamure, S. L., [1956 a], 239, 243  
 key  
*Contracaecum osculatum baicalensis* Mosgovoy et  
 Ryjikov, 1950  
 Mozgovoy, A. A., 1951 a, 18, 19, 20, 21, figs.  
 3, 4, 5, 6  
*Phoca sibirica*  
*Contracaecum osculatum baicalensis* (Rudolphi,  
 1802) Mosgovoy et Ryjikov, 1950  
 Spasskiil, A. A.; Ryzhikov, K. M.; and Sudari-  
 kov, V. E., 1952 a, 100-101  
*Phoca sibirica*: Lake Baikal zone  
*Contracaecum osculatum baicalensis*  
 Sudarikov, V. E.; and Ryzhikov, K. M., 1951 b,  
 59-66, figs. 1-5  
*Cottocomephorus grawingki*  
*Phoca sibirica*  
*Macrohectopus branickii*  
*Contracaecum* (C.) *osculatum osculatum* (Rudolphi,  
 1802) Mosgovoy et Ryjikov, 1950  
 Deliamure, S. L., [1956 a], 239, 241-243, fig.  
 155, pl., figs. 156-157  
*Phoca hispida*  
*Pagophoca groenlandica*  
*Erignathus barbatus*  
 all from waters of SSSR  
*Contracaecum osculatum osculatum* (Rudolphi, 1802)  
 Mozgovoy et Ryjikov, 1950  
 Mozgovoy, A. A., 1951 a, 16, 17, 18, figs. 1, 2  
*Phoca hispida*  
*P. groenlandica*  
*Erignathus barbatus*  
*Contracaecum oshoroensis* n. sp.  
 Fujita, T., 1940 a, 383-384, 392, fig. 5A-B  
*Oncorhynchus keta*: Oshoro  
*Mesopodus olidus*: Ishikari River  
*Contracaecum* (C.) *oshoroensis* Fujita, 1940  
 Skrjabin, K. I.; Shikhobalova, N. P.; and  
 Mozgovoy, A. A., 1951 a, 483  
*Contracaecum osmanovi* [n. sp.]  
 Mozgovoy, A. A., 1950 d, 267

- Contraeaeum (C.) osmanovi Mosgovoy, 1951  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 483  
 Syn.: *Contraeaeum filiformis* Osmanov, 1940  
 nec *C. filiformis* (Stossich, 1904) Baylis,  
 1923
- Contraeaeum ostroumovi Golovin  
 Schuurmans Stekhoven, J. H., 1939 a, 525, 552,  
 562
- Contraeaeum ovale (v. Linst.)  
 Baylis, H. A., 1920 g, 262
- Contraeaeum ? ovale (v. Linstow, 1907)  
 Baylis, H. A., 1939 a, 493  
 Podiceps cristatus: Berkshire, Brit. Is.
- Contraeaeum ovale (Linstow)  
 Cram, E. B., 1927 a, 147, 155-156, fig. 227  
 Podiceps cristatus
- ? Contraeaeum ovale (Linstow, 1907)  
 Hare, T., 1945 a, 347  
 Podiceps cristatus: Northamptonshire reservoir
- Contraeaeum ovalis Linst.  
 Layman, E. M.; and Mudretsova, K. A., 1926 a,  
 43, 45  
 Podiceps cristatus
- Contraeaeum ovale v. Linst.  
 Mönning, H. O., 1923 a, 107
- Contraeaeum ovalis Linst.  
 Skrjabin, K. I., 1923 m, 38, fig. 33  
 Podiceps cristatus
- Contraeaeum (C.) ovale (Linstow, 1907) Baylis,  
 1920  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 483
- Contraeaeum ovale (Linstow, 1907)  
 Sprehn, C. E. W., 1932 c, 537, 869  
 Syn.: *Ascaris ovale* Linstow, 1907  
 Podiceps cristatus (Darm)
- Contraeaeum ovale (Linst., 1907)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 282  
 Podiceps sp.
- Contraeaeum pagrosomi n. sp.  
 Yamaguti, S., 1935 g, 337, 345-346, figs. 8-9  
 Pagrosomus unicolor: Inland Sea
- Contraeaeum (*Thynnascaris*) pagrosomi (Yamag.,  
 1935)  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 133
- Contraeaeum (C.) pagrosomi Yamaguti, 1935  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 483
- Contraeaeum pandioni n. sp.  
 Sobolev, A. A.; and Sudarikov, V. E., 1939 a,  
 99-102, 103, pl. 2, figs. 5-10  
 Pandion haliaeetus: Gorky
- Contraeaeum pandioni  
 Osche, G., 1958 a, 554
- Contraeaeum (C.) pandioni Sobolev et Sudarikov,  
 1939  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 483
- Contraeaeum pandioni Sobolev et Sudarikov, 1939  
 Sudarikov, V. E., 1951 a, 328  
 Pandion haliaeetus: Povolzh
- Contraeaeum papilligerum (Creplin, 1846) n.  
 comb.  
 Dollfus, R. P., 1933 a, 12
- Contraeaeum paralichthydis n. sp.  
 Yamaguti, S., 1941 b, 343, 360-361, 395, pl.  
 V, fig. 19, figs. 16-17  
 Paralichthys olivaceus: Obama, Hukui Prefecture, Japan
- Contraeaeum (*Erschovicaeum*) paralichthydis  
 Yamaguti, 1941  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 489
- Contraeaeum parvum (Chandler, 1935) Mosgovoy,  
 1951  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 493
- Contraeaeum pedum (Deslong.) [n. comb.]  
 Taylor, E. L., 1925 b, 66, 67  
 as syn. of *C. clavatum* (Rud.)
- Contraeaeum pedum  
 Cobb, N. A., 1929 b, 285  
 Scomber scombrus
- Contraeaeum pedum (Deslongchamps, 1824)  
 Dollfus, R. P., 1933 a, 12
- Contraeaeum pedum (Desl.)  
 Wulker, G., 1930 b, 5
- Contraeaeum pelagicum n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1942 c, 66,  
 67-68, figs. 1-3  
 Diomedea melanophris  
 D. chlororhyncha  
 both from New South Wales
- Contraeaeum pelagicum, probably  
 Johnston, T. H.; and Mawson, P. M., 1945 a,  
 132  
 Macronectes giganteus: St. Vincent Gulf
- Contraeaeum pelagicum Johnston & Mawson, 1942  
 Lent, H.; and Teixeira de Freitas, J. F.,  
 1948 a, 4, 38-42, figs. 68-85  
 Thalassarche melanophrrys: Uruguay
- Contraeaeum pelagicum Johnston and Mawson  
 Mawson, P. M., 1956 a, 44  
 Diomedea sp.: Canada
- Contraeaeum phoxini (Linst.) [n. comb.]  
 Skrjabin, K. I., 1923 m, 39  
 Phoxinus laevis
- Contraeaeum phoxini  
 Harant, H.; and Vernières, P., 1933 c, 263
- Contraeaeum phoxini Linst.  
 Layman, E. M.; and Mudretsova, K. A., 1926 a,  
 44, 45  
 Phoxinus laevis
- Contraeaeum phoxini (Linst, 1887)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 282  
 Phoxinus laevis
- Contraeaeum (C.) pingi n. sp.  
 Hsu, W. N., 1957 a, 48, 49, 53-55, 73, pl. II,  
 figs. 28-31  
 Astur gentilis schvedowi: Kwangtun Prov.,  
 China; Canton
- Contraeaeum plagiaticum n. sp.  
 Lent, H.; and Teixeira de Freitas, J. F., 1948  
 a, 5, 45-48, figs. 104-117  
 Nycticorax nycticorax naevius: Uruguay
- Contraeaeum plagiostomorum (v. Linstow, 1905)  
 [n. comb.]  
 Baylis, H. A., 1936 a, 79, 90-91, fig. 41  
 Syn.: *Ascaris plagiostomorum* v. Linstow, 1905  
 Cetorhinus (Selache) maximus  
 Raja radiata  
 both from Ceylon
- Contraeaeum (C.) plagiostomorum (Linstow, 1905)  
 Baylis, 1923  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 483
- Contraeaeum podicipitis n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1949 a, 63,  
 65, 67, figs. 8-10  
 Podiceps cristatus: Australia
- Contraeaeum podicipitis Johnston and Mawson, 1949  
 Mawson, P. M., 1956 a, 40, 41, fig. 16  
 Podilymbus p. podiceps: Canada
- Contraeaeum praestriatum n. sp.  
 Mönning, H. O., 1923 a, 106-107, figs. 1-2  
 Podiceps capensis: Transvaal
- Contraeaeum praestriatum Mönning, 1923  
 Bezubik, B., 1956 c, 75  
 Proctopus nigricollis: Poland
- Contraeaeum praestriatum Mönning  
 Cram, E. B., 1927 a, 147, 156-157, figs. 228-  
 229  
 Podiceps capensis
- Contraeaeum praestriatum Mönning, 1923  
 Osche, G., 1959 a, 478-480, fig. 15  
 Podiceps auritus

- Contracaecum *praestriatum* Mönnig, 1923  
 Serkova, O. P., 1948 a, 214, 239  
*Podiceps nigricollis*: Barabin lakes  
 Contracaecum (*Ornitocaecum*) *praestriatum* Mönnig, 1923  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 491, fig. 207  
 Contracaecum *praestriatum* Mönnig  
 Witenberg, G. G., 1929 a, 124  
 Contracaecum *pseudodontum* n. sp.  
 Kreis, H. A., 1937 a, 487, 489-491, fig. 2  
*Phalacrocorax*  
 Contracaecum *pseudodontum*  
 Osche, G., 1958 a, 554  
 Contracaecum *pseudodontum* Kreis  
 Schuurmans Stekhoven, J. H., 1939 a, 632, 638, fig. 221  
 Contracaecum (*C.*) *pseudodontum* Kreis, 1937  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 483  
 Contracaecum *punctatum* (Ged.)  
 Baylis, H. A., 1920 g, 262  
 Contracaecum *punctatum* (Gedoelst)  
 Cram, E. B., 1927 a, 146, 157, fig. 230  
 Contracaecum *punctatum* Ged.  
 Layman, E. M.; and Mudretsova, K. A., 1926 a, 43, 45  
*Pseudotantalus* sp.  
 Contracaecum *punctatum* (Gedoelst)  
 Schuurmans Stekhoven, J. H., 1944 b, 3, 4-7, fig. 1  
*cormoran*: Parc national Albert  
 Contracaecum (*C.*) *punctatum* (Gedoelst, 1916)  
 Baylis, 1920  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 483  
 Contracaecum *punctata*  
 Walton, A. C., 1923 a, 64  
 Contracaecum *punctatum* (Gedoelst, 1916)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 282  
*Pseudotantalus ibis*  
 Contracaecum *quadricuspe* sp. nov.  
 Walton, A. C., 1923 a, 62-65, 69, pl. 7, figs. 13, 15, 17, 20  
*Buforides virescens virescens*  
 Contracaecum *quadricuspe* Walton  
 Cram, E. B., 1927 a, 152, 153  
 Contracaecum *quadricuspe* Walton, 1923  
 Sprehn, C. E. W., 1932 c, 536  
 as syn. of *C. microcephalum* (Rudolphi, 1809)  
 Contracaecum *quadricuspe* Walton, 1923  
 Yorke, W.; and Maplestone, P. A., 1926 a, 282  
*Buforides* sp.  
 Contracaecum *quincuspis* n. sp.  
 Lucker, J. T., 1941 b, 33-37, figs. 1-7  
*Anhinga anhinga*: Florida; Arkansas; District of Columbia  
 Contracaecum (*C.*) *quincuspis* Lucker, 1941  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 484  
 Contracaecum *radiatum* (v. Linst.) [n. comb.]  
 Baylis, H. A., 1920 g, 262  
 Contracaecum *radiatum* (v. Linstow, 1907) Baylis, 1920  
 Baylis, H. A., 1937 d, 123, 126-127, figs. 4-5  
 Syns.: *Ascaris falcigera* Railliet and Henry, 1907; *A. osculata* of v. Linstow, 1892  
*Leptonychotes weddelli*  
*Hydrurga leptonyx*  
*Ommatophoca rossi*  
 Contracaecum (*C.*) *radiatum* (Linstow, 1907) Baylis, 1920  
 Delfamure, S. L., [1956 a], 239, 247  
 key  
*Diomedea exulans*: *Antarctica*  
 Contracaecum *radiatum* (Linstow) Baylis  
 Johnston, T. H., 1938 b, 3, 7, 10, 11, 13, 14, 25, 26  
 synonymy  
*Lobodon carcinophaga*: *Antarctic*  
*Leptonychotes weddelli*: *Antarctic*  
*Ommatophoca rossi*: Queen Mary Land
- Contracaecum *radiatum* (Linstow) Baylis  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 75, 122-123, 124, figs. 11-12  
 Syns.: *Kathleena radiata* Leiper and Atkinson, 1915; *C. falcigerum* Baylis, 1920  
*Leptonychotes weddelli*  
*Hydrurga leptonyx*  
*Lobodon carcinophaga*  
 Contracaecum *radiatum* Linst.  
 Layman, E. M.; and Mudretsova, K. A., 1926 a, 43, 45  
 Contracaecum *radiatum* (v. Linstow, 1907)  
 Mackerras, M. J., 1958 a, 135, 136  
*Lobodon carcinophagus*  
*Hydrurga leptonyx*  
*Leptonychotes weddelli*  
*Macrorhinus proboscideus*  
 Contracaecum *radiatum* (Linst.)  
 Mawson, P. M., 1953 a, 291, 292  
*Hydrurga leptonyx*  
*Mirounga leonina*  
 both from Heard Island  
 Contracaecum *radiatum*  
 Osche, G., 1958 a, 554  
 Contracaecum (*C.*) *radiatum* (Linstow, 1907) Baylis, 1920  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 484  
 Contracaecum *radiatum*  
 Sprehn, C. E. W., 1927 c, 42  
 Contracaecum *radiatum* (Linst., 1906)  
 Yorke, W.; and Maplestone, P. M., 1926 a, 282  
 seals  
 Contracaecum *rectangulum* (v. Linst.)  
 Baylis, H. A., 1920 g, 262  
 Contracaecum *rectangulum* (v. Linst.)  
 Baylis, H. A., 1929 h, 547  
*Hydrurga leptonyx*  
*Lobodon carcinophagus*  
 Contracaecum *rectangulum* (v. Linstow, 1907)  
 Hamilton, J. E., 1934 a, 306  
*Otaria byronia*  
 Contracaecum *rectangulum* Baylis, 1920  
 Johnston, T. H., 1938 c, 8, 10-11  
 not a syn. of *Ascaris rectangula* Linstow, 1907  
 Contracaecum *rectangulum* Baylis, 1920  
 Johnston, T. H., 1938 c, 13, 27  
 as syn. of *Contracaecum stenocephalum* (Railliet and Henry)  
 Contracaecum *rectangulatum* [sic] Linst.  
 Layman, E. M.; and Mudretsova, K. A., 1926 a, 42, 45  
 Contracaecum *rectangulatum* (v. Linstow, 1907)  
 Mackerras, M. J., 1958 a, 135  
*Leptonychotes weddelli*: Australia  
 Contracaecum (*C.*) *rectangulum* (Linstow, 1907) Baylis, 1920  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 484  
 Contracaecum *rectangulum*  
 Sprehn, C. E. W., 1927 e, 42  
 Contracaecum *rectangulum* (Linst., 1906)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 282  
 seals  
 Contracaecum *rectum* n. sp.  
 Yamaguti, S., 1961 b, 217, 219-220, 221, fig. 5  
*Hapalogenys* sp. (small intestine): Inland Sea, Japan  
 Contracaecum (*Amphicaecum*) *regale* (Walton) [n. comb.]  
 Dollfus, R. P., 1935 d, 90, fig. 2D  
 Contracaecum *reticulatum*  
 Kamegai, S.; Nonobe, H.; Suzuki, T.; and Machida, M., 1959 a, 410  
 Kanto area  
 Contracaecum *rigidum* (Rud., 1809) [n. comb.]  
 Yorke, W.; and Maplestone, P. A., 1926 a, 282  
*Lophius* sp.  
 Contracaecum *rigidum* (Rud.)  
 Baylis, H. A., 1928 g, 338  
*Lophius piscatorius*  
 Contracaecum *rigidum* (Rudolphi, 1809)  
 Baylis, H. A., 1939 a, 493  
*Lophius piscatorius*: S. Devon, Brit. Is.

- Contracaecum rigidum* (Rud., 1809)  
 Baylis, H. A.; and Jones, E. I., 1933 a, 632  
*Lophius piscatorius* (tumours in stomach): Plymouth,  
 England
- Contracaecum rigidum* (Rudolphi, 1809)  
 Berland, B., 1961 a, 23, 24, fig. 24  
*Lophius piscatorius* (ventricle): Norwegian coast
- Contracaecum rigidum*  
 Hartwich, G., 1954 a, 1196, 1197, 1198, 1199, 1210,  
 1211, pl. 2, fig. 4c; pl. 3, fig. 12; pl. 9, fig. 42
- Contracaecum (Thynnascaris) rigidum* (Rud.)  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 133  
 as syn. of *Ascaris lophii* Muell.
- Contracaecum rigidum* Rud., 1809  
 Kittel, R.; and Kampfe, L., 1953 a, 471, 475  
*Gadus morrhua*  
*G. aeglefinus*  
*Sebastes viviparus*
- Contracaecum rigidum* (Rudolphi, 1809)  
 Punt, A., 1941 a, 29, 33, 37, 38, 39, 40, 41, 72, 74,  
 102, figs. 28-31  
 synonymy  
*Lophius piscatorius*: Mer du Nord; Côte portugaise
- Contracaecum rigidum* (Rudolphi)  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 15, V.c 16,  
 V.c 37, fig. 370  
*Lophius piscatorius*
- Contracaecum rigidum* A. Schneider nec Rudolphi  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 15  
 as syn. of *C. lophii* n. sp.
- Contracaecum (C.) rigidum* (Rudolphi, 1809) Baylis, 1923  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A.  
 A., 1951 a, 484
- Contracaecum rigidum* (Rud., 1809)  
 Stefanski, W., 1936 a, 79-82, 84, figs. 11-12  
 synonymy  
*Lophius piscatorius*: Station biologique d'Arcachon
- Contracaecum robustum* n. sp.  
 Chandler, A. C., 1935 c, 124, 125, 142-143, pl. 10,  
 figs. 9-10  
 Syn.: *C. microcephalus*?  
*Mugil cephalus*  
*Fundulus heteroclitus*  
 both from Galveston Bay
- Contracaecum robustum* n. sp.  
 Fujita, T., 1939 a, 251-252, pl. 11, figs. 15-16  
*Oncorhynchus gorbuscha*: Kaihyoto
- Contracaecum robustum*  
 Fujita, T., 1940 a, 392  
*Oncorhynchus gorbuscha*
- Contracaecum rodhaini* (Gedoelst) [n. comb.]  
 Baylis, H. A., 1920 g, 262
- Contracaecum rodhaini* (Gedoelst) Baylis,  
 1920  
 Alencaster Ybarra, G., 1948 a, 21-23, pl. 3,  
 figs. 1-4  
*Megaceryle torquata*: Maspastepec, Chis.
- Contracaecum rodhaini* (Gedoelst)  
 Cram, E. B., 1927 a, 147, 157-158, fig. 231  
*Plotus rufus*
- Contracaecum rodhaini* Ged.  
 Layman, E. M.; and Mudretsova, K. A., 1926 a,  
 43, 45  
*Plotus rufus*
- Contracaecum rodhaini*  
 Osche, G., 1958 a, 554
- Contracaecum rodhaini* (Gedoelst)  
 Schuurmans Stekhoven, J. H., 1944 b, 7-10, fig.  
 2  
*siluride*  
*Bagrus*  
*Clarias*  
 all from Parc National Albert
- Contracaecum (C.) rodhaini* (Gedoelst, 1916)  
 Baylis, 1920  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Moz-  
 govoy, A. A., 1951 a, 484
- Contracaecum rodhaini* Gedoelst, 1916  
 Vuylsteke, C., 1953 b, 11, 41, figs. 28-31  
 Syn.: *Kathleena rodhaini* Gedoelst, 1916  
*Anhinga rufa rufa*: Mabwe
- Contracaecum rodhaini* (Gedoelst, 1916)  
 Vuylsteke, C., 1957 a, 5  
*Anhinga rufa rufa*: Parc National de la Ger-  
 amba, Congo Belge
- Contracaecum rodhaini* (Gedoelst, 1916)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 282  
*Plotus rufus*
- Contracaecum rosarium* (Connal)  
 Baylis, H. A., 1920 g, 262
- Contracaecum rosarium* (Connal, 1912) Baylis, 1920  
 Baylis, H. A., 1936 a, 79, 82-83, fig. 34  
 Syn.: *Ascaris rosarius* Connal, 1912  
*Nycticorax* sp.: West Africa  
*N. nycticorax* (*N. griseus*): India
- Contracaecum rosarium* (Connal, 1912)  
 Baylis, H. A.; and Daubney, R., 1922 a, 282,  
 fig. 16  
*Nycticorax griseus*
- Contracaecum rosarium* (Connal)  
 Cram, E. B., 1927 a, 147, 158-159, figs. 232-  
 233  
*Nycticorax griseus*  
*Nycticorax* sp.
- Contracaecum rosarium Connal*  
 Layman, E. M.; and Mudretsova, K. A., 1926 a,  
 42, 45  
*Nycticorax grisea*
- Contracaecum rosarium*  
 Osche, G., 1958 a, 554
- Contracaecum (C.) rosarium* (Connal, 1912) Baylis,  
 1920  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Moz-  
 govoy, A. A., 1951 a, 484
- Contracoecum rosarium* Baylis 1920  
 Sultanov, M. A., 1945 c, 153  
*pustel'ga* [kestrel]: Tashkent oblast
- Contracoecum rosarium*  
 Sultanov, M., 1947 a, 138  
*Cerchneis tinnunculus*: Tashkent oblast
- Contracaecum rosarium*  
 Walton, A. C., 1923 a, 64  
*Nycticorax*
- Contracaecum rosarium* (Connal, 1912)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 282  
*Nycticorax griseus*
- Contracaecum rotundatum* Rud.  
 Schuurmans Stekhoven, J. H., 1939 a, 626
- Contracoecum ruficollis* n. sp.  
 Vuylsteke, C., 1953 b, 10-11, 41, figs. 24-27  
*Poliocephalus ruficollis capensis*: Kabwekan-  
 ono
- Contracaecum saba* n. sp.  
 Yamaguti, S., 1941 b, 343, 367-368, 395, pl. V,  
 figs. 31-32; figs. 25-26  
*Scomber japonicus*: Inland Sea
- Contracaecum (Thynnascaris) saba* (Yamag., 1941)  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 133
- Contracaecum (C.) saba* Yamaguti, 1941  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Moz-  
 govoy, A. A., 1951 a, 484
- Contracaecum salvelini* n. sp.  
 Fujita, T., 1940 a, 379-381, 392, fig. 2A-C  
*Salvelinus malma*: Chitose River, Hokkaido
- Contracaecum (C.) salvelini* Fujita, 1940  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Moz-  
 govoy, A. A., 1951 a, 484
- Contracaecum schizothoracis* n. sp.  
 Baylis, H. A.; and Daubney, R., 1922 a, 285-  
 287, figs. 21, 22  
*Schizothorax zarudnyi*: E. Persia
- Contracaecum schizothoracis* Baylis  
 Layman, E. M.; and Mudretsova, K. A., 1926 a,  
 42, 45  
*Schizotrax zarudnyi*
- Contracaecum schizothoracis*  
 Osche, G., 1958 a, 554
- Contracaecum (C.) schizothoracis* Baylis et Daub-  
 ney, 1922  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Moz-  
 govoy, A. A., 1951 a, 484

- Contracaecum schizothoracis* Baylis & Daubney, 1922  
 Yorke, W.; and Maplestone, P. A., 1926 a, 282  
*Schizothorax* sp.
- Contracaecum scomberomori* n. sp.  
 Yamaguti, S., 1941 b, 343, 362-363, 395, pl. V, figs. 21-22; figs. 18-19  
*Scomberomorus chinensis*: Pacific
- Contracaecum (Thynnascaris) scomberomori* (Yamag., 1941)  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 133
- Contracaecum (Erschovicaecum) scomberomori* Yamaguti, 1941  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 489
- Contracaecum scombricum* (Dujardin, 1845) n. comb.  
 Dollfus, R. P., 1933 a, 12
- Contracaecum scotti* (Leiper & Atkinson)  
 Baylis, H. A., 1920 g, 262
- Contracaecum scotti* (Leiper & Atkinson)  
 Gram, E. B., 1927 a, 147, 159-160, fig. 234  
*Diomedea melanophrys*  
*Contracaecum scotti* (Leiper and Atkinson, 1914)  
 Johnston, T. H., 1938 c, 15, 26  
*Diomedea melanophrys*: off Campbell Island
- Contracaecum scotti*  
 Johnston, T. H.; and Mawson, P. M., 1943 a, 242  
 as syn. of *Kathleena scotti*
- Contracaecum scotti* Leiper & Atkinson  
 Layman, E. M.; and Mudretsova, K. A., 1926 a, 44, 45  
*Diomedea*
- Contracaecum scotti*  
 Osche, G., 1958 a, 554
- Contracaecum (C.) scotti* (Leiper et Atkinson, 1914) Baylis, 1920  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 484-485
- Contracaecum scotti* (Leiper & Atkinson, 1914)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 282  
*Diomedea* sp.
- Contracaecum septentrionale* n. sp.  
 Kreis, H. A., 1955 c, 106-116, figs. 1-6  
*Phalacrocorax aristotelis*
- Contracaecum septentrionale* Kreis 1955  
 Kreis, H. A.; 1958 a, 15-16, 22  
*Phalacrocorax aristotelis* (stomach): Iceland
- Contracaecum seriola* n. sp.  
 Yamaguti, S., 1941 b, 343, 359-360, 394-395, pl. IV, figs. 16-18; fig. 15  
*Seriola quinqueradiata*: Obama, Hukui Prefecture, Japan
- Contracaecum (Thynnascaris) seriola* (Yamag., 1941)  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 133
- Contracaecum (Erschovicaecum) seriola* Yamaguti, 1941  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 489
- Contracoecum siluri glanidis* [n. comb.]  
 Dogiel, V. A.; and Bykhovskii, B. E., 1934 a, 305-306, 307, 311, 313, 342, 344, fig. 28  
*Aspius aspius*  
*Silurus glanis*  
 both from Aral Sea
- Contracoecum siluri-glanidis*  
 Agapova, A. I., 1962 b, 139  
*Silurus glanis* (body cavity): Syr-Darya river
- Contracoecum siluri glanidis* (Linstow, 1886)  
 Akhmerov, A. K., 1941 b, 45  
*Perca schrenki* (intestinal lumen, oesophagus): Lake Balkhash
- Contracoecum siluri glanidis* (Linstow, 1883)  
 Dubinin, V. B., 1952 c, 237-238, 239, fig. 7 (I)  
 delta of the Volga river
- Contracoecum siluri-glanidis* Linst. (larva)  
 Dubinin, M. N., 1949 a, 116  
*Silurus glanis*: Volga delta
- Contracaecum siluri-glandis* [sic]  
 Gvozdev, E. V.; and Agapova, A. I., 1960 a, 185
- Contracoecum siluri-glandis* [sic]  
 Gvozdev, E. V.; Agapova, A. I.; and Martekhov, P. F., 1953 a, 105, 107  
*Schizothorax pseudaksaiensis*  
*Perca shrenka*  
 both from Ili Basin
- Contracaecum siluri-glanidis* (Linstow, 1883)  
 Dogiel et Bychowsky, 1934 (larva)  
 Iksanov, K. I., 1961 a, 104  
 Lake Issyk-Kul
- Contracoecum siluri glanidis*  
 Maksimova, A. P., 1962 b, 154  
*Cyprinus carpio* (liver): Balkhash Lake
- Contracoecum siluri glanidis* (Linstow)  
 Osmanov, S. O., 1954 a, 109, 110  
*Leuciscus idus oxianus*  
*Scardinius erythrophthalmus*  
*Cyprinus carpio*  
*Silurus glanis*  
*Esox lucius*  
*Lucioperca lucioperca*  
*Perca fluviatilis*  
*Aspius a. iblicoides*  
 all from delta Amu-Darya
- Contracaecum siluri-glanidis*  
 Osmanov, S. O., 1959 a. 193  
 Aral Sea
- Contracoecum siluri-glanidis* (Linstow)  
 Shevchenko, N. N., 1956 b, 278, 292  
*Silurus glanis*: northern Donets
- Contracaecum siluricola* (Gedoelst, 1916) [n. comb.]  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 494
- Contracaecum sinipercae* n. sp.  
 Dogiel, V. A.; and Akhmerov, A. Kh., 1959, Nematody ryb reki Amur [Nematodes of fish in the Amur river] / Hydrobiologia Sinica 3 287-304
- Contracaecum sinulabiatum* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1941 g, 110, 112, 113-114, figs. 6-8  
*Phalacrocorax carbo*: Eidsvold, Queensland  
*P. melanoleucus*: Tailem Bend, S. Australia  
*Plotus novae-hollandiae*: Burnett and Thompson R., Queensland
- Contracaecum soleae* Rud.  
 Layman, E. M.; and Borovkova, A. M., 1926 a, 27, 29, 30-31, figs. 15-17  
*Myxcephalus scorpius*
- Contracaecum soleae* Rud.  
 Layman, E. M.; and Mudretsova, K. A., 1926 a, 42, 45  
*Myxcephalus scorpius*
- Contracaecum (Erschovicaecum) soleae* (Rudolphi)  
 Layman et Borovkova, 1926  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 489
- Contracaecum spasskii* nov. sp.  
 Mozgovoi, A. A., 1950 b, 90-95, figs. 1-7  
*Cölymbus auritus*  
*C. griseigena*  
*C. nigricollis*  
*C. ruficollis*  
 all from Novosibirskaiia oblast
- Contracaecum spasskii*  
 Ablasov, N. A., 1957 a, 141  
*Nyroca fuligula*: Kirgiziia
- Contracaecum (C.) spasskii* Mosgovoy, 1950  
 Macko, J. K., 1961 b, 740-748, figs. 1-24  
 as syn. of *C. (C.) nehli* Karokhin, 1949
- Contracaecum spasskii*  
 Osche, G., 1958 a, 554
- Contracaecum (C.) spasskii* Mosgovoy, 1950  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 485

- Contracaecum spiculigerum*  
*Ablasov, N. A., 1957 a, 143*  
*Larus ridibundus: Kirgiziia*  
*Contracoecum spiculigerum (Rudolphi, 1809)*  
*Ablasov, N. A.; Iksanov, K. I.; and Chibichenko, N. T., 1960 a, 181*  
*Pelecanus rufescens: lake Balkhash*  
*Contracoecum spiculigerum*  
*Aldous, C. M., 1941 a, 30, 31*  
*herring gulls: Moosehead Lake, Maine*  
*Contracaecum spiculigerum (Rud. 1809) Railliet & Henry, 1912*  
*Alegret, M. J., 1941 a, 3, 6, 13-15, 30, figs. 4-6*  
*Phalacrocorax auritus floridanus: Cuba*  
*Contracaecum spiculigerum (Rud.)*  
*Babić, I., 1936 a, 300*  
*Mergus merganser*  
*Phalacrocorax carbo*  
*Podiceps ruficollis*  
*all from Jugoslawiens*  
*Contracaecum spiculigerum (Rud.)*  
*Bangham, R. V., 1939 a, 264, 265, 266, 267*  
*Eupomotis microlophus*  
*Helioperca macrochira*  
*Huro salmoides*  
*Chaenobryttus gulosus*  
*Pomoxis sparoides*  
*Sclerotis punctatus punctatus*  
*Enneacanthus gloriosus*  
*all from southern Florida*  
*Contracaecum spiculigerum Rud.*  
*Bangham, R. V., 1941 a, 289, 291, 292, 294, 295, 296, 297, 298, 299, 300, 301, 302, 304*  
*Ameiurus natalis*  
*Lepisosteus platyrhincus*  
*Amia calva*  
*Erimyson suetta suetta*  
*Ictalurus lacustris punctatus*  
*I. catus*  
*Ameiurus nebulosus marmoratus*  
*Schilbeodes gyrinus*  
*Esox niger*  
*Fundulus similis*  
*F. majalis*  
*F. chrysotus*  
*F. cingulatus*  
*Jordanella floridae*  
*Heterandria formosa*  
*Mollenisia latipinno*  
*Gambusia affinis holbrookii*  
*Centropomus undecimalis*  
*Labidesthes sicculus vanhyningi*  
*Dormitator maculatus*  
*large-mouthed black bass*  
*warmouth bass*  
*bluegill*  
*all from Florida*  
*Contracaecum spiculigerum*  
*Bangham, R. V., 1951 a, 213, 215, 216, 217*  
*Salvelinus fontinalis fontinalis*  
*Catostomus fecundus*  
*Rhinichthys cataractae ocella*  
*R. osculus carringtonii*  
*Gila straria*  
*Richardsonius balteatus hydrophlox*  
*all from Wyoming*  
*Contracaecum spiculigerum (Rudolphi, 1809)*  
*Bangham, R. V.; and Venard, C. E., 1942 a, 23, 24, 25, 26, 27, 28, 29, 30, 32, 33, 34, 35, 36, 37*  
*Polyodon spathula*  
*Cylindrostes platostomus*  
*Amia calva*  
*Ictiobus bubalus*  
*Erimyzon suetta oblongus*  
*Ictalurus punctatus*  
*Ameiurus natalis*  
*A. nebulosus*  
*A. melas*
- Contracaecum spiculigerum (Rudolphi, 1809)...*  
*Continued*  
*Bangham, R. V.; and Venard, C. E., 1942 a*  
*Opladelus olivaris*  
*Schilbeodes gyrinus*  
*Zygonectes notatus*  
*Z. chrysotus*  
*Z. dispar*  
*Aphredoderus sayanus*  
*Menidia beryllina*  
*Labidesthes sicculus*  
*Microperca proeliaris*  
*Huro salmoides*  
*Sclerotis miniatus*  
*Allotis humilis*  
*Xenotis megalotis*  
*Helioperca macrochira*  
*Eupomotis microlophus*  
*Chaenobryttus gulosus*  
*Centrarchus macropterus*  
*Pomoxis annularis*  
*P. sparoides*  
*Elassoma zonatum*  
*Aplodinotus grunniens*  
*Chrysoperca interrupta*  
*Anguilla rostrata*  
*Contracaecum spiculigerum*  
*Bangs, O.; and Loveridge, A., 1933 a, 144*  
*Phalacrocorax africanus africanus (stomach): Tanganyika Territory*  
*Contracaecum spiculigerum (Rud.)*  
*Baylis, H. A., 1920 g, 256, 257, 258, 262*  
*Phalacrocorax verrucosus*  
*P. campbelli*  
*Phalacrocorax sp.*  
*Contracaecum spiculigerum (Rud., 1809)*  
*Baylis, H. A., 1923 i, 4*  
*Pelecanus onocrotalus: Alexandria, Egypt*  
*Contracaecum spiculigerum (Rud.)*  
*Baylis, H. A., 1928 g, 338*  
*Phalacrocorax carbo*  
*P. graculus*  
*Contracaecum spiculigerum (Rud.)*  
*Baylis, H. A., 1929 h, 547*  
*Phalacrocorax magellanicus*  
*Contracaecum spiculigerum (Rud.)*  
*Baylis, H. A., 1930 d, 117-118*  
*Phalacrocorax africanus: Débo*  
*Contracaecum spiculigerum*  
*Baylis, H. A., 1932 g, 497*  
*Syn.: Ascaris spiculigera Rud.*  
*frigate birds*  
*Contracaecum spiculigerum (Rud., 1809)*  
*Baylis, H. A., 1933 d, 443*  
*Phalacrocorax pygmaeus*  
*Plotus melanogaster*  
*both from Java*  
*Contracaecum spiculigerum (Rud., 1809) Railliet and Henry, 1912 (type)*  
*Baylis, H. A., 1936 a, 79-81, fig. 32*  
*Syn.: Ascaris variegata Rudolphi, 1809*  
*Phalacrocorax niger (P. javanicus): Samal Island, Lake Chika, Orissa*  
*P. fuscicollis*  
*Anhinga (Plotus) melanogaster: Wirawila, Southern Province, Ceylon*  
*Contracaecum spiculigerum (Rudolphi, 1809)*  
*Baylis, H. A., 1939 a, 493*  
*Phalacrocorax carbo: Scilly Is.; Shetlands*  
*P. aristotelis: Dorset*  
*Mergus serrator: Outer Hebrides*  
*Stercorarius parasiticus: East Lothian; Norfolk*  
*Contracaecum spiculigerum (Rud., 1809)*  
*Baylis, H. A., 1940 b, 402*  
*Phalacrocorax capensis: Pretoria, S. Africa*  
*Contracaecum spiculigerum (Rud., 1809)*  
*Baylis, H. A., 1944 c, 793*  
*Anhinga melanogaster: Ceylon*

- Contracaecum spiculigerum* (Rud., 1809)  
 Baylis, H. A.; and Daubney, R., 1922 a, 281  
   *Phalacrocorax javanicus*  
   *P. fuscicollis*
- Contracaecum spiculigerum* (Rud., 1809)  
 Baylis, H. A.; and Daubney, R., 1923 a, 556  
   *Phalacrocorax javanicus*: India
- Contracaecum spiculigerum* (Rud.)  
 Baylis, H. A.; and Daubney, R., 1926 a, 6
- Contracoecum spiculigerum* (Rudolphi, 1809)  
 Belopo'skaia, M. M., 1952 c, 152  
   *Uria lomvia*  
   *Stercorarius parasiticus*  
   *Phalacrocorax aristotelis*  
   all from Sem Ostrovov
- Contracaecum spiculigerum*  
 Bezubik, B., 1956 c, 74  
   *Podiceps cristatus*  
   *Pedetaithya griseigena*  
   *Tachybaptus ruficollis*  
   all from Poland
- Contracaecum spiculigerum* (Rudolphi, 1809)  
 Railliet y Henry, 1912  
   Caballero y C., E., 1948 d, 263  
   *Phalacrocorax vigua mexicanus*; Laguna de Montford, Cadereyta, Nuevo Leon
- Contracaecum spiculigerum*  
 Chitwood, B. G.; and Chitwood, M. B., 1937 b, 30, 31, 32
- Contracaecum spiculigerum* (Rudolphi, 1809)  
 Chow, C. Y., 1939 a, 22  
   *Ardea* sp.
- Contracaecum spiculigerum* (Rud.)  
 Cram, E. B., 1927 a, 141, 146, 147-149, figs. 216, 217
- Contracaecum spiculigerum*  
 Dickinson, P., 1951 a, 251  
   *Phalacrocorax carbo*: New Zealand
- Contracaecum (C.) spiculigerum* (Rud.)  
 Dollfus, R. P., 1935 d, 88, 90, 91, fig. 2A
- Contracaecum spiculigerum* (Rudolphi, 1809) A.  
 Railliet & A. Henry, 1912  
   Dollfus, R. P., 1956 f, 62  
     *Clupea harengus*: côte atlantique des Etats-Unis
- Contracoecum spiculigerum*  
 Dubinin, V. B., 1941 a, 380
- Contracoecum spiculigerum* (Rud., 1819)  
 Dubinin, V. B., 1949 d, 151, 152-153, fig. 11  
   cycle of development  
   *Phalacrocorax carbo*  
   *Pelecanus onocrotalus*  
   *P. crispus*  
   *Nycticorax nycticorax*  
   all from Volga delta
- Contracoecum spiculigerum* (Rudolphi, 1809)  
 Dubinin, V. B., 1954 e, 212-213  
   *Pelecanus crispus*  
   *P. onocrotalus*  
   both from Volga delta
- Contracoecum spiculigerum* (Rud., 1809)  
 Dubinina, M. N.; and Serkova, O. P., 1951 a, 78, 93  
   *Phalacrocorax pygmaeus*  
   *Mergus albellus*
- Contracaecum spiculigerum*  
 Elsea, J. R., 1954 a, 363  
   *Nycticorax n. hoactli*
- Contracaecum* sp. probably *C. spiculigerum*  
 Fantham, H. B.; and Porter, A., 1948 a, 619  
   *Phalacrocorax auritus*: Quebec
- Contracaecum spiculigerum* (Rud.)  
 Filipjev, I. N., 1924 b, 21, fig. 18B
- Contracaecum spiculigerum* (Rud.)  
 Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a, 23, fig. 13B
- Contracaecum spiculigerum* (Rud.)  
 Gendre, E., 1927 b, 273  
   *Phalacrocorax* sp.
- Contracaecum spiculigerum* (Rud.)  
 Gendre, E., 1928 a, 60  
   *Phalacrocorax* sp.
- Contracaecum spiculigerum* (Rudolphi, 1809)  
 Gower, W. C., 1939 a, 611, 619, 620  
   synonymy  
   *Anas clangula*  
   *Merganser castor*  
   *M. merganser*  
   *Glaucionetta clangula*
- Contracaecum spiculigerum*  
 Grétillat, S.; and Morel, P. C., 1961 a, 423  
   *Pelecanus onocrotalus*: Senegal
- Contracaecum (C.) spiculigerum*  
 Gubs'ki, V. S., 1957 a, 178  
   *Nyroca nyroca*: lower Dniester
- Contracaecum spiculigerum* (Rudolphi, 1809)  
 Haderlie, E. C., 1953 a, 349-351, 363, 365, 366, 367, 424, 425, pl. 56 c,d,f  
   *Ameirurus nebulosus* (mesenteries, peritoneum, stomach wall)  
   *Ictalurus catus* (mesenteries, peritoneum, stomach wall)  
   *Lepomis macrochirus* (mesenteries, coelom)  
   *L. cyanellus* (mesenteries, coelom)  
   *Pomoxis nigromaculatus* (mesenteries, coelom)  
   *Archoplites interruptus* (mesenteries, coelom)  
   *Salmo gairdnerii* (mesenteries, coelom)  
   *Micropterus salmoides* (mesenteries, coelom, sinus venosus, and pericardial cavity)  
   all from northern California
- Contracaecum spiculigerum* Rud., 1809  
 Hartwicz, G., 1952 a, 71, 74, 75, 78-79, 80, 82, figs. 14-15
- Contracaecum spiculigerum*  
 Hartwicz, G., 1954 a, 1175, 1178, 1182, 1184, 1186, 1187, 1196, 1197, 1208, 1209, pl. 2, fig. 4a; pl. 8, fig. 35
- Contracaecum spiculigerum* (Rudolphi, 1809)  
 Hsu, H. F., 1932 a, 99, 108-109, 115, pl. 1, figs. 4-6  
   *Phalacrocorax cristatellus sinensis* (stomach)  
   *Ardea* sp.  
   both from Hanoi (Tonkin), Indo-China
- Contracaecum spiculigerum* (Rudolphi, 1809)  
 Hsu, H. F., 1933 j, 1247, 1248, 1273-1274  
   oesophageal glands
- Contracaecum spiculigerum*  
 Huggins, E. J., 1956 c, 26  
   *Pelecanus erythrorynchos*: Brant Lake, South Dakota
- Contracaecum spiculigerum*  
 Huggins, E. J., 1958 b, 33  
   fish: South Dakota
- Contracaecum (C.) spiculigerum* Rudolphi, 1809,  
 Railliet et Henry, 1912  
   Ianchev, I., 1958 a, 405, 406  
   *Syns.*: *Ascaris spiculigerum* (Rudolphi, 1809);  
   *A. valiegata* Rudolphi, 1809; *Contracaecum himeu Yamaguti*, 1941; *C. umiu Yamaguti*, 1941  
   *Pelecanus crispus*: Zoological Garden, Sofia, Bulgaria
- Contracaecum spiculigerum* (Rud., 1809)  
 Inglis, W. G., 1954 b, 822  
   *Phalacrocorax carbo sinensis*: India
- Contracaecum spiculigerum*  
 Jennings, A. R.; and Soulsby, E. J. L., 1957 a, 219, 220  
   *Phalacrocorax aristotelis*  
   *Uria aalge*  
   both from England
- Contracaecum spiculigerum* of Linstow, 1896  
 Johnston, T. H.; 1938 c, 23  
   ["*Pheniscus papua* (i.e. *Pygoscelis papua*) must be misprint for *Phalacrocorax verrucosus* and should be removed from list of known hosts for *C. spiculigerum*"]

- Contracaecum spiculigerum*  
 Johnston, T. H., 1938 c, 25  
 Syn.: *Ascaris spiculigera*  
*Phalacrocorax campbelli*
- Contracaecum spiculigerum* (Rud.)  
 Johnston, T. H.; and Mawson, P. M., 1941 g, 110, 111-112, 114, figs. 1-2  
*Phalacrocorax carbo*  
*P. sulcirostris*  
*P. melanoleucus*  
*P. fuscescens*  
*Notophoxys novae-hollandiae*  
*N. pacifica*  
*Botaurus poecilopterus*  
*Nycticorax caledonicus*  
*Phalacrocorax varius*
- Contracaecum spiculigerum* (Rud.)  
 Johnston, T. H.; and Mawson, P. M., 1943 a, 239-240, 242  
*Phalacrocorax colensoi*  
*P. campbelli*  
 both from Auckland Islands
- Contracaecum spiculigerum* (Rud.)  
 Johnston, T. H.; and Mawson, P. M., 1944 a, 60, 61  
*Phalacrocorax brevirostris*: Dunedin
- Contracaecum spiculigerum* (Rud.) Railliet and Henry  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 74, 117-120, 153  
*Phalacrocorax verrucosus*: Kerguelen  
*P. atriceps nivalis*: Heard Island  
*P. purpurascens*: Macquarie Island  
*P. fuscescens*: Tasmania  
*Notothenia cyanobrancha*: Kerguelen  
*N. rossi*: Kerguelen  
*N. mizops*: Kerguelen  
*N. coriiceps*: Heard Island  
*Champscephalus gunnari*: Kerguelen  
*Chaenichthys rhinoceratus*: Kerguelen  
*Parapercis allporti*: Tasmania  
*Nematonurus armatus*: South Australia
- Contracaecum spiculigerum* (Rud.)  
 Johnston, T. H.; and Mawson, P. M., 1947 a, 547, 551  
*Phalacrocorax carbo*: Tailem Bend, Australia
- Contracaecum spiculigerum* and/or *C. bancrofti*  
 Johnston, T. H.; and Mawson, P. M., 1951 b, 18, 19, 21  
 larvae  
*Retropinna semoni*  
*Carassius kyunzingeri*  
*Pseudaphritis urvillii*  
*Percalates colonorum*  
 all from lower Murray river
- Contracaecum spiculigerum* (Rud.) Raill. and Henry  
 Johnston, T. H.; and Mawson, P. M., 1953 a, 65, 66  
*Phalacrocorax colensoi*: Auckland Islands  
*Larus novaehollandiae scopulinus*: Campbell Island
- Contracaecum spiculigerum* (Rud., 1809) Railliet and Henry, 1912  
 Kamegai, S.; Nonobe, H.; and Suzuki, T., 1957 a, 318
- Contracaecum spiculigerum* (Rudolfi 1809) Railliet & Henry 1912  
 Kreis, H. A., 1958 a, 15, 22  
 synonymy  
*Phalacrocorax* sp. (stomach): Iceland
- Contracaecum spiculigerum*  
 Krotov, A. I., 1960 c, 482  
 Sakhalin
- Contracaecum spiculigerum* (Rudolphi, 1809)  
 Krotov, A. I.; and Delfamure, S. L., 1952 a, 288, 289  
*Phalacrocorax carbo*: Moneron Island  
*P. pelagicus*: Moneron Island  
*P. urile*  
*Gavia arctica viridigularis*: Aniva Gulf  
*Rhodestethia rosea*: Aniva Gulf
- Contracaecum* (C.) *spiculigerum*  
 Kurashvili, B. E., 1956 d, 940  
 zoogeographical characteristics
- Contracaecum* (C.) *spiculigerum* (Rud., 1809)  
 Kurashvili, B. E., 1957 a, 216-219, fig. 109  
*Mergus albellus*  
*Egretta alba*  
*Phalacrocorax carbo*  
 all from Georgian SSR
- Contracaecum spiculigerum*  
 Kurochkin, I. V., 1959 a, 64  
 adaptation to parasitism in muscular stomach
- Contracaecum spiculigerum* Rud.  
 Layman, E. M.; and Mudretsova, K. A., 1926 a, 42, 45  
*Phalacrocorax fuseicols* [i.e., *fuscofusca*]  
*P. javanicus*
- Contracaecum spiculigerum* (Rud.)  
 Lewis, E. A., 1926 b, 11  
 cormorants
- Contracaecum spiculigerum* (Rud.)  
 Lewis, E. A., 1927 d, 128  
 cormorant
- Contracoecum spiculigerum* Rud.  
 Markov, G. S., 1942 a, 581  
*Rissa tridactyla*: Bezymiannaya Bay (Novaya Zemlya)
- Contracaecum spiculigerum* (Rudolphi)  
 Mawson, P. M., 1956 a, 44  
*Phalacrocorax a. auritus*: Canada
- Contracaecum spiculigerum* Rudolphi, 1809  
 Meyer, F. P., 1958 a, 500, 510, 511, 512  
*Perca flavescens*  
*Catostomus c. commersoni*  
*Lepomis humilis*  
*L. cyanellus*  
*Esox lucius*  
*Ictalurus melas*  
*Pimephales promelas*  
 all from Trumbull Lake, Iowa
- Contracaecum spiculigerum* (Rudolphi, 1809) Raillet et Henry, 1912  
 Mozgovoi, A. A.; and Romanova, N. P., 1956 a, 77  
*Pelecanus onocrotalus*: Moskva zoopark
- Contracaecum spiculigerum* (Rudolphi, 1809) Raillet et Henry, 1912  
 Myers, B. J.; Wolfgang, R. W.; and Kuntz, R. E., 1960 a, 835  
*Pelecanus rufescens*  
*Phalacrocorax a. africanus*  
 both from Tonji District Bahr El Ghazal Province, Sudan (East Africa)
- Contracoecum spiculigerum* Rudolphi  
 Nikol'skaià, N. P., 1939 a, 61  
*Phalacrocorax carbo*: Astrakhan reservate, Volgadelta
- Contracaecum spiculigerum*  
 Osche, G., 1958 a, 554
- Contracaecum spiculigerum* (Rud., 1809)  
 Pérez Vigueras, I., 1936 a, 68  
*Larus argentatus*: Cuba
- Contracaecum spiculigerum*  
 Peters, J. L.; and Loveridge, A., 1936 a, 138  
*Pelecanus rufescens*: Kenya Colony
- ?*Contracaecum spiculigerum*  
 Philip, C. B., 1937 b, 563  
 double-crested cormorants: Skilak Lake, Alaska

- Contracaecum spiculigerum*  
 Philip, C. B., 1938 b, 486  
*Phalacrocorax auritus*: Skilak Lake, Alaska
- Contracaecum spiculigerum* (Rud.)  
 Rauther, M., 1930 a, 299, 380, fig. 330
- Contracaecum (C.) spiculigerum* (Rudolphi, 1809)  
 Railliet & Henry, 1912  
 Ryšavý, B., 1958 b, 126-127, 128  
*Phalacrocorax carbo*: Československa
- Contracaecum spiculigerum* (Rud., 1809)  
 Ryzhikov, K. M., 1959 a, 239  
*Cygnus cygnus*: SSSR
- Contracaecum spiculigerum*  
 Ryzhikov, K.; and Kozlov, D., 1959 a, 59, 60  
*Colymbus nigricollis*  
*Mergus albellus*  
*Phalacrocorax carbo*  
 all from Turkmenistan
- Contracaecum spiculigerum* Rudolphi, 1819  
 Saidov, Iu. S., 1956 d, 80-83  
*Mugil auratus* (stomach cavity): Caspian Sea
- Contracaecum spiculigerum* (Rud.)  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 15,  
 V.c 16, V.c 17, V.c 39, V.c 40, V.c 41, fig.  
 373  
*Phalacrocorax carbo*  
*Mergus merganser*  
*M. serrator*  
*Larus ridibundus*  
*Alca torda*  
*Uria aalge* (= *U. troille*)  
*Podiceps cristatus*  
*P. auritus*  
*Cygnus cygnus*  
*Colymbus arcticus*  
*C. cristatus*  
*C. stellatus*  
*Podiceps ruficollis*  
*Pelecanus onocrotalus*  
*Phalacrocorax magellanicus*  
*Merganser merganser*  
*M. serrator*  
 all from Kap Hoorn
- Contracaecum spiculigerum* (Rud.)  
 Schuurmans Stekhoven, J. H., 1937 a, 429, 470,  
 472, fig. 67
- Contracaecum spiculigerum* (Rud.)  
 Schuurmans Stekhoven, J. H., 1939 a, 551, 560,  
 561
- Contracaecum spiculigerum* (Rud., 1809)  
 Serkova, O. P., 1948 a, 213-241  
*Larus ichtyaetus*: Barabin lakes
- Contracaecum spiculigerum* (Rud.)  
 Seurat, L. G., 1918 a, 261-262  
 Syn.: *Ascaris spiculigera* Rud. 1809
- Contracaecum spiculigerum*  
 Seurat, L. G., 1920 c, 25
- Contracaecum spiculigerum*  
 Shaw, J. H., 1947 a, 5, 6, 9  
 steelhead [trout]  
 chinook salmon  
 pelican  
 all from Oregon
- Contracaecum spiculigerum* (Raill. and Hen.)  
 Shaw, J. N.; Simms, B. T.; and Muth, O. H.,  
 1934 a, 18  
 pelican: Crane Prairie Dam, Ore.
- Oncorhynchus tshawytscha*: Rogue River, Ore.
- Contracaecum spiculigerum*  
 Shaw, J. N.; Simms, B. T.; and Muth, O. H.,  
 1934 a, 18  
*Oncorhynchus kisutch*: Wilson River
- Contracaecum spiculigerum* (Rud.)  
 Skrjabin, K. I., 1916 c, 714, 740
- Contracoecum spiculigerum* (Rud.)  
 Skrjabin, K. I., 1923 m, 37-38, figs. 31-32  
*Phalacrocorax carbo*  
*Colymbus septentrionalis*  
*Mergus merganser*  
*Colymbus arcticus*  
*C. cristatus*  
*C. nigricans*  
*Mergus serrator*  
*Larus ridibundus*  
*Phalacrocorax graculus*  
*Anas gatericulata*
- Contracaecum spiculigerum* (Rud.)  
 Skrjabin, K. I., 1924 d, 149, 152, 153, 154
- Contracaecum spiculigerum* Rud.  
 Skrjabin, K. I., 1926 d, 99  
*Phalacrocorax* sp.
- Contracaecum spiculigerum* Rud.  
 Solonitsyn, I. A., 1928 a, 80  
*Podiceps nigricollis*
- Contracaecum spiculigerum* (Rudolphi, 1809) Railliet et Henry, 1912  
 Spasskii, A. A.; Romanova, N. P.; and Naidenov,  
 N. V., 1951 a, 45, 49, 50  
*Ondatra zibethica*: Alma-Ata
- Contracaecum spiculigerum* (Rudolphi, 1809)  
 Sprehn, C. E. W., 1932 c, 535-536, 856, 867,  
 868, 869, 870, 879, 881, 882, 883, 884  
 Syns.: *Ascaris spiculigera* Rudolphi, 1809;  
*A. colymborum* Rudolphi, 1819; *A. mergorum*  
 Rudolphi, 1819; *A. paelonga* Dujardin, 1845  
*Cygnus cygnus* (Darm, Kropf u. Oesophagus)  
*Mergus merganser*  
*M. serrator*  
*Phalacrocorax carbo chinensis*  
*Larus ridibundus*  
*Alca torda*  
*Uria aalge*  
*Podiceps auritus*  
*Phalacrocorax carbo*  
*Podiceps cristatus*  
*P. nigricollis*  
*P. ruficollis*  
*Colymbus arcticus*  
*Haematopus ostralegus*  
*Larus marinus*  
*L. argentatus*  
*L. fuscus*  
*L. canus*  
*Rissa tridactyla*
- Contracaecum (C.) spiculigerum* (Rudolphi, 1809)  
 Sultanov, M. A., 1959 a, 68  
 [*Mergus merganser*] bol'shoi krokhali  
 [*Phalacrocorax carbo*] bol'shoi baklan  
 both from Uzbekistan
- Contracaecum spiculigerum*  
 Sultanov, M. A.; Ryzhikov, K. M.; and Kozlov,  
 D. P., 1960 a, 59  
 [*Larus ridibundus*] chaika obyknovennaia  
 (small intestine): mouth of Amu-Darya
- Contracaecum spiculigerum*  
 Swierstra, D.; Jansen, J. (jr.); and van den  
 Broek, E., 1959 a, 897  
*Phalacrocorax carbo*: Netherlands
- Contracaecum spiculigerum* (Rudolphi, 1809) Railliet et Henry, 1912  
 Tendeiro, J., 1948 f, 703-704, 732  
 synonymy  
*Pelecanus rufescens*: Guiné Portuguesa;  
*Pessuba*
- Contracaecum spiculigerum*  
 Thomas, L. J., 1937 c, 572  
 life cycle  
*Labistes reticulatus*  
*Phalacrocorax auritus*

- Contracaecum spiculigerum (Rud.)**  
 Thomas, L. J., 1937 f, 429-431  
*Phalacrocorax auritus auritus*: Rock Falls,  
 Ill.; Havana, Ill.  
*Labistes reticulatus* (exper.)  
*Aplites salmoides* (exper.)  
*Chaenobryttus gulosus*: Havana, Ill.  
*Halioperca macrochira*: Havana, Ill.
- Contracaecum spiculigerum**  
 Thomas, L. J., 1940 a, 458-460  
 life cycle  
*Phalacrocorax auritus*  
*Botarus lentiginosus*
- Contracaecum spiculigerum (Rud.)**  
 de Toledo Piza, S., 1931 a, 302
- Contracaecum spiculigerum (Rud., 1809)**  
 Venard, C. E., 1940 a, 55, 57, 58  
*Huro salmoides*: Reelfoot Lake  
*Phalacrocorax auritis auritis*
- Contracaecum spiculigerum (Rudolphi, 1809)**  
 Venard, C. E., 1941 a, 15, 16  
*Chaenobryttus gulosus*: Reelfoot Lake near  
 Samburg
- Contracaecum spiculigerum**  
 Vevers, G. M., 1920 a, 409  
*Phalacrocorax carbo*: Britain
- Contracaecum spiculigerum**  
 Walton, A. C., 1923 a, 63, 64  
 Syn.: *Kathleena arcuata* Gedoelst  
*Ardea*
- Contracaecum spiculigerum (Rud.)**  
 Walton, A. C., 1924 b, 176-180, 218, 220,  
 225, 226, 230, fig. B, pl. 8, figs. 1-12  
*Pelecanus erythrorhynchus*
- Contracaecum spiculigerum (Rud.)**  
 Walton, A. C., [1927 a], 65-67, 69, fig. B  
*Pelecanus tetrahyynchus*  
*P. fuscus*  
*Phalacrocorax dilophus*  
*Anhinga anhinga*  
*Lepisosteus* sp.  
*Scomberomorus maculatus*  
*Micropterus dolomieu*  
*Clupea harengus*  
*Peprilus paru*  
*Pomatomus saltatrix*
- Contracaecum spiculigerum**  
 Walton, A. C., 1940 a, 210, fig. 150 I
- Contracoecum spiculigerum (Rud.)**  
 Ward, H. B., 1918 b, 533, fig. 829
- Contracaecum spiculigerum (Rudolphi, 1809)**  
 Wilson, W. D., [1958 a], 395, 397  
*Micropterus salmoides*  
*Ictalurus punctatus*  
 both form Leavenworth county state lake,  
 Kansas
- Contracaecum spiculigerum (Rud., 1809) Rail-**  
**liet et Henry, 1912**  
 Yamaguti, S., 1941 e, 441, 456-457, 479, pl.  
 IX, figs. 16-18, fig. 18  
*Phalacrocorax carbo hanedae*: Ise Province,  
 Japan
- Contracaecum spiculigerum (Rud., 1809)**  
 Yorke, W.; and Mapstone, P. A., 1926 a, 282,  
 fig. 195  
 type of genus  
*Pelecanus* spp.  
*Phalacrocorax* sp.
- Contracoecum squallii [sic]**  
 Agapova, A. I., 1957 a, 125, 126  
 distribution in reservoirs: Kazakhstan
- Contracoecum squallii**  
 Agapova, A. I., 1962 b, 139  
*Silurus glanis* (body cavity): Syr-Darya river
- Contracoecum squalii (Linstow, 1908)**  
 Akhmerov, A. K., 1941 b, 44-45  
*Cyprinus carpio* (body cavity or mesentery)  
*Schizothorax argentatus* "  
*Perca schrenki* "  
*Diplophysa dorsalis* "  
 all from Lake Balkhash
- Contracoecum squalii**  
 Balashov, Iu. S., 1953 a, 77  
*Abramis brama orientalis*  
*Cyprinus carpio*  
 both from Lake Iaskh
- Contracaecum squali**  
 Bogdanova, E. A., [1959 a], 77  
*Abramis brama* (intestine): Volga river
- Contracoecum squalii**  
 Borovskaya, M. P., 1952 a, 14, 15, 18  
*Tinca tinca*  
*Blicca bjoerkna*  
*Cyprinus carpio*  
 all from Danube
- Contracoecum squalii Linst.**  
 Bykhovskaya, I. E. (P.), 1936 d, 287-288  
*Squalius schmidti*  
*Schizothorax pseudakaiensis issykkuli*  
 both from oz. Issykkul
- Contracaecum squalii (Linstow)**  
 Bykhovskaya, I. E.; and Bykhovskiy, B. E.,  
 1940 a, 156, 157  
*Scardinus erythrophthalmus*  
*Tinca tinca*  
*Blicca björkna*  
*Abramis brama*  
*Alburnus charusini*  
*Pelecus cultratus*  
*Cyprinus carpio*  
*Lucioperca lucioperca*  
*Syngnathus nigrolineatus*
- Contracaecum squalum Linstow**  
 Bykhovskiy, B. E., 1936 a, 454, 462, 463, 467  
*Perca fluviatilis*  
*Leuciscus idus*  
 both from Baraba Lakes
- Contracaecum squali**  
 Dobrokhotova, O. V., 1960 a, 115, 119  
*Leuciscus leuciscus baicalensis* (body cavity)  
*Abramis brama*  
 both from Lake Zaisan
- Contracoecum squalii**  
 Dogiel, V.; and Bykhovskiy, B. E., 1934 a, 305,  
 306-307, 313, 314, 342, 343  
*Scardinus erythrophthalmus*  
*Chalcalburnus chalcoides*  
*Aspius aspius*  
*Carassius auratus gibelio*  
*Cyprinus carpio*  
*Leuciscus idus oxianus*  
*Abramis brama*  
*A. sapo*  
*Barbus brachycephalus*  
 all from Aral Sea
- Contracoecum squalii (Linstow, 1907)**  
 Dubinin, V. B., 1952 c, 238, 239, fig. 7 (II)  
 delta of the Volga river
- Contracoecum squalii Linst. larva**  
 Dubinina, M. N., 1949 b, 116  
*Cyprinus carpio*: Volga delta
- Contracoecum squali (Linstow)**  
 Gvozdev, E. V., 1945 b, 41  
*Diptychus dybowskii*  
*Diplophysa strauchi*  
 both from Narogno-Asiatic Region
- Contracoecum squalii Linstow**  
 Gvozdev, E. V., 1953 b, 168  
*Acipenser nudiventris*: Ili River

- Contracoecum squalii**  
 Gvozdev, E. V.; and Agapova, A. I., 1960 a, 187  
*Cyprinus carpio*  
*Abramis brama*  
*Barbus brachycephalus*  
*Leuciscus leuciscus baicalensis*  
*Acipenser nudiventris*  
 all from Balkhash-Ili basin  
**Contracoecum squalii**  
 Gvozdev, E. V.; Agapova, A. I.; and Martekhov, P. F., 1953 a, 102, 103, 104, 105, 107, 108, 109  
*Acipenser nudiventris*  
*Leuciscus leuciscus baicalensis*  
*Cyprinus carpio*  
*Schizothorax argentatus*  
*S. pseudaksaiensis*  
*Diptichus dybowskii*  
*Abramis brama*  
*Perca schrenki*  
*Nemachilus strauchi*  
*N. labiatus*  
 all from Ili Basin  
**Contracoecum squalii** (Linstow, 1907)  
 Iksanov, K. I., 1954 a, 120  
*Salmo ischchan issukogegarkuni*: Lake Issyk-Kul  
**Contracoecum squalii** Linstow, 1908  
 Iksanov, K. I., 1955 a, 218  
 Lake Issyk-Kul  
**Contracoecum squalii**  
 Kamenov, V. P., 1959 a, 159, 160  
 [Cyprinus carpio] sazan  
 [Abramis brama] leshch  
 both from Priazovsk estuary  
**Contracaecum squalii**  
 Komarova, M. S., 1957 a, 655  
 tench: Donets River  
**Contracoecum squalii** (Linstow, 1907)  
 Koval, V. P.; and Pirianik, G. I., [1958 a], 218  
 [Mesogobius batrachocephalus] bychok-knut  
 [Neogobius melanostomus] bychok-krugliak  
 both from southern Bug  
**Contracoecum squali** (Linst.)  
 Krepkogorskaià, T. A., 1927 a, 97  
*Schizothorax intermedius*  
**Contracaecum squalii**  
 Kuz'menko, M. P., 1945 a, 29  
*Capoetobrama kuschakewitschi*: Central Asia  
**Contracaecum squalii** Linst.  
 Layman, E. M.; and Mudretsova, K. A., 1926 a, 44, 45  
*Squalus schniata* [? sic]  
**Contracoecum squalii**  
 Maksimova, A. P., 1962 b, 154  
*Abramis brama* (wall of intestine)  
*Cyprinus carpio* (intestine)  
*Schizothorax argentatus* (intestine)  
 all from Balkhash Lake & Ili River  
**Contracaecum squalii**  
 Mikailov, T. K., [1960 a], 45  
*Chalcalburnus chalcooides*: Kura river  
**Contracoecum squalii** (Linstow, 1907)  
 Osmanov, S. O., 1954 a, 109, 110-111  
*Rutilus rutilus aralensis*  
*Abramis brama bergi*  
*Cyprinus carpio*  
*Siluris glanis*  
 all from delta Amu-Darya  
**Contracoecum squali**  
 Shul'man, S. S., 1954 d, 217  
*Acipenser nudiventris*: Lake Balkhash  
**Contracoecum squalii**  
 Sidorov, E. G., 1958 a, 40  
*Leuciscus leuciscus baicalensis* n. kirgisorum: Nura river  
**Contracoecum squalii**  
 Sidorov, E. G., 1959 a, 136  
 central Kazakhstan  
**Contracoecum squalii** (Linst.)  
 Skrjabin, K. I., 1923 m, 39  
*Squalius schmidtii*  
**Contracoecum squalii** L.  
 Smirnova, K. V., 1954 b, 187  
*Lucioperca lucioperca*: Don river  
**Contracoecum squalii**  
 Smirnova, K. V., 1959 a, 127  
 [Lucioperca lucioperca] sudak: Tsimlianskoe reservoir  
**Contracoecum squalii**  
 Titova, S. D.; and Skripchenko, E. G., 1960 a, 101  
*Rutilus r. lacustris* (liver): Ob river  
**Contracoecum squalii** Linst.  
 Zakhvatkin, V. A., 1938 a, 194, 198, 199, 230, 231-232, 242, fig. 7  
*Leuciscus leuciscus*: Zaissan See; Irtysh Fluss  
**Contracaecum (C.) stenocephalum** (Railliet et Henry, 1907) Layman et Mudrezoval, 1926  
*Deliamure, S. L.*, [1956 b], 238, 249  
 Syn.: *Ascaris stenocephala* Railliet et Henry, 1907  
**Contracaecum stenocephalum** (Railliet and Henry) Yorke and Maplestorne  
 Johnston, T. H., 1938 b, 3, 7, 11, 13-14, 26, 27  
 Syns.: *Kathleena rectangula* Leiper and Atkinson, 1914; *Contracaecum rectangulum* Baylis, 1920; *Ascaris rectangulum* of Leiper and Atkinson, 1914, nec Linstow, 1907  
*Leptonychotes weddelli*: Antarctic  
*Mirounga leonina*: Antarctic  
*Hydrurga leptonyx*: Commonwealth Bay  
**Contracaecum stenocephalum** R. & H.  
 Layman, E. M.; and Mudretsova, K. A., 1926 a, 43, 45  
**Contracaecum stenocephalum** (Railliet & Henry, 1907)  
 Mackerras, M. J., 1958 a, 135  
*Hydrurga leptonyx*  
*Leptonychotes weddellii*  
**Contracaecum stenocephalum**  
 Osche, G., 1958 a, 554  
**Contracaecum (C.) stenocephalum** (Rail. et Henry) Layman et Mudrezoval, 1926  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 485  
**Contracaecum stenocephalum** (Railliet & Henry, 1907)  
 Yorke, W.; and Maplestorne, P. A., 1926 a, 282  
*Stenorhynchus leptonyx*  
*Leptonychotes sp.*  
**Contracaecum tajii** n. sp.  
 Fujita, T., 1932 a, 25-26, 37, figs. 4-6  
*Taius tumifrons* (body cavity): Shinchiku fish-market, Taiwan, Japan  
**Contracaecum (Thynnascaris) tasmaniense** n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 75, 134-135, figs. 24-27  
*Notopogon lilliei*  
*Coelorhynchus australis*  
**Contracaecum torquatum** n. sp.  
 Yamaguti, S., 1935 j, 403, 405-406, figs. 3-4  
*Larus canus major*: Kuki, Mie Prefecture  
**Contracaecum torcuatum** [sic]  
 Bravo Hollis, M., 1939 a, 295, 296  
**Contracaecum (C.) torquatum** Yamaguti, 1935  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 485  
**Contracaecum travassosi** n. sp.  
 Gutierrez, R. O., 1943 a, 161-172, pl., figs. 1-15  
*Phalacrocorax albiventer*: Argentina

- Contraeacum travassosi Gutierrez, 1943  
 Lent, H.; and Teixeira de Freitas, J. F.,  
 1948 a, 5, 41, 42, fig. 86  
*Phalacrocorax vigua*: Montevideo
- Contraeacum travassosi  
 Morgan, B. B.; Schiller, E.; and Rausch, R.,  
 1949 a, 541-542, figs. 1-3  
*Pandion heliaetus carolinensis*: Ohio
- Contraeacum trichiuri n. sp.  
 Thwaite, J. W., 1927 b, 227-229, fig. 2  
*Trichiurus savala*
- Contraeacum trichiuri Thwaite, 1927  
 Baylis, H. A., 1936 a, 79, 91-92  
*Trichiurus savala*: Ceylon
- Contraeacum (*Thynnascaris*) trichiuri (Thwaite,  
 1927)  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 133
- Contraeacum (C.) trichiuri Thwaite, 1927  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Moz-  
 govoi, A. A., 1951 a, 485
- Contraeacum tricuspe (Gedoelst)  
 Baylis, H. A., 1920 g, 262
- Contraeacum tricuspe (Gedoelst, 1916)  
 Baylis, H. A., 1933 d, 443  
*Plotus melanogaster*: Java
- Contraeacum tricuspe (Gedoelst, 1916) Baylis,  
 1920  
 Baylis, H. A., 1936 a, 79, 80, 84-85, fig. 35  
 synonymy  
*Ardea* sp.: Belgian Congo  
*Anhinga* (*Plotus*) melanogaster: Calcutta
- Contraeacum tricuspe (Gedoelst, 1916)  
 Baylis, H. A.; and Daubney, R., 1922 a, 284  
*Plotus melanogaster*: Calcutta
- Contraeacum tricuspe (Gedoelst)  
 Cram, E. B., 1927 a, 147, 160-161, fig. 235  
*Ardea* sp.  
*Plotus melanogaster*
- Contraeacum tricuspe (Gedoelst, 1916) Baylis,  
 1920  
 Ezzat, M. A.; and Tadros, G., 1958 a, 11, 37,  
 38, 40, figs. 33, 34  
 bird: Congo Belge
- Contraeacum tricuspe (Gedoelst 1916)  
 Johnston, T. H.; and Mawson, P. M., 1941 g,  
 110, 114  
*Plotus novae-hollandiae*: Australian Museum;  
*Burnett River, Queensland*
- Contraeacum tricuspe Gedoelst  
 Layman, E. M.; and Mudretsova, K. A., 1926 a,  
 42, 45  
*Plotus melanogaster*
- Contraeacum tricuspis (Gedoelst, 1916) Baylis,  
 1920  
 Lucke, J. T., 1941 b, 33-37
- Contraeacum (C.) tricuspis (Gedoelst, 1916)  
 Baylis, 1920  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Moz-  
 govoi, A. A., 1951 a, 485
- Contraeocum tricuspe Gedoelst, 1916  
 Vuylsteke, C., 1953 b, 8-9, 41, figs. 19-23  
 Syn.: *Kathleena tricuspis* Gedoelst, 1916  
*Anhinga rufa rufa*  
*Ardea goliath*  
 both from Mabwe
- Contraeacum tricuspe  
 Walton, A. C., 1923 a, 64
- Contraeacum tricuspe (Gedoelst, 1916)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 283  
 heron  
 Indian darter
- Contraeacum tridentatum n. sp.  
 Fujita, T., 1939 a, 250-251, 252, pl. 11, figs.  
 11-12  
*Oncorhynchus keta*  
*O. masou*  
 both from Monbetsu, Hidaka province
- Contraeacum tridentatum  
 Fujita, T., 1940 a, 392  
*Oncorhynchus keta*  
*O. masou*
- Contraeacum turgidum n. sp.  
 Chapin, E. A., 1925 b, 1-3, figs. 1-3  
*Monachus schauinslandii*: Hawaii
- Contraeacum turgidum Chapin, 1925  
 Baylis, H. A., 1937 d, 127
- Contraeacum turgidum  
 Osche, G., 1958 a, 554
- Contraeacum (C.) turgidum Chapin, 1925  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Moz-  
 govoi, A. A., 1951 a, 485
- Contraeocum turkestanicum n. sp.  
 Skrjabin, K. I., 1923 m, 38  
*Mergus merganser*
- Contraeacum turkestanicum Skrjabin, 1923  
 Gower, W. C., 1939 a, 611, 620  
*Mergus merganser*: Turkestan
- Contraeacum turkestanicum Skrjabin.  
 Layman, E. M.; and Mudretsova, K. A., 1926 a,  
 44, 45  
*Mergus merganser*
- Contraeacum turkestanicum Skrjabin, 1923  
 Sprehn, C. E. W., 1932 c, 537, 867  
*Mergus merganser* (Darm): Turkestan
- Contraeacum turkestanicum Skrjabin, 1923  
 Yorke, W.; and Maplestone, P. A., 1926 a, 283  
*Mergus merganser*
- Contraeacum umiu n. sp.  
 Yamaguti, S., 1941 e, 441, 459-460, 479, pl.  
 X, fig. 22; pl. XI, fig. 23; figs. 21-22  
*Phalacrocorax capillatus*: Ise Province
- Contraeacum umiu Yamaguti, 1941  
 Ianchev, I., 1958 a, 405, 406  
 as syn. of Contraeacum (C.) spiculigerum  
 Rudolph, 1809, Railliet et Henry, 1912
- Contraeacum umiu  
 Kamegai, S.; Nonobe, H.; Suzuki, T.; and Mach-  
 ida, M., 1959 a, 410  
 Kanto area
- Contraeacum unidentatum n. sp.  
 Fujita, T., 1939 a, 251, 252, pl. 11, figs.  
 13-14  
 [also on pl. facing, given as *C. monoden-  
 tam*]  
*Oncorhynchus keta*: Kaihyoto
- Contraeacum unidentatum  
 Fujita, T., 1940 a, 392  
*Oncorhynchus keta*
- Contraeacum yamaguti nom. nov.  
 Mawson, P. M., 1956 a, 35, 42, 43-44, 47,  
 figs. 21-24  
 Syn.: Contraeacum sp. Yamaguti, 1941  
*Mergus merganser americanus*: Canada
- Contraeacum zenis n. sp.  
 Baylis, H. A., 1929 h, 547-548, fig. 4  
*Zeus capensis*
- Contraeacum (*Thynnascaris*) zenis (Baylis, 1929)  
 Johnston, T. H.; and Mawson, P. M., 1945 a,  
 133
- Contraeacum (C.) zenis Baylis, 1929  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Moz-  
 govoi, A. A., 1951 a, 485
- Contraeacum zenopsis n. sp.  
 Yamaguti, S., 1941 b, 343, 366-367, 395, pl.  
 V, figs. 27-30; fig. 24  
*Zenopsis nebulosa*: Pacific
- Contraeacum (*Thynnascaris*) zenopsis (Yamag.,  
 1941)  
 Johnston, T. H.; and Mawson, P. M., 1945 a,  
 133
- Contraeacum (C.) zenopsis Yamaguti, 1941  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Moz-  
 govoi, A. A., 1951 a, 485
- Contraeocum. See Contraeacum.

- Cooperia  
 Andrlé, O.; Erhardová, B.; and Müller, K.,  
 1958 a, 8  
 treatment  
 Cooperia Ransom  
 Augustine, D. L., 1929 a, 411  
 Cooperia Ransom  
 Baylis, H. A., 1929 c, 182-183  
 Cooperia  
 Baylis, H. A., 1929 k, 529-533  
 Cooperia Ransom, 1907  
 Baylis, H. A.; and Daubney, R., 1926 a, 180  
 type: *C. curticei* (Giles)  
 Cooperia  
 Böhm, L. K., 1929 b, 1  
 Cooperia Ransom, 1907  
 de Brito Gutterres, J., 1952 a, 1312-1314  
 Trichostrongylinae  
 Cooperia Ransom  
 Cameron, T. W. M., 1923 h, 95  
 Cooperia Ransom  
 Cameron, T. W. M., 1927 h, 86  
 Cooperia  
 Cornelius, C. E.; Baker, N. F.; Kaneko, J. J.;  
 and Douglas, J. R., 1962 a, 841  
 Cooperia  
 Daubney, R., 1933 b, 234, 235  
 Cooperia Ransom  
 Fiebiger, J., 1923 a, 263, 280-282  
 Cooperia  
 Francalanci, G.; and Manfredini, L., [1961 a],  
 487-489  
 Cooperia  
 Francalanci, G.; and Manfredini, L., [1961 b],  
 489-493  
 Cooperia  
 Freeborn, S. B.; and Stewart, M. A., 1937 a,  
 38  
 key  
 Cooperia  
 Gelormini, N., 1948 a, 148  
 Cooperia  
 Joan, T., 1922 a, 8  
 Cooperia  
 Kulikov, N. S., 1959 a, 36  
 overwintering: Irkutsk obalst  
 Cooperia  
 Lapage, G., 1947 d, 59  
 Cooperia Ransom, 1907  
 Lent, H.; and Teixeira de Freitas, J. F.,  
 1934 a, chart 5  
 Trichostrongylinae  
 type species: *C. curticei* (Raill., 1893)  
 Ransom, 1907  
 Cooperia Ransom  
 Lopez Neyra, C. R., 1924 a, 174  
 Cooperia  
 Mönnig, H. O., 1931 e, 259, fig. 5 [Legend of  
 pl. gives fig. 4]  
 diagnosis  
 Cooperia Ransom  
 Neveu Lemaire, M., 1918 a, 22, 35, 37, 40,  
 50, 56, 74, 75, 78, 85, 90, 112, fig. 9  
 Cooperia Ransom, 1907  
 Orlov, I. V., 1933 b, 102  
 Cooperia  
 Orlov, I. V., 1937 b, 437  
 key  
 Cooperia Ransom  
 Ortlepp, R. J., 1922 f, 420  
 Cooperia Ransom  
 Rauther, M., 1930 a, 377  
 Cooperia  
 Rawes, D. A., 1961 b, 400  
 Cooperia  
 Riedel, B. B.; and Arnold, J. L., 1956 a, 541  
 nutrition  
 Cooperia Ransom  
 Sjöberg-Klaavu, A. H., 1926 b, 518, 521, 538  
 Cooperia Ransom  
 Sluiter, C. P.; Swellengrebel, N. H.; and  
 Ihle, J. E. W., [1922 a], 425-426  
 Cooperia  
 Sprehn, C. E. W., 1927 e, 53  
 Cooperia Ransom, 1907  
 Sprehn, C. E. W., 1932 c, 702, 708  
 type: *C. curticei* (Giles, 1892)  
 Cooperia  
 Swierstra, D., 1950 c, 238, 241  
 Cooperia  
 Tetley, J. H., 1935 a, 478  
 [as Cooperis]  
 Cooperia  
 Travassos, L. P., 1920 h, 66  
 Cooperia Ransom, 1907  
 Travassos, L. P., 1920 p, 192, 193  
 Cooperia  
 Travassos, L. P., [1921 g], 8, 9, 13, 19, 49,  
 57, 83  
 type: *C. curticei* (Giles, 1892) Ransom,  
 1907  
 Cooperia Ransom, 1907  
 Travassos, L. P., 1937 e, I, 3, 15, 16, 17,  
 27, 33-35, 47, 51, 52, 53, 54, 96, 412  
 type: *C. curticei* (Giles, 1892)  
 Cooperia  
 Velu, H.; and Barotte, J. H., 1924 a, 334, 344  
 Cooperia Ransom, 1907  
 Yorke, W.; and Maplestone, P. A., 1926 a,  
 117, 131-132  
 type: *C. curticei* (Railliet)  
 Cooperia [sp.]  
 Ackert, J. E.; and Muldoon, W. E., 1920 a,  
 140  
 cattle, yearling steers (small intestine)  
 Cooperia spp. (larvae)  
 Andrews, J. S., 1935 a, 90  
 key, morphology  
 Cooperia spp.  
 Armour, J.; Hart, J. A.; Lee, R. P.; and  
 Ross, J. G., 1961 a, 234, 235  
 cattle, treatment: Nigeria  
 Cooperia spp.  
 Armour, J.; Hart, J. A.; and Ross, J. G.,  
 1961 a, 485, 486, 487, 488, 489  
 Cooperia [sp.]  
 Baranschek, G., 1954 a, 7  
 goats: Berlin  
 Cooperia spp.  
 Barnes, G. W.; Smith, A. L.; and Turk, R. D.,  
 1945 a, 20, 58  
 cattle (stomach), control  
 Cooperia sp.  
 Batte, E. G., 1961 a, 283  
 Cooperia spp.  
 Becklund, W. W.; and Allen, R. W., 1958 a,  
 587, 589  
 cattle: Arizona, New Mexico  
 Cooperia [sp.]  
 Bell, R. R., 1957 a, 294  
 cattle: North Carolina  
 Cooperia spp.  
 Belschner, H. G., 1944 a, 32  
 Cooperia spp.  
 Bremner, K. C., 1959 b, 471-485  
 Cooperia spp.  
 Brown, N. C.; Hollinshead, D. T.; Kingsbury,  
 P. A.; and Malone, J. C., 1962 a, 379  
 treatment  
 Cooperia [sp.]  
 Carroll, H. T., 1957 b, 4  
 ovejas: Ecuador  
 Cooperia spp.  
 Carroll, H. T., 1957 b, 5  
 control  
 ovejas: Peru

- Cooperia* sp.  
Carroll, T. H., 1957 a, 530  
treatment
- Cooperia* spp.  
Clarke, E. A.; and Filmer, D. B., 1958 a, 395
- Cooperia* spp.  
Cooper rider, D. E.; Pearson, C. C.; and Kliewer, I. O., 1948 a, 13, 14, 15, 16, 17  
cattle: Oklahoma
- Cooperia* sp. ind.  
Couturier, M. A. J., [1961 a], 71  
*Capra aegagrus ibex*
- Cooperia* spp.  
Crofton, H. D., 1954 b, 472  
egg counts in ewes
- Cooperia* spp.  
Crofton, H. D., 1955 a, 104  
egg count, sheep: southwest England
- Cooperia* spp.  
Crofton, H. D., [1958 a], 306-307, 309, 310, 313  
sheep: south-west England
- Cooperia* sp.  
Dale, D. G.; Gibbs, H. C.; and Jeffers, H., 1962 a, 266  
sheep, treatment
- Cooperia* sp.  
Davis, L. R.; Bowman, G. W.; and Porter, D. A., 1952 a, 488  
calves
- Cooperia* sp.  
Dewhurst, L. W.; and Hansen, M. F., 1961 a, 84, 85, 86, 87, 88, fig. 1  
worm burdens, cattle
- Cooperia* sp.  
Dewhurst, L. W.; Trautman, R. J.; and Pistor, W. J., 1958 a, 30  
beef cattle: Arizona
- Cooperia* [sp.]  
Dhanda, M. R., 1955 a, 27
- Cooperia* sp.  
Dikmans, G., 1929 a, 27  
cattle: Porto Rico
- Cooperia* sp.  
Dikmans, G., 1934 d, 63  
*Odocoileus virginianus*: N.Y. State
- Cooperia* spp.  
Douvres, F. W., 1960 b, 25  
bovine
- Cooperia* spp.  
Durie, P. H., 1961 a, 1202
- Cooperia* sp.  
Eckert, J., 1960 a, 619-620; figs. 11, 12  
sheep
- Cooperia* sp.  
Eveleth, D. F.; and Goldsby, A. I., 1945 a, 91, 94  
sheep: North Dakota
- Cooperia* spp.  
Ewer, T. K.; and Sinclair, D. P., 1951 a, 35, 36, 37  
Canterbury sheep
- Cooperia* spp.  
Filmer, J. F., [1944 a], 8
- Cooperia* spp.  
Galvin, T. J.; Bell, R. R.; and Turk, R. D., 1959 a, 785  
treatment
- Cooperia* spp.  
Gibson, T. E., 1959 a, 34  
treatment
- Cooperia* spp.  
Gilmore, R. E.; and Allen, R. W., 1960 a, 71  
*Antilocapra americana*: New Mexico
- Cooperia* larvae  
Goldberg, A.; and Lucker, J. T., 1959 a, 41  
survival on pasture  
cattle: Beltsville, Maryland
- Cooperia* larvae  
Goldberg, A.; and Lucker, J. T., 1960 a, 159  
calves
- Cooperia* larvae  
Goldberg, A.; and Rubin, R., 1956 a, 68  
survival on pasture  
cattle
- Cooperia* sp.  
Goldsby, A. I.; and Eveleth, D. F., 1944 a, 35, 36  
sheep: Red River Valley
- Cooperia* [sp.]  
Gomez, A. K., 1928 a, 169-170  
pathological lesions  
*Bubalus bubalis*
- Cooperia* spp.  
Gordon, H. M., 1953 b, 337  
epidemiology, sheep: Australia
- Cooperia* sp.  
Graber, M., 1959 c, 147  
zébu: République du Tchad
- Cooperia* [sp.]  
Graber, M.; and Receveur, P., 1956 a, 6  
moutons: French Equatorial Africa
- Cooperia* spp.  
Gracey, J. F.; and Kerr, J. A. M., 1961 a, 172  
treatment
- Cooperia* sp.  
Griffiths, H. J., 1947 a, 88  
sheep: Manitoulin Island, Ontario
- Cooperia* spp.  
Griffiths, R. B., 1957 a, 57, 79, 80  
cattle  
buffaloes (small intestine)  
both from Burma
- Cooperia* spp.  
Groves, T. W., 1961 a, 198, 199, 200  
treatment
- Cooperia* sp.  
Harshfield, G. S.; Carlson, F. N.; and Taylor, J. B., [1944 a], 16  
sheep: South Dakota
- Cooperia* spp.  
Healey, J. S., 1950 a, 203, 204, 206  
treatment, cattle
- Cooperia* [sp.]  
Heguito, H. R., 1942 a, 42  
lanares: Uruguay
- Cooperia* [sp.]  
Hitchcock, D. J., 1956 a, 34  
cattle: North Carolina
- Cooperia* spp.  
Hobbs, W. B., 1962 a, 49  
treatment
- Cooperia* [sp.]  
de Jong, J. J.; and Stegenga, T., 1946 a, 270
- Cooperia* spp.  
Kingsbury, P. A., 1961 a, 183  
treatment
- Cooperia* spp.  
Knight, R. A.; McGuire, J. A.; and Walton, L., 1960 a, 71  
treatment, sheep
- Cooperia* sp.  
Knight, R. A.; McGuire, J. A.; and Walton, L. B., 1960 b, 2  
sheep
- Cooperia* spec.  
Kreis, H. A., 1950 a, 158, 159, 162, 163, fig. 14 (i)
- Cooperia* spec.  
Kreis, H. A., 1962 a, 111, 112  
*Capreolus capreolus*  
*Bos taurus*
- Cooperia* sp.  
Krug, E. S.; and Mayhew, R. L., 1946 a, 17-18
- Cooperia* spp.  
Landram, J. F., 1959 a, 56

- Cooperia sp.  
Lang, E. M., 1962 a, 278
- Cooperia sp.  
Lange, E., 1957 a, 13  
cattle
- Cooperia [sp.]  
Lax, T., 1953 a, 149  
sheep, treatment
- Cooperia spp.  
Legg, J., 1946 a, 34
- Cooperia spp.  
Legg, J., 1947 b, 43
- Cooperia spp.  
Legg, J., 1949 c, 56  
on pastures throughout year
- Cooperia n. sp.  
LeRoux, P. L., 1930 d, 52
- Tragelaphus sylvaticus
- Cooperia [sp.]  
Le Roux, P. L., 1939 a, 56  
reed buck: Mazabuka
- Cooperia [sp.]  
Lütz, 1948 a, 165, 166, 169, 170, 171, 172, 173  
bovine  
Hippotragus équinus; Congo Belge
- Cooperia sp.  
Macdonald, R. A. S., 1932 a, 33  
puku: Mazabuka area, N. Rhodesia
- Cooperia sp.  
Malkani, P. G., 1955 a, C89  
cattle: Ceylon
- Cooperia sp.  
Mayhew, R. L., [1943 a], 130  
cattle
- Cooperia sp.  
Meldal-Johnson, C. M.; Muller, G. L.; and  
Thomas, R. J., 1960 a, 238  
treatment
- Cooperia sp.  
Mikacic, D., 1938 a, 123, 137, 139  
moutons: Yougoslavie
- Cooperia [sp.]  
Mitskevich, V. Iu., 1953 a, 25  
reindeer
- Cooperia [sp.]  
Mönnig, H. O., 1944 c, 767, fig. 11 (6)
- Cooperia [sp.]  
Morris, J. P. A., 1938 a, 20  
sheep: North. Rhodesia
- Cooperia sp.  
Morris, J. P. A., 1939 b, 23  
sheep: Northern Rhodesia
- Cooperia [spp.]  
Morris, J. P. A., 1940 a, 16  
sheep: North. Rhodesia
- Cooperia sp.  
Mudaliar, S. V.; and Alwar, V. S., 1947 b, 87  
cow  
deer  
both from Madras
- Cooperia sp.  
Nair, K. P. C.; and Anantaraman, M., 1954 a,  
334, pl. 14, fig. 2  
Bos bubalis: South India
- Cooperia spp.  
New South Wales Dept. Agric. Div. Animal In-  
dust., 1956 a, 86  
cattle (small intestine): New South Wales
- Cooperia sp.  
Obitz, K., 1933 a, 169  
Rinder: Hryczyn (Polen)
- Cooperia [sp.]  
Orlov, I. V., 1937 c, 10  
[sheep]: Universal
- Cooperia spp.  
Parnell, I. W., 1956 a, 19  
sheep: Scotland
- Cooperia sp.  
Patyk, S., 1958 a, 480, 481  
grass irrigated by sewer waters: Wroclaw
- Cooperia spp.  
Porter, D. A., 1954 a, 8  
phenothiazine
- Cooperia sp.  
Priadko, E. I., 1961 a, 342  
bovine cattle (small intestine): Kazakhstan
- Cooperia [sp.]  
Raun, E.S., 1958 a, 53  
treatment, livestock
- Cooperia spp.  
Rees, F. G., 1942 a, 200  
Aberystwyth
- Cooperia sp.  
Reyes, R. V., 1938 a, 22  
buey [ox]: Valledupar (Magdalena) Colombia
- Cooperia spp.  
Riek, R. F.; and Keith, R. K., 1957 a, 165,  
167, 168  
treatment, cattle
- Cooperia spp.  
Riek, R. F.; and Keith, R. K., 1958 a, 2  
efficiency of piperazine compounds
- Cooperia sp. (resembling C. africana Mönnig)  
Roberts, F. H. S., 1937 e, 141  
cattle: Queensland
- Cooperia spp.  
Roberts, F. H. S., 1955 a, 165, 166, 167, 168,  
169  
treatment, cattle: Queensland
- Cooperia spp.  
Robertson, D., 1937 d, 2038
- Cooperia sp.  
Robertson, D.; and Fraser, A. H. H., 1940 a,  
325
- Cooperia [spp.]  
Rollinson, D. H. L., 1953 a, 164  
phenothiazine, cattle: Uganda
- Cooperia sp.  
Rosenberger, A. C., 1944 c, 195  
cattle: California
- Cooperia spp.  
Ross, J. G.; and Armour, J., 1960 a, 137-139
- Cooperia spp.  
Ross, J. G.; Armour, J.; and Lee, R. P., 1960  
a, 119-122
- Cooperia sp.  
Sandground, J. H., 1933 d, 267  
Cephalophus monticola (mucosa of small in-  
testine): Mt. Silinda, Southern Rhodesia
- Cooperia [spp.]  
Sankaranarayanan, M. V.; Das, D. N.; and Sun-  
daram, S., 1957 a, 44, 45, fig. 29  
bursa as diagnostic character
- Cooperia sp.  
Schanzel, H., 1959 a, 251  
ewes
- Cooperia [sp.]  
Scheidegger, S., 1950 a, 144  
okapi
- Cooperia species  
Schwartz, Benjamin<sup>1</sup>, 1927 h, 133  
Bubalus bubalis, nodular disease of intestine
- Cooperia sp.  
Schwartz, Benjamin<sup>1</sup>, 1928 f, 203  
carabao, nodular disease of intestine:  
Philippine Islands
- Cooperia sp.  
Schwartz, Benjamin<sup>1</sup>, [1941 e], 90  
treatment
- Cooperia [sp.]  
Schwartz, Benjamin<sup>1</sup>, [1950 a], 58  
sheep
- Cooperia spp.  
Seddon, H. R., 1948 a, 32  
Australia
- Cooperia sp.  
Seneviratna, P., 1955 b, 35  
buffalo: Peradeniya

- Cooperia* spp.  
Shilkin, J., 1959 a, 725-727  
cattle
- Cooperia* spp.  
Shorb, D. A., 1942 a, 333, 334, 335  
sheep: Beltsville, Md.
- Cooperia* spp.  
Soulsby, E. J. L., 1961 a, 356  
cattle, immunity
- Cooperia* [sp.]  
Stampa, S., 1960 a, 244  
treatment, cattle
- Cooperia* spp.  
Stewart, W. L.; and Crofton, H. D., 1942 a, 515
- Cooperia* [sp.]  
Stone, W. M. (jr.), [1958 a], 176  
cattle
- Cooperia* spp.  
Swanson, L. E., 1941 b, 63  
sheep: Georgia
- Cooperia* sp.  
Swanson, L. E., [1942 b], 71  
survival
- Cooperia* spp.  
Swanson, L. E. [1942 c], 184, 185  
sheep: Florida
- Cooperia* spp.  
Swanson, L. E., [1946 c], 52
- Cooperia* spp.  
Swanson, L. E., 1947 a, 92
- Cooperia* spp.  
Swanson, L. E., 1960 f, 51  
calves: Florida
- Cooperia* spp.  
Swanson, L. E.; Dennis, W. R.; Stone, W. M. (jr.); and Wade, A. E., [1956 a], 157  
treatment, cattle: Florida
- Cooperia* spp.  
Swanson, L. E.; Stone, W. M.; and Dennis, W. R., [1955 a], 141  
treatment
- Cooperia* sp.  
Swierstra, D., 1948 b, 832  
Rund
- Cooperia* [sp.]  
Taylor, E. L., 1934 g, 474, 476  
egg-worm ratio  
sheep
- Cooperis* [sic] sp.  
Tetley, J. H., 1935 a, 478  
distribution in small intestine  
sheep  
cattle
- Cooperia* or *Ostertagia* spp.  
Teuscher, E.; and Stünzi, H., 1956 a, 265, 266  
*Bison americanus*  
*Bos taurus*  
*Ovis aries*  
*Antilope cervicapra*  
*Damaliscus albifrons*  
*Strepsiceros strepsiceros*  
*Giraffa camelopardalis*  
*Cervus canadensis*  
*Capreolus capreolus*  
*Camelus bactrianus*  
*Lama glama*  
all from Zool. Garten Zürich
- Cooperia* sp.  
Teuscher, E.; and Stünzi, H., 1956 a, 264  
*Cebus apella*: Zool. Gartens, Zürich
- Cooperia* spp.  
Thorold, P. W.; Bosman, C. J.; and Baker, J. A. F., 1959 a, 439
- Cooperia* spp.  
Tromba, F. G.; and Douvres, F. W., 1957 a, 12  
swine (exper.), did not develop in weak or healthy pigs
- Cooperia* spp.  
Turk, R. D., 1945 b, 474
- Cooperia* [sp.]  
Turk, R. D., 1951 a, 251, 252  
diagnosis, cattle, sheep
- Cooperia* [sp.]  
Turk, R. D., 1954 c, 3  
bovine
- Cooperia* spp.  
Vegors, H. H., 1957 a, 21
- Cooperia* spp.  
Vegors, H. H., 1958 a, 90  
inhibited development in cattle
- Cooperia* spp.  
Vegors, H. H., 1960 a, 39  
cattle
- Cooperia* [sp.]  
Verdelhan, L. R., 1958 a, 31  
treatment  
mutton
- Cooperia* spp.  
Walley, J. K., 1961 a, 20  
treatment  
cattle  
sheep  
(intestine of both)
- Cooperia* spp.  
Walley, J. K., 1961 b, 159, 160, 161, 162, 165, 167  
treatment
- Cooperia* sp.  
Weretzuk, M., 1959 a, 315, 339, 341  
influence of environment  
sheep: Poland
- Cooperia* spp.  
White, E. G.; and Cushnie, G. H., 1952 a, 381  
nutrition
- Cooperia* spp.  
Whitlock, H. V., 1957 c, 7  
ovejas: Peru
- Cooperia* [sp.]  
Whitlock, J. H., 1950 a, 294, 295, 296  
anaemia, sheep
- Cooperia* [sp.]  
Willman, J. P.; and Baker, D. W., 1943 a, 107  
treatment, sheep
- Cooperia* spp.  
Wood, I. B.; Emro, J. E.; and Waletsky, E., 1961 a, 36  
treatment
- Cooperia* [sp.] eieren  
Zwart, D., 1959 c, 825  
rund: Dutch New-Guinea
- Cooperia africana* n. sp.  
Mönnig, H. O., 1932 b, 173  
*Taurotragus oryx* (small intestine): Kenya
- Cooperia africana* Mönnig, 1932  
Mönnig, H. O., 1933 g, 85, 87, 91  
*Taurotragus oryx* (small intestine): South Africa (Kenya)
- Cooperia africana* Mönnig  
Baylis, H. A., 1938 b, 68, 71, fig. 5
- Cooperia africana* Mönnig  
Roberts, F. H. S., 1937 e, 141  
*Cooperia* sp. (resembling *C. africana* Mönnig)  
cattle: Queensland
- Cooperia africana* Mönnig, 1932  
Travassos, L. P., 1937 e, 34, 45-46, pl. 11, figs. 2-3  
*Taurotragus oryx*: Africa-Kenya
- Cooperia alata* Railliet & Henry  
Neveu-Lemaire, M., 1918 a, 23  
*Macacus* sp.
- Cooperia alata* R. & H.  
Schwartz, B., 1928 e, 3, 4  
*Macacus* monkey

- Cooperia alata*  
Sprehn, C. E. W., 1927 e, 53  
*Cooperia alata* Railliet & Henry, 1909  
Travassos, L. P., 1920 p, 193  
*Cooperia alata* Railliet & Henry, 1909  
Travassos, L. P., [1921 g], 20, 52, 114  
Cercopithecidae?: Africa  
*Cooperia alata* Railliet & Henry, 1909  
Travassos, L. P., 1937 e, 3, 34, 35, 69, 70  
*Cooperia alata* Railliet & Henry  
Yorke, W.; and Maplestone, P. A., 1926 a, 132  
monkeys  
*Cooperia antidorca* n. sp.  
Mönnig, H. O., 1931 h, 251-252, fig. 24, 25  
wild antelopes as carriers of nematode parasites of domestic ruminants  
*Antidorcas marsupialis*  
*Cooperia antidorca* Mönnig, 1931  
Daubney, R., 1933 b, 226, 227, 234, 235  
[to *Cooperioides* n. g.]  
*Antidorcas marsupialis*: South Africa  
sheep (exper.)  
*Cooperia antidorca*  
Dikmans, G.; and Andrews, J. S., 1933 a, 5, 22  
*Cooperia antidorca*  
Gordon, H. M., 1933 f, 35  
sheep  
wild antelope  
*Cooperia antidorca* Mönnig, 1931  
Travassos, L. P., 1937 e, 34, 35, 52  
as syn. of *Cooperioides antidorca*  
*Cooperia bisonis* n. sp.  
Cram, E. B., 1925 b, 571-573  
buffalo  
*Cooperia bisonis*  
Allen, R. W.; and Jackson, P. K., 1954 a, 61  
sheep: near eastern New Mexico-West Texas line  
*Cooperia bisonis*  
Andrews, J. S., 1961 a, 27  
*Cooperia bisonis* Cram, 1925  
Badanin, N. V., 1938 a, 63, 65  
*Camelus dromedarius*  
*Cooperia bisonis* Cram  
Daubney, R., 1933 b, 234  
*Cooperia bisonis*  
Dikmans, G., 1939 d, 98  
Bison bison  
*Cooperia bisonis*  
Goldsby, A. I.; and Eveleth, D. F., 1954 a, 641, 643, 648, pl. V, figs. 15-16  
Antilocapra americana: North Dakota  
*Cooperia bisonis*  
Hall, M. C., 1930 h, 87  
*Cooperia bisonis* sp. nov.  
Koffman, M., 1942 a, 156, 158, 159, 185, 186, 187, 188, 189, 191, figs. 24-26  
Bison europeus: Sweden  
*Cooperia bisonis*  
Lucker, J. T.; and Dikmans, G., 1945 a, 3  
Antilocapra americana: western South Dakota  
*Cooperia bisonis* Cram, 1925  
Petrov, A. M.; Dzhavadov, M. K.; and Skarbilovich, T. S., [1935 a], 6, 8-9, 17  
cattle: Azerbaidzhan  
*Cooperia bisonis*  
Petrov, A. M.; Dzhavadov, M. K.; and Skarbilovich, T. S., 1936 a, 247  
cattle: Azerbaidzhan  
*Cooperia bisonis* Cram  
Price, E. W., 1929 f, 219-220  
cattle  
*Cooperia bisonis* Cram, 1925  
Prokopic, J., 1954 a, 263, 273, figs. 4 d-e  
cattle: Czechoslovakia  
*Cooperia bisonis* Cram, 1925  
Raevskaya, Z. A.; and Badanin, N. V., 1933 a, 45-47, 113  
Camelus bactrianus  
Bison bisonis  
*Cooperia bisonis* Cram  
Schwartz, B., 1928 e, 3, 4  
*Cooperia bisonis*  
Shorb, D. A., 1940 a, 227  
*Cooperia bisonis*  
Sprehn, C. E. W., 1927 e, 53  
Bison bison  
*Cooperia bisonis*  
Swales, W. E., 1933 a, 473, 477  
Bison bison: Alberta  
*Cooperia bisonis*  
Tomsikh, P. T., 1956 a, 240  
cattle: Cheliabinsk oblast  
*Cooperia bisonis* Cram, 1925  
Travassos, L. P., 1937 e, 34, 35, 37, 38  
as syn. of *C. oncophora*  
*Cooperia bisonis* Cram  
Yorke, W.; and Maplestone, P. A., 1926 a, 132  
Bison bison  
*Cooperia borgesii* n. sp.  
Brito Gutterres, J., 1947 b, 37, 39, 40, 49, figs. 5-8  
ovinos: Congo Belga  
Redunca redunca: Congo Belga  
bovinos: Congo Belga  
*Cooperia borgesii* n. sp.  
de Brito Gutterres, J., 1952 a, 1305, 1306, 1307, 1309, 1310, 1311, 1314, figs. 4-7  
Redunca redunca: Congo Belga, Africa  
bovino: Congo Belga, Africa  
*Cooperia brasiliensis* Travassos  
Lopez Neyra, C. R., 1924 a, 176  
*Cooperia brasiliensis* Travassos  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 444  
*Cooperia brasiliense* Travassos, 1914  
Sprehn, C. E. W., 1932 c, 709  
as syn. of *Cooperia punctata* (Linstow, 1907)  
*Cooperia brasiliense*  
Travassos, L. P., [1921 g], 51  
*Cooperia curticei*  
Adams, A. R. D., 1933 b, 2  
sheep: Berwick, N. B.  
*Cooperia curticei*  
Andrews, J. S., 1935 a, 89, fig. 20 B  
morphology, sheep  
*Cooperia curticei*  
Andrews, J. S., 1936 a, 222-223  
egg producing capacity in sheep  
*Cooperia curticei*  
Andrews, J. S., 1937 a, 559  
acquired resistance to superinfection, sheep  
*Cooperia curticei*  
Andrews, J. S., 1937 b, 65  
location in sheep  
*Cooperia curticei*  
Andrews, J. S., 1938 c, 349-361  
effect on nutrition, lambs  
*Cooperia curticei*  
Andrews, J. S., 1938 b, 40-44  
cellular elements and hemoglobin, sheep  
*Cooperia curticei*  
Andrews, J. S., 1939 a, 764, 766  
sheep  
*Cooperia curticei*  
Andrews, J. S., 1939 b, 771-785, figs. 1-3  
life history, resistance, sheep  
*Cooperia curticei*  
Andrews, J. S., 1961 a, 27  
*Cooperia curticei*  
Andrews, J. S.; and Maldonado, J. F., 1939 a, 53  
calves: Puerto Rico

- Cooperia curticei*  
 Andrews, J. S.; and Maldonado, J. F., [1941 a],  
 135  
 cabro: Puerto Rico
- Cooperia curticei*  
 Andrews, J. S.; and Maldonado, J. F., [1941 d],  
 129  
 becerros: Puerto Rico
- Cooperia curticei*  
 Arnao Mendoza, M., 1951 a, 76  
 Ovis aries (intestino): [Peru]
- Cooperia curticei* (Railliet, 1893) Ransom, 1907  
 Ault, C. N., 1943 c, 470, 477, 480  
 Ovis aries: Argentina
- Cooperia curticei*  
 Baker, D. W., 1939 f, 46  
 lambs
- C[oopera] *curticei*  
 Baker, N. F.; Cook, E. F.; Douglas, J. R.;  
 and Cornelius, C. E. [1960 a], 644  
 lambs (small intestine): California
- Cooperia curticei*  
 Baudet, E. A. R. F., 1929 h, 325
- Cooperia curticei* (Railliet)  
 Baylis, H. A., 1929 c, 183  
 sheep  
 goat
- Cooperia curticei* (Giles, 1892)  
 Baylis, H. A.; and Daubney, R., 1926 a, 180
- Cooperia curticei* (Railliet, 1893)  
 Bennetts, H. W., 1935 a, 114  
 new record in sheep: Western Australia
- Cooperia curticei*  
 Borchert, A., 1950 f, 2
- Cooperia curticei*  
 Borchert, A., 1959 b, 434  
 diagnosis, Schafe
- Cooperia curticei* (Railliet)  
 Böhm, J., 1929 b, 1
- Cooperia curticei*  
 Brade-Birks, S. G., 1927 a, 50, 51
- Cooperia curticei* Giles, 1892  
 Calzada, V., 1936 b, 216-218  
 ovinos: Uruguay
- Cooperia curticei* Railliet  
 Cameron, T. W. M., 1922 b, 186, 187  
 sheep: Britain  
 cattle: "
- Cooperia curticei*  
 Cameron, T. W. M., 1923 d, 55, 57
- Cooperia curticei*  
 Cameron, T. W. M., 1924 d, 88
- Cooperia curticei*  
 Cameron, T. W. M., 1930 b, 82
- Cooperia curticei*  
 Cameron, T. W. M., 1933 c, 509  
 British Empire
- Cooperia curticei*  
 Cameron, T. W. M.; and Parnell, I. W., 1933 a,  
 141, 153  
 cattle  
*Capra hircus*  
 sheep  
 goat, wild  
 all from Arran, Scotland
- Cooperia curticei*  
 Chitwood, B. G.; and Chitwood, M. B., 1937 b,  
 13, fig. 12
- Cooperia curticei*  
 Cooper, T. P., [1946 a], 16
- Cooperia curticei*  
 Copp, F. C.; et al., 1958 a, 183  
 treatment
- Cooperia curticei*  
 Cram, E. B., 1925 b, 573
- Cooperia curticei*  
 Crofton, H. D., [1958 a], 306  
 sheep: south-west England
- Cooperia curticei* (Railliet, 1896)  
 Crombée-Langrand, M., 1935 a, 54  
 mouton: France
- Cooperia curticei*  
 Cunliffe, G.; and Crofton, H. D., 1953 a, 276,  
 277, 280, 283, 284, 285, 286  
 egg size and egg counts
- Cooperia curticei* (Railliet, 1893)  
 Daubney, R., 1933 b, 230, 231  
 Ovis aries (duodenum, fourth stomach):  
 highlands of Kenya Colony
- Cooperia curticei*  
 Davey, D. G., 1938 a, 219, 223  
 respiration
- Cooperia curticei* (Railliet, 1893)  
 Davey, D. G., 1938 b, 278, 279, 284, 285, 286,  
 287, 288, 293  
 sheep
- Cooperia curticei*  
 Davey, D. G., 1939 a, 18  
 physiology of nematodes of alimentary canal  
 of sheep, cannot be cultivated in sheep's  
 serum
- Cooperia curticei*  
 Delić, S., 1961 a, 43, 44, 45, 46, 47, 49  
 sheep (digestive tract): Bosnia & Herce-  
 govina
- Cooperia curticei*  
 Delić, S.; Čanković, M.; and Marković, R.,  
 1961 a, 503  
 treatment of fattening lambs
- Cooperia curticei*  
 Delić, S.; and Jovov, K., 1958 a, 263, 267  
 sheep: Yugoslavia
- Cooperia curticei*  
 Dennis, W. R.; and Loggins, P. E., [1958 a],  
 176  
 control, sheep: Florida
- Cooperia curticei*  
 Dikmans, G.; and Andrews, J. S., 1933 a, 7,  
 10, 12, 13, 16, 19, 20, 22  
 morphology
- Cooperia curticei*  
 Dikmans, G.; and Shorb, D. A., 1942 a, 860,  
 862, 882
- Cooperia curticei*  
 Dinaburg, A. G., 1945 a, 257, 258, 259, 262  
 sheep
- Cooperia curticei*  
 Doll, E. R.; and Hull, F. E., 1946 a, 3  
 ewes: Kentucky
- Cooperia curticei*  
 Duckworth, C. U., 1942 a, 267  
 sheep
- Cooperia curticei*  
 Dufetrelle, C., 1961 a, 115
- Cooperia curticei*  
 Eckert, J., 1960 a, 619, 620  
 diagnosis
- Cooperia curticei*  
 Edgar, G., 1933 c, 151, 152  
 sheep: New South Wales
- Cooperia curticei* (Railliet, 1893)  
 Edgar, G., 1936 a, 58-61  
 heavy infestation, fatal effect in goats
- Cooperia curticei*  
 Enigk, K.; and Eckert, J., 1962 a, 182  
 treatment
- Cooperia curticei* (Giles 1892)  
 Erhardová, B.; Luli, M.; Prokopíč, I.; and  
 Ryšavý, B., 1960 a, 104, 110  
 Bos taurus (small intestine): Albania
- Cooperia curticei*  
 Fallis, A. M., 1938 a, 87, 89, 95, 118, 121  
 lambs: Ontario

- Cooperia curticei* Giles  
 Fiebiger, J., 1923 a, 280-281, 410, 418, 419  
 Syn.: *Strongylus ventricosus*  
 Rind  
 Schaf  
*Cooperia curticei*  
 Filmer, D. B.; and McClure, T. J., 1951 a, 170  
*Cooperia curticiei* [sic] (Giles, 1892)  
 Freeborn, S. B.; and Stewart, M. A., 1937 a, 7, 47  
 synonymy  
*Cooperia curticei*  
 Furmaga, S., 1960 a, 182, 183  
 treatment, Schafe  
*Cooperia curticei* Rud.  
 Galli-Valerio, B., 1931 c, 100  
 veau  
*Cooperia curticei*  
 Goldberg, A.; and Rubin, R., 1956 a, 68  
 survival of larvae on pasture, cattle  
*Cooperia curticei*  
 Gordon, H. M., 1949 b, 133  
*Cooperia curticei*  
 Gordon, H. M., 1950 b, 27, 28  
 treatment  
*Cooperia curticii* [sic] (Giles, 1892)  
 Gordon, H. M.; and Sommerville, R. I., 1958 a, 149  
*Trichosurus vulpecula*: Australia  
*Cooperia curticei* (Railliet 1893)  
 Guildal, J. A., 1962 a, 56  
 Dama dama: Denmark  
*Cooperia curticei*  
 Hall, M. C., 1922 b, 375  
*Cooperia curticei*  
 Hall, M. C., [1923 b], 40  
*Cooperia curticei*  
 Hall, M. C., 1933 k, 369  
 sheep: Maryland  
*Cooperia curticei*  
 Hawkins, P. A.; and Cole, C. L., 1945 a, 113, 114  
 immunity  
*Cooperia curticei*  
 Hawkins, P. A.; Cole, C. L.; Kline, E. E.; and Drudge, J. H., 1944 a, 154, 156, 158, 160  
*Cooperia curticei*  
 India. Imperial Council of Agricultural Research, 1940 a, 194  
 goats: Punjab, India  
*Cooperia curticei* (Railliet)  
 Isshiki, O., 1939 a, 30, 31, 33  
*Capra hircus*  
*Cooperia curticei*  
 Isshiki, O., 1939 b, 86  
*Cooperia curticei*  
 Jansen, J., 1961 b, 251  
 sheep (small intestine): Netherlands  
 goat (small intestine): "  
*Cooperia curticei*  
 Jones, W. N., 1926 a, 37, 38  
*Cooperia curticei* Railliet 1893  
 Jovov, K., 1959 a, 539, 542, 543  
 sheep: Jugoslavia  
 cattle: "  
*Cooperia curticei*  
 Kates, K. C., 1943 b, 24, 25  
*Cooperia curticei*  
 Kates, K. C., 1950 a, 43, 45, 52  
 sheep  
*Cooperia curticei*  
 Kates, K. C.; and Shorb, D. A., 1943 a, 54, 57, 58, 59  
 identification of eggs, sheep  
*Cooperia curticei*  
 Kingsbury, P. A., 1961 b, 270
- Cooperia curticei*  
 Koutz, F. R.; and Rebrassier, R. E., 1946 a, 360, 361  
 steer  
*Cooperia curticei*  
 Krippner, H., 1959 a, 16  
 Schafe: West Berlin  
*Cooperia curticei*  
 Lai, M.; and Palmas, G., [1958 a], 590, 591  
 bovini (intestino)  
 ovi " "  
 caprini " "  
 all from Sardegna  
*Cooperia curticei* Railliet  
 Lebedev, M. N., 1929 a, 43-45, 46  
*Cooperia curticei*  
 Lee, Y. C.; and Chang, C. H., 1958 a, 49  
 goats: Taiwan, China  
*Cooperia curticei*  
 Lee, Y. C.; and Chang, C. H., 1958 b, 59, 60, 61, 62, 70  
 goats: Taiwan  
*Cooperia curticei*  
 Le Roux, P. L., 1929 e, 365  
*Cooperia curticei*  
 Le Roux, P. L., 1930 d, 49, 51, 52, 62  
 Connochaetes gnu  
*Antidorcas marsupialis*  
 [Hippotragus equinus] roan antelope  
 [Ovis aries] sheep  
*Egocenis equinus*  
*Ozama nigra*  
*Oryx gazella*  
*Kobus ellipsiprymnus*  
 lechwe antelope  
*Damaliscus albifrons*  
*Cooperia curticei*  
 Le Roux, P. L., 1932 a, 17  
 sheep: Northern Rhodesia  
*Cooperia curticei*  
 Lewis, E. A., 1927 d, 125  
*Cooperia curticei* Giles  
 Lopez Neyra, C. R., 1924 a, 174  
*Cooperia curticei*  
 Macdonald, R. A. S., 1932 a, 33  
 lechwe  
 reed buck  
 both from Mazabuka area, N. Rhodesia  
*Cooperia curticei*  
 McGrath, T. T., 1933 a, 111-113  
 sheep: New South Wales  
*Cooperia curticei* (Railliet, 1893)  
 Mackerras, M. J., 1958 b, 146, 147, 148  
 Bos taurus: Australia  
 Ovis aries: "  
*Capra hircus*: "  
*Cooperia curticei* (Giles, 1892) Ransom, 1907  
 Mahalingam, S., 1962 a, 90-91  
 goat (small intestine): Kandy, Ceylon  
*Cooperia curticei* (Railliet)  
 Mišić, D., 1938 a, 121, 122-123, 136, 137, 139  
 moutons: Yougoslavie  
*Cooperia curticei*  
 Moghe, M. A., 1945 a, 223  
 goat: India  
 sheep: "  
*Cooperia curticei*  
 Morgan, D. O., 1924 a, 92, 94  
*Cooperia curticei*  
 Morgan, D. O., 1925 b, 170, 172  
*Cooperia curticei*  
 Morgan, D. O., 1930 b, 71  
 goat

- Cooperia curticei*  
Morgan, D. O., 1930 c, 227
- Cooperia curticei*  
Morgan, D. O.; and Corner, H. H., 1939 a,  
206-207  
lambs: Scottish border counties
- Cooperia curticei*  
Morgan, D. O.; Parnell, I. W.; and Rayski, C.,  
1951 a, 191, 192, 201, 204, 205, 209
- Cooperia curticei*  
Morgan, D. O.; and Soulsby, E. J. L., 1956 a,  
1029  
cattle: South-west England
- Cooperia curticei*  
Mureau, G., 1957 a, 96 pp.  
biological cycle, domestic ruminants
- Cooperia curticei*  
Nagaty, H. F., 1949 a, 424  
sheep: Egypt
- Cooperia curticei* (Railliet, 1893)  
Nagaty, H. F.; Meguid Fahmy, M. A.; and Hegab,  
S. M., 1947 a, 217  
*Ovis aries*: Cairo abattoir
- Cooperia curticei*  
Nardi, E., 1958 b, 437
- Cooperia curticei* (Railliet)  
Neveu Lemaire, M., 1918 a, 22-23, 56, 89  
mouton  
chevre
- Cooperia curticei*  
Obitz, K. A., 1933 b, 163
- Cooperia curticei* (Railliet, 1893) Railliet and  
Henry, 1909  
Oldham, J. N., 1938 a, 1135  
synonymy
- Cooperia curticei* (Railliet, 1893)  
Oldham, J. N.; and Morgan, D. O., 1934 a, 42,  
45  
goats (small intestine): St. Albans, England
- Cooperia curticei*  
Olsen, O. W.; and Wade, L. L., 1950 a, 741, 742  
treatment, sheep
- Cooperia curticei*  
Ono, Y.; et al., 1957 a, 38, 39, 40  
sheep: Hyogo prefecture, Japan  
goats: " "
- Cooperia curticei*  
Orlov, I. V., 1937 b, 438
- Cooperia curticei*  
Orlov, I. V., 1937 c, 31, 127
- Cooperia curticei* (Giles, 1892)  
Oytun, H. S., 1937 a, 6, 7; 28, 33
- Cooperia curticei*  
Parnell, I. W.; Rayski, C.; Dunn, A. M.; and  
Mackintosh, G., 1954 a, 67, 78, 86, 87, 104,  
108  
sheep: Scotland
- Cooperia curticei*  
Patyk, S., 1953 a, 95, 106  
sheep: Poland
- Cooperia curticei* (Giles)  
Pinto, C. F.; and Lins de Almeida, J., 1937 b,  
476, 477  
*Capra hircus*: Brésil
- Ovis aries*: Brésil
- Cooperia curticei*  
Porter, D. A., 1953 b, 550, 551  
cross transmission between cattle and sheep
- Cooperia curticei* (Giles, 1892)  
Prokopic, J., 1954 a, 263, 273  
cattle: Czechoslovakia
- Cooperia curticei* Giles  
Rauther, M., 1930 a, 377
- Cooperia curticei*  
Rawes, D. A.; and Scarnell, J., 1959 a, 647,  
648, 649  
treatment, lambs
- Cooperia curticei* (Rail., 1893)  
Roberts, F. H. S., 1934 r, 2, 6  
first report, *Ovis aries*: Queensland
- Cooperia curticei*  
Roberts, F. H. S., 1936 c, 3, 6  
sheep: Queensland
- Cooperia curticei*  
Roberts, F. H. S., 1939 c, 162, 163, 165  
cattle: Queensland, Australia
- Cooperia curticei*  
Roberts, F. H. S., 1942 a, 20, 23-24, 26, 27  
[*Ovis aries*] lambs: Queensland  
[*Bos taurus*] calves: "
- Cooperia curticei*  
Robertson, D., 1933 a, 321, 322-323  
lambs: north of Scotland
- Cooperia curticei*  
Robertson, D., 1937 d, 2022, 2032, 2034, 2039  
sheep: Scotland
- Cooperia curticei*  
Robertson, D., 1939 b, 232, 234  
hill sheep: Scotland
- Cooperia curticei*  
Robertson, D., 1942 a, 59  
sheep: Scotland
- Cooperia curticei*  
Rosenbusch, F., 1930 a, 5
- Cooperia curticei* (Railliet)  
Roveda, R. J.; and Ringuelet, R., 1947 a, 69  
*Ovis aries*: Argentina
- Cooperia curticei* (Railliet, 1893)  
Ryšavý, B.; and Erhardová, B., 1952 a, 121-  
122, 126, fig. 4; pl. 1, fig. 18  
key  
wild ruminants  
sheep
- Cooperia curticei*  
Sandground, J. H., 1921 a, 326  
sheep  
cattle
- Cooperia curticei*  
Sankaranarayanan, M. V.; Das, D. N.; and  
Sundaram, S., 1957 a, 41  
bursa as a diagnostic character
- Cooperia curticei*  
Schanzel, H., 1959 a, 250  
ewes
- Cooperia curticei* Giles, 1892  
Schanzel, H., 1960 a, 5  
Rind: Czechoslovakia
- Cooperia curticei* Giles, 1892  
Schanzel, H., 1960 c, 382  
Rind: Jeseniky
- Cooperia curticei* (Railliet)  
Schwartz, B. V., 1928 e, 2, 3, 4
- Cooperia curticei*  
Schwartz, B. V., 1936 d, 54
- Cooperia curticei*  
Schwartz, B. V., 1937 d, 59
- Cooperia curticei*  
Schwartz, B. V., 1938 e, 79  
sheep
- Cooperia curticei*  
Seddon, H. R., 1933 b, 288  
sheep (small bowel): N. South Wales
- Cooperia curticei* (Railliet, 1893)  
Seddon, H. R., 1947 c, 9, 11, 12  
ox: Australia  
sheep: "  
goat: "
- Cooperia curticei*  
Shorb, D. A., 1940 a, 226, 227, fig. 2 C
- Cooperia curticei*  
Shorb, D. A., 1942 a, 332  
[*Ovis aries*] sheep: Beltsville, Md.
- Cooperia curticei* (Railliet)  
Sjöberg-Klaavu, A. H., 1926 b, 538-539

- Cooperia curticei*  
 Sloan, J. E. N., 1950 a, 381  
 carbon tetrachloride, sheep
- Cooperia curticei* (Railliet)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 444
- Cooperia curticei* (Giles, 1892)  
 Sommerville, R. I., 1960 a, 261-267  
 growth, sheep
- Cooperia curticei*  
 Soulsby, E. J. L., 1956 b, 131
- Cooperia curticei*  
 Spedding, C. R. W., 1952 b, 210  
 effect on weight gain
- Cooperia curticei*  
 Spedding, C. E. W., 1952 c, 71-85  
 variation in egg content, sheep feces, 1 day
- Cooperia curticei*  
 Sprehn, C. E. W., 1927 e, 53
- Ovis aries*  
*Capra hircus*
- Cooperia curticei* (Railliet)  
 Sprehn, C. E. W., 1928 g, 197, 206
- Cooperia curticii* (Giles, 1892)  
 Sprehn, C. E. W., 1932 c, 708, 814  
 Syns.: *Strongylus ventricosus Rudolphi*, 1809 in Curtice, 1890; *S. curticii* Giles, 1892; *C. curticii* (Giles, 1892) Ransom, 1907  
*Ovis aries* (Dünndarm, selten Labmagen)  
*Capra hircus*
- Cooperia curticei*  
 Steward, J. S., [1932 b], 201  
 sheep (small intestine): Herefordshire, England
- Cooperia curtecei* [sic]  
 Stewart, J., [1953 a], 59-76  
 effect on metabolism of sheep: eastern counties of England
- Cooperia curticei* (Railliet, 1893) Railliet and Henry, 1909  
 Sugimoto, M., 1925 a, 47, 98, 111  
 Syn.: *Strongylus ventricosus Rudolphi* of Curtice, 1890; *S. curticei* Railliet, 1893;  
*Cooperia curticii* [sic] (Giles) Ransom, 1907  
*Ovis aries*  
*Capra hircus*
- Cooperia curticei* (Railliet, 1893) Railliet & Henry, 1909  
 Sugimoto, M., 1939 a, 128, 215  
 synonymy  
*Ovis aries*: Formosa (Taihoku)  
*Capra hircus*: "
- Cooperia curticei*  
 Swales, W. E., 1933 c, 479  
*Ovis aries*: Ontario
- Cooperia curticei*  
 Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 894  
*Ovis aries*: Netherlands  
*Capra hircus*: "
- Cooperia curticei* (Railliet, 1893)  
 Tagle V., I., 1953 c, 95  
*Ovis aries*: Chile
- Cooperia curticei*  
 Taylor, E. L., 1934 d, 240, 244, 246, 247  
 epidemiology, effect of diet in gastritis, sheep
- Cooperia curticei*  
 Tetley, J. H., 1937 a, 806, 807, 811, 813, 814, 815, 817  
 distribution in sheep
- Cooperia curticei*  
 Tetley, J. H., 1941 c, 246, 249-250, 251, 255, 258, 261, 262, 263  
 epidemiology, sheep: Manawatu district, New Zealand
- Cooperia curticei*  
 Tetley, J. H., 1941 e, 449-452  
 spicule length as a measure of favorable intestinal environment, sheep
- Cooperia curticei*  
 Tetley, J. H., 1949 a, 10, 11, 12, 13, 14, 15, 16, 18, 19, 21, 22, 23, 24, 26, 28, 29, 35, 36, 41-42, 45, 46, 47, 51, 52, 53, 57, 59, 60, 63, 68, 70, 71, 72, 73-74, 75, 77, 78, 79, 80, 81, 83, 84, 89, 90, 93, 95, 96, 98, 100, 101, 102, 103, 107-108, 112, 114, 115, 117, 122, 123, 124, 125, 127, 129, 130, 140, 141-142, 143, 148, 151, 162, 164, 165, 167, 168, 169, 171, 172, 173, 174, 178, 184, 186, 190, 191, 192, 195, 198, 199, 209, 211  
sheep: N. Zealand
- Cooperia curticei*  
Tetley, J. H., 1959 a, 289, 290, 291  
seasonal availability, sheep: New Zealand
- Cooperia curticei*  
Tetley, J. H., 1959 c, 294, 297, 299  
self-augmentation, sheep
- Cooperia curtici*  
Tetley, J. H., 1959 d, 282, 283, 285  
seasonal availability in pastures, sheep
- Cooperia curticei* (Giles, 1892)  
Trach, V. N., 1959 b, 44  
Ukrainian Polesia
- Cooperia curticei* (Giles, 1892)  
Travassos, L. P., 1920 p, 193
- Cooperia curticei* (Giles, 1892) Ransom, 1907  
Travassos, L. P., [1921 g], 19, 49-50, 117  
*Ovis aries*  
*Capra hircus*
- Cooperia curticei* (Giles, 1892) Ransom, 1907  
Travassos, L. P., 1937 e, 1, 3, 6, 34, 35-37, 433, 439, 441, 512, pl. 1, figs. 1-2  
Syns.: *Cooperia fieldingi* Baylis, 1929; *C. punctata*= *fieldingi* Dikmans, 1935  
*Dama dama*  
*Cervus elaphus*  
*Ovis aries*  
*Capra hircus*  
*Bos taurus*
- Cooperia curticei* Schwartz, 1929  
Travassos, L. P., 1937 e, 40, 41  
as syn. of *C. fuelleborni* Hung, 1926
- Cooperia curticei*  
Turner, J. H.; et al., 1960 a, 41  
lambs
- Cooperia curticei*  
Turner, J. H.; and Wilson, G. I., 1962 a, 721  
serology, sheep
- Cooperia curticei* Raill., 1893  
Ulm, E. K., 1932 a, 20  
effect of soil conditions
- Cooperia curticei*  
Underhill, B. M., 1920 a, 268
- Cooperia curticei*  
Van Volkenberg, H. L., 1938 a, 7  
cattle: Puerto Rico
- Cooperia curticei* (Railliet, 1893)  
Van Volkenberg, H. L., 1939 a, 8  
sheep: Puerto Rico
- Cooperia curticei*  
Velu, H.; and Barotte, J. H., 1924 a, 344
- Cooperia curticei* (Stiles)  
Vereshchagin, M. N., 1926 a, 32
- Cooperia curticei* (Railliet, 1893)  
Wetzel, R., [1933?], 7  
Schaf  
Ziege
- Cooperia curticei*  
Wetzel, R.; and Quittek, G., 1940 a, 350  
Schaf
- Cooperia curticei*  
Whitlock, H. V., 1959 a, 312  
identification of first stage larvae, sheep

- Cooperia curticei*  
Whitlock, J. H., 1949 a, 167  
  nutrition
- Cooperia curticei*  
Wilson, A. L.; Morgan, D. O.; Parnell, I. W.;  
and Rayski, C., 1953 a, 181  
  worm counts, sheep
- Cooperia curticei*  
Wilson, G. I.; and Kates, K. C., 1957 a, 13-  
14  
  transmission on pasture
- Ovis aries*  
*Capra hircus*
- Cooperia curticei*  
Wood, I. B., 1958 a, 1486
- Cooperia curticei*  
Wood, I. B.; and Hansen, M. F., 1960 a, 775-  
776  
  rabbits
- Cooperia curticei*  
Wood, W. A., [1932 c], 220, 221, 222  
  size of eggs, sheep (feces)
- Cooperia curticei* (Giles, 1892) Ransom, 1907  
Yamaguti, S., 1954 d, 105, 117, 121  
  *Ovis aries*: Tokyo
- Cooperia curticei* (Railliet)  
Yorke, W.; and Maplestone, P. A., 1926 a, 132  
  type of genus  
  sheep  
  goat
- Cooperia curticei*  
Zakula, S.; et al., 1962 a, 257
- Cooperia curticei* (Railliet 1893) Raill. and  
Henry 1909  
Zarnowski, E., 1949 c, 38, 39, 69-70  
  Pologne
- Cooperia elegans* n. sp.  
Travassos, L. P., 1921 h, 367  
  *Saimiris sciurea*
- Cooperia elegans* Travassos, 1921  
Travassos, L. P., 1937 a, 34, 35, 76, 77  
  as syn. of *Molineus elegans* (Travassos, 1931)
- Cooperia elegans* Trav.  
Schwartz, B., 1928 e, 3, 4  
  *Saimiris sciurea*
- Cooperia elegans*  
Travassos, L. P.; and Darriba, A. R., 1929 a,  
434  
  as syn. of *Molineus elegans* (Trav.)
- Cooperia elegans*  
Travassos, L. P.; and Darriba, A. R., 1929 b,  
565
- Cooperia erschovi* n. sp.  
Wu, S.-C., 1957 a, 375-376  
  *Bos taurus* (pancreas)
- Cooperia erschovi*  
Wu, S.-C., 1958 a, 19-26, pl., figs. 1-6  
  *Bos taurus*: China
- Cooperia falsa* n. sp.  
Travassos, L. P., 1921 k, 367  
  *Cabassus unicinctus*
- Cooperia falsa* Travassos, 1921  
Travassos, 1937 e, 34, 35, 55  
  as syn. of *Macielia falsa* (Travassos, 1921)  
  n. comb.
- Cooperia falsa* Trav.  
Schwartz, B., 1928 e, 3, 4  
  *Cabassus unicinctus*
- Cooperia fieldingi* n. sp.  
Baylis, H. A., 1929 k, 532-533, figs. 4-5  
  calf: Australia
- Cooperia fieldingi* Baylis, 1929  
Baylis, H. A., 1938 c, 285  
  as syn. of *C. punctata* (Linst., 1907)
- Cooperia fieldingi*  
Daubney, R., 1933 b, 231
- Cooperia fieldingi* Baylis, 1928  
Dikmans, G., 1935 g, 84  
  as syn. of *C. punctata* Ransom, 1907
- Cooperia fieldingi*  
Euzeby, J., 1957 c, 17  
  *Bubalus bubalis*: Federation of Malaya  
  *Bibos indicus*: " " "
- Cooperia fieldingi*  
Lancaster, W. E., 1957 a, 158  
  buffalo: Malaya  
  cattle: "
- Cooperia fieldingi*  
Le Roux, P. L., 1930 d, 47  
  *C. fieldingi* identical with *C. punctata*  
  calf: Transvaal
- Cooperia fieldingi* Baylis, 1929  
Oldham, J. N., 1938 a, 1135  
  as syn. of *C. punctata* (Linstow, 1907)  
Ransom, 1907
- Cooperia fieldingi* Baylis, 1929  
Travassos, L. P., 1937 e, 34, 35, 36, 37  
  as syn. of *C. curticei*
- Cooperia fuelleborni*  
Hung, S. L., 1926 g, 421-426, figs. 1-9  
  *Kobus ellipsiprymnus*
- Cooperia fuelleborni*  
Daubney, R., 1933 b, 227, 231  
  sheep
- Cooperia fuelleborni*  
Dikmans, G.; and Andrews, J. S., 1935 a, 5, 22  
  morphology
- Cooperia fuelleborni*  
Gordon, H. M., 1933 f, 35  
  wild antelopes  
  sheep
- Cooperia fuelleborni* Hung  
Mönnig, H. O., 1931 h, 244-245, figs. 18-19
- Cooperia fuelleborni*  
Mönnig, H. O., 1932 e, 169, 171  
  *Damaliscus lunatus* (small intestine): Ngamiland, (Northern Bechuanaland)
- Cooperia fulleborni* Hung  
Schwartz, B., 1928 e, 3  
  *Kobus ellipsiprymnus*
- Cooperia fuelleborni* Hung, 1926  
Travassos, L. P., 1937 e, 34, 35, 36, 40-42,  
436, 439, 441, pl. 6, figs. 1-5  
  Syn.: *C. curticei* Schwartz, 1929  
  *Cobus ellipsiprymnus*  
  *Ovis aries*  
  *Damaliscus lunatus*  
  *Bos taurus*  
  all from Africa
- Cooperia fuelleborni* hungi n. var.  
Mönnig, H. O., 1931 h, 245-246, fig. 20  
  wild antelopes as carriers of nematode  
  parasites of domestic ruminants  
  *Cobus ellipsiprymnus*
- Cooperia fuelleborni* hungi Mönnig, 1931  
Mönnig, H. O., 1932 e, 169, 171  
  as syn. of *Cooperia hungi* n. sp.
- Cooperia fuelleborni* var. hungi Mönnig, 1931  
Daubney, R., 1933 b, 227, 228, 231  
  sheep
- Cooperia fuelleborni* hungi Mönnig, 1931  
Travassos, L. P., 1937 e, 41  
  as syn. of *C. hungi* Mönnig, 1931
- Cooperia hamata* n. sp.  
Mönnig, H. O., 1932 e, 163, figs. 18-21  
  [?lapsus for *Ostertagia hamata* n. sp.]
- Cooperia hamata* Mönnig, 1932  
Travassos, L. P., 1937 e, 124  
  as syn. of *Spiculopteragia hamata* (Mönnig,  
1932)
- Cooperia hamiltoni* n. sp.  
Mönnig, H. O., 1932 b, 172  
  *Aepyceros melampus* (small intestine):  
  Transvaal
- Cooperia hamiltoni*  
Mällari, A. I., 1937 a, 300, 302  
  goat

- Cooperia hamiltoni* Mönnig, 1932  
 Mönnig, H. O., 1933 g, 77, 80-81, 91, figs. 6-9  
 as syn. of *Cooperioides hamiltoni* (Mönnig, 1932)  
*Aepyceros melampus* (small intestine): Kruger Nat. Park, Transvaal  
*Cooperia hamiltoni* Mönnig, 1932  
 Travassos, L. P., 1937 e, 53  
 as syn. of *Cooperioides hamiltoni* (Mönnig, 1932)  
*Cooperia harkeri* Stödt.  
 Fiebiger, J., 1923 a, 281  
*Cooperia harkeri* Stöder  
 Schwartz, B., 1928 e, 3  
*Cooperia harkeri* (Stöder, 1901)  
 Travassos, L. P., 1937 e, 34, 35  
 as syn. of *Cooperia oncophora*  
*Cooperia hepatica*  
 Meeser, M. J. N., 1952 a, 222  
*Aepyceros melampus*: eastern Transvaal  
*Cooperia hippotragusi* n. sp.  
 de Brito Gutterres, J., 1947 a, 33, 34, 35, 49,  
 figs. 1-3  
*Hippotragus equinus*: Congo belga  
*Redunca redunca*: " "  
*Ourebia ourebia*: " "  
*bovinos*: Congo belga  
*Cooperia hippotragusi* n. sp.  
 de Brito Gutterres, J., 1952 a, 1302-1304, 1314,  
 figs. 1-2  
*Hippotragus equinus*  
*Redunca redunca*  
*Ourebia ourebia*  
*bovinos*  
 all from Congo Belga, Africa  
*Cooperia hungi* n. sp.  
 Mönnig, H. O., 1932 e, 169-170, 171, figs. 26-27  
 Syn.: *Cooperia fuelleborni hungi* Mönnig, 1931  
*Damaliscus lunatus* (small intestine)  
*Cobus ellipsiprymnus*  
*sheep*  
 all from Ngamiland (Northern Bechuanaland)  
*Cooperia hungi*  
 Mönnig, H. O., 1933 g, 77, 83, 91  
*Aepyceros melampus* (abomasum): Kruger Nat. Park  
*lamb*  
*Cooperia hungi*  
 Mallari, A. I., 1937 a, 302  
*goat*  
*Cooperia hungi*  
 Meeser, M. H. N., 1952 a, 222  
*Aepyceros melampus*: eastern Transvaal  
*Cooperia hungi* Mönnig, 1931  
 Travassos, L. P., 1937 e, 34, 42, 436, 437, 439,  
 pl. 7, fig. 1, pl. 8, figs. 1-2  
 Syn.: *C. fuelleborni hungi* Mönnig, 1931  
*Ovis aries*: Africa  
*Aepyceros melampus*: Africa  
*Damaliscus lunatus*: Africa  
*Cobus ellipsiprymnus*: Africa  
*Cooperia kansuensis* n. sp.  
 Chu; and Chang, (1962), *Cooperia kansuensis* n. sp. / Kansu Nung Yeh ta Hsueh Pao (Kansu Agricultural Science Journal), (1), pp. 61-67  
 [unverified]  
*Cooperia laterouniformis* n. sp.  
 Chen, H. T., 1937 b, 162-165, figs. 11-18  
 buffaloes (alimentary tract): slaughter houses in Canton  
*Cooperia laterouniformis* Chen, 1937  
 Travassos, L. P., 1937 e, VII, 412, 441  
 as syn. of *C. punctata*  
*Buffelus bubalus*: Hong Kong
- Cooperia laterouniformis* Chen  
 Wu, Shu-Ching, 1958 a, 20, 24  
*Cooperia macielii* (Travassos)  
 Schwartz, R., 1928 e, 3, 4  
*Dasypus novemcinctus*  
*Cooperia macielii*  
 Sprehn, C. E. W., 1927 e, 53  
*Tatus novemcinctus*  
*Cooperia macielii* (Travassos, 1915)  
 Travassos, L. P., 1920 h, 193  
*Cooperia macielii* (Travassos, 1915) Travassos, 1918  
 Travassos, L. P., [1921 g], 20, 52-53, 117,  
 pl. 8, figs. 59-61  
*Tatus novemcinctus*: S. Paulo, Brasil  
*Cooperia macielii* Travassos, 1915  
 Travassos, L. P., 1937 a, 3, 34, 35, 55  
 as syn. of *Macielia macielii* n. nom.  
*Cooperia macielii* (Travassos)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 132  
*Tatus novemcinctus*  
*Cooperia mcmasteri* sp. nov.  
 Gordon, H. M., 1932 b, 8-9, fig. 5  
*calf*: Australia  
*Cooperia mcmasteri* Gordon, 1932  
 Gordon, H. M., 1933 f, 35  
*calf* (small intestine): New South Wales  
*sheep* (small intestine): Australia (Tasmania)  
*Cooperia mcmasteri*  
 Gordon, H. M., 1950 b, 27  
*treatment*  
*Cooperia mcmasteri* Gordon, 1932  
 Allen, R. W.; and Becklund, W. W., 1958 a, 503-506  
*bovine*: Arizona, Georgia, Florida, Vermont,  
 Oregon, Wyoming  
*Odocoileus hemionus columbianus*: California  
*Cooperia mcmasteri* Gordon, 1932  
 Baylis, H. A., 1938 c, 283-285, figs. 1 A, 2 A,  
 3 a, 3 C  
*sheep*: New South Wales  
*lamb*: North Wales  
*Cooperia mcmasteri*  
 Becklund, W. W.; and Allen, R. W., 1958 a,  
 587, 589  
*cattle*: Arizona  
*Cooperia mcmasteri* Gordon, 1932  
 Drozdz, J., 1958 a, 717, 718  
*Bison bonasus*: Poland  
*Cooperia mcmasteri* Gordon 1932  
 Drozdz, J., 1961 a, 63  
*Cooperia mcmasteri*  
 Le Roux, P. L., 1937 a, 63  
 as syn. of *C. surnabada*  
*Cooperia mcmastersi* Gordon, 1932  
 Mackerras, M. J., 1958 b, 146, 147  
*Bos taurus*: Australia  
*Ovis aries*: Australia  
*Cooperia macmasteri*  
 Morgan, D. O.; and Soulsby, E. J. L., 1956 a,  
 1029  
*cattle*: south-west England  
*Cooperia mcmasteri*  
 Patyk, S., 1956 c, 171, 172  
*cattle*: western territories of Poland  
*Cooperia mcmasteri* Gordon, 1932  
 Patyk, S., 1960 a, 233, 237, 241, 248, 249, 253  
*cattle* (rumen, small intestine): West Poland  
*Cooperia macmasteri* [sic] Gordon, 1932  
 Prokopic, J., 1954 a, 265, 273  
*cattle*: Czechoslovakia  
*Cooperia mcmasteri* Gordon, 1932  
 Roberts, F. H. S., 1939 c, 162, 163, 164  
*cattle*: Queensland, Australia  
*Cooperia mcmasteri*  
 Rose, J. H., 1960 d, 10, 13, 14, 15  
*cattle*

- Cooperia mcmasteri* Gordon, 1932  
 Seddon, H. R., 1947 c, 9, 11  
 ox: Australia  
 sheep: "
- Cooperia mcmasteri*  
 Tetley, J. H., 1937 a, 806, 813, 814, 817  
 distribution in sheep
- Cooperia mcmasteri*  
 Tetley, J. H., 1941 c, 249  
 sheep: Manawatu district, New Zealand
- Cooperia mcmasteri*  
 Tetley, J. H., 1949 a, 10, 11, 24, 26, 63, 93,  
 95, 96, 98, 100, 101, 102, 103, 108, 112, 113,  
 116, 117, 125, 164, 165, 168, 170, 180, 181,  
 185, 186, figs. 26, 54, 58  
 sheep: N. Zealand
- Cooperia mcmasteri*  
 Tetley, J. H., 1959 c, 294  
 extent to which self-augmentation of para-  
 sitism occurs, sheep
- Cooperia mcmasteri*  
 Tetley, J. H., 1959 d, 283  
 seasonal availability in pastures, sheep
- Cooperia mcmasteri* Gordon, 1932  
 Travassos, L. P., 1937 e, 34, 42, 43, 46-47,  
 441, pl. 10, fig. 2  
 Bos taurus: Australia
- Cooperia mcmasteri* Gordon 1932  
 Zarnowski, E., 1949 c, 38, 39, 74-76, 91, 93  
 Bos taurus: Pologne  
 Ovis aries: "
- Cooperia mentulatus*  
 Orlov, I. V., 1937 c, 51, 52, 77, 82
- Cooperia mentulata*  
 Zavadovskii, M. M., 1935 c, 57, 62, 96, 99
- Cooperia minor* n. sp.  
 de Brito Gutterres, J., 1947 a, 40, 41, 42, 43,  
 46, 49  
 bovinos: Congo Belga
- Cooperia minor* n. sp.  
 de Brito Gutterres, J., 1952 a, 1308-1311,  
 1312, 1313, 1314  
 bovinos: Congo Belga, Africa
- Cooperia neitzi* n. sp.  
 Mönnig, H. O., 1932 b, 172-173  
*Strepsiceros strepsiceros* (small intestine):  
 Transvaal
- Cooperia neitzi* Mönnig, 1932  
 Mönnig, H. O., 1933 g, 83, 84-85, 91  
*Strepsiceros strepsiceros* (small intestine):  
 Sabie, Northern Transvaal  
 lamb
- Cooperia neitzi* Mönnig, 1932  
 Travassos, L. P., 1937 e, 34, 44-45, 438  
*Strepsicerus strepsicerus*: Africa-Transvaal
- Cooperia nicolli* n. sp.  
 Baylis, H. A., 1929 k, 530-532, figs. 1-3  
 calf: Australia
- Cooperia nicolli* Baylis, 1929  
 Baylis, H. A., 1938 c, 285  
 as syn. of *C. pectinata* Ransom, 1907
- Cooperia nicolli* Baylis, 1926  
 Daubney, R., 1933 b, 231  
 calves: Australia
- Cooperia nicolli* Baylis, 1929  
 Dikmans, G., 1932 d, 93  
 as syn. of *C. pectinata* Ransom, 1911
- Cooperia nicolli*  
 Euzeby, J., 1957 c, 17  
*Bubalus bubalis*: Federation of Malaya  
*Bibos indicus*: "
- Cooperia nicolli*  
 Lancaster, W. E., 1957 a, 158  
 buffalo: Malaya  
 cattle: "
- Cooperia nicolli*  
 Le Roux, P. L., 1930 a, 46  
 cattle
- Cooperia nicolli*  
 Mönnig, H. O., 1933 g, 85, 91  
 cattle: South Africa  
 lamb: "
- Cooperia nicolli* Baylis, 1929  
 Oldham, J. N., 1938 a, 1135  
 as syn. of *C. pectinata* Ransom, 1907
- Cooperia nicolli* Baylis, 1929  
 Travassos, L. P., 1937 e, 34, 35, 37, 39, 40  
 as syn. of *C. pectinata*
- Cooperia nodulosa* n. sp.  
 Schwartz, B., 1928 e, 1-5  
*Bubalus bubalis*: Philippine Islands
- Cooperia nodulosa* Schwartz, 1928  
 Daubney, R., 1933 b, 234, 235  
 carabao
- Cooperia nodulosa*  
 Euzeby, J. A., 1957 c, 17  
*Bubalus bubalis*: Federation of Malaya  
*Bibos indicus*: " " "
- Cooperia nodulosa*  
 Lancaster, W. E., 1957 a, 158  
 buffalo: Malaya  
 cattle: "
- Cooperia nodulosa* Schwartz, 1928  
 Le Roux, P. L., 1936 b, 113, 114  
 as syn. of *Schwartziella nodulosa* (Schwartz,  
 1928)
- Cooperia nodulosa* Schwartz, 1929  
 Travassos, L. P., 1937 e, 34, 35, 47, 49  
 as syn. of *Paracooperia nodulosa* (Schwartz,  
 1929)
- Cooperia okapi* sp. n.  
 Leiper, R. T., 1935 b, 12  
 okapi: London Zool Soc. Gardens
- Cooperia okapi* Leiper  
 Baer, J. G., 1950 a, 169, 177, 186, figs. 23-27  
 key  
 okapi
- Cooperia okapi* Leiper, 1935  
 van den Berghe, L.; and Vuylsteke, C., 1937 a,  
 367  
?Syn.: *Cooperia okapiae* n. sp.
- Cooperia okapiae* n. sp.  
 van den Berghe, L.; and Vuylsteke, C., 1937 a,  
 361, 367-369, fig. IV  
?as syn. of *Cooperia okapi* Leiper, 1935  
okapi
- Cooperia oncophora*  
 Al'binskaiia, N. N., [1953 a], 100-103  
 therapy  
sheep (intestinal tract)
- Cooperia oncophora*  
 Allen, R. W., 1954 a, 15  
 cattle: New Mexico; Arizona
- Cooperia oncophora*  
 Allen, R. W.; Becklund, W. W.; and Gilmore,  
 R. E., 1956 a, 19  
*Ammotragus lervia*: New Mexico
- Cooperia oncophora*  
 Andreeva, N. K., 1955 a, 319-326  
revision of morphology, diagnostic importance  
of telamon
- Cooperia oncophora*  
 Andreeva, N. K., 1958 a, 59-78, pl. I, fig. 1  
structure of spicule, diagnostic significance
- Cooperia oncophora*  
 Andrews, J. S., 1935 a, 89  
morphology
- Cooperia oncophora*  
 Andrews, J. S., 1961 a, 27
- Cooperia oncophora* (Railliet, 1898) Ransom, 1907  
Asadov, S. M., 1958 a, 1032  
zebu: Azerbaidzhan  
buffalo: "
- Cooperia oncophora* (Railliet, 1898) Ransom, 1907  
Ault, C. N., 1943 c, 470, 477, 480, 481  
Ovis aries: Argentina  
Bos taurus: "

- Cooperia oncophora*  
Australia. Commonwealth Scientific and Industrial Research Organization, 12-16  
cattle
- Cooperia oncophora Railliet*, 1898  
Badanin, N. V., 1935 b, 12, 13  
kameel
- Cooperia oncophora (Railliet, 1898)*  
Badanin, N. V., 1938 a, 63, 65  
*Camelus dromedarius*
- Cooperia oncophora*  
Baker, D. W., 1939 c, 193, 194-195, 197  
treatment, calf
- Cooperia oncophora*  
Baker, D. W., 1939 f, 47  
calves
- Cooperia oncophora*  
Baker, D. W., 1949 a, 240  
calves
- Cooperia oncophora*  
Baker, N. F.; Allen, P. H.; and Douglas, J. R., 1959 a, 279  
treatment
- Cooperia oncophora*  
Banks, A. W.; and Korthals, A., 1959 a, 462  
cattle (faeces)
- Cooperia oncophora*  
Baudet, E. A. R. F., 1928 e, 275
- Cooperia oncophora*  
Baudet, E. A. R. F., 1928 g, 115-120  
calf (intestine)
- Cooperia oncophora (Railliet)*  
Baudet, E. A. R. F., 1929 h, 325, 330
- Cooperia oncophora (Railliet)*  
Baylis, H. A., 1929 c, 183  
ox  
sheep
- Cooperia oncophora (Railliet, 1898)*  
Baylis, H. A., 1938 c, 283, 284, 285, figs.  
1 B, 2 B, 3 B  
lamb: North Wales
- Cooperia oncophora*  
Becklund, W. W.; and Allen, R. W., 1955 a, 22  
cattle: Arizona; New Mexico
- Cooperia oncophora*  
Becklund, W. W.; and Allen, R. W., 1958 a, 587, 589  
cattle: New Mexico; Arizona
- Cooperia oncophora*  
Beliaeva, M. Ia., 1957 a, 36  
Bison bonasus: Belovezhsk forest
- Cooperia oncophora (Railliet, 1898)*  
Beliaeva, M. Ia., 1959 b, 104  
Bison bonasus (small intestine): Belovezh-skaia Pushcha
- Cooperia oncophora*  
Bessonov, A. S., 1958 a, 31  
differential diagnosis, cattle
- Cooperia oncophora (Railliet, 1898)*  
Bobkova, A. F., 1959 a, 19  
cows: White Russian Polesia
- Cooperia oncophora*  
Boch, J., 1956 c, 411  
immunity
- Cooperia oncophora (Railliet)*  
Böhm, L. K., 1929 b, 1
- Cooperia onchophora [sic] (Railliet)*  
Brade-Birks, S. G., 1927 a, 51-52
- Cooperia oncophora (Railliet, 1898)*  
Buckley, J. J. C., 1933 c, 112, 113  
cattle: Southern Rhodesia
- Cooperia oncophora Railliet*  
Cameron, T. W. M., 1922 b, 186, 187  
sheep: Britain
- Cooperia oncophora*  
Cameron, T. W. M., 1923 h, 55
- Cooperia oncophora*  
Cameron, T. W. M., 1930 b, 82
- Cooperia oncophora*  
Cameron, T. W. M.; and Parnell, I. W., 1933 a, 141, 153  
cattle  
sheep  
*Capra hircus*  
all from Gruinard, Scotland
- Cooperia oncophora (Railliet 1898)*  
Cassamagnagh, A., 1942 a, 179, 180, 182, 184  
bovinos: Uruguay
- Cooperia oncophora*  
Chuiko, L. S., 1961 a, 386  
sheep (small intestine): Aktyubinsk region  
goats " " : " "
- Cooperia oncophora*  
Ciordia, H.; and Bizzell, W. E., 1958 a, 25  
relation of *Escherichia coli* to development  
of pre-parasitic stages, cattle
- Cooperia oncophora*  
Ciordia, H.; and Bizzell, W. E., 1960 b, 40  
temperature, cattle
- Cooperia oncophora*  
Ciordia, H.; and Bizzell, W. E., 1961 a, 41  
effects of *Bacillus thuringiensis* var.  
thuringiensis on development of free-living  
stages
- C[oopera]rioncophora*  
Ciordia, H.; Bizzell, W. E.; and Baird, D. M., 1961 a, 388  
treatment, sheep
- Cooperia oncophora*  
Clunies Ross, I.; et al., [1951 a], 57  
Australia
- Cooperia oncophora*  
Corticelli, B.; and Lai, M., [1958 a], 947, 948, 949  
bovine (tenue intestino) (exper.)
- Cooperia oncophora*  
Corticelli, B.; and Lai, M., 1960 a, 231  
clinical symptoms in cow
- Cooperia oncophora*  
Cram, E. B., 1925 b, 573
- Cooperia oncophora*  
Crofton, H. D., [1958 a], 306  
sheep: south-west England
- Cooperia oncophora Ransomii*, 1907  
Cygas, J., [1960 a], 54  
cattle: Lithuanica  
sheep: "
- Cooperia oncophora (Railliet, 1898)*  
Daubney, R., 1933 b, 230  
*Bos taurus* (small intestine)  
*Ovis aries* " "  
Highlands of Kenya Colony
- Cooperia oncophora*  
Davey, D. G., 1938 a, 219, 223  
respiration
- Cooperia oncophora*  
Davey, D. G., 1938 b, 284, 285, 293  
sheep
- Cooperia oncophora*  
Davey, D. G., 1939 a, 17-18  
physiology, alimentary canal of sheep
- Cooperia oncophora*  
Delić, S., 1961 a, 43, 44, 45, 46, 47, 49  
sheep (digestive tract): Bosnia & Herzegovina
- Cooperia oncophora*  
Delić, S.; Canković, M.; and Marković, R., 1961 a, 503  
treatment, fattening lambs
- Cooperia oncophora*  
Dikmans, G.; and Andrews, J. S., 1933 a, 7, 10, 11, 12, 13, 16, 19, 20, 22, pl. 2, fig. 4, pl. 3, fig. 3, pl. 5, fig. 5  
morphology

- Cooperia oncophora*  
 Dikmans, G.; and Shorb, D. A., 1942 a, 860, 882  
*Cooperia oncophora Railliet, 1898*  
 Dimitrova, E.; et al., 1958 a, 110, 119  
 sheep: Sandarsk, Bulgaria  
*Cooperia oncophora (Railliet 1898) Ransom, 1907*  
 Dróždž, J., 1958 a, 717  
 Bison bonasus: Poland  
*Cooperia oncophora (Railliet 1898) Ransom 1907*  
 Dróždž, J., 1961 a, 63  
*Cooperia oncophora*  
 Drudge, J. H.; Leland, S. E. (jr.); Wyant, Z. N.; and Rust, J. W., 1958 a, 435, 436, 437  
 survival on winter pastures: Kentucky  
*Cooperia oncophora*  
 Eckert, J., 1960 a, 619, 620  
 diagnosis  
*Cooperia oncophora*  
 Eckert, J.; and Stöber, M., 1962 a, 20  
 treatment  
*Cooperia oncophora*  
 Eisa, A. M.; and Rubin, R., 1960 a, 8  
 bephenium hydroxynaphthoate, cattle  
*Cooperia oncophora (Railliet, 1898)*  
 Enigk, K., 1933 a, 273  
 Camelus bactrianus (Dunndarm, Labmagen): Berlin (aus Uralsk)  
*Cooperia oncophora*  
 Enigk, K.; and Eckert, J., 1962 a, 182  
 treatment  
*Cooperia oncophora (Railliet 1898)*  
 Erhardova, B.; Luli, M.; Prokopic, I.; and Ryshavy, B., 1960 a, 104, 110  
 Bos taurus (small intestine): Albania  
*Cooperia oncophora*  
 Ermolova, E. N., 1961 a, 368  
 sheep: southern Kazakhstan region  
*Cooperia oncophora*  
 Euzeby, J., 1957 c, 17, 19  
 Bubalus bubalis  
 Bibos indicus  
 Capra hircus  
 all from Federation of Malaya  
*Cooperia oncophora*  
 Fallis, A. M., 1938 a, 87, 89, 118, 121  
 lambs: Ontario  
*Cooperia oncophora Railliet, 1898*  
 Fedoseev, S. D., 1937 a, 123, 132  
 [sheep] overts: Gorkii oblast  
*Cooperia oncophora*  
 Fiebiger, J., 1923 a, 410  
 Rind  
*Cooperia oncophora (Railliet, 1898)*  
 Freeborn, S. B.; and Stewart, M. A., 1937 a, 7, 47  
 synonymy  
*Cooperia oncophora*  
 Furmaga, S., 1960 a, 182, 183  
 treatment, Schaf  
*Cooperia oncophora*  
 Gilmore, R. E.; and Allen, R. W., 1960 a, 70, 71, 72  
 Antilocapra americana: New Mexico  
*Cooperia oncophora*  
 Goldberg, A., 1959 b, 808, 810, 811, 813  
 relationship of diet, cattle  
*Cooperia oncophora*  
 Goldberg, A.; and Lucke, J. T., 1959 a, 41  
 survival on pasture, cattle: Beltsville, Maryland  
*Cooperia oncophora*  
 Goldberg, A.; and Lucke, J. T., 1960 a, 159  
 calves  
*Cooperia oncophora*  
 Goldberg, A.; and Rubin, A., 1955 a, 26  
 survival, cattle (exper.)
- Cooperia oncophora*  
 Goldberg, A.; and Rubin, R., 1956 a, 68  
 survival on pasture, larvae, cattle  
*C[cooperia] oncophoria [sic]*  
 Goldsby, A. I., 1955 a, 25  
 antelope: North Dakota  
*Cooperia oncophora*  
 Goldsby, A. I.; and Eveleth, D. F., 1954 a, 641, 643, 648  
 Antilocapra americana: North Dakota  
*Cooperia oncophora*  
 Gordon, H. M., 1933 f, 35  
 sheep (small intestine): New South Wales  
*Cooperia oncophora*  
 Gordon, H. M., 1950 b, 27  
 treatment  
*?Cooperia oncophora (Railliet, 1898)*  
 Graham, G. L., 1935 b, 127-128  
 Giardia flagellates in intestine of nematode from cattle  
*Cooperia oncophora (Railliet 1898)*  
 Gregoire, C., 1950 a, 696, 698  
 ruminants: Congo Belge  
*Cooperia oncophora*  
 Gregoire, C.; et al., 1957 a, 485  
 bovids: Belgique  
*Cooperia oncophora Railliet, 1898*  
 Guoth, S., 1960 a, 367, 368  
 Cervus elaphus (tenké črevo): Tatranského Národného Parku  
*Cooperia onchophora [sic]*  
 Hakki, I., 1929 a, 151  
*Cooperia oncophora*  
 Hall, M. C., 1922 h, 375  
*Cooperia oncophora*  
 Hall, M. C., [1923 b], 40  
*Cooperia oncophora*  
 Hall, C. M., 1933 k, 368  
 cattle: Maryland  
*Cooperia oncophora ou Strongylus oncophorus*  
 Hamoir, J., 1922 a, 347  
 enteritis, boeuf  
*Cooperia onchophora [sic] (Railliet, 1898)*  
 Hansen, M. F.; and Shivnani, G. A., 1956 a, 92, 94, 95, 99  
 morphology, cattle: Kansas  
*Cooperia oncophora*  
 Harwood, P. D.; Guthrie, J. E.; and Preble, N. A., 1945 a, 167  
*Cooperia onchophora [sic]*  
 Honess, R. F., 1951 a, 5  
 sheep: Wyoming  
*Cooperia oncophora*  
 Honess, R. F., 1957 a, 23  
 cattle (abomasum, small intestine): Wyoming  
*Cooperia oncophora (Railliet, 1898) Ransom, 1907*  
 Isenstein, R. S., 1962 a, 177  
 morphogenesis  
*Cooperia oncophora*  
 Jansen, J., 1961 b, 251  
 cattle (small intestine): Netherlands  
 sheep " " : "  
*Cooperia oncophora*  
 Jones, W. N., 1926 a, 37, 38  
*Cooperia oncophora Railliet, 1898*  
 Jovov, K., 1959 a, 539, 542, 543  
 sheep: Jugoslavia  
 cattle: "  
*Cooperia oncophora (Railliet, 1896)*  
 Kabatova, A. D., 1941 a, 71  
 cattle: Tatar ASSR  
*Cooperia oncophora*  
 Kadyrov, N. T., 1961 a, 374  
 sheep: Akmolinsk region  
*Cooperia oncophora (Railliet)*  
 Keith, R. K., 1953 a, 223, 224, 225, 228, 231, 233, 234  
 key, differentiation if infective larvae  
*Cooperia oncophora*  
 Kelley, G. W., 1955 c, 18  
 cattle: Nebraska

- Cooperia oncophora*  
Koutz, F. R.; and Rebrassier, R. E., 1946 a, 360, 361  
heifer
- Cooperia oncophora*  
Kraneveld, F. C.; and Douwes, J. B., 1940 a, 179  
*Capra hircus*: Netherlands Indies
- Cooperia oncophora* (Railliet 1898) Ransom 1907  
Kreis, H. A., 1960 b, 27, 28, 73-74  
synonymy
- Ovis aries*: Honduras
- Cooperia oncophora*  
Krijgsman, B. J., 1933 d, 371  
Syn.: *Strongylus ventricosus*  
*Banteng* (Darm): Nederlandsch-Indie
- Cooperia oncophora* (Railliet, 1898)  
Kurtpinar, H., 1957 b, 3320  
Turkey
- Cooperia oncophora*  
Lai, M.; and Palmas, G., [1958 a], 590  
*bovini* (intestino): Sardegna  
*ovini* " : "
- Cooperia oncophora*  
Lancaster, W. E., 1957 a, 158  
buffalo  
cattle  
goat  
sheep  
all from Malaya
- Cooperia onchophora* [sic]  
Leland, S. E. (jr.), 1961 a, 21  
culture
- Cooperia onchophora* [sic]  
Le Roux, P. L., 1937 a, 63
- Cooperia onchophora* [sic]  
Lewis, E. A., 1927 d, 125
- Cooperia oncophora*  
Longhurst, W. M.; and Douglas, J. R., 1953 a, 176  
sheep (small intestine): California
- Cooperia onchophora* [sic] Railliet  
Lopez Neyra, C. R., 1924 a, 174
- Cooperia oncophora* (Railliet, 1898)  
Mackerras, M. J., 1958 b, 146, 147  
*Bos taurus*: Australia  
*Ovis aries*: "
- Cooperia oncophora* (Railliet, 1898)  
Mamedov, A. K., 1959 d, 115, 116  
[*Bos bubalis*] buivol: Azerbaidzhan  
zebu: "
- Cooperia oncophora* (Railliet, 1898) Ransom, 1907  
Merdivenci, A., 1955 b, 2479-2486  
*Bos taurus*: Turkey
- Cooperia oncophora*  
Merdivenci, A., [1957 a], 3683-3692, figs. 1, 2  
*Ovis aries*: Turkey
- Cooperia onchophora* [sic] (Railliet, 1898)  
Mikacic, D., 1940 b, 37  
goveda (boeuf): Yougoslavie
- Cooperia oncophora* (Railliet, 1898)  
Monnig, H. O., 1928 a, 812  
sheep
- Cooperia oncophora*  
Morgan, D. O., 1924 a, 92, 93, 94
- Cooperia oncophora*  
Morgan, D. O., 1925 b, 170, 172
- Cooperia oncophora*  
Morgan, D. O.; and Soulsby, E. J. L., 1956 a, 1029  
cattle: south-west England
- Cooperia oncophora* Railliet, 1898, Ransom, 1907  
Moskvin, S. N., 1958 a, 185  
sheep: Albania
- Cooperia onchophora* [sic]  
Nagaty, H. F., 1949 a, 424  
sheep: Egypt  
bovine: "
- Cooperia oncophora* (Railliet, 1898)  
Nagaty, H. F.; Hegab, S. M.; and Meguid Fahmy, M. A., 1947 a, 402  
*Bos taurus* (stomach): Egypt
- Cooperia oncophora* (Railliet, 1893)  
Nagaty, H. F.; Meguid Fahmy, M. A.; and Hegab, S. M., 1947 a, 217  
*Ovis aries*: Cairo abattoir
- Cooperia oncophora*  
National Veterinary Medical Association. Survey Committee, 1945 a, 57
- Cooperia onchophora* [sic] (Railliet)  
Neveu Lemaire, M., 1918 a, 23, 56  
boeuf  
mouton  
*Ovis canadensis*
- Cooperia oncophora*  
Noto-Soediro, R., 1929 a, 554  
*Bos sondaicus* (darmkanaal)
- Cooperia onchophora* [sic]  
Obitz, K. A., 1933 b, 163
- Cooperia oncophora* (Railliet, 1898) Ransom, 1907  
Oldham, J. N., 1938 a, 1135  
synonymy
- Cooperia oncophora*  
Orlov, I. V., 1937 c, 235, 238
- Cooperia oncophora*  
Palimpsestov, M. A., 1937 a, 457  
sheep: Orenburg district
- Cooperia oncophora*  
Parnell, I.; Rayski, C.; Dunn, A. M.; and Mackintosh, G., 1954 a, 67  
sheep: Scotland
- Cooperia oncophora*  
Patyk, S., 1956 c, 171, 172  
cattle: western territories of Poland
- Cooperia oncophora* (Railliet, 1898) Ransom, 1907  
Patyk, S., 1960 a, 233, 236, 241, 242, 243, 244, 245, 246, 248, 249, 250, 253  
cattle (rumen, small intestine): West Poland
- Cooperia oncophora*  
Peterson, J. E., 1957 a, 108, 109, 110, 112, 113
- Cooperia oncophora* (Raill., 1898)  
Petrov, A. M.; Dzhavadov, M. K.; and Skarbilovich, T. S., [1935 a], 6, 8-9, 17  
cattle: Azerbaidzhan  
zebu: "
- Cooperia oncophora*  
Petrov, A. M.; Dzhavadov, M. K.; and Skarbilovich, T. S., 1936 a, 247  
cattle: Azerbaidzhan
- Cooperia oncophora*  
Pillers, A. W. N., 1912 b, 306  
treatment, calves
- Cooperia oncophora*  
Pillers, A. W. N., 1922 c, 364
- Cooperia oncophora*  
Porter, D. A., 1942 a, 305, 306, 307, 308  
incidence, cattle: southeastern United States
- Cooperia oncophora*  
Porter, D. A., 1942 c, 599
- Cooperia oncophora* (Railliet, 1898) Ransom, 1907  
Priadko, E. I., 1961 b, 342  
bovine cattle (small intestine): Kazakhstan
- Cooperia oncophora*  
Price, E. W., 1928 e, 201  
sheep: Texas  
goats: "
- Cooperia oncophora* (Railliet, 1898)  
Prokopic, J., 1954 a, 264, 273  
cattle: Czechoslovakia
- Cooperia oncophora* (Railliet, 1898)  
Raevskaya, Z. A.; and Badanin, N. V., 1933 a, 47-49, 113
- Camelus bactrianus*: SSSR (Uralsk Oblast)

- Cooperia oncophora*  
Ransom, B. H., 1942 a, 477
- Cooperia oncophora*  
Ressang, A. A.; Fischer, H.; and Muchlis, A., 1959 a, 94  
Ovis aries: Indonesia  
*Capra hircus:* "
- Cooperia oncophora* (Railliet 1896)  
Riek, R. F.; and Keith, R. K., 1958 b, 93, 96  
treatment, cattle
- Cooperia oncophora*  
Riek, R. F.; Roberts, F. H. S.; and O'Sullivan, P. J., 1953 a, 122-128  
epidemiology, cattle
- Cooperia oncophora* (Railliet, 1898)  
Roberts, F. H. S., 1935 c, 299  
sheep: Queensland (first report)
- Cooperia oncophora*  
Roberts, F. H. S., 1936 c, 3, 6  
sheep: Queensland
- Cooperia oncophora*  
Roberts, F. H. S., 1936 d, 32, 35  
Ovis aries
- Cooperia oncophora* (Railliet, 1898)  
Roberts, F. H. S., 1939 c, 162, 165  
cattle: Queensland, Australia
- Cooperia oncophora* (Railliet, 1898)  
Roberts, F. H. S., 1957 a, 174, 175-176, 177  
cattle: Tooradin district of south-eastern Victoria
- Cooperia oncophora* Railliet  
Robertson, D., 1937 d, 2022, 2034, 2039  
sheep: Scotland
- Cooperia oncophora*  
Robertson, D., 1942 a, 59  
sheep: Scotland
- Cooperia oncophora*  
Rollinson, D. H. L., 1953 a, 164  
phenothiazine, cattle: Uganda
- Cooperia oncophora*  
Rose, J. H., 1960 d, 14, 15
- Cooperia oncophora*  
Rosenbusch, F., 1930 a, 5
- Cooperia oncophora* (Railliet, 1898)  
Roth, H.; and Christensen, N. O., 1942 a, 245  
horse
- Cooperia oncophora* (Railliet)  
Roveda, R. J.; and Ringuelet, R., 1947 a, 68, 69  
Ovis aries: Argentina  
Bos taurus: "
- Cooperia onchophora* [sic]  
Rubin, R., 1960 a, 179, 180  
treatment, cattle: Colorado
- Cooperia oncophora* Railliet 1898  
Rukavina, J.; Delic, S.; and Jovov, K., 1958 a, 61, 62, 63, 65  
cattle (abomasum, small intestines): Yugoslavia
- Cooperia oncophora*  
Ryšavy, B., 1953 b, 143  
sheep
- Cooperia oncophora* (Railliet, 1898)  
Ryšavy, B.; and Erhardova, B., 1952 a, 121-122, 126  
sheep  
wild ruminants
- Cooperia oncophora*  
Sandground, J. H., 1921 a, 326  
cattle
- Cooperia oncophora*  
Schanzel, H., 1959 a, 250  
ewes
- Cooperia oncophora* Railliet, 1898  
Schanzel, H., 1960 a, 5  
Rind: Czechoslovakia
- Cooperia oncophora* Railliet, 1898  
Schanzel, H., 1960 c, 382  
Rind: Jeseniky
- Cooperia oncophora* (Railliet)  
Schwartz, B., 1928 e, 2, 4
- Cooperia oncophora* (Railliet, 1898)  
Seddon, H. R., 1947 c, 9, 11  
ox: Australia  
sheep: "
- Cooperia oncophora*  
Shorb, D. A., 1940 a, 226, 227
- Cooperia oncophora*  
Shorb, D. A., 1942 a, 332  
[Ovis aries] sheep: Beltsville, Md.
- Cooperia oncophora*  
Shumilina, Z. V., 1955 a, 315  
camels: Western Kazakhstan oblast
- Cooperia oncophora* (Railliet)  
Sjöberg-Klaavu, A. H., 1926 b, 539-540
- Cooperia oncophora* (Raill.)  
Skrabin, K. I., 1929 a, 9, 24, 68
- Cooperia oncophora* (Railliet)  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 425, 444  
Syn.: *Strongylus radiatus* Rud.; *S. ventricosus*
- Cooperia oncophora*  
Smith, H. C., 1955 b, 28-29  
sheep
- Cooperia oncophora*  
Soulsby, E. J. L., 1956 b, 131
- Cooperia oncophora*  
Sprehn, C. E. W., 1927 e, 53  
Ovis aries  
Bos taurus
- Cooperia oncophora* (Railliet)  
Sprehn, C. E. W., 1928 g, 197, 206
- Cooperia oncophora* (Railliet, 1898)  
Sprehn, C. E. W., 1932 c, 708-709, 811  
Syns.: *Strongylus radiatus* Rudolphi, 1803  
e. p.; *S. ventricosus* Rudolphi, 1809 in Schneider, 1866 e.p.; *S. oncophorus* Railliet, 1898; *S. curtcei* in Schneider, 1906; *Cooperia oncophora* (Railliet, 1898) Ransom, 1907  
Bos taurus (Darm)  
Ovis aries (Darm)
- Cooperia oncophora* (Railliet, 1893)  
Steward, J. S., [1932 c], 198, 199  
Dama dama (viscera): Foxley, in Herefordshire
- Cooperia oncophora*  
Swales, W. E., 1933 c, 479  
Ovis aries: Ontario
- Cooperia oncophora*  
Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 893  
Bos taurus: Netherlands
- Cooperia oncophora*  
Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 b, 1302  
Giraffa camelopardalis: Netherlands
- Cooperia oncophora* (Railliet, 1898)  
Tagle V., I., 1953 c, 94  
Bos taurus: Chile
- Cooperia oncophora*  
Taylor, E. L., 1934 e, 150, 154, 163  
immunity of lambs
- Cooperia oncophora*  
Tetley, J. H., 1935 a, 478  
distribution in small intestine  
cattle  
sheep
- Cooperia oncophora*  
Tetley, J. H., 1937 a, 806, 811, 813, 814, 817  
distribution in sheep
- Cooperia oncophora*  
Tetley, J. H., 1941 c, 249  
epidemiology, sheep: Manawatu district, New Zealand

- Cooperia oncophora*  
 Tetley, J. H., 1949 a, 10, 11, 24, 26, 63, 93,  
 95, 96, 98, 100, 101, 102, 103, 108, 112,  
 113, 114, 116, 125, 164, 165, 167, 168, 170,  
 174, 180, 181, 185, 186, 190, 211  
 sheep: N. Zealand
- Cooperia oncophora*  
 Tetley, J. H., 1959 c, 294  
 extent to which self-augmentation of parasitism occurs, sheep
- Cooperia oncophora*  
 Tetley, J. H., 1959 d, 283  
 seasonal availability in pastures, sheep
- Cooperia oncophora*  
 Tomskikh, P. T., 1956 a, 239, 240  
 sheep: Cheliabinsk oblast  
 cattle: "
- Cooperia oncophora* (Railliet, 1898) Ransom, 1907  
 Trach, V. N., 1957 d, 36  
 sheep: Ukrainian Polesie
- Cooperia oncophora* (Railliet, 1898)  
 Trach, V. N., 1959 b, 44  
 sheep: Ukrainian Polesia  
 cattle: " "
- Cooperia oncophora* (Railliet, 1898)  
 Travassos, L. P., 1920 h, 193
- Cooperia oncophora* (Railliet, 1898) Ransom, 1907  
 Travassos, L. P., [1921 g], 19-20, 50, 116, 117  
*Bos taurus*  
*Ovis aries*  
*O. canadensis*
- Cooperia oncophora* (Railliet, 1898) Ransom, 1907  
 Travassos, L. P., 1937 e, I, 3, 6, 34, 35, 37-38, 432, 439, 440, 441, 512  
 Syns.: *C. harkeri* (Stoeder, 1901); *C. bissonis* Cram, 1925; *Strongylus ostertagi* Cameron, 1923  
*Camelus dromedarius*  
*Bos taurus*  
*Ovis aries*  
*O. canadensis*  
*Bison bison*
- Cooperia oncophora*  
 Tunnicliff, E. A., 1932 a, 250-251  
 calves
- Cooperia oncophora* Raill., 1898  
 Ulm, E. K., 1932 a, 20  
 effect of soil conditions
- Cooperia oncophora*  
 Underhill, B. M., 1920 a, 275
- Cooperia oncophora* (Railliet, 1898) Ransom, 1907  
 Vaivariņa, Kh. F., 1954 a, 306  
 cattle: Latvian SSR
- Cooperia oncophora* (Ransom, 1907)  
 Veglia, F., 1920 a, 30  
 pecora: Pretoria
- Cooperia oncophora*  
 Vegors, H. H.; Sell, O. E.; Baird, D. M.; and Stewart, T. B., 1953 a, 79  
 beef calves
- Cooperia oncophora*  
 Wetzel, R., 1950 a, 235, 241  
 treatment, Rind
- Cooperia oncophora* (Railliet, 1898)  
 Wetzel, R., [1953 a], 7  
 Rind (Labmagen, Dünndarm)  
 Schaf
- Cooperia oncophora*  
 Wetzel, R.; and Quittek, G., 1940 a, 350  
 length of development, Kaib
- Cooperia oncophora*  
 Wood, I. B., 1958 a, 1486
- Cooperia oncophora*  
 Wooldridge, G. H., 1923 b, 314, 319
- Cooperia oncophora* (Railliet)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 132  
 cattle  
 sheep
- Cooperia oncophora* (Railliet 1898) Ransom, 1907  
 Zarnowski, E., 1949 c, 38, 39, 70-74  
 Pologne
- Cooperia pectinata*  
 Adams, A. R. D., 1933 b, 2  
 calf: Kenya Colony
- Cooperia pectinata* Ransom  
 Alicata, 1947 a, 72, 79  
 cattle: Hawaii
- Cooperia pectinata*  
 Alicata, J. E.; and Cuckler, A. C., 1943 a, 46, 47  
 cattle: Hawaii
- Cooperia pectinata*  
 Andrews, J. S., 1961 a, 27
- Cooperia pectinata*  
 Andrews, J. S.; and Maldonado, J. F., [1941 d], 129  
 becerros: Puerto Rico
- Cooperia pectinata*  
 Armour, J.; and Hart, J. A., 1960 a, 306  
 zebu cattle: Nigeria
- Cooperia pectinata*  
 Australia. Commonwealth Scientific and Industrial Research Organization, 1957 b, 12-16  
 gastro-enteritis, cattle
- Cooperia pectinata* Ransom  
 Baylis, H. A., 1929 c, 183  
 ox
- Cooperia pectinata* Ransom, 1907  
 Baylis, H. A., 1938 c, 285  
 Syn.: *C. nicolli* Baylis, 1929
- Cooperia pectinata*  
 Becklund, W. W.; and Allen, R. W., 1955 a, 22  
 cattle: Arizona
- Cooperia pectinata*  
 Becklund, W. W.; and Allen, R. W., 1958 a, 587, 589  
 cattle: Arizona
- Cooperia pectinata*  
 Bell, R. R.; Galvin, T. J.; and Turk, R. D., 1960 a, 1101-1103  
 survival of infective larvae on pasture
- Cooperia pectinata*  
 Bhadera, G. D., 1942 b, 241  
 cattle: Mukteswar  
 goats: "
- Cooperia pectinata* (Ransom, 1907)  
 Bremner, K. C.; and Keith, R. K., 1959 a, 391  
 calves
- Cooperia pectinata* Ransom, 1907  
 de Brito Gutterres, J., 1947 a, 46  
 bovinos: Congo belga
- Cooperia pectinata* Ransom, 1907  
 Buckley, J. J. C., 1933 c, 112, 113  
 cattle: Southern Rhodesia
- Cooperia* [sic] *poctinata* [sic]  
 Campbell, A. D., [1959 a], 22  
 cattle: Eastern Region, Nigeria
- Cooperia pectinata*  
 Clarkson, M. J.; and Owen, L. N., 1959 a, 343  
 cattle: Bahama Islands
- Cooperia pectinata*  
 Clunies Ross, I.; et al., [1949 b], 48  
 epidemiology of gastro-enteritis, cattle:  
 Australia
- Cooperia pectinata*  
 Clunies Ross, I.; et al., [1950 b], 53  
 epidemiology, egg counts: Australia
- Cooperia pectinata*  
 Clunies Ross, I.; et al., [1951 a], 57  
 high egg counts: Australia

- Cooperia pectinata*  
Cram, E. B., 1925 b, 573
- Cooperia pectinata* Ransom, 1907  
Daubney, R., 1933 b, 230-231, 233  
  *Bos taurus* (fourth stomach)  
  *Ovis aries* " "  
    all from eastern Africa, generally
- Cooperia pectinata* Ransom, 1911  
Dikmans, G., 1932 d, 93  
  Syn.: *Cooperia nicolli*, Baylis 1929
- Cooperia pectinata*  
Dikmans, G., 1932 e, 90
- Egocerus niger*
- Cooperia pectinata*  
Dikmans, G., 1934 d, 63  
  cattle: Florida
- Cooperia pectinata*  
Dikmans, G., 1939 b, 28-30  
  enteritis, calves
- Cooperia pectinata*  
Dikmans, G.; and Shorb, D. A., 1942 a, 860, 882
- Cooperia pectinata*  
Durie, P. H., 1961 a, 1202
- Cooperia pectinata*  
Durie, P. H., 1961 b, 1212
- Cooperia pectinata*  
Edgar, G., 1933 c, 151, 152  
  sheep: New South Wales (Mudgee District)
- Cooperia pectinata* Ransom, 1907  
Erhardova, B.; and Kotryl, A., 1955 a, 63-64, 65  
  *Cervus elaphus*: Jeseníky
- Cooperia pectinata* Ransom 1907  
Erhardova, B.; Luli, M.; Prokopic, I.; and Rysavy, B., 1960 a, 104, 110  
  *Ovis aries* (small intestine): Albania
- Cooperia pectinata*  
Euzeby, J., 1957 c, 17  
  *Bubalus bubalis*: Federation of Malaya  
  *Bibos indicus*: " "
- Cooperia pectinata*  
Fourie, J. M., 1942 a, 70  
  cattle: South Africa
- Cooperia pectinata*  
Gibson, T. E., 1959 a, 34  
  treatment
- Cooperia pectinata*  
Gilmore, R. E.; and Allen, R. W., 1960 a, 70, 71, 72  
  *Antilocapra americana*: New Mexico
- Cooperia pectinata*  
Graber, M., 1959 c, 147  
  zébu: République du Tchad
- Cooperia pectinata*  
Griffiths, R. B., 1957 a, 50, 54, 109  
  cattle (small intestine): Burma
- Cooperia pectinata* (Ransom 1907)  
Guildal, J. A., 1962 a, 53, 56  
  *Cervus elaphus*: Denmark  
  *Dama dama*: "
- Cooperia pectinata*  
Hall, M. C., 1922 b, 375
- Cooperia pectinata*  
Hall, M. C., [1923 b], 40
- Cooperia pectinata*  
Herlich, H., 1960 b, 394, 395  
  age resistance, cattle
- Cooperia pectinata*  
Herlich, H.; Douvres, F. W.; and Stewart, T. B., 1954 a, 505  
  treatment, cattle
- Cooperia pectinata* Ransom  
Keith, R. K., 1953 a, 223, 224, 225, 228, 230-231, 233, 234  
  key, differentiation of infective larvae
- Cooperia pectinata* Ransom 1907  
Kreis, H. A., 1960 b, 27, 28, 74-76  
  synonymy  
  *Bos taurus*: Honduras
- Cooperia pectinata*  
Lancaster, W. E., 1957 a, 158  
  buffalo: Malaya  
  cattle: "
- Cooperia pectinata*  
Lee, R. P.; Armour, J.; and Ross, J. G., 1960 a, 34  
  seasonal variations, cattle: Nigeria
- Cooperia pectinata*  
Le Roux, P. L., 1930 d, 46, 50, 62  
  *Syncerus caffer*
- Cooperia pectinata*  
Le Roux, P. L., 1932 a, 17  
  cattle: Northern Rhodesia  
  sheep: "
- Cooperia pectinata*  
Le Roux, P. L., 1939 a, 42, 44, 56  
  sheep: Mazabuka  
  cattle: "
- Cooperia pectinata* Ransom, 1907  
Mackerras, M. J., 1958 b, 146, 147  
  *Bos taurus*: Australia  
  *Ovis aries*: "
- Cooperia pectinata* Rans., 1907  
Mönnig, H. O., 1928 a, 812  
  cattle
- Cooperia pectinata*  
Mönnig, H. O., 1932 e, 154, 170  
  *Damaliscus albifrons* (small intestine): Theunissen, O. F. S.
- Cooperia pectinata*  
Mönnig, H. O., 1933 g, 85  
  lamb: South Africa
- Cooperia pectinata* Ransom, 1907  
Mudaliar, S. V.; and Alwar, V. S., 1947 b, 87  
  cattle: Madras
- Cooperia pectinata*  
Nagaty, H. F., 1949 a, 424  
  camel: Egypt
- Cooperia pectinata* Ransom, 1907  
Nagaty, H. F.; Meguid Fahmy, M. A.; and Hegab, S. M., 1947 a, 217  
  *Camelus dromedarius*: Cairo abattoir
- Cooperia pectinata* Ransom  
Neveu-Lemaire, M., 1918 a, 23, 37, 56  
  boeuf
- Cooperia pectinata*  
Obitz, K. A., 1933 b, 163
- Cooperia pectinata* Ransom, 1908  
Oldham, J. N., 1938 a, 1135  
  Syn.: *Cooperia nicolli* Baylis, 1929
- Cooperia pectinata* Ransom, 1907  
Olsen, O. W.; and Fenstermacher, R., 1943 a, 8, 9, 14, 18  
  key
- Cooperia pectinata*  
Orlov, I. V., 1937 c, 50, 51, 52, 53
- Cooperia pectinata*  
Palimpsestov, M. A., 1937 a, 457  
  cattle: Orenburg district
- Cooperia pectinata* Ransom, 1907  
Pinto, C.; and Lins de Almeida, J., 1935 a, 57  
  *Bos taurus*: Brasil
- Cooperia pectinata* Ransom  
Pinto, C. F.; and Lins de Almeida, J., 1937 b, 475  
  *Bos taurus*: Brésil
- Cooperia pectinata*  
Porter, D. A., 1942 a, 305, 307  
  incidence, cattle: southeastern United States

- Cooperia pectinata*  
Porter, D. A., 1942 c, 599
- Cooperia pectinata*  
Porter, D. A., 1953 b, 550, 551  
cross transmission between cattle and sheep
- Cooperia pectinata* (Railliet, 1898)  
Prokopic, J., 1954 a, 264, 273  
cattle: Czechoslovakia
- Cooperia pectinata*  
Ransom, B. H., 1942 a, 477
- Cooperia pectinata*  
Rao, M. A. N., 1940 a, 306-311  
Bos taurus: Madras abattoir
- Cooperia pectinata* Ransom, 1907  
Rao, M. A. N., 1941 a, 207  
India
- Cooperia pectinata*  
Reinecke, R. K., 1960 a, 45  
transmission by infested dung
- Cooperia pectinata* Ransom, 1907  
Reinecke, R. K., 1960 b, 366-438, 442-464  
treatment, ecology, prophylaxis, bovines
- Cooperia pectinata* (v. Linstow 1901)  
Reinecke, R. K.; and Schutte, J. A., 1959 a, 126, 128, 129  
treatment, cattle
- Cooperia pectinata* Ransom, 1907  
Riek, R. F.; and Keith, R. K., 1957 b, 169, 170  
treatment, cattle
- Cooperia pectinata* Ransom, 1907  
Riek, R. F.; and Keith, R. K., 1958 b, 93, 95, 96, 97  
treatment, cattle
- Cooperia pectinata* (Ransom, 1907)  
Riek, R. F.; and Keith, R. K., 1959 a, 403  
calves
- Cooperia pectinata*  
Riek, R. F.; Roberts, F. H. S.; and O'Sullivan, P. J., 1953 a, 122, 123, 125, 127, 128  
epidemiology of gastro-enteritis, cattle
- Cooperia pectinata* Ransom, 1907  
Roberts, F. H. S., 1935 c, 299  
sheep: Queensland (first report)
- Cooperia pectinata*  
Roberts, F. H. S., 1936 c, 3, 6  
sheep: Queensland
- Cooperia pectinata*  
Roberts, F. H. S., 1936 d, 32, 35  
Ovis aries: Queensland
- Cooperia pectinata* Ransom, 1907  
Roberts, F. H. S., 1939 c, 162, 163, 165  
cattle: Queensland, Australia
- Cooperia pectinata*  
Roberts, F. H. S.; O'Sullivan, P. J.; and Riek, R. F., 1951 a, 17  
egg counts, cattle
- Cooperia pectinata*  
Rollinson, D. H. L., 1953 a, 164  
phenothiazine, cattle: Uganda
- Cooperia pectinata*  
Sankaranarayanan, M. V.; Das, D. N.; and Sundaram, S., 1957 a, 41  
bursa as a diagnostic character
- Cooperia pectinata* Ransom, 1907  
Sarwar, M. M., 1944 a, 60-61  
Bos indicus: Izatnagar (U. P.)
- Cooperia pectinata*  
Sarwar, M. M., 1945 e, 274, 275  
hill bulls: Mukteswar, India  
sheep: "
- Cooperia pectinata* Ransom  
Schwartz, B., 1928 e, 2, 4
- Cooperia pectinata* Ransom, 1907  
Seddon, H. R., 1947 c, 9, 11  
Syn.: *C. nicolli*  
ox: Australia  
sheep: "
- Cooperia pectinata*  
Shorb, D. A., 1940 a, 226, 227
- Cooperia pectinata* Ransom  
Sjöberg Klavuu, A. H., 1926 b, 541-542
- Cooperia pectinata* Ransom  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 444
- Cooperia pectinata*  
Sprehn, C. E. W., 1927 e, 53  
Bos taurus
- Cooperia pectinata* Ransom, 1907  
Sprehn, C. E. W., 1932 c, 709, 811  
Bos taurus (Labmagen): Amerika
- Cooperia pectinata*  
Sprent, J. F. A., 1946 b, 153  
zebu cattle: Northern Nigeria
- Cooperia pectinata*  
Sprent, J. F. A., 1946 d, 37  
cattle: Northern Nigeria
- Cooperia pectinata*  
Swanson, L. E., 1941 b, 62  
cattle: Georgia
- Cooperia pectinata*  
Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 896  
*Cervus elaphus*: Netherlands
- Cooperia pectinata*  
Taylor, J. I., 1960 a, 18, [54]  
epizootiology, cattle: Nigeria
- Cooperia pectinata* Ransom, 1907  
Travassos, L. P., 1920 p, 193
- Cooperia pectinata* Ransom, 1907  
Travassos, L. P., [1921 g], 20, 52, 116  
Bos taurus: Estados Unidos, Brasil
- Cooperia pectinata* Ransom, 1907  
Travassos, L. P., 1937 e, I, 3, 6, 34, 35, 37, 39-40, 436, 438, 439, 441  
Syn.: *C. nicolli* Baylis, 1929  
Bos taurus  
Ovis aries  
*Damaliscus albifrons*  
*Strepsicerus strepsicerus*  
*Egocerus niger* (=*Hippotragus niger*)
- Cooperia pectinata*  
Van Volkenberg, H. L.; and Nicholson, A. J., 1943 a, 222  
deer: Texas
- Cooperia pectinata* (Ransom, 1907)  
Veglia, F., 1920 a, 30-31  
pecora: Pretoria
- Cooperia pectinata* (Ransom, 1907)  
Walker, J., [1926 b], 120  
cattle: Kenya
- Cooperia pectinata*  
Whitlock, H. V., 1959 a, 312, 313, 314, 315  
identification of first stage larvae, sheep
- Cooperia pectinata*  
Woodhouse, C. A.; Reid, J. J.; and Schmidt, H., [1941 a], 160  
cattle: Texas Gulf Coast area
- Cooperia pectinata* Ransom, 1907  
Yamaguti, S., 1942 g, 95, 97-98, 104  
Bos taurus domesticus: Mukden
- Cooperia pectinata* Ransom  
Yorke, W.; and Maplestone, P. A., 1926 a, 132  
cattle
- Cooperia pectinata*  
Zavadovskii, M. M., 1935 c, 57, 62, 96, 99  
[p. 99 *Cooparia pectinata*, p. 57 *Cooperia pectinata*]
- Cooperia pectinata* Rail.  
Zavadovskii, M. M.; Ivanova, S. A.; Vorob'eva, E. I.; and Strelkova, O. I., 1929 a, 43
- Cooperia pectinata*  
Zavadovskii, M. M.; and Vorob'eva, E. L., 1931 a, 165, 167  
effect of temperature on moist and desiccated larvae

- Cooperia punctata*  
 Adams, A. R. D., 1933 b, 2  
 cattle: Raub and Maxwell's Hill, Fed.  
 Malay States  
 sheep: Taiping and Seremban, Fed. Malay  
 States
- Cooperia punctata* (v. Linstow)  
 Alicata, J. E., 1947 a, 72, 76, 79, 82  
 cattle: Hawaii  
 sheep: "
- Cooperia punctata*  
 Alicata, J. E., 1958 a, 30  
 development, rabbits
- Cooperia punctata*  
 Alicata, J. E., 1959 a, 48  
 piperazine dihydrochloride, calves
- Cooperia punctata*  
 Alicata, J. E., 1960 a, 411, 412, 413, 414,  
 415  
 calves (small intestine): Hawaii
- Cooperia punctata*  
 Alicata, J. E., 1960 b, 19  
 importance and treatment in calves: Hawaii
- Cooperia punctata*  
 Alicata, J. E., 1960 c, 1-2, 1 fig.  
 importance and control in calves: Hawaii
- Cooperia punctata*  
 Alicata, J. E., 1961 c, 181-183  
 survival of infective larvae on pasture,  
 cattle: Hawaii
- Cooperia punctata*  
 Alicata, J. E.; Ching, H. L.; and Noda, K.,  
 1960 a, 58-60
- Cooperia punctata*  
 Alicata, J. E.; and Cuckler, A. C., 1943 a,  
 46, 47, 49  
 sheep: Kahoolawe  
 cattle: Hawaii
- Cooperia punctata*  
 Alicata, J. E.; and Lynd, F. T., 1961 a, 704-  
 707  
 growth rate, signs of infection, calves (ex-  
 per.)
- Cooperia punctata*  
 Alicata, J. E.; and Noda, K., 1958 a, 51-53
- Cooperia punctata*  
 Allen, R. W., 1954 a, 15  
 cattle: New Mexico; Arizona
- Cooperia punctata*  
 Andrews, J. S., [1940 c], 62  
 diarrhea, cattle
- Cooperia punctata*  
 Andrews, J. S., 1961 a, 27
- Cooperia punctata*  
 Andrews, J. S.; and Maldonado, J. F., 1939 a,  
 53  
 calves: Puerto Rico
- Cooperia punctata*  
 Andrews, J. S.; and Maldonado, J. F., [1941 d],  
 128, 129  
 becerros: Puerto Rico
- Cooperia punctata*  
 Armour, J.; and Hart, J. A., 1960 a, 306  
 zebu cattle: Nigeria
- Cooperia punctata* (Linstow, 1906) Ransom, 1907  
 Asadov, S. M., 1958 a, 1032  
 zebu: Azerbaidzhan
- Cooperia punctata*  
 Ash, L. R., 1961 b, 446  
 Cervus axis (small intestine): Hawaii
- Cooperia punctata* (von Linstow, 1907) Ransom,  
 1907  
 Ault, C. N., 1943 c, 470, 477, 480  
 Ovis aries: Argentina  
 Bos taurus: "
- Cooperia punctata*  
 Australia. Commonwealth Scientific and Indus-  
 trial Research Organization, 1957 b, 12-16  
 gastro-enteritis, cattle
- Cooperia punctata* (v. Linstow, 1907) Ransom, 1907  
 Bailey, W. S., 1948 a, 83-84  
 life history
- Cooperia punctata* (v. Linstow, 1907) Ransom, 1907  
 Bailey, W. S., 1949 a, 119-129  
 calves (exper.)
- Cooperia punctata*  
 Bailey, W. S.; and Herlich, H., 1953 a, 106  
 epizootic
- Cooperia punctata*  
 Baker, N. F.; Allen, P. H.; and Douglas, J. R.,  
 1959 a, 279  
 treatment
- C[ooperia] punctata*  
 Baker, N. F.; Cook, E. F.; Douglas, J. R.; and  
 Cornelius, C. E., [1960 a], 644  
 lambs (small intestine): California
- Cooperia punctata*  
 Banks, A. W.; and Korthals, A., 1959 a, 462  
 cattle (faeces)
- Cooperia punctata* (v. Linstow)  
 Baylis, H. A., 1929 c, 183  
 ox
- Cooperia punctata* (Linst., 1907)  
 Baylis, H. A., 1938 c, 285  
 Syn.: C. fieldingi Baylis, 1929
- Cooperia punctata*  
 Becklund, W. W.; and Allen, R. W., 1955 a, 22  
 cattle: Arizona; New Mexico
- Cooperia punctata*  
 Becklund, W. W.; and Allen, R. W., 1958 a,  
 587, 589  
 cattle: New Mexico, Arizona
- Cooperia punctata*  
 Bhalerao, G. D., 1942 b, 241  
 cattle: Mukteswar  
 goat: "
- Cooperia punctata* (v. Linstow, 1907)  
 Bhalerao, G. D., 1942 e, 27
- Cooperia punctata*  
 Bhatia, B. B., 1961 a, 322
- Cooperia punctata* (Linstow, 1906)  
 Bobkova, A. F., 1959 a, 19  
 cows: White Russian Polesia
- Cooperia punctata* (v. Linstow, 1907)  
 Bremner, K. C.; and Keith, R. K., 1959 a, 391  
 calves
- Cooperia punctata* (von Linstow, 1907)  
 de Brito Gutterres, J., 1947 a, 46  
 bovinos: Congo belga
- Cooperia punctata* (Linstow, 1907)  
 Burdzhanaidze, P. L., 1943 a, 59  
 Bos taurus: Georgia [SSR]  
 Ovis aries: " "
- Cooperia punctata*  
 Campbell, A. D., [1959 a], 22  
 cattle: Eastern Region, Nigeria
- Cooperia punctata* (Linstow, 1907) Ransom, 1907  
 Carvalho, J. C. M., 1940 a, 420  
 Bos taurus
- Cooperia punctata* (von Linstow, 1907)  
 Cassamagnaghi, A., 1942 a, 181, 183  
 bovinos: Uruguay
- Cooperia punctata* (Linst., 1907)  
 Chen, H. T., 1935 a, 102  
 buffaloes: Canton, China
- Cooperia punctata*  
 Ciordia, H.; and Bizzell, W. E., 1960 b, 40  
 temperature, cattle
- Cooperia punctata*  
 Ciordia, H.; and Bizzell, W. E., 1961 a, 41  
 effects of *Bacillus thuringiensis* var. *thur-*  
*ingiens* on development of free-living  
 stages
- C[ooperia] punctata*  
 Ciordia, H.; Bizzell, W. E.; and Baird, D. M.,  
 1961 a, 388  
 treatment, sheep

- Cooperia punctata*  
 Clunies Ross, I.; et al., [1949 b], 48  
 epidemiology of gastro-enteritis, cattle:  
 Australia
- Cooperia punctata*  
 Clunies Ross, I.; et al., [1950 b], 53  
 epidemiology, egg counts: Australia
- Cooperia punctata*  
 Clunies Ross, I.; et al., [1951 a], 57  
 high egg counts: Australia
- Cooperia punctata*  
 Corticelli, B.; and Lai, M., [1958 a], 947,  
 948, 949  
 technique for diagnosis  
 bovine (tenue intestino) (exper.)
- Cooperia punctata*  
 Cram, E. B., 1925 b, 573
- Cooperia punctata* (v. Linstow, 1907)  
 Daubney, R., 1933 b, 230  
*Bos taurus* (duodenum and fourth stomach)  
*Ovis aries* (duodenum)  
 all from Highlands of Kenya Colony
- Cooperia punctata*  
 Davis, L. R.; Herlich, H.; and Bowman, G. W.,  
 1959 a, 281-286  
 experimental concurrent infections with  
 coccidia, dairy calves
- Cooperia punctata*  
 Davis, L. R.; Herlich, H.; and Bowman, G. W.,  
 1960 b, 192  
 concurrent infection with *Trichostrongylus*  
*colubriformis*, dairy calves
- Cooperia punctata* Ransom, 1907  
 Dikmans, G., 1935 f, 84  
 Syn.: *C. fieldingi* Baylis, 1928
- Cooperia punctata*  
 Dikmans, G., 1939 b, 28-30  
 parasitic enteritis, calves
- Cooperia punctata*  
 Dikmans, G.; and Shorb, D. A., 1942 a, 860,  
 882
- Cooperia punctata*  
 Douvres, F. W., 1957 a, 82, 83, 84, figs. 17,  
 18, 19  
 key
- Cooperia punctata*  
 Douvres, F. W., 1962 a, 15  
 use of infective larvae and in vitro-grown  
 parasitic larvae to detect antibodies in  
 serum of infected calf
- Cooperia punctata*  
 Douvres, F. W.; and Alicata, J. E., 1962 a, 35  
 in vitro development of parasitic stages
- Cooperia punctata*  
 Drudge, J. H.; Leland, S. E. (jr.); Wyant,  
 Z. N.; and Rust, J. W., 1958 a, 435, 436  
 survival on winter pastures: Kentucky
- Cooperia punctata*  
 Durie, P. H., 1961 a, 1202
- Cooperia punctata*  
 Durie, P. H., 1961 b, 1212
- Cooperia punctata*  
 Eckert, J.; and Stöber, M., 1962 a, 20  
 treatment
- Cooperia punctata*  
 Edgar, G., 1933 c, 151, 152  
 sheep: New South Wales (Mudgee District)
- Cooperia punctata* (Linstow in Schnyder, 1907)  
 Enigk, K., 1933 a, 273, 274  
*Camelus bactrianus* (Dünndarm): Berlin (aus  
 Uralsk)
- Cooperia punctata*  
 Euzeby, J., 1957 c, 17  
*Bubalus bubalis*: Federation of Malaya  
*Bibos indicus*: " " "
- Cooperia punctata*  
 Faulkner, D. E., [1959 a], 20
- Cooperia punctata* (Linstow, 1907)  
 Freitas, M. G., 1957 b, 375  
 [*Bos taurus*]: Estado de Minas Gerais
- Cooperia punctata*  
 Gibson, T. E., 1959 a, 34  
 treatment
- Cooperia punctata*  
 Gilmore, R. E.; and Allen, R. W., 1960 a, 70,  
 71, 72  
*Antilocapra americana*: New Mexico
- Cooperia punctata* (von Linstow, 1907) Ransom,  
 1907  
 Giovannoni, M.; and Kubiak, G. V. L., 1947 a,  
 227  
*Bos taurus*
- Cooperia punctata*  
 Goldberg, A., 1959 b, 808, 810, 811, 813  
 relationship of diet, cattle
- Cooperia punctata*  
 Goldberg, A.; and Lucker, J. T., 1959 a, 41  
 survival on pasture  
 cattle: Beltsville, Maryland
- Cooperia punctata*  
 Goldberg, A.; and Lucker, J. T., 1960 a, 159  
 calves
- Cooperia punctata*  
 Goldberg, A.; and Rubin, R., 1956 a, 68  
 survival of larvae on pasture, cattle
- Cooperia punctata*  
 Gonzalez, R., 1923 a, 30  
 vacuno
- Cooperia punctata* (von Linstow, 1907) Ransom,  
 1907  
 Gordon, H. M., 1933 f, 34  
 cattle: Australia  
 sheep: "
- Cooperia punctata*  
 Gordon, H. M., 1950 b, 27  
 treatment
- Cooperia punctata*  
 Gruber, M., 1959 c, 147  
*zébu*: République du Tchad
- Cooperia punctata* (von Linstow 1907)  
 Gregoire, C., 1950 a, 696, 698  
*Congo Belge*
- Cooperia punctata*  
 Gregoire, C.; et al., 1957 a, 485  
 bovidés: Belgique
- Cooperia punctata*  
 Griffiths, R. B., 1957 a, 50, 54, 109  
 cattle (small intestine): Burma
- Cooperia punctata*  
 Hall, M. C., 1922 p, 375
- Cooperia punctata*  
 Hall, M. C., [1923 b], 40
- Cooperia punctata*  
 Hall, M. C., 1933 k, 368  
 cattle: Maryland
- Cooperia punctata* (Linstow, 1907)  
 Hansen, M. F.; and Shivnani, G. A., 1956 a, 92,  
 94, 95, 99, figs. 3, 12  
 morphology  
 cattle: Kansas
- Cooperia punctata*  
 Harwood, P. D.; Guthrie, J. E.; and Preble,  
 N. A., 1945 a, 159, 167
- Cooperia punctata*  
 Herlich, H., 1960 b, 394  
 age resistance, cattle
- Cooperia punctata*  
 Herlich, H., 1962 b, 521  
 pathology, calves
- Cooperia punctata*  
 Herlich, H.; Douvres, F. W.; and Stewart, T.  
 B., 1954 a, 505  
 treatment, cattle
- Cooperia punctata*  
 Herlich, H.; and Porter, D. A., 1954 a, 103,  
 104, 105, 106

- Cooperia punctata*  
Herlich, H.; Porter, D. A.; and Isenstein, R. S., 1961 a, 219
- Cooperia punctata*  
Herlich, H.; and Rohrbacher, G. H., (jr.), 1957 a, 330
- Cooperia punctata*  
Honest, R. F., 1957 a, 23  
cattle (small intestine): Wyoming
- Cooperia punctata*  
Hung, S.-L., 1926 d, 33-36  
pathology, calves
- Cooperia punctata* (Linst. in Schnyder)  
Isshiki, O., 1939 a, 22, 24, 27, 28  
*Bos taurus*
- Cooperia punctata*  
Isshiki, O., 1939 b, 86
- Cooperia punctata*  
Isshiki, O., 1942 a, 663-696  
variation, Rinder: Chosen
- Cooperia punctata*  
Jansen, J., 1961 b, 251  
cattle (small intestine): Netherlands  
sheep " " : "
- Cooperia punctata* Linstow, 1906  
Jovov, K., 1959 a, 539, 542, 543  
sheep: Jugoslavia  
cattle: "
- Cooperia punctata*  
Kabatova, A. D., 1941 a, 71  
cattle: Tatar ASSR
- Cooperia punctata*  
Keith, R. K., 1953 a, 223, 224, 225, 228, 230, 233, 234, pl. 2, fig. 2, pl. 3, fig. 6  
key, differentiation of infective larvae
- Cooperia punctata*  
Kelley, G. W., 1955 c, 18  
cattle: Nebraska
- Cooperia punctata*  
Krijgsman, B. J., 1933 d, 370  
Syn.: *Strongyloides bovis*  
Rund (lebmaag, middendarm): Nederlandsch-Indië
- Cooperia punctata* (von Linstow, 1907)  
Lai, M., 1956 a, 66, 67, 69, 71, fig. 10  
cattle: Sardegna
- Cooperia punctata*  
Lai, M.; and Palmas, G., [1958 a], 590  
bovini (intestino): Sardegna
- Cooperia punctata*  
Lancaster, W. E., 1939 a, 51  
goat: Kedah, Malaya
- Cooperia punctata*  
Lancaster, W. E., 1957 a, 158  
buffalo: Malaya  
cattle: "  
goat: "  
sheep: "
- Cooperia punctata*  
Lee, R. P.; Armour, J.; and Ross, J. G., 1960 a, 34  
seasonal variations, cattle: Nigeria
- Cooperia punctata*  
Leland, S. E. (jr.), 1961 a, 21  
culture
- Cooperia punctata*  
Leland, S. E. (jr.), 1962 a, 35  
in vitro cultivation from egg to egg
- Cooperia punctata*  
Le Roux, P. L., 1930 d, 46, 47, 50, 62  
*C. punctata* p. 47  
*Synceros caffer*
- Cooperia punctata*  
Le Roux, P. L., 1932 a, 17  
cattle  
sheep
- Cooperia punctata*  
Le Roux, P. L., 1939 a, 42, 44, 56  
sheep: Mazabuka  
cattle: "
- Cooperia punctata* v. Linstow, 1907  
Mackerras, M. J., 1958 b, 146, 147  
*Bos taurus*: Australia  
*Ovis aries*: "  
*Cooperia punctata* (Linstow, 1906)  
Mamedov, A. K., 1959 a, 43  
zebu (pancreas)
- Cooperia punctata* (Linstow, 1906)  
Mamedov, A. K., 1959 b, 425-427  
zebu (pancreas): Azerbaidzhan
- Cooperia punctata* (Linstow, 1906)  
Mamedov, A. K., 1959 c, 115, 116  
[*Bos bubalis*] buivol: Azerbaidzhan  
zebu: Azerbaidzhan
- Cooperia punctata* (Linstow, 1906)  
Mamedov, A. K., 1959 d, 121-122  
zebu (pancreas)
- Cooperia punctata*  
Mayhew, R. L., 1959 a, 44  
cattle
- Cooperia punctata*  
Mayhew, R. L., 1961 a, 20  
immunity
- Cooperia punctata*  
Mayhew, R. L.; and Lank, B. B., 1959 a, 46-47  
phenothiazine, copper sulphate, and nicotine sulphate, cattle
- Cooperia punctata*  
Mayhew, R. L.; Miller, G.; and Torbert, B. J., 1957 a, 19  
phenothiazine, calves
- Cooperia punctata*  
Mayhew, R. L.; Miller, G. C.; and Torbert, B. J., 1960 a, 859-866  
immunity, bovine
- Cooperia punctata*  
Mayhew, R. L.; Torbert, B. G.; and Miller, G. C., 1958 a, 39-40  
phenothiazine, effects of 1/2 gram on development of infective larvae
- Cooperia punctata*  
Mayhew, R. L.; Torbert, B. G.; and Miller, G. S., 1958 b, 40-41  
immunity, cattle
- Cooperia punctata*  
Mayhew, R. L.; Torbert, B. J.; and Miller, G. C., 1959 a, 492-497  
phenothiazine, feeding of small amounts
- Cooperia punctata* (von Linstow, 1907)  
Mikacic, D., 1940 b, 37-38, 45, 47, 49  
goveda: Yougoslavie
- Cooperia punctata* (Schnyder, 1907)  
Mönnig, H. O., 1928 a, 812  
cattle
- Cooperia punctata*  
Mönnig, H. O., 1932 e, 154, 170  
*Damaliscus albifrons* (small intestine): Theunissen, O. F. S.
- Cooperia punctata*  
Mönnig, H. O., 1933 g, 85  
lamb: South Africa
- Cooperia punctata*  
Morgan, D. O.; and Soulsby, E. J. L., 1956 a, 1029  
cattle: south-west England
- Cooperia punctata* (v. Linstow, 1907)  
Mudaliar, S. V.; and Alwar, V. S., 1947 b, 87  
cattle: Madras slaughterhouse
- Cooperia punctata*  
Nagaty, H. F., 1949 a, 424  
bovine: Egypt
- Cooperia punctata* (von Linstow, 1907)  
Nagaty, H. F.; Hegab, S. M.; and Meguid Fahmy, M. A., 1947 a, 402  
*Bos taurus* (stomach): Egypt
- Cooperia punctata* (v. Linstow)  
Neveu Lemaire, M., 1918 a, 23, 56  
boeuf
- Cooperia punctata*  
Obitz, K. A., 1933 b, 163

- Cooperia punctata*  
 Ohman, A. F. S., 1956 a, 56  
 cattle: Fiji
- Cooperia punctata* (Linstow, 1907) Ransom, 1907  
 Oldham, J. N., 1938 a, 1135  
 Syn.: *C. fieldingi* Baylis, 1929
- Cooperia punctata* (Linstow, 1907)  
 Olsen, O. W.; and Fenstermacher, R., 1943 a, 8, 9, 14, 18, fig. 3a, 3b  
 key
- Cooperia punctata*  
 Patyk, S., 1956 c, 171, 172  
 cattle: western territories of Poland
- Cooperia punctata* Linstow, 1907  
 Patyk, S., 1960 a, 233, 237, 241, 245, 248, 249, 253  
 cattle (rumen, small intestine): West Poland
- Cooperia punctata*  
 Peterson, J. E., 1957 a, 109
- Cooperia punctata* (Linstow, 1907)  
 Petrov, A. M.; Dzhavadov, M. K.; and Skarbilo-vich, T. S., [1935 a], 6, 8-9, 17  
 cattle: Azerbaijan
- Cooperia punctata*  
 Petrov, A. M.; Dzhavadov, M. K.; and Skarbilo-vich, T. S., 1936 a, 247  
 cattle: Azerbaijan
- Cooperia punctata* (Linst.)  
 Pinto, C. F.; and Lins de Almeida, J., 1937 b, 475  
*Bos taurus*: Brésil
- Cooperia punctata*  
 Porter, D. A., 1942 a, 305, 306, 307  
 cattle: southeastern United States
- Cooperia punctata*  
 Porter, D. A., 1942 b, 60, 62  
 survival of preparasitic states on pastures
- Cooperia punctata*  
 Porter, D. A., 1942 c, 599
- Cooperia punctata*  
 Porter, D. A., 1953 b, 550, 551  
 cross transmission between cattle and sheep
- Cooperia punctata*  
 Porter, D. A., 1954 b, 8  
 concurrent infections with coccidia, calves
- Cooperia punctata*  
 Price, E. W., 1928 e, 200, 201  
 cattle: Texas
- Cooperia punctata* Linstow, 1907  
 Prokopić, J., 1954 a, 265, 273, fig. 6, a, b, c  
 cattle: Czechoslovakia
- Cooperia punctata*  
 Ransom, B. H., [1921 d], 96  
 intestinal lesions, calves
- Cooperia punctata*  
 Ransom, B. H., 1923 a, 525
- Cooperia punctata*  
 Ransom, B. H., 1942 a, 477
- Cooperia punctata*  
 Rao, M. A. N., 1940 a, 308-309, 310, 311, pl. 15, fig. 5, text-figs. 1-5  
*Bos taurus*: Madras abattoir
- Cooperia punctata* Ransom, 1907  
 Rao, M. A. N., 1941 a, 16-17  
 India
- Cooperia punctata*  
 Reinecke, R. K., 1960 a, 45  
 transmission by infested dung
- Cooperia punctata* (v. Linst. 1907)  
 Reinecke, R. K., 1960 b, 369  
 bovines
- Cooperia punctata* (v. Linstow 1901)  
 Reinecke, R. K.; and Schutte, J. A., 1959 a, 126, 128, 129  
 treatment, cattle
- Cooperia punctata*  
 Ressang, A. A.; Fischer, H.; and Muchlis, A., 1959 a, 93  
 cattle: Indonesia
- Cooperia punctata* (v. Linstow 1907)  
 Riek, R. F.; and Keith, R. K., 1957 b, 169, 170  
 treatment, cattle
- Cooperia punctata* (v. Linstow 1907)  
 Riek, R. F.; and Keith, R. K., 1958 b, 93, 95, 96, 97  
 treatment, cattle
- Cooperia punctata* (v. Linstow, 1907)  
 Riek, R. F.; and Keith, R. K., 1959 a, 403  
 calves
- Cooperia punctata*  
 Riek, R. F.; Roberts, F. H. S.; and O'Sullivan, P. J., 1953 a, 123, 125, 126, 127, 128  
 epidemiology of gastro-enteritis, cattle
- Cooperia punctata* (v. Linst., 1907)  
 Roberts, F. H. S., 1935 c, 299  
 sheep: Queensland (first report)
- Cooperia punctata*  
 Roberts, F. H. S., 1936 c, 3, 6  
 sheep: Queensland
- Cooperia punctata*  
 Roberts, F. H. S., 1936 d, 32, 35  
*Ovis aries*: Queensland
- Cooperia punctata* (v. Linstow, 1907)  
 Roberts, F. H. S., 1939 c, 162, 163, 165  
 cattle: Queensland, Australia
- Cooperia punctata* (v. Linstow 1907)  
 Roberts, F. H. S., 1955 a, 165  
 treatment, cattle: Queensland
- Cooperia punctata* (v. Linstow 1907)  
 Roberts, F. H. S., 1957 a, 174, 176  
 cattle: Tooradin district of south-eastern Victoria
- Cooperia punctata*  
 Roberts, F. H. S.; O'Sullivan, P. J.; and Riek, R. F., 1951 a, 17  
 egg counts, cattle
- Cooperia punctata*  
 Robertson, D., 1942 a, 59  
 sheep: Scotland
- Cooperia punctata*  
 Rollinson, D. H. L., 1953 a, 164  
 phenothiazine, cattle: Uganda
- Cooperia punctata* (v. Linstow)  
 Roveda, R.; and Ringuelet, R., 1947 a, 68, 69  
*Bos taurus*: Argentina  
*Ovis aries*: "
- Cooperia punctata* Linstow 1906  
 Rukavina, J.; Delić, S.; and Jovov, K., 1958 a, 61, 62  
 cattle (sirište, tanko crijevo): Yugoslavia
- Cooperia punctata* (v. Linstow, 1907)  
 Sarwar, M. M., 1944 a, 60, 61  
*Bos bubalis*: Bareilly district (U. P.)  
*B. indicus*: " " "
- Cooperia puctate* [sic]  
 Sarwar, M. M., 1945 b, 319  
 heifer: Izatnagar
- Cooperia punctata*  
 Sarwar, M. M., 1945 e, 274, 275  
 hill bulls: Mukteswar, India  
 sheep: " "
- Cooperia punctata* (Schnyder)  
 Schwartz, B. V., 1928 e, 2, 4
- Cooperia punctata*  
 Schwartz, B. V., 1939 k, 75  
 cattle: Auburn
- Cooperia punctata*  
 Schwartz, B. V., 1942 f, 42  
 longevity, cattle

- Cooperia punctata* (v. Linstow, 1907)  
 Seddon, H. R., 1947 c, 9, 11  
 Syn.: *C. fieldingi*  
 ox: Australia  
 sheep: "
- Cooperia punctata*  
 Shorb, D. A., 1940 a, 226, 227, fig. 2A, 2C
- Cooperia punctata* (Linstow)  
 Sjöberg-Klaavu, A. H., 1926 b, 540-541, pl. 13, fig. 51, pl. 14, figs. 50, 52-54, pl. 19, figs. 95, 96
- Cooperia punctata* (von Linstow)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 426, 444
- Cooperia punctata* (von Linstow, 1907)  
 Sousa Dias, V., 1950 a, 26  
 boi: Angola
- Cooperia punctata*  
 Sprehn, C. E. W., 1927 e, 53
- Cooperia punctata* (Linstow, 1907)  
 Sprehn, C. E. W., 1932 c, 709, 811  
 Syns.: *Strongylus punctatus* Linstow, 1907; *Cooperia brasiliense* Travassos, 1914; *C. punctata* (Linstow, 1907) Ransom, 1907  
*Bos taurus* (Dünndarm, Labmagen): Europa; Asien; Amerika
- Cooperia punctata*  
 Sprent, J. F. A., 1946 b, 153  
 zebu cattle: northern Nigeria
- Cooperia punctata*  
 Sprent, J. F. A., 1946 d, 37  
 cattle: Northern Nigeria
- Cooperia punctata*  
 Stewart, T. B., 1954 a, 321-327  
 life history
- Cooperia punctata* (v. Linstow, 1907) Ransom, 1907  
 Stewart, T. B., 1954 c, 157-158  
 developmental stages
- Cooperia punctata*  
 Stewart, T. B., 1958 a, 131-132  
 resistance of cattle to infection
- Cooperia punctata*  
 Swales, W. E., 1933 c, 479  
*Bos taurus*: Ontario
- Cooperia punctata*  
 Swanson, L. E., 1941 b, 62  
 cattle: Georgia
- Cooperia punctata*  
 Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 893  
*Bos taurus*: Netherlands
- Cooperia punctata*  
 Tarshis, I. B., 1958 b, 100, 101  
 lateral migration on forage plots
- Cooperia punctata*  
 Taylor, J. I., 1960 a, 18, [54]  
 cattle: Nigeria
- Cooperia punctata*  
 Tetley, J. H., 1935 a, 478  
 distribution in small intestine  
 cattle  
 sheep
- Cooperia punctata*  
 Tetley, J. H., 1937 a, 806, 813, 814, 817  
 distribution in host, sheep
- Cooperia punctata*  
 Tetley, J. H., 1949 a, 10, 26, 63, 96, 102, 103, 113, 114, 117, 164, 168, 174, 181, 185  
 sheep: N. Zealand
- Cooperia punctata*  
 Tetley, J. H., 1959 d, 283  
 seasonal availability in pastures, sheep
- Cooperia punctata* (Linstow, 1906)  
 Trach, V. N., 1959 b, 44  
 Ukrainian Polesia
- Cooperia punctata* (v. Linstow, 1907)  
 Travassos, L. P., 1920 h, 193
- Cooperia punctata* (v. Linstow, 1907) Ransom, 1907  
 Travassos, L. P., [1921 g], 20, 51, 116, pl. 6-7, figs. 54-56  
*Bos taurus*: Europa; Estados Unidos, Sumatra; Brasil
- Cooperia punctata* (v. Linstow, 1907) Ransom, 1907  
 (=*C. laterouniformis* p. 441)  
 Travassos, L. P., 1937 e, I, 3, 6, 34, 37, 39, 45, 412, 435, 438, 439, 441, pl. 3, fig. 1, pl. 4, figs. 1-5  
*Bos taurus*  
*Ovis aries*  
*Strepsicerus strepsicerus*  
*Damaliscus albitrions*  
*Buffelus bubalus*
- Cooperia punctata* (v. Linstow, 1907)  
 Travassos, L. P., 1945 a, 157  
*Bos taurus dom.*: Porto Cabral
- Cooperia punctata*  
 Turbet, C. R., 1949 b, 92  
 cattle
- Cooperia punctata*  
 Van Volkenberg, H. L., 1938 a, 7  
 cattle: Puerto Rico
- Cooperia punctata* (Schnyder, 1907)  
 Van Volkenberg, H. L., 1939 a, 8  
 cattle: Puerto Rico
- Cooperia punctata*  
 Van Volkenberg, H. L.; and Nicholson, A. J., 1943 a, 222  
 deer: Texas
- Cooperia punctata*  
 Vegors, H. H.; Sell, O. E.; Baird, D. M.; and Stewart, T. B., 1953 a, 79  
 parasitism on three kinds of winter pastures, beef calves
- Cooperia punctata*  
 Vegors, H. H.; Sell, O. E.; Baird, D. M.; and Stewart, T. B., [1954 a], 74  
 calves: Georgia
- Cooperia punctata* (Linstow, 1907)  
 Walker, J. W., [1926 b], 120  
 cattle: Kenya
- Cooperia punctata*  
 Ward, J. W., 1946 b, 13  
 cattle: Mississippi
- Cooperia punctata*  
 Whitlock, H. V., 1959 a, 312, 313, 314, 315, fig. 3 E  
 identification of first stage larvae, sheep
- Cooperia punctata*  
 Williams, J. C.; and Mayhew, R. L., 1961 a, 18-19  
 ecological studies, larvae
- Cooperia punctata*  
 Wood, I. B., 1958 a, 1486
- Cooperia punctata*  
 Wood, I. B.; and Hansen, M. F., 1960 a, 775-776  
 rabbits
- Cooperia punctata*  
 Woodhouse, C. A.; Reid, J. J.; and Schmidt, H., [1941 a], 160  
 cattle: Texas Gulf Coast area
- Cooperia punctata*  
 Worley, D. E.; and Hansen, M. F., 1960 a, 420  
 beef cattle: Kansas  
 bison: "
- Cooperia punctata* (Linstow, 1907)  
 Wu, K.; and Chen, C. Z., 1941 a, 219, 221  
 oxen: Shanghai  
 buffaloes: "
- Cooperia punctata* (Linst. in Schnyder)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 132  
 cattle
- Cooperia redunca* n. sp.  
 de Brito Gutterres, J., 1947 a, 36, 38, fig. 4  
*Redunca redunca*

- Cooperia redundai* n. sp.  
de Brito Gutterres, J., 1952 a, 1305-1307,  
1314, fig. 3  
Redunca redundca (suala)  
novilho  
both from Congo Belga, Africa
- Cooperia serrata* n. sp.  
Mönnig, H. O., 1931 h, 249-251, figs. 21-23  
carriers of nematode parasites of domestic  
ruminants  
*Antidorcas marsupialis*
- Cooperia serrata*  
Mönnig, H. O., 1932 e, 162  
*Antidorcas marsupialis*: Houtkraal, Cape  
Province  
lamb (exper.)
- Cooperia serrata*  
Mönnig, H. O., 1933 g, 89, 91  
lamb (exper.)  
*Antidorcas marsupialis* (duodenum): Orange  
Free State
- Cooperia serrata* Mönnig, 1931  
Daubney, R., 1933 b, 226, 227, 232, 233, 234,  
235, figs. 4-6  
*Damaliscus albifrons*: South Africa  
*Ovis aries* (small intestine): Kenya Colony  
*Antidorcas marsupialis*: South Africa;  
Kenya
- Cooperia serrata*  
Dikmans, G.; and Andrews, J. S., 1933 a, 5, 22  
morphology
- Cooperia serrata*  
Gordon, H. M., 1933 f, 34  
sheep  
wild antelope
- Cooperia serrata* Mönnig, 1931  
Le Roux, P. L., 1936 b, 113, 114  
as syn. of *Schwartzziella serrata* (Mönnig,  
1931)
- Cooperia serrata* Mönnig, 1931  
Travassos, L. P., 1937 e, 34, 35, 47, 48, 50  
as syn. of *Paracooperia serrata* (Mönnig,  
1931)
- Cooperia serrata* Daubney, 1933 (nec Mönnig, 1931)  
Travassos, L. P., 1937 e, 49  
as syn. of *Paracooperia daubneyi* n. sp.
- Cooperia spatulata* sp. n.  
Baylis, H. A., 1938 b, 68-73, figs. 1-4, 6  
cattle: Townsville, and Clifton, Queensland  
calf: Seremban, Federated Malay States  
sheep: Malacca (from Australia)
- Cooperia spatulata*  
Alicata, J. E., 1960 a, 411, 412, 413  
calves (small intestine): Hawaii
- Cooperia spatulata*  
Becklund, W. W., 1958 d, 186  
cattle: United States
- Cooperia spatulata*  
Becklund, W. W., 1961 a, 183-184  
cattle: Florida
- Cooperia spatulata*  
Knight, R. A., 1962 a, 145-147  
lamb: Mississippi  
steers: "
- Cooperia spatulata* Baylis, 1938  
Mackerras, M. J., 1958 b, 146  
Bos taurus: Australia
- Cooperia spatulata* Baylis, 1938  
Roberts, F. H. S., 1939 c, 162, 163, 165  
cattle: Queensland, Australia
- Cooperia spatulata* Baylis, 1938  
Seddon, H. R., 1947 c, 9  
ox: Australia
- Cooperia surnabada* nov. sp.  
Antipin, D. N., 1931 a, 469-471  
Rind (Dünndarm): Azerbaijan
- Cooperia surnabada* Antipin, 1931  
Allen, R. W.; and Becklund, W. W., 1958 a,  
504-506  
cattle: Georgia; Vermont; Wyoming
- Cooperia zurnabada* [sic] Antipin, 1931  
Asadov, S. M., 1958 a, 1032  
zebu: Azerbaijan
- Cooperia zurnabada* [sic] Antipin, 1931 (= C.  
mc masteri Gordon, 1932)  
Ault, C. N., 1943 c, 470, 477, 478, 479, 480,  
486, figs. 29, 30  
Bos taurus: Argentina
- Cooperia zurnabada* [sic] Antipin, 1931  
Badanin, N. V., 1938 a, 63, 65, 68
- Cajelus dromedarius*
- Cooperia surnabada* Antipin, 1931  
Baylis, H. A., 1938 c, 283
- Cooperia surnabada* (tentative)  
Becklund, W. W.; and Allen, R. W., 1955 a, 22  
cattle: Arizona
- Cooperia zurnabada* [sic]  
Chuiko, L. A., 1961 a, 386  
sheep (small intestine): Aktyubinsk region  
goats " " "
- Cooperia zurnabada* [sic]  
Corticelli, B.; and Lai, M., [1958 a], 948, 949  
technique for diagnosis  
bovine (tenue intestino) (exper.)
- Cooperia zurnabada* [sic]  
Delic, S., 1961 a, 43, 44, 45, 46, 47, 49  
sheep (digestive tract): Bosnia & Herzego-vina
- Cooperia zurnabada* [sic]  
Delic, S.; Čanković, M.; and Marković, R.,  
1961 a, 503  
treatment of fattening lambs
- Cooperia surnabada*  
Hones, R. F., 1957 a, 23  
cattle (small intestine): Wyoming
- Cooperia surnabada*  
Jansen, J., 1961 b, 251, 252  
cattle (small intestine): Netherlands
- Cooperia zurnabada* [sic] Antipin 1931  
Jovov, K., 1959 a, 539, 542, 543  
cattle: Yugoslavia  
sheep: "
- Cooperia zurnabada* [sic]  
Lai, M.; and Palmas, G., [1958 a], 590  
bovini (intestino): Sardegna
- Cooperia surnabada*  
Le Roux, P. L., 1937 a, 63  
[also spelled C. surnadada]  
Syn.: C. mcmasteri
- Cooperia zyrnabada* [sic] Antipin, 1931  
Mamedov, A. K., 1959 c, 116  
zebu: Azerbaijan
- Cooperia surnabada* Antipin, 1931  
Petrov, A. M.; Dzhavakov, M. K.; and Skarbilo-vich, T. S., [1935 a], 6, 8-9, 17, 19  
cattle: Azerbaijan
- Cooperia surnabada* Antipin, 1931  
Petrov, A. M.; Dzhavakov, M. K.; and Skarbilo-vich, T. S., 1936 a, 247  
cattle: Azerbaijan
- Cooperia zurnabada* [sic] Antipin  
Roveda, R. J.; and Ringuelet, R., 1947 a, 68  
Bos taurus: Argentina
- Cooperia zurnabada* [sic] Antipin, 1931  
Rukavina, J.; Delić, S.; and Jovov, K.,  
1958 a, 61, 62, 63, 64-65, fig. 2  
cattle (tanko crijevo): Yugoslavia
- Cooperia surnabada*  
Swierstra, D.; Jansen, J. (jr.); and van den  
Broek, E., 1959 a, 893  
Bos taurus: Netherlands

- Cooperia surnabada*  
Tomsikh, P. T., 1956 a, 240  
cattle: Cheliabinsk oblast
- Cooperia surnabada* Antipin, 1931  
Travassos, L. P., 1937 e, I, 34, 42-43, 46,  
47, 441, pl. 9, figs. 1-5, pl. 10, fig. 1  
lapsus as *Cooperia zurnabada* Antipin, 1931  
*Bos taurus*: Asia Russa
- Cooperia svanetica* n. sp.  
Burdzhanadze, P. L.; and Chochishvili, I. D.,  
1942 a, 43, 44, pl., figs. 1-3  
cattle: Georgia
- Cooperia svanetica* n. sp.  
Burdzhanadze, P. L., 1943 a, 59  
*Bos taurus*: Georgia [SSR]
- Cooperia svanetica* Burjanadze et Tschotchisch-  
vili, 1942  
Skrjabin, K. I.; et al., [1953 a], 404
- Cooperia svanetica* Burjanadze et Tschotschisch-  
vili, 1942  
Skrjabin, K. I.; Shikhobalova, N. P.; Shul'ts,  
R. E., 1954 b, 326-327, fig. 168  
*Bos taurus*: SSSR
- Cooperia verrucosa* n. sp.  
Mönnig, H. O., 1932 b, 173  
*Taurotragus oryx* (small intestine): Kenya
- Cooperia verrucosa* Mönnig, 1932  
Mönnig, H. O., 1933 g, 85-86, 91, figs. 18-20  
*Taurotragus oryx* (small intestine): South  
Africa (Kenya)
- Cooperia verrucosa* Mönnig, 1932  
Travassos, L. P., 1937 e, I, 34, 43-44, 438,  
pl. 7, figs. 2-3, pl. 8, fig. 3  
*Taurotragus oryx*: Africa-Kenya
- Cooperia yoshidai* n. sp.  
Mönnig, H. O., 1939 c, 291-294, figs. 1-5  
*Redunca arundinum*: *Justicia*, Pelgrimsrust in  
eastern Transvaal
- Cooperiinae* [n. subfam.] Skrjabin et Schikhoba-  
lova, 1952  
Skrjabin, K. I.; et al., [1953 a], 319, 322,  
391, 398-418  
key
- Cooperiinae* Skrjabin et Schikhobalova, 1952  
[n. subfam.]  
Skrjabin and Shikhobalova in Skrjabin, K. I.;  
Shikhobalova, N. P.; and Shul'ts, R. E., 1954 a,  
37, 299-370, 794
- Cooperioides* n. g.  
Daubney, R., 1933 b, 225, 234  
Type species: *C. kenyensis* n. sp.  
includes: *Cooperia antidorca* Mönnig, 1931
- Cooperioides* Daubney, 1933  
Lent, H.; and Teixeira de Freitas, J. F.,  
1934 a, chart 5  
*Trichostrongylinae*, type sp.: *C. kenyensis*  
Daubney, 1933
- Cooperioides* Daubney, 1933  
Travassos, L. P., 1937 e, I, 27, 35, 47, 50-51,  
53, 54  
type: *C. kenyensis* Daubney, 1933
- Cooperioides* sp. inq.  
Pester, F. R. N., 1962 a, 267  
nodules in small intestine of Thomson's  
gazelle: Kenya
- Cooperioides antidorca* (Mönnig, 1931) [n. comb.]  
Travassos, L. P., 1937 e, I, 51, 52-53, 437,  
440, pl. 16, fig. 1-2  
as syn. of *Cooperia antidorca* Mönnig, 1931  
*Antidorcas marsupialis*: Africa do Sul  
*Ovis aries*: " " "
- Cooperioides antidorca* (Mönnig, 1931)  
Yeh, L.-S., 1956 e, 210-212, figs. 15-20  
*Gazella thomsoni*: Loliondo and Banagi,  
Tanganyika
- Cooperioides hamiltoni* (Mönnig, 1932) n. comb.  
Mönnig, H. O., 1933 g, 80  
Syn.: *Cooperia hamiltoni* Mönnig, 1932
- Cooperioides hamiltoni*  
Messer, M. H. N., 1952 a, 222  
*Aepyceros melampus*: eastern Transvaal
- Cooperioides hamiltoni* (Mönnig, 1932) Mönnig,  
1933  
Travassos, L. P., 1937 e, I, 51, 53-54, 437,  
pl. 17, figs. 1-4  
Syn.: *Cooperia hamiltoni* Mönnig, 1932  
*Aepyceros melampus*: Africa do Sul
- Cooperiodes* [sic] hepatica n. sp.  
Ortlepp, R. J., 1938 e, 86-88, 101, figs. 22-23  
*Aepyceros melampus melampus*: Northern  
Transvaal
- Cooperioides kenyensis* n. sp. (type sp.)  
Daubney, R., 1933 b, 226, 227, 233, 234-236,  
figs. 7-8  
*Ovis aries* (fourth stomach): Highlands of  
Kenya Colony (plains country)
- Cooperioides kenyensis* Daubney, 1933  
Travassos, L. P., 1937 e, I, 51-52, 440,  
pl. 15, fig. 1-2  
type  
*Ovis aries*: Africa-Kenya
- Cooperis* [sic]  
Tetley, J. H., 1935 a, 478  
[for *Cooperia*]
- Cordocephaluris*  
Alegret, M. J., 1941 a, 18, 19-21  
[lapsus for *Chodocephalurus* n. gen.]
- Cordophilus* n. g.  
Mönnig, H. O., 1926 f, 297-298  
tod: *C. sagittus* (v. Linst., 1907)
- Cordophilus* Mönnig  
Baylis, H. A., 1929 c, 211
- Cordophilus* Mönnig 1926  
Chabaud, A. G.; and Anderson, R. C., 1959 a, 82  
key  
*Onchocercidae*; *Onchocercinae*
- Cordophilus* Mönnig 1926  
Desportes, C., [1940 a], 401  
*Filarinae*
- Cordophilus* Mönnig, 1926  
Skrjabin, K. I.; and Shikhobalova, N. P.,  
1936 a, 69  
key, *Filarinae*
- Cordophilus sagittus* (v. Linst.) [n.c.]  
Mönnig, H. O., 1926 f, 295-298, figs. 10-12  
*Bos taurus*  
*Strepsiceros strepsiceros*  
*Tragelaphus sylvaticus*
- Cordophilus sagitta* (v. Linstow)  
Baylis, H. A., 1929 c, 211, fig. 154  
antilopes  
ox
- Cordophilus sagitta*  
Le Roux, P. L., 1932 a, 17  
cattle (heart): Northern Rhodesia
- Cordophilus sagitta*  
Mettam, R. W. M., 1932 d, 20  
bushbuck: Uganda
- Cordophilus sagitta* (Linstow, 1907)  
Mönnig, H. O., 1928 a, 817-818  
ox  
*Strepsiceros strepsiceros*  
*Tragelaphus sylvaticus*
- Cordophilus sagitta*  
Mönnig, H. O., 1933 g, 83  
*Strepsiceros strepsiceros*: Transvaal
- Cordophilus sagitta*  
Poulton, W. F., 1929 b, 18  
bushbuck: Uganda
- Cordophilus sagitta* (Linstow, 1907) Moning [sic],  
1926
- Sprehn, C. E. W., 1932 c, 573  
as syn. of *Wuchereria* [sic] *sagitta* (Linstow,  
1907)

- Coregonema* nov. gen.  
 Bauer, O. N., 1947 a, 16, 21  
 key  
 suborder *Filaria* family *Dracunculidae*  
 tod: *Coregonema sibirica* nov. sp.
- Coregonema sibirica* nov. gen. nov. sp.  
 Bauer, O. N., 1947 a, 16, 17, 18, 21  
*Coregonus sardinella*: Yesinei River,  
 Khatanga River
- Coregonema sibirica* Bauer, 1946  
 Spasskii, A. A.; and Roitman, V. A., 1959 b, 184  
 as syn. of *Philonema oncorhynchi* Kuitunen-Ekhbaum, 1933
- Coronostoma* gen. nov.  
 Rao, P. N., 1958 a, 33, 52, 55  
 tod: *C. singhi* sp. nov.
- Coronostoma bulbicorpus* sp. n.  
 Kloss, G. R., 1961 a, 2-3, fig. 4, 7 on pl. I following p. 13  
*Scaphiostreptus buffalis* (intestino posterior): Maicuru, Estado do Pará, Brasil
- Coronostoma singhi* gen. nov., sp. nov. (tod)  
 Rao, P. N., 1958 a, 52, 53, 54, 55, 56, figs. 42-51  
*Spirostreptus* sp. (intestine): Hyderabad, Andhra Pradesh (India)
- Coronostomatidae* fam. n.  
 Kloss, G. R., 1961 a, 1-2
- Coronostomatinae* subfam. n.  
 Kloss, G. R., 1961 a, 2  
 type gen. *Coronostoma* Rao, 1958
- Coronostrongylus* n. g.  
 Johnston, T. H.; and Mawson, P. M., 1939 d, 121, 144-145  
*Trichoneminae*  
 tod: *C. coronatus* n. sp.
- Coronostrongylus* J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 365  
*Trichoneminae*, key
- Coronostrongylus coronatus* n. sp. (tod)  
 Johnston, T. H.; and Mawson, P. M., 1939 d, 121, 122, 145-146, fig. 69  
*Macropus thetidis*: Eidsvold, Queensland  
*M. wilcoxi*: " "
- Coronostrongylus coronatus* J. and M.  
 Johnston, T. H.; and Mawson, M. P., 1940 b, 468, 471, 472, figs. 14-15  
*Macropus parma*  
*M. ruficollis*
- Coronostrongylus coronatus*  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 365  
 key
- Coronostrongylus coronatus* J. & M., 1939  
 Mackerras, M. J., 1958 b, 114, 115, 117  
*Thylogale parma*  
*T. thetis*  
*T. wilcoxi*  
*Wallabia rufogrisea*  
 all from Australia
- Cortiamosoides* n. g.  
 Foster, A. O., 1939 c, 185, 197  
*Filarioidea*, *Dipetalonematidae*, *Dipetalonematinae*  
 tod: *C. philanderi* n. sp.
- Cortiamosoides* Foster, 1939 (=Skrjabinofilaria Travassos 1925)  
 Chabaud, A. G.; and Anderson, R. C., 1959 a, 75  
 key
- Cortiamosoides philanderi* n. sp. (tod)  
 Foster, A. O., 1939 c, 185, 186-188, 197, pl. 1, figs. 1-12  
*Philander laniger pallidus*: Panama, R. P.
- Cortiamosoides philanderi* Foster, 1939  
 Caballero y C., E., 1947 a, 184-185  
*Philander laniger pallidus*: Panama, Colombia
- Cortasomoides* [sic] *philanderi* Foster, 1939  
 Wolfgang, R. W., 1951 a, 367  
*Philander trinitatis*: Trinidad
- 7 Cosmocara R. & H.  
 Skrjabin, K. I., 1923 m, 54, 58  
 [given as *Osmocara* p. 54]  
*Cosmocara aduncus* (Creplin) 1846 *Spiralotrochus*, *O. spirifer*  
 Skrjabin, K. I., 1923 m, 59, fig. 69
- Cosmocara diesingi* (Molin)  
 Skrjabin, K. I., 1923 m, 59  
*Larus capistratus*
- Cosmocara obvelata* (Creplin)  
 Skrjabin, K. I., 1923 m, 58, figs. 66-68
- Cosmocara papillosa* (Molin)  
 Skrjabin, K. I., 1923 m, 58  
*Larus ridibundus*
- 8 *Cosmocephalus* see also *Cosmocara*  
*Cosmocephalus* Molin, 1858  
 Baylis, H. A.; and Daubney, R., 1922 a, 321
- Cosmocephalus* Molin, 1858  
 Baylis, H. A.; and Daubney, R., 1926 a, 218  
 type: *Acuaria* (C.) *diesingii* Molin
- Cosmocephalus* Molin 1858  
 Chabaud, A. G.; and Petter, A. J., 1959 a, 342  
 key  
*Acuariidae*, *Acuariinae*
- Cosmocephalus*  
 Chitwood, B. G.; and Wehr, E. E., 1932 a, 168  
 taxonomy
- Cosmocephalus* Molin, 1858  
 Chitwood, B. G.; and Wehr, E. E., 1934 a, 323, 324, 333, pl. 1
- Cosmocephalus* Molin  
 Cram, E. B., 1927 a, 211, 233  
 type: *C. diesingii* Molin
- Cosmocephalus* Molin, 1858  
 Gower, W. C., 1939 a, 611
- Cosmocephalus* Mol.  
 Perrier, E., 1897 a, 1410
- Cosmocephalus* Molin  
 Rauther, M., 1930 a, 373
- Cosmocephalus* Molin  
 Schuurmans Stekhoven, J. H., 1935 f, V. c 25, V. c 26  
*Acuariidae*  
 key to species
- Cosmocephalus* Molin, 1858  
 Seurat, L. G., 1919 c, 186
- Cosmocephalus* Molin, 1858  
 Skrjabin, K. I., 1941 b, 471, 473  
*Acuariidae*, *Acuariinae*
- Cosmocephalus* Molin, 1858  
 Sobolev, A. A., 1943 b, 76, 77
- Cosmocephalus* Molin, 1858  
 Sprehn, C. E. W., 1932 c, 613, 620  
 type species: *C. diesingii* Molin, 1858
- Cosmocephalus*  
 Travassos, L. P., 1920 h, 67
- Cosmocephalus*  
 Wehr, E. E., 1931 a, 4
- Cosmocephalus*  
 Wehr, E. E., 1933 b, 396
- Cosmocephalus* Molin, 1858  
 Yorke, W.; and Maplestone, P. A., 1926 a, 327, 337-338  
 type: *C. diesingii* Molin, 1858
- Cosmocephalus* sp.  
 Gushanskaia, L. Kh., 1950 c, 56  
*Podiceps* sp.: SSSR  
*Totanus glottis*: "  
*Totanus ochropus*: SSSR
- Cosmocephalus* sp.  
 Harrington, R. W., [1939 a], 15  
*Larus argentatua smithsonianus*: Kent Island
- Cosmocephalus* sp.  
 Johnston, T. H.; and Mawson, P. M., 1953 a, 65, 69, 70, figs. 1-2  
*Phalacrocorax colensoi*: Auckland Islands
- Cosmocephalus* sp.  
 Leiper, R. T. in Hamerton, A. E., 1938 a, 523  
*Eudyptes chrysophthalmus*: London Zoo

- Cosmocephalus* sp.  
Mudaliar, S. V.; and Alwar, V. S., 1947 b, 93  
kite: Madras
- Cosmocephalus* sp.  
Myers, B. J.; Kuntz, R. E.; and Wells, W. H., 1962 a, 538  
*Felis domesticus*: Egypt
- Cosmocephalus* sp.  
Quortrup, E. R.; and Shillinger, J. E., 1941 a, 386  
California gull: Bear River Wildlife Disease Research Station
- Cosmocephalus* sp.  
Solomon, S. G., 1934 b, 20, 21  
*Larus argentatus*: near Millport Biol. Station
- Cosmocephalus* sp.  
Spasskaya, L. P., 1949 a, 138  
*Podiceps griseigena*: Western Siberia
- Cosmocephalus aduncus* (Creplin, 1846) [n. c.]  
Yorke, W.; and Maplestone, P. A., 1926 a, 337  
*Colymbus* sp.  
*Larus* sp.
- Cosmocephalus aduncus* (Creplin)  
Babic, I., 1936 a, 301  
*Larus ridibundus*: Jugoslawiens
- Cosmocephalus aduncus* (Creplin, 1846)  
Belopol'skaya, M. M., 1952 c, 153  
*Larus argentatus* (*oesophagus*)  
L. marinus "  
L. carus "  
Calidris maritima "  
all from Sem Ostrovov
- Cosmocephalus aduncus* (Creplin, 1846)  
Bezubik, B., 1956 c, 75  
*Larus marinus*: Poland
- Cosmocephalus aduncus* (Creplin)  
Cram, E. B., 1927 a, 233, 234-235, fig. 297
- Cosmocephalus aduncus* (Creplin, 1846)  
Gushanskaia, L. Kh., 1950 c, 55  
*Podiceps* sp.: SSSR
- Cosmocephalus aduncus*  
Jennings, A. R.; and Soulsby, E. J. L., 1956 a, 272  
*Larus ridibundus*: England
- Cosmocephalus aduncus* (Creplin 1846) Yorke and Maplestone 1926  
Krishna Rao, N. S., 1951 a, 176, 177
- Cosmocephalus aduncus*  
Kurashvili, B. E., 1956 d, 939  
zoogeographical characteristics
- Cosmocephalus aduncus* Creplin, 1846  
Kurashvili, B. E., 1957 a, 290-291  
*Aythya nyroca*: Georgian SSR
- Cosmocephalus aduncus* (Crepl.)  
Schuurmans Stekhoven, J. H., 1935 f, Vc 24, V. c 26, V.c 41, fig. 396  
*Larus canus*
- Cosmocephalus aduncus* (Creplin, 1846)  
Sprehn, C. E. W., 1932 c, 620-621, 869, 881, 882, 883  
*Larus argentatus* (*oesophagus*): Europa  
L. canus: Europa  
L. marinus: "  
L. ridibundus: Europa  
*Podiceps auritus*: "
- Cosmocephalus aduncus* (Creplin, 1846)  
Sultanov, M. A., 1959 c, 69  
[*Larus ridibundus*] obyknovennaia chaika:  
Uzbekistan
- Cosmocephalus adunca* (Crepl.)  
Vasil'kova, Z. G., 1926 a, 106-107  
*Larus cachinnans*
- Cosmocephalus adunca* (Crepl.)  
Vasil'kova, Z. G., 1927 a, 44, 45, 46
- Cosmocephalus alatus* Molin, 1860  
Sprehn, C. E. W., 1932 c, 621  
as syn. of *C. obvelatus* (Creplin, 1825)
- Cosmocephalus alatus* Molin, 1860  
Yorke, W.; and Maplestone, P. A., 1926 a, 338  
as syn. of *Cosmocephalus obvelatus* (Creplin, 1825)
- Cosmocephalus asturis* n. sp.  
Yorke, W.; and Maplestone, P. A., 1926 a, 337, fig. 232  
*Astur tachino*: Natal
- Cosmocephalus asturis* Y. & M.  
Khalil, M., 1931 b, 460
- Cosmocephalus asturis* Yorke and Maplestone 1926  
Krishna Rao, N. S., 1951 a, 176
- Cosmocephalus australiensis* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1952 a, 30, 31, 34-35, figs. 8-11  
*Hydromys chrysogaster*: South Australia
- Cosmocephalus australiensis* J. & M., 1952  
Mackerras, M. J., 1958 b, 127  
*Hydromys chrysogaster*: Australia
- Cosmocephalus capellae* n. sp.  
Yamaguti, S., 1935 j, 403, 424-425, figs. 35-36  
Capella (C.) *gallinago gallinago* (stomach): Kyūshū
- Cosmocephalus capellae* Yamaguti 1935  
Krishna Rao, N. S., 1951 a, 176, 177
- Cosmocephalus capellae* (Yamaguti, 1935)  
Sultanov, M. A., 1959 c, 69  
[Capella] *bekas*: Uzbekistan
- Cosmocephalus diesingi* Molin  
Cram, E. B., 1927 a, 233-234, fig. 296  
*Larus capistranus*
- Cosmocephalus diesingi* (Molin 1858) Cram 1927  
Krishna Rao, N. S., 1951 a, 174, 177
- Cosmocephalus diesingi* Molin  
Rauther, M., 1930 a, 373
- Cosmocephalus diesingii* Molin, 1858 (type)  
Sprehn, C. E. W., 1932 c, 620  
*Larus capistranus*
- Cosmocephalus diesingii* Molin, 1858  
Yorke, W.; and Maplestone, P. A., 1926 a, 337  
type of genus  
*Larus capistranus*
- Cosmocephalus faridi* n. sp.  
Khalil, M., 1931 b, 458-460, figs. 3-4  
*Pelecanus onocrotalus*
- Cosmocephalus faridi*  
Grébillat, S.; and Morel, P., 1961 a, 423  
*Pelecanus onocrotalus*: Sénégal
- Cosmocephalus faridi* Khalil, 1931  
Krishna Rao, N. S., 1951 a, 176, 177
- Cosmocephalus firlottei* n. sp.  
Krishna Rao, N. S., 1951 a, 173-177, figs. 1-6  
*Larus argentatus*: Quebec
- Cosmocephalus imperialis* n. sp.  
Morishita, K., 1930 b, 67-70, figs. 1-4  
*Uria trole californica*
- Cosmocephalus imperialis* Morishita 1930  
Krishna Rao, N. S., 1951 a, 176, 177
- Cosmocephalus imperialis*  
Krotov, A. I., 1960 c, 482  
Sakhalin
- Cosmocephalus jaenschii* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1941 f, 254, 258, 259, figs. 22-24  
*Phalacrocorax carbo*: Tailem Bend
- Cosmocephalus jaenschii* Johnston and Mawson, 1941  
Johnston, T. H.; and Mawson, P., 1942 d, 183, 185
- Pelecanus conspicillatus*: Tailem Bend, South Australia

- Cosmocephalus jaenschi* Johnston and Mawson  
 Johnston, T. H.; and Mawson, P. M., 1944 a, 60, 62  
*Phalacrocorax brevirostris*: Dunedin, New Zealand  
*P. carbo*: South Australia  
*Cosmocephalus jaenschi* Johnston and Mawson  
 Johnston, T. H.; and Mawson, J. H., 1945 a, 75, 143  
*Phalacrocorax fuscescens*: Tasmania  
*Cosmocephalus jeanschi* Johnston and Mawson 1941  
 Krishna Rao, N. S., 1951 a, 176, 177  
*Cosmocephalus jaenschi* (Jahuston [sic] et Mawson, 1941)  
 Sultanov, M. A., 1959 c, 69  
 [*Phalacrocorax carbo*] bol'shoi baklan:  
 Uzbekistan  
*Cosmocephalus obselatus*  
 Martin, W. H., [1944 a], 36  
 herring gull: [New Jersey]  
*Cosmocephalus obvelatus*  
 Ablasov, N. A., 1957 a, 141, 143  
*Nyroca fuligula*: Kirgizia  
*Larus ridibundus*: "  
*Cosmocephalus obvelatus*  
 Aldous, C. M., 1941 a, 30  
 herring gulls: Moosehead Lake, Maine  
*Cosmocephalus obvelatus* (Creplin, 1825) Seurat, 1919  
 Beaudette, F. R., 1945 a, 100  
*Larus argentatus*: Oyster Bay  
*Cosmocephalus obvelatus* (Creplin, 1825)  
 Belopol'skaiâ, M. M., 1952 c, 153  
*Larus canus* (oesophagus): Sem Ostrovov  
*Cosmocephalus obvelatus* (Creplin)  
 Canavan, W. P. N., 1931 a, 218  
*Larus argentatus smithsonianus*  
*Cosmocephalus obvelatus* (Creplin, 1825)  
 Chabaud, A. G., 1954 d, 360, 361, 362, fig. 47  
*Larus argentatus michahellis*: Pyrenees-Orientales  
*Cosmocephalus obvelatus*  
 Chitwood, B. G.; and Chitwood, M. B., 1937 b, 24, fig. 32  
*Cosmocephalus obvelatus* (Creplin)  
 Cram, E. B., 1927 a, 233, 235-237, figs. 298, 299  
*Cosmocephalus obvelatus*  
 Cram, E. B., 1932 c, 94  
*Pelecanus* sp. (oesophagus): National Zool. Park, Washington, D. C.  
*Cosmocephalus obvelatus* (Creplin, 1825)  
 Gedoelst, L., 1919 c, 903  
*Cosmocephalus obvelatus* (Creplin, 1825)  
 Gower, W. C., 1939 a, 611, 620  
 synonymy  
*Actitis hypoleucus*  
*A. macularia*  
*Alca torda*  
*Catorrhactes pachyrhynchus*  
*Larus argentatus*  
*L. argentoides*  
*L. canus*  
*L. fuscus*  
*L. marinus*  
*L. maximus*  
*L. medius*  
*L. ridibundus*  
*Mergus serrator*  
*Puffinus kuhli*  
*Sterna arctica*  
*S. risoria*  
*Totanus hypoleucus*  
*T. maculatus*  
*T. fuscus*  
*Tringoides hypoleucus*  
*Uria grylle*  
*Cosmocephalus obvelatus* (Creplin, 1825)  
 Gushanskaiâ, L. Kh., 1950 c, 55  
*Phalacrocorax pygmeus*: SSSR  
*Podiceps* sp.: "  
*Cosmocephalus obvelatus*  
 Jennings, A. R.; and Soulsby, E. J. L., 1956 a, 272  
*Larus ridibundus*: England  
*Cosmocephalus obvelatus*  
 Johnston, T. H., 1938 c, 24  
*Catarrhactes* (i. e., *Eudyptes*) *pachyrhynchus*  
*Cosmocephalus obvelatus* (Creplin 1925) Seurat 1919  
 Krishna Rao, N. S., 1951 a, 176, 177  
*Cosmocephalus obvelatus*  
 Krotov, A. I., 1960 c, 481  
 Sakhalin  
*Cosmocephalus obvelatus* (Creplin, 1825)  
 Krotov, A. I.; and Del'famure, S. L., 1952 a, 287, 288  
*Larus hyperboreus*: Aniva Gulf  
*L. crassirostris*: Aniva Gulf and Moneron Island  
*Cosmocephalus obvelatus* (Creplin, 1825)  
 Mamaev, Iu. L., 1959 a, 166  
 [*Tringa erythropus*] shchegol': eastern Siberia  
*Tringa incana*: eastern Siberia  
*T. glareola*: " "  
*Cosmocephalus obvelata*  
 Müller, G. W., [1936 a], 11, 22, fig. 5  
*Cosmocephalus obvelatus* Creplin  
 Panova, L. G., 1926 a, 83, 85  
*Larus cachinnans*  
*Cosmocephalus obveolatus* [sic] (Creplin, 1825)  
 Pemberton, R. T., 1961 a, 461  
*Sterna s. sandvicensis* (oesophagus): Britain  
*Cosmocephalus obvelatus*  
 Riggins, M. A., 1955 a, 57, 58  
*Catoptrophorus semipalmatus*: Oklahoma  
*Cosmocephalus obvelatus* (Creplin)  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 24, V.c 26, V.c 40, V.c 41, fig. 395  
*Tringa hypoleucus*  
*T. macularia*  
*T. erythropus*  
*Alca torda*  
*Uria grylle*  
*Larus argentatus*  
*Mergus serrator*  
*Larus ridibundus*  
*Sterna bengalensis*  
*S. macrura*  
*Gelochelidon anglica* (=*Sterna risoria*)  
*Puffinus kuhli*  
*Catarrhactes pachyrhynchus*  
*Merganser serrator*  
*Cosmocephalus obvelatus* (Creplin)  
 Schuurmans Stekhoven, J. H., 1937 a, 480  
*Cosmocephalus obvelatus* (Creplin)  
 Schuurmans Stekhoven, J. H., 1939 a, 574, 583  
*Cosmocephalus obvelatus* (Creplin, 1825)  
 Serkova, O. P., 1948 a, 218, 237, 241  
*Larus canus*: Barabin lakes  
*L. ridibundus*: " "  
*L. ichthyaetus*: " "  
*Tringa stagnatilis*: Barabin lakes  
*Cosmocephalus obvelatus* (Creplin, 1825)  
 Seurat, L. G., 1919 c, 186-188, fig. D  
*Puffinus kuhli*: Algeria  
*Cosmocephalus obvelatus*  
 Seurat, L. G., 1920 c, 12  
 morphology, ethologie  
*Cosmocephalus obvelatus* Creplin  
 Solonitsyn, I. A., 1928 a, 85  
*Larus ridibundus*  
*Cosmocephalus obvelatus* (Creplin, 1825) Seurat, 1919  
 Spasskaia, L. P., 1949 a, 138  
*Tringa erythropus*: Western Siberia

- Cosmocephalus obvelatus* (Creplin, 1825)  
 Sprehn, C. E. W., 1932 c, 621, 867, 877, 880,  
 882, 883, 884, 885  
 Syns.: *Spiroptera obvelata* Creplin, 1825;  
*Filaria obvelata* (Creplin, 1825) Linstow,  
 1877; *Dispharagus obvelatus* (Creplin, 1825)  
*Linstow*, 1909; *Histiocephalus spiralis* Die-  
 sing, 1851; *Cosmocephalus papillosus* Molin,  
 1859; *Dispharagus papillosum* (Molin, 1859)  
*Stossich*, 1898; *Cosmocephalus alatus* Molin,  
 1860; *C. obvelatus* (Creplin, 1825) Seurat,  
 1916  
*Tringa hypoleucos*  
*Alca torda*  
*Larus argentatus*  
*L. canus*  
*L. fuscus*  
*L. marinus*  
*L. ridibundus*  
*Mergus serrator*  
*Sterna paradisea*  
*Gelochelidon nilotica*  
*Uria grylle*
- Cosmocephalus obvelatus* Vassilkova, 1926.  
 Sultanov, M. A.; Ryzhikov, K. M.; and Kozlov,  
 D. P., 1960 a, 59  
 [Larus canus] *chaika sizaia*  
 [Hydroprogne caspia] *chegravra*  
 both from mouth of Amu-Darya
- Cosmocephalus obvelatus* (Creplin)  
 Vasil'kova, Z. G., 1927 a, 44, 45, 46
- Cosmocephalus obvelatus* (Creplin, 1825)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 338  
*Larus maximus*
- Cosmocephalus obvelata* var. *magna* n. var.  
 Vasil'kova, Z. G., 1926 a, 107-108, fig. 1  
*Larus cachinnans*
- Cosmocephalus obvelata* var. *magna* Vasil'.  
 Vasil'kova, Z. G., 1927 a, 44, 45, 46
- Cosmocephalus obvelatus* var. *magna* Vasil'kova,  
 1926  
 Kurashvili, B. E., [1954 a], 342  
*Larus ridibundus*: Georgia, SSSR
- Cosmocephalus* var. *magna*  
 Kurashvili, B. E., 1956 d, 939  
*zoogeographical characteristics*
- Cosmocephalus obvelatus magna* Vasil'kova, 1926  
 Kurashvili, B. E., 1961 a, 76  
*Larus c. canus* (*esophagus*): Georgian SSR
- Cosmocephalus ornatus* (Duj.)  
 Seurat, L. G., 1918 i, 281
- Cosmocephalus papillosus*  
 Perrier, E., 1897 a, 1410  
*mouette rieuse* (*estomac*)
- Cosmocephalus papillosus* Molin, 1859  
 Sprehn, C. E. W., 1932 c, 621  
 as syn. of *C. obvelatus* (Creplin, 1825)
- Cosmocephalus papillosa* (Mol.)  
 Vasil'kova, Z. G., 1926 a, 107  
*Larus cachinnans*
- Cosmocephalus papillosa* (Mol.)  
 Vasil'kova, Z. G., 1927 a, 44, 45, 46
- Cosmocephalus papillosus* Molin, 1859  
 Yorke, W.; and Maplestone, P. A., 1926 a, 338  
 as syn. of *Cosmocephalus obvelatus* (Creplin,  
 1825)
- Cosmocerca* [misprint for *Cosmocerca*]  
 Harwood, P. D., 1932 b, 50
- Cosmocerca dukae* Holl, 1928 [misprint for *Cosmo-  
 cerca dukae* Holl]  
 Harwood, P. D., 1932 b, 50
- Cosmocerca*  
 Abdel Azim, M., 1931 a, 376
- Cosmocerca* Dies., 1861  
 Baylis, H. A., 1923 j, 16
- Cosmocerca* Diesing, 1861  
 Baylis, H. A.; and Daubney, R., 1926 a, 30, 31  
 type: *C. trispinosa* R. & H.
- Cosmocerca*  
 v. Drasche, R., 1882 c, 5
- Cosmocerca*  
 v. Drasche, R., 1883 b, 121
- Cosmocerca*  
 Hsü, H. F., 1933 d, 517
- Cosmocerca* Dies.  
 Isaichikov, I. M., 1926 a, 84  
 type: *C. trispinosa* R. & H.
- Cosmocerca*  
 Miranda, C., 1924 a, 45, 51
- Cosmocerca* Dies.  
 Perrier, E., 1897 a, 1412
- Cosmocerca* Dies.  
 Rauther, M., 1930 a, 383
- Cosmocerca*  
 Semenov, V. D., 1929 a, 149
- Cosmocerea*  
 Sergiev, P. G., 1923 a, 188
- Cosmocerca*  
 Seurat, L. G., 1918 b, 1100
- Cosmocerca*  
 Seurat, L. G., 1920 c, 53, 206
- Cosmocerca* Dies.  
 Skrjabin, K. I., 1923 m, 48, 51
- Cosmocerca* Dies.  
 Steiner, G., 1924 i, 22
- Cosmocerca*  
 Travassos, L. P., 1917 a, 5, 99-100
- Cosmocerca*  
 Travassos, L. P., 1920 h, 62
- Cosmocerca* Dies.  
 Travassos, L. P., 1931 g, 237, 238, 239, 240,  
 242, 244, 245  
 type: *C. ornata* (Dies.); *C. trispinosa*  
 R. & H.
- Cosmocerca* Diesing, 1861  
 Yorke, W.; and Maplestone, P. A., 1926 a, 206-  
 207  
 type: *C. trispinosa* Railliet & Henry, 1916
- Cosmocerca* sp.  
 Myers, B. J.; Kuntz, R. E.; and Wells, W. H.,  
 1962 a, 532  
*Rana mascareniensis*; *Bufo regularis*; *Bufo*  
 sp.; *Bufo viridis*: all from Egypt
- Cosmocerca* sp.  
 Pereira, C.; and Vaz, Z., 1934 c, 86, pl. 2,  
 fig. 4  
*mounting technique*
- Cosmocerca* [sp.]  
 Travassos, L. P., 1941 e, 631  
*Trachyccephalus nigromaculatus*; *Hyla nasica*:  
 both from Estrada de Ferro Noroeste, Brasil
- Cosmocerca* [sp.]  
 Travassos, L. P.; Teixeira de Freitas, J. F.;  
 and Lent, H., 1939 a, 247  
*Leptodactylus ocellatus*: Estrado de Ferro  
 Noroeste, Brasil
- Cosmocerca* [sp.]  
 Travassos, L. P.; Teixeira de Freitas, J. F.;  
 and Lent, H., 1939 a, 247  
*Paludicola fuscomaculatus*: Estrada de Ferro  
 Noroeste do Brasil
- Cosmocerca* sp.  
 Williams, R. W., 1959 b, 239  
*Eleutherodactylis johnstonei*: Bermuda Islands
- Cosmocerca australiensis* n. sp.  
 Johnston, T. H.; and Simpson, E. R., 1943 a,  
 176, 177, 179, fig. 16  
*Limnodynastes dorsalis*: Adelaide
- Cosmocerca australiensis* Johnston & Simpson,  
 1943  
 Fotedar, D. N., 1959 a, 164, 169  
*Limnodynastes dorsalis* (intestine): South  
 America
- Cosmocerca banyulensis* n. sp.  
 Chabaud, A. G.; and Campana-Rouget, Y., 1955 a,  
 83, 87-90, 91, 92, figs. 3, 4, pls., figs. 5-7  
*Rana ridibunda*: Banyuls
- Cosmocerca banyulensis* Chabaud & Campana-Rouget,  
 1955  
 Fotedar, D. N., 1959 a, 165, 168, 169  
*Rana ridibunda* (rectum): Banyuls, France

- Cosmocerca brasiliense* n. sp.  
 Travassos, L. P., 1925 c, 674, 675-676, 679,  
 fig. 1  
*Hylodes miliaris*; *Hyla faver*; *Bufo crucifer*;  
*Hylodes guntheri*
- Cosmocerca brasiliense* Trav.  
 Travassos, L. P., 1931 g, 252-253, pl. 40,  
 figs. 28-31, 33, pl. 41, fig. 32  
*Bufo crucifer*; *Hyloides guentheri*; *Hyloides*  
*miliaris*; *Hyla faber*
- Cosmocerca brasiliensis* Travassos, 1925  
 Fotedar, D. N., 1959 a, 166  
*Bufo crucifer*; *Hyla faber*; *Hyloides guntheri*; *H. miliaris*; *Eleutherodactylus gollmeri* (large intestine): all from Brazil
- Cosmocerca brasiliensis* Trav. 1925  
 Walton, A. C., 1933 a, 11, 12  
*Bufo crucifer* (intestine); *Eleutherodactylus gollmeri*; *E. miliaris*; *Hyla faber*: all from Brazil
- Cosmocerca brasiliensis*  
 Walton, A. C. [1946 a], 24  
*Bufo crucifer*: Brazil
- Cosmocerca chilensis* n. sp.  
 Lent, H.; and Teixeira de Freitas, J. F., 1948 a, 3, 16-17, figs. 22-23  
*Rhinoderma darwini*: Rio Bueno, Chile
- Cosmocerca chilensis* Lent & Freitas, 1948  
 Fotedar, D. N., 1959 a, 167  
*Rhinoderma darwini* (rectum): Chile
- Cosmocerca chilensis*  
 Walton, A. C., 1953 a, 648  
*Rhinoderma darwini*: Venezuela
- Cosmocerca commutata* (Diesing, 1851) Diesing, 1861  
 Ballesteros Marquez, A., 1945 a, 160-161  
*Rana esculenta*; *R. temporaria*: both from Granada
- Cosmocerca commutata* Diesing, 1861  
 Baylis, H. A.; and Daubney, R., 1926 a, 30
- Cosmocerca commutata* Diesing (1851) Diesing, 1861  
 Fotedar, D. N., 1959 a, 167  
 Syns.: *Ascaris commutata* Diesing, 1851; *Oxyuris ornata* Weinland, 1859; *Nematoxys commutatus* (Diesing, 1851) v. Linstow, 1889  
*Rana esculenta*; *R. temporaria*; *Bufo viridis*; *B. bufo*; *Hyla arborea*; *Pelobates fuscus*; *Salamandra atra*; *S. salamandra* (intestine); *Bombina bombina*; *Triturus cristatus*: all from Europe  
*Bufo marinus*; *Hyla luteus* (?); *H. tschudii* (?); *Leptodactylus typhonius*: all from Brazil
- Cosmocerca commutata* Dies.  
 Holl, F. J., 1928 e, 185, 186
- Cosmocerca commutatus* (Rud.)  
 Isaichikov, I. M., 1926 b, 68  
*Bufo viridis*
- Cosmocerca commutata* (Diesing, 1851)  
 Kozlowska, J., 1960 a, 217, 219, 221, 225, 226  
*Bufo viridis*: Poland
- Cosmocerca commutata* Dies.  
 Paul, D., 1934 a, 178, 192  
*Rana temporaria*; *Rana arvalis*; *Rana excisa*; *Bufo vulgaris*; *Bufo viridis*: all from Breslau
- Cosmocerca commutata* Diesing, 1851  
 Prokopic, J., 1957 e, 253  
*Rana arvalis*: Czechoslovakia
- Cosmocerca commutata* (Diesing 1851)  
 Prokopic, J., 1960 a, 154, 157  
 Syns.: *Ascaris commutata* Diesing 1851, *Cosmocerca ornata* Drasche 1882, *Nematoxys commutatus* Linstow 1889  
*Bombina variegata* (large intestine); *Rana dalmatina* (large intestine); *Bufo viridis* (large intestine): all from Albania
- Cosmocerca commutata*  
 Schad, G. A.; Kuntz, R. E.; and Wells, W. H., 1960 a, 950  
*Bufo viridis*: Turkey
- Cosmocerca commutata* (Diesing)  
 Schuurmans Stekhoven, J. H., 1937 a, 476, 479
- Cosmocerca commutata* (Dies.)  
 Schuurmans Stekhoven, J. H., 1939 a, 622, 623
- Cosmocerca commutata*  
 Semenov, V. D., 1929 a, 149, 150
- Cosmocerca commutata* (Diesing, 1851)  
 Sosnina, E. F., 1952 a, 113-114  
*Bufo viridis*: Tadzhikistan
- Cosmocerca commutata*  
 Travassos, L. P., 1931 d, 175
- Cosmocerca commutata* (Dies.) Dies.  
 Travassos, L. P., 1931 f, 243, 248, 249-251, 261, pl. 32, fig. 16, pl. 33, fig. 19, pl. 37, figs. 20, 24, pl. 38, figs. 21-23, 25, pl. 39, figs. 16-18  
*Bufo viridis*
- Cosmocerca commutata* (Dies., 1851) Dies., 1861  
 Walton, A. C., 1933 a, 11, 12  
 Syns.: *Oxyuris ornata* Weinland, 1859; *Nematoxys commutatus* (Dies., 1851) v. Linst., 1889  
*Bufo marinus*; *Hyla luteus* (?); *H. tschudii* (?); *Leptodactylus typhonius*; *Bombina bombina*; *Bufo bufo*; *B. viridis*; *Hyla arborea*; *Pelobates fuscus*; *Rana esculenta*; *R. temporaria*; *Salamandra atra*; *S. salamandra*; *Triturus cristatus*
- Cosmocerca commutata* (Dies., 1851) Dies., 1861 ex. p.  
 Walton, A. C., 1933 a, 18  
 as syn. of *Oxysomatium brevicaudatum* (Zed., 1800) Raill. & Henry, 1916
- Cosmocerca commutata*  
 Walton, A. C., [1946 a], 23  
*Bufo bufo*: Europe
- Cosmocerca commutata*  
 Walton, A. C., [1946 b], 24  
*Bufo marinus*: Brazil
- Cosmocerca commutata*  
 Walton, A. C., [1946 c], 24  
*Bufo viridis*: Europe
- Cosmocerca commutata*  
 Walton, A. C., 1946 h, 591  
*Hyla arborea*= *H. viridis*: Europe
- Cosmocerca commutata*  
 Walton, A. C., 1947 b, 26  
*Rana arvalis*: Europe
- Cosmocerca commutata*  
 Walton, A. C., 1947 f, 685  
*Rana esculenta*: Europe
- Cosmocerca commutata*  
 Walton, A. C., 1949 a, 39  
*Rana temporaria*= *R. platyrrhinus*: Europe
- Cosmocerca commutata* (Dies., 1851)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 207, fig. 139B  
*Bufo viridis*
- Cosmocerca dukae* n. sp.  
 Holl, F. J., 1928 e, 185-186, pl. 28, figs. 4, 5  
*Triturus viridescens*
- Cosmocerca dukae* Holl.  
 Holl, F. J., 1932 a, 89, 90, 93, 94, 96, 99, 101, 103  
*Triturus viridescens* Rafinesque: North Carolina
- Cosmocerca dukae* Holl, 1928  
 Harwood, P. D., 1932 b, 50  
 as syn. of *Cosmocercoides dukae* (Holl, 1928) Travassos, 1931
- Cosmocerca dukae* Holl, 1928  
 Mueller, J. F., 1932 a, 266  
*Triturus viridescens*

- Cosmocerca dukae* Holl, 1928  
 Walton, A. C., 1933 a, 11  
 as syn. of *Cosmocercoides dukae* (Holl, 1928) Wilkie, 1930
- Cosmocerca freitasi* sp. n.  
 Jorge da Silva, A. A., 1954 a, figs. 1-6  
*Hyla fuscovaria*: Brasil
- Cosmocerca freitasi*  
 Walton, A. C., 1956 a, 654  
*Hyla fuscovaria*: Brazil
- Cosmocerca freitasi*  
 Walton, A. C., 1957 a, 637  
*Hyla fuscovaria*: Brazil
- Cosmocerca japonica* n. sp.  
 Yamaguti, S., 1938 e, 605-607, fig. 2, pl. 41, figs. 5-7  
*Rana nigromaculata*; *Rana rugosa*: both from near Kyoto  
*Hyla arborea japonica*: Suwa, Nagano Prefecture  
*Rana japonica*: Mount Hiei
- Cosmocerca japonica* Yamaguti, 1938  
 Yamaguti, S., 1954 e, 387  
*Bufo vulgaris japonicus*; *Rana temporaria ornativentris*: both from Sintaka
- Cosmocerca japonica* Yamaguti, 1938  
 Yamaguti, S.; and Mitunaga, Y., 1943 a, 142, 152-153  
*Bufo melanostictus*: Taihoku
- Cosmocerca japonica* Yamaguti, 1938  
 Fotedar, D. N., 1959 a, 167  
*Rana nigromaculata*; *R. rugulosa*; *R. japonica*; *Hyla arborea japonica* (rectum): all from Japan
- Cosmocerca japonica*  
 Walton, A. C., 1946 i, 592  
*Hyla arborea japonicus*: Japan
- Coscocerca japonica*  
 Walton, A. C., 1948 b, 745  
*Rana esculenta japonica*: Japan
- Cosmocerca japonica*  
 Walton, A. C., 1953 a, 648  
*Bufo melanostictus*: Formosa
- Cosmocerca japonica*  
 Walton, A. C., 1955 a, 50  
*Bufo b. japonicus*; *Rana temporaria ornativentris*: both from Japan
- Cosmocerca kashmirensis* n. sp.  
 Fotedar, D. N., 1959 a, 161-164, 165, 166, 167, 169, figs. 1-5  
*Bufo viridis*: Srinagar, Kashmir
- Cosmocerca limnodynastes* n. sp.  
 Johnston, T. H.; and Simpson, E. R., 1943 a, 174, 177, 179, figs. 13-15  
*Limnodynastes dorsalis*: Adelaide
- Cosmocerca limnodynastes* Johnston & Simpson, 1943  
 Fotedar, D. N., 1959 a, 167  
*Limnodynastes dorsalis* (intestine): South Australia
- Cosmocerca longicauda* (v. Linstow, 1885) Railliet & Henry, 1916  
 Fotedar, D. N., 1959 a, 167  
 Syn.: *Nematoxys longicauda* v. Linstow, 1885  
*Triturus alpestris*; *T. cristatus*; *T. vulgaris* (intestine): all from Europe
- Cosmocerca longicauda* (Linstow)  
 Isaichikov, I. M., 1926 b, 86  
*Triton cristatus*; *Triton alpestris*
- Cosmocerca longicauda* Linst.  
 Skrjabin, K. I., 1923 m, 52, fig. 57  
*Triton taeniatus* Schn.; *Triton alpestris* Laur.; *Triton cristatus* Laur.
- Cosmocerca longicaudata* [sic]  
 Travassos, L. P., 1931 d, 175
- Cosmocerca longicauda* (v. Linst.) R. & H.  
 Travassos, L. P., 1931 g, 251-252, pl. 32, figs. 26, 27  
*Molge alpestris*; *Molge cristatus*
- Cosmocerca longicauda* (v. Linst., 1885) Raill.  
 and Henry, 1916  
 Walton, A. C., 1933 a, 11, 12  
 Syn.: *Nematoxys longicauda* v. Linst., 1885  
*Triturus alpestris* (intestine); *T. cristatus*; *T. vulgaris*: all from Europe
- Cosmocerca minuscula* n. sp.  
 Travassos, L. P., 1931 d, 75-176  
*Rana temporaria*
- Cosmocerca minuscula* Trav.  
 Travassos, L. P., 1931 g, 254, pl. 36, fig. 39, pl. 42, figs. 40-44  
*Rana temporaria*
- Cosmocerca minuscula* Travassos, 1931  
 Fotedar, D. N., 1959 a, 168  
*Rana temporaria* (large intestine): Europe
- Cosmocerca minuscula* Trav., 1931  
 Walton, A. C., 1933 a, 11, 12  
*Rana temporaria* (intestine): Europe
- Cosmocerca minuscula*  
 Walton, A. C., 1947 f, 685  
*Rana esculenta*: Europe
- Cosmocerca minuscula*  
 Walton, A. C., 1949 b, 39  
*Rana temporaria* = *R. platyrrhinus*: Europe
- Cosmocerca ornata* (Duj.)  
 Baer, J. G., 1932 b, 52  
*Rana temporaria* L.
- Cosmocerca ornata* (Dujardin, 1845) Railliet et Henry, 1916  
 Bailenger, J.; and Chanseau, J., [1955 a], 549, 557  
 key  
*Rana esculenta*; *Rana agilis*; *Rana temporaria*: all from Bordeaux
- Cosmocerca ornata* (Dujardin, 1845) Railliet y Henry, 1916  
 Ballesteros Marquez, A., 1945 a, 150, 160  
*Rana esculenta*; *R. temporaria*: both from Granada
- Cosmocerca ornata* (Duj., 1845) Raill. & Henry, 1916 nec Dies., 1861  
 Baylis, H. A., 1923 i, 16  
*Rana temporaria*: Leipzig
- Cosmocerca ornata* (Duj.)  
 Baylis, H. A., 1928 g, 338  
*Rana temporaria*
- Cosmocerca ornata* (Dies. 1861)  
 Behrens, W., 1956 a, 132, 139, 147, 149, figs. 7, 15, 16  
*R. temporaria*; *Bufo vulgaris*
- Cosmocerca ornata* (Dujardin 1845)  
 Capuse, I.; and Dancău, D., 1957 b, 147, 149, 151  
*Rana ridibunda*; *Rana temporaria*; *Bufo vulgaris* (intestinul gros): all from République Populaire Roumaine
- Cosmocerca ornata* (Duj. 1845)  
 Chabaud, A. G.; and Campana-Rouget, Y., 1955 a, 83, 92  
*Rana esculenta* Pal.: region de Banyuls (Pyr.-Or.)
- Cosmocerca ornata*  
 Chitwood, B. G.; and Chitwood, M. B., 1937 b, 35
- Cosmocerca ornata* Diesing  
 von Drasche, R., 1882 c, 5-7
- Cosmocerca ornata* Diesing  
 von Drasche, R., 1883 b, 121-123
- Cosmocerca ornata* (Dujardin, 1845)  
 Dubinina, M. N., 1950 a, 325  
*Ran ridibunda*; *Bufo viridis*: both from Volga delta

- Cosmocerca ornata* (Dujardin, 1845) Railliet & Henry, 1916  
 Fotedar, D. N., 1959 a, 168  
 Syns.: *Oxyuris ornata* Dujardin, 1845, nec. Walter, 1856, nec. Diesing, 1861; *Nematoxys ornatus* (Dujardin, 1845) Schneider, 1866  
*Rana esculenta*; *R. temporaria*; *Bufo bufo*; *B. viridis*; *B. vulgaris*; *Triturus alpestris* (intestine); *Triturus cristatus*: all from Europe
- Cosmocerca ornata* Golikova, M. N., 1960 b, 987, 988, 989, 990, 991  
*Rana terrestris*; *Rana temporaria*; *Rana esculenta*; *Bombina bombina*; *Pelobates fuscus*; *Bufo bufo* (all, intestine): all from Kaliningrad oblast
- Cosmocerca ornata* (Duj.) Isaichikov, I. M., 1922 a, 273  
*Bufo viridis*
- Cosmocerca ornata* (Duj., 1845) Isaichikov, I. M., 1923 c, 19, 20, 21, 22, 23, 24, 25, 26  
*Rana arvalis isaichikovi*: Gouvernement Archangelsk  
*Rana ridibunda*: Gouvernement Moskau  
*Bufo viridis*: Krim (Stadt Kertsh)
- Cosmocerca ornata* (Duj.) Isaichikov, I. M., 1925 b, 35
- Cosmocerca ornata* (Duj.) Isaichikov, I. M., 1926 b, 64, 65, 69, 70, 85, 86, 87-93, 140, 144, 146, 150, 152  
*Bufo viridis*; *Rana ridibunda*; *Rana arvalis isaichikovi*
- Cosmocerca ornata* Isaichikov, I. M., 1927 o, 106  
*Rana temporaria*; *Bufo b. bufo* (both, intestine): both from Moskva
- Cosmocerca ornata* Duj., 1845 Isaichikov, I. M., 1927 p, 123  
 Crimea
- Cosmocerca ornata* (Duj.) Isaichikov, I. M., 1928 d, 15
- Cosmocerca ornata* (Dujard., 1845) Ivanitskiĭ, S. V., 1940 a, 142  
*Bufo viridis*: Ukraine
- Cosmocerca ornata* (Duj.) Kobayashi, H., 1921 a, 344, 347
- Cosmocerca ornata* (Duj.) Kobayashi, H., 1923 b, 44
- Cosmocerca ornata* (Dujardin, 1845) Railliet et Henry, 1916  
 Kolendo, A., 1958 a, 673  
*Bufo viridis*: Lublin
- Cosmocerca ornata* (Dujardin, 1845) Railliet et Henry, 1916  
 Kolendo, A., 1959 a, 435, 437, 439  
*Bufo viridis*: Lublin
- Cosmocerca ornata* Duj. Kotova, E. I., [1937 a], 139  
*Rana esculenta*; *Rana temporaria*: both from Klyazma river in the region of the Bolshevik Biological Station
- Cosmocerca ornata* (Dujardin, 1845) Kozłowska, J., 1960 a, 217, 218, 219, 220, 221, 225, 226  
*Rana esculenta*; *R. temporaria*; *R. terrestris*; *Bufo bufo*; *B. bombina*; *Hyla arborea* (all, intestine); *Bufo viridis*: all from Poland
- Cosmocerca ornata* (Duhardin, 1845) Railliet et Henry, 1916  
 Kraczkowska, R., 1958 a, 672  
*Rana terrestris*: Lublin
- Cosmocerca ornata* Krotov, A. I., 1960 c, 483  
 Sakhalin
- Cosmocerca ornata* Lees, E., 1962 a, 95, 97  
*Rana temporaria* (rectum): Huddersfield, Yorkshire
- Cosmocerca ornata* Lees, E.; and Bass, L., 1960 a, 1207  
 effect of hormones  
*Rana temporaria*
- Cosmocerca ornata* (Duj.) Lewis, E. A., 1927 d, 128  
 common frog
- Cosmocerca ornata* (Duj., 1845) Markov, G. S.; and Rogoza, M. L., 1953 a, 582  
 dynamics of growth; grass frog
- Cosmocerca ornata* (Duj., 1845) Markov, G. S.; and Rogoza, M. L., 1953 b, 169  
 grass frog
- Cosmocerca ornata* (Duj.) Mazurmovich, B. N., 1951 a, 14, 55  
*Rana ridibunda*; *Rana esculenta*; *Rana temporaria*; *Rana terrestris*; *Bombina bombina*: all from vicinity of Kiev
- Cosmocerca ornata* Milogradova, G. P.; and Spasskiĭ, A. A., 1957 a, 200  
*Rana chensinensis*: eastern Siberia
- Cosmocerca ornata* Miretskiĭ, O. Ia., 1942 a, 65, 68
- Cosmocerca ornata* Odening, K., [1955 a], 488  
*Rana esculenta*
- Cosmocerca ornata* (Dujardin 1845) Railliet & Henry 1916  
 Odening, K., 1957 b, 296, 297, 301, 303  
*Rana esculenta esculenta*; *Bufo bufo bufo*; *Triton alpestris alpestris*: all from Thuringia
- Cosmocerca ornatus* Perrier, E., 1897 a, 1412  
*Batraciens* (rectum)
- Cosmocerca ornata* Dujardin, 1845 Prokopić, I., 1957 e, 253-254  
*Rana arvalis*; *Rana dalmatina*; *Bombina variegata*; *Bufo viridis*; *Pelobates fuscus*; *Bombina bombina*: all from Czechoslovakia
- Cosmocerca ornata* Drasche 1882 Prokopić, I., 1960 a, 154, 157  
 as syn. of *Cosmocerca commutata* (Diesing 1851)  
*Bombina variegata*; *R. dalmatina*; *Bufo viridis* (all, large intestine): all from Albania
- Cosmocerca ornata* (Dujardin 1845) Prokopić, I., 1960 a, 154-155, 157  
 Syns.: *Oxyuris ornata* Dujardin 1845, *Nematoxys ornatus* Schneider 1866  
*Bombina variegata*; *Rana dalmatina*; *Bufo viridis* (all, large intestine): all from Albania
- Cosmocerca ornata* Dies. Rauther, M., 1930 a, 383
- Cosmocerca ornata* (Duj.) Reichenow, E.; and Wüller, G., 1929 a, 141
- Cosmocerca ornata* Schad, G. A.; Kuntz, R. E.; and Wells, W. H., 1960 a, 950, 955  
*Rana macrocnemis*; *Rana ridibunda*; *Bufo viridis*: all from Turkey
- Cosmocerca ornata* Seurat, L. P., 1920 c, 16, 18, 102, 112, 189, 210
- Cosmocerca ornata* (Duj.) Skrjabin, K. I., 1923 m, 51-52  
*Rana temporaria* L.; *Rana esculenta* L.; *Triton cristatus* Laur.; *Triton alpestris* Laur.; *Bufo vulgaris* Laur.; *Bufo viridis* Laur.

- Cosmocerca ornata*  
Skrjabin, K. I.; and Popov, N. P., 1924 b, 8
- Cosmocerca oranta* (Dujardin)  
Sprehn, C. E. W., 1930 s, 271  
Rana esculenta
- Cosmocerca ornata*  
Travassos, L. P., 1931 d, 175
- Cosmocerca ornata* (Duj.) R. & H., 1916  
Travassos, L. P., 1931 g, 238, 246-249, pl. 32,  
fig. 3.3a, pl. 33, fig. 4, pl. 34, figs. 5-7,  
pl. 35, figs. 8-9, 12, pl. 36, fig. 11, pl. 37,  
figs. 13-15  
Rana temporaria L.; Rana esculenta L.; Bufo  
vulgaris Laur.
- Cosmocerca ornata* (Duj., 1845) Raill. & Henry,  
1916  
Walton, A. C., 1933 a, 11, 13  
Syns.: *Oxyuris ornata* Duj., 1845; *Nematoxys*  
*ornatus* (Duj., 1845) Schneider, 1866;  
*Ananconus commutatus* Raill. & Henry, 1916  
*Bufo bufo*; *B. viridis*; *Rana esculenta*; *R.*  
*temporaria*; *Triturus alpestris*; *T. cristatus*:  
all from Europe
- Cosmocerca ornata* (Walter, 1856, Dies., 1861)  
Walton, A. C., 1933 a, 11  
as syn. of *C. trispinosa* Raill. & Henry, 1916
- Cosmocerca ornata* (Duj., 1845) Raill. and Henry,  
1916  
Walton, A. C., 1938 a, 41  
Rana arvalis isaitschikova; *Rana esculenta*  
*ridibunda*: both from European Russia
- Cosmocerca ornata*  
Walton, A. C., [1946 a], 23  
Bufo bufo: Europe
- Cosmocerca ornata*  
Walton, A. C., [1946 c], 24  
Bufo viridis: Europe
- Cosmocerca ornata*  
Walton, A. C., 1947 b, 26  
Rana arvalis isaitschikovi: Europe
- Cosmocerca ornata*  
Walton, A. C., 1947 f, 685  
Rana esculenta: Europe
- Cosmocerca ornata*  
Walton, A. C., 1948 c, 745  
Rana esculenta ridibunda: Europe
- Cosmocerca ornata*  
Walton, A. C., 1949 b, 39  
Rana temporaria = *R. platyrrhinus*: Europe
- Cosmocerca ornata*  
Walton, A. C., 1950 e, 41  
frogs: Europe
- Cosmocerca ornata* Diesing, 1861  
Yorke, W.; and Maplestone, P. A., 1926 a, 207  
as syn. of *Cosmocerca trispinosa* Railliet &  
Henry, 1916
- Cosmocerca ornata* (Duj., 1845)  
Yorke, W.; and Maplestone, P. A., 1926 a, 207,  
fig. 139 A  
Rana esculenta; *Rana temporaria*
- Cosmocerca parva* n. sp.  
Travassos, L. P., 1925 c, 674, 676-677, fig.  
2  
Elosia nasus
- Cosmocerca parva* Trav.  
Travassos, L. P., 1931 g, 253, pl. 40, fig.  
37, pl. 41, figs. 34-36, 38  
Helosia [sic] nasus
- Cosmocerca parva* Travassos, 1925  
Fotedar, D. N., 1959 a, 168  
Elosia nasus (intestine): Brazil
- Cosmocerca parva* Trav., 1925  
Walton, A. C., 1933 a, 11, 13  
Elosia nasus (intestine): Brazil
- Cosmocerca propinqua* n. sp.  
Johnston, T. H.; and Simpson, E. R., 1943 a,  
176, 177, 179, figs. 11-12  
*Limnodynastes dorsalis*: Adelaide
- Cosmocerca propinqua* Johnston & Simpons, 1943  
Fotedar, D. N., 1959 a, 165, 169  
*Limnodynastes dorsalis* (intestine): South  
America
- Cosmocerca pulcherima* n. sp.  
Ivanitskii, S. V., 1940 a, 142-143, figs. 19-  
21  
*Bufo viridis*: Ukraine
- Cosmocerca pulcherrima* Ivanizki, 1940  
Fotedar, D. N., 1959 a, 168, 169  
*Bufo viridis* (intestine): U.S.S.R.
- Cosmocerca skrjabini* n. sp.  
Ivanitskii, S. V., 1940 a, 143-144, 145, figs.  
22-25  
Rana temporaria: Ukraine
- Cosmocerca timofejevoi* nov. sp.  
Skarbilovich, T. S., 1950 e, 113-115, 120, 131,  
figs. 3, 4  
*Bufo* sp.; *Rana* sp.: both from Southern  
Kirgizia
- Cosmocerca timofejevoi* Skarbilovich, 1950  
Fotedar, D. N., 1959 a, 168  
Rana sp.; *Bufo* sp. (both, intestine):  
both from U.S.S.R.
- Cosmocerca timopfejevoi* Skarbilovitsch, 1950  
Skrjabin, K. I.; Shikhobalova, N. P.; and  
Mozgovoi, A. A., 1951 a, 149, fig. 59  
*Bufo* sp.; *Rana* sp.: both from SSSR
- Cosmocerca timofejevoi*  
Walton, A. C., 1957 a, 637  
*Bufo* sp. ?; *Rana* sp. ?: both from Russia
- Cosmocerca trispinosa* Railliet & Henry, 1916  
Baylis, H. A.; and Daubney, R., 1926 a, 30  
Syn.: *Oxyuris oruata* of Walter, 1856 not  
Duj., 1845
- Cosmocerca trispinosa* Railliet & Henry, 1916  
Fotedar, D. N., 1959 a, 166  
Syns.: *Oxyuris ornata* Walter 1856 nec.  
Dujardin, 1845; *Cosmocerca ornata* (Walter,  
1856) Diesing, 1861  
*Triturus alpestris* (intestine): Europe
- Cosmocerca trispinosa*  
Holl, F. J., 1928 e, 186  
*Cosmocerca trispinosa* R. & H.  
Isaichikov, I. M., 1926 a, 84, 85, 86
- Cosmocerca trispinosa* R. & H.  
Skrjabin, K. I., 1923 m, 52  
*Triton alpestris*
- Cosmocerca trispinosa*  
Travassos, L. P., 1931 d, 175
- Cosmocerca trispinosa* Railliet & Henry  
Travassos, L. P., 1931 g, 245-246, pl. 32,  
figs. 1, 2  
*Molge alpestris* (Laur.)
- Cosmocerca trispinosa* Raill. & Henry, 1916  
Walton, A. C., 1933 a, 11, 13  
Syns.: *Oxyuris ornata* Walter, 1856; *C.*  
*ornata* (Walter, 1856, Dies., 1861)  
*Triturus alpestris* (intestines, lungs):  
Europe
- Cosmocerca trispinosa* Railliet & Henry, 1916  
Yorke, W.; and Maplestone, P. A., 1926 a, 207  
type of genus  
*Triton alpestris*
- Cosmocerca uruguayensis* n. sp.  
Lent, H.; and Teixeira de Freitas, J. F.,  
1948 a, 3, 17, 18, figs. 24-26  
*Ceratophrys americana*: Montevideo, Uruguay
- Cosmocerca uruguayensis* Lent & Freitas, 1948  
Fotedar, D. N., 1959 a, 168  
*Ceratophrys americana* (intestine): Uruguay
- Cosmocerca uruguayensis*  
Walton, A. C., 1953 a, 648  
*Ceratophrys americana*: Venezuela
- Cosmocerca variabilis* Harwood, 1930  
Walton, A. C., 1933 a, 14, 15  
as syn. of *Cosmocercoides variabilis*  
(Harwood, 1930) Trav., 1931

- Cosmocercella** n. g.  
 Steiner, G., 1924 i, 22  
 tod.: *C. haberri* n. sp.  
**Cosmocercella**  
 Abdel Azim, M., 1931 a, 376  
**Cosmocercella**  
 Hsü, H. F., 1933 d, 517  
**Cosmocercella Steiner**  
 Rauther, M., 1930 a, 276, 315, 383  
**Cosmocercella Steiner**  
 Travassos, L. P., 1931 g, 239, 242, 244, 245, 254-255  
 type: *C. haberri* Steiner  
**Cosmocercella Steiner**, 1924  
 Yorke, W.; and Maplestone, P. A., 1926 a, 206, 208  
 type: *C. haberri* Steiner, 1924  
**Cosmocercella haberri** n.g. n.sp.  
 Steiner, G., 1924 i, 3, 4, 5, 6, 7, 8, 10, 17, 18, 19, 21, 22-25, pl. 1, figs. 2-8, pl. 2, figs. 9-14, pl. 3, figs. 15-19, pl. 4, figs. 20-22, pl. 5, figs. 23-31  
*Hyla carolinensis*: Georgia  
**Cosmocercella haberri** Steiner  
 Holl, F. J., 1928 e, 186  
*Hyla carolinensis*  
**Cosmocercella haberri** Steiner, 1924  
 Hsü, H. F., 1933 d, 516, 518  
**Cosmocercella haberri** Steiner  
 Rauther, M., 1930 a, 285, 383  
**Cosmocercella haberri** Steiner, 1924  
 Reiber, R. J., 1941 a, 95, 99  
*Hyla c. cinerea*: Reelfoot Lake, Tenn.  
**Cosmocercella haberri** Steiner  
 Travassos, L. P., 1931 g, 255, pl. 39, figs. 45-47  
*Hyla carolinensis*  
**Cosmocercella haberri** Steiner, 1924  
 Walton, A. C., 1933 a, 11  
*Hyla cinerea* (intestine): U.S.A.  
**Cosmocercella haberri**  
 Walton, A. C., 1946 i, 592  
*Hyla cinerea*: U.S.A.  
**Cosmocercella haberri** Steiner, 1924  
 Yorke, W.; and Maplestone, P. A., 1926 a, 208, fig. 140  
 type of genus  
*Hyla carolinensis*  
**Cosmocercella neveri** n.sp.  
 Hsü, H. F.; and Hoeppli, R. J. C., 1933 b, 155, 159-161, 168, pl. 2, figs. 5-8  
*Rana spinosa*: Amoy  
**Cosmocercella neveri** Hsü and Hoeppli, 1933  
 Walton, A. C., 1938 a, 42  
**Cosmocercella neveri**  
 Walton, A. C., 1949 b, 39  
*Rana spinosa*: Fr. Indo-China  
**Cosmocercidae** n. fam.  
 Travassos, L. P., 1925 c, 674  
**Cosmocercidae** n. fam.  
 Travassos, L. P., 1930 c, 163  
**Cosmocercidae**  
 Travassos, L. P., 1931 d, 175-176  
**Cosmocercidae** Trav.  
 Travassos, L. P., 1931 g, 239, 240, 242-245  
**Cosmocercidae** Travassos, 1925  
*Ballesteros Márquez*, A., 1945 a, 150-180  
**Cosmocercidae**  
 Chitwood, B. G., 1937 c, 74  
*Ascaroidea*  
**Cosmocercidae** Trav., 1925  
 Fahel, J., 1952 a, 390, 397-399  
**Cosmocercidae** Travassos, 1930  
 Filipjev, I. N., 1934 a, 37, 38  
 as syn. of *Cosmocercinae*  
**Cosmocercidae**  
 Filipjev, I. N., 1934 b, 404  
*Oxyurata*
- Cosmocercidae** gen. sp.  
 Taranko, H., 1958 a, 675  
*Triturus vulgaris*: Lublin
- Cosmocercidae** gen. sp.  
 Taranko-Tułcka, H., 1959 a, 425, 426, 429, fig. 2  
*Triturus vulgaris*: Lublin
- Cosmocercidae** [sp.]  
 Travassos, L. P., [1946 b], 500, 501  
*Bufo crucifer*; *Thoropa miliaris*: both from Brasil
- Cosmocercid[ae] sp.]**  
 Travassos, L. P.; and Teixeira de Freitas, J. F., 1942 a, 281, 282, 283  
*Tropidurus spinulosus*; *Bradymedusa hypochondrialis*; *Bufo paracnemis*; *Bufo granulosus*; *Hypopachus incrassatus* (Sin. *H. mdelicheri*); *Eupemphix nattereri*; *Leptodactylus pentadactylus*; *Leptodactylus caliginosus*; *Leptodactylus ocellatus*: all from Brasil
- Cosmocercinae** Railliet  
 Abdel Azim, M., 1931 a, 376
- Cosmocercinae** Railliet, 1916  
 Baylis, H. A., 1936 a, 200  
*Oxyuridae*
- Cosmocercinae** Railliet, 1916  
 Baylis, H. A.; and Daubney, R., 1926 a, 21, 30
- Cosmocercinae**  
 Filipjev, I. N., 1934 a, 37, 38  
 Syn.: *Cosmocercidae* Travassos, 1930
- Cosmocercinae**  
 Filipjev, I. N.; and Schuurmans S'ekhoven, J. H., 1941 a, 837  
*Oxyuridae*
- Cosmocercinae**  
 Rauther, M., 1930 a, 383
- Cosmocercinae**  
 Semenov, V. D., 1929 a, 156
- Cosmocercinae**  
 Sprehn, C. E. W., 1927 e, 43
- Cosmocercinae**  
 Sprehn, C. E. W., 1932 c, 538, 547
- Cosmocercinae** Railliet, 1916  
 Travassos, L. P., 1917 a, 99-100
- Cosmocercinae**  
 Travassos, L. P., 1931 g, 239, 240
- Cosmocercinae** Railliet, 1916  
 Yorke, W.; and Maplestone, P. A., 1926 a, 182, 205-206, 208, 209, 210
- Cosmoceroidea**  
 Chabaud, A. G.; and Petter, A. J., 1961 b, 53, 55  
*cloacal papillae*
- Cosmocercoides** n.g.  
 Wilkie, J. S., 1930 b, 607-608  
 tod.: *C. pulcher* n.sp.
- Cosmocercoides** Wilkie, 1930  
 Chitwood, B. G., 1933 g, 243  
 Syn.: *Trionchonema* Kreis, 1932
- Cosmocercoides** Wilkie, 1930  
 Chitwood, B. G.; and Chitwood, M. B., 1937 c, 133  
 Syn.: *Trionchonema* Kreis, 1932
- Cosmocercoides** Wilkie, 1930  
 Harwood, P. D., 1932 b, 50
- Cosmocercoides**  
 Hsü, H. F., 1933 d, 517
- Cosmocercoides** Wilkie  
 Travassos, L. P., 1931 g, 244, 245, 255-256  
 type: *C. pulcher* Wilkie
- Cosmocercoides** spp.  
 Chitwood, B. G.; and Chitwood, M. B., 1937 c, 132  
*Opeas goodalli*; *Deroeras agreste*

- Cosmocercoides bufonis* n. sp.  
 Karve, J. N., 1944 a, 74-77, figs. 4-5  
 Bufo himalayanum: Muktesar (Himalayan foot-hills)
- Cosmocercoides bufonis*  
 Walton, A. C., [1946 a], 24  
 Bufo himalayanum: India
- Cosmocercoides dukae* (Holl, 1928)  
 Anderson, R. C., 1960 c, figs. 1-35  
 Denoceras gracile; Zonitoides arborea;  
*Discus conkhitei* (all, mantle cavity);  
*Rana pipiens*; *R. clamitans*; *R. septentrionalis*;  
*Bufo americanus*; *Ambystoma jeffersonianum*  
 (all, rectum): all from Alonquin Park,  
 Ontario
- Cosmocercoides dukae* (Holl, 1928)  
 Brandt, B. B., 1936 a, 501, 502, 503, 504, 505,  
 506, 507, 515  
*Rana catesbeiana*; *Rana sphenoccephala*; *Bufo*  
*fowleri*; *Scaphiopus holbrookii*; *Hyla crucifer*;  
*Pseudacris brimleyi*: all from North Carolina
- Cosmocercoides dukae*  
 Chitwood, B. G.; and Chitwood, M. B., 1937 b,  
 12, figs. 11C-D
- Cosmocercoides dukae*  
 Chitwood, B. G.; and Chitwood, M. B., 1938 a,  
 60, fig. 57 O
- Cosmocercoides dukae* (Holl, 1928) Wilkie, 1930  
 Fischthal, J. H., 1955 a, 179  
*Triturus v. viridescens*: south central New  
 York
- Cosmocercoides dukae* (Holl, 1928) Wilkie, 1930  
 Fischthal, J. H., 1955 b, 47  
*Triturus v. viridescens*; *Desmognathus f.*  
*fuscus*: both from Promised Land State Forest  
 Park, Pike County, Pennsylvania
- Cosmocercoides dukae* (Holl, 1928)  
 Frandsen, J. C.; and Grundmann, A. W., 1956 a,  
 182-183  
*Bufo boreas*: Utah
- Cosmocercoides dukae* (Holl, 1928) Travassos, 1931  
 Frandsen, J. C.; and Grundmann, A. W., 1960 c,  
 678  
*Bufo boreas*: Utah
- Cosmocercoides dukae* (Holl, 1928) Travassos,  
 1931  
 Harwood, P. D., 1932 b, 50-51, 65, 66  
 Syns.: *Cosmocerca dukae* Holl, 1928; *Oxy-*  
*somatium variabilis* Harwood, 1930  
*Triturus viridescens*; *Triturus meridionalis*;  
*Ambystoma microstomum*; *Ambystoma talpoideum*;  
*Hyla squirella*; *Pseudacris triseriata*;  
*Rana areolata*; *Rana palustris*; *Rana sphenoc-*  
*cephala*; *Rana sylvatica*; *Rana clamitans*;  
*Rana catesbeiana*; *Bufo valliceps*; *Bufo*  
*terrestris*; *Gastrophryne areolata*; *Ophisaurus*  
*ventralis*; *Leioploisma laterale*; *Eumeces*  
*fasciatus*; *Heterodon contortrix*; *Storeria*  
*dekayi*; *Micruurus fulvius*; *Terrapene carolina*  
*triunguis*; *Terrapene ornata*
- Cosmocercoides dukei* [for *C. dukae* (Holl, 1928)]  
 Harwood, P. D., 1936 a, 697  
*ecology*
- Cosmocercoides dukae* (Holl, 1928)  
 Ingles, L. G., 1936 a, 86, 87, 88, pl. 18,  
 figs. 7-8, 10, 14  
*Triturus torosus*; *Rana aurora*: both from  
 Butte County, Calif.
- Bufo boreas*: Shasta County, Calif.
- Cosmocercoides dukae* (Holl, 1928)  
 Lehmann, D. L., 1954 a, 231  
*Triturus torosus*: Contra Costa County,  
 California  
*Triturus granulosus*: Benton County and  
 Marion County, Oregon
- Cosmocercoides dukae*  
 Ogren, R. E., 1953 a, 87-91, figs. 1-12  
*Ashmunella rhyssa edentata*; *Polygyra fosteri*;  
*Retinella* sp.; *Deroceras* sp.: all from  
 Illinois
- Cosmocercoides dukae*  
 Ogren, R. E., 1959 b, 45  
*Deroceras gracile*: Wisconsin, Tennessee,  
 Illinois
- Cosmocercoides dukae*  
 Ogren, R. E., 1959 c, 236-241
- Cosmocercoides dukae* (Holl, 1928)  
 Rankin, J., 1937 b, 182, 184, 188, 189, 193,  
 203, 206, 207, 208, 209, 210, 217, 244, 250,  
 260  
*synonymy*  
*Ambystoma opacum*; *Desmognathus fucus fucus*;  
*Plethodon cinereus*; *Plethodon glutinosus*;  
*Triturus v. viridescens*; *Ambystoma texanum*:  
 all from North Carolina
- Cosmocercoides dukae* (Holl, 1928) Travassos, 1931  
 Rankin, J. S. (jr.), 1945 a, 143, 146, 148  
*Plethodon cinereus* (Green); *Triturus v.*  
*viridescens* Raf.; *Hyla crucifer* Wied.; *Rana*  
*catesbeiana* Shaw; *R. clamitans* Latreille;  
*Storeria occipito-maculata* (Storer): all  
 from Massachusetts
- Cosmocercoides dukae* (Holl, 1928)  
 Rausch, R., 1947 b, 438, 440  
*Terrapene carolina*: Ohio
- Cosmocercoides dukae* (Holl)  
 Travassos, L. P., 1931 g, 256, pl. 44, figs.  
 54 a-b  
*Triturus viridescens* Raf.
- Cosmocercoides dukae* (Holl, 1928) Wilkie, 1930  
 Walton, A. C., 1933 a, 11, 14  
 Syn.: *Cosmocerca dukae* Holl, 1928  
*Triturus viridescens* (intestine and colon):  
 U.S.A.
- Cosmocercoides dukae* (Holl, 1928) Wilkie, 1930  
 Walton, A. C., 1938 a, 42  
 Syn.: *C. variabilis* (Harwood, 1930) Trav.,  
 1931  
*Acris gryllus*; *Ambystoma talpoideum*; *Bufo*  
*quercicus*; *Bufo terrestris*; *Gastrophryne*  
*areolata*; *Gastrophryne carolinensis*; *Hyla*  
*cinerea*; *Rana aesopus*; *Rana clamitans*: all  
 from U.S.A.
- Cosmocercoides dukae* (Holl, 1928) Travassos, 1931  
 Walton, A. C., 1940 c, 87  
*Bufo terrestris*; *Microhyla carolinensis*:  
 both from Englewood, Florida
- Bufo valliceps*: New Orleans, La.
- Cosmocercoides dukae* (Holl, 1928) Wilkie, 1930  
 Walton, A. C., 1941 a, 59  
*Rana pipiens*: Matapedia, Gaspé Peninsula  
*Rana clamitans*: Madelene, Gaspé Peninsula
- Cosmocercoides dukae* (Holl, 1928) Travassos, 1931  
 Walton, A. C., 1941 d, 53  
*Bufo canorus*: Tanaya Lake; Tioga Pass,  
 Yosemite Nat. Park
- Cosmocercoides dukae*  
 Walton, A. C., [1946 a], 23, 24  
*Bufo boreas*; *B. canorus*; *B. fowleri*: all  
 from U.S.A.
- Cosmocercoides dukae*  
 Walton, A. C., [1946 b], 24  
*Bufo quercicus*; *B. terrestris*; *B. valliceps*:  
 all from U.S.A.
- Cosmocercoides dukae*  
 Walton, A. C., 1946 i, 592  
*Hyla cinerea*: U.S.A.  
*Hyla crucifer* = *H. pickeringii*: Canada and  
 U.S.A.

- Cosmocercoides dukae*  
 Walton, A. C., 1947 a, 26  
*Rana aesopus; Rana areolata:* both from U.S.A.
- Cosmocercoides dukae*  
 Walton, A. C., 1947 b, 26  
*Rana aurora:* U.S.A.
- Cosmocercoides dukae*  
 Walton, A. C., 1947 c, 26  
*Rana catesbeiana:* N. America
- Cosmocercoides dukae*  
 Walton, A. C., 1947 d, 684  
*Rana clamitans:* N. America
- Cosmocercoides dukae*  
 Walton, A. C., 1949 b, 39  
*Rana sylvatica:* U.S.A.
- Cosmocercoides dukae*  
 Walton, A. C., 1950 b, 162  
*Rana pipiens:* Canada, U.S.A.
- Cosmocercoides dukae*  
 Walton, A. C., 1950 e, 41  
*Plethodon cinereus:* U.S.A.
- Cosmocercoides dukae*  
 Walton, A. C., 1950 g, 40  
*Gastrophryne areolata; Microhyla carolinensis:* both from U.S.A.
- Cosmocercoides dukae*  
 Walton, A. C., 1955 a, 50  
*Desmognathus f. fuscus:* U.S.A.
- Cosmocercoides dukei*  
 Harwood, P. D., 1936 a, 697  
 [for *C. dukae* (Holl, 1928)]  
*ecology:* Houston
- Cosmocercoides multipapillata* n. sp.  
 Khera, S., [1959 b], 6-11, 12, figs. 1-7  
*Bufo melanostictus* (rectum): Jeolikote, Naini Tal [India]
- Cosmocercoides pulcher* n.sp.  
 Wilkie, J. S., 1930 b, 608-610, figs. 1, 2  
*Rana japonica*
- Cosmocercoides pulcher* Wilkie, 1930  
 Hsu, H. F., 1932 a, 103
- Cosmocercoides pulcher* Wilkie, 1930  
 Hsu, H. F., 1933 d, 512, 515-517, 528, 529, 530, 531, 540, 541, figs. 7-10, 45  
*Bufo bufo japonica* (toad) (rectum): Hochow, Szechuan, China
- Cosmocercoides pulcher* Wilkie  
 Kung, C. C.; and Wu, H. W., 1945 a, 75-76, 82  
*Bufo bufo asiaticus:* Pehpei, Szechwan, China
- Cosmocercoides pulcher*  
 Milogradova, G. P.; and Spasskii, A. A., 1957 a, 200  
*Rana chensinensis:* eastern Siberia
- Cosmocercoides pulcher* Wilkie  
 Travassos, L. P., 1931 g, 256-257, pl. 43, figs. 48-49  
*Rana japonica* Günther
- Cosmocercoides pulcher* Wilkie, 1930  
 Walton, A. C., 1933 a, 11, 14  
 "bull-frog" (?= *Rana japonica*) (rectum): Japan
- Cosmocercoides pulcher* Wilkie, 1930  
 Walton, A. C., 1938 a, 42
- Cosmocercoides pulcher*  
 Walton, A. C., [1946 a], 24  
*Bufo bufo japonicus:* China  
*B. b. japonicus:* Japan
- Cosmocercoides pulcher*  
 Walton, A. C., 1948 b, 745  
*Rana esculenta japonica:* Japan
- Cosmocercoides pulcher*  
 Walton, A. C., 1953 a, 648  
*Bufo bufo asiaticus:* China
- Cosmocercoides pulcher*  
 Walton, A. C., 1955 a, 50  
*Rana temp. ornativentris:* Japan
- Cosmocercoides pulcher* Wilkie, 1930  
 Yamaguti, S., 1941 c, 397, 402, 408, pl. VII, figs. 8-9  
*Bufo vulgaris japonicus* Schlegel: Siga Prefecture, Japan
- Cosmocercoides pulcher* Wilkie, 1930  
 Yamaguti, S., 1954 e, 387-388  
*Bufo vulgaris japonicus* Schlegel: altitude of 1500 and 1760 m., Mt. Ontake
- Cosmocercoides rusticum* (Kreis, 1932) n. comb.  
 Chitwood, B. G., 1933 g, 243  
 Syn.: *Trionchonema rusticum* Kreis
- Cosmocercoides skrjabini* (Iwanitzky, 1940) [n. comb.]  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoy, A. A., 1951 a, 152
- Cosmocercoides timofejevi*  
 Osche, G., 1960 a, 434, fig. 13 a
- Cosmocercoides tridens* n.sp.  
 Wilkie, J. S., 1930 b, 610-611, fig. 3  
*Tylototriton andersoni*
- Cosmocercoides tridens*  
 Hsu, H. F., 1933 d, 517
- Cosmocercoides tridens* Wilkie, 1930  
 Pearse, A. S., 1932 b, 139  
*ecology*  
*Tylototriton andersoni:* Japan
- Cosmocercoides tridens* Wilkie  
 Travassos, L. P., 1931 g, 257, pl. 43, fig. 50  
*Tylototriton andersoni*
- Cosmocercoides tridens* Wilkie, 1930  
 Walton, A. C., 1933 a, 14, 15  
*Tylototriton andersoni* (rectum): Japan
- Cosmocercoides variabilis*  
 Chitwood, B. G.; and Chitwood, M. B., 1934 a, 9  
*Limax agrestis; Opeas goodalli*  
*Cosmocercoides variabilis* (Harwood)  
 Travassos, L. P., 1931 g, 258-259, pl. 44, figs. 51-54 b
- Cosmocercoides variabilis* (Harwood, 1930) Trav., 1931  
 Walton, A. C., 1933 a, 14, 15  
 Syn.: *Cosmocerca variabilis* Harwood, 1930  
*Ambystoma microstomum; A. opacum; Bufo vallidiceps; Hyla squirella; Pseudacris triseriata; Rana areolata; R. palustris; R. sphenocephala; Rana sylvatica; Triturus meridionalis:* all from U.S.A.
- Cosmocercoides variabilis* (Harwood, 1930) Trav., 1931  
 Walton, A. C., 1938 a, 42  
 as syn. of *Cosmocercoides dukae* (Holl, 1928)  
 Wilkie, 1930
- Cosmoxynema* n.g.  
 Travassos, L. P., 1949 a, 633, 634  
 [lapsus as p. 633: *Cesmoynema* n.g.]  
 tod: *C. vianai* n. sp.
- Cosmoxynema vianai* n. sp.  
 Travassos, L. P., 1949 a, 633, 634-635, pl. 1, fig. 1, pl. 2, figs. 3-6  
 tod: *Curimata gilberti:* Brasil
- Cosmoxynemoidea* n. g.  
 Travassos, L. P., 1949 a, 635  
 tod: *C. aguirrei* n. sp.
- Cosmoxynemoidea aguirrei* n. sp.  
 Travassos, L. P., 1949 a, 635, 636-637, pl. 1, fig. 2, pl. 2, figs. 7-9  
 (tod) *Curimata gilberti; Geophagus brasiliensis:* Brasil
- Cosmoxynema* n. g.  
 Travassos, L. P., 1949 a, 633  
 [lapsus for *Cosmoxynema*]
- Cottocomephronema* n. g.  
 Layman, E. M., 1933 b, 55, 56, 57, 88  
 tod: *C. problematica* n. sp.

- Cottocomorphonema Layman 1933  
 Chabaud, A. G.; Campana-Rouget, Y.; and Bryggo, E. R., 1960 a, 326, 335, 340  
 in Pinginae (Hstl 1933 fam.) [nov. subfam.]
- Cottocomorphonema Laymann, 1933  
 Skrjabin, K. I., 1946 a, 752  
 systematic position not clear
- Cottocomorphonema hamulatum (Moulton, 1931)  
 comb. nov.  
 Sudarikov, V. E.; and Ryzhikov, K. M., 1952 a, 155  
 Syn.: *Haplonema hamulatum* Moulton, 1931  
 key
- Cottocomorphonema problematica n. g. n. sp. (tod)  
 Layman, E. M., 1933 b, 55, 56, 57, 58, 60, 63, 69, 71, 89-90, 98, pls. 6-7, figs. 59-65  
*Cottocomphorus grewingki*  
 (intestine, stomach); *Cottus kneri* Dyb.  
 (intestine, stomach, pylorus); *Comephorus dybowskii* Kor. (stomach): all from Lake Baikal, USSR
- Courduriella n. gen.  
 Chabaud, A. G.; Bryggo, E. R.; and Petter, A. J., 1961 b, 537, 540  
 tod: *C. courdurieri* n. sp.
- Courduriella courdurieri n. gen., n. sp.  
 Chabaud, A. G.; Bryggo, E. R.; and Petter, A. J., 1961 b, 532, 537-540, figs. 3-4  
 Indris indris: Madagascar
- Cramispirura n. subg.  
 Skrjabin, K. I., 1931 e, 739  
 type: *Oxyspirura (Cramispirura) popowi* n. sp.
- Cramispirura Skrjabin, 1931 subg.  
 Chitwood, B. G.; and Wehr, E. E., 1934 a, 314  
*Oxyspirura*  
 key
- Cramispirura Skrj., 1931, subg.  
 Cram, E. B., 1937 a, 96, 97  
 type: *O. (C.) popowi* (Skrj., 1929)
- Crassicauda  
 Baylis, H. A., 1920 f, 410-419  
 type: *C. crassicauda* (Crepl.) not *C. c.* (Crepl.) Leiper & Atkinson 1914, 1915
- Crassicauda  
 Baylis, H. A., 1922 d, 9-12
- Crassicauda Leiper & Atkinson, 1914  
 Baylis, H. A.; and Daubney, R., 1926 a, 221-222  
 type: *C. crassicauda* (Crepl.)
- Crassicauda Leiper & Atkinson, 1914  
 Rauther, M., 1930 a, 369
- Crassicauda Leiper and Atkinson, 1914  
 Schuurmans Stekhoven, J. H., 1935 a, V.c 30  
*Crassicaudidae*  
 key to species
- Crassicauda Leiper & Atkinson, 1914  
 Skrjabin, K. I.; and Andreeva, N. K., 1934 a, 26-27, 28  
 table of species
- Crassicauda Leiper & Atkinson, 1914  
 Yorke, W.; and Maplestone, P. A., 1926 a, 14, 437  
 type: *C. crassicauda* (Creplin, 1829)
- Crassicauda sp. Baylis, 1920  
 Baylis, H. A., 1932 b, 404  
 Syn.: *C. bennetti* Spaul, 1926
- Crassicauda sp. Joyeux & Baer, 1931  
 Skrjabin, K. I.; and Andreeva, N. K., 1934 a, 28  
 Syn.: *C. crassicauda* of Joyeux & Baer, 1931
- Crassicauda bennetti sp. n.  
 Spaul, E. A., 1926 a, 581-585
- Crassicauda bennetti Spaul, 1926  
 Baylis, H. A., 1932 b, 404, 410  
 Syn.: *Crassicauda* sp. Baylis, 1920  
*Hyperoodon* sp. (probably *planifrons*) (kidney)
- Crassicauda bennetti Spaul, 1926  
 Deliämure, S. L., [1956 b], 318, 319  
 key
- Crassicauda bennetti Spaul (1926)
- Freund, L., 1932 a, 40, 41  
*Hyperoodon ampullatus* (Forster 1770)  
 (*Oesophagus* und *Magen*)
- Crassicauda bennetti  
 Johnston, T. H.; and Mawson, P. M., 1939 a, 267, 268
- Crassicauda bennetti Spaul  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 29, V.c 30, V.c 41, fig. 403  
*Hyperoodon ampullatus* (Forst.)
- Crassicauda bennetti Spaul, 1926  
 Skrjabin, K. I.; and Andreeva, N. K., 1934 a, 25, 26, 28  
*Hyperoodon* sp.
- Crassicauda boopis n.sp.  
 Baylis, H. A., 1920 f, 411, 418, 419, figs. 2a, 3a, 6a  
 Syn.: *Crassicauda crassicauda* (Crepl) of Leiper & Atkinson, 1914, 1915 renamed  
*Megaptera nodosa*
- Crassicauda boopis  
 Baylis, H. A., 1922 d, 10.
- Crassicauda boopis Baylis, 1920  
 Baylis, H. A., 1932 b, 404, 411, 413  
 Syn.: *C. crassicauda* of Leiper and Atkinson, 1914  
*Megaptera nodosa* (renal tubules and stomach)  
 (?) *Ziphius cavirostris* (renal tubules?)
- Crassicauda boopis Baylis, 1920  
 Delfamure, S. L., [1956 b], 319  
 key
- Crassicauda boopis Baylis (1920)  
 Freund, L., 1932 a, 32  
*Megaptera boops* (Fabricius 1780) Bonnaterre 1789
- Crassicauda boopis Bayl.  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 29, V.c 30, fig. 402  
*Megaptera boops*
- Crassicauda boopis Baylis, 1920  
 Skrjabin, K. I.; and Andreeva, N. K., 1934 a, 15, 23, 24-25, 26, 28, figs. 10 A, 13  
*Megaptera nodosa*
- Crassicauda boopis  
 Spaul, E. A., 1926 a, 584
- Crassicauda boopis Baylis, 1920  
 Yorke, W.; and Maplestone, P. A., 1926 a, 437  
*Megaptera nodosa*
- Crassicauda crassicauda (Crepl.)  
 Baylis, H. A., 1916 b, 144-148  
*Balaenoptera physalus*; *Balaenoptera musculus*; *Balaenoptera borealis*; *Megaptera nodosa*; ? *Ziphius cavirostris*
- Crassicauda crassicauda (Crepl.)  
 Baylis, H. A., 1920 f, 411, 418-419, figs. 1, 2b, 3b, 4, 5  
*Balaenoptera physalus*; *Balaenoptera musculus*
- Crassicauda crassicauda (Crepl.)  
 Baylis, H. A., 1922 d, 10, figs. 1-3
- Crassicauda crassicauda (Crepl.)  
 Baylis, H. A., 1926 m, 161
- Crassicauda crassicauda (Creplin)  
 Baylis, H. A., 1928 g, 339  
*Ziphius cavirostris*
- Crassicauda crassicauda (Creplin)  
 Baylis, H. A., 1929 h, 550  
*Balaenoptera physalus*
- Crassicauda crassicauda of Leiper and Atkinson, 1914  
 Baylis, H. A., 1932 b, 404  
 as syn. of *C. boopis* Baylis, 1920

- Crassicauda crassicauda* (Creplin, 1829) Leiper and Atkinson, 1915  
 Baylis, H. A., 1932 b, 405, 407, 408, 413  
 Syn.: *Filaria crassicauda* Creplin, 1829  
*Balaenoptera physalus*; *B. musculus*; *Tursiops truncatus*; (?) *Balaenoptera borealis*  
 (all, urino-genital system)  
*Crassicauda crassicauda* (Creplin, 1829)  
 Baylis, H. A.; and Daubney, R., 1926 a, 221  
*Crassicauda crassicauda* (Creplin) 1829  
 Cockrill, W. R., 1951 a, 123  
 fin whale: Antarctic  
*Crassicauda crassicauda* (Creplin, 1829), Leiper and Atkinson, 1915  
 Cockrill, W. R., 1960 a, 135, 137-138  
*Balaenoptera physalus* (ureter, kidney and caudal extremities): Weddell and Ross Sea areas  
*Crassicauda crassicauda* (Creplin, 1829) Leiper et Atkinson, 1914  
 Delämure, S. L., [1956 b], 318, 319  
 key  
*Crassicauda crassicauda* (Creplin 1829) Leiper & Atkinson 1914  
 Freund, L., 1932 a, 30, 32, 33, 35, 36, 37, 43  
*Balaenoptera physalus* (Linné 1758) (Corp. cav. penis); *Balaenoptera acutorostrata* Lacépède 1804 (Im ureter u. Corpus cav. penis); *Megaptera boops* (Fabricius 1780); Bonnaterre 1789; *Balaena mysticetus* Linné 1758 (Corpus cavernosum penis); *Balaenoptera musculus* (Linné 1758) (Corpus cav. penis); *Balaenoptera borealis* (Lesson 1828) (Corpus cav. penis); *Ziphius cavirostris* Cuvier 1823  
*Crassicauda crassicauda* (Creplin 1829)  
 Joyeux, Ch.; and Baer, J. G., 1931 e, 198-203  
*Tursiops tursio* Fabr.  
*Crassicauda crassicauda* (Creplin)  
 Rauther, M., 1930 a, 369  
*Crassicauda crassicauda* (Creplin, 1829) Leiper & Atkinson, 1915  
 Rees, G., 1953 a, 30-32, 33  
*Balaenoptera physalus* L.: Ross sea  
*Crassicauda crassicauda* (Creplin)  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 29, V. c 30, V.c 41, fig. 400  
*Balaenoptera physalus*; *Balaenoptera musculus*; *Balaenoptera borealis*; *Megaptera boops*; *Ziphius cavirostris*; ? *Tursiops tursio*  
*Crassicauda crassicauda* (Creplin, 1829)  
 Skrjabin, K. I.; and Andreeva, N. K., 1934 a, 15, 23, 24, 25, 28, figs. 10 b, 11-12  
*Balaenoptera* sp.  
*Crassicauda crassicauda* of Joyeux & Baer, 1931  
 Skrjabin, K. I.; and Andreeva, N. K., 1934 a, 28  
 as syn. of *Crassicauda* sp. Joyeux & Baer, 1931  
*Crassicauda crassicauda*  
 Skrjabin, K. I.; and Shul'ts, R. E. S., 1929 a, 26  
*Crassicauda crassicauda*  
 Spaul, E. A., 1926 a, 584  
*Crassicauda crassicauda* (Creplin, 1829) of Leiper & Atkinson, 1914  
 Yorke, W.; and Maplestone, P. A., 1924 a, 437  
 as syn. of *Crassicauda boopis* Baylis, 1920  
*Crassicauda crassicauda* (Creplin, 1829)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 437, fig. 298  
 type of genus  
*Balaenoptera* spp.  
*Crassicauda fuelleborni* (Hoepli and Hsü, 1929) n. comb.  
 Baylis, H. A., 1932 b, 405, 412  
 Syn.: *Onchocerca fuelleborni* Hoepli and Hsü, 1929  
*Neomeris phocaenoides* (nodules in musculation of vagina)
- Crassicauda fuelleborni* (Hoepli y Hsü, 1929) Baylis, 1932  
 Caballero y C., E., [1946 b], 393, 396  
 Syn.: *Onchocerca fuelleborni* Hoepli y Hsü, 1929  
*Crassicauda fuelleborni* (Hoepli y Hsü, 1929) Baylis, 1932  
 Caballero y Caballero, E., 1953 c, 366, 367  
*Crassicauda giliakiana* n. sp.  
 Skrjabin, K. I.; and Andreeva, N. K., 1934 a, 15, 17, 18, 19, 20-23, 25, 28, figs. 1-9, 10 C  
*Delphinoptera leucos*  
*Crassicauda giliakiana* Skrjabin et Andreeva, 1934  
 Delämure, S. L., [1956 b], 318, 321  
 key  
*Hyperoodon ampullatus* (Forst.)  
*Crassicauda giliakiana* Skrjabin y Andrews, 1934  
 Lopez-Neyra, C. R., 1958 b, 15, 18, pl., figs. 1-4  
*Ziphius cavirostris* Cuvier: Almeria  
*Crassicauda giliakiana* Skrjabin and Andreeva Schuurmans Stekhoven, J. H., 1935 f, V.c 29, V.c 30, V.c 41, fig. 401  
*Delphinapterus leucas*: Ochotskischen Meer  
*Crassicauda giliakiana* Skrj. et Andr., 1933  
 Vsevolodov, B. P., 1948 a, 132  
 pathological histology of kidney  
*Delphinoptera leucos*  
*Crassicauda gramicola* sp. nov.  
 Johnston, T. H.; and Mawson, P. M., 1941 d, 429, 430, 433-434, figs. 6-10  
*Grampidelphis exilis*: Manly, N.S.W.  
*Crassicauda gramicola* Johnston et Mawson, 1941  
 Delämure, S. L., [1956 b], 319, 324  
 key  
*Crassicauda gramicola* J. & M., 1951  
 Mackerras, M. J., 1958 b, 136  
*Grampidelphis exilis*: Australia  
*Crassicauda magna* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1939 a, 263, 264, 265, 266-268, figs. 9-10  
*Kogia breviceps*: Port Victoria, South Australia; and Moreton Bay, Queensland  
*Crassicauda magna* J. & M., 1939  
 Mackerras, M. J., 1958 b, 136  
*Kogia breviceps*: Australia  
*Crassicauda pacifica* n. sp.  
 Margolis, L.; and Pike, G. C., 1955 a, 97, 111-116, 117, figs. 7-12  
*Balaenoptera physalus*: west coast Vancouver Island  
*Crassisoma Alessandrini*  
 Alessandrini, G. C., 1929 a, 184  
*Crassisoma Alessandrini*  
 Baylis, H. A., 1929 c, 167  
 as syn. of *Globocephalus* Molin  
*Crassisoma Alessandrini*, 1909  
 Baylis, H. A., 1936 a, 328  
 as syn. of *Globocephalus* Molin, 1861  
*Crassisoma Alessandrini*, 1909  
 Baylis, H. A.; and Daubney, R., 1926 a, 169  
 as syn. of *Globocephalus* Molin  
*Crassisoma*  
 Hall, M. C., 1923 j, 178, 179  
*Crassisoma Alessandrini*, 1909  
 Sprehn, C. E. W., 1932 c, 695  
 as syn. of *Globocephalus* Molin, 1861  
*Crassisoma*  
 Travassos, L. P., 1920 h, 65  
*Crassisoma Alessandrini*  
 Yorke, W.; and Maplestone, P. A., 1926 a, 48  
 as syn. of *Globocephalus* Molin  
*Crassisoma* sp.  
 Van Volkenberg, H. L., 1931 a, 39  
 swine: Porto Rico  
*Crassisoma samoense* n. sp.  
 Lane, C., 1922 e, 684-685  
 swine: Pacific

- Crassisoma samoense* Lane, 1922  
 Lane, C., 1923 e, 353  
 as syn. of *Raillietostrongylus samoensis* (Lane)  
*Crassisoma samoense* Lane  
 Cameron, T. W. M., 1924 h, 68, 74  
 as syn. of *Globocephalus samoensis* (Lane)  
*Crassisoma samoense* Lane  
 Hall, M. C., 1923 i, 241  
*Crassisoma samoense* Lane 1922  
 Hall, M. C., 1923 j, 178, 179, 1 fig.  
 swine: Samoa  
*Crassisoma samoensis* (Lane 1922)  
 Reyes, R. V., 1937 a, 1120  
 cerdo: Colombia  
*Crassisoma samoanensis* [sic] Lane, 1922  
 Reyes, R. V., 1938 a, 21  
 cerdo [swine]: Colombia  
*Crassisoma samoense* Lane, 1922  
 Sprehn, C. E. W., 1932 c, 696  
 as syn. of *Globocephalus samoense* (Lane, 1922)  
*Crassisoma samoense* Lane  
 Tubangui, M. A., 1925 a, 29  
*Crassisoma samoense* Lane  
 Yorke, W.; and Maplestone, P. A., 1926 a, 49  
 as syn. of *Globocephalus samoensis* (Lane)  
*Crassisoma subulatum*  
 Fiebiger, J., 1923 a, 411  
 [for *C. urosubulatum*?]  
 Schwein  
*Crassisoma urosubulatum* Aless.  
 Alessandrini, G. C., 1929 a, 184, fig. 172  
*Crassisoma urosubulatum*  
 Andrews, J. S.: and Connelly, J. W., 1945 a, 8, 9, 10, 11  
 pigs: Southeastern States  
*Crassisoma urosubulatum*  
 Beatty, H. A., 1944 a, 109  
 swine: St. Croix, V. I.  
*Crassisoma urosubulatum* Aless.  
 Cameron, T. W. M., 1924 h, 66, 72, 74  
 as syn. of *Globocephalus urosubulatus*  
*Crassisoma urosubulatum*  
 Cram, E. B., 1922 a, 49  
*Crassisoma urosubulatum* Aless., 1909 (?)  
 Dikmans, G., 1927 b, 22  
 pigs: Porto Rico  
*Crassisoma urosubulatum*  
 Dikmans, G., 1929 a, 27, 28  
 pigs: Porto Rico  
*Crassisoma urosubulatum*  
 Fiebiger, J., 1923 a, 293, 420  
 Schwein  
*Crassisoma urosubulatum*  
 Hall, M. C., 1922 t, 290, fig. 6  
*Crassisoma urosubulatum*  
 Hall, M. C., [1923 b], 29, fig. 22  
*Crassisoma urosubulatum*  
 Hall, M. C., 1923 i, 241  
*Crassisoma urosubulatum*  
 Hall, M. C., 1923 j, 178, 179  
 swine: Italy, France, Germany, United States  
*Crassisomum urosubulatum* Aless.  
 Joan, T., 1922 a, 13  
 Sus  
*Crassisoma urosubulatum*  
 Lahille, F.; and Joan, T., 1930 a, 123-124, 128  
 Sus scrofa  
*Crassisoma urosubulatum*  
 Lahille, F.; and Joan, T., 1930 b, 137-138, pl. 2  
*Crassisoma urosubulatum*  
 Lane, C., 1923 e, 357  
*Crassisoma urosubulatum*  
 Ransom, B. H., 1921 o, 190
- Crassisoma urosubulatum*  
 Schwartz, B., [1941 e], 85  
 (under ordinary conditions hookworms may be of minor importance as parasites of swine in the South)  
*Crassisoma urosubulatum* Aless.  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 446  
*Crassisoma urosubulatum*  
 Spindler, L. A., 1934 d, 40  
 hogs: Southern U.S.  
*Crassisoma urosubulatum*  
 Spindler, L. A., 1942 b, 764  
*Crassisoma urusubulatum* Alessandrini, 1909  
 Sprehn, C. E. W., 1932 c, 697  
 as syn. of *Globocephalus urusubulatus* (Alessandrini, 1909)  
*Crassisoma urosubulatum* Aless.  
 Tubangui, M. A., 1925 a, 29  
*Crassisoma urosubulatum*  
 Turbet, C. R., 1949 b, 92  
 pigs  
*Crassisoma urosubulatum*  
 Van Volkenberg, H. L., in Roberts, G. A., 1933 a, 15  
 swine: Virgin Islands  
*Crassisoma urosubulatum* Alessandrini  
 Yorke, W.; and Maplestone, P. A., 1926 a, 49  
 as syn. of *Globocephalus urosubulatus* (Aless.)  
*Craterostomum* n.g.  
 Boulenger, C. L., 1920 c, 105  
 tod: *C. tenuicauda* n.sp.  
*Craterostomum* Boulenger  
 Baylis, H. A., 1929 c, 151  
*Craterostomum* Boulenger, 1920  
 Baylis, H. A.; and Daubney, R., 1926 a, 152  
 type: *C. acuticaudatum* (Kotlán)  
*Craterostomum*  
 Borchert, A., 1949 d, 1  
*Craterostomum*  
 Cram, E. B., 1924 g, 666  
*Craterostomum*  
 Ershov, V. S., 1930 a, 303-310  
*Craterostomum* Boulenger, 1920  
 Ershov, V. S., 1933 b, 42-43  
 diagnosis, Strongylinae  
*Craterostomum*  
 Ihle, J. E. W., 1920 b, 267, 268, 272-273  
*Craterostomum*  
 Ihle, J. E. W., 1922 b, 9, 19, 33-34, 86  
*Craterostomum*  
 Ihle, J. E. W., 1925 b, 230  
*Craterostomum* Boulenger  
 Lopez-Neyra, C. R., 1924 a, 166-167  
*Craterostomum*  
 Popov, N. P., 1927 b, 193  
*Craterostomum* Boulenger  
 Rauther, M., 1930 a, 376  
*Craterostomum* Boulenger, 1920  
 Rosa, W. A.; and Galofre, E. J., 1940 a, 19  
*Craterostomum*  
 Sprehn, C. E. W., 1927 e, 47  
*Craterostomum* Boulenger, 1920  
 Sprehn, C. E. W., 1932 c, 640, 647  
 type: *C. acuticaudatum* (Kotlán, 1919)  
*Craterostomum* Boulenger, 1920  
 Theiler, G., 1923 a, 6, 9, 11, 12, 16, 18, 20, 23  
*Craterostomum* Boulenger  
 Wetzel, R., 1926 a, 624  
*Craterostomum* Boulenger, 1920  
 Yorke, W.; and Maplestone, P. A., 1926 a, 6, 37, 45  
 type: *C. acuticaudatum* (Kotlán)  
*Craterostomum* acuticaudatum (Kotlán)  
 Baylis, H. A., 1929 c, 151

- Craterostomum acuticaudatum* (Kotlán, 1919)  
 Baylis, H. A.; and Daubney, R., 1926 a, 152
- Craterostomum acuticaudatum*  
 Cram, E. B., 1924 g, 668
- Craterostomum acuticaudatum* (Kotlán, 1919)  
 Ershov, V. S., 1933 b, 39, 40, 41, 42, 43-49,  
 50, figs. 4-13  
 Syns.: *C. mucronatum* (Ihle, 1920); *C. tenuicauda* (Boulenger, 1920)  
*Equus caballus*; zebra
- Craterostomum acuticaudatum*  
 Hueber, P., 1926 a, 129
- Craterostomum acuticaudatum* (Kotlán)  
 Ihle, J. E. W., 1920 b, 273, 274
- Craterostomum acuticaudatum* (Kotlán)  
 Ihle, J. E. W., 1922 b, 34, 36
- Craterostomum acuticaudatum* (Kotlán, 1919)  
 Iren, Z., 1943 a, 29, 37, 38  
 Syn.: *C. mucronatum* (Ihle, 1920)  
*Pferd*; Turkey
- Craterostomum acuticaudatum* (Kotlán, 1919)  
 Boulenger, 1920  
 Kazlauskas, J., [1959 a], 86  
 horses: Lithuanian SSR
- Craterostomum acuticaudatum*  
 Kopyrin, A. V., 1941 a, 77, 78, 80, 82, fig.  
 V(11)
- Craterostomum acuticaudatum*  
 Kulikov, N. S., 1959 a, 36  
 overwintering: Irkutsk oblast
- Craterostomum acuticaudatum* Kotlán  
 Lopez-Neyra, C. R., 1924 a, 167
- Craterostomum acuticaudatum* Kotlán  
 v. Ostertag, R., 1932 a, 504  
 meat inspection  
*Pferde* (Kolon u. Zökum)
- Craterostomum acuticaudatum*  
 Palimpsestov, M. A., 1937 a, 456  
 horse: Orenburg district
- Craterostomum acuticaudatum* (Kotlán, 1919)  
 Robertson, D., 1939 c, 780  
 Shetland pony: North of Scotland
- Craterostomum acuticaudatum* Kotlán, 1919  
 Rosa, W. A., and Galofre, E. J., 1940 a, 19
- Craterostomum acuticaudatum* (Kotlán)  
 Roveda, R. J.; and Ringuelet, R., 1947 a, 72  
*Equus caballus*: Argentina
- Craterostomum acuticaudatum* (Kotlán)  
 Sluiter, C. P.; Swellengrebel, N. H.; and  
 Ihle, J. E. W., [1922 a], 442
- Craterostomum acuticaudatum*  
 Sprehn, C. E. W., 1927 e, 47
- Craterostomum acuticaudatum* (Kotlán, 1919)  
 Sprehn, C. E. W., 1932 c, 647, 648, 815  
 Syns.: *Cylicostomum acuticaudatum* Kotlán,  
 1919; *Craterostomum tenuicauda* Boulenger,  
 1920  
*Equus caballus* (Dickdarm): Ungarn u.  
 Britisch-Ostafrika
- Craterostomum acuticaudatum*  
 Swierstra, D.; Jansen, J. (jr.); and van den  
 Broek, E., 1959 a, 893  
*Equus caballus*: Netherlands
- Craterostomum acuticaudatum* Kotlán, 1919  
 Theiler, G., 1923 a, 23, 70-71, 112, 113  
 Syn.: *Cylicostomum acuticaudatum* Kotlán,  
 1919
- Craterostomum acuticaudatum* Kotlán, 1919  
 Toshchev, A. P., 1949 b, 174  
 horses: eastern Siberia
- Craterostomum acuticaudatum* Kotlán  
 Wetzel, R., 1926 a, 624
- Craterostomum acuticaudatum* (Kotlán)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 45  
 type of genus  
 equines
- Craterostomum calicatiforme*  
 v. Ostertag, R., 1932 a, 504  
 meat inspection  
*Pferde* (Dickdarm)
- Craterostomum .... caudatum* (Kotlán, 1919)  
 Safronov, M. G., [1954 a], 637  
 horses: Yakutsk ASSR
- Craterostomum cymatostomum*  
 v. Ostertag, R., 1932 a, 504  
 meat inspection  
*Pferde* (Dickdarm): Ungarn
- Craterostomum mucronatum* (Ihle) [n. comb.]  
 Ihle, J. E. W., 1920 b, 273
- Craterostomum mucronatum* (Ihle)  
 Ihle, J. E. W., 1922 b, 34-36, figs. 21-24
- Craterostomum mucronatum* (Ihle)  
 Baylis, H. A., 1929 c, 151
- Craterostomum [sic] mucronatum*  
 Cram, E. B., 1924 g, 668
- Craterostomum mucronatum*  
 Endrigkeit, A., 1939 a, 5, 16, fig. 2  
*Pferde*: Ostpreussen
- Craterostomum mucronatum* (Ihle, 1920)  
 Ershov, V. S., 1933 b, 39, 40, 41, 42, 43,  
 figs. 1-2  
 as syn. of *C. acuticaudatum* (Kotlán, 1919)
- Craterostomum mucronatum* (Ihle, 1920)  
 Foster, A. O., 1936 d, 59  
 equines: Panama
- Craterostomum mucronatum* (Ihle, 1920)  
 Foster, A. O., 1936 e, 488, 502
- Craterostomum mucronatum*  
 Foster, A. O.; and Ortiz O., P., 1937 a, 361
- Craterostomum mucronatum* Ihle 1920  
 Galofre, E. J.; and Rosa, W. A., 1944 a, 67,  
 74-75, figs. B-F  
 Syn.: *Cylicostomum mucronatum* Ihle 1920  
*caballo*: Argentina
- Craterostomum mucronatum*  
 Hueber, P., 1926 a, 129
- Craterostomum mucronatum* Ihle  
 Le Roux, P. L., 1924 a, 128
- Craterostomum mucronatum*  
 Le Roux, P. L., 1924 c, 127
- Craterostomum muçronatum* (Ihle)  
 Lewis, E. A., 1926 a, 182
- Craterostomum mucronatum* (Ihle)  
 Lewis, E. A., 1927 d, 129  
*horse*
- Craterostomum mucronatum* (Ihle, 1920)  
 Lizcano Herrera, J., 1950 b, 300-301, figs.  
*caballo*; mulo: both from Spain
- Craterostomum mucronatum* Ihle, 1920  
 Lizcano Herrera, J., 1951 a, 285, pl. 2, figs.  
 7-8  
*caballo*: Espana
- Craterostomum mucronatum* Ihle  
 Lopez-Neyra, C. R., 1924 a, 167
- Craterostomum mucronatum*  
 McIntosh, A., 1933 c, 110  
 equines: Puerto Rico
- Craterostomum mucronatum* (Ihle, 1920)  
 Mikacić, D., 1936 a, 49, 64, 65, 66, 68  
*horse*: Zagreb
- Craterostomum mucronatum*  
 Mönnig, H. O., 1926 b, 225  
*Hippotigris zebra*
- Craterostomum mucronatum* (Ihle, 1920)  
 Mönnig, H. O., 1928 a, 808  
*horse*, mule, donkey, zebra, mountain zebra
- Craterostomum mucronatum* (Ihle, 1920)  
 Pinto, C.; and Lins de Almeida, J., 1935 a,  
 55  
*Equus caballus*: Brasil
- Craterostomum mucronatum* (Ihle, 1920)  
 Pinto, C. F.; and Lins de Almeida, J., 1937 b,  
 475  
*Equus caballus*: Brésil

- Craterostomum mucronatum* (Ihle)  
 Roveda, R. J.; and Ringuelet, R., 1947 a, 72  
*Equus caballus*: Argentina
- Craterostomum mucronatum* (Ihle)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 442
- Craterostomum mucronatum*  
 Sprehn, C. E. W., 1927 e, 47
- Craterostomum mucronatum* (Ihle, 1920)  
 Sprehn, C. E. W., 1932 c, 647, 648, 815, 816, 817  
 Syn.: *Cylicostomum mucronatum* Ihle, 1920  
*Equus caballus* (*Colon und Caecum*): E. asinus; E. mulus
- Craterostomum mucronatum* Ihle, 1920  
 Theiler, G., 1923 a, 9, 10, 11, 23, 70, 100, 101, 103, 104, 106, 108, 110, 112, 113, pl. XXXVII  
 Syn.: *Cylicostomum mucronatum* Ihle, 1920 horse, donkey, mule, zebra
- Craterostomum mucronatum*  
 Van Volkenberg, H. L., 1938 a, 8 horse: Puerto Rico
- Craterostomum mucronatum* (Ihle, 1920)  
 Van Volkenberg, H. L., 1939 a, 7 horse: Puerto Rico
- Craterostomum mucronatum* (Ihle, 1920)  
 Vaz, Z., 1934 e, 73 equideos: Brasil
- Craterostomum mucronatum* (Ihle)  
 Wetzel, R., 1926 a, 624-625, fig. 2
- Craterostomum mucronatum* (Ihle, 1920)  
 Wetzel, R., [1933 ? a], 3 Pferd; Esel
- Craterostomum mucronatum* (Ihle)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 45, fig. 18 equines
- Craterostomum rátzii*  
 v. Ostertag, R., 1932 a, 504 meat inspection  
 Pferde (Dickdarm): Ungarn
- Craterostomum tenuicauda* n.sp.  
 Boulenger, C. L., 1920 c, 105-107, fig. 7 zebra: Nairobi
- Craterostomum tenuicauda* Boulenger  
 Baylis, H. A., 1929 c, 151
- Craterostomum tenuicaudatum* Boulenger, 1920  
 Baylis, H. A.; and Daubney, R., 1926 a, 152 as syn. of *Craterostomum acuticaudatum* (Kotlán)
- Craterostomum* [sic] *tenuicauda*  
 Cram, E. B., 1924 g, 668
- Craterostomum tenuicauda* (Boulenger, 1920)  
 Ershov, V. S., 1933 b, 39, 40, 42, 43, fig. 3 as syn. of *C. acuticaudatum* (Kotlán, 1919)
- Craterostomum tenuicaudatum*  
 Hueber, P., 1926 a, 129
- Craterostomum tenuicauda* Boulenger  
 Ihle, J. E. W., 1920 b, 273, 274
- Craterostomum tenuicauda* Boulenger  
 Ihle, J. E. W., 1922 b, 34, 36-37, figs. 25, 26 zebra: Brit. E. Africa
- Craterostomum tenuicauda*  
 Rai, P., [1960 a], 101
- Craterostomum tenuicauda* Boulenger  
 Rai, P., 1960 c, 200-202, figs. 1-4 pony: India
- Craterostomum tenuicauda* Boulenger, 1920  
 Robertson, D., 1939 c, 780
- Craterostomum tenuicauda* Boulenger, 1920  
 Theiler, G., 1923 a, 12, 23, 69-70, 71, 112 zebra
- Craterostomum tenuicauda* Boulenger  
 Yorke, W.; and Maplestone, P. A., 1926 a, 45 as syn. of *Craterostomum acuticaudatum* (Kotlán)
- Creagroceridae* n. fam.  
 Baylis, H. A., 1943 a, 123 mt: *Creagrocerus* n.g.
- Creagrocerus* n.g.  
 Baylis, H. a., 1943 a, 123 tod: *C. barbatus* n. sp.
- Creagrocerus barbatus* n. sp.  
 Baylis, H. A., 1943 a, 123-125, figs. 28-34 *Moniligaster gravelyi* Stephenson: Kavalai, Cochin, South India
- Crenosoma*  
 Baylis, H. A., 1926 n, 521
- Crenosoma* Molin, 1861  
 Baylis, H. A.; and Daubney, R., 1926 a, 177 type: *C. striatum* (Zeder)
- Crenosoma* Molin, 1861  
 Bhalerao, G. D., 1932 d, 244, 245, 247
- Crenosoma* Molin, 1861  
 Böhm, L. K.; and Gebauer, O., 1934 a, 288, 291 key  
*Bronchostrongylinae* n. subfam.  
*Crenosoma* Molin, 1861  
 de Bruyn, W. M., 1933 a, 151, 152 type species: *C. striatum* (Zeder, 1800) Insectiv., Carniv. (Atmungsapparat): Eur., N.-Amerika
- Crenosoma*  
 Cameron, T. W. N., 1927 n, 1
- Crenosoma* Molin, 1861  
 Dougherty, E. C., 1945 b, 44, 45, 52-53, 56, 57, 58, 59 *Trichostrongylidae*, *Skrjabingylinae*
- Crenosoma* Molin, 1861  
 Dougherty, E. C., 1949 a, 218-219 key  
 type: *C. vulpis* (Dujardin [1844]) Railliet, 1915 tsd Yorke & Maplestone, 1926
- Crenosoma*  
 Freund, L., 1930 c, 65, 86
- Crenosoma*  
 Petrov, A. M., 1941 a, 574-575
- Crenosoma* Molin  
 Rauther, M., 1930 a, 379
- Crenosoma*  
 Seurat, L. G., 1919 f, 988
- Crenosoma*  
 Skrjabin, K. I.; and Petrov, A. M., 1928 a, 329-335
- Crenosoma*  
 Sprehn, C. E. W., 1927 e, 62
- Crenosoma* Molin, 1861  
 Sprehn, C. E. W., 1932 c, 736, 746-747 type species: *C. striatum* (Zeder, 1800)
- Crenosoma* Molin, 1861  
 Wallace, F. G., 1941 a, 59-60 key to species
- Crenosoma* Molin, 1861  
 Yorke, W.; and Maplestone, P. A., 1926 a, 158, 165-166 type: *C. striatum* (Zeder)
- Crenosoma* sp.  
 Bump, G., 1941 a, 225 gray fos: N. York
- Crenosoma* sp.  
 Delianova, R. Sh., 1957 a, 68 distribution
- ?*Crenosomum* sp., of Railliet, 1899  
 Dougherty, E. C., 1945 b, 47 as syn. of *Crenosoma vulpis* (Dujardin, 1844) Railliet, 1915
- Crenosoma* sp., of Goble and Cook, 1942  
 Dougherty, E. C., 1945 b, 51 as syn. of *Crenosoma goblei* sp. nov.
- Crenosoma* sp. (possibly *C. striatum* or *C. taiga*)  
 Goble, F. C.; and Cook, A. H., 1942 a, 452, 453, 455 Procyon l. lotor: New York

- Crenosoma* sp.  
Gorshunov, E. I., 1937 a, 142  
[dog]: Gorkii Oblast
- Crenosoma* sp.  
Law, R. G.; and Secord, A. C., 1931 a, 42-44  
red fox
- Crenosoma* sp.  
Meyer, M. C.; and Chitwood, B. G., 1951 a, 320  
Martes p. pennanti: Maine
- Crenosoma* sp.  
Olsen, O. W., 1950 b, 82  
Martes caurina origines: Colorado
- Crenosoma* [sp.]  
Skrjabin, K. I.; and Popov, N. P., 1927 a, 135  
*Erinaceus transcaucasicus*: Armenia
- Crenosoma* sp.  
Swales, W. E., 1933 a, 477  
*Vulpes fulva*: Ontario
- Crenosoma* new sp.  
Whitlock, J. H., 1960 a, 47  
bears (lungs): New York
- Crenosoma armatum* Molin  
Koffman, M., 1939 a, 555  
as syn. of *C. vulpus* Dujardin
- Crenosoma caucasicum* n. sp.  
Rodonaia, T. E., 1956 a, 161-166, 177, 182, 184, 186, figs. 1, 2  
*Erinaceus europaeus transcaucasicus*: Lagodekhskii state preserve
- Crenosoma coloradoensis* n. sp.  
Olsen, O. W., 1952 b, pl., figs. 1-6  
Martes caurina origines
- Crenosoma decoratum* (Creplin, 1847) Stossich, 1898  
Cameron, T. W. M., 1933 a, 5  
foxes
- Crenosoma decoratum* (Creplin, 1847) Stossich, 1898  
Dougherty, E. C., 1945 b, 47  
as syn. of *Crenosoma vulpis* (Dujardin, 1844)  
Railliet, 1915
- Crenosoma decoratum* (Creplin)  
Freund, L., 1930 c, 77, fig. 33
- Crenosoma decoratum* Crepl.  
Galli-Valerio, B., 1930 c, 218  
*Vulpes vulgaris*; *Canis lupus*
- Crenosoma decoratum* Crepl.  
Galli-Valerio, B., 1930 d, 74
- Crenosoma decoratum* Creplin  
Galli-Valerio, B.; and Nicole, A., 1932 a, 573  
renard argente
- Crenosoma decoratum*  
Gunn, C. D., 1948 a, 7  
treatment  
foxes
- Crenosoma decoratum* Creplin  
Heidegger, E., 1931 a, 146, fig. 2
- Crenosoma decoratum*  
Kirner, P., 1933 a, 247, 248-249, fig. 7  
Silberfuchs (Kot)
- Crenosoma decoratum*  
Law, R. G., 1931 a, 24  
foxes
- Crenosoma decoratum* Creplin, 1847; Stoss., 1898  
Law, R. G.; and Kennedy, A. H., 1932 b, 29  
fox (lungs and trachea): Ontario
- Crenosoma decoratum*  
Müller, A., 1931 a, 7-11  
Silberfuchs
- Crenosoma decoratum* (Creplin, 1847)  
Nöller, W.; and Schmid, F., 1932 a, 737, 738, 739, 740, 741, 742, 743, figs. 7-11  
Silberfuch
- Crenosoma decoratum*  
Shillinger, J. E., 1942 b, 1237
- Crenosoma decoratum* [? for *Crenosoma decoratum*]  
Stetter, R., 1933 a, 33  
Silberfuchs
- Crenosoma decoratum*  
Stevenson, L., 1939 b, 4  
fox
- Crenosoma decoratum*  
Swales, W. E., 1933 a, 474  
*Vulpes fulva*: Ontario
- Crenosoma decoratum* (Creplin)  
Yorke, W.; and Maplestone, P. A., 1926 a, 166  
*Canis vulpes*
- Crenosoma goblei* sp. nov.  
Dougherty, E. C., 1945 b, 45, 47, 48, 51-52, 53, 54, 55, 58, 59, figs. 1D, 2A, 3B-C  
key  
Syn.: *Crenosoma* sp., of Goble and Cook, 1942  
*Procyon lotor psora* Gray; *Procyon l. lotor* (Linne')
- Crenosoma* (?) *goblei* Dougherty 1942  
Babero, B. B.; and Shepperson, J. R., 1958 a, 519  
raccoons: Georgia
- Crenosoma goblei*  
Voge, M., 1956 a, 426  
*Procyon lotor*: California
- Crenosoma hermani* n. sp.  
Anderson, R. C., 1962 b, 893, 895-896, figs. 1-8  
*Mustela vison vison* (bronchi): Algonquin Park, Ontario, Canada
- Crenosoma lophocara* n. sp.  
Gerichter, C. B., 1951 b, 184, 185, 186, pl., figs. 1-10  
*Erinaceus roumanicus sacer*: Northern Syria
- Crenosoma mephitidis* [n. sp.]  
Hobmaier, M., 1940 a, 20  
dogs
- Crenosoma mephitidis* n. sp.  
Hobmaier, M., 1941 a, 229-232, figs. 1-4  
*Spilogale gracilis phenax*; *Mephitis occidentalis*; *Thamnophis sirtalis infernalis*; *Limax*; *Helix*; *Agriolimax*; *Ephiphragmophora*; *Milax*: all from California
- Crenosoma mephitidis*  
Hobmaier, M., 1941 d, 352-354  
skunks; young dogs (exper.); silver foxes (exper.)
- Crenosoma mephitidis* Hobmaier, 1941  
Dougherty, E. C., 1945 b, 45, 47, 48, 49, 50, 52, 53, 54, 55, 58, 59, figs. 1B, 2B, 3A, 3D  
key  
Syns.: *Crenosoma mephitidis* Hobmaier, 1940, *nomen nudum*; *Crenosoma zederi* Goble, 1942  
*Mephitis mephitidis* occidentalis Baird; *Spilogale gracilis phenax* Merriam; *Mephitis mephitidis nigra* (Peale and Beauvois); *Vulpes fulva* (Desmarest) (exper.); *Canis familiaris* Linne' (exper.)
- Crenosoma mephitidis* Hobmaier, 1940, *nomen nudum*  
Dougherty, E. C., 1945 b, 48, 49, fig. 1B  
as syn. of *Crenosoma mephitidis* Hobmaier, 1941
- Crenosoma mephitidis* Hobmaier, 1941  
Erickson, A. B., 1944 b, 360, 366  
*Vulpes fulva*: North America
- Crenosoma mephitidis* Hobmaier, 1941  
Erickson, A. B., 1946 a, 496, 502, 503, 506  
key  
*Mephitis mephitidis*; *Spilogale putorius*: both from North America
- Crenosoma mephitidis*  
Goble, F. C., 1942 a, 381, 382, 383

- Crenosoma mephitis*  
Voge, M., 1956 a, 426  
Mephitis mephitis; *Spilogale gracilis*: both from California
- Crenosoma mephitis* Hobmaier, 1941  
Wallace, F. G., 1941 a, 59
- Crenosoma microbursa* n. sp.  
Wallace, F. G., 1941 a, fig. 1A-D  
Mephitis minnesotae: Itasca State Park, Minn.
- Crenosoma microbursa* Wallace, 1941  
Dougherty, E. C., 1945 b, 45, 47, 48, 50, 52, 54, 55, 58, 59, fig. 1C  
key  
Mephitis mephitis hudsonica Richardson: Minnesota
- Crenosoma microbursa* Wallace, 1941  
Erickson, A. B., 1946 a, 496, 502, 506  
key  
Mephitis mephitis: North America
- Crenosoma mustelae* Galli-Valerio  
Galli-Valerio, B., 1930 c, 218  
Mustela putorius
- Crenosoma mustelae* Galli-Valerio  
Galli-Valerio, B., 1930 d, 74  
Foetus putorius
- Crenosoma mustelae* Galli-Valerio, 1930 nomen nudum  
Böhm, L. K.; and Gebauer, O., 1934 a, 291  
? *Crenosoma mustelae* Galli-Valerio, 1930  
Dougherty, E. C., 1945 b, 51  
as syn. of *Crenosoma taiga* Skriabin and Petrov, 1928
- Crenosoma petrovi* nov. spec.  
Morozov, F. N., 1939 a, 5, 7, 32-33, 34, 35, 40, 43, 44, figs. 13-14  
Martes martes: Gorkii oblast
- Crenosoma petrowi* Romanov. 1939  
Baianov, M. G.; and Toshchev, A. P., 1957 a, 31  
sable [Mustela zibellina] (respiratory organs): Irkutsk region
- Crenosoma petrovi* Morozov, 1939  
Dougherty, E. C., 1945 b, 45, 46, 47, 50, 52, 55, 58, 59, 60  
key  
Syn.: *Crenosoma petrowi* Morozov, 1939  
(err. pro *C. petrovi*)  
Martes martes ruthena Ognev: U.S.S.R.
- Crenosoma petrowi* Morozov, 1939 (err. pro *C. petrovi*)  
Dougherty, E. C., 1945 b, 50  
as syn. of *Crenosoma petrovi* Morozov, 1939
- Crenosoma petrowi* Morosow  
Enukidze, G. P., 1954 a, 115, 116, 117, 118  
Martes martes lorenzi: Lagodekhi preserve, Gruzinsk. SSR
- Crenosoma petrowi*  
Maldžiūnaitė, S., [1960 a], 57, 59  
Martes martes martes: Lithuania
- Crenosoma petrowi* (Morosow, 1939)  
Petrov, A. M., 1940 a, 223  
Martes martes; Martes foina
- Crenosoma petrowi* Morosow, 1938 [sic]  
Petrov, A. M., 1941 a, 574  
Martes foina
- Crenosoma petrowi* Morosow, 1939  
Rodonaià, T. E., 1951 a, 132-133, 138  
Martes m. lorenzi: Georgian SSR
- Crenosoma petrowi* Morosow, 1939  
Rodonaià, T. E., 1956 a, 161, 177  
Martes m. lorenzi: Lagodekhskii state preserve
- Crenosoma petrovi*  
Romanov, I. V., 1959 a, 1314  
sable: Krasnoyarsk territory
- Crenosoma petrovi* Morosow, 1939  
Romanov, I. V., 1960 a, 997-998, figs. 2-3  
Martes zibellina (lungs): Krasnoiarsk krai
- Crenosoma potos* n. sp.  
Buckley, J. J. C., 1930 a, 229-238 (1-10)  
*Potos flavus*
- Crenosoma potos* Buckley, 1930  
Dougherty, E. C., 1945 b, 45, 46, 50, 53, 54, 55, 56, 58, 59, 60  
key  
*Potos flavus* (?subsp.): London Zoological Garden
- Crenosoma potos*  
Nöller, W., and Schmid, F., 1932 a, 739, 742  
*Potos flavus*
- Crenosoma potos* Buckley, 1930  
Petrov, A. M., 1941 a, 574  
*Potos potos*
- Crenosoma potos* Buckley, 1930  
Wallace, F. G., 1941 a, 59, 60  
key
- Crenosoma schulzi* n. sp.  
Gagarin, V. G., 1958 a, 117-120, figs. 1-3  
badger (*Meles meles*) (bronchi): southern Kirgizia
- Crenosoma semiarmatum* Molin  
Baylis, H. A., 1926 n, 520  
as syn. of *C. vulpis* (Duj.)
- Crenosoma semiarmatum*  
Brandt, A. J., 1929 b, 190
- Crenosoma semiarmatum*  
Errington, B. J., 1930 a, 239-246
- Crenosoma semiarmatum*  
Hanson, K. B., 1925 d, 5-6  
fox
- Crenosoma semiarmatum*  
Hanson, K. B., 1925 e, 52
- Crenosoma semiarmatum* Molin  
Riley, W. A., 1921 a, 91  
Syns.: *Strongylus decoratus* Greplin; *Liarhynchus vulpis* Duj.  
*Vulpes vulpes*
- Crenosoma semiarmatum* Molin, 1861  
Sprehn, C. E. W., 1932 c, 747  
as syn. of *C. vulpis* (Dujardin, 1845)
- Crenosoma semiarmata*  
Taylor, E. L., 1933 e, 21  
foxes (bronchioles and bronchi)
- Crenosoma semiarmatum* Molin  
Yorke, W.; and Maplestone, P. A., 1926 a, 166  
as syn. of *Crenosoma decoratum* (Greplin)
- Crenosoma skrijabini* n. sp.  
Pologentsev, P. A., 1935 a, 95-96, 97, figs. 1-5  
[lapsus p. 97 as *C. skrijabini*]  
*Sorex araneus*: Middle-Volga region (U.S.S.R.)
- Crenosoma skrijabini*  
Bernard, J., 1961 e, 781  
*Sorex araneus*: Belgique
- Crenosoma skrijabini* Pologentsev, 1935  
Dougherty, E. C., 1945 b, 45, 47, 50, 52, 55, 58, 60  
key  
*Sorex araneus araneus*: U.S.S.R. (Middle Volga region)
- Crenosoma skrijabini* Polojenzew, 1935  
Petrov, A. M., 1941 a, 574  
*Sorex araneus*
- Crenosoma skrijabini* Pologentsev, 1935  
Softy, A., 1954 a, 354, 355, 363-365, fig. 2  
*Sorex minutus*  
*S. macropygmaeus*  
*Neomys fodiens*  
*N. anomalus milleri*  
all from Bialowieza National Park
- Crenosoma skrijabini* Pologentsev, 1935  
Wallace, F. G., 1941 a, 59  
key
- Crenosoma striatum* (Zed.)  
Baylis, H. A., 1926 n, 520, 521  
*Erinaceus europaeus*
- Crenosoma striatum* (Zeder, 1800)  
Baylis, H. A., 1939 a, 493  
*Erinaceus europaeus*: Shropshire, Brit. Is.
- Crenosoma striatum* (Zeder, 1800)  
Baylis, H. A.; and Daubney, R., 1926 a, 177

- Crenosoma striatum* Zed.  
 Bornand, M., 1937 b, 512  
*Erinaceus europaeus*: Lausanne
- Crenosoma striatus* Zed.  
 Bornand, M., 1939 a, 69  
*Erinaceus europaeus* [sic]: Switzerland
- Crenosoma striatum* (Zeder, 1800)  
 de Bruyn, W. M., 1933 a, 151  
 type species
- Crenosoma striatum*  
 Cameron, T. W. M.; and Parnell, I. W., 1933 a, 149, 153  
*Erinaceus europaeus*: Ayrshire, Scotland
- Crenosoma striatum* (Zeder 1800)  
 Casarosa, L., 1958 a, 229-236, figs. 1-6  
 cuticle
- Crenosoma striatus*  
 Chitwood, B. G.; and Chitwood, M. B., 1937 b, 35
- Crenosoma striatum* (Zeder, 1800) Molin, 1861  
 Dougherty, E. C., 1945 b, 45, 51, 52, 53, 54, 55, 58, 60  
 key  
 Syns.: *Strongylus striatus* Zeder, 1800; *Filaria erinacei* Rudolphi, 1819; *Strongylus erinacei* (Rudolphi, 1819) Diesing, 1851  
*Erinaceus e. europaeus*  
*E. e. centralrossicus*  
 both from Europe
- Crenosoma striatum* Zeder, 1800  
 Fedoseev, S. D., 1937 a, 124, 131, 133  
*Erinaceus europaeus*: Gorkii oblast
- Crenosoma striatum* Zed.  
 Galli-Valerio, B., 1930 c, 218  
*Erinaceus europaeus*
- Crenosoma striatus* Zed.  
 Galli-Valerio, B., 1930 d, 74  
*Erinaceus europaeus*
- Crenosoma striatum* Zed.  
 Galli-Valerio, B., 1932 a, 133  
*Erinaceus europaeus* (bronchi): Chamblaines
- Crenosoma striatum* Zed.  
 Galli-Valerio, B., 1933 a, 425  
*Erinaceus europaeus*: Chamblaines
- Crenosoma striatum* Zed.  
 Galli-Valerio, B., 1940 b, 353  
*Erinaceus europaeus*: Lausanne; La Conversion Vd.; Yvonand Vd.
- Crenosoma striatum*  
 Gerichter, C. B., 1951 b, 186, 187, pl., figs. 11-13
- Crenosoma striatum* or *C. taiga*  
 Goble, F. C.; and Cook, A. H., 1942 a, 452  
*Procyon l. lotor*: New York
- Crenosoma striatum* (Zed.)  
 Hoeppli, R. J. C.; and Hsü, H. F., 1929 a, 6, 17-18,  
 figs. 12, 13  
*Erinaceus europaeus*
- Crenosoma striatum* (Zeder, 1800)  
 Joyeux, C. E.; and Baer, J. G., 1953 b, 31-32  
*Erinaceus europaeus*: region de Gannat
- Crenosoma striatum* (Zed.)  
 Lewis, E. A., 1927 d, 129  
 hedgehog
- Crenosoma striatum* (Zeder, 1800)  
 Lukasiak, J., 1939 a, 94, 103  
*Erinaceus roumanicus*: Poland
- Crenosoma striatum* Zed.  
 Panebianco, F., [1958 a], 731
- Crenosoma striatum* (Zeder, 1800)  
 Petrov, A. M., 1941 a, 574, 575  
*Erinaceus europaeus*  
*Succinia putris*  
*Agriolimax agrestis*  
*Arion circumscriptus*
- Crenosoma striatum* (Zeder 1800) Molin 1867  
 Prokopič, J., 1957 c, 98, 105, 109, 111, fig. 7  
 Syns.: *Strongylus striatus* Zeder 1800; *Filaria erinacei* Rudolphi 1819; *Strongylus erinacei* (Rudolphi 1819) Diesing 1851  
*Erinaceus europaeus*  
*E. roumanicus*  
*E. centralrossicus*  
 all from CSR
- Crenosoma striatum* (Zeder 1800)  
 Prokopič, J., 1959 c, 104, pl. fig. 10  
*Erinaceus europaeus*  
*E. roumanicus*  
 (lungs of both): both from Czechoslovakia
- Crenosoma striatum* (Zeder)  
 Rauther, M., 1930 a, 379
- Crenosoma striatum*  
 Schad, G. A.; Kuntz, R. E.; and Wells, W. H., 1960 a, 950, 955  
*Erinaceus europaeus* concolor: Turkey
- Crenosoma striatum* (Zeder)  
 Schuurmans Stekhoven, J. H., 1937 a, 485
- Crenosoma striatum* Molin  
 Seurat, L. G., 1919 f, 988
- Crenosoma striatum*  
 Seurat, L. G., 1920 c, 178
- Crenosoma striatum* (Zed.)  
 Skrjabin, K. I.; and Petrov, A. M., 1928 a, 330-331,  
 figs. 1-5  
*Erinaceus europaeus*
- Crenosoma striatum* (Zed.)  
 Sprehn, C. E. W., 1930 p, 64
- Crenosoma striatum* (Zeder, 1800)  
 Sprehn, C. E. W., 1932 c, 747, 804  
 Syns.: *Strongylus striatum* Zeder, 1800; *C. striatum* (Zeder, 1800) Molin, 1861  
*Erinaceus europaeus* (Bronchien): Europa
- Crenosoma striatum* Zeder, 1800  
 Wallace, F. G., 1941 a, 59  
 key
- Crenosoma striatum*  
 Watkins, C. V.; and Harvey, L. A., 1942 a, 178, 179  
 hedgehog
- Crenosoma striatum* (Zeder)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 165, fig. 108  
 type of genus  
*Erinaceus europaeus*
- Crenosoma taiga* n. sp.  
 Skrjabin, K. I.; and Petrov, A. M., 1928 a, 332-334,  
 figs. 11-15  
*Kolonocus sibiricus*
- Crenosoma tajga* Skrjabin et Petrov, 1928  
 Agapova, A. I., 1953 b, 162  
*Mustela altaica*: Kazakhstan
- Crenosoma taiga* (Skrjabin et Petrov, 1928)  
 Belfaeva, M. Ī., 1959 b, 105  
*Meles meles* (lungs): Belovezhskaya Pushcha
- Crenosoma taiga* Skrjabin and Petrov, 1928  
 Dougherty, E. C., 1945 b, 45, 46, 47, 51, 52, 55, 58,  
 59, 60  
 key  
 Syns.: ?*Filaroides mustelarum*, of van Beneden, 1858  
 (partim); ?*Crenosoma mustelae* Galli-Valerio, 1930  
*Mustela sibirica* (?subsp.)  
*M. p. putorius*
- Crenosoma taiga* Skrjabin et Petrov, 1928  
 Gagarin, V. G., 1958 a, 117  
 weasel: southern Kirgizia
- Crenosoma taiga* Skrj. & Petrov  
 Galli-Valerio, B., 1930 c, 218
- Crenosoma taiga* or *C. striatum* (possibly)  
 Goble, F. C.; and Cook, A. H., 1942 a, 452, 453, 455  
*Procyon l. lotor*: New York
- Crenosoma taiga* Skrjabin et Petrov, 1928  
 Machul'skiĭ, S. N., 1949 a, 599  
 sable: Buriat Mongolia
- Crenosoma taiga* Skrjabin et Petrov, 1928  
 Machul'skiĭ, S. N., [1954 a], 402, 404  
*Martes zibellina*  
*Colonocus sibiricus*  
 both from Buriat Mongol ASSR
- Crenosoma taiga* Skrjabin & Petrov, 1928  
 Petrov, A. M., 1928 a, 248-250, figs. 7-11  
*Kolonocus sibiricus*
- Crenosoma taiga* Skrjabin et Petrov, 1928  
 Petrov, A. M., 1940 a, 216, 224, 225, 231  
*Kolonocus sibiricus*  
*Putorius putorius*

- Crenosoma taiga* (Skrjabin et Petrow, 1928)  
*Petrov, A. M., 1941 a, 574*
- Martes martes*
  - Lutreola lutreola*
  - Kolonocus sibiricus*
  - Meles meles*
  - Gulo gulo*
- Crenosoma taiga*  
*Romanov, I. V., 1960 a, 997*
- gornostai Mustela erminea*
  - Mustela sibirica*
  - rosomakh Gulo gulo*  
 (lungs of all): all from Krasnoyarsk krai
- Crenosoma taiga* Skrjabin and Petrow, 1928  
*Wallace, F. G., 1941 a, 59, 60*
- key
- Crenosoma vulpis* (Duj.)  
*Baylis, H. A., 1926 n, 520*
- Crenosoma vulpis* (Dujardin, 1845)  
*Belfæva, M. Ia., 1959 b, 105*
- Vulpes vulpes*
  - Martes martes*
  - Meles meles*  
 (lungs of all): all from Belovezhskaya
  - Pushcha*
- Crenosoma vulpis*  
*Borchert, A., 1950 e, 8*
- Crenosoma vulpis*  
*Bump, G., 1942 a, 219*
- red fox
  - gray fox
  - both from New York State
- Crenosoma vulpis*  
*Delfanova, R. Sh., 1957 a, 68*
- distribution
- Crenosoma vulpis* (Dujardin, 1844) Railliet, 1955  
*Dougherty, E. C., 1945 b, 45, 46, 47, 48, 49,*  
*50, 53, 54, 55, 56, 58, 59, figs. 1A, 1C*
- key
  - Syns.: *Strongylus lupi* Molin, 1861 (nec *Rudolphi*, 1809); *S. canis vulpis*, of Catalogue of the Vienna Museum in Molin, 1861; *Crenosoma decoratum* (Creplin, 1847) Stossich, 1898; *Crenosoma* (? *Filaroides*) *vulpis*, of Railliet, 1915; ? *Crenosoma* sp., of Railliet, 1899
- Vulpes vulpes crucigera*
- V. vulpes* subsp.?
- V. f. fulva*
- Urocyon c. cinereoargenteus*
- Alopex l. lagopus*
- Canis familiaris*
- C. l. lupus*
- Nyctereutes procyonoides ussuriensis*
- Meles m. meles*
- M. meles* subsp.?
- Gulo g. gulo*
- Crenosoma* (? *Filaroides*) *vulpis*, of Railliet, 1915
- Dougherty, E. C., 1945 b, 47*
- as syn. of *Crenosoma vulpis* (Dujardin, 1844)
  - Railliet, 1915
- Crenosoma vulpis* (Dujardin [1844]) Railliet, 1915 (type)
- Dougherty, E. C., 1949 a, 218-219*
- Crenosoma vulpis* (Dujardin, 1844, Railliet, 1915)  
*Dubicki, T.; and Malczewski, A., 1960 a, 467-*  
*469*
- white foxes: Gdańsk district
- Crenosoma vulpis* (Dujardin, 1844) Schwartz, 1926  
*Erickson, A. B., 1944 b, 366, 367, 370*
- key
- Crenosoma vulpis*  
*Freund, L., 1929 b, 167-173*
- Crenosoma vulpis*  
*Freund, L., 1929 c, 33-48*
- Crenosoma vulpis*  
*Freund, L., 1933 b, 247*
- Crenosoma vulpis*  
*Furmaga, S.; and Wysocki, E., 1951 a, 99, 100,*  
*119-120, fig. 12*
- Canis vulpes*: Lublin
- Crenosoma vulpis* (Rud., 1819)  
*Gagarin, V. G., 1958 a, 117, figs. 1-3*
- fox*: southern Kirigizia
- Crenosoma vulpis* (Rud., 1819)  
*Gagarin, V. G.; and Iksanov, K. I., 1954 a, 115*
- fox*: KirgizskoY SSSR
- Crenosoma vulpis*  
*Goble, F. C., 1942 a, 381, 382, 383*
- Crenosoma vulpis*  
*Goble, F. C.; and Cook, A. H., 1941 a, 456*
- red foxes
  - gray foxes
  - both from New York
- Crenosoma vulpis* (Dujardin, 1845)  
*Goble, F. C.; and Cook, A. H., 1942 a, 452,*  
*453, 454, 455*
- Vulpis fulva*
  - Urocyon c. cinereoargenteus*
  - both from New York
- Crenosoma vulpis* (Rud., 1819)  
*Golovin, O. V.; Savinov, V. A.; and Levin, N.*  
*A., [1959 a], 110*
- enotovidnaia sobaka* [*Nyctereutes procyonides*] (trachea, bronchi, lungs): Kalinin oblast
- Crenosoma vulpis* (Dujardin, 1845)  
*Grieder, H., 1935 a, 83, 85-86*
- pathology, treatment
  - Farmfuchs
- Crenosoma vulpis* (Creplin, 1847)  
*Hanson, K. B., 1933 g, 12-33; discussion, 31-33*
- Crenosoma vulpis* (Creplin, 1847)  
*Hanson, K. B.; and McBlain, W. G., 1935 a,*  
*463-473*
- Crenosoma vulpis*  
*Hülpfers, G., 1933 a, 146, 147, fig. 12*
- räv [foxes] (lung)
- Crenosoma vulpis* (Dujardin, 1844) Railliet, 1915  
*Fanchev, Ia., 1961 a, 48*
- Vulpes vulpes crucigera*: Southern Bulgaria
- Crenosoma vulpis*  
*Irgashev, I. Kh., 1958 a, 43*
- fox: Samarkand oblast
- Crenosoma vulpis*  
*Klarenbeek, A., 1929 d, 381-388, figs. 4, 5*
- silver fox
- Crenosoma vulpis* Dujardin, Schwartz  
*Koffman, M., 1939 a, 553, 555-557, 558, 585,*  
*figs. 38-39*
- Syns.: *C. armatum* Molin; *Lyorhynchus vulpis* Dujardin; *Strongylus decoratus* Creplin
  - hos räv [foxes]: Sverige
- Crenosoma vulpis* (Rud., 1819)  
*Korneev, A. P.; and Koval, V. P., [1959 a], 164*
- Vulpes vulpes*: Ukrainian SSR
- Crenosoma vulpis* (Duj., 1845)  
*Kreis, H. A., 1962 a, 110*
- Felis catus*
- Crenosoma vulpis* Duj.  
*Lampio, T., 1951 d, 22-31*
- fox: Finland
- Crenosoma vulpis*  
*Liubimova, A. P., 1937 a, 346-347*
- silver foxes, treatment
- Crenosoma vulpis* (Dujardin, 1845)  
*Lukasiak, J., 1935 a, 533-540, figs. 3-4*
- Crenosoma vulpis* (Dujardin, 1845)  
*Lukasiak, J., 1939 a, 97, 103*
- Vulpes vulpes*: Pologne
- Crenosoma vulpis*  
*Miessner, H.; and Sprehn, C. E. W., 1932 a, 110*
- control
  - Fuchs

- Crenosoma vulpis*  
 Müller, F. R., 1935 a, 45-46  
 development  
 Hund (exper.)  
*Cepaea hortensis*  
*Crenosoma vulpis* (Dujardin, 1844) Railliet, 1915  
 Muminov, P., 1960 a, 54, 56  
*Vulpes vulpes karagan:* Keles Massive  
*Crenosoma vulpis*  
 Muroma, E., 1951 a, 160  
*Vulpes vulpes:* Finland  
*Crenosoma vulpis*  
 Neumüller, O., 1930 d, 210  
*Crenosoma vulpis* (Dujardin, 1845) Railliet, 1915  
 Oldham, J. N., 1938 a, 1135  
 Syn.: *Strongylus annulatus* Siebold, 1848  
*Crenosoma vulpis*  
 Pallaske, G., 1930 c, 201, 204  
*Crenosoma vulpis*  
 Palmer, R. F., 1955 c, 33  
*Crenosoma vulpis* (Dujardin, 1845)  
 Petrov, A. M., 1940 a, 214-216, 226, 231  
*Vulpes vulpes*  
*Alopex lagopus*  
*Canis lupus*  
*Nyctereutes procyonoides*  
*Meles meles*  
*Gulo gulo*  
*Agriolimax agrestis*  
*Arion intermedius*  
*Succinea putris*  
*Zonitoides excavata*  
*Z. nitida*  
*Eulota frutica*  
*Crenosoma vulpis* (Dujardin, 1845)  
 Petrov, A. M., 1941 a, 574, 575  
*Meles meles*  
*Vulpes vulpes*  
*V. fulvus*  
*Alopex lagopus*  
*Nictereutes [sic] procyonoides*  
*Succinia putris*  
*Arion intermedius*  
*Fruticicola fruticum*  
*Zonitoides nitida*  
*Z. excavata*  
*Agriolimax agrestis*  
*Crenosoma vulpis*  
 Petrov, A. M.; Bazhanov, N. S.; and Muzhichenko, T. I., 1938 a, 519  
*Crenosoma vulpis*  
 Petrov, A. M.; and Solodilova, S. I., 1940 a, 79-88  
*Agriolimax agrestis*  
*Arion intermedius*  
*Zonitoides nitida*  
*Z. excavata*  
*Succinia putris*  
*Eulota frutrea*  
*Crenosoma vulpis*  
 Priesner, A., 1929 a, (16), 485-489; (17), 517-521; (18), 553-555  
*Crenosoma vulpis* Dujardin 1844  
 Prokopic, J., 1958 a, 162  
*Meles meles* (plice (bronchy)): Czechoslovakia  
*Crenosoma vulpis* Zeder, 1800  
 Rankin, J. S. (Jr.), 1946 b, 758, 764  
*Vulpes fulva:* western Massachusetts  
*Crenosoma vulpis*  
 Romanov, I. V., 1957 a, 36  
 fox  
 wolf  
 both from Gor'kov oblast  
*Crenosoma vulpis* (Dujardin, 1844)  
 Romanov, I. V., [1959 b], 300  
*Vulpes vulpes* (lungs): Krasnoiarsk Territory
- Crenosoma vulpis*  
 Rukhlialev, D. P., 1941 d, 82, 83  
*Meles meles tauricus*  
*Martes foina rosanowi*  
*Vulpes vulpes krymea montana*  
 all from Crimean game reserve  
*Crenosoma vulpis* Dujardin, 1845  
 Ryšavy, B.; and Prokopíč, J., 1958 a, 499  
*Vulpis vulpis:* Topol'čiankáč  
*Crenosoma vulpis*  
 Schmid, F., 1933 b, 307, 308  
*Silberfuchs:* Deutschland  
*Crenosoma vulpis* (Duj.)  
 Schwartz, B. I., 1926 o, 9  
*Canis vulpes:* China  
*Crenosoma vulpis*  
 Skrjabin, K. I., 1920 a, 12  
*Crenosoma vulpis*  
 Skrjabin, K. I., 1923 m, 14  
*Crenosoma vulpis* (Duj.)  
 Skrjabin, K. I.; and Petrov, A. M., 1928 a, 331-332, figs. 6-10  
*Vulpes vulpes*  
*Canis lupus*  
*Crenosoma vulpis*  
 Skrjabin, K. I.; and Shul'ts, R. E. S., 1936 a, 454-456  
*Crenosoma vulpis* (Rudolphi, 1819)  
 Snegireva, T. P.; and Shcherbinina, E. M., 1956 a, 188  
 foxes  
 wolves  
 both from Bashkiria  
*Crenosoma vulpis* (Duj.)  
 Sprehn, C. E. W., 1928 d, 16, figs. 13-18  
*Crenosoma vulpis* (Duj.)  
 Sprehn, C. E. W., 1928 e, 130  
*Crenosoma vulpis* (Duj.)  
 Sprehn, C. E. W., 1928 i, 765, 766  
*Crenosoma vulpis* Duj.  
 Sprehn, C. E. W., 1930 p, 63, 64  
*Crenosoma vulpis*  
 Sprehn, C., 1930 v, 172  
 Fuchs  
*Crenosoma vulpis* (Dujardin, 1845)  
 Sprehn, C. E. W., 1932 c, 81, 103, 104, 119, 747-750, 821, figs. 67, 89, 90, 342-349  
 Syns.: *Lyorhynchus vulpis* Dujardin, 1845;  
*Strongylus decoratus* Creplin, 1847; *Crenosoma semiarmatum* Molin, 1861; *C. vulpis* (Dujardin, 1845) Schwartz, 1926  
*Vulpes vulpes* (Bronchien)  
*Alopex lagopus*  
 both from Europa; Nordamerika
- Crenosoma vulpis* (Duj.)  
 Sprehn, C. E. W., 1932 i, 147  
*Crenosoma vulpis*  
 Sprehn, C. E. W., 1950 a, 110  
*Crenosoma vulpis* (Dujardin, 1845)  
 Sprehn, C. E. W., 1954 c, 91  
 Silber- und Blaufuchs  
*Cronosoma* [sic] *vulpis*  
 Stetter, R., 1933 a, 33  
 [? for *Crenosoma vulpis*]  
*Crenosoma vulpis*  
 Ullrich, K., 1930 d, 214  
 [fox]  
*Crenosoma vulpis*  
 Velu, H.; and Barotte, J. H., 1924 a, 337  
 chien  
*Crenosoma vulpis* Dujardin, 1845  
 Wallace, F. G., 1941 a, 59, 60  
 key  
*Crenosoma vulpis* (Dujardin, 1845)  
 Watkins, C. V.; and Harvey, L. A., 1942 a, 157, 159, 160, 161, 163, 164, 165, 166, 167, 169, 170, 172, 174, 176, 177, 178  
 silver fox

- Crenosoma vulpis*  
Wetzel, R., 1940 b, 445-460, figs. 1-7  
    *Vulpes vulpes*  
    *Alopex lagopus*  
    *Canis vulpis*  
    *Procyon lotor*  
    *Canis familiaris*
- Crenosoma vulpis*  
Wetzel, R., 1941 b, 40-42  
    *Hund*  
    *Fuchs*  
    *Waschbär (Procyon lotor)*
- Crenosoma vulpis*  
Wetzel, R.; and Müller, F. R., 1935 a, 361-365  
    *life cycle, control*
- Crenosoma vulpis*  
Wetzel, R.; and Mueller, F. R., 1935 b, 6, 16-17  
    *life cycle, control*
- Crenosoma vulpis*  
Wetzel, R.; and Quittek, G., 1940 a, 358  
    *Fuchs*  
    *Hund (exper.)*
- Crenosoma zederi* n. sp.  
Goble, F. C., 1942 a, 381-384, pl. 1, figs. 1-4  
    *Mephitis nigra: Delmar, Albany County, New York*
- Crenosoma zederi* Goble, 1942  
Dougherty, E. C., 1945 b, 49  
    *as syn. of C. mephitidis Hobmaier, 1941*
- Crenosoma zederi* Goble, 1942  
Goble, F. C.; and Cook, A. H., 1942 a, 452, 453, 454, 455  
    *Mephitis nigra: New York*
- Crenosoma zederi*, Goble, 1942  
Rankin, J. S. (jr.), 1946 b, 758, 764  
    *Mephitis nigra: western Massachusetts*
- Crenosomatidae* fam. nov.  
Shul'ts, R. E. S., 1951 a, 295  
    *includes: Crenosomatinae Skrjabin, 1933; Skrjabingylinae Skrjabin, 1933*
- Crenosomatinae* Skrjabin, 1933  
Skrjabin, K. I., 1933 c, 359
- Crenosomatinae*  
Skrjabin, K. I., 1941 a, 329, 334, 335  
    *Metastrongylinae*
- Crenosomatinae* Skrj., 1932  
Skrjabin, K. I.; and Shul'ts, R. E. S., 1934 a, 11  
    *Metastrongylidae*
- Crino Lamarck*, 1801  
Baylis, H. A., 1939 b, 29  
    *as syn. of Setaria Viborg, 1795*
- Crino Lamarck*, 1801  
Baylis, H. A.; and Daubney, R., 1926 a, 200, 251  
    *as syn. of Setaria Viborg*
- Crinon Chabert*, 1782  
Baylis, H. A., 1939 b, 29  
    *as syn. of Setaria Viborg, 1795*
- Crinon Chabert*, 1782  
Baylis, H. A.; and Daubney, R., 1926 a, 200, 251  
    *as syn. of Setaria Viborg*
- Crinon*  
Bory de Saint Vincent, J. B. G. M. M., 1824 p, 67
- Crinon*  
Duméril, A. M. C., 1807 a, 25
- Crinon*  
Valmont de Bomare, J. C., 1765 a, 157-158
- Crinopsis* n.g., nomen nudum  
Rafinesque, C. S., 1815 a, 151  
    *Scolexia*
- Crinopsis* Rafinesque, 1815  
Schulze, F. E., 1912 b, 72-76  
    *nomen nudum*
- Crossocephalidae* nov. fam.  
Skrjabin, K. I., 1948 a, 750  
    *contains: Crossocephalus Railliet, 1909*
- Crossocephalinae* n. sf.  
Yorke, W.; and Maplestone, P. A., 1926 a, 244, 250, 252
- Crossocephalinae* Yorke y Maplestone, 1926  
Gallego Berenguer, J., 1947 a, 13, 47
- Crossocephalinae* Yorke & Maplestone  
Khalil, M., 1932 i, 446
- Crossocephalinae*  
Rauther, M., 1930 a, 383
- Crossocephalus* [n. gen.]  
Railliet, A., 1909 a, 336  
    *type: C. viviparus (Linstow)*
- Crossocephalus* Railliet  
Baylis, H. A., 1920 g, 257
- Crossocephalus*  
Baylis, H. A., 1924 d, 15
- Crossocephalus* Railliet, 1909  
Baylis, H. A., 1936 a, 206, 209-210  
    *Atractidae*  
    *synonymy, type: C. viviparus (v. Linstow, 1899)*
- Crossocephalus* Railliet, 1909  
Baylis, H. A.; and Daubney, R., 1923 a, 563-564
- Crossocephalus* Railliet, 1909  
Baylis, H. A.; and Daubney, R., 1926 a, 33-34  
    *type: C. viviparus (v. Linstow)*
- Crossocephalus*  
Chitwood, B. G., 1937 c, 74  
    *Atractinae*
- Crossocephalus* Railliet, 1909  
Gallego Berenguer, J., 1947 a, 47-48  
    *type: C. viviparus (v. Linstow, 1899)*  
    *Railliet, 1906*  
    *Syn.: Pterocephalus v. Linstow, 1899*
- Crossocephalus*  
Gedoelst, L., 1919 e, 911, 912
- Crossocephalus* Railliet, 1909  
Hartwich, G., 1954 a, 1172
- Crossocephalus* Railliet  
Rauther, M., 1930 a, 383
- Crossocephalus*  
Sprehn, C. E. W., 1927 e, 44
- Crossocephalus*  
Theiler, G., 1923 a, 10, 11, 12, 26, 27, 85-90  
    *Syn.: Pterocephalus von Linstow, 1899*
- Crossocephalus*  
Travassos, L. P., 1920 h, 62
- Crossocephalus* Railliet, 1909  
Yorke, W.; and Maplestone, P. A., 1926 a, 250  
    *type: C. viviparus (Linstow, 1899)*
- Crossocephalus brevicaudatus* n. sp.  
Baylis, H. A.; and Daubney, R., 1923 c, March, 333-334  
    *Rhinoceros indicus: India*
- Crossocephalus brevicaudatus* Baylis & Daubney, 1923  
Baylis, H. A.; and Daubney, R., 1923 a, 563, 564, 572  
    *Rhinoceros indicus: India*
- Crossocephalus brevicaudatus* Baylis and Daubney, 1923  
Baylis, H. A., 1936 a, 210  
    *Rhinoceros unicornis (R. indicus): Nepal terai, India*
- Crossocephalus brevicaudatus* Baylis y Daubney, 1923  
Gallego Berenguer, J., 1947 a, 55-56  
    *Rhinoceros indicus: Nepal, India*
- Crossocephalus brevicaudatus*  
Sprehn, C. E. W., 1927 e, 44  
    *Rhinoceros indicus*
- Crossocephalus brevicaudatus* Baylis & Daubney, 1923  
Yorke, W.; and Maplestone, P. A., 1926 a, 250  
    *Rhinoceros indicus*
- Crossocephalus longicaudatus* n. sp.  
Baylis, H. A., 1919 e, 94-98  
    *Rhinoceros sumatrensis: Malay Peninsula*

- Crossocephalus longicaudatus* Baylis  
 Baylis, H. A.; and Daubney, R., 1923 a, 563, 564  
*Rhinoceros sumatrensis*  
*Crossocephalus longicaudatus* Baylis  
 Baylis, H. A.; and Daubney, R., 1923 c, 333, 334  
*Crossocephalus viviparus* (v. Linstow, 1899)  
 Baylis, H. A.; and Daubney, R., 1926 a, 34  
*Crossocephalus viviparus* Linstow, 1899  
 van den Berghe, L., 1943 a, 13, 22  
*Equus burchelli granti*  
*Crossocephalus longicaudatus* Baylis, 1919  
 Gallego Berenguer, J., 1947 a, 51-53, 56, 70, pl. 12, figs. 6-7  
*Rhinoceros sumatrensis*: Peninsula malaya  
*Crossocephalus longicaudatus*  
 Krijgsman, B. J., 1933 d, 375  
*Rhinoceros* (darm): Nederlandsch-Indië  
*Crossocephalus longicaudatus*  
 Sprehn, C. E. W., 1927 e, 44  
*Rhinoceros sumatrensis*  
*Crossocephalus longicaudatus* Baylis, 1919  
 Yorke, W.; and Maplestone, P. A., 1926 a, 250  
*Rhinoceros sumatrensis*  
*Crossocephalus longicaudatus*  
 Yorke, W.; and Southwell, T., 1920 a, 135  
*Crossocephalus viviparus*  
 Chabaud, A. G.; and Petter, A. J., 1961 b, 54, pl. I, fig. 5  
*cloacal papillae*  
*Crossocephalus viviparus*  
 Chitwood, B. G.; and Chitwood, M. B., 1938 a, 60, fig. 57 G  
*Crossocephalus viviparus* (v. Linstow, 1899)  
 Railliet, 1906  
 Gallego Berenguer, J., 1947 a, 48-51, 56, 71, pl. 12, figs. 8-10; pl. 13, figs. 1-4  
*Equus böhmi*: Africa del Este  
*Crossocephalus viviparus* (v. Linst.)  
 Gedoelst, L., 1916 a, 33-36, 73, 77, fig. 9  
*? Equus burchelli crawshayi*: Katanga  
*Crossocephalus viviparus* (Linst.)  
 Loveridge, A., 1923 c, 738  
*Equus quagga crawshayi*: East Africa  
*Crossocephalus viviparus*  
 Macdonald, R. A. S., 1932 a, 34  
*Wahlberg's zebra*: Mazabuka area, N. Rhodesia  
*Crossocephalus viviparus* (Linst., 1899)  
 Mönnig, H. O., 1928 a, 814  
*zebra*  
*Crossocephalus viviparus* (v. Linst.)  
 Rauther, M., 1930 a, 383  
*Crossocephalus viviparus* von Linstow  
 Ricci, M., 1939 a, 435-437, figs. 1-2  
*Equus burchelli boehmi*: Javello, Africa orientale italiana  
*Crossocephalus viviparus* (Linstow, 1899)  
 Solomon, S. G., 1932 c, 225, 227  
*Grant's zebra* (*Equus burchelli granti*?)  
*Crossocephalus viviparus*  
 Sprehn, C. E. W., 1927 e, 44  
*zebra*  
*Crossocephalus viviparus* (von Linstow, 1899)  
 Gedoelst, 1916  
 Theiler, G., 1923 a, 10, 11, 12, 86, 87, 103, pl. XLVII  
*Crossocephalus viviparus*  
 Urquhart, G. M.; and Hay, D., 1961 a, 270  
*Equus burchellii*  
*Crossocephalus viviparus* (Linstow, 1899)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 250, fig. 172  
*type of genus*  
*zebra*
- Crossocephalus zebrae*, n. sp.  
 Yorke, W.; and Southwell, T., 1920 a, 127-135  
*Equus burchelli*: N. Rhodesia  
*Crossocephalus zebrae* Yorke & Southwell (1920)  
 Baylis, H. A.; and Daubney, R., 1923 a, 563, 564  
*Crossocephalus zebrae* Yorke y Southwell, 1920  
 Gallego Berenguer, J., 1947 a, 53-55, 56, 71, pl. 13, figs. 5-8, pl. 14, figs. 1-8  
*Equus burchelli*: Norte de Rhodesia  
*Crossocephalus zebrae* Yorke & Southwell, 1920  
 Theiler, G., 1923 a, 12, 86-87, 88, pls. XLVII, XLVIII  
*Crossocephalus zebrae*  
 Urquhart, G. M.; Hay, D.; Zaphiro, D. R. P.; and Spinage, C. A., 1960 a, 12  
*Equus burchelli*: Kenya  
*Crossocephalus zebrae* Yorke & Southwell, 1920  
 Yorke, W.; and Maplestone, P. A., 1926 a, 250  
*as syn. of C. viviparus* (Linstow, 1899)
- Crossophoridae* (Baylis, 1920) n. fam.  
 Hartwich, G., 1954 a, 1191  
*Ascaridoidea*  
*type genus*: *Crossophorus* Hempr. & Ehrenbg., 1828  
*Crossophorinae* n. s. fam.  
 Baylis, H. A., 1920 g, 263  
*Crossophorinae* Baylis  
 Baylis, H. A.; and Daubney, R., 1926 a, 5  
*Crossophorinae* Baylis, 1920  
 Hartwich, G., 1954 a, 1173, 1174  
*Crossophorinae* Baylis  
 Layman, E. M.; and Borovkova, M. M., 1926 a, 17, 19  
*Crossophorinae* Baylis, 1920  
 López-Neyra, C. R., 1946 c, 361  
*key*  
*Crossophorinae* Baylis  
 Mönnig, H. O., 1924 d, 438  
*Crossophorinae*  
 Rauther, M., 1930 a, 380  
*Crossophorinae* Baylis, 1920  
 Skrjabin, K. I.; and Karokhin, V. I., 1945 a, 298, 299  
*Heterocheilidae* Raill. et Henry, 1915 (sensu stricto)  
*Crossophorinae* Baylis  
 Stiles, C. W.; and Brown, G., 1924 b, 1959  
*Crossophorinae* Baylis  
 Travassos, L. P., 1924 e, 153  
*contains*: *Crossophorus* Hempr. & Ehrenb.  
*Crossophorinae* Baylis, 1920  
 Yorke, W.; and Maplestone, P. A., 1926 a, 10, 269, 286  
*Crossophorus*  
 Baylis, H. A., 1919 c, 349  
*Crossophorus* Hempr. & Ehrenb.  
 Baylis, H. A., 1920 g, 257, 258, 259, 263  
*Crossophorus*  
 Baylis, H. A., 1924 d, 22  
*Crossophorus* Ehrenberg, 1828  
 Baylis, H. A.; and Daubney, R., 1926 a, 5, 8-9  
*type*: *C. collaris* Ehrenberg  
*Crossophorus*  
 Gedoelst, L., 1916 a, 20  
*Crossophorus* Hemprich & Ehrenberg, 1828  
 Hartwich, G., 1954 a, 1172, 1176, 1181, 1183, 1187, 1188, 1189, 1191  
*Crossophoridae* (Baylis, 1920) n. fam.  
*Crossophorus* Hempr. & Ehrenb.  
 Mönnig, H. O., 1924 d, 438  
*Crossophorus* Hempr. et Ehrb.  
 Perrier, E., 1897 a, 1413-1414  
*Crossophorus* Hemprich & Ehrenberg  
 Rauther, M., 1930 a, 380

- Crossophorus* Hempr. & Ehrenb., 1828  
*Skrjabin*, K. I., 1916 c, 712
- Crossophorus*  
*Sprehn*, C. E. W., 1927 e, 42
- Crossophorus* Ehrenb.  
*Stiles*, C. W.; and *Brown*, G., 1924 b, 1959
- Grossophorus* [sic]  
*Travassos*, L. P., 1920 h, 64
- Crossophorus* Hemprich & Ehrenberg, 1828  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 10,  
 286-287  
 type: *C. collaris* Hemprich & Ehrenberg, 1828
- Crossophorus collaris*  
*Allen*, G. M.; and *Lawrence*, E., 1936 a, 120,  
 122  
*Procavia habessinica* daemon  
*Heterohyrax syriacus* hindei  
 both from Kenya Colony
- Crossophorus collaris*  
*Allen*, G. M.; and *Loveridge*, A., 1933 a, 136,  
 138  
*Heterohyrax brucei* victoria-njansae (stomach)  
*Procavia matschiei* (stomach): Mwanza, Usu-  
 kuma, Africa
- Heterohyrax brucei* prittwitzi
- Crossophorus collaris*, Hemprich & Ehrenberg  
*Baylis*, H. A., 1919 c, 343-349  
*Procavia* sp.: Dodoma, German East Africa
- Crossophorus collaris* Ehrenberg, 1828  
*Baylis*, H. A.; and *Daubney*, R., 1926 a, 9
- Crossophorus collaris* Hemprich et Ehrenberg, 1828  
 van den Berghe, L., 1943 a, 15, 22  
*Dendrohyrax arboreus* adolfi-friederici: Parc  
 National Albert
- Crossophorus collaris* Ehrenb. (juven.)  
*Dollfus*, R. P.; and *Monod*, T., 1933 a, 336  
 Syn.: *C. tentaculatus* Ehrenb.
- Crossophorus collaris* Ehrenb., 1828  
*Dollfus*, R. P.; and *Monod*, T., 1933 a, 336  
 Syn.: *Ascaris ferox* Ehrb.  
*Hyrax syriacus*: Sinaï  
*Hyrax* sp.: Let-Marefiá (Scioa); Asmara  
 (Eritrea)  
*Procavia brucei*: Gueldessa (Somali); Harrar  
 (Abyssinia)  
*Procavia* sp.  
*P. brucei* prittwitzi  
*P. capensis*
- Crossophorus collaris*  
*Hartwich*, G., 1954 a, 1175, 1176, 1177, 1181,  
 1187, 1194, 1195, 1210, 1211, pl. 1, fig. 1c;  
 pl. 9, fig. 45
- Crossophorus collaris* Hemprich & Ehrenberg  
*Hetherington*, D. C., 1923 a, 33, 44, pl. 2,  
 figs. 15, 28
- Crossophorus collaris* Hemprich u. Ehrenberg, 1828  
*Kreis*, H. A., 1938 b, 91-95, fig. 1A-J  
*Hyrax* [sp.]: Angola, Afrika
- Crossophorus collaris* H. & E.  
*Mönnig*, H. O., 1924 d, 438-439, figs. 2-5  
 Syn.: *Ascaris ferox* Schn.  
*Procavia capensis*  
*Procavia* sp.  
*P. brucei*  
*Teterohyrax mossambica*  
 all from Transvaal
- Crossophorus collaris* Hemprich and Ehrenberg,  
 1828  
*Myers*, B. J.; *Kuntz*, R. E.; and *Wells*, W. H.,  
 1962 a, 538  
*Procavia capensis*: Egypt
- Crossophorus collaris* Ehrenberg, 1828  
*Nasonov*, N. V., 1897 a, 2, 12, 13  
 as syn. of *Ascaris ferox* Ehrb.
- Crossophorus collaris* Hemprich et Ehrenberg  
*Neveu-Lemaire*, M., 1921 a, 390-396  
*Procavia brucei*: Africa
- Crossophorus collaris*  
*Perrier*, E., 1897 a, 1414  
*Daman* (caecum)
- Crossophorus collaris* Hempr. & Ehrenb.  
*Rauther*, M., 1930 a, 380
- Crossophorus collaris*  
*Sandground*, J. H., 1933 d, 264  
*Procavia brucei* frommi: Tanganyika
- Crossophorus collaris* (Hemprich and Ehrenberg)  
*Schuurmans Stekhoven*, J. H., 1937 a, 470, 472,  
 477, fig. 83
- Crossophorus collaris* Hemprich and Ehrenberg  
*Schuurmans Stekhoven*, J. H. (jr.), 1937 e,  
 22-23, figs. 55-58  
*Dendrohyrax arborens* adolfi-friederici:  
*Nayrusambo*; *Mushomangabo*; *Bitashimwa*;  
*Birambi*; Kamatembe River
- Crossophorus collaris*  
*Sprehn*, C. E. W., 1927 e, 42
- Crossophorus collaris* H. & E.  
*Turner*, M., 1922 a, 1  
*Procavia* sp.: Dodoma
- Crossophorus collaris* Hemprich et Ehrenberg,  
 1826  
*Vuylsteké*, A., 1956 a, 453  
*Dendrohyrax arboreus* adolfi friederici:  
*Kisenyi*, Gabu-Nioka
- Crossophorus collaris* Hemprich & Ehrenberg,  
 1828  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 287,  
 fig. 199  
 type of genus  
*Hyrax*
- Crossophorus tentaculatus*  
*Baylis*, H. A., 1919 c, 349
- Crossophorus tentaculatus* Ehrenb.  
*Dollfus*, R. P.; and *Monod*, T., 1933 a, 336  
 as syn. of *C. collaris* Ehrenb. (juven.)
- Crossophorus tentaculatus* Ehrenberg  
*Nasonov*, N. V., 1897 a, 2, 3, 14, 15  
 as syn. of *Ascaris tentaculatus* Ehrb.
- Crossophorus tentaculatus*  
*Neveu-Lemaire*, M., 1921 a, 395
- Crossophorus tentaculatus*  
*Sprehn*, C. E. W., 1927 e, 42  
*Hyrax*
- Crossophorus tentaculatus* Hemprich & Ehrenberg,  
 1828  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 287  
*Hyrax*
- Cruzia* n. g.  
*Travassos*, L. P., 1917 a, 100  
 type: *Cruzia tentaculata* (Rud., 1819)
- Cruzia*  
*Travassos*, L. P., 1920 f, 44
- Cruzia*  
*Travassos*, L. P., 1920 h, 63
- Cruzia Travassos*, 1917  
*Travassos*, L. P., 1922 c, 88, 89
- Cruzia* Trav.  
*Travassos*, L. P., 1931 g, 241
- Cruzia*  
*Baylis*, H. A., 1923 k, 37
- Cruzia Travassos*, 1917  
*Baylis*, H. A., 1936 a, 179-180  
*Kathianiidae*  
 type: *C. tentaculata* (Rudolphi, 1819)
- Cruzia Travassos*, 1917  
*Baylis*, H. A.; and *Daubney*, R., 1926 a, 16,  
 18-19  
 type: *C. tentaculata* (Rud.)
- Cruzia Travassos*, 1917  
*Harwood*, P. D., 1932 b, 46-47
- Cruzia Travassos*  
*Miranda*, C., 1924 a, 45, 51
- Cruzia*  
*Ratcliffe*, H. L., 1933 a, 21  
*Didelphis marsupialis virginiana*: Philadelphia Zoological Society Garden
- Cruzia* Trav.  
*Rauther*, M., 1930 a, 381

- Cruzia**  
*Ruiz*, J. M., 1947 a, 105 pp.  
 revision of genus
- Cruzia**  
*Sprehn*, C. E. W., 1927 e, 44
- Cruzia**  
*Teixeira de Freitas*, J. F.; and *Lent*, H., 1941  
 a, 16, 17, 22
- Cruzia Travassos**, 1917  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 8,  
 242-243  
 type: *C. tentaculata* (Rud., 1819)
- Cruzia [sp.]**  
*Canavan*, W. P. N., 1930 a, 60  
 opossum: *Phila. Zool. Garden*
- Cruzia [sp.]** (P.D. Harwood)  
*Chandler*, A. C., 1932 c, 10  
*Terrapene carolina triunguis* (intestine):  
 Texas  
 "These specimens also agree very closely with  
*C. tentaculata*"
- Cruzia sp. Smith**  
*Erickson*, A. B., 1944 b, 360, 366  
*Vulpes fulva* (accidental): North America
- Cruzia new species**  
*Kruse*, D. N., 1958 a, 11  
*Didelphis virginiana*
- Cruzia sp.**  
*Ratcliffe*, H. L., 1934 e, 24  
*Didelphis marsupialis*: Philadelphia Zool.  
 Gardens
- Cruzia n. sp.**  
*Rewell*, R. E., 1950 c, 488  
*Ameiva ameiva*: Regent's park, London
- Cruzia sp.**  
*Smith*, L. F., 1943 a, 176  
*Vulpes regalis*: Iowa
- Cruzia [sp.]**  
*Travassos*, L., [1946 b], 494  
*Didelphis marsupialis aurita*: Brasil
- Cruzia [sp.]**  
*Travassos*, L.; and *Teixeira de Freitas*, J. F.,  
 1942 a, 281  
*Tupinambis teguixin*: Brasil
- Cruzia [sp.]**  
*Travassos*, L. P.; *Teixeira de Freitas*, J. F.;  
 and *Lent*, H., 1939 a, 246  
*Tupinambis teguixin*: Estrado de Ferro Nor-  
 oeste, Brasil
- Cruzia americana n. n.**  
*Maplestone*, P. A., 1930 a, 80  
 Syn.: *C. tentaculata* (Rud.) of *Canavan*, 1929
- Cruzia americana Maplestone**  
*Babero*, B. B., 1957 c, 232  
 opossum: Illinois
- Cruzia americana**  
*Buchanan*, G. D., 1957 a, 92  
 Texas nine-banded armadillos, occurrence
- Cruzia americana**  
*Crites*, J. L., 1956 a, 68, 69, 70, 71, 72, pl.  
 I, figs. 1-13  
 redescription  
*Didelphis marsupialis virginiana*: Franklin  
 and Delaware counties, Ohio
- Cruzia americana Maplestone**, 1930  
*Crites*, J. L., 1956 b, 2561  
 morphology, taxonomy, life history  
*Didelphis marsupialis virginiana*: Franklin  
 and Delaware counties, Ohio
- Cruzia americana Maplestone**, 1930  
*Crites*, J. L., 1958 a, 343-346, pl., figs. 1-11  
 chemistry of membranes of egg envelope
- Cruzia boliviensis** n. sp.  
*Sprehn*, C., 1932 m, 274-276, fig. 2  
*Toxopeutes conurus* (Enddarm): Bolivien
- Cruzia boliviensis Sprehn**, 1932  
*Ruiz*, J. M., 1947 a, 22, 23, 43-44  
 key  
*Toxopeutes conurus*: Bolivia
- Cruzia boliviensis Sprehn**, 1932  
*Schuurmans Stekhoven*, J. H. (jr.), 1950 c, 325,  
 330-333, pl., fig. 2  
*Toxopeutes novemcinctus*: Paraguay
- Cruzia cameroni** sp. nov.  
*Wolfgang*, R. W., 1951 a, 352, 356-358, 359,  
 figs. 6-11, 14-15  
*Didelphis marsupialis insularis*  
*D. m. karkinophaga*  
 both from Trinidad
- Cruzia fulleborni** new species  
*Khalil*, M.; and *Vogelsang*, E. G., 1930 a, 72-74  
*Tupinambis teguixin*
- Cruzia fulleborni Khalil & Vogelsang**  
*Khalil*, M.; and *Vogelsang*, E. G., 1932 b, 483
- Cruzia fulleborni Khalil & Vogelsang**, 1932  
*Ruiz*, J. M., 1947 a, 22, 23, 33-34  
 key  
*Tupinambis teguixin*: Argentina
- Cruzia fulleborni Khalil and Vogelsang**, 1930  
*Vogelsang*, E. G., 1932 a, 1021  
*Tupinambis teguixin* (intestino)
- Cruzia mazza** n. sp.  
*Khalil*, M. (Bey); and *Vogelsang*, E. G., 1932 b,  
 482-485, fig. 9  
*Tatu novecinctus*: South America
- Cruzia mazzai** [sic] *Khalil & Vogelsang*, 1932  
*Ruiz*, J. M., 1947 a, 22, 23, 41-42  
 key  
*Tatu novecinctus*: Argentino
- Cruzia mexicana** n. sp.  
*Khalil*, M., 1927 c, 41-45  
*lézard mexicain*
- Cruzia mexicana Khalil**  
*Khalil*, M.; and *Vogelsang*, E. G., 1932 b, 483
- Cruzia mexicana**  
*Maplestone*, P. A., 1930 a, 80
- Cruzia mexicana Khalil**, 1927  
*Ruiz*, J. M., 1947 a, 21, 22, 23, 32-33  
 key  
*Lagarto*: Mexico
- Cruzia morleyi** n. sp.  
*Pearse*, A. S., 1936 b, 46-48, 59, figs. 1-5  
*Bufo marinus*: Chichen Itza, Yucatan
- Cruzia morleyi**  
*Walton*, A. C., [1946 b], 24  
*Bufo marinus*: Mexico
- Cruzia orientalis** n. sp.  
*Maplestone*, P. A., 1930 a, 78-80, fig. 1  
 pig: Bengal
- Cruzia orientalis** Maplestone, 1930  
*Baylis*, H. A., 1936 a, 180-181, figs. 95-96  
 domestic pig: Calcutta
- Cruzia orientalis** Maplestone, 1930  
*Ruiz*, J. M., 1947 a, 22, 23, 33  
 key  
*porco domestico*: Bengal, India
- Cruzia orientalis**  
*Thapar*, G. S., 1956 a, 227  
 pig: Calcutta
- Cruzia rudolphi** n. sp.  
*Ruiz*, J. M., 1947 a, 15, 22, 24, 44-46, 48, 51,  
 78-82, 88, 89, 96, 97, 98, 99, 100, 101, 102,  
 103, 104, 105, pl. 3, figs. 7-8, pl. 7, fig.  
 56, pl. 8, figs. 65, 71, pl. 9, figs. 73, 78,  
 82, pl. 10, figs. 85-86, 88-89, pl. 11, figs.  
 94-99  
*Erythrolamprus aesculapii*: Sao Paulo, Brasil
- Cruzia tentaculata** (Rudolphi 1819)  
*Travassos*, L. P., 1917 a, 5, 6  
 Syn.: *Oxysoma tentaculata* Schneider, 1866
- Cruzia tentaculata** (Rud., 1819)  
*Travassos*, L. P., 1922 c, 88-94; English  
 transl., 66-70
- Cruzia tentaculata** (Rud., 1819)  
*Baylis*, H. A., 1947 b, 394  
*Marmosa cinerea*  
*Didelphis marsupialis azarae*  
 both from Surinam

- Cruzia tentaculata* (Rudolphi, 1819)  
 Baylis, H. A.; and Daubney, R., 1926 a, 19  
*Cruzia tentaculata* (Rudolphi, 1819) Travassos,  
 1917  
 Caballero y C., E., 1937 i, 189-191, 199, fig.  
 1  
*Didelphis mesamericana mesamericana*: Distri-  
 to Federal y Tasquillo, Hidalgo  
*Cruzia tentaculata* (Rudolphi, 1819) Travassos,  
 1917  
 Caballero y C., E., [1959 a], 69, 71-72  
*Didelphis marsupialis tabascensis*: Jalten-  
 ango, Chiapas  
*Cruzia tentaculata* (Rudolphi, 1819) Travassos,  
 1917  
 Caballero y C., E.; and Vogelsang, E. G.,  
 1950 a, 62  
*Didelphis marsupialis*: Maracay, Estado  
 Aragua, Venezuela  
*Cruzia tentaculata* (Rudolphi, 1819) Travassos,  
 1917  
 Caballero y C., E.; and Zerecero y Diaz, M.  
 C., 1944 b, 397  
*Didelphis mesamericana tabascensis*  
*D. mesamericana mesamericana*  
 both from Motozintla, Chiapas  
*Cruzia tentaculata* (Rud.)  
 Canavan, W. P. N., 1929 a, 71, 82, pl. 4, fig.  
 7  
*Didelphys virginiana*  
*Cruzia tentaculata* (Rud.)  
 Canavan, W. P. N., 1931 a, 210  
*Didelphys virginiana*  
*Cruzia tentaculata* Rud., 1819  
 Chandler, A. C., 1932 c, 10  
*Didelphis*: Brazil  
*D. virginiana*: Pennsylvania; Texas  
*Cruzia tentaculata*  
 Dikmans, G., 1931 h, 3  
*Didelphys virginiana*: Jeanerette, La.  
*Cruzia tentaculata* (Rudolphi, 1819) Travassos,  
 1917  
 Flores Barroeta, L., 1957 a, 283-290, figs.  
 5-8  
*Didelphis marsupialis californica*: Veracruz,  
 Mexico  
*Cruzia tentaculata* (Rud.)  
 Freund, L., 1930 c, 112  
*Cruzia tentaculata*  
 Harwood, P. D., 1932 b, 46, 47, 48  
 opossums  
*Cruzia tentaculata*  
 Khalil, M., 1927 c, 45  
*Cruzia tentaculata* (Rud.)  
 Khalil, M.; and Vogelsang, E. G., 1932 b, 483  
*Didelphys* sp.  
*Cruzia tentaculata* (Rudolphi)  
 Leigh, W. H., 1940 a, 192, 193  
*Didelphis virginiana*: Illinois  
*Cruzia tentaculata* (Rud., 1819)  
 Lent, H.; and Teixeira de Freitas, J. F.,  
 1948 a, 4, 5, 23-24  
*Tupinambis teguixin*  
*Didelphis paraguayensis*  
 both from Montevideo  
*Cruzia tentaculata* (Rud.)  
 Maplestone, P. A., 1930 a, 78, 79, 80  
*Didelphys*  
*Cruzia tentaculata* (Rudolphi, 1819) Travassos,  
 1917  
 Oldham, J. N., 1933 b, 218, 232, 233, 234,  
 235, 240, 241, 243  
*Didelphis domestica*  
*D. marsupialis aurita*  
*D. marsupialis karkinophaga*  
*D. marsupialis virginiana*  
*D. quoaiquiqua*
- Cruzia tentaculata* (Rudolphi, 1819) Travassos,  
 1917--Continued.  
 Oldham, J. N., 1933 b  
*Marmosa murina*  
*Metachirus nudicaudatus*  
*M. opossum*  
*Philander lanigera*  
*P. philander*  
*Cruzia tentaculata* (Rud.)  
 Ortlepp, R. J., 1924 a, 17-18  
*Didelphys* sp.: Surinam  
*Cruzia tentaculata* (Rud.)  
 Rauther, M., 1930 a, 381  
*Cruzia tentaculata* (Rud., 1819)  
 Reiber, R. J.; and Byrd, E. E., 1942 a, 79-  
 81, 88, pl. 1, figs. 2-3  
*Didelphis virginiana*: Reelfoot Lake, Tenn.  
*Cruzia tentaculata* (Rudolphi, 1819) Travassos,  
 1916  
 Ruiz, J. M., 1947 a, 21, 22, 23, 24-31, 47,  
 49-71, 84, 85, 90, 91, 92, 93, 94, 95, 96, 97,  
 100, 101, 102, 103, 104, 105, pl. 1, figs.  
 1-3, pl. 4, figs. 9-16, pl. 5, figs. 27-39,  
 pl. 6, figs. 40-55, pl. 7, fig. 59, pl. 8,  
 figs. 64, 66-67, 69-70, pl. 9, figs. 72, 74-  
 75, 79-81, pl. 10, figs. 83-84, 90-92, pl. 11,  
 fig. 103  
 key, synonymy  
*Didelphis aurita*: Butantan  
*D. paraguayensis*: S. Paulo  
*Marmosa* sp.: S. Paulo  
*Gamba* (*Didelphis* sp.): Butantan  
*Cuica*: S. Paulo  
*Cruzia tentaculata*  
 Sandidge, L. L., 1953 a, 104  
*Didelphis virginiana*: northeastern Kansas  
*Cruzia tentaculata*  
 Sprehn, C. E. W., 1927 e, 44  
*Cruzia tentaculata* (Rudolphi, 1819) Travassos,  
 1917  
 Vogelsang, E. G., 1932 a, 1021  
*Didelphis paraguayense* (intestino)  
*Cruzia tentaculata* (Rud., 1819)  
 Vogelsang, E. G.; and Rodríguez C., C., 1952  
 a, 313  
*Didelphis marsupialis*: Jardin zoologico de  
 Maracay  
*Cruzia tentaculata*  
 Walton, A. C., 1923 a, 69  
*N. A. opossum*: Urbana, Ill.  
*Cruzia tentaculata* (Rud.)  
 Walton, A. C., 1924 b, 176, 206-209, 220, 224,  
 225, 228, 230, 231, pl. 11, figs. 91-103  
*Cruzia tentaculata* Travassos  
 Walton, A. C., [1927 a], 78-79  
*Didelphys virginiana*  
*Cruzia tentaculata*  
 Walton, A. C., 1940 a, 210, fig. 150 H  
*Cruzia tentaculata* (Rud., 1819)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 2,  
 242, fig. 167  
 type of genus  
*Didelphys* spp.  
*Cruzia testudinis* n. sp.  
 Harwood, P. D., 1932 b, 47-48, 66  
*Terrapene carolina triunguis* (rectum):  
 Houston, Tex.  
*Cruzia testudinis* Harwood, 1932  
 Ruiz, J. M., 1947 a, 22, 23, 24, 42-43  
 key  
*Terraplane carolina triunguis*: Estados  
 Unidos  
*Cruzia testudinis*  
 Wharton, G. W., 1941 b, 81-87  
 respiratory pigments

- Cruzia travassosia* n. sp.  
Khalil, M. (Bey); and Vogelsang, E. G., 1932 b, 481-482, 483, figs. 7-8  
*Tolypeutes conurus*: South America
- Cruzia travassosi* Khalil & Vogelsang, 1932  
Ruiz, J. M., 1947 a, 22, 23, 35-41, 48, 51, 71-78, 86, 87, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, pl. 2, figs. 4-6, pl. 7, figs. 57-58, 60, pl. 8, figs. 61-63, 68, pl. 9, figs. 76-77, pl. 10, figs. 87, 93, pl. 11, 100-102  
key, synonymy  
*Tupinambis teguixin*  
*Tolypeutes conurus*  
both from Brasil, Bolivia
- Cruzia travassosia* Khalil u. Vogelsang, 1932  
Sprehn, C., 1932 m, 276  
*Tolypeutes conurus*
- Cruzidae* n. fam.  
Travassos, L. P., 1917 a, 100
- Cruzidae Travassos*, 1917  
Travassos, L. P., 1920 h, 63
- Cruzidae Travassos*, 1917  
Travassos, L. P., 1922 c, 88-89; translation, 66-67
- Cruzidae*  
Travassos, L. P., 1930 c, 163
- Cruzidae Trav.*  
Travassos, L. P., 1931 g, 241
- Cruzidae*  
Baylis, H. A.; and Daubney, R., 1926 a, 19
- Cruziidae*  
van den Berghe, L.; and Vuylsteke, C., 1938 a, 381  
key
- Cruziidae*  
Rauther, M., 1930 a, 381
- Cruziidae*  
Sprehn, C. E. W., 1927 e, 39, 44
- Cruziidae Travassos*, 1917  
Yorke, W.; and Maplestone, P. A., 1926 a, 8, 181, 242
- Cruziinae* [? emend.]  
Filipjev, I. N., 1934 a, 39  
Kathlaniidae
- Cruziinae*  
Chitwood, B. G., 1937 c, 74  
Kathlaniidae
- Cruziniae* n. s. fam.  
Ortlepp, R. J., 1924 a, 17
- Cruziniae*  
Baylis, H. A.; and Daubney, R., 1926 a, 19
- Cruznema* n. g.  
Artigas, P. T., 1927 a, 209  
tod: *C. cruznema* n. sp.
- Cruznema Artigas*, 1927  
Artigas, P. T., 1929 a, 19, 89  
*Cruzneminae* n. s. fam.  
type species: *C. cruznema* Artigas, 1927
- Cruznema Artigas*, 1927  
Chitwood, B. G., 1932 i, 17
- Cruznema* (Artigas, 1927) subgen. nov.  
Dougherty, E. C., 1953 c, 70  
subgen. of *Pelodera*  
type: *C. cruznema* Artigas, 1927 (= *Rhabditis lambdiensis* Maupas, 1919; = *Pelodera lambdiensis* (Maupas, 1919) comb. nov.)
- Cruznema Artigas*, 1926  
Filipjev, I. N., 1934 b, 405, 414
- Cruznema Artigas*, 1926  
Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a, 837, 843, 845  
Kathlaniidae, Kathlaniinae
- Cruznema Artigas*  
Travassos, L. P., 1929 d, 24
- Cruznema cruznema* n. sp. (tod)  
Artigas, P. T., 1927 a, 209-[211]  
myriapode diplopode: Brazil
- Cruznema cruznema* Artigas, 1927  
Artigas, P. T., 1929 a, 89-91, pl. 35, figs. 1-2  
Est. de Sao Paulo, Remedios, Brasil
- Cruznema cruznema* Artigas, 1927  
Chitwood, B. G., 1933 f, 253  
as syn. of *Rhabditis lambdiensis* Maupas, 1919
- Cruznema cruznema* Artigas, 1927  
Dougherty, E. C., 1955 a, 130  
type sp. of subgenus (by designation)  
as syn. of *Pelodera* (*Cruznema*) *lambdiensis* (Maupas, 1919) Dougherty, 1953
- Cruznema cruznema* Artigas, 1927  
Filipjev, I. N., 1934 b, 411, fig. 306A
- Cruznema cruznema* Artigas, 1927  
Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a, 843, fig. 431A
- Cruznema cruznema* Artigas  
Travassos, L. P., 1929 d, 24
- Cruzneminae* n. s. fam.  
Artigas, P. T., 1929 a, 20, 89  
Thelastomidae  
contains: *Cruznema*
- Crycophorus* n. subgen.  
Chaves, O., 1930 a, 736  
subgen. of *Trichonema*
- Crycophorus* subgen.  
Vaz, Z., 1931 a, 833
- Cryptaphelenchus* Fuchs, 1937 subg.  
Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a, 422-423, 783, 788-789
- Cryptaphelenchus* n. subg.  
Fuchs, A. G., 1937 a, 333, 337, 338, 356  
*Parasitaphelenchus*  
[no type designated]
- Cryptaphelenchus* (Fuchs, 1937)  
Rühm, W., 1956 b, 197  
type: *C. macrogaster macrogaster* (Fuchs, 1937) n.c.
- Cryptaphelenchus* Fuchs, 1937 subg.  
Schneider, W., 1939 a, 243
- Cryptaphelenchus amitini* n. sp.  
Fuchs, A. G., 1937 a, 359-361, figs. 52-55  
*Parasitaphelenchus*  
*Jps amitinus*
- Cryptaphelenchus amitini* Fuchs, 1937  
Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a, 789
- Cryptaphelenchus amitini* Fuchs, 1937  
Rühm, W., 1956 b, 245, 255  
as syn. of *Ectaphelenchus amitini* (Fuchs, 1937)
- Cryptaphelenchus amitini* Fuchs, 1937  
Skrabin, K. I.; et al., 1954 a, 300  
as syn. of *Aphelenchoides amitini* (Fuchs, 1937) [n. comb.]
- Cryptaphelenchus cryptus* n. sp.  
Rühm, W., 1956 b, 26, 197, 199, 203, 416, fig. 43  
Hylurgops palliatus: Unterachtel (Fränkische Schweiz; Süderlügum (Schleswig-Holstein))
- Cryptaphelenchus hectographi* n. sp.  
Rühm, W.; and Chararas, C., 1957 a, 254, 256, 257, 263, 264, fig. 2 a-d  
Dryocoetes hectographus: Haute-Savoie
- Cryptaphelenchus koernerii* n. sp.  
Rühm, W., 1956 b, 14, 26, 197, 199, 201, 202-203, 416, fig. 42a-h  
Hylastes ater  
H. cunicularius  
both from Erlangen, Nürnberg, Oberpfälzer Wald, Süderlügum (Schleswig-Holstein)
- Cryptaphelenchus latus* (Thorne, 1935) Thorne, 1949 n.c.  
Rühm, W., 1956 b, 211  
Syn.: *Aphelenchoides latus* Thorne, 1935

- Cryptaphelenchus latus* (Thorne, 1935) Rühm, 1956  
*Massey, C. L.*, 1960 a, 17, 21, 22, fig. 5 D-F  
*Ips confusus*  
*Cryptaphelenchus leptocaudus* n. sp.  
*Rühm, W.*, 1956 b, 26, 208, 209, 419, fig. 49a-d  
*Ips (Orthotomicus) laricis*: Erlangen  
*I. (O.) suturalis*: Nürnberg, Höbing (Mittelfranken), Fichtelgebirge  
*Cryptaphelenchus macrogaster* (Fuchs, 1930)  
*Filipjev, I. N.; and Schuurmans Stekhoven, J.*  
*H.*, 1941 a, 788-789, fig. 397  
*synonymy*  
*Cryptaphelenchus macrogaster* Fuchs, 1915  
*Fuchs, A. G.*, 1937 a, 356-358  
*Syns.*: *Tylenchus macrogaster* Fuchs, 1915;  
*Parasitaphelenchus macrogaster* Fuchs, 1930  
*Cryptaphelenchus macrogaster acuminatus* n. ssp.  
*Rühm, W.*, 1956 b, 210-211, 419, fig. 51  
*Ips acuminatus*: Erlangen, Nürnberg  
*Cryptaphelenchus macrogaster macrogaster* (Fuchs, 1937)  
*Hirschmann, W.; and Rühm, W.*, 1953 a, 9, 10,  
fig. 7  
[*Ips typographus*] Buchdrucker  
*Cryptaphelenchus macrogaster macrogaster* (Fuchs, 1937) n.c.  
*Rühm, W.*, 1956 b, 209-210, 418, fig. 50a-f  
*Syns.*: *Tylenchus macrogaster* Fuchs, 1915;  
*Parasitaphelenchus macrogaster* Fuchs, 1930;  
*Cryptaphelenchus macrogaster* Fuchs, 1937;  
*Aphelenchoïdes macrogaster* (Fuchs, 1936)  
*Goodey, 1951*  
*Ips typographus*: Erlangen, Nürnberg, Regensburg, Höbing  
*I. cembrae*: Aschaffenburg, Hann.-Münden  
*Cryptaphelenchus macrogasteroides macrogasteroides* n. sp.  
*Rühm, W.*, 1956 b, 26, 205, 417  
*Dryocoetes autographus*: Erlangen, Nürnberg, Höbing (Mittelfranken), Oberpfälzer Wald, Fichtelgebirge, Oberbayern  
*Cryptaphelenchus macrogasteroides villosi* [n. ssp.]  
*Rühm, W.*, 1954 a, 175, fig. 6  
*Cryptaphelenchus macrogasteroides villosi* n. ssp.  
*Rühm, W.*, 1956 b, 205-206, 417, fig. 46a-c  
*Dryocoetes villosus*: Erlangen  
*Cryptaphelenchus malpighius* n. sp.  
*Fuchs, A. G.*, 1937 a, 361-365, figs. 56-65  
*Parasitaphelenchus*  
*Pityogenes chalcographus*  
*Cryptaphelenchus malpighius* Fuchs, 1937  
*Filipjev, I. N.; and Schuurmans Stekhoven, J.*  
*H.*, 1941 a, 789  
*Pityogenes chalcographus*  
*Cryptaphelenchus malpighius* Fuchs, 1937  
*Skrjabin, K. i.; et al.*, 1954 a, 302  
*as syn. of Aphelenchoïdes malpighius* (Fuchs, 1937) [n. comb.]  
*Cryptaphelenchus malpighius bidentatus* n. subsp.  
*Rühm, W.*, 1954 a, 223, 226, 234, 235-236, fig. 2a-e  
*Pityogenes bidentatus*: Schleswig-Holstein  
*Cryptaphelenchus malpighius bidentatus* Rühm  
*Rühm, W.*, 1956 b, 418  
*Pityogenes bidentatus*  
*Cryptaphelenchus malpighius chalcographi* Fuchs, 1937  
*Théodoridès, J.*, 1950 d, 62  
*Pitogenes chalcographus*: France  
*Cryptaphelenchus malpighius malpighius* (Fuchs, 1937) n.c.  
*Rühm, W.*, 1956 b, 207-208, 418, fig. 47  
*Syns.*: *C. malpighius* Fuchs, 1937; *Aphelenchoïdes malpighius* (Fuchs, 1937) Goodey, 1951  
*Pityogenes chalcographus*: Nürnberg, Erlangen Höbing (Mittelfranken), Oberpfälzer Wald, Oberbayern, Sieber (Harz), Süderlügum (Schleswig-Holstein)
- Cryptaphelenchus minutus* (Fuchs, 1930)  
*Filipjev, I. N.; and Schuurmans Stekhoven, J.*  
*H.*, 1941 a, 789  
*synonymy*  
*Cryptaphelenchus minutus* Fuchs, 1930  
*Fuchs, A. G.*, 1937 a, 358  
*Syns.*: *Parasitaphelenchus minutus* Fuchs, 1930  
*Jps sexdentatus*: Karlsruhe  
*Cryptaphelenchus piceae* n. sp.  
*Rühm, W.*, 1956 b, 24, 204-205, 417  
*Cryphalus piceae*  
*Cryptaphelenchus piceoides* n. sp.  
*Rühm, W.*, 1956 b, 25, 208-209, 418, fig. 48  
*Pityokteines curvidens*: Stadtsteinach (Frankenwald, Regensburg, Nürnberg, Erlangen, St. Blasien (Schwarzwald))  
*Cryptaphelenchus poligraphi* n. sp.  
*Rühm, W.*, 1956 b, 198, 199, 203-204, 417, fig. 44a-b  
*Polygraphus poligraphus*: Nürnberg, Erlangen, Höbing (Mittelfranken), Oberpfälzer Wald, Stadtsteinach (Frankenwald) Fichtelgebirge, Schwarzwald, Sieber  
*Cryptaphelenchus pygmaeus* (Fuchs, 1930)  
*Filipjev, I. N.; and Schuurmans Stekhoven, J.*  
*H.*, 1941 a, 789  
*synonymy*  
*Cryptaphelenchus pygmaeus* Fuchs, 1930  
*Fuchs, A. G.*, 1937 a, 358-359  
*Syns.*: *Parasitaphelenchus pygmaeus* Fuchs, 1930  
*Myelophilus piniperda*  
*Cryptaphelenchus pygmaeus* (Fuchs, 1930) Rühm, 1956  
*Goodey, J. B.*, 1960 a, 118  
*Cryptaphelenchus pygmaeus* (Fuchs, 1930) Fuchs, 1937  
*Rühm, W.*, 1956 b, 211-212  
*species dubia*  
*Cryptaphelenchus viktoris* (Fuchs, 1937)  
*Rühm, W.*, 1956 b, 211, 416  
*Syns.*: *Parasitaphelenchus (Steineria) viktoris* Fuchs, 1937; *Aphelenchoïdes viktoris* (Fuchs, 1937) Goodey, 1951  
*Myelophilus piniperda*  
*Ctenocephalus* n. g.  
*von Linstow, O.*, 1904 f, 102  
*tod*: *C. tiara* von Linstow  
*Ctenocephalus v. Linstow*, 1904 not *Kolenati*, 1857  
*Baylis, H. A.; and Daubney, R.*, 1926 a, 233  
*as syn. of *Tangua* R. Bl.*  
*Ctenocephalus*  
*Palestine, Department of Health*, [1935 a], 98  
*Ctenocephalus v. Linstow*, 1904  
*Yorke, W.; and Maplestone, P. A.*, 1926 a, 340  
*as syn. of *Tangua* Blanchard, 1904*  
*Ctenocephalus* sp. ?  
*Clark, S. D.*, 1938 a, 68  
*Armadillo*  
*Dasyurus novemcinctus*  
*both from Guatemala*  
*Ctenocephalus tiara* von Linstow [n. comb.] (tod)  
*von Linstow, O.*, 1904 f, 91, 102-103, 104, pl. 2, figs. 23-27  
*Syns.*: *Ascaris tiara* Linstow, 1879  
*Varanus bengalensis*: Bolgoda  
*V. salvator*: Horana  
*V. ornatus*  
*Ctenocephalus tiara* (Linstow, 1879) Linstow, 1904  
*Yorke, W.; and Maplestone, P. A.*, 1926 a, 341  
*as syn. of *Tangua* tiara (Linstow, 1879)*  
*Cucullaea*  
*Huttner, F.*, 1920 a, 367  
*Cucullanellus* n.g.  
*Törnquist, N.*, 1931 a, iv, 9, 10, 27, 31, 36, 47, 56, 57, 60, 90, 105, 126, 127, 130, 132, 159  
*type*: *C. minutus* Rud. 1802  
*Cucullanellus* Törnquist, 1931  
*Chandler, A. C.*, 1935 c, 149  
*[reduced to rank of subg. of *Dichelyne*]*

- Cucullanellus* Törnquist, 1931  
 Chitwood, B. G.; and Wehr, E. E., 1934 a, 331, 334, pl. 1
- Cucullanellus* Törnquist  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 4
- Cucullanidae*
- Cucullanellus* sp.  
 Janiszewska, J., 1949 a, 8, 15-16, figs. 3-4  
 Dentex dentex: Adriatic Sea
- Cucullanellus abbreviatus* (Rudolphi, 1819) new combination  
 Törnquist, N., 1931 a, iv, 170-171  
 Syms.: *Cucullanus abbreviatus* Rud., 1819;  
*Dacnitis abbreviata* Duj., 1845; *Heterakis foveolata* R. (pro parte) Schneider, 1866;  
*Heterakis abbreviata* Rudolphi bei Stossich, 1888  
*Perca cirrosa*: Rom
- Cucullanellus abbreviatus* (Rud.)  
 Schuurmans Stekhoven, J. H., 1939 a, 574
- Cucullanellus adriaticus* n. sp.  
 Törnquist, N., 1931 a, 43, 130, 131, 151-152, 159, 439, 440, 441, pl. 12, fig. 3, pl. 15, fig. 7, pl. 17, fig. 3  
*Chrysophrys aurata*: Mittelmeer (Triest)
- Cucullanellus adriaticus* (Törnquist)  
 Schuurmans Stekhoven, J. H., 1939 a, 574
- Cucullanellus anceps* (Gendre, 1927) new combination  
 Törnquist, N., 1931 a, iv, 43, 131, 153-158, 439, 441, fig. 10, pl. 12, fig. 4, pl. 17, fig. 4  
 Syn.: *Dichelyne anceps* Gendre, 1927  
*Batrachus didactylus*: Westküste Afrika (Mauritanien)
- Cucullanellus anceps*  
 Schuurmans Stekhoven, J. H., 1937 a, 436
- Cucullanellus anceps* (Gendre)  
 Schuurmans Stekhoven, J. H., 1939 a, 628
- Cucullanellus branchiostegi* n. sp.  
 Yamaguti, S., 1941 b, 344, 387-389, 395, pl. VI, fig. 47; figs. 40-41  
*Branchiostegus japonicus*: Obama, Hukui Prefecture, Japan
- Cucullanellus cnidoglanis* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 114, 115, 116, figs. 4-5  
*Cnidoglanis megastoma*: Port Willunga, South Australia
- Cucullanellus dichelyneformis* n. sp.  
 Szidat, L., 1950 a, 236, 238, 252-254, 263, 265, 266, 267, figs. 10-11  
*Eleginops maclovinus*: Tierra del Fuego
- Cucullanellus elongatus* n. sp.  
 Törnquist, N., 1931 a, iv, 18, 22, 44, 130, 131, 158-167, 439, 440, 441, pl. 12, fig. 5, pl. 15, fig. 8, pl. 17, fig. 5  
*Corvinilla* (Darm): Juan-Fernandez Inseln.
- Cucullanellus elongatus*  
 Schuurmans Stekhoven, J. H., 1937 a, 436
- Cucullanellus elongatus* (Törnquist)  
 Schuurmans Stekhoven, J. H., 1939 a, 574, 628
- Cucullanellus fraseri* (Baylis, 1929) n. combination  
 Törnquist, N., 1931 a, iv, 11, 16, 131, 132, 171  
 Syn.: *Cucullanus fraseri* Baylis, 1929  
*Chaenocephalus aceratus* (rectum)  
*Trematomus hansonii*  
 both from Süd-Georgien
- Cucullanellus fraseri* (Baylis)  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 75, 138-140, fig. 30  
*Notothenia cyanobrancha*  
*N. coriiceps*  
*N. mizops*  
*N. acuta*  
*N. rossi*  
*N. macrocephala*  
*N. colbecki*
- Cucullanellus fraseri* (Baylis).--Continued.  
 Johnston, T. H.; and Mawson, P. M., 1945 a  
*Harpagifer bispinis*  
*Champscephalus gunnari*  
*Chaenichthys rhinoceratus*  
*C. rugosus*
- Cucullanellus fraseri* (Baylis)  
 Johnston, T. H.; and Mawson, P. M., 1953 a, 65, 69  
*Notothenia colbecki*: Auckland Islands
- Cucullanellus fraseri* var. *nototheniae* (Baylis, 1929) new combination  
 Törnquist, N., 1931 a, iv, 131, 132, 171  
 Syn.: *Cucullanus fraseri* var. *nototheniae* Baylis, 1929  
*Notothenia gibberifrons*: Sud-Georgien
- Cucullanellus minutus* (Rudolphi, 1819) new combination  
 Törnquist, N., 1931 a, iv, 9, 44, 56, 57, 58, 130, 131, 132-143, 144, 151, 152, 153, 159, 160, 165, 436, 437, 438, 439, 440, 441, pl. 1, fig. 2, pl. 5, fig. 5, pl. 7, fig. 1, pl. 12, fig. 1, pl. 15, fig. 5, pl. 17, figs. 1a-b  
 type of genus  
 Syms.: *Cucullanus minutus* Rud., 1819; ?  
*Histiocephalus minutus* Dies., 1851; *Dacnitis fusiformis* Molin, 1860; *Heterakis foveolata* (pro parte) bei Schneider, 1866; *H. fusiformis* (Molin, 1860) bei Stossich, 1888; *Cucullanus cirratus* Müller, 1777 (pro parte) bei Barreto, 1922; *Dichelyne fusiformis* (Molin, 1860) bei Gendre, 1927  
*Pleuronectes platessa* Gendre, 1926  
*P. flesus*
- Cucullanellus minutus* (Rud., 1819)  
 Butskaiā, N. A., 1952 a, 48  
*Pleuronectes flesus*: Danube
- Cucullanellus minutus* Rud.  
 Chernyshenko, A. S., 1955 a, 218  
*Pleuronectes flesus luscus*  
*Neogobius melanostomus*  
 (intestine of both): both from Odessa Bay
- Cucullanellus minutus*  
 Chernyshenko, A. S., 1956 b, 288  
 fish: Dniester estuary
- Cucullanellus minutus*  
 Dyk, V., 1959 c, 36  
 cejnek malý; Jezero (?) Ökörí
- Cucullanellus minutus* (Rudolphi 1819)  
 Engelbrecht, H., 1958 a, 484, 486, 492, 504, 507  
*Pleuronectes flesus*: [Germany]
- Cucullanellus minutus* (Rud.) Törnquist 1932  
 Janiszewska, J., 1949 a, 8, 14-15  
*Pleuronectes flesus luscus*: Adriatic Sea
- Cucullanellus minutus* Rudolphi, 1819  
 Kasták, V., 1956 d, 629  
*Blicca bjoerkna*: Czechoslovakia
- Cucullanellus minutus* (Rudolphi, 1819)  
 Markevich, A. P., [1952 a], 277  
*Mesogobius batrachocephalus*  
*Neogobius syrman*  
*N. melanostomus*
- Cucullanellus minutus* (Rud.)  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 5, V.c 6, fig. 349  
 Syms.: *Dacnitis fusiformis* Molin; *Heterakis foveolata* Rud. pt.; *H. fusiformis* Mol.; *Cucullanus cirratus* Müller pt.; *Dichelyne fusiformis* Mol.  
*Pleuronectes platessa*  
*P. flesus*
- Cucullanellus minutus* (Rud.)  
 Schuurmans Stekhoven, J. H., 1939 a, 574, 628
- Cucullanellus nanus* n. sp.  
 Törnquist, N., 1931 a, iv, 10, 131, 167-170, 439, 441, pl. 12, fig. 6, pl. 17, fig. 6  
*Morone labrax*: Mittelmeer, Triest

- Cucullanellus nanus**  
 Schuurmans Stekhoven, J. H., 1937 a, 436  
**Cucullanellus nanus (Toernquist)**  
 Schuurmans Stekhoven, J. H., 1939 a, 574  
**Cucullanellus pleuronectidis n. sp.**  
 Yamaguti, S., 1935 g, 338, 384-385, figs. 63-65  
 Paralichthys olivaceus  
 Pleuronichthys cornutus  
 Pseudorhombus cinnamomeus  
 all from Japan
- Cucullanellus pleuronectidis** Yamaguti, 1935  
 Yamaguti, S., 1941 b, 344, 386-387  
 flat fishes  
 Pagrosomus unicolor  
 both from Inland Sea
- Cucullanellus serratus**  
 Schuurmans Stekhoven, J. H., 1937 a, 437  
**Cucullanellus sheardi n. sp.**  
 Johnston, T. H.; and Mawson, P. M., 1944 a, 61, 63, 64, pl., figs. 6-10  
 Threpterus maculosus: Cape Borda and the Althorpe Islands
- Cucullanellus sheardi** Jnstdn. and Mawson  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 114, 115, 116-117, figs. 6-8  
 Threpterus maculosus: Cape Borda  
 Dactylophora nigricans: Backstairs Passage and Rapid Bay  
 Latridopsis forsteri: Kangaroo Island
- Pagrosomus auratus**: Glenelg
- Cucullanellus sheardi** Johnston and Mawson  
 Johnston, T. H.; and Mawson, P. M., 1949 a, 63, 67  
 Ophthalmolepis lineolatus  
 Pagrosomus auratus  
 both from Australia
- Cucullanellus tripapillatus** (Gendre, 1927) new combination  
 Törnquist, N., 1931 a, iv, 27, 43, 130, 131, 143-151, 152, 153, 157, 159, 439, 440, 441, fig. 9, pl. 12, fig. 2, pl. 15, fig. 6, pl. 17, fig. 2  
 Syns.: Cucullanus tripapillatus Gendre, 1927; Dichelyne tripapillatus Gendre, 1927  
 Sargus cervinus  
 S. rondeleti  
 Chrysophrys aurata  
 C. bifasciata  
 all from Westküste Afrika (Mauritanien)
- Cucullanellus tripapillatus** (Gendre)  
 Schuurmans Stekhoven, J. H., 1939 a, 574
- Cucullanidae Cobbold, 1864**  
 Ali, S. M., [1957 a], 22  
 key to genera
- Cucullanidae Barreto**  
 Augustine, D. L., 1929 a, 434
- Cucullanidae**  
 de Barros Barreto, A. L. C. A., 1918 b, 20
- Cucullanidae Barreto**  
 de Barros Barreto, A. L. C. A., 1919 b, 11, 12
- Cucullanidae Barreto**, 1916  
 de Barros Barreto, A. L. C. A., 1922 a, 61-65  
 family revised
- Cucullanidae Barreto**, 1916 [Stossich, 1898, fide Ward & Whipple]  
 Baylis, H. A., 1923 i, 28-34  
 Syn.: Dacnitidae Lane, 1916 (nec Cucullanidae Diesing [?] = Camallanidae Räil. & Henry, 1915)
- Cucullanidae Cobbold, 1864**  
 Baylis, H. A., 1939 b, xxvii, 220
- Cucullanidae Barreto**, 1916  
 Baylis, H. A.; and Daubney, R., 1926 a, 231
- Cucullanidae**  
 Chabaud, A. G.; and Petter, A. J., 1961 b, 61  
 cloacal papillae
- Cucullanidae**  
 Chitwood, B. G., 1937 c, 75  
 Camallanoidea
- Cucullanidae**  
 Chitwood, B. G.; and Wehr, E. E., 1932 a, 168  
 taxonomy
- Cucullanidae Cobbold, 1864**  
 Chitwood, B. G.; and Wehr, E. E., 1934 a, 302, 313, 330-331, 334, pl. I  
 Spiruroidea
- Cucullanidae**  
 Filipjev, I. N., 1934 b, 71  
 Spirurata
- Cucullanidae**  
 Janiszewska, J., 1949 a, 16-18
- Cucullanidae**  
 Perrier, E., 1897 a, 1414
- Cucullanidae**  
 Rauther, M., 1930 a, 256, 375
- Cucullanidae**  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 2, V.c 3-V.c 4  
 key to genera  
 Strongyloidea
- Cucullanidae**  
 Sprehn, C. E. W., 1927 e, 39
- Cucullanidae**  
 Thapar, G. S., 1925 f, 148
- Cucullanidae Barreto**, 1916  
 Törnquist, N., 1931 a, 441 pp.  
 belongs in superfamily Strongyloidea Weinland, 1858  
 includes: Cucullanus Müller, 1777; Dacnitis Dujardin, 1845; Cucullanellus n. g.; Dichelyne Jägerskiöld, 1902; [Neocucullanus Travassos, 1928 too incompletely described]
- Cucullanidae Barreto**, 1916  
 Travassos, L. P., 1920 h, 69
- [**Cucullanidae**] **Cuculanideos**  
 Travassos, L.; and Teixeira de Freitas, J. F., 1943 a, 412  
 Steindachneria ? parahybae: Estrada de Ferro Noroeste do Brasil
- Cucullanidae**  
 Van Cleave, H. J.; and Mueller, J. F., 1934 a, 302  
 diagnosis
- Cucullanidae Stossich**  
 Ward, H. B., 1918 b, 529
- Cucullanidae Cobbold, 1864**  
 Yorke, W.; and Maplestone, P. A., 1926 a, 11, 12, 289, 349, 380-381, 384
- Cucullanidae Barreto**, 1916  
 Yorke, W.; and Maplestone, P. A., 1926 a, 381  
 as syn. of Cucullaninae Y. & M.
- Cucullaninae n. sp.**  
 Yorke, W.; and Maplestone, P. A., 1926 a, 12, 381, 383
- Cucullaninae**  
 Chitwood, B. G., 1937 c, 75
- Cucullanidae**  
 Chitwood, B. G.; and Wehr, E. E., 1934 a, 304, 331, 334, pl. I
- Cucullanidae**  
 Syn.: Dacnitoidinae Yorke and Maplestone, 1926
- Cucullaninae Baylis**, 1923  
 Törnquist, N., 1931 a, 6, 7
- Cucullanus Muller** subgen.  
 Antonucci, A., 1929 a, 106
- Cucullanus**  
 de Barros Barreto, A. L. C. A., 1918 b, 20
- Cucullanus Muller**  
 de Barros Barreto, A. L. C. A., 1919 b, 12
- Cucullanus**  
 de Barros Barreto, A. L. C. A., 1922 a, 61, 62, 68, 69
- Cucullanus Muller**, 1777  
 Baylis, H. A., 1923 k, 26, 28-30, 31, 32, 33  
 Syn.: Dacnitis Duj., 1845, nec Camallanus Rail. & Henry, 1915

- Cucullanus**  
 Baylis, H. A., 1923 1, 233-236  
**Cucullanus Muller**, 1777  
 Baylis, H. A., 1939 b, xxvii, 220  
**Cucullanidae**  
 key to species, type: *C. cirratus Muller*, 1777  
 Syns.: *Pleurorinchus* Nau, 1787; *Cucullius* Zeder, 1803; *Stelmius* Dujardin, 1845; *Dacnitis* Dujardin, 1845; *Serradachnitis* Lane, 1916; *Bulbodacnitis* Lane, 1916  
**Cucullanus Muller**, 1777  
 Baylis, H. A., and Daubney, R., 1926 a, 231, 232  
 type: *C. cirratus Muller*  
**Cucullanus auct. non Muller**, 1777  
 Baylis, H. A., and Daubney, R., 1926 a, 230  
 as syn. of *Camallanus Railliet & Henry*  
**Cucullanus Muller**  
 Blanchard, E., 1849 a, 173, 176-177, 180  
**Sclerostomii**  
 diagnosis  
**Cuccullanus [sic]**  
 Bütschli, O., 1872 b, 70  
 [for *Cucullanus Muller*, 1774]  
**Cucullanus**  
 Burdach, K. F., 1837 a, 88, 217  
**Cucullanus**  
 Chitwood, B. G., and Wehr, E. E., 1932 a, 168  
 taxonomy  
**Cucullanus Muller**, 1777  
 Chitwood, B. G., and Wehr, E. E., 1934 a, 286, 303, 331, 334, fig. 6 CC, pl. 1  
**Cucullanus**  
 Filipjev, I. N., 1934 b, 52  
**Cucullanus**  
 Filipjev, I. N., and Schuurmans Stekhoven, J. H., 1941 a, 69  
**Cucullanus Muller**  
 Gendre, E., 1927 a, 472-473  
**Cucullanus ? Rud.**  
 Heitz, F. A., 1917 a, 16, 21  
**Cucullanus [sic]**  
 Höppie, R. J. C., 1925 e, 2  
**Cucullanus (Camallanus)**  
 Magath, T. B., 1919 a, 149, 151, 154, 156  
**Cucullanus**  
 Martin, E. 1, 1925 a, 27  
**Cucullanus Muller**  
 Perrier, Edmond, 1897 a, 1414  
**Cucullanus Muller**  
 Rauther, M., 1930 a, 253, 330, 375  
**Cucullanus**  
 Saint-Loup, Remy, [1895 a], 204, fig. 170  
**Cucullanus Muller**  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 4  
**Cucullanidae**  
 key to species  
 Syns.: *Dacnitis* Dujardin pt.; *Heterakis* Du-jardin pt.  
**Cucullanus O.F. Muller**. pt.  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 4  
 as syn. of *Dacnitis* Dujardin, 1845  
**Cucullanus auct. non Muller**, 1777  
 Seurat, L. G., 1918 a, 261  
 Syn.: *Camallanus Raill. and Henry*  
**Cucullanus**  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihie, J. E. W., [1922 a], 320  
**Cucullanus Muller**, 1777  
 Törnquist, Nils, 1931 a, iii, 1, 2, 3, 5, 6, 7, 8, 9, 10, 31, 57, 80, 97, 105, 106, 126, 127, 129, 130, 141, 180, 191, 224, 226, 228, 229, 251, 252, 379, 380, 381, 383, 384, 385, 397, 398, 401  
**Cucullanus**  
 Travassos, L. P., 1920 f, 41, 44  
**Cucullanus**  
 Travassos, L. P., 1920 h, 69
- Cucullanus Mueller**  
 Travassos, L. P.; Artigas, P.; and Pereira, C., 1928 a, 17  
 type: *C. cirratus* (Mull.)  
**Cucullanus O.F. Muller**  
 Ward, H. B., 1918 b, 530  
**Cucullanus**  
 Wilker, G., 1930 b, 6  
**Cucullanus O.F. Mueller**, 1777  
 York, W.; and Maplestone, P. A., 1926 a, 1, 9, 10, 12, 381-383  
 type: *C. cirratus Mueller*, 1777  
**Cucullanus sp.**  
 Baylis, H. A.; and Jones, E. I., 1933 a, 633  
*Mullus surmuletus* (intestine): Plymouth, England  
**Cucullanus sp.**  
 Berland, B., 1961 a, 40, 42, fig. 54  
*Phoxinus aphyia*: Oslo, Norway (Zool. mus.)  
**Cucullanus sp.**  
 Bykhol'skaya, I. E.; and Bykhol'skiy, B. E., 1940 a, 157  
*Esox lucius*  
**Cucullanus spp.**  
 Campana-Rouget, Y., 1956 c, 462  
*Murenophis robusta*  
*Conger macrops*  
 both from mer Ouest-Africains  
**Cucullanus spp.**  
 Campana-Rouget, Y., 1957 a, 427-429, 473, pl. VIII, figs. A-I  
*Conger macrops*  
*Capros aper*  
*Epinephelus taeniops*  
 all from Afrique occidentale francaise  
**Cucullanus sp.**  
 Campana-Rouget, Y.; and Chabaud, A. G., 1956 a, 271, 275, pl. 2, fig. 7; 277-278, pl. III, figs. 6-8  
*Solea solea*: environs de Banyuls  
**Cucullanus sp.**  
 Chatterji, R. C., 1938 b, 337  
*Pangasius pangasius*: Rangoon  
**Cucullanus spp.**  
 Chitwood, B. G.; and Chitwood, M. B., 1937 b, 45  
**Cucullanus sp.**  
 Chitwood, M. B.; and Chitwood, B. G., 1940 a, 130, 131, fig. 114 L-M  
**Cucullanus sp.**  
 Dogiel, V.; and Bykhol'skiy, B. E., 1934 a, 305, 310, 313, 314, 342  
*Aramis sapa*: Aral sea  
**Cucullanus sp.**  
 Fischthal, J. H., 1952 b, 22, 57  
*Acipenser fulvescens*: northwest Wisconsin  
**Cucullanus sp.**  
 Gendre, E., 1927 a, 480-481, figs. 12-14  
*Batrachus didactylus*  
**Cucullanus sp.**  
 Gendre, E., 1927 a, 481-482, fig. 15  
*Balistes* sp.: Pedra de Lume, Mauritanie  
**Cucullanus sp. Gendre**, 1926  
 Gendre, E., 1927 b, 259  
*Batrachus didactylus*  
**Cucullanus sp. Gendre**, 1926  
 Gendre, E., 1928 a, 77  
*Balistes* sp.  
**Cucullanus sp.**  
 Gustafson, P. V., 1942 b, 28  
 rainbow trout  
 eastern brook trout  
 both from Spokane area  
**Cucullians [sic] sp.**  
 Kamagai, S.; et al., 1961 a, 465  
*Galapagos Is.*  
**Cucullianus sp.**  
 Krepkogorskaia, T. A., 1927 a, 106  
*Aramis brama*

- Cucullanus* sp.  
*Krotas*, R. A., 1959 b, 163-167  
 Lithuania
- Cucullanus* sp.  
*Layman*, E. M., 1930 a, 85  
*Sphaeroides borealis*  
*S. rubripes*
- Cucullanus* sp.  
*Pratt*, H. S., 1923 a, 63  
*Ameiurus natalis*: Oneida Lake, N. Y.
- Cucullanus* sp.  
*Rees*, F. G., 1946 a, 39, 40, 41  
*Limanda limanda*: Irish Sea
- Cucullanus* sp.  
*Shevchenko*, N. N., 1954 b, 79  
*Leuciscus cephalus*: northern Donets river
- Cucullanus* sp.  
*Shevchenko*, N. N., 1956 b, 278, 282  
*Leuciscus cephalus*: northern Donets
- Cucullanus* sp.  
*Sproston*, N. G., 1938 a, 44, 46  
*Labrus bergylta* (cavité branchiale)  
*Conger conger* (tube digestif)  
 both from Roscoff
- Cucullanus* spp.  
*Steward*, J. S., [1932 b], 201  
*Gadus minutus* (intestine)  
*G. morrhua* (intestine)  
*Molva molva* (intestine)  
 all from Plymouth, England
- Cucullanus* [sp.]  
*Travassos* L. P.; and *Teixeira de Freitas*, J. F., 1942 a, 285  
*Sorubim lima*  
*Paulicea lutkeni*  
*Brachyplatystoma* sp.  
 all from Brasil
- Cucullanus* [spp.]  
*Travassos*, L. P.; *Teixeira de Freitas*, J. F.; and *Lent*, H., 1939 a, 248  
*Pimeodus clarias*  
*?Pseudoplatistoma* sp.  
 both from Estrado de Ferro Noroeste, Brasil
- Cucullanus* [sp.] *Pratt*, 1923  
*Van Cleave*, H. J.; and *Mueiller*, J. F., 1934 a, 304  
 as syn. of *Dicheleyne robusta* (*Van Cleave* and *Mueiller*, 1932)
- Cucullanus* sp.  
*Yamaguti*, S., 1941 b, 344, 386  
*Lotella phycis*: Suruga Bay, Japan
- Cucullanus* sp.  
*Zakhvatkin*, V. A., 1951 a, 125, 129, 144  
*Leuciscus cephalus*: Transcarpathia  
*Alburnus alburnus*: Transcarpathia
- Cucullanus* sp.  
*Zakhvatkin*, V. A.; and *Kulakiv's'ka*, O. P., 1951 a, 153  
 upper Dniester
- Cuculanus* [sic] sp.  
*Zmeev*, G. Ia., 1932 b, 257  
*Corregonos* [sic] *ussuriensis*: Amur river
- Cucullanus abbreviatus* Rud.  
*de Barros Barreto*, A. L. C. A., 1922 a, 71, 73-74  
*Scorpaena cirrhosa*  
*Perca cirrhosa*
- Cucullanus abbreviatus* Rud.  
*Gendre*, E., 1927 b, 267
- Cucullanus abbreviatus* Rud., 1819  
*Törnquist*, N., 1931 a, 90, 170  
 as syn. of *Cucullanellus abbreviatus* Rud., 1819
- Cucullanus abbreviatus* Rud.  
*Wüller*, G., 1930 a, 302  
*Scorpaena cirrhosa*
- Cucullanus abbreviatus* Rud., 1819  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 382  
*Perca* sp.
- Cucullanus alatus* Rud., 1802  
*Törnquist*, N., 1931 a, 326  
 as syn. of *Camallanus lacustris* Zoega, 1776
- Cucullanus amadai* n. sp.  
*Yamaguti*, S., 1941 b, 344, 384-386, 395, pl. VI, fig. 46; figs. 38-39  
*Branchiostegus japonicus*: Obama, Hukui Prefecture, Japan
- Cucullanus amadai* Yamaguti, 1941  
*Khera*, S., [1956 a], 95  
 as syn. of *Cucullanus zungaro* Vaz and Pereira, 1934
- Cucullanus (Steilmiooides) ammocoetis* Linstow 1897  
[n. comb.]  
*Antonucci*, A., 1929 a, 108, 109-113
- Cucullanus anguillae* Schrank, 1788  
*Törnquist*, N., 1931 a, 326  
 as syn. of *Camallanus lacustris* Zoega, 1776
- Cucullanus annulatus* n. sp.  
*Margolis*, L., 1960 a, 839-849, figs. 1-13  
*Parophrys vetulus* (intestine): coastal waters of British Columbia
- Cucullanus antipodeus* n. sp.  
*Baylis*, H. A., 1932 c, 174-177, 1 fig.  
*Rhombosolea* sp.: New Zealand
- Cucullanus antipodeus* Baylis, 1932  
*Khera*, S., [1956 a], 94-95, figs. 72-73  
*Mystus seenghala*: local fish market, Lucknow
- Cucullanus arii* n. sp.  
*Yamaguti*, S., 1954 b, 122, 126-128, 133, pl. I, figs. 5-8  
*Arius* sp.: Banjermassin, Borneo
- Cucullanus armatus* n. sp.  
*Yamaguti*, S., 1954 b, 122, 124-125, 133, pl. I, figs. 9-10; pl. II, figs. 11-12  
*Arius* sp.: Banjermassin and Macassar
- Cucullanus armatus* Zeder, 1800  
*Törnquist*, N., 1931 a, 326  
 as syn. of *Camallanus lacustris* Zoega, 1776
- Cucullanus armatus* Zeder, 1800  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 378  
 as syn. of *Camallanus lacustris* (Zoega, 1776)
- Cucullanus ascaroides* Goeze, 1782  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 285  
 as syn. of *Goezia ascaroides* (Goeze, 1782)
- Cucullanus attenuatus* Molin  
*de Barros Barreto*, A. L. C. A., 1922 a, 71, 75  
*Leuciscus cavellanus*  
*Squalius cavellanus*
- Cucullanus attenuatus* Molin, 1858 bei Barreto, 1918  
*Törnquist*, N., 1931 a, 223  
 as syn. of *Dacnitis attenuata* Molin, 1858
- Cucullanus attenuatus* (Molin, 1859)  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 382  
*Squalius cavedanus*
- Cucullanus auctorum*  
*Rauther*, M., 1930 a, 262
- Cucullanus australiensis* n. sp.  
*Baylis*, H. A., 1927 j, 223-225, fig. 9  
 reef eel (*Gymnothorax pictus*?)
- Cucullanus australiensis* Baylis, 1927  
*Törnquist*, N., 1931 a, 129  
 reefeel (?*Gymnothorax pictus*): Australien (Townsville, North Queensland)
- Cucullanus australis* (Johnston et Mawson, 1945)  
[n. comb.]  
*Skrjabin*, K. I.; et al., 1954 a, 44  
 Syn.: *Dacnitis australis* Johnston et Mawson, 1945
- Cucullanus barbi*, sp. n.  
*Baylis*, H. A., 1923 j, 234-235, fig. 1  
*Barbus bynni*: Khartoum
- Cucullanus barbi* Baylis  
*Baylis*, H. A., 1932 c, 176
- Cucullanus barbi* Baylis, 1923  
*Törnquist*, N., 1931 a, 224  
*Barbus bynni*: Afrika (Chartum)

- Cucullianus barbi* Baylis, 1923  
 Yorke, W.; and Maplestone, P. A., 1926 a, 382  
 Barbus bynni
- Cucullianus bulbosus* Lane [n. comb.]  
 de Barros Barreto, A. L. C. A., 1922 a, 71, 75-76, pl. 39, figs. 1-4; pl. 40, figs. 1-4  
*Caranx melampygus*
- Cucullianus* (*Bulbodacnis*) *bulbosus* Lane  
 Antonucci, A., 1929 a, 108
- Cucullianus bulbosus* (Lane, 1916) Barreto, 1918  
 Baylis, H. A., 1939 b, xxvii, 220, 222-223, 265, figs. 134-135  
 synonymy  
*Caranx melampygus*: Cheval Paar, Gulf of Manaar, Ceylon
- Cucullianus bulbosus* Lane, 1916 bei Barreto, 1918  
 Törnquist, N., 1931 a, 208  
 as syn. of *Dacnitis bulbosa* Lane, 1916
- Cucullianus callichroi* Stewart [n. comb.]  
 de Barros Barreto, A. L. C. A., 1922 a, 71, 75, pl. 38, figs. 1-4  
*Callichrous macrophthalmus*
- Cucullianus* (*C.*) *callichroi* Stewart  
 Antonucci, A., 1929 a, 107
- Cucullianus callichroi* (Stewart, 1914) Barreto, 1922  
 Baylis, H. A., 1939 b, xxvii, 220, 223-224, 264  
 synonymy  
*Callichrous macrophthalmus*: Lucknow
- Cucullianus callichroi* Stewart, 1914 bei Barreto, 1918  
 Törnquist, N., 1931 a, 224  
 as syn. of *Dacnitis callichroi* Stewart, 1914
- Cucullianus callichroi* (Stewart, 1914)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 382  
*Callichrous* sp.
- Cucullianus carangis* (MacCallum, 1921) new combination  
 Törnquist, N., 1931 a, 128  
 Syn.: *Dacnitis carangis* MacCallum, 1921  
*Caranx hippos*: aquarium in New York
- Cucullianus carettae*, sp. n.  
 Baylis, H. A., 1923 k, 28-30, 32, figs. 4-8  
*Thalassochelys caretta*
- Cucullianus carettae* Baylis  
 Gendre, E., 1927 a, 473
- Cucullianus carettae* Baylis, 1923  
 Gendre, E., 1927 b, 267  
*Thalassochelys caretta*
- Cucullianus carettae* (Baylis)  
 Schuurmans Stekhoven, J. H., 1939 a, 574, 580, 628, 629, 630
- Cucullianus carettae* Baylis, 1923  
 Törnquist, N., 1931 a, iv, 43, 52, 61, 62, 84, 108-116, 118, 121, 127, 437, 439, 440, 441; pl. 4, fig. 1; pl. 11, fig. 7; pl. 15, fig. 3; pl. 16, fig. 10  
*Thalassochelys caretta*: Italien, Triest;  
 Aegypten, Alexandria
- Cucullianus carettae* Baylis, 1923  
 Yorke, W.; and Maplestone, P. A., 1926 a, 382, fig. 262, B-D  
*Thalassochelys caretta*
- Cucullianus cernuae* Gmelin, 1790  
 Törnquist, N., 1931 a, 326  
 as syn. of *Camallianus lacustris* Zoega, 1776
- Cucullianus chrysophrydis* n. sp.  
 Gendre, E., 1927 b, 262-264, 265, figs. 3, 4  
*Chrysophrys aurata*
- Cucullianus chrysophrydis* Gendre 1927  
*Campana-Rouget*, Y., 1957 a, 421-422, 467, pl. II, figs. 1-5  
*Pagellus bogaraveo*: Côte d'Afrique
- Cucullianus chrysophrydis* Gendre  
 Gendre, E., 1928 a, 65  
*Chrysophrys aurata*
- Cucullianus chrysophrydis* (Gendre)  
 Schuurmans Stekhoven, J. H., 1939 a, 574
- Cucullianus chrysophrydis* Gendre, 1927  
 Törnquist, N., 1931 a, iv, 62, 107-108, 439, 441; pl. 11, fig. 6; pl. 16, fig. 9  
*Chrysophrys aurata*: Africa (Küste von Mauritanien)
- Cucullianus cirratus* [n. sp.]  
 Müller, O. F., 1777 a, 4, pl. 38
- Cucullianus* (*C.*) *cirratus* Müller  
 Antonucci, A., 1929 a, 106-107
- Cucullianus cirratus* Müller  
 de Barros Barreto, A. L. C. A., 1922 a, 61, 62, 68, 69, 71-72, pl. 33, figs. 5-6  
*Gadus morrhua*  
*G. callariae*  
*Blennius phycis*  
*Phycis mediterraneus*  
*Pleuronectes flesus*  
*P. platessae*  
*P. passer*  
*P. maximus*  
*P. soleae*  
*P. latus*  
*Rhombus maximus*  
*Platessa vulgaris*  
*P. lata*  
*P. limanda*  
*Solea vulgaris*  
*Muraena helena*  
*M. cassini*  
*M. conger*  
*Ocutea vulgaris*
- Cucullianus cirratus* Müll.  
 Baylis, H. A., 1923 k, 30
- Cucullianus cirratus* Müller  
 Baylis, H. A., 1928 g, 339  
*Pleuronectes platessa*
- Cucullianus cirratus* Müller  
 Baylis, H. A., 1932 c, 176  
*Pleuronectes platessa*
- Cucullianus cirratus* Müller, 1777  
 Baylis, H. A.; Daubney, R., 1926 a, 231
- Cucullianus cirratus* Müller, 1777  
 Berland, B., 1961 a, 40, 41, figs. 51-52  
*Gadus callarias* (intestine)  
*G. aeglefinus* (intestine)  
*G. virens* (ventricle)  
 all from Norwegian coast
- Cucullianus cirratus* Müller  
 Gendre, E., 1927 a, 473
- Cucullianus cirratus* Müller  
 Gendre, E., 1927 b, 263, 265-267, 271, figs. 9, 10  
*Pleuronectes megastoma*  
*Phycis biennoides*
- Cucullianus cirratus* Müller, 1777  
 Kreis, H. A., 1958 a, 21, 22  
*Gadus morrhua* (pylorus): Iceland
- Cucullianus cirratus* Mueller  
 Layman, E. M., 1930 a, 85
- Cucullianus cirratus*  
 McKnight, T. J., 1959 a, 1106  
*Kinosternon subrubrum*  
*Pseudemys scripta elegans*  
 both from Lake Texoma, Oklahoma
- Cucullianus cirratus*  
 Magath, T. B., 1919 a, 137
- Cucullianus cirratus* Müller  
 Polianskiy, I. I., 1955 a, 89, 113  
*Melanogrammus aeglefinus*: Barents sea
- Cucullianus cirratus* O. F. Müller, 1777  
 Punt, A., 1947 a, 8, 12, figs. 18-19  
 Syns.: *Cucullianus muticus* O. F. Müll., 1777; *C. foveolatus* C. A. Rud., 1809; *C. esuriens* (J. Duj., 1845); *Dacnitis hians* J. Duj., 1845; *D. esuriens* P. J. van Beneden, 1858; *D. gadorum* P. J. van Beneden, 1858  
 Mer du Nord

*Cucullanus cirratus* O. F. Müller pt., 1777  
 Punt, A., 1947 a  
 as syn. of *Cucullanus platessae* C. A. Rudolphi, 1801

*Cucullanus cirratus* Müller  
 Rauther, M., 1930 a, 375

*Cucullanus cirratus* Müller  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 4, V.c 5, V.c 37, V.c 38, fig. 345  
 Synts.: *Cucullanus muticus* Müller.; *C. marinus* Müller.; *C. cirrhatus* Pallas; *C. foveolatus* Rudolphi; *Dacnitis gadorum* van Beneden; *Heterakis gadorum* van Ben.; *Cucullanus globosus* Zeder; *Dacnitis esuriens* Duj.  
*Gadus callarias*  
*G. aeglefinus*  
*G. virens*  
*G. poutassou*  
*Gaidropsar sus cimbrius*  
*Merluccius merluccius*  
*Molva molva*  
*Phycis blennoides*  
*Pleuronectes megastoma*  
*Molva vulgaris*  
*Lepidorhombus whiff*  
*Cucullanus cirratus* Müller pt.  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 6  
 as syn. of *Cucullanellus minutus* (Rudolphi)

*Cucullanus cirratus* Müller pt.  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 4  
 as syn. of *Cucullanus heterochrous* Rudolphi

*Cucullanus cirratus* Müller  
 Schuurmans Stekhoven, J. H., 1937 a, 482

*Cucullanus cirratus* (Mueller)  
 Schuurmans Stekhoven, J. H., 1939 a, 574, 580, 628, 629

*Cucullanus cirratus*  
 Shul'man, S. S., 1956 a, 58, between 62 and 63  
*Osmerus eperlanus dentex natio dvinensis*  
*Eleginus navaga*  
 both from White Sea

*Cucullanus cirratus* Müller, 1777  
 Shul'man, S. S.; and Shul'man-Al'bova, R. E., 1953 a, 70-71, 114, 120, 140, 146  
*Gymnacanthus ventralis*  
*Myoxocephalus scorpius*  
*Gadus morhua maris-albi*  
*Eleginus navaga*  
 all from White Sea

*Cucullanus cirratus* Müller, 1777  
 Törnquist, N., 1931 a, iv, 1, 8, 27, 28, 52, 58, 62, 63-73, 96, 205, 215, 228, 436, 438, 439, 440, 441; pl. 1, fig. 1; pl. 2, fig. 1; pl. 3, fig. 4; pl. 7, fig. 4; pl. 11, fig. 1; pl. 14, fig. 4; pl. 16, figs. 5a-b  
 type of genus  
 Synts.: *Cucullanus muticus* Müller, 1777; *C. marinus* Müller, 1779; *C. cirrhatus* Pallas, 1781; *C. foveolatus* Rudolphi, 1809; *C. globosus* Zeder *bei* Linton, 1901; *Dacnitis gadorum* v. Beneden, 1858; *D. esuriens* Duj. *ist nach* Railliet u. Henry, 1912; *Heterakis foveolata* R. (pro parte) Schneider, 1866; *H. gadorum* v. Beneden *bei* Stossich, 1888  
*Gadus callarias*  
*G. aeglefinus*  
*G. minutus*  
*G. virens*  
*G. pollachius*  
*G. poutassou*  
*Merluccius merluccius*  
*Molva molva*  
*Phycis blennoides*  
*Pleuronectes megastoma*  
*P. platessa*  
*Gaidropsar sus cimbrius*

*Cucullanus cirratus* Müller, 1777 (pro parte) bei Barreto 1922  
 Törnquist, N., 1931 a, 27, 38, 52, 58, 62, 74, 81, 132, 215, 228  
 as syn. of *Cucullanus heterochrous* Rud., 1902  
 as syn. of *Cucullanellus minutus* Rud., 1819  
*Cucullanus cirratus* Müller  
 Wüller, G., 1930 a, 298, 299, 300, 302, fig. 4a  
*Gadus virens*  
*Cucullanus cirratus* Mueller, 1777  
 Yorke, W.; and Maplestone, P. A., 1926 a, 381, fig. 262 A  
 type of genus  
*Gadus morhua*  
*Cucullanus cirrhatus* Pallas  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 4  
 as syn. of *Cucullanus cirratus* Müller  
*Cucullanus cirrhatus* Pallas, 1781  
 Törnquist, N., 1931 a, 63  
 as syn. of *Cucullanus cirratus* Müller, 1777  
*Cucullanus clarotis*, sp. n.  
 Baylis, H. A., 1923 g, 235-236, fig. 2  
*Clarotes laticeps*: Khartoum  
*Synodontis schaal*: Khartoum  
*Cucullanus clarotis* Baylis  
 Baylis, H. A., 1932 c, 176  
*Cucullanus clarotis* Baylis, 1923  
 Törnquist, N., 1931 a, 224  
*Clarotes laticeps*: Afrika (Chartum)  
*Synodontis schaal*: Afrika (Chartum)  
*Cucullanus clarotis* Baylis, 1923  
 Yorke, W.; and Maplestone, P. A., 1926 a, 382  
*Clarotes* sp.  
*Synodontis* sp.  
*Cucullanus clitellarius* [n. sp.]  
 Ward, H. B.; and Magath, T. B., [1917 a], 59-60, figs. 5, 9  
*Cucullanus* (C.) *clitellarius* Ward & Magath  
 Antonucci, A., 1929 a, 108  
*Cucullanus* *clitellarius* Ward & Magath  
 Augustine, D. L., 1929 a, 434  
*Cucullanus* *clitellarius*  
 Bangham, R. V., 1955 a, 185  
*Acipenser fulvescens*  
*Cucullanus* *clitellarius* Ward and Magath  
 Bangham, R. V.; and Hunter, G. W., 1939 a, 394, 415, 417, 426  
*Acipenser fulvescens*: Lake Erie  
*Cucullanus* *clitellarius* Ward & Magath  
 de Barros Barreto, A. L. C. A., 1922 a, 71, 76  
*Acipenser rubicundus*  
*Cucullanus* *clitellarius* Ward and Magath, 1916  
 Törnquist, N., 1931 a, 222  
 as syn. of *Dacnitis* *clitellarius* Ward and Magath, 1916  
*Cucullanus* *clitellarius* Ward & Magath  
 Ward, H. B., 1918 b, 530  
*Cucullanus* *clitellarius* Ward & Magath, 1916  
 Yorke, W.; and Maplestone, P. A., 1926 a, 383  
*Acipenser rubicundus*  
*Cucullanus* *conoideus*  
 Frölich, J. A., 1802 a, 56  
 (?) as syn. of *Fasciola appendiculata*  
*Cucullanus* *conoideus* Bloch  
 Harrah, E. C., 1922 a, 19  
*Cuculanus* [sic] *conoideus* Bloch, 1782  
 Kowalewski, M., 1896 a, 2, 10, 11, 12  
 as syn. of *Echinostomum conoideum* (Bloch, 1782)  
*Cucullanus* *conoideus* Bloch  
 Mathias, P., 1925 a, 70  
 as syn. of *Hypoderæum conoideum* Bloch  
*Cucullanus* *conoideus* Bloch, 1782  
 Rees, F. G., 1933 a, 817  
 as syn. of *Hypoderæum conoideum* Bloch, 1782  
*Cucullanus* *conoideus* Bloch, 1782  
 Sprehn, C. E. W., 1932 c, 330  
 as syn. of *Hypoderæum conoideum* (Bloch, 1782)

- Cucullianus coronatus* Zeder, 1800  
 Törnquist, N., 1931 a, 326  
 as syn. of *Camallianus lacustris* Zoega, 1776
- Cucullianus coronatus* Zeder, 1800  
 Yorke, W.; and Maplestone, P. A., 1926 a, 378  
 as syn. of *Camallianus lacustris* (Zoega, 1776)
- Cucullianus corylophora* Ward & Magath  
 Gendre, E., 1927 a, 473
- Cucullianus cyprini* n. sp.  
 Yamaguti, S., 1941 a, 344, 382-384, 395, pl. VI, fig. 43; figs. 35-36  
*Cyprinus carpio*: Lake Biwa, Japan
- Cucullianus cyprini*  
 Akhmerov, A. Kh., 1959 c, 105  
*Cyprinus carpio haematopterus*: Amur river
- Cucullianus dodsworthi* n. sp.  
 de Barros Barreto, A. L. C. A., 1922 a, 62, 64-65, 71, 76, 78-80; pl. 45, figs. 1-2; pl. 46, figs. 3, 4  
*Sphaeroides testudineus*
- Cucullianus (C.) dodsworthi* Barreto  
 Antonucci, A., 1929 a, 108
- Cucullianus dodsworthi* Barreto 1922  
*Campana-Rouget*, Y., 1957 a, 425-426, 471, pl. VI, figs. 1-5  
*Lagocephalus laevigatus*: Afrique occidentale française
- Cucullianus dodsworthi* Barreto, 1922  
 Törnquist, N., 1931 a, 120  
*Sphaeroides testudineus*: Brasilien (Bahia de Guanabara, Rio de Janeiro)
- Cucullianus dodsworthi* Barreto, 1922  
 Yorke W.; and Maplestone, P. A., 1926 a, 383  
*Apheroides testudineus*
- Cucullianus dogieli* sp. nov  
 Krotas, R. A., 1959 c, 173-176, figs. 1-4  
*Rutilus rutilus*  
*Leuciscus leuciscus*  
*L. cephalus*  
*L. idus*  
*Barbus barbus*  
*Alburnus alburnus*  
*Alburnoides bipunctatus*  
*Blicca bjoerkna*  
*Vimba vimba*  
 (intestine of all)
- Cucullianus drachei* [lapsus for *Cucullianus draschei* n. sp.]  
 de Barros Barreto, A. L. C. A., 1922 a, 71, 87
- Cucullianus draschei* n. sp.  
 de Barros Barreto, A. L. C. A., 1922 a, 76, 82, pl. 34, fig. 7  
 [lapsus pp. 71, 87 as *Cucullianus drachei*]  
*Falco rufus*
- Cucullianus draschei* Barreto  
 Gendre, E., 1927 a, 473
- Cucullianus draschei* Barreto, 1922  
 Törnquist, N., 1931 a, 225, 327  
 Syn.: *Dacnitis falci rufi* v. Drasche, 1882  
*Falco rufus*
- Cucullianus dumerilii* Perrier, 1871  
 Törnquist, N., 1931 a, 252, 254, 351, 352, 355  
 as syn. of *Camallianus microcephalus* Duj.
- Cucullianus dumerilii* Perrier, 1871  
 Yorke, W.; and Maplestone, P. A., 1926 a, 378  
 as syn. of *Camallianus microcephalus* (Duj., 1845)
- Cucullianus elegans* Zeder.  
 de Barros Barreto, A. L. C. A., 1922 a, 61, 62, 68, 69
- Cucullianus elegans* Zeder, 1800  
 Baylis, H. A.; and Daubney, R., 1926 a, 230  
 as syn. of *Camallianus lacustris* (Zoega)
- Cucullianus elegans* Zeder  
 van Beneden, P. J., 1858 a, 274-275
- Cucullianus* [sic] *elegans*  
 Bütschli, O., 1872 b, 70
- Cucullianus elegans*  
 Caulery, M., 1922 a, 176
- Cucullianus elegans* Zed.  
*Galliv-Valerio*, B., 1940 b, 281  
*Perca fluviatilis*: Suisse (Gland Vaud)
- Cucullianus elegans* Zed.  
 Golovin, E. P., 1902 b, 449  
 excretory system
- Cucullianus elegans* Zed.  
 Grimm, O. A., 1870 b, 224  
*Coregonus lavaretus*  
*Emberiza aureola*
- Cucullianus elegans* Zeder  
 Grimm, O. A., 1871 b, 86, 87, 89  
*Perca fluviatilis*  
*Leuciscus rutilus*
- Cucullianus elegans*  
 Günther, A. C. L. G., 1855 a, 209  
*Lucioperca sandra*
- Cucullianus elegans*  
 Hall, M. C., 1929 b, 35, 62  
*Esox lucius*  
*Gadus lota*  
*Perca fluviatilis*  
*Anguilla vulgaris*  
*Aspius rapax*  
*Silurus glanis*  
*Cyclops quadricornis*  
*Asellus aquaticus*
- Cucullianus elegans*  
 Harvey, E. B., 1920 a, 30  
 chromosome numbers
- Cucullianus elegans* Zed.  
 Heitz, F. A., 1917 a, 17, 21, 60, 99, 105, 122, 129, 131  
*Labrax lupus*: Adria?  
*Osmerus eperlanus*: Greifswald?  
*Coregonus oxyrinchus*: Greifswald?  
*Salmo salar*  
*S. trutta*: Görz, Triest  
*Anguilla vulgaris*: Schweiz, Böhmen, Ost-preussen
- Cucullianus elegans* Zed.  
 Heitz, F. A., 1918 a, 370
- Cucullianus elegans*  
 Hempeimann, F. A., 1932 a, 179  
 Barsch
- Cucullianus elegans*  
 Hertwig, O., 1875 a, 397  
 cytology
- Cucullianus elegans*  
 Hofer, B., 1895 a, 198
- Cucullianus elegans*  
 Huttner, F., 1920 a, 367
- Cucullianus elegans* Zed.  
 Jääskeläinen, V., 1921 a, 20, 22, 36, 43, 44, 45, 50, 52, 54  
*Perca fluviatilis*: Finnland  
*Lucioperca sandra*: Finnland  
*Gasterosteus aculeatus*: Finnland  
*Acerina cernua*  
*Alburnus lucidus*  
*Coregonus lavaretus*  
*Esox lucius*
- Cucullianus elegans*  
 Järnefelt, E., 1921 a, 126, 143  
 Barsch (*Perca fluviatilis*): Tüusulasee
- Cucullianus elegans* Zed.  
 Jenni, W., 1945 a  
 as syn. of *Camallianus lacustris*
- Cucullianus elegans* Zeder  
 Kobayashi, H., 1921 b, 402  
 as syn. of *Camallianus lacustris* (Zoega)
- Cucullianus elegans*  
 Koeberlé, E., 1859 a
- Cucullianus elegans* Zed.  
 Kowalewski, M., 1907 c, 10  
 as syn. of *Cucullianus viviparus* Bloch, 1782
- Cucullianus elegans*, Zeder  
 Krabbe, H., [1881 a?], 5, pl. 1, fig. 5

- Cucullanus elegans* Zed.  
 Levander, K. M., 1909 a, 1, 2, 3, 4, 6, 26, 28,  
 39, 41  
*Auburnus lucidus*  
*Esox lucius*  
*Perca fluviatilis*  
 all from Bockfjärd, Finnischen Meerbusen
- Cucullanus elegans* Zeder  
 Magath, T. B., 1919 a, 138
- Cucullanus elegans* Zed.  
 Martini, E.<sup>1</sup>, 1903 e
- Cucullanus elegans*  
 Martini, E.<sup>1</sup>, 1921 a, 366
- Cucullanus elegans* Zed.  
 Martini, E.<sup>1</sup>, 1921 b, 209
- Cucullanus elegans*  
 Mola, P., 1928 b, 432  
*Polyprion cernum*
- Cucullanus elegans*  
 Müller, G. W., [1936 a], 16, 17, 22, fig. 9  
 (5), 10
- Cucullanus elegans*  
 Nybelin, O., 1924 c, 99
- Cucullanus elegans*  
 Örley, L., 1880 c, 162
- Cucullanus elegans*  
 Perrier, E., 1897 a, 1380, 1389, 1392, 1397,  
 1398, 1401, 1404, 1414, fig. 1017  
*cyclops*  
*perche*
- Cucullanus elegans*  
 Peters, B. G., 1927 c, 191
- Cucullanus elegans* Zed.  
 Piehn, M., 1924 a, 90-91, 147  
*Cyclops quadricornis*  
*Asellus aquaticus*
- Cucullanus elegans*  
 Reichenbach, A. B., 1842 a, 156  
*Karpfen*
- Cucullanus elegans* Zed.  
 Ruszkowski, J. S., 1925 c, 184  
*Gasterosteus aculeatus*
- Cucullanus elegans* Zed.  
 Ruszkowski, J. S., 1926 b, 184  
 Syn.: *Camallanus lacustris* (Zoega)  
*Gasterosteus aculeatus*: Włocławek, Pologne
- Cucullanus elegans*  
 Saint-Loup, R., [1895 a], 205-206, fig. 171  
*Perca fluviatilis*  
*Gadus lotta*  
*Esox lucius*
- Cucullanus elegans* Zed.  
 Schäperclaus, W., [1935 c], 17
- Cucullanus elegans*  
 Schneider, A. C. J., 1885 d, 68
- Cucullanus elegans*  
 Schneider, A. F., 1883 c, 10-14, 84, pl. 2,  
 figs. 5-14
- Cucullanus elegans*  
 Seurat, L. G., 1920 c, 110, 145, 209  
 as syn. of *Camallanus lacustris*
- Cucullanus elegans*  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
 J. E. W., [1922 a], 320
- Cucullanus elegans*  
 Swales, W. E., 1922 a, 469
- Cucullanus elegans*  
 Szilády, Z., 1908 a, 25, 101, fig. 7
- Cucullanus elegans* Zeder, 1800  
 Törnquist, N., 1931 a, 3, 173, 231, 326, 355,  
 381  
 as syn. of *Camallanus lacustris* Zoega, 1776
- Cucullanus elegans* Zed.  
 Voigt, M., 1903 a, 97, 98  
*Perca fluviatilis*: Grosser Plöner See,  
*Schluen-See*
- Cucullanus elegans*  
 Ward, H. B., 1918 b, 517
- Cucullanus elegans*  
 Wolf, H. T., 1908 a, 150  
*perch*
- Cucullanus elegans* Zeder, 1800  
 Yorke, W.; and Maplestone, P. A., 1926 a, 378  
 as syn. of *Camallanus lacustris* (Zoega, 1776)
- Cucullanus elegans*  
 Zacharias, O., 1903 a, 103  
 Barschen: Grossen Plöner See
- Cucullanus elegans* Zed.  
 Zandt, F., 1924 a, 268  
*Perca fluviatilis*  
*Lota vulgaris*  
*Trutta lacustris*  
*Leuciscus rutilus*  
*Squalius cephalus*  
*Esox lucius*  
 all from Bodensee
- Cucullanus elegans* Zeder  
 Zschokke, F., 1891 d, 221, 225, figs. 34, 35
- Cucullanus elegans* Zeder  
 Zschokke, F., 1933 a, 578, 579, 582, 584, 603,  
 605, 613, 614  
*Aal*  
*Meerforelle*  
*Lachs*  
*Coregonus lavaretus* var. *oxyrhynchus*  
*Asellus aquaticus*  
*Cyclops quadricornis*  
*Coregonen*  
 (?)*Labrax lupus*
- Cucullanus elongatus* n. sp.  
 Smedley, E. M., 1933 a, 170, 172, 175-176, figs.  
 3A-3C  
*Spiruroidea*, *Cucullanidae*  
*Ophiodon elongatus*: North Pacific coast
- Cucullanus elongatus* (Törnquist 1931)  
*Campana-Rouget*, Y., 1957 a, 422, 468, pl. III,  
 figs. 1-6  
*Umbrina canariensis*: Afrique occidentale  
*française*
- Cucullanus emydis*  
 McKnight, T. J., 1959 a, 1106  
*Trionyx ferox emoryi*: Lake Texoma, Oklahoma
- Cucullanus esuriens* (J. Duj., 1845)  
 Punt, A., 1947 a  
 as syn. of *Cucullanus cirratus* O. F. Müller,  
 1777
- Cucullanus esuriens* (Duj., 1845)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 381  
 as syn. of *Cucullanus cirratus* Mueller, 1777
- Cucullanus exiguum* n. sp.  
 Yamaguti, S., 1954 b, 122, 125-126, 133, pl.  
 II, figs. 13-15  
*Lates calcarifer*: Banjermassin
- Cucullanus falconis* buteonis Goeze, 1782  
 Skrjabin, K. I.; et al., 1954 a, 365  
 as syn. of *Capillaria falconis* (Goeze, 1782)  
 Lopez-Neyra, 1946
- Cucullanus filiformis* n. sp.  
 Yamaguti, S., 1935 i, 338, 382-384, figs. 61-62  
*Conger myriaster*: Inland Sea
- Cucullanus filiformis* Yamaguti, 1935  
 Yamaguti, S., 1941 b, 344, 380-381  
*Anguilla japonica*: Hamazima, Mie Prefecture,  
 Japan
- Cucullanus filiformis* Yamaguti, 1935  
 Yamaguti, S., 1961 b, 223  
*Conger myriaster* (small intestine): Inland  
 Sea, Japan
- Cucullanus fossor* (Jägerskiöld, 1902) [n. comb.]  
 Baylis, H. A., 1923 1, 233-234  
 Syn.: *Dichelyne fossor*, Jägerskiöld, 1902  
*Lates niloticus*: Omdurman  
*Bagrus bayad*: Khartoum
- Cucullanus fossor* Jaegerskioeld  
 Rauther, M., 1930 a, 272
- Cucullanus fossor* Jägersk., 1902, bei Baylis,  
 1923  
 Törnquist, N., 1931 a, 7, 173  
 as syn. of *Dichelyne fossor* Jägerskiöld, 1902
- Cucullanus fossor* (Jaegerskioeld, 1902)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 383  
*Lates niloticus*

- Cucullianus foveolatus* Rud. [n. comb.]  
de Barros Barreto, A. L. C. A., 1922 a, 61, 68
- Cucullianus foveolatus* Rud.  
Gendre, E., 1927 a, 484  
lapsus as *Cucullianus goveolatus* Rud.
- Cucullianus foveolatus*  
Layman, E. M.; and Borovkova, A. M., 1926 a, 34
- Cucullianus foveolatus* C. A. Rud., 1809  
Punt, A., 1947 a  
as syn. of *Cucullianus cirratus* O. F. Müller,  
1777
- Cucullianus foveolatus* O. B. Beilingh, 1840  
Punt, A., 1947 a  
as syn. of *Cucullianus platessae* C. A. Rudolphi,  
1801
- Cucullianus foveolatus* Rudolphi  
Schuurmans Stekhoven, J. H., 1935 f, V.c 4  
as syn. of *Cucullianus cirratus* Müller
- Cucullianus foveolatus* Bellingham  
Schuurmans Stekhoven, J. H., 1935 f, V.c 4  
as syn. of *Cucullianus heterochrous* Rudolphi
- Cucullianus foveolatus* Rud., 1809  
Törnquist, N., 1931 a, 63, 74, 380  
as syn. of *Cucullianus cirratus* Müller, 1777  
as syn. of *Cucullianus heterochrous* Rud., 1802
- Cucullianus foveolatus* (pro parte) Rud., 1819  
Törnquist, N., 1931 a, 127  
as syn. of *Cucullianus hians* Duj., 1845
- Cucullianus foveolatus*  
Wolf, H. T., 1908 a, 150  
sunfish
- Cucullianus foveolatus* Rud., 1809  
Yorke, W.; and Maplestone, P. A., 1926 a, 381  
as syn. of *Cucullianus cirratus* Mueller, 1777
- Cucullianus fraseri* n. sp.  
Baylis, H. A., 1929 h, 553-554, figs. 10, 11  
Chaenocephalus aceratus  
Trematomus hansonii
- Cucullianus fraseri* Baylis, 1926  
Törnquist, N., 1931 a, 11, 171  
as syn. of *Cucullanellus fraseri* Baylis, 1929
- Cucullianus fraseri* var. *nototheniae* n. var.  
Baylis, H. A., 1929 h, 554  
Notothenia gibberifrons
- Cucullianus fraseri* var. *nototheniae* Baylis, 1929  
Törnquist, N., 1931 a, 171  
as syn. of *Cucullanellus fraseri* var. *nototheniae* Baylis, 1929
- Cucullianus fusiformis* Molin  
de Barros Barreto, A. L. C. A., 1922 a, 71, 75,  
pl. 34, fig. 6  
Platessa flesus
- Cucullianus fusiformis* (Molin)  
Demel, K., 1933 a, 135  
Pleuronectes flessus: Baltique  
P. platessa: Baltique
- Cucullianus fusiformis* Molin  
Gendre, E., 1926 b, 39-49, figs. 1-15  
Platessa flesus  
P. vulgaris
- Cucullianus fusiformis* Mol.  
Gendre, E., 1927 a, 481, 482
- Cucullianus fusiformis* Molin  
Gendre, E., 1927 b, 259, 260
- Cucullianus fusiformis* (Molin, 1860)  
Markowski, S., 1933 b, 5, 36, 44, 45-46, figs.  
28-29  
Syns.: *Dacnis fusiformis* Mol., 1860;  
*Heterakis fusiformis* Mol., 1860  
Pleuronectes platessa (Darm): Polish Baltic  
P. flessus (Darm): Polish Baltic
- Cucullianus fusiformis* (Mol., 1860)  
Markowski, S., 1935 b, 253, 259  
Pleuronectes flesus  
Gobius minutus  
both from polnischen Balticums
- Cucullianus fusiformis*  
Törnquist, N., 1931 a, 58  
as syn. of *Cucullanellus minutus*
- Cucullianus fusiformis* (Molin)  
Wüller, G., 1930 a, 298, 299, 300, 301, 302,  
fig. 4C  
Pleuronectes flesus
- Cucullianus fusiformis* (Molin, 1860)  
Yorke, W.; and Maplestone, P. A., 1926 a, 383  
Platessa flesus
- Cucullianus gendrei* n. sp.  
Campana-Rouget, Y., 1957 a, 423-424, 469, pl.  
4, figs. 1-5  
Sycium micrurum: Afrique occidentale fran-  
caise
- Cucullianus gigi* n. sp.  
Fujita, T., 1927 a, 173-174, fig. 4  
Fluvidraco nudiceps
- Cucullianus gigi* nov. sp.  
Fujita, T., 1927 c, 159, 161, pl. IV, figs. 5-6  
gig [Fluvidraco nudiceps]: Lake Biwa
- Cucullianus gigi* Fujita, 1927  
Törnquist, N., 1931 a, 224  
Fluvidraco nudiceps: Japan (See Biwa)
- Cucullianus girellae* n. sp.  
Yamaguti, S., 1941 b, 344, 384, 395, pl. VI,  
figs. 44-45; fig. 37  
Girella punctata: Pacific coast of Mie  
Prefecture, Japan
- Cucullianus globosus* Linton, 1901  
Gendre, E., 1927 b, 265  
as syn. of *Cucullianus cirratus* Müller
- Cucullianus globosus* J.G.H. Zeder, 1800  
Punt, A., 1947 a  
as syn. of *Dacnis truttae* (O. Fabr., 1824)
- Cucullianus globosus*  
Saint-Loup, R., [1895 a], 204-205  
Salmo trutta (intestin)  
S. fario (intestin)
- Cucullianus globosus* Zeder  
Schuurmans Stekhoven, J. H., 1935 f, V.c 4  
as syn. of *Cucullianus cirratus* Müller
- Cucullianus globosus* Zeder  
Schuurmans Stekhoven, J. H., 1935 f, V.c 5  
as syn. of *Dacnis truttae* (Fabr.)
- Cucullianus globosus*  
Shaw, J. N., 1947 a, 4  
rainbow trout: Oregon  
brown trout: Oregon
- Cucullianus globosus* Zeder  
Törnquist, N., 1931 a, 195  
as syn. of *Dacnis truttae* (Fabr., 1794)
- Cucullianus globosus* Zeder bei Linton, 1901  
Törnquist, N., 1931 a, 63  
as syn. of *Cucullianus cirratus* Müller, 1777
- Cucullianus hansonii* n. sp.  
Olsen, L. S., 1952 a, 190-192, 199, 214, 215,  
pl. V, figs. 68-72  
Balistes capistratus: Honolulu, Hawaii
- Cucullianus hardelii* n. sp.  
Khera, S., [1956 a], 31, 90-94, figs. 69-71  
Hardella thurgi: River Gomti at Lucknow
- Cucullianus heterochrous* Rud.  
Baylis, H. A., 1932 c, 175, 176
- Cucullianus heterochrous* Rudolphi, 1802  
Baylis, H. A., 1939 b, 498  
[correction for *C. cirratus* Müller, 1780, of  
Baylis, 1928 g, p. 339]  
Pleuronectes platessa
- Cucullianus heterochrous* Rudolphi, 1802  
Baylis, H. A., 1939 b, 493  
Pleuronectes platessa  
Solea solea  
both from S. Devon, Brit. Is.

- Cucullanus heterochrous* Rud., 1802  
 Baylis, H. A.; and Jones, E. I., 1933 a, 633  
*Pleuronectes platessa* (intestine and rectum)  
*Solea vulgaris* (intestine)  
 both from Plymouth, Eng.
- Cucullanus heterochrous* Rudolphi, 1802  
 Berland, B., 1961 a, 40, 41, fig. 53  
*Pleuronectes platessa* (intestine): Norwegian coast
- Cucullanus heterochrous*  
 Chitwood, B. G.; and Chitwood, M. B., 1940 a, 151, fig. 124H
- Cucullanus heterochrous*  
 Chitwood, M. B.; and Chitwood, B. G., 1940 a, 126, fig. 112E
- Cucullanus heterochrous*  
 Chulkova, V. N., 1939 a, 22, 30  
*Gadus merlangus*: Batum  
*Solea nasuta*: Batum
- Cucullanus heterochrous* Rud., 1802  
 Gendre, E., 1927 b, 264-265, 266, 267, 268, figs. 5-8  
*Platessa vulgaris*
- Cucullanus heterochrous* Rudolphi  
 Glukhova, V. M., 1956 a, 33, 38, 40, 41  
*Pleuronectes flesus hogdanovi*: White Sea  
*Liopsetta glacialis*: White Sea
- Cucullanus heterochrous* Rudolphi, 1802  
 Kreis, H. A., 1952 c, 252, 299-304, figs. 10A-E  
*Pleuronectes platessa*: Vidvik (Färöer)
- Cucullanus heterochrous* (Rudolphi)  
 Margolis, L., 1960 a, 839  
 Syn.: *Cucullanus wülkeri* Kreis
- Cucullanus heterochrous* Rudolphi  
 Polianskii, I. I., 1955 a, 89  
*Pleuronectes flesus*: Barents sea  
*Platessa platessa*: Barents sea
- Cucullanus heterochrous* Rudolphi  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 4, V.c 5, V.c 38, fig. 346  
 Syns.: *Cucullanus platessae* Rud.; *C. soleae* Rud.; *C. foveolatus* Bellingham; *C. cirratus* Müll. pt.; *Dacnitis esuriens* Duj. pt.; *D. platessae* van Bened.; *D. foveolatus* v. Linstow; *Heterakis foveolatus* Rud.  
*Hippoglossus vulgaris*  
*Pleuronectes platessa*  
*P. flesus*  
*P. limanda*  
*P. (Microstomus) kitt*  
*Solea vulgaris*
- Cucullanus heterochrous* Rudolphi  
 Schuurmans Stekhoven, J. H., 1937 a, 436, 482
- Cucullanus heterochrous* (Rud.)  
 Schuurmans Stekhoven, J. H., 1939 a, 574, 579, 628, fig. 160
- Cucullanus heterochrous* Rudolphi, 1802  
 Shul'man, S. S.; and Shul'man-Al'bova, R. E., 1953 a, 70, 134, 151, 154, 158  
*Lumpenus fabricii*  
*Platessa platessa*  
*Pleuronectes flesus bogdanovi*  
*Liopsetta glacialis*  
 all from White sea
- Cucullanus heterochrous* Rudolphi, 1802  
 Streikov, Iu. A., [1961 a], 168, 169  
*Myoxocephalus jack*  
*Careproctus* sp.  
*Hippoglossus hippoglossus*  
*Lepidopsetta bilineata*  
*Limanda punctatissima*  
*Platessa quadriflora*  
*Pleuronectes stellatus*  
 all from Kamchatka
- Cucullanus heterochrous* Rudolphi, 1802  
 Törnquist, N., 1931 a, iv, 14, 15, 16, 17, 22, 25, 26, 27, 29, 32, 33, 37, 38, 42, 43, 45, 46, 47, 48, 50, 51, 52, 53, 54, 56, 57, 59, 62, 63, 65, 68, 69, 71, 72, 73-90, 91, 106, 122, 126, 140, 142, 151, 176, 179, 183, 188, 203, 204, 220, 221, 380, 390, 436, 437, 438, 439, 440, 441, figs. 1, 5-6; pl. 2, fig. 3; pl. 3, figs. 1-3; pl. 4, figs. 2-5; pl. 5, figs. 2, 4, 5; pl. 6, figs. 1-14; pl. 7, figs. 2-3, 5; pl. 11, figs. 2a-b; pl. 14, figs. 5a-c; pl. 16, fig. 6  
 Syns.: *Cucullanus platessae* Rud., 1809; *C. soleae* Rud., 1819; *C. foveolatus* Bellingham, 1844; *C. cirratus* Müller, 1777 (pro parte) bei Barreto, 1922; *Dacnitis esuriens* Duj., 1845; *D. platessa* v. Beneden, 1871; *D. foveolatus* Linst., 1890; *Heterakis foveolata* R. (pro parte) bei Schneider, 1866
- Pleuronectes platessa*  
*P. (Microstomus) kitt*  
*P. flesus*  
*P. limanda*  
*Hippoglossus hippoglossus*  
*Hippoglossoides platessoides*  
*Solea solea*
- Cucullanus heterochrous*  
 Wüller, G., 1930 a, 301
- Cucullanus heterochrous* Rudolphi, 1802  
 Zhukov, E. V., 1959 a, 200  
 southern Kurils
- Cucullanus heterochrous* Rudolphi, 1802  
 Zhukov, E. V., [1961 a], 81-83, fig. 63  
*Enophrys diceraus namiyei*: Lake Putfatin  
*Myoxocephalus brandti*: Lake Putiatin  
*Cleisthenes herzensteini*: Lake Putiatin  
*Lepidopsetta bilineata*: Lake Putiatin  
*Limanda p. punctatissima*: Lake Putiatin  
*Pseudopleuronectes yokohamai*: Lake Putiatin, Lake Shikotan  
*P. herzensteini*: Lake Putiatin  
*Liopsetta obscura*: Lake Shikotan  
*Pleuronectes stellatus*: Lake Putiatin  
*Lumpenella mackayi*: Lake Putiatin  
*Lophiromus setigerus*: Lake Putiatin
- Cucullanus heterodonti* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1943 b, 187, 189, pl., figs. 1-2  
*Heterodontus philippi*: Port Willunga
- Cucullanus heterodonti* Johnston and Mawson  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 75  
*Heterodontus philippi*: Hobart
- Cucullanus hians* Duj. [n. comb.]  
 de Barros Barreto, A. L. C. A., 1922 a, 71, 74  
*Conger vulgaris*  
*C. cassini*  
*Muraena helena*  
*M. conger*
- Cucullanus (C.) hians* Duj.  
 Antonucci, A., 1929 a, 107
- Cucullanus hians* (Dujardin, 1845)  
 Baylis, H. A., 1939 a, 493  
*Conger conger*  
*Lophius piscatorius*  
 both from S. Devon, Brit. Is.
- Cucullanus hians* (Duj., 1845)  
 Baylis, H. A.; and Jones, E. I., 1933 a, 633  
*Conger vulgaris*  
*Lophius piscatorius*  
 (intestine of both): both from Plymouth, England
- Cucullanus hians* Dujardin 1845  
 Campana-Rouget, Y., 1957 a, 472, pl. VII, figs. 5, 6
- Cucullanus hians* (Dujardin 1845)  
 Campana-Rouget, Y.; and Chabaud, A. G., 1956 a, 267-275, 278, pl. 1, figs. 1-7; pl. II, figs. 1-5  
*Conger conger*: environs de Banyuls

- Cucullianus hians* Duj.  
 Gendre, E., 1927 a, 483-485, figs. 16-18  
 Conger vulgaris
- Cucullianus hians* (Duj.)  
 Gendre, E., 1928 a, 66  
 Conger vulgaris
- Cucullianus hians* (Duj.)  
 Rees, F. G., 1946 a, 39, 40  
 Conger conger: Irish Sea and Irish Atlantic Slope
- Cucullianus hians* (Dujardin, 1845)  
 Sproston, N. G., 1938 a, 46  
 Conger conger (tube digestif): Roscoff
- Cucullianus hians* (Dujardin 1845)  
 Tendeiro, J.; and Valdez, V., 1955 b, 124-125, pl. fig. 16  
 synonymy  
 Conger conger (estómago): costa Algarve
- Cucullianus hians* Duj., 1845  
 Törnquist, N., 1931 a, 127-128  
 Syns.: *Cucullianus foveolatus* (pro parte) Rud., 1819; *Dacnitis hyans* Molin, 1861; *?Steinius praecinctus* Molin, 1861; *Dacnitis conger* v. Beneden, 1871; *Heterakis hians* Duj., 1845 *bei* Stossich, 1888  
 Conger conger: Belgien; Frankreich, Rennes; Westküste von Nordafrika (Mauritanien)
- Cucullianus hians* (Duj., 1845)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 383  
 Muraena sp.  
 Conger sp.
- Cucullianus himezi* n. sp.  
 Yamaguti, S., 1941 b, 344, 381-382, figs. 33-34  
 Upeneoides bensasi: Naha, Okinawa Prefecture, Japan
- Cucullianus incertus* n. sp.  
 Gendre, E., 1927 b, 267-270, figs. 11, 12, 13  
 Sebastes dactyloptera
- Cucullianus incertus* (Gendre)  
 Schuurmans Stekhoven, J. H., 1939 a, 574, 580
- Cucullianus incertus* Gendre, 1927  
 Törnquist, N., 1931 a, iv, 16, 62, 90-97, 439, 441, fig. 7; pl. 11, fig. 3; pl. 16, fig. 7  
 Scorpaena dactyloptera: Market in Angers (France)  
 Sebastes dactyloptera
- Cucullianus incertus* Gendre, 1927  
 Zhukov, E. V., [1961 a], 83, fig. 64  
 Sebastodes trivittatus: Lake Putiatin
- Cucullianus interrogativus* n. sp.  
 Travassos, L. P.; Artigas, P.; and Pereira, C., 1928 a, 18-19, pl. 4, figs. 41-43; pl. 5, figs. 44-53  
 Salminus maxillosus
- Cucullianus interrogativus* Travassos, 1928  
 Törnquist, N., 1931 a, 224  
 Salminus maxillosus: Emas, Pirassununga, São Paulo
- Cucullianus interrogativus*  
 Vaz, Z.; and Pereira, C., 1934 a, 96  
 measurements
- Cucullianus lacustris* Zoega  
 de Barros Barreto, A. L. C. A., 1922 a, 62
- Cucullianus lacustris* Müller, 1779  
 Törnquist, N., 1931 a, 326  
 as syn. of *Camallanus lacustris* Zoega, 1776
- Cucullianus lacustris* (Zoega, 1776) Mueller, 1779  
 Yorke, W.; and Maplestone, P. A., 1926 a, 378  
 as syn. of *Camallanus lacustris* (Zoega, 1776)
- Cucullianus laevisconchus*  
 Baylis, H. A., 1923 k, 27  
 Pimeodus schaal
- Cucullianus laevisconchus* Wedl., 1862  
 Törnquist, N., 1931 a, 296  
 as syn. of *Procamallanus laevisconchus* Wedl., 1862
- Cucullianus laevisconchus* Wedl., 1862  
 Yorke, W.; and Maplestone, P. A., 1926 a, 380  
 as syn. of *Procamallanus laevisconchus* (Wedl., 1862)
- Cucullianus laevis* (Heitz, 1914) [n. comb.]  
 Skrjabin, K. I.; et al., 1954 a, 45  
 Syn.: *Dacnitis laevis* Heitz, 1914
- Cucullianus laevis* Zschokke et Heitz, 1914  
 Strelov, Iu. A., [1961 a], 168-169  
 as syn. of *Cucullianus truttae* (Fabricius, 1794)
- Cucullianus lintoni* n. sp.  
 de Barros Barreto, A. L. C. A., 1922 a, 71, 76, pl. 36, figs. 1-6; pl. 37, figs. 1-6; pl. 46, figs. 1-2  
 Haemolum carbonarium  
 Fundulus heteroclitus  
 Neomaenis griseus  
 Leiostomus xanthurus  
 Lophopsetta maculata  
 Paralinchthys alboguttatus  
 Sciaenops ocellatus
- Cucullianus lintoni* Barreto  
 Chandler, A. C., 1935 c, 148
- Cucullianus lintoni* Barreto  
 Gendre, E., 1927 a, 479
- Cucullianus lintoni* Barreto  
 Gendre, E., 1927 b, 259, 260
- Cucullianus lintoni* Barreto, 1922  
 Törnquist, N., 1931, 193  
 as syn. of *Dichelyne lintoni* Barreto, 1922
- Cucullianus longicollis* Stossich [n. comb.]  
 de Barros Barreto, A. L. C. A., 1922 a, 71, 75, pl. 33, figs. 1-3  
 Mullus barbatus
- Cucullianus longicollis* (Stossich, 1899) Törnquist, 1932  
 Janiszewska, J., 1949 a, 8, 11-13, fig. 1  
 Mullus barbatus: Adriatic Sea  
 M. surmuletus: Adriatic Sea
- Cucullianus longicollis* Stossich, 1899  
 Törnquist, N., 1931 a, 128  
 Syn.: *Dacnitis longicollis* Stossich, 1899  
 Mullus barbatus: Istrian
- Cucullianus longicollis* (Stossich, 1899)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 383  
 Mullus barbatus
- Cucullianus longipapillatus* n. sp.  
 Olsen, L. S., 1952 a, 192-194, 199, 214, 215, pl. V, figs. 73-78  
 Melichthys buniva  
 Balistes vidua  
 both from Honolulu, Hawaii
- Cucullianus lophii* nov. sp.  
 Campana-Rouget, Y.; and Chabaud, A. G., 1956 a, 271, 275-276, pl. 2, fig. 6; pl. III, figs. 1-5  
 Lophius piscatorius: environs de Banyuls
- Cucullianus lopholatilus* (MacCallum, 1921) new comb.  
 Törnquist, N., 1931 a, 129  
 Syn.: *Sclerostomum lopholatilus* MacCallum, 1921  
 Lopholatilus chameleonticeps: aquarium in New York
- Cucullianus lucii* Viborg, 1795  
 Törnquist, N., 1931 a, 326  
 as syn. of *Camallanus lacustris* Zoega, 1776
- Cucullianus luciopercae* Schrank, 1788  
 Törnquist, N., 1931 a, 326  
 as syn. of *Camallanus lacustris* Zoega, 1776
- Cucullianus marinus*  
 Magath, T. B., 1919 a, 137  
*Cucullianus marinus* Müll.  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 4  
 as syn. of *C. cirratus* Müller
- Cucullianus marinus* Müller, 1779  
 Törnquist, N., 1931 a, 63  
 as syn. of *Cucullianus cirratus* Müller, 1777
- Cucullianus marinus*  
 Wüller, G., 1930 a, 301

- Cucullanus marinus* Mueller, 1779  
 Yorke, W.; and Maplestone, P. A., 1926 a, 383  
*Gadus morrhua*
- Cucullanus mauritanicus* n. sp.  
 Gendre, E., 1927 b, 259, figs. 1-2  
*Diagramma mediterraneum*
- Cucullanus mauritanicus* Gendre, 1927  
*Campana-Rouget, Y.*, 1957 a, 427, 470, pl. V,  
 figs. 4, 5  
*Diagramma mediterraneum: Afrique occidentale  
 française*
- Cucullanus mauritanicus* Gendre, 1927  
 Törnquist, N., 1931 a, 192  
 as syn. of *Dichelyne mauritanicus* Gendre,  
 1927
- Cucullanus melanocephalus* n. sp.  
 Rudolphi, C. A., 1819 a, 20, 232-233, 640, 641  
*Scomber colias*  
*S. rochei*  
*S. sarda*  
 (intestine of all)
- Cucullanus melanocephalus* Rud., 1819  
 Törnquist, N., 1931 a, 3, 347  
 as syn. of *Camallanus melanocephalus*
- Cucullanus microcephalus* Duj. of Seurat  
 Magath, T. B., 1919 a, 140, 156  
 as syn. of *Camallanus seurati*
- Cucullanus microcephalus*  
 Perrier, E., 1897 a, 1414  
 emydes
- Cucullanus microcephalus* Dies., 1851 nec Duj.,  
 1845  
 Ribeiro, D. J., [1941 b], 724  
 ?as syn. of *Camallanus amazonicus* n. sp.
- Cucullanus microcephalus* Duj., pro parte, Dies-  
 ing, 1851  
 Törnquist, N., 1931 a, 370  
 ?as syn. of *Camallanus trispinosus* Leidy,  
 1852
- Cucullanus microcephalus* Duj., 1845  
 Törnquist, N., 1931 a, 351, 352  
 as syn. of *Camallanus microcephalus* Duj.,  
 1845
- Cucullanus microcephalus*.  
 Vevers, G. M., 1920 a, 409  
*Chrysema scripta rugosa*: W. Indies
- Cucullanus microcephalus*  
 Walton, A. C., [1927 a], 141
- Cucullanus micropapillatus* n. sp.  
 Törnquist, N., 1931 a, iv, 12, 43, 61, 62, 97-  
 106, 150, 406, 437, 439, 440, 441, fig. 8, pl.  
 5, fig. 1; pl. 11, fig. 4; pl. 15, fig. 1; pl.  
 16, fig. 8  
*Crenilabrus pavo*  
*C. quinqueramaculatus*  
*C. griseus*
- Cucullanus micropapillatus*  
 Chitwood, B. G.; and Chitwood, M. B., 1940 a,  
 138, fig. 116H
- Cucullanus micropapillatus* Törnquist 1932  
 Janiszewska, J., 1949 a, 8, 13-14, fig. 2  
*Crenilabrus pavo*  
*Labrus merula*  
 both from Adriatic Sea
- Cucullanus micropapillatus* (Toernquist)  
 Schuurmans Stekhoven, J. H., 1939 a, 574, 628
- Cucullanus minutus* (Rud., 1819)  
 Sproston, N. G., 1938 a, 39  
*Zeus faber* (estomac): Roscoff
- Cucullanus minutus* Rud., 1819  
 Törnquist, N., 1931 a, 132  
 as syn. of *Cucullanellus minutus* Rud., 1819
- Cucullanus mogi* n. sp.  
 Travassos, L. P., 1948 b, 553-554, pl. 3, figs.  
 8-10  
*Leporinus* sp.: Estado de Sao Paulo
- Cucullanus muraenesocis* n. sp.  
 Yamaguti, S., 1961 b, 217, 223-224, 225, 226,  
 figs. 11-12  
*Muraenesox cinereus* (small intestine):  
 Inland Sea, Japan
- Cucullanus murenophidis* n. sp.  
*Campana-Rouget, Y.*, 1957 a, 424-425, 470, pl.  
 V, figs. 1-3  
*Murenophis robusta*: Afrique occidentale  
 française
- Cucullanus muticus* [n. sp.]  
 Müller, O. F., 1777 a, 4, pl. 38  
*Gadus major* (intestine)
- Cucullanus muticus*  
 Magath, T. B., 1919 a, 137
- Cucullanus muticus* O. F. Müller, 1777  
 Punt, A., 1947 a  
 as syn. of *Cucullanus cirratus* O. F. Müller,  
 1777
- Cucullanus muticus* Müll.  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 4  
 as syn. of *Cucullanus cirratus* Müller
- Cucullanus muticus* Müller, 1777  
 Törnquist, N., 1931 a, 63  
 as syn. of *Cucullanus cirratus*
- Cucullanus muticus* Mueller, 1777  
 York, W.; and Maplestone, P. A., 1926 a, 381  
 as syn. of *Cucullanus cirratus* Mueller, 1777
- "*Cucullanus*" nigrescens v. Linstow, 1906  
 Baylis, H. A., 1939 b, 210  
*Rana hexadactyla*
- Cucullanus nigrescens* v. Linstow, 1906  
 Törnquist, N., 1931 a, 351  
 as syn. of *Camallanus nigrescens* v. Linstow,  
 1906
- Cucullanus nigrescens* v. Linst., 1906  
 Walton, A. C., 1935 a, 33  
 as syn. of *Camallanus nigrescens* (v. Linst.,  
 1906) Railliet and Henry, 1915
- Cucullanus niloticus* nom. nov. for *C. serratus*  
 (Lane) sensu Törnquist  
*Campana-Rouget, Y.*, 1957 a, 451
- Cucullanus orthagorisci* Rud.  
 de Barros Barreto, A. L. C. A., 1922 a, 71, 73  
*Orthagoriscus mola*
- Cucullanus orthagorisci* Rud., 1819  
 Törnquist, N., 1931 a, 222  
 Syms.: *Ascaris orthagorisci* [sic] Rud.,  
 1819; *Cucullanus* (?) *orthagorisci* Stossich,  
 1898  
*Orthagoriscus mola*: Italien, Neapel and  
 Triest
- Cucullanus* (?) *orthagorisci* Stossich, 1898  
 Törnquist, N., 1931 a, 222  
 as syn. of *Cucullanus orthagorisci* Rud., 1819
- Cucullanus pachystomus* Linstow, 1873  
 Markevich, A. P., [1952 a], 268  
 as syn. of *Rhabdochona denudata* (Dujardin,  
 1845)
- ?*Cucullanus pachystomus* v. Linstow, 1873  
 Törnquist, N., 1931 a, 223  
*Bliccopsis rutiloides*
- Cucullanus pachystomus* Linst., 1873  
 Yorke, W.; and Maplestone, P. A., 1926 a, 324  
 as syn. of *Rhabdochona denudata* (Duj., 1845)
- Cucullanus papillatus* [lapsus for *C. tripapilla-*  
*tus* n. sp.]  
 Gendre, E., 1927 a, 479
- Cucullanus papilliferus* Molin  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 5  
 as syn. of *Dacnitis sphaerocephala* (Rudolphi)
- Cucullanus papilliferus* Molin, 1858  
 Törnquist, N., 1931 a, 210  
 ?as syn. of *Dacnitis sphaerocephala* Rud.,  
 1809

- Cucullanus papillosus* Zeder, 1800  
*Törnquist*, N., 1931 a, 326  
 as syn. of *Camallanus lacustris* Zoega, 1776
- Cucullanus papillosus* Zeder, 1800  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 378  
 as syn. of *Camallanus lacustris* (Zoega, 1776)
- Cucullanus parvus* n. sp.  
*Törnquist*, N., 1931 a, 61, 106-107, 439, 440,  
 pl. 11, fig. 5; pl. 15, fig. 2  
*Serranus* sp.: Tor am Golf von Suez
- Cucullanus pauliceae* n. sp.  
*Vaz*, Z.; and *Pereira*, C., 1934 a, 94-96, 103,  
 figs. 18-20  
*Paulicea lütkeni*: Estado de São Paulo
- Cucullanus percae* Abildgaard  
*de Barros Barreto*, A. L. C. A., 1922 a, 71,  
 72-73  
*Perca norvegica*  
*Sebastes norvegica*
- Cucullanus percae*  
*Blanchard*, E., 1849 a, 177-180, 201, pl. 7,  
 figs. 4, 4a  
 sandre  
 lotte  
 brochet  
 saumon  
 epinoche  
 anguille  
*Perca zingel*  
*P. fluviatilis*  
*P. cernua*  
*P. labra*
- Cucullanus perca* Abild.  
*Gendre*, E., 1927 a, 267
- Cucullanus percae* Schrank, 1788  
*Törnquist*, N., 1931 a, 326  
 as syn. of *Camallanus lacustris* Zoega, 1776
- Cucullanus percae marinae* Viborg, 1795  
*Törnquist*, N., 1931 a, 90
- Cucullanus pinnai* n. sp.  
*Travassos*, L. P.; *Artigas*, P.; and *Pereira*, C.,  
 1928 a, 17-18, pl. 3, figs. 29-33; pl. 4, fig.  
 34  
*Pimelodus clarus*  
*Pseudoplatistoma* sp.
- Cucullanus pinnai* Travassos, 1928  
*Törnquist*, N., 1931 a, 224  
*Pimelodus clarus*  
*Pseudoplatistoma* sp.  
 both from *Emas*, *Pirassunungo*, São Paulo
- Cucullanus pinnai*  
*Vaz*, Z.; and *Pereira*, C., 1934 a, 96, 102,  
 fig. 36  
 measurements
- Cucullanus platessae* C. A. Rudolphi, 1801  
*Punt*, A., 1947 a, 6, 7, 9, 11, figs. 15-17  
 Syns.: *Cucullanus solea* C.A. Rud., 1819; *C. foveolatus* O.B. Bellingh., 1840; *C. cirratus* O.F. Müll. pt., 1777; *Dacnisus esuriens* J. Fuj., 1845; *D. foveolatus* O. von Linst., 1878; *Heterakis foveolatus* C.A. Rud., 1819  
*Pleuronectes flesus*  
*P. limanda*  
*P. plateussus*  
*Scyllium*  
 all from Mer du Nord
- Cucullanus platessae* Rud.  
*Schuurmans Stekhoven*, J. H., 1935 f, V.c 4  
 as syn. of *Cucullanus heterochrous* Rudolphi
- Cucullanus platessae*  
*Törnquist*, N., 1931 a, 58, 74  
 as syn. of *Cucullanus heterochrous*
- Cucullanus platessae* Rud.  
*Wülker*, G., 1930 a, 298, 300, 301, 302, fig. 4b  
*Pleuronectes flesus*  
*P. platessa*
- Cucullanus (C.) praecinctus* Duj.  
*Antonucci*, A., 1929 a, 107
- Cucullanus praecinctus* Duj.  
*de Barros Barreto*, A. L. C. A., 1922 a, 71, 74,  
 pl. 34, figs. 1-5  
*Conger vulgaris*  
*Muraena conger*
- Cucullanus praecinctus* (Duj.)  
*Gendre*, E., 1927 a, 484, 485
- Cucullanus praecinctus*  
*Janiszewska*, J., 1949 a, 8, 11  
*Conger conger*: Adriatic Sea
- Cucullanus praecinctus* (Duj., 1845)  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 383  
*Conger vulgaris*
- Cucullanus pulcherrimus* n. sp.  
*de Barros Barreto*, A. L. C. A., 1918 a, 137-138  
*Caranx lugubris*: Ilha da Trindade, Brazil
- Cucullanus (C.) pulcherrimus* Barreto  
*Antonucci*, A., 1929 a, 108
- Cucullanus pulcherrimus* Barreto  
*de Barros Barreto*, A. L. C. A., 1922 a, 62-64,  
 71, 76, 77-78, pl. 44, figs. 1-2  
*Caranx lugubris*
- Cucullanus pulcherrimus* Barreto 1918  
*Campana-Rouget*, Y., 1957 a, 427, 472, pl. VII,  
 figs. 1, 2, 4  
*Trachinotus maxillosus*: Afrique occidentale  
 française
- Cucullanus pulcherrimus*  
*Chabaud*, A. C.; and *Petter*, A. J., 1961 b, 62,  
 pl. V, fig. 25  
*cloacal papillae*
- Cucullanus pulcherrimus* Barreto, 1918  
*Törnquist*, N., 1931 a, 128  
*Caranx lugubris*: Brasilien (Insel Trinidad)
- Cucullanus pulcherrimus* Barreto 1918  
*Travassos*, L. P., 1919 d, 162-165, figs. 1-3  
*Caranx lugubris*: Ilha de Trindade, Brasil
- Cucullanus puicherrimus* Barreto, 1918  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 383  
*Caranx lugubris*
- Cucullanus raniae* Gmel., 1790  
*Walton*, A. C., 1935 a, 37-38  
 as syn. of *Oswaldocruzia filiformis* (Goeze,  
 1782) *Trav.*, 1917
- Cucullanus ritai* n. sp.  
*Karve*, J. N., 1952 a, 9-13, 14, figs. 10-16  
*Rita buchananai*: Calcutta
- Cucullanus robustus* n. sp.  
*Yamaguti*, S., 1935 g, 338, 381-382, figs. 59-60  
*Conger myriaster*: Inland Sea and Ise Bay
- Cucullanus robustus* Yamaguti, 1935  
*Olsen*, L. S., 1952 a, 194, 199  
*Leptocéphalus conger*: Wellington, New Zealand
- Cucullanus roseus*  
*de Barros Barreto*, A. L. C. A., 1919 b, 54, 55,  
 56
- ?*"Cucullanus roseus"* Leidy, 1852  
*Törnquist*, N., 1931 a, vi, 371  
*Testudo* sp.: Java  
*Manouria fusca*: Java
- Cucullanus roseus* Leidy  
*Walton*, A. C., [1927 a], 79
- Cucullanus rotundatus* Molin  
*de Barros Barreto*, A. L. C. A., 1922 a, 71, 75  
*Cantharus vulgaris*
- Cucullanus rotundatus* (Molin)  
*Gendre*, E., 1927 a, 479
- Cucullanus rotundatus* Molin, 1859 *bei* Barreto,  
 1918  
*Törnquist*, N., 1931 a, 223  
 as syn. of *Dacnis rotundata* Molin, 1859
- Cucullanus rotundatus* (Molin, 1860)  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 383  
*Cantharus vulgaris*
- Cucullanus scalaris* Gmelin 1780  
*Tendeiro*, J.; and *Valdez*, V., 1955 a, 73  
 as syn. of *Agamochelida scalaris* (Gmelin  
 1790) n. comb.

- Cucullanus schubarti* n. sp.  
Travassos, L. P., 1948 b, 551-553, 554, pls. 1-2, figs. 1-7  
*Paulicea lutkeni*: Estado de São Paulo
- Cucullanus serratus* Lane [n. comb.]  
de Barros Barreto, A. L. C. A., 1922 a, 71, 76, pl. 41, figs. 1-2; pl. 42, figs. 1-5; pl. 43  
*Tryonix gangeticus*
- Cucullanus (Serradacnitis) serratus* Lane  
Antonucci, A., 1929 a, 109
- Cucullanus serratus* (Lane, 1916) Barreto, 1918  
Baylis, H. A., 1939 b, xxvii, 220, 221-222, 262, figs. 132-133  
synonymy  
*Trionyx gangeticus*
- Cucullanus serratus* (Lane) *sensu* Törnquist, renamed *Cucullanus niloticus* nom. nov.  
Campana-Rouget, Y., 1957 a, 451
- Cucullanus serratus*  
Chitwood, M. B., and Chitwood, B. G., 1940 a, 128, 129, fig. 113H
- Cucullanus serratus*  
Schuurmans Stekhoven, J. H., 1937 a, 436
- Cucullanus serratus* (Lane)  
Schuurmans Stekhoven, J. H., 1939 a, 628, 629, 630
- Cucullanus serratus* Lane, 1916  
Törnquist, N., 1931 a, iv, 11, 20, 21, 45, 61, 62, 112, 115, 117-127, 183, 386, 389, 436, 437, 439, 440, 441; pl. 1, figs. 7a-b; pl. 4, fig. 6; pl. 6, fig. 15; pl. 11, fig. 8; pl. 15, fig. 4; pl. 16, fig. 11  
*Trionyx gangeticus*: India  
*T. triunguis*: Africa (Chartum)
- Cucullanus siganii* n. sp.  
Yamaguti, S., 1954 b, 122, 124, 133, pl. I, figs. 3-4  
*Siganus* sp.: Macassar
- Cucullanus solea* C.A. Rud., 1819  
Punt, A., 1947 a  
as syn. of *Cucullanus platessae* C.A. Rudolphi, 1801
- Cucullanus soleae* Rud.  
Schuurmans Stekhoven, J. H., 1935 f, V.c 4  
as syn. of *Cucullanus heterochrous* Rudolphi
- Cucullanus solae* [sic] Rudolphi, 1819  
Törnquist, N., 1931 a, 74  
as syn. of *Cucullanus heterochrous* Rud., 1802
- Cucullanus sphaerocephalus* (Rud., 1809) [n. comb.]  
Yorke, W.; and Maplestone, P. A., 1926 a, 383  
*Acipenser* sp.
- Cucullanus sphaerocephalus* (Rudolphi, 1809)  
Agapova, A. I., 1956 a, 30, 36  
*Huso huso*  
*Acipenser gildenstädti*  
both from Reservoirs western Kazakhstan
- Cucullanus (Dacnitis) sphaerocephalus* (Rudolphi, 1809)  
Dogiel, V., 1932 b, 264  
Sterlet
- Cucullanus sphaerocephalus*  
Mikailov, T. K., 1959 a, 80, 82  
*Huso huso caspius*  
*Acipenser nudiventris derjawini*  
*A. güldenstädti persicus*  
*A. s. stellatus*  
all from Kura river
- Cucullanus sphaerocephalus* (Rudolphi, 1809)  
Shul'man, S. S., 1954 d, 210, 215, 217, 220-221, 222, 226-227, 228, 231, 234-235  
*Huso huso*: Black sea; Caspian sea  
*Acipenser nudiventris*: Caspian sea  
*A. ruthenus*: Black sea  
*A. ruthenus marsiglii*: Basin Eniseia  
*A. gildenstadtii*: Black sea basin; Caspian basin  
*A. baeri*: Ob, Irtysh, Enisei, Lena  
*A. sturio*: Black sea  
*A. stellatus*: Caspian basin
- Cucullanus sphaerocephalus caspicus* (Ivanov et Murjin, 1937) [n. comb.]  
Skrjabin, K. I.; et al., 1954 a, 47
- Cucullanus (Serradacnitis) squali* Duj.  
Antonucci, A., 1929 a, 109
- Cucullanus squali* Duj.  
de Barros Barreto, A. L. C. A., 1922 a, 71, 74-75  
*Galeus canis*  
*Squalius galeus*
- Cucullanus squali* Diesing, 1851  
Törnquist, N., 1931 a, 223  
as syn. of *Dacnitis squali* Dujardin, 1845
- Cucullanus stelmioides* Vessichelli  
de Barros Barreto, A. L. C. A., 1922 a, 71, 75  
*Petromyzon planeri*
- Cucullanus stelmioides* (Vessichelli, 1910)  
Shul'man, S. S., [1958 b], 290-295, 296, 298, figs. 2-4  
*Lampetra fluviatilis* (intestine, intestinal wall): Zapadnaia Dvina and Neva rivers  
*Lampetra planeri* (cysts in intestinal wall)
- Cucullanus stelmioides*  
Swierstra, D.; Jansen, J. (jr); and van den Broek, E., 1959 a, 897  
*Lampetra fluviatilis*: Netherlands
- Cucullanus stelmioides* Vessichelli, 1910 bei Barreto, 1918  
Törnquist, N., 1931 a, 205  
as syn. of *Dacnitis stelmioides* Vessichelli, 1910
- Cucullanus stelmioides* (Vessichelli, 1910)  
Yorke, W.; and Maplestone, P. A., 1926 a, 383  
*Petromyzon planeri*
- Cucullanus stelmioides* (Vessich 1910)  
Zekhnov, M. I., 1957 a, 22  
European brook lampreys  
Ukrainian lampreys
- Cucullanus stossichi* n. sp.  
de Barros Barreto, A. L. C. A., 1922 a, 71, 76, pl. 35, figs. 1-9  
*Diplodus sargus*  
*Holocentrus ascensionis*  
*Lycodontis moringa*  
*Mycteroperca apua*  
*Neomaenius griseus*  
*Anguilla chrysypa*  
*Galeichthys milberti*  
*Leptocephalus conger*  
*Micropogon undulatus*  
(intestino of all): all from America do Norte
- Cucullanus stossichi*  
Gendre, E., 1927 a, 268
- Cucullanus stossichi* Barreto, 1922  
Törnquist, N., 1931 a, 129, 193  
*Diplodus sargus*  
*Holocentrus ascensionis*  
*Lycodontis moringa*  
*Neomaenius griseus*  
*Anguilla chrysypa*  
*Galeichthys milberti*  
*Leptocephalus conger*  
*Micropogon undulatus*  
all from North America
- Cucullanus testudinidis* Rud., 1819  
Törnquist, N., 1931 a, 351  
?as syn. of *Camallanus microcephalus* Duj., 1845
- Cucullanus tincae* Rud., 1819  
Törnquist, N., 1931 a, 326  
as syn. of *Camallanus lacustris* Zoega, 1776
- Cucullanus tridentatus*  
Baylis, H. A., 1932 c, 176
- Cucullanus tridentatus* v. Drasche, 1883  
Törnquist, N., 1931 a, 350  
as syn. of *Camallanus tridentatus* v. Drasche, 1883

- Cucullianus tripapillatus* n. sp.  
 Gendre, E., 1927 a, 473-480, 481, figs. 1-11  
 lapsus p. 479 as *C. papillatus*  
*Sargus cervinus*  
*S. rondeleti*  
*Chrysophrys aurata*  
*Cucullianus tripapillatus* (Gendre, 1926)  
 Baylis, H. A., 1939 b, 493  
*Solea solea*: S. Devon, Brit. Is.  
*Cucullianus tripapillatus* Gendre 1927  
 Campana-Rouget, Y., 1957 a, 419-420, 466, pl. I,  
 figs. 1-6  
*Sargus cervinus*  
*Pagrus ehrenbergi*  
*Dentex filosus*  
*Bodianus iagonensis*  
 all from Côte occidentale d'Afrique française  
*Cucullianus tripapillatus* Gendre  
 Gendre, E., 1927 b, 259, 260  
*Cucullianus tripapillatus* Gendre, 1927  
 Törnquist, N., 1931 a, 43, 143, 149, fig. 9  
 as syn. of *Cucullanellus tripapillatus* Gendre,  
 1927  
*Cuculanus trispinosus* Leidy, 1852  
 Törnquist, N., 1931 a, 370  
 ?as syn. of *Cuculanus trispinosus* Leidy,  
 1852  
*Cuculanus trispinosus* Leidy  
 Walton, A. C., [1927 a], 142  
*Cuculanus truncatus*  
*Bykhovskaiia*, I. E.; and *Bykhovskii*, B. E.,  
 1940 a, 157  
*Lucioperca lucioperca*  
*Cucullanus truncatus* Rud., 1814  
 Törnquist, N., 1931 a, 340  
 as syn. of *Camallanus truncatus* Rud., 1814  
*Cucullanus truncatus* Rud., 1814  
 Yorke, W.; and Maplestone, P. A., 1926 a, 378  
 as syn. of *Camallanus lacustris* (Zoega, 1776)  
*Cucullanus* (*Bulbodacnitis*) *truttae* Fab.  
 Antonucci, A., 1929 a, 108  
*Cucullanus truttae* Fabricius 1794  
 de Barros Barreto, A. L. C. A., 1922 a, 71, 72,  
 pl. 46, fig. 5  
*Salmo trutta*  
*S. fario*  
*S. nucho*  
*Trutta trutta*  
*Cucullanus truttae*  
*Barysheva*, A. F.; and *Bauer*, O. N., [1958 a],  
 195  
*Salmo trutta*: Lake Ladoga  
*S. salar*: Lake Ladoga  
*Cucullanus truttae* Fabricius  
 Baylis, H. A., 1928 g, 339  
*Salmo trutta*  
*Cucullanus truttae* Fabricius, 1794  
 Baylis, H. A., 1939 a, 493  
*Salmo trutta*: Hampshire, Brit. Is.  
*Cucullanus truttae*  
*Chitwood*, B. G.; and *Chitwood*, M. B., 1938 a,  
 62, 63, fig. 58F  
*Cucullanus truttae*  
*Chitwood*, B. G.; and *Wehr*, E. E., 1934 a, 303,  
 fig. 19  
*Cucullanus truttae* Fab.  
 Gendre, E., 1927 a, 269, 270-272, figs. 14, 15,  
 16  
*Trutta fario*  
*Cucullanus truttae* Fabr.  
 Rees, F. G., 1946 a, 39, 40, 41  
*Salmo trutta*: Irish Sea  
*Cucullanus truttae*  
 Shaw, J. N., 1947 a, 4  
*steelhead trout*  
*chinook salmon*  
*cutthroat trout*  
 all from Oregon
- Cucullianus truttae*  
*Spasskii*, A. A.; and Roitman, V. A., 1957 a, 88  
*Thymallus thymallus*: Pechora river  
*Cucullianus truttae*  
*Spasskii*, A. A.; and Routman, V. A., 1958 a,  
 194  
*Thymallus thymallus* (stomach): Pechora river  
*Cucullianus truttae*  
*Spasskii*, A. A.; and Roitman, V. A., 1959 b,  
 178  
*Thymallus thymallus*: Pechora  
*Cucullianus truttae*  
*Spasskii*, A. A.; Roitman, V. A.; and Shagaeva,  
 V. G., 1961 a, 283  
*Salvelinus malma*  
*S. malma*  
*Salmo mikiss*  
 all from Plotnikov river basin of Kamchatka  
*oblast*  
*Cucullanus truttae* (Fabricius, 1794)  
 Streikov, Iu. A., [1961 a], 168-169  
 Syn.: *C. laevis* Zschokke et Heitz, 1914  
*Oncorhynchus gorbuscha*  
*O. kisutch*  
*Salvelinus malma*  
 all from Kamchatka  
*Cucullanus truttae* (Fabricius, 1794)  
 Tornquist, N., 1931 a, 8, 195  
 as syn. of *Dacnis globosa* Dujardin, 1845  
 as syn. of *Dacnis truttae* (Fabr., 1794)  
 Tornquist, 1931  
*Cuculanus viviparus* Bloch, 1782  
 Kowalewski, M., 1907 c, 10  
 Syn.: *Cuculanus elegans* Zed.  
*Cuculanus* [sic] *viviparus* Bloch, 1782 (nicht v.  
 Linstow, 1906)  
 Törnquist, N., 1931 a, 326  
 as syn. of *Camallanus lacustris* Zoega, 1776  
*Cuculanus viviparus* v. Linstow, 1906 (nicht  
 Bloch, 1782)  
 Törnquist, N., 1931 a, 371  
*Cuculanus viviparus* Bloch, 1782 not Linstow, 1906  
 Yorke, W.; and Maplesonte, P. A., 1926 a, 378  
 as syn. of *Camallanus lacustris* (Zoega, 1776)  
*Cuculanus viviparus* Linst., 1906 not Bloch, 1782  
 Yorke, W.; and Maplesonte, P. A., 1926 a, 378  
 as syn. of *Camallanus undulatus* Railliet &  
 Henry, 1915  
*Cuculanus wükeri* Kreis  
 Margolis, L., 1960 a, 839  
 as syn. of *Cucullanus heterochrous* (Rudolphi)  
*Cucullanus zungaro* n. sp.  
 Vaz, Z.; and Pereira, C., 1934 a, 92-94, 96,  
 103, figs. 12-17  
*Pseudopimelodus zungaro*  
*Paulicea lütkeni*  
 both from Estado de S. Paulo  
*Cuculanus zungaro* Vaz and Pereira, 1934  
 Khera, S., [1956 a], 95  
 Syn.: *Cucullanus amadai* Yamaguti, 1941  
*Cucullus* Zeder, 1803  
 Baylis, H. A., 1939 b, 220  
 as syn. of *Cucullanus Müller*, 1777  
*Cyathospirura* n. g.  
 Baylis, H. A., 1934 f, 344, 345-346  
*Arduenninae*, *Spiruridae*  
 genotype: *C. chevreuxi* (Seurat, 1913) n.  
 comb.  
*Cyathospirura* Baylis, 1934  
 Chabaud, A. G., 1959 c, 17  
*Spiruridae*, *Spirurinae*  
*Cyathospirura* Baylis, 1934  
 Chabaud, A. G., 1959 d, 131, 132, 134  
*Cyathospirura* Baylis, 1934  
 Lopez-Neyra, C. R., 1951 b, 102, 190-191, 201  
 key; type: *Habronema chevreuxi* (Seurat,  
 1913)

- Cyathospirura* sp.  
 Myers, B. J.; Kuntz, R. E.; and Wells, W. H.,  
 1962 a, 538  
*Vulpes vulpes*: Egypt  
*Cyathospirura chevreuxi* (Seurat, 1913) n. comb.  
 (tod)  
 Baylis, H. A., 1934 f, 344-345  
 Syn.: *Habronema chevreuxi* Seurat, 1913  
*Petrodromus nigriseta* (stomach): Morogoro,  
 Tanganyika Territory  
*Cyathospirura chevreuxi* (Seurat, 1913)  
 Chabaud, A. G., 1959 d, 131, 133, 134, fig. B  
*Cyathospirura chevreuxi sensu* Seurat 1919  
 Chabaud, A. G., 1959 d, 133  
 as syn. of *Cyathospirura seurati* Gibbs, 1956  
*Cyathospirura chevreuxi* (Seurat, 1913) Baylis,  
 1934  
 Lopez-Neyra, C. R., 1951 b, 102, 191-192, 204,  
 212, pl. 8, figs. 5-6  
 key  
 Syn.: *Habronema chevreuxi* Seurat, 1913  
*Cyathospirura grimaldiae* (Seurat, 1915) n. comb.  
 Baylis, H. A., 1934 f, 346  
 Syn.: *Habronema grimaldiae* Seurat, 1915  
*Cyathospirura grimaldiae* (Seurat, 1915)  
 Chabaud, A. G., 1959 d, 131  
*Cyathospirura grimaldiae* (Seurat, 1915) Baylis,  
 1934  
 Lopez-Neyra, C. R., 1951 b, 102, 192-193, 204  
 key  
 Syn.: *Habronema grimaldiae* Seurat, 1915  
*Cyathospirura nouveli* (Seurat, 1915) n. comb.  
 Baylis, H. A., 1934 f, 346  
 Syn.: *Habronema nouveli* Seurat, 1915  
*Cyathospirura nouveli* (Seurat)  
 Chabaud, A. G., 1959 d, 130, 131, 134, fig. C  
*Cyathospirura nouveli* (Seurat, 1915) Baylis, 1934  
 Lopez-Neyra, C. R., 1951 b, 102, 193-194, 205  
 key  
 Syn.: *Habronema nouveli* Seurat, 1915  
*Cyathospirura seurati* sp. nov.  
 Gibbs, H. C., 1957 a, 201-205  
*Fennecus zerda*: Egypt  
*Cyathospirura seurati* Gibbs, 1956  
 Chabaud, A. G., 1959 d, 130, 132, 133, 134,  
 fig. A  
 Syn.: *Cyathospirura chevreuxi sensu* Seurat  
 1919  
*Cyathospirura seurati* Gibbs, 1957  
 Myers, B. J.; Kuntz, R. E.; and Wells, W. H.,  
 1962 a, 538  
*Fennecus zerda*: Egypt  
*Cyathospirura skrjabini* (Tschernikowa, 1934) mihi  
 [n. comb.]  
 Lopez-Neyra, C. R., 1951 b, 102, 194-195, 204,  
 212, pl. 8, fig. 7  
 key  
 Syn.: *Habronema skrjabini* Tschernikowa, 1934  
*Cyathospirura skrjabini* (Tschernikova, 1934)  
 Chabaud, A. G., 1959 d, 131  
*Cyathospirura whitei* (Monnig, 1931) [n. comb.]  
 Chabaud, A. G., 1959 d, 131  
*Cyathostoma* Blanchard [n. gen.]  
 Blanchard, E., 1849 a, 173, 182-186  
 [lapsus pp. 173, 183 as *Cyathodera*]  
*Sclerostomii*  
*Cyathostoma* E. Blanchard  
 Baylis, H. A., 1929 c, 163  
*Cyathostoma* E. Blanchard, 1849  
 Baylis, H. A.; and Daubney, R., 1926 a, 166  
 type: *C. lari* E. Blanchard  
*Cyathostoma*  
 Chapin, E. A., 1924 e, 115-116  
*Cyathostoma* E. Bl.  
 Chapin, E. A., 1925 f, 565  
 type: *C. lari* E. Bl.  
*Cyathostoma* E. Bl.  
 Cram, E. B., 1927 a, 33, 41  
 type: *C. lari* E. Bl.
- Cyathostoma* Blanchard 1849  
 Dougherty, E. C., 1951 a, 365  
 bird  
*Cyathostoma* Blanchard, 1849  
 Gower, W. C., 1939 a, 609  
 Syngamidae  
*Cyathostoma*  
 Ihle, J. E. W., 1920 e, 760  
*Cyathostoma* E. Blanchard, 1849  
 Ryzhikov, K. M., 1949 b, 9, 91  
 type: *C. lari* Blanchard, 1849; includes: *C. variegatum* (Creplin, 1849) Chapin, 1925; *C. brantae* Cram, 1928; *C. coscorabae* Chapin, 1925; *C. americana* Chapin, 1925; *C. phenisci* Baudet, 1937; *C. brodskii* Sultanov, 1946; *C. bronchialis* (Muehlig, 1884) Chapin, 1925; *C. bouliarti* (Megnin, 1884) Chapin, 1925; *C. tadornae* Chapin, 1874  
*Cyathostoma*  
 St. John, J. H.; Simmons, J. S.; and Gardner,  
 L. L., 1929 a, 1816-1818, figs. 1-3  
*Homo sapiens* (lung)  
*Cyathostoma* Blanchard, 1849  
 Schuurmans Stekhoven, J. H., 1935 g, V.c 6  
 Syngamidae  
*Cyathostoma* E. Blanchard, 1849  
 Sprehn, C. E. W., 1932 c, 698  
 as syn. of *Syngamus Siebold*, 1836  
*Cyathostoma* Blanchard, 1849  
 van der Westhuysen, O. P., 1938 a, 103  
 as syn. of *Syngamus v. Siebold*, 1836  
*Cyathostoma* E. Bl., 1849  
 Yorke, W.; and Maplestone, P. A., 1926 a, 156,  
 157, 158  
 as syn. of *Syngamus Siebold*  
*Cyathostoma* sp.  
 Chapin, E. A., 1925 f, 570  
*Querquedula querquedula discors*  
*Cyathostoma* spp.  
 Furmaga, S., 1957 c, 225, 229, 285-286, fig. 32  
*Buteo lagopus*: Lublin  
*Tyto alba*: Lublin  
*Cyathostoma* sp.  
*Gushanskaia*, L. Kh., 1951 a, 83  
*Falco columbarius*: Komi ASSR  
*Cyathostoma* [sp.]  
 Hamerton, A. E., 1933 b, 478  
*Balearica regulorum* (lung, gizzard, trachea):  
 London Zool. Gard.  
*Cyathostoma* sp.  
 Hanson, H. C.; and Gilford, J. H., 1961 a, 51-  
 52  
*Branta canadensis interior* (trachea): south-  
 ern Illinois  
*Cyathostoma* sp.  
 Herman, C. M., 1939 a, 484  
*Balearica p. pavonina*: N. York Zool. Park  
*Cyathostoma* sp.  
 Krotov, A. I., 1952 a, 273  
*Buteo buteo vulpinus* (trachea): Amu-Darya  
*Cyathostoma* sp.  
 Leiper, R. T. in Hamerton, A. E., 1934 b, 418  
*Chenonetta jubata*  
*Balearica pavonina ceciliae*  
 both from London Zoological Gardens  
*Cyathostoma* sp.  
 Leiper, R. T. in Hamerton, A. E., 1938 a, 523  
*Balearica pavonina*: London Zoo  
*Cyathostoma* sp.  
 Liubimova, A. P., 1947 a, 148  
*Cygnus olor*  
*Cyathostoma* sp.  
 Romanova, N. P., 1946 a, 136, 137, 138, 139,  
 141, 142, 143  
 emu: Moskva zoopark  
*Cyathostoma* sp.  
 Romanova, N. P., 1948 a, 189, 190, 191, 193  
 emu  
*Cyathostoma* sp.  
 Ryzhikov, K. M., 1959 a, 239  
*Cygnus olor*: SSSR

- Cyathostoma americana* n. sp.  
 Chapin, E. A., 1925 f, 565, 567, 569-570, pl. 1,  
 figs. 6, 7; pl. 3, figs. 21, 28  
*Buteo borealis*: Va.
- Cyathostoma americana* (Chapin)  
 Baudet, E. A. R. F., 1937 a, 222  
*Buteo borealis*
- Cyathostoma americanum* Chapin  
 Canavan, W. P. N., 1931 a, 206  
*Colinus virginianus texanus*
- Cyathostoma americana* Chapin, 1925  
 Chibichenko, N. T., 1960 a, 173  
*Bubo bubo* (lung): Kirgizia
- Cyathostoma americanum* Chapin  
 Cram, E. B., 1927 a, 42, 45-57, figs. 59-62  
*Buteo borealis*
- Cyathostoma americanum*  
 Cram, E. B., 1923 a, 7, 8, 9  
*Buteo borealis*
- Cyathostoma americana* Chapin, 1925  
 Ryzhikov, K. M., 1949 b, 10, 15, 91, 92-93,  
 fig. 27  
*Buteo borealis*  
*Asio otis*
- Cyathostoma americana* Chapin  
 Vavilova, N. M., 1926 a, 112, 114-115, figs.  
 1-2  
*Asio otus*
- Cyathostoma boularti* (Mégn.) [n. comb.]  
 Chapin, E. A., 1925 f, 565, 567, pl. 3, figs.  
 35-37  
*Casuarinus galeatus*: Australia
- Cyathostoma boularti* (Mégnin)  
 Baudet, E. A. R. F., 1937 a, 222  
*Casuarinus galeatus*
- Cyathostoma boularti* (Mégnin)  
 Cram, E. B., 1927 a, 41, 44-45, figs. 56-58  
*Casuarinus galeatus*
- Cyathostoma boularti* (Megnin, 1884) Chapin, 1925  
 Ryzhikov, K. M., 1949 b, 7, 91, 93-97, 135-139,  
 141, figs. 28, 45-46  
 key, biology  
*Casuarinus galeatus*  
*Dromiceius novaehollandiae*
- Cyathostoma boularti* (Megnin, 1884) Chapin, 1925  
 Zavadil, R., 1958 a, 105, 110-112, 113, 114,  
 118-119, 120, pls. [I] figs. 1-4, [III] figs.  
 1-4, [III] figs. 1, 3-4, [V] fig. 2  
*Dromiceius novaehollandiae*: Czechoslovakia
- Cyathostoma brantae* n. sp.  
 Cram, E. B., 1928 a, 6-9, figs. 7, 8  
*Branta canadensis*  
*B. canadensis minima*  
*Chen caerulescens*  
*C. hyperboreus*
- Cyathostoma brantae* (Cram)  
 Baudet, E. A. R. F., 1937 a, 222  
*Branta canadensis*
- Cyathostoma brantae*  
 van Bemmelen, A. C. V.; Zwart, P.; and Peters,  
 J. C., 1962 a, 829  
*Aix galericulata* (trachea): Rotterdam zoo,  
 Dijldorp
- Cyathostoma brantae* Cram, 1928  
 Kreis, H. A., 1953 b, 376
- Cyathostoma brantae* Cram, 1928  
 Ryzhikov, K. M., 1949 b, 10, 91, 97-99, fig. 29  
 key
- Cyathostoma brodskii* nov. sp.  
 Sultanov, M. A., 1945 c, 153  
 loon: Tashkent oblast
- Cyathostoma brodskii*, Sultanov, 1946  
 Ryzhikov, K. M., 1949 b, 91, 99-100, fig. 30  
 key  
*Circus aeruginosus* (bronchii): Tashkent
- Cyathostoma brodskii* Sultanov, 1946  
 Skrjabin, K. I.; et al., [1953 a], 208  
*Circus aeruginosus*: SSSR
- Cyathostoma brodskii* n. sp.  
 Sultanov, M., 1947 a, 138, 139, 141-143, fold-  
 ing pl., figs. 1-3  
*Circus aeruginosus*: Tashkent oblast
- Cyathostoma bronchialis* (Muehlig) [n. comb.]  
 Chapin, E. A., 1925 f, 565, pl. 3, figs. 32-34  
 dom. geese: Europe  
 swan: N. Am.
- Cyathostoma bronchialis* (Mühling)  
 Baudet, E. A. R. F., 1937 a, 222  
*canard*  
*cygne*
- Cyathostoma bronchialis* (Muehlig)  
 Baylis, H. A., 1929 c, 163  
*goose*  
*swan*
- Cyathostoma bronchialis* (Mühling, 1851)  
 Burdzhazhanadze, P. L., 1943 a, 59  
*Anser anser* dom.: Georgia [SSR]
- Cyathostoma bronchialis* (Muehling, 1884) Chapin,  
 1925  
 Buša, V., 1961 b, 363  
*Anser anser domesticus*: Slovakia
- Cyathostoma bronchialis* (Muehling)  
 Canavan, W. P. N., 1931 a, 206  
*Ursus beringiana*
- Cyathostoma bronchialis*  
 Christenson, R. O., 1932 a, 57-59, fig. 1  
*Chen caerulescens*  
*Anser fabalis*  
*Branta canadensis canadensis*  
 all from Minnesota
- Cyathostoma bronchialis*  
 Clapham, P. A., 1957 a, 195  
*Anas platyrhynchos*: Hampshire-Dorset county  
 line, England
- Cyathostoma bronchialis*  
 Cram, E. B., 1925 i, 219
- Cyathostoma bronchialis* (Muehlig)  
 Cram, E. B., 1927 a, 41, 42  
*Anas boschas* dom.  
*Anser cinereus* dom.  
*Cascara cascara*
- Cyathostoma bronchialis*  
 Cram, E. B., 1928 a, 7  
*swan*
- Cyathostoma bronchialis* (Mühling, 1884)  
 Erlich, I.; and Mikacic, D., 1939 a, 568-569,  
 572, 573, 575, 579  
*poulet*: Zagreb
- Cyathostoma bronchialis* (Mühling, 1884)  
 Erlich, I.; and Mikacic, D., 1940 a, 120, 126,  
 127, 129  
*Meleagris gallopavo*: Yugoslavia
- Cyathostoma bronchialis* (Muehlig, 1884) Chap., 1925  
 Ginetinskaya, T. A., 1947 a, 27  
 domestic goose: Leningrad oblast
- Cyathostoma bronchialis* (Muehlig, 1884)  
 Gower, W. C., 1939 a, 609, 617  
 synonymy  
*Anas boschas domestica*  
*Anser cinereus domesticus*  
*Cascara cascara*  
*Anas platyrhynchos* (domestic)
- Cyathostoma bronchialis*  
 Griffiths, H. J.; Leary, R. M.; and Fenster-  
 macher, R., 1954 a, 299, figs. 1-5  
 domestic geese: North America
- Cyathostoma bronchialis* (Muehling, 1884)  
 Kopyrin, A. V., 1946 a, 147  
 domestic goose: Omsk oblast
- Cyathostoma bronchialis* (Mühling, 1884)  
 Kreis, H. A., 1953 b, 375, 376, fig. 3B
- Cyathostoma bronchialis* (Mühling, 1884)  
 Mikacic, D.; and Erlich, I., 1940 a, 387, 389  
*guske* (oie): Yougoslavie
- Cyathostoma bronchialis*  
 Polo Jover, F., 1959 a, 303

- Cyathostoma bronchialis*  
Rosca, V.; and Vass, A., 1958 a, 53  
giste
- Cyathostoma bronchialis* (Muehlig, 1884) Chapin, 1925  
Ryzhikov, K. M., 1949 b, 10, 15, 91, 100-101, 154, 155, fig. 31  
key  
domestic duck  
swan  
domestic goose
- Cyathostoma bronchialis* (Mühling, 1884)  
Ryzhikov, K. M.; and Zavadil, R., 1958 a, 127-131, figs. 1, 2; pls. 1, 2, figs. 1, 2
- Cyathostoma bronchialis* Mühling  
Schuurmans Stekhoven, J. H., 1935 g, V.c 6-V.c 7, V.c 39, fig. 352  
Anas platyrhyncha  
Anser anser
- Cyathostoma bronchialis* Mühling, 1884  
Sprehn, C. E. W., 1932 c, 699  
as syn. of *Syngamus bronchialis* (Mühling, 1884)
- Cyathostoma bronchialis*  
Stubbs, E. D., 1956 a, 138, figs. 1, 2  
duck
- Cyathostoma bronchialis* (Mühling, 1884) Chapin, 1925  
Zavadil, R., 1958 a, 105, 106-110, 111, 112, 113, 114, 118, 119, 120, fig.  
Hausgänsen: Czechoslovakia
- Cyathostoma coscorobae* n. sp.  
Chapin, E. A., 1925 f, 565, 570, pl. 4, figs. 43, 45, 46  
Coscoroba coscoroba: S. America; Phila. Zoo
- Cyathostoma coscorobae* Chapin  
Canavan, W. P. N., 1931 a, 207  
Coscoroba coscoroba  
Plectropterus rupestris
- Cyathostoma coscorobae* Chapin  
Cram, E. B., 1927 a, 42, 47-48, figs. 63-64  
Coscoroba coscoroba
- Cyathostoma coscorobae* Chapin, 1925  
Kreis, H. A., 1953 b, 376
- Cyathostoma coscorobae* Chapin, 1925  
Ryzhikov, K. M., 1949 b, 10, 91, 101-102, fig. 32  
key  
Coscoroba coscoroba: South America
- Cyathostoma lari* Blanch. [n. sp.]  
Blanchard, E., 1849 a, 183-185, 201, pl. 7, fig. 5  
[lapsus p. 183 as *Cyathodera lari*]  
Larus ridibundus
- Cyathostoma lari* (E. Blanchard)  
Baudet, E. A. R. F., 1937 a, 222  
Larus fuscus  
Larus sp.
- Cyathostoma lari* E. Blanchard, 1849  
Baylis, H. A.; and Daubney, R., 1926 a, 166
- Cyathostoma lari* Blanchard, 1849  
Burt, D. R. R.; and Eadie, J. M., 1958 a, 575-586, figs. 1-2; pl. 2, figs. 1-13  
anatomy, intra-specific variation  
Larus ridibundus  
Corvus corone  
C. frugilegus  
C. monedula  
Tringa totanus  
Larus cinereus
- Cyathostoma lari* E. Bl.  
Chapin, E. A., 1925 f, 565, 569, 570  
Larus ridibundus  
L. fuscus  
Larus spp.
- Cyathostoma lari* E. Bl.  
Cram, E. B., 1927 a, 41, 42, 43-44, figs. 51-53  
Larus ridibundus  
L. fuscus  
Larus sp.
- Cyathostoma lari* Blanchard, 1849  
Pemberton, R. T., 1959 a, 1423  
life cycle  
Larus ridibundus: Scotland  
L. cinereus: Scotland  
Corvus frugilegus: Scotland  
C. monedula: Scotland  
C. corone: Scotland  
Tringa totanus: Scotland  
Sturnus vulgaris: Scotland  
Ardea cinerea: Scotland  
chickens (exper.)  
Lumbricus terrestris (exper.)
- Cyathostoma lari* (Blanchard, 1849)  
Pemberton, R. T., 1961 a, 456, 458, 459, 461, 462  
Corvus f. frugilegus  
C. monedula spermologus  
Ardea c. cinerea  
(nasal and orbital sinuses of all): all from Britain
- Cyathostoma lari* E. Blanchard, 1849  
Ryzhikov, K. M., 1949 b, 10, 19, 91-92  
key  
Syns.: *Strongylus* sp. Siebold, 1837; *Sclerostoma cyathostomum* Diesing, 1851; *S. lari* (Blanchard, 1849) Molin, 1861; *Syngamus lari* (Blanchard, 1849) Ransom, 1904  
Larus sp.  
L. ridibundus  
L. fuscus
- Cyathostoma lari* Blanchard  
Schuurmans Stekhoven, J. H., 1935 g, V.c 6  
Larus fuscus: Europa  
L. ridibundus: Europa
- Cyathostoma lari* Blanchard, 1849  
Sprehn, C. E. W., 1932 c, 700  
as syn. of *Syngamus lari* (Blanchard, 1849)
- Cyathostoma lari* E. Bl.  
Yorke, W.; and Maplestone, P. A., 1926 a, 157  
as syn. of *Syngamus lari* (E. Bl.)
- Cyathostoma lari* E. Blanchard 1849  
Zavadil, R., 1961 a, 415-419, figs. 1-2  
Larus ridibundus (Nasenhöhle): Jižní Moravy
- Cyathostoma phenisci* n. sp.  
Baudet, E. A. R. F., 1937 a, pp. 218-224, figs. 1-9; pl. 3, figs. 1-4  
*Pheniscus humboldti* (trachea): importe de Tocopilla (Chili)
- Cyathostoma phenisci* Baudet, 1937  
Hovorka, J.; and Macko, J., 1959 a  
as syn. of *Calcaronema phenisci* (Baudet, 1937) comb. n.
- Cyathostoma phenisci* Baudet, 1937  
Ryzhikov, K. M., 1949 b, 10, 91, 102-103, fig. 33  
key  
*Pheniscus humboldti*
- Cyathostoma sarcidiornis* n. sp.  
Kreis, H. A., 1953 a, 371-377, figs. 1-3A  
*Sarcidiornis melanota* (Trachea): Tierparkes Dähliöhlzli, Bern
- Cyathostoma sarcidiornis* Kreis, 1953  
Kreis, H. A., 1962 a, 110  
*Sarcidiornis melanota*
- Cyathostoma sphenuisci* Baudet  
Parra Ormeño, B. E., 1953 c, 1-6, pl., figs. 1-6  
Phalacrocorax
- Cyathostoma tadornae* (Chatin)  
Baudet, E. A. R. F., 1937 a, 222  
Tadorna tadorna
- Cyathostoma tadornae* Chatin  
Chapin, E. A., 1925 f, 565, 567, 569, pl. 4, figs. 41, 47  
Tadorna tadorna
- Cyathostoma tadornae* Chatin  
Cram, E. B., 1927 a, 41, 42-43, figs. 49, 50  
Tadorna tadorna

- Cyathostoma tadorna* (Chatin, 1874)  
 Gower, W. C., 1939 a, 609, 622  
 synonymy  
*Tadorna tadorna*: Europe.
- Cyathostoma tadornae* Chatin, 1874  
 Ryzhikov, K. M., 1949 b, 10, 20, 91, 103-105,  
 fig. 34  
 key  
*Tadorna tadorna*: France; SSSR
- Cyathostoma tadornae* Chapin  
 Schuurmans Stekhoven, J. H., 1935 c, v.c 7,  
 v.c 39, fig. 353  
*Tadorna tadorna*
- Cyathostoma variegatum* (Creplin) [n. comb.]  
 Chapin, E. A., 1925 f, 565, 567, pl. 3, figs.  
 29-31  
*Ciconia nigra*
- Cyathostoma variegatum* (Creplin)  
 Baudet, E. A. R. F., 1937 a, 222  
*Ciconia nigra*
- Cyathostoma variegatum* (Creplin)  
 Cram, E. B., 1927 a, 41, 44, figs. 54, 55  
*Ciconia nigra*  
*C. alba*  
*Grus viridirostris*
- Cyathostoma variegatum* (Creplin)  
 Hoeppli, R. J. C.; and Hsü, H. F., 1929 a, 18-  
 19, 23  
*Moischella kairina*
- Cyathostoma variegatum* (Creplin, 1819) Chapin,  
 1925  
 Ryzhikov, K. M., 1949 b, 10, 15, 91, 105-107,  
 139-141, figs. 35-36, 47  
 key  
*Ciconia nigra*  
*C. alba*  
*Grus viridirostris*  
*Grus sp.*
- Cyathostoma variegatum* (Creplin, 1849) Chapin,  
 1925  
 Sprehn, C. E. W., 1932 c, 701  
 as syn. of *Syngamus variegatus* (Creplin,  
 1849)
- Cyathostoma variegatum* (Creplin, 1849)  
 Vogel, H., 1928 d, 97-117, figs. 1-9, pl. 12,  
 figs. 1-5  
 morphology
- Cyathostomiasis*  
 Vorob'ev, M. M., 1957 b, 68-69  
 geese, treatment
- Cyathostomiasis*  
 Vorob'ev, M. M., 1959 a, 37  
 geese, treatment
- Cyathostomiasis*  
 Vorob'ev, M. M., 1959 b, 43  
 geese, treatment
- Cyathostomiasis*  
 Vorob'ev, M. M., 1961 a, 57  
 geese, disease control
- Cyathostominae* n. n.  
 Nicoll, W., 1927 a, 343  
 Syns.: *Trichoneminae* Railliet; *Trichonemati-*  
*nae* Nicoll
- Cyathostominae*  
 Chitwood, B. G., 1937 c, 73  
*Strongylidae*
- Cyathostominae* Nicoll, 1927  
 Dougherty, E. C., 1944 a, 38, 39
- Cyathostominae* Nicoll, 1927  
 Foster, A. O., 1936 e, 488
- Cyathostominae*  
 Ryzhikov, K. M., 1948 a, 736  
 includes: *Cyathostoma*
- Cyathostominae*  
 Ryzhikov, K. M., 1950 c, 282  
 includes: *Cyathostoma* Blanch., 1849
- Cyathostomum* Molin, 1861  
 Baylis, H. A.; and Daubney, R., 1926 a, 154  
 as syn. of *Trichonema* Cobbald
- Cyathostomum* Molin, 1861  
 Foster, A. O., 1936 e, 488
- Cyathostomum* Molin  
 Ihle, J. E. W., 1922 b, 37, 38  
 as syn. of *Cylicostomum*
- Cyathostomum*  
 Kotlan, S., 1919 a, 4
- Cyathostomum* Molin, 1861 sensu stricto  
 McIntosh, A., 1951 a, 30, 31, 33  
 Syns.: *Trichonema* Cobbald, 1874; *Cylicosto-*  
*mum* Looss, in Railliet, 1901; *Cylichnostomum*  
*Looss*, 1902; *Cylicostoma* Looss, 1911; *Cylico-*  
*stomias* Cram, 1925  
 includes: *Cyathostomum tetracanthus* (Mehlis,  
 1831) Molin, 1861, partim Looss, 1900 geno-  
 type; *C. coronatum* Looss, 1900; *C. labiatum*  
*(Looss, 1902)* McIntosh, 1933; *C. labiatum*  
 var. *digitatum* (Ihle, 1921) McIntosh, 1933;  
*C. labratum* Looss, 1900; *C. ornatum* (Kotlan,  
 1919) McIntosh, 1933; *C. sagittatum* (Kotlan,  
 1920) n. comb.
- Cyathostomum* Molin, 1861  
 Sprehn, C. E. W., 1932 c, 650, 652  
 as syn. of *Trichonema* Cobbald, 1874
- Cyathostomum* Molin, 1861  
 Yorke, W.; and Maplestone, P. A., 1926 a, 54  
 as syn. of *Trichonema* Cobbald
- Cyathostomum* sp.  
 Levine, N. D., 1949 c, 22
- Cyathostomum alveatum* Looss  
 Gough, L. H., 1909 b, 170  
 equines
- Cyathostomum alveatum* Looss, 1900  
 Sprehn, C. E. W., 1932 c, 659  
 as syn. of *Trichonema* (*Cylicocercus*) *alveatum*  
*(Looss, 1900)*
- Cyathostomum auriculatum* Looss  
 Gough, L. H., 1909 b, 170  
 equines
- Cyathostomum auriculatum* Looss, 1900  
 Sprehn, C. E. W., 1932 c, 662  
 as syn. of *Trichonema* (*Cylicocycclus*) *auricu-*  
*latum* (Looss, 1900)
- Cyathostomum bicoronatum* Looss  
 Gough, L. H., 1909 b, 170  
 equines
- Cyathostomum bicoronatum* Looss, 1900  
 Sprehn, C. E. W., 1932 c, 665  
 as syn. of *Trichonema* (*Cylicodontophorus*)  
*bicoronatum* (Looss, 1900)
- Cyathostomum bronchialis*  
 Bondareva, V. I., 1940 b, 34  
 geese
- Cyathostomum bronchialis*  
 Bondareva, V. I., [1941 a], 273  
 geese: East Kazakhstan oblast
- Cyathostomum calicatum* Looss  
 Gough, L. H., 1909 b, 170  
 equines
- Cyathostomum catinatum* Looss  
 Gough, L. H., 1909 b, 170  
 equines
- Cyathostomum catinatum* Looss, 1900  
 Sprehn, C. E. W., 1932 c, 659  
 as syn. of *Trichonema* (*Cylicocercus*) *catina-*  
*tum* (Looss, 1900)
- Cyathostomum coronatum* (Looss)  
 Alicata, J. E., 1947 a, 75, 81  
 horses: Hawaii
- Cyathostomum coronatum*  
 Drudge, J. H.; Wyant, Z. N.; and Elam, G. W.,  
 1955 a, 19  
 horses, treatment
- Cyathostomum coronatum* Looss, 1900  
 Foster, A. O., 1936 d, 59  
 equines: Panama
- Cyathostomum coronatum* Looss, 1900  
 Foster, A. O., 1936 e, 489, 502, 506
- Cyathostomum coronatum*  
 Foster, A. O., 1937 c, 70

- Cyathostomum coronatum*  
Foster, A. O., 1942 a, 465
- Cyathostomum coronatum*  
Foster, A. O., 1944 c, 17
- Cyathostomum coronatum* (Looss, 1900)  
Foster, A. O.; and Alicata, J. E., 1939 a, 6  
horse: Hawaii
- Cyathostomum coronatum*  
Foster, A. O.; and Ortiz O., P., 1937 a, 361,  
362, 363
- Cyathostomum coronatum* Looss  
Gough, L. H., 1909 b, 170  
equines
- Cyathostomum coronatum* Looss 1900  
Kreis, H. A., 1960 b, 27, 49-51, fig. 8  
synonymy  
Equus caballus: Brasilien
- Cyathostomum coronatum*  
McIntosh, A., 1933 c, 110  
equines: Puerto Rico
- Cyathostomum coronatum*  
Ressang, A. A.; Fischer, H.; and Muchlis, A.,  
1959 a, 92  
Equus caballus: Indonesia
- Cyathostomum coronatum* Looss, 1900  
Sprehn, C. E. W., 1932 c, 653  
as syn. of *Trichonema* (*Trichonema*) *coronatum*  
(Looss, 1900)
- Cyathostomum coronatum*  
Swierstra, D.; Jansen, J. (jr.); and van den  
Broek, E., 1959 a, 893  
Equus caballus: Netherlands
- Cyathostomum coronatum*  
Van Volkenberg, H. L., 1938 a, 8  
horse: Puerto Rico
- Cyathostomum coronatum* Looss  
Van Volkenberg, H. L., 1939 a, 7  
horse: Puerto Rico
- Cyathostomum elongatum* Looss  
Gough, L. H., 1909 b, 170  
equines
- Cyathostomum elongatum* Looss, 1900  
Sprehn, C. E. W., 1932 c, 663  
as syn. of *Trichonema* (*Cyllicocyclus*) *elonga-*  
*tum* (Looss, 1900)
- Cyathostomum labiatum* [(Looss, 1901)] n. comb.  
McIntosh, A., 1933 c, 110  
equines: Puerto Rico
- Cyathostomum labiatum*  
Drudge, J. H.; Wyant, Z. N.; and Elam, G. W.,  
1955 a, 19  
horses, treatment
- Cyathostomum labiatum* (Looss, 1901)  
Foster, A. O., 1936 d, 59  
equines: Panama
- Cyathostomum labiatum* (Looss, 1901)  
Foster, A. O., 1936 e, 489, 502, 506
- Cyathostomum labiatum*  
Foster, A. O., 1937 c, 70
- Cyathostomum labiatum*  
Foster, A. O., 1942 a, 465
- Cyathostomum labiatum*  
Foster, A. O.; and Alicata, J. E., 1939 a, 6
- Cyathostomum labiatum*  
Foster, A. O.; and Ortiz O., P., 1937 a, 361,  
363
- Cyathostomum labiatum*  
Ressang, A. A.; Fischer, H.; and Muchlis, A.,  
1959 a, 92  
Equus caballus: Indonesia
- Cyathostomum labiatum*  
Van Volkenberg, H. L., 1938 a, 8  
horse: Puerto Rico
- Cyathostomum labiatum* (Looss, 1901)  
Van Volkenberg, H. L., 1939 a, 7  
horse: Puerto Rico
- Cyathostomum labiatum* var. *digitatum* [(Ihle,  
1921)] n. comb.  
McIntosh, A., 1933 c, 110  
equines: Puerto Rico
- Cyathostomum labiatum* var. *digitatum*  
Ressang, A. A.; Fischer, H.; and Muchlis, A.,  
1959 a, 92  
Equus caballus: Indonesia
- Cyathostomum labiatum* var. *digitatum*  
Van Volkenberg, H. L., 1938 a, 8  
horse: Puerto Rico
- Cyathostomum labiatum* var. *digitatum* Ihle, 1921  
Van Volkenberg, H. L., 1939 a, 7  
horse: Puerto Rico
- Cyathostomum labratum*  
Drudge, J. H.; Wyant, Z. N.; and Elam, G. W.,  
1955 a, 19  
horses, treatment
- Cyathostomum labratum* Looss, 1900  
Foster, A. O., 1936 d, 59  
equines: Panama
- Cyathostomum labratum* Looss, 1900  
Foster, A. O., 1936 e, 489, 502, 506
- Cyathostomum labratum*  
Foster, A. O., 1937 c, 70
- Cyathostomum labratum*  
Foster, A. O., 1942 a, 465
- Cyathostomum labratum*  
Foster, A. O., 1944 c, 17
- Cyathostomum labratum*  
Foster, A. O.; and Alicata, J. E., 1939 a, 6
- Cyathostomum labratum*  
Foster, A. O.; and Ortiz O., P., 1937 a, 361,  
363
- Cyathostomum labratum*  
McIntosh, A., 1933 c, 110  
equines: Puerto Rico
- Cyathostomum labratum*  
Olsen, L. S.; Todd, A. C.; and Hansen, M. F.,  
1949 a, 41  
horses
- Cyathostomum labratum* Looss, 1900  
Sprehn, C. E. W., 1932 c, 652  
as syn. of *Trichonema* (*Trichonema*) *labratum*  
(Looss, 1900)
- Cyathostomum labratum* Looss, 1900 part.  
Sprehn, C. E. W., 1932 c, 652, 654  
as syn. of *Trichonema* (*Trichonema*) *labiatum*  
(Looss, 1901)
- Cyathostomum labratum*  
Van Volkenberg, H. L., 1938 a, 8  
horse: Puerto Rico
- Cyathostomum labratum* Looss, 1900  
Van Volkenberg, H. L., 1939 a, 7  
horse: Puerto Rico
- Cyathostomum nassatum* Looss  
Gough, L. H., 1909 b, 170  
equines
- Cyathostomum nassatum* Looss, 1900  
Sprehn, C. E. W., 1932 c, 664  
as syn. of *Trichonema* (*Cyllicocyclus*) *nassatum*  
(Looss, 1900)
- Cyathostomum ornatum* [(Kotian, 1919)] n. comb.  
McIntosh, A., 1933 c, 110  
equines: Puerto Rico
- Cyathostomum ornatum*  
Foster, A. O.; and Alicata, J. E., 1939 a, 6
- Cyathostomum ornatum*  
Van Volkenberg, H. L., 1938 a, 8  
horse: Puerto Rico
- Cyathostomum ornatum* (Kotland, 1919)  
Van Volkenberg, H. L., 1939 a, 7  
horse: Puerto Rico
- Cyathostomum poculatum* Looss  
Gough, L. H., 1909 b, 170  
equines
- Cyathostomum poculatum* Looss, 1900  
Sprehn, C. E. W., 1932 c, 658  
as syn. of *Trichonema* (*Cyllicostephanus*)  
*poculatum* (Looss, 1900)
- Cyathostomum radiatum* Looss  
Gough, L. H., 1909 b, 170  
equines
- Cyathostomum sagittatum* (Kotian, 1920) n. comb.  
McIntosh, A., 1951 a, 33

- Cyathostomum sagittatum*  
Ressang, A. A.; Fischer, H.; and Muchlis, A., 1959 a, 92  
*Equus caballus*: Indonesia
- Cyathostomum tetracanthum*  
Broersma, S., 1918 a, 507  
*Cyathostomum tetracanthum Looss*  
Cram, E. B., 1924 g, 672  
*Cyathostomum tetracanthum*  
Foster, A. O., 1943 a, 466  
*Cyathostomum tetracanthum*  
Foster, A. O.; and Alicata, J. E., 1939 a, 6  
*Cyathostomum tetracanthum*  
Foster, A. O.; and Ortiz O., P., 1937 a, 360, 361  
horse: Panama
- Cyathostomum tetracanthus*  
Gonzalez, R., 1923 a, 30  
caballo
- Cyathostomum tetracanthus (Mehlis)*  
Gough, L. H., 1909 b, 170  
equines
- Cyathostomum tetracanthus*  
Hepp, L., 1924 a, 14, 15
- Cyathostomum tetracanthum*  
Ihle, J. E. W., 1920 e, 760
- Cyathostomum tetracanthum Molin*  
Kotlan, S., 1919 a, 4
- Cyathostomum tetracanthum (Mehlis 1831) Molin*  
1861; Looss 1900e.p.  
Kreis, H. A., 1958 a, 4-5, 23  
synonymy  
*Equus caballus* (large intestine, caecum): Iceland
- Cyathostomum tetracanthum (Mehlis, 1831)*  
McIntosh, A., 1951 a, 32  
Syns.: *Strongylus tetracanthus* Mehlis, 1831 partim; *Sclerostomum tetracanthum* (Mehlis, 1831) Diesing, 1851 partim; *Cylichnóstomum tetracanthum* (Mehlis, 1831) Looss, 1902; *Cylicostomum tetracanthum* (Mehlis, 1831) Geodoelst, 1903; *Cylicostoma tetracanthum* (Mehlis, 1831) Looss, 1911; *Trichonema tetracanthum* (Mehlis, 1831) Railliet, 1919; T. arcuata Cobboid, 1874 partim; T. aegyptiacum Railliet, 1923; *Cylicostomum aegyptiacum* (Railliet, 1923) Cram, 1924; C. aegyptiaca (Railliet, 1923) Cram, 1925; *Sclerostoma quadridentatum* Dujardin, 1845 partim
- Cyathostomum tetracanthum*  
v. Marochino, V., 1925 a, 248
- Cyathostomum tetracanthum*  
Olt, A.; and Ströss, A., 1914 a, 321
- Cyathostomum tetracanthum Molin*, 1861  
Railliet, A., 1923 d, 13, 14
- Cyathostomum tetracanthum Looss*, 1900  
Railliet, A., 1923 d, 14  
as syn. of *Trichonema aegyptiacum* Railliet, 1923
- Cyathostoma [sic] tetracanthum Molin*, 1861  
Sprehn, C. E. W., 1932 c, 652  
as syn. of *Trichonema (Trichonema) aegyptiacum* Railliet, 1923
- Cyathostomum tetracanthum*  
Wetzel, R., 1926 a, 619
- Cyclodontostomum* gen. nov.  
Adams, A. R. D., 1933 b, 8  
mt: *C. purvisi* n. sp.
- Cyclodontostomum purvisi* g.n., sp. n. (mt)  
Adams, A. R. D., 1933 b, 8-10, figs. 1-6  
rat (large intestine): Raub, Fed. Malay States
- Cyclopsinema mordens*  
Cobb, N. A., 1927 b, 43-47, fig. 1  
*Pachycyclops signatus*: southeastern Massachusetts
- Cyclopsinema mordens*  
Cobb, N. A., 1927 i, 66  
*Pachycyclops signatus*
- Cyclopsinema mordens*  
Hall, M. C., 1929 b, 74, 75  
*Pachycyclops signatus*
- Cyclostrongylus* n. g.  
Johnston, T. H.; and Mawson, P. M., 1939 c, 513, 517  
Trichoneminae  
tod: *C. wallabiae* n. sp.
- Cyclostrongylus* J. and M.  
Johnston, T. H.; and Mawson, P. M., 1940 d, 365  
Trichoneminae  
key
- Cyclostrongylus clelandi* n. g., n. sp.  
Johnston, T. H.; and Mawson, P. M., 1939 c, 513, 517, 518-519, figs. 14-15  
*Macropus major*: Coonamble, N. South Wales
- Cyclostrongylus clelandi* J. and M.  
Johnston, T. H.; and Mawson, P. M., 1940 d, 365  
key
- Cyclostrongylus clelandi* J. & M., 1939  
Mackerras, M. J., 1958 b, 118  
*Macropus major*: Australia
- Cyclostrongylus dissimilis* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1939 c, 513, 517, 518, 519-520, figs. 16-18  
*Macropus ualabatus*: Milson Island, Lower Hawkesbury, N. South Wales
- Cyclostrongylus dissimilis* J. and M.  
Johnston, T. H.; and Mawson, P. M., 1940 d, 365  
key
- Cyclostrongylus dissimilis* J. & M., 1939  
Mackerras, M. J., 1958 b, 116  
*Wallabia bicolor*: Australia
- Cyclostrongylus gallardi* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1939 c, 513, 515, 517, 518, figs. 11-13  
*Macropus ruficollis*: Ourimbah, Gosford District, N. S. Wales
- Cyclostrongylus gallardi* J. and M.  
Johnston, T. H.; and Mawson, P. M., 1940 d, 365  
key
- Cyclostrongylus gallardi* J. & M., 1940  
Mackerras, M. J., 1958 b, 117  
*Wallabia rufogrisea*: Australia
- Cyclostrongylus medioannulatus* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1940 b, 468, 471, 472, fig. 13  
*Macropus thetidis*: Burnett River
- Cyclostrongylus medioannulatus* J. & M., 1940  
Mackerras, M. J., 1958 b, 115  
*Thylogale thetis*: Australia
- Cyclostrongylus wallabiae* n. g., n. sp. (tod)  
Johnston, T. H.; and Mawson, P. M., 1939 c, 513, 515, 517-518, figs. 8-10  
*Macropus ualabatus*: Lower Hawkesbury, N. South Wales
- Cyclostrongylus wallabiae* J. and M.  
Johnston, T. H.; and Mawson, P. M., 1940 d, 365  
key
- Cyclostrongylus wallabiae* J. & M., 1939  
Mackerras, M. J., 1958 b, 116  
*Wallabia bicolor*: Australia
- Cyclozone* n. g.  
Dogiel, V. A., 1932 b, 263-269  
Acuariidae  
mt: *C. acipenserina* n. sp.
- Cyclozone* Dogiel, 1932  
Chabaud, A. G., 1959 c, 19  
as syn. of *Ascarophis Beneden*, 1871
- Cyclozone acipenserina* n. sp. (mt)  
Dogiel, V. A., 1932 b, 264-269, figs. 1-4  
Acipenserstellatus (Magen)  
Acipenser güttenstaedti (Magen)  
both from Staatsfischerei Tumak, Astrakhan
- Cyclozone acipenserina* Dogiel, 1932  
Chitwood, B.^G., 1934 d, 3  
as syn. of *Ascarophis acipenserina* (Dogiel)  
n. comb.

- Cyclozone acipenserina*  
 Chuikova, V. N., 1939 a, 22, 30  
 Acipenser sturio: Batum
- Cyclozone acipenserina Dogiel*, 1932  
 Saidov, I. S., [1954 c], 633-635, figs. 6-10  
 Acipenser gueldenstadii  
 A. stellatus  
 A. sturio  
*Huso huso*  
 all from Caspian sea
- Cyclozone acipenserina Dogiel*, 1932  
 Shul'man, S. S., 1954 d, 208, 215, 226-227, 231, 234-235  
*Huso huso*: Caspian sea  
 Acipenser gueldenstadii: Black sea basin; Caspian basin  
 A. sturio: Black sea  
 A. stellatus: Caspian basin
- Cyclozoninae Sobolev*, 1949  
 Saidov, Iu. S., [1954 c], 624-625  
 revision
- Cyclozoninae Sobolev*, 1949  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Sobolev, A. A., 1949 a, 34, 152  
 includes: *Cyclozone Dogiel*, 1932
- Cyclostomum* [lapsus for *Cylicostomum*]  
 Marcenac, L. N., 1934 c, 1510
- Cylichnustum* [?lapsus for *Cylichnóstomum*]  
 Ihle, J. E. W., 1920 e, 760
- Cylichnóstomum Looss*  
 Baylis, H. A., 1929 c, 152  
 as syn. of *Trichonema Cobboid*
- Cylichnóstomum Looss*, 1902  
 Baylis, H. A.; and Daubney, R., 1926 a, 154  
 as syn. of *Trichonema Cobboid*
- Cylichnóstomum*  
 Hall, M. C., 1919 m, 26  
 horse, treatment
- Cylichnóstomum*  
 Ihle, J. E. W., 1920 c, 760
- Cylichnóstomum Looss*  
 Ihle, J. E. W., 1922 b, 37, 38  
 as syn. of *Cylicostomum*
- Cylichnóstomum Looss*  
 Johnston, T. H., 1910 a, 77  
 [lapsus as *Cylichnóstomum*]
- Cylichnóstomum*  
 Kotlán, S., 1919 a, 4
- Cylichnóstomum Looss*  
 Quiel, G., 1920 a, 438, 439
- Cylichnóstomum Looss*, 1901  
 Sprehn, C. E. W., 1932 c, 650  
 as syn. of *Trichonema Cobboid*, 1874
- Cylichnóstomum*  
 Steiner, G., 1919 a, 66
- Cylichnóstomum*  
 Steiner, G., 1921 d, 66
- Cylichnóstomum Looss*, 1902  
 Theiler, G., 1923 a, 6  
 as syn. of *Cylicostomum Railliet & Henry*, 1902
- Cylichnóstomum Looss*, 1901  
 Uchida, S., 1909 a, 259, 321  
 Strongylidae, Sclerostominae
- Cylichnóstomum Looss*  
 Yorke, W.; and Macfie, J. W. S., 1920 a, 159
- Cylichnóstomum Looss*, 1901  
 Yorke, W.; and Maplesone, P. A., 1926 a, 54  
 as syn. of *Trichonema Cobboid*
- Cylichnóstomum sp.*  
 Johnston, T. H., 1910 a, 77  
 horse: New South Wales and Victoria
- Cylichnóstomum sp. ?*  
 Uchida, S., 1909 a, 323-324, 335
- Cylichnóstomum alveatum*  
 Kotlán, S., 1919 c, 559
- Cylichnóstomum alveatum* (Looss, 1900)  
 Sprehn, C. E. W., 1932 c, 659  
 as syn. of *Trichonema (Cylicocercus) alveatum* (Looss 1900)
- Cylichnóstomum alveatum*  
 Turner, M., 1920 a, 443, 444
- Cylichnóstomum annulatum* Looss, 1901  
 Filipjev, I. N., 1934 b, 73, fig. 57
- Cylichnóstomum auriculatum*  
 Goodwin, H., 1936 a, 64  
 Antigua
- Cylichnóstomum auriculatum*  
 Kotlán, S., 1919 c, 558
- Cylichnóstomum auriculatum*  
 Leiper, R. T., 1910 i, 24
- Cylichnóstomum auriculatum* (Looss)  
 Quiel, G., 1919 a, 467, 471
- Cylichnóstomum auriculatum* (Looss, 1900)  
 Sprehn, C. E. W., 1932 c, 662
- Cylichnóstomum auriculatum*  
 Turner, M., 1920 a, 445
- Cylichnóstomum auriculatum*  
 Ward, H. B., 1917 c, 12, fig. 11
- Cylichnóstomum bicoronatum* Looss  
 Ihle, J. E. W., 1922 b, viii  
 Netherlands
- Cylichnóstomum bicoronatum*  
 Kotlán, S., 1919 c, 558
- Cylichnóstomum bicoronatum* (Looss, 1900)  
 Sprehn, C. E. W., 1932 c, 665  
 as syn. of *Trichonema (Cylicodontophorus) bicoronatum* (Looss, 1900)
- Cylichnóstomum bicoronatum*  
 Turner, M., 1920 a, 447
- Cylichnóstomum calicatiforme n. sp.*  
 Kotlán, S., 1919 c, 559-560  
*Equus caballus*
- Cylichnóstomum calicatum* Looss  
 Ihle, J. E. W., 1922 b, viii  
 Netherlands
- Cylichnóstomum calicatum*  
 Johnston, T. H., 1910 a, 77  
 horse: Victoria
- Cylichnóstomum calicatum*  
 Kotlán, S., 1919 c, 560
- Cylichnóstomum catinatum*  
 Goodwin, H., 1936 a, 64  
 Antigua
- Cylichnóstomum catinatum* Looss  
 Ihle, J. E. W., 1922 b, viii  
 Netherlands
- Cylichnóstomum catinatum* (Looss, 1900)  
 Sprehn, C. E. W., 1932 c, 659  
 as syn. of *Trichonema (Cylicocercus) catinatum* (Looss, 1900)
- Cylichnóstomum catinatum*  
 Turner, M., 1920 a, 443, 444
- Cylichnóstomum coronatus* Looss  
 Ihle, J. E. W., 1922 b, viii  
 Netherlands
- Cylichnóstomum coronatum* (Looss, 1900)  
 Sprehn, C. E. W., 1932 c, 653  
 as syn. of *Trichonema (Trichonema) coronatum* (Looss, 1900)
- Cylichnóstomum coronatum*  
 Ward, H. B., 1917 c, 12, fig. 2
- Cylichnóstomum cymatostomum* n. sp.  
 Kotlán, S., 1919 c, 559  
*Equus caballus*
- Cylichnóstomum cymatostomum*  
 Smit, H. J.; and Noto Soediro, R., [1924 a], 31
- Cylichnóstomum cymatostomum* Kotlán, 1919  
 Sprehn, C. E. W., 1932 c, 660  
 as syn. of *Trichonema (Cylicocercus) pateratum* (Yorke u. Macfie, 1919)
- Cylichnóstomum elongatum* Looss  
 Ihle, J. E. W., 1922 b, viii  
 Netherlands
- Cylichnóstomum elongatum*  
 Kotlán, S., 1919 c, 558
- Cylichnóstomum elongatum* (Looss)  
 Quiel, G., 1919 a, 467, 471

- Cylichnostomum elongatum* (Looss, 1900)  
 Sprehn, C. E. W., 1932 c, 663  
   as syn. of *Trichonema (Cylicocyclus) elongatum* (Looss, 1900)
- Cylichnostomum elongatum*  
 Turner, M., 1920 a, 445
- Cylichnostomum euproctus* Boulenger, 1917  
 Sprehn, C. E. W., 1932 c, 666  
   as syn. of *Trichonema (Cylicodontophorus) euproctus* (Boulenger, 1917)
- Cylichnostomum euproctus*  
 Turner, M., 1920 a, 447
- Cylichnostomum falciferum* (Cobbold, 1882) [n. comb.]  
 Uchida, Seinosuke, 1909 a, 321-322, 334
- Cylichnostomum falcifer* (Cobbold)  
 Mitter, S. N., 1912 e, 111  
   elephant: Burmah
- Cylichnostomum goldi* Boulenger, 1917  
 Sprehn, C. E. W., 1932 c, 660  
   as syn. of *Trichonema (Cylicocercus) goldi* (Boulenger, 1917)
- ?*Cylichnostomum goldi* Boulenger, 1916  
 Turner, M., 1920 a, 442-445  
   Chapman's zebra
- Cylichnostomum goldi* Boulenger  
 Vevers, G. M., 1920 a, 409  
   Chapman's zebra: Africa
- Cylichnostomum imparidentatum* Quiel  
 Vevers, G. M., 1920 a, 409  
   Chapman's zebra: Africa
- Cylichnostomum insigne* Boulenger  
 Ihle, J. E. W., 1922 b, viii  
   Netherlands
- Cylichnostomum insigne* Boulenger  
 Railliet, A., 1923 d, 7, 8, 10, 13, 14.
- Cylichnostomum insigne* Boulenger, 1917  
 Sprehn, C. E. W., 1932 c, 663  
   as syn. of *Trichonema (Cylicocyclus) insigne* (Boulenger, 1917)
- Cylichnostomum labiatum* Loos, 1902  
 Barus, V., 1961 a  
   as syn. of *Schulzitrichonema labiatum* (Loos, 1902) nov. comb.
- Cylichnostomum labiatum* Loos, 1902  
 Sprehn, C. E. W., 1932 c, 653  
   as syn. of *Trichonema (Trichonema) labiatum* (Loos, 1901)
- Cylichnostomum labratum* (Loos, 1900)  
 Sprehn, C. E. W., 1932 c, 654  
   as syn. of *Trichonema (Trichonema) labratum* (Loos, 1900)
- Cylichnostomum nassatus* Loos  
 Ihle, J. E. W., 1922 b, viii  
   Netherlands
- Cylichnostomum nassatum*  
 Kotlán, S., 1919 c, 559
- Cylichnostomum nassatum* (Loos)  
 Quiel, G., 1919 a, 467, 471
- Cylichnostomum nassatum* (Loos, 1900)  
 Sprehn, C. E. W., 1932 c, 664  
   as syn. of *Trichonema (Cylicocyclus) nassatum* (Loos, 1900)
- Cylichnostomum nassatum* Loos, 1900  
 Uchida, S., 1909 a, 322-323, 335
- Cylichnostomum nassatum* var. *parvum* Yorke & Macfie  
 Vevers, G. M., 1920 a, 410  
   Grevy's zebra
- Cylichnostomum poculatum* Loos  
 Ihle, J. E. W., 1922 b, viii  
   Netherlands
- Cylichnostomum poculatum*  
 Johnston, T. H., 1910 a, 77  
   horse: Victoria
- Cylichnostomum poculatum* (Loos, 1900)  
 Sprehn, C. E. W., 1932 c, 658  
   as syn. of *Trichonema (Cylicostephanus) poculatum* (Loos, 1900)
- Cylichnostomum poculatum*  
 Turner, M., 1920 a, 449
- Cylichnostomum radiatum* (Looss)  
 Quiel, G., 1919 a, 467, 471
- Cylichnostomum radiatum* Looss, 1900  
 Sprehn, C. E. W., 1932 c, 661  
   as syn. of *Trichonema (Cylicocyclus) radiatum* (Looss, 1900)
- Cylichnostomum ratzii* n. sp.  
 Kotlán, S., 1919 c, 558  
   *Equus caballus*
- Cylichnostomum ratzii* Kotlán, 1919  
 Skádnik, J., 1935 b, 177  
   as syn. of *Poteriostomum ratzii* (Kotlán, 1919)
- Cylichnostomum ratzii* Kotlán, 1919  
 Sprehn, C. E. W., 1932 c, 670  
   as syn. of *Poteriostomum ratzii* (Kotlán, 1919)
- Cylichnostomum ratzii* Kotlán, 1919  
 Yorke, W.; and Macfie, J. W. S., 1920 b, 160, 161  
   horse
- Cylichnostomum tetracanthum* Looss  
 Fitch, C. P., 1918 a, 324-325, 327, 328
- Cylichnostomum tetracanthum*  
 Goodwin, H., 1936 a, 64  
   Antigua
- Cylichnostomum (Sclerostomum) tetracanthum*  
 Johnston, T. H., 1910 a, 77  
   horse: New South Wales
- Cylichnostomum tetracanthum* (Mehlis)  
 von Linstow, O. F. B., 1904 f, 91, 99  
   Syns.: *Strongylus tetracanthus*; *Sclerostomum tetracanthum* Wedl; *Cyathostomum tetracanthum* Molin  
   *Equus caballus*: Iranativu
- Cylichnostomum tetracanthum* (Mehlis, 1831) in  
 Looss, 1902 (*nomen nudum*)  
 Sprehn, C. E. W., 1932 c, 652  
   as syn. of *Trichonema (Trichonema) aegyptiacum* Railliet, 1923
- Cylichnostomum tetracanthum* (Mehlis)  
 Sturgess, G. W., [1904 a], N16  
   ponies: Delft and Iranativu (Ceylon)
- Cylichnostomum tetracanthum* (Mehlis, 1831) Looss, 1901  
 Sugimoto, M., 1925 a, 39  
   Syns.: *Sclerostomum quadridentatum* Dujardin, 1831; *S. tetracanthum* (Mehlis, 1831) Diesing, 1851; *Cyathostomum tetracanthum* (Mehlis, 1831) Molin, 1861  
   horse (intestine)  
   mule (intestine)  
   both from Formosa
- Cylichnostomum tetracanthum*  
 Wooldridge, G. H., 1923 b, 317
- Cylichnostomum tetracanthum* (Mehlis of Looss)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 55, 59  
   as syn. of *Trichonema tetracanthum* (Mehlis of Looss)
- Cylichnostomum zebrae* n. sp.  
 Turner, M., 1920 a, 445-451, figs. 1-6  
   as syn. of *Hexodontostomum markusi* Ihle
- Cylichnostomum zebrae*  
 Ihle, J. E. W., 1920 b, 274
- Cylichnostomum zebrae* Turner  
 Ihle, J. E. W., 1922 b, 99  
   as syn. of *Poteriostomum imparidentatum*
- Cylichnostomum zebrae*  
 Smit, H. J., 1924 a, 415
- Cylichnostomum zebrae*  
 Smit, H. J.; and Noto Sodeiro, R., [1923 d], 229

- Cylichnóstomum zebrae* Turner, 1920  
 Sprehn, C. E. W., 1932 c, 670  
 as syn. of *Poteriostomum imparidentatum*  
 Quiel, 1919
- Cylichnóstomum zebrae* Turner, 1920  
 Yorke, W.; and Macfie, J. W. S., 1920 b, 159,  
 161  
 Chapman's zebra
- Cylichnóstomum zebrae* Turner  
 Yorke, W.; and Maplestóne, P. A., 1926 a, 61  
 as syn. of *Poteriostomum imparidentatum*  
 Quiel
- Cylichóstomum* [lapsus for *Cylichnóstomum* Looss]  
 Johnston, T. H., 1910 a, 77
- Cylicobrachítus* [lapsus for *Cylicobrachytus* n.g.]  
 Cram, E. B., 1924 g, 668.
- Cylicobrachítus* [lapsus for *Cylicobrachytus* Cram]  
 Mönnig, H. O., 1928 a, 810
- Cylicobrachylus* Cram, 1924, subg. [lapsus for  
*Cylicobrachytus*]  
 Sprehn, C. E. W., 1932 c, 651, 668
- Cylicobrachytus* n. g.  
 Cram, E. B., 1924 g, 668  
 [lapsus p. 668 as *Cylicobrachítus*]  
 tod: *C. brevicapsulatum* [n. comb.]
- Cylicobrachytus* Cram, subgenus  
 Baylis, H. A., 1929 c, 155
- Cylicobrachytus*  
 Cram, E. B., 1925 e, 229  
 ?tod: *C. prionodes*
- Cylicobrachytus* Cram, 1924, subg.  
 Ershov, V. S., 1933 b, 59  
 subgenus of *Trichonema*
- Cylicobrachytus* Cram, 1924  
 McIntosh, A., 1951 a, 34  
 includes: *C. prionodes* (Kotlan, 1921) Cram,  
 1924 genotype; *C. brevicapsulatus* (Ihle,  
 1920) Cram, 1924
- Cylicobrachytus* Cram  
 Mönnig, H. O., 1928 a, 810  
 [lapsus as *Cylicobrachítus*]
- Cylicobrachytus*, subg.  
 Sprehn, C. E. W., 1932 c, 651, 668  
 [lapsus as *Cylicobrachylus* Cram, 1924]  
 type: *Trichonema* (*C.*) *prionodes* (Kotlan,  
 1920)
- Cylicobrachytus* Cram, 1924  
 Yorke, W.; and Maplestóne, P. A., 1926 a, 60
- Cylicobrachytus brevicapsulatum* [n. comb.] (tod)  
 Cram, E. B., 1924 g, 668, 669
- Cylicobrachytus brevicapsulatus*  
 Cram, E. B., 1925 e, 229
- Cylicobrachytus brevicapsulatus*  
 Baker, D. W.; and Fincher, M. G., 1937 a, 77  
 bay mare: New York State
- Cylicobrachytus brevicapsulatus* (Ihle, 1920)  
 Foster, A. O., 1936 d, 59  
 equines: Panama
- Cylicobrachytus brevicapsulatus* (Ihle, 1920)  
 Foster, A. O., 1936 e, 490-491, 502
- Cylicobrachytus brevicapsulatus*  
 Foster, A. O.; and Ortiz O., P., 1937 a, 361
- Cylicobrachytus prionodes* [n. comb.]  
 Cram, E. B., 1924 g, 668, 669
- Cylicobrachytus prionodes* (?tod)  
 Cram, E. B., 1925 e, 229
- Cylicocercus* Ihle, subgenus  
 Baylis, H. A., 1929 c, 155
- Cylicocercus* Ihle, 1922, subg.  
 Baylis, H. A., 1936 a, 265, 272-273  
 subgenus of *Trichonema*  
 key to species; type: *Trichonema* (*C.*) *alveatum* (Looss, 1900)
- Cylicocercus* Ihle, 1922, s.gen.  
 Baylis, H. A.; and Daubney, R., 1926 a, 156  
 type: *Trichonema* (*C.*) *alveatum* (Looss)
- Cylicocercus*  
 Cram, E. B., 1924 g, 668, 669
- Cylicocercus*  
 Cram, E. B., 1925 e, 230
- Cylicocercus* Ihle, 1922  
 Foster, A. O., 1936 e, 491
- Cylicocercus* Ihle  
 Ihle, J. E. W., 1922 b, 9, 50
- Cylicocercus* Ihle  
 Ihle, J. E. W., 1925 b, 229
- Cylicocercus* Ihle, 1922  
 McIntosh, A., 1951 a, 34  
 includes: *C. alveatus* (Looss, 1900) Cram,  
 1924 genotype; *C. catinatus* (Looss, 1900)  
 Cram, 1924; *C. catinatus* var. *literaureus*  
 (Yorke and Macfie, 1920) Cram, 1924; *C. goldi*  
 (Boulenger, 1917) Cram, 1924; *C. goldi* var.  
*tridentatus* (Yorke and Macfie, 1920) Cram,  
 1924; *C. pateratus* (Yorke and Macfie, 1919)  
 Cram, 1924; *C. catinatus pseudocatinatus*  
 (Yorke and Macfie, 1920) Cram, 1924
- Cylicocercus* (Ihle, 1922)  
 Rosa, W. A.; and Galofre, E. J., 1940 a, 19, 32
- Cylicocercus* Ihle, 1922 [subg.]  
 Skladnik, J., 1935 b, 148
- Cylicocercus* Ihle, 1922, subg.  
 Sprehn, C. E. W., 1932 c, 651, 658  
 subgenus of *Trichonema*  
 type species: *Trichonema* (*C.*) *alveatum*  
 (Looss, 1900)
- Cylicocercus* Ihle, 1922  
 Theiler, G., 1923 a, 21
- Cylicocercus* Ihle  
 U dintsev, A. N., 1930 a, 109, 110
- Cylicocercus* Ihle  
 Wetzel, R., 1926 a, 672
- Cylicocercus* Ihle, 1922  
 Yorke, W.; and Maplestóne, P. A., 1926 a, 58
- Cylicocercus* alveatum [n. comb.]  
 Cram, E. B., 1924 g, 669
- Cylicocercus* alveatus (Looss)  
 Cram, E. B., 1925 e, 230
- Cylicocercus* alveatus  
 Foster, A. O., 1942 a, 466
- Cylicocercus* alveatum (Looss)  
 Ihle, J. E. W., 1925 b, 229
- Cylicocercus* alveatum  
 Krijgsman, B. J., 1933 d, 368  
 as syn. of *Trichonema* *alveatum*
- Cylicocercus* alveatus  
 Ressang, A. A.; Fischer, H.; and Muchlis, A.,  
 1959 a, 92  
*Equus caballus*: Indonesia
- Cylicocercus* alveatum  
 Roetti, C., 1939 b, 374  
 mulo: Scioa  
*cavalllo abissino*: Scioa
- Cylicocercus* catinatum [n. comb.]  
 Cram, E. B., 1924 g, 669
- Cylicocercus* catinatus  
 Cram, E. B., 1925 e, 230
- Cylicocercus* catinatus (Looss)  
 Alicata, J. E., 1947 a, 75, 81  
 horses: Hawaii
- Cylicocercus* catinatus  
 Andrews, J. S., [1941 a], 133  
*ganado equino*: Puerto Rico
- Cylicocercus* catinatum  
 Andrews, J. S.; and Maldonado, J. F., 1939 a,  
 54  
 horses: Puerto Rico
- Cylicocercus* catinatus  
 Baker, D. W.; and Fincher, M. G., 1937 a, 77  
 bay mare: New York State
- Cylicocercus* catinatus  
 Chitwood, B. G.; and Chitwood, M. B., 1938 a,  
 100, fig. 99C

- Cylicocercus catinatus*  
Drudge, J. H.; Wyant, Z. N.; and Elam, G. W.,  
1955 a, 19  
horses, treatment
- Cylicocercus catinatus* (Looss)  
Foster, A. O., 1936 d, 59  
equines: Panama
- Cylicocercus catinatus* (Looss, 1900)  
Foster, A. O., 1936 e, 491-492, 502, 506
- Cylicocercus catinatus*  
Foster, A. O., 1937 c, 70
- Cylicocercus catinatus*  
Foster, A. O., 1942 a, 465
- Cylicocercus catinatus*  
Foster, A. O., 1944 c, 17
- Cylicocercus catinatus* (Looss, 1900)  
Foster, A. O.; and Alicata, J. E., 1939 a, 6  
horse: Hawaii
- Cylicocercus catinatus*  
Foster, A. O.; and Ortiz O., P., 1937 a, 361, 363
- Cylicocercus catinatus* (Looss)  
Houdemer, F. E., 1927 a, 194, 195, 240  
horse  
mule
- Cylicocercus catinatum* (Looss)  
Ihle, J. E. W., 1925 b, 229
- Cylicocercus catinatus* (Looss 1900) Cram 1924  
Kreis, H. A., 1960 b, 27, 51-53, fig. 9  
Equus caballus: Brasilien
- Cylicocercus catinatus* (Looss, 1900)  
Kreis, H. A., 1962 a, 111  
Equus caballus
- Cylicocercus catinatum*  
Krijgsman, B. J., 1933 d, 368  
as syn. of *Trichonema catinatum*
- Cylicocercus catinatum* (Looss, 1900)  
Lizcano Herrera, J., 1950 b, 307-309, figs.  
caballo: Spain  
asno: Spain  
mulo: Spain
- Cylicocercus catinatum* (Looss, 1900)  
Lizcano Herrera, J., 1951 a, 287, pl. 4, figs.  
20-22  
caballos: Espana  
mulos: Espana
- Cylicocercus catinatus*  
Lucker, J. T., 1936 a, 22, 23, 24, 25, figs.  
9G-I  
infective larvae
- Cylicocercus catinatus*  
Olsen, L. S.; Todd, A. C.; and Hansen, M. F., 1949 a, 41  
horses
- Cylicocercus catinatus*  
Ressang, A. A.; Fischer, H.; and Muchlis, A., 1959 a, 92  
Equus caballus: Indonesia
- Cylicocercus catinatum*  
Roetti, C., 1939 b, 374  
mulo: Scioa  
caballo abissino: Scioa
- Cylicocercus catinatus* (Looss)  
Schwartz, B. I., 1925 o, 6  
Equus caballus: Tonkin
- Cylicocercus catinatus*  
Schwartz, B. I., 1936 d, 53
- Cylicocercus catinatus*  
Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 893  
Equus caballus: Netherlands
- Cylicocercus catinatum* v. *literaureum* [n. comb.]  
Cram, E. B., 1924 g, 669
- Cylicocercus catinatus* var. *literaureus*  
Cram, E. B., 1925 e, 230
- Cylicocercus catinatum* v. *litoraureum* (Yorke & Macfie)  
Ihle, J. E. W., 1925 b, 229
- Cylicocercus catinatum* var. *litoraurum* [sic]  
Krijgsman, B. J., 1933 d, 368  
as syn. of *Trichonema catinatum* var. *litoraurum* [sic]
- Cylicocercus catinatus* var. *litoraurea*  
Noda, R., 1957 a, 341  
Tokara pony
- Cylicocercus catinatus* var. *literaureus*  
Ressang, A. A.; Fischer, H.; and Muchlis, A., 1959 a, 92  
Equus caballus: Indonesia
- Cylicocercus catinatum* (Looss, 1900) var. *lopezneyrai* (Lizcano, 1948)  
Lizcano Herrera, J., 1950 b, 309-310, figs.  
mulo: Spain
- Cylicocercus catinatum* var. *lopezneyrai* Lizcano, 1948  
Lizcano Herrera, J., 1951 a, 287-288, pl. 4, figs. 23-24  
mulo: Espana
- Cylicocercus catinatum* v. *pseudocatinatum* (Yorke and Macfie) [n. rank]  
Ihle, J. E. W., 1925 b, 229
- Cylicocercus catinatum* var. *pseudo-catinatum*  
Krijgsman, B. J., 1933 d, 368  
as syn. of *Trichonema catinatum* var. *pseudo-catinatum*
- Cylicocercus catinatus* var. *pseudocatinatus*  
McIntosh, A., 1933 c, 110  
equines: Puerto Rico
- Cylicocercus catinatus* var. *pseudocatinatus*  
Noda, R., 1957 a, 341  
Tokara pony
- Cylicocercus catinatus* var. *pseudocatinatus*  
Ressang, A. A.; Fischer, H.; and Muchlis, A., 1959 a, 92  
Equus caballus: Indonesia
- Cylicocercus catinatus* var. *pseudocatinatus*  
Van Volkenberg, H. L., 1938 a, 7-8  
horse: Puerto Rico
- Cylicocercus catinatus* var. *pseudocatinatum* (Yorke and Macfie, 1919) (Theiler, 1923)  
Van Volkenberg, H. L., 1939 a, 7  
horse: Puerto Rico
- Cylicocercus goldi* [n. comb.]  
Cram, E. B., 1924 g, 669
- Cylicocercus goldi* (Boulenger)  
Alicata, J. E., 1947 a, 75, 81  
horses: Hawaii
- Cylicocercus goldi*  
Andrews, J. S., [1941 a], 133  
ganado equino: Puerto Rico
- Cylicocercus goldi*  
Andrews, J. S.; and Maldonado, J. F., 1939 a, 54  
horses: Puerto Rico
- Cylicocercus goldi*  
Chitwood, B. G.; and Chitwood, M. B., 1938 a, 100, fig. 99B
- Cylicocercus goldi*  
Cram, E. B., 1925 e, 230
- Cylicocercus goldi* (Boulenger, 1917)  
Foster, A. O., 1936 d, 59  
equines: Panama
- Cylicocercus goldi* (Boulenger, 1917)  
Foster, A. O., 1936 e, 492, 502, 506
- Cylicocercus goldi*  
Foster, A. O., 1937 c, 71
- Cylicocercus goldi*  
Foster, A. O., 1942 a, 465
- Cylicocercus goldi*  
Foster, A. O., 1944 c, 18
- Cylicocercus goldi* (Boulenger, 1917)  
Foster, A. O.; and Alicata, J. E., 1939 a, 6, 7  
horse: Hawaii
- Cylicocercus goldi*  
Foster, A. O.; and Ortiz O., P., 1937 a, 361, 363
- Cylicocercus goldi* Boulenger  
Ihle, J. E. W., 1925 b, 229

- Cylicocercus goldi*  
Krijgsman, B. J., 1933 d, 369  
as syn. of *Trichonema goldi*
- Cylicocercus goldi*  
Lucker, J. T., 1936 a, 22, 23-24, 25, figs.  
9D-F  
infective larvae
- Cylicocercus goldi*  
Lucker, J. T., 1938 a, 1-5, fig. 2  
infective larvae, description and differentiation
- Cylicocercus goldi*  
McIntosh, A., 1933 c, 110  
equines: Puerto Rico
- Cylicocercus goldi*  
Noda, R., 1957 a, 341  
Tokara pony
- Cylicocercus goldi*  
Ressang, A. A.; Fischer, H.; and Muchlis, A.,  
1959 a, 92  
*Equus caballus*: Indonesia
- Cylicocercus goldi*  
Schwartz, B., 1936 d, 53
- Cylicocercus goldi*  
Swanson, L. E., 1939 a, 29  
horse: Hawaiian Is.  
mule: Hawaiian Is.
- Cylicocercus goldi*  
Swierstra, D.; Jansen, J. (jr.); and van den  
Broek, E., 1959 a, 893  
*Equus caballus*: Netherlands
- Cylicocercus goldi*  
Van Volkenberg, H. L., 1938 a, 7  
horse: Puerto Rico
- Cylicocercus goldi* (Boulenger, 1917)  
Van Volkenberg, H. L., 1939 a, 7  
horse: Puerto Rico
- Cylicocercus goldi*  
Ward, J. W., 1946 b, 13  
horse: Mississippi  
mule: Mississippi
- Cylicocercus goldi*  
Ward, J. W., 1947 b, 23
- Cylicocercus goldi* v. *tridentatum* Yorke & Macfie  
Ihle, J. E. W., 1925 b, 229
- Cylicocercus goldi* var. *tridentatum*  
Krijgsman, B. J., 1933 d, 369  
as syn. of *Trichonema goldi* var. *tridentatum*
- Cylicocercus goldi* var. *tridentatus*  
Ressang, A. A.; Fischer, H.; and Muchlis, A.,  
1959 a, 92  
*Equus caballus*: Indonesia
- Cylicocercus mettami*  
Cram, E. B., 1924 g, 669
- Cylicocercus mettami*  
Cram, E. B., 1925 e, 230
- Cylicocercus pateratum* [n. comb.]  
Cram, E. B., 1924 g, 669
- Cylicocercus pateratus*  
Cram, E. B., 1925 e, 230
- Cylicocercus pateratus* (Yorke and Macfie)  
Alicata, J. E., 1947 a, 75, 81  
horses: Hawaii
- Cylicocercus pateratum*  
Andrews, J. S., [1941 a], 133  
ganado equino: Puerto Rico
- Cylicocercus pateratum*  
Andrews, J. S.; and Maldonado, J. F., 1939 a,  
54, 55  
horses: Puerto Rico
- Cylicocercus pateratus*  
Baker, D. W.; and Fincher, M. G., 1937 a, 77  
bay mare: New York State
- Cylicocercus pateratus* (Yorke and Macfie, 1919)  
Foster, A. O., 1936 d, 59  
equines: Panama
- Cylicocercus pateratus* (Yorke and Macfie, 1919)  
Foster, A. O., 1936 e, 492, 502, 506
- Cylicocercus pateratus*  
Foster, A. O., 1937 c, 71
- Cylicocercus pateratus*  
Foster, A. O., 1942 a, 465
- Cylicocercus pateratus*  
Foster, A. O., 1944 c, 17
- Cylicocercus pateratus* (Yorke and Macfie, 1919)  
Foster, A. O.; and Alicata, J. E., 1939 a, 6  
horse: Hawaii
- Cylicocercus pateratus*  
Foster, A. O.; and Ortiz O., P., 1937 a, 361,  
363
- Cylicocercus pateratum* Yorke & Macfie  
Ihle, J. E. W., 1925 b, 229
- Cylicocercus pateratum*  
Krijgsman, B. J., 1933 d, 369  
as syn. of *Trichonema pateratum*
- Cylicocercus pateratum*  
Lancaster, W. E., 1939 a, 50  
horse: Kedah, Malaya
- Cylicocercus pateratum* (Yorke y Macfie, 1919)  
Lizcano Herrera, J., 1950 b, 310-311, figs.  
caballo  
mula  
asno  
all from Spain
- Cylicocercus pateratum* (Yorke y Macfie, 1919)  
Lizcano Herrera, J., 1951 a, 288-289, pl. 5,  
figs. 25-27  
caballos: España
- Cylicocercus pateratus*  
Lucker, J. T., 1938 a, 1-5, fig. 1D-F  
infective larvae, description and differentiation
- Cylicocercus pateratus*  
Noda, R., 1957 a, 341  
Tokara pony
- Cylicocercus pateratus*  
Ressang, A. A.; Fischer, H.; and Muchlis, A.,  
1959 a, 92  
*Equus caballus*: Indonesia
- Cylicocercus pateratum*  
Roetti, C., 1939 b, 374  
mulo: Scioa, proveniente dall' Italia
- Cylicocercus pateratus*  
Schwartz, B., 1936 d, 53
- Cylicocercus pseudocatinatum* [n. comb.]  
Cram, E. B., 1924 g, 669
- Cylicocercus pseudocatinatus*  
Cram, E. B., 1925 e, 230
- Cylicocercus* var. [i.e.: sp.] *pseudocatinatus*  
Noda, R.; Horie, M.; and Wate, J., 1957 a  
piperazine phosphate
- Cylicocercus tridentatum* [n. comb.]  
Cram, E. B., 1924 g, 669
- Cylicocercus tridentatus*  
Cram, E. B., 1925 e, 230
- Cylicocyclus* Ihle, subgenus  
Baylis, H. A., 1929 c, 154
- Cylicocyclus* Ihle, 1922, subg.  
Baylis, H. A., 1936 a, 265, 271  
subgenus of *Trichonema*  
key to species; type: *Trichonema (C.) radiatum* (Looss, 1900)
- Cylicocyclus* Ihle, 1922, s.gen.  
Baylis, H. A.; and Daubney, R., 1926 a, 156  
type: *Trichonema (C.) radiatum* (Looss)
- Cylicocyclus* Ihle  
Chaves, O., 1930 b, 734
- Cylicocyclus* (Ihle, 1922) Erschow, 1939  
Choizho, U., 1959 a, 361  
Trichonematae  
key
- Cylicocyclus*  
Cram, E. B., 1924 g, 672
- Cylicocyclus* Ihle, 1922, subg.  
Ershev, V. S., 1933 b, 57, 59  
subgenus of *Trichonema*  
diagnosis

- Cylicocyclus* (Ihle, 1922) Erschow, 1939  
 Ershov, V. S., 1943 b, 80, 86  
 Syns.: *Trichonema Cobboid*, 1874; *Cylicostomum Railliet*, 1901; *Cylichnostomum Looss*, 1902  
 type: *Cylicocyclus radiatum* (Looss, 1900)  
*Cylicocyclus* Ihle, 1922  
 Foster, A. O., 1936 e, 495  
*Cylicocyclus* Ihle 1922  
 Ihle, J. E. W., 1922 b, 63  
*Cylicocyclus* Ihle  
 Ihle, J. E. W., 1925 b, 227, 232-234  
*Cylicocyclus* Ihle, 1922  
 McIntosh, A., 1951 a, 34  
 includes: *C. radiatus* (Looss, 1900) Chaves, 1930 genotype; *C. adersi* (Boulenger, 1920) Chaves, 1930; *C. ashworthi* (LeRoux, 1924) McIntosh, 1933; *C. auriculatus* (Looss, 1900) Chaves, 1930; *C. elongatus* (Looss, 1900) Chaves, 1930; *C. elongatus* var. *kotlani* (Ihle, 1920) Chaves, 1930; *C. insigne* (Boulenger, 1917) Chaves, 1930; *C. leptostomus* (Kotlan, 1920) Chaves, 1930; *C. nassatus* (Looss, 1900) Chaves, 1930; *C. nassatus* var. *parvus* (Yorke and Macfie, 1918) Chaves, 1930; *C. triramosus* (Yorke and Macfie, 1930) Chaves, 1930  
*Cylicocyclus* Ihle  
 Popov, N. P., 1928 b, 44  
*Cylicocyclus* (Ihle, 1922), subg.  
 Rosa, W. A.; and Galofre, E. J., 1940 a, 19, 32  
 subgenus of *Trichonema*  
*Cylicocyclus* Ihle, 1922 [subg.]  
 Skladnik, J., 1935 b, 153  
*Cylicocyclus* Ihle, 1922 [subg.]  
 Sprehn, C. E. W., 1932 c, 651, 661  
 type: *Trichonema (C.) radiatum* (Looss, 1900)  
*Cylicocyclus* Ihle, 1922  
 Theiler, G., 1923 a, 21-22  
*Cylicocyclus* Ihle, subgen.  
 Udintsev, A. N., 1929 a, 109, 111  
*Cylicocyclus* Ihle  
 Wetzel, R., 1926 a, 674  
*Cylicocyclus* Ihle, 1922  
 Yorke, W.; and Maplestone, P. A., 1926 a, 58  
*Cylicocyclus* sp.  
 K'ung, F. Y.; Yeh, C. E.; and Liu, K. Y., 1959 a, 29, 34, 36, 37, 38, 40, 41, pl. I, figs. 11-12; pl. III, figs. 32-35; pl. IV, figs. 43-44  
 donkey: Peking, China  
*Cylicocyclus* sp.  
 Tiunov, V. I., [1954 a], 701, fig. 5  
*Cylicocyclus* adersi [n. comb.]  
 Chaves, O., 1930 b, 734-735  
*Cylicocyclus* adersi (Boulenger, 1921)  
 Ershov, V. S., 1943 b, 81  
 key  
*Cylicocyclus* adersi Boulenger, 1921  
 Toshchev, A. P., 1949 b, 175  
 horses: eastern Siberia  
*Cylicocyclus* ashworthi [(Le Roux, 1924)] n. comb.  
 McIntosh, A., 1933 c, 110  
 equines: Puerto Rico  
*Cylicocyclus* ashworthi  
 Van Volkenberg, H. L., 1938 a, 7  
 horse: Puerto Rico  
*Cylicocyclus* ashworthi (Leroux, 1924)  
 Van Volkenberg, H. L., 1939 a, 7  
 horse: Puerto Rico  
*Cylicocyclus* auriculatum [n. comb.]  
 Chaves, O., 1930 b, 734, 735  
*Cylicocyclus* auriculatum (Looss, 1900)  
 Ershov, V. S., 1943 b, 77, 81  
 key  
*Cylicocyclus* auriculatus  
 Foster, A. O., 1942 a, 466  
*Cylicocyclus* auriculatum  
 Krijgsman, B. J., 1933 d, 368  
 as syn. of *Trichonema auriculatum*  
*Cylicocyclus* auriculatum (Looss, 1900)  
 K'ung, F. Y.; Yeh, C. E.; and Liu, K. Y., 1959 a, 29, 32-33, 36, 37, 39, 40, 41, pl. II, figs. 15-16; pl. III, fig. 29; pl. IV, figs. 37-39  
 donkey: Peking, China  
*Cylicocyclus* auriculatus  
 McIntosh, A., 1933 c, 110  
 equines: Puerto Rico  
*Cylicocyclus* auriculatus  
 Ressang, A. A.; Fischer, H.; and Muchlis, A., 1959 a, 92  
*Equus caballus*: Indonesia  
*Cylicocyclus* auriculatum Looss, 1900  
 Reyes, R. V., 1938 a, 20  
 equinos: Colombia  
*Cylicocyclus* auriculatus  
 Van Volkenberg, H. L., 1938 a, 7  
 horse: Puerto Rico  
*Cylicocyclus* auriculatus (Looss, 1900)  
 Van Volkenberg, H. L., 1939 a, 7  
 horse: Puerto Rico  
*Cylicocyclus* auriculatum (Looss, 1900) Erschow, 1939  
 Vražić, O.; and Rijavec, M., 1960 a, 130, 132, 133  
*Equus asinus*: P.R. of Croatia  
*Cylicocyclus bogoriense* [(Smit and Notosoediro, 1924)] n. comb.  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema leptostomum*  
*Cylicocyclus brevicapsulatum* (Ihle, 1920)  
 Ershov, V. S., 1943 b, 81  
 key  
*Cylicocyclus brevicapsulatum* Jule, 1920  
 Toshchev, A. P., 1949 b, 175  
 horses: eastern Siberia  
*Cylicocyclus brevicapsulatum* (Ihle, 1920)  
 Vaivarinia, Kh. F., 1954 a, 304  
 horse: Latvian SSR  
*Cylicocyclus bulbiferum* n. sp.  
 Chaves, O., 1930 b, 734-735  
 cheval  
*Cylicocyclus elongatum* [n. comb.]  
 Chaves, O., 1930 b, 734, 735  
*Cylicocyclus elongatum* (Looss, 1900)  
 Ershov, V. S., 1943 b, 81  
 key  
*Cylicocyclus elongatus* (Looss, 1900)  
 Foster, A. O., 1936 d, 59  
 equines: Panama  
*Cylicocyclus elongatus* (Looss, 1900)  
 Foster, A. O., 1936 e, 495-496, 502  
*Cylicocyclus elongatus*  
 Foster, A. O., 1942 a, 466  
*Cylicocyclus elongatus*  
 Foster, A. O.; and Ortiz O., P., 1937 a, 361  
*Cylicocyclus elongatum*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema elongatum*  
*Cylicocyclus elongatus*  
 Noda, R., 1958 a, 270 (82)  
*Cylicocyclus elongatus*  
 Ressang, A. A.; Fischer, H.; and Muchlis, A., 1959 a, 92  
*Equus caballus*: Indonesia  
*Cylicocyclus elongatus*  
 Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 893  
*Equus caballus*: Netherlands  
*Cylicocyclus elongatus* (Looss, 1900)  
 Van Volkenberg, H. L., 1939 a, 7  
 horse: Puerto Rico  
*Cylicocyclus elongatum* (Looss, 1900) Erschow, 1937  
 Vražić, O.; and Rijavec, M., 1960 a, 130, 132, 133  
*Equus asinus*: P.R. of Croatia

- Cylicocyclus elongatus*  
 Ward, J. W., 1946 b, 13  
   horse  
   mule  
   both from Mississippi
- Cylicocyclus elongatus*  
 Ward, J. W., 1947 b, 23
- Cylicocyclus elongatum* var. *kotlani* [n. comb.]  
 Chaves, O., 1930 b, 734, 735
- Cylicocyclus elongatum* var. *kotlani* (Ihle, 1920)  
 Erschow, V. S., 1943 b, 81  
   key
- Cylicocyclus elongatum* (Looss, 1900) var. *kotlani*  
 (Ihle, 1920) Erschow, 1939  
 Kazlauskas, J., [1959 a], 87  
   horses: Lithuanian SSR
- Cylicocyclus elongatus* var. *kotlani*  
 Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 893  
   *Equus caballus*: Netherlands
- Cylicocyclus gyalocephaloides* (Ortlepp, 1938)  
 Popova, 1952 [n. comb.]  
 Skrjabin, K. I.; et al., [1953 a], 225  
   Syn.: *Trichonema* (*Cylicocyclus*) *gyalocephaloides* Ortlepp, 1938  
   *Hippotigris* sp.: Afrika
- Cylicocyclus insigne* [n. comb.]  
 Chaves, O., 1930 b, 735
- Cylicocyclus insigne*  
 Andrews, J. S., [1941 a], 133  
   ganado equino: Puerto Rico
- Cylicocyclus insigne*  
 Baker, D. W.; and Fincher, M. G., 1937 a, 77  
   bay mare: New York State
- Cylicocyclus insigne*  
 Demshin, N. I., [1954 a], 219, 220, 223, 224,  
   figs. 2-3, 6, 8-9  
   structure of genital cone
- Cylicocyclus insigne*  
 Drudge, J. H.; Wyant, Z. N.; and Elam, G. W.,  
 1955 a, 19  
   horses, treatment
- Cylicocyclus insigne* (Boulenger, 1917)  
 Erschow, V. S., 1943 b, 81  
   key
- Cylicocyclus insigne* (Boulenger, 1917)  
 Foster, A. O., 1936 d, 59  
   equines: Panama
- Cylicocyclus insigne* (Boulenger, 1917)  
 Foster, A. O., 1936 e, 496, 502, 506
- Cylicocyclus insigne*  
 Foster, A. O., 1937 c, 71
- Cylicocyclus insigne*  
 Foster, A. O., 1942 a, 465
- Cylicocyclus insigne*  
 Foster, A. O.; and Alicata, J. E., 1939 a, 7
- Cylicocyclus insigne*  
 Foster, A. O.; and Ortiz O., P., 1937 a, 361,  
 363
- Cylicocyclus insigne* (Boulenger, 1917) Erschow,  
 1939  
 Kazlauskas, J., [1959 a], 87  
   horses: Lithuanian SSR
- Cylicocyclus insigne* (Boulenger, 1917)  
 Kreis, H. A., 1962 a, 111  
   *Equus caballus*
- Cylicocyclus insigne*  
 Krijgsman, B. J., 1933 d, 369  
   as syn. of *Trichonema insigne*
- Cylicocyclus insigne*  
 Lucke, J. T., 1938 a, 1-5, fig. 1A-C  
   infective larvae, description and differentiation
- Cylicocyclus insigne*  
 McIntosh, A., 1933 c, 110  
   equines: Puerto Rico
- Cylicocyclus insigne*  
 Noda, R., 1957 a, 341  
   Tokara pony
- Cylicocyclus insigne*  
 Olsen, L. S.; Todd, A. C.; and Hansen, M. F.,  
 1949 a, 41  
   horses
- Cylicocyclus insigne*  
 Ressang, A. A.; Fischer, H.; and Muchlis, A.,  
 1959 a, 92  
   *Equus caballus*: Indonesia
- Cylicocyclus insigne*  
 Roetti, C., 1939 b, 374  
   *cavallio abissino*: Scioa
- Cylicocyclus insigne* (Boulenger, 1917)  
 Safronov, M. G., [1954 a], 637  
   horses: Yakutsk ASSR
- Cylicocyclus insigne*  
 Schwartz, B. I., 1936 d, 53
- Cylicocyclus insigne*  
 Swanson, L. E., 1939 a, 29  
   horse: Hawaiian Is.  
   mule: Hawaiian Is.
- Cylicocyclus insigne*  
 Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 893  
   *Equus caballus*: Netherlands
- Cylicocyclus insigne* Boulenger, 1917  
 Toshchev, A. P., 1949 b, 175  
   horses: eastern Siberia
- Cylicocyclus insigne* (Boulenger, 1917)  
 Vaivarinia, Kh. F., 1954 a, 304  
   horse: Latvian SSR
- Cylicocyclus insigne*  
 Van Volkenberg, H. L., 1938 a, 7  
   horse: Puerto Rico
- Cylicocyclus insigne* (Boulenger, 1917)  
 Van Volkenberg, H. L., 1939 a, 7  
   horse: Puerto Rico
- Cylicociclus insigne* var. *rosembuschi* (Galofre y Rosa, 1944)  
 Lizcano Herrera, J., 1950 b, 313-314, figs.  
   caballo: Spain  
   mulo: Spain  
   asno: Spain
- Cylicociclus insigne* var. *rosembuschi* Galofre y Rosa, 1944  
 Lizcano Herrera, J., 1951 a, 290-291, pl. 6,  
   figs. 32-34  
   caballo: España
- Cylicocyclus leptostomum* [n. comb.]  
 Chaves, O., 1930 b, 375
- Cylicocyclus leptostomus* (Kotlan)  
 Alicata, J. E., 1947 a, 75, 81  
   horses: Hawaii
- Cylicocyclus leptostomum*  
 Andrews, J. S., [1941 a], 133  
   ganado equino: Puerto Rico
- Cylicocyclus leptostomum*  
 Andrews, J. S.; and Maldonado, J. F., 1939 a,  
 54, 55  
   horses: Puerto Rico
- Cylicocyclus leptostomus*  
 Drudge, J. H.; Wyant, Z. N.; and Elam, G. W.,  
 1955 a, 19  
   horses, treatment
- Cylicocyclus leptostomus* (Kotlan, 1920)  
 Foster, A. O., 1936 d, 59  
   equines: Panama
- Cylicocyclus leptostomus* (Kotlan, 1920)  
 Foster, A. O., 1936 e, 496-497, 502
- Cylicocyclus leptostomus* (Kotlan, 1920)  
 Foster, A. O.; and Alicata, J. E., 1939 a, 7  
   equines: Hawaii
- Cylicocyclus leptostomus*  
 Foster, A. O.; and Ortiz O., P., 1937 a, 361,  
 362, 363
- Cylicocyclus leptostomum*  
 Krijgsman, B. J., 1933 d, 369  
   as syn. of *Trichonema leptostomum*

- Cylicociclus leptostomum* (Kotlan, 1920)  
 Lizcano Herrera, J., 1950 b, 315-316, figs.  
 caballo: Spain
- Cylicociclus leptostomum* (Kotlán, 1920)  
 Lizcano Herrera, J., 1951 a, 291-292, pl. 6,  
 figs. 35-37  
 caballo: España
- Cylicocyclus leptostomus*  
 Noda, R., 1958 a, 270 (82)
- Cylicocyclus leptostomus*  
 Ressang, A. A.; Fischer, H.; and Muchlis, A.,  
 1959 a, 92  
 Equus caballus: Indonesia
- Cylicocyclus leptostomus*  
 Swierstra, D.; Jansen, J. (jr.); and van den  
 Broek, E., 1959 a, 893  
 Equus caballus: Netherlands
- Cylicocyclus nassatum* [n. comb.]  
 Chaves, O., 1930 b, 735
- Cylicocyclus nassatus* (Looss)  
 Alicata, J. E., 1947 a, 75, 81  
 horses: Hawaii
- Cylicocyclus nassatus*  
 Andrews, J. S., [1941 a], 133  
 ganado equino: Puerto Rico
- Cylicocyclus nassatum*  
 Andrews, J. S.; and Maldonado, J. F., 1939 a,  
 54  
 horses: Puerto Rico
- Cylicocyclus nassatum* (Loos, 1900) Erschow, 1939  
 Baruš, V., 1961 a, 597  
 Equus asinus (large intestine): Czechoslo-  
 vakia
- Cylicocyclus nassatum*  
 Demshin, N. I., [1954 a], 221, 222, 223, figs.  
 4-5, 7  
 structure of genital cone
- Cylicocyclus nassatus*  
 Drudge, J. H.; Wyant, Z. N.; and Elam, G. W.,  
 1955 a, 19  
 horses, treatment
- Cylicocyclus nassatum* (Looss, 1900)  
 Ershov, V. S., 1943 b, 77, 81  
 key  
 Syn.: *Trichonema bulbiferum* (Chavas, 1930)
- Cylicocyclus nassatus* (Looss, 1900)  
 Foster, A. O., 1936 d, 59  
 equines: Panama
- Cylicocyclus nassatus* (Looss, 1900)  
 Foster, A. O., 1936 e, 496, 501, 502, 506
- Cylicocyclus nassatus*  
 Foster, A. O., 1937 c, 71, 72
- Cylicocyclus nassatus*  
 Foster, A. O., 1942 a, 465
- Cylicocyclus nassatus*  
 Foster, A. O., 1944 c, 17
- Cylicocyclus nassatus* (Looss, 1900)  
 Foster, A. O.; and Alicata, J. E., 1939 a, 7  
 equines: Hawaii
- Cylicocyclus nassatus*  
 Foster, A. O.; and Ortiz O., P., 1937 a, 361,  
 362, 363
- Cylicocyclus nassatum* (Looss, 1900) Erschow, 1939  
 Kazlauskas, J., [1959 a], 87  
 horses: Lithuanian SSR
- Cylicocyclus nassatum*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema nassatum*
- Cylicocyclus nassatum* (Loos, 1900) Erschow, 1939  
 Lesin'sh, K. P., 1959 a, 107  
 horses: south-east districts of Estonian SSR
- Cylicociclus nasatum* [sic] (Looss, 1902)  
 Lizcano Herrera, J., 1950 b, 311-313, figs.  
 caballo  
 asno  
 mula  
 cebra  
 all from Spain
- Cylicociclus nasatum* [sic] Looss, 1902  
 Lizcano Herrera, J., 1951 a, 289-290, pl. 5,  
 figs. 28-31  
 caballos: España  
 mulos: Espana
- Cylicocyclus nassatus*  
 McIntosh, A., 1933 c, 110  
 equines: Puerto Rico
- Cylicocyclus nassatus*  
 Olsen, L. S.; Todd, A. C.; and Hansen, M. F.,  
 1949 a, 41  
 horses
- Cylicocyclus nassatus*  
 Ressang, A. A.; Fischer, H.; and Muchlis, A.,  
 1959 a, 92  
 Equus caballus: Indonesia
- Cylicocyclus nassatum*  
 Roetti, C., 1939 b, 374  
 mulo abissino: Scioa
- Cylicocyclus nassatum* (Looss, 1900)  
 Safronov, M. G., [1954 a], 637  
 horses: Yakutsk ASSR
- Cylicocyclus nassatus*  
 Swierstra, D.; Jansen, J. (jr.); and van den  
 Broek, E., 1959 a, 893  
 Equus caballus: Netherlands
- Cylicocyclus nassatum* Looss, 1900  
 Toshchev, A. P., 1949 b, 175  
 horses: eastern Siberia
- Cylicocyclus nassatum* (Looss, 1900)  
 Vaivarinia, Kh. F., 1954 a, 304  
 horse: Latvian SSR
- Cylicocyclus nassatus*  
 Van Volkenberg, H. L., 1938 a, 7  
 horse: Puerto Rico
- Cylicocyclus nassatus* (Looss, 1900)  
 Van Volkenberg, H. L., 1939 a, 7  
 horse: Puerto Rico
- Cylicocyclus nassatum* (Looss, 1900)  
 Volkova, Z. M., 1950 a, 70  
 horses: Kirgizia
- Cylicocyclus nassatum* (Looss, 1900) Erschow, 1937  
 Vražić, O.; and Rijavec, M., 1960 a, 130, 132,  
 133  
 Equus asinus: P.R. of Croatia
- Cylicocyclus nassatus*  
 Ward, J. W., 1946 b, 13  
 horse  
 mule  
 all from Mississippi
- Cylicocyclus nassatus*  
 Ward, J. W., 1947 b, 23
- Cylicocyclus nassatum* var. *parvum* [n. comb.]  
 Chaves, O., 1930 b, 735
- Cylicocyclus nassatus* var. *parvus*  
 Andrews, J. S., [1941 a], 133  
 ganado equino: Puerto Rico
- Cylicocyclus nassatum* var. *parvum*  
 Andrews, J. S.; and Maldonado, J. F., 1939 a,  
 54  
 horses: Puerto Rico
- Cylicocyclus nassatum* var. *parva*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema nassatum* var. *parva*
- Cylicocyclus nassatum* var. *parvum* Yorke et Mac-  
 fie, 1918  
 K'ung, F. Y.; Yeh, C. E.; and Liu, K. Y.,  
 1959 a, 29, 33-34, 36, 37, 38, 39, 40, pl. I,  
 fig. 9; pl. II, figs. 18-19; pl. III, figs.  
 30-31  
 donkey: Peking, China
- Cylicocyclus nassatus* var. *parvus*  
 McIntosh, A., 1933 c, 110  
 equines: Puerto Rico
- Cylicocyclus nasatus* [sic] var. *parvus*  
 Noda, R., 1957 a, 341  
 Tokara pony

- Cylicocyclus nassatus* var. *parvus*  
Ressang, A. A.; Fischer, H.; and Muchlis, A.,  
1959 a, 92  
    *Equus caballus*: Indonesia
- Cylicocyclus nassatus* var. *parvus*  
Van Volkenberg, H. L., 1938 a, 7  
    horse: Puerto Rico
- Cylicocyclus nassatus* var. *parvus* (Yorke and Mac-  
fie, 1918)  
Van Volkenberg, H. L., 1939 a, 7  
    horse: Puerto Rico
- Cylicocyclus radiatum* [n. comb.]  
Chaves, O., 1930 b, 734
- Cylicocyclus radiatum* (Looss, 1900) (type)  
Ershov, V. S., 1943 a, 81  
    key  
    Syn.: *C. prionodes* Kotlan, 1921
- Cylicocyclus radiatus* (Looss, 1900)  
Foster, A. O., 1936 d, 59  
    equines: Panama
- Cylicocyclus radiatus* (Looss, 1900)  
Foster, A. O., 1936 e, 495, 502
- Cylicocyclus radiatus*  
Foster, A. O.; and Ortiz O., P., 1937 a, 361
- Cylicocyclus radiatum* (Looss, 1900), Erschow,  
1939  
Kazlauskas, J., [1959 a], 87  
    horses: Lithuanian SSR
- Cylicocyclus radiatus* (Looss, 1900)  
Kreis, H. A., 1962 a, 111  
    *Equus caballus*
- Cylicocyclus radiatum*  
Krijgsman, B. J., 1933 d, 369  
    as syn. of *Trichonema radiatum*
- Cylicocyclus radiatus*  
McIntosh, A., 1933 c, 110  
    equines: Puerto Rico
- Cylicocyclus radiatus*  
Ressang, A. A.; Fischer, H.; and Muchlis, A.,  
1959 a, 92  
    *Equus caballus*: Indonesia
- Cylicocyclus radiatum*  
Roetti, C., 1939 b, 374  
    mulo: Scioa  
        cavalllo abissino: Scioa
- Cylicocyclus radiatum* (Looss, 1900)  
Safronov, M. G., [1954 a], 637  
    horses: Yakutsk ASSR
- Cylicocyclus radiatum* Looss, 1900  
Toshchev, A. P., 1949 b, 175  
    horses: eastern Siberia
- Cylicocyclus radiatum* (Looss, 1900)  
Van Volkenberg, H. L., 1939 a, 7  
    horse: Puerto Rico
- Cylicocyclus radiatum* (Looss, 1900)  
Volkova, Z. M., 1950 a, 70  
    horses: Kirgizia
- Cylicocyclus tetricantum* Looss, 1900  
Reyes, R. V., 1938 a, 20  
    equinos ("provisional"): Colombia
- Cylicocyclus triramosum* [n. comb.]  
Chaves, O., 1930 b, 734
- Cylicocyclus triramosum*  
Andrews, J. S., [1941 a], 133  
    ganado equino: Puerto Rico
- Cylicocyclus triramosum* (Yorke and Macfie, 1920)  
Ershov, V. S., 1943 b, 81  
    key
- Cylicocyclus triramosus*  
Foster, A. O., 1942 a, 466
- Cylicocyclus ultrajectinum* (Ihle, 1920)  
Ershov, V. S., 1943 a, 81  
    key
- Cylicodontophorus* Ihle, subgenus  
Baylis, H. A., 1929 c, 155
- Cylicodontophorus* Ihle, 1922, s.gen.  
Baylis, H. A.; and Daubney, R., 1926 a, 156  
    type: *Trichonema (C.) bicoronatum* (Looss)
- Cylicodontophorus* (Ihle, 1922) Erschow, 1939  
Choizho, U., 1959 a, 361  
    *Trichonematae*  
    key
- Cylicodontophorus*  
Cram, E. B., 1924 g, 669, 670
- Cylicodontophorus*  
Cram, E. B., 1925 e, 230  
    type: *C. euproctus* (Boulenger)
- Cylicodontophorus* Ihle, 1922, subg.  
Ershov, V. S., 1933 b, 57, 59  
    subgenus of *Trichonema*  
    diagnosis
- Cylicodontophorus* (Ihle, 1922) Erschow, 1939  
Ershov, V. S., 1943 b, 82, 84, 86  
    Syns.: *Trichonema Cobbold*, 1874; *Cylicostomum Railliet*, 1901; *Cylichnostomum Looss*,  
1902  
    type: *C. bicoronatum* (Looss, 1900)
- Cylicodontophorus* Ihle, 1922  
Foster, A. O., 1936 e, 492
- Cylicodontophorus*  
Ihle, J. E. W., 1922 b, 86
- Cylicodontophorus* Ihle  
Ihle, J. E. W., 1925 b, 235
- Cylicodontophorus* Ihle, 1922  
Le Roux, P. L., 1924 a, 126
- Cylicodontophorus* Ihle, 1922  
McIntosh, A., 1951 a, 34  
    includes: *C. euproctus* (Boulenger, 1917)  
    Cram, 1924, genotype; *C. bicornatus* (Looss,  
1900) Cram, 1924; *C. mettami* (Leiper, 1913)  
    Foster, 1936; *C. ultrajectinus* (Ihle, 1920)  
    Cram, 1924
- Cylicodontophorus* (Ihle, 1922) Erschow, 1939  
Popova, T. I., 1958 a, 382  
    *Trichonematae*  
    key
- Cylicodontophorus* (Ihle, 1922)  
Rosa, W. A.; and Galofre, E. J., 1940 a, 19, 32
- Cylicodontophorus* Ihle, 1922 [subg.]  
Skladnik, J., 1935 b, 171, 173  
    [also spelled *Cilicodontophorus*]  
    subgenus of *Trichonema*
- Cylicodontophorus* Ihle, 1922, subgenus  
Sprehn, C. E. W., 1932 c, 651, 665  
    subgenus of *Trichonema*  
    type: *Trichonema (Cylicodontophorus) bicoro-*  
    *natum* (Looss, 1900)
- Cylicodontophorus* Ihle, 1922  
Theiler, G., 1923 a, 22
- Cylicodontophorus* Ihle, subgen.  
Udintsev, A. N., 1929 a, 121
- Cylicodontophorus* Ihle  
Wetzel, R., 1926 a, 742
- Cylicodontophorus* Ihle, 1922  
Yorke, W.; and Maplestone, P. A., 1926 a, 59
- Cylicodontophorus bicoronatum* [n. comb.]  
    Cram, E. B., 1924 g, 670
- Cylicodontophorus bicoronatus* (Looss)  
Alicata, J. E., 1947 a, 75, 81  
    horses: Hawaii

- Cylicodontophorus bicoronatus*  
 Andrews, J. S., [1941 a], 133  
 ganado equino: Puerto Rico
- Cylicodontophorus bicoronatus*  
 Baker, D. W.; and Fincher, M. G., 1937 a, 77  
 bay mare: New York State
- Cylicodontophorus bicoronatus*  
 Cram, E. B., 1925 e, 230
- Cylicodontophorus bicoronatus*  
 Drudge, J. H.; Wyant, Z. N.; and Elam, G. W., 1955 a, 19  
 horses, treatment
- Cylicodontophorus bicoronatum* (Looss, 1900)  
 Ershov, V. S., 1943 b, 74, 75, 82, 83  
 key
- Cylicodontophorus bicoronatus* (Looss, 1900)  
 Foster, A. O., 1936 d, 59  
 equines: Panama
- Cylicodontophorus bicoronatus* (Looss, 1900)  
 Foster, A. O., 1936 e, 493, 502
- Cylicodontophorus bicoronatus* (Looss, 1900)  
 Foster, A. O.; and Alicata, J. E., 1939 a, 7  
 equines: Hawaii
- Cylicodontophorus bicoronatus*  
 Foster, A. O.; and Ortiz O., P., 1937 a, 361
- Cylicodontophorus bicoronatum* (Looss, 1900)  
 Erschow, 1939  
 Kazlauskas, J., [1959 a], 87  
 horses: Lithuanian SSR
- Cylicodontophorus bicoronatum*  
 Krijgsman, B. J., 1933 d, 368  
 as syn. of *Trichonema bicoronatum*
- Cylicodontophorus bicoronatum* (Looss, 1902)  
 Lizcano Herrera, J., 1950 b, 316-317, figs.  
 caballo  
 mulo  
 asno  
 all from Spain
- Cylicodontophorus bicoronatum* (Looss, 1902)  
 Lizcano Herrera, J., 1951 a, 292, pl. 7, figs.  
 41-43  
 caballo: España
- Cylicodontophorus bicoronatus*  
 Lucke, J. T., 1938 a, 1-5, figs. G-I  
 infective larvae, description and differentiation
- Cylicodontophorus bicoronatus*  
 McIntosh, A., 1933 c, 110  
 equines: Puerto Rico
- Cylicodontophorus bicoronatus*  
 Noda, R., 1957 a, 341  
 Tokara pony
- Cylicodontophorus bicoronatus*  
 Olsen, L. S.; Todd, A. C.; and Hansen, M. F., 1949 a, 41  
 horses
- Cylicodontophorus bicoronatus*  
 Ressang, A. A.; Fischer, H.; and Muchlis, A., 1959 a, 92  
 Equus caballus
- Cylicodontophorus bicoronatum*  
 Roetti, C., 1939 b, 374  
 cavallo abissino: Scioa
- Cylicodontophorus bicoronatum* (Looss, 1900)  
 Safronov, M. G., [1954 a], 637  
 horses: Yakutsk ASSR
- Cylicodontophorus bicoronatus*  
 Schwartz, B., 1936 d, 53
- Cylicodontophorus bicoronatus*  
 Swanson, L. E., 1939 a, 29  
 horse: Hawaiian Is.
- Cylicodontophorus bicoronatus*  
 Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 893  
 Equus caballus: Netherlands
- Cylicodontophorus bicoronatum* Looss, 1900  
 Toshchev, A. P., 1949 b, 175  
 horses: eastern Siberia
- Cylicodontophorus bicoronatum* (Looss, 1900)  
 Vaivarinía, Kh. F., 1954 a, 304  
 horse: Latvian SSR
- Cylicodontophorus bicoronatus*  
 Van Volkenberg, H. L., 1938 a, 7  
 horse: Puerto Rico
- Cylicodontophorus bicoronatus* (Looss, 1900)  
 Van Volkenberg, H. L., 1939 a, 7  
 horse: Puerto Rico
- Cylicodontophorus bicoronatum* (Looss, 1902)  
 Volkova, Z. M., 1950 a, 70  
 horses: Kirgizia
- Cylicodontophorus bicoronatum* (Looss, 1900)  
 Erschow, 1939  
 Vražić, O.; and Rijavec, M., 1960 a, 130, 132, 133  
 Equus asinus: P.R. of Croatia
- Cylicodontophorus euproctus* [n. comb.]  
 Cram, E. B., 1924 g, 670
- Cylicodontophorus euproctus* (Boulenger)  
 Alicata, J. E., 1947 a, 75, 81  
 horses: Hawaii
- Cylicodontophorus euproctus*  
 Andrews, J. S., [1941 a], 133  
 ganado equino: Puerto Rico
- Cylicodontophorus euproctus* (Boulenger)  
 Cram, E. B., 1925 e, 230
- Cylicodontophorus euproctus* (Boulenger, 1920)  
 Ershov, V. S., 1943 b, 74, 75, 82, 83  
 key
- Cylicodontophorus euproctus* (Boulenger, 1917)  
 Foster, A. O., 1936 d, 59  
 equines: Panama
- Cylicodontophorus euproctus* (Boulenger, 1917)  
 Foster, A. O., 1936 e, 493, 502
- Cylicodontophorus euproctus* (Boulenger, 1917)  
 Foster, A. O.; and Alicata, J. E., 1939 a, 7  
 equines: Hawaii
- Cylicodontophorus euproctus*  
 Foster, A. O.; and Ortiz O., P., 1937 a, 361
- Cylicodontophorus euproctus* (Boulenger, 1917)  
 Erschow, 1939  
 Kazlauskas, J., [1959 a], 87  
 horses: Lithuanian SSR
- Cylicodontophorus euproctus*  
 McIntosh, A., 1933 c, 110  
 equines: Puerto Rico
- Cylicodontophorus euproctus* (Boulenger, 1920)  
 Safronov, M. G., [1954 a], 637  
 horses: Yakutsk ASSR
- Cylicodontophorus euproctus*  
 Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 893  
 Equus caballus: Netherlands
- Cylicodontophorus euproctus* Boulenger  
 Uditsev, A. N., 1929 a, 123
- Cylicodontophorus euproctus*  
 Van Volkenberg, H. L., 1938 a, 7  
 horse: Puerto Rico
- Cylicodontophorus euproctus* (Boulenger, 1917)  
 Van Volkenberg, H. L., 1939 a, 7  
 horse: Puerto Rico
- Cylicodontophorus ihlei* [n. comb.]  
 Cram, E. B., 1924 g, 670
- Cylicodontophorus ihlei*  
 Cram, E. B., 1925 e, 230
- Cylicodontophorus ihlei* (Kotlan, 1921)  
 Lizcano Herrera, J., 1950 b, 317-318, figs.  
 caballo: Spain
- Cylicodontophorus ihlei* (Kotlan, 1921)  
 Lizcano Herrera, J., 1951 a, 292, pl. 7, figs.  
 38-40  
 caballo: Espana
- Cylicodontophorus ihlei*  
 McIntosh, A., 1933 c, 110  
 equines: Puerto Rico
- Cylicodontophorus ihlei*  
 Van Volkenberg, H. L., 1938 a, 7  
 horse: Puerto Rico

- Cylicodontophorus ihlei* (Kotlan, 1921)  
 Van Volkenberg, H. L., 1939 a, 7  
 horse: Puerto Rico
- Cylicodontophorus leptostomum* (Kotlan, 1902)  
 Volkova, Z. M., 1950 a, 70  
 horses (colon): Kirgizia
- Cylicodontophorus mettami* (Leiper) [n. comb.]  
 Foster, A. O., 1936 d, 59  
 equines: Panama
- Cylicodontophorus mettami* (Leiper, 1913)  
 Ershov, V. S., 1943 b, 74, 75, 82, 83  
 key
- C[ylicodontophorus] mettami*  
 Foster, A. O.; and Ortiz O., P., 1937 a, 360  
 "not taken from imported equines"
- Cylicodontophorus mettami* (Leiper, 1913)  
 Kazlauskas, J., [1959 a], 87  
 horses: Lithuanian SSR
- Cylicodontophorus mettami*  
 Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 893  
*Equus caballus*: Netherlands
- Cylicodontophorus mettami* (Leiper, 1913)  
 Volkova, Z. M., 1950 a, 70  
 horses: Kirgizia
- Cylicodontophorus mongolica* Tshoijo, 1957  
 Choizho, U., 1959 a, 355-360, figs. 13-14, 17-20; pl., figs. 15-16
- Cylicodontophorus mongolica* Tshoijo, 1957  
 Popova, T. I., 1958 a, 379-380  
*Equus caballus*  
 mule  
 both from Mongolian People's Republic
- Cylicodontophorus ornatum* (Kotlan, 1919)  
 Ershov, V. S., 1943 b, 74, 75, 82, 83  
 key
- Cylicodontophorus ornatum* (Kotlan, 1919)  
 Safronov, M. G., [1954 a], 637  
 horses: Yakutsk, ASSR
- Cylicodontophorus pateratum* (Yorke and Macfie, 1919)  
 Ershov, V. S., 1943 b, 71, 75, 82, 83, fig. 3  
 key
- Cylicodontophorus pateratum* (Yorke et Macfie, 1919) Erschow, 1939  
 Kazlauskas, J., [1959 a], 87  
 horses: Lithuanian SSR
- Cylicodontophorus pateratum* (Jorke et Macfie, 1919) Erschow, 1939  
 Lesin'sh, K. P., 1959 a, 107  
 horses: south-east districts of Estonian SSR
- Cylicodontophorus pateratum* (Yorke and Macfie, 1919)  
 Vaivarinia, Kh. F., 1954 a, 304  
 horse: Latvian SSR
- Cylicodontophorus pateratum* (Yorke et Macfie, 1919)  
 Volkova, Z. M., 1950 a, 70  
 horses: Kirgizia
- Cylicodontophorus pateratum* (Yorke i Macfie, 1919) Erschow, 1939  
 Vražić, O.; and Rijavec, M., 1960 a, 130, 132, 133  
*Equus asinus*: P.R. of Croatia
- Cylicodontophorus sagittatum* (Kotlan, 1920)  
 Ershov, V. S., 1943 b, 74, 75, 82  
 key
- Cylicodontophorus sagittatum* (Kotlan, 1920)  
 Erschow, 1939  
 Kazlauskas, J., [1959 a], 87  
 horses: Lithuanian SSR
- Cylicodontophorus sagittatum* Kotlan, 1920  
 Toshchev, A. P., 1949 b, 175  
 horses: eastern Siberia
- Cylicodontophorus sagittatum* (Kotlan, 1920)  
 Vaivarinia, Kh. F., 1954 a, 304  
 horse: Latvian SSR
- Cylicodontophorus sagittatum* (Kotlan, 1920)  
 Volkova, Z. M., 1950 a, 70  
 horses: Kirgizia
- Cylicodontophorus ultrajectinum* [n. comb.]  
 Cram, E. B., 1924 g, 670
- Cylicodontophorus ultrajectinus*  
 Cram, E. B., 1925 e, 230
- Cylicodontophorus ultrajectinus*  
 Andrews, J. S., [1941 a], 133  
 ganado equino: Puerto Rico
- Cylicodontophorus ultrajectinus* (Ihle, 1920)  
 Foster, A. O., 1936 d, 59  
 equines: Panama
- Cylicodontophorus ultrajectinus* (Ihle, 1920)  
 Foster, A. O., 1936 e, 493, 502
- Cylicodontophorus ultrajectinus*  
 Foster, A. O.; and Ortiz O., P., 1937 a, 361
- Cylicodontophorus ultrajectinum*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema ultrajectinum*
- Cylicodontophorus ultrajectinus* (Ihle)  
 Lucke, J. T., 1935 a, 381-385, figs. 1-3  
 infective larva, morphology and development
- Cylicodontophorus ultrajectinus*  
 Lucke, J. T., 1936 a, 22, 25  
 infective larvae
- Cylicodontophorus ultrajectinus*  
 McIntosh, A., 1933 c, 110  
 equines: Puerto Rico
- Cylicodontophorus ultrajectinus*  
 Ressang, A. A.; Fischer, H.; and Muchlis, A., 1959 a, 92  
*Equus caballus*: Indonesia
- Cylicodontophorus ultrajectinus*  
 Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 893  
*Equus caballus*: Netherlands
- Cylicodontophorus ultrajectinus*  
 Van Volkenberg, H. L., 1938 a, 7  
 horse: Puerto Rico
- Cylicodontophorus ultrajectinus* (Ihle, 1920)  
 Van Volkenberg, H. L., 1939 a, 7  
 horse: Puerto Rico
- Cylicospirura* n. g.  
 Vevers, G. M., 1923 g, 901, 909-910  
 tod: *C. subaequalis* (Molin) [n. comb.]
- Cylicospirura* Vevers  
 Baylis, H. A., 1929 c, 232
- Cylicospirura* Vevers, 1923  
 Baylis, H. A., 1939 b, xxvi, 96, 113  
*Spiruridae, Ascaropsinae*  
 type: *C. subaequalis* (Molin, 1860)
- Cylicospirura* Vevers, 1923  
 Baylis, H. A.; and Daubney, R., 1926 a, 216  
 type: *C. subaequalis* (Molin)
- Cylicospirura* Vevers, 1922  
 Chabaud, A. G., 1959 c, 12, 18  
*Spiruridae, Spirurinae*  
 Syns.: *Gastronodus* Singh, 1934; *Skrjabino cercina* Matschulsky, 1952; *Petrowospirura* Matschulsky, 1952
- Cylicospirura* Vevers, 1922  
 Chabaud, A. G., 1959 d, 132-133, 134  
 Syns.: *Gastronodus*; *Skrjabinocercina*  
 type: *C. subaequalis* (Molin, 1860)
- Cylicospirura*  
 Chitwood, B. G.; and Wehr, E. E., 1932 a, 168  
 taxonomy
- Cylicospirura* Vevers  
 Chitwood, B. G.; and Wehr, E. E., 1934 a, 286, 292, 293, 315, 333, fig. 6K; pl. 1
- Cylicospirura*  
 Gushanskaia, L. K., 1931 a, 280
- Cylicospirura* Vevers  
 Rauther, M., 1930 a, 371
- Cylicospirura* Vers  
 Shul'ts, R. E. S., 1927 e, 307
- Cylicospirura*  
 Sprehn, C. E. W., 1927 e, 55
- Cylicospirura* Vevers, 1922  
 Sprehn, C. E. W., 1932 c, 592, 593  
 type species: *C. subaequalis* (Molin, 1860)

- Cylicospirura Vevers, 1922*  
*Tüdzil, A. N., 1939 a, 32, 33*
- Spiruridae*
- Cylicospirura Vevers, 1922*  
*Yorke, W.; and Maplestone, P. A., 1926 a, 291, 294-295*  
*type: C. subaequalis (Molin, 1860)*  
*Cylicospirura arctica (Petrow, 1927) n. comb.*  
*Chabaud, A. G., 1959 d, 133, 134*
- Cylicospirura felineus (Chandler) Sandground, new combination*  
*Sandground, J. H., 1930 b, 483*  
*Syns.: Spirocercia felineus Chandler, 1925; S. subaequalis (Molin) of Seurat, 1913*  
*Felis ocreata: Algeria*  
*F. domestica: India*
- Cylicospirura felineus (Chandler, 1925) Sandground*  
*Sandground, J. H., 1933 c, 542, 569-570, figs. 25-26*  
*Syns.: Spirocercia subaequalis Seurat, 1913; S. felineus Chandler, 1925; Cylicospirura subaequalis Petrow, 1927*  
*Felis bengalensis (intestine) ("more likely stomach"): Moung Moung*
- Cylicospirura felinea (Chandler, 1925) Sandground, 1933, emend.*  
*Baylis, H. A., 1939 b, xxvi, 113-116, 254, figs. 65-67*  
*synonymy*  
*domestic cat: Calcutta*
- Cylicospirura felineus*  
*Chitwood, B. G.; and Wehr, E. E., 1934 a, 293*
- Cylicospirura felineus (Chandler) Sandground*  
*Hill, W. C. O., 1939 c, 638*
- Cylicospirura felis*  
*Sandground, J. H., 1933 c, 570*  
*[? for C. felineus (Chandler) Sandground]*
- Cylicospirura heydoni (Baylis, 1927) n. comb.*  
*Chabaud, A. G., 1959 d, 133, 134*
- Cylicospirura petrowi (Matschulsky, 1952) n. comb.*  
*Chabaud, A. G., 1959 d, 133, 134*
- Cylicospirura strasseni (Singh, 1934) n. comb.*  
*Chabaud, A. G., 1959 d, 133, 134*
- Cylicospirura subaequalis (Molin) [n. comb.] (tod)*  
*Vevers, G. M., 1923 g, 901, 909, figs. 6-7*  
*Felis tigris: Malay States*
- Cylicospirura subaequalis*  
*Alwar, V. S.; and Lalitha, C. M., 1958 b, 292*  
*Felis catus: Madras*
- Cylicospirura subaequalis*  
*Andrews, M. N., 1937 a, 147, 149, 150*  
*cats: Shanghai*
- Cylicospirura subaequalis (Molin)*  
*Baylis, H. A., 1929 c, 233, fig. 173*  
*cat*
- Cylicospirura subaequalis (Molin, 1860)*  
*Baylis, H. A.; and Daubney, R., 1926 a, 216*
- Cylicospirura subaequalis (Molin, 1860) (type)*  
*Chabaud, A. G., 1959 d, 133, 134*  
*Syn.: Petrospirura lynxei Matschulsky, 1952*
- Cylicospirura subaequalis*  
*Chitwood, B. G.; and Chitwood, M. B., 1938 a, 62, 63, fig. 58 O*
- Cylicospirura subaequalis*  
*Chitwood, B. G.; and Wehr, E. E., 1934 a, 293*
- Cylicospirura subaequalis (Molin)*  
*Freund, L., 1930 c, 103-104, fig. 42*
- Cylicospirura subaequalis (Molin) Vevers*  
*Hill, W. C. O., 1939 c, 638*
- Cylicospirura subaequalis*  
*Irgashev, I. Kh., 1958 a, 43*  
*fox: Samarkand oblast*
- Cylicospirura subaequalis*  
*Lancaster, W. E., 1939 a, 51*  
*as syn. of Spirocercia felis*
- Cylicospirura subaequalis*  
*Lancaster, W. E., 1957 a, 159*  
*Syn.: Spiroptera subaequalis*  
*cat: Maiaya*
- Cylicospirura subaequalis*  
*Lu, Chao, 1941 a, 252*  
*cat: China*
- Cylicospirura subaequalis (Molin, 1860)*  
*Mudaliar, S. V.; and Alwar, V. S., 1947 b, 90*  
*tiger: Madras*
- Cylicospirura subaequalis (Molin)*  
*Petrov, A. M., 1927 d, 265*
- Cylicospirura subaequalis (Molin)*  
*Rauther, M., 1930 a, 358, 371*
- Cylicospirura subaequalis Molin*  
*Sandground, J. H., 1929 a, 2*  
*Felis leo*
- Cylicospirura subaequalis (Molin)*  
*Sandground, J. H., 1930 b, 480-483, fig. 399, 1-3*  
*Felis leo*
- Cylicospirura subaequalis (Molin, 1860)*  
*Sandground, J. H., 1933 c, 569, 570*
- Cylicospirura subaequalis Petrow, 1927*  
*Sandground, J. H., 1933 c, 569, 570*  
*as syn. of C. felineus (Chandler, 1925) Sandground*
- Cylicospirura subaequalis*  
*Sprehn, C. E. W., 1927 e, 55*
- Cylicospirura subaequalis (Molin, 1860)*  
*Sprehn, C. E. W., 1932 c, 593, 594, 819, 820*  
*Syns.: Spiroptera subaequalis Molin, 1860; Spirocercia subaequalis (Molin, 1860) Seurat, 1913; Spirocercia felineus Chandler, 1925*  
*Felis catus (Magen)*  
*Vulpes vulpes*  
*both from Indien*
- Cylicospirura subaequalis (Molin, 1860)*  
*Tüdzil, A. N., 1939 a, 33*
- Cylicospirura subaequalis (Molin, 1860)*  
*Witenberg, G. G., 1934 a, 238*  
*cat*
- Cylicospirura subaequalis (Molin, 1860) (type)*  
*Yorke, W.; and Maplestone, P. A., 1926 a, 295, fig. 202*  
*Felis spp.*
- Cylicostephanus*  
*Alicata, J. E., 1947 a, 81*  
*[lapsus as Cylicosternus]*
- Cylicostephanus Ihle, 1922*  
*Baylis, H. A., 1936 a, 265*  
*as syn. of Trichonema Le Roux, 1924, subg.*
- Cylicostephanus*  
*Cram, E. B., 1924 g, 669*
- Cylicostephanus*  
*Cram, E. B., 1925 e, 230*  
*type: Cylicostephanus calicatus (Looss)*
- Cylicostephanus Ihle*  
*Ershov, V. S., 1930 d, 277*
- Cylicostephanus Ihle, 1922, subg.*  
*Ershov, V. S., 1933 b, 57, 59*  
*subgenus of Trichonema*  
*diagnosis*
- Cylicostephanus Ihle, 1922*  
*Foster, A. O., 1936 e, 493*
- Cylicostephanus*  
*Ihle, J. E. W., 1922 b, 77-78*  
*type: Cylicostomum calicatum*
- Cylicostephanus Ihle*  
*Ihle, J. E. W., 1925 b, 228, 234*
- Cylicostephanus Ihle, 1922*  
*McIntosh, A., 1951 a, 34*  
*includes: C. calicatus (Looss, 1900) Cram, 1924, genotype; C. barbatus (Smit and Noto-soediro, 1923) Cram, 1925; C. hybridus (Kotlan, 1920) Cram, 1924; C. longibursatus (Yorke and Macfie, 1918) Cram, 1924; C. poculatus (Looss, 1900) Cram, 1924; C. parvibursatus (Vaz, 1934) Foster and Alicata, 1939; C. minutus (Yorke and Macfie, 1918) Cram, 1924*

- Cylicostephanus* (Ihle, 1922), subg.  
 Rosa, W. A.; and Galofre, E. J., 1940 a, 19, 32  
 subgenus of *Trichonema*
- Cylicostephanus* Ihle, 1922 [subg.]  
 Skladnik, J., 1935 b, 161
- Cylicostephanus* Ihle, 1922, subg.  
 Sprehn, C. E. W., 1932 c, 655  
 subgenus of *Trichonema*  
 type: *Trichonema (C.) calicatum* (Looss, 1900)  
 Syn.: *Trichonema Le Roux*, 1924
- Cylicostephanus* Ihle, 1922  
 Theiler, G., 1923 a, 22
- Cylicostephanus* Ihle, subgen.  
 Udintsev, A. N., 1929 a, 114
- Cylicostephanus* Ihle  
 Wetzel, R., 1926 a, 739
- Cylicostephanus* Ihle, 1922  
 Yorke, W.; and Maplestorne, P. A., 1926 a, 57
- Cylicostephanus* spp.  
 Olsen, L. S.; Todd, A. C.; and Hansen, M. F., 1949 a, 41  
 horses
- Cylicostephanus asymmetricus* [n. comb.]  
 Cram, E. B., 1925 e, 230
- Cylicostephanus asymmetricus* (G. Theiler)  
 Alicata, J. E., 1947 a, 75, 81  
 [lapsus p. 81 as *Cylicosternus asymmetricus*]  
 horses: Hawaii
- Cylicostephanus asymmetricus* (Theiler, 1923)  
 Foster, A. O., 1936 d, 59  
 equines: Panama
- Cylicostephanus asymmetricus*  
 Foster, A. O., 1944 c, 18
- Cylicostephanus asymmetricus* (G. Theiler, 1923)  
 Foster, A. O.; and Alicata, J. E., 1939 a, 6-7  
 horse: Hawaii
- Cylicostephanus asymmetricus*  
 Foster, A. O.; and Ortiz O., P., 1937 a, 361
- Cylicostephanus asymmetricus* [sic]  
 Swierstra, D.; Jansen, J. (jr.); and van den Brook, E., 1959 a, 893  
*Equus caballus*: Netherlands
- Cylicostephanus barbatus* [n. comb.]  
 Cram, E. B., 1925 e, 230
- Cylicostephanus barbatum*  
 Krijgsman, B. J., 1933 d, 368  
 as syn. of *Trichonema barbatum*
- Cylicostephanus barbatus*  
 Ressang, A. A.; Fischer, H.; and Muchlis, A., 1959 a, 92  
*Equus caballus*: Indonesia
- Cylicostephanus calicatum* [n. comb.]  
 Cram, E. B., 1924 g, 671
- Cylicostephanus calicatus* (Looss)  
 Cram, E. B., 1925 e, 230
- Cylicostephanus calicatus* (Looss)  
 Alicata, J. E., 1947 a, 75, 81  
 horses: Hawaii
- Cylicostephanus calicatus*  
 Andrews, J. S., [1941 a], 133  
 ganado equino: Puerto Rico
- Cylicostephanus calicatus*  
 Drudge, J. H.; Wyant, Z. N.; and Elam, G. W., 1955 a, 19  
 horses, treatment
- Cylicostephanus calicatus* (Looss, 1900)  
 Foster, A. O., 1936 d, 59  
 equines: Panama
- Cylicostephanus calicatus* (Looss, 1900)  
 Foster, A. O., 1936 e, 493-494, 501, 502, 506
- Cylicostephanus calicatus*  
 Foster, A. O., 1937 c, 71, 72
- Cylicostephanus calicatus*  
 Foster, A. O., 1942 a, 465, 466
- Cylicostephanus calicatus* (Looss, 1900)  
 Foster, A. O.; and Alicata, J. E., 1939 a, 6  
 horse: Hawaii
- Cylicostephanus calicatus*  
 Foster, A. O.; and Ortiz O., P., 1937 a, 361, 362, 363
- Cylicostephanus calicatus* (Looss, 1900)  
 Kreis, H. A., 1962 a, 111  
*Equus caballus*
- Cylicostephanus calicatum*  
 Krijgsman, B. J., 1933 d, 368  
 as syn. of *Trichonema calicatum*
- Cylicostephanus calicatus*  
 McIntosh, A., 1933 c, 110  
 equines: Puerto Rico
- Cylicostephanus calicatus*  
 Ressang, A. A.; Fischer, H.; and Muchlis, A., 1959 a, 92  
*Equus caballus*: Indonesia
- Cylicostephanus calicatus*  
 Swierstra, D.; Jansen, J. (jr.); and van den Brook, E., 1959 a, 893  
*Equus caballus*: Netherlands
- Cylicostephanus calicatus*  
 Van Volkenberg, H. L., 1938 a, 8  
 horse: Puerto Rico
- Cylicostephanus calicatus* (Looss, 1900)  
 Van Volkenberg, H. L., 1939 a, 7  
 horse: Puerto Rico
- Cylicostephanus hybridum* [n. comb.]  
 Cram, E. B., 1924 g, 671
- Cylicostephanus hybridus*  
 Cram, E. B., 1925 e, 230
- Cylicostephanus hybridus* (Kotlán, 1920)  
 Foster, A. O., 1936 d, 59  
 equines: Panama
- Cylicostephanus hybridus* (Kotlán, 1920)  
 Foster, A. O., 1936 e, 494, 502
- Cylicostephanus hybridus*  
 Foster, A. O.; and Ortiz O., P., 1937 a, 361
- Cylicostephanus hibridum* (Kotlán, 1920)  
 Lizcano Herrera, J., 1950 b, 303-304, figs.  
 caballo: Spain  
 mulo: Spain
- Cylicostephanus hibridum* (Kotlán, 1920)  
 Lizcano Herrera, J., 1951 a, 285-286, pl. 2,  
 figs. 12-14  
 caballo: España  
 mulo: España
- Cylicostephanus hybridus*  
 Olsen, L. S.; Todd, A. C.; and Hansen, M. F., 1949 a, 41  
 horses
- Cylicostephanus longibursatum* [n. comb.]  
 Cram, E. B., 1924 g, 671
- Cylicostephanus longibursatus*  
 Cram E. B., 1925 e, 230
- Cylicostephanus longibursatus* (Yorke and Macfie)  
 Alicata, J. E., 1947 a, 75, 81  
 horses: Hawaii
- Cylicostephanus longibursatus*  
 Andrews, J. S., [1941 a], 133  
 ganado equino: Puerto Rico
- Cylicostephanus longibursatus*  
 Drudge, J. H.; Wyant, Z. N.; and Elam, G. W., 1955 a, 19  
 horses, treatment
- Cylicostephanus longibursatus* (Yorke and Macfie)  
 Foster, A. O., 1936 d, 59  
 equines: Panama
- Cylicostephanus longibursatus* (Yorke and Macfie, 1918)  
 Foster, A. O., 1936 e, 494, 501, 502, 506
- Cylicostephanus longibursatus*  
 Foster, A. O., 1937 c, 71, 72
- Cylicostephanus longibursatus*  
 Foster, A. O., 1942 a, 465, 466
- Cylicostephanus longibursatus* (Yorke and Macfie, 1918)  
 Foster, A. O.; and Alicata, J. E., 1939 a, 6  
 horse: Hawaii

- Cylicostephanus longibursatus*  
 Foster, A. O.; and Ortiz O., P., 1937 a, 361,  
 363
- Cylicostephanus longibursatum*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema longibursatum*
- Cylicostephanus longibursatus*  
 McIntosh, A., 1933 c, 110  
 equines: Puerto Rico
- Cylicostephanus longibursatus*  
 Noda, R., 1957 a, 341  
 Tokara pony
- Cylicostephanus longibursatus*  
 Ressang, A. A.; Fischer, H.; and Muchlis, A.,  
 1959 a, 92  
 Equus caballus: Indonesia
- Cylicostephanus longibursatus*  
 Swanson, L. E., 1939 a, 29  
 horse: Hawaiian Is.  
 mule: Hawaiian Is.
- Cylicostephanus longibursatus*  
 Swierstra, D.; Jansen, J. (jr.); and van den  
 Broek, E., 1959 a, 893  
 Equus caballus: Netherlands
- Cylicostephanus longibursatus*  
 Van Volkenberg, H. L., 1938 a, 8  
 horse: Puerto Rico
- Cylicostephanus longibursatus* (Yorke and Macfie,  
 1918)  
 Van Volkenberg, H. L., 1939 a, 7  
 horse: Puerto Rico
- Cylicostephanus minutum* [n. comb.]  
 Cram, E. B., 1924 g, 671
- Cylicostephanus minutus*  
 Cram, E. B., 1925 e, 230
- Cylicostephanus minutus* (Yorke and Macfie)  
 Alicata, J. E., 1947 a, 75, 81  
 horses: Hawaii
- Cylicostephanus minutus*  
 Andrews, J. S., [1941 a], 133  
 ganado equino: Puerto Rico
- Cylicostephanus minutus*  
 Drudge, J. H.; Wyant, Z. N.; and Elam, G. W.,  
 1955 a, 19  
 horses, treatment
- Cylicostephanus minutus* (Yorke and Macfie, 1918)  
 Foster, A. O., 1936 d, 59  
 equines: Panama
- Cylicostephanus minutus* (Yorke and Macfie, 1918)  
 Foster, A. O., 1936 e, 494, 502, 506
- Cylicostephanus minutus*  
 Foster, A. O., 1937 c, 71, 72
- Cylicostephanus minutus*  
 Foster, A. O., 1942 a, 465, 466
- Cylicostephanus minutus*  
 Foster, A. O., 1944 c, 17
- Cylicostephanus minutus* (Yorke and Macfie, 1918)  
 Foster, A. O.; and Alicata, J. E., 1939 a, 6  
 horse: Hawaii
- Cylicostephanus minutus*  
 Foster, A. O.; and Ortiz O., P., 1937 a, 361,  
 363
- Cylicostephanus minutum*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema minutum*
- Cylicostephanus minutum* (Yorke y Macfie, 1918)  
 Lizcano Herrera, J., 1950 b, 306-307, figs.  
 caballo  
 asno  
 cebra  
 all from Spain
- Cylicostephanus minutum* (Yorke y Macfie, 1918)  
 Lizcano Herrera, J., 1951 a, 286-287, pl. 3,  
 figs. 17-19  
 caballo: España  
 mulos: España
- Cylicostephanus minutus*  
 McIntosh, A., 1933 c, 110  
 equines: Puerto Rico
- Cylicostephanus minutus*  
 Noda, R., 1957 a, 341  
 Tokara pony
- Cylicostephanus minutus*  
 Ressang, A. A.; Fischer, H.; and Muchlis, A.,  
 1959 a, 92  
 Equus caballus: Indonesia
- Cylicostephanus minutus*  
 Swierstra, D.; Jansen, J. (jr.); and van den  
 Broek, E., 1959 a, 893  
 Equus caballus: Netherlands
- Cylicostephanus minutus*  
 Van Volkenberg, H. L., 1938 a, 8  
 horse: Puerto Rico
- Cylicostephanus minutus* (Yorke and Macfie, 1918)  
 Van Volkenberg, H. L., 1939 a, 7  
 horse: Puerto Rico
- Cylicostephanus parvibursatus* Vaz, 1934  
 Foster, A. O.; and Alicata, J. E., 1939 a, 7
- Cylicostephanus poculatum* [n. comb.]  
 Cram, E. B., 1924 g, 671
- Cylicostephanus poculatus*  
 Cram, E. B., 1925 e, 230
- Cylicostephanus poculatus*  
 Drudge, J. H.; Wyant, Z. N.; and Elam, G. W.,  
 1955 a, 19  
 horses, treatment
- Cylicostephanus poculatus* (Looss)  
 Foster, A. O., 1936 d, 59  
 equines: Panama
- Cylicostephanus poculatus* (Looss, 1900)  
 Foster, A. O., 1936 e, 494, 502, 509
- Cylicostephanus poculatus*  
 Foster, A. O., 1942 a, 466
- Cylicostephanus poculatus*  
 Foster, A. O.; and Ortiz O., P., 1937 a, 361
- Cylicostephanus poculatum*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema poculatum*
- Cylicostephanus poculatum* (Looss, 1902)  
 Lizcano Herrera, J., 1950 b, 304-306, figs.  
 caballo: Spain
- Cylicostephanus poculatum* Looss, 1900  
 Lizcano Herrera, J., 1951 a, 286, pl. 3, figs.  
 15-16  
 caballo: España
- Cylicostephanus poculatus*  
 Noda, R., 1958 a, 270 (82)
- Cylicostephanus poculatus*  
 Olsen, L. S.; Todd, A. C.; and Hansen, M. F.,  
 1949 a, 41  
 horses
- Cylicostephanus poculatus*  
 Ressang, A. A.; Fischer, H.; and Muchlis, A.,  
 1959 a, 92  
 Equus caballus: Indonesia
- Cylicostephanus poculatus*  
 Swierstra, D.; Jansen, J. (jr.); and van den  
 Broek, E., 1959 a, 893  
 Equus caballus: Netherlands
- Cylicosternus* [lapsus for *Cylicostephanus*]  
 Alicata, J. E., 1947 a, 81
- Cylicostomes*  
 Butler, W. J., [1937 a], 1leaf [7]  
 horses
- Cylicostomes*  
 Butler, W. J., 1938 g, 1leaf 5  
 horses
- Cylicostomes*  
 Butler, W. J., 1939 e, 1leaf 3  
 horses, mortality
- Cylicostomes*  
 Hall, M. C., 1922 e, 768  
 treatment
- Cylicostomes*  
 Hoffman, H. A., 1939 a, 287  
 fatal disease of horses, case studies: Wood-  
 land, California

- Cylicostomes**  
 Koegel, A., 1928 d, 8  
 Pferde
- Cylicostomes**  
 Stein, C. L.; Lucker, J. T.; Osteen, O. L.;  
 and Gochenour, W. L., 1939 a, 538  
 horses, possible role of endoparasites in  
 transmission of infectious anemia
- Cylicostomes**  
 Swanson, L. E., 1941 b, 62  
 horses: Georgia  
 mule: Georgia
- Cylicostomias new genus**  
 Cram, E. B., 1925 e, 229-230  
 (tod: *C. aegyptiaca* (Railliet) [n. comb.]
- Cylicostomias Cram, 1925**  
 Baylis, H. A., 1936 a, 268  
 as syn. of *Cylicostomum Ihle*, 1922, subg.
- Cylicostomias Cram, 1925**  
 Yorke, W.; and Maplestone, P. A., 1926 a, 56  
 as syn. of *Trichonema* (*Trichonema*)
- Cylicostomias aegyptiaca (Railliet, 1923) [n. comb.] (tod)**  
 Cram, E. B., 1925 e, 229
- Cylicostomias coronata [n. comb.]**  
 Cram, E. B., 1925 e, 229
- Cylicostomias coronata**  
 Van Volkenberg, H. L., 1938 a, 8  
 horse: Puerto Rico
- Cylicostomias labiata [n. comb.]**  
 Cram, E. B., 1925 e, 229
- Cylicostomias labiata var. digitata [n. comb.]**  
 Cram, E. B., 1925 e, 229
- Cylicostomias labrata [n. comb.]**  
 Cram, E. B., 1925 e, 229
- Cylicostomias ornata [n. comb.]**  
 Cram, E. B., 1925 e, 229
- Cylicostomias sagittata [n. comb.]**  
 Cram, E. B., 1925 e, 229
- Cylicostomiasis**  
 Cambau, 1932 a, 65-69  
 verminous anemia
- Cylicostomiasis**  
 Carballo Pou, M., 1932 a, 244  
 equina
- [**Cylicostomiasis**] cylicostomose  
 Conrens, A. C., 1922 a  
 equines, verminous cachexia
- [**Cylicostomiasis**] cylicostomose  
 Conreur, C. J., 1915 a  
 equines, verminous cachexia
- [**Cylicostomiasis**] cylicostomose  
 Conreur, C. J., 1919 a  
 equines, osseous cachexia: Brésil
- Cylicostomiasis**  
 Conreur, C. J., 1920 a  
 equines, osseous cachexia: Brésil
- [**Cylicostomiasis**] cylicostomose  
 Cuillé, J. M.; Marotel, G.; and Roquet,  
 M. I. C., 1913 a  
 cheval
- Cylicostomiasis**  
 Desaint, M., 1930 a  
 treatment
- Cylicostomiasis**  
 Fontaine; and Roger, 1931 a  
 horses, verminous anemia
- Cylicostomiasis**  
 Lagaillard, J. M., 1932 a  
 horses, treatment
- [**Cylicostomiasis**] cylicostomose  
 Marcenac, L. N., 1929 a  
 cheval (intestine)
- Cylicostomiasis**  
 Marcenac, L. N., 1933 a  
 chlorobutène, dichlorobutane-chlorobutène
- [**Cylicostomiasis**] cylicostomose  
 Marcenac, L. N., 1933 b  
 horses, dichlorobutane
- [**Cylicostomiasis**] cylicostomose  
 Marcenac, L. N., 1933 c  
 horses, butylidene chloride
- [**Cylicostomiasis**] cylicostomose  
 Marcenac, L. N., 1934 c  
 horses, butane chloride
- [**Cylicostomiasis**] cylicostomose  
 Marotel, G., 1924 a  
 cheval
- Cylicostomiasis**  
 Marotel, G., 1931 a  
 verminous anemia
- [**Cylicostomiasis**] cylicostomose  
 Marotel, G., 1931 b  
 verminous anemia
- [**Cylicostomiasis**] cylicostomoses  
 Marotel, G.; and Bouchet, 1934 a  
 treatment
- Cylicostomiasis**  
 Monpert, 1929 a  
 horses, verminous anemia
- Cylicostomiasis**  
 Taylor, E. L., 1933 a, 399-406  
 control in horses
- Cylicostomiasis**  
 Wright, W. H.; et al., 1931 a  
 equines, N-butylidene chloride
- Cylicostominae**  
 Ihle, J. E. W., 1922 b, 17
- Cylicostominae**  
 Neveu-Lemaire, M., 1924 d, 132-133
- Cylicostominae (Railliet, 1915)**  
 Rosa, W. A.; and Galofre, E. J., 1940 a, 19
- Cylicostominae Railliet, 1915**  
 Sprehn, C. E. W., 1932 c, 650  
 as syn. of *Trichoneminae* Railliet, 1916
- Cylicostominae Railliet & Henry, 1914; Rail., 1915**  
 Theiler, G., 1923 a, 19  
 Syn.: *Cylichnostomidae* Looss, 1902
- Cylicostominae**  
 Witenberg, G. G., 1925 a, 284
- Cylicostominae Railliet, 1915**  
 Yorke, W.; and Maplestone, P. A., 1926 a, 52  
 as syn. of *Trichoneminae* Railliet
- Cylicostomum Looss**  
 Alessandrini, G. C., 1929 a, 187
- Cylicostomum**  
 Baylis, H. A., 1924 d, 15, 21
- Cylicostomum Railliet**  
 Baylis, H. A., 1929 c, 152  
 as syn. of *Trichonema Cobboid*
- Cylicostomum Ihle**  
 Baylis, H. A., 1929 c, 154
- Cylicostomum Ihle, 1922, subg.**  
 Baylis, H. A., 1936 a, 265, 268  
 subgenus of *Trichonema*  
 key to species; type: *Trichonema* (*Cylicostomum*) *aegyptiacum* Railliet, 1923
- Syn.: *Cylicostomias Cram, 1925*
- Cylicostomum Raill., 1901**  
 Baylis, H. A.; and Daubney, R., 1923 a, 571
- Cylicostomum Railliet, 1901**  
 Baylis, H. A.; and Daubney, R., 1926 a, 154  
 as syn. of *Trichonema Cobboid*
- Cylicostomum Ihle, 1922, s.gen.**  
 Baylis, H. A.; and Daubney, R., 1926 a, 155-156  
 type: *Trichonema* (*C.*) *aegyptiacum* Railliet
- Cylicostomum**  
 de Blieck, L.; and Baudet, E. A. R. F., 1926 a,  
 87, 88, 89, 90, 92, 95
- Cylicostomum Railliet & Henry 1902**  
 Boulenger, C. L., 1921 b, 319, 321-325  
 Syn.: *Cylichnostomum Looss 1902*
- Cylicostomum**  
 Cram, E. B., 1924 g, 666, 668, 669, 670, 672
- Cylicostomum**  
 Crawford, M., 1925 a, G4  
 factor in osteoporosis

- Cylicostomum** Looss  
   Fiebiger, J., 1923 a, 264
- Cylicostomum**  
   Hagan, W. A., 1919 b, 185, 190, 192
- Cylicostomum**  
   Hall, M. C.; Wilson, R. H.; and Wigdor, M.,  
 1918 a, 47-55  
     horse, treatment
- Cylicostomum**  
   Ihle, J. E. W., 1920 b, 267-275, figs. 1-2
- Cylicostomum**  
   Ihle, J. E. W., 1920 e, 760
- Cylicostomum**  
   Ihle, J. E. W., 1921 b, 397-402, figs. 1-3
- Cylicostomum**  
   Ihle, J. E. W., 1922 a, lxxvii
- Cylicostomum Railliet**  
   Ihle, J. E. W., 1922 b, 8, 10, 11, 12, 13, 15,  
 17, 19, 24, 34, 35, 36, 37-40, 101
- Cylicostomum**  
   Ihle, J. E. W., 1922 d, 90
- Cylicostomum**  
   Ihle, J. E. W., 1922 e
- Cylicostomum**  
   Ihle, J. E. W., 1924 b, 442-445
- Cylicostomum**  
   Ihle, J. E. W., 1925 a, 999
- Cylicostomum**  
   Ihle, J. E. W., 1925 b
- Cylicostomum**  
   Kamenski, S. N., 1905 a, 45
- Cylicostomum**  
   Knuth, P.; and Du Toit, P. J., 1921 a, 822
- Cylicostomum**  
   Kotlán, S., 1919 a, 82, 83, 84-85, 86, 87, 89,  
 92, 93, 94, 95
- Cylicostomum**  
   Kotlán, S., 1920 a, 85
- Cylicostomum**  
   Lane, C., 1921 c, 164
- Cylicostomum Railliet**  
   Lopez Neyra, C. R., 1924 a, 163-164
- Cylicostomum**  
   Marcenac, L. N., 1934 c, 1510  
     [lapsus as Cycostomum]
- Cylicostomum**  
   Pillers, A. W. N., 1922 c, 357, 358
- Cylicostomum Railliet & Henry**, 1902  
   Ransom, B. H.; and Hadwen, I. A. S., 1918 a,  
 203, 211-213  
     type sp.: *C. tetracanthum*  
     Syns.: *Cylichnostomum* Looss, 1902; *Cyathostomum* Molin, 1861 not *Cyathostoma* Binchrd.  
 1849
- Cylicostomum** (Railliet and Henry, 1902)  
   Rosa, W. A.; and Galofre, E. J., 1940 a, 19
- Cylicostomum** (Ihle, 1922), subg.  
   Rosa, W. A.; and Galofre, E. J., 1940 a, 19, 32  
     subgenus of *Trichonema*
- Cylicostomum**, subgen.  
   Roubaud, E.; and Descazeaux, J., 1939 a, 291,  
 294  
     subgenus of *Trichonema*
- Cylicostomum**  
   Sandground, J. H., 1921 a, 327
- Cylicostomum Railliet**  
   Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
 J. E. W., [1922 a], 387, 396, 400-402  
     Syns.: *Trichonema* Cobboid; *Cyathostomum*  
 Mol.; *Cylichnostomum* Looss
- Cylicostomum** Loos [sic], 1901 in Railliet, 1901  
   Sprehn, C. E. W., 1932 c, 650  
     as syn. of *Trichonema* Cobboid, 1874
- Cylicostomum**  
   Sturgess, G. W., 1928 a, 68
- Cylicostomum**  
   Thapar, G. S., 1924 a, 236
- Cylicostomum** Railliet & Henry, 1902  
   Theiler, G., 1923 a, 6, 9, 10, 11, 13, 15-16,  
 17, 20-22, 43  
     Syns.: *Cylichnostomum* Looss, 1902; *Cyathostomum* Mol. 1861; *Trichonema* Cobboid, 1874
- Cylicostomum** Ihle, 1922  
   Theiler, G., 1923 a, 21
- Cylicostomum**  
   Travassos, L. P., [1921 g], 95
- Cylicostomum**  
   Underhill, B. M., 1920 a, 281
- Cylicostomum**  
   Vieu, H.; and Barotte, J. H., 1924 a, 344
- Cylicostomum**  
   Wright, L. H., 1921 a, 313, 319-320
- Cylicostomum**  
   Wülker, G., 1924 a, 2, 5
- Cylicostomum**  
   Yorke, W.; and Macfie, J. W. S., 1920 b, 160
- Cylicostomum** Railliet, 1901  
   Yorke, W.; and Maplestone, P. A., 1926 a, 54,  
 59  
     as syn. of *Trichonema* Cobboid
- Cylicostomum** [sp.] larven  
   Baudet, E. A. R. F., 1925 c, 1145-1155, figs.  
   a-c
- Cylicostomum** (*Trichonema*) [sp.]  
   Bolona R., J., 1944 a, 17
- Cylicostomum** sp.  
   Chitwood, M. B., 1940 a, 230, 231, fig. 158M-O
- Cylicostomum** sp.  
   Gendre, E., 1928 a, 79  
     cheval  
     âne  
     mulet  
     all from Haute Guinée
- Cylicostomum** [sp.]  
   Hall, M. C., 1919 m, 26, 29, 30  
     horse, treatment
- Cylicostomum** spp.  
   Hall, M. C., 1923 h, 92-93, pl. 5, fig. 3
- Cylicostomum** spp.  
   Hall, M. C.; Smead, M. J.; and Wolf, C. F.,  
 1919 a, 543-549  
     horse, carbon bisulphid
- Cylicostomum** [sp.]  
   Ihle, J. E. W., 1922 a, lxxvii  
     horse (intestine)
- Cylicostomum** [sp.] larvae  
   Ihle, J. E. W.; and Van Oordt, G. J., 1923 a  
     horse
- Cylicostomum** [sp.]  
   Kotlán, S., 1920 a, 71  
     horse
- Cylicostomum** sp.  
   Krijgsman, B. J., 1933 d, 376  
     as syn. of *Trichonema* sp.
- Cylicostomum** [sp.]  
   Monpert, 1929 a  
     horses, verminous anemia
- Cylicostomum** sp.  
   Pillers, A. W. N., 1924 c, 122  
     horse: England
- Cylicostomum** [sp.]  
   Porter, A., 1944 a, 320  
     *Giraffa camelopardalis rothschildi*
- Cylicostomum** sp.  
   Porter, A., 1946 a, 385  
     *Giraffa camelopardalis*
- Cylicostomum** sp.  
   Price, E. W., 1928 e, 200  
     Texas
- Cylicostomum** spp.  
   Swales, W. E., 1933 a, 471  
     *Equus caballus*: Ontario

*Cylicostomum* (= *Trichonema*) spec. (durch de Blieck u. Baudet, 1926)  
 Wetzel, R.; and Quittek, G., 1940 a, 345-347  
 Pferd (Fohlen)

*Cylicostomum acuticaudatum* n. sp.  
 Kotlán, S., 1919 a, 90-91, 94, 95

*Cylicostomum acuticaudatum* Kotlán  
 Kotlán, S., 1921 g, 300, 302

*Cylicostomum acuticaudatum* Kotlán  
 Ihle, J. E. W., 1922 a, lxxvii  
 Syn.: *C. mucronatum* Ihle  
 horse

*Cylicostomum acuticaudatum* Kotlán, 1919  
 Sprehn, C. E. W., 1932 c, 648  
 as syn. of *Craterostomum acuticaudatum* (Kotlán, 1919)

*Cylicostomum acuticaudatum* Kotlán  
 Yorke, W.; and Maplestone, P. A., 1926 a, 45  
 as syn. of *Craterostomum acuticaudatum* (K.)

*Cylicostomum adersi* n. sp.  
 Boulenger, C. L., 1920 d, 30-32, figs. 3-5  
 donkey: Zanzibar

*Cylicostomum adersi* Boulenger  
 Ihle, J. E. W., 1920 b, 268

*Cylicostomum adersi*, Boulenger, 1920  
 Ihle, J. E. W., 1921 b, 399

*Cylicostomum* (*Cylicocyclus*) *adersi* Boulenger  
 Ihle, J. E. W., 1922 b, 64, 71-72

*Cylicostomum adersi* Boulenger  
 Ihle, J. E. W., 1925 b, 233

*Cylicostomum adersi* Boulenger  
 Lopez Neyra, C. R., 1924 a, 164

*Cylicostomum adersi* Boulenger  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 442

*Cylicostomum adersi* Boulenger, 1920  
 Sprehn, C. E. W., 1932 c, 662  
 as syn. of *Trichonema* (*Cylicocyclus*) *adersi* (Boulenger, 1920)

*Cylicostomum adersi* Boulenger, 1920  
 Theiler, G., 1923 a, 10, 11, 12, 13, 17, 22, 49, 102, 104, 106, 108, 110, 112, pl. XIX  
 donkey  
 zebra  
 mule

*Cylicostomum aegyptiacum* [n. comb.]  
 Cram, E. B., 1924 g, 670, 672

*Cylicostomum aegyptiacum* (*Raiilliet*)  
 Boulenger, C. L., 1926 a, 97  
 Equus asinus

*Cylicostomum aegyptiacum*  
 Ihle, J. E. W., 1924 b, 443

*Cylicostomum aegyptiacum*  
 Roetti, C., 1939 b, 374  
 mulo: Scioa  
 cavalllo abissino: Scioa

*Cylicostomum alveatum* (*Looss*)  
 Boulenger, C. L., 1926 a, 97  
 Equus asinus: Cairo

*Cylicostomum alveatum*  
 Hagan, W. A., 1919 b, 192

*Cylicostomum alveatum*  
 Hueber, P., 1926 a, 130, 131

*Cylicostomum alveatum* Looss  
 Ihle, J. E. W., 1920 b, 268

*Cylicostomum alveatum* (*Looss*, 1902)  
 Ihle, J. E. W., 1921 b, 398

*Cylicostomum* (*Cylicocercus*) *alveatum* (*Looss*)  
 Ihle, J. E. W., 1922 b, 51-53, figs. 44-46

*Cylicostomum alveatum*  
 Kotlán, S., 1919 a, 82, 90

*Cylicostomum alveatum*  
 Krijgsman, B. J., 1933 d, 368  
 as syn. of *Trichonema* *alveatum*

*Cylicostomum alveatum* Looss  
 Lopez Neyra, C. R., 1924 a, 164-165

*Cylicostomum alveatum* (*Looss*, 1900)  
 Ransom, B. H.; and Hadwen, I. A. S., 1918 a, 211  
 horse

*Cylicostomum alveatum*  
 Sandground, J. H., 1921 a, 327  
 horse  
 donkey

*Cylicostomum alveatum* (*Looss*)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 442

*Cylicostomum alveatum* (*Looss*, 1900)  
 Sprehn, C. E. W., 1932 c, 659  
 as syn. of *Trichonema* (*Cylicocercus*) *alveatum* (*Looss*, 1900)

*Cylicostomum alveatum* Looss, 1902  
 Theiler, G., 1923, 9, 10, 11, 12, 17, 21, 39, 100, 101, 102, 104, 106, 108, 110, 112, pl. XI  
 zebra  
 horse

*Cylicostomum alveatum* (*Loos*)  
 Veggia, F., 1920 a, 33

*Cylicostomum alveatum* (*Looss*)  
 Veiga, O., 1916 a, 91

*Cylicostomum alveatum*  
 Yorke, W.; and Macfie, J. W. S., 1920 a, 157

*Cylicostomum alveatum* Looss, 1900  
 Yorke, W.; and Macfie, J. W. S., 1920 c, 166  
 horse: Ilorin, Nigeria, West Africa

*Cylicostomum ashworthi* le Roux [n. comb.]  
 Ihle, J. E. W., 1925 b, 233, 234  
 as syn. of *Cylicostomum nassatum* *parvum*

*Cylicostomum ashworthi* Le Roux, 1924  
 Składnik, J., 1935 b, 153  
 as syn. of *Trichonema* (*Cylicocyclus*) *nassatum* (*Looss*, 1900)

*Cylicostomum ashworthi* Le Roux, 1924  
 Sprehn, C. E. W., 1932 c, 664  
 as syn. of *Trichonema* (*Cylicocyclus*) *nassatum* (*Looss*, 1900)

*Cylicostomum asymmetricum* n. sp.  
 Theiler, G., 1923 a, 9, 22, 57-58, 100, 101, 103, 104, 106, 108, 110, 112, pl. XXVII  
 horse  
 mule  
 donkey

*Cylicostomum asymmetricum* G. Theiler  
 Ihle, J. E. W., 1925 b, 232

*Cylicostomum asymmetricum* Theiler, 1923  
 Składnik, J., 1935 b, 169  
 as syn. of *Trichonema* (*Cylicotrapedon*) *asymmetricum* (Theiler, 1923)

*Cylicostomum auriculatum*  
 Boulenger, C. L., 1920 c, 103, 104

*Cylicostomum auriculatum*  
 Boulenger, C. L., 1920 d, 32

*Cylicostomum auriculatum* (*Looss*)  
 Boulenger, C. L., 1926 a, 98  
 Equus asinus: Cairo

*Cylicostomum auriculatum* Looss  
 Gedoeist, L., 1916 a, 71  
 ane: Zambi, Belg. Congo

*Cylicostomum auriculatum*  
 Hagan, W. A., 1919 b, 192

*Cylicostomum auriculatum* Looss  
 Ihle, J. E. W., 1920 b, 268

*Cylicostomum auriculatum* (*Looss*), 1902  
 Ihle, J. E. W., 1921 b, 399

*Cylicostomum* (*Cylicocyclus*) *auriculatum* (*Looss*)  
 Ihle, J. E. W., 1922 b, 11, 63, 72-73, figs. 79, 80

*Cylicostomum auriculatum* (*Looss*)  
 Ihle, J. E. W., 1925 b, 233

*Cylicostomum auriculatum*  
 Kotlán, S., 1919 a, 82, 92, 94

*Cylicostomum auriculatum*  
 Krijgsman, B. J., 1933 d, 368

*Cylicostomum auriculatum* Looss  
 Lopez Neyra, C. R., 1924 a, 164

*Cylicostomum auriculatum*  
 Mönnig, H. O., 1926 b, 225  
 Hippotigris zebra

- Cylicostomum auriculatum*  
Neefs, E., 1922 a, 323
- Cylicostomum auriculatum* (Looss, 1900)  
Ransom, B. H.; and Hadwen, I. A. S., 1918 a, 211  
horse
- Cylicostomum auriculatum*  
Sandground, J. H., 1921 a, 327  
horse  
donkey
- Cylicostomum auriculatum* (Looss)  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 442
- Cylicostomum (Cylicocycloides) auriculatum* Looss  
Smit, H. J.; and Noto Soediro, R., 1927 a, 52-54, fig. 3
- Cylicostomum auriculatum* (Looss, 1900)  
Sprehn, C. E. W., 1932 c, 662  
as syn. of *Trichonema (Cylicocycloides) auriculatum* (Looss, 1900)
- Cylicostomum auriculatum* Looss, 1902  
Theiler, G., 1923 a, 9, 10, 12, 17, 22, 52-53, 100, 101, 102, 104, 106, 108, 110, 112, pl. XXII  
donkey: South Africa; Egypt
- Cylicostomum auriculatum* (Looss)  
Tubangui, M. A., 1925 a, 28  
horse
- Cylicostomum auriculatum* (Loos)  
Veglia, F., 1920 a, 33
- Cylicostomum barbatum* n. sp.  
Smit, H. J.; and Noto Soediro R., [1923 e], 452-453, fig. 4  
horse: Java
- Cylicostomum barbatum* Smit & Notosoediro  
Ihle, J. E. W., 1925 b, 234-235
- Cylicostomum barbatum*  
Krijgsman, B. J., 1933 d, 368  
as syn. of *Trichonema barbatum*
- Cylicostomum barbatum* Smit and Notosoediro, 1923  
Składnik, J., 1935 b, 161  
as syn. of *Trichonema (Cylicostephanus) calicatum* (Looss, 1900)
- Cylicostomum barbatum*  
Smit, H. J., 1924 a, 430, fig. 35
- Cylicostomum barbatum* Smit u. Notosoediro, 1923  
Sprehn, C. E. W., 1932 c, 656  
as syn. of *Trichonema (Cylicostephanus) barbatum* (Smit u. Notosoediro, 1923)
- Cylicostomum bicoronatum* (Looss)  
Boulenger, C. L., 1926 a, 98  
*Equus asinus*: Cairo
- Cylicostomum bicoronatum*  
Hagan, W. A., 1919 b, 192
- Cylicostomum bicoronatum*  
Hall, M. C., 1933 k, 368  
horse: Maryland
- Cylicostomum bicoronatum* Looss  
Ihle, J. E. W., 1920 b, 269
- Cylicostomum bicoronatum* (Looss), 1902  
Ihle, J. E. W., 1921 b, 400
- Cylicostomum bicoronatum* (Looss)  
Ihle, J. E. W., 1922 a, 1xxvii
- Cylicostomum (Cylicodontophorus) bicoronatum* (Looss)  
Ihle, J. E. W., 1922 b, 16, 87-89, figs. 100-102
- Cylicostomum bicoronatum* (Looss)  
Ihle, J. E. W., 1925 b, 235  
type of *Cylicodontophorus*
- Cylicostomum bicoronatum*  
Kotlan, S., 1919 a, 82, 94
- Cylicostomum bicoronatum*  
Krijgsman, B. J., 1933 d, 368  
as syn. of *Trichonema bicoronatum*
- Cylicostomum bicoronatum* Looss  
Lopez Neyra, C. R., 1924 a, 166
- Cylicostomum bicoronatum* (Looss, 1900)  
Ransom, B. H.; and Hadwen, I. A. S., 1918 a, 211, 213  
horse
- Cylicostomum bicoronatum*  
Sandground, J. H., 1921 a, 327  
horse  
donkey
- Cylicostomum bicoronatum* (Looss)  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 443
- Cylicostomum (Cylicodontophorus) bicoronatum*  
Smit, H. J., 1924 a, 414-415, fig. 29
- Cylicostomum (Cylicodontophorus) bicoronatum* (Looss)  
Smit, H. J.; and Noto Soediro, R., [1923 d], 227-228, fig. 3
- Cylicostomum bicoronatum* (Looss, 1900)  
Sprehn, C. E. W., 1932 c, 665  
as syn. of *Trichonema (Cylicodontophorus) bicoronatum* (Looss, 1900)
- Cylicostomum bicoronatum*  
Swales, W. E., 1933 a, 471  
*Equus caballus*: Saskatchewan, Alberta
- Cylicostomum bicoronatum* Looss, 1902  
Theiler, G., 1923 a, 9, 13, 17, 22, 58-59, 100, 101, 103, 104, 106, 108, 110, 112, pl. XXVIII  
horse  
donkey  
mule
- Cylicostomum bicoronatum* (Loos)  
Veglia, F., 1920 a, 33
- Cylicostomum bicoronatum* Looss  
Yorke, W.; and Macfie, J. W. S., 1920 b, 160
- Cylicostomum bidentatum* n. sp.  
Ihle, J. E. W., 1925 b, 230-232, figs. 1-4  
type of *Cylicotrapedon* n. subgen.  
Pferde: Holland
- Cylicostomum bidentatum* Ihle, 1925  
Składnik, J., 1935 b, 169  
as syn. of *Trichonema (Cylicotrapedon) asymmetricum* (Theiler, 1923)
- Cylicostomum bidentatum* Ihle, 1925  
Sprehn, C. E. W., 1932 c, 667  
as syn. of *Trichonema (Cylicotrapedon) bidentatum* (Ihle, 1925)
- Cylicostomum bogoriense* n. sp.  
Smit, H. J.; and Noto Soediro, R., [1923 e], 446-448, fig. 1  
horse: Java
- Cylicostomum bogoriense* Smit & Notosoediro  
Ihle, J. E. W., 1925 b, 234
- Cylicostomum bogoriense*  
Krijgsman, B. J., 1933 d, 369  
as syn. of *Trichonema leptostomum*
- Cylicostomum bogoriense* Smit and Notosoediro, 1923  
Składnik, J., 1935 b, 145, 159  
as syn. of *Trichonema (Trichonema labratum* (Looss, 1900))  
as syn. of *Trichonema (Cylicocycloides) leptostomum* (Kotlán, 1920)
- Cylicostomum bogoriense*  
Smit, H. J., 1924 a, 416-417, fig. 32
- Cylicostomum bogoriense* Smit u. Notosoediro, 1923  
Sprehn, C. E. W., 1932 c, 654, 664  
as syn. of *Trichonema (Trichonema) labratum* (Looss, 1900)  
as syn. of *Trichonema (Cylicocycloides) leptostomum* (Kotlán, 1920)
- Cylicostomum brevicapsulatum* n. sp.  
Ihle, J. E. W., 1920 h, Mar. 1, 182-183
- Cylicostomum brevicapsulatum* Ihle  
Ihle, J. E. W., 1920 b, Dec. 2, 269
- Cylicostomum brevicapsulatum* n. sp.  
Ihle, J. E. W., 1920 c, Aug. 14, 562-565, figs. 1-6  
Pferd (Darm)

- Cylicostomum brevicapsulatum* Ihle, 1920  
 Ihle, J. E. W., 1921 b, 401
- Cylicostomum brevicapsulatum* Ihle  
 Ihle, J. E. W., 1922 a, lxxvii
- Cylicostomum brevicapsulatum*  
 Ihle, J. E. W., 1922 b, 16, 94-96, figs. 111-  
 114
- Cylicostomum brevicapsulatum* Ihle  
 Ihle, J. E. W., 1925 b, 236
- Cylicostomum brevicapsulatum*  
 Hueber, P., 1926 a, 130, 131
- Cylicostomum brevicapsulatum* Ihle  
 Kotlán, S., 1921 g, 307
- Cylicostomum brevicapsulatum* Ihle  
 Lopez Neyra, C. R., 1924 a, 166
- Cylicostomum brevicapsulatum* Ihle  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
 J. E. W., [1922 a], 443
- Cylicostomum brevicapsulatum* Ihle, 1920  
 Sprehn, C. E. W., 1932 c, 669  
 as syn. of *Trichonema (Cylicobrachulus)*  
*brevicapsulatum* (Ihle, 1920)
- Cylicostomum brevicapsulatum* Ihle, 1920  
 Theiler, G., 1923 a, 9, 18, 22, 62-63, 100,  
 101, 104, 106, 108, 110, 112, pl. XXXII  
 horse
- Cylicostomum calicatiforme* n. sp.  
 Kotlán, S., 1919 a, 87-88, 94, 95
- Cylicostomum calicatiforme* Kotlán  
 Ihle, J. E. W., 1920 b, 271
- Cylicostomum calicatiforme* Kotlán  
 Ihle, J. E. W., 1922 a, lxxvii  
 as syn. of *C. longibursatum* Yorke & Macfie
- Cylicostomum calicatiforme* Kotlán  
 Ihle, J. E. W., 1922 b, 81  
 as syn. of *Cylicostomum (Cylicostephanus)*  
*longibursatum* Yorke & Macfie
- Cylicostomum calicatiforme*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema longibursatum*
- Cylicostomum calicatiforme*  
 Smit, H. J.; and Noto Soediro, R., [1923 c], 67
- Cylicostomum calicatiforme* Kotlán, 1919  
 Sprehn, C. E. W., 1932 c, 657  
 as syn. of *Trichonema (Cylicostephanus)*  
*longibursatum* (Yorke u. Macfie, 1918)
- Cylicostomum calicatiforme* Kotlán  
 Yorke, W.; and Maplestone, P. A., 1926 a, 56  
 as syn. of *Trichonema longibursatum* (Yorke &  
 Macfie)
- Cylicostomum calicatum* (Looss, 1900)  
 Boulenger, C. L., 1921 b, 321  
 horse: Punjab
- Cylicostomum calicatum* (Looss)  
 Boulenger, C. L., 1926 a, 97  
 Equus asinus
- Cylicostomum calicatum*  
 Hagan, W. A., 1919 b, 192
- Cylicostomum calicatum* Looss  
 Ihle, J. E. W., 1920 b, 268
- Cylicostomum calicatum* (Looss)  
 Ihle, J. E. W., 1920 g, 134
- Cylicostomum calicatum* (Looss), 1902  
 Ihle, J. E. W., 1921 b, 399, 400
- Cylicostomum calicatum* (Looss)  
 Ihle, J. E. W., 1922 a, lxxvii
- Cylicostomum (Cylicostephanus) calicatum* (Looss)  
 Ihle, J. E. W., 1922 b, 16, 44, 77, 78-79, 83,  
 86, figs. 87-90  
 type of *Cylicostephanus*
- Cylicostomum calicatum* (Looss)  
 Ihle, J. E. W., 1925 b, 233, 234, 235
- Cylicostomum calicatum* Looss  
 Joan, T., 1922 a, 13  
 Equus
- Cylicostomum calicatum*  
 Kotlán, S., 1919 a, 82, 87, 88, 94
- Cylicostomum calicatum*  
 Krijgsman, B. J., 1933 d, 368  
 as syn. of *Trichonema calicatum*
- Cylicostomum calicatum* Looss  
 Lopez Neyra, C. R., 1924 a, 165
- Cylicostomum calicatum*  
 Mönning, H. O., 1926 b, 225  
*Hippotigris zebra*
- Cylicostomum calicatum* (Looss, 1900)  
 Ransom, B. H.; and Hadwen, I. A. S., 1918 a,  
 211, 213  
 horse
- Cylicostomum calicatum*  
 Sandground, J. H., 1921 a, 327  
 horse  
 donkey
- Cylicostomum calicatum* (Looss)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
 J. E. W., [1922 a], 443
- Cylicostomum calicatum*  
 Smit, H. J., 1924 a, 417
- Cylicostomum calicatum*  
 Smit, H. J.; and Noto Soediro, R., [1923 e],  
 448
- Cylicostomum calicatum*  
 Swales, W. E., 1933 a, 471  
*Equus caballus*: Saskatchewan, Alberta
- Cylicostomum calicatum* Looss, 1902  
 Theiler, G., 1923 a, 9, 10, 13, 17, 22, 35,  
 53-54, 100, 101, 103, 104, 106, 108, 110, 112,  
 pl. XXIII  
 horse  
 mule  
 donkey  
 all from South Africa
- Cylicostomum calicatum* (Looss)  
 Tubangui, M. A., 1925 a, 27
- Cylicostomum calicatum* (Loos)  
 Veglia, F., 1920 a, 33
- Cylicostomum calicatum* var. minor  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema minutum*
- Cylicostomum calicatum* v. minor Kotlán  
 Yorke, W.; and Maplestone, P. A., 1926 a, 56  
 as syn. of *Trichonema minutum* (Yorke & Macfie)
- Cylicostomum calicatum* var. minus n. var.  
 Kotlán, S., 1920 a, 86
- Cylicostomum calicatum* v. minus  
 Ihle, J. E. W., 1920 b, 275
- Cylicostomum calicatum* var. minus  
 Smit, H. J.; and Noto Soediro, R., [1923 c], 66
- Cylicostomum calicatum* var. minus Kotlán, 1920  
 Sprehn, C. E. W., 1932 c, 657  
 as syn. of *Trichonema (Cylicostephanus)*  
*minutum* (Yorke u. Macfie, 1918)
- Cylicostomum capitatum*  
 Hueber, P., 1926 a, 131
- Cylicostomum catinatum* (Looss, 1900)  
 Boulenger, C. L., 1921 c, 322
- Cylicostomum catinatum*  
 Gambles, R. M., 1939 a, 29  
 as syn. of *Trichonema catinatum*
- Cylicostomum catinatum*  
 Hagan, W. A., 1919 b, 192
- Cylicostomum catinatum*  
 Hall, M. C., 1933 k, 368  
 horse: Maryland
- Cylicostomum catinatum*  
 Hueber, P., 1926 a, 131
- Cylicostomum catinatum* Looss  
 Ihle, J. E. W., 1920 b, 268
- Cylicostomum catinatum* (Looss), 1902  
 Ihle, J. E. W., 1921 b, 398
- Cylicostomum (Cyllicocercus) catinatum* (Looss)  
 Ihle, J. E. W., 1922 b, 51, 53-54, figs. 47-48
- Cylicostomum catinatum*  
 Kotlán, S., 1919 a, 82, 94
- Cylicostomum catinatum*  
 Krijgsman, B. J., 1933 d, 368
- Cylicostomum catinatum* Looss  
 Lopez Neyra, C. R., 1924 a, 165

- Cylicostomum catinatum* (Looss, 1900)  
 Ransom, B. H.; and Hadwen, I. A. S., 1918 a, 211, 213  
 horse
- Cylicostomum catinatum*  
 Roe, R. J., 1935 a, 37  
 as syn. of *Trichonema catinatum*
- Cylicostomum catinatum*  
 Sandground, J. H., 1921 a, 327  
 horse  
 donkey
- Cylicostomum catinatum* (Looss)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 442
- Cylicostomum catinatum*  
 Smit, H. J., 1924 a, 413
- Cylicostomum catinatum*  
 Smit, H. J.; and Noto Soediro, R., [1923 d], 224
- Cylicostomum catinatum* (Looss, 1900)  
 Sprehn, C. E. W., 1932 c, 659  
 as syn. of *Trichonema (Cylicocercus) catinatum* (Looss, 1900)
- Cylicostomum catinatum*  
 Swales, W. E., 1933 a, 471  
 Equus caballus: Saskatchewan, Alberta
- Cylicostomum catinatum* Looss, 1902  
 Theiler, G., 1923 a, 9, 10, 13, 17, 21, 40-42, 51, 54, 100, 101, 102, 104, 106, 108, 110, 112, p1. XII
- Cylicostomum catinatum*  
 Yorke, W.; and Macfie, J. W. S., 1919 a, 278
- Cylicostomum catinatum* Looss  
 Yorke, W.; and Macfie, J. W. S., 1920 c, 167, fig. 1
- Cylicostomum catinatum* var. *litoraureum* var. n.  
 Yorke, W.; and Macfie, J. W. S., 1920 c, 166, 167, fig. 2  
 horse: Tamale, Gold Coast, West Africa
- Cylicostomum catinatum* (Looss), var. *litoraureum*, Yorke & Macfie, 1920  
 Ihle, J. E. W., 1921 b, 398
- Cylicostomum (Cylicocercus) catinatum* var *litoraureum* Yorke & Macfie  
 Ihle, J. E. W., 1922 b, 51, 54, fig. 49
- Cylicostomum catinatum* var. *litoraurum* [sic]  
 Krijgsman, B. J., 1933 d, 368  
 as syn. of *Trichonema catinatum* var. *litoraurum* [sic]
- Cylicostomum catinatum* var. *litoraureum* Yorke and Macfie, 1920  
 Skjaldnik, J., 1935 b, 148  
 as syn. of *Trichonema (Cylicocercus) catinatum* (Looss, 1900)
- Cylicostomum catinatum* v. *litoraureum*  
 Smit, H. J., 1924 a, 413, 414, fig. 27
- Cylicostomum (Cylicocercus) catinatum* var. *litoraureum* (Yorke & Macfie)  
 Smit, H. J.; and Noto Soediro, R., [1923 d], 226, fig. 1
- Cylicostomum catinatum* var. *litoraureum* Yorke u. Macfie, 1920  
 Sprehn, C. E. W., 1932 c, 659  
 as syn. of *Trichonema (Cylicocercus) catinatum* (Looss, 1900)
- Cylicostomum catinatum* Looss, var. *litoraureum* Yorke & MacFie, 1920  
 Theiler, G., 1923 a, 21, 40, 41, 112
- Cylicostomum (Cylicocercus) catinatum* pseudo-catinatum (Yorke and Macfie, 1919) Ihle, 1922  
 Baylis, H. A., 1936 a, 273, 274  
 synonymy  
 horses: Punjab
- Cylicostomum (Cylicocercus) catinatum* var. pseudocatinatum Yorke & Macfie  
 Ihle, J. E. W., 1922 b, 16, 51, 54-56, 61, figs. 50-54
- Cylicostomum catinatum* var. *pseudo-catinatum*  
 Krijgsman, B. J., 1933 d, 368  
 as syn. of *Trichonema catinatum* var. *pseudocatinatum*
- Cylicostomum (Cylicocercus) catinatum* var. *pseudocatinatum*  
 Smit, H. J., 1924 a, 413-414, fig. 27
- Cylicostomum (Cylicocercus) catinatum* var. *pseudocatinatum* (Yorke & Macfie)  
 Smit, H. J.; and Noto Soediro, R., [1923 d], 224-226, fig. 1
- Cylicostomum catinatum* Looss, var. *pseudocatinatum* Yorke & MacFie, 1919  
 Theiler, G., 1923 a, 21, 40-42, 112, 113, p1. XII  
 Syn.: *C. pseudocatinatum* Yorke & Macfie, 1919  
 horse  
 donkey  
 mule
- Cylicostomum coronatum*  
 Andrews, J. S., [1941 a], 133  
 ganado equino: Puerto Rico
- Cylicostomum coronatum*  
 Andrews, J. S.; and Maldonado, J. F., 1939 a, 54  
 horses: Puerto Rico
- Cylicostomum coronatum* (Looss, 1900)  
 Bouleenger, C. L., 1921 c, 321  
 horse: Punjab
- Cylicostomum coronatum* (Looss)  
 Bouleenger, C. L., 1926 a, 97  
 Equus caballus: Cairo
- Cylicostomum coronatum*  
 Cram, E. B., 1924 g, 670
- Cylicostomum coronatum*  
 Hagan, W. A., 1919 b, 192
- Cylicostomum coronatum*  
 Hueber, P., 1926 a, 130, 131
- Cylicostomum coronatum* Looss  
 Ihle, J. E. W., 1920 b, 268
- Cylicostomum coronatum* (Looss), 1902  
 Ihle, J. E. W., 1921 b, 398
- Cylicostomum coronatum* (Looss)  
 Ihle, J. E. W., 1922 a, 1xxvii
- Cylicostomum coronatum* (Looss)  
 Ihle, J. E. W., 1922 b, 16, 40, 48-50, figs. 41-43
- Cylicostomum coronatum* (Looss)  
 Ihle, J. E. W., 1925 b, 229, 233
- Cylicostomum coronatum* Looss  
 Joan, T., 1922 a, 13  
 Equus
- Cylicostomum coronatum*  
 Kotlán, S., 1919 a, 82, 94
- Cylicostomum coronatum*  
 Krijgsman, B. J., 1933 d, 368  
 as syn. of *Trichonema coronatum*
- Cylicostomum coronatum* Looss  
 Lopez Neyra, C. R., 1924 a, 165
- Cylicostomum coronatum* (Looss, 1900)  
 Ransom, B. H.; and Hadwen, I. A. S., 1918 a, 211, 212, 213, fig. 16  
 horse
- [*Cylicostomum*] *coronatum*  
 Roetti, C., 1939 b, 374  
 mulo: Scioa  
 cavallo abissino: Scioa
- Cylicostomum coronatum*  
 Sandground, J. H., 1921 a, 327  
 horse  
 donkey
- Cylicostomum coronatum* (Looss)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 443
- Cylicostomum coronatum* (Looss)  
 Smit, H. J., 1923 d, 496, fig. 24

- Cylicostomum coronatum* (Looss)  
 Smit, H. J.; and Noto Soediro, R., [1923 d],  
 64-65, fig. 2
- Cylicostomum coronatum* (Looss, 1900)  
 Sprehn, C. E. W., 1932 c, 653  
 as syn. of *Trichonema (Trichonema) coronatum*  
 (Looss, 1900)
- Cylicostomum coronatum*  
 Swales, W. E., 1933 a, 471  
 Equus caballus: Saskatchewan
- Cylicostomum coronatum* Looss, 1902  
 Theiler, G., 1923 a, 9, 10, 11, 12, 13, 17, 21,  
 37-38, 100, 101, 102, 104, 106, 108, 110, 112,  
 pl. IX  
 zebra  
 horse  
 mule  
 donkey
- Cylicostomum coronatum* (Loos)  
 Veglia, F., 1920 a, 33
- Cylicostomum coronatum* Looss, 1900  
 Yorke, W.; and Macfie, J. W. S., 1920 c, 166  
 mule: Accra, Gold Coast, West Africa  
 horse: Tamale, Gold Coast; Ilorin, Nigeria,  
 West Africa
- Cylicostomum cymatostomum* n. sp.  
 Kotlán, S., 1919 a, 89-90, 94, 95
- Cylicostomum cymatostomum*  
 Boulenger, C. L., 1921 c, 323
- Cylicostomum cymatostomum* Kotlán  
 Ihle, J. E. W., 1920 b, 270, 271
- Cylicostomum cymatostomum* Kotlání  
 Ihle, J. E. W., 1922 a, 1xxvii  
 [subspecies or C. c. of Kotlán?]  
 as syn. of *C. paternatum* Yorke & Macfie
- Cylicostomum cymatostomum* Kotlán  
 Ihle, J. E. W., 1922 b, 56  
 as syn. of *C. pateratum*
- Cylicostomum elongatum*  
 Boulenger, C. L., 1920 c, 103, 104
- Cylicostomum elongatum*  
 Boulenger, C. L., 1920 d, 32
- Cylicostomum elongatum* (Looss)  
 Boulenger, C. L., 1926 a, 98  
 Equus asinus: Cairo
- Cylicostomum elongatum* Looss  
 Gedoeist, L., 1916 a, 71
- Cylicostomum elongatum*  
 Hagan, W. A., 1919 b, 192
- Cylicostomum elongatum* Looss  
 Ihle, J. E. W., 1920 b, 268, 269
- Cylicostomum elongatum* (Looss), 1902  
 Ihle, J. E. W., 1921 b, 399
- Cylicostomum elongatum* (Looss)  
 Ihle, J. E. W., 1922 a, 1xxvii
- Cylicostomum (Cylicocyclus) elongatum* (Looss)  
 Ihle, J. E. W., 1922 b, 16, 48, 64, 67-68, figs.  
 71-73
- Cylicostomum elongatum* (Looss)  
 Ihle, J. E. W., 1925 b, 232, 233
- Cylicostomum elongatum*  
 Kotlán, S., 1919 a, 82, 91, 94
- Cylicostomum elongatum* Looss  
 Kotlán, S., 1921 g, 303
- Cylicostomum elongatum*  
 Kriegsman, B. J., 1933 d, 369  
 as syn. of *Trichonema elongatum*
- Cylicostomum elongatum* Looss  
 Lopez Neyra, C. R., 1924 a, 164
- Cylicostomum elongatum* (Looss, 1900)  
 Ransom, B. H.; and Hadwen, I. A. S., 1918 a,  
 211, 213  
 horse
- Cylicostomum elongatum*  
 Sandground, J. H., 1921 a, 327  
 horse  
 donkey
- Cylicostomum elongatum*  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
 J. E. W., [1922 a], 395, 442, fig. 199
- Cylicostomum elongatum*  
 Smit, H. J., 1924 a, 417, fig. 33
- Cylicostomum elongatum*  
 Smit, H. J.; and Noto Soediro, R., [1923 e],  
 449-450, fig. 2
- Cylicostomum elongatum* (Looss, 1900)  
 Sprehn, C. E. W., 1932 c, 663  
 as syn. of *Trichonema (Cylicocyclus) elongatum*  
 (Looss, 1900)
- Cylicostomum elongatum*  
 Swales, W. E., 1933 a, 471  
 Equus caballus: Saskatchewan
- Cylicostomum elongatum* Looss, 1902  
 Theiler, G., 1923 a, 9, 12, 21, 38, 46-47, 53,  
 100, 101, 102, 104, 106, 108, 110, 112  
 donkey  
 horse
- Cylicostomum elongatum* (Looss)  
 Tubangui, M. A., 1925 a, 28  
 horse
- Cylicostomum elongatum* (Loos)  
 Veglia, F., 1920 a, 33
- Cylicostomum elongatum kotlani* Ihle  
 Ihle, J. E. W., 1920 b, 268, 269
- Cylicostomum elongatum* (Looss) var. *kotlani*,  
 Ihle, 1920  
 Ihle, J. E. W., 1921 b, 399  
 Syn.: *C. elongatum* var. *macrobursatum*, Kotlán, 1920
- Cylicostomum elongatum* (Looss) var. *kotlani*  
 Ihle, J. E. W., 1922 a, 1xxvii
- Cylicostomum (Cylicocyclus) elongatum* var. *kotlani*  
 Ihle  
 Ihle, J. E. W., 1922 b, 16, 68
- Cylicostomum elongatum* v. *kotlani* Ihle  
 Ihle, J. E. W., 1925 b, 232
- Cylicostomum elongatum* var. *kotlani* Ihle, 1920  
 Składnik, J., 1935 b, 156  
 as syn. of *Trichonema (Cylicocyclus) elongatum*  
 (Looss, 1900)
- Cylicostomum elongatum* var. *kotlani*, Ihle, 1920  
 Sprehn, C. E. W., 1932 c, 663  
 as syn. of *Trichonema (Cylicocyclus) elongatum*  
 (Looss, 1900)
- Cylicostomum elongatum* Looss, var. *kotlani* Ihle, 1920  
 Theiler, G., 1923 a, 21, 47, 112, 113, pl. XVII  
 Syn.: *C. elongatum* var. *macrobursatum* Kotlán, 1920  
 donkey  
 horse
- Cylicostomum elongatum* var. *macrobursatum* n. var.  
 Kotlán, S., 1920 a, 86
- Cylicostomum elongatum* v. *macrobursatum*  
 Ihle, J. E. W., 1920 b, 275
- Cylicostomum elongatum* var. *macro-bursatum* Kotlán, 1920  
 Składnik, J., 1935 b, 156  
 as syn. of *Trichonema (Cylicocyclus) elongatum*  
 (Looss, 1900)
- Cylicostomum elongatum* var. *macrobursatum* Kotlán, 1920  
 Sprehn, C. E. W., 1932 c, 663  
 as syn. of *Trichonema (Cylicocyclus) elongatum*  
 (Looss, 1900)
- Cylicostomum elongatum* v. *macrobursata* Kotlán  
 Yorke, W.; and Maplestone, P. A., 1926 a, 56  
 as syn. of *Trichonema elongatum* v. *kotlani*  
 (Ihle)
- Cylicostomum equi*  
 Porter, A., 1943 b, 161, 162  
 Giraffa camelopardalis: London Zoological  
 Gardens
- Cylicostomum equi*  
 Porter, A., 1944 a, 319  
 Giraffa camelopardalis
- Cylicostomum euproctus*  
 Hagan, W. A., 1919 b, 192

- Cylicostomum euproctum*  
Hall, M. C., 1922 r, 454
- Cylicostomum euproctum*  
Hall, M. C., [1923 b], 47
- Cylicostomum euproctus*  
Hall, M. C., 1933 k, 368  
horse: Maryland
- Cylicostomum euproctus* Boulenger  
Ihle, J. E. W., 1920 b, 268
- Cylicostomum euproctus*, Boulenger, 1917  
Ihle, J. E. W., 1921 b, 400
- Cylicostomum (Cylicodontophorus) euproctus* (Boulenger)  
Ihle, J. E. W., 1922 b, 16, 63, 86, 87, 89-90,  
figs. 103-105
- Cylicostomum euproctus* (Boulenger)  
Ihle, J. E. W., 1925 b, 235, 236
- Cylicostomum euproctus* Boulenger 1917  
Kotlán, S., 1921 g, 305
- Cylicostomum euproctus* Boulenger  
Lopez Neyra, C. R., 1924 a, 166
- Cylicostomum euproctus* (Boulenger, 1917)  
Ransom, B. H.; and Hadwen, I. A. S., 1918 a, 211  
horse
- Cylicostomum euproctus* Boulenger  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
J. E. W., [1922 a], 443
- Cylicostomum euproctus* (Boulenger, 1917)  
Sprehn, C. E. W., 1932 c, 666  
as syn. of *Trichonema (Cylicodontophorus)*  
*euproctum* (Boulenger, 1917)
- Cylicostomum euproctus* Boulenger, 1917  
Theiler, G., 1923 a, 9, 13, 17, 18, 22, 59-60,  
72, 100, 101, 103, 104, 106, 108, 110, 112, pl.  
XXIX  
horse  
mule  
donkey
- Cylicostomum euproctus*  
Yorke, W.; and Macfie, J. W. S., 1920 c, 167  
horse: Jamaica
- Cylicostomum falciferum* (Cobbold, 1882)  
Boulenger, C. L., 1920 c, 105
- Cylicostomum goldi* (Boulenger, 1917)  
Boulenger, C. L., 1921 c, 321-322, fig. 3  
horse  
zebra  
both from England, Holland, and Canada
- Cylicostomum goldi*  
Hagan, W. A., 1919 b, 192
- Cylicostomum goldi*  
Hall, M. C., 1922 r, 454
- Cylicostomum goldi*  
Hall, M. C., [1923 b], 47
- Cylicostomum goldi*  
Hall, M. C., 1933 k, 368  
horse: Maryland
- Cylicostomum goldi* Boulenger  
Ihle, J. E. W., 1920 b, 268
- Cylicostomum goldi*, Boulenger, 1917  
Ihle, J. E. W., 1921 b, 398
- Cylicostomum goldi* Boulenger  
Ihle, J. E. W., 1922 a, lxxvii
- Cylicostomum (Cylicocercus) goldi* (Boulenger)  
Ihle, J. E. W., 1922 b, 16, 51, 59-61, figs.  
58-60
- Cylicostomum goldi*  
Ihle, J. E. W., 1925 b, 230, 233
- Cylicostomum goldi*  
Krijgsman, B. J., 1933 d, 369  
as syn. of *Trichonema goldi*
- Cylicostomum goldi* Boulenger  
López-Neyra, C. R., 1922 a, 409  
*Equus caballus*
- Cylicostomum goldi* Boulenger  
López Neyra, C. R., 1924 a, 165
- Cylicostomum goldi* (Boulenger, 1917)  
Ransom, B. H.; and Hadwen, I. A. S., 1918 a,  
211, 213  
horse
- Cylicostomum goldi* Boulenger  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
J. E. W., [1922 a], 442
- Cylicostomum goldi* Boulenger  
Smit, H. J.; and Noto Soediro, R., 1930 b, 403-  
405, fig. 1
- Cylicostomum goldi* (Boulenger, 1917)  
Sprehn, C. E. W., 1932 c, 660  
as syn. of *Trichonema (Cylicocercus) goldi*  
(Boulenger, 1917)
- Cylicostomum goldi*  
Swales, W. E., 1933 a, 471  
*Equus caballus*: Saskatchewan, Alberta
- Cylicostomum goldi* Boulenger, 1917  
Theiler, G., 1923 a, 9, 11, 12, 13, 17, 21, 36,  
43-44, 49, 100, 101, 102, 104, 106, 108, 110,  
112, 113, pl. XIV  
horse  
mule  
donkey  
zebra
- Cylicostomum goldi* Boulenger  
Tubangui, M. A., 1925 a, 28  
horse
- Cylicostomum (Cylicocercus) goldi* var. *tridentatum* (Yorke & Macfie)  
Ihle, J. E. W., 1922 b, 51, 61-62, figs. 61-62
- Cylicostomum goldi* var. *tridentatum*  
Krijgsman, B. J., 1933 d, 369  
as syn. of *Trichonema goldi* var. *tridentatum*
- Cylicostomum goldi* *tridentatum* Yorke & Macfie  
Smit, H. J.; and Noto Soediro, R., 1930 b, 405-  
406, fig. 2
- Cylicostomum hybridum* n. sp.  
Kotlán, S., 1920 a, 86
- Cylicostomum hybridum*  
Ihle, J. E. W., 1920 b, 275
- Cylicostomum hybridum*, Kotlán, 1920  
Ihle, J. E. W., 1921 b, 400
- Cylicostomum (Cylicostephanus) hybridum* Kotlán  
Ihle, J. E. W., 1922 b, 78, 83-84
- Cylicostomum hybridum* Kotlán  
Ihle, J. E. W., 1925 b, 235
- Cylicostomum hybridum* Kotlán  
Lopez Neyra, C. R., 1924 a, 166
- Cylicostomum hybridum* Kotlán, 1920  
Skladník, J., 1935 b, 165  
as syn. of *Trichonema hybridum* (Kotlán, 1920)
- Cylicostomum hybridum* Kotlán  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
J. E. W., [1922 a], 443
- Cylicostomum hybridum* Kotlán, 1920  
Sprehn, C. E. W., 1932 c, 656  
as syn. of *Trichonema (Cylicostephanus) hy-*  
*bridum* (Kotlán, 1920)
- Cylicostomum hybridum* Kotlán, 1920  
Theiler, G., 1923 a, 6, 17, 22, 56, 112, pl. X
- Cylicostomum ihlei* n. sp.  
Kotlán, S., 1921 g, 300-305, figs. 1-7  
horse: Hungary
- Cylicostomum ihlei*, Kotlán, 1921  
Ihle, J. E. W., 1921 b, 400
- Cylicostomum (Cylicodontophorus) ihlei* Kotlán  
Ihle, J. E. W., 1922 b, 16, 86, 87, 90-92, 94,  
figs. 106-108
- Cylicostomum ihlei* Kotlán  
Ihle, J. E. W., 1925 b, 235
- Cylicostomum ihlei* Kotlán, 1921  
Skladník, J., 1935 b, 173  
as syn. of *Trichonema (Cilicodontophorus)*  
[sic] mettami (Leiper, 1913)
- Cylicostomum ihlei* Kotlán  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
J. E. W., [1922 a], 443
- Cylicostomum ihlei* Kotlán, 1921  
Sprehn, C. E. W., 1932 c, 666  
as syn. of *Trichonema (Cylicodontophorus)*  
mettami (Leiper, 1913)

- Cylicostomum ihlei* Kotlán, 1921  
 Theiler, G., 1923 a, 9, 18, 22, 60-61, 100, 101,  
 103, 104, 106, 108, 110, 112, pl. XXX  
 horse  
 mule  
 donkey
- Cylicostomum (Poteriostomum) imparidentatum*  
 (Quiel)  
 Ihle, J. E. W., 1922 a, 1xxvii  
 Syn.: *Hexodontostomum markusi* Ihle
- Cylicostomum insigne*  
 de Blieck, L.; and Baudet, E. A. R. F., 1926 a,  
 95
- Cylicostomum insigne* Boulenger  
 Boulenger, C. L., 1920 c, 103-104
- Cylicostomum insigne* (Boulenger, 1917)  
 Boulenger, C. L., 1921 c, 317, 319, 323-325,  
 fig. 5  
 horse: Europe; Asia; E. Africa; N. America
- Cylicostomum insigne* Boulenger, C. L., 1926 a, 97
- Cylicostomum insigne* Boulenger  
 Cram, E. B., 1924 g, 672
- Cylicostomum insigne* Hagan, W. A., 1919 b, 192
- Cylicostomum insigne* Hall, M. C., 1922 v, 454
- Cylicostomum insigne* Hall, M. C., [1923 b], 47
- Cylicostomum insigne* Hall, M. C., 1933 k, 368  
 horse: Maryland
- Cylicostomum insigne* Ihle, J. E. W., 1920 b, 268
- Cylicostomum insigne*, Boulenger, 1917  
 Ihle, J. E. W., 1921 b, 399
- Cylicostomum insigne* Ihle, J. E. W., 1922 a, 1xxvii
- Cylicostomum (Cylicocyclus) insigne* (Boulenger)  
 Ihle, J. E. W., 1922 b, 16, 64, 69-71, figs.  
 74-76
- Cylicostomum insigne* (Boulenger)  
 Ihle, J. E. W., 1924 b, 442, 443, 444
- Cylicostomum (Cylicocyclus) insigne* (Boulenger)  
 Ihle, J. E. W., 1925 b, 227, 228, 232, 233
- Cylicostomum insigne* Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema insigne*
- Cylicostomum insigne* Lopez Neyra, C. R., 1924 a, 164
- Cylicostomum insigne* Mönnig, H. O., 1926 b, 225  
*Hippotigris zebra*
- Cylicostomum insigne* (Boul.) Railliet, A., 1923 d, 14
- Cylicostomum insigne* (Boulenger, 1917)  
 Ransom, B. H.; and Hadwen, I. A. S., 1918 a,  
 211, 213  
 horse
- Cylicostomum insigne* Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 442
- Cylicostomum insigne* Smit, H. J., 1922 a, 22
- Cylicostomum (Cylicocyclus) insigne* Smit, H. J., 1924 a, 418, fig. 34
- Cylicostomum (Cylicocyclus) insigne* Smit, H. J.; and Noto Soediro, R., [1923 e], 450-452, fig. 3
- Cylicostomum insigne* (Boulenger, 1917)  
 Sprehn, C. E. W., 1932 c, 663  
 as syn. of *Trichonema (Cylicocyclus) insigne* (Boulenger, 1917)
- Cylicostomum insigne* Swales, W. E., 1933 a, 471  
*Equus caballus*: Alberta
- Cylicostomum insigne* Boulenger, 1917  
 Theiler, G., 1923 a, 9, 11, 13, 16, 17, 22, 48,  
 100, 101, 102, 104, 106, 108, 110, 112, 113,  
 pl. XVIII  
 Syn.: *C. zebrae* Boulenger, 1920  
 horse: India; South Africa  
 zebra: South Africa  
 mule: South Africa  
 donkey: South Africa
- Cylicostomum insigne* Boulenger  
 Tubangui, M. A., 1925 a, 28  
 horse
- Cylicostomum insigne* Boulenger, 1917  
 Yorke, W.; and Macfie, J. W. S., 1920 c, 166  
 mule: Accra, Gold Coast, West Africa
- Cylicostomum labiatum* (Looss, 1902)  
 Boulenger, C. L., 1921 c, 321  
 horse: Punjab
- Cylicostomum labiatum* (Looss)  
 Boulenger, C. L., 1926 a, 97  
*Equus asinus*: Cairo
- Cylicostomum labiatum* Cram, E. B., 1924 g, 670
- Cylicostomum labiatum* Hagan, W. A., 1919 b, 192
- Cylicostomum labiatum* Hall, M. C., 1933 k, 368  
 horse: Maryland
- Cylicostomum labiatum* Ihle, J. E. W., 1920 b, 268
- Cylicostomum labiatum* Ihle, J. E. W., 1921 b, 398, 401
- Cylicostomum labiatum* Ihle, J. E. W., 1922 a, 1xxvii
- Cylicostomum labiatum* Ihle, J. E. W., 1922 b, 40, 45-46, 48, 60, 62,  
 84, figs. 35-37
- Cylicostomum labiatum* Ihle, J. E. W., 1925 b, 229, 232
- Cylicostomum labiatum* Kotlán, S., 1919 a, 82, 94
- Cylicostomum labiatum* (Looss, 1901)  
 Lizcano Herrera, J., 1950 b, 302-303, figs.  
 caballo: Spain  
 mula: Spain
- Cylicostomum labiatum* (Looss, 1902)  
 Lizcano Herrera, J., 1951 a, 285, pl. 2, figs.  
 9-11  
 caballo: España
- Cylicostomum labiatum* Looss  
 Lopez Neyra, C. R., 1924 a, 165
- Cylicostomum labiatum* Noda, R., 1958 a, 270 (82)
- Cylicostomum labiatum* (Looss, 1902)  
 Ransom, B. H.; and Hadwen, I. A. S., 1918 a,  
 211, 213  
 horse
- Cylicostomum labiatum* Sandground, J. H., 1921 a, 327  
 horse  
 donkey
- Cylicostomum labiatum* (Looss)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 442
- Cylicostomum labiatum* (Looss)  
 Smit, H. J., 1923 d, 495-496, fig. 23
- Cylicostomum labiatum* (Looss)  
 Smit, H. J.; and Noto Soediro, R., [1923 c], 62-64, fig. 1
- Cylicostomum labiatum* (Looss, 1902)  
 Sprehn, C. E. W., 1932 c, 653  
 as syn. of *Trichonema (Trichonema) labiatum* (Looss, 1901)
- Cylicostomum labiatum* Swales, W. E., 1933 a, 471  
*Equus caballus*: Saskatchewan, Alberta

- Cylicostomum labiatum* Looss, 1902  
 Theiler, G., 1923 a, 9, 13, 17, 21, 35, 36-37,  
 43, 100, 101, 102, 104, 106, 108, 110, 112,  
 p1. VIII  
 Syn.: *Cyathostomum labratum*, ex parte  
 horse  
 mule  
 donkey  
 all from South Africa
- Cylicostomum labiatum* (Looss)  
 Tubangui, M. A., 1925 a, 27
- Cylicostomum labiatum* Looss, 1901  
 Yorke, W.; and Macfie, J. W. S., 1920 c, 166  
 mule: Accra, Gold Coast, West Africa
- Cylicostomum labiatum* (Looss) var. *digitatum*, n.  
 var.  
 Ihle, J. E. W., 1921 b, 398, 401-402, figs. 1-3
- Cylicostomum labiatum* *digitatum*  
 Ihle, J. E. W., 1922 b, 16, 40, 46-47, figs.  
 38-40
- Cylicostomum labiatum* v. *digitatum* Ihle  
 Ihle, J. E. W., 1925 b, 229
- Cylicostomum labiatum* *digitatum*  
 Cram, E. B., 1924 g, 670
- Cylicostomum labiatum* var. *digitata*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema labiatum* var. *digitata*
- Cylicostomum labiatum* var. *digitatum* Ihle, 1902  
 Skladnik, J., 1935 b, 146  
 as syn. of *Trichonema (Trichonema) labiatum*  
 (Looss, 1901)
- Cylicostomum labiatum* v. *digitatum* Ihle  
 Smit, H. J., 1923 d, 496
- Cylicostomum labiatum* var. *digitatum*  
 Smit, H. J.; and Noto Soediro, R., [1923 c],  
 64, fig. 1
- Cylicostomum labiatum* var. *digitatum* Ihle, 1922  
 Sprehn, C. E. W., 1932 c, 653  
 as syn. of *Trichonema (Trichonema) labiatum*  
 (Looss, 1901)
- Cylicostomum labiatum* Looss, var. *digitatum* Ihle, 1921  
 Theiler, G., 1923 a, 21, 37, 112  
 horse  
 mule  
 donkey  
 all from South Africa
- Cylicostomum labratum*  
 Andrews, J. S., [1941 a], 133  
 ganado equino: Puerto Rico
- Cylicostomum labratum*  
 Andrews, J. S.; and Maldonado, J. F., 1939 a,  
 54  
 horses: Puerto Rico
- Cylicostomum labratum*  
 Cram, E. B., 1924 g, 668, 670
- Cylicostomum labratum*  
 Hagan, W. A., 1919 b, 192
- Cylicostomum labratum*  
 Hall, M. C., 1933 k, 368  
 horse: Maryland
- Cylicostomum labratum* Looss  
 Ihle, J. E. W., 1920 b, 268
- Cylicostomum labratum* (Looss), 1902  
 Ihle, J. E. W., 1921 b, 398
- Cylicostomum labratum* (Looss)  
 Ihle, J. E. W., 1922 a, 1xxvii
- Cylicostomum labratum* Looss  
 Ihle, J. E. W., 1922 b, 16, 40, 42-44, 45, 84
- Cylicostomum labratum* (Looss)  
 Ihle, J. E. W., 1925 b, 228, 229
- Cylicostomum labratum*  
 Kotlán, S., 1919 a, 82, 88, 89, 94
- Cylicostomum labratum*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema labratum*
- Cylicostomum labratum* Looss  
 Lopez Neyra, C. R., 1924 a, 165
- Cylicostomum labratum*  
 Noda, R., 1958 a, 270 (82)
- Cylicostomum labratum* (Looss, 1900)  
 Ransom, B. H.; and Hadwen, I. A. S., 1918 a,  
 211, 213, fig. 14  
 horse
- Cylicostomum labratum* Looss, 1900  
 Reyes, R. V., 1938 a, 20  
*equinos* ("provisional"): Colombia
- Cylicostomum labratum*  
 Sandground, J. H., 1921 a, 327  
 horse  
 donkey
- Cylicostomum labratum* (Looss)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
 J. E. W., [1922 a], 442
- Cylicostomum labratum* Looss  
 Smit, H. J., 1924 a, 431, fig. 37
- Cylicostomum labratum*  
 Smit, H. J.; and Noto Soediro, R., [1923 e],  
 448
- Cylicostomum labratum* Looss  
 Smit, H. J.; and Noto Soediro, R., [1924 a],  
 29-30, fig. 1
- Cylicostomum* [sic] *labratum* (Looss, 1900)  
 Sprehn, C. E. W., 1932 c, 654  
 as syn. of *Trichonema (Trichonema) labratum*  
 (Looss, 1900)
- Cylicostomum labratum*  
 Swales, W. E., 1933 a, 471  
*Equus caballus*: Saskatchewan, Alberta
- Cylicostomum labratum* Looss, 1902  
 Theiler, G., 1923 a, 9, 13, 17, 21, 34-35, 36,  
 56, 100, 101, 102, 104, 106, 108, 110, 112,  
 p1. VI  
 horse  
 donkey  
 mule  
 all from South Africa
- Cylicostomum leptostomum* n. sp.  
 Kotlán, S., 1920 a, 85, figs. 1-2
- Cylicostomum leptostomum*  
 Cram, E. B., 1924 j, 91  
 horse: U. S. A.
- Cylicostomum leptostomum*  
 Ihle, J. E. W., 1920 b, 275
- Cylicostomum leptostomum*, Kotlán, 1920  
 Ihle, J. E. W., 1921 b, 399
- Cylicostomum (Cylicocyclus) leptostomum* Kotlán  
 Ihle, J. E. W., 1922 b, 16, 64, 76-77, fig. 86
- Cylicostomum (Cylicocyclus) leptostomum* Kotlán  
 Ihle, J. E. W., 1925 b, 234
- Cylicostomum leptostomum*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema leptostomum*
- Cylicostomum leptostomum* Kotlán  
 Lopez Neyra, C. R., 1924 a, 166
- Cylicostomum leptostomum* Kotlán, 1920  
 Skladnik, J., 1935 b, 145, 159  
 as syn. of *Trichonema (Trichonema) leptostomum*  
 (Looss, 1900)
- Cylicostomum leptostomum* Kotlán, 1920  
 as syn. of *Trichonema (Cylicocyclus) leptostomum*  
 (Kotlán, 1920)
- Cylicostomum leptostomum* (Kotlán)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
 J. E. W., [1922 a], 442
- Cylicostomum leptostomum*  
 Smit, H. J., 1924 a, 416, 417
- Cylicostomum leptostomum*  
 Smit, H. J.; and Noto Soediro, R., [1923 e],  
 446, 447
- Cylicostomum leptostomum* Kotlán, 1920  
 Sprehn, C. E. W., 1932 c, 654, 664  
 as syn. of *Trichonema (Trichonema) leptostomum*  
 (Looss, 1900)
- Cylicostomum leptostomum*  
 as syn. of *Trichonema (Cylicocyclus) leptostomum*  
 (Kotlán, 1920)
- Cylicostomum leptostomum*  
 Swales, W. E., 1933 a, 471  
*Equus caballus*: Saskatchewan

- Cylicostomum leptostomum* Kotlán, 1920  
 Theiler, G., 1923 a, 22, 51-52, 112, pl. XXI  
 domesticated equines
- Cylicostomum leptostomum v. bogoriense*  
 Ihle, J. E. W., 1925 b, 234
- Cylicostomum longibursatum* Yorke & Macfie 1918  
 Boulenger, C. L., 1921 c, 321  
 Syns.: *C. calicatiforme* Kotlán, 1919; *C. nanum* Ihle 1919
- Cylicostomum longibursatum* Yorke & Macfie  
 Boulenger, C. L., 1926 a, 97  
*Equus asinus*
- Cylicostomum longibursatum*  
 Hall, M. C., 1933 k, 368  
 horse: Maryland
- Cylicostomum longibursatum* Yorke & Macfie  
 Ihle, J. E. W., 1920 b, 268, 271
- Cylicostomum longibursatum* Yorke & Macfie  
 Ihle, J. E. W., 1920 c, 565
- Cylicostomum longibursatum*, Yorke & Macfie, 1918  
 Ihle, J. E. W., 1921 b, 400  
 Syns.: *C. calicatiforme*, Kotlán, 1919 (*C. nanum*, Ihle, 1919)
- Cylicostomum longibursatum* Yorke & Macfie  
 Ihle, J. E. W., 1922 a, lxxvii  
 Syns.: *C. nanum* Ihle; *C. calicatiforme* Kotlán
- Cylicostomum (Cylicostephanus) longibursatum* York & Macfie  
 Ihle, J. E. W., 1922 b, 16, 78, 81-83, figs. 93-96
- Cylicostomum (Cylicostephanus) longibursatum* (Yorke & Macfie)  
 Ihle, J. E. W., 1925 b, 228, 233, 235
- Cylicostomum longibursatum*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema longibursatum*
- Cylicostomum longibursatum* Yorke & Macfie 1918  
 Le Roux, P. L., 1924 a, 114, 115
- Cylicostomum longibursatum* Yorke & Macfie  
 Lopez Neyra, C. R., 1924 a, 165
- Cylicostomum longibursatum*  
 Mönnig, H. O., 1926 b, 225  
*Hippotigris zebra*
- Cylicostomum longibursatum*  
 Pillers, A. W. N., 1924 c, 122, 123  
 horse: England
- Cylicostomum longibursatum* Yorke & Macfie  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 443
- Cylicostomum (Cylicostephanus) longibursatum* (Yorke & Macfie)  
 Smit, H. J., 1923 a, 497-498, fig. 26
- Cylicostomum longibursatum*  
 Smit, H. J., 1924 a, 430
- Cylicostomum (Cylicostephanus) longibursatum* Yorke & Macfie  
 Smit, H. J.; and Noto Soediro, R., [1923 c], 67-68, fig. 4
- Cylicostomum longibursatum*  
 Smit, H. J.; and Noto Soediro, R., [1923 e], 452
- Cylicostomum longibursatum* Yorke u. Macfie, 1918  
 Sprehn, C. E. W., 1932 c, 657  
 as syn. of *Trichonema (Cylicostephanus) longibursatum* (Yorke u. Macfie, 1918)
- Cylicostomum longibursatum* Yorke & Macfie, 1918  
 Theiler, G., 1923 a, 9, 10, 13, 17, 22, 55, 100, 101, 103, 104, 106, 108, 110, 112, 113, pl. XXV  
 Syn.: *C. calicatiforme*; *C. nanum* Ihle, 1919  
 horse  
 donkey  
 mule
- Cylicostomum longibursatum* Yorke & Macfie  
 Tubangui, M. A., 1925 a, 28  
 horse
- Cylicostomum longibursatum*  
 Yorke, W.; and Macfie, J. W. S., 1918 a  
 horses: England; [U. S. A.?]
- Cylicostomum longibursatum* Yorke & Macfie, 1918  
 Yorke, W.; and Macfie, J. W. S., 1920 c, 166, 167  
 mule: Accra, Gold Coast, West Africa  
 horse: Jamaica
- Cylicostomum longibursatum* Yorke & Macfie  
 Yorke, W.; and Maplestone, P. A., 1926 a, 56, 59  
 as syn. of *Trichonema longibursatum* (Yorke & Macfie)
- Cylicostomum mettami*  
 Hagan, W. A., 1919 b, 192
- Cylicostomum mettami* Leiper  
 Ihle, J. E. W., 1920 b, 268
- Cylicostomum mettami*, Leiper, 1913  
 Ihle, J. E. W., 1921 b, 398
- Cylicostomum (Cylicocercus) mettami* (Leiper)  
 Ihle, J. E. W., 1922 b, 50, 62-63, figs. 63-64
- Cylicostomum mettami* Leiper  
 Ihle, J. E. W., 1925 b, 235
- Cylicostomum mettami*  
 Kotlán, S., 1919 a, 83, 94
- Cylicostomum mettami* Leiper  
 Lopez Neyra, C. R., 1924 a, 165
- Cylicostomum mettami* (Leiper, 1913)  
 Ransom, B. H.; and Hadwen, I. A. S., 1918 a, 211  
 horse
- Cylicostomum mettami* Leiper  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 442
- Cylicostomum mettami* Leiper, 1913  
 Sprehn, C. E. W., 1932 c, 666  
 as syn. of *Trichonema (Cylicodontophorus) mettami* (Leiper, 1913)
- Cylicostomum mettami* Leiper, 1913  
 Theiler, G., 1923 a, 17, 21, 44, 112  
 England
- Cylicostomum minutum* sp. n.  
 Yorke, W.; and Macfie, J. W. S., 1918 b, 405-409  
 horses
- Cylicostomum minutum* Yorke & Macfie 1918  
 Boulenger, C. L., 1921 c, 321  
 Syn.: *C. catinatum* var. minus Kotlán 1920
- Cylicostomum minutum*  
 Hall, M. C., 1933 k, 368  
 horse: Maryland
- Cylicostomum minutum* Y. & M.  
 Ihle, J. E. W., 1920 b, 268
- Cylicostomum minutum*, Yorke & Macfie, 1918  
 Ihle, J. E. W., 1921 b, 399  
 Syn.: *C. calicatum* var. minus, Kotlán, 1920
- Cylicostomum minutum* Yorke & Macfie  
 Ihle, J. E. W., 1922 a, lxxvii
- Cylicostomum (Cylicostephanus) minutum* Yorke & Macfie  
 Ihle, J. E. W., 1922 b, 16, 78, 80-81, figs. 90-92
- Cylicostomum minutum* Yorke & Macfie  
 Ihle, J. E. W., 1925 b, 233, 235
- Cylicostomum minutum*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema minutum*
- Cylicostomum minutum* Yorke & Maplestone  
 Lopez Neyra, C. R., 1924 a, 166
- Cylicostomum minutum*  
 Mönnig, H. O., 1926 b, 225  
*Hippotigris zebra*
- Cylicostomum minutum*  
 Pillers, A. W. N., 1924 c, 122, 123  
 horse: England
- Cylicostomum minutum* Yorke & Macfie  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle J. E. W., [1922 a], 443
- Cylicostomum (Cylicostephanus) minutum* (Yorke & Macfie)  
 Smit, H. J., 1923 a, 496-497, fig. 25

- Cylicostomum (Cylicostephanus) minutum* Yorke & Macfie  
 Smit, H. J.; and Noto Soediro, R., [1923 c], 66-67, fig. 3
- Cylicostomum minutum* Yorke u. Macfie, 1918  
 Sprehn, C. E. W., 1932 c, 657  
 as syn. of *Trichonema (Cylicostephanus)*  
*minutum* Yorke u. Macfie, 1918
- Cylicostomum minutum* Yorke & MacFie, 1918  
 Theiler, G., 1923 a, 9, 11, 12, 13, 17, 22, 54-55, 100, 101, 103, 104, 106, 108, 110, 112, 113, pl. XXIV  
 Syn.: *C. calicatum* var. *minus* Kotlán, 1920  
 horse: South Africa  
 mule: South Africa  
 donkey: South Africa  
 zebra: Brit. East Africa
- Cylicostomum minutum* Yorke & Macfie  
 Tubangui, M. A., 1925 a, 28  
 horse
- Cylicostomum montgomeryi* n. sp.  
 Boulenger, C. L., 1920 c, 104-105, fig. 6  
 zebra: Nairobi
- Cylicostomum montgomeryi* Boulenger  
 Ihle, J. E. W., 1920 b, 269
- Cylicostomum montgomeryi*, Boulenger, 1920  
 Ihle, J. E. W., 1921 b, 401
- Cylicostomum montgomeryi* Boulenger  
 Ihle, J. E. W., 1922 b, 97-98, fig. 117
- Cylicostomum montgomeryi* Boulenger  
 Ihle, J. E. W., 1925 b, 236
- Cylicostomum montgomeryi* Boulenger, 1920  
 Theiler, G., 1923 a, 10, 11, 12, 22, 64, 112, pl. XVI  
 zebra
- Cylicostomum mucronatum* n. sp.  
 Ihle, J. E. W., 1920 g, 132-134  
 Pferd (Darm)
- Cylicostomum mucronatum* Ihle  
 Ihle, J. E. W., 1922 a, 1xxvii  
 as syn. of *C. acuticaudatum* Kotlán
- Cylicostomum mucronatum* Ihle 1920  
 Galofre, E. J.; and Rosa, W. A., 1944 a, 48  
 as syn. of *Craterostomum mucronatum* Ihle 1920
- Cylicostomum mucronatum* Ihle  
 Kotlán, S., 1921 g, 300, 302
- Cylicostomum mucronatum* Ihle, 1920  
 Sprehn, C. E. W., 1932 c, 648  
 as syn. of *Craterostomum mucronatum* (Ihle, 1920)
- Cylicostomum nanum* n. sp.  
 Ihle, J. E. W., 1919 b, 720  
 paard
- Cylicostomum nanum* Ihle  
 Ihle, J. E. W., 1920 b, 271
- Cylicostomum nanum* Ihle  
 Ihle, J. E. W., 1920 c, 565  
 Syn.: *C. calicatiforme* Kotlán
- Cylicostomum nanum* Ihle  
 Ihle, J. E. W., 1922 a, 1xxvii  
 as syn. of *C. longibursatum* Yorke & Macfie
- Cylicostomum nanum* Ihle  
 Ihle, J. E. W., 1922 b, 81  
 as syn. of *Cylicostomum (Cylicostephanus)*  
*longibursatum*
- Cylicostomum nanum*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema longibursatum*
- Cylicostomum nanum*  
 Smit, H. J.; and Noto Soediro, R., [1923 c], 67
- Cylicostomum nanum* Ihle, 1919  
 Sprehn, C. E. W., 1932 c, 657  
 as syn. of *Trichonema (Cylicostephanus)*  
*longibursatum* (Yorke u. Macfie, 1918)
- Cylicostomum nanum* Ihle  
 Yorke, W.; and Maplestone, P. A., 1926 a, 56  
 as syn. of *Trichonema longibursatum* (Yorke & Macfie)
- Cylicostomum nassatum* (Looss, 1900)  
 Baylis, H. A.; and Daubney, R., 1923 a, 571  
 horse
- Cylicostomum nassatum* (Looss, 1900)  
 Boulenger, C. L., 1921 c, 323
- Cylicostomum nassatum* (Looss)  
 Boulenger, C. L., 1926 a, 97  
*Equus asinus*: Cairo
- Cylicostomum nassatum*  
 Hagan, W. A., 1919 b, 192
- Cylicostomum nassatum*  
 Hall, M. C., 1933 k, 368  
 horse: Maryland
- Cylicostomum nassatum*  
 Hueber, P., 1926 a, 130, 131
- Cylicostomum nassatum* Looss  
 Ihle, J. E. W., 1920 b, 268
- Cylicostomum nassatum* (Looss), 1902  
 Ihle, J. E. W., 1921 b, 399
- Cylicostomum (Cylicocyclus) nassatum* (Looss)  
 Ihle, J. E. W., 1922 b, 64, 65, 73-74, 76, 77, fig. 81
- Cylicostomum nassatum* (Looss)  
 Ihle, J. E. W., 1925 b, 233
- Cylicostomum nassatum*  
 Kotlán, S., 1919 a, 82, 94
- Cylicostomum nassatum*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema nassatum*
- Cylicostomum nassatum* Looss  
 Lopez Neyra, C. R., 1924 a, 164
- Cylicostomum nassatum* (Looss, 1900)  
 Ransom, B. H.; and Hadwen, I. A. S., 1918 a, 211, 213  
 horse
- Cylicostomum nassatum*  
 Sandground, J. H., 1921 a, 327  
 horse  
 donkey
- Cylicostomum nassatum* (Looss)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 402, 442, figs. 205, 206
- Cylicostomum nassatum*  
 Smit, H. J., 1922 a, 15-18, fig. 4
- Cylicostomum nassatum*  
 Smit, H. J., 1924 a, 417
- Cylicostomum nassatum*  
 Smit, H. J.; and Noto Soediro, R., [1923 e], 448
- Cylicostomum nassatum*  
 Smit, H. J.; and Noto Soediro, R., [1924 a], 34
- Cylicostomum nassatum* (Looss, 1900)  
 Sprehn, C. E. W., 1932 c, 664  
 as syn. of *Trichonema (Cylicocyclus) nassatum* (Looss, 1900)
- Cylicostomum nassatum*  
 Swales, W. E., 1933 a, 471  
*Equus caballus*: Saskatchewan, Alberta
- Cylicostomum nassatum* Looss, 1902  
 Theiler, G., 1923 a, 9, 10, 11, 12, 13, 17, 22, 50-51, 100, 101, 102, 104, 106, 108, 110, 112  
 horse  
 mule  
 donkey  
 zebra
- Cylicostomum nassatum* (Loos)  
 Veglia, F., 1920 a, 33
- Cylicostomum nassatum*  
 Veiga, O., 1916 a, 91
- Cylicostomum nassatum* Looss, 1900  
 Yorke, W.; and Macfie, J. W. S., 1920 c, 166  
 horse: Tamale, Gold Coast; Ilorin, Nigeria,  
 West Africa
- Cylicostomum nassatum*, Looss, var. *parvum* [n. var.]  
 Yorke, W.; and Macfie, J. W. S., 1918 c, 411-416  
 horses

- Cylicostomum nassatum* var. *parvum* Yorke & Macfie, 1918  
 Yorke, W.; and Macfie, J. W. S., 1920 c, 166, 167  
 mule: Accra, Gold Coast, West Africa  
 horse: Jamaica
- Cylicostomum nassatum* var. *parvum* Yorke & Macfie 1918  
 Boulenger, C. L., 1921 c, 323  
 horse: Punjab
- Cylicostomum nassatum* *parvum*  
 Hall, M. C., 1933 k, 368  
 horse: Maryland
- Cylicostomum nassatum* *parvum* Yorke & Macfie  
 Ihle, J. E. W., 1920 b, 268
- Cylicostomum nassatum* *parvum*  
 Ihle, J. E. W., 1920 e, 758
- Cylicostomum nassatum* (Looss) var. *parvum*, Yorke & Macfie  
 Ihle, J. E. W., 1921 b, 399
- Cylicostomum nassatum* (Looss) var. *parvum* Yorke & Macfie  
 Ihle, J. E. W., 1922 a, 1xxvii
- Cylicostomum* (*Cylicocycclus*) *nassatum* var. *parvum* Yorke & Macfie  
 Ihle, J. E. W., 1922 b, 16, 64, 74-76, figs. 82-85
- Cylicostomum nassatum* v. *parvum* Yorke & Macfie  
 Ihle, J. E. W., 1925 b, 233, 234  
 Syn.: *Cylicostomum ashworthi* Le Roux [n. comb.]
- Cylicostomum nassatum* var. *parva*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema nassatum* var. *parva*
- Cylicostomum nassatum* var. *parvum* Yorke and Macfie, 1918  
 Skladnik, J., 1935 b, 153  
 as syn. of *Trichonema* (*Cylicocycclus*) *nassatum* (Looss, 1900)
- Cylicostomum* (*Cylicocycclus*) *nassatum* v. *parvum*  
 Smit, H. J., 1924 a, 414, fig. 28
- Cylicostomum* (*Cylicocycclus*) *nassatum* var. *parvum* (Yorke & Macfie)  
 Smit, H. J.; and Noto Soediro, R., [1923 d], 226-227, fig. 2
- Cylicostomum nassatum* var. *parvum* Yorke u. Macfie, 1918  
 Sprehn, C. E. W., 1932 c, 664  
 as syn. of *Trichonema* (*Cylicocycclus*) *nassatum* (Looss 1900)
- Cylicostomum nassatum* (Looss) var. *parvum* Yorke & MacFie, 1918  
 Theiler, G., 1923 a, 22, 50-51, 52, 112, pl. XX  
 horse  
 mule  
 donkey  
 zebra
- Cylicostomum nassatum* v. *parvum* Yorke & Macfie  
 Tubangui, M. A., 1925 a, 28  
 horse
- Cylicostomum ornatum* n. sp.  
 Kotlán, S., 1919 a, 88-89, 94, 95
- Cylicostomum ornatum*  
 Andrews, J. S., [1941 a], 133  
 ganado equino: Puerto Rico
- Cylicostomum ornatum*  
 Andrews, J. S.; and Maldonado, J. F., 1939 a, 54  
 horses: Puerto Rico
- Cylicostomum ornatum*  
 Cram, E. B., 1924 g, 670
- Cylicostomum ornatum*  
 Cram, E. B., 1924 j, 91  
 horse: Pullman, Wash.
- Cylicostomum ornatum* Kotlán  
 Ihle, J. E. W., 1920 b, 268
- Cylicostomum ornatum*, Kotlán, 1919  
 Ihle, J. E. W., 1921 b, 398
- Cylicostomum ornatum* Kotlán  
 Ihle, J. E. W., 1922 b, 40, 44-45
- Cylicostomum ornatum* Kotlán  
 Ihle, J. E. W., 1925 b, 228, 229
- Cylicostomum ornatum* Kotlán  
 Lopez Neyra, C. R., 1924 a, 165
- Cylicostomum ornatum* Kotlán  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 442
- Cylicostomum ornatum* Kotlán, 1919  
 Sprehn, C. E. W., 1932 c, 654  
 as syn. of *Trichonema* (*Trichonema*) *ornatum* (Kotlán, 1919)
- Cylicostomum ornatum* Kotlán, 1919  
 Theiler, G., 1923 a, 6, 17, 21, 35-36, 112, pl. VII  
 Hungary
- Cylicostomum pateratum* sp. n.  
 Yorke, W.; and Macfie, J. W. S., 1919 b, 57-62  
 horses
- Cylicostomum pateratum* Yorke & Macfie 1919  
 Boulenger, C. L., 1921 c, 323  
 Syn.: *C. cymatostomum* Kotlán, 1919  
 horse: Punjab
- Cylicostomum pateratum*  
 Hall, M. C., 1933 k, 368  
 horse: Maryland
- Cylicostomum pateratum* Yorke & M.  
 Ihle, J. E. W., 1920 b, 268, 270-271
- Cylicostomum pateratum*, Yorke & Macfie, 1919  
 Ihle, J. E. W., 1921 b, 398  
 Syn.: *C. cymatostomum*, Kotlán, 1919
- Cylicostomum pateratum* Yorke & Macfie  
 Ihle, J. E. W., 1922 a, 1xxvii  
 Syn.: *C. cymatostomum* Kotlán
- Cylicostomum* (*Cylicocercus*) *pateratum* Yorke & Macfie  
 Ihle, J. E. W., 1922 b, 16, 51, 56-59, figs. 55-57
- Cylicostomum pateratum*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema pateratum*
- Cylicostomum pateratum*  
 Lancaster, W. E., 1957 a, 157  
 horse: Malaya
- Cylicostomum pateratum* Yorke & Macfie  
 Lopez Neyra, C. R., 1924 a, 165
- Cylicostomum pateratum* Yorke & Macfie  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 442
- Cylicostomum* (*Cylicocercus*) *pateratum* Yorke & Macfie  
 Smit, H. J., 1924 a, 432-433, fig. 39
- Cylicostomum* (*Cylicocercus*) *pateratum* Yorke & Macfie  
 Smit, H. J.; and Noto Soediro, R., [1924 a], 31-33, fig. 3
- Cylicostomum pateratum* Yorke u. Macfie, 1919  
 Sprehn, C. E. W., 1932 c, 660  
 as syn. of *Trichonema* (*Cylicocercus*) *pateratum* (Yorke u. Macfie, 1919)
- Cylicostomum pateratum* Yorke & MacFie, 1919  
 Theiler, G., 1923 a, 9, 13, 17, 21, 42-43, 100, 101, 102, 104, 106, 108, 110, 112, 113, pl. XIII  
 Syn.: *C. cymatostomum* Kotlán, 1919  
 horse  
 donkey  
 mule
- Cylicostomum pileatum* Railliet, Henry and Bauche, 1914  
 Baylis, H. A., 1936 a, 282  
 as syn. of *Khalilia pileata* (Railliet, Henry and Bauche, 1914)
- Cylicostomum pileatum* Raill., Henry & Bauche  
 Gedoelst, L., 1922 b, 123  
 as syn. of *Amira pileata*

- Cylicostomum poculatum* (Looss, 1900)  
 Boulenger, C. L., 1921 b, 321  
 horse: Punjab
- Cylicostomum poculatum*  
 Hagan, W. A., 1919 b, 192
- Cylicostomum poculatum*  
 Hall, M. C., 1933 k, 368  
 horse: Maryland
- Cylicostomum poculatum*  
 Hueber, P., 1926 a, 130
- Cylicostomum poculatum* Looss  
 Ihle, J. E. W., 1920 b, 268
- Cylicostomum poculatum* (Looss)  
 Ihle, J. E. W., 1920 g, 134
- Cylicostomum poculatum* (Looss), 1902  
 Ihle, J. E. W., 1921 b, 400
- Cylicostomum poculatum* (Looss)  
 Ihle, J. E. W., 1922 a, 1xxvii
- Cylicostomum (Cylicostephanus) poculatum* (Looss)  
 Ihle, J. E. W., 1922 b, 16, 77, 78, 84-86,  
 figs. 97-99
- Cylicostomum poculatum* (Looss)  
 Ihle, J. E. W., 1925 b, 235
- Cylicostomum poculatum*  
 Kotlán, S., 1919 a, 82, 94
- Cylicostomum poculatum*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema poculatum*
- Cylicostomum poculatum* Looss  
 Lopez Neyra, C. R., 1924 a, 165-166
- Cylicostomum poculatum* (Looss, 1900)  
 Ransom, B. H.; and Hadwen, I. A. S., 1918 a,  
 211, 213, fig. 15  
 horse
- Cylicostomum poculatum*  
 Sandground, J. H., 1921 a, 327  
 horse  
 donkey
- Cylicostomum poculatum* (Looss)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
 J. E. W., [1922 a], 443
- Cylicostomum (Cylicostephanus) poculatum*  
 Smit, H. J., 1924 a, 430-431, fig. 36
- Cylicostomum poculatum*  
 Smit, H. J.; and Noto Soediro, R., [1923 e],  
 452, 453-455, fig. 5
- Cylicostomum poculatum* (Looss, 1900)  
 Sprehn, C. E. W., 1932 c, 658  
 as syn. of *Trichonema (Cylicostephanus) pocu-*  
*latum* (Looss, 1900)
- Cylicostomum poculatum*  
 Swales, W. E., 1933 a, 471  
*Equus caballus*: Saskatchewan, Alberta
- Cylicostomum poculatum* Looss, 1902  
 Theiler, G., 1923 a, 9, 13, 17, 22, 56-57, 60,  
 100, 101, 102, 104, 106, 108, 110, 112, pl.  
 XXVI  
 horse: S. Africa; Egypt
- Cylicostomum poculatum* (Loos)  
 Veglia, F., 1920 a, 33
- Cylicostomum poculatum* Looss, 1900  
 Yorke, W.; and Macfie, J. W. S., 1920 c, 166  
 mule: Accra, Gold Coast, West Africa
- Cylicostomum prionodes* n. sp.  
 Kotlán, S., 1921 g, 305-307, figs. 8, 9  
 horse: Hungary
- Cylicostomum prionodes*, Kotlán, 1921  
 Ihle, J. E. W., 1921 b, 401
- Cylicostomum prionodes* Kotlán  
 Ihle, J. E. W., 1922 b, 94, 96-97, figs. 115-  
 116
- Cylicostomum prionodes* Kotlán  
 Ihle, J. E. W., 1925 b, 236
- Cylicostomum prionodes* Kotlán  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
 J. E. W., [1922 a], 443
- Cylicostomum prionodes* Kotlán, 1921  
 Sprehn, C. E. W., 1932 c, 669  
 as syn. of *Trichonema (Cylicobrachylus) prio-*  
*nodes* (Kotlán, 1921)
- Cylicostomum prionodes* Kotlán, 1921  
 Theiler, G., 1923 a, 17, 22, 63-64, 112, pl.  
 XXXII  
 horse: Hungary
- Cylicostomum pseudo-catinatum* sp. n.  
 Yorke, W.; and Macfie, J. W. S., 1919 a, 273-  
 278  
 horses
- Cylicostomum pseudo-catinatum* Yorke & Macfie,  
 1919  
 Yorke, W.; and Macfie, J. W. S., 1920 c, 166  
 mule: Accra, Gold Coast, West Africa
- Cylicostomum pseudo-catinatum* Yorke & Macfie 1918  
 Boulenger, C. L., 1921 c, 321, 322-323, fig. 4  
 horse: Punjab
- Cylicostomum pseudocatinatum*  
 Hall, M. C., 1933 k, 368  
 horse: Maryland
- Cylicostomum pseudocatinatum* Yorke & Macfie  
 Ihle, J. E. W., 1920 b, 268
- Cylicostomum pseudocatinatum*, Yorke & Macfie,  
 1919  
 Ihle, J. E. W., 1921 b, 398
- Cylicostomum pseudocatinatum* Yorke & Macfie  
 Ihle, J. E. W., 1922 a, 1xxvii
- Cylicostomum pseudocatinatum*  
 Ihle, J. E. W., 1922 b, 54
- Cylicostomum pseudocatinatum* Yorke & Macfie  
 Le Roux, P. L., 1924 a, 125
- Cylicostomum pseudocatinatum* Yorke & Macfie  
 Lopez Neyra, C. R., 1924 a, 165
- Cylicostomum pseudocatinatum* Yorke and Macfie,  
 1919  
 Skladnik, J., 1935 b, 148  
 as syn. of *Trichonema (Cylicocercus) catina-*  
*tum* (Looss, 1900)
- Cylicostomum pseudocatinatum* Yorke & Macfie  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
 J. E. W., [1922 a], 442
- Cylicostomum pseudocatinatum* Yorke u. Macfie,  
 1919  
 Sprehn, C. E. W., 1932 c, 659  
 as syn. of *Trichonema (Cylicocercus) catina-*  
*tum* (Looss, 1900)
- Cylicostomum pseudocatinatum* Yorke & Macfie  
 Tubangui, M. A., 1925 a, 28  
 horse
- Cylicostomum radiatum*  
 Boulenger, C. L., 1920 d, 32
- Cylicostomum radiatum* (Looss)  
 Boulenger, C. L., 1926 a, 98  
*Equus asinus*: Cairo
- Cylicostomum radiatum*  
 Hagan, W. A., 1919 b, 192
- Cylicostomum radiatum* (Looss)  
 Ihle, J. E. W., 1920 b, 268
- Cylicostomum radiatum* Looss  
 Ihle, J. E. W., 1920 c, 565
- Cylicostomum radiatum* (Looss), 1902  
 Ihle, J. E. W., 1921 b, 399
- Cylicostomum (Cylicocyclus) radiatum* (Looss)  
 Ihle, J. E. W., 1922 b, 64-65, 66, 72, figs.  
 65-67
- Cylicostomum radiatum* (Looss)  
 Ihle, J. E. W., 1925 b, 232
- Cylicostomum radiatum*  
 Kotlán, S., 1919 a, 82, 94
- Cylicostomum radiatum*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema radiatum*
- Cylicostomum radiatum* Looss  
 Lopez Neyra, C. R., 1924 a, 164
- Cylicostomum radiatum* (Looss, 1900)  
 Ransom, B. H.; and Hadwen, I. A. S., 1918 a,  
 211, 213  
 horse
- Cylicostomum radiatum*  
 Sandground, J. H., 1921 a, 327  
 horse  
 donkey

- Cylicostomum radiatum* (Looss)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 442
- Cylicostomum (Cylicocyclus) radiatum* Looss  
 Smit, H. J., 1924 a, 433, fig. 40
- Cylicostomum (Cylicocyclus) radiatum* Looss  
 Smit, H. J.; and Noto Soediro, R., [1924 a], 33-34, fig. 4
- Cylicostomum radiatum* (Looss, 1900)  
 Sprehn, C. E. W., 1932 c, 661  
 as syn. of *Trichonema (Cylicocyclus) radiatum* (Looss, 1900)
- Cylicostomum radiatum*  
 Swailes, W. E., 1933 a, 471  
*Equus caballus*: Saskatchewan, Alberta
- Cylicostomum radiatum* Looss, 1902  
 Theiler, G., 1923 a, 9, 13, 21, 44-45, 100, 101, 102, 104, 106, 108, 110, 112, pl. XV  
 horse  
 mule  
 donkey
- Cylicostomum radiatum* (Loos, 1900)  
 Veggia, F., 1920 a, 33
- Cylicostomum radiatum* Looss  
 Yorke, W.; and Macfie, J. W. S., 1920 b, 160
- Cylicostomum radiatum* Looss, 1900  
 Yorke, W.; and Macfie, J. W. S., 1920 c, 166  
 mule: Accra, Gold Coast, West Africa
- Cylicostomum radiatum* Looss  
 Yorke, W.; and Macfie, J. W. S., 1920 e, 178
- Cylicostomum rätzii* n. sp.  
 Kotlán, S., 1919 a, 91-92, 94, 95
- Cylicostomum rätzii* Kotlán  
 Kotlán, S., 1921 g, 300, 301, 304, 305
- Cylicostomum rätzii* Kotlán  
 Ihle, J. E. W., 1920 b, 272
- Cylicostomum (Poteriostomum) rätzii* Kotlán  
 Ihle, J. E. W., 1922 a, 1xxvii
- Cylicostomum rectum* Ged.  
 Gedoelst, L., 1922 b, 123  
 as syn. of *Murshidia recta* (Linst.)
- Cylicostomum sagittatum* n. sp.  
 Kotlán, S., 1920 a, 85-86, figs. 3, 4
- Cylicostomum sagittatum*  
 Cram, E. B., 1924 g, 670
- Cylicostomum sagittatum*  
 Ihle, J. E. W., 1920 b, 275
- Cylicostomum sagittatum*, Kotlán, 1920  
 Ihle, J. E. W., 1921 b, 398
- Cylicostomum sagittatum* Kotlán  
 Ihle, J. E. W., 1922 b, 40, 49, 50
- Cylicostomum sagittatum* Kotlán  
 Ihle, J. E. W., 1925 b, 229
- Cylicostomum sagittatum*  
 Krijgsman, B. J., 1933 d, 369  
 as syn. of *Trichonema sagittatum*
- Cylicostomum sagittatum* Kotlán  
 Lopez Neyra, C. R., 1924 a, 165
- Cylicostomum sagittatum* Kotlán, 1920  
 Składnik, J., 1935 b, 143, 183  
 as syn. of *Trichonema coronatum* (Looss)
- Cylicostomum sagittatum* Kotlán  
 Sluiter, C. P.; Swellengrebel, N. H., and Ihle, J. E. W., [1922 a], 442
- Cylicostomum sagittatum* Kotlán  
 Smit, H. J., 1924 a, 432, fig. 38
- Cylicostomum sagittatum* (Kotlán)  
 Smit, H. J.; and Noto Soediro, R., [1924 a], 30-31, fig. 2
- Cylicostomum sagittatum* Kotlán, 1920  
 Sprehn, C. E. W., 1932 c, 655  
 as syn. of *Trichonema (Trichonema) sagittatum* (Kotlán, 1920)
- Cylicostomum sagittatum* Kotlán, 1920  
 Theiler, G., 1923 a, 6, 17, 21, 38-39, 112, pl. X  
 horse: Hungary
- Cylicostomum sclerostomum tetracanthus*  
 von Bassewitz, E., 1928 a, 282
- Cylicostomum sipunculiforme* Railliet, Henry and Bauche, 1914  
 Baylis, H. A., 1936 a, 258  
 as syn. of *Equinuria sipunculiformis* (Baird, 1859) Lane, 1914
- Cylicostomum sipunculiforme* (Baird)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 39  
 as syn. of *Equinuria sipunculiformis* (Baird)
- Cylicostomum subcoronatum*  
 Noda, R., 1957 a, 341  
*Tokara pony*
- Cylicostomum tetracanthum* Molin  
 Alessandrini, G. C., 1929 a, 187
- Cylicostomum tetracanthum* (Mehl., 1831)  
 Baylis, H. A.; and Daubney, R., 1923 a, 571  
 horse
- [*Cylicostomum tetracanthum*] *Cylicostome tétra-*  
*canthe*  
 Dumas, A., 1932 b, 252-254  
 pathogenic role in cachexia of young horses
- Cylicostomum tetracanthum* Mehlis  
 Fiebiger, J., 1923 a, 32, 295-297, 411, 417, figs. 247-249  
 Syns.: *Sclerost. tetr.*, *quadrident.*; *Cyathostomum tetr.*  
*Pferd*  
*Esel*
- Cylicostomum tetracanthum*  
 Freund, V., 1927 a, 20
- Cylicostomum tetracanthum*  
 Hagan, W. A., 1919 b, 190, 192
- Cylicostomum tetracanthum*  
 Herán, F., 1926 a, 95-120
- Cylicostomum tetracanthum*  
 Hueber, P., 1926 a, 130, 131
- Cylicostomum tetracanthum*  
 Ihle, J. E. W., 1920 b, 267, 268
- Cylicostomum tetracanthum*  
 Ihle, J. E. W., 1920 e, 760
- Cylicostomum tetracanthum* (Looss), 1902  
 Ihle, J. E. W., 1921 b, 398
- Cylicostomum tetracanthum* Mehlis  
 Ihle, J. E. W., 1922 b, 40, 41-42, 45, 97, figs. 27-29
- Cylicostomum tetracanthum* (Mehlis)  
 Ihle, J. E. W., 1924 b, 442, 443
- Cylicostomum (Cylicostomum) tetracanthum* (Mehlis)  
 Ihle, J. E. W., 1925 b, 227, 228
- Cylicostomum tetracanthum*  
 Jelínek, V., 1927 b, 167-200
- Cylicostomum tetracanthum*  
 Johnston, T. H., 1916 a, 38  
 horse
- Cylicostomum (Sclerostomum) tetracanthum*  
 Knuth, P.; and Du Toit, P. J., 1921 a, 816, 818
- Cylicostomum tetracanthum*  
 Kotlán, S., 1919 a, 82, 89, 94
- Cylicostomum tetracanthum* v. n.  
 Král, F., 1922 a, 96 pp.
- Cylicostomum tetracanthum*  
 Lagaiarde, J. M., 1927 a, 430
- Cylicostomum tetracanthum*  
 Lewis, E. A., 1926 a, 179
- Cylicostomum tetracanthum*  
 Lewis, E. A., 1927 d, 124, 125
- Cylicostomum tetracanthum* Mehlis  
 López-Neyra, C. R., 1922 a, 409, 410  
*Equus caballus*  
*E. caballus x E. asinus*
- Cylicostomum tetracanthum* Mehlis  
 Lopez Neyra, C. R., 1924 a, 165
- Cylicostomum tetracanthum*  
 Marcenac, L. N., 1929 a, 282-295
- Cycostomum* [sic] *tetracanthum*  
 Marcenac, L. N., (1934 b), 69
- Cylicostomum tetracanthum*  
 Mettam, R. W. M., 1932 d, 20  
 donkey: Uganda

- Cylicostomum tetracanthum*  
Mönnig, H. O., 1926 b, 225  
Hippotigris zebra
- Cylicostomum tetracanthum*  
Němeček, F., (1927 a), 109, 131
- Cylicostomum tetracanthum*  
Poisson, H.; Génevois; and Lamberton, R.,  
1935 a, 246-247  
toxins causing cirrhosis of liver in equines
- Cylicostomum tetracanthum*  
Popov, N. P., 1927 b, 188
- Cylicostomum tetracanthum*  
Pröscholdt, O., 1924 a, 779, 780, 781, 782,  
783, fig. 3  
treatment with Aricyl  
Fohlen: Pommern
- Cylicostomum tetracanthum Looss*  
Railliet, A., 1923 d, 14
- Cylicostomum tetracanthum (Mehlis, 1831)*  
Ransom, B. H.; and Hadwen, I. A. S., 1918 a,  
211  
horse
- Cylicostomum tetracanthum*  
Sandground, J. H., 1921 a, 327  
horse  
donkey
- Cylicostomum tetracanthum*  
Seurat, L. G., 1920 c, 120
- Cylicostomum tetracanthum (Mehlis)*  
Skrjabin, K. I., 1916 b, 53, 55-56
- Cylicostomum [Strongylus, Sclerostomum] tetracanthum (Mehlis)*  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
J. E. W., [1922 a], 401, 442
- Cylicostomum tetracanthum*  
Sturgess, G. W., [1918 a], F1  
osteoporosis  
horse (caecum, colon): Brazil
- Cylicostomum tetracanthum (Trichonema spp.)*  
Taylor, Henry, 1945 a, 8  
foal: [England]
- Cylicostomum tetracanthum Mehlis, 1831*  
Theiler, G., 1923 a, 9, 10, 11, 12, 17, 20, 33-  
34, 36, 53, p1. V  
Syns.: *Strongylus tetracanthus*; *Sclerostoma quadridentatum*; *Sclerostomum tetracanthum*; *Cyathostomum tetracanthum*; *Cylichnostomum tetracanthum*  
donkeys: South Africa; Egypt  
zebra  
horse: Egypt
- Cylicostomum tetracanthum Looss, 1902*  
Theiler, G., 1923 a, 21, 100, 101, 102, 104,  
106, 108, 110, 112, 113
- Cylicostomum tetracanthum*  
Thorshang, N., 1936 a, 365-367
- Cylicostomum tetracanthum (Mehlis, 1831)*  
Torreggiani, G., 1914 a, 407  
synonymy  
cavalli: Bolivia, La Paz  
asini: Bolivia, La Paz
- Cylicostomum tetracanthum (Mehlis, 1831)*  
Veglia, F., 1920 a, 33
- Cylicostomum tetracanthum (Trichonema tetracanthum)*  
Velu, H.; and Barotte, J. H., 1924 a, 401
- Cylicostomum tetracanthum*  
Wetzel, R., 1926 a, 619
- Cylicostomum tetracanthum*  
Wirth, D., 1932 a, 810
- Cylicostomum tetracanthum var. hepaticum*  
Prochazka, J., (1923? a)
- Cylicostomum tridentatum sp. n.*  
Yorke, W.; and Macfie, J. W. S., 1920 a, 153-  
157, figs. 1-5  
mule: Accra, Gold Coast, West Africa  
horse: Jamaica
- Cylicostomum tridentatum Yorke & Macfie, 1920*  
Yorke, W.; and Macfie, J. W. S., 1920 c, 166,  
167  
mule: Accra, Gold Coast, West Africa  
horse: Jamaica
- Cylicostomum tridentatum*  
Boulenger, C. L., 1921 c, 322  
horse: W. Africa
- Cylicostomum tridentatum Yorke & Macfie*  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
J. E. W., [1922 a], 442
- Cylicostomum tridentatum Yorke u. Macfie, 1920*  
Sprehn, C. E. W., 1932 c, 660  
as syn. of *Trichonema (Cylicocercus) goldi*  
(Boulenger, 1917)
- Cylicostomum tridentatum*  
Theiler, G., 1923 a, 43, 44  
as syn. of *C. goldi*
- Cylicostomum triramosum sp. n.*  
Yorke, W.; and Macfie, J. W. S., 1920 e, 175-  
179, figs. 1-5  
*Equus burchelli* (intestine): Northern Rhodesia
- Cylicostomum triramosum, Yorke & Macfie, 1920*  
Ihle, J. E. W., 1921 b, 399
- Cylicostomum (Cylicocyclus) triramosum Yorke & Macfie*  
Ihle, J. E. W., 1922 b, 63, 65-66, figs. 68-70  
*Equus burchelli*
- Cylicostomum (Cylicocyclus) triramosum Yorke & Macfie*  
Ihle, J. E. W., 1925 b, 232
- Cylicostomum triramosum*  
Mönnig, H. O., 1926 b, 225  
Hippotigris zebra
- Cylicostomum triramosum Yorke & Macfie, 1920*  
Theiler, G., 1923 a, 9, 10, 11, 21, 45-46, 102,  
112, p1. XVI  
zebra: South Africa
- Cylicostomum ultrajectinum n. sp.*  
Ihle, J. E. W., 1920 d, Apr. 15, 279-280  
paard (darm)
- Cylicostomum ultrajectinum Ihle*  
Ihle, J. E. W., 1920 b, Dec. 2, 268, 269-270,  
figs. 1, 2
- Cylicostomum ultrajectinum Ihle*  
Ihle, J. E. W., 1921 a, 372-374, figs. 1-2  
*Equus caballus* (dickdarm)
- Cylicostomum ultrajectinum, Ihle, 1920*  
Ihle, J. E. W., 1921 b, 400
- Cylicostomum ultrajectinum Ihle*  
Ihle, J. E. W., 1922 a, lxxvii
- Cylicostomum (Cylicodontophorus) ultrajectinum Ihle*  
Ihle, J. E. W., 1922 b, 16, 86, 87, 92-94,  
figs. 109-110
- Cylicostomum ultrajectinum Ihle*  
Ihle, J. E. W., 1925 b, 235
- Cylicostomum ultrajectinum*  
Cram, E. B., 1924 j, 91  
horse: Canada; Bethesda
- Cylicostomum ultrajectinum*  
Cram, E. B., 1925 i, 219
- Cylicostomum ultrajectinum*  
Hall, M. C., 1933 k, 368  
horse: Maryland
- Cylicostomum ultrajectinum*  
Krijgsman, B. J., 1933 d, 369  
as syn. of *Trichonema ultrajectinum*
- Cylicostomum ultrajectinum Ihle*  
Lopez Neyra, C. R., 1924 a, 164
- Cylicostomum ultrajectinum Ihle*  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
J. E. W., [1922 a], 443
- Cylicostomum ultrajectum [sic] Ihle, 1920*  
Sprehn, C. E. W., 1932 c, 667  
as syn. of *Trichonema (Cylicodontophorus) ultrajectum [sic] (Ihle, 1920)*

- Cylicostomum ultrajectinum*  
Swales, W. E., 1933 a, 471  
Equus caballus: Saskatchewan
- Cylicostomum ultrajectinum Ihle, 1920*  
Theiler, G., 1923 a, 9, 13, 18, 22, 61-62, 100,  
101, 103, 104, 106, 108, 110, 112, pl. XXXI  
horse  
mule
- Cylicostomum ultrajectinum Ihle, 1920*  
Yorke, W.; and Macfie, J. W. S., 1920 b, 162
- Cylicostomum zebrae n. sp.*  
Boulenger, C. L., 1920 c, 102-104, figs. 3-5  
zebra: Nairobi
- Cylicostomum zebrae*  
Boulenger, C. L., 1921 c, 325
- Cylicostomum zebrae Boulenger*  
Ihle, J. E. W., 1920 b, 268
- Cylicostomum zebrae, Boulenger 1920*  
Ihle, J. E. W., 1921 b, 399
- Cylicostomum zebrae Boulenger*  
Ihle, J. E. W., 1922 b, 69, 70  
as syn. of *C. insigne*
- Cylicostomum zebrae Boulenger*  
Railliet, A., 1923 d, 8, 13
- Cylicostomum zebrae Boulenger, 1920 nec Turner, 1920*  
Składnik, J., 1935 b, 158  
as syn. of *Trichonema (Cylicocyclus) insigne* (Boulenger, 1917)
- Cylicostomum zebrae*  
Smit, H. J., 1922 a, 18-20, 22, fig. 5
- Cylicostomum zebrae*  
Smit, H. J., 1924 a, 4, 18
- Cylicostomum zebrae*  
Smit, H. J.; and Noto Soediro, R., [1923 e], 450
- Cylicostomum zebrae Boulenger, 1920 nec Turner, 1920*  
Sprehn, C. E. W., 1932 c, 663  
as syn. of *Trichonema (Cylicocyclus) insigne* (Boulenger, 1917)
- Cylicostomum zebrae*  
Theiler, G., 1923 a, 68
- Cylicotrapedon n. subg.*  
Ihle, J. E. W., 1925 b, 230-232  
tod: *C. bidentatum n. sp.*
- Cylicotrapedon Ihle subgenus*  
Baylis, H. A., 1929 c, 155
- Cylicotrapedon Ihle, 1925 subg.*  
Ershov, V. S., 1933 b, 59  
Trichonema  
diagnosis
- Cylicotrapedon Ihle, 1925*  
Foster, A. O., 1936 e, 494-495
- Cylicotrapedon Ihle, 1925*  
McIntosh, S., 1951 a, 34  
*C. bidentatum Ihle, 1925 genotype; C. asymmetricum* (Theiler 1923) Ihle, 1925
- Cylicotrapedon Ihle, 1925 [subg.]*  
Skladnik, J., 1935 b, 169
- Cylicotrapedon Ihle, 1925*  
Sprehn, C. E. W., 1932 c, 651, 667  
subgenus of Trichonema
- Cylicotrapedon Ihle*  
Wetzel, R., 1926 a, 674
- Cylicotrapedon Ihle, 1925*  
Yorke, W.; and Maplestone, P. A., 1926 a, 59
- Cylicotrapedon asymmetricum Theiler*  
Ihle, J. E. W., 1925 b, 230  
Ihle included this in his n. subg. Cylicotrapedon, however it should have been quoted as *Cylicostomum [(Cylicotrapedon)] asymmetricum*. The combination as above was not really made
- Cylicotrapedon asymmetricum*  
Andrews, J. S., [1941 a], 133  
ganado equino: Puerto Rico
- Cylicotrapedon asymmetricum* (Theiler, 1923)  
Foster, A. O., 1936 e, 495, 502
- Cylicotrapedon bidentatum n. sp.*  
Ihle, J. E. W., 1925 b, 230  
Ihle made this n. sp., which he called *Cylicostomum bidentatum n. sp.* the type of his n. subg. Cylicotrapedon without combining it with that subg.
- Cylicotrapedon bidentatum*  
Andrews, J. S., [1941 a], 133  
ganado equino: Puerto Rico
- Cylicotrapedon bidentatum*  
Andrews, J. S.; and Maldonado, J. F., 1939 a, 54  
horses: Puerto Rico
- Cylicotrapedon bidentatum*  
McIntosh, A., 1933 c, 110  
equines: Puerto Rico
- Cylicotrapedon bidentatum*  
Van Volkenberg, H. L., 1939 a, 8  
horse: Puerto Rico
- Cylicotrapedon bidentatum*  
Van Volkenberg, H. L., 1939 a, 7  
horse: Puerto Rico
- Cylicotrapedon (Cylicocercus) goldi* (Boul.)  
Ihle, J. E. W., 1925 b, 230  
Ihle discussed this species in connection with his n. subg. Cylicotrapedon, however, he left it in the subg. Cylicocercus, p. 229 as *Cylicostomum goldi* Boulenger
- Cylicotoichus n.g.*  
Cram, E. B., 1924 g, 668  
Cylicotaichui
- Cylicotoichus*  
Cram, E. B., 1925 a, 230  
type: *C. montgomeryi* (Boulenger)
- Cylicotoichus Cram*  
Baylis, H. A., 1929 c, 155
- Cylicotoichus Cram, 1924 subg.*  
Ershov, V. S., 1933 b, 59  
Trichonema
- Cylicotoichus Cram, 1924*  
Sprehn, C. E. W., 1932 c, 651, 668  
subgenus of Trichonema  
type: *Trichonema (Cylicotoichus) montgomeryi* (Boulenger, 1920)
- Cylicotoichus Cram, 1924*  
Yorke, W.; and Maplestone, P. A., 1926 a, 60
- Cylicotoichus montgomeryi*  
Cram, E. B., 1924 g, 669
- Cylicotoichus montgomeryi* (Boulenger)  
Cram, E. B., 1925 a, 230
- Cylindropharynx*  
Baylis, H. A., 1924 d, 21
- Cylindropharynx Leiper, 1911*  
Baylis, H. A.; and Daubney, R., 1926 a, 161  
type: *C. brevicauda* Leiper
- Cylindropharynx*  
Cram, E. B., 1924 g, 666
- Cylindropharynx*  
Hueber, P., 1926 a, 130
- Cylindropharynx Leiper*  
Ihle, J. E. W., 1922 b, 18, 108
- Cylindropharynx*  
Pillers, A. W. N., 1922 c, 357
- Cylindropharynx*  
Popov, N. P., 1927 a, 208
- Cylindropharynx Leiper, 1911*  
Ransom, B. H.; and Hadwen, I. A. S., 1918 a, 203
- Cylindropharynx Leiper*  
Rauther, M., 1930 a, 376
- Cylindropharynx Leiper, 1911*  
Roetti, C., 1939 a, 374, 376-377, fig.  
mulo abissino: Scioa
- Cylindropharynx*  
Sprehn, C. E. W., 1927 e, 47

- Clylindropharynx Leiper*, 1911  
 Sprehn, C. E. W., 1932 c, 650, 671  
 type: *C. brevicauda Leiper*, 1911
- Clylindropharynx Leiper*, 1911  
 Theiler, G., 1923 a, 6, 10, 11, 12, 20, 24, 88, 95
- Clylindropharynx Leiper*  
 Theiler, G., 1923 b, 197  
 type: *C. brevicauda Leiper*
- Clylindropharynx*  
 Travassos, L. P., 1920 h, 65
- Clylindropharynx Leiper*, 1911  
 Yorke, W.; and Maplestone, P. A., 1926 a, 52, 64-65  
 type: *C. brevicauda Leiper*
- Clylindropharynx aethiopica*  
 Roetti, C., 1947 a, 171, 174, 175, fig.  
 mule: Addis Abeba
- Clylindropharynx asini* [n. sp.]  
 Roetti, C., 1947 a, 172, 174, 175, fig.  
 donkey: Addis Abeba
- Clylindropharynx brevicauda Leiper*, 1911  
 Baylis, H. A.; and Daubney, R., 1926 a, 161
- Clylindropharynx brevicauda Leiper*, 1911  
 Boulenger, C. L., 1920 c, 99-101, 102, fig. 1  
 zebra: Nairobi
- Clylindropharynx brevicauda*  
 Cram, E. B., 1924 g, 661, 662, 663, 668
- Clylindropharynx brevicauda Leiper*  
 Ihle, J. E. W., 1922 b, 109, fig. 131
- Clylindropharynx brevicauda*  
 Mettam, R. W. M., 1932 d, 20  
 zebra: Uganda
- Clylindropharynx brevicauda*  
 Mönning, H. O., 1926 b, 225  
 Hippotigris zebra
- Clylindropharynx brevicauda*  
 Poulton, W. F., 1929 b, 18  
 zebra: Uganda
- Clylindropharynx brevicauda*  
 Sprehn, C. E. W., 1927 e, 47
- Clylindropharynx brevicauda Leiper*, 1911 (type)  
 Sprehn, C. E. W., 1932 c, 671
- Clylindropharynx brevicauda Leiper*, 1911  
 Theiler, G., 1923 a, 5, 24, 78-79, 80, 81, 82, pl. XLIII
- Clylindropharynx brevicauda*  
 Theiler, G., 1923 b, 199
- Clylindropharynx brevicauda Leiper*, 1911  
 Yorke, W.; and Macfie, J. W., 1920 d, 174
- Clylindropharynx brevicauda Leiper*  
 Yorke, W.; and Maplestone, P. A., 1926 a, 64  
 type of genus  
 zebra
- Clylindropharynx intermedia* n. sp.  
 Theiler, G., 1923 a, 10, 11, 12, 24, 60, 81, 82, 103, pl. XLIV  
 zebra
- Clylindropharynx intermedia* n. sp.  
 Theiler, G., 1923 b, 198-199, pl. 1., figs. 1-6  
 zebra: Rustenburg District
- Clylindropharynx intermedia*  
 Cram, E. B., 1924, 672
- Clylindropharynx intermedia*  
 Macdonald, R. A. S., 1932 a, 34  
 Wahlberg's zebra: Mazabuka area, N. Rhodesia
- Clylindropharynx intermedia*  
 Mönning, H. O., 1926 b, 225  
 Hippotigris zebra
- Clylindropharynx intermedia* Theiler, 1923  
 Mönning, H. O., 1928 a, 810  
 zebra: mountain zebra
- Clylindropharynx intermedia*  
 Sprehn, C. E. W., 1927 e, 47
- Clylindropharynx intermedia* Theiler, 1923  
 Sprehn, C. E. W., 1932 c, 672  
 zebra
- Clylindropharynx intermedia* Theiler  
 Yorke, W.; and Maplestone, P. A., 1926 a, 64  
 zebra
- Clylindropharynx longicauda* Leiper, 1911  
 Boulenger, C. L., 1920 c, 101-102, fig. 2  
 zebra
- Clylindropharynx longicauda*  
 Cram, E. B., 1924 g, 663, 668
- Clylindropharynx longicauda* Leiper  
 Gedoelst, L., 1916 a, 70  
 zebra probably *Equus burchelli crawshayi*: Katanga, Belg. Congo
- Clylindropharynx longicauda* Leiper  
 Ihle, J. E. W., 1922 b, 110
- Clylindropharynx longicauda*  
 Macdonald, R. A. S., 1932 a, 34  
 Wahlberg's zebra: Mazabuka area, N. Rhodesia
- Clylindropharynx longicauda*  
 Mönning, H. O., 1926 b, 225  
 Hippotigris zebra
- Clylindropharynx longicauda*  
 Sprehn, C. E. W., 1927 e, 47
- Clylindropharynx longicauda* Leiper, 1911  
 Sprehn, C. E. W., 1932 c, 672  
 zebra
- Clylindropharynx longicauda* Leiper, 1911  
 Theiler, G., 1923 a, 5, 12, 24, 79-80, 81, 82, pl. XLII
- Clylindropharynx longicauda*  
 Theiler, G., 1923 b, 199
- Clylindropharynx longicauda* Leiper, 1911  
 Yorke, W.; and Macfie, J. W., 1920 d, 174
- Clylindropharynx longicauda* Leiper  
 Yorke, W.; and Maplestone, P. A., 1926 a, 64  
 zebra
- Clylindropharynx ornata*  
 Cram, E. B., 1924 g, 661-672, figs. 1-8  
 zebra
- Clylindropharynx ornata*  
 Macdonald, R. A. S., 1932 a, 34  
 Wahlberg's zebra: Mazabuka area, N. Rhodesia
- Clylindropharynx ornata* Cram, 1924  
 Mönning, H. O., 1928 a, 810  
 zebra
- Clylindropharynx ornata*  
 Sprehn, C. E. W., 1927 e, 47
- Clylindropharynx ornata* Cram, 1924  
 Sprehn, C. E. W., 1932 c, 672  
 zebra
- Clylindropharynx ornata* Cram  
 Yorke, W.; and Maplestone, P. A., 1926 a, 65  
 zebra
- Clylindropharynx rhodesiensis* sp. n.  
 Yorke, W.; and Macfie, J. W. S., 1920 d, 169-174, figs. 1-7  
*Equus burchelli*: Northern Rhodesia
- Clylindropharynx rhodesiensis* Yorke et Macfie, 1920  
 van den Berghe, L., 1943 a, 6, 22  
*Equus burchelli granti*: Parc National de la Kagera, Ruanda
- Clylindropharynx rhodesiensis*  
 Chitwood, B. G.; and Chitwood, M. B., 1938 a, 59, fig. 56 C
- Clylindropharynx rhodesiensis*  
 Cram, E. B., 1924 g, 662, 663, 668
- Clylindropharynx rhodesiensis* Yorke & Macfie  
 Ihle, J. E. W., 1922 b, 108-109, fig. 130
- Clylindropharynx rhodesiensis*  
 Macdonald, R. A. S., 1932 a, 34  
 Wahlberg's zebra: Mazabuka area, N. Rhodesia
- Clylindropharynx rhodesiensis*  
 Sprehn, C. E. W., 1927 e, 47
- Clylindropharynx rhodesiensis* Yorke u. Macfie, 1920  
 Sprehn, C. E. W., 1932 c, 672  
 zebra

- Cylindropharynx rhodesiensis* Yorke & Macfie, 1920  
 Theiler, G., 1923 a, 12, 24, 80-81, 82,  
 pl. XLIII  
 zebra: Northern Rhodesia
- Cylindropharynx rhodesiensis*  
 Theiler, G., 1923 b, 199
- Cylindropharynx rhodesiensis* Yorke & Macfie  
 Yorke, W.; and Maplestone, P. A., 1926 a, 65,  
 fig. 33  
 zebra
- Cyrnea Seurat*, 1914, nec Deshayes, 1858  
 Baylis, H. A., 1939 b, 71  
 as syn. of *Habronema Diesing*, 1861
- Cyrnea Seurat*, 1914  
 Baylis, H. A.; and Daubney, R., 1926 a, 211,  
 212  
 as syn. of *Habronema Diesing*
- Cyrnea Seurat*, 1941 (=*Seurocyrnea Strand*, 1929;  
 (?) = *Skrjabinochona Guschanskaja*, 1931)  
 Chabaud, A. G., 1959 c, 13-14, 19  
*Hedruridae, Habronematinae*
- Cyrnea Seurat*  
 Cram, E. B., 1927 a, 164, 166-167  
 type: *C. euryicerca Seurat*
- Cyrnea*  
*Gushanskaia*, L. Kh., 1931 a, 281
- Cyrnea Seurat*  
 Maplestone, P. A., 1930 c, 403-406
- Cyrnea*  
 Maplestone, P. A., 1932 c, 247  
 as syn. of *Habronema*
- Cyrnea Seurat*, 1914  
 Mirza, M. B.; and Basir, M. A., 1938 a, 218
- Cyrnea Seurat* 1914  
 Ortlepp, R. J., 1922 a, 1102, 1103
- Cyrnea Seurat*  
 Rauther, M., 1930 a, 371
- Cyrnea Seurat*  
 Shul'ts, R. E. S., 1927 e, 307
- Cyrnea Seurat*  
*Skrjabin*, K. I., 1923 m, 62, 63-64
- Cyrnea Seurat*, 1914  
 Sprehn, C. E. W., 1932 c, 592, 594  
 type species: *C. euryicerca Seurat*, 1914
- Cyrnea Seurat*  
*Strand*, E. 1929 c, 4  
 changed to *Seurocyrnea Strand*
- Cyrnea*  
 Travassos, L. P., 1920 h, 67
- Cyrnea Seurat*, 1914  
 Yorke, W.; and Maplestone, P. A., 1926 a, 292,  
 299-300, 302  
 type: *C. euryicerca Seurat*, 1914
- Cyrnea sp.*  
 Adams, A. R. D., 1933 b, 6  
 Knot (*Tringa* sp.): Edinburgh Zool. Gardens
- Cyrnea sp.*  
 Fediushin, A. V., 1949 a, 26, 27, 28  
*Perdix perdix* (L.): Russia
- Cyrnea sp.*  
 Ferreira d'Almedia, R., 1937 a, 296  
*Trogon viridis*: Tronco
- Cyrnea sp.*  
 Gvozdev, E. V., 1956 c, 82  
*Coturnix coturnix*: vicinity Alma Ata
- ? *Cyrnea Seurat*, 1914  
 Hurley, T. J., 1938 a, 18  
 peacock: Vet. Lab., Nagpur
- Cyrnea sp.*  
 Mudaliar, S. V.; and Alwar, V. S., 1947 b, 93  
 peacock: Nagpur, C.P.
- Cyrnea sp.*  
 Stoddard, H. L., 1926 a, 44  
*Colinus virginianus viginianus* (mucus of  
 proventriculus at junction with gizzard)
- Cyrnea* [sp.]  
 Travassos, L. P.; and Teixeira de Freitas, J. F., 1941 a, 535, 540, 543  
*Crypturellus undulatus undulatus*; *Piaya cayana cabanisi*; *Celeus lugubris* (Maln.): all from Estrada de Ferro Noroeste do Brasil
- Cyrnea* [spp.]  
 Travassos, L. P.; Teixeira de Freitas, J. F.; and Lent, H., 1939 a, 234, 236  
*Piaya cayana macroura*; *Crotaphaga ani*; *Crotaphaga major*; *Trogonurus variegatus behni*: all from Estrada de Ferro Noroeste, Brasil
- Cyrnea* sp.  
 Webster, J. D.; and Addis, C. J., 1945 a, 287  
*Colinus virginianus texanus*: South Texas
- Cyrnea (Procyrnea) aegotheles* (Johnston et Mawson, 1941)  
 Chabaud, A. G.; and Bryggo, E. R., [1959 b], 132  
 key
- Cyrnea (Procyrnea) americana* (Chandler, 1941)  
 Chabaud, A. G.; and Bryggo, E. R., [1959 b], 134  
 key
- Cyrnea (Procyrnea) asymmetrica* (Maplestone, 1932)  
 Chabaud, A. G.; and Brugoo, E. R., [1959 b], 134  
 key
- Cyrnea (Procyrnea) buckleyi* (Bisseru, 1955)  
 Chabaud, A. G.; and Bryggo, E. R., [1959 b], 134  
 key  
 [Cyrnea bulbosa (v. Linstow, 1906)]  
 Ortlepp, R. J., 1922 a, 1102  
 [combination not made]
- Cyrnea bulbosa* (v. Linstow) Ortlepp, 1922  
 [n. comb.]  
 Ortlepp, R. J., 1925 e, 180-183, figs. 4-7  
*Pavo cristatus*; *Pavo muticus*
- Cyrnea (C.) bulbosa* (Linstow, 1906)  
 Chabaud, A. G.; and Rousset, R., [1958 a], 426  
 key
- Cyrnea bulbosa* (Linstow)  
 Cram, E. B., 1927 a, 390
- ? *Cyrnea bulbosa* v. Linst.  
 Galli-Valerio, B., 1939 c, 100  
 (oeufs du type Spiroptera ... s'agissait peut-être de *Cyrnea bulbosa*)  
*Pavo cristatus* (paon): parc de Mon Repos, Lausanne
- Cyrnea bulbosa* (v. L.) Ortlepp, 1925  
 Hill, W. C. O., 1940 a, 67  
 as syn. of *Physaloptera bulbosa* von Linstow, 1906
- Cyrnea bulbosa* (v. Linst.)  
 Shul'ts, R. E. S., 1927 e, 306
- Cyrnea bulbosa* (Linstow, 1906)  
 Sprehn, C. E. W., 1932 c, 594-595, 891  
 Syns.: *Physaloptera bulbosa* Linstow, 1906;  
*C. bulbosa* (Linstow, 1906) Ortlepp, 1923  
*Pavo cristatus* (unter der Magenschleimhaut): Europa, Asien
- Cyrnea bulbosa* (Linstow, 1906)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 300  
*Pavo* spp.
- Cyrnea capitellata* (Schn.) [n. comb.]  
 Gendre, E., 1928 a, 70  
*Coracias garrula*
- Cyrnea capitellata* auct.  
 Gil'bert, L. I., 1930 a, 102  
*Coracias garrulus* (L.): western SSSR

- Cyrnea capitellata* (Schneider, 1866)  
*Gushanskia*, L. K., 1937 a, 219-220  
 Coracias garrula: USSR (Uzbekistan, Armenia, Kazakhstan)
- Cyrnea capitellata*  
 Ivanitski, S. V., 1940 a, 150  
 Coracias garrula: Ukraine
- Cyrnea capitellata* (Schneider, 1866) Guschan., 1937  
 Kurashvili, B. E., 1941 a, 64-65, 90, 93  
 Coracias garrulus L. (under cuticle of muscular stomach): Georgia, SSR
- Cyrnea (C.) casuarini* (Maplestone, 1932) [n. comb.]  
 Chabaud, A. G.; and Rousselot, R., [1958 a], 425  
 key
- Cyrnea (Procyrnea) colaptes* (Walton, 1923)  
 Chabaud, A. G.; and Brygoo, E. R., [1959 b], 135  
 key
- Cyrnea colini* n. sp.  
 Cram, E. B., 1927 a, 167, 168-171, figs. 242, 243  
*Colinus virginianus*
- Cyrnea colini* Cram  
 Cram, E. B., 1931 e, 241, 244, 261, 262, 263-267, figs. 9-11  
*Colinus virginianus*; *Colinus virginianus texanus*; *Meleagris gallopavo*; *Tympanuchus americanus*; *Pedioecetes phasianellus campes-tris*; *Blattella germanica*
- Cyrnea colini*  
 Beaudette, F. R.; and Hudson, C., 1930 a, 562-564  
 quail
- Cyrnea colini* Cram  
 Canavan, W. P. N., 1929 a, 71, 87-88, pl. 4, fig. 6  
*Colinus virginianus texanus*
- Cyrnea (C.) colini* (Cram, 1927)  
 Chabaud, A. G.; and Rousselot, R., [1958 a], 427  
 key
- Cyrnea colini*  
 Gross, A. O., 1930 b, 31, 32-33  
 prairie chicken: Wisconsin  
 bobwhite quail  
 turkeys: Southern Georgia
- Cyrnea coraci* n. sp.  
 Mirza, M. B.; and Basir, M. A., 1938 a, 218-219  
*Coracias indica*: Hyderabad Deccan, India
- Cyrnea dentifera* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1941 a, 250, 254, 255, figs. 19-20  
*Eupodotis australis* Gray: Mt. Liebig, Central Aust.
- Cyrnea (C.) diesingi* (Maplestone, 1932)  
 [n. comb.]  
 Chabaud, A. G.; and Rousselot, R., [1958 a], 426  
 key
- Cyrnea (Procyrnea) dolichocolpos* [n. sp.]  
 [nomen nudum]  
 Brygoo, E. R.; Dodin, A.; and Capron, A., 1959 a, 217  
*Gymnogenys radiatus*: Madagascar
- Cyrnea (Procyrnea) dolichocolpos* n. sp.  
 Chabaud, A. G.; and Brygoo, E. R., [1959 b], 127-132, 136, figs. 1-3  
 key
- Gymnogenys radiatus*: Madagascar
- Cyrnea (C.) eurycerca* Seurat, 1914  
 Chabaud, A. G., 1959 c, 14
- Cyrnea (C.) eurycerca* Seurat, 1914  
 Chabaud, A. G.; and Rousselot, R., [1958 a], 427  
 key
- Cyrnea eurycerca* Seurat, 1914  
 Chitwood, B. G.; and Wehr, E. E., 1934 a, 319  
 as syn. of *Seurocyrnea eurycerca* (Seurat, 1914) Strand, 1929 [? n. comb.]
- Cyrnea eurycerca* Seurat  
 Cram, E. B., 1927 a, 167, fig. 239  
*Caccabis petrosa*; *Coturnix coturnix*
- Cyrnea eurycerca* Seurat, 1914  
 Dubinin, M. N.; and Serkova, O. P., 1951 a, 79, 93  
*Phasianus colchicus bianchii*; Tadzhikistan
- Cyrnea eurycerca* Seurat  
 Gendre, E., 1928 a, 69  
*Francolinus bicalcaratus*
- Cyrnea eurycerca* [sic] Seurat, 1914  
 Gil'bert, L. I., 1930 a, 102  
*Coturnix coturnix* (L.): western SSSR
- Cyrnea eurycerca* Seurat, 1914  
 Gvozdev, E. V., 1955 b, 61  
*Phasianus colchicus mongolicus*: Alma-Atinsk Oblast
- Cyrnea eurycerca* Seurat, 1914  
 Gvozdev, E. V., 1956 b, 68-69, 72  
*Alectoris graeca*: south eastern Kazakhstan
- Cyrnea eurycerca* Seurat, 1914  
 Gvozdev E. V., 1956 c, 82  
*Coturnix coturnix*: vicinity Alma Ata
- Cyrnea eurycerca* Seurat, 1914  
 Kurashvili, B. E., 1941 a, 65-66, 93  
*Coturnix coturnix* L. (glandular stomach): Georgia, SSR
- Cyrnea eurycerca* Seurat  
 Layman, E. M., 1926 a, 50, 53, 58  
*Phasianus mongolicus turkestanicus*; *Phasianus principalis*
- Cyrnea eurycerca* Seurat, 1914  
 López-Neyra, C. R., 1918 a, 152, 153
- Cyrnea eurycerca* Seurat  
 López-Neyra, C. R., 1918 b, 81, 82
- Cyrnea eurycerca* Seurat, 1914  
 López-Neyra, C. R., 1919 a, 32, 33, 34  
 type of genus  
*Caccabis rufa* (*ventriculo subcenturiano*): Corse Argelia
- Cyrnea eurycerca* Seurat, 1914  
 Myers, B. J.; Kuntz, R. E.; and Wells, W. H., 1962 a, 534, 535  
*Coturnix coturnix*; *Apus murinus pallidus*: Egypt
- Cyrnea eurycerca* Seurat  
 Rauther, M., 1930 a, 371
- Cyrnea eurycerca* Seurat  
 Semenov, V. D., 1926 a, 104-105, 106  
*Coturnix coturnix*
- Cyrnea eurycerca* Seurat  
 Seurat, L. G., 1917 b, 212-213, 215  
*Caccabis petrosa*; *Coturnix coturnix*
- Cyrnea eurycerca* Seurat  
 Seurat, L. G., 1918 f, 579
- Cyrnea eurycerca* Seurat  
 Seurat, L. G., 1919 a, 986
- Cyrnea eurycerca*  
 Seurat, L. G., 1920 c, 64, 71, 176
- Cyrnea euricerca* [sic] Seurat  
 Solonitsyn, I. A., 1928 a, 81-82  
*Coracias garrula*
- Cyrnea eurycerca* Seurat, 1914  
 Sprehn, C. E. W., 1932 c, 594, 889  
 type  
*Coturnix coturnix* (*Magenschleimhaut*): Europa, Afrika
- Cyrnea eurycerca* Seurat, 1914  
 Yorke, W.; and Maplestone, P. A., 1926 a, 300, fig. 206  
 type of genus  
 partridges

- Cyrnea excisa* (Molin, 1860) Seurat, 1914  
 Hill, W. C. O., 1940 a, 67  
 as syn. of *Physaloptera striata* von Linstow,  
 1883
- Cyrnea excisa* (Molin)  
 Cram, E. B., 1927 a, 167-168, fig. 240  
*Ciconia alba*; *Ciconia alba asiatica*; *Ciconia ciconia*; *Ciconia maguari*; *Tropidonotus hydrus*
- Cyrnea excisa* Mol.  
 Gendre, F., 1928 a, 69, 70  
 as syn. of *Excisa excisa* (Mol.)
- Cyrnea excisa* Molin, 1860  
 Lopez-Neyra, C. R., 1919 a, 34  
*Ciconia maguari* Temm. (*ventriculo subcenturiano*): Brazil  
*Ciconia ciconia* L. (*ventriculo subcenturiano*): Argelia
- Cyrnea excisa* (Molin)  
 Seurat, L. G., 1919 a, 986
- Cyrnea excisa*  
 Seurat, L. G., 1920 c, 176
- Cyrnea excisa* (Mol.)  
 Shul'ts, R. E. S., 1927 e, 306
- Cyrnea excisa* (Molin)  
 Skrjabin, K. I., 1923 m, 64, figs. 83, 84  
*Ciconia alba* v. *asiatica*; *Ciconia ciconia* L.;  
*Ciconia maguari* Temm.
- Cyrnea excisa* (Molin, 1860)  
 Sprehn, C. E. W., 1932 c, 595, 854  
*Ciconia ciconia* (*Oesophagus*, Kropf u.  
 Drüsenmagen): Asien, Afrika, Südamerika
- Cyrnea excisa* Molin, 1860  
 Szidat, L., 1940 a, 572, 576  
*Ciconia maguari*: Brasilien  
*Ciconia ciconia*: Algerien
- Cyrnea excisa* (Molin, 1860) Seurat, 1914  
 Yamaguti, S., 1941 e, 441, 463-464, 479, pl.  
 XI, fig. 25, figs. 26-27  
*Ciconia ciconia boyceiana* Swinhoe: zoological  
 garden of Kyoto
- Cyrnea excisa* (Molin, 1860)  
 Yorke, M.; and Maplestone, P. A., 1926 a, 300  
*Ciconia* spp.
- Cyrnea excisiformis* n. sp.  
 Yamaguti, S., 1935 j, 403, 420-421, figs. 30-  
 32  
*Asio otus otus* (stomach)
- Cyrnea* (*Procyrneara*) *ficheuri* (Seurat, 1916)  
 Chabaud, A. G.; and Brygaa, E. R., [1959 b],  
 133  
 key
- Cyrnea graphophasianii* n. sp.  
 Yamaguti, S., 1935 j, 403, 418-420, figs. 28-  
 29  
*Graphophasianus sömmerringii* *scintillans*  
 (*proventriculus*): Hyōgo Prefecture, Kyūshū
- Cyrnea* (*Procyrneara*) *imbricata* (Maplestone, 1930)  
 Chabaud, A. G.; and Brygaa, E. R., [1959 b],  
 133  
 key
- Cyrnea* (*Procyrneara*) *incerta* (Smith, 1908)  
 Chabaud, A. G.; and Brygaa, E. R., [1959 b],  
 135  
 key
- Cyrnea* (*C.*) *indica* (Maplestone, 1929) [n. comb.]  
 Chabaud, A. G.; and Rousselot, R., [1958 a],  
 425-426
- Cyrnea* (*C.*) *leptoptera*  
 Chabaud, A. G., 1959 c, 13, 14
- Cyrnea* (*Procyrneara*) *leptoptera* (Rud., 1819)  
 Chabaud, A. G.; and Brygaa, E. R., [1959 b],  
 135  
 key
- Cyrnea* (*Procyrneara*) *longispicula* (Walton, 1928)  
 Chabaud, A. G.; and Brygaa, E. R., [1959 b]  
 134  
 key
- Cyrnea* (*Procyrneara*) *longistriata* (Molin, 1859)  
 Chabaud, A. G.; and Brygaa, E. R., [1959 b],  
 134  
 key
- Cyrnea lyruri*  
 Fedushin, A. V., 1948 a, 483  
 distribution
- Cyrnea lyruri* Fedjuschin  
 Fedjuschin, A. V., 1949 a, 24, 25, 26, 27, 29  
*Lagopus lagopus* L.; *Tetrao urogallus* L.;  
*Lyrurus tetrix* (L.); *Tetrastes bonasia* L.:  
 all from Russia
- Cyrnea* (*C.*) *lyruri* Fedyushin, 1946  
 Chabaud, A. G.; and Rousselot, R., [1958 a],  
 426  
 key
- Cyrnea lyruri* Fedjuschin, 1946  
 Gvozdev, E. V., 1955 b, 69-70  
*Lyrurus tetrix*: Kazakhstan
- Cyrnea lyruri*  
 Gvozdev, E. V., 1958 b, 130  
 teterrevinykh ptits [Tetraonidae]: Kazakhstan
- Cyrnea* (*Procyrneara*) *magnilabiata* (Maplestone,  
 1932)  
 Chabaud, A. G.; and Brygaa, E. R., [1959 b],  
 133  
 key
- Cyrnea* (*Procyrneara*) *mansioni* (Seurat, 1914)  
 Chabaud, A. G.; and Brygaa, E. R., [1959 b],  
 135  
 key
- Cyrnea* (*Procyrneara*) *monoptera* (Gendre, 1922)  
 Chabaud, A. G.; and Brygaa, E. R., [1959 b],  
 134  
 key
- Cyrnea* (*Procyrneara*) *murrayi* (Ortlepp, 1934)  
 Chabaud, A. G.; and Brygaa, E. R., [1959 b],  
 133  
 key
- Cyrnea ovata* (Linstow, 1907) [n. comb.]  
 Yorke, W.; and Maplestone, P. A., 1926 a, 300  
*Astur melanoleucus*
- Cyrnea ovata* (v. L.) Yorke and Maplestone, 1926  
 Hill, W. C. O., 1940 a, 67  
 as syn. of *Physaloptera ovata* von Linstow,  
 1907; *Seurocyrnea ovata* (von Linstow, 1907)  
 mihi
- Cyrnea ovata* (v. Linst.)  
 Shul'ts, R. E. S., 1927 e, 306
- Cyrnea parroti* n. sp.  
 Seurat, L. G., 1917 b, 214-215  
*Caccabis petrosa*; Mac Mahon
- Cyrnea parroti* Seurat  
 Seurat, L. G., 1918 f, 579
- Cyrnea parroti*  
 Seurat, L. G., 1920 c, 71
- Cyrnea* (*C.*) *parroti* Seurat, 1917  
 Chabaud, A. G., 1959 c, 11-20
- Cyrnea* (*C.*) *parroti* Seurat, 1917  
 Chabaud, A. G.; and Rousselot, R., [1958 a],  
 427-428  
 key
- Cyrnea parroti* Seurat  
 Cram, E. B., 1927 a, 167, 171  
*Caccabis petrosa*
- Cyrnea parroti* Seurat  
 Gendre, E., 1928 a, 69
- Cyrnea parroti* Seurat, 1917  
 Yorke, W.; and Maplestone, P. A., 1926 a, 300  
 rock partridge
- Cyrnea piayae* n. sp.  
 Sandground, J. H., 1929 c, 520-521, pl. 2,  
 fig. 8  
*Piaya cayana thermophila*

- Cyrnea (Procyrnea) pileata* (Walton, 1928)  
*Chabaud, A. G.; and Brygoo, E. R., [1959 b], 134*  
 key
- Cyrnea (C.) semilunaris* (Molin, 1860)  
*Chabaud, A. G.; and Rousselot, R., [1958 a], 425*  
 key
- Cyrnea semilunaris* (Molin)  
*Cram, E. B., 1927a, 167, 171*  
*Crotophaga major; Trogon collaris; Trogon melanurus*
- Cyrnea semilunaris* (Molin, 1860)  
*Lent, H.; Teixeira de Freitas, J. F.; and Cavalcanti Proenca, M., 1945 a, 271, 276-278, figs. 8-17*  
*Piaya cayana macroura* (Gamb.): Paraguai
- Cyrnea (Spiroptera) semilunaris* Molin  
*López-Neyra, C. R., 1918 a, 152*  
 Syn.: *C. lanceolata* Molin
- Cyrnea semilunaris* (Molin, 1860)  
*López-Neyra, C. R., 1919 a, 34*  
 Syn.: *C. lanceolata* Molin, 1860  
*Trogon collaris Latham* (*Túnica del estomago*);  
*Trogon melanura Swain* (*Túnica del estómago*);  
*Crotophaga major* L. (*Túnica del estómago*):  
 all from Brasil
- Cyrnea semilunaris* (Molin, 1860) Seurat, 1914  
*Matevosian, E. M., 1938 b, 373*  
*Corvus frugilegus*: Bashkiria
- Cyrnea semilunaris* (Molin, 1860) Seurat, 1914  
*Shul'ts, R. E. S.; Gnedenina, M. P.; and Kadenatsii, A. N., 1938 a, 35*  
 grach [rook]: Bashkiria
- Cyrnea semilunaris* (Molin, 1860)  
*Yorke, W.; and Maplestone, P. A., 1926 a, 300*  
*Crotophaga major*
- Cyrnea seurati*  
*López-Neyra, C. R., 1918 b, 79-83, figs. 1-2*  
*Caccabis rufa*: Granada, Spain
- Cyrnea seurati Lopez-Neyra*, 1918  
*López-Neyra, C. R., 1918 a, 152, 153*  
*Caccabis rufa* L.
- Cyrnea seurati Rodriguez*, 1918  
*López-Neyra, C. R., 1919 a, 27, 30-32, 33, 34, figs. 4-6*  
*Caccabis rufa* L. (*Molleja - gizzard*):  
 Granada, Spain
- Cyrnea (Procyrnea) seurati* (Skrjabin, 1917)  
*Chabaud, A. G.; and Brygoo, E. R., [1959 b], 134*  
 key
- Cyrnea seurati Lopez Neyra*  
*Cram, E. B., 1927 a, 167, 172, fig. 241*  
*Caccabis petrosa*
- Cyrnea seurati Lopez Neyra*  
*Gendre, E., 1928 a, 70*  
*Trachelotis senegalensis*
- Cyrnea seurati Lopez-Neyra*, 1918  
*Sprehn, C. E. W., 1932 c, 595*  
*Caccabis rufa* (*unter der Drüsennmagenschleim-haut*): Europa
- Cyrnea (Procyrnea) skrabini* (Vuylsteke, 1953)  
*Chabaud, A. G.; and Brygoo, E. R., [1959 b], 133*  
 key
- Cyrnea (Procyrnea) spinosa* (Gendre, 1922)  
*Chabaud, A. G.; and Brygoo, E. R., [1959 b], 134*  
 key
- Cyrnea (Procyrnea) tulostoma* (Hemprich et Ehrenberg, 1866)  
*Chabaud, A. G.; and Brygoo, E. R., [1959 b], 134*  
 key
- Cyrnea (Procyrnea) uncinipenis* (Molin, 1860)  
*Chabaud, A. G.; and Brygoo, E. R., [1959 b], 132*  
 key
- Cyrnea (Procyrnea) unilateralis* (Molin, 1860)  
*Chabaud, A. G.; and Brygoo, E. R., [1959 b], 133*  
 key
- Cyrnea (Procyrnea) urophasiana* (Wehr, 1931)  
*Chabaud, A. G.; and Brygoo, E. R., [1959 b], 134*  
 key
- Cyrnea (Procyrnea) waltoni* (Freitas et Lent, 1947)  
*Chabaud, A. G.; and Brygoo, E. R., [1959 b], 132*  
 key
- Cyrneinae* nov. subfam.  
*Ivashkin, V. M., 1961 d, 97*  
*Spiruridae*
- Cyrtosomatinae* nov. subfam.  
*Skrjabin, K. I., 1948 a, 751*  
*Cyrtosomum; Monhysterides*
- Cyrtosomatinae* Skrbabin, 1948  
*Skrjabin, K. I.; Shikhobalova, N. P.; and Sobolev, A. A., 1949 a, 246*  
*Cyrtosomum Gedoelst, 1919; Monhysterides Baylis et Daubney, 1922*
- Cyrtosomum*  
*Gedoelst, L., 1919 e, 911-913*  
*Sceloporus undulatus Daud.: America*
- Cyrtosomum Gedoelst*, 1919  
*Baylis, H. A.; and Daubney, R., 1926 a, 34*  
 type: *C. scelopori* Gedoelst
- Cyrtosomum Gedoelst*, 1919  
*Gallego Berenguer, J., 1947 a, 38, 45*  
 type: *C. sceolopori* Gedoelst, 1919
- Cyrtosomum*  
*Gambino, J. J.; and Heyneman, D., 1960 a, 365-382, pl., map*  
 specificity and speciation
- Cyrtosomum Gedoelst*  
*Rauther, M., 1930 a, 383*
- Cyrtosomum*  
*Travassos, L. P., 1920 h, 62*
- Cyrtosomum*  
*Walton, A. C., 1942 f, 9*  
*Atractidae, Labidurinae*
- Cyrtosomum Gedoelst*, 1919  
*Yorke, W.; and Maplestone, P. A., 1926 a, 247, 249*  
 type: *C. scelopori* Gedoelst, 1919
- Cyrtosomum* sp. ?  
*Gambino, J. J., 1957 a, 77, 78, 80, pl. II, figs. d, e*  
*Sceloporus clarkii Baird and Girard; [Sceloporus magister rufidorsum Yarrow]; Gambelia w. wislizenii (Baird and Girard); [Gambelia wislizenii silus (Stejneger)]*
- Cyrtosomum heynemani* n. sp.  
*Gambino, J. J., 1958 a, 439, 441, 442, 443, 445, pl. II, figs. 6-10*  
*Crotaphytus collaris; Sceloporus woodi*  
*Holbrookia maculata*: New Mexico  
*H. texana; Sceloporus clarki; S. poinsetti; S. undulatus*
- Cyrtosomum heynemani* Gambino, 1958  
*Gambino, J. J.; and Heyneman, D., 1960 a, 365, 366, 368, 369, 370, 372, 374, 375, 376, 378, 381, fig. 6 D, G*  
*Holbrookia maculata*: Arizona, Colorado, Mexico, New Mexico, Texas  
*Holbrookia texana*: Arizona, New Mexico, Texas  
*Sceloporus clarki*: Arizona, New Mexico, Mexico  
*Sceloporus poinsetti*: New Mexico, Mexico  
*Sceloporus woodi*: Florida  
*Crotaphytus collaris*: New Mexico, Texas  
*Sceloporus undulatus*: New Mexico

- Cyrtosomum longicaudatum* n. sp.  
Brenes Madrigal, R. R.; and Bravo Hollis, M.,  
1960 a, 459-462, pl. 5, figs. 1-4  
*Ctenosaura s. similis* (intestino grueso):  
Costa Rica
- Cyrtosomum penneri* n. sp.  
Gambino, J. J., 1957 a, 76-77, 78, 79, pl. I,  
figs. a-f  
*Callisaurus draconoides gabii* Cope: Harper's  
Dry Lake, San Bernardino County, California  
*Sceloporus occidentalis biseriatus* Hallowell;  
*Sceloporus graciosus vandenburgianus* Cope;  
*Petrosaurus* sp.
- Cyrtosomum penneri* Gambino, 1957  
Gambino, J. J., 1957 b, 553-554  
Uma; *Callisaurus*; *Holbrookia*
- Cyrtosomum penneri*  
Gambino, J. J., 1958 a, 439  
*Callisaurus draconoides*; *Scoloporus graciosus*  
*S. magister*; *S. occidentalis*; *Uma scoparia*;  
*Uta stansburiana*
- Cyrtosomum penneri* Gambino, 1957  
Gambino, J. J.; and Heyneman, D., 1960 a, 365,  
366, 367, 368, 370, 372, 374, 376, 378, fig. 6  
A-C, E  
*Callisaurus draconoides carmenensis*: Mexico  
*Callisaurus draconoides gabii*: California,  
Mexico  
*Callisaurus draconoides splendidus*; *Petros-*  
*aurus* sp.: both from Mexico  
*Sceloporus graciosus vandenburgianus*: Cali-  
fornia  
*Sceloporus magister rufidorsum*: Mexico  
*Sceloporus occidentalis biseriatus*; *Uma*  
*scoparia*: both from California  
*Uta stansburiana*: California, Mexico
- Cyrtosoma readi* n. sp.  
Gambino, J. J., 1958 a, 439, 441-442, 443, 444,  
pl. I, figs. 1-5  
*Crotaphytus collaris*; *Gambelia wislizenii*:  
both from California  
*Phrynosoma asio*; *P. m'calli*; *P. platyrhinos*;  
*P. solare*; *Sceloporus undulatus*
- Cyrtosomum readi* Gambino, 1958  
Gambino, J. J.; and Heyneman, D., 1960 a, 365,  
366, 368, 370, 371, 372, 374, 375, 376, 378,  
381, fig. 6 H, I  
*Gambelia wislizenii silus*: California  
*Gambelia w. wislizenii*: Arizona, California  
Nevada, New Mexico, Mexico  
*Phrynosoma asio*: Mexico  
*Phrynosoma m'calli*: California  
*Phrynosoma platyrhinos*: California, Nevada  
*Phrynosoma solare*: Arizona, Mexico  
*Crotaphytus collaris*: California, New Mexico  
*Sceloporus undulatus*: New Mexico
- Cyrtosomum readi* Gambino, 1958  
Waitz, J. A., 1961 c, 51  
*Crotaphytus wislizenii* (large intestine);  
*Phrynosoma platyrhinos* (large intestine):  
both from Idaho
- Cyrtosomum scelopori* [n. sp.]  
Gedoelst, L., 1919 e, 910-913  
*Sceloporus undulatus*
- Cyrtosomum scelopori* Gedoelest, 1919  
Baylis, H. A.; and Daubney, R., 1926 a, 34
- Cyrtosomum scelopori* Gedoelest 1919  
Bravo H., M., 1942 a, 533, 536, figs. 1-6  
*Ctenosaura acanthura* (Shaw): Matamoros,  
Pue., Mex.
- Cyrtosomum sceleopori* Gedoelest, 1919  
Gallego Berenguer, J., 1947 a, 45-47, 70,  
pl. 12, figs. 1-3  
*Sceleoporus undulatus*
- Cyrtosomum scelopori* Gedoelest, 1919  
Gambino, J. J., 1957 a, 76, 77, 78, 80, pl. II,  
figs. a-c, f  
*Dipsosaurus d. dorsalis* (Baird and Girard)  
*Sauromalus obesus* (Baird)  
*Ctenosaura hemilopha* (Cope)
- Cyrtosomum scelopori* Gedoelest, 1919  
Gambino, J. J., 1957 b, 553-554  
*Dipsosaurus*; *Sauromalus*; *Ctenosaura*; *Enya-*  
*liosaurus*
- Cyrtosomum scelopori*  
Gambino, J. J., 1958 a, 439  
*Basiliscus vittatus*; *Ctenosaura hemilopha*;  
*C. similis*; *Dipsosaura dorsalis*; *Enyaliosaur-*  
*us quinquecarinatus*; *Sauromalus obesus*
- Cyrtosomum scelopori* Gedoelest, 1919  
Gambino, J. J.; and Heyneman, D., 1960 a, 365,  
366, 368, 370, 372, 373, 374, 376, 378, 381,  
fig. 6 F  
*Basiliscus vittatus*: Mexico, Nicaragua,  
Panama  
*Ctenosaura hemilopha*: Mexico  
*Ctenosaura s. similis*: Nicaragua  
*Dipsoaurus d. dorsalis*: Arizona, California,  
Nevada  
*Enyaliosaurus quinquecarinatus*: Mexico  
*Sauromalus obesus*: Arizona, California,  
Nevada
- Cyrtosomum scelopori* Gedoelest  
Rauther, M., 1930 a, 383
- Cyrtosomum scelopori* Gedoelest, 1919  
Walton, A. C., 1942 f, 11  
*Sceloporus undulatus*
- Cyrtosomum scelopori* Gedoelest, 1919  
Yorke, W.; and Maplestone, P. A., 1926 a, 249,  
fig. 171  
type of genus  
*Sceloporus undulatus*
- Cystidicola*  
Baylis, H. A., 1934 k, 115
- Cystidicola Fischer*, v. Waldheim, 1798  
Baylis, H. A.; and Daubney, R., 1926 a, 225  
type: *C. farionis* Fischer
- Cystidicola G. Fischer* von Waldheim 1798  
Campana-Rouget, Y., 1955 b, 349, 355, 360
- Cystidicola*  
Campana-Rouget, Y., 1959 c, 683  
systematics
- Cystidicola Fischer*, 1798  
Chabaud, A. G., 1959 c, 11, 19  
Syns.: *Pseudancyracanthus* Skrjabin, 1923;  
*Comephoronema* Layman, 1933  
*Hedruridae*, *Cystidicolinae*
- Cystidicola*  
Chitwood, B. G.; and Wehr, E. E., 1932 a, 168  
taxonomy
- Cystidicola*  
Chitwood, B. G.; and Wehr, E. E., 1934 a, 297,  
320, 333, pl. 1
- Cystidicola*  
Fujita, T., 1939 a, 259
- Cystidicola*  
Griffiths, J. A., 1922 a, 472
- Cystidicola Fischer*  
Layman, E. M., 1933 b, 25  
as *Gystidicola*
- Cystidicola Fischer*  
Layman, E. M., 1933 b, 82-83  
includes: *Cystidicola* n. subg.; *Pseudocys-*  
*tidicola* n. subg.
- Cystidicola nov. subgen. of Cystidicola*  
Layman, E. M., 1933 b, 17, 82-83  
tod: *C. (C.) farionis* Fischer
- Cystidicola Fischer*  
Rauther, M., 1930 a, 372

- Cystidicola**  
*Reichenow, E.; and Wulker, G., 1929 a, 113*
- Cystidicola Fischer, 1798**  
*Schuurmans Stekhoven, J. H., 1935 c, v.c 31*
- Thehaziidae**
- Cystidicola Fischer**  
*Sypliakova, O. M., 1930 a, 617*
- Cystidicola Waldheim**  
*Travassos, L. P., 1918 a, 3*
- Cystidicula (?)**  
*Travassos, L. P., 1920 i, 69*
- Cystidicola Fischer**  
*Travassos, L. P.; Artigas, P.; and Pereira, C., 1928 a, 22, 23, 24*  
 type: *C. faronis Fischer*  
 to *Rhabdochoninae* T. A. & P.
- Cystidicola Fischer, 1798**  
*Van Cleave, H. J.; and Mueller, J. F., 1934 a, 296, 297*
- Spiruridae, Spirurinae**
- Cystidicola Fischer**  
*Ward, H. B., 1918 b, 527*
- Cystidicola**  
*White, F. M., 1940 a, 39-40*  
*Cristivomer namaycush: Flack Lake, Ontario, Canada*
- Cystidicola Fischer, 1798**  
*Yorke, W.; and Maplestone, P. A., 1926 a, 316, 322-324*  
 type: *C. faronis Fischer, 1798*
- Cystidicola sp.**  
*Bazikalova, A., 1932 a, 145*  
*Salvelinus fontinalis (swim bladder): Murman Russia*
- Cystidicola spp.**  
*Haderlie, E. C., 1953 a, 353, 364, 365, 367, 430, 431, pl. 59*  
*Ptychocheilus grandis (intestine); Catos-tomus occidentalis (intestine); Hesperoleucus symmetricus venustus (intestine); Mylopharodon conocephalus (intestine): northern California*
- Cystidicola sp.**  
*Huggins, E. J., 1958 b, 33*  
 fish: South Dakota
- Cystidicola sp.**  
*Pritchard, A. L., 1931 a, 66-67*  
*(swim bladders); Leucichthys artedi (Le Sueur); L. hoyi (Gill); L. reighardi Koelz; L. kiyi Koelz: all from Lake Ontario (Bay of Quinte Region)*
- Cystidicola sp. Walton, 1935**  
*Rankin, J. S., 1937 b, 245*  
*Eurycea bislineata bislineata: N. C.*
- Cystidicola sp. I**  
*Shul'man, S. S., 1954 d, 236*  
*Pseudoscaphirhynchus kaufmanni*
- Cystidicola sp.<sup>2</sup>**  
*Shul'man, S. S., 1954 d, 236*  
*Pseudoscaphirhynchus kaufmanni*
- Cystidicola sp.**  
*Szidat, L., 1950 a, 236, 238, 255-257, figs. 12-13*  
*Eleginops maclovinus: Tierra del Fuego*
- Cystidicola sp. ?**  
*Walton, A. C., 1935 a, 31*  
 undescribed  
*Eurycea bislineata: N. Carolina, U.S.A.*
- Cystidicola brevicauda n. sp.**  
*Fujita, T., 1939 a, 259-260, pl. 13, figs. 32-34*  
*Salvelinus malma: Rausu*
- Cystidicola brevicauda**  
*Fujita, T., 1940 a, 392*  
*Salvelina malma*
- Cystidicola canadensis n. sp.**  
*Skinker, M. S., 1930 a, 167*  
*Leucichthys artedi; Leucichthys hoyi; Leucichthys reighardi*
- Cystidicola canadensis Skinker, 1930**  
*Skinker, M. S., 1931 b, 372-379, pls. 41-42, figs. 1-8*  
 as syn. of: *C. stigmatura Leidy, 1886*
- Cystidicola chika [nom. nov.]**  
*Fujita, T., 1941 a, 542*  
 for *C. minuta Fujita*
- Cystidicola chitosensis n. sp.**  
*Fujita, T., 1940 a, 387-388, 392, figs. 9A-C*  
*Oncorhynchus masou: Chitose River, Hokkaido*
- Cystidicola cristivomeri sp. nov.**  
*White, F. M., 1941 a, 211*  
*swim bladder of the lake trout*
- Cystidicola cristivomeri n. sp.**  
*White, F. M.; and Cable, R. M., 1942 a, 416-422, figs. 1-7*  
*Cristivomer namaycush (Walbaum): Flack Lake Ontario Canada*
- Cystidicola cristivomeri**  
*Anderson, R. C., 1960 d, pl., figs. 1-12*
- Cystidicola cystidicola**  
*Dubinin, V. B., 1936 a, 39*  
 Syn.: *Pseudancyracanthus cystidicola*  
*(Rudolphi, 1809)*  
*Thymallus vulgaris*
- Cystidicola farionis**  
*Akhmerov, A. Kh., 1954 d, 90-91*  
*Salmo mykiss; Salvelinus leucomaenis: both from Kamchatka*
- Cystidicola farionis**  
*Barysheva, A. F.; and Bauer, O. N., [1958 a], 195-196*  
*Coregonus lavaretus; Coregonus albula; Osmerus eperlanus ladogensis: all from Lake Ladoga*
- Cystidicola farionis**  
*Bauer, O. N.; and Nikol'skaiia, N. P., 1952 a, 1109, 1111, fig. 3*  
*Pontoporeia affinis; Coregonus lavaretus ladogae*
- Cystidicola farionis**  
*Bauer, O. N.; and Nikolskaiia, N. P., [1958 b], 233*  
*Coregonus lavaretus baeri n. ladogensis: lake Ladoga*
- Cystidicola farionis Fischer, v. Waldheim**  
*Baylis, H. A., 1928 g, 339*  
*Salmo trutta*
- Cystidicola (?) farionis Fischer, 1798**  
*Baylis, H. A., 1931 b, 431, 435, figs. 1-4*  
*Gammarus pulex*
- Cystidicola farionis Fischer, 1798**  
*Baylis, H. A., 1934 k, 116, 117, 118*  
 Syns.: *C. impar* (Schneider); *Ancyracanthus cystidicola*  
*Salmo trutta: England*
- Cystidicola farionis Fischer v. Waldheim, 1798**  
*Baylis, H. A., 1939 b, 493*  
*Salmo trutta; Hampshire, Brit. Is.*
- Cystidicola farionis Fischer, 1798**  
*Baylis, H. A.; and Daubney, R., 1926 a, 225*
- Cystidicola farionis Fischer, 1798**  
*van den Berghe, L., 1935 a, 435-438*
- Cystidicola farionis**  
*Dogiel, V. A.; and Markov, G., 1937 a, 442, 445, 447, 448, 451, 452, 453, 455*  
*Salvelinus alpinus: Novaya Zemlia*
- Cystidicola farionis**  
*Dyk, V., 1959 c, 36*  
 pstruh ob. f. pot.: Dobšinská přehr.

- Cystidicola farionis*  
Fujita, T., 1927 c, 158  
Syn.: *Ancyracanthus cystidicola*
- Cystidicola farionis*  
Harant, H.; and Vernières, P., 1933 c, 265
- Cystidicola farionis*  
Ivashkin, V. M., 1961 a, 85  
biological peculiarities
- Cystidicola farionis Fischer*, 1798  
Kašták, V., 1956 d, 629  
*Salmo trutta m.f.*: Czechoslovakia
- Cystidicola farionis*  
Kašták, V.; and Zitnán, R., 1960 b, 320  
*Salmo g[airdneri] irideus*: Slovakia
- Cystidicola farionis*  
Krotov, A. I., 1960 c, 484  
Sakhalin
- Cystidicola farionis (Fischer)*  
Kulakiv's'ka, O. P., 1951 a, 157, 158, 160,  
161, 162, 163  
*Salmo trutta L. morfa fario L.*; *Thymallus*  
*thymallus L.*: both from Transcarpathia
- Cystidicola (Cystidicola) farionis Fischer*  
Layman, E. M., 1933 b, 83  
tod of *Cystidicola n. subg.*
- Cystidicola farionis Fischer*  
Markevich, A. P., 1934 b, 64-65  
Sig [Coregonus lavaretus kessleri]; Nalim  
[eel-pout] (*Lota lota*): both from Province  
de Leningrad
- Cystidicola farionis Fischer*, 1798  
Markevich, A. P., [1952 a], 270  
Syns.: *Pseudancyracanthus cystidicola* (Lam.,  
1801) Skrjabin, 1923; *Dispharus cystidicola*  
(Lam.) Dujardin, 1845; *Spiroptera cystidi-*  
*cola* (Lamarck, 1801) Rudolphi, 1819
- Cystidicola farionis Fischer*, 1798  
Pacák, S., 1957 a, 242-243, 244, figs. 8-9, 10  
salmonid fish: rotok Damánová, Czechoslo-  
vakia
- Cystidicola farionis Fischer* 1798  
Pacák, S., 1958 a, 577, 578, 579, 580, 581,  
582, 583, 584, 585, 594, 597, 599, 600  
*Salmo trutta m. fario*; *S. gairdneri irideus*;  
*Thymallus thymallus*; all from Slovensk  
oblast
- Cystidicola farionis Fischer*  
Petrushevskii, G. K., 1954 b, 122  
forel [*Salmo trutta*]: Lake Golub, northern  
Caucasus
- Cystidicola farionis Fischer*  
Petrushevskii, G. K.; and Kogteva, E. P.,  
1954 a, 396, 404-405  
*Osmerus eperlanus*: Neva river
- Cystidicola farionis Fischer*  
Polianskiy, I. I., 1955 b, 88  
*Salmo trutta*; *Salvelinus alpinus*: both  
from Barents sea
- Cystidicola farionis Fischer*  
Rauther, M., 1930 a, 372
- Cystidicola farionis Fischer*, 1798  
Shul'man, S. S.; and Shul'man-Albova, R. E.,  
1953 a, 83, 107, 108  
*Coregonus lavaretus pidschian n. pidschian-*  
*oides*: White sea
- Cystidicola farionis*  
Skinker, M. A., 1930 a, 167
- Cystidicola farionis Fischer*, 1798  
Southwell, T.; and Kirshner, A., 1937 d, 430  
brown trout
- Cystidicola farionis*  
Spasskiy, A. A.; Roitman, V. A.; and Shagaeva,  
V. G., 1961 a, 283  
*Salvelinus malma - prokhodnaya mal'ma*:  
Plotnikov river basin of Kamchatka oblast
- Cystidicola farionis Fischer*, 1798  
Sprehn, C. E. W., 1932 c, 105, fig. 93
- Cystidicola farionis*  
Steward, J. S., [1932 b], 201  
trout (intestine): Pandy, Monmouthshire,  
England
- Cystidicola farionis Fischer*, 1798  
Strelkov, I. A., [1961 a], 167  
*Salvelinus leucomaenae*; *Osmerus eperlanus*:  
both from Ust-Kamchatka
- Cystidicola farionis Fischer*  
Titova, S. D., 1954 a, 84  
sig: lake Teletskoe
- Cystidicola farionis*  
Ward, H. B., 1918 b, 527
- Cystidicola farionis Fischer*, 1798  
Yorke, W.; and Maplestone, P. A., 1926 a, 324,  
fig. 221  
type of genus  
trout
- Cystidicola farionis Fischer*, 1798  
Zhukov, E. V., 1959 a, 199  
southern Kurils
- Cystidicola farionis Fischer*, 1798  
Zhukov, E. V., [1961 a], 60  
*Salvelinus leucomaenae*: Lake Putiatin, Lake  
Shikotan
- Cystidicola farionis (Fischer*, 1798)  
Zhukov, E. V.; and Strelkov, Iu. A., 1959 a,  
188  
Far East
- Cystidicola fischeri n. sp.*  
Travassos, L. P.; Artigas, P.; and Pereira, C.,  
1928 a, 24-25, pl. 7, figs. 82-85, pl. 8, fig.  
86  
*Salminus maxillosus*
- Cystidicola fischeri* Trav.  
Dollfus, R. P. F.; and Campana-Rouget, Y.,  
1956 a, 396  
Syns.: *Cystidicoloides fischeri* (Travassos,  
Artigas et Pereira, 1928) Skinker 1931;  
*Metabronema fischeri* Baylis 1934)
- Cystidicola fujii nov. sp.*  
Fujita, T., 1921 c, 296-298, 299-300, figs.  
5-8  
*Oncorhynchus nerka*; *Salvelinus kundscha*:  
both from Shikotsu
- Cystidicola fujii*  
Fujita, T., 1922 a, 583  
*Salvelinus kundscha*; *Oncorhynchus nerka*
- Cystidicola fujii*  
Fujita, T., 1927 c, 158  
as syn. of *Rhabdochna fujii*
- Cystidicola galeata* (Linton, 1905) n. comb.  
Chitwood, B. G., 1933 a, 104  
Syn.: *Filaria galeata* Linton, 1905
- Cystidicola harwoodi* n. sp.  
Chandler, A. C., 1931 a, 3-4, pl. 1., fig. 1  
*Salvelinus fontinalis*
- Cystidicola harwoodi* Chandler 1931  
Dollfus, R. P. F.; and Campana-Rouget, Y.,  
1956 a 396  
as syn. of *Cystidicoloides harwoodi* (A.  
C. Chandler 1931) Skinker, 1931; *Metabronema*  
*harwoodi* Baylis 1934; *Ascarophis harwoodi*  
Chitwood, 1950; *Metabronema canadense* Skinker  
1931
- Cystidicola harwoodi* Chandler  
Hunter, G. W. (III), 1932 a, 22, 24, 26  
*Salvelinus fontinalis* (Mitchill)
- Cystidicoloides [sic] harwoodi* (Chandler, 1931)  
Lyster, L. L., 1940 b, 72, 75, 77, figs. 16-18  
*Salvelinus fontinalis*: Lake Commandant, Que.
- Cystidicola harwoodi* Chandler, 1931  
Van Cleave, H. J.; and Mueller, J. F., 1934 a,  
296  
as syn. of *Cystidicoloides harwoodi* (Chandler  
1931)

- Cystidicola impar* Schneider  
 Bauer, O. N., 1947 a, 15-16, 17  
*Coregonus albula ladogae*: Ladoga Lake  
*Coregonus sardinella*: Khatanga River
- Cystidicola impar* (Schneider)  
 Baylis, H. A., 1928 g, 339  
*Salmo trutta*
- Cystidicola impar* (Schneider)  
 Baylis, H. A., 1934 k, 117  
 as syn of *C. farionis* Fischer, 1798
- Cystidicola* (*Cystidicola*) *impar* (Schn.)  
 Layman, E. V., 1933 b, 16, 17, 24, 25, 30, 37  
 38, 39, 42, 43, 69, 71, 83, pl. 3, figs. 26-28  
*Coregonus lavaretus* pidschian n. *baicalensis*  
 Dyb. (intestine, fatty tissue of body cavity,  
 swim bladder); *Coregonus migratorius* Georgi  
 (swim bladder); *Thymallus arcticus* var *bai-*  
*calensis* Dyb. (swim bladder); *Thymallus*  
*arcticus* var. *brevipinnis* Svetovidov (swim  
 bladder, body cavity); *Leuciscus leuciscus*  
*baicalensis* Dyb. (body cavity, probably from  
 swim bladder); all from Lake Baikal, USSR
- Cystidicola impar* (Schneider)  
 Markevich, A. P., 1934 b, 64  
*Coregonus albula* (fish) (swim bladder);  
*Osmerus eperlanus*; *Lososovye ryby* [salmonoid  
 fish]: all from Russia
- Cystidicola impar* (Schneider)  
 Petrushevskii, G. K.; and Bykhovskaya, I.,  
 1935 b, 41, 42, 47, 48, 50, 70, 76  
*Coregonus lavaretus* *lavaretoides*; *Osmerus*  
*eperlanus* var. *spirinchus*: both from Karelia
- Cystidicola impar* (Schn.)  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 29,  
 V.c 30, V.c 31, V.c 36, fig. 404  
*Osmerus eperlanus* L.
- Cystidicola impar* (Schneider, 1866)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 324  
*Osmerus* sp.; *Trutta* sp.; *Coregonus* sp.
- Cystidicola impar* (Schneider, 1866)  
 Zmeev, G. Ia., 1932 b, 257  
*Corregonus ussuriensis*: Amur river
- Cystidicola iwana* nov. sp.  
 Fujita, T., 1928 a, 307-308, 311, 314, figs.  
 10-13  
*Salvelinus malma* (pleural cavity): Lake  
 Biwa
- Cystidicola lepisostei* n. sp.  
 Hunter, G. W. (III); and Bangham, R. V., 1933 a  
 309-310, 311, pl. 5, figs. 4-6  
*Lepisosteus osseus* (Linnaeus) (long-nosed  
 gar pike) (intestine): Lake Erie, North  
 America
- Cystidicola lepisostei* Hunter and Bangham, 1933  
 Bangham, R. V.; and Hunter, G. W. (III), 1939 a  
 395, 416, 417, 427  
 Long-nosed gar (*Lepisosteus osseus*): Lake  
 Erie
- Cystidicola marina* n. sp.  
 Szidat, L., 1960 a, 590, pl. 4, (g)  
*Urophycis brasiliensis*
- Cystidicola marina* n. sp.  
 Szidat, L., 1961 a, 15, 38-39, fig. 29  
*Urophycis brasiliensis* (magen; vorderdarm):  
 Puerto Quequén
- Cystidicola mesopi* n. sp.  
 Fujita, T., 1940 a, 386-387, 392, fig. 8A-C  
*Mesopus olidus*: Lake Tōro, Hokkaido
- Cystidicola minuta* n. sp.  
 Rodhain, J.; and Vuylsteke, C., 1934 a, 406-  
 409, figs. 1-3  
*Barbus eutaenia*: Katanga
- Cystidicola minuta* n. sp.  
 Fujita, T., 1940 a, 385, 392, fig. 7A-C  
*Mesopus olidus*: Ishikari River
- Cystidicola minuta*  
 Fujita, T., 1941 a, 543  
 " renamed *C. chika* [nom. nov.]
- Cystidicola oncorhynchi* nov. sp.  
 Fujita, T., 1921 c, 292-296, 299, 300, figs.  
 1-4  
*Oncorhynchus keta*: Sapporo
- Cystidicola oncorhynchi*  
 Fujita, T., 1927 c, 158  
 as syn. of *Rhabdochna oncorhynchi* [n. comb.]
- Cystidicola salmonicola* [n. comb.]  
 Fujita, T., 1927 c, 158  
 Syn.: *Ancyracanthus salminicola*  
*salmon trout*
- Cystidicola salmonicola* (Ishii)  
 Fujita, K., 1931 a, 276-280, figs. 1-6
- Cystidicola salmonicola*  
 Fujita, T., 1935 a, 2145
- Cystidicola salmonicola*  
 Fujita, T., 1940 a, 378, 392, 393  
*Mesopus olidus*; *Oncorhynchus nerka*; *Oncor-*  
*hynchus keta*: all three from Aisaka, Aomori;  
 Tarandomari, Karafuto  
*Oncorhynchus masou*: Totori, Ishikawa;  
 Shiraoi, Hokkaido  
*Oncorhynchus kisutch*: Bettobi, Hokkaido  
*Salvelinus malma*: Chitose, Hokkaido
- Cystidicola salmonicola* (Ishii)  
 Fukui, T., 1960 a, 522  
*Oncorhynchus keta*: Aomori prefecture
- Cystidicola salmonicola* (Ishii)  
 Okada, S., 1935 a, 1451-1456 (35-40)
- Cystidicola salvelini* (Fujita, 1920) n. comb.  
 Fujita, T., 1928 a, 307, 308, 311, 314, figs.  
 7-9  
 Syn.: *Spiroptera salvelini* Fujita, 1920  
*Salvelinus malma* (fish) (intestine): Lake  
 Biwa  
*S. kundscha* (intestine): Lake Shikotsu,  
 Hokkaido
- Cystidicola salvelini* Fujita 1928  
 Dollfus, R. P. F.; and Campana-Rouget, Y.,  
 1956 a, 396  
 as syn. of *Cystidicoloides salvelina* (Fujita  
 1920) [n. comb.]
- Cystidicola salvelini* (Fujita)  
 Ueno, M., 1937 a, 157  
*Oncorhynchus formosanus* (Jordan and Oshima):  
 Formosa
- Cystidicola salvelini* (Fujita, 1920) Fujita,  
 1928  
 Yamaguti, S., 1935 g, 374-375  
*Salvelinus malma*: Lake Biwa
- Cystidicola serrata* (Wright)  
 Ekbaum, E. K., 1936 a, 10  
 fish: Canada
- Cystidicola serrata* (Wright, 1879)  
 Hunter, G. W. (III); and Bangham, R. V.,  
 1933 a, 310  
*Aplodinotus grunniens* (Rafinesque); white-  
 fish
- Cystidicola serrata* (Wright)  
 Pearse, A. S., 1924 a, 156-157, fig. 13  
*Aplodinotus grunniens*: Lake Pepin, Wis.
- Cystidicola serrata* (Wright)  
 Pearse, A. S., 1924 b, 178  
 sheepshead
- Cystidicola serrata* (Wright)  
 Ward, H. B., 1918 b, 527
- Cystidicola serrata* (Wright, 1879)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 324  
*Coregonus albus*
- Cystidicola* (*Pseudocystidicola*) *skrjabini* n. sp.  
 Layman, E. M., 1933 b, 14, 16, 17, 18, 24, 25,  
 26, 55, 56, 57, 59, 60, 67, 69, 71, 83, 84-85,  
 86, 92, 94, 96-97, pls. 3-5, figs. 29-39  
 tod. of *Pseudocystidicola* nov. subgen.  
*Cottus kneri* Dyb. (intestine, stomach,  
 gills); *Thymallus arcticus* var. *baicalensis*  
 Dyb. (intestine); *Thymallus arcticus* var.

- Cystidicola (Pseudocystidicola) skrjabini n. sp.*  
-- Continued.  
Layman, E. M., 1933 b  
brevipinnis Svetovidov (gills, stomach,  
intestine); *Cottocomorphus grewingki* Dyb.  
(stomach); *Acipenser baeri* Brandt (intes-  
tine); *Oncorhynchus gorbuscha*: all from  
lake Baikal, USSR
- Cystidicola skrjabini* [sic] Layman, 1933  
Layman, E. M., 1937 a, 360-361  
*Oncorhynchus gorbuscha*: Baikal, Amur,  
Okhotsk Sea, Gulf of Tartary
- Cystidicola skrjabini* (Layman)  
Dogiel, V. A.; and Rozova, A., 1941 a, 13, 14,  
15  
Myoxocephalus quadricornis quadricornis:  
Finnish Gulf
- Cystidicola skrjabini* Layman, 1933  
Markowski, S., 1938 b, 91, 92, 96-98, pls. 1-2,  
figs. 1-6  
*Zoarces viviparus*; *Thymallus arcticus* bai-  
calensis; *Cottocomorphus grewingki*; *Cottus*  
*kneri*; *Acipenser baeri*; *Oncorhynchus gor-  
buscha* Walb.: all from Baltic
- Cystidicola stigmatura* (Leidy)  
Augustine, D. L., 1929 a, 433
- Cystidicola stigmatura*  
Bangham, R. V., 1951 a, 215  
*Cristivomer namaycush namaycush*: Wyoming
- Cystidicola stigmatura*  
Bangham, R. V., 1955 a, 185, 186  
*Leucichthys a. artedi* (LeSueur); *Leucich-  
thys noyi* (Gill); *Coregonus c. clupeaformis*  
(Mitchill); *Prosopium cylindraceum quadrila-  
terale* (Richardson)
- Cystidicola stigmatura* (Leidy, 1886)  
Bangham, R. V.; and Hunter, G. W., 1939 a,  
396, 413, 416, 428  
*Leucichthys artedi* (lake herring) (or cisco);  
whitefish (*Coregonus clupeaformis*): both  
from Lake Erie
- Cystidicola stigmatura*  
Chabaud, A. G.; and Petter, A. J., 1961 b, 66,  
pl. VII, fig. 38  
cloacal papillae
- Cystidicola stigmatura*  
Chitwood, B. G.; and Chitwood, M. B., 1938 a,  
62, 63, fig. 58 HH
- Cystidicola stigmatura*  
Davis, H. S., 1937 a, 42  
trout
- Cystidicola stigmatura* (Leidy)  
Ekbaum, E., 1936 a, 8, 9, 10, figs. 7-10  
Syns.: *Ancyraanthus cystidicola* (Schneider)  
*Cystidicola canadensis* Skinker, 1930  
*Leucichthys artedi*: Bay of Quinte, Ontario  
*Coregonus clupeaformis*: Lake Winnipeg
- Cystidicola stigmatura* (Leidy, 1886)  
Fischthal, J. H., 1952 b, 22, 57  
*Osmerus mordax*: northwest Wisconsin
- Cystidicola stigmatura* Ward and Magath  
Guilford, H. G., 1954 a, 364  
*Petromyzon marinus*: Lake Michigan
- Cystidicola stigmatura* (Leidy, 1886) Ward and  
Magath, 1916  
Haderlie, E. C., 1953 a, 352-353, 363, 367,  
426, 427, pl. 57 d-g  
*Oncorhynchus kisutch* (coelom and swim blad-  
der); *Salmo clarkii* (coelom and swim blad-  
der): both from northern California
- Cystidicola stigmatura* (Leidy) Skinker, 1931  
Hunter, G. W. (III); and Bangham, R. V., 1933 a  
309, 310  
*Coregonus clupeaformis* (Mitchill); *Leucich-  
thys artedi* (LeSueur)
- Cystidicola stigmatura* (Leidy, 1886)  
MacLulich, D. A., 1943 b, 405, 409-410  
*Cristivomer namaycush*; *Salvelinus fontinalis*:  
both from Ontario
- Cystidicola stigmatura*  
Mueller, J. F., 1940 a, 211, 218, 219, 220,  
fig. 3  
*Leucichthys kiyi* (cisco): Lake Ontario
- Cystidicola stigmatura* (Leidy, 1886) Ward &  
Magath, 1916  
Nordlie, F., [1960 a], 240  
*Osmerus mordax*: Great Lakes region
- Cystidicola signatura* [sic] (Leidy)  
Pearse, A. S., 1924 b, 178  
Mconeye, Ciscoes
- Cystidicola stigmatura* (Leidy, 1851)  
Rankin, J., 1937 b, 245, 253, 261  
*Burycya gutto-lineata*: N.C.
- Cystidicola stigmatura* (Leidy)  
Skinker, M. S., 1931 b, 372-379, pls. 41-42,  
figs. 1-8  
salmonoid fish (swim bladder).
- Cystidicola stigmatura* (Leidy, 1886) Ward and  
Magath, 1916  
Smedley, E. M., 1933 a, [170], 172, 178-179,  
figs. 5A-5B  
*Spiruroidea*; *Thelaziidae*  
*Coregonus clupeaformis*: Lake of the Woods,  
Ontario, Winnipeg, Jackfish, and Murray  
lakes, Manitoba. Lake Waskesiu, Saskatchewan,  
Primrose lake, Alberta
- Cystidicola stigmatura* (Leidy)  
Walton, A. C., [1927 a], 145  
*Lucioperca americana*; *Salvelinus namaycush*
- Cystidicola stigmatura* (Leidy)  
Ward, H. B., 1918 b, 527, fig. 820
- Cystidicola stigmatura* Ward and Magath, 1917  
Warren, B. H., 1952 a, 495  
*Leucichthys artedi arcturus*: Lake Superior
- Cystidicola stigmatura* (Leidy, 1886) Ward &  
Magath, 1916  
Yorke, W.; and Maplestone, P. A., 1926 a, 324  
trout
- Cystidicola walkeri* n. sp.  
Ekbaum, E. K., 1935 b, 515  
*Oncorhynchus kisutch*
- Cystidicola walkeri* Ekbaum  
Ekbaum, E. K., 1936 a, 9-10, figs. 1-6  
*Oncorhynchus kisutch*: Strait of Georgia
- Cystidicolinae* nov. subf.  
Skrjabin, K. I., 1946 a, 751, 752  
includes: *Cystidicola* Fischer, 1798;  
*Capillospirura* Skrjabin, 1924; *Metabronema*  
Yorke et Maplestone, 1926; *Comephoronema*  
Laymann, 1933; *Pseudocystidicola* Layman,  
Laymann, 1933
- Cystidicolinae* Skrjabin, 1946  
Chabaud, A. G., 1959 c, 18, 19  
*Hedruridae*
- Cystidicolinae* Skrjabin, 1946  
Skrjabin, K. I.; Shikhobalova, N. P.; and  
Sobolev, A. A., 1949 a, 213-220
- Cystidicoloides* n. g.  
Skinker, M. S., 1931 b, 374  
tod: *C. fischeri* (Travassos, Artigas &  
Pereira)
- Cystidicoloides*  
Baylis, H. A., 1934 k, 115, 116  
as syn of *Metabronema* Yorke and Maplestone,  
1926
- Cystidicoloides*  
Campana-Rouget, Y., 1959 c, 683  
systematics
- Cystidicoloides* Skinker, 1931  
Chabaud, A. G., 1959 c, 19  
*Hedruridae*, *Cystidicolinae*
- Cystidicoloides* Skinker, 1931  
Van Cleave, H. J.; and Mueller, J. F., 1934,  
296, 297  
? as syn of *Ascarophis* van Beneden, 1871  
*Spiruridae*, *Spirurinae*

- Cystidicoloides fischeri* (Travassos, Artigas & Pereira) [n. comb.]  
 Skinker, M. S., 1931 b, 374  
 type of genus
- Cystidicoloides fischeri* (Travassos, Artigas and Pereira, 1928)  
 Baylis, H. A., 1934 k, 115  
 as syn. of *Metabronema fischeri* (Travassos, Artigas and Pereira, 1928)
- Cystidicoloides fischeri* (Travassos, Artigas et Pereira, 1928) Skinker 1931  
 Dollfus, R. P. F.; and Campana-Rouget, Y., 1956 a, 396  
 Syn.: *Cystidicola fischeri* Trav., A. et P. 1928); *Metabronema fischeri* Baylis 1934)
- Cystidicoloides harwoodi* (Chandler) [n. comb.]  
 Skinker, M. S., 1931 b, 374
- Cystidicoloides harwoodi* (Chandler)  
 Bangham, R. V.; and Hunter, G. W., 1939 a, 397, 416, 417, 429  
*Salvelinus fontinalis*: Lake Erie
- Cystidicoloides harwoodi* (Chandler, 1931)  
 Baylis, H. A., 1934 k, 115, 116  
 as syn. of *Metabronema harwoodi* (Chandler, 1931)
- Cystidicoloides harwoodi* (A. C. Chandler 1931)  
 Skinker, 1931  
 Dollfus, R. P. F.; and Campana-Rouget, Y., 1956 a, 396  
 Syn.: *Cystidicola harwoodi* Chandler 1931;  
*Metabronema harwoodi* Baylis 1934; *Ascarophis harwoodi* Chitwood, 1950; *Metabronema canadense* Skinker 1931
- Cystidicoloides harwoodi*  
 Fischthal, J. H., 1947 b, 278  
*Salmo trutta fario*; *S. gairdnerii irideus*;  
*Salvelinus f. fontinalis*
- Cystidicoloides harwoodi* (Chandler, 1931)  
 Hunter, G. W. (III); and Bangham, R. V., 1933 a 310
- Cystidicoloides harwood*  
 Hunninen, A. V., 1936 b, 239  
*Salvelinus fontinalis*; *Salmo fario*: both from Delaware-Susquehanna watershed
- Cystidicoloides harwoodi* (Chandler, 1931)  
 Van Cleave, H. J.; and Mueller, J. F., 1934 a, 294, 295, 296-297, 299, pl. 38, figs. 1-3  
 Syns.: *Cystidicola harwoodi* Chandler, 1931;  
*Metabronema canadense* Skinker, 1931  
*Salmo fario* (intestine): Black Creek, N. Y.
- Cystidicoloides prevosti* (Choquette 1951) [n. comb.]  
 Dollfus, R. P. F.; and Campana-Rouget, Y., 1956 a, 396  
 Syn.: *Metabronema prevosti* Choquette 1951
- Cystidicoloides salvelina* (Fujita 1920) [n. comb.]  
 Dollfus, R. P. F.; and Campana-Rouget, Y., 1956 a, 396  
 Syn.: *Spiroptera salvelini* Fujita 1920;  
*Cystidicola salvelini* Fujita 1928; *Metabronema salvelini* Skinker, 1931
- Cystidicoloides truttae* (Baylis 1935) [n. comb.]  
 Dollfus, R. P. F.; and Campana-Rouget, Y., 1956 a, 396  
 Syn.: *Metabronema truttae* Baylis 1935
- Cystocaulosis*  
 Gaibov, A. D., 1949 b, 133, 138  
 sheep: Azerbaidzhan
- Cystocaulosis*  
 Grigorian, G. A., 1955 a, 132  
 sheep, goats: both from Akhstinsk region
- Cystocaulus* gen. nov.  
 Shul'ts, R. E. S.; Orlov, I. V.; and Kutass, A. J., 1933 a, 304, 305, 308  
 type sp.: *C. nigrescens* (Jerke, 1911)
- Cystocaulus Schulz*, Orlow et Kutass, 1933  
 Böhm, L. K.; and Gebauer, O., 1934 a, 290  
*Metastrongylidae*  
 key
- Cystocaulus Schulz*, Orlow et Kutass, 1933  
 Boev, S. N., 1950 b, 186-188  
 Syns.: *Strongylus Mueller*, 1780 (partim);  
*Synthetocaulus Railliet et Henry*, 1907 (partim); *Protostongylus Kamensky*, 1905 (partim)
- Cystocaulus nigrescens* (Jerke, 1911)  
*Cystocaulus Shul'ts*, Orlow, and Kutass, 1933  
 Dougherty, E. C.; and Goble, F. C., 1946 a, 8  
*Metastrongylidae*, *Protostrongylinae*  
 key
- Syns.: *Strongylus Müller*, 1780 (partim);  
*Synthetocaulus Railliet and Henry*, 1907 (partim); *Protostongylus Kamenskii*, 1905 (partim)  
 gt: *C. ocreatus* (Railliet and Henry, 1907)  
 Mikacic, 1939
- Cystocaulus Schulz*, Orloff et Kutass, 1933  
 Shul'ts, R. E. S.; & Boev, S. M., 1940 b, 179 200-201  
 key
- Cystocaulus* (filaria)  
 Rose, J. H., 1958 a, 304  
 sheep: Great Britain
- Cystocaulus cervi* nom. nov.  
 Boev, S. N., 1950 b, 187, 188, 196-198  
 key
- Syns.: *Protostrongylus sagittatus* Schmid, 1939; (?) *Strongylus sagittatus* Mueller, 1891; (?) *Protostrongylus sagittatus* (Mueller, 1891) Cameron, 1927; (?) *Cystocaulus sagittatus* (Mueller, 1891) Böhm et Gebauer, 1934; *Varestrongylus sagittatus* (Mueller, 1891) Daugherty, 1945
- Cervus elephas*
- Cystocaulus cervi*  
 Boev, S. N., 1958 a, 94  
 key
- Cystocaulus cervi* Boev, 1951  
 Skrjabin, K. I.; et al., [1953 a], 690  
 Syn.: *Protostrongylus sagittatus* po Schmidt. 1939 nec *Strongylus sagittatus* Mueller, 1891  
*Cervus elaphus*: Germany
- Cystocaulus nigrescens* (Jerke, 1911) n. comb.  
 Shul'ts, R. E. S.; Orlov, I. V.; and Kutass, A. J., 1933 a, 308, 309, figs. 5, 9  
 Syns.: *Synthetocaulus nigrescens* Jerke, 1911; *Protostrongylus nigrescens* (Jerke, 1911); Gebauer, 1932  
 type
- Cystocaulus nigrescens*  
 Akopian, V. D., 1956 a, 129  
 sheep
- Cystocaulus nigrescens* (Jerke, 1911)  
 Altaev, A. Kh., 1959 a, 11  
 sheep, goats: Dagestan ASSR
- Cystocaulus nigrescens* (Jerke, 1911)  
 Boev, S. N., 1940 a, 85, 88, 89-90, 91, 93, 95  
*Agriolimax schulzi*; *Agriolimax agrestis* var. *fedtschenkoi*; *Parachondrula aptycha*; *Fruticicola rubens*; *Ena asiatica regeliana*; *Cathaica semenovi*; *Ena eleonorae*; ovine: Kazakhstan sud-est
- Cystocaulus nigrescens* (Jerke, 1911)  
 Boev, S. N., [1941 b], 284  
 sheep (lungs): south eastern Kazakhstan
- Cystocaulus nigrescens* (Jerke, 1911)  
 Boev, S. N., 1950 b, 187, 188-192, figs. 1, 2  
 key
- Syns.: *Synthetocaulus ocreatus* Railliet et Henry, 1907; *Strongylus nigrescens* Jerke, 1911; *Strongylus* (*Synthetocaulus*) *nigrescens* ovis Uta-Jerke; *Protostrongylus ocreatus* (Railliet et Henry, 1907) Cameron, 1907 (nec *Protostrongylus ocreatus*); *Protostrongylus nigrescens* (Jerke, 1911) Gebauer, 1932; *Cystocaulus ocreatus* (Railliet et Henry, 1907) Mikacic, 1939

- Cystocaulus nigrescens* (Jerke, 1911).--Continued.
- Boev, S. N., 1950 b  
Ovis ammon; Ovis ophion armenia; Capra aegagrus
- Cystocaulus nigrescens*  
Boev, S. N., 1952 a, 362-364  
molluscs
- Cystocaulus nigrescens*  
Boev, S. N., 1953 b, 121, 122, fig. 4(4)  
morphology
- Cystocaulus nigrescens*  
Boev, S. N., 1954 a, 780  
sheep; arkhar; domestic goat: all from Kazakhstan
- Cystocaulus nigrescens*  
Boev, S. N., 1954 a, 167  
[goats]: all from Kazakhstan
- Cystocaulus nigrescens* (Jerke, 1911)  
Boev, S. N., 1957 a, 96  
synonymy  
key
- Cystocaulus nigrescens*  
Boev, S. N., 1958 a, 93  
key
- Cystocaulus nigrescens* (Jerke, 1911)  
Boev, S. N., 1959 a, 931  
Ovis aries; Ovis ammon; Capra hircus: all from Kazakhstan
- Cystocaulus nigrescens*  
Boev, S. N.; and Murzina, N. A., 1948 a, 61  
sheep; goats: both from Kazakhstan
- Cystocaulus nigrescens*  
Boev, S. N., and Vol'f, Z. V., 1940 c, 258,  
260, 261
- Cystocaulus nigrescens* (Jerke, 1911)  
Bondareva, I. P., [1941 a], 264  
East Kazakhstan oblast
- Cystocaulus nigrescens*  
Borchert, A.; and Polzin, H., 1955 a, 553  
rinder: East Germany
- Cystocaulus nigrescens*  
Burdzhanadze, P. L., 1942 a, 30  
ovine
- Cystocaulus nigrescens* (Yorke, 1911)  
Burdzhanadze, P. L., 1942 a, 59
- Cystocaulus nigrescens* (Jerke, 1911)  
Casanova, L., [1953 a], 568-569  
pecora [sheep]
- Cystocaulus nigrescens*  
Casanova, L., 1953 a, 153, figs. 1-15  
ovini: Italia
- Cystocaulus nigrescens*  
Chitwood, B. G., and Chitwood, M. B., 1958 a,  
11, 112, 116
- Cystocaulus nigrescens*  
Chizhevskii, I. I., 1938 a, 67-69  
ovine mulleriosis
- Cystocaulus nigrescens*  
Davidian, E. A., 1945 a, 86, 87  
sheep: Armenia SSR
- Cystocaulus nigrescens*  
Davidian, E. A., 1947 a, 23, 26
- Cystocaulus nigrescens*  
Davidian, E. A., 1947 b, 4, 6, 7, 12-15, 17, 18,  
19  
succined putris; Limax monticola; Monacha rubiginosa; Euomphalia selecta; E. arpatshiana; Fruticomyia larvata; Paracapra aegagrus; derbentina; H. caninimargo; Pupilla triplicata; P. signata; Orculella ruderalis; Zebrina hohenackeri; Chondrula tetragon; C. tridens; C. pupoidea; Vallonia pulchella: all from Armenia SSR
- Cystocaulus nigrescens*  
Davidian, E. A., 1948 a, 170, 171, 172  
cycle of development
- Cystocaulus nigrescens*  
Davidian, E. A., 1948 b, 45-46
- Cystocaulus nigrescens* (Jerke, 1911) Schulz,  
Orloff et Kutass, 1933
- Davidian, E. A., 1949 a, 191-198, 216-228, pl.  
4, figs. 16, 17, 18, 19, 20, 21-25  
Ovis aries; Capra hircus; C. aegagrus; Ovis ophion armeniana (Lungs): all from SSSR
- Cystocaulus nigrescens*  
Davidian, E. A., 1950 b, 122, 123  
epidemiics of infestation of molluscs by larvae
- Cystocaulus nigrescens*  
Davidian, E. A.; and Panosian, M. A., 1946 a,  
96  
immunity in sheep against hyperinfestation and reinfection
- Cystocaulus nigrescens*  
Davidian, E. A.; and Shul'ts, R. S., 1949 a,  
113-114  
study of immunity
- Cystocaulus nigrescens*  
Davidian, E. A.; and Shul'ts, R. S., 1955 a,  
93-113  
sheep
- Cystocaulus nigrescens*  
Dikov, G. I., 1961 b, 358  
sheep: Djambul region
- Cystocaulus nigrescens*  
Dinnik, Iu. A., 1949 a, 402, 403, 405, 407,  
figs. 10, 12, 14
- Cystocaulus nigrescens* (Jerke, 1911) Shul'ts,  
Orloff et Kutass, 1933
- Dougherty, E. C., and Goble, F. C., 1946 a, 12  
as syn. of *Cystocaulus ocreatus* (Railliet and Henry, 1907) Mikadic, 1939
- Cystocaulus nigrescens*  
Dzhakov, B. A., 1961 a, 368  
sheep: southern Kazakhstan region
- Cystocaulus nigrescens*  
Gagarin, V. G., 1959 a, 135  
Ovis ammon Kirgizia
- Cystocaulus nigrescens* (Yorke, 1911)  
Gagarin, V. G., 1960 a, 10  
Ovis ammon: Kirgizia
- Cystocaulus nigrescens*  
Gagarin, V. G.; and Steshenko, V. M., 1959 a,  
146  
sheep; goats
- Cystocaulus nigrescens*  
Gaibov, A. D., 1949 a, 219  
sheep: Azerbaijan
- Cystocaulus nigrescens* (Jerke, 1911) Schulz,  
Orloff et Kutass, 1933
- Grigorian, G. A., 1949 b, 152  
Capra aegagrus: Armenia
- Cystocaulus nigrescens* (Jerke, 1911)  
Grigorian, G. A.; and Davidian, 1943 a, 232-235
- Cystocaulus nigrescens* Jerke, 1911  
Joyeux, Ch.; and Gaud, J., 1946 a, 433, 434,  
435, 436, 439
- Cystocaulus nigrescens*  
Klymov, M. I., 1955 a, 124-132  
ovine
- Cystocaulus nigrescens* (Jerke, 1911) Schulz,  
Orloff et Kutass, 1933
- Klymov, M. I.; Turygina, E. S.; and Shalayeva, N. M., 1954 a, 375, 376, 377, 378, 381, 386,  
389, 392
- Helicella canadacharica; Zonitoides nitidulus;  
Pupilla mucronata; Subebrinus subebrinus;  
Fruticomyia alma-srina; Trichia rufispira;  
Pupilla signata; Cochlicopa lubrica

- Cystocaulus nigrescens*  
Mikacic, D., 1940 a, 90  
Syn.: *Protostrongylus ocreatus*
- Cystocaulus nigrescens* Jerke, 1911, Schulz,  
Orloff et Kutass, 1933  
Moskvin, S. N., 1958 a, 182  
sheep: Albania
- Cystocaulus nigrescens*  
Naletov, N. A., 1952 a, 334  
pathological-morphological changes in lungs
- Cystocaulus nigrescens*  
Nasilova, V. V., 1957 a, 235-246  
sheep
- Cystocaulus nigrescens*  
Olteanu, Gh., 1958 a, 53, 54, figs. 2-4  
sheep
- Cystocaulus nigrescens* (Jerke, 1911), Schulz,  
Orloff et Kutass, 1933  
Olteanu, Gh., 1959 b, 369  
sheep and goats (lungs): Rumania
- Cystocaulus nigrescens*  
Orlov, I. V., 1937 a, 9  
[sheep]: Zakavkaz'e, Kazakhstan
- Cystocaulus nigrescens* (Jerke, 1911) Schulz,  
Orloff and Kutass, 1933  
Petrovic, K. M.; and Vujić, B., 1958 a, 77-81,  
figs. 1-4  
sheep: Serbia
- [*Cystocaulus nigrescens*]  
Rukhlia'dev, D. P., 1958 a, 372  
sheep: Dagestan
- Cystocaulus nigrescens*  
Satubaldin, Kh., 1955 a, 286, 289, 291  
sheep; goats: both from Alma-Atinskaiā  
oblast
- Cystocaulus nigrescens* (Jerke, 1911)  
Shubkina, L. I., 1940 a, 118, 119, 121, 122  
mouton: Semipalatinsk de Kazakhstan
- Cystocaulus nigrescens* (Jerke, 1911)  
Shul'ts, R. S.; and Boev, S. N., 1940 a,  
227, 230, 231, 234, 235, 245, 247, 248  
Agriolimax agrestis
- Cystocaulus nigrescens* (Jerke, 1911) Schulz,  
Orloff et Kutass, 1933  
Shul'ts, R. S.; and Boev, S. N., 1940 b, 175,  
201-203, 204, 207, 209, 221, 224, 225, 226,  
pl. 11, figs. 1-7, pl. 14, fig. 2, pl. 15,  
fig. 9, pl. 16, figs. 5-5a  
[sheep]; [goats]: both from southern  
Kazakhstan
- Cystocaulus nigrescens* (Jerke, 1911) Schulz,  
Orloff et Kutass, 1933  
Sirotenko, M. P., 1957 b, 125, 126  
sheep: Tadzhikistan
- Cystocaulus nigrescens* (Jerke, 1911) Shul'ts,  
Orlov and Kutass, 1933  
Skrijabin, K. I.; and Shul'ts, R. Ed. S.,  
1933 b, 224  
ovins: U.R.S.S.
- Cystocaulus nigrescens*  
Skrijabin, K. I.; and Shul'ts, R. Ed. S.,  
1936 a, 422
- Cystocaulus nigrescens*  
Sogofan, I. S., 1950 a, 127, 128, 129, 130  
patho-histological changes in the intestine  
of sheep
- Cystocaulus nigrescens*  
Sogolian, I. S., 1955 a, 168  
patho-morphological changes on pathogenicity  
in ovine
- Cystocaulus nigrescens* (Jerke, 1911) Schulz,  
Orloff et Kutass, 1933  
Ul'janov, S. D., 1958 a, 72  
sheep: Alma-Atinsk oblast
- Cystocaulus nigrescens*  
Vsevolodov, B. P., 1940 b, 282, 284
- Cystocaulus nigrescens*  
Vsevolodov, B. P.; and Boev, S. N., 1948 a,  
63, 64  
patho-morphological changes in lungs  
*Ovis ammon*
- Cystocaulus ocreatus* (Railliet et Henry, 1907)  
Mikacic, 1939  
Boev, S. N., 1950 b, 187, 188-192, figs. 1, 2  
as syn. of *Cystocaulus nigrescens* (Jerke,  
1911)
- Cystocaulus ocreatus* (Railliet e Henry, 1907)  
Mikacic, 1935  
Borges Ferreira, L. D. B., 1955 c, figs. 1-7  
ovinos : Portugal
- Cystocaulus ocreatus* (Railliet and Henry, 1902)  
Carrilho, J. A.; and Borges Ferreira, L.,  
1954 a, 28, 35, 36, 37, figs. 8-10
- Cystocaulus ocreatus* (Railliet et Henry, 1904;  
Schulze, Orlow and Kutass, 1933)  
Delahaye, J., 1950 a, 9, 12, 15, 18, 21, 22,  
25, 28, 31, 33, 34, 35, 37, 39, 41, 42, fig. 2  
ovides
- Cystocaulus ocreatus*  
Donigiewicz, K., 1962 a, 542
- Cystocaulus ocreatus* (Railliet and Henry, 1907)  
Mikacic, 1939  
Dougherty, E. C.; and Goble, F. C., 1946 a,  
11-12  
Syns.: *Synthetocaulus ocreatus* Railliet and  
Henry, 1907; *Strongylus nigrescens* Jerke,  
1911; *S. in den subpleuralen Knoten*, of  
Hueber, 1925; *S. Utz-Lydtin*, of Lutz, 1926;  
*S. (Synthetocaulus) nigrescens ovis* Utz-Jerke  
of Lutz, 1926; *Protostrongylus ocreatus*  
(Railliet and Henry, 1907) Cameron, 1927  
(nec *Protostrongylus ocreatus*, of Cameron,  
1927); *Protostrongylus nigrescens* (Jerke,  
1911) Gebauer, 1932; *Cystocaulus nigrescens*  
(Jerke, 1911) Shul'ts, Orlov, and Kutas, 1933  
*Ovis aries* Linne
- Cystocaulus ocreatus*  
Enigk, K.; and Federmann, M., 1958 a, 707  
schafes
- Cystocaulus ocreatus* Railliet et Henry, 1907  
Erhardova, B., 1957 a, 149, 150, fig. 2  
*Ovis aries*: Czechoslovakia
- Cystocaulus ocreatus* Railliet  
Erhardova, B.; Luli, M.; Prokopic, I.; and  
Rysavy, B., 1960 a, 108, 111  
*Ovis aries* (bronchi, alveoli, cysts beneath  
pulmonary pleura): Albania
- Cystocaulus ocreatus*  
Favati, V., [1959 a], 446  
sheep: Toscana
- Cystocaulus ocreatus*  
Favati, V., 1959 b, 669, 670, 671, 672, 673,  
fig. 4  
ovini: Toscana
- Cystocaulus ocreatus* (Railliet et Henry 1907)  
Favati, V.; and della Croce, G., 1962 a, 294  
treatment
- Cystocaulus ocreatus*  
Favati, V.; Mucci, G.; and Emdin, R., 1960 a,  
545  
treatment
- Cystocaulus ocreatus* (Railliet & Henry 1907)  
Fudalewicz-Niemczyk, W., 1955 a, 458, 1 fig.
- Cystocaulus ocreatus* (Railliet and Henry, 1907)  
Micacic, 1939  
Gerichter, C. B., 1948 a, 109, 111
- Cystocaulus ocreatus*  
Gerichter, C. B., 1950 a, 41, 42, 45, 46, 48,  
49, 52, 53, 54, 84, fig. 1 (e)  
*Helicella barbesiana* (intermed.)  
sheep and goats: Israel

- Cystocaulus ocreatus* (Railliet & Henry, 1907)  
*Mikacic*, 1939  
 Gerichter, C. B., 1951 a, 166, 169-174, figs. 16-28  
 sheep and goats: Levant  
*Cystocaulus ocreatus*  
 Güralp, N., 1952 a, 18, 44  
 sheep: Turkey  
*Cystocaulus ocreatus*  
 Güralp, N., 1955 c, 2257  
 sheep: Turkey  
*Cystocaulus ocreatus*  
 Güralp, N.; Kavanaugh, J.; and Baker, D., 1957 a, 515  
*Cystocaulus ocreatus* (Railliet et Henry, 1907)  
 Joyeux, Ch., 1947 a, 448  
 ovides: Camargue  
*Cystocaulus ocreatus* (Railliet et Henry)  
 Joyeux, Ch., 1954 a, 27-28  
*Cystocaulus ocreatus* (Railliet et Henry 1907)  
 Joyeux, Ch.; and Baer, J. G., 1951 a, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313  
 Euparypha pisana; chevreaux; mouton: all from Marseille  
*Cystocaulus ocreatus* (Railliet et Henry, 1907)  
 Joyeux, Ch.; and Gaud, J., 1943 a, 232, 234  
 Euparypha pisana; Cochlicella acuta (Müller); both from Maroc  
*Cystocaulus ocreatus Railliet et Henry, 1907*  
 Joyeux, Ch.; and Gaud, J., 1946 a, 386, 387, 394, 395, 407, 431, 433, 434, 435, 436, 439, 441, 442, 444, 446, 447, 448, 452, 453, 454, 455, 456, 457, 458, figs. 16-19  
 Syns.: *Synthetocaulus ocreatus* Railliet and Henry, 1907, *Strongylus nigrescens* Jerke, 1911  
 mouton; chèvre; Euparypha pisana Müller, Cochlicella acuta Müller; *Helix faux nigra* Chemnitz: all from Maroc  
*Cystocaulus ocreatus*  
 Kassai, T., 1957 a, 352, figs. 1, 2  
 Schafen  
*Cystocaulus ocreatus*  
 Kassai, T., 1957 b, 7, 12, 14, 15, 16, 18  
*Helicella obvia*; *Zebrina detrita*; *Cepaea vindobonensis*; *Theba carthusiana*; *Abida frumentum*; *Chondrula tridens*  
*Cysrocaulus ocreatus*  
 Kassai, T., 1957 c, 165, 166  
 geographical distribution  
*Cystocaulus* [ocreatus]  
 Kassai, T., 1957 d, 68, 69  
 sheep: Hungary  
*Cystocaulus ocreatus*  
 Kassai, T., 1957 e, 69, 70, 71, 72, 73  
 diagnosis on basis of pathological changes  
 sheep: Hungary  
*Cystocaulus* [ocreatus]  
 Kassai, T., 1957 f, 170  
 sheep: Hungary  
*Cystocaulus* [ocreatus] larva  
 Kassai, T., 1957 g, 230  
 laboratory methods for *in vivo* diagnosis  
 sheep  
*Cystocaulus ocreatus*  
 Kassai, T., 1957 h, 333-337  
 sheep  
*Cystocaulus ocreatus* (larva)  
 Kassai, T., 1958 b, 223, 224, 225, 226, 228, 229, 230, 231, 232, 233, 234, figs. 1-7  
*Helicella obvia* (exper.); *Helix pomatia* (exper.) (intermed. hosts); *Cepaea vindobonensis*; *Zebrina detrita*; *Theba carthusiana*: all from Hungary  
*Cystocaulus ocreatus*  
 Kassai, T., 1958 d, figs. 1-19  
*Cystocaulus ocreatus*  
 Kassai, T., 1958 e, 125  
 sheep  
*Cystocaulus ocreatus*  
 Kassai, T., 1962 b, 264  
*Cystocaulus ocreatus*  
 Kassai, T.; and Holló, F., 1957 a, 232, 233, fig. b  
 sheep  
*Cystocaulus ocreatus*  
 Kersten, W., 1961 a, 495, fig. 3  
*Cystocaulus ocreatus*  
 Kotlán, S.; and Kassai, T., 1956 a, 116  
 treatment  
*Cystocaulus ocreatus* (Railliet et Henry, 1907)  
 Mikacic, D., 1939 b, 128-131  
 Syn.: *Protostrongylus ocreatus* (Railliet et Henry, 1907)  
*Cystocaulus ocreatus*  
 Nürnberg, H., 1961 a, 1-81  
*Cystocaulus ocreatus*  
 Pierotti, P., [1959 a], 443  
 treatment  
*Cystocaulus ocreatus* (Railliet et Henry, 1907)  
 Mikacic, 1939  
 Pohl, R., 1960 a, 26  
*Cystocaulus ocreatus*  
 Rose, J. H., 1957 c, 925  
 sheep: Great Britain  
*Cystocaulus ocreatus*  
 Rose, J. H., 1960 a, 180  
*Agriolimax reticulatus*  
*Cystocaulus ocreatus*  
 Rose, J. H., 1961 b, figs. 1-4  
 sheep: Britain  
*Cystocaulus ocreatus*  
 Rose, J. H.; Michel, J. F.; and Harriss, S. T., 1957 a, 461  
 sheep: Britain  
*Cystocaulus ocreatus*  
 Schanzel, H., 1958 b, pl., figs. 1-3  
*Cystocaulus ocreatus* Railliet et Henry, 1907  
 Schanzel, H., 1959 b, 327  
 Schafen: CSR  
*Cystocaulus ocreatus* Railliet et Henry 1907  
 Simón, F., 1958 a, 397, figs. 1, 3, 5-7, 9-11, 13  
*Cystiocaulus ocreatus* (Railliet et Henry 1907)  
 Simon Vicente, F., 1961 b, 101-139, figs. 1-3, 6-13  
*Cystocaulus ocreatus*  
 Tarazona Vilas, J. M., 1955 a, figs. 11-17  
 ovinas  
*Cystocaulus ocreatus* (Railliet et Henry 1907)  
 Mikacic 1939  
 Zádorská, Z., 1960 b, 362-364, 365, 373, 374, 376, 377, figs. 8-10  
*Helicella candinans*; *Cepaea vindobonensis*; *Zebrina detrita*: all from Czechoslovakia  
*Cystocaulus ocreatus*  
 Zieliński, Z., 1956 a, 179, 180  
*Cystocaulus ocreatus*  
 Zieliński, Z., 1958 b, 473, 474  
 sheep: Poland  
*Cystocaulus ovis* (Sarwar, 1955) comb. nov.  
 Boev, S. N., 1957 a, 96, 103  
 Syn.: *Pneumostrongylus ovis* Sarwar, 1955  
 key  
 goats and sheep  
*Cystocaulus ovis*  
 Boev, S. N., 1958 a, 93  
 key  
*Cystocaulus sagittatus* (Mueller, 1891) Bøem et Gebauer, 1934  
 Boev, S. N., 1950 b, 187, 188, 196-198  
 as syn. of *Cystocaulus cervi* nom. nov.

- Cystocaulus vsevolodovi* sp. nova  
Boev, S. N., 1954 a, 424, pl. 1, figs. 1-6  
Capra sibirica? Kazakhstan  
*Cystocaulus vsevolodovi* Boev, 1946  
Boev, S. N., 1950 b, 187, 188, 192-196, 197,  
fig. 3  
key  
Capra sibirica  
*Cystocaulus vsevolodovi*  
Boev, S. N., 1952 a, 360  
*Cystocaulus vsevolodovi*  
Boev, S. N., 1954 a, 780, 782, 786  
(mountain goat) Capra sibirica: Kazakhstan  
*Cystocaulus vsevolodovi*  
Boev, S. N., 1954 c, 167  
Capra sibirica (Silvan goats): Kazakhstan  
*Cystocaulus vsevolodovi* Boev, 1946  
Boev, S. N., 1957 a, 96  
key  
*Cystocaulus vsevolodovi*  
Boev, S. N., 1958 a, 81  
key  
*Cystocaulus vsevolodovi* Boev, 1946  
Boev, S. N., 1959 a, 93  
Capra sibirica: Kazakhstan  
*Cystocaulus vsevolodovi* Boiev, 1946  
Boev, S. N.; and Sokolova, I. B., 1949 a, 89  
Capra sibirica: Kazakhstan  
*Cystocaulus vsevolodovi*  
Emelova, E. N., 1961 a, 368  
sheep: southern Kazakhstan region  
*Cystocaulus vsevolodovi* (Bojev, 1945)  
Vsevolodov, B. P.; and Boev, S. N., 1948 a,  
60  
patho-morphological changes in lungs  
Capra sibirica  
*Cystocephalus Raillieti*, 1896, nec Lager, 1892  
Baylis, H. A., 1926 a, 48  
as syn. of *Globocephalus Molin*, 1861  
*Cystocephalus Raillieti*, 1895  
Baylis, H. A.; and Daubney, R., 1926 a, 169  
as syn. of *Globocephalus Molin*  
*Cystocephalus Raillieti*, 1895  
Sprehn, C. B. W., 1952 c, 695  
as syn. of *Globocephalus Molin*, 1861  
*Cystocephalus Raillieti*, 1895, not Lüger, 1892  
Sprehn, C. B. W., 1952 c, 695  
*Cystocephalus Raillieti*, 1895  
Yorke, W.; and Mapilestone, P. A., 1926 a, 48  
as syn. of *Globocephalus Molin*  
*Cystocephalus longemucronatus* (Molin) [n. comb.]  
Yorke, W.; and Mapilestone, P. A., 1926 a, 48  
as syn. of *Globocephalus longemucronatus*  
(Molin), 1861  
*Cystofilaria longemucronata* (Molin, 1861)  
Spirorchis, C. B., 1952 c, 696  
as syn. of *Globocephalus longemucronatus*  
Molin, 1861  
*Cystofilaria Skrjabin et Schikhobalova* n. g.  
Skrjabin, K. I.; and Shikhobalova, N. P.,  
1948 a, 150-151  
tod.: *C. balkanica* nom. nov.  
*Cystofilaria balkanica* nom. nov.  
Skrjabin, K. I.; and Shikhobalova, N. P.,  
1948 a, 150-151, figs. 1-2  
Syn.: *Filaria* sp. Simitch, Kostitch et  
Mimac, 1938  
dog; Southern Serbia  
*Anoploides maculipennis*  
*Cystofilaria balkanica* Skrjabin y Schikhobalova  
López-Neyra, C. R. I. and Guevara Pozo, D., 1954a  
"dog"  
syn. of *Spirocercus lupi* (Rudolphi, 1809)  
Chitwood, 1932
- Cystoopsis Wagneri*, 1867  
Baylis, H. A.; and Daubney, R., 1926 a, 244  
"Capricornis" Wagner  
Skrjabin, K. I., 1923 m, 96  
*Cystoopsis*  
Sokolova, K. I., 1924 c, 63  
*Cystoopsis* Zykov, 1902  
Yorke, W.; and Mapilestone, R., 1926 a, 444  
as syn. of *Cystopsis Wagneri*, 1867  
*Cystoopsis acipenseris*  
Aguayo, J. M., 1957 a, 127  
distribution in reservoirs: Kazakhstan  
*Cystoopsis acipenseris* Wagner  
Barysheva, A. F., 1960 a, 280  
fish blisters ("blisters" beneath  
skin): Gorkov reservoir  
*Cystoopsis acipenseris*  
Bauer, O. N., 1957 a, 402  
influence on fish ponds  
*Cystoopsis acipenseris* Wagner, 1867  
Baylis, H. A.; and Daubney, R., 1926 a, 244  
*Cystoopsis acipenseris* N. Wagn.  
Behning, A., 1914 a, 14  
sterlet [Acipenser sturio] unter der  
Marke "Krasnye Sosny", Russland  
*Cystoopsis acipenseris*  
Behning, A. L., 1924 b, 76, 82  
sterlet: Volga Biol. Station  
*Cystoopsis acipenseris* Behning, 1924 b, 868  
Chitwood, M. B.; and McIntosh, A., 1950 a, 29  
*Acipenser transmontanus*: Oregon  
*Cystoopsis acipenseris* Wagner, 1867  
Deger, L., 1932 b, 263, 264  
sterlet  
*Cystoopsis acipenseris* Wagner,  
Dubinin, V. B., 1952 e, 246  
(young sturgeon): Lower Volga  
*Cystoopsis acipenseris*  
Dyk, V., 1955 a, 168  
Jeseter maly: Dunaj u Komarska, Slovakia  
*Cystoopsis acipenseris* Wagner  
Ginetinskaya, N. A., 1957 a, 56  
*Cystoopsis acipenseris* Wagner  
Grimm, O. A., 1870 b, 224  
*Acipenser ruthenus*  
*Cystoopsis acipenseris*  
Hall, G. R., 1924 b, 44, 58, 74, 75  
Acipenser huso - primary host; *Acipenser*  
*ruthenus* - primary host; *Businulum reptans*  
secondary host; *Dikerogammus haemobaphes*;  
*Gammaurus platycheir*  
*Cystoopsis acipenseris* (Wagner, 1867)  
Ivanov, A. S.; and Murugina, I. I., 1957 a,  
260, 268  
*Acipenser ruthenus*  
*Cystoopsis acipenseris*  
Janicki, C.; and Rašin, K., 1928 a, 821  
*Dikerogammus haemobaphes*; *Gammaurus platy-*  
*cheir*  
*Cystoopsis acipenseris* N. Wagner 1867  
Janicki, C.; and Rašin, K., 1929 a, 210  
*Cystoopsis acipenseris*  
Janicki, C.; and Rasin, K., 1930 a, 1-37, figs.  
1-26  
*Acipenser ruthenus* L.; *Dikerogammus haemo-*  
*baphes* Eichw., 1842; *Gammaurus platycheir*  
F.O. Sars, 1896  
*Cystoopsis acipenseris* (Wagner, 1867)  
Kolarov, P., 1961 a, 381  
*Acipenser ruthenus*: Dunaj river  
*Cystoopsis acipenseris* Wagner  
Lavier, G., 1921 c, 147  
*Similium reptans*  
*Cystoopsis acipenseris* N. Wagn.  
Levashov, M. M., 1925 a, 159, 164

- Cystoopsis acipenseris* N. Wagn.  
Mavrodiadi, P. A., 1927 a, 85-86
- Cystoopsis acipenseris* Wagn.  
Mavrodiadi, P. A., 1927 b, 345, fig. 2
- Cystoopsis acipenseris* N. Wagn.  
Mavrodiadi, P. A., (1928 a), 43-106
- [*Cystoopsis acipenseris*]  
Mel'nikov, N. M., (1872-73 a), 6-8
- Cystoopsis acipenseris* Wagener, 1867  
Osmanov, S. O., 1958 b, 72  
ship [Acipenser nudiventris]: Aral Sea
- Cystoopsis acipenseris*  
Osmanov, S. O., 1959 a, 193
- Cystoopsis acipenseris* N. Wagner  
Rasin, K., 1930 a, 1-12, figs. 1-12  
Acipenser ruthenus L.
- Cystoopsis acipenseris* Wagner  
Rasin, K., 1930 b, 140
- Cystoopsis acipenseris* N. Wagner  
Rasin, K., 1931 a, 578  
Gammarus pulex
- Cystoopsis acipenseris* Wagner, 1867  
Saidov, Iu. S., 1954 a, 258, figs. 1-5
- Cystopsis acipenseris*  
Shul'man, S. S., 1954 d, 210-211  
Acipenser ruthenus: Black sea; Tumak; Volga;  
Caspian sea
- Cystoopsis acipenseris* Wagn.  
Skorikov, A. S., 1902 a, 459-460  
Acipenser ruthenus
- Cystoopsis acipenseris* N. Wagner  
Skorikov, A. S., 1903 a, 63, 64, 69, 71, 73,  
75-76, 82  
Acipenser ruthenus L. (Mezh. zhychk.): Volga
- Cystoopsis acipenseris* Wagner  
Skrjabin, K. I., 1923 m, 96, figs. 150-152  
Acipenser ruthenus L.; Simulia reptans
- Cystoopsis acipenseris* N. Wagn. 1867  
Skrjabin, K. I., 1924 c, 60, 61, 63, 67, 68  
Acipenser ruthenus L.
- Cystoopsis acipenseris*  
Skrjabin, K. I., ; and Shul'ts, R. E. S.,  
1929 a, 62
- Cystoopsis acipenseris*  
Skvortsov, A. A., 1928 a, 558, 562-563, 576  
Acipenser ruthenus
- Cystoopsis acipenseris* Wag.  
Supino, F., 1931 a, 56  
storione (cisti sottocutanee): Lombardia
- Cystoopsis acipenseris* Wagner, 1867  
Yorke, W.; and Maplestone, P. A., 1926 a, 445,  
fig. 305  
type of genus  
Acipenser ruthenus
- Cystoopsis acipenseris* Wagner  
Zakhvatkin, V. A., 1935 a, 97-98, 101, 102  
Acipenser ruthenus: Okhansk, Kama Flusse
- Cystoopsis acipenseris* Wagn.  
Zykov, V. P., 1903 a, 58-61, figs. 26, 27, 28
- Cystoopsis scomber*  
Zlatev, I., 1936 a, 72-73, 78  
Scomber scomber: Bulgaria
- Cystopsidae*  
[for *Cystopsidae* Skrjabin, 1923]  
Skrjabin, K. I.; and Shikhobalova, N. P.,  
1936 a, 75
- Cystopsis* Wagner, 1867  
Marschall, A. F., 1873 a, 430
- Cystopsis* Wagner, 1867  
Yorke, W.; and Maplestone, P. A., 1926 a,  
444-445  
type C. *Acipenseris* Wagner, 1867

- Dacnidiens  
Törnquist, N., 1931 a, 2
- Dacnidina Duj.  
Törnquist, N., 1931 a, 2
- Dacnites Duj.  
van Beneden, P. J., 1858 a, 271
- Dacnitidae  
de Barros Barreto, A. L. C. A., 1918 b, 20
- Dacnitidae  
de Barros Barreto, A. L. C. A., 1919 b, 12
- Dacnitidae  
de Barros Barreto, A. L. C. A., 1922 a, 69
- Dacnitidae  
Baylis, H. A., 1923 k, 30, 31, 32
- Dacnitidae Railliet and Henry, 1914  
Törnquist, N., 1931 a, 5, 380
- Dacnitidae Baird, 1853, Lane, 1916  
York, W.; and Maplestorne, P. A., 1926 a, 381  
as syn. of Cucullaninae York and Maplestorne
- Dacnitis  
de Barros Barreto, A. L. C. A., 1918 b, 19, 20
- Dacnitis  
de Barros Barreto, A. L. C. A., 1919 a, 10, 11, 12
- Dacnitis  
de Barros Barreto, A. L. C. A., 1922 a, 61, 62, 68, 69
- Dacnitis  
Baylis, H. A., 1923 k, 30, 31, 32, 33
- Dacnitis Dujardin, 1845  
Baylis, H. A., 1939 b, 220  
as syn. of Cucullanus Mueller, 1777
- Dacnitis Dujardin, 1845  
Baylis, H. A.; and Daubney, R., 1926 a, 231, 232  
as syn. of Cucullanus Mueller
- Dacnitis  
Blanchard, E., 1849 e, 104
- Dacnitis Dujardin, 1845  
Chitwood, B. G.; and Wehr, E. E., 1934 a, 330, 331, pl. 1
- Dacnitis  
Lane, C., 1916 c, 103
- Dacnitis  
MacCallum, G. A., 1921 c, 265
- Dacnitis (Cucullanus)  
Magath, T. B., 1919 a, 151
- Dacnitis Duj.  
Perrier, E., 1897 a, 1414
- Dacnitis Dujardin pt.  
Schuurmans Stekhoven, J. H., 1935 f, V.c 4  
as syn. of Cucullanus Mueller, 1777
- Dacnitis Dujardin  
Schuurmans Stekhoven, J. H., 1935 f, V.c 4-  
V.c 5  
Cucullanidae  
Syn.: Cucullanus O. F. Muell. pt.; Bulbodac-  
nitis Lane
- Dacnitis Duj.  
Skrjabin, K. I., 1923 m, 42, 45
- Dacnitis  
Skrjabin, K. I., 1924 e, 91
- Dacnitis Dujardin, 1845  
Törnquist, N., 1931 a, iv, 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 22, 30-31, 50, 57, 58, 60, 194, 226, 227, 229, 284, 380, 381, 382, 383, 384, 387, 389, 390, 398, 404  
Type: *D. truttae*
- Dacnitis  
Travassos, L. P., 1920 f, 41
- Dacnitis sp. Drasche, 1882, 125, pl. 7, fig. 21  
de Barros Barreto, A. L. C. A., 1922 a, 76  
as syn. of Cucullanus draschei
- Dacnitis sp.  
Dobrokhотова, О. В., 1960 a, 111  
Acipenser baeri (intestine): Lake Zaisan
- Dacnitis abbreviata Duj., 1845  
Törnquist, N., 1931 a, 170  
as syn. of Cucullanellus abbreviatus Rud., 1819
- Dacnitis attenuata Molin, 1858  
Törnquist, N., 1931 a, 223  
Syns.: Heterakis attenuata Molin bei Stos-  
sich, 1888; Cucullanus attenuatus Molin, 1858  
bei Barreto, 1918  
Leuciscus cavedanus: Italien: Padua
- Dacnitis australis n. sp.  
Johnston, T. H.; and Mawson, P. M., 1945 a, 75, 139, 140-141, figs. 31-33  
Notopogon lilliei
- Dacnitis australis Johnston et Mawson, 1945  
Skrjabin, K. I.; et al., 1954 a, 44  
as syn. of Cucullanus australis (Johnston et Mawson, 1945) [n. comb.]
- Dacnitis bulbosa (Lane, 1916) new combination  
Törnquist, N., 1931 a, 14, 195, 208-209  
Caranx melampygus: Ceylon (Cheval Paar),  
Bucht von Manaar
- Dacnitis bulbosa (Lane)  
Schuurmans Stekhoven J. H., 1939 a, 575
- Dacnitis callichroei Stewart, 1914  
Törnquist. N. 1931 a, 224  
Syns.: Dacnitis callichroei Stewart, 1914 bei  
Lane, 1916; Cucullanus callichroei Stewart,  
1914 bei Barreto, 1918  
Callichrous macrophthalmus: Indien; Lucknow
- Dacnitis callichroei Stewart, 1914 bei Lane, 1916  
Törnquist, N., 1931 a, 224  
as syn. of Dacnitis callichroei Stewart, 1914
- Dacnitis carangis sp. nov.  
MacCallum G. A., 1921 c, 265, fig. 140  
Caranx hippos
- Dacnitis carangis MacCallum, 1921  
Törnquist, N., 1931 a, 128  
as syn. of Cucullanus carangis MacCallum,  
1921
- Dacnitis clitellarius (Ward and Magath, 1916)  
new comb.  
Törnquist, N., 1931 a, iv, 222  
Syn.: Cucullanus clitellarius Ward and  
Magath, 1916  
Acipenser rubicundus: North America (Lake  
St. Clair)
- Dacnitis conger v. Beneden, 1871  
Törnquist, N., 1931 a, 127  
as syn. of Cucullanus hians Duj., 1845
- Dacnitis esuriens Duj.  
de Barros Barreto, A. L. C. A., 1922 a, 68;  
English transl., 61
- Dacnitis esuriens P. J. van Beneden, 1858  
Punt, A., 1947 a, 8, 12, figs. 18-19  
as syn. of Cucullanus cirratus O. F. Muller,  
1777
- Dacnitis esuriens J. Duj., 1845  
Punt, A., 1947 a, 6, 7, 9, 11, figs. 15-17  
as syn. of Cucullanus platesae C. A. Ru-  
dolphi, 1801
- Dacnitis esuriens Duj.  
Schuurmans Stekhoven, J. H., 1935 f, V.c 4  
as syn. of Cucullanus cirratus Muller
- Dacnitis esuriens Duj. pt.  
Schuurmans Stekhoven, J. H., 1935 f, V.c 4  
as syn. of Cucullanus heterochrous Rudolphi
- Dacnitis esuriens Duj., 1845 (nach Railliet u.  
Henry 1912 = Cucullanus foveolatus Rudolphi,  
1809)  
Törnquist, N., 1931 a, 63, 74
- Dacnitis esuriens Duj., 1845  
Yorke, W.; and Maplestorne, P. A., 1926 a, 381  
as syn. of Cucullanus cirratus Mueller, 1777
- Dacnitis falcifaci rufi  
von Drasche, R., 1882 C, 9 [Advance separate  
of 1883 b, 125]
- Dacnitis falcifaci rufi Drasche  
Gendre, E., 1927 a, 473  
as syn. of Cucullanus draschei Barreto

- Dacnitis falcifaci rufi von Drasche, 1882  
 Tornquist, N., 1931 a, 225  
 as syn. of *Cucullanus draschei* Barreto, 1922
- Dacnitis foveolatus  
 Layman, E. M.; and Borovkova, M. M., 1926 a, 28  
*Pleuronectes flesus*
- Dacnitis foveolatus O. von Linst., 1878  
 Punt, A., 1947 a, 6, 7, 9, 11, figs. 15-17  
 as syn. of *Cucullanus platessae* C. A. Rudolphi, 1801
- Dacnitis foveolatus von Linstow  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 4  
 as syn. of *Cucullanus heterochrous* Rudolphi
- Dacnitis foveolatus von Linstow, 1890  
 Tornquist, N., 1931 a, 74  
 as syn. of *Cucullanus heterochrous* Rud., 1802
- Dacnitis fusiformis Molin  
 von Drasche, R., 1882 c, 8-9 [Advance separate of 1883 b, 124-125]
- Dacnitis fusiformis Mol., 1860  
 Markowski, S., 1933 b, 45  
 as syn. of *Cucullanus fusiformis* (Molin, 1860)
- Dacnitis fusiformis Molin  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 6  
 as syn. of *Cucullanellus minutus* (Rudolphi)
- Dacnitis fusiformis Molin, 1860  
 Tornquist, N., 1931 a, 132  
 as syn. of *Cucullanellus minutus* Rud., 1819
- Dacnitis gadorum Nob.  
 van Beneden, P. J., 1858 a, 274
- Dacnitis gadorum van Beneden.  
 von Linstow, O. F. B., 1900 a, 125-126  
*Gadus carbonarius*
- Dacnitis gadorum P. J. van Beneden, 1858  
 Punt, A., 1947 a, 8, 12, figs. 18-19  
 as syn. of *Cucullanus cirratus* O. F. Muller, 1777
- Dacnitis gadorum van Beneden  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 4  
 as syn. of *Cucullanus cirratus* Muller
- Dacnitis gadorum van Beneden, 1858  
 Tornquist, N., 1931 a, 63  
 as syn. of *Cucullanus cirratus* Muller, 1777
- Dacnitis gadorum Beneden, 1858  
 Yorke, W.; and Maplestone, P. A., 1926 a, 381  
 as syn. of *Cucullanus cirratus* Mueller, 1777
- Dachnitis [sic] globosa  
 Cobbald, T. S., 1883 ww, 404  
 ling: Edinburgh
- Dacnitis globosa  
 Perrier, E., 1897 a, 1414  
 truites
- Dacnitis globosus Dujardin  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 5  
 as syn. of *Dacnitis truttae* (Fabr.)
- Dacnitis globosa Duj.  
 Skrjabin, K. I., 1923 m, 45, fig. 48  
*Trutta trutta*
- Dacnitis globosa Dujardin, 1845  
 Tornquist, N., 1931 a, 8, 195, 205, 209
- Dacnitis globosa  
 Wolf, H. T., 1908 a, 148  
 trout
- Dacnitis globosa Duj., 1845  
 Yorke, W.; and Maplestone, P. A., 1926 a, 383  
 as syn. of *Bulbodacnitis globosa* (Zed., 1800)
- Dacnites [sic] heterochrous  
 van Beneden, P. J., 1858 a, 272
- Dacnitis hians  
 Gendre, E., 1927 a, 484
- Dacnitis hians  
 Perrier, E., 1897 a, 1414  
 congre
- Dacnitis hians J. Duj., 1845  
 Punt, A., 1947 a, 8, 12, figs. 18-19  
 as syn. of *Cucullanus cirratus* O. F. Müller, 1777
- Dacnitis hyans Molin, 1861  
 Tornquist, N., 1931 a, 127, 128  
 as syn. of *Cucullanus hians* Duj., 1845
- Dacnitis laevis Heitz, 1914  
 Skrjabin, K. I.; et al., 1954 a, 45  
 as syn. of *Cucullanus laevis* (Heitz, 1914)  
 [n. comb.]
- Dacnitis laevis Heitz, 1914  
 Tornquist, N., 1931 a, iv, 209-210  
*Salvelinus malma*: Kamtschatka (Kronozkoe-See)
- Dacnitis longicollis Stossich, 1899  
 Tornquist, N., 1931 a, 128  
 as syn. of *Cucullanus longicollis* Stossich, 1899
- Dacnitis micropogonis  
 Blanchard, E., 1849 e, 104, pl. 2, fig. 9  
*Micropogon lineatus*
- Dacnitis platessae van Beneden.  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 4  
 as syn. of *Cucullanus heterochrous* Rudolphi
- Dacnitis platessa van Beneden, 1871  
 Tornquist, N., 1931 a, 74  
 as syn. of *Cucullanus heterochrous* Rud., 1902
- Dacnitis rotundata Molin, 1859  
 Tornquist, N., 1931 a, 223  
 Syns.: *Heterakis rotundata* Molin bei Stossich, 1888; *Cucullanus rotundatus* Molin, 1859 bei Barreto, 1918  
*Cantharus vulgaris*: Italien: Padua
- Dacnitis sphaerocephala Rud.  
 van Beneden, P. J., 1858 a, 272-274
- Dacnitis sphaerocephala  
 Chulkova, V. N., 1939 a, 22, 30  
*Acipenser sturio*: Batum
- Dacnitis [sic] sphaerocephala  
 Cobbald, T. S., 1883 ww, 404  
 sturgeon: Edinburgh
- Dacnitis sphaerocephala (Rud.)  
 Dubinin, v. B., 1952 c, 244  
 [young sturgeon]: Lower Volga
- Dacnitis sphaerocephala (Rud., 1809)  
 Ivanov, A. S.; and Murigin, I. I., 1937 a, 267, 268  
*Acipenser güldenstädti*  
*A. sturio*  
*A. ruthenus*  
*A.stellatus*
- Dacnitis sphaerocephala Duj.  
 Jaaskelainen, V., 1921 a, 52  
*Thymallus vulgaris*: Finland  
*Coregonus lavaretus*: "
- Dacnitis sphaerocephala Dujardin  
 MacCallum, G. A., 1921 c, 265-266, fig. 141  
*Acipenser sturio*
- Dacnitis sphaerocephala (Rudolphi)  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 5-6, V.c 36, fig. 348  
 Syns.: *Cucullanus accipenseris* Viborg;  
*Cucullanus papilliferus* Molin  
*Acipenser sturio*  
*A. ruthenus*  
*A. güldenstädti*  
*A. schypa*  
*A. stellatus*  
*Thymallus vulgaris*  
*Coregonus lavaretus*
- Dacnitis sphaerocephala (Rud.)  
 Schuurmans Stekhoven, J. H., 1939 a, 629
- Dacnitis sphaerocephala (Rud.)  
 Skrjabin, K. I., 1923 m, 45, fig. 47  
*Acipenser sturio*  
*A. schypa*  
*A. güldenstaedtii*  
*A. stellatus*  
*A. ruthenus*
- Dacnitis sphaerocephala (Rud., 1809)  
 Skrjabin, K. I., 1924 c, 67  
*Acipenser ruthenus*

- Dacnitis sphaerocephala Duj.  
 Skorikov, A. S., 1903 a, 82  
   *Acipenser güldenstädti* (intestine)  
   *A. schyra* güldenstädt (intestine)  
   *A. stellatus* (intestine  
     all from Volga)
- Dacnitis sphaerocephala Rudolphi, 1809  
 Törnquist, N., 1931 a, iv, 10, 16, 37, 49,  
 195, 196, 210-222, 380, 391, 399, 406, 436,  
 439, 440, 441, pl. 1, fig. 9, pl. 13, fig.  
 2, pl. 15, fig. 12, pl. 17, figs. 11a-b  
 Syns.: ?*Pleurorinchus* Nau, 1787; ?*Cucul-*  
*lanus accipenseris* Viborg, 1795; *Ascaris*  
*sphaerocephala* Rud., 1809; *Ophistoma*  
*sphaerocephala* Duj., 1845; *Dacnitis sphaer-*  
*cephala* Duj., 1845; ?*Cucullanus papilli-*  
*ferus* Molin, 1858; *Heterakis sphaerocephala*  
 Schneider, 1966  
*Acipenser sturio*  
*A. ruthenus*  
*A. güldenstaedti*  
*A. schypa*  
*A. stellatus*
- Dacnitis sphaerocephala Rud.  
 Volkova, M. M., 1941 a, 32  
*Acipenser baeri*: Ob river
- Dacnitis sphaerocephala Duj.  
 Zschokke, F., 1933 a, 578, 603, 618, 619  
*Acipenser sturio*  
*coregonen*
- Dacnitis sphaerocephala caspicus n. subsp.  
 Ivanov, A. S.; and Murigin, I. I., 1937 a,  
 256-258, 267, 268, figs. 1-4  
*Acipenser güldenstädti*  
*A. stellatus*  
*Huso huso*
- Dacnitis sphaerocephalus caspicus Ivanov et  
 Murigin, 1937  
 Skrjabin, K. I.; et al., 1954 a, 47  
   as syn. of *Cucullanus sphaerocephalus*  
*caspicus* (Ivanov et Murigin, 1937) [n.  
 comb.]
- Dacnitis sphaeroconchus (Toernquist)  
 Schuurmans Stekhoven, J. H., 1939 a, 575
- Dacnitis squali Duj., 1845  
 Tornquist, N., 1931 a, 10, 223  
 Syns.: *Cucullanus squali* Dies., 1851;  
*Heterakis squali* Duj., bei Stossich, 1888;  
*Serradacnitis squali* Duj., 1945 bei Lane,  
 1916  
*Squalus galeus* [=*Galeus galeus*]
- Dacnitis squali Duj., 1845  
 Yorke, W.; and Maplestone, P. A., 1926 a,  
 383  
   as syn. of *Serradacnitis squali* (Duj.,  
 1845)
- Dacnitis sthelioides [sic]  
 Cotronei, G., 1927 a, 209-214  
   systematic biology of host  
   *Petromyzon planeri*
- Dacnitis stelmioides (Vessechelli)  
 Schuurmans Stekhoven, J. H., 1939 a, 575
- Dacnitis stelmioides Vessichelli, 1910  
 Tornquist, N., 1931 a, iv, 58, 205-208  
 Syn.: *Cucullanus stelmioides* Vessichelli,  
 1910 bei Barreto, 1918  
*Petromyzon fluviatilis* planeri (Darm):  
   Italien: Fluss Sarno
- Dacnitis truttae (Fabricius, 1794) new combina-  
 tion  
 Törnquist, N., 1931 a, iv, 10, 27, 29, 50, 194,  
 195-205, 206, 207, 208, 209, 211, 215, 217,  
 218, 221, 436, 439, 440, 441, pl. 1, fig. 4,  
 8. pl. 5. figs. 5-6. pl. 13. fig. 1, pl. 15,  
 fig. 11, pl. 17, fig. 10a-b  
   type  
 Syns.: *Cucullanus truttae* Fabr., 1794; *C.*  
*globosus* Zeder, 1800; *Dacnitis globosa* Duj.,  
 1845; *Bulbodacnitis globosa* Zed., 1800 bei  
 Lane, 1916
- Dacnitis truttae (Fabricius, 1794) new combina-  
 tion.—Continued.  
 Tornquist, N., 1931 a  
*Salmo trutta*: Sweden (Bollebygd in Väster-  
 gotland  
*Lota lota*: Sweden (Hansjon (Hansjon) Varm-  
 land  
*Anguilla anguilla*: Sweden (Motalastrom (bei  
 Gullberg) in Östergötland
- Dacnitis truttae  
 Akhmerov, A. Kh., 1954 a, 969  
*Oncorhynchus nerka* asabatch: Kamchatka
- Dacnitis truttae  
 Akhmerov, A. Kh., 1954 d, 90-91  
*Oncorhynchus nerka*  
*Salmo mykiss*  
*Salvelinus leucomaenis*  
*S. malma*  
*S. malma curilus*  
   all from Kamchatka
- Dacnitis truttae  
 Barysheva, A. F., 1949 a, 7  
*Salmo salar*: Lake Ladoga
- Dacnitis truttae  
 Jones, K. L.; and Hammond, D. M., 1960 a, 157  
*Salmo gairdneri*: Cache Valley, Utah
- Dacnitis truttae (O. Fabr., 1824)  
 Punt, A., 1947 a, 5, 6, 7, 11, figs. 11-14  
 Syn.: *Cucullanus globosus* J. G. H. Zeder,  
 1800  
*Petromyzon marinus*: Mer du Nord
- Dacnitis truttae (Fabr.)  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 5, V.c  
 36, V.c 37, fig. 347  
 Syns.: *Cucullanus globosus*; *Bulbodacnitis*  
*globosus* Zeder; *Dacnitis globosus* Dujardin  
*Salmo trutta*  
*Lota vulgaris*  
*Anguilla vulgaris*
- Dacnitis truttae (Fabr.)  
 Schuurmans Stekhoven, J. H., 1939 a, 575, 580,  
 628
- Dacnitis [sic] truttae  
 Shaw, J. N., 1947 a, 4  
   rainbow trout  
   Dolly Varden trout  
   both from Oregon
- Dacnitis truttae (Fabricius, 1794)  
 Shul'man, S. S.; and Shul'man-Al'bova, R. E.,  
 1953 a, 71, 104, 106  
*Salmo trutta*  
*Stenodus leucichthys nelma*  
*Coregonus lavaretus pidschian* pidschianoides  
   all from White Sea
- Dacnitoides Ward and Magath  
 de Barros Barreto, A. L. C. A., 1922 a, 69, 80
- Dacnitoides Ward & Magath, 1917  
 Baylis, H. A., 1923 k, 31, 32, 33
- Dacnitoides Ward & Magath, 1917  
 Baylis, H. A.; and Daubney, R., 1926 a, 231  
   Type: *D. corylophora* W. & M.
- Dacnitoides  
 Chitwood, B. G.; and Wehr, E. E., 1932 a, 168  
   taxonomy
- Dacnitoides Ward & Magath  
 Gendre, E., 1927 a, 473
- Dacnitoides Ward & Magath  
 Gendre, E., 1927 b, 261, 262
- Dacnitoides  
 Mueller, J. F., 1933 c, 76  
   as syn. of *Dicheyne* Jägerskiold, 1902
- Dacnitoides Ward & Magath  
 Rauther, M., 1930 a, 375
- Dacnitoides  
 Smedley, E. M., 1934 a, 211  
   emended
- Dacnitoides Ward and Magath  
 Törnquist, N., 1931 a, 5, 6, 7, 9, 191, 192

- Dacnitoides  
Travassos, L. P., 1920 h, 70
- Dacnitoides Ward and Magath, 1917  
Van Cleave, H. J.; and Mueller, J. F., 1934 a, 302  
as syn. of *Dichelyne Jägerskiöld*, 1902
- Dacnitoides Ward & Magath  
Ward, H. B., 1918 b, 530
- Dacnitoides Ward & Magath, 1916  
Yorke, W.; and Maplestone, P. A., 1926 a, 12, 384  
Type: *D. corylophora* Ward & Magath, 1916
- Dacnitoides sp.  
Pratt, H. S., 1923 a, 63  
*Ambloplites rupestris*
- Dacnitoides sp.  
Pratt, H. S., 1923 a, 67  
*Perca flavescens*: Oneida Lake, N. Y.
- Dacnitoides corylophora Ward & Magath  
Augustine, D. L., 1929 a, 434
- Dacnitoides corylophora Ward and Magath  
Bangham, R. V., 1933 a, 224, 225  
*Micropterus dolomieu*  
*Aplites salmoides*
- Dacnitoides corylophora Ward & Magath  
de Barros Barreto, A. L. C. A., 1922 a, 80  
*Perca flavescens*  
*Stizostedion vitreum*
- Dacnitoides corylophora Ward & Magath  
Baylis, H. A., 1923 k, 31
- Dacnitoides corylophora Ward & Magath, 1917  
Baylis, H. A.; and Daubney, R., 1926 a, 231
- Dacnitoides corylophora Ward & Magath  
Gendre, E., 1927 b, 261, 262
- Dacnitoides corylophora  
Mueller, J. F., 1933 c, 76  
as syn. of *Dichelyne corylophora* (Ward and Magath, 1917)
- Dacnitoides corylophora Ward & Magath  
Pearse, A. S., 1924 b, 164, 178, 191, 192, 193  
channel cat  
speckled bullhead  
black bullhead  
sucker  
yellow perch  
*Leucichthys johannae*
- Dacnitoides corylophora Ward & Magath  
Rauther, M., 1930 a, 375
- Dacnitoides corylophora Ward and Magath, 1916  
Smedley, E. M., 1934 a, 209-211  
*Perca flavescens*: Port Stanley, Lake Erie;  
Grand Bend, Lake Huron
- Dacnitoides corylophora Ward and Magath  
Törnquist, N., 1931 a, 7, 9, 189  
as syn. of *Dichelyne corylophora*
- Dacnitoides corylophora  
Van Cleave, H. J.; and Mueller, J. F., 1932 a, 61, 64, pl. 13, figs. 1, 2
- Dacnitoides corylophora Ward & Magath  
Ward, H. B., 1918 b, 530, fig. 823a
- Dacnitoides corylophora Ward & Magath, 1916  
Yorke, W.; and Maplestone, P. A., 1926 a, 384, fig. 263  
type of genus  
*Perca flavescens*  
*Stizostedion vitreum*
- Dacnitoides robusta n. sp.  
Van Cleave, H. J.; and Mueller, J. F., 1932 a, 61-64, pl. 13, figs. 3-6  
*Ameiurus nebulosus*
- Dacnitoididae n. fam.  
Travassos, L. P., 1920 h, 69
- Dacnitoididae Travassos, 1920  
Törnquist, N., 1931 a, 5
- Dacnitoididae Travassos, 1920  
Yorke, W.; and Maplestone, P. A., 1926 a, 384  
as syn. of *Dacnitoidinae* Y. & M.
- Dacnitoidinae n. sf.  
Yorke, W.; and Maplestone, P. A., 1926 a, 12, 381, 384
- Dacnitoidinae Yorke and Maplestone, 1926  
Chitwood, B. G.; and Wehr, E. E., 1934 a, 331  
as syn. of *Cucullaninae* Yorke and Maplestone, 1926
- Dacnitoidinae Y. & M.  
Törnquist, N., 1931 a, 7
- Dactylius aculeatus  
Beauregard, H.; and Galippe, V., 1880 a, 431-432  
homme (urine)
- Dactylius aculeatus  
Moquin-Tandon, C. H. B. A., 1860 a, 386
- Dactylius aculeatus Carling  
Ude, H., 1928 a, 18
- Dartevellenia n. g.  
Ezzat, M. A. E., 1954 a, 175-176  
tod: *D. collaris*
- Dartevellenia collaris n. sp. (tod)  
Ezzat, M. A. E., 1954 a, 176-178, figs. 12-16  
*Dendrohyrax arboreus adolfi-friedericici*:  
Congo belge
- Daubaylia n. g.  
Chitwood, B. G.; and Chitwood, M. B., 1934 a, 8-9, figs. 4A-4D  
type: *D. potomaca* (mt)
- Daubaylia Chitwood and Chitwood, 1934  
Thorne, G., 1937 b, 2
- Daubaylia sp.  
Chitwood, B. G.; and Chitwood, M. B., 1934 a, p. 9  
*Philomycus carolinensis*
- Daubaylia dewiti n. sp.  
Schuurmans Stekhoven, J. H. (jr.), 1956 b, 277-281, pl. 1, fig. 1  
*Planorbis contortus*: Amsterdam
- Daubaylia elegans n. sp.  
Honer, M. R.; and Jansen, J. (jr.), 1961 a, 115-118, figs. 1-2  
*Planorbis carinatus* (mantle cavity & body wall): Maarsen, The Netherlands
- Daubaylia potomaca n. g., n. sp. (tod)  
Chitwood, B. G.; and Chitwood, M. B., 1934 a, 8-9, figs. 4A-4D  
*Planorbis (Helisoma) trivolvis*: Virginia
- Daubaylia potomaca  
Chernin, E.; Michelson, E. H.; and Augustine, D. L., 1960 a, 599-607, pls. 1-2, figs. 1-13  
*Australorbis glabratus* (exper.)
- Daubaylia seistanensis (Baylis and Daubney, 1922) n. comb.  
Chitwood, B. G.; and Chitwood, M. B., 1934 a, p. 9  
Syn.: *Cephalobus seistanensis* Baylis and Daubney
- Daubaylia seistanensis [sic]  
Mengert, H., 1953 a, 314  
*Gyraulus convexiusculus*: Persien
- Daubayliinae n. subfam.  
Chitwood, B. G.; and Chitwood, M. B., 1934 b, 8-9, figs. 4A-4D  
*Cephalobidae* n. fam.
- Daubayliinae  
Filipjev, I. N.; & Schuurmans Stekhoven, J. H., 1941 a, 143  
*Cephalobidae*
- Daubayliinae Chitwood and Chitwood, 1934  
Thorne, G., 1937 b, 2
- Daubneyia n. gen.  
Le Roux, P. L., 1940 a, 4, 10, 17-18  
tod: *Daubneyia mwanzae* (Daubney, 1924)
- Daubneyia eurycephalum (Goodey, 1924) [n. comb.]  
Le Roux, P. L., 1940 a, 17, 18  
*Phacochoerus aethiopicus*: Gold Coast  
?roan antelope: Nyasaland
- Daubneyia goodeyi (Daubney, 1926) [n. comb.]  
Le Roux, P. L., 1940 a, 17-18  
*Phacochoerus aethiopicus*: Gold Coast

- Daubneyia mwanzae* (Daubney, 1924) [n. comb.]  
(tod)  
Le Roux, P. L., 1940 a, 10, 17, 18, fig. 22  
Phacochoerus aethiopicus: Gold Coast  
?roan antelope: Nyasaland
- Daubneyia oldi* (Goodey, 1924) [n. comb.]  
Le Roux, P. L., 1940 a, 4, 5, 10, 17, 18,  
figs. 11-12, 13  
Phacochoerus aethiopicus: Gold Coast  
?roan antelope: Nyasaland
- Daubneyia roubaudi* (Daubney, 1926) [n. comb.]  
Le Roux, 1940 a, 17, 18  
Phacochoerus aethiopicus: Gold Coast
- Daubneyia simpsoni* (Goodey, 1924) [n. comb.]  
Le Roux, P. L., 1940 a, 17, 18  
Phacochoerus aethiopicus: Gold Coast  
?roan antelope: Nyasaland
- Daubneyia yorkei* (Thornton, 1924) [n. comb.]  
Le Roux, P. L., 1940 a, 17-18  
Phacochoerus aethiopicus: Gold Coast
- Decrusia*  
Baylis, H. A., 1924 d, 21
- Decrusia Lane*, 1914  
Baylis, H. A.; & Daubney, R., 1926 a, 151  
type: *Strongylus* (D.) *additicta* (Railliet)
- Decrusia*  
Cram, E. B., 1924 g, 672
- Decrusia Lane*  
Ihle, J. E. W., 1924 c, 758, 760
- Decrusia Lane*, 1914  
Khalil, M., 1922 q, 220  
type: D. *additictia*
- Decrusia Lane*, 1914  
Khalil, M., 1922 r, 16, 72  
type: D. *additictia*
- Decrusia [sic]*  
Lane, C., 1921 c, 164
- Decrusia*  
Ortlepp, R. J., 1924 a, 30
- Decrusia*  
Popov, N. P., 1927 b, 193
- Decrusia Lane*  
Railliet, R., 1923 c, 380, 394  
type: D. *decrusi* Lane
- Decrusia Lane*  
Rauther, A., 1930 a, 376
- Decrusia*  
Sprehn, C. E. W., 1927 e, 47
- Dicruzia [sic]*  
Travassos, L. P., 1920 h, 65
- Decrusia Lane*, 1914  
Yorke, W.; and Maplestone, 1926 a, 36, 38  
type: D. *additicta* (R. H. & B.)
- Decrusia Lane*, 1914 subg.  
Baylis, H. A., 1936 a, 248, 251  
type: *Strongylus* (*Decrusia*) *additictius*  
Railliet, Henry and Bauche, 1914
- Decrusia Lane*, 1914 emend. subg.  
van der Westhuysen, O. P., 1938 a, 52, 91  
*Strongylinae*  
type: D. *additictia*
- Decrusia sp.*  
Sprehn, C. E. W., 1932 c, 641  
elefante
- Decrusia additicia* [(Railliet, Henry, and Bauche, 1914) n. comb.]  
Railliet, A.; Henry, A.; and Bauche, J., 1915 a, 118  
Syn.: D. *decrusi* Lane
- Decrusia additicta* (Railliet, Henry and Bauche, 1914)  
Bhattacharjee, J., 1937 a, 90  
synonymy  
elephant: Burma
- Decrusia additictia* (Railliet, Henry and Bauche)  
Fernando, A.; and Fernando, C. H., 1961 a, 99, 101, 103, 106, fig. 1J  
Elephas maximus (large intestine)
- Decrusia additicia* (Railliet, Henry and Bauche)  
Fernando, C. H.; and Fernando, A., 1961 a, 3, 4, pl. fig. 4  
Elephas maximus: Ceylon
- Decrusia additicia*  
Ihle, J. E. W., 1922 d, 93
- Decrusia additictia* R. H. & B., 1914  
Khalil, M., 1922 q, 220, 276  
Indian elephant: India
- Decrusia additictia* R. H. & Bauche  
Khalil, M., 1922 r, 16, 72  
Indian elephant: India
- Decrusia [sic] additicia*  
Lane, C., 1921 c, 164
- Decrusia additictia*  
Malik, B. S.; and Singh, G., 1958 a, 191, 192, 193  
Indian elephant: India
- Decrusia additicta Railliet*; Henry & Bauche  
Rauther, M., 1930 a, 376
- Decrusia additica*  
Sankaranarayanan, M. V.; Das, D. N.; and Sundaram, S., 1957 a, 34, 43, fig. 3  
bursa as a diagnostic character
- Decrusia additica* Railliet, Henry, and Bauche, 1914  
Seneviratna, P., 1955 b, 34  
elephant: Ceylon
- Decrusia additicta*  
Sprehn, C. E. W., 1927 e, 47
- Decrusia additictia* Raill., Henry and Bauche, 1914 (type)  
van der Westhuysen, 1938 a, 52, 91-92, 165, 166, figs. 162-167  
[p. 165 as D. *addictia*]  
Indian elephant
- Decrusia additicta* (Raill., Henry, and Bauche)  
Wu, H. W., 1934 a, 512, 513-515, figs. 1-3  
Indian elephant: Nanking
- Decrusia additicta* (R. H. & B.)  
Yorke, W.; and Maplestone, P. A., 1926 a, 38, fig. 12  
type of genus  
Elephas indicus
- Decrusia decrusi* Lane, 1914  
Khalil, M., 1922 q, 220  
as syn. of D. *additictia*
- Decrusia decrusi* Lane  
Railliet, A., 1923 c, 394
- Decrusia decrusi* Lane  
Railliet, A.; Henry, A.; and Bauche, J., 1915 a, 118  
as syn. of D. *additicia* [n. comb.]
- Decrusia decrusi* Lane  
Yorke, W.; and Maplestone, P. A., 1926 a, 38  
as syn. of *Decrusia additicta* (R. H. & B.)
- Deladenus obesus* Thorne, n. sp.  
Thorne, G., 1941 b, 47-48, 74, 75, pl. IV, figs. 8-8c  
beetles: near Wolf Creek Summit, South Fork of Provo River, Utah
- Deladenus obesus* Thorne 1941  
Paesler, F., 1957 a, 319-321, fig. 3
- Delafondia* n. sg.  
Railliet, A., 1923 c, 380, 386  
type: *Strongylus* (*Delafondia*) *vulgaris* (Looss)  
118
- Delafondia*  
Baylis, H. A., 1929 c, 150
- Delafondia* Railliet, 1923 subg.  
Baylis, H. A., 1936 a, 248, 251  
type: *Strongylus* (*Delafondia*) *vulgaris* (Looss, 1900)
- Delafondia* Railliet, 1923 s. gen.  
Baylis, H. A.; and Daubney, R., 1926 a, 151  
type: *Strongylus* (D.) *vulgaris* (Looss)
- Delafondia*  
Cram, E. B., 1924 g, 672

- Delafondia Raill.*  
Ihle, J. E. W., 1924 c, 758, 759, 760
- Delafondia*  
Ortlepp, R. J., 1924 a, 30
- Delafondia Railliet*, 1923 subg.  
Pinto, C. F.; and Cavalcanti, P. M., 1938 a, 22  
type: *Strongylus (D.) vulgaris*
- Delafondia Railliet* subgen.  
Udintsev, A. N., 1929 a, 107, 108
- Delafondia Railliet*, 1923  
Yorke, W.; and Maplestone, P. A., 1926 a, 38
- Delafondia asini* (Boulenger, 1920) Skrjabin, 1933  
Skrjabin, K. I.; et al., [1953 a], 62  
Syn.: *Strongylus asini* Boulenger, 1920
- Delafondia v[ulgaris]* [Looss, 1900] n. comb.  
Kriegerman, B. J., 1933 d, 368  
as syn. of *Strongylus vulgaris*
- Delafondia vulgaris*  
Antipin, V. P., 1950 a, 27  
horse
- Delafondia vulgaris* (Looss, 1900)  
Barus, V., 1961 a, 596  
*Equis asinus* (large intestine): Czechoslovakia
- Delafondia vulgaris* (Looss, 1900)  
Burzhanadze, P. L., 1943 b, 67, 69, 73  
loshadi [horses]: Georgian SSR
- Delafondia vulgaris*  
Chebotarev, R. S.; Kučakowska, O. P.; and  
Majka, W. I., 1958 a, 309-317  
role of parasitic factor in etiology of  
colic, gastro-enteritis, and other diseases  
in horses
- Delafondia vulgaris*  
Ershov, V. S., 1944 a, 13
- Delafondia vulgaris*  
Ershov, V. S., 1946 a, 115-116  
epizootiology, horse (mesenteric arteries)
- Delafondia vulgaris* (Looss, 1900)  
Ershov, V. S., 1949 a, 26-28, figs. 2-3  
development cycle, horse
- Delafondia vulgaris*  
Geller, E. R., 1957 c, 77  
embryogeny, effect of ultrasound
- Delafondia vulgaris*  
Gorshkov, I. P., 1954 b, 412, 414, 415, 419,  
422, fig. 136 a, 138, 140 (1)
- Delafondia vulgaris*  
Kamalova, S. K., 1950 a, 291-293  
aneurysms, anterior mesentery of horses
- Delafondia vulgaris* (Looss, 1900) Skrjabin, 1933  
Kazlauskas, J., [1959 a], 86  
horses: Lithuanian SSR
- Delafondia vulgaris* (Looss, 1900)  
Kazlauskas, J., [1960 b], 145-153, pl.  
horses: Lithuanian SSR
- Delafondia vulgaris*  
Kazlauskas, J., 1960 d, 18
- Delafondia vulgaris*  
Khodorkina, 1945 a, 44-45  
intestinal obstruction, horse
- Delafondia vulgaris*  
Klimeš, B.; and Matéjka, J., 1955 a, 233  
treatment
- Delafondia vulgaris*  
Kulikov, N. S., 1959 a, 36  
overwintering: Irkutsk oblast
- Delafondia vulgaris* (Looss, 1900)  
K'ung, F. Y.; Yeh, C. E.; and Liu, K. Y.,  
1959 a, 29, 30, 36, 37, 38, pl. I, figs. 5-7  
donkey: Peking China
- Delafondia vulgaris* (Looss, 1900) Skrjabin, 1933  
Lesin'sh, K. P., 1959 a, 106  
horses: south-east districts of Estonian SSR
- Delafondia vulgaris*  
Logginov, S. B., 1959 b, 191-196  
hematophagia
- Delafondia vulgaris*  
Mosina, S. K., [1954 a], 420  
horse, cause of alteration of solar plexus
- Delafondia vulgaris* Loos, 1900, Skrjabin, 1933  
Moskvin, S. N., 1958 a, 183  
horse: Albania
- Delafondia vulgaris* (Looss, 1900)  
Safronov, M. G., [1954 a], 637  
horses: Yakutsk ASSR
- Delafondia vulgaris*  
Skalinskii, E. I., 1952 a, 82-86, pls., figs.  
25-30  
migration in horse
- Delafondia vulgaris*  
Skalinskii, E. I., 1954 b, 392-393  
migration of larvae, pathology, horse
- Delafondia vulgaris*  
Skalinskii, E. I., 1957 a, 310-317, pl.  
toxic action of larva
- Delafondia vulgaris* (Looss, 1900)  
Skarbilovich, T. S., 1942 b, 290-292  
biology, horses
- Delafondia vulgaris* (Looss, 1900)  
Skarbilovich, T. S., 1948 c, 123-131, figs.  
1-11  
ontogenesis
- Delafondia vulgaris*  
Sprehn, C. E. W., 1932 c, 641
- Delafondia vulgaris*  
Toshchev, A. P., 1949 a, 169  
horse: eastern Siberia
- Delafondia vulgaris* [sic] Looss, 1900  
Toshchev, A. P., 1949 b, 174  
horses: eastern Siberia
- Delafondia vulgaris* (Looss, 1900)  
Vaivarinīš, Kh. F., 1954 a, 304  
horse: Latvian SSR
- Delafondia vulgaris* (Looss, 1900)  
Volkova, Z. M., 1950 a, 69  
horses: Kirgizia
- Delafondia vulgaris* (Looss, 1900)  
Vražić, O.; and Rijavec, M., 1960 a, 129, 132,  
133  
*Equis asinus*: P. R. of Croatia
- Delafondiosis*  
Dobin, M. A., 1957 a, 184  
equine
- Delafondiasis*  
Kharin, S. I., 1955 a, 170-171  
equine, differential diagnosis from infec-  
tious anemia
- Delafondiasis*  
Pokhvalenskiy, N. S., 1955 a, 44-45  
equine
- Delafondiasis*  
Skalinskii, E. I., 1957 b, 318-327, pls.  
horses, pathological changes
- Delafondiosis*  
Velichkin, I. A., 1953 a, 173-174  
horses
- Delamurella* n. g.  
Gubanov in Skrjabin, K. I.; et al., [1953 a],  
800
- Delamurella* nov. gen.  
Gubanov, N. M., 1954 b, 381  
mt: *D. hyperoodon*
- Delamurella hyperoodon* [n. sp.]  
Gubanov, in Skrjabin, K. I.; et al., [1953 a],  
800, 801, 802, 803, 805, pls., figs. 6-9  
*Hyperoodon ampullatus*: Pacific ocean
- Delamurella hyperoodon* nov. sp.  
Gubanov, N. M., 1954 b, 381  
*Hyperoodon rostratus* (trachea)
- Delamurella hyperoodon* Gubanov, 1952 [in  
Skrjabin, K. I., et al., [1953]]  
Deliāmure, S. L., [1956 b], 288-292, pl., fig.  
196
- Delectrocephalidae* [sic] Trav., 1919  
Travassos, L. P.; and Vogelsang, E. G., 1932 a,  
259
- Delectrocephaleae* Railliet and Henry, 1912  
Travassos, L. P., 1933 c, 95  
as syn. of *Delectrocephalinae* Railliet, 1916

- Deletocephalinae* Raill., 1916  
*Baylis, H. A. & Daubney, R.*, 1923 a, 571
- Deletocephalinae*  
*Chitwood, B. G.*, 1937 c, 73  
 Syngamidae
- Deletocephalinae*  
*Daubney, R.*, 1923 d, 68
- Deletocephalinae*  
*Ihle, J. E. W.*, 1922 b, 17
- Deletocephalinae* Railliet, 1916  
*Teixeira de Freitas, J. F.; and Lent, H.*, 1947 a, 73-100  
 revision
- Deletocephalinae* Railliet, 1916  
*Travassos, L. P.*, 1933 c, 90, 91, 95  
 Syns.: *Deletocephalidea* Diesing, 1861;  
*Deletocephaleae* Railliet and Henry, 1912;  
*Strongyleae* Trav., 1919
- Deletocephalinae* Railliet, 1916  
*Yorke, W. & Maplestone, P. A.*, 1926 a, 6
- Deletocephalus* Diesing, 1851  
*Baylis, H. A.*, 1936 a, 247, 261-262  
 Strongylidae, Strongylinae  
 synonymy  
 type: *D. dimidiatus* Diesing, 1851
- Deletocephalus* Diesing, 1851  
*Baylis, H. A. & Daubney, R.*, 1926 a, 162  
 type: *D. dimidiatus* Diesing
- Deletocephalus* Dies.  
*Chapin, E. A.*, 1924 b, 3-4
- Deletocephalus* Dies.  
*Cram, E. B.*, 1927 a, 30, 32  
 type: *D. dimidiatus* Dies.
- Deletocephalus* Dies., 1951  
*Daubney, R.*, 1923 d, 68
- Deletocephalus* Diesing 1851  
*Dougherty, E. C.*, 1951 a, 365  
*Rhea americana*
- Deletocephalus* Diesing, 1951  
*Lins de Almeida, J.*, 1935 b, 137, 138  
 Syn.: *Quasistrongylus* Maplestone, 1932
- Deletocephalus* Diesing, 1851  
*Maplestone, P. A.*, 1935 a, 335-336  
 Strongylinae  
 Syn.: *Quasistrongylus* Maplestone, 1932  
 type: *D. dimidiatus* Dies., 1851
- Deletocephalus* Dies.  
*Perrier, E.*, 1897 a, 1415
- Deletocephalus* [sic] Diesing  
*Rauther, M.*, 1930 a, 379
- Delectrophalus* [sic]  
*Travassos, L. P.*, 1920 h, 65
- Delectrocephalus* [sic] Travassos, 1919  
*Travassos, L. P.*, 1933 c, 95  
 as syn. of *Delectrocephalus* Diesing, 1951
- Delectrocephalus* Diesing, 1851  
*Travassos, L. P.*, 1933 c, 89, 90, 91, 95  
 Syns.: *Strongylus* Schneider, 1866; *Delectrocephalus* Travassos, 1919
- Delectrocephalus* Diesing, 1851  
*Yorke, W. & Maplestone, P. A.*, 1926 a, 6, 172-173  
 type: *D. dimidiatus* Dies.
- Delectrocephalus brachylaimus* Linstow  
*Dollfus, R. P.; and Monod, T.*, 1933 a, 337  
 as syn. of *Theileriana brachylaimus* (Linstow)
- Delectrocephalus brachylaimus*  
*Thapar, G. S.*, 1924 a, 209
- Delectrocephalus brachylaimus v. Linst.*  
*Turner, M.*, 1921 a, 182-187, figs. 1-4  
*Procavia* sp.: *Dodoma*
- Delectrocephalus brachylaimus v. Linst.*  
*Turner, M.*, 1922 a, 1-6, figs. 1-4  
*Procavia* sp.: *Dodoma*
- Delectrocephalus brachylaimus* Linstow  
*Yorke, W.; and Maplestone, P. A.*, 1926 a, 77  
 as syn. of *Theileriana brachylaima* (Linstow)
- Deletocephalus cesarpintoi* n. sp.  
*Vaz, Z.*, 1936 a, 253-266  
*Rhea americana*: Estado de S. Paulo, Brasil
- Deletocephalus cesarpintoi* Vaz, 1936  
*Teixeira de Freitas, J. F.; and Lent, H.*, 1947 a, 73, 86-92, figs. 25-49  
*Rhea americana*: Brasil  
*R. americana intermedia*: Brasil
- Deletocephalus cesarpintoi*  
*Wetzel, R.; and Enigk, K.*, 1938 g, 20  
*Rhea americana*: Deutschland
- Deletocephalus dimidiatus* Diesing, 1851 (type)  
*Baylis, H. A.*, 1936 a, 262-263  
 synonymy  
*Rhea americana*: Zool. Gardens, Calcutta
- Deletocephalus dimidiatus* Diesing, 1851  
*Baylis, H. A.; & Daubney, R.*, 1926 a, 162
- Deletocephalus dimidiatus*  
*Buckley, J. J. C.*, 1948 a, 670  
*Rhea rothschildi*: London Zoo
- Deletocephalus dimidiatus*  
*Chitwood, B. G.; and Chitwood, M. B.*, 1938 a, 59, fig. 56 G
- Deletocephalus dimidiatus* Dies.  
*Cram, E. B.*, 1927 a, 32-33, figs. 33-35  
*Rhea americana*
- Delectrocephalus* [sic] *dimidiatus*  
*Hörchner, F.*, 1962 a, 183-185, figs. 4-8  
*Rhea americana* (Blind darm)
- Deletocephalus*, possibly *D. dimidiatus* Diesing, 1851  
*Jardim Freire, J.*, [1960 a], 4-6  
*Rhea americana*: Rio Grande do Sul
- Deletocephalus dimidiatus* Dies.  
*Leiper, R. T.*, 1910 i, 26
- Deletocephalus dimidiatus* Dies., 1851  
*Lent, H.; and Teixeira de Freitas, J. F.*, 1948 a, 4, 7, 49  
*Rhea americana intermedia*: Durazno (Molles) Uruguay
- Deletocephalus dimidiatus* Dies., 1851  
*Lins de Almeida, J.*, 1935 a, 285  
 Syn.: *Quasistrongylus rheae* Maplestone, 1932  
*Rhea americana*
- Deletocephalus dimidiatus* Diesing, 1851  
*Lins de Almeida, J.*, 1935 b, 137, 138  
 Syn.: *Quasistrongylus rheae* Maplestone, 1932
- Deletocephalus dimidiatus* Diesing, 1851  
*Maplestone, P. A.*, 1935 a, 335-336  
 Syn.: *Quasistrongylus rheae* Maplestone, 1932  
*Rhea americana*
- Deletocephalus dimidiatus*  
*Perrier, E.*, 1897 a, 1415  
 nandou (intestin)
- Deletocephalus dimidiatus* Dies.  
*Rauther, M.*, 1930 a, 379
- Deletocephalus dimidiatus*  
*Swierstra, D.; Jansen, J. (ir); and van den Broek, E.*, 1959 b, 1303  
*Rhea americana*: Netherlands
- Deletocephalus dimidiatus* Diesing, 1851  
*Teixeira de Freitas, J. F.; and Lent, H.*, 1947 a, 73, 80-86, figs. 1-24  
*Rhea americana*: Brasil  
*R. americana intermedia*: Brasil
- Deletocephalus dimidiatus* Dies.  
*Thapar, G. S.*, 1924 a, 209
- Deletocephalus dimidiatus* Diesing, 1851  
*Travassos, L.*, 1933 c, 89-[97], pls. 22-27, figs. 1-21  
 Syn.: *Strongylus dimidiatus* Schneider, 1866
- Deletocephalus dimidiatus* Dies.  
*Vaz, Z.*, 1936 a, 258, 259, 264, 265
- Deletocephalus dimidiatus* Dies.  
*Yorke, W.; and Maplestone, P. A.*, 1926 a, 173, fig. 113  
 type of genus  
*Rhea americana*

- Deletocephalus stylosus* Linst.  
 Leiper, R. T., 1910 i, 26  
*Rhinoceros bicornis*: Kilimandjaro lowland
- Deletocephalus stylosus*  
 Neveu-Lemaire, M., 1924 d, 133
- Deletocephalus stylosus*  
 Thapar, G. S., 1924 a, 209, 210, 222
- Deletocephalus stylosus* Linstow  
 Yorke, W.; and Maplestone, P. A., 1926 a, 71  
 as syn. of *Kilulum stylosa* (Linstow)
- Deletocephalus variabilis*, n. sp.  
 Chapin, E. A., 1924 b, 3-4, pl. 2, figs. 6-9  
*Testudo denticulata*: Brazil
- Deletocephalus variabilis* Chapin  
 Yorke, W.; and Maplestone, P. A., 1926 a, 78  
 as syn. of *Theileriana variabilis* (Chapin)
- Delicata* n. g.  
 Travassos, L., 1935 a, 347-348  
*Trichostrongylidae*, *Trichostrongylinae*  
 tod: *D. delicata* (Trav., 1921)
- Delicata* Travassos, 1935  
 Travassos, L., 1937 e, 23, 27, 58-59  
 type: *D. delicata* (Travassos, 1921)  
 Syn.: *Ostertagia p. p.*
- Delicata* Travassos, 1935  
 Biocca, E., 1959 a, 170, 175, 176  
 type: *Delicata delicata*
- Delicata*  
 Singh, S. N., 1958 d, 251, 256, 257  
 key
- Delicata* sp.  
 Wolfgang, R. W., 1951 a, 352, 360  
*Didelphis*: Trinidad
- Delicata appendiculata* (Travassos, 1928) n. comb.  
 Travassos, L. P., 1937 e, 59, 63-64, 95, 443,  
 pl. 31, fig. 1-4, pl. 32, fig. 2  
 Syn.: *Ostertagia appendiculata* Travassos,  
 1928  
*Tamandua tetradactyla*: Rincao, Sao Paulo,  
 Brasil
- Delicata cameroni* n. sp.  
 Travassos, L. P., 1935 a, 351  
*Dasypus novemcinctus*: S. Paulo, Brasil  
*D. hybridus*: S. Paulo, Brasil
- Delicata cameroni* Trav., 1935  
 Travassos, L. P., 1937 e, 67-68, 442, pl. 39  
 fig. 1-4, pl. 40 fig. 1-2  
*Dasypus hybridus*  
*D. novemcinctus*
- Delicata cameroni* Travassos, 1935  
 Cameron, T. W. M.; and Myers, B. J., 1961 b,  
 29  
 as syn. of *Macielia cameroni* (Travassos, 1935)  
 n. comb.
- Delicata delicata* (Trav., 1921) [n. comb.] (tod)  
 Travassos, L. P., 1935 a, 348
- Delicata delicata* (Travassos, 1921) Travassos,  
 1935  
 Travassos, L. P., 1937 e, 59-61, 62, 67, 95,  
 442, pl. 26 fig. 1-5  
 Syn.: *Ostertagia delicata* Travassos, 1921  
*Cabassus unicinctus*: Rio de Janeiro e Es-  
 tado do Rio, Brasil
- Delicata delicata* Travassos, 1937  
 Biocca, E., 1959 a, 170, 173, fig. 1  
 type
- Delicata khalili* (Travassos, 1928) n. comb.  
 Travassos, L. P., 1937 e, 62-63, 64, 95, 443,  
 pl. 29 fig. 1-3, pl. 30 fig. 1-3, pl. 32 fig. 1  
 Syn.: *Ostertagia khalili* Travassos, 1928  
*Tamandua tetradactyla*: Rincão, Estado de  
 Sao Paulo, Brasil
- Delicata khalili* (Travassos, 1928)  
 Cameron, T. W. M.; and Myers, B. J., 1961 b,  
 29  
 as syn. of *Macielia khalili* (Travassos,  
 1928) n. comb.
- Delicata pseudoappendiculata* n. sp.  
 Cameron, T. W. M., 1939 j, 249, 257-258, figs.  
 21-23  
*Tamandua longicaudata*: Trinidad
- Delicata pseudoappendiculata* Cameron, 1939  
 Cameron, T. W. M.; and Myers, B. J., 1961 b,  
 29  
 as syn. of *Macielia pseudoappendiculata*  
 (Cameron, 1939) n. comb.
- Delicata ransomi* (Travassos, 1921) n. comb.  
 Travassos, L. P., 1937 e, 60, 61-62, 95, 442,  
 pl. 27 fig. 1-4, pl. 28 fig. 1  
 Syn.: *Ostertagia ransomi* Travassos, 1921  
*Cabassus unicinctus*  
*Dasypus novemcinctus*
- Delicata ransomi* (Travassos, 1921)  
 Cameron, T. W. M.; and Myers, B. J., 1961 b,  
 29  
 as syn. of *Macielia ransomi* (Travassos, 1921)  
 n. comb.
- Delicata similis* n. sp.  
 Travassos, L., 1935 a, 350-351  
*Cabassous* [sic] *unicinctus*: S. Paulo, Brasil  
*Dasypus sexcinctus*: S. Paulo, Brasil
- Delicata similis* Trav., 1935  
 Travassos, L. P., 1937 e, 66-67, 442, pl. 37,  
 fig. 1-5, pl. 38, fig. 1-2  
*Cabassus unicinctus*: S. Paulo (Rincao)  
*Euphractus sexcinctus*: Brasil
- Delicata similis* Travassos, 1935  
 Cameron, T. W. M.; and Myers, B. J., 1961 b, 29  
 as syn. of *Macielia similis* (Travassos, 1935)  
 n. comb.
- Delicata uncinata* n. sp.  
 Travassos, L., 1935 a, 348-349  
*Cabassus unicinctus*: S. Paulo, Brasil
- Delicata uncinata* Trav., 1935  
 Travassos, L. P., 1937 e, 64-65, 442, pl. 32  
 fig. 3-4, pl. 33 fig. 1-4, pl. 34 fig. 1-2  
*Cabassus unicinctus*: S. Paulo (Rincão)  
 Brasil
- Delicata uncinata* Travassos, 1935  
 Cameron, T. W. M.; and Myers, B. J., 1961 b, 29  
 as syn. of *Macielia uncinata* (Travassos,  
 1935) n. comb.
- Delicata variabilis* n. sp.  
 Travassos, L. P., 1935 a, 349-350  
*Dasypus novemcinctus*: S. Paulo, Santa  
 Catharina, Brasil
- Delicata variabilis* Travassos, 1935  
 Travassos, L. P., 1937 e, 65-66, 68, 442, pl.  
 35 fig. 1-4, pl. 36 fig. 1-2  
*Dasypus novemcinctus*: S. Paulo (Rincao)  
 Brasil
- Delicata variabilis* Travassos, 1935  
 Cameron, T. W. M.; and Myers, B. J., 1961 b, 29  
 as syn. of *Macielia variabilis* (Travassos,  
 1935) n. comb.
- Denticulospirura* n. g.  
 Johnston, T. H.; and Mawson, P. M., 1941 b, 10  
*Spirurinae*  
 tod: *D. dentata* n. sp.
- Denticulospirura* Johnston et Mawson 1941  
 Chabaud, A. G.; Campana-Rouget, Y.; and Bry-  
 goo, E. R., 1960 a, 326, 339
- Denticulospirura dentata* n. g. n. sp. (tod)  
 Johnston, T. H.; and Mawson, P. M., 1941 b, 10,  
 fig. 1  
 "brush tailed rat" almost certainly the poly-  
 protodont marsupial *Phascogale penicillata*:  
 ?Sydney District
- Denticulospirura dentata* J. & M., 1941  
 Mackerras, M. J., 1958 b, 105  
*Phascogale tapoatafa*: Australia
- Dentostomella* n. gen.  
 Shul'ts, E. S.; and Krepkororskaia, T. A.,  
 1932 a, 330-334, figs. 1-7  
*Oxyurinae*  
 tod: *D. translucida* n. sp.

- Dentostomella Schulz et Krepkogorskaya, 1932  
 Skrjabin, K. I.; and Shikhobalova, N. P.,  
 1950 a, 591
- Dentostomella sp.  
 Myers, B. J.; Kuntz, R. E.; and Wells, W. H.,  
 1962 a, 536, 537, 538  
*Gerbillus campestris*  
*G. gerbillus*  
*Psammomys obesus*  
*Jaculus jaculus*  
 all from Egypt
- Dentostomella kuntzi n. sp.  
 Myers, B. J., 1961 a, 55-57, figs. 1-6  
*Acomys cahirinus*: Egypt  
*A. russatus*: Egypt
- Dentostomella kuntzi Myers, 1961  
 Myers, B. J.; Kuntz, R. E.; and Wells, W. H.,  
 1962 a, 536, 537  
*Gerbillus campestris*  
*Acomys cahirinus*  
*A. dimidiatus*  
*Mus musculus*  
*Rattus rattus*  
 all from Egypt
- Dentostomella translucida n. gen., n. sp. (tod)  
 Shul'ts, R. E. S.; and Krepkogorskaya, T. A.,  
 1932 a, 330-334, figs. 1-7  
*Rhombomys opimus*
- Dentostomella translucida Schulz et Krepkogorskaya, 1931  
 Krepkogorskaya, T. A., 1933 a, 88  
*Rhombomys opimus*: Kasakstan
- Dentostomella translucida Schulz et Krepkogorskaya, 1932  
 Shleikher, D. P.; and Samsonova, A. V.,  
 [1954 b], 770. 771. 772. 773  
*Rhombomys opimus*: Uzbekistan
- Dentostomella translucida Schulz et Krepk.., 1932  
 Shul'ts, R. E. S.; and Landa, D. M., [1935 a],  
 307, 313, 314  
*Rhombomys opimus* (large intestine): North-  
 ern shore of Caspian sea, Ust Urt, Kzyl-  
 Orda, eastern Kazakstan (river Chu)
- Deraiphoronema n. g.  
 Romanovich, M. I., 1916 a, 745  
 type: *D. camelini* n. sp.
- Deraiphoronema Romanovitch, 1916  
 Baylis, H. A.; and Daubney, R., 1926 a, 200  
 as syn. of *Setaria Viborg*
- Deraiphoronema Romanovitch 1916  
 Chabaud, A. G.; and Anderson, R. C., 1959 a, 82  
 key  
*Onchocercidae; Onchocercinae*
- Deraiphoronema Romanowitsch, 1916  
 Sprehn, C. E. W., 1932 c, 585  
 as syn. of *Dipetalonema Diesing*, 1861
- Deraiphoronema Romanovitch, 1916  
 Yorke, W.; and Maplestone, P. A., 1926 a, 425  
 as syn. of *Dipetalonema Diesing*, 1861
- Deraiphoronema camelii n. g. n. sp. (type)  
 Romanovich, M. I., 1916 a, 745  
*Camelus bactrianus* (lungs): autopsied in  
 steppes of Kirghiz
- Deraiphoronema camelii Roman.  
 Baskakov, V. P., 1924 b, 3, 15
- Deraiphoronema camelii Romanovitch, 1916  
 Baylis, H. A., 1939 b, 8  
 as syn. of *Dipetalonema evansi* (Lewis, 1882)
- Deraiphoronema camelii Romanovitch, 1916  
 Chabaud, A. G.; and Choquet, M. T., 1953 a,  
 187
- Deraiphoronema camelii Roman., 1915  
 Raevskaya, Z. A.; and Badanin, N. V., 1933 a,  
 74
- Deraiphoronema camelii Romanovitch, 1916  
 Yorke, W.; and Maplestone, P. A., 1926 a, 427  
 as syn. of *Dipetalonema evansi* (Lewis, 1882)
- Deraiphoronema evansi  
 Chabaud, A. G.; and Anderson, R. C., 1959 a, 81
- Deraiphoronema evansi (Lewis, 1882)  
 Mackerras, M. J., 1962 a, 430
- Deraiphoronema freitaslenti n. sp.  
 Yeh, L. S., 1957 b, 196-197, 199, 203, figs. 1-8  
*Myrmecophaga tridactyla*: British Guiana
- Deraiphoronema freitaslenti Yeh, 1957  
 Chabaud, A. G.; and Anderson, R. C., 1959 a, 81  
 as syn. of *Dipetalonema freitaslenti* nov.  
 comb.
- Deraiphoronema spirale (Molin, 1860) n. comb.  
 Yeh, L. S., 1957 b, 202
- Dermatopallarya n. g.  
 Skrjabin, K. I., 1924 e, 84, 90, 91  
 tod: *D. baylisi* n. sp.
- Dermatopallarya Skrj.  
 Rauter, M., 1930 a, 383
- Dermatopallarya Skrjabin, 1924  
 Skrjabin, K. I.; and Shikhobalova, N. P., 1950 a.  
 590  
 key
- Dermatopallarya Skrj.  
 Travassos, L. P., 1925 1, 5
- Dermatopallarya Skrjabin, 1924  
 Yorke, W.; and Maplestone, P. A., 1926 a, 211-  
 212  
 type: *D. baylisi* Skrjabin, 1924
- Dermatopallarya baylisi n. g. n. sp. (tod)  
 Skrjabin, K. I., 1924 e, 80, 81-84, figs.  
*Spermophilopsis leptodactylus*
- Dermatopallarya baylisi Skrjabin, 1924  
 Agapova, A. I.; and Ismagilov, M. I., 1957 a,  
 291, 292  
*Spermophilopsis leptodactylus*: southern  
 Pribalkhash, southern Kzyl-Kumy
- Dermatopallarya baylisi Skrj.  
 Rauter, M., 1930 a, 383
- Dermatopallarya baylisi  
 Sprehn, C. E. W., 1927 e, 43  
*Spermophilopsis leptodactylus*
- Dermatopallarya baylisi Skr. 1924  
 Sultanov, M. A., 1954 a, 60, 61-62  
*Spermophilopsis leptodactylus*: southern  
 Kzyl-Kum
- Dermatopallarya baylisi Skrjabin, 1924  
 Yorke, W.; and Maplestone, P. A., 1926 a, 212,  
 fig. 144  
 type of genus  
*Spermophilopsis leptodactylus*
- Dermatoxsis  
 Vanni, V., 1937 c, 485  
 [For *Dermatoxys Schneid.*, 1866 a]
- Dermatoxys Schneider, 1866  
 Baylis, H. A.; and Daubney, R., 1926 a, 22  
 type: *D. veligera* (Rud.)
- Dermatoxys Schn.  
 Mönnig, H. O., 1924 d, 442
- Dermatoxys Schn.  
 Perrier, E., 1897 a, 1412
- Dermatoxys Schneider  
 Rauter, M., 1930 a, 314, 382
- Dermatoxys  
 Sergiev, P. G., 1923 a, 188
- Dermatoxys  
 Seurat, L. G., 1918 b, 280  
 sexual dimorphism
- Dermatoxys  
 Seurat, L. G., 1918 i, 1100
- Dermatoxys  
 Seurat, L. G., 1920 c, 24, 205  
 morphology, ethology
- Dermatoxys Schneider, 1866  
 Shul'ts, R. E. S., 1931 d, 16, 25-26
- Dermatoxys  
 Skrjabin, K. I., 1924 e, 84, 90, 91

- Dermatoxys Schneider, 1966  
 Skrjabin, K. I.; and Shikhobalova, N. P.,  
 1950 a, 591  
 key
- Dermatoxys [sic]  
 Travassos, L. P., 1920 h, 62
- Dermatoxys Schneider  
 Travassos, L. P., 1931 g, 238
- [Dermatoxys Schneid., 1866]  
 Vanni, V., 1937 c, 485  
 as Dermatoxys
- Dermatoxys Schneider, 1866  
 Yorke, W.; and Maplestone, P. A., 1926 a, 183,  
 189-190, 212  
 type: *D. veligera* (Rud.)
- Dermatoxys sp.  
 Akhtar, S. A., 1939 a, 287-288  
 rabbit: Afghanistan
- Dermatoxys n. sp.  
 Dubinina, M. N., 1947 b, 178  
*Ochotona daurica*: Daursk Steppe  
*O. alpina*: Daursk Steppe
- Dermatoxys sp.  
 Philip, C. B., 1937 a, 563  
*pika* (rock rabbit): Alaska
- Dermatoxys sp.  
 Philip, C. B., 1938 b, 486  
*Ochotona collaris*: Rapids, Alaska
- Dermatoxys sp.  
 Roest, A. I., 1953 a, 133  
*Ochotona princeps*: near Wyeth, Oregon
- Dermatoxys sp.  
 Voge, M., 1956 a, 425  
*Ochotona princeps*: California
- Dermatoxys getula Seurat  
 Seurat, L. G., 1919 a, 987
- Dermatoxys getula  
 Seurat, L. G., 1920 c, 24, 177  
 morphology, ethology
- Dermatoxys getula Seurat  
 Seurat, L. G., 1930 a, 557  
*Allantoxerus getulus*
- Dermatoxys getula Seurat, 1915  
 Shul'ts, R. E. S., 1931 d, 26
- Dermatoxys getula  
 Skrjabin, K. I., 1924 e, 91
- Dermatoxys getula  
 Sprehn, C. E. W., 1927 e, 43
- Dermatoxys getula Seurat  
 Yorke, W.; and Maplestone, P. A., 1926 a, 190  
*Xerus getulus*
- Dermatoxys ochotoni n. sp. [nom. nud.]  
 Dubinina, M. N., 1947 b, 178  
*?Ochotona daurica*  
*?O. alpina*  
 both from Daursk steppe
- Dermatoxys polyoon (Linstow 1909) [n. comb.]  
 Yorke, W.; and Maplestone, P. A., 1926 a, 190  
*Xerus setosus*
- Dermatoxys polyoon (Linstow, 1909) Y. & M., 1926  
 Shul'ts, R. E. S., 1931 d, 26
- Dermatoxys polyoon  
 Sprehn, C. E. W., 1927 e, 43
- Dermatoxys proboscidiphora n. sp.  
 Biocca, E.; and Chabaud, A. G., 1955 a, 338-  
 345, figs. 1-3  
*Xerus rutilus*: Somalie
- Dermatoxys romerolagi n. sp.  
 Bravo Hollis, M., 1950 a, 108-111, pl. 3,  
 figs. 1-7  
*Romerolagus diazi*: Cerro Pelado Distrito  
 Federal
- Dermatoxys ruficaudata n. sp.  
 Mirza, M. B., 1936 a, 234-237, figs. 1-2  
*Lepus ruficaudatus*: Zool. Laboratories,  
 Aligarh
- Dermatoxys schumakovitschi (Schulz, 1948)  
 Gvozdev, E. V., 1956 a, 99-100, 102  
 Syn.: *Eugenuris schumakovitschi* Schulz, 1948  
*Ochotona pricei*: Kazakhstan
- Dermatoxys schumakovitschi (Schulz, 1948)  
 Gvozdev, E. V., 1962 a, 68-69, 73  
*Ochotona rutila*  
*O. pusilla*  
*O. pallasi*  
*O. alpina*  
 all from Zailiiskii Ala-tau and Central  
 Kazakhstan
- Dermatoxys schumakovitschi  
 Tokobaev, M. M., 1956 a, 146  
*Ochotona rutila*: Kirgizia
- Dermatoxys schumakovitschi (Schulz, 1948)  
 Tokobaev, M. M., 1959 a, 136  
*Ochotona rutila*: Kirghizia
- Dermatoxys veligera (Rud., 1819)  
 Baylis, H. A.; and Daubney, R., 1926 a, 22
- Dermatoxys veligera  
 Bell, J. F.; and Chalgren, W. S., 1943 a, 277  
 cottontail rabbit
- Dermatoxys veligera (Rudolphi, 1819) Schneider,  
 1866  
 Bravo Hollis, M., 1950 a, 104, 106-108, pl. 2  
 figs. 1-4  
*Sylvilagus floridanus*  
*Romerolagus diazi*  
 both from Cerro Pelado, Distrito Federal
- Dermatoxys veligera  
 Bump, G., 1936 a, 337, 338
- Dermatoxys veligera  
 Bump, G., 1937 a, 311
- Dermatoxys veligera Rudolphi  
 Butler, J. M.; and Gundmann, A. W., 1945 a,  
 440-443  
*Canis latrans* (intestine): Utah
- Dermatoxys veligera  
 Chandler, A. C., 1919 a, 120
- Dermatoxys veligera  
 Chitwood, M. B., 1940 a, 228, fig. 156 X-Y
- Dermatoxys veligera  
 Chitwood, B. G.; and Chitwood, M. B., 1938 a,  
 60, fig. 57 N
- Dermatoxys veligera  
 Chitwood, B. G.; and Chitwood, M. B., 1940 b,  
 140, 141, fig. 117 W
- Dermatoxys veligera (Rud.)  
 Danheim, B. L., 1925 a, 17, 18, 19  
*Lepus floridanus mearnsi*
- Dermatoxys veligera  
 Dikmans, G., 1931 d, 364-365, incl., pl. 39,  
 figs. 1-5  
 larval stage  
*Lepus allenii*
- Dermatoxys veligera  
 Erickson, A. B., 1940 c, 433  
*Lepus americanus phaeonotus*: Lake Mille  
 Lacs and Lake Alexander, Minn.
- Dermatoxys veligera  
 Erickson, A. B., 1944 a, 136, 138, 144, 145,  
 146  
*Lepus americanus*
- Dermatoxys veligera (Rudolphi, 1819) Schneider,  
 1866  
 Erickson, A. B., 1947 b, 257, 258, 259, 260  
 key  
*Sylvilagus floridanus*: Minnesota  
*S. nuttallii*: Minnesota  
*S. auduboni*: "  
*S. palustris*: "
- Dermatoxys velligera (Rudolphi 1819)  
 Grundmann, A. W., 1957 a, 108  
*Lepus californicus deserticola*: Great Salt  
 Lake Desert, southern Tooele County, Utah
- Dermatoxys velligera  
 Grundmann, A. W., 1957 c, 62
- Dermatoxys veligera (Rud., 1819)  
 Gvozdev, E. V., 1948 a, 123-126, 132, 134,  
 figs. 2, 3  
*Lepus tibetanus*: Alma-Atinsk

- Dermatoxys veligera  
 Gvozdev, E. V., 1949 a, 73  
 Lepus tibetanus: Alma-Atinsk oblast,  
 Kazakh SSR
- Dermatoxys veligera (Rudolphi, 1819)  
 Hannum, C. A., 1943 a, 230  
 L[epus] allenii: Arizona
- Dermatoxys veligera Rudolphi  
 Herman, C. M.; and Jankiewicz, H. A., 1943 a,  
 398  
 Sylvilagus audubonii vallicola: near  
 O'Neals, Madera County, California
- Dermatoxys veliger  
 Holloway, H. L., 1959 a, 261  
 Sylvilagus sp.
- Dermatoxys veligera (Rudolphi, 1819)  
 Ivashkin, V. M., 1954 c, 220  
 Lepus tolai: Mongolia
- Dermatoxys veligera (Rud.)  
 Kobayashi, H., 1921 a, 343
- Dermatoxys veligera  
 Kontrimavichus, V. L., 1959 a, 139  
 Lepus tibetanus: Central Asia
- Dermatoxys veligera  
 Lyons, E. T.; Hansen, M. F.; and Tiemeier,  
 O. W., 1960 a, 136  
 Lepus californicus melanotis: Kansas
- Dermatoxys veligera (Rud., 1819)  
 McClure, G. W., 1934 a, 49, 52-53, 56-57  
 [p. 49 Dermatoxys veligera]  
 Sylvilagus sylvaticus: New York Zool. Park
- Dermatoxys veligera  
 McCrae, R. C., 1956 a, 46  
 Sylvilagus auduboni: northern Colorado
- Dermatoxys veligera (Rud.)  
 Mönnig, H. O., 1924 d, 442-443, figs. 13-15  
 Pedetes caffer: Transvaal
- Dermatoxys veligera (Rudolphi, 1819) Schneider,  
 1866  
 Monsivais Aguilar, M. B. G., 1958 a, 51-55,  
 pl. 8  
 Romerolagus diazi: Cerro Pelado, D. F.,  
 Mexico
- Dermatoxys veligera  
 Moore, E. R.; and Moore, G. C., 1947 a, 280,  
 283  
 Sylvilagus floridanus: Auburn, Alabama
- Dermatoxys veligera Rud.  
 Morgan, B. B.; and Waller, E. E., 1940 c, 25  
 Sylvilagus floridanus mearnsi: Iowa
- Dermatoxys veligera  
 Penso, G., 1933 c, 268-270  
 biology
- Dermatoxys veligera  
 Penso, G., 1937 c, 2466  
 therapy
- Dermatoxys veligera  
 Perrier, E., 1897 a, 1412  
 Lepus brasiliensis (caecum)
- Dermatoxys veligera (Rudolphi, 1819)  
 Price, E. W.; and Ingram, G. H., 1959 a, 103  
 Sylvilagus floridanus: Alabama
- Dermatoxys veligera (Rud.)  
 Rauther, M., 1930 a, 382
- Dermatoxys veligera (Rud.)  
 Seurat, L. G., 1918 f, 580
- Dermatoxys veligera (Rud.)  
 Seurat, L. G., 1918 i, 280
- Dermatoxys veligera (Rud.)  
 Seurat, L. G., 1919 a, 987
- Dermatoxys veligera  
 Seurat, L. G., 1920 c, 24, 60, 73, 101, 177,  
 fig. XIV  
 morphology, ethology
- Dermatoxys veligera (Rud.)  
 Seurat, L. G., 1930 a, 556
- Dermatoxys veligera (Rud., 1819) Schneider, 1866  
 Shul'ts, R. E. S., 1931 d, 25, 26-28, figs.  
 9-10  
 Syn.: Ascaris veligera Rud., 1819  
 Lepus lehmani (intestine)  
 Sylvilagus brasiliensis (intestine)  
 S. auduboni baileyi "  
 S. nuttalii pinetis "  
 Lepus kabilicus (intestine)  
 L. californicus melanotis (intestine)
- Dermatoxys veligera (Rud.)  
 Skrjabin, K. I., 1924 e, 90, 91
- Dermatoxys veligera  
 Smith, R. H.; and Cheatum, E. L., 1944 a, 313  
 Sylvilagus floridanus alacer: Fisher's  
 Island, N. York
- Dermatoxys veligera  
 Sprehn, C. E. W., 1927 e, 42
- Dermatoxys veligera (Rudolphi, 1819)  
 Thomas, G. M.; and Honess, R. F., 1962 a, 14  
 Sylvilagus nuttallii grangeri  
 Sylvilagus spp.  
 both from Wyoming
- Dermatoxys veligera (Rudolphi, 1819)  
 Thomas, G. M.; and Honess, R. F., 1962 b, 17-18  
 Lepus allenii  
 L. americanus  
 L. californicus: Arizona  
 L. californicus melanotis  
 L. townsendii campanius: Wyoming  
 Sylvilagus spp.  
 S. audubonii baileyi  
 S. a. vallicola  
 S. floridanus  
 S. floridanus mallurus: New York  
 S. f. mearnsi  
 S. nuttallii grangeri: Wyoming  
 S. nuttalii pinetis
- Dermatoxys veligera Schneider, 1866  
 Tokobaev, M. M., 1956 a, 146  
 Lepus tolai: Kirgizia
- Dermatoxys veligera (Rudolphi, 1819)  
 Tokobaev, M. M., 1959 a, 136  
 Lepus tolai: Kirghizia
- Dermatoxys veligera  
 Tomkins, I. R., 1935 a, 203  
 Sylvilagus palustris (marsh rabbit): lower  
 Savannah River
- Dermatoxys veliger [sic]  
 Travassos, L. P., 1931 g, 238
- Dermatotaxis [sic] (Ascaris) veligera  
 Vanni, V., 1937 c, 485, pl. 3, fig. 11  
 Mus musculus: Roma
- Dermatoxys veligera  
 Voge, M., 1956 a, 425  
 Sylvilagus audubonii: California
- Dermatoxys veligera  
 Vorhies, C. T.; and Taylor, W. P., 1933 a,  
 551, 553  
 Lepus [allenii] (antelope jack rabbit):  
 Arizona
- Dermatoxys veligera (Rudolphi 1819) Schneider,  
 1866  
 Wetzel, R., 1931 d, 40-43  
 biology of fourth-stage larva  
 Lepus allenii
- Dermatoxys veligera (Rud.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 190,  
 fig. 124  
 type of genus  
 Lepus spp.  
 Sylvilagus spp.
- Dermatoxys vlakhaasi (Ortlepp, 1937) [n. comb.]  
 Skrjabin, K. I.; Shikhobalova, N. P.; and  
 Mozgovoi, A. A., 1951 a, 84  
 Syn.: Heteroxynema vlakhaasi Ortlepp, 1937

- Dermofilaria Rivolta, 1884 (part)  
 Baylis, H. A., 1939 b, 89  
   ? as syn. of *Draschia* Chitwood and Wehr, 1934
- Dermofilaria Rivolta, 1884  
 Baylis, H. A.; and Daubney, R., 1926 a, 208, 211  
   as syn. of *Habronema* Diesing
- Dermofilaria Rivolta, 1884  
 Chabaud, A. G., 1959 c, 19  
   as syn. of *Habronema*
- [Dermofilaria] dermofilariosi  
 Franchi, A., 1915 a, 260-267  
   bovine
- Dermofilaria  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 430
- Dermofilaria Rivolta, 1884  
 Sprehn, C. E. W., 1932 c, 595  
   as syn. of *Habronema* Diesing, 1861
- Dermofilaria  
 Travassos, L. P., 1920 h, 69  
   [as *Dermalaria*]
- Dermofilaria Rivolta, 1884  
 Yorke, W.; and Maplestone, P. A., 1926 a, 298  
   as syn. of *Habronema* Dies., 1861
- Dermofilaria herpetigena equi  
 Torreggiani, G., 1920 a, 619
- Dermofilaria irritans (Riv.)  
 Alessandrini, G. C., 1929 a, 202
- Dermofilaria irritans Rivolta, 1884  
 Arroyo, M.; and Moravec, V., 1939 a, 158, 160  
   [spelled *Filaria irritans*, p. 161]
- Dermofilaria irritans Rivolta  
 Baylis, H. A., 1929 c, 226
- Dermofilaria irritans Rivolta, 1884  
 Baylis, H. A., 1939 b, 89  
   ? as syn. of *Draschia megastoma* (Rudolphi, 1819) Chitwood and Wehr, 1934
- Dermofilaria irritans Rivolta, 1884  
 Baylis, H. A., 1939 b, 71  
   ? as syn. of *Habronema muscae* (Carter, 1861) Diesing, 1861
- Dermofilaria irritans Rivolta, 1884  
 Baylis, H. A., 1939 b, 75  
   ? as syn. of *Habronema microstoma* (Schneider, 1866) Ransom, 1911
- Dermofilaria irritans  
 Baylis, H. A.; and Daubney, R., 1926 a, 208
- Dermofilaria irritans  
 de Does, J. K. F., 1906 a, 303-349, 2 pls., figs. 1-16  
   dermatitis
- Dermofilaria irritans  
 Fontaine, A.; and Huguier, A. M. A., 1921 a, 403
- Dermofilaria irritans  
 Knuth, P.; and Du Toit, P. J., 1921 a, 762, 772, 774
- Dermofilaria irritans  
 Krijgsman, B. J., 1933 c, 368  
   as syn. of *Habronema megastoma*
- Dermofilaria irritans Riv.  
 Lopez-Neyra, C. R., 1922 a, 408
- Dermofilaria irritans Riv., 1868  
 Railliet, A., 1923 a, 71
- Dermofilaria irritans  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 429
- Dermofilaria irritans Rivolta, 1884  
 Sprehn, C. E. W., 1932 c, 596  
   as syn. of *Habronema megastoma* (Rudolphi, 1819)
- Dermofilaria irritans Rivolta (1868)  
 Torreggiani, G., 1920 a, 618
- Dermofilaria irritans  
 Vleming, E., 1916 a, 181
- Dermofilaria irritans  
 Wooldridge, G. H., 1923 j, 442-443
- Dermofilaria irritans Rivolta, 1884  
 Yorke, W.; and Maplestone, P. A., 1926 a, 298  
   as syn. of *Habronema megastoma* (Rud., 1819)
- Dorylaimus  
 Filipjev, I., 1931 a, 430  
   [for *Dorylaimus*]
- Desmicola gen. nov.  
 Basir, M. A., 1956 a, 75-76  
   Syn.: *Oxyuris* Rud., 1803 (in part)  
   tod: D. leidy (Skrjabin, 1916) mihi
- Desmicola leidy (Skrjabin, 1916) mihi  
 Basir, M. A., 1956 a, 76, pl. 13, figs. W-Y  
   *Polydesmus* sp.: British East Africa
- Desmidocerca Skrjabin, 1916  
 Baylis, H. A.; and Daubney, R., 1926 a, 214  
   type: *D. aerophila* Skrj.
- Desmidocerca Skrjabin 1916  
 Chabaud, A. G.; and Anderson, R. C., 1959 a, 69  
   key  
   *Desmidocercidae*
- Desmidocerca Skrjabin  
 Chitwood, B. G.; and Wehr, E. E., 1934 a, 294, 295, 326, 333, pl. 1
- Desmidocerca Skrjabin  
 Cram, E. B., 1927 a, 208-209  
   type: *D. aerophila* Skrj.
- Desmidocerca Skrj.  
 Rauther, M., 1930 a, 372
- Desmidocerca Skrj.  
 Skrjabin, K. I., 1923 m, 21, 72
- Desmidocerca Skrj.  
 Solonitsyn, I. A., 1932 a, 361
- Desmidocerca Skrjabin, 1916  
 Sprehn, C. E. W., 1932 c, 612  
   type: *D. aerophila* Skrjabin, 1916
- Desmidocerca Skrj.  
 Sypliakova, O. M., 1930 a, 617
- Desmidocerca Skrjabin, 1916  
 Yorke, W.; and Maplestone, P. A., 1926 a, 316, 321  
   type: *D. aerophila* Skrjabin, 1916
- Desmidocerca Skrjabin of Seurat, 1920  
 Yorke, W.; and Maplestone, P. A., 1926 a, 321  
   as syn. of *Desmidocerella* Yorke and Maplestone
- Desmidocerca sp.  
 Schad, G. A.; Kuntz, R. E.; and Wells, W. H., 1960 a, 950  
   *Coracius garrulus* *garrulus*: Turkey  
   *Athene noctua*: Turkey
- Desmidocerca aerophila Skrjabin, 1916  
 Baylis, H. A.; and Daubney, R., 1926 a, 214
- Desmidocerca aerophila Skrj.  
 Cram, E. B., 1927 a, 209, 264, fig. 277  
   *Ardea cinerea*  
   *Phalacrocorax carbo*
- Desmidocera [sic] aerophila Skrj.  
 Rauther, M., 1930 a, 372
- Desmidocerca aerophila Skrj.  
 Skrjabin, K. I., 1923 m, 73, figs. 102-104  
   *Ardea cinerea*  
   *Phalacrocorax carbo*
- Desmidocerca aerophila Skrjabin, 1916  
 Sprehn, C. E. W., 1932 c, 612, 855, 868  
   *Ardea cinerea*: Asien (Turkestan)  
   *Phalacrocorax carbo*: Asien (Turkestan)
- Desmidocerca aerophila Skrjabin, 1916  
 Szidat, L., 1940 a, 579  
   *Ardea cinerea*
- Desmidocerca aerophila Skrjabin, 1916  
 Yorke, W.; and Maplestone, R. A., 1926 a, 321, fig. 219  
   type of genus  
   herons  
   cormorants
- Desmidocerca incognita (Solonitzin, 1932)  
 Mawson, P. M., 1957 a, 214-215, fig. 6-7
- Phalacrocorax a. auritus: Creasy Lake, N. B.

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Desmidocerca nudicauda n. sp.  
Mawson, P. M., 1957 a, 213-214, figs. 1-5  
Ardea herodias: Quebec, Ontario
- Desmidocerca numidica [n. sp.]  
Seurat, L. G., 1920 d, 142  
héron cendré
- Desmidocerca numidica Seurat, 1920  
Bezubik, B., 1956 c, 75  
Syns.: *Filaria marcinkowskyi* Skrj., 1923;  
*Pharyngosetaria marcinkowskyi* Lubimow, 1937  
*Ardea cinerea*: Poland
- Desmidocerca numidica  
Chitwood, B. G.; and Chitwood, M. B., 1938 a,  
66, fig. 59 C
- Desmidocera [sic] numidica Seurat  
Cram, E. B., 1927 a, 209-210
- Desmidocerca numidica (Seurat, 1920)  
Serkova, O. P., 1948 a, 229, 240  
as syn. of Desmidocercella numidica (Seurat,  
1920)
- Desmidocerca numidica Seurat, 1920  
Szidat, L., 1940 a, 579  
Areda cinerea
- Desmidocerca numidica Seurat, 1920  
Yorke, W.; and Maplestorne, P. A., 1926 a, 321  
as syn. of Desmidocercella numidica (Seurat,  
1920)
- Desmidocercella n. g.  
Yorke, W.; and Maplestorne, P. A., 1926 a, 316,  
321  
type: *D. numidica* (Seurat, 1920)
- Desmidocercella Yorke et Maplestorne, 1927  
(=Pharyngosetaria Lubimov, 1937)  
Chabaud, A. G., 1957 b, 343-347  
includes: Desmidocercella numidica (Seurat,  
1920) Y. et M., 1927; *D. incognita* Solonitzin,  
1932; *D. australis* Mawson, 1953
- Desmidocercella Yorke et Maplestorne 1926  
(=Pharyngosetaria Lubimov 1937)  
Chabaud, A. G.; and Anderson, R. C., 1959 a, 69  
key
- Desmidocercidae
- Desmidocercella Yorke and Maplestorne  
Chitwood, B. G.; and Wehr, E. E., 1934 a, 286,  
295, 326, 333, fig. 6N; pl. 1
- Desmidocercella nov. subgen.  
Gushanskaia, L. Kh., [1954 a], 192  
subgen. of Desmidocercella Yorke et Maplestorne,  
1926  
tod: *D. (D.) numidica* (Seurat, 1920)
- Desmidocercella Yorke et Maplestorne, 1926  
Gushanskaia, L. Kh., [1954 a], 192  
includes: Desmidocercella nov. subgen.;  
Skrjabincercella nov. subgen.
- Desmidocercella Yorke and Maplestorne  
Sypliakova, O. M., 1930 a, 617
- Desmidocercella sp.  
Barysheva, A. F., 1960 a, 280  
[*Pelecus cultratus*] (vitreous body of eye):  
Gorkov reservoir
- Desmidocercella sp. larva  
Dubinina, M. N., 1949 b, 116  
Cyprinus carpio: Volga delta
- Desmidocercella sp.  
Shul'man, S. S.; Berenius, Iu. N.; and Zakharova, E. A., 1959 a, 56, 69  
Perca fluviatilis: Lake Siam  
Lota lota: Lake Siam
- Desmidocercella australis n. sp.  
Mawson, P. M., 1953 a, 291, 296, figs. 14-17  
Phalacrocorax atriceps nivalis: Heard Island
- Desmidocercella butoridi (Oschatz et Belouss,  
1951) nov. comb.  
Gushanskaia, L. Kh., [1954 a], 202-203, fig. 7  
Syn.: *Pharyngosetaria butoridi* Oschatz  
et Belouss, 1951  
Butorides striatus: Far East, SSSR
- Desmidocercella incognita n. sp.  
Solonitsyn, I. A., 1932 a, 363-365, figs. 3-4  
Phalacrocorax carbo (Luftbeutel): Umgegend  
des Sees Ssewan, Armenien
- Desmidocercella incognita Solonitzin, 1932 =  
D. skrabini Guschanskaya, 1949  
Chabaud, A. G., 1957 b, 346
- Desmidocercella incognita Solonitzin, 1932  
Dubinina, M. N.; and Serkova, O. P., 1951 a,  
82, 93  
Phalacrocorax pygmaeus: Tadzhikistan
- Desmidocercella (Skrjabincercella) incognita  
Solonitzin, 1932  
Gushanskaia, L. Kh., [1954 a], 199, 200-201,  
fig. 4  
Phalacrocorax carbo  
P. pygmaeus
- Desmidocercella leiperi n. sp.  
Singh, S. N., 1948 c, 78-83, 92, pl., figs. 1-  
2, figs. 3-9  
Ardeola grayii: Hyderabad Deccan, The Nizam's  
Dominions
- Desmidocercella (Desmidocercella) leiperi Singh,  
1948  
Gushanskaia, L. Kh., [1954 a], 193, 194-195,  
fig. 2
- Desmidocercella (Desmidocercella) lubimovi n. sp.  
Gushanskaia, L. Kh., [1954 a], 193, 196-199,  
fig. 3  
key  
Syn.: *Pharyngosetaria marcinowskyi* Lubimov,  
1937 nec *Filaria marcinowskyi* Skrjabin, 1923  
*Ardea cinerea*: SSSR  
Egretta alba: SSSR  
Phalacrocorax carbo: SSSR
- Desmidocercella lubimova Guschanskaja  
Sultanov, M. A.; Ryzhikov, K. M.; and Kozlov,  
D. P., 1960 a, 59  
[*Ardea cinerea*] seraia tsaplia (duodenum):  
mouth of Amu-Darya
- Desmidocercella numidica (Seurat, 1920)  
Anderson, R. C., 1959 a, 407-413, figs. 1-5  
egg, first-stage larva  
*Ardea herodias*: Algonguin Park, Ontario
- Desmidocercella numidica (Seurat, 1920) Y. et  
M., 1927  
Chabaud, A. G., 1957 b, 346  
Syns.: Desmidocerca numidica Seurat, 1920;  
*Filaria marcinowskyi* Skrjabin, 1923 (non  
*Filaria ardeae* Nawrotzky, 1914); *Pharyngosetaria leiperi* Singh, 1948; Lemdana urbaini  
Campana, 1949; *Pharyngosetaria butoridi* Oschatz  
et Belouss, 1951; Desmidocercella lubimovi Guschanskaya, 1953; *Pharyngosetaria ardeae* (Nawrotzky) Chabaud et Choquet, 1955
- Desmidocercella numidica  
Chitwood, B. G.; and Wehr, E. E., 1934 a, 294,  
295, fig. 11
- Desmidocercella numidica (Seurat, 1920)  
Dubinin, V. B., 1949 a, 145-150, fig. 9  
*Ardea cinerea*: Volga delta  
Phalacrocorax carbo: Volga delta
- Desmidocercella numidica (Seurat, 1920)  
Dubinin, V. B., 1952 e, 241-242, fig. 8 (II)  
delta of the Volga river
- Desmidocercella numidica (Seurat, 1920)  
Dubinina, M. N.; and Serkova, O. P., 1951 a,  
81-82, 94  
*Ardea cinerea*: Tadzhikistan  
Egretta alba alba: Tadzhikistan
- Desmidocercella (Desmidocercella) numidica  
(Seurat, 1920)  
Gushanskaia, L. Kh., [1954 a], 192, 193

- (?) *Desmidocercella numidica* (Seurat, 1920)  
*Yorke et Maplestone, 1926*  
*Kozicka, J., 1959 a, 59, 61*  
*Perca fluviatilis*  
*Abramis brama*  
*Scardinius erythrophthalmus*  
*Blicca bjorkna*  
*Desmidocercella numidica* Seurat  
*Nikol'skaya, N. P., 1939 a, 62*  
*Phalacrocorax carbo:* Astrakhan reservate,  
*Volga delta*  
*Desmidocercella numidica* (Seurat, 1920)  
*Osmanov, S. O., 1954 a, 111*  
*Abramis brama bergi:* delta Amu-Darya  
*Lucioperca lucioperca:* delta Amu-Darya  
*Desmidocercella numidica* Seurat, 1920  
*Osmanov, S. O., 1958 b, 72*  
*[Perca fluviatilis] okun:* Aral Sea  
*Desmidocercella numidica*  
*Osmanov, S. O., 1959 a, 193*  
*Desmidocercella numidica* (Seurat, 1920)  
*Serkova, O. P., 1948 a, 229, 240*  
*Syns.: Desmidocerca numidica (Seurat, 1920)*  
*Filaria marcinowskyi* (Skrjabin, 1923);  
*Pharyngosetaria marcinowskyi* (Skrjabin,  
1923)  
*Ardea cinerea*  
*A. purpurea*  
*Ardeola ralloides*  
*Egretta alba*  
*E. garzetta*  
*Botaurus stellaris*  
*Ixobrychus minutus*  
*Phalacrocorax carbo*  
*all from Barabın lakes*  
*Desmidocercella numidica* (S.)  
*Stoliarov, V. P., 1960 a, 1579*  
*Pelecus cultratus:* Rybinsk water reservoir  
*Desmidocercella numidica*  
*Wehr, E. E., 1931 d, 231-232*  
*herons:* United States  
*Desmidocercella numidica* (Seurat, 1920)  
*Yorke, W.; and Maplestone, P. A., 1926 a, 321*  
*type of genus*  
*herons*  
*Desmidocercella* (*Desmidocercella*) *singhi* n. sp.  
*Ali, S. M., [1957 a], 44, 45, 46, 78, 79, pl.*  
*7, figs. 1-6*  
*Desmiegretta asha* (air sacs): Hyderabad,  
*Deccan (India)*  
*Desmidocercella skrjabini* Guschanskaya, 1949  
*Chabaud, A. G., 1957 b, 346*  
*as syn. of *Desmidocercella incognita* Solo-*  
*nitzin, 1932*  
*Desmidocercella skrjabini* Guschanskaja, 1949  
*Gushanskaya, L. Kh., 1950 c, 58-61, figs. 1-3*  
*Phalacrocorax carbo:* SSSR  
*P. pygmaeus:* SSSR  
*Desmidocercella* (*Skrjabinocercella*) *skrjabini*  
*Guschanskaja, 1949*  
*Gushanskaya, L. Kh., [1954 a], 199, 201-202,*  
*figs. 5-6*  
*Phalacrocorax carbo:* SSSR  
*P. pygmaeus:* SSSR  
*Desmidocercella skrjabini* Guschanskaja, 1949  
*Petrov, A. M.; and Chertkova, A. N., 1950 b, 93*  
*Phalacrocorax carbo:* Southern Kirgizia  
*Desmidocercella skrjabini* Guschanskaya, 1949  
*Skrjabin, K. I.; Shikhobalova, N. P.; and*  
*Sobolev, A. A., 1949 a, 248*  
*Phalacrocorax carbo*  
*P. pigmeus*  
*Desmidocercella skrjabini* Guschanskaja, 1949  
*Sultanov, M. A., 1959 c, 69*  
*[Botaurus] vyp:* Uzbekistan  
*Desmidocercidae* n. fam.  
*Cram, E. B., 1927 a, 163, 208*  
*Desmidocercidae*  
*Anderson, R. C., 1958 d, 150*  
*key*
- Desmidocercidae* Cram  
*Anderson, R. C., 1959 a, 410-412*  
*Desmidocercidae*  
*Chabaud, A. G.; and Anderson, R. C., 1959 a, 67*  
*Desmidocercidae* Cram, 1927  
*Chabaud, A. G.; and Choquet, M. T., 1953 a,*  
*176, 177*  
*includes: Desmidocerca Skrjabin, 1916*  
*Desmidocercidae*  
*Chabaud, A. G.; and Petter, A. J., 1961 b, 65*  
*cloacal papillae*  
*Desmidocercidae*  
*Chitwood, B. G., 1937 c, 75*  
*Filaroidea*  
*Desmidocercidae* Cram, 1927  
*Chitwood, B. G.; and Wehr, E. E., 1934 a, 294,*  
*313, 326, pl. 1*  
*Spiruroidea*  
*Desmidocercidae* Cram, 1927  
*Gushanskaya, L. Kh., [1954 a], 188-204*  
*taxonomy*  
*Desmidocercidae* Cram, 1927  
*Wehr, E. E., 1935 b, 85, 88*  
*Filaroidea*  
*key, type gen.: Desmidocerca Skrjabin, 1916*  
*Desmidocercidae* Cram, 1927  
*Wehr, E. E., 1936 b, 60*  
*Filaroidea*  
*Desmidocercinae* n. subf..  
*Cram, E. B., 1927 a, 208*  
*Desmidocercinae* Cram, 1927  
*Chitwood, B. G.; and Wehr, E. E., 1934 a, 326*  
*Desmoscolex minutus*  
*Schodduyn, R., 1927 a, 39*  
*Ostrea edulis*  
*Desportesius* n. s. g.  
*Chabaud, A. G.; and Campana-Rouget, Y., 1949 b,*  
*87, 91*  
*tod: Synhimantus (Desportesius) invaginatus*  
*(v. Linst., 1901)*  
*includes: Synhimantus brevicaudatus (Duj.,*  
*1845); S. sagittatus (Rud., 1809); S. raillieti*  
*(Skrjabin, 1924); S. groffi (Li, 1934);*  
*S. equispiculatus (Wu et Liu, 1943); S.*  
*orientalis (Wu, 1933)*  
*Desportesius* (Chabaud et Campana 1949, as genus)  
*Chabaud, A. G.; and Petter, A. J., 1959 a, 342*  
*subgenus of Synhimantus Railliet, Henry et*  
*Sisoff 1912*  
*key*  
*Acuariidae, Acuariinae*  
*Diaphanocephalus* Dies., 1851  
*Baylis, H. A.; and Daubney, R., 1923 a, 571*  
*Diaphanocephalus* Diesing, 1851  
*Baylis, H. A.; and Daubney, R., 1926 a, 174*  
*type: D. galeatus (Rud.)*  
*Diaphanocephalus*  
*Daubney, R., 1923 d, 67-74*  
*Diaphanocephalus* Diesing, 1851  
*Ortlepp, R. J., 1923 e, 165-169*  
*Diaphanocephalus*  
*Ortlepp, R. J., 1924 a, 33*  
*Diaphanocephalus* Dies.  
*Perrier, E., 1897 a, 1415*  
*Diaphanocephalus* Dies.  
*Rauther, M., 1930 a, 377*  
*Diaphanocephalus* Diesing, 1851 (in part)  
*Schad, G. A., 1962 c, 1036*  
*as syn. of Kalicephalus, Molin, 1861*  
*Diaphanocephalus* Diesing, 1851  
*Teixeira de Freitas, J. F.; and Lent, H.,*  
*1938 c, 425*  
*Diaphanocephalidae*  
*type: D. galeatus (Rudolphi, 1819)*  
*Diaphanocephalus*  
*Travassos, L. P., 1920 h, 66*  
*Diaphanocephalus*  
*Travassos, L. P., [1921]*

- Diaphanocephalus* Dies. in part  
*Yorke, W.*; and *Maplestone, P. A.*, 1926 a, 113  
 as syn. of *Kalicephalus Molin*
- Diaphanocephalus* Diesing, 1851  
*Yorke, W.*; and *Maplestone, P. A.*, 1926 a, 6,  
 111-113, 114  
 type: *D. galeatus* (Rud.)
- Diaphanocephalus* sp.  
*Baylis, H. A.*, 1926 1, 314  
*Varanus salvator*: Sarawak
- Diaphanocephalus* sp. *Baylis and Daubney*, 1922  
*Baylis, H. A.*, 1936 a, 356  
 as syn. of *Kalicephalus* sp.
- Diaphanocephalus* sp.  
*Baylis, H. A.*; and *Daubney, R.*, 1922 a, 334  
*Naja tripudians*
- Diaphanocephalus* sp.  
*Baylis, H. A.*; and *Daubney, R.*, 1922 a, 334-335  
*Russell's viper*
- Diaphanocephalus* sp.  
*Johnston, T. H.*, 1916 a, 59  
*Furina occipitalis*
- Diaphanocephalus* sp.  
*Johnston, T. H.*, 1918 c, 209  
*Pseudechis porphyriacus*
- Diaphanocephalus* sp. *Baylis and Daubney*, 1922  
*Maplestone, P. A.*, 1931 a, 117
- Diaphanocephalus* sp. *Baylis and Daubney*, 1922  
*Schad, G. A.*, 1962 c, 1103  
 as syn. of *Kalicephalus willeyi* v. *Linstow*,  
 1904
- Diaphanocephalus* sp. *Johnston*, 1912  
*Schad, G. A.*, 1962 c, 1060  
 as syn. of *Kalicephalus costatus indicus*  
*Ortlepp*, 1923
- Diaphanocephalus appendiculatus*, Railliet and  
 Henry, 1909  
*Schad, G. A.*, 1962 c, 1048, 1069-1071, 1164,  
 figs. 37-44, 210  
 as syn. of *Kalicephalus appendiculatus*  
*Molin*, 1861
- Diaphanocephalus boae*, Railliet and Henry, 1909  
*Schad, G. A.*, 1962 c, 1099  
 as syn. of *Kalicephalus subulatus* *Molin*,  
 1861
- Diaphanocephalus bothropis*, Railliet and  
 Henry, 1909  
*Schad, G. A.*, 1962 c, 1091  
 as syn. of *Kalicephalus inermis inermis*  
*Molin*, 1861
- Diaphanocephalus costatus* (Rud.) [n. comb.]  
*Yorke, W.*; and *Maplestone, P. A.*, 1926 a, 114  
 as syn. of *Kalicephalus costatus*
- Diaphanocephalus costatus* Diesing 1851  
*Hetherington, D. C.*, 1923 a, 35, 44  
 Syns.: *Strongylus costatus* Rud., 1819;  
*Sclerostoma costatum* Duj., 1845
- Diaphanocephalus costatus*  
*Perrier, E.*, 1897 a, 1415  
 serpents (intestin): du Bresil
- Diaphanocephalus costatus*, Diesing, 1851  
*Schad, G. A.*, 1962 c, 1051  
 as syn. of *Kalicephalus costatus costatus*  
*(Rudolphi*, 1819)
- Diaphanocephalus diesingi* n. sp.  
*Taixeira de Freitas, J. F.*; and *Lent, H.*,  
 1938 c, 428-430, pl. 4, figs. 2-3; pl. 5,  
 figs. 2-4; pl. 6, figs. 1-2; pl. 7, figs. 1-4  
*Tupinambis nigropunctatus*: Belém, Estado do  
 Pará, Brasil
- Diaphanocephalus galeatus* (Rud., 1819)  
*Baylis, H. A.*, 1947 b, 394  
*Tupinambis nigropunctatus*: Surinam
- Diaphanocephalus galeatus* (Rudolphi, 1819)  
*Baylis, H. A.*; and *Daubney, R.*, 1926 a, 174
- Diaphanocephalus galeatus* (Rud. 1819)  
*Daubney, R.*, 1923 d, 68  
*Podinema teguixin*
- Diaphanocephalus galeatus*  
*Harwood, P. D.*, 1932 b, 55
- Diaphanocephalus galeatus*  
*v. Marochino, V.*, 1925 a, 248
- Diaphanocephalus galeatus* (Rud.)  
*Ortlepp, R. J.*, 1923 e, 166-169, fig. 1-2  
*Podinema teguixin*: Brazil
- Diaphanocephalus galeatus* (Rud.)  
*Ortlepp, R. J.*, 1924 a, 30-33, figs. 12-13  
*Tupinambis nigripunctata*: Surinam
- Diaphanocephalus galeatus* (Rud.)  
*Rauther, M.*, 1930 a, 377
- Diaphanocephalus galeatus*  
*Schuurmans Stekhoven, J. H.*, 1939 a, 592
- Diaphanocephalus galeatus* (Rudolphi, 1819)  
*Railliet and Henry*, 1909  
*Taixeira de Freitas, J. F.*; and *Lent, H.*,  
 1938 c, 425, 426-428, 432, pl. 1, figs. 1-4;  
 pl. 2, figs. 1-4; pl. 3, figs. 1-3; pl. 4,  
 fig. 1; pl. 5, fig. 1  
 Syn.: *Diaphanocephalus strongyloides*  
*Diesing*, 1851  
*Tupinambis teguixin*: Brasil, Bolivia e  
 Argentina
- Diaphanocephalus galeatus* (Rud., 1819)  
*Travassos, L. P.*; *Teixeira de Freitas, J. F.*;  
 and *Lent, H.*, 1939 a, 246  
*Tupinambis teguixin*: Estrado de Ferro  
 Noroeste, Brasil
- Diaphanocephalus galeatus* (Rudolphi, 1819)  
*Railliet et Henry*, 1909  
*Vogelsang, E. G.*, 1932 a, 1020  
*Tupinambis teguixin* (intestino grueso):  
 Perico, Jujuy, Argentina
- Diaphanocephalus galeatus* (Rud.)  
*Yorke, W.*; and *Maplestone, P. A.*, 1926 a,  
 113, fig. 66  
 type of genus  
*Podinema teguixin*
- Diaphanocephalus inermis*, Railliet and Henry,  
 1909  
*Schad, G. A.*, 1962 c, 1091  
 as syn. of *Kalicephalus inermis inermis*  
*Molin*, 1861
- Diaphanocephalus micrurus* sp. nov.  
*Daubney, R.*, 1923 d, 72-74, fig. 4  
*Macrelaps microlepidotus*: Natal
- Diaphanocephalus micrurus* Daubney, 1923  
*Schad, G. A.*, 1962 c, 1058-1060, 1164, figs.  
 18-24, 215  
 as syn. of *Kalicephalus costatus micrurus*  
*(Daubney, 1923)*
- Diaphanocephalus minutus* n. sp.  
*Baylis, H. A.*; and *Daubney, R.*, 1922 a, 332-  
 334, 335, figs. 67-69  
*Naja tripudians*
- Diaphanocephalus minutus* Baylis and Daubney  
*Ortlepp, R. J.*, 1923 e, 172  
 as syn. of *Kalicephalus minutus* (B. & D.)
- Diaphanocephalus minutus* Baylis and Daubney,  
 1922  
*Schad, G. A.*, 1962 c, 1134  
 as syn. of *Kalicephalus bungari* (MacCallum,  
 1918) Chitwood, 1932
- Diaphanocephalus mucronatus*, Railliet and Henry,  
 1909  
*Schad, G. A.*, 1962 c, 1052  
 as syn. of *Kalicephalus costatus costatus*  
*(Rudolphi, 1819)*
- Diaphanocephalus obliquus* sp. nov.  
*Daubney, R.*, 1923 d, 71-72, fig. 3, pl. 3,  
 figs. 5-6  
*Bitis arietans*: Africa  
*B. gabonica*: Africa  
*Causus rhombestus*: Africa
- Diaphanocephalus obliquus* Daubney, 1923  
*Ortlepp, R. J.*, 1923 e, 174  
 as syn. of *Kalicephalus obliquus* (Daubney)
- Diaphanocephalus obliquus* daubney, 1923  
*Schad, G. A.*, 1962 c, 1118-1119, 1164, figs.  
 132-138, 223  
 as syn. of *Kalicephalus viperae obliquus*  
*(Daubney, 1923)*

- Diaphanocephalus simus* sp. nov.  
Daubney, R., 1923 d, 70-71, fig. 2, pl. 3,  
figs. 3-4  
*Naja nigricollis*: Africa  
*Diaphanocephalus simus* Daubney, 1923  
Ortlepp, R. J., 1923 e, 178  
as syn. of *Kalicephalus simus* (Daub.)
- Diaphanocephalus simus* Daubney, 1923  
Schad, G. A., 1962 c, 1048, 1075-1077, 1164,  
figs. 49-54, 208  
as syn. of *Kalicephalus simus* (Daubney, 1923)  
Ortlepp, 1926
- Diaphanocephalus strongyloides*  
Daubney, R., 1923 d, 67
- Diaphanocephalus strongyloides* Dies.  
Ortlepp, R. J., 1923 e, 166  
as syn. of *Diaphanocephalus galeatus* (Rud.)
- Diaphanocephalus strongyloides* Diesing, 1851  
Teixeira de Freitas, J. F.; and Lent, H.,  
1938 c, 426  
as syn. of *Diaphanocephalus galeatus* (Rudolphi, 1819)
- Diaphanocephalus strongyloides* Dies.  
Yorke, W.; and Maplestone, P. A., 1926 a, 113  
as syn. of *Diaphanocephalus galeatus* (Rud.)
- Diaphanocephalus strumosus*, Railliet and Henry,  
1909  
Schad, G. A., 1962 c, 1052  
as syn. of *Kalicephalus costatus* costatus  
(Rudolphi, 1819)
- Diaphanocephalus subulatus*, Railliet and Henry,  
1909  
Schad, G. A., 1962 c, 1099  
as syn. of *Kalicephalus subulatus* Molin,  
1861
- Diaphanocephalus vallei*, Railliet and Henry, 1909  
Schad, G. A., 1962 c, 1112  
as syn. of *Kalicephalus viperae* viperae  
(Rudolphi, 1819)
- Diaphanocephalus viperae*, Diesing, 1851  
Schad, G. A., 1962 c, 1112  
as syn. of *Kalicephalus viperae* viperae  
(Rudolphi, 1819)
- Diaphanocephalus willeyi* (Linst., 1904) [n. comb.]  
Baylis, H. A.; and Daubney, R., 1922 a, 331-  
332, fig. 66  
*Bungarus fasciatus*  
*Diaphanocephalus willeyi* (v. Linst., 1904)  
Baylis, H. A.; and Daubney, R., 1923 a, 571  
*Bungarus fasciatus*  
*Diaphanocephalus willeyi* of Baylis and Daubney,  
1922 and Baylis, 1923  
Baylis, H. A., 1936 a, 345  
as syn. of *Kalicephalus fimbriatus*
- Diaphanocephalus willeyi* (v. Linst., 1904)  
Daubney, R., 1923 d, 68-70, 71, fig. 1, pl. 3,  
figs. 1-2  
*Coluber helena*  
*Vipera russellii*  
*Typhlops braminus*  
*Bungarus fasciatus*  
*Diaphanocephalus willeyi* (v. Linst.)  
Ortlepp, R. J., 1923 e, 169  
as syn. of *Occipitodontus fimbriatus*
- Diaphanocephalus willeyi*, Baylis and Daubney  
(not v. Linstow, 1904) 1922  
Schad, G. A., 1962 c, 1048, 1082-1085, 1165,  
figs. 65-69, 248-249  
key  
as syn. of *Kalicephalus fimbriatus* (Ortlepp,  
1923) Baylis and Daubney 1926
- Diaphanocephalus willeyi*, Railliet and Henry,  
1909  
Schad, G. A., 1962 c, 1103  
as syn. of *Kalicephalus willeyi* v. Linstow,  
1904
- Diaphanocephalus willeyi*  
Thapar, G. S., 1925 b, 20
- Diaphanocephalus willeyi* (Linstow) Baylis and  
Daubney, 1922  
Yorke, W.; and Maplestone, P. A., 1926 a, 115  
as syn. of *Occipitodontus fimbriatus* Ortlepp
- Diaphanocephalus willeyi* (Linstow) Daubney 1923  
Yorke, W.; and Maplestone, P. A., 1926 a, 115  
as syn. of *Occipitodontus fimbriatus* Ortlepp
- Dibulbiger* n. g.  
Caballero y C., E., 1935 c, 103, 108, 116  
*Oxyuroidea*, Kathlaniidae, Kathlaniinae  
mt: *D. longispiculis* n. sp.
- Dibulbiger* Caballero, 1935  
Teixeira de Freitas, J. F.; and Lent, H.,  
1941 a, 16, 23, 33
- Dibulbiger longispiculis* n. sp. (mt)  
Caballero y C., E., 1935 c, 103-107, figs. 1-3  
*Rana montezumae* (intestino delgado): Dis-  
trito Federal, Mexico
- Dibulbiger longispiculis* Caballero, 1935  
Chabaud, A. G.; and Golvan, Y. J., 1957 a, 255  
as syn. of *Falcaustra caballeroi* nom. nov.
- Dibulbiger longispiculis* Caballero, 1935  
Teixeira de Freitas, J. F.; and Lent, H.,  
1941 a, 33  
*Rana montezumae*: Mexico
- Dibulbiger longispiculis* Caballero, 1935  
Walton, A. C., 1938 a, 39-40
- Dicelis* Dujardin, 1845  
Baylis, H. A.; and Daubney, R., 1926 a, 241  
type: *D. filaria* Duj.
- Dicelis*  
Chitwood, B. G.; and Luckner, J. T., 1934 a, 39  
[as *Dicelus*]
- Dicelis*  
Orley, L., 1880 a, 47
- Dicelis* Duj.  
Pierantoni, U., 1916 b, 152, 157
- Dicelis* Duj.  
Rauther, M., 1930 a, 393
- Dicelis* Dujardin, 1845  
Timm, R. W., 1962 b, 9
- Dicelis dendrobaenae* n. sp.  
Timm, R. W., 1962 b, 9, 10-11, 15, figs. 1-4  
key  
*Dendrobaena* sp. (coelom)
- Dicelis filaria* Dujardin, 1845  
Baylis, H. A., 1943 a, 113
- Dicelis filaria* Dujardin, 1845  
Chitwood, B. G.; and Luckner, J. T., 1934 a, 39
- Dicelis filaria* (Wulker, 1926)  
Clapham, P. A., 1934 b, 24, 26  
earthworms (sperm sacs)
- Dicelis filaria* Duj.  
Pierantoni, U., 1916 b, 158
- Dicelis filaria* Duj.  
Rauther, M., 1930 a, 256, fig. 425
- Discelis* [sic] *filaria* Duj.  
Riley, W. A.; and Christenson, R. O., 1930 a,  
77
- Dicelis filaria*  
Timm, R. W., 1962 b, 9  
key
- Dicelis filaria*  
Wulker, G., 1926 a, 610-623, figs. 1a-6b  
*Lumbricus rubellus*
- Dicelis guatemalana* n. sp.  
Timm, R. W., 1962 b, 10, 11-12, 15, pl. I,  
figs. 5-5  
key  
*Ramiellona balantina* (coelom): Totonicapan,  
Huehuetenango, highlands, Guatemala
- Dicelis nira* n. sp.  
Chitwood, B. G.; and Luckner, J. T., 1934 a,  
39, fig. 14  
*Helodrilus caliginosus*: Beltsville, Md.
- Dicelis nira*  
Baylis, H. A., 1943 a, 113

- Dicelis nira*  
Chitwood, B. G.; and Chitwood, M. B., 1938 a, 57, fig. 54 S
- Dicelis nira*  
Timm, R. W., 1962 b, 9  
key
- Dicelis pleurochaetae* n. sp.  
Beddard, F. E., 1883 a, 229-234, pl. 4, figs. 1-5  
earthworm: Ceylon
- Dicelis pleurochaetae*  
Baylis, H. A., 1943 a, 113
- Dicelis pleurochaetae* Beddard, 1883  
Chitwood, B. G.; and Lucke, J. T., 1934 a, 39
- Dicelis pleurochaetae* Beddard  
Pierantoni, U., 1916 b, 158  
*Pterochaeta* sp.
- Dicelis pleurochaeta*  
Timm, R. W., 1962 b, 10  
key
- Dicelis rossica* n. sp.  
Timm, R. W., 1962 b, 10, 12-13, 16, pl. II, figs. 7-11  
key  
*Eisenia kusenkoi* (Coelomic cavity): Zailuskii, USSR
- Dicelua*  
Chitwood, B. G.; and Lucke, J. T., 1934 a, 39  
[for *Dicelis*]
- Dicentrocephalus* Dies., 1861  
Yorke, W.; and Maplestone, P. A., 1926 a, 387  
as syn. of *Dikentrocephalus* Wedl., 1855
- Diceras Rudolphi*, 1810  
Baylis, H. A.; and Daubney, R., 1926 a, 252
- Diceras Rud.*, 1810  
Yorke, W.; and Maplestone, P. A., 1926 a, 447  
as syn. of *Ditrachyceras* Hermann in Seltzer, 1801
- Diceras rude Rudolphi*, 1810  
Baylis, H. A.; and Daubney, R., 1926 a, 252
- Dicheilonema* Diesing, 1861  
Baylis, H. A.; and Daubney, R., 1926 a, 203-204  
type: *D. labiatum* (Creplin)
- Dicheilonema* Diesing 1860  
Boulenger, C. L., 1920 a, 499
- Dicheilonema* Diesing 1861 (=*Contortospiculum* Skrjabin 1915)  
Chabaud, A. G.; and Anderson, R. C., 1959 a, 71  
key  
*Diplotriaenidae*; *Dicheilonematinae*
- Dicheilonema* Zeder, 1803 ex parte  
Hartwich, G., 1954 b, 663  
as syn. of *Hamatospiculum* Skrjabin, 1916  
emend.
- Dicheilonema* Dies.  
Perrier, E., 1897 a, 1410  
subgen. of *Filaria* Müller
- Dicheilonema* Diesing, 1861  
Railliet, A., 1918 b, 104-109
- Dicheilonema* Diesing  
Rauther, M., 1930 a, 370
- Dicheilonema* Diesing, 1861  
Skrjabin, K. I.; and Shikhobalova, N. P., 1945 a, 382, 383, 384
- Dicheilonema* Diesing, 1861 e. p.  
Sprehn, C. E. W., 1932 c, 584  
as syn. of *Contortospiculum* Skrjabin, 1917
- Dicheilonema* Dies., 1861  
Wehr, E. E., 1935 b, 86  
Syn.: *Contortospiculum* Skrjabin, 1915  
*Filariidae*, *Dicheilonematinae*
- Dicheilonema* Dies.  
Witenberg, G. G., 1925 b, 203
- Dicheilonema* Diesing, 1861  
Yorke, W.; and Maplestone, P. A., 1926 a, 437-438  
type: *D. bifidum* (Molin, 1858)
- Dicheilonema* Dies., 1861, in part  
Yorke, W.; and Maplestone, P. A., 1926 a, 428  
as syn. of *Contortospiculum* Skrjabin, 1917
- Dicheilonema acutum* (Dies., 1851)  
Railliet, A., 1918 b, 106  
*Podiceps cristatus*  
*P. auritus*
- Dicheilonema americanum* (Railliet, 1918) [n. comb.]  
Lopez-Neyra, C. R., 1956 b, 96  
Syn.: *Filaria* sp. Leidy, 1884
- Dicheilonema bifidum* (Molin)  
Baylis, H. A.; and Daubney, R., 1926 a, 204
- Dicheilonema bifidum*  
Railliet, A., 1918 b, 105-106, 107  
*Kannabateomys amblyonyx*
- Dicheilonema bifidum* (Molin, 1858)  
Yorke, W.; and Maplestone, P. A., 1926 a, 438  
type of genus  
*Dactylomys amblyonyx*
- Dicheilonema bilabiatum*  
Railliet, A., 1918 b, 105, 106  
*Sterna leucopareia*
- Dicheilonema bispinosum* (Dies., 1851)  
Railliet, A., 1918 b, 106  
*Boa constrictor*  
*Ophis saurocephalus*  
*Thamnophis poecilostoma*
- Dicheilonema ciconiae* (Schrank)  
Walton, A. C., [1927 a], 115-117, pl. 7, figs. 52; pl. 8, fig. 51  
*Brachyotis palustris*
- Dicheilonema conicum* (Mol., 1858)  
Railliet, A., 1918 b, 106  
*Myoprocta acouchy*
- Dicheilonema cylindrica* (Zed.) [n. comb.]  
Walton, A. C., [1927 a], 118  
*Colluris ludovicianus*
- Dicheilonema cylindrica* Zed., 1803  
Hartwich, G., 1954 b, 663  
as syn. of *Hamatospiculum brasiliandum* (Stosch, 1897) Skrjabin, 1916
- Dicheilonema fusiforme* (Mol., 1858)  
Railliet, A., 1918 b, 106  
*Monasa tranquilla*
- Dicheilonema horridum* (Diesing, 1851)  
Boulenger, C. L., 1920 a, 499  
*Rhea americana*
- Dicheilonema horridum*  
Chitwood, B. G.; and Chitwood, M. B., 1938 a, 116, 117, fig. 109 V
- Dicheilonema horridum*  
Perrier, E., 1897 a, 1410  
nandou
- Dicheilonema horridum*  
Railliet, A., 1918 b, 106, 107
- Dicheilonema horridum* (Diesing, 1851) Diesing, 1861  
Sprehn, C. E. W., 1932 c, 584  
as syn. of *Contortospiculum rheae* (Owen, 1843)
- Dicheilonema horridum*  
Walton, A. C., [1927 a], 117
- Dicheilonema horridum* (Dies., 1851) Dies., 1861  
Yorke, W.; and Maplestone, P. A., 1926 a, 430  
as syn. of *Contortospiculum rheae* (Owen, 1843)
- Dicheilonema incertum* Sandground, 1933 [n. comb.]  
Lopez-Neyra, C. R., 1956 b, 66  
Syn.: *Contortospiculum incertum* Sandground, 1922
- Dicheilonema labiatum* (Creplin, 1825)  
Baylis, H. A.; and Daubney, R., 1926 a, 204
- Dicheilonema labiatum*  
Perrier, E., 1897 a, 1410  
*cigogne noire* (cavite thoracique)
- Dicheilonema labiatum* (Crepl., 1825)  
Railliet, A., 1918 a, 106, 107  
*Ciconia nigra*

- Dicheilonema labiatum Diesing, 1860  
 Skrjabin, I. I., 1915 a, 903  
 as syn. of *Contortospiculum ciconiae* (Gmel., 1791) [i.e. Schrank, 1788] [n. comb.]
- Dicheilonema labiatum (Schrank, 1788) Diesing, 1861  
 Sprehn, C. E. W., 1932 c, 584  
 as syn. of *Contortospiculum ciconiae* (Schrank, 1788)
- Dicheilonema labiotruncatum (Mol., 1858)  
 Railliet, A., 1918 b, 106  
*Tinamus adspersus*  
*T. variegatus*  
*T. strigulosus*
- Dicheilonema nodulosa [(Rud., 1820)] [n. comb.]  
 Walton, A. C., [1927 a], 120
- Dicheilonema nodulosum (Rud.)  
 Boulenger, C. L., 1928 a, 41, figs. 26-28  
*Lanius excubitor*
- Dicheilonema nodulosum [Rudolphi, 1820]  
 Ezzat, M. A.; and Tadros, G., 1958 a, 12, 60  
 Syn.: *Filaria nodulosa* Rudolphi, 1820  
*Tyto alba affinis*: Belgian Congo
- Dicheilonema rheae (Owen, 1843) [n. comb.]  
 Railliet, A., 1918 b, 106  
*Rhea americana*
- Dicheilonema rheae  
 Baudet, E. A. R. F., 1939 a, 739, 1 fig.  
 nandu: Zool. Garten, Niederlanden
- Dicheilonema rheae (Owen)  
 Canavan, W. P. N., 1929 a, 71, 95  
*Rhea americana*
- Dicheilonema rheae  
 Chitwood, B. G.; and Chitwood, M. B., 1938 a, 66, fig. 59 B
- Dicheilonema rhea (Owen, 1843)  
 Gutierrez, R. O., 1956 a, 226, 227-230, 231, figs. 1-7  
*Coscoroba coscoroba*: Buenos Aires
- Dicheilonema rheae (Owen, 1843)  
 Lent, H.; and Teixeira de Freitas, J. F., 1948 a, 4, 61-62, figs. 133-136  
 Syn.: *Contortospiculum filiformis* Kreis, 1936  
*Rhea americana intermedia*: Uruguay
- Dicheilonema rheae Owen  
 Schuurmans Stekhoven, J. H. (jr.), 1952 a, 317, 319, 364-367, fig. 19  
*Rhea americana* (*región torácica*)  
*Pterocenemia pennata garleppi* (intercostal bajo la piel, cavidad general)  
 all from Argentina
- Dicheilonema rheae (Owen, 1843)  
 Urbain, A.; Nouvel, J.; and Pasquier, M. A., 1937 a, 46-47  
*Rhea americana*: Parc Zool. Bois Vincennes
- Dicheilonema rheae (Owen)  
 Walton, A. G., [1927 a], 117  
*Rhea americana*
- Dicheilonema rubrum  
 Merriman, D., 1941 a, 55-56  
 Syn.: *Filaria rubra* Linton  
*Roccus saxatilis*: Atlantic Coast
- Dicheilonema rubrum Leidy (1856)  
 Railliet, A., 1918 b, 106  
*Morone lineatus*
- Dicheilonema skrjabini Lent y Freitas, 1948  
 Lopez-Neyra, C. R., 1956 b, 67  
 Syn.: *Dicheilonema rheae* (Owen) Skrjabin, 1917
- Dicheilonema spicularia (Neuman, 1909) [n. comb.]  
 Lopez-Neyra, C. R., 1956 b, 67
- Dicheilonema spinularia  
 Lopez-Neyra, C. R., 1956 b, 67  
 lapsus for *D. spicularia*
- Dicheilonematinae n. subfam.  
 Wehr, E. E., 1935 b, 85, 86  
 Filariidae, includes: *Hamatospiculum*; *Monopetalonema*; *Dicheilonema*; *Papillosetaria*; *Serratospiculum*, *Setaria*  
 Syn.: *Setariinae* Yorke and Maplestone, 1926  
 type genus: *Dicheilonema* Dies., 1861
- Dicheilonematinae n. subfam.  
 Wehr, E. E., 1936 b, 60-61  
 Filariidae; includes: *Setaria*; *Serratospiculum*; *Monopetalonema*; *Hamatospiculum*, *Dicheilonema*
- Dicheilonematinae Wehr, 1935  
 Anderson, R. C., 1958 d, 151-152  
 Dicheilonematidae n. fam.  
 keys  
 includes: *Monopetalonema* Diesing, 1861;  
*Dicheilonema* Diesing, 1861; *Serratospiculum* Skrjabin, 1915; *Heterospiculum* Schigin, 1951; *Hastospiculum* Skrjabin, 1923; *Hamatospiculum*, Skrjabin, 1916
- Dicheilonematinae Wehr 1935  
 Chabaud, A. G.; and Anderson, R. C., 1959 a, 70  
 key  
*Diplotriaenidae*
- Dicheilonematinae  
 Chitwood, B. G., 1937 c, 75  
*Filariidae*
- Dichelyne  
 Baylis, H. A., 1923 1, 233
- Dichelyne Jägerskiöld, 1902  
 Baylis, H. A.; and Daubney, R., 1926 a, 231  
 as syn. of *Cucullanus* Müller
- Dichelyne Jägerskiöld, 1902  
 Chitwood, B. G.; and Wehr, E. E., 1934 a, 331, 334, pl. 1
- Dichelyne Jaeg.  
 Gendre, E., 1927 b, 260, 261, 262
- Dichelyne Jägerskiöld, 1902  
 Mueller, J. F., 1933 c, 76  
 Syn.: *Dacnitoides*
- Dichelyne Jägerskiöld, 1902  
 Törnquist, N., 1931 a, iv, 6, 7, 8, 9, 10, 31, 36, 47, 57, 58, 60, 127, 130, 160, 172, 224, 402
- Dichelyne Jägerskiöld, 1902  
 Van Cleave, H. J.; and Mueller, J. F., 1934 a, 302-303  
*Cucullanidae*  
 Syn.: *Dacnitoides* Ward and Magath, 1917
- Dichelyne sp.  
 Bangham, R. V., 1939 a, 265  
*Chaenobryttus gulosus*: southern Florida
- Dichelyne sp.  
 Bangham, R. V., 1939 a, 267  
*Eupomotis microlophus*: southern Florida
- Dichelyne sp.  
 Bangham, R. V., 1941 a, 291, 292, 293, 305  
*Lepisosteus platyrhincus*: Florida  
*Erimyson sucetta* sucetta: Florida  
*Opsopoedus emiliae*: " "  
 large-mouthed black bass: " "  
 warmouth bass: " "  
 stump knocker: " "
- Dichelyne sp.  
 Bangham, R. V., 1955 a, 191  
*Boleosoma* n. nigrum
- Dichelyne sp.  
 Huizinga, H. W.; and Haley, A. J., 1962 a, 38  
*Leiostomus xanthurus* (mit-gut): Chesapeake Bay
- Dichelyne anceps n. sp.  
 Gendre, E., 1927 b, 261
- Dichelyne anceps Gendre  
 Gendre, E., 1928 a, 66  
*Batrachus didactylus*
- Dichelyne anceps Gendre, 1927  
 Törnquist, N., 1931 a, 153  
 as syn. of *Cucullanellus* anceps Gendre, 1927

- Dichelyne corylophora (Ward and Magath)  
 Bangham, R. V., 1939 a, 266  
*Helioperca macrochira*: southern Florida
- Dichelyne corylophora (Ward and Magath)  
 Bangham, R. V., 1941 a, 305  
 bluegill
- Dichelyne corylophora (Ward and Magath)  
 Bangham, R. V., 1941 c, 166, 167  
*Ameiurus nebulosus*  
*Perca flavescens*  
 all from Algonquin Park Lakes
- Dichelyne corylophora (Ward and Magath, 1917)  
 Bangham, R. V., 1944 a, 293, 305, 306, 311, 312, 313, 314, 315, 319, 320, 323  
*Perca flavescens*  
*Micropterus dolomieu dolomieu*  
*Huro salmoides*  
*Lepomis gibbosus*  
*Ambloplitis rupestris*  
 all from northern Wisconsin
- Dichelyne corylophora  
 Bangham, R. V., 1955 a, 190, 191, 192  
*Perca flavescens*  
*Stizostedion v. vitreum*  
*Micropterus d. dolomieu*  
*Huro salmoides*  
*Ambloplites r. rupestris*
- Dichelyne corylophora (Ward and Magath, 1917)  
 Bangham, R. V.; and Hunter, G. W. III, 1939 a, 404, 407, 408, 409, 413, 416, 434, 437, 438, 439, 443, 444, 445, 447  
*Perca flavescens*  
*Micropterus dolomieu*  
*Aplites salmoides*  
*Aplodinotus grunniens*  
*Lepibema chrysops*  
*Ameiurus melas*  
*Stizostedion vitreum*  
*Helioperca incisor*  
 all from lake Erie
- Dichelyne corylophora (Ward and Magath, 1917)  
 Bangham, R. V.; and Venard, C. E., 1946 a, 41, 45  
*Perca flavescens*: Algonquin Park Lakes
- Dichelyne corylophora Ward and Magath, 1917  
 Fischthal, J. H., 1947 a, 188, 190, 192, 194, 200, 201, 211, 219  
*Perca flavescens*: Wisconsin  
*Stizostedion v. vitreum*: Wisconsin  
*Micropterus d. dolomieu*: "  
*Huro salmoides*: Wisconsin  
*Ambloplites r. rupestris*: Wisconsin
- Dichelyne corylophora  
 Fischthal, J. H., 1950 d, 102, 111  
*Perca flavescens*: Wisconsin  
*Ambloplites r. rupestris*: Wisconsin
- Dichelyne corylophora (Ward and Magath, 1917)  
 Fischthal, J. H., 1952 a, 27, 39, 45, 47, 57  
*Perca flavescens*  
*Micropterus salmoides*  
*Lepomis gibbosus*  
*Boleosoma nigrum eulepis*  
 all from northwest Wisconsin
- Dichelyne corylophora  
 Hunninen, A. V., 1936 b, 239  
*Perca flavescens*  
*Eupomotis gibbosus*  
*Micropterus dolomieu*  
 all from the Delaware-Susquehanna watershed
- Dichelyne corylophora  
 Hunter, G. W. III, 1942 a, 279, 280, 281, 282, 283, 286  
*Perca flavescens*  
*Morone americana*  
*Lepomis gibbosus*  
*Ambloplites rupestris*  
*Huro salmoides*  
*Micropterus dolomieu*  
*Ameiurus nebulosus*
- Dichelyne corylophora  
 Krueger, R. F., 1954 a, 278  
*Ameiurus melas*  
*Catostomus commersonnii*  
*Lepomis cyanellus*  
*Pomoxis annularis*  
 all from Allen Township, Hancock County, Ohio
- Dichelyne corylophora (Ward and Magath, 1917)  
 Mueller, J. F., 1933 c, 76  
 Syn.: *Dacnitoides corylophora*
- Dichelyne corylophora (Ward and Magath, 1917)  
 Odlaug, T. O.; Arseneau, E. G.; and Brownell, G. H., 1962 a, 31  
*Micropterus dolomieu*  
*Stizostedion vitreum*  
 both from Basswood Lake, Superior National Forest, Minnesota
- Dichelyne corylophora (Ward and Magath)  
 Schuurmans Stekhoven, J. H., 1939 a, 574
- Dichelyne corylophora (Ward and Magath), 1916  
 Törnquist, N., 1931 a, iv, 172, 189-192, 393, 439, 440, 441, pl. 12, fig. 8, pl. 15, fig. 10, pl. 17, fig. 8  
 Syn.: *Dacnitoides corylophora* Ward and Magath, 1916  
*Perca flavescens*  
*Stizostedion vitreum*  
 both from Nordamerika: Lake St. Clair, Wisconsin
- Dichelyne corylophora (Ward and Magath, 1917)  
 Van Cleave, H. J.; and Mueller, J. F., 1934 a, 294, 295, 303-304, pl. 38, figs. 7-8  
*Perca flavescens*: Oneida Lake  
*Stizostedion vitreum*: " "  
*Micropterus salmoides*: " "  
*Micropterus dolomieu*: " "  
*Ambloplites rupestris*: " "  
*Ameiurus nebulosus*: " "  
*Leucosomus corporalis*: " "
- Dichelyne corylophora  
 Worley, D. E.; and Bangham, R. V., 1952 a, 211  
*yellow perch*: Blue Sea Lake, Quebec
- Dichelyne cylindricus nom. nov.  
 Chandler, A. C., 1935 c, 148  
 Syn.: *Ascaris* (?) sp. Linton, 1901, p. 481, pl. 7, figs. 57-61
- Dichelyne diplocaecum n. sp.  
 Chandler, A. C., 1935 c, 125, 149, pl. 11, figs. 8-10  
*Ictalurus furcatus*: Galveston Bay
- Dichelyne fastigatus n. sp.  
 Chandler, A. C., 1935 c, 125, 146-148, pl. 11, figs. 5-7  
*Sciaenops ocellatus*: Galveston Bay
- Dichelyne fossor  
 Allgen, C. A. J., 1925 a, 32
- Dichelyne fossor Jaeg.  
 Gendre, E., 1927 b, 260, 261, 262
- Dichelyne fossor  
 Schuurmans Stekhoven, J. H., 1937 a, 436, 437, 482
- Dichelyne fossor (Jaegerskjoeld)  
 Schuurmans Stekhoven, J. H., 1939 a, 574, 580, 628
- Dichelyne fossor Jagerskiold, 1902  
 Törnquist, N., 1931 a, iv, 6, 7, 9, 12, 16, 18, 19, 31, 37, 43, 46, 49, 50, 57, 111, 122, 172, 173-189, 190, 192, 387, 388, 390, 395, 399, 402, 404, 436, 437, 439, 440, 441, pl. 1, fig. 3, pl. 2, fig. 2, pl. 5, fig. 3, pl. 12, fig. 7, pl. 15, fig. 9, pl. 17, fig. 7a, b  
 type of genus  
 Syn.: *Cucullanus fossor* Jagersk., 1902 bei Baylis, 1923  
*Lates niloticus*  
*Bagrus bayad*  
 both from Akrika (Omdurman, Chartum)

- Dichelyne fossor Jagerskiold, 1902  
 Yorke, W.; and Maplestone, P. A., 1926 a, 383  
 as syn. of *Cucullanus fossor* (Jagerskiold,  
 1902)
- Dichelyne fusiformis Mol.  
 Gendre, E., 1927 b, 261, 262
- Dichelyne fusiformis Mol.  
 Schuurmans Stekhoven, J. H., 1935 f, V. c 6  
 as syn. of *Cucullanellus minutus* (Rudolphi)
- Dichelyne fusiformis Molin, 1860, bei Gendre,  
 1927  
 Törnquist, N., 1931 a, 132  
 as syn. of *Cucullanellus minutus* Rud., 1819
- Dichelyne (?) laticeps sp. n.  
 Baylis, H. A., 1948 b, 331-334, figs. 3-4  
*Tetraodon hispidum*: Cleveland Bay, N.  
 Queensland
- Dichelyne lintoni Barreto  
 Gendre, E., 1927 b, 261
- Dichelyne lintoni Barreto, 1922  
 Törnquist, N., 1931 a, iv, 193  
 Syn.: *Cucullanus lintoni* Barreto, 1922
- Haemolium carbonarium  
*Fundulus heteroclitus*  
*Neomaenius griseus*  
*Leiostomos xanthurus*  
*Lophopseta maculata*  
*Paralichthys alboguttatus*  
*Sciaenops ocellatus*  
 all from Nordamerika
- Dichelyne mauritanicus  
 Gendre, E., 1927 b, 261
- Dichelyne mauritanicus Gendre  
 Gendre, E., 1928 a, 66  
*Diagramma mediterraneum*
- Dichelyne mauretanicus (Gendre)  
 Schuurmans Stekhoven, J. H., 1939 a, 574
- Dichelyne mauritanicus Gendre, 1927  
 Törnquist, N., 1931 a, iv, 173, 192-193, 439,  
 441, pl. 12, fig. 9, pl. 17, fig. 9  
 Syn.: *Cucullanus mauritanicus* Gendre, 1927  
*Diagramma mediterraneum* Guichenot: Nordliche  
 Teil von der Westküste Afrikas (Mauritanien)
- Dichelyne robusta (Van Cleave and Mueller, 1932)  
 n. comb.  
 Mueller, J. F., 1933 c, 76
- Dichelyne robusta (Van Cleave and Mueller)  
 Bangham, R. V., 1941 a, 295, 305  
*Ameiurus nebulosus marmoratus*: Florida  
*A. natalis*: Florida
- Dichelyne robusta (Van Cleave and Mueller, 1932)  
 Bangham, R. V., 1944 a, 300, 301, 302, 323  
*Ameiurus melas melas*: northern Wisconsin  
*A. nebulosus nebulosus*: " "  
*A. natalis natalis*: " "
- Dichelyne robusta  
 Bangham, R. V., 1955 a, 189  
*Ameiurus n. nebulosus*
- Dichelyne robusta (Van Cleave and Mueller, 1932)  
 Bangham, R. V.; and Venard, C. E., 1942 a,  
 27, 28, 37  
*Ictalurus anguilla*  
*I. punctatus*  
*Ameiurus nebulosus*  
*A. melas*
- Dichelyne robusta Van Cleave and Mueller, 1932  
 Fischthal, J. H., 1947 a, 176, 178, 180, 219  
*Ameiurus n. natalis*: Wisconsin  
*A. n. nebulosus*: Wisconsin  
*A. m. melas*: "
- Dichelyne robusta  
 Fischthal, J. H., 1950 d, 99, 100  
*Ameiurus n. natalis*: Wisconsin  
*A. n. nebulosus*: Wisconsin
- Dichelyne robusta (Van Cleave and Mueller, 1932)  
 Fischthal, J. H., 1952 b, 34, 35, 57  
*Ameiurus n. nebulosus*  
*A. n. natalis*  
 both from southwest Wisconsin
- Dichelyne robusta  
 Harms, C. E., [1960 a], 262  
*Ictalurus punctatus*: northeast Kansas
- Dichelyne robusta (Van Cleave & Mueller, 1932)  
 Harms, C. E., 1960 b, 697  
*Ictalurus punctatus* (intestine): Kansas
- Dichelyne robusta  
 Hunter, G. W. III, 1942 a, 283, 286  
*Morone americana*
- Dichelyne robusta (Van Cleave and Mueller, 1932)  
 Van Cleave, H. J.; and Mueller, J. F., 1934 a,  
 304  
 Syn.: *Cucullanus* [sp.] Pratt, 1923  
*Ameiurus nebulosus*: Oneida Lake  
*A. natalis*: Oneida Lake
- Dichelyne trionyx sp. nov.  
 Chakravarty, G. K.; and Majumdar, G., 1961 a,  
 401-405, pl., figs. 1-2  
*Trionyx gangeticus* (intestine): Calcutta
- Dichelyne tripapillatus Gendre  
 Gendre, E., 1927 b, 261, 263  
*Chrysophrys aurata*
- Dichelyne tripapillatus (Gendre)  
 Gendre, E., 1928 a, 66  
*Sargus cervinus*  
*S. rondeletti*  
*Chrysophrys aurata*
- Dichelyne tripapillatus Gendre, 1927  
 Törnquist, N., 1931 a, 143  
 as syn. of *Cucullanellus tripapillatus*  
 Gendre, 1927
- Dichelyne wallagoni sp. nov.  
 Chakravarty, G. K.; and Majumdar, G., 1961 a,  
 401-405, pl., figs. 3-4  
*Wallago attu* (intestine): Calcutta
- Dicrofilaria [sic] Railliet & Henry, 1911  
 Sprehn, C. E. W., 1927 e, 64  
 for *Dirofilaria*?
- Dicrofilaria [sic]  
 Stephens, J. W. W.; and Yorke, W., [1923 a],  
 1942  
 [lapsus for *Dirofilaria*]
- Dicrofilaria magalhaesi (Blanchard, 1895)  
 Stephens, J. W. W.; and Yorke, W., [1923 a],  
 1942  
 [lapsus for *Dirofilaria magalhaesi*]
- Dictyocaulus  
 Travassos, L. P., 1925 f, 1260  
 [for *Dictyocaulus*]
- Dictyocaulus  
 Cassamagnagh, A.; and Vogelsang, E. C., 1921 a,  
 [2]  
 [for *Dictyocaulus*]
- Dictyocaulus  
 Goodwin, H., 1936 a, 66  
 [for *Dictyocaulus*]
- Dictyocalus  
 Dumitru, I., 1936 b, pl. 1, fig. 1a  
 [for *Dictyocaulus Railliet* and *Henry*]
- Dictyocaulidae nov. fam.  
 Skrjabin, K. I., 1941 a, 331, 334, 339  
*Trichostrongylidea*  
 [p. 331 also spelled *Dictyocaulinae* nov. fam.,  
 corrected in pencil to *Dictyocaulidae*]
- Dictyocaulidae  
 Sarwar, M. M., 1957 d, 228  
 taxonomic position
- Dictyocaulidae Skrjabin, 1941  
 Skrjabin, K. I.; Shikhobalova, N. P.; and  
 Shul'ts, R. S., 1954 a, 757
- Dictyocaulinae  
 Dougherty, E. C., 1951 b, 92, 93
- Dictyocaulinae Skrjabin, 1933  
 Skrjabin, K. I., 1933 c, 359, 360, 362, 363  
 type genus: *Dictyocaulus Railliet et*  
*Henry*, 1907  
 includes also: *Kutassicaulus* n. g.
- Dictyocaulinae Skrjabin, 1933  
 Skrjabin, I. I., 1941 a, 329, 331  
*Dictyocaulidae* nov. fam.

- Dictyocaulinae Skrjabin, 1933  
 Skrjabin, I. I.; and Shul'ts, R. E. S., 1934 a, 10, 11  
 Metastrongylidae
- Dictyocaulosis  
 Buijanov, S. V., 1960 a, 78  
 diagnosis
- Dictyocaulosis  
 Ivashkin, V. M., 1945 a, 44  
 intratracheal injection
- Dictyocaulosis  
 Marotel, G.; Gratecos; and Bodet, 1941 a, 192-194  
 cardiac
- Dictyocaulosis  
 Orlov, N. P., 1933 a, 45-47  
 work of expedition of Alma-Atinskii veterinary institute
- Dictyocaulosis  
 Skrjabin, K. I.; and Shul'ts, R. E. S., 1934 a, 56 pp.  
 control, domestic animals
- Dictyocaulosis  
 Skrjabin, K. I.; and Shul'ts, R. E. S., 1936 a, 407-456  
 pulmonary
- Dictyocaulosis  
 Szafarski, J., 1950 d, 86, 120, 134  
 intradermo-palpebral allergic test
- Dictyocaulosis, Bovine  
 Akramovskii, M. N.; and Romanova, T. V., 1955 a, 53  
 control, calves
- Dictyocaulosis, Bovine  
 Biktimirov, Kh. B., 1956 a, 46  
 control, calves
- Dictyocaulosis, Bovine  
 Boev, S. N.; and Ivershina, E. M., 1954 a, 508-513  
 seasonal dynamics, time of dehelminthization
- Dictyocaulosis, Bovine  
 Gadshiev, K. Sh., 1954 b, 25  
 seasonal dynamics, calves
- Dictyocaulosis, Bovine  
 Guletskaya, N. V., [1941 a], 279  
 distribution: north Kazakhstan oblast
- Dictyocaulosis, Bovine  
 Lukhnovich, A. N., 1961 a, 55  
 control, pasture cultivation, calves
- Dictyocaulosis, Bovine  
 Kalinin, I. V., 1950 a, 21-22  
 prophylaxis, calves
- Dictyocaulosis, Bovine  
 Kassai, T.; and Holló, F., 1960 a, 81-84  
 therapy
- Dictyocaulosis, Bovine  
 Kharichkov, M. V., 1947 a, 44  
 epidemiology
- Dictyocaulosis, Bovine  
 Krastin, N. I., 1949 d, 303-312  
 methods of prophylaxis, calves, history
- Dictyocaulosis, Bovine  
 Krotov, A. I., 1946 a, 149-150  
 calves
- Dictyocaulosis, Bovine  
 Krotov, A. I., 1947 a, 19  
 calves, 1942-43: Chubashsk ASSR
- Dictyocaulosis, Bovine  
 Kulikov, N. S., 1935 c, 25-31  
 prophylaxis and therapy, calves
- Dictyocaulosis, Bovine  
 Litovka, G. P., 1957 a, 43  
 prophylaxis
- Dictyocaulosis, Bovine  
 Ounapuu, E., 1961 a, 109
- Dictyocaulosis, Bovine  
 Pen'kov, 1945 a, 44  
 experiment on raising dictyocaulosis-free calves
- Dictyocaulosis, Bovine  
 Pifanov, M. S., 1960 a, 55  
 control, stall maintenance, calves
- Dictyocaulosis, Bovine  
 Popova, K. A., 1941 a, 10-12  
 epizootiology
- Dictyocaulosis, Bovine  
 Shumakovich, E. E.; and Shil'nikov, V. I., 1960 a, 30-32  
 prophylaxis, calves
- Dictyocaulosis, Bovine  
 Skovronskii, R. V., 1957 a, 70-71  
 carbohydrate exchange, calves
- Dictyocaulosis, Bovine  
 Skrjabin, K. I.; and Shul'ts, R. E. S., 1931 c, 28-32
- Dictyocaulosis, Bovine  
 Sobolev, A. S., 1960 a, 55  
 sanitation, calves: Estonia
- Dictyocaulosis, Bovine  
 Sorokin, A. N.; Andriushchenko, V. V.; and Mereminskii, A. I., 1958 a, 57-58  
 influence of calf rearing in pens
- Dictyocaulosis, Bovine  
 Sudachenkov, V. V., 1955 a, 25-27  
 causes of epizootic outbreak
- Dictyocaulosis, Bovine  
 Stetsenko, G. P., 1949 a, 38-40  
 treatment of dictyocaulosis pneumonia, calves
- Dictyocaulosis, Bovine  
 Tabusso, M. N., 1940 a, 1-40  
 pulmonary dictyocaulosis
- Dictyocaulosis, Bovine  
 Takhistov, B. A., 1951 b, 146-153  
 control measures: northwest zone SSSR
- Dictyocaulosis, Bovine  
 Takhistov, B. A., 1957 a, 144-146  
 clinical picture, pathogenesis, prophylactic measures
- Dictyocaulosis, Bovine  
 Takhistov, B. A., 1957 c, 218-223  
 diagnosis
- Dictyocaulosis, Bovine  
 Tikhomirov, S. I., 1954 a, 27  
 control, calves
- Dictyocaulosis, Bovine  
 Ugrin, I. N., 1957 a, 110-112  
 gas exchange, clinical aspects, calves
- Dictyocaulosis, Caprine  
 Maslov, T. M., [1951 b], 270  
 Western oblast
- Dictyocaulosis, Equine  
 Akramovskii, M. N., 1952 a, 44
- Dictyocaulosis, Equine  
 Belkin, G. Ia., 1936 a, 56-57  
 pathology
- Dictyocaulosis, Equine  
 Mukhniuk; and Muler, 1947 a, 19
- Dictyocaulosis, Equine  
 Van den Eeckhout, A.; and Lahaye, J., 1925 a, 443-447  
 hyperglobulinemia
- Dictyocaulosis, Livestock  
 Tomskikh, P. P., 1955 a, 163-166  
 Cheliabinsk oblast
- Dictyocaulosis, Ovine  
 Aliev, A. A., 1959 a, 41-42  
 chemical prophylaxis
- Dictyocaulosis, Ovine  
 Badanin, N. V., 1932 a, 25-26  
 therapy, intra-tracheal injections, iodine preparations
- Dictyocaulosis, Ovine  
 Baskakov, V. P., 1935 a, 74-75

- Dictyocaulosis, Ovine  
 Boev, S. N.; and Bondareva, V. I., 1944 a, 20  
 seasonal dynamics
- Dictyocaulosis, Ovine  
 Boev, S. N.; and Bondareva, V. I., [1951 a],  
 276-284  
 seasonal dynamics: south-eastern Kazakhstan
- Dictyocaulosis, Ovine  
 Bogdanov, A. G., 1956 c, 83-93  
 epizootiology
- Dictyocaulosis, Ovine  
 Bondareva, V. I., [1941 a], 263  
 East-Kazakhstan oblast
- Dictyocaulosis, Ovine  
 Burikova, I. N., 1957 a, 59
- Dictyocaulosis, Ovine  
 Davtian, E. A., 1955 a, 117-129  
 immunization
- Dictyocaulosis, Ovine  
 Ermolova, E. N., 1955 a, 268-277  
 prophylaxis, phenothiazine-fodder mixture
- Dictyocaulosis, Ovine  
 Ershov, V. S.; Gorshunova, O. K.; and Malygin,  
 S. A., 1935 a, 160  
 Kirov
- Dictyocaulosis, Ovine  
 Ershov, V. S.; and Livotov, N. A., (1932 a),  
 34-35  
 iodine-glycerine application
- Dictyocaulosis, Ovine  
 Favati, V., 1961 a, 8-12  
 bronchopulmonary, coprological quantitative  
 method
- Dictyocaulosis, Ovine  
 Filatov, E. V., 1961 a, 79  
 control
- Dictyocaulosis, Ovine  
 Gadzhiev, K. Sh., 1954 a, 24-25
- Dictyocaulosis, Ovine  
 Gaibov, A. D., 1949 b, 133-138  
 epizootiology, dynamics, large sheep farms:  
 Azerbaidzhan
- Dictyocaulosis, Ovine  
 Garkavi, B. L., 1959 b, 69-70  
 Krasnodar Territory
- Dictyocaulosis, Ovine  
 Gutovskii, V. I., 1957 a, 509  
 dynamics
- Dictyocaulosis, Ovine  
 Ivanits'ki, S. V., 1934 a, 16 pp.  
 prophylaxis through hygienic water
- Dictyocaulosis, Ovine  
 Kadenatsii, A. N., 1952 a, 199-212
- Dictyocaulosis, Ovine  
 Klesov, M. D., 1947 b, 40-43  
 prophylaxis by shifting of pastures
- Dictyocaulosis, Ovine  
 Korovaev, N. M., 1952 a, 34-36  
 rehabilitation of sheep
- Dictyocaulosis, Ovine  
 Korovaev, N. M., 1955 a, 150-151  
 epizootiology, prophylaxis: Altai region
- Dictyocaulosis, Ovine  
 Kulikov, N. S., 1935 c, 25-51  
 prophylaxis and treatment
- Dictyocaulosis, Ovine  
 Lesin'sh, K. P., 1958 b, 254-256  
 dynamics: Estonian SSR
- Dictyocaulosis, Ovine  
 Maslov, T. M., [1951 b], 270  
 Western oblast
- Dictyocaulosis, Ovine  
 Meshkov, N. V.; and Priselkova, D. A., 1935 a,  
 73-81  
 anatomy, pathology, histology
- Dictyocaulosis, Ovine  
 Mitskevich, V. Iu., 1935 a, 138-149, figs. 1-3  
 diagnosis
- Dictyocaulosis, Ovine  
 Orlov, I. V., (1934 a)  
 results of expedition: region d'Azow et de  
 la Mer Noire
- Dictyocaulosis, Ovine  
 Ozerskaiia, V. N., 1957 a, 223-225  
 Ditrazin
- Dictyocaulosis, Ovine  
 Panasiuk, D. I., 1957 a, 238-241  
 clinical course, experimental and natural  
 conditions
- Dictyocaulosis, Ovine  
 Pol'jakova, O. I., 1959 b, 282-289  
 biochemical changes in organism of sheep
- Dictyocaulosis, Ovine  
 Rukhladev, D. P., 1955 a, 232-237  
 control, seasonal-pasture husbandry
- Dictyocaulosis, Ovine  
 Rukhladev, D. P., 1958 a, 54-55  
 control
- Dictyocaulosis, Ovine  
 Schanzel, H., 1954 a, 72
- Dictyocaulosis, Ovine  
 Shumakovich, E. E., 1934 a, 59  
 Mongolian Republic
- Dictyocaulosis, Ovine  
 Shumakovich, E. E., 1941 a, 12-14  
 dynamics
- Dictyocaulosis, Ovine  
 Slavin, (1931 a), 38-41  
 pulmonary
- Dictyocaulosis, Ovine  
 Sopel'chenko, M. I., 1952 a, 69-73  
 Uzbekistan
- Dictyocaulosis, Ovine  
 Sopel'chenko, M. I., 1956 a, 46  
 manure and fleece as source of spreading
- Dictyocaulosis, Ovine  
 Sudachenkov, (1931 a), 31-38
- Dictyocaulosis, Ovine  
 Tabusso, M. E., [1940 a], 3-40  
 pulmonary
- Dictyocaulosis, Ovine  
 Tsvetaeva, N. P., 1957 a, 123  
 patho-morphological changes
- Dictyocaulosis, Ovine  
 Ul'ianov, S. D., 1960 a, 120-136  
 seasonal and age dynamics: south-eastern  
 Kazakhstan
- Dictyocaulosis, Ovine  
 Velichkin, P. A., 1959 a, 25-28  
 epizootiology, prophylaxis: central necher-  
 nozem zone
- Dictyocaulosis, Ruminants  
 Bouda, J., 1955 b, 165-166  
 transmission
- Dictyocaulosis, Ruminants  
 Divljanovic, D. K., 1956 b, 66-67  
 transmission
- Dictyocaulosis, Ruminants  
 Gnedina, M., 1944 a, 28-29
- Dictyocaulosis, Ruminants  
 Grigorian, G. A., 1955 a, 132  
 sheep : Akhtinsk region  
 goats: Akhtinsk region
- Dictyocaulosis, Ruminants  
 Petrov, A. M.; Dzhavadov, M. K.; and Gaibov,  
 A. D., [1935 e], 20-25  
 distribution: Azerbaidzhan
- Dictyocaulosis, Ruminants  
 Zakomirni, P. I.; et al, 1958 a, 54-55  
 control

- Dictyocaulosis, Swine  
Tabusso, M. E., [1940 a], 3-40  
pulmonary
- Dictyocaulosis, Treatment  
Avessalomov, I. S.; Sverskaia, S. A.; and Shepelev, L. A., 1958 a, 25-27  
iodine treatment, calves
- Dictyocaulosis, Treatment  
Boev, S. N., 1954 b, 514-529  
dehelminthization, sheep
- Dictyocaulosis, Treatment  
Boev, S. N.; and Red'ko, A. S., 1943 a, 32-33  
single injection dehelminthization, sheep
- Dictyocaulosis, Treatment  
Boev, S. N.; and Red'ko, A. S., 1954 a, 565-568  
prophylaxis, large doses of salts with a trace of phenothiazine, ovine
- Dictyocaulosis, Treatment  
Butorin, F. S., 1954 a, 23-24  
ASD preparation, sheep
- Dictyocaulosis, Treatment  
Butorin, F. S., 1957 a, 41-42  
sodium iodide substituted for potassium iodide
- Dictyocaulosis, Treatment  
Celan, B.; and Haroviuc, S., 1956 a, 93-95  
phenothiazine
- Dictyocaulosis, Treatment  
Dikov, G. I., 1957 a, 107  
sheep, south-eastern Kazakhstan
- Dictyocaulosis, Treatment  
Ermolova, E. N., [1954 a], 237-239  
phenothiazine, sheep
- Dictyocaulosis, Treatment  
Ershov, V. S.; and Rochanskii, V. A., (1953 a) 77-81
- Dictyocaulosis, Treatment  
Gadzhiev, G. M., 1957 a, 42  
intratracheal injections of naphthalane-turpentine mixture, ovine
- Dictyocaulosis, Treatment  
Gagarin, V. G., 1955 b, 129-136
- Dictyocaulosis, Treatment  
Georgescu, L.; et al., 1961 a, 142  
domestic animals: Dunaisk Del'ta
- Dictyocaulosis, Treatment  
Golubev, N. F., 1958 a, 150-154  
phenothiazine
- Dictyocaulosis, Treatment  
Gorshkov, I. P., 1934 a, 46-51  
gas chamber treatment with chlorine and chlorpicrin, ovine
- Dictyocaulosis, Treatment  
Hollo, F.; and Kassai, T., 1959 a, 184-186  
cyanacethydracid, sheep
- Dictyocaulosis, Treatment  
Iarosh, L. D., 1953 a, 29  
therapy and prophylaxis, calves
- Dictyocaulosis, Treatment  
Kazanskii, S. I., 1956 a, 30-31  
calves
- Dictyocaulosis, Treatment  
Kibakin, V. V.; Medvedev, A. Ia.; and Abramov, V. I., 1960 a, 36-39  
importance for increased sheep production
- Dictyocaulosis, Treatment  
Konstantinov, V., 1936 a, 85-86  
copper sulphate, ovine
- Dictyocaulosis, Treatment  
Koshelenko, I. I.; and Iarosh, I. K., 1955 a, 57-58  
mineral-phenothiazine briquettes, sheep
- Dictyocaulosis, Treatment  
Loparev, I. V., 1962 a, 44-46  
aerosol therapy, ruminants
- Dictyocaulosis, Treatment  
McIntyre, W. I. M., 1962 a, 101-113  
prevention
- Dictyocaulosis, Treatment  
Martiushevskii, V. F., 1942 a, 40  
preparation of iodine, calves
- Dictyocaulosis, Treatment  
Muller, K., 1953 a, 102
- Dictyocaulosis, Treatment  
Murashkintsev, N. S.; and Kriukov, K. A., 1934 a, 51-55  
calves
- Dictyocaulosis, Treatment  
Orekhov, M. D., 1961 a, 79  
prophylaxis, sheep
- Dictyocaulosis, Treatment  
Orlov, I. V., 1935 a, 390-401  
intratracheal injections, sheep and calves
- Dictyocaulosis, Treatment  
Orlov, I. V., 1936 a, 226-235  
intra-tracheal injections, sheep, calves
- Dictyocaulosis, Treatment  
Ozerskaia, V. N., 1957 a, 223-225  
Ditrazin, calves, sheep
- Dictyocaulosis, Treatment  
Ozerskaia, V. N., 1958 b, 16-19  
Ditrazin, calves
- Dictyocaulosis, Treatment  
Ozerskaia, V. N., 1959 a, 208-210  
Ditrazin, ovine
- Dictyocaulosis, Treatment  
Ozerskaia, V. N.; et al., 1962 a, 41-44  
preimaginal dehelminthization, sheep
- Dictyocaulosis, Treatment  
Ozerskaia, V. N.; and Popova, K. A., 1958 a, 41-43  
iodine solution, comparative value of hypodermic and intratracheal injection, calves
- Dictyocaulosis, Treatment  
Palimpsestov, M. A.; Goncharova, A. P.; and Voitenko, I. Ia., 1957 a, 235-237  
sulphanilamide, ovine
- Dictyocaulosis, Treatment  
Palimpsestov, M. A.; Goncharov, A. P.; and Voitenko, I. Ia., 1958 a, 38-41  
sulphanilamide, sheep
- Dictyocaulosis, Treatment  
Panasiluk, D. I.; and Fakovlev, S. A., 1959 a, 27-29  
phenothiazine, sheep
- Dictyocaulosis, Treatment  
Pervakov, A. Ia., 1937 a, 467-468  
sheep
- Dictyocaulosis, Treatment  
Petrov, A. M., 1943 c, 39  
sheep, goats, calves
- Dictyocaulosis, Treatment  
Pogorilii, O. I.; and Meremins'kii, A. I., 1962 a, 45
- Dictyocaulosis, Treatment  
Popov, N. P., (1931 b), 23-24, 53-55  
sheep
- Dictyocaulosis, Treatment  
Prigor, M. I., 1953 a, 16-20  
prophylaxis, treatment, ruminants
- Dictyocaulosis, Treatment  
Sachkov, V. I., 1939 a, 65-66  
sheep
- Dictyocaulosis, Treatment  
Semenchuk, K. L., 1956 a, 45  
phenothiazine, ovine
- Dictyocaulosis, Treatment  
Shul'ts, R. E. S.; Murashkintsev, N. S.; Gorshkov, I. P.; and Petrov, A. M., 1935 a, 21-72  
sheep
- Dictyocaulosis, Treatment  
Shumilina, Z. V., [1951 b], 325-329  
camels
- Dictyocaulosis, Treatment  
Sirotenko, M. P.; and Rustovoy, I. F., 1958 a, 57-60  
ditrazine, ovine

- Dictyocaulosis, Treatment  
Slivitskiĭ, M. G., 1962 a, 47  
swine
- Dictyocaulosis, Treatment  
Smirnov, A. G., 1959 c, 40-41  
iodine vapor, calves
- Dictyocaulosis, Treatment  
Sybesma, R. P., 1953 a, 483-489  
calves
- Dictyocaulosis, Treatment  
Takhistov, B. A., 1956 a, 164-170  
iodine vapors, calves
- Dictyocaulosis, Treatment  
Takhistov, B. A., 1958 a, 41-42  
iodine vapor inhalations, calves
- Dictyocaulosis, Treatment  
Ugriumov, G. A., 1962 a, 39  
phenothiazine-salt mixture, sheep
- Dictyocaulosis, Treatment  
Umov, A. A., 1957 a, 41  
dithrazine, ovine
- Dictyocaulosis, Treatment  
Vodrazka, J., 1960 a, 381-392  
diethylcarbamazine effect with total tracheotomy, cattle
- Dictyocaulosis, Treatment  
Zagornyi, G. A., 1947 a, 40  
bovine
- Dictyocaulosis, Treatment  
Zil'berman, S., 1960 a, 39-40  
phenothiazine, livestock
- Dictyocaulosis, Treatment  
Zubov, S. P., 1958 a, 26-27  
Lugol's solution on novocain base, calves
- Dictyocaulosis, Treatment  
Zubov, S. P., 1958 b, 80  
aqueous solution of iodine on novocain base, bovine
- Dictyocaulus [n.g.]  
Railliet, A.; and Henry, A., 1907 a, 752  
type: *Strongylus filaria*
- Dictyocaulus Railliet & Henry  
Alessandrini, G. C., 1929 a, 170, fig. 151
- Dictyocaulus  
Australia. Commonwealth Scientific and Industrial Research Organization. Division of Animal Health and Production, [1951 a], 21
- Dictyocaulus Railliet & Henry  
Baylis, H. A., 1929 c, 173
- Dictyocaulus Railliet and Henry, 1907  
Baylis, H. A., 1936 a, 386, 389  
Metastrongylidae  
key to species, type: *D. filaria* (Rud., 1809)
- Dictyocaulus Raill. & Henry, 1907  
Baylis, H. A.; and Daubney, R., 1923 a, 575
- Dictyocaulus Railliet & Henry, 1907  
Baylis, H. A.; and Daubney, R., 1926 a, 176  
type: *D. filaria* (Rud.)
- Dictyocaulus Railliet and Henry, 1907  
Bhalerao, G. D., 1932 d, 244, 245, 247, 248
- Dictyocaulus Railliet and Henry, 1907  
Böhm, L. K.; and Gebauer, O., 1934 a, 289  
Metastrongylinae  
key
- Dictyocaulus Railliet et Henry, 1907  
de Bruyn, W. M., 1933 a, 142, 151  
type species: *D. filaria* (Rudolphi, 1809)
- Dictyocaulus  
Calzada, V., 1941 a, 515-522  
evolution
- Dictyocaulus  
Cameron, T. W. M., 1927 n, 1
- Dictyocaulus  
Cameron, T. W. M., 1933 a, 5
- Dictyocaulus  
Cassamagnagh, A.; and Vogelsang, E. C., 1921 a, [2]  
[as Dictyocaulus]
- Dictyocaulus Railliet and Henry, 1907  
Dougherty, E. C., 1946 a, 49-54  
Syn.: *Strongylus Muller*, 1780 (partim);  
*Bronchonema Mönnig*, 1932; *Dictyocaulus Skrjabin* in *Skr. & Schul'ts* 1934 (subg.);  
*Micrurocaulus Skrjabin* in *Skr. & Schul'ts* 1934 (subg.)
- Dictyocaulus Skrjabin in *Skrjabin and Shul'ts*, 1934 (subg.)  
Dougherty, E. C., 1946 a, 51  
as syn. of *Dictyocaulus Railliet and Henry*, 1907
- Dictyocaulus Railliet & Henry, 1907  
Dougherty, E. C., 1949 a, 220  
Syn.: *Bronchonema Mönnig*, 1932  
genotype: *D. filaria* (Rudolphi, 1809)  
Railliet & Henry, 1907
- Dictyocaulus  
Dougherty, E. C., 1951 a, 368
- Dictyocaulus  
Dougherty, E. C., 1951 b, 92, 93  
Metastrongylidae
- Dictyocaulus Railliet and Henry  
Dumitru, I., 1936 b, pl. 1, fig. a  
[as Dictyocaulus]
- Dictyocaulus  
Ershov, V. S.; and Rokhanskii, V. A., 1933 a, 77-81  
treatment, sheep
- Dictyocaulus  
Fiebiger, J., 1923 a, 262, 266-267
- Dictyocaulus Railliet and Henry, 1907  
Freeborn, S. B.; and Stewart, M. A., 1937 a, 61  
key
- Dictyocaulus  
Froger, P. E. J., 1933 a, 911  
treatment, bovine
- Dictyocaulus  
Gelormini, N., 1948 a, 148
- Dictyocaulus  
Goodwin, H., 1936 a, 66  
[as Dictyocaulus]
- Dictyocaulus  
Gorshkov, I. P., (1938 a), 152-202  
gas treatment, sheep
- Dictyocaulus  
Gratzl, E., 1943 a, 163
- Dictyocaulus  
Ihle, J. E. W., 1920 e, 759
- Dictyocaulus  
Iodine Educational Bureau, London, 1940 a, 27 pp.  
facts about iodine, horses
- Dictyocaulus  
Isaichikov, I. M., 1928 d, 14
- Dictyocaulus  
Jungmann, R., 1960 a, 589-604  
cyanacethydracid, sheep
- Dictyocaulus  
Kas'ianov, N.; and Orlovskii, F., (1934 a), 69-72  
treatment, sheep
- Dictyocaulus  
Korovaev, N. M., 1958 a, 55-56  
ditrazin phosphate, sheep
- Dictyocaulus  
Langeler, J. E. T., 1959 a, 650-656  
parasitic bronchitis, modern therapy
- [Dictyocaulus] Lungewurmer  
von Linden, M., 1920 a, 367-368  
pasture
- [Dictyocaulus] Lungewurmer  
von Linden, M., 1926 b, 88-89  
development

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Dictyocaulus R. & H.  
Lopez Neyra, C. R., 1924 a, 176
- Dictyocaulus  
Macrae, R. R., 1961 a, 193-195  
methyridine, veterinary practice
- Dictyocaulus  
Mulhearn, C. R., 1954 a, 60-64
- Dictyocaulus Railliet & Henry  
Neveu Lemaire, M., 1918 a, 11, 35, 40, 48, 49,  
50, 54, 58, 68-70, 71, 73, 74, 76, 80, 81, 82,  
84, 88, 90, 92, 108, 112, fig. 8
- Dictyocaulus Raill. & Henry  
Rasovskaya, R. I., 1924 a, 131
- Dictyocaulus Railliet & Henry  
Rauther, M., 1930 a, 378
- Dictyocaulus  
Sarwar, M. M., 1957 b, 228-229  
taxonomic position
- Dictyocaulus  
Schmid, F., 1932 a, 352-355  
control
- Dictyocaulus  
Schneider, 1931 a, 17
- Dictyocaulus  
Schöniger, D., 1951 a, 44 pp.  
treatment, cattle
- Dictyocaulus  
Sellers, K. C.; and Taylor, E. L., 1951 a,  
707-709  
anthiomaline, cattle
- Dictyocaulus Railliet & Henry 1907  
Seurat, L. G., 1918 a, 263
- Dictyocaulus Railliet & Henry  
Skrjabin, K. I., 1931 f, 55-56
- Dictyocaulus Railliet et Henry, 1907  
Skrjabin, K. I., 1933 c, 360, 361, 363
- Dictyocaulus Railliet et Henry, 1907  
Skrjabin, K. I.; et al., [1953 a], 608-614  
includes: Dictyocaulus arnfieldi (Cobbolt,  
1884); D. camelii Boev, 1951; D. eckerti  
Skrjabin, 1931; D. filaria (Rudolphi, 1809);  
D. viviparus (Bloch, 1782)
- Dictyocaulus Railliet and Henry, 1907  
Skrjabin, K. I.; and Shul'ts, R. E. S., 1934 a,  
11-12  
key to subgenera
- Dictyocaulus (Raill. et Henry, 1907) Skrjabin,  
1934  
Skrjabin, K. I.; and Shul'ts, R. E. S., 1934 a,  
11-12  
subgen.
- Dictyocaulus Railliet & Henry  
Sluiter, C. P.; Swellengrebel, N. H.; & Ihle,  
J. E. W., [1922 a], 410, 414-415
- Dictyocaulus  
Smirnov, A. I., 1946 a, 42  
Dictyocaulus pneumonia, treatment, calves
- Dictyocaulus  
Sprehn, C. E. W., 1927 e, 62
- Dictyocaulus Railliet und Henry, 1907  
Sprehn, C. E. W., 1932 c, 737, 739  
type species: D. filaria (Rudolphi, 1809)
- Dictyocaulus Railliet et Henry 1907  
Swietlikowski, M., 1961 a, 13-21, pl.  
morphology, taxonomy
- Dictyocaulus  
Theiler, G., 1923 a, 25
- Dictyocaulus  
Trach, V. N., 1959 d, 54  
freezing and drying
- Dictyocaulus  
Travassos, L. P., 1920 h, 66
- Dictyocaulus R. & H.  
Travassos, L. P., 1925 f, 1260  
type: D. filaria (Rud.)  
[as Dictyocaulus]
- Dictyocaulus  
Ul'fanov, D., 1960 a, 140-142  
phenothiazine, comparative action of continuous  
administration upon males and females
- Dictyocaulus  
Velu, H.; and Zottner, G., 1936 b, 517-522  
pyrethrins, sheep
- Dictyocaulus  
Velu, H.; and Zottner, G., 1937 d, 43-47  
pyrethrins, sheep
- Dictyocaulus  
Wardle, R. A., 1929 a, 76, 89
- Dictyocaulus  
Wükter, G., 1924 a, 2
- Dictyocaulus Railliet & Henry, 1907  
Yorke, W.; and Maplestone, P. A., 1926 a, 158,  
161-162  
type: D. filaria (Rud.)
- [Dictyocaulus] lungenwurmer  
Zenneck, L., 1923 a, 340  
on pasture
- Dictyocaulus sp.  
Arnao, M.; Gonzales, E.; and Arbaiza, E.,  
1949 a, 65  
Lama glama pacos
- Dictyocaulus (Micrurocaulus) sp.  
Asadov, S. M., 1954 a, 34, 37, 38, 39-40, 43  
Capreolus capreolus: Azerbaidzhan
- Dictyocaulus sp.  
Badanin, N. V., 1935 a, 12, 13  
Kameel
- Dictyocaulus [sp.]  
Badanin, N. V.; and Nazarov, M. V., 1936 a, 298
- Dictyocaulus spp.  
Ballantyne, E. E., 1955 a, 130  
sheep: Alberta  
cattle: "
- Dictyocaulus [sp.]  
Banks, J. A. W., [1955 a], 61  
sheep: Southern Australia
- Dictyocaulus sp.  
Baskakov, V. P., 1924 b, 15
- Dictyocaulus [sp.], larva  
Becklund, W. W.; and Allen, R. W., 1958 a, 588  
cattle (feces): Arizona and New Mexico
- Dictyocaulus [sp.]  
Boev, S. N., [1951 a], 274-275  
comparative susceptibility to infection,  
sheep and goats
- Dictyocaulus sp.  
Bump, G., 1940 a, 241  
deer: New York state
- Dictyocaulus sp.  
Bump, G., 1941 a, 225, 226  
deer
- Dictyocaulus [sp.], ova  
Cairo University Faculty Veterinary Medicine,  
Department of Parasitology, 1958 a, 234  
equines: Giza, Egypt
- Dictyocaulus [sp.]  
Cameron, T. W. M., 1933 b, 329-330  
pathology  
herbivores (bronchi)
- Dictyocaulus spp.  
Carroll, H. T., 1957 b, 13  
control  
ovejas: Peru
- Dictyocaulus spp.  
Clarke, E. A.; and Filmer, D. B., 1958 a, 404
- Dictyocaulus [sp.]  
Colombo, S., 1958 a, 194, 195, 201  
Capra ibex ibex  
Rupicapra rupicapra  
both from Parco Nazionale de Gran Paradise
- Dictyocaulus spp.  
Daubney, R., 1957 a, 17, 18  
control  
sheep: Syria

- Dictyocaulus [sp.]**  
Deschiens, R. E. A., 1944 b, 152
- Dictyocaulus sp.**  
Dikmans, G., 1929 a, 27  
cattle: Porto Rico
- Dictyocaulus sp.**  
Fenstermacher, R.; and Olsen, O. W., 1942 a, 244  
moose
- Dictyocaulus [sp.]**  
Fuller, W. A., 1962 a, 8, 33  
Bison b. bison x Bison bison Athabascae:  
Wood Buffalo National Park, Canada
- Dictyocaulus [sp.]**  
Great Britain Animal Health Services, 1953 c, 46  
cattle
- Dictyocaulus [sp.]**  
Gregoire, C.; et al., 1960 a, 181-190  
mouton  
taureau
- Dictyocaulus sp.**  
Hadwen, I. A. S.; and Palmer, L. J., 1922 a, 59  
Rangifer tarandus
- Dictyocaulus sp.**  
Hayes, F. A.; Greer, W. E.; and Shotts, E. B., 1958 a, 135  
Odocoileus virginianus
- Dictyocaulus sp.**  
Hayward, A. H., 1958 a, 14  
control, sheep: Afghanistan
- Dictyocaulus [n. sp.?]**  
Hellestnes, P., 1935 a, 201  
reindeer: Norway
- Dictyocaulus sp.**  
Herman, C. M., 1945 e, 204  
deer
- Dictyocaulus sp.**  
Isshiki, O., 1939 a, 37  
Camelus bacterianus
- Dictyocaulus sp.**  
Isshiki, O., 1939 b, 87
- Dictyocaulus [sp.]**  
Jacob, E. M., 1948 b, 68  
horse
- Dictyocaulus species**  
Kreis, H. A., 1950 a, 158  
okapi
- Dictyocaulus sp.**  
Krijsman, B. J., 1935 b, 107  
tapir (bronchi): Nederlandsch-Indië
- Dictyocaulus [sp.]**  
Longhurst, W. N.; Douglas, J. R.; and Baker, N. F., 1954 a, 5-6  
transference factors, domestic sheep and black-tailed deer
- Dictyocaulus [sp.]**  
de Mello, M. J., 1948 a, 451-452  
oxen and pigs
- Dictyocaulus [sp.]**  
Mönnig, H. O., 1933 f, 26, 28  
treatment, sheep and goats (bronchial tubes)
- Dictyocaulus [sp.]**  
Mönnig, H. O., 1937 h, 168  
sheep: South Africa
- Dictyocaulus [sp.]**  
Morozov, Iu. F., [1959 b], 243-246  
biology in ungulates: Belovezha forest  
Geotrupes stercorarius (exper.)  
G. stercorosus (exper.)
- Dictyocaulus [sp.]**  
Nanobashvili, V. I., 1939 a, 54  
sheep, nomadic conditions
- Dictyocaulus sp.**  
Nöller, W., 1933 a, 417  
Camelus bactrianus: Deutschland (aus Uralsk)
- Dictyocaulus [sp.]**  
Orhan, A., [1958 a], 30, 31  
goats  
cattle
- Dictyocaulus sp.**  
Priadko, E. I., 1961 b, 343  
cattle (lung): Kazakhstan
- Dictyocaulus sp.**  
Railliet, A.; & Henry, A. C. L., 1918 a, 84  
monkey
- Dictyocaulus [sp.]**  
Rubino, M. C.; and Calzada, V., 1934 a, 32 pp.  
ovine: Uruguay
- Dictyocaulus sp.**  
Rush, W. M., [1932 a], 56, 105  
antelope: northern Yellowstone
- Dictyocaulus spp.**  
Schwartz, B.; and Bishopp, F. C., 1942 a, 284
- Dictyocaulus [sp.], larva**  
Simunek, J., 1960 a, 12, 14, 15, 17, 18  
treatment
- Dictyocaulus spp.**  
Skrjabin, K. I.; and Shul'ts, R. E. S., 1933 b, 215, 218-223, 224, 235  
ovins  
veaux
- Dictyocaulus spp.**  
Slater, (Sir) W. K., 1959 b, 102  
goats: Cyprus
- Dictyocaulus [sp.]**  
Sopel'chenko, M. I., 1953 a, 51-52  
presence of larvae in soil of semiarid steppes of Uzbekistan
- Dictyocaulus [sp.]**  
Swietlikowski, M., 1958 a, 461-463  
morphology, ruminants
- Dictyocaulus [sp.]**  
Teuscher, E.; and Stunzi, H., 1956 a, 265, 266  
Ammotragus lervia: Zool. Gartens, Zürich  
Camelus bactrianus: " " "
- Dictyocaulus [sp.]**  
Travassos, L. P.; Teixeira de Freitas, J. P.; and Lent, H., 1939 a, 226  
Mazama americana: Estrado de Ferro  
Noroeste, Brasil
- Dictyocaulus [spp.]**  
Ullrich, H., 1938 b, 147-148, 149, 151  
origin and control in Cervidae
- Dictyocaulus [sp.]**  
Urquhart, G. M.; Hay, D.; Zaphiro, D. R. P.; and Spinage, C. A., 1960 a, 17  
Gorgon taurinus (trachea, bronchi): Kenya
- Dictyocaulus sp.**  
Vaughan, A. W., 1953 a, 60  
sheep: St. Kitts, B. W. I.  
goat: St. Kitts, B. W. I.
- Dictyocaulus [sp.]**  
Velu, H.; and Zottner, G., 1937 c, 53-58  
mouton
- Dictyocaulus [sp.]**  
Viscontini, V., [1943 a], 4  
mouton: Algerie
- Dictyocaulus spp.**  
Walley, J. K., 1961 b, 159, 161, 165, 166, 167  
treatment
- Dictyocaulus spp.**  
Whitlock, H. V., 1957 b, 6, 7  
carneros: Ecuador
- Dictyocaulus [sp.]**  
Yamagiwa, S.; Itabashi, K.; and Ito, S., 1932 a 67-80  
prevalence, cattle: inner Mongolia; South Manchuria
- Dictyocaulus [sp.]**  
Zavadil, R., 1957 a, 373  
Ovis musimon  
O. aries  
Camelus bactrianus

- Dictyocaulus affinis*  
Tillier, S., 1928 a, 830, 835  
[?for *D. filaria* (Rud., 1809)]
- Dictyocaulus arnfieldi*  
Akramovskii, M. N., 1959 a, 8-9  
therapy, equine
- Dictyocaulus arnfieldi* (Cobbold)  
Alessandrini, G. C., 1929 a, 170
- Dictyocaulus arufeldi* [sic]  
Andrews, J. S., [1941 a], 133  
ganado equino: Puerto Rico
- Dictyocaulus arnfieldi* (Cobbold)  
Augustine, D. L., 1929 a, 409
- Dictyocaulus arnfieldi*  
Baker, D. W., 1951 a, 462  
horse: Paraguay
- Dictyocaulus arnfieldi*  
Baker, D. W.; and Góralp, N., 1957 a, 456-464  
ponies: New York  
donkey: " "
- Dictyocaulus arnfieldi*  
Baylis, H. A., 1924 d, 16
- Dictyocaulus arnfieldi* (Cobbold)  
Baylis, H. A., 1929 c, 174  
horse  
donkey
- Dictyocaulus arnfieldi* (Cobbold, 1884) Railliet  
and Henry, 1907  
Baylis, H. A., 1936 a, 389, 392  
synonymy  
horse: Punjab  
donkey  
Tapirus indicus: France
- Dictyocaulus arnfieldi*  
Belkin, I. Ia., 1937 a, 37-44  
pathology, anatomy
- Dictyocaulus arnfieldi* (Cobbold)  
Böhm, L. K., 1929 a, 604
- Dictyocaulus (D.) arnfieldi* (Cobbold, 1884)  
Railliet et Henry, 1907  
Boev, S. N., 1957 b, 17  
key
- Dictyocaulus arnfieldi* (Cobbold, 1884)  
Boev, S. N., 1959 a, 931  
Equus caballus: Kazakhstan
- Dictyocaulus arnfieldi*  
Bondareva, V. I., [1941 a], 273  
horse: East Kazakhstan oblast
- Dictyocaulus arnfieldi*  
Borchert, A., 1950 c, 3
- Dictyocaulus arnfieldi*  
Borovkova, A. M., 1948 a, 13-14  
epizootiology, horses
- Dictyocaulus arnfieldi* (Cobbold, 1883)  
Burdzhanadze, P. L., 1943 a, 59  
Equus caballus: Georgia [SSR]
- Dictyocaulus arnfieldi* (Cobbold, 1882)  
Burdzhanadze, P. L., 1943 b, 68, 69, 73  
[horse] loshadi: Georgian SSR  
[ass] osel: Georgian SSR
- Dictyocaulus arnfieldi*  
Cameron, T. W. M., 1926 h, 61-68  
morphology, adults, equines
- Dictyocaulus arnfieldi*  
Cameron, T. W. M., 1932 b, 775, 778  
horse
- Dictyocaulus arnfieldi* (Cobb., 1884) R. & H., 1907  
Cameron, T. W. M., 1933 a, 3, 6, 7, 8, 12, 13  
Syn.: *Strongylus arnfieldi*  
equines  
tapir
- Dictyocaulus arnfieldi* (Cobbold, 1889)  
Cavalcanti Proenca, M., 1935 a, 274  
Equus caballus: [Escola Veterinaria do Exercito, Brasil]
- Dictyocaulus arnfieldi* (Cobbold, 1884)  
Chavarria Chavarria, M., 1938 c, 3  
caballo: Chapultepec, Mexico
- Dictyocaulus arnfeldi* [sic] (Cobbold, 1884)  
Railliet and Henry, 1907  
Dougherty, E. C., 1946 a, 49, 51, 52  
synonymy
- Dictyocaulus arnfieldi*  
Faulkner, D. E., [1958 a], 36  
horse  
ass
- Dictyocaulus arnfieldi* Cobb.  
Fiebiger, J., 1923 a, 267, 271, 410, 417  
Syn.: *Strongylus arnfieldi*  
pferd
- Dictyocaulus arnfieldi* (Railliet)  
Fiebiger, J., 1923 a, 47
- Dictyocaulus arnfieldi*  
Fitch, C. P., 1918 a, 329
- Dictyocaulus arnfieldi*  
Fletcher, R. B., 1960 a, 1171
- Dictyocaulus arnfieldi*  
Foster, A. O., 1942 a, 471
- Dictyocaulus arnfieldi* (Cobbold, 1884)  
Freitas, M. G., 1957 b, 373, 374  
[horse] equinos: Estado de Minas Gerais  
[mule] muar: Estado de Minas Gerais
- Dictyocaulus arnfieldi*  
Freund, L., 1927 b, 332
- Dictyocaulus arnfieldi*  
Fricker, J., 1939 a, 674  
[horse] paard  
[ass] ezel  
both from Suriname
- Dictyocaulus arnfieldi* (Cobbold)  
Gaibov, A. D., 1937 a, 179  
horses: Azerbaijan (Baku)
- Dictyocaulus arnfieldi* (Cobbold, 1884)  
Gonçalves, P. C., 1961 b, 41-43  
Equus asinus (bronquios): Rio Grande do Sul (Brasil)
- Dictyocaulus arnfieldi*  
Gruiner, S. A., 1927 d, 12-13  
horses
- Dictyocaulus arnfieldi*  
Hall, M. C., 1922 r, 455
- Dictyocaulus arnfieldi* (Cobbold)  
Hall, M. C., 1922 y, 132-134  
Tapirus indicus  
horse
- Dictyocaulus arnfieldi*  
Hall, M. C., [1923 b], 148
- Dictyocaulus arnfieldi* (Cobbold)  
Herms, W. B.; and Freeborn, S. B., 1917 a, 863  
colts
- Dictyocaulus arnfieldi*  
Holmes, J. W. H., 1960 a, 1238  
horses
- Dictyocaulus arnfieldi*  
Jacob, E. M., 1948 b, 68  
pferd
- Dictyocaulus arnfieldi*  
Janowski, B., 1951 a, 405
- Dictyocaulus arnfieldi* [sic] (Cobb.)  
Joan, T., 1922 a, 13  
Equus
- Dictyocaulus (Strongylus) arnfieldi*  
Johnston, T. H., 1910 e, 77  
horse: New South Wales
- Dictyocaulus arnfieldi*  
Johnston, T. H., 1918 c, 213  
horse
- Dictyocaulus arnfieldi* Cobbold  
Karokhin, V. I., 1928 a, 40, 65
- Dictyocaulus (D.) arnfieldi* (Cobbold, 1884)  
Railliet et Henry, 1907  
Kazlauskas, J., [1959 a], 88  
horses: Lithuanian SSR
- Dictyocaulus arnfieldi* (Cobbold, 1883)  
Kl'osov, M. D.; Gnatuk, S. A.; and Bekerman,  
M. Ia., 1941 b, 143, 144  
[horses]

- Dictyocaulus arnfieldi*  
Kopyrin, A. V., 1941 a, 77, 78, 82, 84
- Dictyocaulus arnfieldi*  
Kulikov, N. S., 1935 a, 82-84  
diagnosis, cheval
- Dictyocaulus arnfieldi* (Cobbold, 1883)  
Kulikov, N. S., 1938 a, 171, 175  
[p. 175 as *P. arnfieldi*]  
Pferd: Uk. SSR
- Dictyocaulus arnfieldi* [sic]  
Kulikov, N. S., 1959 a, 36  
overwintering: Irkutsk oblast
- Dictyocaulus arnfieldi*  
Kulikov, N. S.; and Tamarin, I. B., 1935 a, 88  
treatment, equines
- Dictyocaulus arnfieldi*  
Lapage, G., 1949 b, 150
- Dictyocaulus arnfieldi* (Cobbold)  
Le Roux, P. L., 1924 a, 112  
equines: Edinburgh
- Dictyocaulus arnfieldi* Cobbold  
Lopez Neyra, C. R., 1924 a, 178
- Dictyocaulus arnfieldi* (Cobbold, 1884)  
McClure, G. W., 1933 a, 33, 34, 39-40  
*Equus zebra* (lungs): N. York Zool. Park
- Dictyocaulus arnfieldi* (Cobbold, 1884)  
McClure, G. W., 1934 a, 52, 54  
*Equus zebra*: N. Y. Zool. Park
- Dictyocaulus arnfieldi* (Cobbold, 1884)  
Mackerras, M. J., 1958 b, 149  
*Equus caballus*: Australia
- Dictyocaulus arnfieldi*  
Mettam, R. W. M., 1932 a, 20  
donkey: Uganda
- Dictiocaulus* [sic] *arnfieldi* (Cobbold, 1884)  
Mikacic, D., 1936 c, 537, 541, 543, 545-546  
Pferd: Zagreb
- Dictyocaulus arnfieldi*  
Milošević, S., 1937 a, 210, 214, 215, 217  
[p. 215 *D. arnfieldi*]
- Dictyocaulus arnfieldi* (Cobbold, 1884)  
Mönnig, H. O., 1928 a, 813  
horse  
zebra
- Dictyocaulus arnfieldi*  
Mönning, H. O., 1930 f, 183, 184
- Dictyocaulus arnfieldi* Cobbold, 1884  
Mudaliar, S. V.; and Alwar, V. S., 1947 b, 88  
pony: Madras
- Dictyocaulus arnfieldi* (Cobbold)  
Neveu-Lemaire, M., 1918 a, 12, 49, 54, 70, 89  
*Equus caballus*  
E. asinus
- Tapirus indicus*
- Dictyocaulus arnfieldie* [sic] (Cobbold, 1884)  
Oguni, H.; Taniguchi, M.; Shirai, W.; and  
Hiramoto, K., 1960 a, 475
- Dictyocaulus arnfieldi* (Cobbold, 1884) Railliet and Henry  
Oldham, J. N., 1938 a, 1135  
synonymy
- Dictyocaulus arnfieldi*  
Patino-Camargo, L., 1942 c, 528  
donkeys: Colombia
- Dictyocaulus arnfieldi*  
Petrov, A. M.; Dzhavadov, M. K.; and Arshinov, V. G., [1935 a], 35-40
- Dictyocaulus arnfieldi*  
Pillers, A. W. N., 1912 a, 167  
ass (respiratory tract)
- Dictyocaulus arnfieldi*  
Pillers, A. W. N., 1922 c, 360
- Dictyocaulus arnfieldi* (Cobbold, 1884)  
Pinto, C. F.; and Lins de Almeida, J., 1937 b, 475  
*Equus caballus*: Bresil
- Dictyocaulus arnfieldi*  
Poulton, W. F., 1929 b, 18  
donkey: Uganda
- Dictyocaulus arnfieldi*  
Price, E. W., 1928 e, 200  
horse: Texas  
mule: Texas
- Dictyocaulus arnfieldi* (Cobbold, 1884) Railliet and Henry, 1907  
Rai, P., [1960 a], 102, 106, 110  
*Equus asinus*: India
- Dictyocaulus arnfieldi* (Cobbold, 1884) Railliet & Henry 1907  
Rai, P.; and Srivastava, J. S., 1958 a, 456-457  
*Equus asinus*: India
- Dictyocaulus arnfieldi* Cobbold, 1884  
Reyes, R. V., 1938 a, 21  
caballo: Colombia
- Dictyocaulus arnfieldi*  
Roth, H.; and Vindeklide, T., 1947 a, 141-157
- Dictyocaulus arnfieldi* (Cobbold)  
Roveda, R.; and Ringuelet, R., 1947 a, 72  
*Equus caballus*: Argentina
- Dictyocaulus arnfieldi*  
Sandground, J. H., 1921 a, 326  
horse
- Dictyocaulus arnfieldi*  
Sankaranarayanan, M. V.; Das, D. N.; and Sundaram, S., 1957 a, 42, 44, 45  
bursa as a diagnostic character
- Dictyocaulus arnfieldi*  
Schwartz, B.; Imes, M.; and Foster, A. O., 1948 a, 30  
treatment, horses
- Dictyocaulus arnfieldi*  
Schwartz, B.; Imes, M.; and Wright, W. H., 1933 a, 27  
horse
- Dictyocaulus arnfieldi* (Cobbold, 1884)  
Seddon, H. R., 1947 c, 8  
horse: Australia
- Dictyocaulus arnfieldi* (Cobbold, 1884)  
Shul'ts, R. E. S.; Gnedenina, M. P.; and Kadennatsii, A. N., 1938 a, 36  
[horse] loshad: Bashkiria
- Dictyocaulus* (*Dictyocaulus*) *arnfieldi* (Cobbold, 1882)  
Skrjabin, K. I.; and Shul'ts, R. E. S., 1934 a, 12, 38, 40-41, 48  
horse
- Dictyocaulus arnfieldi*  
Skrjabin, K. I.; and Shul'ts, R. E. S., 1936 a, 430-432
- Dictyocaulus arnfieldi* (Cobbold)  
Skrjabin, K. I.; and Shul'ts, R. E. S., 1937 a, 302-303
- Dictyocaulus arnfieldi* (Cobbold)  
Sluiter, C. P.; Swelengrebel, N. H.; and Ihle, J. E. W., [1922 a], 414, 415, 443
- Dictyocaulus arnfieldi* (Cobbold, 1884) Railliet et Henry, 1907  
Soliman, K. N., 1960 b, 191-195, pl. IV figs. 1, 2, pl. V figs. 3, 4, pl. VI figs. 5, 6, pl. VII figs. 7, 8  
morphology, donkey: Egypt
- Dictyocaulus arnfieldi*  
Sprehn, C. E. W., 1927 e, 63
- Dictyocaulus arnfieldi* (Cobbold, 1884)  
Sprehn, C. E. W., 1932 c, 740, 816, 817  
Syn.: *Strongylus arnfieldi* Cobbold, 1884;  
*Dictyocaulus arnfieldi* (Cobbold, 1884)  
Railliet und Henry, 1907  
*Equus caballus* (Bronchien)  
*Equus asinus*
- Dictyocaulus arnfieldi* (Cobb., 1884) R. and H., 1907  
Srivastava, H. E., 1937 e, 585, 590
- Dictyocaulus arnfieldi*  
Swales, W. E., 1933 c, 478  
*Equus caballus*: Ontario

- Dictyocaulus arnfieldi* Cobbold., 1884  
 Theiler, G., 1923 a, 25, 83, 100, 101, 104,  
 106, 108, 110  
 horse: South Africa  
 donkey: "  
*Dictyocaulus arnfieldi*  
 Thomas, R. E.; and Jones, L. P., 1960 a, 38-40  
 treatment with Cyanacethydiazide  
*Dictyocaulus arnfieldi* (Cobbold, 1884)  
 Torreggiani, G., 1914 a, 406  
 cavallo: Bolivia; La Paz  
 asini: " " ; Cochabamba  
*Dictyocaulus arnfieldi* Cobbold, 1884  
 Toshchev, A. P., 1949 b, 175  
 horses: eastern Siberia  
*Dictyocaulus arnfieldi*  
 Underhill, B. M., 1920 a, 261  
*Dictyocaulus arnfieldi*  
 Van Volkenberg, H. L., 1935 b, 12  
 horses (bronchi, bronchioles): Puerto Rico  
*Dictyocaulus arnfieldi*  
 Van Volkenberg, H. L., 1938 a, 7  
 horse: Puerto Rico  
*Dictyocaulus arnfieldi*  
 Van Volkenberg, 1939 a, 7  
 horse: Puerto Rico  
*Dictyocaulus arnfieldi*  
 Vasil'ev, A. A., 1959 b, 194  
 Ditrazin, horses  
*Dictyocaulus arnfieldi* (Cobbold, 1884)  
 Vaz, Z., 1934 c, 74  
 equideos: Brasil  
*Dictyocaulus arnfieldi* (Cobbold, 1884)  
 Veglia, F., 1920 a, 27-28  
 cavallo: Natal  
 zebra: Pretoria  
*Dictyocaulus arnfieldi*  
 Velu, H.; and Barotte, J. H., 1924 a, 337,  
 342  
 equides  
 tapir  
*Dictyocaulus arnfieldi* (Cobbold, 1884)  
 Vogelsang, E. G., 1959 a, 98  
 zebra: Venezuela  
*Dictyocaulus arnfieldi* (Cobbold, 1884)  
 Vražić, O.; and Rijavec, M., 1960 a, 130-131,  
 132, 133  
 Equus asinus: P. R. of Croatia  
*Dictyocaulus arnfieldi*  
 Ward, J. W., 1946 b, 13  
 horse: Mississippi  
 mule: "  
*Dictyocaulus arnfieldi*  
 Ward, J. W., 1947 b, 23  
*Dictyocaulus arnfieldi* (Cobbold, 1884)  
 Wetzel, R., [1953 a], 3  
 Pferd (Bronchien)  
 Esel  
*Dictyocaulus arnfieldi*  
 Wetzel, R.; and Enigk, K., 1938 e, 94-105,  
 figs. 1-6;  
 biology, ungulate  
*Dictyocaulus arnfieldi*  
 Wetzel, R.; and Enigk, K., 1938 f, 106-114,  
 fig. 1  
*Dictyocaulus arnfieldi*  
 Wetzel, R.; and Quittek, G., 1940 a, 347  
 equiden  
*Dictyocaulus arnfieldi*  
 Wright, J., 1952 b, 16  
 donkey: Jamaica  
*Dictyocaulus arnfieldi* (Cobbold)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 162  
 equines  
*Dictyocaulus arnfieldi*  
 Zhdanova, N. G., 1961 a, 405  
 donkeys: Uzbekistan  
*Dictyocaulus arnfieldi*  
 Zwart, D., 1959 c, 825  
 paard: Dutch New Guinea
- Dictyocaulus bisonis* sp. nov.  
 Koffman, M., 1942 a, 156, 157, 158, 159, 167, 169, 170,  
 171, 188, 189, 190, 191, 192, figs. 8-12  
*Bison europeus*: Sweden  
*Dictyocaulus bisonis* Koffman, 1942  
 Dougherty, E. C., 1946 a, 50, 52  
 as syn. of *D. viviparus* (Bloch, 1782) Railliet and  
 Henry, 1907  
*Dictyocaulus camelii*  
 Boev, S. N., 1954 a, 780  
 camel: Kazakhstan  
*Dictyocaulus camelii*  
 Boev, S. N., 1954 c, 167  
 verblifid [camels]: Kazakhstan  
*Dictyocaulus camelii* Boev, 1952  
 Boev, S. N., 1957 a, 17, 25  
 key  
 Syn.: *D. viviparus* (Bloch, 1782) Railliet et Henry,  
 1907 (ex parte)  
*Dictyocaulus camelii* Boev, 1952  
 Boev, S. N., 1959 a, 931  
*Camelus bactrianus*: Kazakhstan  
*Dictyocaulus camelii* Boev, 1952  
 Shumilina, Z. V., [1954 aj], 794-800, figs. 1-2  
 camels  
*Dictyocaulus camelii*  
 Shumilina, Z. V., 1955 a, 316  
 camels: Western Kazakhstan oblast  
*Dictyocaulus (Micrurocaulus) camelii* Boev, 1951.  
 Skrjabin, K. I.; et al., 1953 a, 614  
 Syn.: *D. hadwени* Chapin, 1925 ex parte  
*Camelus*: Asia; Europe  
*Dictyocaulus (Micrurocaulus) camelii* Boev, 1951  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Shul'ts, R. E.  
 S., 1954 a, 30-36, figs. 6-7a  
*Camelus dromedarius*  
*C. bactrianus*  
 both from SSSR, MNR  
*Dictyocaulus camelii* Boev, 1952  
 Świertlowski, M., 1958 a, 463  
 as syn. of *D. viviparus* (Bloch, 1782)  
*Dictyocaulus camelii* Boyev, 1951  
 Świertlowski, M., 1961 a, 16, 17, 18, pl., figs. 1-2  
 as syn. of *D. viviparus* Bloch, 1782  
*Dictyocaulus eckerti* [n. sp.]  
 Skrjabin, K. I., 1929 c, 335  
*Dictyocaulus eckerti* n. sp.  
 Skrjabin, K. I., 1931 d, 12, 56-57, 78, fig. 43, 1 col.  
 pl.  
 [Rangifer tarandus]  
*Dictyocaulus eckerti*  
 Belfaeva, M. I., 1957 a, 36  
*Cervus elaphus*: Belovezh forest  
*Dictyocaulus eckerti* (Skrjabin, 1931)  
 Belfaeva, M. I., 1959 b, 105  
*Cervus elaphus*  
*Capreolus capreolus*  
 (lungs of both): both from Belovezhskaya Pushcha  
*Dictyocaulus eckerti*  
 Boev, S. N., 1954 a, 780  
 stag  
 roe deer  
 both from Kazakhstan  
*Dictyocaulus eckerti*  
 Boev, S. N., 1954 c, 167  
*maral* [*Cervus elaphus canadensis*]  
*kosulfa* [*Capreolus capreolus* or *C. pygargus*]  
 both from Kazakhstan  
*Dictyocaulus eckerti* Skrj., 1931  
 Boev, S. N., 1957 a, 17  
 key  
*Dictyocaulus eckerti* Skrj., 1931  
 Boev, S. N., 1959 a, 931  
*Cervus elaphus canadensis*  
*Capreolus c. pygargus*  
 both from Kazakhstan  
*Dictyocaulus eckerti* Skrjabin, 1931  
 Dikmans, G., 1936 f, 301-302  
 (?) as syn. of *D. viviparus* (Bloch)

- Dictyocaulus (*Micrurocaulus*) eckerti Skrjabin, 1931  
 Guoth, S., 1958 b, 675-682  
*Cervus elaphus*: Nationalpark in Hohen Tatra  
 Dictyocaulus eckerti Skrjabin 1931  
 Guoth, S., 1960 a, 366, 368, 369, 370  
*Cervus elaphus*: Tatranského Národného Parku  
 Dictyocaulus eckerti Skrjabin  
 Hellesnes, P., 1935 a, 129, 201  
 reindeer: Norway  
 Dictyocaulus eckerti  
 Mitskevich, V. Šu., 1953 a, 26  
 reindeer  
 Dictyocaulus eckerti Skrjabin, 1931  
 Morozov, Iš. F., [1959 a], 243, 244, 245  
 blagorodnyi olen [*Cervus elaphus*]  
 kosulia [*Capreolus capreolus*]  
 calves (exper.)  
 all from Belovezha forest  
 Dictyocaulus eckerti Skrjabin, 1931  
 Rykovskii, A. S., 1959 a, 254, 260  
*Alces alces*: European Section of SSSR  
 Dictyocaulus (*Micrurocaulus*) eckerti Skrjabin, 1931  
 Skrjabin, K. I.; et al., [1953 a], 614  
 Syn.: *D. hadweni* Chapin, 1925 ex parte  
 Rangifer tarandus  
*Cervus elaphus canadensis*  
*C. e. elaphus*  
*Alces americanus*  
*Capreolus capreolus*  
 Dictyocaulus eckerti Skrj., 1931  
 Skrjabin, K. I.; and Shul'ts, R. E. S., 1934 a, 43, 44,  
 46, 48  
 as syn. of *D. hadweni*  
 Dictyocaulus (M.) eckerti  
 Sulimov, A. D., 1959 a, 174  
 kosulia [*Capreolus capreolus*]: Tuvin antonomous  
 oblast  
 Dictyocaulus eckerti  
 Świetlikowski, M., 1961 a, 16, 17  
 measurements  
 Dictyocaulus eckerti  
 Whitlock, J. H., 1960 a, 47  
 caribou: New York  
 Dictyocaulus filaria  
 Abasi, H. P., 1932 a, 140-141  
 sheep, verminous bronchitis  
 Dictyocaulus filaria  
 Adams, A. R. D., 1933 b, 4  
 sheep: Africa  
 Dictyocaulus filaria  
 Adiwinata, R. T., 1958 b, 77-81, figs. 1, 2  
 Dictyocaulus filaria  
 Agrin-Zonskii, P., 1929 a, 279-282  
 Dictyocaulus filaria  
 Agrin-Zonskii, P., 1929 b, 303-306  
 Dictyocaulus filaria  
 Alberti, A., (1941 a)  
 bronchial pneumonia, sheep  
 Dictyocaulus filaria (Rud.)  
 Alessandrini, G. C., 1929 a, 170  
 Dictyocaulus filaria  
 Almada Píriz, J. C., 1946 a, 10-11  
 sheep  
 Dictyocaulus filaria  
 Almada Píriz, J. C., 1947 a, 41  
 sheep  
 Dictyocaulus filaria  
 Almada Píriz, J. C.; and Almada Píriz, C. A.,  
 1947 a, 8  
 sheep  
 Dictyocaulus (*Dictyocaulus*) filaria (Rudolphi,  
 1809)  
 Altaev, A. Kh., 1959 a, 11  
 sheep  
 goats  
 both from Dagestan ASSR  
 Dictyocaulus filaria Rudolphi, 1809  
 Anderson, E. C., 1960 a, 48-49  
 life cycle, bionomics
- Dictyocaulus filaria  
 Andreeva, N. K., 1958 a, 59-78, pl. IV, fig. 9  
 Dictyocaulus filaria  
 Andrlé, O.; Erhardová, B.; and Müller, K.,  
 1958 a, 8  
 treatment  
 Dictyocaulus filaria  
 Arnao de McGregor, M., 1954 a, 79  
*Lama glama pacos*: Puno  
 Dictyocaulus filaria  
 Arnao Mendoza, M., 1950 b, 35, 36, 37, pls. 1-  
 6  
*Ovis (O.) aries*  
 Dictyocaulus filaria  
 Arnao Mendoza, M., 1951 a, 76, 78, 80  
*Ovis aries*  
*Capra hircus*  
*Lama glama pacos*  
(bronchi of all): all from [Peru]  
 Dictyocaulus filaria  
 Artukh, B. S., 1936 a, 119, 120, 122  
sheep: Ukraine  
 Dictyocaulus filaria (Rud., 1809) Raill. et  
Henry, 1907  
 Asadov, S. M., 1957 a, 86  
*Gazella subgutturosa*: Azerbaidzhan  
 Dictyocaulus filaria (Rud.)  
 Augustine, D. L., 1929 a, 351, 355, 408-409,  
fig. 197  
 Dictyocaulus filaria (Rudolphi, 1809) Railliet &  
Henry, 1907  
 Ault, C. N., 1943 c, 473, 483, 485, figs. 41,  
42  
*Ovis aries*: Argentina  
 Dictyocaulus filaria Rudolphi, 1809  
 Badanin, N. V., 1935 b, 3, 8, 12, 13  
 Kameel  
 Dictyocaulus filaria  
 Badanin, N. V., 1936 e, 290, 291, 292  
treatment  
 Dictyocaulus filaria Rudolphi, 1809  
 Badanin, N. V., 1938 a, 63, 66  
chameau turcoman: Ashkhabad  
 Dictyocaulus filaria  
 Badanin, N. V., 1958 a, 86  
ovine, influence of breeds  
 Dictyocaulus filaria  
 Baudet, E. A. R. F., 1929 h, 330  
 Dictyocaulus filaria  
 Baumann, R., 1939 a, 472  
Schafe: Ankara (Türkei)  
 Dictyocaulus filaria (Rud.)  
 Baylis, H. A., 1929 c, 173-174, 177, fig. 123  
sheep  
goat  
deer  
camel  
 Dictyocaulus filaria (Rud., 1809) Railliet and  
Henry, 1907  
 Baylis, H. A., 1936 a, 389-391, fig. 182  
synonymy  
sheep  
goat  
camel  
deer  
chamois  
 Dictyocaulus filaria (Rud., 1809)  
 Baylis, H. A.; and Daubney, R., 1923 a, 575  
sheep  
 Dictyocaulus filaria (Rudolphi, 1809)  
 Baylis, H. A.; and Daubney, R., 1926 a, 176  
 Dictyocaulus filaria  
Behrens, H., 1951 a, 395  
sheep, treatment  
 Dictyocaulus filaria  
Bell, A. T.; and Young, R. B., 1961 a, 25-27  
sheep, treatment, transmission: Queensland  
 Dictyocaulus filaria  
Bell, A. T.; and Young, R. B., 1961 b, 1  
sheep, treatment

- Dictyocaulus filaria**  
*Belschner, H. G.*, 1925 b, 492-494
- Dictyocaulus filaria**  
*Belschner, H. G.*, 1944 a, 218, 219, fig.  
 Syn.: *Strongylus filaria*
- Dictyocaulus filaria**  
*Bennetts, H. W.*, 1928 b, 49, 50  
*Ovis aries*: Australia
- Dictyocaulus filaria** (Rud., 1809)  
*Beshevli, L. I.*, 1957 b, 161  
 sheep: Odessa oblast
- Dictyocaulus filaria** (Rud., 1809)  
*Bhalerao, G. D.*, 1932 d, 248
- Dictyocaulus filaria**  
*Bhalerao, G. D.*, 1939 b, 373  
 buffalo: Peshawar
- Dictyocaulus filaria**  
*Bhalerao, G. D.*, 1940 c, 175  
 buffalo: India
- Dictyocaulus filaria**  
*Bhatia, B. B.*; and *Pande, B. P.*, 1960 a, 217-220, 229, 230, 231, figs. 1, 7(c), 9-10, pl. 1(a)-(c)  
 sheep (bronchi and bronchioles): Uttar Pradesh
- Dictyocaulus filaria** (Rudolphi, 1809)  
*Bhattacharjee, J.*, 1937 a, 89  
 synonymy  
 goat: Burma
- Dictyocaulus filaria** (Rud.)  
*Böhm, L. K.*, 1929 a, 604
- Dictyocaulus filaria**  
*Böhm, L. K.*; and *Supperer, R.*, 1956 a, 173  
 Lamm: Dürnhof bei Zwettl, Nieder-Oesterreich
- Dictyocaulus filaria**  
*Boev, S. N.*, 1936 b, 303
- Dictyocaulus filaria** (Rud., 1809)  
*Boev, S. N.*, 1937 a, 55, 56, 57, 62  
 [sheep]: Alma-Ata territory, Kazakhstan
- Dictyocaulus filaria** (Rud., 1809) R. et H., 1907  
*Boev, S. N.*, 1940 a, 85, 97  
 ovines: Kasakstan sud-est
- Dictyocaulus filaria** (Rud., 1809)  
*Boev, S. N.*, [1941 b], 283, 284  
 sheep: south eastern Kazakhstan
- Dictyocaulus filaria**  
*Boev, S. N.*, 1954 a, 780  
 sheep  
 domestic goats  
 camel  
 all from Kazakhstan
- Dictyocaulus filaria**  
*Boev, S. N.*, 1954 c, 167  
 ovitsa [sheep]  
 arkhar [Ovis ammon]  
 koza [goats]  
 verblid [camel]  
 all from Kazakhstan
- Dictyocaulus filaria** (Rud., 1809), Railliet et Henry, 1907  
*Boev, S. N.*, 1957 a, 17  
 key  
 Syn.: *D. unaequalis* Bhalerao, 1932  
*vintorogii kozel* (*Capra falconeri*)  
*sibirskii kozerog* (*Capra sibirica*)  
*piatnisty olen* (*Cervus nippon*)  
*suslik* (*Citellus relictus*)
- Dictyocaulus filaria** (Rud., 1809)  
*Boev, S. N.*, 1959 a, 931  
*Ovis aries*  
*O. ammon*  
*Capra hircus*  
*Camelus bactrianus*  
 all from Kazakhstan
- Dictyocaulus filaria**  
*Boev, S. N.*; *Lavrov, L. I.*; *Zakhralov, Ia. N.*; and *Maksimova, A. P.*, 1957 a, 153  
 arkhar [Ovis ammon] (bronchi): l'oeust  
 Tian-Chan
- Dictyocaulus filaria**  
*Boev, S. N.*; and *Murzina, N. A.*, 1948 a, 61  
 sheep  
 goats  
 both from Kazakhstan
- Dictyocaulus filaria** (Rud., 1809)  
*Boev, S. N.*; *Sokolova, I. B.*; and *Bondareva, V. I.*, 1948 a, 92, 96  
*Ovis ammon*: Kazakhstan
- Dictyocaulus filaria** (Rudolphi, 1809)  
*Bogdashev, N. I.*, 1948 a, 56, 57  
 muflon  
 kopetdagsk. baran  
 arkhar  
 Saiga  
 kozel  
 all from Ashkhabad zoopark
- Dictyocaulus filaria Rudolphi, 1809**  
*Bogliolo, L.*, 1937 a, 38-39
- Dictyocaulus filaria**  
*Boi, F.*, 1941 a, 46, 47, 49
- Dictyocaulus filaria**  
*Bolkhovitinov, D. Z.*, 1959 a, 50-53  
 sheep
- Dictyocaulus filaria**  
*Bolona R., J.*, 1944 a, 16  
 borregos
- Dictyocaulus filaria** (Rud., 1809)  
*Bondareva, V. I.*, [1941 a], 268, 272  
 sheep  
 camels  
 both from East Kazakhstan oblast
- Dictyocaulus filaria** (Rudolphi, 1809)  
*Bondareva, V. I.*, 1948 a, 53  
 camels: Kazakhstan
- Dictyocaulus filaria**  
*Bondareva, V. I.*, 1950 a, 201  
 methods of recovering dead eggs and dead larvae
- Dictyocaulus filaria**  
*Borchert, A.*, 1950 e, 2
- Dictyocaulus filaria**  
*Borchert, A.*, 1958 a, 13
- Dictyocaulus filaria**  
*Borchert, A.*, 1959 b, 435, pl. V, fig. 33  
 diagnosis  
 Schafe
- Dictyocaulus filaria**  
*Borchert, A.*, 1959 e, 623  
 sheep, treatment
- Dictyocaulus filaria**  
*Borchert, A.*; and *Polzin, H.*, 1955 a, 553, 554  
 Rinder  
 Schafe  
 all from East Germany
- Dictyocaulus filaria**  
*Borchert, A.*; and *Timm, W.*, 1949 a, 169
- Dictiocaulus filaria**  
*Borodina, V. V.*, 1957 a, 39, 40  
 conditions and route of infestation of sheep
- Dictyocaulus filaria**  
*Bouda, J.*, 1952 a, 200-201
- Dictyocaulus filaria**  
*Bouda, J.*, 1955 a, 47, 49, 51, pl., figs. 1-2  
 sheep: southern Moravia
- Dictyocaulus filaria**  
*Bouleenger, C. L.*, 1922 a, 91
- Dictyocaulus filaria**  
*Bouley, H. M.*, 1884 c, 26  
 verminous bronchitis, treatment
- Dictyocaulus filaria**  
*Brumpt, E.*, 1922 f, 24
- Dictyocaulus filaria**  
*Brumpt, E.*, 1927 e, 29
- Dictyocaulus filaria** (Rudolphi, 1809)  
*de Bruyn, W. M.*, 1933 a, 151  
 type species
- Dictyocaulus filaria**  
*Bump, G.*, 1937 a, 314  
 deer

- Dictyocaulus filaria**  
 Burdzhnadze, P. L., 1937 b, 164, 165, 166,  
 169  
 sheep: Georgia [SSR]
- Dictyocaulus filaria (Rud., 1809)**  
 Burdzhnadze, P. L., 1943 a, 59  
*Ovis aries*  
*Capra hircus*  
 both from Georgia [SSR]
- Dictyocaulus filaria**  
 Burdzhnadze, P. L., 1945 a, 3-11  
 sheep, single dose treatment
- Dictyocaulus filaria**  
 Burdzhnadze, P.; Chochishvili, I.; and Gogoladze, N., 1941 a, 6, 7, 8  
 anthelmintic properties of herbaceous plants in pastures: Mta-Tushetsk
- Dictyocaulus filaria**  
 Buri, R., 1920 a, 8, 50, 52, 90, pl. 41
- Dictyocaulus filaria**  
 Byrne, K. V., 1940 a, 124  
 sheep: central Riverina district, N. S. W.
- Dictyocaulus filaria**  
 Cameron, A. E., 1923 a, 335  
*Bison bison*
- Dictyocaulus filaria**  
 Cameron, T. W. M., 1926 h, 62, 64, 66, 67
- Dictyocaulus filaria**  
 Cameron, T. W. M., 1930 b, 82
- Dictyocaulus filaria**  
 Cameron, T. W. M., 1932 b, 775, 777-778  
 sheep
- Dictyocaulus filaria (Rud., 1809) R. & H., 1907**  
 Cameron, T. W. M., 1933 a, 3, 6, 7, 8, 10, 12,  
 13  
 Syn.: *Strongylus filaria*  
 sheep  
 goat  
 red deer  
 camel  
 dromedary  
 roe deer  
 fallow deer  
 wild sheep  
 chamois  
 gazelle
- Dictyocaulus filaria**  
 Cameron, T. W. M.; and Parnell, I. W., 1933 a,  
 141, 153  
 sheep  
 goat (domestic)  
*Capra hircus* (wild goat)  
 all from Gruinard, Scotland
- Dictyocaulus filaria**  
 Carrilho, J. A.; and Borges Ferreira, L.,  
 1954 a, 29, 33
- Dictyocaulus filaria**  
 Carroll, H. T., 1957 a, 4, 7, 8, 11  
 ovejas: Ecuador
- Dictyocaulus filaria**  
 Carroll, H. T., 1957 c, 5, 6, 12, 16  
 control  
 ovejas: Peru
- Dictyocaulus filaria**  
 Carroll, T. H., 1957 a, 523  
 ovine, treatment
- Dictyocaulus filaria**  
 Cassamagnaghi, A.; and Vogelsang, E. G., 1921  
 a, [2-3]  
 bovinos
- Dictyocaulus filaria**  
 Çekicer, N., 1947 a, 106
- [**Dictyocaulus filaria**] Chabert, P., 1789 a, 58
- Dictyocaulus filaria**  
 Chaillot, F. A. L.; and Saunié, L. M., 1933 a,  
 9  
 ovins
- Dictyocaulus filaria (Rud.)**  
 Chapin, E. A., 1925 e, 677
- Dictyocaulus filaria (Rudolphi 1809)**  
 Chatterji, R. C., 1940 c, 54  
 goat: Burma
- Dictyocaulus filaria (Rud., 1809)**  
 Chavarria Ch., M., 1938 c, 3  
 ganado vacuno [cattle]: Villahermosa, Tab.,  
 México
- Dictyocaulus filaria**  
 Chitwood, B. G.; and Chitwood, M. B., 1937 b,  
 35
- Dictyocaulus filaria**  
 Chitwood, B. G.; and Chitwood, M. B., 1938 a,  
 59, 118, 119, fig. 56 S, 110 NN
- Dictyocaulus filaria**  
 Chitwood, B. G.; and Chitwood, M. B., 1940 b,  
 138, fig. 116 Q
- Dictyocaulus filaria**  
 Clarke, F. C., 1913 a, 8  
*Odocoileus columbianus*: California
- Dictyocaulus filaria**  
 Cort, W. W., 1921 h, 170  
 prenatal infection
- Dictyocaulus filaria Rudolphi, 1809**  
 Court, R.; and Saquenat, A., 1945 a, 75, 77  
 mouton: Algérie
- Dictyocaulus filaria**  
 Crawley, H., 1921 b, 684-688  
 eggs
- Dictyocaulus filaria (Railliet et Henry, 1907)**  
 Crombée-Langrand, M., 1935 a, 67-72, 79,  
 figs. 27-29  
 mouton: France
- Dictyocaulus filaria**  
 Cubas V., R., 1950 b, 7
- Dictyocaulus filaria Rudolphi, 1809**  
 Cygas, J., [1960 a], 52, 54  
 sheep: Lithuania
- Dictyocaulus filaria**  
 Darlan, L. A., 1947 a, 29
- Dictyocaulus filaria**  
 Darski, J., 1958 a, 477  
 sheep, treatment
- Dictyocaulus filaria**  
 Darski, J., 1959 a, 521  
 sheep, treatment
- [**Dictyocaulus filaria**]  
 Daubenton, L. J. M., [1802 a], 269
- Dictyocaulus filaria (Rud.)**  
 Daubney, R., 1920 b, 225-266, figs. 1-5  
 life history
- Dictyocaulus filaria**  
 Daubney, R., [1921 a], 101
- Dictyocaulus filaria**  
 Daubney, R., 1925 a, 72
- Dictyocaulus filaria**  
 Daubney, R., 1929 a, 47
- Dictyocaulus filaria**  
 Daubney, R., 1957 a, 17  
 sheep, control: Syria
- Dictyocaulus filaria**  
 Davtian, E. A., 1949 b, 95-112  
 immunity
- Dictyocaulus filaria**  
 Demichelis, L. A., 1948 a, 26  
 lanares
- Dictyocaulus filaria**  
 Deschiens, R. E. A., 1939 b, 698-700, pls. 1-2
- Dictyocaulus filaria**  
 Dikmans, G., 1931 j, 4
- Dictyocaulus filaria**  
 Dikmans, G., 1935 b, 59  
*Odocoileus virginianus*: Michigan
- Dictyocaulus filaria (Rud.) Raill. and H.**  
 Dikmans, G., 1936 f, 298, 299, 302-303  
 ? Syn.: *D. unequalis* Bhalerao, 1932  
 sheep
- Odocoileus columbianus**  
*O. virginianus*  
 all from North America

- Dictyocaulus filaria**  
 Dikmans, G., 1939 d, 99  
*Odocoileus columbianus*  
*O. virginianus*
- Dictyocaulus filaria**  
 Dikmans, G.; and Andrews, J. S., 1933 a, 4, 5  
 morphology, sheep (lung)
- Dictyocaulus filaria**  
 Dikmans, G.; and Shorb, D. A., 1942 a, 860, 886, 888, 897
- Dictyocaulus filaria**  
 Dikov, G. I., 1961 b, 358  
 sheep: Djambul region
- Dictyocaulus filaria**  
 Dinnik, fu. A., 1949 a, 400, 401, fig. 6
- Dictyocaulus filaria**  
 Donigiewicz, K., 1954 a, 550  
 sheep, treatment
- Dictyocaulus filaria**  
 Donigiewicz, K., 1962 a, 542
- Dictyocaulus filaria**  
 Dorrington, J. E., 1958 a, 63  
 sheep, treatment
- Dictyocaulus filaria**  
 Dougherty, E. C., 1945 a, 199, 204, 207  
*Odocoileus hemionus columbianus*  
*O. virginianus borealis*
- Dictyocaulus filaria (Rudolphi, 1809)** Railliet and Henry, 1907  
 Dougherty, E. C., 1946 a, 49, 50, 51, 52  
 Syns.: *Sclerostomum filaria* (Rud., 1809)  
 Braun and Lühe, 1910; *Dictyocaulus sibericus* Orlov in Skrj. and Schul'ts, 1934
- Dictyocaulus filaria**  
 Duchaj, J., 1955 a, 829, 831, 832, 833, 834, fig. 1
- Dictyocaulus filaria**  
 Duckworth, C. U., 1942 a, 267  
 sheep
- Dictyocaulus filaria**  
 Duckworth, C. U., 1944 a, 345
- Dictyocaulus filaria**  
 Dumitru, I., 1934 a, 202-220  
 ovine, treatment
- Dictyocalus [sic] filaria**  
 Dumitru, I., 1936 b, 114-136, pl. 1, fig. a
- Dictyocaulus filaria**  
 Durant, A. J., 1960 a, 6  
 dairy goats
- Dictyocaulus filaria**  
 Durbin, C. G., [1952 b], 116, 117, 118, fig. 1 (B.), 2 (C)
- Dictyocaulus filaria (Rud., 1809)**  
 Dzhavadov, M. K., [1935 a], 27, 28  
 sheep: Azerbaidzhan
- Dictyocaulus filaria**  
 Dzunkhovski, E., 1934 a, 114, 128  
*Schafe (ovaca): Jugoslavien*
- Dictyocaulus filaria**  
 Edds, G. T., [1959 a], 394
- Dictyocaulus filaria**  
 Edge, G. A., 1945 a, 5
- Dictyocaulus filaria**  
 Eisenbrandt, L. L., 1938 a, 124, 129, 130, 131  
 serology
- Dictyocaulus filaria**  
 Elder, H. M., 1938 a, 493, 1 fig.
- Dictyocaulus filaria**  
 Ellerman Lz., H. L., (1896 a)
- Dictyocaulus filaria**  
 Enigk, K., 1953 b, 17  
 treatment
- Dictyocaulus filaria**  
 Enigk, K.; and Düwel, D., 1959 b, 381
- Dictyocaulus filaria**  
 Enigk, K.; and Federmann, M., 1958 a, 705, 707, 708, 709  
 sheep, therapy
- Dictyocaulus filaria Rudolphi, 1809**  
 Erhardová, B., 1954 a, 119, 131-132, 136, fig. 8
- Dictyocaulus filaria Rudolphi, 1809**  
 Erhardová, B., 1957 a, 153  
*Ovis aries*  
*O. musimon*  
 both from Czechoslovakia
- Dictyocaulus filaria (Rudolphi 1809)**  
 Erhardová, B.; Luli, M.; Prokopic, J.; and Ryšavý, B., 1960 a, 107, 110, 111, 112  
*Capra hircus*  
*Ovis aries*  
 (bronchi & trachea of both): both from Albania
- Dictyocaulus filaria**  
 Ermolova, E. N., 1958 a, 193  
 phenothiazine
- Dictyocaulus filaria**  
 Ermolova, E. N., 1961 a, 368  
 sheep: southern Kazakhstan region
- Dictyocaulus filaria**  
 Ershov, V. S.; and Livotov, N. A., 1932 a, 34-35  
 moutons
- Dictyocaulus filaria**  
 Estrada, E., 1946 a, 146  
 ganado
- Dictyocaulus filaria**  
 Estrada, E., 1950 a, 420  
 ganado
- Dictyocaulus filaria**  
 Euzeby, J. A., 1957 c, 19  
*Capra hircus: Federation of Malaya*
- Dictyocaulus filaria**  
 Eveleth, D. F.; and Eveleth, M. W., 1943 a, 22, 23  
 sheep, control
- Dictyocaulus filaria**  
 Fallis, A. M., 1938 a, 87  
 lambs: Ontario
- Dictyocaulus filaria**  
 Favati, V., [1959 a], 446  
 sheep: Toscana
- Dictyocaulus filaria**  
 Favati, V., 1959 b, 669, 670, 671, 672, 673, fig. 1  
 ovini: Toscana
- Dictyocaulus filaria**  
 Favati, V.; and della Croce, G., 1962 a, 294  
 treatment
- Dictyocaulus filaria**  
 Favati, V.; Mucci, C.; and Emdin, R., 1960 a, 545
- Dictyocaulus filaria Rud., 1809**  
 Fedoseev, S. D., 1937 a, 124, 131, 133  
 ovets [sheep]: Gorkii oblast
- Dictyocaulus filaria Rud.**  
 Fiebiger, J., 1923 a, 36, 261, 266-267, 270, 271, 272, 273, 410, 419, 420, 421, fig. 15 (IX), 208-209, 214  
 Syn.: *Strongylus fil.*  
*Schaf*  
*Hirsch*  
*Kamel*  
*Dromedar*
- Dictyocaulus filaria**  
 Finamor, D., 1938 a, 291-293  
 ovelhas
- Dictyocaulus filaria**  
 Fitch, C. P., 1918 b, 359
- Dictyocaulus filaria**  
 Fitzsimmons, W. M., 1961 d, 1111, 1112, figs. 1-2  
*Kobus leche: Northern Rhodesia: Lochenvar, Northern Rhodesia*
- Dictyocaulus filaria (Rudolphi, 1809)**  
 Fournier, E. P., 1940 a, 44-47, 51, figs. 1-2  
 ovinos: [Buenos Aires] (Matadero y Frigorífico Municipal)

- Dictyocaulus filaria**  
 Fournier, E. P., 1940 b, 44-51, figs. 1-3  
 ovinos: slaughter houses of Buenos Aires
- Dictyocaulus filaria (Rudolphi, 1809)**  
 Freeborn, S. B.; and Stewart, M. A., 1937 a, 8, 61-63  
 synonymy
- Dictyocaulus filaria (Rud., 1809)**  
 Freire, J. J., 1946 a, 165-168, figs. 1-8  
 ovinos: norte do Brasil
- Dictyocaulus filaria (Rud., 1809)**  
 Freire, J. J.; and di Primio, R. A., 1946 a, 42  
 treatment
- Dictyocaulus filaria**  
 Frickers, J., 1939 a, 674  
 rund: Suriname
- Dictyocaulus filaria**  
 Furness, T. L., 1935 a, 550-551, 1 fig.  
 cattle: Victoria [?]
- Dictyocaulus filaria**  
 Gadzhiev, I. G., 1958 a, 53-61  
 epizootiology, sheep: Nakhichevansk ASSR
- Dictyocaulus filaria**  
 Gagarin, V. G., 1956 a, 135  
 epizootiology
- Dictyocaulus filaria**  
 Gagarin, V. G., 1959 a, 135  
 Ovis ammon  
 domestic sheep  
 both from Kirgizia
- Dictyocaulus filaria (Rudolphi, 1809)**  
 Gagarin, V. G., 1960 a, 9, 10  
 Ovis ammon: Kirghizia
- Dictyocaulus filaria**  
 Gaibov, A. D., 1949 a, 219  
 sheep: Azerbaidzhan
- D[ictyocaulus] filaria**  
 Gallo, C.; and Guercio, V., [1960 a], 505
- Dictyocaulus filaria**  
 Galofre, E. J.; Cipolla, A.; Legarreta, T. J.;  
 and Basso, R., 1960 a, 22  
 treatment  
 lanares
- Dictyocaulus filaria**  
 Galvin, T. J.; Turk, R. D.; and Bell, R. R.,  
 1962 a, 185  
 treatment
- Dictyocaulus filaria**  
 Gambles, R. M., 1939 a, 30  
 sheep  
 goat  
 both from Cyprus
- Dictyocaulus filaria (Rud.)**  
 Gebauer, O., 1932 b, 148, 151, 154, 216  
 Capra hircus
- Ovis aries**  
 Rupicapra rupicapra
- Dictyocaulus filaria**  
 Georgescu, L.; Fromunda, V.; and Nicolicin, S.,  
 1958 a, 382  
 treatment  
 ovins
- Dictyocaulus filaria**  
 Gerichter, C. B., 1950 a, 41, 42, 43, 45, 53,  
 54, 84, figs. 1 (c), 2  
 sheep  
 goats  
 both from Israel
- Dictyocaulus filaria (Rudolphi, 1809) Railliet & Henry, 1907**  
 Gerichter, C. B., 1951 a, 167-169, figs. 1-12  
 sheep  
 goats  
 both from Levant
- Dictyocaulus filaria**  
 Gibbs, H. C.; and Pullin, J. W., 1960 a, 115-119  
 sheep, control during winter months
- Dictyocaulus filaria**  
 Gierschik, H., 1960 b, 339  
 Schafen  
 Ziegen
- Dictyocaulus filaria**  
 Gil'denblat, A. A.; Potemkin, V. I.; and Pavlova, N. V., 1958 a, 92  
 treatment
- Dictyocaulus filaria (Rud., 1819)**  
 Giovannoni, M.; and Kubiak, G. V. L., 1947 a, 228  
 Ovis aries
- Dictyocaulus filaria (Rudolphi, 1809)**  
 Goble, F. C., 1941 a, 142, 146, 156  
 Odocoileus virginianus borealis
- Dictyocaulus filaria**  
 Goldberg, A., 1952 b, 531-536  
 sheep  
 goats  
 (both exper.)
- Dictyocaulus filaria**  
 Goldberg, A., [1957 a], 401
- Dictyocaulus filaria**  
 Goldsby, A. I.; and Eveleth, D. F., 1947 b, 156-159  
 sheep
- Dictyocaulus filaria**  
 Golubev, N. F., 1957 b, 158-166  
 biology, sheep: Leningrad oblast
- Dictyocaulus filaria**  
 Golubev, N. F., 1958 a, 152  
 ovine, phenothiazine
- Dictyocaulus filaria**  
 Gomez, O. J., 1944 b, 16054
- Dictyocaulus [sic] filaria**  
 Goodwin, H., 1936 a, 66-67  
 sheep  
 goat  
 both from Antigua
- Dictyocaulus filaria**  
 Gorshkov, I. P., 1934 a, 46-51  
 sheep, treatment
- Dictyocaulus filaria**  
 Graham, R.; et al., 1933 a, 39, figs.  
 sheep (lung)
- Dictyocaulus filaria**  
 Great Britain, Animal Health Services, 1953 b, 50  
 sheep
- Dictyocaulus filaria**  
 Great Britain, Animal Health Services, [1960 b], 54-55  
 sheep, resistance
- Dictyocaulus filaria**  
 Great Britain, Ministry of Agriculture and Fisheries, 1956 a, 54-55  
 sheep: Great Britain
- Dictyocaulus filaria**  
 Griffiths, H. J., 1947 a, 87  
 sheep: Manitoulin Island, Ontario
- Dictyocaulus filaria**  
 Griffiths, J. A., 1922 b, 478  
 prenatal infestation
- Dictyocaulus filaria**  
 Griffiths, R. B., 1957 a, 84  
 goats: Burma
- Dictyocaulus filaria**  
 Groves, T. W., 1957 a, 252-258
- Dictyocaulus filaria**  
 Guberlet, J. E., 1919 c, 621-627  
 life history, sheep
- Dictyocaulus filaria**  
 Guberlet, J. E., 1922 b, 120  
 migration
- Dictyocaulus filaria**  
 Guilhon, J.; and Petit, J. P., 1958 b, 355-357
- Dictyocaulus filaria**  
 Güralp, N., 1952 a, 53 pp.  
 sheep: Turkey

- Dictyocaulus filaria  
 Güralp, N., 1955 c, 2257  
 sheep: Turkey
- Dictyocaulus filaria  
 Güralp, N., 1958 c, 14  
 immunity: Turkey
- Dictyocaulus filaria  
 Güralp, N.; Kavanaugh, J.; and Baker, D., 1957  
 a, 3779  
 treatment
- Dictyocaulus filaria  
 Güralp, N.; Kavanaugh, J.; and Baker, D., 1957  
 b, 515, 519, 521, 522
- Dictyocaulus filaria  
 Hadley, F. B.; Warwick, B. L.; and Gildon, E.  
 M., 1924 a, 306
- Dictyocaulus filaria  
 Hall, M. C., 1922 b, 376
- Dictyocaulus filaria  
 Hall, M. C., 1922 y, 132, 137, 139-143, 145,  
 fig. 4
- Dictyocaulus filaria  
 Hall, M. C., [1923 b], 42
- Dictyocaulus filaria  
 Hall, M. C., 1925 n, 105  
 Odocoileus columbianus
- Dictyocaulus filaria  
 Hall, M. C., 1929 u, 9  
 sheep, treatment
- Dictyocaulus filaria  
 Harshfield, G. S.; Carlson, F. N.; and Taylor,  
 J. B., [1944 a], 16  
 sheep: South Dakota
- Dictyocaulus filaria  
 Heigl, R., 1954 a, 23-25
- Dictyocaulus filaria  
 Hektoen, L., 1926 a, 343
- Dictyocaulus filaria (Rud.)  
 Herms, W. B.; and Freeborn, S. B., 1917 a, 862,  
 867  
 goats  
 sheep  
 calves  
 deer  
 camels
- Dictyocaulus filaria  
 Hiepe, T.; Heide, D.; and Lippmann, R., 1959 a,  
 315  
 sheep, treatment
- Dictyocaulus filaria Rud.  
 Hobmaier, A.; and Hobmaier, M., 1929 c, 621-  
 625  
 development  
 Schaf
- Dictyocaulus filaria  
 Hobmaier, A.; and Hobmaier, M., 1930 c, 361-  
 364  
 Pferd
- Dictyocaulus filaria  
 Hoffman, H. A., 1922 a, 198-199
- Dictyocaulus filaria (Rudolphi, 1809)  
 Honess, R. F., 1942 b, 3-4, 23  
 domestic sheep: Wyoming; Colorado
- Dictyocaulus filaria  
 Honess, R. F., 1951 a, 5  
 sheep: Wyoming
- Dictyocaulus filaria Rud.  
 Horne, W. T.; Essig, E. O.; and Herms, W. B.,  
 1927 a, 89  
 sheep
- Dictyocaulus filaria  
 Hsü, S. L., 1947 a, 367  
 sheep: China
- Dictyocaulus filaria  
 Hudson, J. R., 1951 a, 702
- Dictyocaulus filaria  
 Hudson, R., 1939 a, 268  
 sheep, parasitic bronchitis  
 Syn.: *Strongylus filaria*
- Dictyocaulus filaria  
 Hülpers, G.; and Lagerlöf, N., 1938 a, 212-  
 213, 226, 227, fig. 1
- Dictyocaulus (*Strongylus*) filaria  
 Hurt, L. M., 1936 a, 5-11
- Dictyocaulus filaria  
 Hutson, L. R., 1937 a, 211  
 sheep  
 goats  
 both from Antigua, B. W. I.
- Dictyocaulus filaria (Rud.)  
 Ihle, J. E. W., 1920 e, 759
- Dictyocaulus filaria  
 Iksanov, K. I., 1954 b, 125  
*Marmota baibacina*: Tian-Shan
- Dictyocaulus filaria  
 Illeg, J., 1956 a, 199, 200  
 sheep  
 goats  
 both from Trenianskej Teply
- Dictyocaulus filaria  
 India, Imperial Council of Agricultural Re-  
 search, 1940 a, 193, 194  
 goats  
 buffalo (bronchi)  
 both from Darjeeling Hills, India
- Dictyocaulus filaria  
 Iseli, R., 1959 a, 313  
 treatment
- Dictyocaulus filaria  
 Ismailov, D., 1959 a, 39  
 sheep, ditrazine phosphate
- Dictyocaulus filaria  
 Janowski, B., 1951 a, 405
- Dictyocaulus filaria (Rud.)  
 Joan, T., 1922 a, 13  
 Ovis
- Dictyocaulus filaria  
 Johnston, T. H., 1916 a, 41  
 Ovis aries
- Dictyocaulus filaria  
 Johnston, T. H., 1918 c, 213  
 sheep
- Dictyocalus [sic] filaria  
 Joneschild, E. M., 1942 a, 10  
 sheep: Montana
- Dictyocaulus filaria  
 Jordan, H. E., 1960 a, 508  
 sheep, treatment
- Dictyocaulus filaria (Rudolphi, 1807)  
 Jouanen, C. E. E., 1956 a, 13-15  
 ovine treatment
- Dictyocaulus filaria  
 Jovanović, M.; et al., 1961 a, 455-464  
 vaccination of sheep with irradiated larvae
- Dictyocaulus filaria (Rud.)  
 Joyeux, Ch. E.; and Baer, J. G., [1931 c], 401  
 "chez un foetus de brebis"
- Dictyocaulus filaria  
 Joyeux, Ch. E.; and Gaud, J., 1943 a, 232
- Dictyocaulus filaria  
 Julius, (Sir) G. A.; et al., 1937 a, 29  
 sheep, treatment, critical tests
- Dictyocaulus filaria  
 Julius, G. A.; et al., 1946 a, 33
- Dictyocaulus filaria  
 Jungmann, R., 1959 a, 602-603  
 treatment
- Dictyocaulus filaria (Rud., 1809)  
 Kadenatsii, A. N., 1941 b, 87, 88  
 mouflon: Crimea
- Dictyocaulus (D.) filaria  
 Kadyrov, N. T., 1961 a, 374, 377  
 sheep  
 goats  
 both from Akmolinsk region
- D[ictyocaulus] filaria  
 Karabaev, D. K.; Petrov, V. M.; and Chiuko, L.  
 S., 1958 a, 233  
 lambs

- Dictyocaulus filaria**  
 Karamanova, G. A., 1954 a, 51  
 karakul sheep: Uzbekistan
- Dictyocaulus filaria**  
 Karmann, P., 1941 a, 136-137  
 Schaf
- Dictyocaulus filaria Rud.**  
 Karokhin, V. I., 1928 a, 40, 56
- D[ictyocaulus] filaria**  
 Kassai, T., 1957 c, 165  
 geographical distribution
- Dictyocaulus filaria**  
 Kassai, T., 1957 d, 66, 67  
 sheep: Hungary
- D[ictyocaulus] filaria larva**  
 Kassai, T., 1957 g, 230  
 laboratory methods for in vivo diagnosis  
 sheep
- Dictyocaulus filaria**  
 Kassai, T., 1958 a, 9, 13  
 sheep, ditrazinophosphate
- Dictyocaulus filaria**  
 Kassai, T.; and Holló, F., 1957 a, 232, 233,  
 fig. a  
 differential diagnosis of first larvae  
 sheep
- Dictyocaulus filaria**  
 Katiyar, R. D., 1953 a, 411, 414  
 sheep: India
- Dictyocaulus filaria**  
 Kauzal, G. P., 1932 a, 25-28  
 treatment, sheep
- Dictyocaulus filaria**  
 Kauzal, G., 1933 c, 20-26  
 bionomics  
 guinea pigs  
 lambs
- Dictyocaulus filaria**  
 Kauzal, G., 1934 a, 100-111  
 resistance
- Dictyocaulus filaria**  
 Kelland, P. J. L., 1934 a, 53-54, pl., fig. 6  
 sheep  
 goats  
 (bronchi of both): both from Great Britain
- Dictyocaulus filaria**  
 Kenya Colony and Protectorate, Department of  
 Veterinary Services, 1943 a, 246  
 sheep
- Dictyocaulus filaria**  
 Kingscote, A. A., [1956 a], 21  
 sheep: Ontario
- Dictyocaulus filaria**  
 Kirfakoff, A., (1926 ? a)  
 sheep
- Dictyocaulus filaria**  
 Klesov, M. D., 1946 a, 231  
 treatment on sheep farms in Ukraine
- Dictyocaulus filaria**  
 Klimmer, M., 1923 a, 92, 242, fig. 33 b,c
- Dictyocaulus filaria**  
 Klincke, H., 1954 a, 15, 29  
 treatment
- Dictyocaulus filaria (larvae)**  
 Kl'osov, M. D.; Gnatiuk, S. A.; and Bekerman,  
 M. Ia., 1941 b, 150
- Dictyocaulus filaria**  
 Kobayashi, H., 1921 a, 344
- Dictyocaulus filaria**  
 Kobayashi, H., 1921 c, 469
- Dictyocaulus filaria**  
 Koegel, A., 1935 a, 518  
 Angora-Ziegen: Türkei
- Dictyocaulus filaria (Rudolphi, 1908)**  
 Koens, H., 1946 a, 253, 254, 259, 260, 264,  
 265, 266  
 Syn.: *Strongylus filaria*  
 Isle of Texel
- Dictyocaulus filaria Rudolphi**  
 Koffman, M., 1940 a, 313-316, 365, figs. 20-23  
 synonymy  
 sheep: Stockholm
- Dictyocaulus filaria (Rud., 1890)**  
 Kopyrin, A. V., 1937 a, 297, 298  
 sheep: Mongolia
- Dictyocaulus filaria (Rud., 1809)**  
 Kotlán, S.; and Vajda, T., 1937 a, 232, 233,  
 234, 235, 238, figs. 3 (1-2), 4 (1-2)
- Dictyocaulus filaria (Rudolphi 1809) Railliet et**  
**Henry 1907**  
 Kreis, H. A., 1958 a, 5, 23  
 synonymy  
 Ovis aries (bronchiae): Iceland
- Dictyocaulus filaria (Rud., 1809)**  
 Kreis, H. A., 1962 a, 111  
 Ovis aries
- Dictyocaulus filaria**  
 Krippner, H., 1959 a, 15, 20  
 Schafe: Westberlin
- Dictyocaulus filaria**  
 Kroening, 1907 a, 434-439
- Dictyocaulus filaria**  
 Kulikov, N. S., 1933 a, 41, 42  
 Schafe
- Dictyocaulus filaria**  
 Kulikov, N. S., 1959 a, 36  
 overwintering: Irkutsk oblast
- Dictyocaulus filaria**  
 Kuperman, B. I., 1961 a, 357  
 epizootiology, sheep: Pskov region
- Dictyocaulus filaria (Rudolphi, 1809)**  
 Kurtpinar, H., 1956 a, 3231  
 sheep  
 goats  
 both from Erzurum, Kars and Agri, Turkey
- Dictyocaulus filaria (Rudolphi, 1809)**  
 Kurtpinar, H., 1957 b, 3324  
 Turkey
- Dictyocaulus filaria**  
 Kurtpinar, H.; and Kalkan, A., 1960 a, 770-776
- Dictyocaulus filaria**  
 Lancaster, W. E., 1957 a, 159  
 goat: Malaya
- Dictyocaulus filaria**  
 Lapage, G., 1949 b, 150
- Dictyocaulus filaria**  
 Lax, T., 1953 a, 150  
 sheep, treatment
- Dictyocaulus filaria**  
 Lee, Y. C.; and Chang, C. H., 1958 a, 49  
 goats: Taiwan, China
- Dictyocaulus filaria**  
 Lee, Y. C.; and Chang, C. H., 1958 b, 59, 60,  
 61, 62, 70  
 goats: Taiwan
- Dictyocaulus filaria (Rud.)**  
 Leese, A. S., [1928 ? b], 287
- Dictyocaulus filaria**  
 Leiper, J. W. C., 1957 a, 10, 18  
 goats (lungs)  
 sheep (bronchi)  
 both from Iraq
- Dictyocaulus filaria**  
 LeRoux, P. L., 1929 e, 365, 369, 371
- Dictyocaulus filaria**  
 LeRoux, P. L., 1930 d, 62
- Dictyocaulus filaria (Rud., 1809) Railliet et**  
**Henry, 1907**  
 Lesin'sh, K. P., 1959 a, 108  
 sheep: south-east districts of Estonian SSR
- Dictyocaulus filaria**  
 Lesin'sh, K. P., 1961 a, 271  
 epizootiology, sheep: Lettischen SSR
- Dictyocaulus filaria (Rud.)**  
 Lewis, E. A., 1927 d, 124, 125, 129  
 sheep

- Dictyocaulus filaria**  
 Liebmann, H., 1953 a, 19  
 treatment
- Dictyocaulus filaria**  
 Likerman, J. E., 1943 a, 3, 1 fig.
- Dictyocaulus (Strongylus) filaria**  
 von Linden, M., 1932 a, 169  
 Schaf
- Dictyocaulus filaria**  
 Lisboa, Laboratorio de Patologia Veterinaria, 1936 a, 146
- Dictyocaulus filaria**  
 Longhurst, W. M.; and Douglas, J. R., 1953 a, 177  
 black tailed deer  
 sheep  
 (lungs of both): both from California
- Dictyocaulus filaria Rud.**  
 Lopez Neyra, C. R., 1924 a, 176-177
- Dictyocaulus filaria**  
 Lydtin, A., 1880 d, 68  
 Schafe
- Dictyocaulus filaria Rud.**  
 Macchioni, I., 1939 a, 315 (19), 320 (24), 322 (26), figs. 1-9  
 ovin
- Dictyocaulus filaria**  
 McGrath, T. T., 1931 a, 36-39  
 young sheep, treatment
- Dictyocaulus filaria**  
 Mackenzie, A., [1956 a], 11  
 ovine (lung)
- Dictyocaulus filaria (Rudolphi, 1809)**  
 Mackerras, M. J., 1958 b, 148  
 Ovis aries: Australia
- Dictyocaulus filaria**  
 MacPherson, D. A., 1957 a, 16  
 sheep  
 cattle  
 both from Pakistan
- Dictyocaulus filaria**  
 McTaggart, H. S., 1960 b, 249  
 mink (alimentary canal): Britain
- Dictyocaulus filaria**  
 Magens, H. J., 1934 a, 316-319
- Dictyocaulus filaria**  
 Malakhova, E. I., 1959 a, 228  
 sheep, calves, treatment
- Dictyocaulus filaria**  
 Marcato, A., (1938 a), 9-14  
 sheep, changes in bronchial and mediastinal lymph nodes
- Dictyocaulus filaria**  
 Masheter, J. W. H., 1938 b, 163-164
- Dictyocaulus filaria**  
 Maslov, T. M., [1951 a], 262  
 camels (lungs): Gur'ev oblast
- Dictyocaulus filaria**  
 Maupas, E. F.; and Seurat, L. G., 1912 a, 522, 526  
 evolution
- Dictyocaulus filaria**  
 Michel, J. F., 1954 a, 460  
 sheep, pulmonary oedema
- Dictyocaulus filaria**  
 Michel, J. F., 1956 a, 338  
 resistance
- Dictyocaulus filaria**  
 Michel, J. F., 1956 b, 241-248  
 sheep, resistance
- Dictyocaulus filaria**  
 Michel, J. F., 1962 a, 281  
 resistance
- Dictyocaulus filaria (Rud.)**  
 Mikačić, D., 1938 a, 126, 136, 137, 139  
 moutons: Yougoslavie
- Dictyocaulus filaria**  
 Mikačić, D., 1940 a, 90
- Dictyocaulus filaria**  
 Miklashevskii, V. N., 1950 a, 24  
 ichthyol
- Dictyocaulus filaria**  
 Milošević, S., 1937 a, 210, 214, 215, 216, 217
- Dictyocaulus filaria**  
 Mimioglu, M.; Güralp, N.; and Göksu, K., 1959 a, 255
- Dictyocaulus filaria**  
 Mitskevich, V., 1937 b, 26 pp.  
 sheep, diagnosis
- Dictyocaulus filaria**  
 Mitton, R. L., 1945 c, 381, fig.
- Dictyocaulus filaria (Rud., 1809)**  
 Mönnig, H. O., 1928 a, 813  
 sheep
- Dictyocaulus filaria**  
 Mönnig, H. O., 1930 f, 180, 183
- Dictyocaulus filaria**  
 Mönnig, H. O., 1931 e, 261  
 diagnosis
- Dictyocaulus filaria**  
 Mönnig, H. O., 1932 e, 155, 157, 158, 160
- Dictyocaulus filaria**  
 Mönnig, H. O., 1940 e, 111-114  
 sheep, treatment
- Dictyocaulus filaria**  
 Mönnig, H. O., 1944 c, 769, fig. 12 (5)
- Dictyocaulus filaria**  
 Mohan, R. N., 1948 a, 34, 35
- Dictyocaulus filaria**  
 Mohi-ud-Din, G., 1959 a, 336  
 treatment
- Dictyocaulus filaria**  
 Moldo Mosconi, E., 1947 a, 558, 559  
 ovinos
- Dictyocaulus filaria**  
 Monn, J., 1935 a, 46 pp.  
 goats
- Dictyocaulus filaria**  
 Monné, L., 1955 a, 93, 106  
 histochemical properties of egg envelopes and external cuticles of nematodes
- Dictyocaulus filaria**  
 Monné, L., 1959 a, 99-122  
 formation of egg envelopes, early development
- Dictyocaulus filaria**  
 Monné, L., 1959 b, 344, 354  
 external cuticles
- Dictyocaulus filaria**  
 Morgan, D. O., 1925 b, 171
- Dictyocaulus filaria**  
 Morgan, D. O., 1930 b, 71  
 goat
- Dictyocaulus filaria**  
 Morgan, D. O., 1930 c, 227
- Dictyocaulus filaria**  
 Morgan, D. O.; Parnell, I. W.; and Rayski, C., 1951 a, 200
- Dictyocaulus filaria Rudolphi, 1809**  
 Moskvin, S. N., 1958 a, 181  
 goats  
 sheep  
 both from Albania
- Dictyocaulus filaria**  
 Mountjoy, S. A., 1944 a, 347, 348, fig.
- Dictyocaulus filaria (Rudolphi, 1809)**  
 Mudaliar, S. V.; and Alwar, V. S., 1947 b, 88  
 sheep: Madras
- Dictyocaulus filaria (Rud., 1809)**  
 Muratov, E. A., 1956 a, 74  
 karakul sheep: Tadzhiksk. SSR
- Dictyocaulus filaria**  
 Nagaty, H. F., 1942 b, 110  
 camels (*Camelus dromedarius*)  
 sheep (*Ovis aries*)  
 both from Cairo abattoir

- Dictyocaulus filaria**
- Nagaty, H. F., 1949 a, 424, 425
  - sheep
  - camel
  - both from Egypt
- Dictyocaulus filaria**
- National Veterinary Medical Association, Survey Committee, 1945 a, 63
- Dictyocaulus filaria**
- Neemann, W., (1921 a)
  - Rind
- Dictyocaulus filaria**
- Nevenić, V.; et al., 1962 a, 203-209
  - simple method for finding larvae
- Dictyocaulus filaria**
- Nevenić, V. V.; Šibalić, S.; and Cvetković, L. J., 1956 a, 27
  - epizootic in sheep: Jugoslavia
- Dictyocaulus filaria**
- Nevenić, V.; Šibalić, S.; and Cvetković, L., 1958 b, 853
  - sheep, treatment
- Dictyocaulus filaria**
- Neveu-Lemaire, M., 1912 b, 238
  - 1st stage after moulting, successful experimental infection in earthworms
- Dictyocaulus filaria (Rud.)**
- Neveu-Lemaire, M., 1918 a, 8, 11, 12, 35, 40, 44, 49, 54, 70, 71, 76, 77, 81, 84, 85, 87, 88, 89, 90, 92, 94, 96, 97, 98, 101, 104, 105, 106, 107, 108, 110, 111, 113, figs. 16, 21, 29, 31, 32, 33, pls. 7, 8, 9
  - Capra hircus*
  - Camelus bactrianus*
  - C. dromedarius*
  - Capreolus capreolus*
  - Ovis ammon*
  - Gazella sp.*
  - veau
  - mouton
  - daim
- Dictyocaulus filaria**
- Neveu-Lemaire, M., 1921 c, 632
- Dictyocaulus filaria**
- Nicoll, W., 1922 b, 392
- Dictyocaulus filaria**
- Niculescu, A.; Lungu, T.; and Macarie, I., 1961 a, 54
  - ovine
- Dictyocaulus filaria**
- Nieberle, K., 1924 a, 813, figs. 435, 436, 443
  - c
  - Syn.: *Strongylus filaria* Rud.
- Dictyocaulus filaria**
- Nikolskil, S. N., 1931 b, 278-280
- Dictyocaulus filaria**
- Nürnberg, H., 1961 a, 81 pp.
  - Schafe
- Dictyocaulus filaria**
- Obitz, K., 1932 a, 100, 102
  - influence of climate
- Dictyocaulus filaria**
- Obitz, K. A., 1933 b, 157
- Dictyocaulus filaria**
- O'Donoghue, J. G., 1958 a, 237
  - treatment
- Dictyocaulus filaria**
- Oktel, N. M., 1949 a, 81 pp.
- Dictyocaulus filaria (Rudolphi, 1809) Railliet and Henry, 1907**
- Oldham, J. N., 1938 a, 1135
- Dictyocaulus filaria (Rudolphi, 1809)**
- Oldham, J. N.; and Morgan, D. O., 1934 a, 41, 45
  - goat: St. Albans, England
- Dictyocaulus filaria (Rud., 1809)**
- Olsen, O. W.; and Fenstermacher, R., 1943 a, 8, 9, 14, 18, fig. 4
  - key
- Dictyocaulus filaria**
- Olt, A.; and Ströse, A., 1914 a, 311
- Dictyocaulus filaria**
- Olteanu, Gh., 1958 b, 403
  - ovine, epizootiology: R.P.R. (République Populaire Roumaine)
- Dictyocaulus filaria (Rudolphi, 1809) Railliet et Henry, 1907**
- Olteanu, Gh., 1959 b, 369
  - sheep
  - goats
  - (lungs of both): both from Rumania
- D[ictyocaulus] filaria**
- Olteanu, Gh., 1960 b, 39
  - ovine, prophylaxis
- Dictyocaulus filaria**
- Olteanu, G., 1961 a, 136
  - sheep, treatment
- Dictyocaulus filaria**
- Oprescu, A.; et al., 1956 a, 95-98
  - ovine, treatment
- Dictyocaulus filaria**
- Orlov, I. V., 1930 a, 723-730
  - sheep (lungs), diagnosis
- Dictyocaulus filaria**
- Orlov, I. V., 1930 e, 462-464
  - sheep (lungs), treatment
- Dictyocaulus filaria**
- Orlov, I. V., (1932 a), 16-20
- Dictyocaulus filaria**
- Orlov, I. V., 1937 b, 437-438
- Dictyocaulus filaria**
- Orlov, I. V., 1937 c, 17, 28, 29, 30, 38, 39, 41, 43, 73, 87, 94, 103, 104, 109, 117, 138, 147, 152, 155, 168, 175, 239, fig. 3
  - [sheep]
  - [goats]
- Dictyocaulus filaria**
- Orlov, I. V.; Gorbunov, F. P.; Moskalev, B. S.; and Rubtsova, A. M., 1936 a, 98-111
- Dictyocaulus filaria**
- Orlov, N. P.; et al., 1937 a, 440-448
  - biology
- Dictyocaulus filaria**
- Orlov, N. P.; and Kushina, L. K., 1931 a, 330-335
- Dictyocaulus filaria**
- O'Roke, E. C., 1936 a, 473-481
  - Odocoileus virginianus borealis*: Michigan
- Dictyocaulus (Strongylus) filaria**
- von Ostertag, R., 1932 a, 507, 508, 509, 510
  - meat inspection
  - Schafe
  - Ziegen
- Dictyocaulus filaria (Rudolphi, 1809)**
- Oytun, H. S., 1937 a, 29; 33; 10, 11, 1 pl., figs. 18-19
- D[ictyocaulus] filaria**
- Ozerskaia, V. N., 1955 a, 240, 242, 243, 244
  - sheep, treatment
- D[ictyocaulus] filaria**
- Ozerskaia, V. N., 1959 b, 21, 22
  - ditrazin
- Dictyocaulus filaria**
- Pagirys, J., 1958 a, 31
- Dictyocaulus filaria**
- Palimpsestov, M. A., 1937 a, 455
  - sheep: Mordovian autonomy
- D[ictyocaulus] filaria**
- Panasíuk, D. I., 1955 a, 44
  - epizootiology
- D[ictyocaulus] filaria**
- Panasíuk, D. I., 1955 b, 600-602
- D[ictyocaulus] filaria**
- Panasíuk, D. I., 1959 a, 197, 198, 199
  - treatment
- Dictyocaulus filaria**
- Panasíuk, D. I., 1959 b, 291
  - pathogenesis, sheep

- Dictyocaulus filaria**  
 Panasiuk, D. I., 1960 a, 43  
 ovine
- Dictyocaulus filaria**  
 Panasiuk, D. I., 1960 b, 3  
 ovine
- D[ictyocaulus] filaria**  
 Panasiuk, D. I.; and Poliakova, O. I., 1959 a, 222  
 ovine, diagnosis by method of allergic reaction
- Dictyocaulus filaria**  
 Parnell, I. W., 1956 a, 21  
 sheep: Scotland
- Dictyocaulus filaria**  
 Parnell, I. W.; Rayski, C.; Dunn, A. M.; and Mackintosh, G., 1954 a, 72, 108  
 sheep: Scotland
- Dictyocaulus filaria**  
 Paskal'skaia, M. I., 1958 c, 331  
 ovine, treatment
- Dictyocaulus filaria**  
 Patino-Camargo, L., 1942 c, 528  
 calves: Colombia
- Dictyocaulus filaria**  
 Patyk, S., 1958 a, 480, 481  
 grass irrigated by sewer waters: Wrocław
- Dictyocaulus filaria**  
 Pavlov, P., 1935 b, 433  
 evolution
- Dictyocaulus filaria**  
 Petrov, A. M., 1944 a, 18
- Dictyocaulus filaria**  
 Petrov, A. M.; Dzhavadov, M. K.; and Arshinov, V. G., [1935 a], 35-40  
 diagnosis
- Dictyocaulus filaria**  
 Petrov, A. M.; Dzhavadov, M. K.; and Gal'bov, A. D., 1936 a, 260  
 sheep: Azerbaijanschan
- Dictyocaulus filaria (Rud.)**  
 Petrov, A. M.; and Shakhovtseva, E. S., 1926 a, 78, 79, 85, 87
- Dictyocaulus filaria**  
 Pfizenmaier, G., 1951 b, 213, 214  
 Syn.: *Strongylus filaria*
- Dictyocaulus filaria (Rud.)**  
 Pierce, W. D., 1922 a, 10  
 goat: California
- Dictyocaulus filaria**  
 Pierotti, P., [1959 a], 443  
 treatment
- Dictyocaulus filaria**  
 Pillers, A. W. N., 1922 c, 360
- Dictyocaulus filaria**  
 Pillmore, R. E., 1961 a, 90
- Dictyocaulus filaria (Rudolphi, 1819)**  
 Pinto, C. F.; and Lins de Almeida, J., 1935 a, 58  
 Ovis aries: Brasil
- Dictyocaulus filaria (Rud., 1819)**  
 Pinto, C. F.; and Lins de Almeida, J., 1937 b, 476  
 Ovis aries: Brésil
- Dictyocaulus filaria**  
 Pires, A., 1942 b, 243
- Dictyocaulus filaria**  
 Pokorný, V.; Müller, K.; and Čupík, J., 1952 a, 130, fig.  
 treatment
- Dictyocaulus filaria (Rud.)**  
 Pokrovská, S. N., 1924 a, 53  
 [sheep]: Armenii
- Dictyocaulus filaria**  
 Poliakova, O. I., 1957 a, 19-21  
 chemical investigations of albumin and carbohydrates
- Dictyocaulus filaria**  
 Poliakova, O. I., 1959 a, 148-157  
 chemical investigation of proteins and carbohydrates
- Dictyocaulus filaria**  
 Poliakova, O. I., 1959 c, 281-285  
 hyaluronidase
- Dictyocaulus filaria**  
 Poliakova, O. I., 1959 d, 89  
 antigens
- Dictyocaulus filaria**  
 Porter, D. A., 1942 c, 596
- Dictyocaulus filaria (Rudolphi, 1809)**  
 Pozo-Lora, R., 1960 a, 408  
 oveja (bronquios): Cordoba
- Dictyocaulus filaria**  
 Priselkov, A. M.; and Gur'eva, A. M., 1940 b, 171-172  
 influence of disinfectants and temperature on larvae
- D[ictyocaulus] filaria**  
 Pukhov, V. I.; Reshetniak, V. Z.; and Krivoshata, E. E., [1954 a], 572  
 ovine, immunodiagnosis
- Dictyocaulus filaria**  
 Quarante, M., 1949 a, 82  
 mouton  
 chèvre  
 chevreuil  
 all from Normandie
- Dictyocaulus filaria (Rudolphi, 1809)**  
 Raevskaia, Z. A.; and Badanin, N. V., 1933 a, 113  
 camel
- Dictyocaulus filaria**  
 Ransom, B. H., 1917 b, 715; Reprint, 6
- Dictyocaulus filaria (Rud.)**  
 Rauther, M., 1930 a, 379, fig. 407
- Dictyocaulus filaria Rud.**, 1809  
 Reyes, R. V., 1938 a, 21  
 oveja [sheep]  
 buey [ox]  
 both from Colombia
- Dictyocaulus (Strongylus) filaria Rud.**  
 Richters, E., 1920 b, 456-457  
 development, sheep
- Dictyocaulus (Strongylus) filaria Rud.**  
 Richters, E., 1922 a, 208-236  
 development, sheep
- Dictyocaulus filaria**  
 Roberman, S. L., 1933 a, 57  
 sheep, treatment
- Dictyocaulus filaria**  
 Robertson, D., 1933 a, 321, 323  
 lambs: North of Scotland
- Dictyocaulus filaria Rudolphi**  
 Robertson, D., 1937 d, 2022, 2030, 2039, 2043  
 sheep: Scotland
- Dictyocaulus filaria**  
 Robertson, D., 1939 b, 233  
 hill sheep: Scotland
- Dictyocaulus filaria**  
 Robertson, D., 1942 a, 59, 67-69  
 sheep: Scotland
- Dictyocaulus filaria**  
 Robinson, L. E., 1933 b, 337  
 treatment
- Dictyocaulus (D.) filaria (Rud., 1809)** Railliet et Henry, 1907  
 Rodonafá, T. E., 1956 a, 160  
*Capreolus c. capreolus*: Lagodekhskiy state preserve
- Dictyocaulus filaria (Rudolphi, 1809)**  
 Rodriguez H., J. E., [1959 a], 139  
 treatment
- Dictyocaulus filaria**  
 Roe, R. J., 1931 a, 47  
 caprine
- Dictyocaulus filaria**  
 Roe, R. J., 1935 a, 37  
 sheep  
 goat  
 both from Cyprus

- Dictyocaulus filaria**  
 Roe, R. J., 1937 a, 39  
 caprine: Cyprus
- Dictyocaulus filaria**  
 Roetti, C., 1939 b, 379  
 pecora abissina: Scioa
- Dictyocaulus filaria**  
 Rogošić, D., 1955 a, 808  
 Montenegro
- Dictyocaulus filaria**  
 Romanovich, M. I.; and Slavin, A. P., 1914 a, 444  
 life history
- Dictyocaulus filaria**  
 Romanovich, M. I.; and Slavin, A. P., 1915 a, 379-391, pls. 1-2  
 Schafe
- Dictyocaulus filaria**  
 Rose, G. A., 1938 a, 197
- Dictyocaulus filaria**  
 Rose, J. H., 1955 a, 370-381, 1 pl., figs. 1-2
- Dictyocaulus filaria**  
 Rose, J. H., 1958 a, 304  
 sheep: Great Britain
- Dictyocaulus filaria**  
 Rose, J. H.; Michel, J. F.; and Harriss, S. T., 1957 a, 461  
 sheep: Britain
- Dictyocaulus filaria (Rudolphi)**  
 Roveda, R. J.; and Ringuelet, R., 1947 a, 69, 70  
 Ovis aries  
 Capra hircus  
 both from Argentina
- Dictyocaulus filaria**  
 Ruff, F. J., [1938 a], 152  
 deer: Pisgah National Game Preserve
- Dictyocaulus filaria**  
 Rukavina, J.; Delić, S.; Čanković, M.; and Martotić, B., 1960 a, 81  
 sheep, dictin treatment
- [**Dictyocaulus filaria**]  
 Rukhladev, D. P., 1958 b, 372  
 sheep: Dagestan
- Dictyocaulus filaria**  
 Rysavý, B., 1953 a, 172
- Dictyocaulus filaria**  
 Rysavý, B., 1953 b, 141, 143  
 sheep  
 deer
- Dictyocaulus filaria (Rudolphi, 1809)**  
 Rysavý, B.; and Erhardová, B., 1952 a, 123, 124, 125, fig. 6  
 sheep  
 wild ruminants
- Dictyocaulus filaria**  
 Sandground, J. H., 1921 a, 326  
 lambs  
 sheep
- Dictyocaulus filaria**  
 Sankaranarayanan, M. V.; Das, D. N.; and Sundaram, S., 1957 a, 42  
 bursa as diagnostic character
- Dictyocaulus filaria**  
 Sarwar, M. M., 1957 d, 228, 229, fig. 1b
- Dictyocaulus filaria**  
 Sarwar, M. M.; and Barya, M. A., [1960 a], 22  
 antiomosan ineffective treatment against D. filaria in lungs
- Dictyocaulus filaria**  
 Sarwar, M. M.; and Barya, M. A., 1960 c, 181-184  
 larvae, effect of small doses of phenothiazine
- Dictyocaulus filaria**  
 Sarwar, M. M.; and Rauf, A., 1956 a, 200  
 incidence, bionomics: Punjab-Pakistan
- Dictyocaulus filaria**  
 Satubaldin, Kh., 1955 a, 285, 289, 291  
 sheep  
 goats  
 both from Alma-Atinskaya oblast
- Dictyocaulus filaria**  
 Savchuk, N. A., 1956 a, 183  
 distribution and control: Odessa oblast
- Dictyocaulus filaria Rudolphi, 1908**  
 Savi, P., 1948 a, 7  
 ovine, verminous bronchitis
- Dictyocaulus filaria Rud.**  
 Schang, P. J., 1921 a, 86
- Dictyocaulus filaria**  
 Schanzel, H., 1953 a, 272  
 ovine, diagnosis
- Dictyocaulus filaria**  
 Schanzel, H., 1958 a, 97-104, 2 pls., 4 figs.  
 phenothiazine
- Dictyocaulus filaria**  
 Schanzel, H., 1958 c, 213  
 effect of temperature and moisture on exogenous larvae, sheep
- Dictyocaulus filaria**  
 Schanzel, H., 1958 d, 470, 471  
 extensity and intensity of infection in sheep breeds
- Dictyocaulus filaria**  
 Schanzel, H., 1959 a, 249, 250, fig. 2  
 ewes
- Dictyocaulus filaria**  
 Schanzel, H., 1959 b, 327  
 sheep: Czechoslovakia
- Dictyocaulus filaria**  
 Schanzel, H., 1959 c, 79, 81  
 relation between age of sheep and invasion of lungworms
- Dictyocaulus filaria**  
 Schanzel, H.; and Bezděková, J., 1957 a, 247  
 sheep, treatment
- Dictyocaulus filaria**  
 Schiel, O., 1938 a, 707  
 Rothirsch
- Dictyocaulus filaria**  
 Schilling, E. A., 1938 a, 251  
 tentatively identified, deer: Pisgah National Game Preserve
- Dictyocaulus filaria**  
 Schrottle, H., 1955 a, 13, 22-25  
 Schaf: Dünger
- Dictyocaulus filaria (Rudolphi, 1809)**  
 Schulz, J. A.; and Heide, D., 1959 a, 312, 313, 314  
 sheep, treatment
- Dictyocaulus filaria (Rud.)**  
 Schuurmans Stekhoven, J. H., 1937 a, 485
- Dictyocaulus filaria (Rud.)**  
 Schuurmans Stekhoven, J. H., 1939 a, 598, 626
- Dictyocaulus filaria**  
 Schwartz, B. I., 1932 a, 69  
 sheep (lungs)
- Dictyocaulus filaria**  
 Schwartz, B. I.; et al., 1951 a, 3, 5
- Dictyocaulus filaria**  
 Seddon, H. R., 1925 a, 10  
 sheep
- Dictyocaulus filaria (Rudolphi, 1809)**  
 Seddon, H. R., 1947 c, 11  
 sheep: Australia
- Dictyocaulus filaria (Rudolphi, 1809)**  
 Seneviratna, P., 1955 b, 35  
 kids  
 goats  
 both from Nikeweratiya
- Dictyocaulus filaria (Rud.)**  
 Seurat, L. G., 1918 a, 263  
 Syn.: *Strongylus filaria* Rud. 1819

- Dictyocaulus filaria* (Rud.)  
 Seurat, L. G., 1918 f, 577  
*Dictyocaulus filaria* Rud.  
 Seurat, L. G., 1920 b, 1473  
*Dictyocaulus filaria*  
 Seurat, L. G., 1920 c, 32, 68, 96, 130-134,  
 ?fig. XXV  
*Dictyocaulus filaria* Rudolphi  
 Shaw, J. N., 1934 a, [1]-12  
 guinea pigs  
 sheep  
 kid  
 (all exper.)  
*Dictyocaulus filaria*  
 Shibaev, L. P., 1936 a, 27-50  
 sheep, treatment  
*Dictyocaulus filaria*  
 Shibaev, L. P.; Monina, E. F.; and Sopel'chenko, M. I., 1936 a, 4-16  
 biology: Uzbekistan  
*Dictyocaulus filaria*  
 Shibaev, L. P.; Sopel'chenko, M. I.; and Shmelyov, A. F., 1936 a, 17-26  
 prophylaxis in karakul sheep farm in Uzbekistan  
*Dictyocaulus filaria*  
 Shillinger, J. E., 1942 a, 1223  
*Dictyocaulus filaria* (Rud.)  
 Shishkin, G. N., 1937 a, 607  
 sheep: Georgia  
*Dictyocaulus filaria*  
 Shubkina, L. I., 1940 a, 119, 120, 121, 122  
 mouton: Semipalatinsk de Kazakhstan  
*D[ictyocaulus] filaria*  
 Shul'ts, R. S.; and Boev, S. N., 1940 a, 239  
*Dictyocaulus filaria* (Rud., 1808) R. et H., 1907  
 Shul'ts, R. S.; and Boev, S. N., 1940 b, 175, 176-177, 207, 211, 226, pl. 1, figs. 1-5, pl. 16, fig. 7  
 [spotted deer]  
 [sheep]  
 [goat]  
 [camel]  
 [cattle] (exper.)  
 all from Kazakhstan  
*Dictyocaulus filaria* (Rudolphi, 1809)  
 Shul'ts, R. E. S.; Gnedina, M. P.; and Kadennatsii, A. N., 1938 a, 36  
 ovtsy [ovine]: Bashkiria  
*Dictyocaulus filaria*  
 Shul'ts, R. E. S.; Murashkintsev, N. S.; Gorshkov, I. G.; and Petrov, A. M., 1934 a, 43-46  
 sheep, treatment  
*Dictyocaulus filaria*  
 Shul'ts, R. E. S.; Murashkintsev, N. S.; Gorshkov, I. G.; and Petrov, A. M., 1934 b, 746-747  
 sheep, treatment  
*Dictyocaulus filaria*  
 Shul'ts, R. E. S.; Orlov, I. V.; and Kutass, A. J., 1933 a, 303  
 Schaf  
*Dictyocaulus filaria*  
 Shumard, R. F.; and Eveleth, D. F., 1957 a, 225-229  
 sheep, piperazine citrate  
*Dictyocaulus filaria*  
 Shumilina, Z. V., 1955 a, 316  
 camels: Western Kazakhstan oblast  
*Dictyocaulus filaria* (Rudolphi, 1809)  
 Silva Leitão, J. L., 1948 a, 200  
*Dictyocaulus filaria* (Rudolphi, 1809)  
 Simón, F., 1958 a, 397  
*Dictyocaulus filaria* (Rudolphi, 1809)  
 Simón Vicente, F., 1961 b, 101-139  
*Dictyocaulus filaria*  
 Simúnek, J., 1961 a, 249  
 Schaf
- Dictyocaulus filaria*  
 Simúnek, J., 1962 a, 210  
 sheep, pharmacotherapy  
*Dictyocaulus filaria*  
 Singh, B., 1941 a, 17  
 goats, verminous pneumonia: Bengal (India)  
*Dictyocaulus filaria*  
 Sirigu, A., 1960 a, 40  
 treatment  
*Dictyocaulus filaria* (Rud., 1809)  
 Sirotenko, M. P., 1957 b, 126  
 sheep: Tadzhikistan  
*Dictyocaulus filaria*  
 Sirotenko, M. P., 1957 e, 128  
 epizootiology: Tadzhikistan  
*Dictyocaulus filaria*  
 Sirotenko, M. P., 1958 b, 63, fig. 2  
 ovine, treatment  
*Dictyocaulus filaria* (Rud., 1809)  
 Siui, S. T.; and Boev, S. N., 1960 a, 109  
 sheep: Kansu Province, China  
*Dictyocaulus filaria* (Rud.)  
 Skrjabin, K. I., 1916 b, 60  
*Dictyocaulus filaria* (Rud.)  
 Skrjabin, K. I., 1929 b, 11, 19, 20, 21, 22, 23, 24, 62, fig. 8  
*Dictyocaulus filaria*  
 Skrjabin, K. I., 1932 c, 155-172  
 diagnosis, treatment, sheep: Union Soviet-ique  
*Dictyocaulus filaria*  
 Skrjabin, K. I.; and Shul'ts, R. E. S., 1929 a, 56  
*Dictyocaulus (D.) filaria* (Rud., 1809)  
 Skrjabin, K. I.; and Shul'ts, R. E. S., 1934 a, 12, 13-14, 16-17, 23, 24, 25, 33, 34, 39, 40, 46, 47, 48, 49, fig. 1, pl. 1, figs. 1-5  
 sheep  
 goats  
 camels  
 spotted deer  
*Dictyocaulus filaria*  
 Skrjabin, K. I.; Shul'ts, R. E. S., 1936 c, 412-415, 423  
*Dictyocaulus filaria*  
 Skrjabin, K. I.; and Vereshchagin, M. N., 1926 a, 109, 110  
 [sheep]: Smolensk Gub.  
*Dictyocaulus filaria*  
 Slavin, A. P., 1914 a, 974-979  
 Lämmer  
*Dictyocaulus filaria* (Rud.)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 411, 412, 414, 415, 444, fig. 211  
*Dictyocaulus filaria*  
 Smirnov, G. G., 1932 a, 242  
 prenatal infection  
*Dictyocaulus filaria*  
 Sofrenović, D.; et al., 1961 a, 871-883  
 immunized lambs, pathomorphology of lungs  
*Dictyocaulus filaria*  
 Sokolić, A.; et al., 1961 a, 635-645  
 vaccination of sheep with irradiated larvae, immunogenicity tests  
*Dictyocaulus filaria*  
 Soliman, K. N., 1951 a, 274, 275, 276, 277, 278  
 sheep  
*Dictyocaulus filaria*  
 Soliman, K. N., 1953 a, 75  
 migration route of infective larvae to lungs  
*D[ictyocaulus] filaria*  
 Soliman, K. N., 1953 c, 150, 152, 153  
*Dictyocaulus filaria* (Rud.)  
 Solomon, S. G., 1932 a, 3  
 sheep

- Dictyocaulus filaria* (Rudolphi, 1809)  
 Solomon, S. G., 1933 a, 5  
 sheep  
 goats  
 (bronchi of both): both from Palestine
- Dictyocaulus filaria*  
 Sopel'chenko, M. I., 1939 a, 55-66  
 sheep: Uzbekistan
- Dictyocaulus filaria*  
 Sprehn, C. E. W., 1927 e, 62, 63
- Dictyocaulus filaria* (Rud.)  
 Sprehn, C. E. W., 1928 c, 198, 212-213
- Dictyocaulus filaria* (Rudolphi, 1809) (type)  
 Sprehn, C. E. W., 1932 c, 739-740, 809, 810, 814  
 Syns.: *Strongylus filaria* Rudolphi, 1809;  
*D. filaria* (Rudolphi, 1809) Railliet und  
 Henry, 1907  
*Schaf* (*Ovis aries*) (Bronchien)  
*Ziege* (*Capra hircus*)  
*Rind* (*Bos taurus*)  
*Cervus elaphus*  
*Dama dama*
- Dictyocaulus filaria* (Rud., 1809; Railliet and  
 Henry, 1907)  
 Srivastava, H. D., 1937 ee, 585-589  
 life history
- Dictyocaulus filaria*  
 Srivastava, H. D., 1946 a, 148  
 sheep  
 goats  
 both from India
- Dictyocaulus filaria*  
 Stefański, W., 1955 b, 202, 203, 204, 206, 207,  
 208, 209, 214, 215  
 sheep, pneumonia, treatment
- Dictyocaulus filaria*  
 Stefański, W., 1957 a, 386  
 sheep, treatment ineffective
- Dictyocaulus filaria*  
 Stefański, W., 1957 d, 121-139  
 treatment
- Dictyocaulus filaria*  
 Stefański, W.; and Przyjalkowski, Z., 1959 a,  
 496
- Dictyocaulus filaria*  
 Steingrimsson, B., 1953 a, 284  
*Schaf*.
- Dictyocaulus filaria*  
 Stewart, D. F., 1950 a, 295, 296
- Dictyocaulus filaria*  
 Ströse, A., 1918 b, 261-264
- Dictyocaulus filaria*  
 Stroh, G., 1940 a, 422-423, figs. 1, 3  
 development of males
- Dictyocaulus filaria* (Rudolphi, 1809)  
 Sufrin, J., 1923 a, 15, 40-42  
 synonymy  
 mouton  
 chèvre  
 boeuf  
 dromadaire  
 chameau
- Dictyocaulus filaria* (Rudolphi, 1809) Railliet  
 and Henry, 1907  
 Sugimoto, M., 1925 a, 48, 98, 105, 109, 111  
 Syn.: *Strongylus filaria* Rudolphi, 1809  
*Capra hircus*  
*Ovis aries*  
*Camelus bactrianus*  
*Bos taurus*
- Dictyocaulus filaria* (Rudolphi, 1809) Railliet &  
 Henry, 1907  
 Sugimoto, M., 1939 a, 136-137, 214, 215, 216,  
 217  
 synonymy  
*Bison bison*  
*Bos taurus*
- Dictyocaulus filaria* (Rudolphi, 1809)  
 Railliet & Henry, 1907--Continued  
 Sugimoto, M., 1939 a  
*Camelus dromedarius*  
*C. bactrianus*  
*Capra hircus*  
*Capreolus capreolus*  
*Cervus elaphus*  
*Dama dama*  
*Gazella dorcas*  
*Oreotragus saltator*  
*Ovis ammon*  
*O. aries*  
*O. aries platyura*  
 all from Formosa (Taihoku)
- Dictyocaulus filaria*  
 Swales, W. E., 1933 a, 472, 473  
*Ovis aries*: Ontario, British Columbia  
 deer: British Columbia
- Dictyocaulus filaria*  
 Swales, W. E., 1933 c, 479  
*Ovis aries*: Ontario, Quebec, Prince Edward  
 Island
- Dictyocaulus filaria*  
 Swierstra, D.; Jansen, J. (jr.); and van den  
 Broek, E., 1959 a, 894  
*Ovis aries*: Netherlands
- Dictyocaulus filaria*  
 Szaflarski, J., 1950 b, 544  
 intradermal test
- Dictyocaulus filaria*  
 Szaflarski, J., 1950 c, 586, 587  
 diagnosis, domestic animals
- Dictyocaulus filaria*  
 Szaflarski, J.; Wiśniowski, J.; and Dubiel, E.,  
 1952 a, 538
- Dictyocaulus filaria*  
 Szidat, L., 1926 d, 608, 609  
 Kälber: Ostpreussen
- Dictyocaulus filaria* (Rudolphi, 1809)  
 Tagle V., I., 1953 c, 95, 96  
*Ovis aries*  
*Capra hircus*  
 both from Chile
- Dictyocaulus filaria* (Rudolphi, 1809)  
 Tagle V., I.; and Olivares C., J., 1948 a, 36  
 ovine, treatment
- Dictyocaulus filaria*  
 Tarazona Vilas, J. M., 1955 a, (49), 271-301;  
 (50), 345-362  
 ovine, treatment
- Dictyocaulus filaria*  
 Taylor, E. L., 1929 a, 229-233
- Dictyocaulus filaria*  
 Taylor, E. L., 1933 e, 22  
 prenatal infestation
- Dictyocaulus filaria*  
 Taylor, E. L.; and Michel, J. F., 1952 a, 753  
 inhibited development of *Dictyocaulus* larvae  
 in lungs of cattle and sheep
- Dictyocaulus filaria*  
 Terrazas M., I., 1949 a, 11  
 sheep
- Dictyocaulus filaria*  
 Tetley, J. H., 1936 a, 802  
 migration route in ruminants
- Dictyocaulus filaria*  
 Tetley, J. H., 1949 a, 10, 11, 26  
 sheep: N. Zealand
- Dictyocaulus filaria*  
 Thomlinson, J. R., 1953 a, 80  
 sheep: Scotland
- Dictyocaulus filaria*  
 Tikhonov, G. V.; Manakov, N. N.; and Matveev,  
 A. A., 1958 a, 49  
 sheep

- ? *Dictyocaulus filaria* (Rud., 1809)  
 Tillier, S., 1928 a, 830, 835  
 [as *D. affinis* "the ordinary lungworm"]
- Dictyocaulus filaria*  
 Tokbaev, M. M., 1962 a, 1100  
*Citellus relictus*: Central Asian mountains
- Dictyocaulus filaria*  
 Tomskikh, P. T., 1956 a, 239  
 sheep: Cheliabinsk oblast
- Dictyocaulus filaria* (Rudolphi, 1809)  
 Torreggiani, G., 1914 a, 405  
 pecore: La Paz and Cochabamba, Bolivia
- Dictyocaulus filaria* (Rud., 1809)  
 Toshchev, A. P., 1949 a, 156, 157, 158, 159, 161  
 sheep: eastern Siberia
- Dictyocaulus filaria*  
 Toth, S., (1926 a), 43  
 verminous bronchitis, sheep, treatment
- Dictyocaulus filaria*  
 Toth, S., 1927 a, 397  
 verminous bronchitis, sheep, treatment
- Dictyocaulus filaria* (Rudolphi, 1809) Railliet et Henry, 1907  
 Trach, V. N., 1956 b, 188  
 sheep, treatment
- Dictyocaulus filaria* (Rudolphi, 1809) Railliet et Henry, 1907  
 Trach, V. N., 1957 d, 38  
 sheep: Ukrainian Polesie
- Dictyocaulus filaria* (Rudolphi, 1809) Railliet et Henry, 1907  
 Trach, V. N., 1958 a, 900  
 sheep: Crimean highlands
- Dictyocaulus filaria* (Rudolphi, 1809)  
 Tropa, E.; and Sousa Dias, 1943 a, chart 2  
 ovino: Pôrto
- Dictyocaulus filaria*  
 Tsvetaeva, N. P., 1959 b, 347-373  
 sheep, pathomorphology
- Dictyocaulus filaria*  
 Tuzdil, A. N., [1938 b], 3 pp., 1 fig. on p. 1;  
 ? fig. on p. 2
- Dictyocaulus filaria*  
 Turner, H. W., 1932 b, 121  
 sheep, treatment
- Dictyocaulus filaria*  
 Ul'ianov, P. V.; and Ivanova, P. S., 1956 a, 163  
 sheep: Ivanov oblast
- Dictyocaulus filaria* (Rudolphi, 1809) Railliet et Henry, 1907  
 Ul'ianov, S. D., 1958 a, 72  
 sheep: Alma-Atinsk oblast
- Dictyocaulus filaria* Rud., 1809  
 Ulm, E. K., 1932 a, 18  
 effect of soil conditions  
 Syn.: *Strongylus filaria* Rud. 1809  
 Rind
- Dictyocaulus filaria*  
 Underhill, B. M., 1920 a, 221, 256
- Dictyocaulus filaria*  
 Underhill, B. M., 1921 a, 21, fig. 8  
 sheep
- Dictyocaulus filaria* (Rudolphi, 1809)  
 Vaïvarinfa, Kh. F., 1954 a, 308  
 sheep: Latvian SSR
- Dictyocaulus filaria*  
 Vajda, T., 1931 a, 778-780, fig. 3  
 Schaf
- Dictyocaulus filaria*  
 Vajda, T., 1931 b, 187-190
- Dictyocaulus filaria*  
 Vajda, T., 1932 a, 181
- Dictyocaulus filaria*  
 Vegetius, 1941 a, 202-203
- Dictyocaulus filaria* (Rud., 1809)  
 Veggia, F., 1920 a, 27  
 pecore: Provincia del Capo
- Dictyocaulus filaria*  
 Velu, H.; and Barotte, J. H., 1924 a, 337, 342  
 mouton  
 chèvre  
 chevreuil
- Dictyocaulus filaria* (Rudolphi, 1807)  
 Verdelhan, L. R., 1958 a, 36-37, 39, 40.  
 treatment  
 mouton
- Dictyocaulus filaria* (Rud.)  
 Vereshchagin, N. K., 1926 a, 20, 32
- Dictyocaulus filaria*  
 Vodrážka, J., 1959 a, 508  
 methods for testing anthelmintics
- Dictyocaulus filaria*  
 Vodrážka, J., 1959 b, 301
- Dictyocaulus filaria*  
 Vodrážka, J., 1960 b, 405  
 method for critical evaluation of anthelmintics used against lungworms
- Dictyocaulus filaria*  
 Vodrážka, J.; Berecky, I.; and Sokol, J., 1959 a, 255-267  
 effect of hydrazide of cyanoacetic acid on *D. filaria* in vitro and in infested sheep
- Dictyocaulus filaria*  
 Vodrážka, J.; Sokol, J.; and Berecky, I., 1960 a, 404, 405-408  
 critical tests with cyanacetohydrazide
- Dictyocaulus filaria*  
 Voge, M., 1956 a, 426
- Odooileus hemionus*: California
- Dictyocaulus filaria* (Rudolphi, 1809)  
 Vogelsang, E. G., 1942 b, 99  
 verminous bronchitis, bovines, treatment
- Dictyocaulus filaria*  
 Voskoboinikov, V. M., 1948 a, 43  
 goats
- Dictyocaulus filaria*  
 Walley, J. K., 1957 a, 815-824  
 treatment
- Dictyocaulus filaria*  
 Walley, J. K., 1957 b, 852  
 treatment
- Dictyocaulus filaria*  
 Walley, J. K., 1957 c, 539-544  
 treatment
- Dictyocaulus filaria*  
 Walley, J. K., 1963 a, 10, 11
- Dictyocaulus filaria*  
 Wardle, R. A., 1929 a, 76
- Dictyocaulus filaria*  
 Waymel, 1926 a, 21, 22  
 mouton: Maroc
- Dictyocaulus filaria*  
 Weber, J. H., [1912 a], 13 pp.  
 sheep
- Dictyocaulus filaria*  
 Wetzel, R., 1930 f, 49
- Dictyocaulus filaria* (Rudolphi, 1809)  
 Wetzel, R., [1933? a], 6  
 Syn.: *Strongylus filaria* Rudolphi, 1809  
 Schaf (Bronchien)  
 Ziege  
 Hirsch
- Dictyocaulus filaria*  
 Wetzel, R.; and Enigk, K., 1937 e, 9-10
- Dictyocaulus filaria*  
 Wetzel, R.; and Quittek, G., 1940 a, 350  
 prepatent period  
 Schaflämmern  
 Ziegenlamm
- Dictyocaulus filaria*  
 White, V. C., [1913 a], 58 pp.  
 sheep

- Dictyocaulus filaria  
 Whitlock, H. V., 1957 b, 7  
 carneros: Ecuador
- Dictyocaulus filaria  
 Whitlock, H. L., 1957 c, 7  
 ovejas: Peru
- Dictyocaulus filaria  
 Whitlock, S. C., 1939 b, 246  
 whitetail deer
- Dictyocaulus filaria  
 Wicktor, C. E., 1952 c, 20
- Dictyocaulus filaria  
 Wickerhauser, T.; et al., 1959 a, 367  
 treatment
- Dictyocaulus filaria  
 Wilks, N. E., 1950 a, 82  
 biology of larvae
- Dictyocaulus filaria  
 Wilks, N. E., 1951 a, 269  
 biology of larvae
- Dictyocaulus filaria  
 Willman, J. P.; Baker, D. W.; and Embry, L. B.,  
 1950 a, 137  
 sheep, treatment
- Dictyocaulus filaria  
 Wilson, G. I., 1961 d, 20-21  
 serum protein changes in lambs and kids
- Dictyocaulus filaria  
 Wooldridge, G. H., 1923 h, 400
- Dictyocaulus filaria (Rud.)  
 Wu, K.; and Chen, C. Z., 1941 a, 219  
 sheep: Shanghai
- Dictyocaulus filaria (Rudolphi)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 162,  
 fig. 104  
 type of genus  
 sheep  
 goats
- Dictyocaulus filaria  
 Zarnowski, E., 1958 a, 465-467  
 in vitro propagation and development of  
 larvae in guinea-pigs
- Dictyocaulus hadweni n. sp.  
 Chapin, E. A., 1925 e, 677, fig. 1  
 Alce americanus  
 Cervus canadensis  
 Bison bison
- Dictyocaulus hadweni  
 Alderson, L. E., 1951 a, 77  
 Cervus canadensis nelsoni: Wyoming
- Dictyocaulus hadweni Chapin, 1925  
 Badanin, N. V., 1938 a, 62, 66  
 chameau: USSR
- Dictyocaulus hadweni Chapin, 1925  
 Badanin, N. V., [1941 b], 332  
 Capreolus pygargus: Trans-Ili Ala-Tau
- Dictyocaulus hadweni  
 Benson, D. A., 1958 a, 246  
 Alces americana: Nova Scotia
- Dictyocaulus hadweni  
 Boev, S. N., 1936 a, 315, 316, 317-319  
 [Altai stag]
- Dictyocaulus (Micrurocaulus) hadweni (Chapin,  
 1925)  
 Bondareva, V. I., [1941 a], 268, 273  
 camels: East Kazakhstan oblast
- Dictyocaulus hadweni Chapin, 1925  
 Bondareva, V. I., 1948 a, 53  
 camels: Kazakhstan
- Dictyocaulus hadweni Chapin (1925)  
 Dikmans, G., 1936 f, 298-303  
 as syn. of D. viviparus (Bloch)
- Dictyocaulus hadweni Chapin, 1925  
 Fenstermacher, R., 1937 a, 29  
 moose
- Dictyocaulus hadweni Chapin, 1925  
 Fenstermacher, R.; and Jeilison, W. L., 1933 a,  
 10  
 moose
- Dictyocaulus hadweni  
 Graesser, F. E., 1957 a, 356  
 cattle: Alberta
- Dictyocaulus hadweni  
 Joneschild, E. M.; in Butler, W. J., [1937 a],  
 leaf [12]  
 elk: south fork of Flathead
- Dictyoculus hadweni  
 Joneschild, E. M.; in Butler, W. J., 1938 b,  
 leaves 22-29  
 elk: Flathead, Montana
- Dictyocaulus hadweni Chapin  
 Polianskaya, M. V.; and Sedel'nikova, O. A.,  
 1941 a, 85-92  
 biology
- Dictyocaulus hadweni  
 Roudabush, R. L., 1936 a, 518  
 Bison bison
- Dictyocaulus hadweni Chapin  
 Rukhladev, D. P., 1941 c, 91  
 Cervus elaphus  
 Capreolus capreolus  
 both from Crimea
- Dictyocaulus hadweni  
 Rukhladev, D. P., 1941 d, 79, 80  
 Cervus elaphus subsp.  
 Capreolus capreolus  
 both from Crimean game reserve
- Dictyocaulus hadweni  
 Rush, W. M., [1932 a], 57, 59, 90, 95, 107  
 elk  
 moose  
 both from Northern Yellowstone
- Dictyocaulus hadweni  
 Shaw, J. N.; Simms, B. T.; and Muth, O. H.,  
 1934 a, 21  
 Odocoileus columbianus: Douglas Co., Oregon
- Dictyocaulus hadweni  
 Shillinger, J. E., 1942 c, 1223
- Dictyocaulus hadweni Chapin, 1925 ex parte  
 Skrjabin, K. I.; et al., [1953 a], 614  
 as syn. of D. (Micrurocaulus) camelis Boev,  
 1951
- Dictyocaulus hadweni Chapin, 1925 ex parte  
 Skrjabin, K. I.; et al., [1953 a], 614  
 as syn. of D. (Micrurocaulus) eckerti  
 Skrjabin, 1931
- Dictyocaulus (Micrurocaulus) hadweni Chapin,  
 1925  
 Skrjabin, K. I.; and Shul'ts, R. E. S., 1934 a,  
 12, 41, 42-46, 47, 48, 49, fig. 2, pl. 3, figs.  
 1-4  
 key  
 Syn.: D. eckerti Skrj., 1931  
 Bison bison  
 Cervus canadensis  
 Alce americanus
- Dictyocaulus hadweni  
 Sprehn, C. E. W., 1927 e, 62  
 Bison bison  
 Alce americanus  
 Cervus canadensis
- Dictyocaulus hadweni  
 Swales, W. E., 1933 a, 473, 477  
 Bison bison: Alberta
- Dictyocaulus hadweni (Chapin, 1925)  
 Takhistov, B. A., 1937 a, 713-716  
 Rangifer tarandus: Kola Peninsula
- D[ictyocaulus] hadweni  
 Takhistov, B. A., 1940 b, 209  
 reindeer: Kola Peninsula
- Dictyocaulus hadweni  
 Takhistov, B. A., 1942 a, 67-68  
 biological adaptability to conditions of polar  
 climate

- Dictyocaulus hadweni*  
 Van Roekel, H., 1929 c, 311, fig. 99  
 deer (lung)
- Dictyocaulus hadweni*  
 Voge, M., 1959 a, 426  
 Syn.: *D. viviparus*?  
*Odocoileus hemionus*: California
- Dictyocaulus hadweni Chapin*  
 Wallace, F. G., 1934 b, 771, 772  
*Alces americanus*  
*American bison*  
*Cervus canadensis*  
 all from Northern Minnesota
- Dictyocaulus hadweni Chapin*  
 Walton, A. C., [1927 a], 103-104  
*caribou*
- Dictyocaulus hadweni Chapin*, 1928  
 Wetzel, R.; and Enigk, K., 1937 e, 10
- Dictyocaulus hadweni Chapin*  
 Yorke, W.; and Maplestone, P. A., 1926 a, 162  
*Bison bison*  
*Alce americanus*  
*Cervus canadensis*
- Dictyocaulus khawi* n. sp.  
 Hsü, H. F., 1935 b, 579, 582-584, 598, figs. 5-8  
*Sus scrofa domesticus*: Tonkin, French Indo-China
- Dictyocaulus khawi* Hsü, 1925  
 Dikmans, G., 1936 f, 300-301, 302  
? as syn. of *D. viviparus* (Bloch)
- Dictyocaulus magnus* (Mönnig, 1932) n. comb.  
Dougherty, E. C., 1946 a, 50, 51, 52  
Syn.: *Bronchonema magnum* Mönnig, 1932 emend. nov.
- Dictyocaulus micrurus* (Mehlis in Gurlt, 1831)  
Railliet, 1915  
Boev, S. N., 1957 a, 17, 22  
as syn. of *D. viviparus* (Bloch, 1782) Railliet et Henry, 1907
- Dictyocaulus micrurus*  
Fiebiger, J., 1923 a, 36, 271
- Dictyocaulus micrurus*  
Hall, M. C., 1922 y, 133
- Dictyocaulus micrurus*  
Hoskins, H. P., [1918 c], [2]  
horse (lungs): Detroit, Mich.
- [*Dictyocaulus micrurus*]  
Jacob, M., 1922 a, 331-335
- Dictyocaulus micrurus*  
Krijgsman, B. J., 1933 d, 370  
as syn. of *D. viviparus*
- [*Dictyocaulus micrurus*]  
Krueger<sup>8</sup>, 1922 a, 367-368
- [*Dictyocaulus micrurus*]  
Lecarpentier-Dubosq, M. E., 1928 a, 1-48
- [*Dictyocaulus micrurus*]  
Pinguet, M. A., (1926 a), 1-24
- Dictyocaulus micrurus* (Mehlis)  
Rauther, M., 1930 a, 346
- Dictyocaulus micrurus*  
Sandground, J. H., 1921 a, 326  
deer
- Dictyocaulus micrurus* (Mehl.)  
Skrjabin, K. I., 1916 b, 60
- Dictyocaulus micrurus* Mehl.  
Törnquist, N., 1931 a, 18  
Syn.: *Strongylus micrurus* Mehl.
- [*Dictyocaulus micrurus*]  
Veloppé, M., 1925 a, 29 pp.
- [*Dictyocaulus micrurus*]  
Veloppé, M., 1928 a, 2-17
- Dictyocaulus micrurus*  
Velu, H.; and Barotte, J. H., 1924 a, 337  
boeuf  
cerf  
chevreuil
- [*Dictyocaulus micrurus*]  
Weber, E., 1918 a, 249-261
- [*Dictyocaulus micrurus*]  
Wiemann, J., 1927 b, 27-28
- Dictyocaulus micrurus* (Mehlis)  
Yorke, W.; and Maplestone, P. A., 1926 a, 162  
as syn. of *D. viviparus* (Bloch)
- Dictyocaulus noernerii* Railliet & Henry  
Böhm, L. K., 1929 a, 604
- Dictyocaulus noernerii* Railliet and Henry, 1907  
Dougherty, E. C., 1946 a, 49, 50, 51, 52  
as syn. of *D. viviparus* (Bloch, 1782) Railliet and Henry, 1907
- Dictyocaulus noernerii* Railliet & Henry  
Neveu-Lemaire, M., 1918 a, 12  
chevreuil
- Dictyocaulus noernerii*, Railliet et Henry, 1907  
Skrjabin, K. I.; and Shul'ts, R. E. S., 1934 a, 41, 42, 44, 46
- Dictyocaulus noernerii*  
Sprehn, C. E. W., 1927 e, 62
- Dictyocaulus noernerii* Railliet und Henry, 1907  
Sprehn, C. E. W., 1932 c, 741, 809  
Hirsch (*Cervus elaphus*) (Lunge): Europa
- Dictyocaulus noernerii* Railliet & Henry  
Yorke, W.; and Maplestone, P. A., 1926 a, 162  
deer
- Dictyocaulus ocreatus*  
Vaysse, J.; and Zottner, G., 1955 c, 328-330  
Maroc
- Dictyocaulus rufescens*  
Bhatia, B. B.; and Pande, B. P., 1960 a, 229, fig. 7(b)
- Dictyocaulus rufescens* (Leuckart, 1865) Pratt, 1916  
Dougherty, E. C.; and Goble, F. C., 1946 a, 9  
as syn. of *Protostomylus rufescens* (Leuckart, 1865) Kamenskiï, 1905
- Dictyocaulus rufescens*  
Likerman, J. E., 1943 a, 3
- Dictyocaulus sagittatus* [n. comb.]  
Fiebiger, J., 1923 a, 271
- Dictyocaulus* (D.) *sibiricus* [n. sp.]  
Orlov, N. P.; in Skrjabin, K. I.; and Shul'ts, R. E. S., 1934 a, 12, 13, 14-15, pl. 1, figs. 6-7  
sheep (lungs): Northern Siberia
- Dictyocaulus sibiricus* Orlov in Skriabin and Shul'ts, 1934  
Dougherty, E. C., 1946 a, 49, 50, 52  
as syn. of *D. filaria* (Rud., 1809) Railliet and Henry, 1907
- Dictyocaulus unequalis* n. sp.  
Bhalerao, G. D., 1932 d, 242, 248-249, 253, pl. 18, figs. 1-2  
*Ovis hodsoni* (large bronchi): Muktesar-Kumaun (U.P.)
- Dictyocaulus unequalis* Bhalerao, 1932  
Baylis, H. A., 1936 a, 389, 391  
*Ovis hodsoni*: Muktesar, United Provinces
- Dictyocaulus unequalis*  
Bhatia, B. B.; and Pande, B. P., 1960 a, 217  
sheep (bronchi and bronchioles): Uttar Pradesh
- Dictyocaulus unaequalis* Bhalerao, 1932  
Boev, S. N., 1957 a, 17  
as syn. of *D. filaria* (Rud., 1809), Railliet et Henry, 1907
- Dictyocaulus unequalis* Bhalerao, 1932  
Cameron, T. W. M., 1933 a, 13  
Tibetan sheep: Muktesar-Kumaon, U. P., India
- Dictyocaulus unequalis* Bhalerao, 1932  
Dikmans, G., 1936 f, 303  
? as syn. of *D. filaria* (Rud.)

- Dictyocaulus (D.) unaequalis* (Bhalerao, 1932)  
 Skrjabin, K. I.; and Shul'ts, R. E. S., 1934 a  
 12, 13, 15-16  
 Tibet sheep (bronchi): India, Muktesar-  
 Kumaun (U. P.)
- Dictyocaulus unequalis*  
 Srivastava, H. D., 1937 ee, 590  
 Tibetan sheep: Mukteswar
- Dictyocaulus unqualis* n. sp. [nomen nudum]  
 Bhalerao, G. D., 1932 c, 80  
*Ovis hodgsoni* (bronchi): Muktesar
- Dictyocaulus viviparus*  
 Abdel Malek, E., 1959 b, 39
- Dictyocaulus viviparus*  
 Abuladze, K. I., 1934 b, 22, 24
- Dictyocaulus viviparus*  
 Ackert, J. E.; and Muldoon, W. E., 1920 a, 140
- Dictyocaulus viviparus* (Bloch)  
 Alessandrini, G. C., 1929 a, 170
- Dictyocaulus viviparus* (Bloch)  
 Alicata, J. E., 1947 a, 72, 79  
 cattle: Hawaii
- D[ictyocaulus] viviparus  
 Alicata, J. E., 1960 a, 411, 412, 413  
 calves (lungs): Hawaii
- Dictyocaulus viviparus*  
 Allan, D., 1957 a, 894  
 bovine parasitic bronchitis, treatment
- Dictyocaulus viviparus*  
 Allan, D., 1959 a, 24  
 parasitic bronchitis, calves
- Dictyocaulus viviparus*  
 Allan, D.; and Baxter, J. T., 1957 a, 717-718  
 overwintering of larvae on pasture: Northern  
 Ireland
- Dictyocaulus viviparus*  
 Allan, D.; and Johnson, A. W., 1960 a, 42
- Dictyocaulus vivipara*  
 Andrews, J. S.; and Maldonado, J. F., 1939 a,  
 53  
 calves: Puerto Rico
- Dictyocaulus viviparus*  
 Andrews, J. S.; and Maldonado, J. F., [1941 c],  
 129  
 becerros: Puerto Rico
- Dictyocaulus viviparus*  
 Arnao Mendoza, M., 1951 a, 77  
*Bos taurus* (bronquios y bronquilos): [Peru]
- Dictyocaulus viviparus* (Bloch, 1782) Railliet &  
 Henry, 1907  
 Ault, C. N., 1943 c, 473, 483, 485, figs. 43,  
 44  
*Bos taurus*: Argentina
- Dictyocaulus viviparus*  
 Avdeev, I. M., 1947 a, 18  
 adult cattle
- Dictyocaulus viviparus*  
 Bagué, J., 1921 a, 1-7
- Dictyocaulus viviparus*  
 Bailey, W. S.; and Herlich, H., 1953 a, 106  
 cow
- Dictyocaulus viviparus*  
 Baker, E. T., 1949 a, 82-83  
 calves
- Dictyocaulus viviparus*  
 Bambauer, H., 1959 a, 316-317  
*Rinder*: Pfalz
- Dictyocaulus viviparus*  
 Baxter, J. T.; Allan, D.; and Patterson, J. T.,  
 1959 a, 293-297  
 influence of grazing "immune cows" on level  
 of infection on pasture
- Dictyocaulus viviparus*  
 Baxter, J. T.; and Kerr, J. A. M., [1960 a],  
 24  
 bronchitis, cattle
- Dictyocaulus viviparus* (Bloch)  
 Baylis, H. A., 1929 c, 174  
 cattle  
 deer
- Dictyocaulus viviparus* (Bloch, 1782) Railliet and  
 Henry, 1907  
 Baylis, H. A., 1936 a, 389, 391-392  
 Syn.: ? *Strongylus pulmonaris* Ercolani, 1859  
 cattle  
 deer  
 both from Punjab
- Dictyocaulus viviparus*  
 Beatty, H. A., 1944 a, 109  
 cattle: St. Croix, V. I.
- Dictyocaulus viviparus*  
 Beliaeva, M. I., 1957 a, 36  
*Bison bonasus*: Belovezhsk forest
- Dictyocaulus viviparus* (Bloch, 1782)  
 Beliaeva, M. I., 1959 b, 105  
*Bison bonasus* (lungs): Belovezhskaya Pushcha
- Dictyocaulus viviparus*  
 Bell, E. J., 1955 a, 12  
 longevity of larval stage on pasture
- Dictyocaulus viviparus*  
 Bennetts, H. W., 1928 b, 49  
*Bos taurus*: Australia
- Dictyocaulus viviparus*  
 Benson, D. A., 1958 a, 247  
*Alces americanus*: Nova Scotia
- Dictyocaulus viviparus*  
 Bhalerao, G. D., 1934 a, 13, pl. 6, 1A  
 cattle: India
- Dictyocaulus viviparus* (Bloch, 1782)  
 Bhattacharjee, J., 1937 a, 89  
 synonymy  
 cattle: Burma
- Dictyocaulus viviparus* (Bloch, 1782)  
 Bobkova, A. F., 1959 a, 19  
 cows: White Russian Polesia
- Dictyocaulus viviparus*  
 Boch, J., 1956 c, 409  
 immunity
- Dictyocaulus viviparus* (Bloch)  
 Böhm, J., 1929 a, 604
- Dictyocaulus viviparus*  
 Boev, S. N., 1954 a, 780  
 cattle: Kazakhstan
- Dictyocaulus viviparus*  
 Boev, S. N., 1954 c, 167  
*krypnyi rog. skot* [cattle]: Kazakhstan
- Dictyocaulus viviparus* (Bloch, 1782) Railliet et  
 Henry, 1907  
 Boev, S. N., 1957 a, 17, 22  
 key  
 Syn.: *Dictyocaulus micrurus* (Mehlis in  
 Gurli, 1831) Railliet, 1915
- Dictyocaulus viviparus* (Bloch, 1782) Railliet  
 et Henry 1907 (ex parte)  
 Boev, S. N., 1957 a, 17, 25  
 as syn. of *D. cameli* Boev, 1952
- Dictyocaulus viviparus* (Bloch, 1782)  
 Boev, S. N., 1959 a, 931  
*Bos taurus*: Kazakhstan
- Dictyocaulus viviparus*  
 Bohn, G., 1937 a, 44 pp., 1 leaf
- Dictyocaulus viviparus*  
 Bohn, G., 1937 b, 587-588, 1 fig.  
 Rehe
- Dictyocaulus viviparus*  
 Boloña R., J., 1944 a, 15
- Dictyocaulus (Micrurocaulus) viviparus* (Bloch,  
 1782)  
 Bondareva, V. I., [1941 a], 266, 273  
 cattle (lungs): East Kazakhstan oblast
- Dictyocaulus viviparus*  
 Borchert, A., 1950 d, 2
- Dictyocaulus viviparus*  
 Borchert, A.; and Polzin, H., 1955 a, 552  
*Rinder*: East Germany
- Dictyocaulus viviparus*  
 Borrmann, M.; and Schulz, M., 1960 a, 33  
 cattle, treatment

- Dictyocaulus vivipara*  
*Bouda, J., 1952 a, 200*
- Dictyocaulus viviparus (Bloch)*  
*Bouvier, G., 1946 a, 269*  
*Capreolus capreolus: [Switzerland]*
- Dictyocaulus viviparus*  
*Bouvier, G., 1947 a, 244*  
*chevreuil [roe]: Switzerland*
- Dictyocaulus viviparus*  
*Bouvier, G.; Burgisser, H., and Schneider, P. A., 1955 a, 321*  
*verminous bronchitis*
- Dictyocaulus viviparus*  
*Britton, J. W., 1944 a, 35*  
*calves: north coast of California*
- Dictyocaulus viviparus*  
*Brown, T. H.; and Spedding, C. R. W., 1958 a, 297*  
*calves*
- Dictyocaulus viviparus*  
*Bump, G., 1937 a, 314*  
*deer*
- Dictyocaulus viviparus*  
*Bump, G., 1942 a, 219*  
*deer: New York State*
- Dictyocaulus viviparus (Bloch, 1782)*  
*Burdzhanadze, P. L., 1943 a, 59*  
*Bos taurus: Georgia [SSR]*
- Dictyocaulus viviparus*  
*Buri, R., 1920 a, 8, 50, 90, pl. 40*
- Dictyocaulus viviparus*  
*Butler, W. J., 1932 a, 14*  
*calves (lungs): western Montana*
- Dictyocaulus viviparus*  
*Cadet, J. C. F., 1957 a, 13*
- Dictyocaulus viviparus*  
*Cameron, T. W. M., 1926 a, 62, 64, 66, 67*
- Dictyocaulus viviparus*  
*Cameron, T. W. M., 1926 h, 62*
- Dictyocaulus viviparus*  
*Cameron, T. W. M., 1930 b, 79, 83*
- Dictyocaulus viviparus*  
*Cameron, T. W. M., 1932 b, 775, 778, 781*  
*ox*
- Dictyocaulus viviparus*  
*Cameron, T. W. M., 1932 f, 92*  
*Cervus elaphus (lung): Scotland*
- Dictyocaulus viviparus (Bloch, 1782) R. & H., 1907*  
*Cameron, T. W. M., 1933 a, 3, 6, 7, 8, 12, 13*  
*Syns.: Gordius viviparus; Strongylus micrus*  
*us*  
*ox*  
*reindeer*  
*red deer*  
*fallow deer*
- Dictyocaulus viviparus*  
*Cameron, T. W. M.; and Parnell, I. W., 1933 a, 137, 139, 153*  
*Cervus elaphus (lungs)*  
*Dama dama*  
*cattle*  
*all from Scotland*
- Dictyocaulus viviparus*  
*Campbell, D. J.; and Wetherill, G. D., 1957 a, 273-275*  
*adult cattle, bronchitis: Ontario*
- Dictyocaulus viviparus*  
*Campbell, D. J.; and Wetherill, G. D., 1958 a, 20-22*  
*adult cattle, bronchitis: Ontario*
- Dictyocaulus viviparus*  
*Carpano, M., 1939 d, 631*  
*bovini: Albania*
- Dictyocaulus viviparus (Bloch, 1782)*  
*Carvalho, J. C. M., 1940 a, 420*  
*Bos taurus*
- Dictyocaulus viviparus (Bloch 1782)*  
*Chatterji, R. C., 1940 c, 54*  
*cattle: Burma*
- Dictyocaulus viviparus*  
*Cheatum, E. L., 1951 a, 219*  
*deer: New York*
- Dictyocaulus viviparus*  
*Chitwood, B. G.; and Chitwood, M. B., 1937 b, 13, fig. 12A-D*
- Dictyocaulus viviparus*  
*Choquette, L. P. E., 1954 b, 347-356*  
*cattle, verminous bronchitis*
- Dictyocaulus viviparus*  
*Clarkson, M. J.; and Owen, L. N., 1959 a, 343*  
*cattle: Bahama Islands*
- Dictyocaulus viviparus*  
*Colglazier, M. L.; and Enzie, F. D., 1961 a, 87*  
*calves, treatment*
- Dictyocaulus viviparus*  
*Corcoran, J. F., 1956 a, 118*  
*control*
- Dictyocaulus viviparus*  
*Corcoran, J. F., 1957 a, 25*  
*control*
- D[ictyocaulus] viviparus*  
*Cornwell, R. L., 1959 a, 562*  
*calf*
- Dictyocaulus viviparus*  
*Cornwell, R. L., 1960 a, 494-498*  
*calves, complement-fixing antibody response*
- Dictyocaulus viviparus*  
*Cornwell, R. L., 1960 b, 499-513*  
*calves, complement-fixing antibody response*
- Dictyocaulus viviparus*  
*Cornwell, R. L., 1962 a, 622*  
*cattle*
- Dictyocaulus viviparus*  
*Cornwell, R. L.; and Berry, J., 1960 a, 595*  
*calves*
- Dictyocaulus viviparus*  
*Cornwell, R. L.; and Michel, J. F., 1960 a, 482-493*  
*calves, complement fixing antibody response*
- Dictyocaulus viviparus (Bloch)*  
*Cowan, I. M., 1946 b, 71, 82, 88, 89*  
*Odcoileus hemionus columbianus: Gambier, Bowen, Hardy Islands, Vancouver Is. (British Columbia)*
- Dictyocaulus viviparus Bloch*  
*Cremona, P.; and Monaco, R., 1933 a, 141-142*  
*bufali: Provincia di Napoli*
- Dictyocaulus viviparus*  
*Cunningham, M. P.; Jarrett, W. F. H.; McIntyre, W. I. M.; and Urquhart, G. M., 1956 a, 141*  
*bovine parasitic bronchitis*
- Dictyocaulus viviparus (Bloch, 1782) Railliet et Henry 1907*  
*Cygas, J., [1960 a], 52, 53*  
*cattle: Lithuanica*
- Dictyocaulus viviparus*  
*Danilin, V. G., 1959 a, 88*  
*cattle, prophylaxis*
- Dictyocaulus viviparus (Bloch)*  
*Daubney, R., 1920 b, 240-264, figs. 6-10*
- Dictyocaulus viviparus*  
*Dennhardt, 1917 a, 70-71*  
*Kälbern*
- Dictyocaulus viviparus*  
*Dennis, W. R.; Swanson, L. E.; and Stone, W. M., 1955 a, 380*  
*cattle, treatment: Florida*
- Dictyocaulus viviparus*  
*Diaz Balco, L. E., 1950 a, 21*  
*as cause of mal bobo*
- Dictyocaulus viviparus*  
*Dikmans, G., 1935 b, 59*  
*Odcoileus virginianus: Michigan*

- Dictyocaulus viviparus* (Bloch, 1782) Raill. and H.  
Dikmans, G., 1936 f, 298-303, fig. 1  
Syns.: *Ascaris vituli* Bruguière; *Strongylus vitulorum* Rud.; *Dictyocaulus hadweni* Chapin; (?) *D. eckerti* Skrj.; (?) *D. khawi* Hsü, etc.
- Bos taurus*  
*Bison bison*  
*Alces americana*  
*Cervus canadensis*  
*Rangifer tarandus*  
*Odocoileus columbianus*  
*O. virginianus*  
*O. hemionus*  
red deer (? *Cervus canadensis*)  
(?) *Sus scrofa domesticus*
- Dictyocaulus viviparus*  
Dikmans, G., 1939 d, 99  
*Alces americana*  
*Bison bison*  
*Cervus canadensis*  
*Odocoileus columbianus*  
*O. hemionus*  
*O. virginianus*  
*Rangifer tarandus*
- Dictyocaulus viviparus*  
Dinnik, Iu. A., 1949 a, 400-401, fig. 7
- Dictyocaulus viviparus* (Block)  
Djafar, M. I.; Swanson, L. E.; and Becker, R. B., 1960 a, 200-204  
clinical and hematologic studies, calves
- Dictyocaulus viviparus*  
Dmitriev, A. I., 1953 a, 160  
calves (lungs), pathomorphology
- Dictyocaulus viviparus*  
Dougherty, E. C., 1945 a, 199, 200, 204, 205, 207  
*Odocoileus hemionus columbianus*  
*O. v. virginianus*  
*O. virginianus borealis*
- Dictyocaulus viviparus* (Bloch, 1782) Railliet and Henry, 1907  
Dougherty, E. C., 1946 a, 49, 50, 51, 52  
Syns.: *Ascaris filiformis cauda rotundata* Goeze, 1782; *Fusaria vituli* (Gmelin, 1790) Zeder, 1803; *Strongylus filaria* in "Reh" of Nörner, 1881; *D. noernerii* Railliet and Henry, 1907; *Metastrongylus micrurus* (Mehlis in Gurlt, 1831) Railliet, 1915; *D. bisonis* Koffman, 1942
- Dictyocaulus viviparus*  
Douvres, F. W.; and Lucke, J. T., 1958 b, 28-29  
guinea pigs (exper.), morphogenesis of parasitic stages
- Dictyocaulus viviparus* (Bloch, 1782) Railliet et Henry, 1907  
Drózdz, J., 1958 a, 717, 718, 719  
*Bison bonasus*: Poland
- Dictyocaulus viviparus* (Bloch 1782) Railliet et Henry 1907  
Drózdz, J., 1961 a, 64
- Dictyocaulus viviparus*  
Duchaj, J., 1955 a, 829, 831, 832, 833, 834, fig. 2
- Dictyocaulus viviparus*  
Duckworth, G. U., 1942 a, 267  
cattle
- Dictyocaulus viviparus*  
Durrell, W. B.; and Bolton, W. D., 1957 a, 195  
*Ovibos maschatus*: Yellowknife, District of Mackenzie, Canada
- Dictyocaulus viviparus*  
van Eck, G.; et al., 1960 a, 1089  
vaccination, calves
- Dictyocaulus viviparus*  
Edds, G. T., [1959 a], 393
- Dictyocaulus viviparus*  
Edds, G. T.; Swanson, L. E.; and Engelbrecht, H., 1963 a, 1939  
immunization with irradiated lungworm larvae
- Dictyocaulus viviparus*  
Eisenbrandt, L. L., 1938 a, 124, 129, 130, 131, 134  
serology
- [*Dictyocaulus viviparus*]  
Elphick, E. E., 1924 a, 98-102  
sheep
- Dictyocaulus viviparus*  
Engelbrecht, H. J., 1961 a, 21  
X-irradiated larvae vaccine, calves
- Dictyocaulus viviparus* (Bloch, 1782)  
Enigk, K., 1933 a, 274-276, figs. 2-3  
Syn.: *Strongylus micrurus*  
*Camelus bactrianus*: Berlin (aus Uralisk)
- Dictyocaulus viviparus*  
Enigk, K., 1955 a, 491
- Dictyocaulus viviparus*  
Enigk, K., 1957 b, 58  
Rind
- Dictyocaulus viviparus*  
Enigk, K., 1957 c, 455  
methods of eradication
- Dictyocaulus viviparus*  
Enigk, K.; and Duwel, D., 1961 b, 601-607  
cattle, treatment
- Dictyocaulus viviparus*  
Enigk, K.; and Duwel, D., 1962 a, 75  
cattle, epizootiology
- Dictyocaulus viviparus* (Bloch, 1782)  
Ergün, H., 1961 a, 221
- Dictyocaulus viviparus* Bloch, 1782  
Erhardová, B., 1954 a, 136, 119, 129-131, 136, fig. 7
- Dictyocaulus viviparus* Bloch, 1782  
Erhardová, B., 1957 a, 153  
*Bos taurus*  
*Capreolus capreoli*  
*Ovis musimon*  
*Rupicapra rupicapra*  
all from Czechoslovakia
- Dictyocaulus viviparus* (Bloch 1782)  
Erhardová, B.; Luli, M.; Prokopic, I.; and Ryšavý, B., 1960 a, 107, 110, 111, 112  
*Bos taurus* (bronchi, trachea): Albania
- Dictyocaulus viviparus*  
Erickson, A. B.; and Highby, P. R., 1942 a, 423  
Rangifer caribou sylvestris: Montreal Lake, Saskatchewan
- Dictyocaulus viviparus*  
Ershov, V. S.; Gorshunova, O. K.; and Malygin, S. A., 1935 a, 159  
cattle: Kirov
- Dictyocaulus viviparus*  
Estrada, E., 1946 a, 146  
ganado
- Dictyocaulus viviparus*  
Estrada, E., 1950 a, 420  
ganado
- Dictyocaulus viviparus*  
Euzeby, J., 1957 c, 18  
*Bubalus bubalis*  
*Bibos indicus*  
both from Federation of Malaya
- Dictyocaulus viviparus* Black  
Fenstermacher, R.; and Olsen, O. W., 1942 a, 244  
moose
- Dictyocaulus viviparus*  
Fernandez, D. B., 1959 a, 12  
treatment, control: Malaybalay stock farm
- Dictyocaulus viviparus* Bloch  
Fiebiger, J., 1923 a, 267, 273, 410, 417, 418, 420, fig. 210  
Syn.: *Strong. micrurus*  
Rind
- Dictyocaulus viviparus*  
Filmer, J. F., [1944 a], 8
- Dictyocaulus viviparus*  
Fisher, E. W.; and McIntyre, W. I. M., 1960 a, 377-384  
calves, pneumonia
- Dictyocaulus viviparus*  
Flöch, H., 1954 a, 162  
bovidés (poumons): Guyane française

- Dictyocaulus viviparus*  
Foster, A. O., 1953 a, 165
- Dictyocaulus viviparus*  
Fredine, G.; et al., 1940 a, 127  
elk: zoo in southern Minnesota
- Dictyocaulus viviparus* (Block, 1782)  
Freitas, M. G., 1957 b, 374  
bovinos: Estado de Minas Gerais
- Dictyocaulus viviparus*  
Frick, E. J., 1951 a, 387  
bison
- Dictyocaulus viviparus*  
Fritzsche, K., 1941 a, 412
- Dictyocaulus viviparus* (Bloch)  
Gendre, E., 1928 a, 76  
veau: Dahomey
- Dictyocaulus viviparus*  
Georgescu, L., 1961 a, 61-64  
bovine
- Dictyocaulus viviparus* (Bloch, 1782)  
Gibbs, H. C.; and Tener, J. S., 1958 a, 529,  
532  
Ovibos moschatus: Thelon game sanctuary,  
N.W.T.
- Dictyocaulus viviparus*  
Gierschik, H., 1960 b, 339  
Rinder
- Dictyocaulus viviparus*  
Giovine, D., 1932 a, 104  
Colombia
- Dictyocaulus viviparus* (Bloch, 1782)  
Goble, F. C., 1941 a, 142, 146, 153-154, 156  
*Odocoileus virginianus borealis*
- Dictyocaulus viviparus*  
Goetze, R., 1943 a, 241  
cattle, treatment
- Dictyocaulus viviparus*  
Götze, R., 1943 b, 303  
cattle, treatment
- Dictyocaulus viviparus* (larve)  
Gološin, R.; and Panjević-Blažeković, T., 1961  
a, 402
- Dictyocaulus viviparus*  
Gonzalo Sotomayor N., C., 1944 a, 5
- Dictyocaulus viviperous* [sic]  
Goodwin, H., 1936 a, 66-67  
cattle  
deer  
both from Antigua
- Dictyocaulus viviparus*  
Gorshunova, O. K., 1934 a, 25, 27  
*Bos taurus*: Kaisk
- Dictyocaulus viviparus*  
Graesser, F. E., 1957 a, 356  
cattle: Alberta
- Dictyocaulus viviparus*  
Great Britain, Animal Health Services, 1953 b,  
50  
sheep
- Dictyocaulus viviparus*  
Great Britain, Animal Health Services, [1960 b],  
47-48  
cattle, resistance
- Dictyocaulus viviparus*  
Great Britain, Ministry of Agriculture and  
Fisheries, 1956 a, 56  
longevity on clover and grass: Great Britain
- Dictyocaulus viviparus* (Bloch 1782)  
Gregoire, C., 1950 a, 696, 700  
bovine: Congo Belge
- Dictyocaulus viviparus*  
Gregoire, C.; et al., 1957 a, 481-486  
bovidés: Belgique
- Dictyocaulus viviparus*  
Gregoire, C.; et al., 1958 b, 435  
bovidés
- Dictyocaulus viviparus* (Bloch, 1782)  
Grieder, H., 1934 a, 611-612, 613, figs. 1-3  
[fig. 1 = distribution map]  
Reh: Schweiz
- Dictyocaulus viviparus*  
Grieder, H., 1938 b, 24, 25, figs. 1-2  
Reh
- Dictyocaulus viviparus*  
Griffiths, R. B., 1957 a, 42, 78-79, 109  
cattle  
buffaloes  
(respiratory system of both): both from Burma
- Dictyocaulus viviparus*  
Groves, T. W., 1957 a, 252-258  
parasitic bronchitis
- Dictyocaulus viviparus*  
Groves, T. W., 1961 a, 198  
treatment
- Dictyocaulus viviparus*  
Güralp, N., 1959 b, 292-293  
effect of radiation
- Dictyocaulus viviparus* (Bloch 1782)  
Guildal, J. A., 1962 a, 54, 59  
*Cervus elaphus*  
*Dama dama*  
both from Denmark
- Dictyocaulus viviparus*  
Halasa, M.; Lübke, R.; and Roško, L., 1957 a,  
298  
Slovakia
- Dictyocaulus viviparus*  
Hall, M. C., 1922 h, 376
- Dictyocaulus viviparus* (Bloch)  
Hall, M. C., 1922 r, 134, 135-139, figs. 2, 3
- Dictyocaulus viviparus*  
Hall, M. C., [1923 b], 42
- Dictyocaulus viviparus*  
Henriques, R., 1958 a, 352
- Dictyocaulus viviparus* (Bloch)  
Herms, W. B.; and Freeborn, S. B., 1917 a, 862  
calves  
deer  
sheep  
swine
- Dictyocaulus viviparus*  
Hiepe, T.; Heide, D.; and Lippmann, R., 1959 a  
315  
sheep, treatment
- Dictyocaulus viviparus*  
Hollé, F., 1961 a, 311  
cattle, treatment
- Dictyocaulus viviparus*  
Honess, R. F.; and Tucker, J. O., 1962 a, 7-8,  
fig.  
cattle, pneumonia
- Dictyocaulus viviparus* Bloch  
Horne, W. T.; Essig, E. O.; and Herms, W. B.,  
1927 a, 88
- Dictyocaulus viviparus* (Bloch)  
Houdemer, F. E., 1927 a, 197, 198, 199, 242  
bovidés  
bubalidés  
ovidés
- Dictyocaulus viviparus*  
Hudson, J. R., 1951 a, 702
- Dictyocaulus viviparus*  
Hudson, R., 1939 a, 268  
parasitic bronchitis, cattle  
Syn.: *Strongylus micrurus*
- Dictyocaulus viviparus*  
Hübner, F., 1937 a, 426  
Rehwild: Ostpreussen
- Dictyocaulus viviparus*  
Hungerford, T. G., 1943 a, 482  
cattle: N. South Wales
- Dictyocaulus viviparus*  
Hutson, L. R., 1950 a, 139  
cattle: Barbados, B. W. I.
- Dictyocaulus viviparus*  
Illés, J., 1956 a, 199, 200, pl. figs. 1, 2,  
pl. figs. 3, 4

- Dictyocaulus viviparus*  
Ireland, Dept. of Agric. & Tech. Instruction,  
1904 a, 2 pp.  
calves
- Dictyocaulus viviparus*  
Isaichikov, I. M., 1928 d, 8
- Dictyocaulus viviparus*  
Iseli, R., 1959 a, 313
- Dictyocaulus viviparus*  
Isshiki, O., 1939 a, 28, 29
- Dictyocaulus viviparus*  
Isshiki, O., 1939 b, 89
- Dictyocaulus viviparus*  
Iwata, A.; et al., 1954 a, 458-462 (14-18)  
mass outbreak
- Dictyocaulus viviparus* Bloch  
Jacob, G., 1931 a, 568
- D[ictyocaulus] viviparus*  
Jarrett, W. F. H., 1956 a, 445  
calf, pneumonia
- Dictyocaulus viviparus*  
Jarrett, W. F. H., 1959 a, 241, 243, 251, 253,  
257  
vaccination
- Dictyocaulus viviparus*  
Jarrett, W. F. H.; et al., 1955 a, 291, pl.  
passive immunization
- Dictyocaulus viviparus*  
Jarrett, W. F. H.; et al., 1958 a, 451
- Dictyocaulus viviparus*  
Jarrett, W. F. H.; et al., 1958 b, 743
- Dictyocaulus viviparus*  
Jarrett, W. F. H.; et al., 1959 a, 522  
calves, double-vaccination with irradiated  
larvae
- Dictyocaulus viviparus*  
Jarrett, W. F. H.; et al., 1959 c, 252-261  
immunity resulting from experimental infec-  
tion
- Dictyocaulus viviparus*  
Jarrett, W. F. H.; et al., 1959 d, 567  
vaccination
- Dictyocaulus viviparus*  
Jarrett, W. F. H.; et al., 1960 a, 1066
- Dictyocaulus viviparus*  
Jarrett, W. F. H.; et al., 1960 b, 135-144  
active immunization with whole serum vaccine
- Dictyocaulus viviparus*  
Jarrett, W. F. H.; et al., 1960 c, 145-151  
immunity produced by administration of irra-  
diated larvae
- Dictyocaulus viviparus*  
Jarrett, W. F. H.; McIntyre, W. I. M.; and  
Sharp, M. C. C., 1962 a, 1183  
calves, bronchitis, treatment
- Dictyocaulus viviparus*  
Jarrett, W. F. H.; McIntyre, W. I. M.; and  
Urquhart, G. M., 1953 a, 153, 154, 155  
combined with "cuffing pneumonia"
- Dictyocaulus viviparus*  
Jarrett, W. F. H.; McIntyre, W. I. M.; and  
Urquhart, G. M., 1954 a, 665  
husk in cattle
- Dictyocaulus viviparus*  
Jarrett, W. F. H.; McIntyre, W. I. M.; and  
Urquhart, G. M., 1957 a, 183, pls. 49-52, figs.  
1-15
- Dictyocaulus viviparus*  
Jarrett, W. F. H.; McIntyre, W. I. M.; Urquhart,  
G. M.; and Bell, E. J., 1955 a, 820  
cattle, bronchitis
- Dictyocaulus viviparus* (Bloch, 1782)  
de Jesus, Z., 1938 b, 22, 25-26, 30, 32  
Bos taurus  
carabao  
both from Philippines
- Dictyocaulus viviparus* (Bloch)  
Joan, T., 1922 a, 13  
Bos
- Dictyocaulus viviparus*  
Johnson, E. R.; and Hutchings, A., 1961 a, 566-  
567  
cattle: Queensland
- Dictyocaulus viviparus*  
Johnson, K. L., 1940 a, 90  
bovine verminous pneumonia
- Dictyocaulus viviparus* (*Strongylus micrurus*)  
Johnston, T. H., 1910 e, 77  
cattle (lungs): West Australia; New South  
Wales
- Dictyocaulus viviparus*  
Johnston, T. H., 1916 a, 39  
Bos taurus
- D[ictyocaulus] viviparus*  
Kadenatsii, A. N., 1957 a, 18  
mature cattle
- Dictyocaulus viviparus*  
Karsten, 1954 a, 557  
cattle, control
- Dictyocaulus viviparus*  
Kassai, T.; and Hollie, F., 1962 a, 257  
cattle
- Dictyocaulus viviparus*  
Kaura, R. L., 1941 a, 130, pl. 12, figs. 1, 2  
calves: Punjab
- Dictyocaulus viviparus*  
Keilland, P. J. L., 1934 a, 53-54, pl. fig. 7  
calves (medium sized bronchi): Great Britain
- Dictyocaulus viviparus*  
Kharichkova, M. V., 1950 a, 40-50  
epizootiology, cattle
- Dictyocaulus viviparus*  
Klimmer, M., 1923 a, 78, 92, 242, figs. 150,  
152
- Dictyocaulus viviparus* (Bloch, 1782)  
Kl'osov, M. D.; Gnatiuk, S. A.; and Bekerman,  
M. Ia., 1941 a, 130, 132, 140, 141, 147, 148  
[cattle]
- Dictyocaulus viviparus* (Bloch)  
Kobayashi, H., 1921 b, 399
- Dictyocaulus viviparus*  
Kock, P., 1942 a, 37, 38  
Rehwild: Höxter
- Dictyocaulus viviparus*  
Köhler, H., 1949 a, 197  
treatment
- Dictyocaulus viviparus*  
Koffman, M., 1946 b, 718-731, figs. 1-5
- Dictyocaulus viviparus*  
Krastin, N. I., 1944 a, 14-17  
epizootiology, big horned cattle
- Dictyocaulus viviparus*  
Krastin, N. I.; and Ivashkin, V. M., 1946 d,  
88  
epizootiology, bovine: Khabarovsk krai
- Dictyocaulus viviparus* (Larven)  
Kreis, H. A., 1950 a, 158  
Okapi
- Dictyocaulus viviparus* (Bloch 1782) Railliet &  
Henry 1907
- Kreis, H. A., 1960 b, 27, 28, 79-86, fig. 20  
synonymy  
Bos taurus: Honduras
- Dictyocaulus viviparus* (Bloch, 1782)  
Kreis, H. A., 1962 a, 111, 112  
Capreolus capreolus  
Cervus elaphus  
Bos taurus
- Dictyocaulus viviparus*  
Krembs, J., 1940 a, 461-471  
Reh
- Dictyocaulus viviparus*  
Krijgsman, B. J., 1933 d, 370  
Syn.: *D. micrurus*  
Rund (long): Nederlandsch-Indië
- Dictyocaulus viviparus*  
Krupski, A.; and Uehlinger, E., 1942 a, 254,  
256, 257, 258, 260, 293, 297  
Rind: Schweiz

- Dictyocaulus viviparus*  
 Kulikov, N. S., 1959 a, 36  
 overwintering: Irkutsk oblast
- Dictyocaulus viviparus*  
 Lafortune, J. G., 1954 a, 78-82  
 verminous bronchitis, bovine
- Dictyocaulus viviparus*  
 Lancaster, W. E., 1957 a, 159  
 buffalo  
 cattle  
 both from Malaya
- Dictyocaulus viviparus*  
 Lange, E., 1957 a, 13, charts  
 cattle
- Dictyocaulus viviparus*  
 Lapage, G., 1949 b, 150
- Dictyocaulus viviparus*  
 Larsen, H. E., 1960 a, 373-404  
 cattle, verminous bronchitis
- Dictyocaulus viviparus*  
 Latteur, J., 1957 a, 187, 189, fig. 14  
 prophylaxis
- Dictyocaulus viviparus*  
 Lax, T., 1952 b, 223
- Dictyocaulus viviparus*  
 Lecarpentier-Dubosq, M. E., 1928 a, 48 pp.  
 bovidés
- Dictyocaulus viviparus*  
 Lerche, M., 1933 b, 107, 127  
 Rehe (Trachea u. Bronchus)
- Dictyocaulus viviparus*  
 Lesin'sh, K. P., 1958 b, 256  
 dynamics  
 cattle: Estonian SSR
- Dictyocaulus (Micrurocaulus) viviparus* (Bloch, 1782) Railliet et Henry, 1907  
 Lesin'sh, K. P., 1959 a, 108  
 calves: south-east districts of Estonian SSR
- Dictyocaulus viviparus*  
 Lewis, E. A., 1927 d, 124
- Dictyocaulus vivipara* (*Strongylus micrurus*) von Linden, 1932 a, 169  
 Schaf
- Dictyocaulus viviparus*  
 Locker, B., 1953 a, 58, 59  
 bison: Moiese, Montana
- Dictyocaulus viviparus*  
 Lockett, S., 1936 a, 37  
 cattle (respiratory system): Jamaca
- Dictyocaulus viviparus*  
 Loftin, R. L., 1955 a, 156  
 beef cattle
- Dictyocaulus viviparus*  
 Longhurst, W. M.; and Douglas, J. R., 1953 a, 177  
 deer (lungs): California
- Dictyocaulus viviparus* Bloch  
 Lopez Neyra, C. R., 1924 a, 177-178
- Dictyocaulus viviparus*  
 Lovell, R., 1943 a, 291  
 calf
- Dictyocaulus viviparus*  
 Lowe, H. J., 1936 a, 17  
 as cause of localized pneumonia, high mortality rate in cattle
- Dictyocaulus viviparus*  
 Lowe, H. J., 1944 a, 9  
 cattle: Tanganyika
- Dictyocaulus viviparus*  
 Lucke, J. T.; and Vegors, H. H., 1960 a, 39  
 cattle, immunization
- Dictyocaulus viviparus*  
 Lührs, E., 1952 c, 657  
 Kälber
- Dictyocaulus viviparus*  
 Lütje, F., 1941 a, 270  
 Reh
- Dictyocaulus viviparus* (Bloch, 1782)  
 Mackerras, M. J., 1958 b, 146  
 Bos taurus: Australia
- Dictyocaulus viviparus*  
 MacPherson, D. A., 1957 a, 16  
 sheep  
 cattle  
 both from Pakistan
- Dictyocaulus viviparus*  
 Malczewski, A., 1958 a, 457, 459  
 cattle
- Dictyocaulus viviparus*  
 Malczewski, A., 1958 b, 515  
 cattle
- Dictyocaulus viviparus*  
 Malczewski, A., 1958 c, 455  
 cattle
- Dictyocaulus viviparus* (Bloch, 1782)  
 Mamedov, A. K., 1959 d, 115, 116  
 buivoi [Bos bubalis]  
 zebu  
 both from Azerbaijan
- Dictyocaulus viviparus*  
 Marotel, G.; Gratecos; and Bodet, 1942 a, 100
- Dictyocaulus viviparus*  
 Martini, I., 1960 b, 143-148, fig. 1  
 vaccination
- Dictyocaulus viviparus*  
 Mathey, M., 1945 a, 16  
 treatment
- Dictyocaulus viviparus*  
 Mello, M. J., 1943 a, 183
- Dictyocaulus viviparus*  
 Michel, J. F., 1953 a, 940
- Dictyocaulus viviparus*  
 Michel, J. F., 1954 b, 381, 384
- Dictyocaulus viviparus*  
 Michel, J. F., 1955 a, 149
- Dictyocaulus viviparus*  
 Michel, J. F., 1955 b, 1088
- Dictyocaulus viviparus*  
 Michel, J. F., 1957 b, 1119  
 calves, parasitic bronchitis
- Dictyocaulus viviparus*  
 Michel, J. F.; and Coates, G. H. D., 1958 a, 555  
 cattle, experimental outbreak of husk
- Dictyocaulus viviparus*  
 Michel, J. F.; and Cornwell, R. L., 1959 a, 912  
 complement fixation test
- Dictyocaulus viviparus*  
 Michel, J. F.; and Mackenzie, R. E., 1956 a, 61-74
- Dictyocaulus viviparus*  
 Michel, J. F.; and Parfitt, J. W., 1955 a, 229-235  
 calves, parasitic bronchitis
- D[ictyocaulus] viviparus*  
 Michel, J. F.; and Parfitt, J. W., 1956 a, 710  
 calves, parasitic bronchitis
- D[ictyocaulus] viviparus*  
 Michel, J. F.; and Rose, J. H., 1954 a, 195
- Dictyocaulus viviparus* (Bloch, 1782)  
 Mikacic, D., 1940 b, 28, 40, 46, 48, 49  
 goveda: Yougoslavie
- Dictyocaulus vivipara*  
 Mönnig, H. O., 1930 f, 180
- Dictyocaulus viviparus*  
 Mönnig, H. O., 1944 c, 769
- Dictyocaulus viviparus*  
 Mohan, R. N., 1948 a, 33, 34, 35
- Dictyocaulus viviparus*  
 Molinary, S., 1957 a, (44), 23
- Dictyocaulus viviparus*  
 Monné, L., 1955 a, 93, 106  
 histochemical properties of egg envelope and external cuticle

- Dictyocaulus viviparus*  
Monné, L., 1959 a, 99-122  
egg envelopes
- Dictyocaulus viviparus*  
Monné, L., 1959 b, 344, 354  
external cuticle
- Dictyocaulus viviparus*  
Monné, L.; and Borg, K., 1954 a, 555  
gram staining of egg envelopes
- Dictyocaulus viviparus*  
Monné, L.; and Höning, G., 1954 c, 261  
physical and chemical properties of egg envelopes
- Dictyocaulus viviparus*  
Morozov, F. N.; and Krížkova, K. A., 1948 a, 131-138  
biology
- Dictyocaulus viviparus* (Bloch, 1782)  
Morozov, Iu. F., [1959 b], 243, 244, 245  
zubr [Bison bonasus]: Belozezha forest calves (exper.)  
olenenok [young Cervus elaphus] (exper.)
- Dictyocaulus viviparus* Bloch, 1782  
Moskvín, S. N., 1958 a, 181  
cattle
- Dictyocaulus viviparus* (Bloch, 1782)  
Mudaliar, S. V.; and Alwar, V. S., 1947 b, 88  
cattle: Muktesar, U. P.
- Dictyocaulus viviparus*  
Mulligan, W., 1958 a, 1352
- Dictyocaulus viviparus*  
Mulligan, W., 1960 b, 176-181
- Dictyocaulus viviparus* (Bloch, 1782) Railliet et Henry, 1907  
Muratov, E. A., [1953 a], 41, 42, 43  
Poephagus grunniens  
cattle  
both from Gorno-Badakhshan autonomous oblast
- Dictyocaulus viviparus*  
Nagaty, H. F., 1942 b, 111  
Bos taurus  
B. bubalus  
both from Cairo abattoir
- Dictyocaulus viviparus*  
Nagaty, H. F., 1959 a, 424  
bovine: Egypt
- Dictyocaulus viviparus*  
National Veterinary Medical Association of Great Britain and Ireland, Survey Committee, 1945 a, 62
- Dictyocaulus viviparus*  
Nevenić, V. V.; Petrović, Z.; and Sibalic, S., 1952 a, 509-511  
heifers: Jugoslav farm
- Dictyocaulus viviparus* (Bloch)  
Neveu Lemaire, M., 1918 a, 11-12, 35, 38, 54, 70, 81, 89, 104, 105, 106, 110, figs. 3, 4, 5, 11  
Bos taurus  
Dama dama  
Cervus elaphus
- Dictyocaulus viviparus*  
New South Wales Dept. Agric. Div. Animal Indus., 1956 a, 87  
cattle (small air tubes of lungs): New South Wales
- Dictyocaulus viviparus* (Strongylus micrurus)  
Mehlis)  
Nieberle, K., 1924 a, 816, fig. 463
- Dictyocaulus viviparus*  
Niverd, C., 1947 a, 11, 12  
treatment
- Dictyocaulus viviparus*  
Nöller, W.; and Schmid, F., 1929 a, 765-766  
cattle, diagnosis
- Dictyocaulus viviparus*  
Obitz, K.A., 1932 a, 100, 102  
influence of climate
- Dictyocaulus viviparus*  
Obitz, K., 1933 a, 10  
ecology
- Dictyocaulus viviparus*  
Obitz, K., 1933 b, 158, 165  
Rind: Hryczyn (Polen)
- Dictyocaulus viviparus*  
O'Donoghue, J. G., 1958 a, 237  
treatment
- Dictyocaulus viviparus*  
Ohman, A. F. S., 1956 a, 56  
cattle: Fiji
- Dictyocaulus viviparus* (Bloch, 1782) Railliet and Henry, 1907  
Oldham, J. N., 1938 a, 1135  
synonymy
- Dictyocaulus viviparus*  
Olsen, O. W.; and Fenstermacher, R., 1942 a, 404, 406  
Alces americana americana: Northern Minnesota
- Dictyocaulus viviparus*  
Olsen, O. W.; and Fenstermacher, R., 1943 a, 4, 5, 6, 14, 18  
Odocoileus virginianus borealis: Minnesota
- Dictyocaulus viviparus*  
Olt, A.; and Ströse, A., 1914 a, 311
- D[ictyocaulus] viviparus  
Orlov, I. V., 1946 a, 4, 5, 6
- Dictyocaulus viviparus*  
O'Roke, E. C., 1936 a, 473-481  
Odocoileus virginianus borealis: Michigan
- Dictyocaulus viviparus*  
Orr, W., 1938 b, 98  
Syn.: *Strongylus micrurus*  
Malaya
- Dictyocaulus viviparus* (*Strongylus micrurus*)  
v. Ostertag, R., 1932 a, 507, fig. 200  
meat inspection  
Rinder  
Hirsche  
Rehe
- Dictyocaulus viviparus*  
Pagirys, J., 1955 a, 269  
cattle: Lithuanian SSR
- Dictyocaulus viviparus*  
Pagirys, J., [1960 a], 130  
cattle: Lithuanian SSR
- Dictyocaulus viviparus*  
Parker, W. H., 1957 a, 251  
calves, treatment with diethylcarbamazine
- Dictyocaulus viviparus*  
Parker, W. H.; and Roberts, H. E., 1958 a, 402  
calves, experimental parasitic bronchitis, response to diethylcarbamazine
- Dictyocaulus viviparus*  
Parker, W. H.; and Vallely, T. E., 1960 a, 1073-1077; discussion, 1087  
husk, diethylcarbamazine
- Dictyocaulus viviparus*  
Pavlov, P.; Tatarov, B.; Lazarov, E.; and Stoev, P., 1958 a, 239-240  
viability of eggs and larvae in silage
- Dictyocaulus viviparus*  
Pavlov, P.; Tatarov, B.; Lazarov, E.; and Stoev, P., 1959 a, 228, 229  
viability of eggs and larvae in silage
- [*Dictyocaulus viviparus*]  
Penhale, R. H., 1925 a, 1137-1143  
cattle, parasitic bronchitis
- Dictyocaulus viviparus* (Bloch, 1782)  
Pérez Vigueras, I., 1936 a, 63  
Bos taurus: Cuba
- Dictyocaulus viviparus*  
Petrelius, T., 1951 a, 208  
Sweden
- Dictyocaulus viviparus*  
Petrov, A. M., 1944 a, 18, 19

- Dictyocaulus viviparus**  
 Petrov, A. M.; Dzhavadov, M. K.; and Arshinov, V. G., [1935 a], 35-40
- Dictyocaulus viviparus**  
 Petrov, A. M.; Dzhavadov, M. K.; and Gaibov, A. D., 1936 a, 260  
 cattle: Azerbaidschan
- Dictyocaulus viviparus (Bloch, 1782)**  
 Petrov, A. M.; Dzhavadov, M. K.; and Skarbilovich, T. S., [1935 a], 8-9, 17  
 cattle: Azerbaidschan
- Dictyocaulus viviparus**  
 Petrov, A. M.; Dzhavadov, M. K.; and Skarbilovich, T. S., 1936 a, 247  
 cattle: Azerbaidschan
- Dictyocaulus viviparus**  
 Pillers, A. W. N., 1922 c, 360
- Dictyocaulus viviparus**  
 Pillmore, R. E., 1958 b, 11, 12  
 Odocoileus hemionus hemionus: Colorado
- Dictyocaulus viviparus (Bloch, 1782)**  
 Pinto, C. F.; and Lins de Almeida, J., 1935 a, 57  
 Bos taurus: Brasil
- Dictyocaulus viviparus (Bloch)**  
 Pinto, C. F.; and Lins de Almeida, J., 1937 b, 475  
 Bos taurus: Brésil
- Dictyocaulus viviparus Block 1772**  
 Popov, A.; and Belchev, D., 1961 a, 231-233  
 calves: Bulgaria
- Dictyocaulus viviparus**  
 Popova, K. A., 1950 a, 275  
 bovine, control
- Dictyocaulus viviparus**  
 Porter, D. A., 1941 b, 357  
 cattle (exper.)
- Dictyocaulus [sic] viviparus**  
 Porter, D. A., 1942 b, 60  
 cattle, survival of pre-parasitic stages on pastures
- Dictyocaulus viviparus**  
 Porter, D. A., 1942 c, 596
- Dictyocaulus viviparus**  
 Porter, D. A.; and Cauthen, G. E., 1942 a, 395-400  
 life history
- Dictyocaulus viviparus**  
 Potrisa, G. E., 1945 a, 182  
 boeuf: Guadeloupe
- Dictyocaulus viviparus**  
 Pouplard, L.; Gregoire, G.; and Cotteleer, C., 1959 a, 4
- Dictyocaulus viviparus**  
 Poynter, D.; et al., 1960 a, 1078  
 husk
- Dictyocaulus viviparus (Bloch, 1782) Railliet et Henry, 1907**  
 Priadko, E. I., 1961 b, 343  
 bovine cattle (lung): Kazakhstan
- Dictyocaulus viviparus**  
 Price, E. W., 1928 e, 201  
 cattle: Texas
- Dictyocaulus viviparus (Bloch, 1782)**  
 Prokopić, J., 1954 a, 270, 273, fig. 11 f, g, h  
 cattle: Czechoslovakia
- Dictyocaulus viviparus**  
 Quarante, M., 1949 a, 84  
 bovine: Normandie
- Dictyocaulus viviparus (Bloch, 1782) Railliet and Henry, 1907**  
 Ramanujachari, G.; and Alwar, V. S., 1954 a, 54  
 buffalo: Malabar
- Dictyocaulus viviparus**  
 Ransom, B. H., 1917 b, 715; Reprint, 6
- Dictyocaulus viviparus**  
 Ransom, B. H., 1923 a, 530, fig. 24
- Dictyocaulus viviparus**  
 Ransom, B. H., 1942 a, 485, fig. 24
- Dictyocaulus viviparus (Mehl.)**  
 Rasovská, R. I., 1924 a, 131
- Dictyocaulus viviparus (Bloch, 1782)**  
 Rausch, R.; and Tiner, J. D., 1949 a, 685, 687, 692  
*Microtus p. pennsylvanicus*: Michigan
- Dictyocaulus viviparus**  
 Reid, N. R., 1949 a, 8
- Dictyocaulus viviparus Bloch, 1782**  
 Reyes, R. V., 1938 a, 21  
 buey [ox]: Colombia
- Dictyocaulus viviparus**  
 Rhode, C., 1958 a, 54 pp.  
 cattle, treatment
- Dictyocaulus viviparus**  
 Richter, S., 1959 a, 37  
*Capreolus capreolus*: P. R. Croatia
- Dictyocaulus viviparus**  
 Riffault, L., 1949 a, 11  
 bovine, treatment
- Dictyocaulus viviparus**  
 Rines, J., 1955 a, 357  
 rundvee
- Dictyocaulus viviparus**  
 Robinson, L. E., 1933 b, 337  
 treatment
- Dictyocaulus viviparus (Bloch, 1782)**  
 Rodríguez H., J. E., [1959 a], 129  
 bovine, treatment: Venezuela
- Dictyocaulus viviparus**  
 Rosca, V.; and Vass, A., 1957 a, 45
- Dictyocaulus viviparus**  
 Rosca, V.; Visan, C.; Vass, A.; and Rosca, V. 2, 1957 a, 31, figs. 4-6
- Dictyocaulus viviparus**  
 Rose, J. H., 1956 a, 228  
 bionomics of free-living larvae
- Dictyocaulus viviparus**  
 Rose, J. H., 1960 b, 475-481  
 cattle
- Dictyocaulus viviparus**  
 Rose, J. H., and Michel, J. F., 1957 a, 57
- Dictyocaulus viviparus**  
 Rosenberger, G.; and Heeschen, W., 1959 a, 169  
 cattle, treatment
- Dictyocaulus viviparus**  
 Rosenberger, G.; and Heeschen, W., 1960 a, 403  
 cattle, treatment
- Dictyocaulus viviparus**  
 Rountree, J. L.; Witter, J. F.; and Chute, H. L., 1954 a, 306, figs. 1, 2  
 cattle
- Dictyocaulus viviparus (Bloch)**  
 Roveda, R.; and Ringuelet, R., 1947 a, 68  
 Bos taurus: Argentina
- Dictyocaulus viviparus**  
 Rubin, R., [1957 a], 290  
 cattle, verminous pneumonia
- Dictyocaulus viviparus**  
 Rubin, R., 1959 a, 57  
 calves (exper.), cyanacethydrazide
- Dictyocaulus viviparus**  
 Rubin, R., and Luckner, J. T., 1956 a, 88  
 cattle, acquired resistance
- Dictyocaulus viviparus**  
 Rubin, R.; and Luckner, J. T., 1956 b, 217  
 cattle, course and pathogenicity of initial infections
- Dictyocaulus viviparus**  
 Rubin, R.; and Tillotson, A. J., 1960 a, 1040  
 bovine verminous pneumonia, treatment
- Dictyocaulus viviparus**  
 Rubin, R.; and Tillotson, A. J., 1962 a, 42-48  
 bovine verminous pneumonia, treatment
- Dictyocaulus viviparus**  
 Rubin, R.; and Weber, T. B., 1955 a, 124-129  
 calves, immunity

- Dictyocaulus viviparus*  
 Rubin, R.; and Weber, T. B., 1955 b, 25  
 cattle, immunity
- Dictyocaulus viviparus*  
 Ryšavý, B., 1953 a, 141, 143  
 sheep
- Dictyocaulus viviparus* (Bloch, 1782)  
 Ryšavý, B.; and Erhardová, B., 1952 a, 123, 124  
 sheep  
 wild ruminants
- Dictyocaulus viviparus* Bloch, 1782  
 Ryšavý, B.; and Prokopić, J., 1958 a, 499  
*Cervus elaphus*: Topol'čiankách
- Dictyocaulus viviparus*  
 van Saceghem, R., 1922 a, 519-526  
 bovine, verminous bronchitis
- [*Dictyocaulus viviparus*]  
 van Saceghem, R., 1923 c, 50-56  
 verminous bronchitis
- Dictyocaulus viviparus*  
 Sanders, D. A., 1940 a, 6, 11  
 dairy calves, enzootic bronchopneumonia:  
 Florida
- Dictyocaulus viviparus*  
 Sandground, J. H., 1921 a, 326  
 cattle
- Dictyocaulus viviparus*  
 Sankaranarayanan, M. V.; Das, D. N.; and Sundaram, S., 1957 a, 42  
 bursa as diagnostic character
- Dictyocaulus viviparus*  
 Sarthou, C., 1931 a, 78 pp.  
 bovine
- Dictyocaulus viviparus*  
 Savickis, J., 1937 a, 321-326  
 Rehe
- Dictyocaulus viviparus*  
 Scales, J. W., 1946 c, 7  
 cattle
- Dictyocaulus viviparus* Bloch, 1782  
 Schanzel, H., 1960 a, 6  
 Rind: Czechoslovakia
- Dictyocaulus viviparus* Bloch, 1782  
 Schanzel, H., 1960 c, 382  
 Rind: Jeseniky
- [*Dictyocaulus viviparus*]  
 Schlegel, M., 1918 a, 1-2  
 Rind
- Dictyocaulus viviparus*  
 Schmid, F., 1939 c, 429  
 Reh
- Dictyocaulus viviparus* (Bloch)  
 Schuurmans Stekhoven, J. H., 1937 a, 485
- Dictyocaulus viviparus* (Bloch)  
 Schuurmans Stekhoven, J. H., 1939 a, 565, 571,  
 598, fig. 153
- Dictyocaulus viviparus* (Bloch)  
 Schwartz, B.I., 1925 o, 7  
 Bos taurus: Tonkin
- Dictyocaulus viviparus*  
 Schwartz, B., [1941 e], 81  
 calves (exper.)
- Dictyocaulus viviparus*  
 Schwartz, J. E., [1942 a], 50  
*Cervus canadensis roosevelt*, seasonal abundance: Olympic Peninsula
- Dictyocaulus viviparus* (Bloch, 1782)  
 Seddon, H. R., 1947 c, 10  
 ox: Australia
- Dictyocaulus viviparus*  
 Sellers, K. C.; and Pugh, P. D. S., 1951 a, 40  
 ewes
- Dictyocaulus viviparus* (Bloch, 1782)  
 Seneviratna, P., 1955 b, 35  
 calves: Nikeweratiya
- Dictyocaulus viviparus*  
 Seurat, L. G., 1920 c, 96, 132
- Dictyocaulus viviparus*  
 Sharp, N. C. C., 1959 a, 241  
 husk
- Dictyocaulus viviparus*  
 Sharp, N. C. C., 1960 a, 470
- Dictyocaulus viviparus*  
 Shaw, J. N., 1947 a, 5  
 deer: Oregon
- Dictyocaulus viviparus*  
 Shcherbovich, I. A., 1952 a, 24  
 treatment
- Dictyocaulus viviparus* (Bloch, 1782)  
 Shul'ts, R. E. S.; Gnedenina, M. P.; and Kadennatsii, A. N., 1938 a, 36  
 [cattle] krupn. rogat. skota: Bashkiria
- Dictyocaulus viviparus*  
 Silverman, P. H.; and Podger, K. R., 1962 a, 15
- Dictyocaulus viviparus* (Bloch)  
 Simpson, C. F.; Wade, A. E.; Dennis, W. R.; and Swanson, L. E., 1957 a, 747-755  
 calves, pathology
- Dictyocaulus viviparus*  
 Sirigu, A., 1960 a, 40  
 bovine, treatment
- Dictyocaulus viviparus*  
 Skrjabin, K. I., 1931 f, 9, 57
- Dictyocaulus (Micrurocaulus) viviparus* (Bloch, 1782)  
 Skrjabin, K. I.; and Shul'ts, R. E. S., 1934 a, 12, 33, 40, 44, 46, 48, pl. 2, figs. 1-5  
 cattle
- Dictyocaulus viviparus*  
 Skrjabin, K. I.; and Shul'ts, R. E. S., 1936 a, 423-424
- Dictyocaulus viviparis* [sic]  
 Slater, (Sir) W. K., 1959 b, 127  
 sheep: Kabete, Kenya
- Dictyocaulus viviparus*  
 Sleith, F. S. G., 1959 a, 229  
 cattle
- Dictyocaulus viviparus* (Bloch)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 411, 414, 415, 444,  
 fig. 212a  
 Syn.: *Strongylus micrurus* Mehlis
- Dictyocaulus viviparus*  
 Smythe, R. H., 1937 a, 1221-1232; discussion,  
 1227-1232  
 cattle
- Dictyocaulus viviparus*  
 Smythe, R. H., [1937 b], 7 pp.  
 cattle
- Dictyocaulus viviparus*  
 Soliman, K. N., 1951 a, 274, 275, 276, 277,  
 278, pls. I-II, figs. 2-4  
 cattle
- Dictyocaulus viviparus*  
 Soliman, K. N., 1952 a, 589, figs. 1-2  
 cattle, bronchitis
- Dictyocaulus viviparus*  
 Soliman, K. N., 1952 b, 167  
 survival of preparasitic stages on pasture;  
 southern England
- Dictyocaulus viviparus*  
 Soliman, K. N., 1952 c, 204-213  
 survival of preparasitic stages on pasture:  
 southern England
- Dictyocaulus viviparus*  
 Soliman, K. N., 1953 a, 75-84  
 migration route of infective larvae to the  
 lungs
- Dictyocaulus viviparus*  
 Soliman, K. N., 1953 b, 364-381  
 bionomics of preparasitic stages
- D[ictyocaulus] viviparus  
 Soliman, K. N., 1953 c, 150, 152, 153  
 cattle
- Dictyocaulus viviparus*  
 Soliman, K. N., 1953 d, 169-180  
 survival in vitro.
- Dictyocaulus viviparus* (Bloch, 1872)  
 Solomon, S. G., 1933 a, 5  
 cattle: Palestine

- Dictyocaulus viviparus*  
Sonneck, H., 1950 a, 387  
cattle, control
- Dictyocaulus viviparus*  
Soulsby, E. J. L., 1961 a, 355  
calves, immunity
- Dictyocaulus viviparus*  
Spedding, C. R. W.; and Michel, J. F., 1957 a, 153-159  
cattle, transmission in relation to pasture conditions
- Dictyocaulus viviparus*  
Sprehn, C. E. W., 1927 e, 62, 63
- Dictyocaulus viviparus* (Bloch)  
Sprehn, C. E. W., 1928 g, 198, 213
- Dictyocaulus viviparus* (Bloch, 1782)  
Sprehn, C. E. W., 1932 c, 102, 741, 810, figs. 88, 339  
Syns.: *Gordius viviparus* Bloch, 1782; *Ascaris vituli* Gmelin, 1790; *Strongylus micrurus* Mehlis, 1831; *S. vitularum* Rudolphi, 1809; *D. viviparus* (Bloch, 1792) Railliet und Henry, 1907  
*Equus caballus*  
*Rind* (Bronchien)  
*Capreolus capreolus*
- Dictyocaulus viviparus* (Bloch, 1782; R. and H., 1907)  
Srivastava, H. D., 1937 ee, 585, 589-590
- Dictyocaulus viviparus*  
Stableforth, A. W., 1955 b, 146
- Dictyocaulus viviparus*  
Ströse, A., 1922 b, 303  
Reh
- Dictyocaulus viviparus*  
Ströse, A., 1935 a, 837-838, figs. 1-6
- Dictyocaulus viviparus*  
Stroh, G., 1940 a, 422-423, figs. 2, 4
- Dictyocaulus (Micrurocaulus) viviparus* (Bloch, 1782) Railliet et Henry, 1907  
Sudarikov, V. E., 1939 a, 74, 75  
*Bos taurus*: Uzhovka
- Dictyocaulus viviparus* Bloch  
Sugimoto, M., 1916 a, 480 (62), 481 (63)
- Dictyocaulus viviparus* (Bloch, 1831) Railliet and Henry, 1907  
Sugimoto, M., 1925 a, 48, 106, 107, 109  
Syn.: *Strongylus micrurus* Mehlis, 1831  
*Bos taurus*  
*Bubalus bubalis*  
*Equus caballus*
- Dictyocaulus viviparus* (Bloch, 1782) Railliet & Henry, 1907  
Sugimoto, M., 1939 a, 137-138, 213, 214, 216, 217  
synonymy  
*Ainus asinus*  
*Bos taurus*  
*Bubalus bubalis*  
*Equus caballus*  
*Dama dama*  
*Rangifer tarandus*  
all from Formosa (Taihoku)
- Dictyocaulus viviparus*  
Supperer, R., 1959 a, 400  
Rind
- Dictyocaulus viviparus*  
Swales, W. E., 1933 a, 472  
*Bos taurus*: British Columbia
- Dictyocaulus viviparus*  
Swales, W. E., 1933 c, 479  
*Bos taurus*: Ontario, Quebec
- Dictyocaulus viviparus*  
Swanson, L. E., [1946 c], 52
- Dictyocaulus viviparus*  
Swanson, L. E., 1952 a, 43-44  
calves
- Dictyocaulus viviparus*  
Swanson, L. E., 1960 f, 50, 51  
calves: Florida
- Dictyocaulus viviparus*  
Swanson, L. E.; Dennis, W. R.; Stone, W. M. (jr.); and Wade, W. E., [1956 a], 157  
cattle, treatment: Florida
- Dictyocaulus viviparus*  
Swanson, L. E.; and Fleming, J. N., [1958 a], 169  
control
- Dictyocaulus viviparus*  
Swanson, L. E.; Stone, W. M.; and Dennis, W. R., [1955 a], 141  
treatment
- Dictyocaulus viviparus*  
Swanson, L. E.; and Wade, A. E., [1960 a], 184-185  
cattle, control
- Dictyocaulus viviparus*  
Swanson, L. E.; Wade, A. E.; Dennis, W. R.; and Stone, W. M. (jr.), [1956 a], 158  
cattle, control
- Dictyocaulus viviparus*  
Swanson, L. E.; Wade, A. E.; Dennis, W. R.; and Stone, W. M. (jr.), [1957 a], 143-144  
cattle, control
- Dictyocaulus viviparus*  
Swanson, L. E.; Wade, A. E.; and Fleming, J. N., [1958 a], 171  
cattle, control
- Dictyocaulus viviparus* (Bloch)  
Swanson, L. E.; Wade, A. E.; Senseman, V. F.; and Djafar, M. I., 1959 a, 777-783  
cattle, cyanacethydiazide
- Dictyocaulus viviparus*  
Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 893  
*Bos taurus*: Netherlands
- Dictyocaulus viviparus*  
Świetlikowski, M., 1956 a, 181  
cattle, epizootiology: district of Zulawy
- Dictyocaulus viviparus* (Bloch, 1782)  
Świetlikowski, M., 1958 a, 463  
Syn.: *D. camelii* Boev, 1952
- Dictyocaulus viviparus*  
Świetlikowski, M., 1958 b, 451, 452  
epizootiology of lung helminthiasis: district of Zulawy
- Dictyocaulus viviparus*  
Świetlikowski, M., 1959 a, 363  
cattle: Poland
- Dictyocaulus viviparus* (Bloch, 1782)  
Świetlikowski, M., 1959 b, 250, fig. 2  
cattle, husk
- Dictyocaulus viviparus* Bloch, 1782  
Świetlikowski, M., 1961 a, 16, 17, 18, pl., figs. 1-2  
Syn.: *Dictyocaulus camelii* Boyev, 1951
- Dictyocaulus viviparus*  
Szidat, L., 1926 d, 608, 609
- Dictyocaulus viviparus*  
Szidat, L., 1930 d, 332
- Dictyocaulus viviparus*  
Szidat, L., 1931 d, 287
- Dictyocaulus viviparus*  
Taber, R. D.; and Dasmann, R. F., 1958 a, 144, 145, fig. 48 e  
*Odocoileus hemionus columbianus*
- Dictyocaulus viviparus* (Bloch, 1782)  
Tagle V., I., 1953 c, 94  
*Bos taurus*: Chile
- Dictyocaulus (Micrurocaulus) viviparus*  
Takhistov, B. A., 1948 a, 132-142  
survival of larvae
- Dictyocaulus viviparus*  
Takhistov, B. A., 1951 a, 6, fig. 1
- Dictyocaulus viviparus*  
Takhistov, B. A., 1951 c, 154-159
- Dictyocaulus viviparus*  
Takhistov, B. A., 1957 b, 137  
calves, treatment

- Dictyocaulus viviparus*  
 Taylor, E. L., 1929 a, 229-233  
*Dictyocaulus viviparus*  
 Taylor, E. L., 1933 e, 22  
 prenatal infestation  
*Dictyocaulus viviparus*  
 Taylor, E. L., 1935 a, 1280-1284  
 cattle, acute parasitic bronchitis  
*Dictyocaulus viviparus*  
 Taylor, E. L., 1951 c, 861  
 cattle, bronchitis  
*Dictyocaulus viviparus*  
 Taylor, E. L., 1960 a, 684  
 cattle, bronchitis, control  
*Dictyocaulus viviparus*  
 Taylor, E. L.; and Michel, J. F., 1953 a, 201,  
 203, 204  
*Dictyocaulus viviparus*  
 Taylor, E. L.; and Michel, J. F., 1955 a, 612  
*Dictyocaulus viviparus*  
 Taylor, J. I., 1958 a, 11  
 cattle: Nigeria  
*Dictyocaulus viviparus*  
 Taylor, J. I., 1960 a, [54]  
 cattle: Nigeria  
*Dictyocaulus viviparus* Bloch, 1782  
 Theiler, G., 1923 a, 25, 83  
 Syn.: *S. micrurus* Mehlis  
 cattle  
 horse  
*Dictyocaulus viviparus*  
 Tománek, J., 1962 a, 144  
 cattle  
*Dictyocaulus viviparus*  
 Tomsikh, P. T., 1956 a, 240  
 cattle: Cheliabinsk oblast  
*Dictyocaulus viviparus*  
 de la Torre Montoya, A., 1946 a, 81, 82, 86, 94,  
 95  
 bovine, treatment  
*Dictyocaulus viviparus* (Bloch, 1782)  
 Toshchev, A. P., 1949 a, 162-163  
 cattle: Irkutsk oblast  
*Dictyocaulus viviparus*  
 Tozzini, F., 1957 a, 914  
 immunity  
 bovini  
*Dictyocaulus viviparus*  
 Trace, J. C., 1958 a, 19-20  
 cattle, diagnosis, treatment  
*Dictyocaulus viviparus* (Bloch, 1782) Railliet et  
 Henry, 1907  
 Trach, V. N., 1956 a, 190  
 cattle, treatment  
*Dictyocaulus viviparus* (Bloch, 1782)  
 Trach, V. N., 1959 b, 44  
 Ukrainian Polesia  
*Dictyocaulus viviparus*  
 Tran-Tho-Huy, 1925 a, 26-37  
 buffle  
*Dictyocaulus viviparus*  
 Tromba, F. G.; and Douvres, F. W., 1957 a, 12  
 swine (exper.)  
*Dictyocaulus viviparus* Bl.  
 Tryon, H., 1919 a, 39  
 cattle: Queensland  
*D[ictyocaulus] viviparus*  
 Tsetaeva, N. P., 1954 a, 41  
 sheep, pathology, diagnosis  
*Dictyocaulus viviparus*  
 Turbet, C. R., 1949 b, 92  
 cattle  
*Dictyocaulus viviparus* Bloch, 1782  
 Ulm, E. K., 1932 a, 18  
 effect of soil conditions  
 Syn.: *Strongylus micrurus* Mehlis, 1831  
 Rind  
*Dictyocaulus viviparus*  
 Underhill, B. M., 1920 a, 259
- Dictyocaulus viviparus*  
 Underhill, B. M., 1921 a, 30, fig. 14  
 cattle  
*Dictyocaulus viviparus*  
 Vaivarinia, Kh. F., 1954 a, 306  
 cattle: Latvian SSR  
*Dictyocaulus viviparus*  
 Van Volkenberg, H. L. in Roberts, G. A., 1933  
 a, 15  
 cattle: Virgin Islands  
*Dictyocaulus viviparus*  
 Van Volkenberg, H. L., 1938 a, 7  
 cattle: Puerto Rico  
*Dictyocaulus viviparus* (Bloch, 1782)  
 Van Volkenberg, H. L., 1939 a, 7  
 cattle: Puerto Rico  
*Dictyocaulus viviparus*  
 Vaughan, A. W., 1953 a, 60  
 cattle: St. Kitts, B. W. I.  
*Dictyocaulus viviparus*  
 Vegors, H. H.; and Lucker, J. T., 1960 a, 655  
 cattle, immunity  
*Dictyocaulus viviparus*  
 Vegors, H. H.; and Lucker, J. T., [1960 b], 97  
 cattle, immunity  
*Dictyocaulus viviparus*  
 Velu, H.; and Barotte, J. H., 1924 a, 342  
*Dictyocaulus viviparus*  
 Vercruyse, R., 1952 a, 183-187  
 survival  
*Dictyocaulus viviparus*  
 Villavicencio M., H., 1959 b, 53  
 terneros  
*Dictyocaulus viviparus*  
 Vodrážka, J., 1959 a, 508  
 methods for testing anthelmintics  
*Dictyocaulus viviparus*  
 Voge, M., 1956 a, 426  
 Odocoileus hemionus: California  
*Dictyocaulus viviparus* Bloch, 1792  
 Vogelsang, E. G., 1952 a, 205  
 bovinos: Venezuela  
*Dictyocaulus viviparus* (Bloch)  
 Wade, A. E., 1960 a, 2847-2848  
 immunity  
*Dictyocaulus viviparus* (Bloch)  
 Wade, A. E.; et al., 1962 a, 277-283  
 active immunization of calves  
*Dictyocaulus viviparus* (Bloch)  
 Wade, A. E.; Fox, L. E.; and Swanson, L. E.,  
 1960 a, 753-757  
 laboratory animals  
*Dictyocaulus viviparus* (Bloch)  
 Wade, A. E.; Fox, L. E.; and Swanson, L. E.,  
 1960 b, 758-760  
 reinfection immunity in guinea pigs  
*Dictyocaulus viviparus* (Bloch)  
 Wade, A. E.; and Swanson, L. E., 1958 a, 792  
 calves  
*Dictyocaulus viviparus* (Bloch)  
 Wade, A. E.; Swanson, L. E.; and Fox, L. E.,  
 1961 a, 123-127  
 active immunization of guinea pigs and rabbits  
*Dictyocaulus viviparus*  
 Walley, J. K., 1957 a, 816  
 treatment  
*Dictyocaulus viviparus*  
 Walley, J. K., 1957 b, 852  
 treatment  
*Dictyocaulus viviparus*  
 Walley, J. K., 1957 c, 539-544  
 treatment  
*Dictyocaulus viviparus*  
 Walley, J. K., 1960 a, 1068  
 husk, treatment  
*Dictyocaulus viviparus*  
 Walley, J. K., 1963 a, 10

- Dictyocaulus viviparus*  
 Ward, J. W., 1946 b, 13  
 cattle: Mississippi
- Dictyocaulus viviparus*  
 Ward, J. W., 1947 a, 41  
 treatment
- Dictyocaulus viviparus*  
 Weber, T. B., 1957 a, 14  
 cattle, serum protein changes, antibody formation, eosinophilia
- Dictyocaulus viviparus*  
 Weber, T. B., 1958 a, 244-245  
 cattle, immunity
- Dictyocaulus viviparus*  
 Weber, T. B., 1958 b, 338, 339, 341, 342, 343, 344  
 cattle, complement-fixing antibody response
- Dictyocaulus viviparus*  
 Weber, T. B.; and Lucker, J. T., 1959 a, 132  
 cattle, immunity
- Dictyocaulus viviparus*  
 Weber, T. B.; and Rubin, R., 1958 a, 214-218  
 eosinophilic response
- Dictyocaulus viviparus* (Bloch)  
 Wehr, E. E., 1930 c, 269  
 cattle
- Dictyocaulus viviparus*  
 Wetzel, R., 1930 f, 49
- Dictyocaulus viviparus* (Bloch, 1782)  
 Wetzel, R., [1933? a], 6  
 Syn.: *Strongylus micrurus* Mehlis, 1831
- Rind  
 Reh  
 (Bronchien of both)
- Dictyocaulus viviparus*  
 Wetzel, R., [1936-37 b], 1, fig. 1  
 life cycle chart
- Rehwild
- Dictyocaulus viviparus*  
 Wetzel, R., 1948 a, 141, 142, 143, 145, 146, 147, fig. 2  
 Rind
- Dictyocaulus viviparus*  
 Wetzel, R., 1952 c, 11, 12, fig.  
 rund
- Dictyocaulus viviparus*  
 Wetzel, R., 1952 d, 1  
 Rind
- Dictyocaulus viviparus*  
 Wetzel, R., 1953 c, 133  
 Lande Nordrhein-Westfalen
- Dictyocaulus viviparus*  
 Wetzel, R.; and Enigk, K., 1937 b, 163  
 Wisente  
 Edelhirschen  
 Damwild  
 Rehen
- Dictyocaulus viviparus*  
 Wetzel, R.; and Enigk, K., 1937 e, 10  
 bisons
- Dictyocaulus viviparus*  
 Wetzel, R.; and Quittek, G., 1940 a, 350-351  
 Jungrind
- Dictyocaulus viviparus*  
 Whitlock, S. C., 1939 b, 246  
 whitetail deer
- Dictyocaulus viviparus*  
 Wicktor, C. E., 1952 a, 45  
 bovine
- Dictyocaulus viviparus*  
 Wicktor, C. E., 1952 c, 19
- Dictyocaulus viviparus* (Bloch, 1782)  
 Yamaguti, S., 1935 k, 433, 449-450  
 Sika nippon: Kyoto
- Dictyocaulus viviparus* (Bloch, 1782) Railliet et Henry, 1907  
 Yamaguti, S., 1942 g, 95, 100, 104, fig. 5,  
 pl. 3, fig. 10  
 Bos taurus: Mukden
- Dictyocaulus viviparus* (Bloch)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 162  
 Bovidae  
 Equidae
- Dictyocaulus viviparus*  
 Yoshikawa, M., 1955 a, 138  
 north-eastern parts of China
- Dictyocaulus viviparus*  
 Zettl, K., 1959 a, 319, 320, figs. 1-2  
 Rinder: Nordhessen
- Dictyocaulus viviparus* (*Strongylus micrurus*)  
 Zschiesche, A., [1913 a], 209
- Dictyocaulus viviparus*  
 Zwart, D., 1959 c, 825  
 rund: Dutch New-Guinea
- Didelphonema* n. gen.  
 Wolfgang, R. W., 1953 b, 519, 520, 521  
 tod: *D. longispiculata* (Hill, 1939) [n.  
 comb.]
- Didelphonema Wolfgang*, 1953  
 Chabaud, A. G., 1959 c, 17  
 Spiruridae, Spirurinae
- Didelphonema Wolfgang*, 1953  
 Chabaud, A. G., 1959 d, 131, 134
- Didelphonema longispiculata* (Hill, 1939) [n.  
 comb.] (tod)  
 Wolfgang, R. W., 1953 b, 520  
 Syns.: *Spirocerca longispiculata* Hill, 1939;  
*S. cylicola* Wolfgang
- Didelphonema longispiculata* Hill, 1939  
 Chabaud, A. G., 1959 d, 131, 134
- Dikentrocephalus* Wedl, 1855  
 Baylis, H. A.; and Daubney, R., 1926 a, 244-  
 245  
 type: *D. crinalis* Wedl
- Dikentrocephalus* Wedl, 1855  
 Schuurmans Stekhoven, J. H. (jr.), 1935 f,  
 V.c 31
- Dikentrocephalus* Wedl, 1855  
 Yorke, W.; and Maplestone, P. A., 1926 a, 387
- Dikentrocephalus crinalis* Wedl, 1855  
 Baylis, H. A.; and Daubney, R., 1926 a, 245
- Dikentrocephalus crinalis* Wedl.  
 Schuurmans Stekhoven, J. H. (jr.), 1935 f, V.c  
 31  
*Lophius piscatorius*
- Dikentrocephalus crinalis* Wedl, 1855  
 Yorke, W.; and Maplestone, P. A., 1926 a, 387  
*Lophius piscatorius*
- Dioctophyma*. See *Dioctophyme*.
- Dioctophyma Lamouroux*, 1824  
 See Opinion 56, p. 128, 130
- Dioctophymata*  
 Chitwood, B. G., 1933 i, 131
- Dioctophymata Skrjabin*, 1923  
 Chitwood, B. G., 1937 c, 77, 78-79; 795  
 Enoplida  
 Syns.: *Dioctophymida* Sprehn, 1927; *Diocto-*  
*pheyata* Petrov, 1930  
 [corrected to *Dioctophymina* (Skrj., 1923)]
- Dioctophymata*  
 Filipjev, I. N., 1929 a, 282
- Dioctophymata*  
 Filipjev, I. N., 1934 a, 3, 6, 7, 40
- Dioctophymata*  
 Filipjev, I. N., 1934 b, 71, 75
- Dioctophymata*  
 Filipjev, I. N.; and Schuurmans Stekhoven, J.  
 H. (jr.), 1941 a, 84, 101, 103, 105
- Dioctophymata*  
 Karmanova, E. M., [1959 b], 148-151  
 "four larval stages; one intermediate host--  
 oligochaete; fish as reservoir host between  
 intermediate and definitive host; 3 molts in  
 body of intermediate host; 1 molt in body of  
 definitive host."
- Dioctophymata* Skrj., 1923  
 Lubimov, M. P., 1926 a, 24

- Dioctophymata  
 Skrjabin, K. I., 1923 m, 91
- Dioctophymata  
 Skrjabin, K. I., 1941 a, 338
- Dioctophymata larvae sp.  
 Matevosian, E. M.; Petrochenko, V. I.; and Garizhskaya, N. N., 1959 a, 151  
 zherekh [Aspis aspius] (serous membrane of abdominal cavity): Volga
- Dioctophymatidae  
 Clark, W. C., 1961 b, 146  
 key
- Dioctophymatina (Skrjabin, 1923)  
 Chitwood, B. G.; and Chitwood, M. B., 1937 b, 19
- Dioctophymatina  
 Clark, W. C., 1961 b, 145  
 key
- Dioctophymatina  
 Dougherty, E. C., 1951 a, 358, 375
- Dioctophymatinæ  
 Clark, W. C., 1961 b, 146  
 key
- Dioctophyme Collet-Meygret, 1802a  
 See International Rules of Zoological Nomenclature, Opinion 46, pp. 105-106, Opinion 56, pp. 128-129.
- Dioctophyme [n. gen.]  
 Collet-Meygret, G. F. H., 1802 a, 458-464
- Dioctophyme  
 Baylis, H. A., 1924 d, 17, 18, 23
- Dioctophyme Collet-Meygret  
 Baylis, H. A., 1929 c, 252
- Dioctophyme Collet-Meygret, 1802  
 Baylis, H. A., 1939 b, xxvii, 225  
 type: *D. renale*  
 Syn.: *Eustrongylus Diesing*, 1851
- Dioctophyme Collet-Meygret, 1802  
 Baylis, H. A.; and Daubney, R., 1926 a, 236  
 type: *D. renalis* (Goeze)
- Dioctophyme Collet-Meygret, 1802  
 Brumpt, E., 1927 e, 623, 787
- Dioctophyme Goeze, 1782  
 Carrazzi, D., 1922 a, 293-294  
 Syn.: *Eustrongylus Diesing*, 1851
- Dioctophyme  
 Castellani, A.; and Chalmers, A. J., 1919 a, 623, 674, 675
- Dioctophyme  
 Chitwood, B. G.; and Chitwood, M. B., 1937 a, 520, 525, 526, fig. 1
- Dyocophyme [sic]  
 Demidova, A. Ia., 1935 a, 414, 415
- Dioctophyme Collet-Meygret  
 Faust, E. C., 1929 c, 315, 434, 508
- Dioctophyme  
 Grossi, A. M.; Prieto, C.; and Strobino, L. E., 1944 a, 2-12
- Dioctophyme  
 Harwood, P. D.; Chitwood, B. G.; and McIntosh, A., 1941 b, 279-280  
 status of Dioctophyme, Dioctophyme, and *Eustrongylus*
- Dioctophyme Collet-Meygret, 1802  
 Lane, C., [1923 b], 1711  
 genotype: *D. renale*
- Dioctophyme Collet-Meygret, 1802  
 Lane, C.; and Low, G. C., 1923 d, 1964  
 as syn. of Dioctophyme renale (Goeze, 1782)
- Dioctophyme  
 Leiper, R. T., 1926 f, 486-488
- Dioctophyme  
 Moquin-Tandon, C. H. B. A., 1860 a, 329
- Dioctophyme Collet-Meygret, 1802  
 Morishita, K., 1921 d, 206
- Dictyophane [sic]  
 Peiseneer, P., 1926 a, 156
- Dioctophyme Collet-Meygret  
 Petrov, A. M., 1930 c, 269, 270
- Dioctophyme Collet-Meygret  
 Rauther, M., 1930 a, 263, 268, 276, 287, 289, 294, 297, 300, 307, 331, 354, 365
- Dioctophyme  
 Riley, W. A., 1916 a, 280
- Dioctophyme  
 Riley, W. A., 1917 a, 150
- Dioctophyme Collet-Meygret, 1802  
 Schuurmans Stekhoven, J. H., 1935 c, v.c 33, v.c 34
- Dioctophymidae
- Dioctophyme Collet Meygret  
 Skrjabin, K. I., 1923 m, 91, 92
- Dioctophyme  
 Sprehn, C. E. W., 1927 e, 65
- Dioctophyme Collet-Meygret, 1802  
 Sprehn, C. E. W., 1932 c, 755  
 type species: *D. renale* (Goetze, 1782)  
 Syn.: *Eustrongylus Diesing*, 1851
- Dictiophyme [sic]  
 Travassos, L. P., 1920 h, 70
- Dioctophyme Collet-Meygret  
 Ward, H. B., 1918 b, 523
- Dioctophyme  
 Wilker, G., 1924 a, 2, 50  
 Syn.: *Eustrongylus*
- Dioctophyme Collet-Meygret, 1802  
 Yorke, W.; and Maplestone, P. A., 1926 a, 177-178  
 type: *D. renale* (Goeze)
- Dioctophyme sp.  
 Bangham, R. V., 1933 a, 225  
*Aplites salmoides*
- Dioctophyme sp.  
 Bangham, R. V.; and Hunter, G. W., 1939 a, 408, 417, 444  
*Aplites salmoides*: Lake Erie
- Dioctophyme [sp.]  
 Irgashev, I. Kh., 1958, 40  
 dog: Samarkand oblast
- Dioctophyme sp.  
 Mozgovoi, A. A.; and Ryzhikov, K. M., 1950 a, 999  
*Phoca caspica*
- Dioctophyme [sp.]  
 Shchupakov, I. G., 1936 a, 140  
*Phoca caspica*: Caspian sea
- Dictiphyme [sic] (Gmel., 17--) [sp.]  
 Travassos, L. P., 1918 a, 289  
*Galictis barbara*
- Dioctophyme gigas Stiles and Hassall, 1892  
 Baylis, H. A., 1939 c, 226  
 as syn. of Dioctophyme renale (Goeze, 1782)  
 Stiles, 1901
- Dioctophyme gigas  
 Beattie, J. M.; and Dickson, W. E. C., [1921 a] 417  
 Syn.: *Eustrongylus* or *Strongylus gigas*
- Dioctophyme gigas  
 Cameron, T. W. M., 1922 a, 564
- Dioctophyme gigas  
 Wilker, G., 1924 a, 5, 47
- Dioctophyme renale  
 Acena, S. P., 1941 b, 235  
*Idus idus*  
 puppy [dog]
- Dioctophyme renale (Goeze)  
 Augustine, D. L., 1929 a, 358, 436-438, figs. 212, 213
- Dioctophyme renale  
 Badanin, N. V., 1950 a, 55  
 dog
- Dioctophyme renale  
 Badanin, N. V.; and Nekhotiaev, M. V., 1958 a, 23, 24  
 pathology in dogs
- Dioctophyme renale  
 Baylis, H. A., 1924 d, 20, 21
- Dioctophyme renalis  
 Baylis, H. A., 1929 b, 121

- Dioctophyme renalis* (Goeze)  
 Baylis, H. A., 1929 c, 253-254, fig. 189  
   dog  
   pig  
   ox  
   man
- Dioctophyme renale* (Goeze, 1782) Stiles, 1901  
 (type)  
 Baylis, H. A., 1939 b, xxvii, 225, 226-227,  
 255, fig. 136  
 Syns.: *Lumbricus renum canis* Rud., 1809; *L. canis renalis* Diesing, 1851; *L. martis renalis* Diesing, 1851; *L. sanguineus* Diesing, 1851; *L. gulonis sibirici* Dies., 1851; *Eustrongylus giganteus* Perroncito, 1882; *Dioctophyme gigas* Stiles and Hassall, 1892; ? *Dracunculus longissimus* Césalpin (teste Blanckard, 1888)  
   cat  
   dog  
   wolf  
   fox  
   seal  
   otter  
   pig  
   horse  
   ox  
   orang-utan  
   man  
   *Idus idus*
- Dioctophyme renalis* (Goeze, 1782)  
 Baylis, H. A.; and Daubney, R., 1926 a, 236  
 [*Dioctophyme renale*] strongle géant  
 Bieler, S., 1876 b, 460
- Dioctophyme renale* (Goeze)  
 Böhm, J., 1928 d, 162
- Dioctophyme renale* (Goeze, 1782)  
 Bogofavleneskii, Iu. K.; and Puliaevskaya, N. V., 1961 a, 50-53  
   histological structure of cuticle and hypodermis
- Dioctophyme renale*  
 von Brand, T., 1957 a, 21-23  
   glycogen and lipids
- Dioctophyme renale*  
 Brown, H. W.; Sheldon, A. J.; and Taylor, W. W., (jr.), 1940 a, 16  
   dogs: North Carolina
- Dioctophyme renale*  
 Brumley, O. V., 1921 a, 398, 399, 407-409, 423  
   Syn.: *Eustrongylus gigas*
- Dioctophyme renale* (Goeze, 1782)  
 Brumpt, E., 1927 e, 623, 787-788, 822, figs. 391, 392, 393, 394
- Dioctophyme renale*  
 Brumpt, E., 1936 1, 1045, fig. 548
- Dioctophyme renale*  
 Brunetti, O. A., 1959 a, 351-353  
   *Canis latrans*: Lake Almanor, Plumas Co., California
- Dioctophyme renale*  
 Cameron, T. W. M., 1924 j, 36
- Dioctophyme renale*  
 Cameron, T. W. M.; Parnell, I. W.; and Lyster, L. L., 1940 a, 329  
   sledge-dogs: Northern Canada and Newfoundland (Berens)
- Dioctophyme renale*  
 Camou, E.; and Orihueña, J. C., 1939 a, 65, 67, 1 fig.
- Dioctophyme renale* Goeze, 1782  
 Carazzi, D., 1922 a, 267, 293-294  
   Syns.: *Ascaris canis et martis* Schrank, 1788; *A. visceralis et renalis* Gmelin, 1789; *Strongylus gigas* Rud., 1802; *Eustrongylus gigas* Diesing, 1851; *S. renalis* Moq. Tand., 1860; *E. visceralis* Railliet, 1885
- Dioctophyme renale*  
 Carini, A., 1939 g, 81-84  
   Mogi das Cruzes (Est. S. Paulo)
- Dioctophyme [sic] renale* (Goeze, 1782) Col-Meyert, 1802  
   Carvalho, J. C. M., 1940 a, 423  
     *Canis familiaris*
- Dioctophyme renale*  
 Cary, C. A., 1926 a, 382  
   mammary gland
- Dioctophyme renale*  
 Castellani, A.; and Chalmers, A. J., 1919 a, 623, 675
- Dioctophyme [sic] reale [sic]*  
 Cavalcanti Proença, M., 1935 b, 50  
   *Canis jubatus*  
   *Lutra solitaria*  
   *Galictis vittatus*  
   *Nasua narica*  
   *Speothus venaticus*  
   *Felis catus domesticus*  
   *Canis familiaris domesticus*
- Dioctophyme renale*  
 Chaddock, T. T., 1947 a, 409  
   mink
- Dioctophyme renale*  
 Chandler, A. C., 1918 a, 200
- Dioctophyme renale*  
 Chandler, A. C., 1922 a, 200
- Dioctophyme renale*  
 Chen, H. T., 1934 b, 85  
   dogs: Nanking, China
- Dioctophyme renale*  
 Chitwood, B. G., 1938 b, 69-70
- Dioctophyme renale*  
 Chitwood, B. G.; and Chitwood, M. B., 1937 a, 525
- Dioctophyme renale*  
 Chitwood, B. G.; and Chitwood, M. B., 1937 b, 4, 31, 32  
   dog
- Dioctophyme renale*  
 Chitwood, B. G.; and Chitwood, M. B., 1938 a, 72, 93, 96, 109, 114, figs. 64M, 95BB, 97B, 105RI, 108A-D
- Dioctophyme renale*  
 Chitwood, B. G.; and Chitwood, M. B., 1940 b, 148, 149, fig. 122W
- Dioctophyme renale*  
 Chun-Siun, F., 1957 a, 73  
   epizootiology in dog: Kazakhstan
- Dioctophyme renale*  
 Cooperrider, D. E.; Robinson, V. B.; and Staton, L. B., 1954 a, 381; figs. 1, 3-5  
   dog
- Dioctophyme renale* (Goeze, 1782)  
 Dacorso, P. (filho); Langenegger, J.; and Döbereiner, J., 1954 c, 35-54, figs. 1-2, 13-14  
   anatomical-pathological lesions  
   caes
- Dioctophyme renale*  
 Dearborn, N., 1946 a, 178  
   mink
- Dioctophyme renale*  
 Delianova, R. Sh., 1957 a, 69, 70  
   distribution  
   woman  
   ruminant  
   horse  
   swine
- Dioctophyme renale*  
 Demidova, A. Fa., 1935 a, 414, 415, 416  
   Hund: Aserbeidschan
- Dioctophyme renale*  
 Dunne, H. W., 1940 a, 115-116, figs. 1-2  
   dog
- Dioctophyme renale* (Goeze)  
 Efimov, A. Z., 1938 a, 177, 178
- Dioctophyme renale*  
 Ehrenford, F. A.; and Snodgrass, T. B., 1955 a, 415  
   incidence

- Dioctophyme renale*  
Ejsmont, L., [1935 b], 861-865
- Dioctophyme renale*  
Ejsmont, L., (1936 a), 473-485
- Dioctophyme renale*  
Ejsmont, L., 1936 b, 473-485
- Dioctophyme renale* (Goeze, 1782) Balbiani, 1869  
Erickson, A. B., 1944 b, 362, 363, 365, 366, 370  
key  
Canis lupus: Minnesota  
C. latrans: North America
- Dioctophyme renale* (Goeze, 1782) Balbiani, 1869  
Erickson, A. B., 1946 a, 494, 495, 498, 500, 501, 503, 506  
key  
Mustela vison: Minnesota  
Gulo luscus: North America
- Dioctophyme renale*  
Ershov, V. S.; and Apolosova, P., (1931 a), 39
- Dioctophyme renale*  
Ershov, V. S.; and Apolosova, P., 1932 a, 155
- Dioctophyme renale*  
Faust, E. C., 1929 a, 40  
dog (kidney): Nanking
- Dioctophyme renale* (Goeze)  
Faust, E. C., 1929 c, 312, 322, 434-436, 513, 516, 569, 570, 577, fig. 232  
Idus idus
- Dioctophyme renalis* Goeze  
Filipjev, I. N., 1934 b, 6, 73, fig. 56
- Dioctophyme renale* Goeze  
Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a, 2
- Dioctophyme renale* (Goeze, 1782)  
Freitas, M. G., 1957 b, 377  
caninos: Estado de Minas Gerais
- Dioctophyme renalis* (Goeze)  
Freund, L., 1930 c, 98-99, figs. 37, 38
- Dioctophyme renale* Goeze, 1782  
Gomes de Moraes, R., 1937 a, 70, 1 fig.  
cadela: Rezende
- Dioctophyme renale* (Goeze, 1782)  
Goncalves, P. C.; de Barros, S. S.; and Siqueira, C. S., 1961 a, 44-49, figs. 1-5  
dog (rim direito): Rio Grande do Sul (Brasil)
- Dioctophyme renale*  
Graham, G. L.; and Mark, J. H., 1949 a, 15  
dog
- Dioctophyme renale*  
Graves, E. F., 1937 a, 531-532, fig. 1  
mink
- Dioctophyme renale*  
Graves, E. F., 1937 b, 4, 6  
mink: Wisconsin
- Dioctophyme renale* (Goeze, 1782)  
Gray, H., 1933 b, 276-278  
dog (kidney)
- Dioctophyme renale* Goeze  
Greenway, D. F., 1929 a, 220-221, pl. 13
- Dioctophyme renalis*  
Grim, O., 1931 a, 14, fig.
- Dioctophyme* [sic] *renale*  
Grosso, A. M.; Prieto, C.; and Strobino, L. E., 1944 a, 2, 6, 10  
Nasua solitaria  
Chrysocym brachyurus
- Dioctophyme* [sic] *renale*  
Grosso, A. M.; Prieto, C.; and Strobino, L. E., 1944 b, 66
- Dioctophyme renale* (Goeze, 1782)  
Guilhon, J.; and Logé, G., 1951 a, 305-306  
intra-uterine infestation  
chien
- Dioctophyme renale* (Goeze, 1782)  
Guilhon, J.; and Logé, G., 1952 a, 665, 667, 668, 670, 673, pl., fig. 3  
canine: France
- Dioctophyme renale* (Goeze, 1782)  
Gusev, A. V., 1951 a, 102  
*Nyctereutes procyonoides*: Far East
- Dioctophyme renalis*  
Gutelle, G., 1953 a, 66 pp.  
pathogenic role of *Dioctophyme*
- Dioctophyme renale*  
Hall, M. C., 1916 c, 370-371  
dog: U. S.
- Dioctophyme renale*  
Hall, M. C., 1917 a, 183-184  
dog: U. S.
- Dioctophyme renale*  
Hall, M. C., 1917 m, 392-395  
dog, U. S. records
- Dioctophyme renale*  
Hall, M. C., 1922 q, 181, fig. 12  
dog  
fox
- Dioctophyme renale*  
Hall, M. C., 1922 r, 454
- Dioctophyme renale*  
Hall, M. C., 1923 c, 36, 38, 51  
dog  
horse  
cattle  
swine  
man
- Dioctophyme renale*  
Hall, M. C., 1928 f
- Dioctophyme renale*  
Hall, M. C.; and Wigdor, M., 1918 f, 737, 738  
dog: U. S.
- Dioctophyme renale* (Goeze, 1782)  
Hallberg, C. W., 1952 a, 232  
migration routes to kidneys of mammals, resultant pathology
- Ameiurus natalis*  
*Dioctophyme renale* (Goeze, 1782)  
Hallberg, C. W., 1953 a, 351, pls. 1-2, figs. 1-6  
migration routes to kidney of mammals, resultant pathology
- Dioctophyme renale*  
Hanson, K. B., 1933 b, 434, 435, fig. 4  
Nerz
- Dioctophyme renale*  
Hanson, K. B., 1933 e, 16  
minks (kidney)
- Dioctophyme renale*  
Harkema, R.; and Miller, G. C., 1962 a, 22, 48
- Dioctophyme renale*  
Harwood, P. D.; Chitwood, B. G.; and McIntosh, A., 1941 b, 281-282
- Dioctophyme renalis* Goeze, 1782  
Heidegger, E., 1932 c, 465-466
- Dioctophyme renale*  
Herring, L. J., 1928 a, 56
- Dioctophyme renale* Goeze 1782  
Houdemer, F. E., 1934 b, 54  
homme  
chien  
boeuf  
cheval
- Dioctophyme renale* (Goeze, 1782)  
Hsü, H. F.; and Li, S. Y., 1941 b, 205, 209, 211  
dogs: Nanking, Hangchow
- Dioctophyme renale*  
Irgashev, I. Kh., 1958 a, 44  
jackal: Samarkand oblast
- Dioctophyme renale*  
Isshiki, O., 1939 b, 79  
Canis familiaris
- Dioctophyme renale*  
Janicki, M. J., 1934 a, 155
- Dioctophyme renale* (Goeze, 1782)  
Janicki, M. J., 1934 b, 279-285, pl. 13, figs. 1-2  
chat: Varsovie

- Dioctophyme renale** (Goeze, 1782)  
 Janicki, M. J., 1935-36 a, 280-298, pls. 1-2,  
 figs. 1-12
- Dioctophyme renale**  
 Janicki, M. J., 1939 a, 189-223, figs. 1-6,  
 pls. 5-7, figs. 1-21
- Dioctophyme renale**  
 Janicki, M. J., 1939 b, 714-718, figs. 1-3
- Dioctophyme renale** (Goeze, 1782) (III stage  
 larvae)  
 Karmanova, E. M., 1959 c, 1317-1319  
 biological cycle  
*Lumbriculus variegatus*: ozero Baisar
- Dioctophyme renale** larvae of Woodhead, 1950 from  
*Cambarincola chirocephala* and *C. vitrea*  
 Karmanova, E. M., 1959 c, 1318  
 "are typical larvae belonging to family  
*Gordiidae*"
- Dioctophyme renale** (Goeze, 1782)  
 Karmanova, E. M., 1960 b, 1219-1220  
 developmental cycle  
*Lumbriculus variegatus* (ventral blood vessel):  
 region of lake Baisar, Kzyl-Ordyn oblast,  
 Kazakh. SSR  
 dogs (exper.)
- Dioctophyme renale** (Goeze, 1782)  
 Karmanova, E. M., 1961 b, 118-121, figs. 1-3  
*Esox lucius* (in thickness of tunica musculosa  
 of wall of small intestine): Kzyl-Orda  
 Oblast, Kazakh SSR
- Dioctophyme renale**  
 Kirshenblat, Ia. D., 1951 c, 68-69  
*Cambarincola chirocephala*  
*C. vitrea*
- Dioctophyme renale**  
 Klimmer, M., 1923 a, 78, 92
- Dioctophyme renale**  
 Korneev, A. P.; and Koval, V. P., [1959 a],  
 161-165  
*Canis lupus*: Ukrainian SSR
- Dioctophyme renale**  
 Kuikov, N. S., 1937 a, 234-235  
 Hund.
- [**Dioctophyme renale**] *strongle géant*  
 Lacoste, 1845 a, 132-133  
 dog
- Dioctophyme renale** (Goeze, 1782)  
 Lane, C.; and Low, G. C., [1923 d], 1964, 1965  
 Syns.: *Ascaris renalis* Goeze, 1782; *A. vis-*  
*ceralis* Gmelin, 1790; *Strongylus gigas* Rudol-  
 phi, 1802; *Dioctophyme Collet-Meygret*, 1802;  
*Eustrongylus gigas* Diesing, 1851  
 seal  
 otter  
 marten  
 polecat  
 dog  
 wolf  
 horse  
 ox  
 man
- Dioctophyme renale**  
 Lapage, G., 1947 d, 51
- Dioctophyme renale**  
 Law, J., 1942 b, 127
- Dioctophyme renale**  
 Law, R. G., 1929 a, 10-12  
 mink
- Dioctophyme renalis**  
 Law, R. G., 1931 a, 24-25  
 foxes
- Dioctophyme renalis**  
 Law, R. G.; and Kennedy, A. H., 1932 a, 45  
 mink
- Dioctophyme renale** Goeze, 1782; Stiles 1901  
 Law, R. G.; and Kennedy, A. H., 1932 b, 24, 29,  
 fig. 14  
 mink: Ontario
- Dioctophyme renale** (Goeze)  
 Law, R. G.; and Kennedy, A. H., 1932 c, 37,  
 fig. 14  
 mink
- Dioctophyme renale** (Goeze, 1782)  
 Leiper, J. W. G., 1936 a, 119  
*Mustela nivalis*
- [**Dioctophyme renale**] *lombrico gigante*  
 Lilién, 1894 b, 260  
 dog (kidney)
- Dioctophyme renale**  
 Liubimov, M. P., 1931 a, 35, 38, fig. 2  
 mink: Moskva (imported from Canada)
- Dioctophyme renale**  
 Liubimov, M. P.; and Liubimova, A. P., 1931 a,  
 43-45, figs. 1-3  
 American mink (liver)  
 dog
- Dioctophyme renale**  
 Liubovskii, A. D., 1929 a, 631  
 dog (kidney)
- Dioctophyme renale** (Goeze, 1782)  
 Lukasiak, J., 1929 a, 2-5
- Dioctophyme renale**  
 Lukasiak, J., 1930 a, 100 pp.
- Dioctophyme renale**  
 Lukasiak, J., (1932 a)
- Dioctophyme renale** (Goeze 1782)  
 Lukasiak, J.; and Strankovski, M., 1935 a, 7-19  
 chien  
 loup  
 cheval  
 chat  
 all from Varsovie
- Dioctophyme renalis**  
 Lutz, A., 1924 c, 696  
*Grison vittatus*  
*Nasua socialis*  
 rat
- Dioctophyme renalis** (*Eustrongylus gigas*)  
 Lutz, A., 1925 a, 39-40  
*Grison vittatus*
- [**Dioctophyme renale**]  
 McDonald, J. A., 1940 a, 84  
 ranched mink
- Dioctophyma renale**  
 McGilvray, C. L.; and Brown, N. M., 1955 a, 47-  
 48, figs. 1, 2
- Dioctophyme renalis**  
 Machado, O., 1940 i, 337-342
- Dioctophyme renale** (Goeze, 1782)  
 McNeil, C. W., [1949 a], 257-261  
 pathological changes in kidney of mink
- Dioctophyme renalis**  
 Maliali, A. I., 1937 a, 298  
 pig
- Dioctophyme renale**  
 Maplestone, P. A.; and Bhaduri, V. N., 1940 a,  
 597  
 dogs: India
- Dioctophyme renale** (Goeze, 1782)  
 Matchanov, N. M., 1959 a, 74  
 dog: Uzbekistan
- Dioctophyme renale**  
 Matchanov, N. M., 1961 b, 293  
 dogs: Tashkent region
- Dioctophyma renale**  
 Meyer, M. C.; and Witter, J. F., 1950 a, 367-  
 369  
 mink: Maine
- Dioctophyme renalis**  
 Moore, N. B.; and Schooley, M. A., 1939 a, 452-  
 453, figs. 1-2  
 dog
- Dioctophyme renale**  
 Moreland, A. F., 1958 a, 190-191

- Dioctophyme renale (Goeze, 1782)  
 Morishita, K., 1921 d, 201-205, 207, 208, 210,  
 figs. 1-5  
 synonymy  
*Mustela itatsi*
- Dioctophyme renale  
 Morishita, K., 1922 a, 8-9
- Dioctophyme renalis  
 Morse, E. V., 1945 a, 282
- Dioctophyme renale  
 Moshkovskii, S. D., 1959 a, 721  
 pathogenesis
- Dioctophyme renale  
 Neveu-Lemaire, M., 1927 b, 360, 368, 369, 379  
*Equus caballus*  
*Sus scrofa dom.*  
*Bos taurus*  
*Canis fam.*  
*C. lupus*
- Dioctophyme renale  
 Neveu-Lemaire, M.; and Pellegrin, J., 1928 a,  
 242, 362, 364  
*Idus jeses*
- Dioctophyme renale  
 Nikol'skii, Ia. D., 1961 a, 304
- Dioctophyme renale  
 Niño, F. L., 1948 b, 47-53, figs. 1-3  
*perros: Buenos Aires*
- Dioctophyme renale  
 Niño, F. L., 1948 c, 255-257, figs. 1-4  
*perros: Buenos Aires*
- Dioctophyme renale (Goeze, 1782) Stiles, 1901  
 Oldham, J. N., 1938 a, 1135  
 synonymy
- Dioctophyme renale  
 Olson, C., 1932 a, 252-255  
*dog*
- Dioctophyme renale  
 Oytun, H. S., 1944 d, 485
- Dioctophyme renale  
 Palmer, R. F., 1955 c, 33
- Dioctophyme renale  
 Patterson, E. E., 1936 a, 184  
*Chesapeake Bay dog (mammary gland): Pacific Coast*
- Dictyophane [sic] renalis  
 Pelseneer, P., 1926 a, 156
- Dioctophyme renale (Goeze, 1782)  
 Petrov, A. M., 1940 a, 223, 224, 225, 226  
*Lutreola vison*  
*L. lutreola*  
*Martes martes*  
*M. foina*  
*Putorius putorius*  
*Arctogale nivalis*  
*Lutra lutra*  
*all from SSSR*
- Dioctophyme renale (Goeze, 1782)  
 Petrov, A. M.; and Potekhina, L. F., 1953 a,  
 87, 93  
*Canis aureus: Tadzhikistan*
- Dioctophyme renale (Goeze, 1782)  
 Picat, J.; Bailenger, J.; and Sauvageau, M. A.,  
 1954 a, 433, 434, figs. 1-2  
*chien*
- Dioctophyme renalis  
 Pillers, A. W. N., 1922 c, 367
- Dioctophyme renale (Goeze, 1782)  
 Pinto, C. F.; and Lins de Almeida, J., 1935 a,  
 60  
*Canis familiaris*  
*Galictis vittatus*  
*Felis catus domesticus*  
*all from Brasil*
- Dioctophyme renale (Goeze)  
 Pinto, C. F.; and Lins de Almeida, J., 1937 b,  
 478  
*Canis familiaris: Brésil*  
*Felis catus domesticus: Brésil*
- Dioctophyme renale  
 Price, E. W., 1929 j, 873-874
- Dioctophyme renale  
 Price, E. W.; and Harwood, P. D., 1942 a, 1165
- Dioctophyme renale  
 Prokopić, J., 1958 a, 177  
*Sorex araneus: Czecho-Slovakia*
- Dioctophyme renale (Goeze 1782)  
 Prokopić, J., 1959 c, 107  
*Sorex araneus (abdominal cavity): Czecho-slovakia*
- Dioctophyme renale (Goeze 1782)  
 Prokopić, J., 1960 b, 139, 146, 147  
 Syns.: *Ascaris renalis* Goeze 1782; *A. visceralis* Gmelin 1790; *Strongylus gigas* Rudolphi 1802; *Dioctophyme visceralis* Collet-Meygret 1802; *Eustrongylus gigas* Diesing 1851; *Dioctophyme renale* Stiles 1901  
*dog (kidney): Albania*
- Dioctophyme renale Stiles 1901  
 Prokopić, J., 1960 b, 139-149  
*as syn. of Dioctophyme renale (Goeze 1782)*
- Dioctophyme renalis  
 Randall, R., 1944 a, 9
- Dioctophyme renale  
 Rangueloff Simeonoff, K., 1961 a, 946-947  
*man (kidney): Bulgaria*
- Dioctophyme renale (Goeze)  
 Rauther, M., 1930 a, 256, 286, 321, 365, figs.  
 267, 302, 311, 341
- Dioctothyme [sic] renale  
 Riley, W. A., 1916 a, 801-809
- Dioctophyme renale (Goeze 1782) Stiles 1901  
 Riley, W. A., 1921 a, 91  
 Syns.: *Ascaris visceralis* Gmelin.; *Strongylus gigas* Rud.; *Eustrongylus gigas* Dies. fox
- Dioctophyme renale  
 Riley, W. A., 1925 d, 229
- Dioctophyme renale  
 Rosenau, M. J., 1921 a, 1013
- Dioctophyme renale  
 Rosicky, B., 1960 a, 957  
*dog: Albania*
- [Dioctophyme renale] *strongle géant*  
 Roulin<sup>2</sup>, 1904 a, 445
- Dioctophyme renale (Goeze)  
 Roveda, R.; and Ringuelet, R., 1947 a, 73  
*Canis familiaris: Argentina*
- Dioctophyme renale (Goeze, 1782) = *Eustrongylus gigas* Rud.  
 Ruppert, H., 1926 a, 442-443  
*Nasua rufa*
- Dioctophyme renale (Goeze, 1782)  
 Sadykhov, I. A., [1954 a], 620  
*jackal: Azerbaidzhan*
- Dioctophyme renale  
 Samson, L. W., 1924 b, 162
- Dioctophyme renale  
 Sandground, J. H., 1921 a, 329  
*man*
- Dioctophyme renale  
 Schacher, J. F.; and Faust, E. C., 1956 a, 533-535  
*size of infertile eggs*  
*Mustela vison: Louisiana*  
*dog: Louisiana*
- Dioctophyme renale  
 Schlaaff, C., 1959 a, 539, 562  
*Alopex lagopus: Leipziger Zoologischen Garten*
- Dioctophyme renale  
 Schlaaff, C., [1959 c], 980  
*Alopex lagopus: Leipzig zoological garden*
- Dioctophyme renale (Goeze)  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 34,  
 fig. 407  
*Robben*

- Dioctophyme renale**  
 Schuurmans Stekhoven, J. H., 1937 a, 441, 442,  
 fig. 72
- Dioctophyme renale**  
 Schwartz, Benjamin<sup>1</sup>, 1925 k, 113  
 District of Columbia
- Dioctophyme renale**  
 Sealand, J. A., 1943 a, 361, 362  
 Mustela vison mink: Michigan
- Dioctophyme renale**  
 Secord, A. C., 1933 a, 11  
 dogs: North America, Ohio (rare)
- Dioctophyme renale**  
 Senter, H. G., 1954 a, 446
- Dioctophyme renale**  
 Sergeant, Edmond, [1954 b], 26  
 chien: Algérie
- Dioctophyme renale (Goeze 1782)**  
 Skrjabin, K. I., 1927 d, 130-145
- Dioctophyme renale**  
 Skrjabin, K. I.; and Shul'ts, R. E. S., 1929 a,  
 23, 24, 40, 72, fig. 2
- Dioctophyme renale (Goeze, 1782)**  
 Smirnov, G. C., 1948 a, 343, 344, 345  
 sobak [dog]: Iran
- Dioctophyme renale**  
 Solomon, S. G., 1933 b, 161  
 dogs: Washington, D. C.; Detroit, Michigan
- Dioctophyme renale**  
 Sprehn, C. E. W., 1927 e, 65
- Dioctophyme renalis**  
 Sprehn, C. E. W., 1928 i, 765
- Dioctophyme renale (Goeze)**  
 Sprehn, C. E. W., 1930 s, 245  
 Canis fam.
- Dioctophyme renale (Goetze, 1782) (type)**  
 Sprehn, C. E. W., 1932 c, 80, 86, 136, 755-756,  
 804, 809, 816, 821, 822, 823, 824  
 Syns.: Ascaris renalis Goetze, 1782; Eu-  
 strongylus renalis (Goetze, 1782) Guiart,  
 1910; Strongylus gigas Rudolphi, 1802; As-  
 caris canis Schrank, 1788 e. p.; A. martis  
 Schrank, 1788; A. visceralis Gmelin, 1799;  
 Dioctophyme renale (Goetze, 1782) Stiles,  
 1901
- Idus idus**  
 Canis familiaris
- Vulpes vulpes**  
 Lutreola lutreola
- L. vison**  
 Martes martes
- M. foina**  
 Putorius putorius
- Lutra lutra**
- Mensch**
- Equis caballus**
- Bos taurus**
- Sus scrofa**
- Dioctophyme renale**  
 Stefanski, W., 1928 b, 93-100  
 chien
- Dioctophyme renale**  
 Stefanski, W.; and Strankowski, M., 1936 a,  
 55-60  
 penetration of kidney  
 chien
- Dioctophyme renale Goeze**  
 Stefanski, W.; and Strankowski, M., 1937 a,  
 2001-2005, 1 fig.  
 penetration of kidney  
 chien
- Dioctophyme renale**  
 Stefanski, W.; Strankowski, M.; and Nagórski,  
 F., 1938 a, 219-225  
 chat (cavité thoracique)
- Dioctophyme renale**  
 Stefanski, W.; Strankowski, M.; and Nagórski,  
 F., 1938 b, 65-66  
 chat (cavité thoracique)
- Dioctophyme renale (Goeze)**  
 Stempeil, W., 1938 a, 150-151, fig. 172a-c
- Dioctophyme renale**  
 Stepanian, S. G., 1961 b, 299  
 dogs (kidney, abdominal cavity): Kzyl-Orda  
 region
- Dioctophyme renale**  
 Stiles, C. W., 1925 e, 107  
 dog (abdominal cavity)
- Dioctophyme renale (Goeze, 1782)**  
 Sufrin, J., 1923 a, 42-43  
 synonymy  
 mammifères (bassinet)  
 Idus idus
- Dioctophyme renale**  
 Swales, W. E., 1933 a, 473, 475, 477  
 Canis familiaris: Canada  
 Mustela vison: Kirkfield, Ontario
- Dioctophyme renale**  
 Swales, W. E., 1933 c, 481  
 Canis familiaris: Ontario, Quebec  
 Mustela vison: Quebec
- Dioctophyme renale (Goeze)**  
 Szwejkowski, H., (1933 a)
- Dioctophyme renale G.**  
 Szwejkowski, H., 1949 a, 115-116  
 pathology, development
- Dioctophyme renale**  
 Szwejkowski, H., 1951 a, 65-90
- Dioctophyme renale**  
 Szwejkowski, H., 1960 a, 1184, figs. 1, 6
- Dioctophyme renale**  
 Taylor, E. L., 1933 d, 407
- Dioctophyme renale**  
 Transmontano Pelouro, J., 1942 a, 89, 92, 93,  
 pl., figs. 1-4  
 cão: Portugal
- Dioctophyme renale**  
 Transmontano Pelouro, J., 1942 b, 73, 80, 81,  
 pls. 1-4  
 Syn.: Ascaris canis  
 cão: Lab. Patol. Vet.
- Dioctophyme renale**  
 Transmontano Pelouro, J., 1942 c, 792, pls.,  
 figs. 1-4
- Dioctophyme renale**  
 Turk, R. D., 1959 a, 22-24
- Dioctophyme renale Rudolphi, 1802**  
 Tyzzer, E. E.; and Smillie, W. G., [1927 a],  
 938
- Dioctophyme renale**  
 Underhill, B. M., 1920 a, 296
- Diclophyme [sic] renale**  
 Underwood, P. C.; and Wright, W. H., 1934 a,  
 256-258  
 dog
- Dioctophyme renale**  
 Vibe, P. P., 1961 c, 302  
 dogs: Semipalatinsk region
- Dioctophyme renalis**  
 Volkmar, F., 1929 a, 499-500  
 silver foxes
- Dioctophyme [sic] renale**  
 Volkmar, F., 1930 b, 22  
 silver foxes
- Dioctophyme renale (?)**  
 Walravens, P.; and Lombart, H., 1931 a, 205-207
- Dioctophyme renale (Goeze)**  
 Walton, A. C., [1927 a], 143-144  
 Simia satyrus  
 Canis fam.
- Putorius vison**
- Dioctophyme renale**  
 Ward, H. B., 1912 e, 433, pl. 3, figs. 26-27
- Dioctophyme renale (Goeze)**  
 Ward, H. B., 1918 b, 523, fig. 816

- Dioctophyme renale* (Goeze, 1782)  
 Wetzel, R., [1933? a], 12  
 Syns.: *Eustrongylus renale* (Goeze, 1782)  
*Guirat*, 1910; *Strongylus gigas Rudolphi*, 1802  
*Hund (Nierenbecken)*  
*Fuchs*  
*Mensch*  
*Pferd*  
*Schwein*  
*Dioctophyme renale Goeze, 1782*  
*Whitmore, E. R.*, 1921 b, 219-220  
*man (kidney)*  
*Dioctophyme renale*  
*Wirth, D.*, 1929 c, 481-495, fig. 103  
*Dioctophyme renale*  
*Wislocki, G. B.*, [1920 a], 94-97  
*dogs*  
*Dioctophyme renale (Goeze, 1782)*  
*Witenberg, G. G.*, 1934 a, 238  
*dog*  
*Dioctophyme renale*  
*Woodhead, A. E.*, 1937 b, 107  
*Dioctophyme renale*  
*Woodhead, A. E.*, 1937 c, 20  
*Dioctophyme renale*  
*Woodhead, A. E.*, 1941 a, 34  
*Dioctophma [sic] renale*  
*Woodhead, A. E.*, 1941 b, 31  
*Dioctophyme renale*  
*Woodhead, A. E.*, 1941 c, 35  
*life cycle*  
*branchiobellids*  
*crickets*  
*Dioctophyme renale*  
*Woodhead, A. E.*, 1942 a, 29  
*Dioctophyme renale*  
*Woodhead, A. E.*, [1946 a], 12  
*life-history cycle*  
*ferret (exper.)*  
*bullhead*  
*Dioctophyme renale*  
*Woodhead, A. E.*, 1946 b, 16  
*life cycle*  
*Dioctophyme renale*  
*Woodhead, A. E.*, 1950 a, 21-46, pl. I, figs. 9,  
 11-15; pl. II, figs. 16-24; pl. III, figs. 25,  
 27, 29-33; pl. IV, figs. 34-42; pl. V, figs.  
 43-54; pl. VI, figs. 55-56  
*Cambarincola chirocephala (exper.)*  
*C. vitrea (exper.)*  
*bullhead*  
*ferret (exper.)*  
*wild mink: southern counties of Michigan*  
*Dioctophyme renale*  
*Woodhead, A. E.; and McNeil, C. W.*, 1939 a, 23  
*mink: southern counties of Michigan*  
*Dioctophyme renale*  
*Wright, W. H.*, 1935 a, 682-683  
*dog*  
*Dioctophyme renale*  
*Wu, K.*, 1937 d, 3, 7  
*Canis familiaris: Hangchow area*  
*Dioctophyme renale (Goeze)*  
*Yorke, W.; and Maplestone, P. A.*, 1926 a, 178,  
 fig. 117  
*type of genus*  
*many mammals*  
*Dioctophyme renale (Goeze, 1782)* Stiles, 1901  
*Yoshida, S.; Iwata, M.; Toyoda, K.*, [1932 a],  
 764  
*weasel: Japan*  
*Dioctophyme renale Goeze*  
*Zmeev, G. Ia.*, 1947 a, 303, 304, 308  
*[man]: Far East*
- Dioctophyme renale* var. *yoshidai* Morishita, 1955  
*Isobe, C.*, 1959 a, 68-69  
*Mustela sibirica itatsi: Kumamoto Prefecture*  
*Dioctophyme renale* var. *yoshidai* Morishita, 1955  
*Isobe, C.*, 1959 c, 185-186  
*Miyazaki Prefecture*  
*Dioctophyme renale* var. *yoshidai* Morishita, 1955  
*Isobe, C.*, 1959 d, 9-11  
*Kumamoto Prefecture*  
*Dioctophyme renale* var. *yoshidai* Morishita, 1955  
*Isobe, C.*, 1960 b, 396-399  
*Kumamoto Prefecture*  
*Dioctophyme renale* var. *yoshidai* Morishita, 1955  
*Miyazaki, I.; and Isobe, C.*, 1958 a, 180-183  
*Kumamoto Prefecture*  
*Dioctophyme skrjabini* n. sp.  
*Bogdashev, N. I.*, 1951 a, 138-140  
*dog: Daghestan*  
*Dioctophyme skrjabini*  
*Deliànova, R. Sh.*, 1957 a, 69  
*distribution*  
*Dioctophyme visceralis*  
*Chervakov, V. F.*, 1926 a, 96, 97, 104-105  
*Dioctophyme visceralis (Gmelin)*  
*Chervakov, V. F.*, 1927 a, 84, 85, 87  
*dog*  
*Dioctophyme visceralis*  
*Chervakov, V. F.*, 1927 b, 437  
*dog*  
*Dictyophyme [sic] visceralis (Gmelin)*  
*Ihle, J. E. W.*, 1920 e, 761  
*Dioctophyme visceralis*  
*Isaichikov, I. M.*, 1925 b, 41  
*Dioctophyme visceralis (Gmelin)*  
*Isaichikov, I. M.*, 1925 d, 51, 95, 96, 99-100,  
 102  
*Dioctophyme visceralis (Gmelin)*  
*Isaichikov, I. M.*, 1927 d, 167, 168  
*Canis fam.*  
*Dioctophyme visceralis (Gmelin, 1789)*  
*Neveu-Lemaire, M.*, 1921 e, 291, fig. 179  
*Syns.: *Strongylus gigas*; *Eustrongylus visceralis*; *Dioctophyme renale**  
*Dioctophyme visceralis*  
*Neveu-Lemaire, M.*, 1930 c, 198-199  
*Dioctophyme visceralis (Gmelin)*  
*Petrov, A. M.*, 1926 a, 91, 96, 100  
*Dioctophyme visceralis* Gmelin, 1789  
*Popov, N. P.*, 1924 a, 12, 13  
*Dioctophyme visceralis*  
*Popov, N. P.*, 1927 a, 212  
*[dog]: Kazakstan*  
*Dioctophyme visceralis*  
*Popov, P. P.*, 1926 a, 53  
*Dioctophyme visceralis* Collet-Meygret 1802  
*Prokopic, J.*, 1960 b, 139, 146, 147  
*as syn. of *Dioctophyme renale* (Goeze, 1782)*  
*Dioctophyme visceralis* (Gmelin)  
*Skrjabin, K. I.*, 1923 m, 92  
*Foetorius luteola*  
*Lutra vulgaris*  
*Phoca sp.*  
*Dioctophyme visceralis* (Gmelin)  
*Skrjabin, K. I.*, 1925 b, 140, 143  
*Dioctophyme visceralis*  
*Skrjabin, K. I.*, 1927 i, 45, 58, 61  
*sobak [dog]: Golodnaia Step, Samarkand*  
*Dictiphyme [sic] visceralis [sic] (Gmelin, 1790)*  
*Travassos, L. P.*, 1918 b, 289  
*Galictis barbara*  
*Dioctophyme visceralis*  
*Underhill, B. M.*, 1920 a, 296  
*Dioctophymidae*  
*See International Rules of Zoological Nomenclature, Opinion 56, p. 129.*

- Dioctophymidae Railliet  
Augustine, D. L., 1929 a, 436
- Dioctophymidae  
Baylis, H. A., 1929 c, 252-253
- Dioctophymidae Railliet, 1916  
Baylis, H. A., 1939 b, xxvii, 225  
Dioctophyomoidea  
key to genera
- Dioctophymidae Railliet, 1915  
Baylis, H. A.; and Daubney, R., 1923 a, 570-571
- Dioctophymidae Railliet, 1916  
Baylis, H. A.; and Daubney, R., 1926 a, 236
- Dioctophymidae Railliet, 1916  
Baylis, H. A.; and King, L. A. L., 1932 a, 58-64
- Dioctophymidae  
Bezdek, H., 1942 a, 402
- Dioctophymid[ae]  
Brumpt, E., 1927 e, 786
- Dioctophymidae  
Chitwood, B. G., 1937 c, 79  
Dioctophyomoidea
- Dioctophymidae Railliet  
Cram, E. B., 1927 a, 366
- Dioctophymidae Railliet  
Faust, E. C., 1929 c, 312
- Dioctophymidae  
Filipjev, I. N., 1934 b, 71  
Dioctophymata
- Dioctophymidae Railliet, 1915  
Gower, W. C., 1939 a, 607, 613  
key to genera
- Dioctophymidae  
Hempelmann, F., 1932 a, 179
- Dioctophymidae Railliet 1915  
Kreis, H. A., 1945 a, 556  
Syns.: Eustrongylidae Leiper 1908; Eustrongylidae Leiper 1912
- Dioctophymidae Railliet, 1915  
Lane, C., [1923 b], 1710-1711
- Dioctophymidae Railliet 1915  
Morishita, K., 1921 d, 205-209
- Dictophimidae [sic]  
Ozerskia, V. N., 1927 a, 114
- Dioctophymidae  
Rauther, M., 1930 a, 250, 314, 365
- Dioctophymidae  
Sandground, J. H., 1921 a, 329
- Dioctophymidae  
Schuurmans Stekhoven, J. H., 1935 c, v.c 33  
Dioctophyomoidea
- Dioctophymidae Railliet  
Skrjabin, K. I., 1923 m, 91
- Dioctophymidae  
Sprehn, C. E. W., 1927 e, 39
- Dioctophymidae Railliet, 1915  
Sprehn, C. E. W., 1932 c, 755  
Syn.: Eustrongylidae Leiper, 1908
- Dictiophymidae [sic] Railliet, 1914  
Travassos, L. P., 1920 h, 70
- Dioctophymidae  
Travassos, L. P., 1920 l, 208
- Dioctophymidae Railliet  
Ward, H. B., 1918 b, 523
- Dioctophymidae  
Wüller, G., 1924 a, 2
- Dioctophymidae Railliet, 1915  
Yorke, W.; and Maplestone, P. A., 1926 a, 177, 178, 180
- Dioctophymidae gen. sp.?  
Liubimov, M. P., 1926 a, 27, 30  
Anas boschas  
A. circia
- Dioctophymidae gen. sp.  
Markov, G., 1937 a, 458, 464, 465, 466  
Uria lomvia lomvia: Novaya Zemlya
- Dioctophyminae  
Castellani, A.; and Chalmers, A. J., 1919 a, 674
- Dioctophyminae Skrjabin et Schikhobalova, 1954  
Skrjabin, K. I.; et al., 1954 a, 419  
includes: Dioctophyme Collet-Meygret, 1802
- Dioctophymosis  
Karmanova, E. M., 1961 a, 58  
swine: territory of SSSR
- [Dioctophymosis] dioctophymose  
Logé, G.; Logé, P.; and Huet, P., 1956 a, 249-250  
chiennne
- Diomedenema n. g.  
Johnston, T. H.; and Mawson, P. M., 1952 a, 30, 32  
tod: D. diomedae n. sp.
- Diomedenema Johnston et Mawson 1952  
Chabaud, A. G.; and Anderson, R. C., 1959 a, 69  
Desmidocercidae  
key
- Diomedenema diomedae n. sp. (tod)  
Johnston, T. H.; and Mawson, P. M., 1952 a, 30, 31, 32, figs. 4-7
- Diomedea chrysostoma: South Australia
- Diomedenema diomedae Johnston & Mawson  
Mackerras, M. J., 1962 a, 430  
Diomedea chrysostoma (body cavity): South Australia
- Dionyx minuta n. sp.  
Pierantoni, U., 1916 b, 145, pl. 9, figs. 1-2  
Dichogaster duwonica
- Dipetalonema Diesing emend. Chabaud, 1952  
Anderson, R. C., 1959 a, 70  
Syn.: Molinema Freitas and Lent, 1939
- Dipetalonema  
Anderson, R. C., 1959 c, 483  
Syn.: Skrjabinaria
- Dipetalonema Diesing  
Baylis, H. A., 1929 c, 208
- Dipetalonema Diesing, 1861  
Baylis, H. A., 1939 b, xxv, 2, 7  
Filaridae, Filariinae  
synonymy, key to species, type: D. gracile (Rudolphi, 1809)
- Dipetalonema Diesing, 1861  
Baylis, H. A.; and Daubney, R., 1926 a, 196
- Dipetalonema  
Blacklock, D. B.; and Southwell, T., 1931 a, 167, 190
- Dipetalonema  
Boulenger, C. L., 1920 a, 496
- Dipetalonema Dies.  
Boulenger, C. L., 1928 a, 33  
Syn.: Acanthocheilonema Cobbald
- Dipetalonema Diesing, 1861  
Chabaud, A. G., 1952 a, 250-285  
Syns.: Tetrapetalonema; Loxodontofilaria; Acanthocheilonema
- Dipetalonema Diesing 1861  
Chabaud, A. G.; and Anderson, R. C., 1959 a, 81  
Onchocercidae, Onchocercinae  
= Acanthocheilonema Cobbald 1870; = Tetrapetalonema Faust 1935; = Loxodontofilaria van den Berghe et Gillain 1939; = Molinema Freitas et Lent 1943; = Monnigofilaria Skrjabin et Schikhobalowa 1948
- Dipetalonema  
Eshenour, R. W., 1958 a, 11-13  
microfilariae, differentiation from canine heartworms
- Dipetalonema  
Filipjev, I. N., 1934 b, 422  
Filaridae
- Dipetalonema  
Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a, 856
- Dipetalonema  
Fülleborn, F., 1929 b, 1045, 1175
- Dipetalonema  
Hines, M. P., 1961 a, 6-7
- Dipetalonema  
Johnston, T. H.; and Mawson, P. M., 1938 a, 108

- Dipetalonema Diesing, 1861  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 368  
 Setariinae  
 key
- Dipetalonema Dies., subgen.  
 Perrier, E., 1897 a, 1410  
 subgenus of *Filaria* Müller
- Dipetalonema Dies.  
 Rauther, M., 1930 a, 369
- Dipetalonema  
 Rothstein, N., 1958 a, 29-30
- Dipetolonema [sic] Dies., 1861  
 Skrjabin, K. I.; and Shikhobalova, N. P.,  
 1936 a, 73  
 Setariinae  
 key
- Dipetalonema Dies., 1861  
 Skrjabin, K. I.; and Shikhobalova, N. P.,  
 1945 b, 526, 527  
 includes: *D. gracile* (Rud., 1809); *D. evansi*  
 (Lewis, 1882); *D. multipapillata* Walton, 1927
- Dipetalonema Diesing, 1861  
 Sprehn, C. E. W., 1932 c, 581, 585  
 type species: *D. gracile* (Rudolphi, 1809)  
 Syns.: *Acanthocheilonema* Cobboid, 1870;  
*Deraiphoroneema* Romanowitsch, 1916
- Dipetalonema Diesing, 1861  
 Teixeira de Freitas, J. F., 1944 a, 33, 34, 35-  
 36, 37, 38, 39, 40, 42, 43, 44  
 key; type: *D. caudispina* (Molin, 1858)  
 Syn.: *Acanthocheilonema* Cobboid, 1870
- Dipetalonema  
 Trevino, G. S., 1959 b, 311  
 dogs
- Dipetalonema Diesing, 1861  
 Tüdzil, A. N., 1939 a, 26-27
- Dipetalonema  
 Vogel, H.; and Gabaldon, A., 1932 a, 123
- Dipetalonema  
 Webber, W. A. F., 1955 a, 123-141
- Dipetalonema Dies., 1861 (type genus of fam. and  
 subfam.)
- Wehr, E. E., 1935 b, 87  
 Filarioidea, Dipetalonematidae n. fam., Di-  
 petalonematinae n. subfam.
- Syns.: *Breinlia* Yorke and Maplestone, 1926;  
*Skrjabinofilaria* Travassos, 1925
- Dipetalonema Diesing, 1861  
 Yorke, W.; and Maplestone, P. A., 1926 a, 421,  
 425-427  
 type: *D. gracile* (Rud., 1809) [n. comb.]
- Dipetalonema sp. (reconditum?)
- Ash, L. R., 1962 a, 63  
 dogs: Hawaii
- Dipetalonema sp.  
 Babero, B. B., 1960 a, 456  
*Didelphis virginiana* (lungs and esophagus):  
 Georgia
- Dipetalonema sp.  
 Babero, B. B., 1960 c, 26  
*Mephitis mephitis*: Louisiana
- ?Dipetalonema [?Molinema] sp.  
 Baylis, H. A., 1947 b, 395  
*Coendou prehensilis*: Surinam
- Dipetalonema spp.  
 Eshenour, R. W.; Newberne, J. W.; and Burch,  
 G. R., 1958 a, 7-9, 22-23
- Dipetalonema spp.  
 Evans, B. R., 1960 a, 3899
- Dipetalonema [sp.]  
 Evans, B. R.; Phillips, W. G.; and Bickley,  
 W. E., 1959 a, 8, 13  
 squirrels: Dorchester County, Maryland
- Dipetalonema sp.  
 Gmeiner, Franz, 1931 a, 141  
*Myocastor coypus* (*Nutria*): von Argentinien
- Dipetalonema spp.  
 Goldberg, A., 1954 a, 31, 33  
*Mephitis mephitis nigra*: Beltsville, Mary-  
 land
- Dipetalonema sp.  
 Healy, G. R.; and Kagan, I. G., 1961 a, 290
- Dipetalonema sp. indet.  
 Heisch, R. B.; Nelson, G. S.; and Furlong, M.,  
 1959 a, 44  
 dog: Pate Island, Kenya
- Dipetalonema-type [sp.], microfilaires  
 Jacotot, H.; Deschiens, R. E. A.; Vallée, A.;  
 and Dezest, G., 1956 a, 300, 301
- Dipetalonema sp. inq.  
 Jayewardene, L. C., 1962 a, 276-279, figs. 10-  
 15  
 dog (lymph gland): Ceylon
- Dipetalonema spp.  
 Johnston, T. H.; and Mawson, P. M., 1938 a, 120  
*Petrogale xanthopus*  
*Macropus robustus*  
*M. major*  
 all from South Australia
- Dipetalonema sp. (?roemeri)  
 Johnston, T. H.; and Mawson, P. M., 1938 a,  
 107, 112-114, figs. 14-16  
*Dendrolagus lumholzii*: North Queensland,  
 from Melbourne Zool. Gardens
- Dipetalonema sp.  
 Johnston, T. H.; and Mawson, P. M., 1939 e,  
 204, 206, 207-208, fig. 5  
*Perameles nasuta*: Sydney
- Dipetalonema spp.  
 Johnston, T. H.; and Mawson, P. M., 1939 e,  
 204, 207  
*Petrogale penicillata*  
*Macropus ruficollis*  
 both from Gosford District, N.S.W.
- Dipetalonema spp.  
 Johnston, T. H.; and Mawson, P. M., 1940 b,  
 468, 475  
*Macropus thetidis*  
*Perameles nasuta*: Sydney
- Dipetalonema spp. J. and M. 1939  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 369
- Dipetalonema sp.  
 Johnston, T. H.; and Mawson, P. M., 1940 f,  
 360, 366  
*Wallabia* sp.
- Dipetalonema sp.  
 Kelias, L. M.; and Webber, W. A. F., 1955 a, 9  
 elephant
- Dipetalonema spec.  
 Kreis, H. A., 1945 a, 552, 592-594, fig. 9A-C  
*Nyctipithecus azarae*: Marajó, Brasilien
- Dipetalonema sp. (?reconditum) Newton and Wright  
 (1956)
- Lavoipierre, M. M. J., 1958 b, 332  
 dog  
*Ctenocephalides* spp. (?haemocoel)
- Dipetalonema [sp.]  
 Leash, A. M.; and Hanson, N., 1961 a, 70
- Dipetalonema n. sp.  
 Mackerras, I. M.; Mackerras, M. J.; and Sandars,  
 D. F., 1953 a, 62  
*Isoodon obesulus*: Queensland
- Dipetalonema spp.  
 Mackerras, M. J., 1958 b, 104, 108, 113, 115,  
 118, 120  
*Tachyglossus aculeatus* (subcutaneous)  
*Petrogale penicillata*  
*P. xanthopus*  
*?wallaby*  
*Wallabia rufogrisea*  
*Osphranter robustus*  
*Perameles nasuta* (lung)  
*Macropus major*  
 all from Australia

- Dipetalonema sp.  
 Mackerras, M. J., 1962 a, 429
- Dipetalonema-type [sp.], larvae  
 Nelson, G. S., 1961 a, 149  
 Delopsylia crassipes: near Nairobi, Kenya
- Dipetalonema n. sp.  
 Nelson, G. S.; Heisch, R. B.; and Furlong, M., 1962 a, 215  
 donkeys: Kenya coast
- Dipetalonema sp. (reconditum?)  
 Newton, W. L.; and Wright, W. H., 1957 a, 76, 77, figs. 1-2
- Dipetalonema spp.  
 Nouvel, J.; and Petter, A., 1959 a, 373  
 Saimiri sciureus  
 Ateles hybridus  
 (cavité péritonéale of both): both from Parc Zoologique, Paris
- Dipetalonema sp.  
 Orihel, T. C., 1960 a, 3904  
 dogs
- Dipetalonema [sp.] no. 1  
 Price, D. L., 1960 a, 4222, 4223  
 Sciurus carolinensis
- Dipetalonema [sp.] no. 2  
 Price, D. L., 1960 a, 4222  
 raccoon  
 Procyon lotor
- Dipetalonema sp.  
 Rewell, R. E., 1950 c, 488  
 Mystax midas: Regents park, London
- Dipetalonema spp.  
 Rothstein, N., [1959 a], 588, 593  
 technique  
 dogs
- Dipetalonema sp.  
 Rothstein, N.; Brown, M. L.; and Carithers, R. W., 1959 a, 38  
 staining and differentiation
- Dipetalonema n. sp.  
 Rothstein, N.; Kinnaman, K. E.; Brown, M. L.; and Carithers, R. W., 1960 a, 28  
 canine microfilariasis
- Dipetalonema spp.  
 Sorgen, V. I., 1959 a, 11
- Dipetalonema [sp.]  
 Spasskii, A. A.; Ivashkin, V. M.; and Bogoliav-lenskii, Iu. K., 1959 a, 312  
 camels: Tuva autonomous oblast
- Dipetalonema [sp.]  
 Travassos, L. P.; and Teixeira de Freitas, J. F., 1941 a, 533  
 Cebus azarae: Estrada de Ferro Noroeste do Brasil
- Dipetalonema spp.  
 Wallenstein, W. L.; and Tibolla, B. J., 1960 a, 712-716, figs. 2, 4, 5
- Dipetalonema spp.  
 Weeks, B. N., 1961 a, 71-77  
 treatment
- Dipetalonema annulipapillatum n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1938 a, 107, 108, 117-118, figs. 26-29  
 Macropus dorsalis: Burnett River, Queensland  
 Onychogalea frenata: Burnett River, Queensland  
 Macropus ualabatus
- Dipetalonema annulipapillatum Johnston and Mawson  
 Johnston, T. H.; and Mawson, P. M., 1938 b, 188, 189-190, figs. 6-7  
 Macropus sp.: Inverleigh, Flinders River, Gulf of Carpentaria, North Queensland
- Dipetalonema annulipapillatum J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 369  
 key
- Dipetalonema annulipapillatum J. & M., 1938  
 Mackerras, M. J., 1958 b, 112, 115, 116, 121  
 Onychogalea fraenata  
 Wallabia agilis  
 W. bicolor  
 W. dorsalis  
 Macropus sp. ("unidentified kangaroos or wallabies")  
 all from Australia
- Dipetalonema anticalva (Molin, 1858) n. comb.  
 Lent, H.; and Teixeira de Freitas, J. F., 1942 a, 275-280, figs. 1-15  
 Syns.: Filaria anticalva Molin, 1858; F. dasypodis gilvipedis M.C.V. in Molin, 1858; Acanthochelonema tatusi Mazza and Anderson, 1925; Setaria sp. Travassos, Freitas and Lent, 1939  
 Euphractus sexcinctus (sin. Dasypus gilvipes)  
 E. sexcinctus tucumanus  
 Chaetophractus vellerosus vellerosus  
 Tolypeutes mataco  
 Dasypus novemcinctus  
 Tatus hybridus  
 Dasypus setosus
- Dipetalonema arbuta n. sp.  
 Highby, P. R., 1943 a, 239-242, figs. 1-7  
 Erethizon dorsatum: northern Minnesota, U.S.A.
- Dipetalonema arbuta  
 Highby, P. R., 1943 b, 243-252, pl. 1, figs. 1-3; pl. 2, figs. 1, 3-10  
 larval development  
 Erethizon dorsatum  
 Aedes aegypti  
 A. canadensis  
 A. cinereus  
 ?A. excrucians  
 A. fitchii  
 A. stimulans  
 A. vexans  
 Taeniorhynchus perturbans
- Dipetalonema arbuta  
 Chabaud, A. G., 1954 d, 373  
 life cycle
- Dipetalonema arbuta Highby (1943)  
 Lavoipierre, M. M. J., 1958 b, 332  
 Erethizon dorsatum  
 Aedes spp. (fat body)  
 [Mansonia] perturbans (fat-body)
- Dipetalonema arbuta after Highby (1943)  
 Nelson, G. S., 1960 b, 586, 590, fig.
- Dipetalonema arbuta  
 Niles, W. J., 1962 a, 437-438
- Dipetalonema atelense  
 Webber, W. A. F., 1955 a, 128, 130, 131, 137, 139, figs. 15, 24  
 Ateles geoffroyi: Panama  
 A. dariensis: Panama
- Dipetalonema australe (Linst., 1897) [n. comb.]  
 Yorke, W.; and Maplestone, P. A., 1926 a, 426  
 Petrogale penicillata  
 Trichosurus vulpecula
- Dipetalonema australe (v. Linst.) Boulenger, 1928  
 Baylis, H. A., 1934 g, 549  
 as syn. of Dipetalonema spelaea (Leidy, 1897)
- Dipetalonema australe (v. Linstow)  
 Boulenger, C. L., 1928 a, 33-34, figs. 1-5  
 Halmaturus sp.
- Dipetalonema bifida (Molin, 1858) n. comb.  
 Anderson, R. C., 1955 a, 70, figs. 3-4
- Dipetalonema blanci n. sp.  
 Chabaud, A. G., 1952 a, 262-268, figs. 2-4  
 Meriones libycus: Méched, Iran

- Dipetalonema blanci, Chabaud, 1952  
 Chabaud, A. G., 1954 b, 238-249, figs. 43, 46,  
 pls. figs. 41-42, 43, 44-45  
   *Meriones libycus*  
   *Rhipicephalus* sp.  
   *Ornithodoros tartakovskyi*
- Dipetalonema blanci  
 Chabaud, A. G., [1954 c], 371
- Dipetalonema blanci Chabaud, 1952  
 Chabaud, A. G., 1954 e, 304  
   *rhipicéphale*  
   *Ornithodoros tartakovskyi*
- Dipetalonema blanci  
 Chabaud, A. G., 1957 d, 342-343  
   as syn. of *D. vite* (Krepkogorskaya, 1933) nov.  
   comb.
- Dipetalonema blanci Chabaud, 1952  
 Baltazard, M.; Chabaud, A. G.; and Minou, A.,  
 1952 a, 2115  
   *Meriones libycus*  
   *M. persicus* (exper.)  
   *Ornithodoros tartakovskyi*  
   *Rhipicephalus* sp.
- Dipetalonema blanci Chabaud, 1952  
 Baltazard, M.; Chabaud, A. G.; Mofidi, C.; and  
 Minou, A., [1954 a], 387
- Dipetalonema blanci  
 Chabaud, A. G.; and Anderson, R. C., 1959 a, 81  
   = Dipetalonema vite
- Dipetalonema blanci  
 Derliatko, K. I., 1962 a, 755-758, figs. 1-2  
   *Meriones erythrourus*: south Tajikistan
- Dipetalonema blancii  
 Golvan, Y., 1956 e, 141  
   diagnosis
- Dipetalonema blanci  
 Hawking, F., 1956 b, 398, 413  
   stimuli affecting migration of microfilariae
- Dipetalonema blanci  
 Schneider, J.; and Husson, R. A., 1956 a, 296  
   chemotherapy
- Dipetalonema blanci  
 Wagner, W. H., 1956 b, 171
- Dipetalonema capilliforme sp. n.  
 Baylis, H. A., 1934 g, 551-554, figs. 1-2  
   *Dasyurus hallucatus* (venous spaces--probably  
   dilated hepatic veins--of liver): Townsville,  
   Queensland
- Dipetalonema capilliforme Baylis  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 368  
   key
- Dipetalonema capilliforme Baylis, 1934  
 Mackerras, M. J., 1958 b, 106  
   *Satanellus hallucatus*: Australia
- Dipetalonema capilliforme Baylis  
 Mackerras, M. J., 1962 a, 418-421, 426, figs.  
 24-26, pl. 2, fig. 4  
   *Satanellus hallucatus* (liver)
- Dipetalonema caudispina (Molin)  
 Baylis, H. A., 1929 c, 208
- Dipetalonema caudispina  
 Baylis, H. A.; and Daubney, R., 1926 a, 196
- Dipetalonema caudispina Dies.  
 Bouleenger, C. L., 1928 a, 33
- Dipetalonema caudispina (R. Molin, 1858)  
 Doilifus, R. P. F.; and Chabaud, A. G., 1955 a,  
 37-38, 39, fig. 7B  
   *Atelopus ater*: menagerie du museum, Paris
- Dipetalonema caudispina (Molin, 1858) Diesing,  
 1861  
 Luckner, J. T., 1933 b, 248
- Dipetalonema caudispina  
 Perrier, E., 1897 a, 1410  
   *singes* (abdomen et thorax)
- Dipetalonema caudispina (Molin 1858)  
 Teixeira de Freitas, J. F., 1943 b, 361, 362,  
 364, 365, 367, 369, 370, fig. 1  
   Syns.: *Filaria caudispina* Molin, 1858;  
   *Filarioidea* sp. d'Almeida, 1937
- Dipetalonema caudispina (Molin, 1858)  
 Teixeira de Freitas, J. F., 1944 a, 33, 34, 35,  
 36, 37, 38, 39, 40, 43, 44
- Dipetalonema caudispina  
 Yeh, L. S., 1956 c, 299-300  
   differentiation from *D. gracile*
- Dipetalonema caudispina (Molin, 1858) Diesing,  
 1861  
 Yorke, W.; and Maplestone, P. A., 1926 a, 425  
   as syn. of *Dipetalonema gracile* (Rud., 1809)
- Dipetalonema chitinoralis n. sp.  
 Vuylsteke, C., [1954 a], 7, 13-14, 25, pl. 9,  
 40-45  
   *Euphractus sexcinctus*
- Dipetalonema dasyuri n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1938 a,  
 107, 108, 109-111, figs. 1-7  
   *Dasyurus viverrinus*: Victoria, Australia
- Dipetalonema dasyuri J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 369  
   key
- Dipetalonema dasyuri J. & M., 1938  
 Mackerras, M. J., 1958 b, 105  
   *Dasyurus quoll* (syn. *viverrinus*): Australia
- Dipetalonema dasyuri Johnston & Mawson  
 Mackerras, M. J., 1962 a, 420, 422-423, fig. 28  
   *Dasyurus quoll* (body cavity)  
   *Dasyurops maculatus* (body cavity)
- Dipetalonema dendrolagi (Solomon) n. comb.  
 Baylis, H. A., 1934 g, 554  
   Syn.: *Breinlia dendrolagi* (Solomon)
- Dipetalonema dendrolagi Solomon  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 369  
   key
- Dipetalonema dendrolagi (Solomon, 1933)  
 Mackerras, M. J., 1958 b, 112  
   *Dendrolagus inustus*: Australia
- Dipetalonema diacanthum (Molin, 1858) [n. comb.]  
 Yorke, W.; and Maplestone, P. A., 1926 a, 427  
   *Hystrix prehensilis*  
   *Erethizon dorsatum*
- Dipetalonema diacantha (Molin, 1858) Yorke and  
 Maplestone, 1926  
 Anderson, R. C., 1955 a, 70, figs. 1-2
- Dipetalonema diacantha (Molin)  
 Canavan, W. P. N., 1929 a, 71, 94  
   *Erethizon dorsatus dorsatus*
- Dipetalonema diacantha (Molin)  
 Canavan, W. P. N., 1931 a, 223  
   *Erethizon dorsatum*
- Dipetalonema diacantha (Molin, 1858)  
 Highby, P. R., 1939 a, 15  
   development in mosquitoes  
   *Erethizon dorsatum*  
   *Aedes canadensis*  
   *A. cinereus*  
   *A. fitchii*  
   *A. stimulans*  
   *A. vexans*  
   *A. aegypti*  
   *Taeniorhynchus perturbans*
- Dipetalonema (Filaria) diacantha (Molin, 1858)  
 Jellison, W. L., 1933 a, 43, 45  
   *Erethizon dorsatum*: Pine County, Minnesota  
   *Hystrix (Cercolobes) prehensilis* (pulmonary  
   and abdominal cavities): S. America
- Dipetalonema digitatum (Chandler, 1929) [n. comb.]  
 Baylis, H. A., 1939 b, xxv, 7, 10, 254  
   Syn.: *Dirofilaria digitata* Chandler, 1929  
   *Hylobates hoolock*: Zoo. Gardens, Calcutta  
   *H. leucogenys*: Annam
- Dipetalonema digitata (Chandler, 1929)  
 Hawking, F.; and Thurston, J. P., 1951 a, 308  
   microfilariae resembling *Dipetalonema sunci*  
   and *D. digitata*, periodicity  
   *Macaca speciosa*

- Dipetalonema digitatum  
Webber, W. A. F., 1955 a, 128, 129, 130, 135, 136, figs. 10, 11  
Hylobates hoolock: India; Siam  
H. lar entelloides: India; Siam  
H. leucogenys: India; Siam  
Macaca speciosa: India
- Dipetalonema digitatum (Chandler, 1929)  
Webber, W. A. F.; and Hawking, F., 1955 b, 401-406, figs. 1-4  
Hylobates hoolock  
H. lar entelloides  
Macaca speciosa  
M. mulatta  
all from India
- Dipetalonema dracunculoides (Cobbold, 1870) [n. comb.]  
Yorke, W.; and Maplestone, P. A., 1926 a, 427  
hyaena  
dogs
- Dipetalonema dracunculoides  
Dikmans, G., 1948 f, 17
- Dipetalonema dracunculoides (Cobbold, 1870)  
Fraga de Azevedo, J., 1943 a, 105-114, pl. 1, figs. 1-6; pl. 2, figs. 1-5; pl. 3, figs. 1-3; pl. 4, figs. 1-3; pl. 5, figs. 1-2B  
morphology  
dogs: Portugal
- Dipetalonema dracunculoides Cobbold, 1870  
Mudaliar, S. V.; and Alwar, V. S., 1947 b, 88  
dog: Madras  
antelope: Madras
- Dipetalonema dracunculoides Cobbold, 1870  
Peel, E.; and Chardome, M., 1946 b, 146-147
- Dipetalonema dracunculoides  
Piacidi, L.; Leduc, P.; and Santucci, J., 1949 a, 298  
Proteles cristatus  
Hyaena crocuta
- Dipetalonema dracunculoides (Cobbold, 1870)  
Rao, M. A. N., 1938 b, 127-130, figs. 1-3  
dog: South India
- Dipetalonema dracunculoides (Cobbold, 1870)  
Rioche, M., 1960 a, 386-398, figs. 1-7, 8A  
chien: région d'Alger
- Dipetalonema dracunculoides Cobbold  
Sprehn, C. E. W., 1930 s, 245  
Canis fam.
- Dipetalonema dracunculoides (Cobbold, 1870)  
Sprehn, C. E. W., 1932 c, 586, 822  
Syns.: Acanthocheilonema dracunculoides  
Cobbold, 1870  
Canis familiaris (Peritonealhöhle): Afrika
- Dipetalonema dracunculoides (Cobbold, 1870)  
Tüzdił, A. N., 1939 a, 27
- Dipetalonema evansi (Lewis, 1882) [n. comb.]  
Yorke, W.; and Maplestone, P. A., 1926 a, 427  
camels
- Dipetalonema evansi Lewis, 1882  
Badanin, N. V., 1938 a, 62, 67  
chameau turcoman  
Camelus dromedarius
- Dipetalonema evansi Lewis, 1882  
Badanin, N. V.; Bychkov, G. P.; Muratov, E. A.; and Shagi-Akhmetov, K. A., 1936 a, 69-71
- Dipetalonema evansi (Lewis, 1882)  
Badanin, N. V.; Bychkov, G. P.; Muratov, E. A.; and Shagi-Akhmetov, K. A., 1958 a, 247-260, figs. 1-7
- Dipetalonema evansi (Lewis, 1882)  
Badanin, N. V.; and Kuznetsvo, S., 1938 a, 50-52  
as cause of abortion in camels
- Dipetalonema evansi Lewis  
Badanin, N. V.; and Pervakov, A. Ia., 1934 a, 75  
camel (heart): Turkmenistan
- Dipetalonema evansi (Lewis, 1882) Yorke and Maplestone, 1926  
Baylis, H. A., 1939 b, xxv, 7, 8-10, 258, figs. 4-5  
Syns.: Microfilaria camelensis Balfour, 1911; Filaria haematica camelis Pricolo, 1913; Deraiphoronema camelis Romanovitch, 1916 camels
- Dipetalonema evansi (Lewis)  
Boulenger, C. L., 1928 a, 33  
camels
- Dipetalonema evansi Lewis (1905)  
Chernikova, Kh. G., 1941 a, 16  
camels: Turkmenia
- Dipetalonema evansi, probablement, microfilaires  
Deipy, L. P. J.; and Rafyi, A., 1947 a, 45  
dromadaire
- Dipetalonema evansi (Lewis, 1882)  
Enigk, K., 1933 a, 276-277, figs. 4-5  
Camelus bactrianus (in der fibrösen Kapsel beider Nieren): Berlin (aus Uralsk)
- Dipetalonema evansi (Lewis, 1882)  
Mackerras, M. J., 1958 b, 145  
Camelus dromedarius: Australia
- Dipetalonema evansi  
Minett, F. C., 1955 a, 51  
camel (testis): Peshawar, India
- Dipetalonema evansi (Lewis, 1882)  
Nagaty, H. F., 1947 a, 86, 87, 88, 89, pl. 1, figs. 1-7; pl., figs. 8-11  
Camelus dromedarius: Kom-Ombo, Upper Egypt
- Dipetalonema evansi Lewis, 1882  
Orekhov, M. D., 1952 a, 28  
control  
camels: Turkmenian SSR
- Dipetalonema evansi Lewis, 1882  
Orekhov, M. D., 1958 b, 261-285, figs. 1-5  
Aedes (Ochlerotatus) detritus
- Dipetalonema evansi Lewis, 1882  
Peel, E.; and Chardome, M., 1946 b, 146-147
- Dipetalonema evansi Lewis, 1882  
Raevskaya, E. A.; and Badanin, N. V., 1933 a, 72-74, 75, 114, figs. 85-86  
Camelus bactrianus: SSSR
- Dipetalonema evansi  
Shumilina, Z. V., 1955 a, 316  
camels: Western Kazakhstan oblast
- Dipetalonema evansi  
Steward, J. S., 1950 b, 837  
Camelus dromedarius: Sudan
- Dipetalonema finiayi (Mazza et Fiora, 1942)  
Chabaud, A. G., 1952 a, 268
- Dipetalonema freitaslenti nov. comb.  
Chabaud, A. G.; and Anderson, R. C., 1959 a, 81  
Syn.: Deraiphoronema freitaslenti Yeh, 1957
- Dipetalonema gorillae n. sp.  
van den Berghe, L.; Chardome, M.; and Peel, E., 1957 a, 87  
Gorilla gorilla (le feuillet péritonéal recouvrant l'intestin grêle): Congo Belge
- Dipetalonema gracile (Rud., 1809) [n. comb.]  
(type of genus)  
Yorke, W.; and Maplestone, P. A., 1926 a, 425, fig. 291  
Brazilian monkeys
- Dipetalonema gracile (Rudolphi 1809)  
Barus, V., 1961 c, 351-352, fig. 1  
Cebus capucinus (Dutina bříšní): Praha (CSSR)
- Dipetalonema gracile (Rud., 1819)  
Baylis, H. A., 1947 b, 395  
Saimiri sciurea: Surinam
- Dipetalonema gracile (Rud.)  
Boulenger, C. L., 1928 a, 33  
Cebus capucinus
- Dipetalonema gracile (Rudolphi, 1809)  
Caballero y C., E., 1947 a, 177  
Saimiri sciurea: Colombia  
S. örstedii örstedii: Panama

- Dipetalonema gracile (Rudolphi, 1809).--  
Continued.
- Caballero y C., E., 1947 a  
Ateles dariensis: Panamá  
A. geoffroyi: Panamá  
Cebus capucinus imitator: Panamá  
Ootus zonalis: Panamá
  - Dipetalonema gracile (Rudolphi, 1809)  
Caballero y C., E., 1949 b, 147-148  
Ateles geoffroyi vellerosus: Chiapas, Mexico
  - Dipetalonema gracile (Rudolphi, 1809)  
Caballero y C., E.; and Peregrina, D. I.,  
1938 b, 302-305, figs. 8-10  
Ateles pan: Selvas del Estado de Campeche,  
Mexico
  - Dipetalonema gracilis (Rudolphi, 1809)  
Caballero y C., E.; and Vogelsang, E. G.,  
1950 a, 62  
Cebus sp.: Venezuela
  - Dipetalonema gracile (Rud.)  
Canavan, W. P. N., 1929 a, 66, 94  
Cebus albifrons  
C. fatuellus  
C. hypoleucus  
Lagothrix lagothrix
  - Dipetalonema gracile (Rud.)  
Canavan, W. P. N., 1931 a, 223  
Lagothrix infumatus  
Cebus capucinus  
Midas ursulus
  - Dipetalonema gracile  
Chitwood, B. G.; and Chitwood, M. B., 1938 a,  
66, fig. 59F
  - Dipetalonema gracile  
Chyský, V., 1957 a, 140, 141, 143, 154, figs.  
1, 5  
Lagothrix pöppigi: Pražské zoo
  - Dipetalonema gracilis (Rudolphi, 1809)  
Goldman, C.; and Espín, J., 1950 a, 100, fig. 2  
Cebus apella (blood): Venezuela
  - Dipetalonema gracile  
Golvan, Y., 1956 e, 141  
diagnosis
  - Dipetalonema gracile, unsheathed microfilariae  
resembling  
Hawking, F.; and Thurston, J. P., 1951 a, 308  
periodicity  
cebus monkey
  - Dipetalonema gracile Rud., 1809  
Hosoya, Hideo; et al., 1956 a, 68  
Ateles ater
  - Dipetalonema gracile (Rud. 1809)  
Kreis, H. A., 1945 a, 552, 591, 594  
synonymy  
Chrysotrix spec.: Hamburgo, Samiria, Bra-  
silien
  - Dipetalonema gracile  
Liubimov, M. P., 1933 b, 251  
Cebus tatuellus: Moskauer Zoopark (Südameri-  
ka)
  - Dipetalonema gracile (Diesing, 1861) Yorke and  
Maplestone, 1926  
Lucker, J. T., 1933 b, 248  
Gongylonema filiforme not a synonym of D.  
gracile
  - Dipetalonema gracile (Rud.)  
McClure, G. W., 1932 a, 25-26  
Cebus apella  
C. capucina  
Lagothrix humboldtii  
Ateles ater
  - Dipetalonema gracile (Rud.)  
McClure, G. W., 1934 a, 51, 53, 59  
Cebus capucina: New York Zool. Park
  - Dipetalonema gracile  
Pillers, A. W. N., 1929 c, 565  
woolly monkey
  - Dipetalonema gracile  
Pillers, A. W. N.; and Southwell, T., 1929 a,  
129  
Lagothrix humboldtii
  - Dipetalonema gracile (Rud.)  
Rauther, M., 1930 a, 369  
type of genus
  - Dipetalonema gracile [sic]  
Sandground, J. H., in Fox, H., 1936 c, 17  
Lagothrix infumatus
  - Dipetalonema gracile  
Sandground, J. H., 1938 a, 217
  - Dipetalonema gracilis  
Schäuffelen, O., 1961 a, 63  
Saimiri sciurea
  - Dipetalonema gracile (Rudolphi, 1809) (type)  
Sprehn, C. E. W., 1932 c, 585, fig. 286  
Afie: Brasil
  - Dipetalonema gracile  
Swierstra, D.; Jansen, J. (jr.); and van den  
Broek, E., 1959 b, 1302  
Saimiri sciurea: Netherlands
  - Dipetalonema gracilis (Rud., 1809)  
Travassos, L. P.; Teixeira de Freitas, J. F.;  
and Lent, H., 1939 a, 224  
Cebus azarae: Estrado de Ferro Noroeste,  
Brasil
  - Dipetalonema gracile (Rudolphi, 1809)  
Vogelsang, E. G.; and Mayaudon T., H., 1957 a,  
69  
Ateles belzebuth (cav. abdominal): Venezuela
  - Dipetalonema gracile (Rudolphi, 1809)  
Vogelsang, E. G.; and Rodriguez C., C., 1952 a,  
313  
Lagothrix lagotricha  
Cebus nigriattività  
both from Jardim zoológico de Maracay
  - Dipetalonema gracile (Rudolphi, 1809)  
Vuylsteke, C., [1954 a], 7, 13, 24, pl. 8,  
figs. 36-39b  
Leontocebus rosalia  
Saimiri sciurea
  - Dipetalonema gracile (Rudolphi, 1809)  
Webber, W. A. F., 1955 a, 126, 127-129, 130,  
134, 135, 139, figs. 6-9, 19-22  
Cebus capucinus: Dutch Guiana  
C. apella: Dutch Guiana; Brazil  
C. libidinosus: N. Argentine  
Cebus sp.: Surinam
  - Dipetalonema gracile (Rud., 1809)  
Webber, W. A. F.; and Hawking, F., 1955 b, 401,  
403, 406-408, figs. 6-7  
Cebus apella: Brasil
  - Dipetalonema gracile  
Yeh, L. S., 1956 c, 299-300  
differentiation from D. caudispina
  - Dipetalonema grassii (G. Noe, 1907) [n. comb.]  
Yorke, W.; and Maplestone, P. A., 1926 a, 427  
dogs
  - Dipetalonema grassii  
Hall, M. C., 1929 b, 42, 61  
dog  
Rhipecephalus sanguineus
  - Dipetalonema grassii Noe (1908)  
Lavoipierre, M. M. J., 1958 b, 332  
dog  
Rhipecephalus sanguineus (muscles)
  - Dipetalonema grassi, Noé, 1907  
Peel, E.; and Chardome, M., 1946 b, 146-147
  - Dipetalonema grassii (Noe)  
Rauther, M., 1930 a, 352
  - Dipetalonema grassii Noe  
Sprehn, C. E. W., 1930 s, 246  
Rhipecephalus sanguineus  
Canis fam.

- Dipetalonema grassii (Noé, 1907)  
 Sprehn, C. E. W., 1932 c, 586, 822  
 Syns.: *Filaria grassii* Noé, 1907; *Acanthocheilonema grassii* (Noé, 1907) Railliet, Henry u. Langeron, 1912; *D. grassii* (Noe, 1907) Yorke u. Maplestone, 1926  
*Rhipicephalus sanguineus*  
*Canis familiaris* (Subkutis u. Peritonealhöhle)  
 both from Europa and Afrika
- Dipetalonema grassi (Noe, 1907)  
 Túzdi, A. N., 1939 a, 27
- Dipetalonema hippopotami (Leiper, 1910)  
 Chabaud, A. G., 1952 a, 261
- Dipetalonema interstitium n. sp.  
 Price, D. L., 1962 a, 77, 78, 79, pl. I, figs. 1-6, pl. II  
*Sciurus carolinensis* (subcutaneous connective tissue and intermuscular fascia): Le Conte State Game Refuge, Vienna, Md.
- Dipetalonema johnstoni n. sp.  
 Mackerras, M. J., 1954 a, 51-54, figs. 1-4, pl. figs. 1-3  
*Isoodon obesulus*  
*Perameles nasuta*  
 both from South Queensland
- Dipetalonema johnstoni Mackerras, 1954  
 Mackerras, M. J., 1958 b, 107, 108  
*Thylacis obesulus*  
*Perameles nasuta*  
 both from Australia
- Dipetalonema johnstoni Mackerras  
 Mackerras, M. J., 1962 a, 420, 421-422, 456, figs. 27-28; pl. 2, figs. 5-6  
*Isoodon macrourus*  
*Perameles nasuta*  
 (subcutaneous tissue of both)
- Dipetalonema llewellyni n. sp.  
 Price, D. L., 1962 a, 77, 79, 80, 81, pl. III, figs. 1-6; pl. IV  
*Procyon lotor* (subcutaneous connective tissue and intermuscular fascia): Patuxent Wildlife Research Center, Laurel, Md.
- Dipetalonema loxodontis (van den Berghe et Gilain, 1939) n. comb.  
 Chabaud, A. G., 1952 a, 261
- Dipetalonema lutreoli, sp. nov.  
 Mackerras, M. J., 1962 a, 400, 406-409, 457, figs. 7-11; pl. I, figs. 2-5  
*Rattus lutreolus* (connective tissue, blood): West Burleigh, S. Queensland
- Dipetalonema mansoni-bahri n. sp.  
 Nelson, G. S., 1961 a, 143-148, pls., figs. 1-13  
 development in fleas  
*Pedetes surdaster larvalis* (subcutaneous connective tissue & fascial spaces overlying the hind limbs & back): near Nairobi, Kenya
- Ctenocephalides felis* (exper.)  
*Xenopsylla cheopis* (exper.)
- Dipetalonema marmosetae (Faust, 1935) n. comb.  
 Chabaud, A. G., 1952 a, 274
- Dipetalonema multipapillata [(Walton, 1927)]  
 Walton, A. C., [1927 a], 112
- Dipetalonema nicollei (Mazza, 1929) n. comb.  
 Chabaud, A. G., 1952 a, 276
- Dipetalonema okapia sp. n.  
 Fain, A., 1948 a, 222-226, figs. 1-3  
*Okapia johnstoni*: Jardin Zoologique de Leopoldville, Congo Belge
- Dipetalonema (?) okapia Fain  
 Baer, J. G., 1950 a, 174, 181-182, 185, figs. 46-47  
 okapi: Congo belge
- Dipetalonema ozzardi  
 Müller, W., 1954 a, 261  
 Nicaragua
- Dipetalonema parvum (McCoy, 1936)  
 Webber, W. A. F., 1955 a, 128, 130, 131, 137, 139, figs. 16, 25  
 description  
 Syn.: *Tetrapetalonema parvum* McCoy, 1936  
*Cebus capucinus*: Panama  
*Saimiri orstedii*: Panama
- Dipetalonema perstans (Manson, 1891) [n. comb.]  
 Yorke, W.; and Maplestone, P. A., 1926 a, 427 man
- Dipetalonema perstans (Manson)  
 Blacklock, D. B.; and Southwell, T., 1931 a, 190, 191, 197, 202, 220, 221, 223, 224, 226, 234, 246, 248, 251, figs. 99, 101
- D[ipetalonema] perstans  
 Conran, O. F.; and Conran, A., 1956 a, 291 human: Tonkolili valley, Sierra Leone
- Dipetalonema perstans (Manson, 1891) Yorke and Maplestone, 1926  
 Diaz Ungria, C., 1954 a, 1, 2, 3-4, fig. 1
- Dipetalonema perstans Manson  
 Fain, A., 1947 b, 26, 42-43, 51, 52, 55, 56, 57, 58, 59  
 homo: Congo belge
- Dipetalonema perstans  
 Fain, A., 1949 a, 180  
*Culicoides austeni*: Congo Belge  
*C. grahami*: Congo Belge
- Dipetalonema perstans  
 Fernex, M.; and Bézes, H., 1962 a, 252
- Dipetalonema perstans  
 Fülieborn, F., 1929 b, 1045, 1046, 1183
- D[ipetalonema] perstans  
 Galliard, H.; Lapierre, J.; Larivière, M.; and Berdonneau, R., [1954 a], 373, 375, 376  
 Thorn test
- Dipetalonema perstans  
 Galliard, H.; and Larivière, M., 1953 a, 312, 313, 316, 317
- Dipetalonema perstans  
 Golvan, Y., 1956 a, 139, 141, 144, 145  
 diagnosis
- Dipetalonema perstans  
 Grigorova, O.; and Nesturkh, M., 1931 a, 197-211
- Dipetalonema perstans  
 Hall, M. C., 1929 b, 42, 56, 57, 58, 60, 61 man  
*Aedes aegypti*  
*A. sugens*  
*Culex pipiens*  
*Anopheles costalis*  
*A. maculipennis*  
*Chrysocoonops fuscopennatus*  
*Culicoides austeni*  
*C. grahami*  
*Mansonioides uniformis*  
*Panoplitae* sp.  
 (?) *Chrysops centurionis*  
*Pulex irritans*  
*Ornithodoros moubata*  
*Argas* sp.  
*Aedes vittatus*  
*Anopheles gambiae*  
*Mansonia fuscopennatus*  
*M. uniformis*  
*Mansonia* sp.
- Dipetalonema perstans  
 Hawking, F., 1950 a, 169  
 hetrazan
- D[ipetalonema] perstans  
 Hicks, E. P., 1932 b, 407  
 Freetown, Sierra Leone
- Dipetalonema perstans  
 Himsorth, H. P., 1951 a, 104, 105
- [Dipetalonema perstans]  
 Himsorth, H. P., 1952 a, 114

- Dipetalonema perstans (Manson)  
Joyeux, C. E., 1954 a, 33, 34
- Dipetalonema (Acanthocheilonema) perstans  
van der Kuyp, E., 1950 a, 357-358  
American Indians: Surinam (Dutch Guiana)
- Dipetalonema perstans  
van der Kuyp, E., 1955 a, 5 pp.
- D[ipetalonema] perstans  
Languillon, J., 1957 a, 420, 421, 422, 426  
human (sang): Cameroun (Région forestière,  
Montagnes de l'Ouest, Adamaua, Nord-Cameroun)
- Dipetalonema perstans Sharp (1928); Hopkins and  
Nicholas (1952); Duke (1956)
- Lavoipierre, M. M. J., 1958 b, 332  
man
- Culicoides milnei (=austeni) (thoracic  
muscles)
- Culicoides spp. (thoracic muscles)
- Dipetalonema perstans  
Le-Van-Nham, 1955 a, 76
- Dipetalonema perstans  
Neveu-Lemaire, M., 1933 a, 235, 372, 374, 377,  
384, 385, 387, 394, 395, 396  
Culicoides grahami  
C. austeni  
Ornithodoros moubata  
Argas sp.  
(?) Chrysops centurionis  
Anopheles (Anopheles) maculipennis  
Mansonia (Coquillettidia) fuscopennata [acci-  
dental host (?)]  
M. (Mansonioides) uniformis  
homme
- Dipetalonema perstans  
Peel, E.; and Chardome, M., 1946 b, 140, 145,  
146
- Dlipetalonemal perstans  
Peel, E.; and van Oye, E., 1950 a, 63
- Dipetalonema perstans  
Pfister, R., 1952 a, 93-97
- Dipetalonema perstans (Manson, 1891)  
Pfister, R., 1952 b, 13-27
- D[ipetalonema] perstans  
Pfister, R., 1954 a, 409  
africains: Afrique occidentale française
- Dipetalonema perstans (Manson)  
Rauther, M., 1930 a, 369
- Dipetalonema perstans  
Robatto, A. G., 1934 a, 331-335
- Dipetalonema (Acanthocheilonema) perstans  
Rodhain, J., 1949 b, 178, 187
- Dipetalonema perstans  
Rodhain, J., 1953 e, 195
- Dipetalonema perstans  
Rodhain, J., 1953 f, 116, 117, 121  
pathogenicity
- Dipetalonema perstans  
Ruffié, J., 1957 a, 65
- Dipetalonema perstans  
Sandground, J. H., 1938 a, 217
- Dipetalonema (Acanthocheilonema) perstans  
Santos Reis, C. M., 1955 a, 659
- Dipetalonema perstans (Manson)  
Schuurmans Stekhoven, J. H., 1939 a, 584
- Dipetalonema perstans  
Sigalas, R.; and Pautrizel, R., 1950 a, 672
- Dipetalonema perstans (Manson, 1891)  
Sprehn, C. E. W., 1932 c, 586-587, 803  
Syns.: Filaria sanguinis hominis minor Man-  
son, 1891; F. sanguinis hominis perstans  
Manson, 1891; F. perstans Manson, 1891;  
Acanthocheilonema perstans (Manson, 1891)  
Railliet u. Henry, 1912
- Culicoides austeni
- Taeniorhynchus fuscopennatus
- Anopheles maculipennes
- Mensch (Bindegewebe u. Peritoneum)
- Dipetalonema perstans (Manson)  
Stempel, W., 1938 a, 137-138, fig. 156
- Dipetalonema perstans  
Strong, R. P., [1945? a], 355, 356, 357, 358
- Dipetalonema perstans (Manson, 1891)  
Tuzdil, A. N., 1939 a, 27
- Dipetalonema perstans  
Vianna Martins, A., 1944 a, 223, 226, 230, 231
- Dipetalonema petteri n. sp.  
Chabaud, A. G.; and Choquet, M. T., 1955 a,  
334-337, figs. 5-7  
Lepilemur ruficaudatus: Madagascar
- Dipetalonema petteri  
Bryggo, E. R.; Dodin, A.; and Capron, A.,  
1959 a, 217
- Dipetalonema petteri  
Chabaud, A. G.; and Bryggo, E. R., 1958 b, 1470,  
1471, 1472  
Lepilemur ruficaudatus: Ankarafantsika  
Lemur (?) rufus: Perrinet  
Microcebus murinus: Ankarafantsika
- Dipetalonema petteri Chabaud et Choquet 1955  
Chabaud, A. G.; Petter, A. J.; and Golvan,  
Y. J., 1961 a, 124
- Dipetalonema petteri Chabaud and Choquet, 1955  
Webber, W. A. F., 1955 d, 245, 248  
Lepilemur ruficaudatus: Madagascar
- Dipetalonema pricei (Vaz y Pereira, 1934) n. comb.  
Caballero y C., E., 1947 a, 177-180, pl. 3  
Syn.: Skrjabinofilaria pricei Vaz y Pereira,  
1934  
Didelphis marsupialis etensis: Panama
- Dipetalonema pricei (Vaz y Pereira, 1934) Cabal-  
lero, 1947  
Caballero y C., E., 1949 b, 148  
Didelphis mesamericana mesamericana: Guate-  
mala
- Dipetalonema princei [sic] (Vaz y Pereira, 1934)  
Lopez-Neyra, C. R., 1956 b, 164
- Dipetalonema procyonis n. sp.  
Price, D. L., 1955 a, 38-41, pl., figs. 1-8  
Procyon lotor lotor
- Dipetalonema procyonis Price, 1955  
Price, D. L., 1960 a, 4222  
Procyon lotor
- Dipetalonema procyonis Price, 1955  
Evans, B. R.; Phillips, W. G.; and Bickley,  
W. E., 1959 a, 5, 8, 13  
Procyon lotor
- Dipetalonema rarum n. sp.  
Johnston, T. H.; and Mawson, P. M., 1938 a,  
107, 108, 113, 114, figs. 17-19  
Onychogale frenata: Victoria, Australia
- Dipetalonema rarum J. and M.  
Johnston, T. H.; and Mawson, P. M., 1940 d, 369  
key
- Dipetalonema rarum J. & M., 1938  
Mackerras, M. J., 1958 b, 112  
Onychogalea fraenata: Australia
- Dipetalonema rarum Johnston & Mawson  
Mackerras, M. J., 1962 a, 423  
Onychogalea fraenata (subcutaneous nodules)
- Dipetalonema reconditum (Grassi, 1890) [n. comb.]  
Yorke, W.; and Maplestone, P. A., 1926 a, 427  
dogs
- Dipetalonema sp. (reconditum?)  
Ash, L. R., 1962 a, 63  
dogs: Hawaii
- Dipetalonema reconditum  
Baker, N. F., 1958 a, 23
- Dipetalonema reconditum (Grassi, 1889) Yorke and  
Maplestone, 1926 (type)  
Baylis, H. A., 1939 b, xxv, 7-8, 255  
synonymy  
dog
- Dipetalonema reconditum  
Chabaud, A. G., 1954 d, 373  
life cycle

- Dipetalonema reconditum  
 Hall, M. C., 1929 b, 41, 54, 58, 60, 61  
 dog  
*Haematopinus piliferus*  
*Culex fatigans*  
*C. quinquefasciatus*  
*Ctenocephalus canis*  
*C. felis*  
*Pulex irritans*  
*?Rhipicephalus siccus*  
*?R. sanguineus*  
*Linognathus piliferus*  
 Dipetalonema reconditum Grassi and Calandruccio (1890)  
 Lavoipierre, M. M. J., 1958 b, 332  
 dog  
 various fleas (fat-body)
- Dipetalonema reconditum  
 Lindsey, J. R., 1961 a, 695-702
- Dipetalonema reconditum  
 Lindsey, J. R., 1962 a, 175
- Dipetalonema reconditum  
 Maplestone, P. A.; and Bhaduri, V. N., 1940 a, 597  
 dogs: India
- Dipetalonema reconditum (Grassi, 1889)  
 Nelson, G. S., 1962 a, 297-308, figs. 1-13  
 development
- Ctenocephalides felis*: Kenya  
*Heterodoxus spiniger*: Kenya
- Dipetalonema reconditum  
 Nelson, G. S.; Heisch, R. B.; and Furlong, M., 1962 a, 215  
*Ctenocephalides felis strongylus*  
*Heterodoxus spiniger*
- Dipetalonema reconditum Grassi, 1890  
 Peel, E.; and Chardome, M., 1946 b, 146-147
- Dipetalonema reconditum (Grassi)  
 Roveda, R. J.; and Ringuelet, R., 1947 a, 73  
 Canis familiaris: Argentina
- Dipetalonema reconditum (Grassi)  
 Sprehn, C. E. W., 1930 s, 246  
*Ctenocephalus canis*  
*Pulex irritans*  
*Rhicephalus sanguineus*  
 Canis fam.
- Dipetalonema reconditum (Grassi, 1890)  
 Sprehn, C. E. W., 1932 c, 587, 822  
 Syns.: *Filaria recondita* Grassi, 1890; *Acanthocheilonema reconditum* (Grassi, 1890)
- Raillet, Henry u. Langeron, 1912; *Dirofilaria recondita* (Grassi, 1890) Neumann u. Mayer, 1914; Dipetalonema reconditum (Grassi, 1890)  
 Yorke u. Maplestone, 1926  
 Canis familiaris (Bindegewebe u. Nierenfett): Italien
- Dipetalonema reconditum (Grassi, 1890)  
 Tüdzil, A. N., 1939 a, 11, 27, fig. 1 (6)
- Dipetalonema robertsi n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1938 b, 188-189, figs. 1-5  
*Macropus robustus*: Normanton, North Queensland
- Dipetalonema robertsi J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 368 key
- Dipetalonema robertsi J. & M., 1938  
 Mackerras, M. J., 1958 b, 120  
*Osphranter robustus*: Australia
- Dipetalonema rodhaini [n. comb.]  
 Peel, E.; and Chardome, M., 1947 a, 244-246, 247, 248, 249, pls. 2-6, 8  
*Pan troglodytes schweinfurthi*
- Dipetalonema rodhaini  
 Webber, W. A. F., 1955 a, 128, 130, 132, 138, 139, figs. 18, 28  
*Pan paniscus*  
*P. troglodytes schweinfurthi*  
 both from Belgian Congo
- Dipetalonema roemeri (Linstow, 1905) [n. comb.]  
 Yorke, W.; and Maplestone, P. A., 1926 a, 427  
*Macropus giganteus*
- Dipetalonema roemeri (Linstow) Yorke & Maplestone, 1926  
 Anderson, R. C., 1959 c, 490  
 as syn. of *Dirofilaria roemeri* (Linstow, 1905)
- Dipetalonema roemeri (v. Linst., 1905)  
 Baylis, H. A., 1934 g, 554
- Dipetalonema roemeri (Linstow, 1905) Yorke and Maplestone, 1926  
 Caballero y C., E., 1953 c, 366, 367
- Dipetalonema roemeri (Linstow)  
 Johnston, T. H.; and Mawson, P. M., 1938 a, 107, 108, 111-112, 113, figs. 8-13  
 Syn.: *Dipetalonema websteri* (Cobbald) (nomen nudum)  
*Onychogale frenata*: Burnett River, Queensland
- Macropus major*: Burnett River, Queensland  
*M. robustus*: Cockatoo Creek and Mount Liebig, Central Australia  
*M. dorsalis*: Cockatoo Creek and Mount Liebig, Central Australia  
*M. parryi*: Burnett River, Queensland  
*M. melanops*: North Western Australia  
*M. welsbyi*: Stradbroke Island, South Queensland  
*M. ruficollis*
- Dipetalonema sp. (? roemeri)  
 Johnston, T. H.; and Mawson, P. M., 1938 a, 107, 112-114, figs. 14-16  
*Dendrolagus lumholzii*: North Queensland, from Melbourne Zool. Gardens
- Dipetalonema roemeri (Linstow)  
 Johnston, T. H.; and Mawson, P. M., 1939 b, 309  
*Macropus giganteus*: Wimmera
- Dipetalonema roemeri (Linst.)  
 Johnston, T. H.; and Mawson, P. M., 1940 a, 95, 100  
*Macropus melanops*  
*M. robustus*  
 both from South Australia
- Dipetalonema roemeri (Linst.)  
 Johnston, T. H.; and Mawson, P. M., 1940 b, 468, 469  
*Macropus fuliginosus*: Kangaroo Island
- Dipetalonema roemeri Linst.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 369 key
- Dipetalonema roemeri (Linstow)  
 Johnston, T. H.; and Mawson, P. M., 1940 f, 360, 365  
*Macropus* sp., probably major: Eidsvold, Queensland
- Dipetalonema roemeri (Linst.)  
 Johnston, T. H.; and Mawson, P. M., 1949 a, 63, 69  
*Macropus ocydromus*: Australia  
*M. agilis*: Australia
- Dipetalonema roemeri (v. Linstow, 1905)  
 Mackerras, M. J., 1958 b, 112, 115, 116, 117, 118, 119, 120, 121  
 = *Filaria websteri* Cobbald  
*Onychogalea fraenata*  
*Wallabia agilis*  
*W. bicolor*  
*W. dorsalis*  
*W. elegans*  
*W. rufogrisea*  
*W. welsbyi*  
*Macropus major*  
*M. melanops*  
*M. ocydromus*  
*M. fuliginosus*  
*Osphranter antilopinus*  
*O. isabeillinus*  
*Macropus* sp. ("kangaroos or wallabies") all from Australia

- Dipetalonema sp. ?roemerri (v. Linstow, 1905)  
 Mackerras, M. J., 1958 b, 112  
 Dendrolagus lumholtzi: Australia  
 Dipetalonema ruandae n. sp.  
 Fain, A.; and Herin, V., 1955 a, 539-547, 551,  
 552, 553, 554, pls. IV-VII  
 bovidés: Astrida, Ruanda-Urundi  
 Dipetalonema ruandae Fain et Herin  
 Fain, A.; Herin, V.; and Thienpont, D., 1955 a,  
 564, 576-577, 578  
 Dipetalonema spelaea (Leidy) [n. comb.]  
 Walton, A. C., [1927 a], 112  
 Dipetalonema spelaea (Leidy, 1875)  
 Baylis, H. A., 1934 g, 549-551  
 Syns.: *Filaria spelaea* Leidy, 1875; *F.  
 australis* v. Linstow, 1897; *Setaria spelaea*  
 (Leidy) Railliet and Henry, 1911; *Filaria  
 trichosuri* Breinl, 1913; *Acanthocheilinema  
 australe* (v. Linst.) Baylis, 1925; *Breinlia  
 trichosuri* (Breinl) Yorke and Maplestone,  
 1926; *Acanthocheilinema spelaea* (Leidy) Wal-  
 ton, 1927; *Dipetalonema australe* (v. Linstow)  
 Boulienger, 1928; (?) *Filaria* sp. Eisig, 1869  
*Trichosurus vulpecula* (body-cavity)  
*Macropus agilis* (peritoneum)  
 both from Queensland  
 Dipetalonema spelacea [sic] (Leidy, 1875)  
 Chabaud, A. G., 1952 a, 259  
 Dipetalonema spelaea (Leidy)  
 Johnston, T. H.; and Mawson, P. M., 1938 a,  
 107, 114-117, figs. 20-24  
 synonymy  
*Dendrolagus bennettianus*: North Queensland,  
 from Sydney Zool. Gardens  
*Petrogale penicillata*: Burnett River, Queens-  
 land  
 Dipetalonema spelaea Leidy  
 Johnston, T. H.; and Mawson, P. M., 1939 e,  
 204, 207  
*Macropus ualabatus*: Blue Mts., New South  
 Wales  
 Dipetalonema spelaea (Leidy)  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 369  
 key  
 Dipetalonema spelaea (Leidy, 1875)  
 Mackerras, M. J., 1958 b, 112, 113, 116  
*Dendrolagus bennettianus*  
*Petrogale penicillata*  
*Wallabia bicolor*  
 all from Australia  
 Dipetalonema ? spelaea (Leidy, 1875)  
 Mackerras, M. J., 1958 b, 115  
*Wallabia agilis*: Australia  
 Dipetalonema spiralis (Molin, 1860) mihi [n.  
 comb.]  
 Sandground, J. H., 1938 c, 423-424, 428, legend  
 of pl. 2, pl. 1, figs. 1-2; pl. 2, fig. 2-3  
 Syns.: *Spiroptera spiralis* Molin, 1860;  
*Filaria spiralis* v. Linstow, 1879; *F. spir-  
 alis* v. Drasche, 1883; *Oxyspirura spiralis*  
 Stossich, 1898; *Onchocerca spiralis* Railliet  
 & Henry, 1910; *Oxyspirura spiralis* Railliet,  
 1916  
*Bradypus tridactylus*: Brazil  
*Choeiopus didactylus*: Colombia  
 Dipetalonema spiralis (Molin, 1860) Sandground,  
 1938  
 Caballero y C., E., 1953 c, 367  
 Dipetalonema spirale  
 Chabaud, A. G.; and Anderson, R. C., 1959 a, 81  
 Dipetalonema spiralis (Molin, 1860)  
 Lent, H.; and Teixeira de Freitas, J. F.,  
 1942 b, 383-389, figs. 1-12  
 synonymy  
*Choleopus didactylus*: Piratuba, Estado do  
 Pará, Brasil  
 Dipetalonema spirocauda (Leidy, 1858) n. comb.  
 Anderson, R. C., 1959 c, 481, 482-485, 486,  
 487, 488, 489-490, figs. 1-3, 8-9  
 Syns.: *Filaria spirocauda* Leidy, 1858;  
*Skrjabinaria spirocauda* (Leidy) Lubomov,  
 1927; *S. heteromorpha* Kreis, 1953  
*Phoca vitulina concolor*: coast of Maine, USA  
 Dipetalonema ? spirocauda  
 Anderson, R. C., 1959 c, 483-484, 488, figs.  
 12, 14-16  
*Callorhinus ursinus*: Alaska  
 Dipetalonema spirocauda (Leidy, 1858)  
 Taylor, A. E. R.; Brown, D. H.; Heyneman, D.;  
 and McIntyre, R. W., 1961 a, 971-976, figs.  
 1-2  
 biology, pathology  
*Phoca vitulina geronimensis* (heart)  
 Dipetalonema spirovoluta (Smit u. Ihle, 1925)  
 [?n. comb.]  
 Sprehn, C. E. W., 1932 c, 587, 815  
 Syn.: *Filaria spirovoluta* Smit u. Ihle, 1925  
*Equus caballus* (Bindegewebe): Java  
 Dipetalonema spirovoluta  
 Kranenveid, F. C., 1941 a, 78  
 Paard: Malang  
 Dipetalonema spirovoluta (Smit and Ihle, 1925)  
 Tüdzil, A. N., 1939 a, 28  
 Dipetalonema spretni n. sp.  
 Anderson, R. C., 1953 a, 215-221, figs. 1-4,  
 6-7, 9-12  
*Castor canadensis*  
 Dipetalonema streptocerca n. sp. [n. comb.]  
 Peel, E.; and Chardome, M., 1946 b, June 30,  
 117, 121-123, 140, 154, 156, pls. 1-8, 22  
*Pan paniscus*: Congo Belge  
 Dipetalonema streptocerca n. sp. (pro parte)  
 Peel, E.; and Chardome, M., 1947 a, 241, 242,  
 243, pls. 1, 7  
*Pan troglodytes schweinfurthi*  
 Dipetalonema streptocerca  
 Brumpt, E., 1947 b, 118-119, 120  
*elephantiasis*  
 Dipetalonema streptocerca  
 Chardome, M.; and Peel, E., 1949 a, 99-119, pl.,  
 figs. 1-9  
 transmission by *Culicoides grahami*  
 Dipetalonema streptocerca  
 Chardome, M.; and Peel, E., 1951 a, 3, 54, 67,  
 71, 76, 77, 78, 80, 82, fig.  
*Culicoides grahami* (Austen): Coquihatville  
 D[ipetalonema] streptocerca  
 Colbourne, M. J.; Edington, G. M.; Hughes,  
 M. H.; and Ward-Brew, A., 1950 a, 280, 281,  
 289, 290  
*Culicoides grahami* (probable): Kwansakrom,  
 Gold Coast  
 D[ipetalonema] streptocerca  
 Dubois, A., 1948 a, 151-153  
 Dipetalonema streptocerca Macfie et Corson  
 Fain, A., 1947 b, 28, 43-45, 51, 52, 55, 56,  
 57, 58, 59, 62, map  
*homo*: Congo beige  
 Dipetalonema streptocerca  
 Henrard, C.; and Peel, E., 1949 a, 127  
*Culicoides grahami*  
 Dipetalonema streptocerca  
 Hughes, M. H.; and Daly, P. F., 1951 a, 244,  
 246  
 man: southern Gold Coast  
 Dipetalonema streptocerca  
 Hughes, M. H.; and Sarkies, J. W. R., 1951 a,  
 74  
 man: Africa  
 Dipetalonema streptocerca Macfie et Corson, 1922  
 Joyeux, C. E., 1954 a, 33  
 D[ipetalonema] streptocerca  
 Languillon, J., 1957 a, 420, 426, 427  
 human (suc dermique): (Forets) Camaroun

- Dipetalonema streptocerca Chardome and Peel (1949)  
 Lavoipierre, M. M. J., 1958 b, 332  
 man  
*Culicoides grahamii* (thoracic muscles)
- D[ipetalonema] streptocerca  
 Macfarlane, L. R. S.; and Penman, H. G., 1959 a, 303  
 identification
- D[ipetalonema] streptocerca  
 Peel, E.; and van Oye, E. L., 1950 a, 61, 63
- Dipetalonema streptocerca (Macfie et Corson, 1922)  
 Pfister, R., 1952 b, 13-27
- D[ipetalonema] streptocerca  
 Pfister, R., 1954 a, 409  
 africains: Afrique occidentale française
- Dipetalonema streptocerca  
 Rodhain, J., 1946 a, June 30, 157, 159
- Dipetalonema streptocerca  
 Sarkies, J. W. R., 1951 b, 609  
 "fairly strong evidence that invasion of the eye by embryos is rare--if it occurs at all"
- Dipetalonema streptocerca  
 Wanson, M.; Berger, G.; and Pannier, L., 1950 a, 91, 92, 93, 94  
 hetrazan
- Dipetalonema sunci n. sp.  
 Sandground, J. H., 1933 c, 543, 581-582, fig. 33  
*Suncus caeruleus* (subcutaneous in interscapular region): Phouc Mon, Tonkin
- Dipetalonema sunci (Sandground, 1933)  
 Hawking, F.; and Thurston, J. P., 1951 a, 308  
 microfilariae resembling *D. sunci* and *D. digitata*, periodicity  
*Macaca speciosa*
- Dipetalonema tenue n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1938 a, 107, 118-120, figs. 30-33  
*Macropus robustus*: Cockatoo Creek and Mount Liebig, Central Australia
- Dipetalonema tenue J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 369  
 key
- Dipetalonema tenue J. & M., 1938  
 Mackerras, M. J., 1958 b, 120  
*Oosphranter robustus*: Australia
- Dipetalonema tenuis (Mazza, 1929) n. comb.  
 Chabaud, A. G., 1952 a, 276
- Dipetalonema thylogali n. sp.  
 Mackerras, M. J., 1954 a, 54-56, figs. 5-9, pl. 1, fig. 4  
*Thylogale wilcoxi*: Tamborine, South Queensland
- Dipetalonema thylogali Mackerras, 1954  
 Mackerras, M. J., 1958 b, 115  
*Thylogale wilcoxi*: Australia
- Dipetalonema travassosi n. sp.  
 Artigas, P. T.; and Pacheco, G., 1933 d, 23-27  
*Myocastor coipus* (blood, peritoneal cavity)
- Dipetalonema travassosi Artigas and Pacheco, 1933  
 Anderson, R. C., 1955 a, 70
- Dipetalonema travassosi Artigas and Pacheco, 1933  
 Teixeira de Freitas, J. F.; and Lent, H., 1939 b, 14, 15  
 as syn. of *Molinema travassosi* (Artigas and Pacheco, 1933) n. comb.
- Dipetalonema trichosuri (Breinl)  
 Johnston, T. H.; and Mawson, P. M., 1938 a, 107, 108, 115, 116, 117, fig. 25  
 Syns.: *Acanthocheilonema australe* Baylis, 1925; *Filaria trichosuri* Breinl, 1913; *Breinlia trichosuri* Yorke and Maplestone, 1926
- Trichosurus vulpecula: Burnett River, Queensland
- Dipetalonema trichosuri (Breinl)  
 Johnston, T. H.; and Mawson, P. M., 1940 b, 468, 469  
*Trichosurus caninus*: Narara, N. S. W.
- Dipetalonema trichosuri (Breinl)  
 Johnston, T. H.; and Mawson, P. M., 1940 d, 369  
 key
- Dipetalonema trichosuri (Breinl, 1913)  
 Mackerras, M. J., 1958 b, 110  
*Trichosurus caninus*  
*T. vulpecula*  
 both from Australia
- Dipetalonema vanhoofi n. sp.  
 Peel, E.; and Chardome, M., 1946 a, May, 245
- Dipetalonema vanhoofi n. sp.  
 Peel, E.; and Chardome, M., 1946 b, June 30, 117, 138-140, 141, 143, 145-150, 151, 152, 155, 156, pls. 14-19, 23  
 [p. 141 as *Microfilaria vanhoofi* n. sp.]  
*Pan paniscus*  
*P. satyrus*  
 both from Congo Belge
- Dipetalonema vanhoofi (Peel et Chardomme 1946)  
 Chabaud, A. G.; and Rousselot, R., 1955 a, 88-92, 97-98, figs. 18-20  
*Pan troglodytes troglodytes*: Brazzaville
- Dipetalonema vanhoofi  
 Rodhain, J., 1946 a, June 30, 157, 159
- Dipetalonema vanhoofi  
 Rodhain, J., [1956 a], 672-677  
 localization
- Dipetalonema vanhoofi  
 Rousselot, R., 1956 a, 301, pl. 5, figs. 1-2  
*gorilles (vaisseaux du foie)*  
*chimpanzés (vaisseaux du foie)*
- Dipetalonema vite. See also Dipetalonema vitei.
- Dipetalonema vite (Krepkogorskaya, 1933) nov. comb.  
 Chabaud, A. G., 1957 d, 343
- Dipetalonema vite (= Dipetalonema blanci)  
 Chabaud, A. G.; and Anderson, R. C., 1959 a, 81
- Dipetalonema vite Baltazard et al. (1953) (= *blanci* Chabaud (1954))  
 Lavoipierre, M. M. J., 1958 b, 332, 339  
*Meriones libycus*  
*Rhombomys opimus*  
*Ornithodoros tartakovskyi* (muscles, haemocoel)  
*Rhipicephalus* sp. (muscles, haemocoel)
- Dipetalonema websteri (Cobbold)  
 Johnston, T. H.; and Mawson, P. M., 1938 a, 112  
 as syn. of *D. roemeri* (Linstow)
- Dipetalonema websteri  
 Raethel, H. S., 1960 b, 145, 146, fig. 2  
 kangaroo meat imported from Australia to West Berlin
- Dipetalonema weissi (Seurat, 1914) [n. comb.]  
 Yorke, W.; and Maplestone, P. A., 1926 a, 427  
*Elephantulus deserti*
- Dipetalonema weissi Seurat, 1914  
 Sandground, J. H., 1933 c, 582  
*Elephantulus deserti*
- Dipetalonema vitei. See also Dipetalonema vitei.
- Dipetalonema vitei  
 Hawking, F., 1962 b, 168-172
- Dipetalonema vitei  
 Terry, A.; Terry, R. J.; and Worms, M. J., 1961 a, 703-711, pl. 1, figs. 1-6; pl. 2, figs. 1-7; pl. 3, figs. 1-4; pl. 4, figs. 1-9; pl. 5, figs. 1-4  
 reproductive system, gametogenesis, development  
*Meriones libycus*

- Dipetalonema witei  
 Worms, M. J.; Terry, R. J.; and Terry, A.,  
 1961 a, 963-970, figs. 2-6  
 maintenance in laboratory  
*Ornithodoros moubata* (exper.)  
*Meriones libycus*
- Dipetalonema zakii (Nagaty, 1935) [n. comb.]  
 Lopez Neyra, C. R., 1956 b, 158  
 Syn.: *Parlitosoma zakii* Nagaty, 1935
- Dipetalonematidae n. fam.  
 Wehr, E. E., 1935 b, 85, 87  
 Filaroidea  
 contains: *Dirofilariinae*; Dipetalonematinae  
 n. subfam.  
 type genus: *Dipetalonema* Dies., 1861  
 Syn.: *Dirofilariidae* Sandground, 1921
- Dipetalonematidae n. fam.  
 Wehr, E. E., 1936 b, 60, 61  
 Spirurata, Filaroidea  
 contains: *Dirofilariinae*; Dipetalonematinae  
 Syn.: *Dirofilariidae* Sandground, 1921
- Dipetalonematidae Wehr, 1935  
 Anderson, R. C., 1957 c, 203-224
- Dipetalonematidae  
 Anderson, R. C., 1958 d, 151, 155  
 Filaroidea  
 includes: *Onchocercinae* Leiper, 1911; *Dirofilariinae* Wehr, 1935; *Dipetalonematinae* Wehr, 1935; *Oswaldo filariinae* Chabaud and Choquet, 1935; *Splendidofilaria* Chabaud and Choquet, 1953; *Icosiellinae* n. subf.
- Dipetalonematidae Wehr, 1935  
 Baylis, H. A., 1939 b, 2
- Dipetalonematidae  
 Chabaud, A. G.; and Choquet, M. T., 1953 a, 175, 177, 182-191  
 includes: *Cardionematinae* Yamaguti, 1941; *Oswaldo filariinae* n. subfam.; *Dirofilariinae* Wehr, 1935; *Dipetalonematinae* Wehr, 1935; *Splendidofilaria* n. subfam.; *Onchocercinae* Leiper, 1911
- Dipetalonematidae  
 Chitwood, B. G., 1937 c, 75  
 Filaroidea
- Dipetalonematidae Wehr, 1935  
 Johnston, T. H.; and Mawson, P. M., 1938 a, 108  
 as syn. of *Dirofilariidae* Sandground
- Dipetalonematinae n. subfam.  
 Wehr, E. E., 1935 b, 87  
 Filaroidea, Dipetalonematidae n. fam.  
 contains: *Dipetalonema* Dies., 1861 (type genus); *Aprocotella*; *Aprocotiana*; *Aprocotoides*; *Carinema*; *Chandlerella*; *Elaeophora*; *Eufilaria*; *Eulimdana*; *?Hamulofilaria*; *?Icosiella*; *Lemdana*; *Litomosa*; *Litomosoides*; *Macdonaldius*; *?Micipsella*; *Onchocerca*; *?Onchocerella*; *Oswaldo filaria*; *Paraprocta*; *Saurositus*; *Splendidofilaria*; *Thamugadina*  
 Syns.: *Onchocercinae* Leiper, 1911; *Loainae* Yorke and Maplestone, 1926, in part; *Setariinae* Yorke and Maplestone, 1926, in part
- Dipetalonematinae n. subfam.  
 Wehr, E. E., 1936 b, 61  
 Dipetalonematidae  
 Syn.: *Onchocercinae* Leiper, 1911
- Dipetalonematinae Wehr, 1935  
 Baylis, H. A., 1939 b, 2
- Dipetalonematinae Wehr, 1935  
 Chabaud, A. G.; and Choquet, M. T., 1953 a, 175, 176, 177, 184-186  
 key; includes: *Hamulofilaria* Chandler, 1924; *Skrjabinofilaria* Travassos, 1925; *Parlitomosa* Naghati, 1935; *Pseudolitomosa* Yamaguti, 1941; *Litomosoides* Chandler, 1931; *Litomosa* Yorke et Maplestone, 1925; *Migoneilla* Lent et Freitas, 1946; *Ackertia* Vaz, 1934; *Macdonaldius* Khanna, 1933; *Wuchereria* Silva Araujo, 1877; *Molinema* Freitas et Lent, 1943; *Dipetalonema* Diesing, 1861; *Breinlia* Yorke et Maplestone, 1926
- Dipetalonematinae  
 Chitwood, B. G., 1937 c, 75  
 Dipetalonematidae
- Dipetalonematinae  
 Quortrup, E. R.; and Shillinger, J. E., 1941 a, 386  
 whistling swan: Bear River Wildlife Disease Research Station
- Dipetalonematinae  
 Skrjabin, K. I.; and Shikhobalova, N. P., 1945 c, 692
- Dipetalonematinae Wehr, 1935  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Sobolev, A. A., 1949 a, 431-451
- Dipetalonematosis  
 Kazanskii, I. I., 1958 a, 17  
 calves: Turkmenistan
- Dipetalonematosis  
 Khomitskii, F. V., 1958 a, 287-292  
 camels
- Dipetolonema  
 Skrjabin, K. I.; and Shikhobalova, N. P., 1936 a, 73  
 [For *Dipetalonema* Dies., 1861]
- Diplogaster [sp.]  
 Chamberlin, T. R., 1944 a, 313-314  
*Phyllophaga* spp.
- Diplogaster sp. Leis  
 Fiebiger, J., 1923 a, 227, 416  
 Hund
- Diplogaster sp.?  
 Galli-Valerio, B., 1919 b, 297  
*Helix alpicola*
- Diplogaster sp.  
 Galli-Valerio, B., 1930 d, 79  
*Helix alpicola*
- Diplogaster sp.  
 Harrington, J. S., 1953 a, 12  
*Heteronychus sanctae-helenae*: South Africa
- Diplogaster aerivora Cobb  
 Banks, N., 1920 a, 117  
 Reticulitermes sp.: Manhattan, Kansas
- Diplogaster aerivora  
 Davis, J. J., 1919 a, 118-120, fig. 44  
*Leucotermes lucifugus*  
*Phyllophaga*  
 both from Lancaster, Pa.
- Diplogaster acrívora [sic] Cobb, 1915  
 Filipjev, I. N., 1934 b, 376  
*Leucotermes lucifugus*: Kansas
- Diplogaster aerivora Cobb, 1916  
 Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a, 701, 702, 772  
 [p. 772, *D. acrívora* Cobb, 1915]  
*Termes lucifugus*: Kansas
- Diplogaster aerivora Cobb  
 Hegh, E. M. J., 1922 a, 535  
 Reticulitermes sp.: Manhattan, Kansas  
*R. flavipes*: Virginia
- Diplogaster aerivora Cobb  
 Stammer, H. J., 1934 a, 204  
 Reticulitermes
- Diplogaster aerivora  
 Welch, P. S.; and Wehrle, L. P., 1918 a, 143, 145, 148, 150, 151, 155, 156, 157, 158, 163-172, 173-174  
*Leucotermes lucifugus*
- Diplogaster aerivora Cobb  
 Winburn, T. F.; and Painter, R. H., 1932 a, 1-28  
*Heliothis obsoleta*
- Diplogaster aerivora Cobb  
 Wollenweber, H. W., 1921 a, 266  
*Leucotermes lucifugus*

- Diplogaster aphodii n. sp.  
Bovien, P., [1938 b], 1, 31-39, 41, 60, 106,  
figs. 6-8  
Aphodius fimetarius  
A. rufipes  
A. fossor  
A. distinctus
- Diplogaster aphodii Bovien, 1937  
Filipjev, I. N.; and Schuurmans Stekhoven,  
J. H., 1941 a, 776-779, figs. 389A-G  
Aphodius fimetarius  
A. rufipes  
A. fossor  
A. distinctus
- Diplogaster aphodii Bovien  
Théodoridès, J., 1951 a, 66  
Aphodius fimetarius: France  
A. fossor: "  
Diplogaster (Diplogaster) austriacus Fuchs (1938)  
Mengert, H., 1953 a, 313  
Arion (Lochea) empiricorum
- Diplogaster brevicauda n. sp.  
Kotlán, S., 1928 b, 179-183  
Pyrausta nubilalis
- Diplogaster brevicauda Kotlán, 1928  
Filipjev, I. N., 1934 b, 376-378, fig. 275  
Pyrausta nubilalis
- Diplogaster brevicauda Kotlán, 1928  
Filipjev, I. N. & Schuurmans Stekhoven, J. H.,  
1941 a, 773-774, fig. 386  
Pyrausta nubilalis
- Diplogaster coprophagus de Man  
Théodoridès, J., 1952 d, 288  
Geotrupes mutaroa  
G. stercorarius  
G. vernalis  
G. stercorosus
- Diplogaster entomophaga n. sp.  
Steiner, G., 1929 b, 143-145  
Pamphilus stellatus
- Diplogaster entomophaga Steiner, 1929  
Filipjev, I. N., 1934 b, 376, 377, fig. 274  
Acantholyda stellata: Germany
- Diplogaster entomophaga Steiner, 1929  
Filipjev, I. N.; and Schuurmans Stekhoven,  
J. H., 1941 a, 772, 773, fig. 385  
Acantholyda stellata: Germany
- Diplogaster entomophaga Steiner  
Schuurmans Stekhoven, J. H. (jr.), 1929 a,  
265-267  
Astilbus canaliculatus
- Diplogaster eurycephalus n. sp.  
Völk, J., 1950 a, 1, 4, 9, 10, 12, 15, 16,  
17, 18, 20, 22, 23, 24, 25, 56-57, fig. 22  
a-k  
Allolobophora chloritica: Erlangen  
A. calignosa: "  
Necrophorus vespillo: [Germany]  
Thanatophilus dispar: "  
Hister stercorarius: "
- Diplogaster (Eudiplogaster) goffarti n. sp.  
Körner, H., 1954 a, 251, 325-327, figs. 39-40  
Sinodendron cylindricum: Riesweiler/Huns-  
ruck
- Diplogaster (Diplogaster) gracilis Bütschli  
(1876)  
Mengert, H., 1953 a, 313, 338  
Deroceras reticulatum
- Diplogaster gracilis Bütschli  
Völk, J., 1950 a, 15, 16, 17, 18, 19, 20, 22,  
23, 24, 61  
Necrophorus vespilloides: [Germany]  
N. humator: [Germany]  
Hister stercorarius: [Germany]
- Diplogaster henrichae Sachs  
Théodoridès, J., 1951 a, 65  
Aphodius  
Oxytelus  
Atheta  
Geotrupes spiniger  
all from France
- Diplogaster henrichae Sachs  
Théodoridès, J., 1952 c, 287  
Geotrupes mutaroa  
G. stercorarius  
G. spiniger
- Diplogaster hirschmannae n. sp.  
Sachs, H., 1950 a, 224, 225, 226, 261, 262,  
271, fig. 15  
Geotrupes mutator
- Diplogaster hirschmannae Sachs  
Théodoridès, J., 1951 a, 65-66  
Geotrupes stercorarius  
G. mutator  
G. stercorosus  
G. vernalis  
G. spiniger  
G. (Thorectes) intermedius  
G. niger
- Diplogaster hirschmannae Sachs  
Théodoridès, J., 1952 c, 287  
Geotrupes mutator  
G. stercorarius  
G. spiniger  
G. vernalis
- Diplogaster hirschmannae Sachs  
Théodoridès, J., 1960 c, 493  
Geotrupes stercorarius  
G. mutator  
G. stercorosus  
G. vernalis  
all from Indre-et-Loire
- Diplogaster hylobii Fuchs, 1915  
Filipjev, I. N. & Schuurmans Stekhoven,  
J. H., 1941 a, 781, 782, fig. 392  
Hylobius abietis: Eastmark of Germany
- Diplogaster (Eudiplogaster) hylobii Fuchs, 1915  
Ruhn, W., 1956 b, 384-386, fig. 133  
Syn.: D. pini Fuchs, 1931; Fuchsia hy-  
lobii (Fuchs, 1915) Paramonov, 1952  
Hylobius abietis: Erlangen, Nürnberg, Ober-  
pfälzer Wald. Karlum (Schleswig-Holstein)
- Diplogaster (Fuchsia) hylobii Fuchs, 1915  
Schneider, W., 1939 a, 219, 220, fig. 396  
Hylobius abietis
- Diplogaster labiata Cobb, 1915  
Filipjev, I. N., 1934 b, 375-376  
Saperda tridentata: Kansas
- Diplogaster labiata Cobb, 1915  
Filipjev, I. N. & Schuurmans Stekhoven, J. H.,  
1941 a, 771-772  
Saperda tridentata: U. S.
- Diplogaster labiata Cobb  
Pemberton, C. E., 1928 a, 149  
Leucotermes lucifugus (head): Kansas
- Diplogaster labiata Cobb  
Stammer, H. J., 1934 a, 204  
Saperda tridentata
- Diplogaster labiata Cobb  
Van Zwaluwenburg, R. H., 1928 a, 14  
Saperda tridentata
- Diplogaster labiata  
Welch, P. S.; and Wehrle, L. P., 1918 a, 145,  
168  
Saperda tridentata
- Diplogaster labiata Cobb  
Wollenweber, 1921 a, 266  
Saperda tridentata
- Diplogaster lineatus Fuchs  
de Man, J. G., 1920 a, 48, 49, 54  
Hylobius abietis

- Diplogaster (*Fuchsia*) *lineatus* Fuchs, 1915  
 Schneider, W., 1939 a, 219, fig. 395  
*Hylobius abieti*
- Diplogaster *lineatus* Fuchs  
 Steiner, G., 1932 f, 439  
*Hylobius abietis*: Europe
- Diplogaster *linocerca* n. sp.  
 Völk, J., 1950 a, 1, 5, 7, 15, 17, 18, 19, 20,  
 22, 23, 24, 25, 55-56, 68, fig. 21 a-d  
*Necrophorus vespillo*: [Germany]  
*N. vespolloides*: "  
*N. interruptus*: "  
*Thanatophilus rugosus*: "  
*Hister stercorarius*: "
- Diplogaster *lirata* (Schneider, 1866) Oerley, 1885  
 Sprehn, C. E. W., 1928 c, 310-313  
 Mann. (Urin)
- Diplogaster *lirata* (Schneider, 1866)  
 Sprehn, C. E. W., 1932 c, 5, 6, 7, fig. 1  
 Mann (Harnrohr): Berlin
- Diplogaster *magnibucca* n. sp.  
 Bovien, P., [1938 b], 1, 6, 21, 27-29, 107,  
 fig. 5  
*Aphodius fimetarius*
- Diplogaster *mikuschi* n. sp.  
 Fuchs, A. G., 1938 a, 162-164, figs. 156-160  
*Scolytus intricatus*: Holland
- Diplogaster *mikuschi* Fuchs, 1938  
 Schneider, W., 1939 a, 212  
*Scolytes intricatus*: Holland
- Diplogaster *pini* n. sp.  
 Fuchs, G., 1931 a, 1-9  
*Pissodes pini*
- Diplogaster *pini* Fuchs, 1931  
 Rühm, W., 1956 b, 384-386, fig. 133  
 as syn. of Diplogaster (*Eudiplogaster*) *hylobii* Fuchs, 1915  
*Hylobius abietis*: Erlangen, Nürnberg, Oberpfälzer Wald, Karlsruhe (Schleswig-Holstein)
- Diplogaster (*Fuchsia*) *pini* Fuchs, 1931  
 Schneider, W., 1939 a, 219, 220, fig. 397  
*Pissodes pini*
- Diplogaster *pinicola* n. sp.  
 Thorne, G., 1935 b, 132, 140-141, 144, fig. 8  
*Dendroctonus monticolae* (frass, tunnels): Utah
- Diplogaster *pinicola*  
 Massey, C. L., 1956 a, 22, 23, 24  
*Dendroctonus ponderosae*  
*D. monticolae*  
*D. borealis*  
*D. brevicomis*  
*D. pseudotsugae*  
*Ips pilifrons*  
*Ips borealis*
- Diplogaster *rarus* n. sp.  
 Völk, J., 1950 a, 1, 5, 15, 16, 19, 22, 23,  
 24, 26, 58, 60-61, fig. 24 a-g  
*Necrophorus vespillo*: [Germany]
- Diplogaster *rhabdoderma* n. sp.  
 Völk, J., 1950 a, 1, 9, 15, 22, 23, 24, 26,  
 58, 59, fig. 23 a-n  
*Necrophorus vespillo*: [Germany]
- Diplogaster *secundus* n. sp.  
 Bovien, P., [1938 b], 1, 39-41, 60, 107, fig.  
 9  
*Aphodius distinctus*  
*A. fimetarius*
- Diplogaster *secundus* Bovien, 1937  
 Filipjev, I. N.; & Schuurmans Stekhoven,  
 J. H., 1941 a, 779-780, fig. 390
- Diplogaster *stercorarius* n. sp.  
 Bovien, P., [1938 b], 1, 21, 23-27, 29, 30,  
 107, figs. 3-4  
*Aphodius fimetarius*
- Diplogaster *stercorarius* Bovien  
 Théodoridès, J., 1952 d, 288  
*Geotrupes mutator*  
*G. stercorarius*  
*G. vernalis*  
*G. stercorosus*
- Diplogaster *stöckherti* n. sp.  
 Völk, J., 1950 a, 1, 9, 10, 11, 15, 16, 19,  
 22, 23, 24, 26, 61-62, fig. 25 a-i  
*Allolobophora chlorotica*: Erlangen  
*A. caliginosa*: Erlangen  
*Necrophorus vespillo*: [Germany]
- Diplogaster *stresemanni* Sachs  
 Théodoridès, J., 1952 d, 288  
*Geotrupes mutator*  
*G. stercorarius*  
*G. stercorosus*
- Diplogaster *striatulus* Fuchs, 1933  
 Schneider, W., 1939 a, 216, fig. 391  
*Scolytus scolytus*
- Diplogaster *striatulus*  
 Théodoridès, J., 1950 d, 58  
*Scolytus* (S. Str.) *scolytus*: France
- Diplogaster (*Eudiplogaster*) *systenoceri* n. sp.  
 Körner, H., 1954 a, 251, 327-328, figs. 41-42  
*Systenocerus caraboides*: Riesweiler/Hunsrück
- Diplogasterinae  
 Théodoridès, J., 1949 d, 277-283  
*Typhoeus typhoeus*  
*Geotrupes* (G.) *mutator*  
*G. (G.) niger*  
*G. (G.) spiniger*  
*G. (G.) stercorarius*  
*G. (Anoplotrupes) stercorosus*  
*G. (Trypocopris) vernalis*  
 all from France
- Diplogasteroides (*Rhabdotalaimus*) *carinthiacus* (Fuchs, 1931)  
 Rühm, W., 1956 b, 366, 373-375, fig. 129  
 Syn.: *Rhabditolaimus* (*Rhabdotalaimus*) *carinthiacus* Fuchs, 1931  
*Acanthocinus aedilis*: Erlangen, Nürnberg
- Diplogasteroides *halleri*  
 Hirschmann, W.; and Rühm, W., 1953 a, 9  
*Buchdruckers*
- Diplogasteroides (*Diplogasteroides*) *halleri* (Fuchs, 1915)  
 Rühm, W., 1956 b, 365, 370-371, 418, fig. 127  
 Syn.: *Rhabditolaimus* (*Rhabdotalaimus*) *key*  
*Ips typographus*: Regensburg, Erlangen, Nürnberg, Hobing (Mittelfranken), Oberbayern, Sieber
- Ips cembrae*: Hann.-Munden, Aschaffenbrug
- Diplogasteroides (*Rhabdotalaimus*) *haslacheri* (Fuchs, 1931)  
 Rühm, W., 1956 a, 366, 376-377, fig. 130  
*key*  
 Syn.: *Rhabditolaimus* (*Rhabdotalaimus*) *haslacheri* Fuchs, 1931  
*Cerambyx scopolii* (Frassmulm)  
*Leiopus nebulosus*
- Diplogasteroides *janae* n. sp.  
 Massey, C. L., 1962 a, 72, 73, 74, 75, fig. 4,  
 A-D  
*Ips calligraphus*: Olustee, Florida
- Diplogasteroides (*Neodiplogasteroides*) *leuckarti* (Fuchs, 1915)  
 Rühm, W., 1956 a, 366, 378-380, fig. 131  
*key*  
 Syn.: *Rhabditolaimus* (*Neodiplogasteroides*) *leuckarti* Fuchs, 1915;  
*R. pini* Fuchs, 1931  
*Hylobius abietis*

- Diplogasteroides marshalli n. sp.  
 Massey, C. L., 1962 a, 72, 73, fig. 3, A-D  
*Ips* ponderosae  
*Ips* lecontei  
 both from Bandelier National Monument, N. M.  
 near Prescott, Arizona
- Diploodon Molin, 1861  
 Baylis, H. A.; and Daubney, R., 1926 a, 166  
 as syn. of *Ancylostoma Dubini*
- Diploodon Molin, 1861 u. a.  
 Sprehn, C. E. W., 1932 c, 683  
 as syn. of *Ancylostoma (Dubini, 1843) Crepelin, 1845*
- Diploodon Molin, 1861  
 Yorke, W.; and Maplestone, P. A., 1926 a, 91  
 as syn. of *Ancylostoma Dubini*
- Diploodon mucronatum Molin  
 Yorke, W.; and Maplestone, P. A., 1926 a, 93  
 as syn. of *Ancylostoma mucronatum (Molin)*
- Diploodon quadridentatum Molin  
 Yorke, W.; and Maplestone, P. A., 1926 a, 93  
 as syn. of *Ancylostoma mycetis n. n.*
- Diploscapter lycostoma n. sp.  
 Völk, J., 1950 a, 5, 6, 9, 10, 11, 12, 17, 18,  
 19, 20, 22, 23, 24, 53-55, 67, 68, 69, fig.  
 20 a-k  
*Allolobophora chlorotica*  
*A. caliginosa*  
*Necrophorus vespillo*  
*N. vespilloides*  
*N. interruptus*  
*N. humator*  
*N. sepultor*  
*N. investigator*  
*Oeceoptoma thoracica*  
*Thanatophilus dispar*  
*T. sinuatus*  
*Hister stercorarius*  
*Philonthus dimidiatus*  
*Geotrupes silvaticus*  
*G. stercorarius*  
 all from Erlangen, Germany
- Diplotriaena  
 Anderson, R. C., 1958 a, 12  
 Diplotriaena Henry and Ozoux, 1909  
 Anderson, R. C., 1959 d, 195-307  
 Syn.: *Diplotriaenoides Walton, 1927*  
 type: *D. ozouxi Henry and Ozoux, 1909*
- Diplotriaena Railliet and Henry, in Henry and O'Zoux, 1909  
 Baylis, H. A., 1939 b, xxv, 36  
*Filariidae*, *Diplotriaeninae*, synonymy  
 key to species, type: *D. ozouxi Railliet and Henry, 1909*
- Diplotriaena Railliet & Henry, 1909  
 Baylis, H. A.; and Daubney, R., 1926 a, 203  
 type: *D. tricuspidis (Fedchenko)*
- Diplotriaena Railliet et Henry  
 Blanc, G. R., 1919 a, 546-556
- Diplotriaena Railliet & Henry 1909  
 Boulenger, G. L., 1920 a, 499
- Diplotriaena Railliet & Henry  
 Boulenger, C. L., 1928 a, 42-43
- Diplotriaena Railliet et Henry 1909 (=*Diplotriaenoides Walton 1927*)  
 Chabaud, A. G.; and Anderson, R. C., 1959 a,  
 70  
*Diplotriaenidae*; *Diplotriaeninae*  
 key
- Diplotriaena Railliet and Henri  
 Johnston, T. H.; and Mawson, P. M., 1940 c,  
 359
- Diplotriaena Railliet & Henry  
 Koroleva, A. M., 1926 a, 94
- Diplotriaena Railliet and Henry, 1909  
 Li, H. C., 1933 d, 192, 193-196
- Diplotriaena Railliet & Henry, 1909  
 Railliet, A., 1918 b, 108
- Diplotriaena Railliet & Henry  
 Rauther, M., 1930 a, 369
- Diplotriaena  
 Seurat, L. G., 1917 a, 236
- Diplotriaena Railliet & Henry 1909  
 Seurat, L. G., 1918 a, 272
- Diplotriaena Railliet et Henry, 1909  
 Skrjabin, K. I., 1915 a, 906, 907  
*Filariidae*, *Diplotriaeninae nov. subfam.*
- Diplotriaena Railliet & Henry, 1909  
 Skrjabin, K. I., 1916 c, 707, 722, 726, 732-733, fig.
- Diplotriaena Railliet and Henry  
 Skrjabin, K. I.; and Shikhobalova, N. P.,  
 1936 a, 73  
*Diplotriaeninae*  
 key
- Diplotriaena Railliet u. Henry, 1909  
 Sprehn, C. E. W., 1932 c, 588  
 Syn.: *Triplotriaena Connai, 1912*  
 type sp.: *D. ozouxi Railliet u. Henry, 1909*
- Diplotriaena  
 Travassos, L. P., 1920 h, 69
- Diplotriaena  
 Urbain, A.; Nouvel, J.; and Pasquier, M. A.,  
 1937 a, 46-47  
 [given as *Diplotriaena*]
- Diplotriaena Railliet and Henry  
 Wehr, E. E., 1939 d, 33  
*Diplotriaeninae*  
 key
- Diplotriaena R. & H.  
 Witenberg, G. G., 1925 b, 204, 205
- Diplotriaena R. & H., 1909  
 Yorke, W.; and Maplestone, P. A., 1926 a,  
 13, 14, 432-434  
 type: *D. ozouxi Railliet & Henry, 1909*
- Diplotriaena sp.  
 Anderson, R. C., 1957 a, 15, 16  
*Quiscalus quiscula*: Algonquin Park
- Diplotriaena sp.  
 Anderson, R. C., 1957 a, 15, 16  
*Vermivora ruficapilla*: Algonquin Park
- Diplotriaena sp.  
 Anderson, R. C., 1957 a, 15, 16  
*Agelaius phoeniceus*: Algonquin Park
- Diplotriaena sp. Guschanskaya, 1951  
 Anderson, R. C., 1959 d, 263  
*Motacilla spp.*: Russia
- Diplotriaena sp. Clapham, 1945  
 Anderson, R. C., 1959 d, 263  
*Bubulcus ibis*: Africa
- Diplotriaena sp. Caballero, 1944  
 Anderson, R. C., 1959 d, 263  
*Certhneis sparveria*: Mexico
- Diplotriaena sp. Koroliowa, 1926  
 Anderson, R. C., 1959 d, 263  
*Ctocorys alpestris*: Russia
- Diplotriaena sp. Zamith and Lordello, 1952  
 Anderson, R. C., 1959 d, 204  
 as syn. of *Diplotriaena ozouxi Henry and Ozoux, 1909*
- Diplotriaena [sp.], probably belonging to *D. bargusinica*  
 Anderson, R. C., 1961 a, 377  
*Hylocichla ustulata swainsoni* (heart & aorta,  
 may have migrated from lungs after death of  
 host): Ontario
- Diplotriaena spp.  
 Baylis, H. A., 1940 b, 411  
*Euplectes xanthomelas*: Belgian Congo
- Diplotriaena spp.  
 Baylis, H. A., 1940 b, 411  
*Gymnobucco bonapartei*: Belgian Congo
- Diplotriaena sp. proche de *D. falconis* (Camal,  
 1912)  
 Brygoo, E. R.; Dodin, A.; and Capron, A.,  
 1959 a, 217  
*Falco newtoni*: Madagascar

- Diplotriaena sp.  
Buckley, J. J. C., 1948 a, 670  
*Urocsa melanoccephala occipitalis*: London Zoo
- Diplotriaena sp.  
Caballero y C., E., 1944 b, 103-106, figs. 18-20  
*Cerchneis sparveria*: Finca cafetera "Esperanza", Motozintla, Chiapas
- Diplotriaena sp.  
Canavan, W. P. N., 1931 a, 224  
*Emberiza flaviventris*  
*Petronia superciliaris*
- Diplotriaena sp., proche Diplotriaena falconis (Connal 1912)  
Chabaud, A. G.; Anderson, R. C.; and Bryggo, E. R., 1959 a, 88, 90-91, 107, figs. 1 A-C  
*Falco newtoni*: environs de Tananarive
- Diplotriaena sp.  
Chitwood, B. G.; and Chitwood, M. B., 1938 a, 66, fig. 59 I
- Diplotriaena [sp.]  
Clapham, P. A., 1945 d, 92  
*Bubulcus ibis*: Gold Coast
- Diplotriaena sp.  
Gushanskaja, L. Kh., 1951 a, 74, 75, 76, 87, figs. 5, 6, 7  
*Motacilla flava*: Komi ASSR
- Diplotraena [sic] sp.  
Gvozdev, E. V., 1957 a, 168  
*Perdix daurica* (body cavity): Kazakhstan
- Diplotraena [sic] sp.  
Gvozdev, E. V., 1957 b, 161-162, 163  
*Perdix perdix* (pericardium): Aksu-Djabagli Kazakhstan
- Diplotraena [sic] sp.  
Gvozdev, E. V., 1958 b, 128, 129  
*Perdix perdix*: Kazakhstan
- Diplotriaena n. sp.  
Hunter, W. S.; and Quay, T. L., 1953 a, 411, 412  
*Ammospiza maritima macgillivraii*: Beaufort, North Carolina
- Diplotriaena n. sp.  
Johnston, T. H.; and Mawson, P. M., 1940 c, 355  
[? lapsus for D. alpha n. sp.]  
*Strepera graculina*: Mount Irvine, South Australia
- Diplotriaena sp.  
Koroleva, A. M., 1926 a, 103  
*Calandrella brachidactyla*
- Diplotriaena sp.  
Koroleva, A. M., 1926 a, 102-103  
*Falco tinnunculus*
- Diplotriaena sp.  
Leiper, R. T., 1936 b, 683, 684  
*Pyrhocorax graculus*: Gardens Zool. Soc. London
- Diplotriaena sp.  
Leiper, R. T. in Hamerton, A. E., 1934 b, 418  
*Urocsa melanoccephala occipitalis*: London Zoological Gardens
- Diplotriaena sp.  
McIntosh, A.; and McIntosh, G., 1935 b, 431  
*Vermivora ruficapilla*: Washington, D. C.
- Diplotriaena sp.  
Mackerras, M. J., 1962 a, 431-432  
*Cisticola exilis* (abdominal cavity): Queensland
- Diplotriaena sp.  
Mackerras, M. J., 1962 a, 432  
*Chibia bracteata* (body cavity): Queensland
- Diplotriaena sp.  
Mackerras, M. J., 1962 a, 432  
*Philemon corniculatus* (body cavity): Queensland
- Diplotriaena spp.  
Mawson, P. M., 1957 a, 217  
*Corvus b. brachyrhynchos*: Quebec
- Diplotriaena spp.  
Myers, B. J.; Kuntz, R. E.; and Wells, W. H., 1962 a, 535  
*Monticola solitarius*  
*Oenanthe oenanthe oenanthe*
- Diplotriaena sp. No. 1  
Oshmarin, P. G., 1950 c, 182  
*Turdus naumanni*: Far East
- Diplotriaena sp.  
Paes Leme Zamith, A.; and Lordello, L. G. E., 1952 a, 304, 305, figs. 1-4  
*Paroaria dominicana*
- Diplotriaena sp.  
Panin, V. Ia., 1960 b, 170, 171  
*Larus ridibundus* (body cavity): Zaisansk basin
- Diplotriaena sp.  
Petrov, A. M.; and Chertkova, A. N., 1950 b, 97  
*Luscinia megarhynchos*: Southern Kirgizia  
*Sylvia curruca affinis*: "
- Diplotriaena sp.  
Rachinina, N. A., 1953 a, 192, 193, 195, 196, fig. 1a, b, v  
*Passer domesticus*: Alma-Ata
- P. montanus: Alma-Ata
- Diplotriaena sp.  
Rysavy, B., 1955 b, 113, fig. 16  
*Turdus viscivorus*: Lednické reservace
- Diplotriaena spp. Sudarikov, 1949  
Skrjabin, K. I.; Shikhobalova, N. P.; and Sobolev, A. A., 1949 a, 366  
*Turdus naumani*  
*Spodiopsar cinereus*
- Diplotriaena spec. Spasskaja, 1949  
Skrjabin, K. I.; Shikhobalova, N. P.; and Sobolev, A. A., 1949 a, 366  
*Oenanthe oenanthe*
- Diplotriaena sp.  
Solonitsyn, I. A., 1928 a, 90, fig. 13  
*Lanius collurio*  
*Saxicola oenanthe*
- Diplotriaena sp. III  
Sonin, M. D., 1959 a, 77, 81, fig. 6  
*Sturnus vulgaris*: Kyzyl'skiy raion
- Diplotriaena sp. IV  
Sonin, M. D., 1959 a, 81  
*Muscicapa striata*: Todzhinskii raion
- Diplotriaena sp. V  
Sonin, M. D., 1959 a, 82  
*Phoenicurus phoenicurus*: Erzinskii raion
- Diplotriaena sp.  
Spasskaja, L. P., 1949 a, 129  
*Oenanthe oenanthe*: Western Siberia
- Diplotriaena sp.  
Spasskii, A. A.; and Oshmarin, P. G., 1939 a, 48, 61-62, 67, 69, fig. 2  
*Garrulus glandarius*: Gorkii oblast
- Diplotriaena [sp.]  
Travassos, L. P.; and Teixeira de Freitas, J. F., 1941 a, 543  
*Celeus lugubris*: Estrada de Ferro Noroeste do Brasil
- Diplotriaenna [sic] [sp.]  
Travassos, L. P.; Teixeira de Freitas, J. F.; & Lent, H., 1939 a, 238  
*Furnarius rufus commersoni*: Estrado de Ferro Noroeste, Brasil
- Diplotriaenna [sic] [sp.]  
Travassos, L. P.; Teixeira de Freitas, J. F.; & Lent, H., 1939 a, 242  
*Trogon chalybea domestica*: Estrado de Ferro Noroeste, Brasil
- Diplotriaenna [sic] [sp.]  
Travassos, L. P.; Teixeira de Freitas, J. F.; & Lent, H., 1939 a, 243  
*Cacicus haemorrhous*: Estrado de Ferro Noroeste, Brasil

- Diplotriaenna [sic] [sp.]  
 Travassos, L. P.; Teixeira de Freitas, J. F.;  
 and Lent, H., 1939 a, 243  
 Amblycercus solitarius: Estrado de Ferro  
 Noroeste, Brasil
- Diplotriaenna [sic] [sp.]  
 Travassos, L. P.; Teixeira de Freitas, J. F.;  
 and Lent, H., 1939 a, 244  
 Uroleuca cyanoleuca: Estrado de Ferro Noroeste, Brasil
- Diplotriaenna [sic] [sp.]  
 Travassos, L. P.; Teixeira de Freitas, J. F.;  
 and Lent, H., 1939 a, 244  
 Cyanocorax cyanomelas: Estrado de Ferro  
 Noroeste, Brasil
- Diplotriaena sp.  
 Vuylsteke, C., 1957 a, 13  
*Circus macrourus* (oeil)  
*Campephaga phoenicea phoenicea* (intestin)  
*Coliuspasser ardens concolor*  
 all from Parc National de la Garamba, Congo  
 Belge
- Diplotriaena sp.  
 Wells, M. J.; and Hunter, W. S., 1960 a, 623  
*Geothlypis trichas* (pericardial cavity):  
 Durham, N. C.
- Diplotriaena sp.  
 Williamson, K., 1955 a, 323  
 Fair Isle
- Diplotriaena abbreviata (Rudolphi, 1819) Henry and Ozoux, 1909  
 Anderson, R. C., 1959 d, 196, 261-262  
 "No justification for placing *Filaria abbreviata* in *Diplotriaena*"
- Diplotriaena abbreviata (Rud., 1819)  
 Blanc, G. R., 1919 a, 547-548  
*Saxicola* sp.  
*Luscinia philomela*  
*L. rubecula*  
*Motacilla melanocephala*  
*Saxicola oenanthe*  
*S. stapezina*  
*Turdus pilaris*  
*T. viscivorus*  
*Sturnus pyrrhoccephalus*  
*Tanagra jacapa*  
*Thriothorus polyglottus*  
*Furnarius rufus*  
*F. leucops*
- Diplotriaena abbreviata (Rud., 1819)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 433  
*Motacilla stapazina*
- Diplotriaena acridotherei n. sp.  
 Karve, J. N., 1934 a, 75-77, 78, figs. 1-4  
*Acridothes tristis tristis*: Nagpur, (C. P.)
- Diplotriaena acridotherei Karve, 1934  
 Anderson, R. C., 1959 d, 215  
 as syn. of *Diplotriaena bhamoensis* (Parona, 1889) Henry and Ozoux, 1909
- Diplotriaena acridotherees (Karve, 1934)  
 Sarwar, M. M., 1956 a, 109-111  
 as syn. of *Diplotriaena noctui* Hoeppli and Hsu, 1929
- Diplotriaena acridotherei  
 Seibert, H. C., 1944 a, 251  
 key
- Diplotriaena affinis (Rud., 1819) [n. c.]  
 Blanc, G. R., 1919 a, 547  
*Fringilla hispaniolensis*
- Diplotriaena affinis (Rud.) Henry and Ozoux, 1909  
 Anderson, R. C., 1959 d, 204, 207  
 as syn. of *Diplotriaena ozouxi* Henry and Ozoux, 1909
- Diplotriaena affinis (Rudolphi, 1819)  
 Ryzhikov, K. M.; and Kozlov, D. P., 1959 a, 55-57, 62, 68, figs. 1-2  
*Passer hispaniolensis*: basin of Murgab river  
*Oenanthe isabelis*: basin of Murgab river
- Diplotriaena affinis (Rud., 1819)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 433  
*Fringilla* sp.
- Diplotriaena agelaius (Walton, 1927) [n. comb.]  
 Anderson, R. C., 1959 d, 195, 203, 208-209, 264, 265, 266, 269, 273, fig. 2  
 key  
 Syns.: *Diplotriaenoides agelaius* Walton, 1927; *D. translucidus* Anderson, 1956  
*Ostinops decumanus*: Venezuela; British Guiana  
*Agelaius phoeniceus*: Texas, U. S. A.  
*Ostinops* sp.: Trinidad  
*Seiurus aurocapillus*
- Diplotriaena agelaius (Walton, 1927)  
 Anderson, R. C., 1961 a, 377  
*Quiscalus quiscula versicolor*  
*Wilsonia canadensis*  
*Dendroica magnolia*  
*D. pensylvanica*  
*Vermivora ruficapilla*  
 all from Ontario
- Diplotriaena alaudae (Zeder, 1803) n. comb.  
 Li, H. C., 1933 a, 192, 198, 199, 216, 217, 218, 219, 222, 223, figs. 22, 25, 25 A, 36, 51  
 syn.: *Filaria alaudae* Zeder, 1803  
*Alauda arvensis* (mesentery): Peiping, China
- Diplotriaena alaudae (Zeder, 1803) Li, 1933, (sp. inq.)  
 Anderson, R. C., 1959 d, 196, 233, 253, 257, 263  
*Alauda arvensis*: China
- Diplotriaena alaudae  
 Siebert, H. C., 1944 a, 250, 251  
 key
- Diplotriaena alaudae (Zeder, 1803)  
*Spasskaià*, L. P., 1949 a, 128  
*Alauda arvensis*: Western Siberia
- Diplotriaena alpha n. sp.  
 Johnston, T. H., and Mawson, P. M., 1940 c, 350, 359-360, fig. 16  
 [p. 355, ? *Diplotriaena* n. sp.]  
*Strepera graculina*: Mount Irvine, South Australia
- Diplotriaena alpha Johnston and Mawson, 1940 (sp. inq.)  
 Anderson, R. C., 1959 d, 195, 255, 263  
*Calamanthus fuliginosus*: Australia  
*Strepera graculina*: South Australia
- Diplotriaena alpha Johnston & Mawson  
 Mackerras, M. J., 1962 a, 431  
*Strepera graculina* (abdominal cavity)  
*Calamanthus fuliginosus*  
 both from South Australia
- Diplotriaena alpha Johnston and Mawson  
 Mawson, P. M., 1955 a, 1, 6-7  
*Calamanthus fuliginosus*: South Australia
- Diplotriaena americana n. sp.  
 Walton, A. C., [1927 a], 122-123, pl. 8, figs. 61, 62  
*Colaptes auratus*
- Diplotriaena americana Walton, 1927  
 Anderson, R. C., 1959 d, 195, 209-210, 264, 265, 266, 269, 274, fig. 3  
*Colaptes auratus*: Maryland, United States
- Diplotriaena americana  
 Chabaud, A. G.; and Petter, A. J., 1961 b, 68, pl. VIII, fig. 47  
*cloacal papillae*
- Diplotriaena americana Walton, 1928  
 Li, H. C., 1933 d, 193
- Diplotriaena americana  
 Seibert, H. C., 1944 a, 251  
 key
- Diplotriaena anisorama n. sp.  
*Spasskaià*, L. P., 1949 a, 129-131, fig. 1  
*Turdus cricetorum*: Western Siberia
- Diplotriaena anisorama Spasskaja, 1949 (sp. inq.)  
 Anderson, R. C., 1959 d, 196, 213, 257, 264  
*Turdus ericetorum*: Russia

- Diplotriaena anisorama Spasskaja, 1949  
 Skrjabin, K. I.; Shikhobalova, N. P.; and  
 Sobolev, A. A., 1949 a, 360  
*Turdus ericetorum*
- Diplotriaena artemissiana n. sp.  
 Schmerling, A. A., 1925 a, 268-270, figs. 2, 3  
*Coracias garrula*: Turkestan
- Diplotriaena artemisia Sandground, 1933 (nec  
Schmerling, 1925)  
 Anderson, R. C., 1959 d, 221, 222  
 as syn. of *D. corrugata* Wehr, 1930
- Diplotriaena artemisia Schmerling, 1925  
 Anderson, R. C., 1959 d, 237, 238  
 ? as syn. of *Diplotriaena sokolowi* Skrjabin,  
 1916
- Diplotriaena artemisia Schmerling  
 Bauer, O. N., 1941 a, 79-80  
*Turdus viscivorus*: Kavkaz  
*T. merula*: "  
*T. ericetorum*: "
- Diplotriaena artemisia Schmerling  
 Boulenger, C. L., 1928 a, 48-49, figs. 37, 38  
*Coracias garrula*
- Diplotriaena artemisia Schmerling 1925  
 Dubinina, M. N.; and Serkova, O. P., 1951 a,  
 83, 94, 95  
*Alauda arvensis dulcinx*: Tadzhikistan  
*Anthus spinoletta blakistoni*: "
- Diplotriaena artemisia Schmerling, 1925  
 Gagarin, V. G.; Ablasov, N. A.; and Chibichenko,  
 N. T., 1957 a, 110  
*Turdus viscivorus*: southerh Kirgizia  
*Coracias garrulus*: " "
- Diplotriaena artemisia Schmerling, 1924  
 Gil'bert, L. I., 1930 a, 109  
*Coracias garrulus*: western SSSR
- Diplotriaena artemisia Schmerling, 1924  
 Gushanskaia, L. K., 1937 a, 215, 220  
*Coracias garrula*: Uzbekistan
- Diplotriaena artemisia Schmerling, 1926  
 Ivanitski, S. V., 1940 a, 152  
*Coracias garrula*: Ukraine  
*Cervus cornix*: "
- Diplotriaena artemisia Schmerling  
 Koroleva, A. M., 1926 a, 94-97, 99, 100, 102,  
 104, 109, fig. 1  
*Lanius minor*  
*L. excubitor*  
*Coracias garrula*  
*Turdus viscivorus*  
*Alauda cristata*  
*Parus major*
- Diplotriaena artemissiana Schmerling, 1925  
 Kurashvili, B. E., [1954 a], 342  
*Coracias garrulus caucasicus*: Georgia, SSSR
- Diplotriaena artemisia Schmerling, 1925  
 Kurashvili, B. E., 1957 a, 306-307, fig. 163  
*Coracias g. garrulus*  
*T. v. viscivorus*  
*T. merula aterrimus*  
*T. ericetorum philomelus*
- Diplotriaena artemisia Schmerling, 1924  
 Petrov, A. M.; and Chertkova, A. N., 1950 b,  
 96  
*Coracias garrulus*: Southern Kirgizia
- Diplotriaena artemisia Schmerling, 1925  
 Ryšavý, B., 1957 a, 321  
*Turdus viscivorus*: Czechoslovakia
- Diplotriaena artemisia  
 Ryzhikov, K.; and Kozlov, D., 1959 a, 61  
*Galerida cristata*: Turkmenistan
- Diplotriaena artemisia Schmerling, 1925  
 Sandground, J. H., 1933 c, 542, 557, 558, 559,  
 560, fig. 16  
*Criniger tephrogenys henricii* (coelom)  
*C. tephrogenys annamensis* (coelom)  
 both from Quangtri, Annam
- Diplotriaena artemisia  
 Seibert, N. C., 1944 a, 251  
 key
- Diplotriaena artemisia Schmerling, 1925  
 Serkova, O. P., 1948 a, 226, 242  
*Alauda arvensis*: Barabin lakes
- Diplotriaena artemisia Schmerling  
 Solonitsyn, I. A., 1928 a, 90  
*Coracias garrula*  
*Lanius collurio*
- Diplotriaena artemisia Schmerling, 1925  
 Spasskai, L. P., 1949 a, 129  
*Alauda arvensis*: Western Siberia
- Diplotriaena artemisia Schmerling, 1925  
 Sprehn, C. E. W., 1932 c, 588, 846  
*Coracias garrulus*: Europa
- Diplotriaena artemisia Schmerling, 1925  
 Yorke, W.; and Maplestone, P. A., 1926 a, 433  
*Coracias garrula*
- Diplotriaena attenuato-verrucosa (Molin, 1858)  
 [n. c.]  
 Blanc, G. R., 1919 a, 548  
*Thamnophilus canadensis*
- Diplotriaena attenuato-verrucosa (Molin, 1858)  
 Henry and Ozoux, 1909 (sp. inq.)  
 Anderson, R. C., 1959 d, 196, 260, 263  
*Thamnophilus canadensis*: South America
- Diplotriaena attenuato-verrucosa (Molin, 1858)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 433  
*Thamnophilus canadensis*
- Diplotriaena bargusinica Skrjabin, 1917  
 Anderson, R. C., 1959 d, 195, 200, 201, 210-  
 215, 227, 258, 263, 264, 265, 266, 269, 275,  
 276, figs. 4, 5  
 Syns.: ? *D. henryi* Blanc, 1919; ? *D. isabel-*  
*lina* Koroliowa, 1926; *D. rovegliae* Caballero,  
 1941; ? *D. conceptionis* Caballero, 1948  
*Oenanthe hispanica*: France  
*O. oenanthe*: Alaska  
*Hylocichla ustulata swainsoni*: U. S. A.,  
 France  
*H. guttata faxoni*: Ontario, Canada  
*Cassidix m. mexicanus*: Mexico  
*Dives dives*: Mexico  
*Osternops decumanus*: British Guiana  
*Quiscalus quiscula versicolor*: Ontario,  
 Canada  
*Melospiza l. lincolni*: Ontario, Canada  
*Passerculus sandwichensis savanna*: Ontario,  
 Canada
- Diplotriaena bargusinica  
 Anderson, R. C., 1961 a, 377  
 "fourth-stage Diplotriaena [sp.], probably  
 belonging to *D. bargusinica*  
*Hylocichla ustulata swainsoni* (heart & aorta,  
 may have migrated from lungs after death of  
 host): Ontario
- Diplotriaena bargusinica Skrjabin, 1917  
 Anderson, R. C., 1961 a, 377  
*Oiscaulus quiscula versicolor*: Ontario  
*Hylocichla fuscescens*: Ontario
- Diplotriaena bargusinica  
 Anderson, R. C., 1962 a, 1175-1186, figs. 1-21  
 development, morphology, experimental trans-  
 mission  
*Hylocichla fuscescens*: Algonquin Park,  
 Ontario  
*Melanoplus bilituratus* (exper.) (fat body)  
*M. fasciatus* (exper.) (fat body)  
*Camnula pellucida* "  
*Hylocichla ustulata* (exper.) (fat body)
- Diplotriaena bargusinica  
 Anderson, R. C., 1962 c, 40  
 development, experimental transmission  
*Hylocichla fuscescens*  
*Melanoplus bilituratus* (exper.)  
*M. fasciatus* "  
*Camnula pellucida* "
- Diplotriaena bargusinica Skrj.  
 Koroleva, A. M., 1926 a, 99, 100, 102, 103, 109
- Diplotriaena bargusinica Skrj.  
 Schmerling, A. A., 1925 a, 270

- Diplotriaena bargusinica*  
Seibert, N. C., 1944 a, 251  
key
- Diplotriaena bargusinica* Skrj.  
Walton, A. C., [1927 a], 122
- Diplotriaena bargusinica* Skrjabin, 1917  
Yamaguti, S., 1935 j, 403, 412-413, figs. 17-19  
*Turdus (Turdus) eunomus* (body cavity): Tot-  
tori Prefecture
- Diplotriaena bargusinica* Skrjabin, 1917  
Yorke, W.; and Maplestone, P. A., 1926 a, 434  
*Turdus* sp.
- Diplotriaena bermudezi* n. sp.  
Pérez Vigueras, I., 1934 d, 55, 57, 58,  
figs. 6-8  
*Saurothera merlini* d'Orb. (cavidad periton-  
eal): Prov. Habana, Cuba
- Diplotriaena bermudezi* Pérez-Vigueras, 1934  
Pérez Vigueras, I., 1936 a, 73  
*Saurothera merlini*: Cuba
- Diplotriaena bermudezi* Vigueras, 1934 (sp. inq.)  
Anderson, R. C., 1959 d, 196, 259, 263  
*Saurothera merlini*: Havana, Cuba
- Diplotriaena bermudezi?*  
Seibert, H. C., 1944 a, 250, 251  
key
- Diplotriaena beta* n. sp.  
Johnston, T. H.; and Mawson, P. M., 1940 c,  
355, 356, 360, fig. 17  
*Corvus coronoides*: Eidsvold, Burnett River,  
Queensland
- Diplotriaena beta* Johnston and Mawson, 1940  
Anderson, R. C., 1959 d, 228, 229  
as syn. of *D. flabellata* (Linstow, 1888)
- Diplotriaena beta* Johnston & Mawson  
Mackerras, M. J., 1962 a, 431
- Diplotriaena bhamoensis* (Parona, 1890) [n. c.]  
Blanc, G. R., 1919 a, 548  
*Acriotheres abbocinctus*
- Diplotriaena bhamoensis* (Parona, 1889) Henry  
and Ozoux, 1909  
Anderson, R. C., 1959 d, 195, 201, 215-218, 263,  
264, 265, 266, 269, 277, fig. 6  
Syns.: *Filaria bhamoensis* Parona, 1889; *Dip-  
lotriaena chamoensis* Henry and Ozoux, 1909; *D.  
nocti* Hoeppli and Hsu, 1929; *D. acrido-  
therei* Karve, 1934; *D. nagpurensis* Karve,  
1934; ?*D. pavlovskyi* Strom, 1940; *D. nipponen-  
sis* Yamaguti, 1941; *D. tricuspidis* of Boulenger  
1920, nec Fedtschenko, 1874  
*Acriotheres ginginianus*: India  
*A. t. tristis*: India; Fiji  
*Spreo albicapillus*: Africa  
*Turdus c. cardis*: Japan
- Diplotriaena bhamoensis* (Parona, 1889)  
Baylis, H. A., 1939 b, xxv, 36, 38-39, 259  
Syn.: *Diplotriaena chamoensis* Yorke and  
Maplestone, 1926  
*Aethiopsar (Acriotheres) albocinctus*: Bhamo,  
Burma
- Diplotriaena bhaomensis* (Parona)  
Koroleva, A. M., 1926 a, 102, 110
- Diplotriaena bhaomensis*  
Schmerling, A. A., 1925 a, 269, 270
- Diplotriaena bifidus* n. sp.  
Canavan, W. P. N., 1931 a, 224-226, pl. 9,  
figs. 14-19  
*Cyanocorax cyanopogon*  
*C. chrysops*
- Diplotriaena bifidus* Canavan, 1931  
Anderson, R. C., 1959 d, 244  
as syn. of *Diplotriaena tricuspidis* (Fedtschen-  
ko, 1874) Henry and Ozoux, 1909
- Diplotriaena bifidus* Canavan, 1931  
Li, H. C., 1933 d, 193
- Diplotriaena bifidus*  
Seibert, H. C., 1944 a, 251  
key
- Diplotriaena boulengeri* nom. nov. (=*D. monti-*  
*celliana* Boulenger, 1928 nec Stossich, 1890)  
Chabaud, A. G., [1956 f], 346, 347
- Diplotriaena boulengeri* Chabaud, 1956  
Anderson, R. C., 1959 d, 247  
as syn. of *Diplotriaena tridens* (Molin, 1858)  
Boulenger, 1928
- Diplotriaena campanae* n. sp.  
Anderson, R. C., 1959 d, 195, 218-219, 264, 265,  
267, 269, 278, fig. 7  
key  
*Lamprotornis australis*: South Africa  
*L. purpureus*: Gambia  
*L. chalybeus*: northeast Africa
- Diplotriaena cantonensis* n. sp.  
Li, H. C., 1933 d, 192, 195, 202-203, 216, 217,  
222, 223, figs. 21, 24, 24 A, 53  
*Otocompsa jocosa* jocosa (body cavity): Can-  
ton, China
- Diplotriaena cantonensis* Li, 1933  
Anderson, R. C., 1959 d, 221, 222  
as syn. of *D. corrugata* Wehr, 1930
- Diplotriaena cantonensis*  
Seibert, H. C., 1944 a, 250  
key
- Diplotriaena chabaudi* n. sp.  
Anderson, R. C., 1959 d, 195, 200, 219-220,  
264, 265, 267, 269, 279, fig. 8  
key  
*Prinia gracilis lepida*: India
- Diplotriaena chamoensis* Parona [n. c.]  
Koroleva, A. M., 1926 a, 104  
*D. chaomensis* p. 104
- Diplotriaena chamoensis* (for *bhamoensis*) Henry  
and Ozoux, 1909  
Anderson, R. C., 1959 d, 215  
as syn. of *Diplotriaena bhamoensis* (Parona,  
1889) Henry and Ozoux, 1909
- Diplotriaena chamoensis* Yorke and Maplestone,  
1926  
Baylis, H. A., 1939 b, 38  
as syn. of *D. bhamoensis* (Parona, 1889)
- Diplotriaena chaomensis*  
Seibert, H. C., 1944 a, 250  
key
- Diplotriaena chamoensis* (Parona)  
Yorke, W.; and Maplestone, P. A., 1926 a, 434
- Diplotriaena clelandi* (Johnston, 1912) [n. c.]  
Blanc, G. R., 1919 a, 549  
*Gymnorhina tibicen*
- Diplotriaena clelandi* (Johnston, 1912) (sp. inq.)  
Anderson, R. C., 1959 d, 196, 257, 263  
*Gymnorhina tibicen*: Australia
- Diplotriaena clelandi* (Johnston 1912)  
Johnston, T. H.; and Mawson, P. M., 1944 a, 60,  
64  
*Gymnorhina tibicen*: Eidsvold, Burnett River,  
Queensland
- Diplotriaena clelandi* (Johnston)  
Mackerras, M. J., 1962 a, 431
- Diplotriaena conceptionis* n. sp.  
Caballero y C., E., [1949 c], 329-331, fig. 3,  
pl. 9, fig.  
*Dives dives*: Tuxtepec, Oaxaca
- Diplotriaena conceptionis* Caballero, 1948  
Anderson, R. C., 1959 d, 210, 212  
? As syn. of *Diplotriaena bargusinica* Skrja-  
bin, 1917
- Diplotriaena conceptionis* (Caballero, 1948)  
Caballero, E.; and Vogelsang, E. G., 1950 a,  
63-65, fig.
- Holoquiscalus l. lugubris*: Venezuela
- Diplotriaena corrugata* n. sp.  
Wehr, E. E., 1930 e, 83-84, pl. 10, figs. 11-12  
*Ptiocichla basilonica*

- Diplotriaena corrugata* Wehr, 1930  
 Anderson, R. C., 1959 d, 195, 200, 220-223, 239, 240, 263, 264, 265, 266, 269, 280, fig. 9  
 Syns.: *D. cantonensis* Li, 1933; *D. pycnonotii* Tubangui, 1934; *D. artemisiana* Sandground, 1933 (nec Schmerling, 1925)  
*Ptilocichla basilonica*: Philippines  
*Suthora gularis*: China  
*Liothrix lutea*: India  
*Otocompsa j. jocosa*: China  
*Pycnonotus goiavier*: Philippines  
*Criniger tephrogenys henricii*: Indo-China  
 C. " annamensis " "  
*Diplotriaena corrugata* Wehr, 1930  
 Li, H. C., 1933 d, 193, 195  
*Diplotriaena corrugata*  
 Seibert, H. C., 1944 a, 251, 252  
 key  
*Diplotriaena couturieri* n. sp.  
 Dollfus, R.-P., 1956 e, 663-664, figs. 1-3  
*Lagopus mutus helveticus*: Laurichard (Hautes-Alpes)  
*Diplotriaena couturieri* Dollfus, 1956  
 Anderson, R. C., 1959 d, 195, 200, 223, 264, 265, 266, 269, 281, fig. 10  
*Lagopus mutus helveticus*: Laurichard, France  
*Diplotriaena delta* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1940 c, 355, 356, 360, figs. 20-21  
*Malurus lamberti*: Ooldea, South Australia  
*Diplotriaena delta* Johnston and Mawson, 1940  
 Anderson, R. C., 1959 d, 247  
 as syn. of *Diplotriaena tridens* (Molin, 1858) Boulenger, 1928  
*Diplotriaena delta* Johnston & Mawson  
 Mackerras, M. J., 1962 a, 431  
*Diplotriaena dicruri* n. sp.  
 Vuylsteke, C., 1953 a, 29, 30, 41, figs. 121-124  
*Dicrurus a. adsimilis*: Kabenga  
*Diplotriaena dicruri* Vuylsteke, 1953  
 Anderson, R. C., 1959 d, 205  
 as syn. of *Diplotriaena ozouxi* Henry and Ozoux, 1909  
*Diplotriaena diucae* sp. n.  
 Boulenger, C. L., 1920 a, 501-502, figs. 9-10  
*Diuca grisea*  
*Diplotriaena diucae* Boulenger, 1920  
 Anderson, R. C., 1959 d, 204  
 as syn. of *Diplotriaena ozouxi* Henry and Ozoux, 1909  
*Diplotriaena diucae* Boulenger 1920  
 Dubinina, M. N.; and Serkova, O. P., 1951 a, 83-84, 94  
*Emberiza leucocephalus*: Tadzhikistan  
*E. schoeniclus*: "  
*Diplotriaena diucae* Boulenger, 1920  
 Gushanskaia, L. Kh., 1951 a, 72, 73, 74, figs. 3, 4  
*Motacilla alba*  
*M. flava*  
*M. citreola*  
*Emberiza aureola*  
 all from Komi ASSR  
*Diplotriaena diucae* Boulenger 1920  
 Hetherington, D. C., 1923 a, 36, 44  
*Diplotriaena diucae* Boulenger, 1920  
 Li, H. C., 1933 d, 192, 195, 201-202, 212, 213, 214, 215, 218, 219, 222, 223, figs. 11, 16, 19, 19 A, 38, 52  
*Emberiza cioides*  
*E. schoeniclus*  
*E. leucocephala*  
*E. pusilla*  
 all from Peiping, China  
*Diplotriaena diucae*  
 Siebert, H. C., 1944 a, 250, 251  
 key  
*Diplotriaena diucae* Boulenger, 1920  
 Vuylsteke, C., [1954 a], 15, 26, pl., figs. 46-47  
 [may be in error for *Diplotriaena tricuspidis*. Measurements given are more in accord with those of *D. tricuspidis*]  
*Diplotriaena diucae*  
 Vuylsteke, C., [1954 a], 7  
 given as *D. tricuspidis* (Fedtsch., 1874)  
*Spreo pulcher*  
*Diplotriaena diucae* Boulenger, 1920  
 Yorke, W.; and Maplestone, P. A., 1926 a, 434  
*Diuca grisea*  
*Diplotriaena diucae* Boulenger, 1920 var. dryosci nov.  
 Vuylsteke, c., 1953 b, 32-33, 41, figs. 133-136  
*Dryoscopus cubla hamatus*  
*Diplotriaena diucae* dryosci Vuylsteke, 1953 (nec Boulenger, 1920)  
 Anderson, R. C., 1959 d, 247  
 as syn. of *Diplotriaena tridens* (Molin, 1858) Boulenger, 1928  
*Diplotriaena diucae* Boulenger, 1920 var. manningi nov.  
 Vuylsteke, C., 1953 b, 31, 32, 41, figs. 128a-132  
*Chlorophoneus nigrifrons manningi*: confluent Mubale-Munte  
*Diplotriaena diucae* manningi Vuylsteke, 1953 (nec Boulenger, 1920)  
 Anderson, R. C., 1959 d, 247  
 as syn. of *Diplotriaena tridens* (Molin, 1858) Boulenger, 1928  
*Diplotriaena diucae* Boulenger, 1920 var. upembae nov.  
 Vuylsteke, C., 1953 b, 30, 31, 41, figs. 125-128  
*Emberiza cabanisi orientalis*: Dipidi  
*Diplotriaena diucae* var. upembae Vuylsteke, 1953  
 Anderson, R. C., 1959 d, 204  
 as syn. of *Diplotriaena ozouxi* Henry and Ozoux, 1909  
*Diplotriaena dollfusi* n. sp.  
 Anderson, R. C., 1959 d, 195, 201, 224, 264, 265, 267, 269, 282, fig. 11  
*Trochalopteron canorus*: China  
*Diplotriaenia* [sic] *dubia* n. sp.  
 Maplestone, P. A., 1931 a, 100-101, figs. 42-43  
*Graculus eremita*  
*Diplotriaena dubia* Maplestone, 1931 (sp. inq.)  
 Anderson, R. C., 1959 d, 196, 258, 263  
*Graculus eremita*: India  
*Diplotriaena dubia* (Maplestone, 1931)  
 Baylis, H. A., 1939 b, xxv, 36, 40-41, fig. 23  
*Pyrrhocorax pyrrhocorax* (=*Graculus eremita*): Zool. Gardens, Calcutta  
*Diplotriaena dubia*  
 Das Gupta, B. M.; and Siddons, L. B., 1941 a, 150, GC pl. 9, fig. 17  
*microfilariae*, adult  
*Uroloncha malabarica*: India  
*Diplotriaena dubia* Maplestone, 1931  
 Li, H. C., 1933 d, 193, 201  
*Diplotriaena dubia*  
 Seibert, H. C., 1944 a, 251  
 key  
*Diplotriaena ecaudata* (Oerley, 1882) Blanc, 1919  
 Anderson, R. C., 1959 d, 195, 201, 225-226, 264, 265, 266, 269, 283, fig. 12  
 Syns.: *Filaria sturni* Rud., 1809; *Filaria ecaudata* Oerley, 1882; *Diplotriaena gamma* Johnston and Mawson, 1940; ? *D. leilae* Nagaty and Halfawi, 1942  
*Lamprotornis caudatus*: Africa  
*Sturnus vulgaris*: France  
*Spreo superbus*: Africa

- Diplotriaena ecaudata* (Oerley, 1882)  
 Blanc, G. R., 1919 a, 548  
*Lamprotornis aeneus*
- Diplotriaena ecaudata* (Oerley)  
 Koroleva, A. M., 1926 a, 104, 110
- Diplotriaena ecaudata* (Oerley, 1882)  
 Nouvel, J.; and Petter, A., 1959 a, 374  
*Lamprotornis caudatus* (gesier): Parc Zoologique, Paris
- Diplotriaena ecaudata*  
 Schmerling, A. A., 1925 a, 269, 270  
*Lamprotornis aeneus*
- Diplotriaena epsilon* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1940 c, 355, 356, 360, figs. 22-23  
*Cracticus destructor*: Brisbane
- Diplotriaena epsilon* Johnston and Mawson, 1940  
 Anderson, R. C., 1959 d, 195, 224, 226-227, 263, 265, 266, 269, 284, fig. 13  
*Cracticus torquatus* (= *C. destructor*): Brisbane, Australia
- Diplotriaena epsilon* Johnston & Mawson  
 Mackerras, M. J., 1962 a, 431
- Diplotriaena falconis* (Connal, 1912) [n. c.]  
 Blanc, G. R., 1919 a, 549, 553, fig. 7  
*Falco* sp.
- Diplotriaena falconis* (Connal, 1912) Blanc, 1919  
 Anderson, R. C., 1959 d, 195, 200, 201, 224, 227-228, 256, 263, 265, 270, 285, fig. 14  
*Falco* sp.: Africa  
 hawk: South Africa  
 Falconidae: Africa
- Diplotriaena falconis* (Connal, 1912)  
 Brygoo, E. R.; Dodin, A.; and Capron, A., 1959 a, 217  
*Diplotriaena* sp. proche de *D. falconis*  
*Falco newtoni*: Madagascar
- Diplotriaena falconis* (Connal 1912)  
 Chabaud, A. G.; Anderson, R. C.; and Brygoo, E. R., 1959 a, 88, 90-91, 107, figs. 1 A-C  
*Diplotriaena* sp., proche *D. falconis*  
*Falco newtoni*: environs de Tananarive
- Diplotriaena falconis*  
 Seibert, H. C., 1944 a, 250  
 key
- Diplotriaena falconis* (Connal, 1912)  
 Yorke, W.; and Maplestone, P. M., 1926 a, 434  
*Falco* sp.
- Diplotriaena filiformis* (Molin, 1858) [n. c.]  
 Blanc, G. R., 1919 a, 548  
*Anabates rufifrons*
- Diplotriaena filiformis* (Molin, 1858) [sp. inq.]  
 Anderson, R. C., 1959 d, 196, 260, 264  
*Anabates rufifrons*: South America
- Diplotriaena filiformis* (Molin, 1858)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 434  
*Anabates rufifrons*
- Diplotriaena flabellata* [n. c.]  
 Blanc, G. R., 1919 a, 548
- Diplotriaena flabellata* (Linstow, 1888) Henry and Ozoux, 1909  
 Anderson, R. C., 1959 d, 195, 200, 201, 228-230, 263, 264, 265, 266, 270, 286, fig. 15  
*Paradisea apoda*: Aru Islands  
*P. rubra*  
*Corvus coronoides*: Australia
- Diplotriaena flabellata* (v. Linstow 1888)  
 Boulenger, C. L., 1920 a, 502-503, fig. 11  
*Paradisea rubra*  
*P. apoda*
- Diplotriaena flabellata* (Linst.)  
 Koroleva, A. M., 1926 a, 102, 104, 109
- Diplotriaena flabellata*  
 Schmerling, A. A., 1925 a, 270
- Diplotriaena flabellata*  
 Seibert, H. C., 1944 a, 250  
 key
- Diplotriaena flabellata* (Linstow, 1888)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 434  
*Paradisea apoda*
- Diplotriaena gamma* n. sp.  
 Johnston, J. H.; and Mawson, P. M., 1940 c, 355, 356, 360, fig. 18-19  
*Spreo superbus*: Abyssinia, via Adelaide Zool. Gardens
- Diplotriaena gamma* Johnston and Mawson, 1940  
 Anderson, R. C., 1959 d, 225  
 as syn. of *Diplotriaena ecaudata* (Oerley, 1882)
- Diplotriaena gelani* Sudarikov, 1950  
 Sudarikov, V. E., 1951 a, 328  
*Turdus pilaris*: Povolzh
- Diplotriaena golvanii* n. sp.  
 Anderson, R. C., 1959 d, 195, 200, 230, 263, 265, 267, 270, 287, fig. 16  
*Dicrurus bracteatus assimilis*: New Guinea
- Diplotriaena gracilis*  
 Li, H. C., 1933 d, 201  
 [? i. e., *graculi* Maplestone, 1931]
- Diplotriaenia* [sic] *graculi* n. sp.  
 Maplestone, P. A., 1931 a, 97-100, 101, figs. 38-41  
*Graculus eremita* (subperitoneal tissue of body cavity)
- Diplotriaena graculi* Maplestone, 1931 (sp. inq.)  
 Anderson, R. C., 1959 d, 195, 255-256, 263  
*Graculus eremita*: Calcutta Zool. Gardens
- Diplotriaena graculi* Maplestone, 1931  
 Baylis, H. A., 1939 b, xxv, 36, 39-40  
*Pyrrhocorax pyrrhocorax* (= *Graculus eremita*): Zool. Gardens, Calcutta
- Diplotriaena graculi* Maplestone, 1931  
 Li, H. C., 1933 d, 193
- Diplotriaena graculi*  
 Seibert, H. C., 1944 a, 251  
 key
- Diplotriaena halcyoni* n. sp.  
 Chabaud, A. G.; and Rousselot, R., 1956 a, 75-78, 97, fig. 12  
*Halcyon leucocephala pallidiventris*: Brazzaville
- Diplotriaena halcyoni* Chabaud and Rousselot, 1956  
 Anderson, R. C., 1959 d, 237  
 as syn. of *Diplotriaena sokolowi* Skrjabin, 1916
- Diplotriaena henryi* nov. sp.  
 Blanc, G. R., 1919 a, 550-552, figs. 1-3  
*Turdus musicus*
- Diplotriaena henryi* Blanc, 1919  
 Anderson, R. C., 1959 d, 210, 213  
 ? as syn. of *Diplotriaena bargusinica* Skrjabin, 1917
- Diplotriaena hepatica* (Walton, 1927) [n. comb.] (sp. inq.)  
 Anderson, R. C., 1959 d, 196, 259, 263  
 Syn.: *Diplotriaenoides hepaticus* Walton, 1927  
*Aphelocoma floridana*: Florida, U. S. A.
- Diplotriaena indica*, n. sp.  
 Singh, S., 1962 a, 17-20, figs. 1-3  
*Garrulus lanceolatus* (peritoneum): Mukteswar-Kumaun, U. P.
- Diplotriaena isabellina* n. sp.  
 Koroleva, A. M., 1926 a, 98-100, 102, 104, 109, fig. 4  
*Saxicola isabellina*
- Diplotriaena isabellina* Koroliowa, 1926  
 Anderson, R. C., 1959 d, 210, 213  
 ? as syn. of *Diplotriaena bargusinica* Skrjabin, 1917
- Diplotriaena isabellina* Koroleva, 1926  
 Matevosian, E. M., 1938 b, 376-377  
*Corvus cornix*: Bashkiria  
*Saxicola insignis*: "
- Diplotriaena isabellina* Koroliowa, 1926  
 Petrov, A. M.; and Chertkova, A. N., 1950 b, 96  
*Myophonus coeruleus*: Southern Kirgizia

- Diplotriaena isabellina*  
Seibert, H. C., 1944 a, 251  
key
- Diplotriaena isabellina* Koroleva, 1926  
Shul'ts, R. E. S.; Gnedina, M. P.; and Kadenat-  
sii, A. N., 1938 a, 36  
[crow] voron: Bashkiria  
[Saxicola] chekkan, stonechat: Bashkiria
- Diplotriaena kumaunensis* n. sp.  
Singh, S., 1962 a, 20-22, figs. 4-5  
*Zoothera* (=Oreocincila) molissima (abdominal  
cavity): Mukteswar-Kumaun, U. P.
- Diplotriaena leilae* n. sp.  
Nagaty, H. F.; and Halfawi, S., 1943 a, 3, 4,  
13, 14-17, 21, 22-24, 41, 44, pl., figs. 6-7,  
pl., figs. 8-9, fig. 10, pl., fig. 13  
Sturnus vulgaris: Zoological Gardens of  
Cairo
- Diplotriaena leilae* Nagaty and Halfawi, 1942  
Anderson, R. C., 1959 d, 225, 226  
? as syn. of *Diplotriaena ecaudata* (Oerley,  
1882)
- Diplotriaena leiperi* n. sp.  
Anderson, R. C., 1959 d, 195, 231, 264, 265,  
267, 270, 288, fig. 17  
Lissotis m. melanogaster: Northern Rhodesia,  
Africa
- Diplotriaena macrophallos* [n. c.]  
Schmerling, A. A., 1925 a, 269, 270
- Diplotriaena macrophallos*  
Hoeppli, R. J. c.; and Hsü, H.-F., 1929 b, 31
- Diplotriaena macrophallos* (Parona)  
Koroleva, A. M., 1926 a, 102, 104, 109
- Diplotriaena macrophallos* (Parona)  
Sandground, J. H., 1933 c, 560  
as syn. of *Hastospiculum macrophallos* (Par-  
one)
- Hydrosaurus salvator*
- Diplotriaena macrophallos* (Parona, 1889)  
Yorke, W.; and Maplestone, P. A., 1926 a, 434  
Hydrosaurus salvator
- Diplotriaena manipoli* n. sp.  
Chu, H. J., 1931 b, 158-159, pl. 18, figs. 20-  
22  
Garrulus branchis
- Diplotriaena manipoli* Chu, 1931  
Anderson, R. C., 1959 d, 244  
as syn. of *D. tricuspidis* (Fedtschenko, 1874)  
Henry and Ozoux, 1909
- Diplotriaena manipoli* Chu, 1931  
Li, H. C., 1933 d, 193
- Diplotriaena manipoli*  
Seibert, H. C., 1944 a, 251  
key
- Diplotriaena manipoli* Chu, 1931  
Yamaguti, S., 1935 j, 403, 413  
Garrulus glandarius japonicus (body cavity):  
Sizouka Prefecture
- Diplotriaena microphallos* n. sp.  
Li, H. C., 1933 d, 192, 195, 200-201, 214,  
215, 222-223, figs. 17, 20, 49  
Anas boschas (mesentery): Peiping, China
- Diplotriaena microphallus* Li, 1933 (sp. inq.)  
Anderson, R. C., 1959 d, 196, 258, 263  
Anas boschas: China
- Diplotriaena microphallos*  
Seibert, H. C., 1944 a, 251  
key
- Diplotriaena minuta* (Walton, 1927) [n. comb.]  
(sp. inq.)  
Anderson, R. C., 1959 d, 196, 260, 264  
Syn.: *Diplotriaenoides minutus* Walton,  
1927  
Colinus virginianus: Florida, U. S. A.
- Diplotriaena modesta* n. sp.  
Schuurmans Stekhoven, J. H. (jr.), 1952 a,  
315, 317, 319, 377-379, fig. 24  
*Asthenes m. modesta* (caudad general):  
Argentina
- Diplotriaena modesta* Schuurmans-Stekhoven,  
1952 (sp. inq.)  
Anderson, R. C., 1959 d, 196, 258, 263  
*Asthenes m. modesta*: Argentina
- Diplotriaena modesta* Schuurmans-Stekhoven, 1952  
Lopez-Neyra, C. R., 1956 b, 46-47  
"descripción insuficiente y referible a *D.*  
*artemisiana-Henry*"  
*Asthenes m. modesta* (caudad general):  
Tucumán
- Diplotriaena monticelliana* (Stossich, 1890)  
[n. c.]  
Blanc, G. R., 1919 a, 548, 549  
*Sylvia atricapilla*  
*Poecile palustris*
- Diplotriaena monticelliana* (Stossich) Boulen-  
ger, 1928  
Anderson, R. C., 1959 d, 247  
as syn. of *Diplotriaena tridens* (Molin,  
1858) Boulenger. 1928
- Diplotriaena monticelliana* (Stossich)  
Boulenger, C. L., 1928 a, 50-51, figs. 41-42  
*Silvia arundinacea*
- Diplotriaena monticelliana* (sous presse) [nomen  
nudum]  
Brygoo, E. R.; Dodin, A.; and Capron, A.,  
1959 a, 217  
*Ixocincila madagascariensis*: Madagascar
- Diplotriaena monticelliana* (Stossich, 1890)  
Chabaud, A. G., [1956 f], 343, 344, 345, 346,  
figs. 1-4  
*Sylvia atricapilla*  
*Tenebrio molitor*  
*Aphodius*  
*Ontophagus*
- Diplotriaena monticelliana* Boulenger, 1928 nec  
Stossich, 1890 (= *D. boulengeri* nom. nov.)  
Chabaud, A. G., [1956 f], 346, 347
- Diplotriaena monticelliana* (Stossich 1890)  
Chabaud, A. G.; Anderson, R. C.; and Brygoo,  
E. R., 1959 a, 88, 89-90, 107, figs. 1 D-F  
*Ixocincila madagascariensis*: Station biolo-  
gique de l'Institut Scientifique à Nossi-Bé
- Diplotriaena monticelliana* (Stossich)  
Koroleva, A. M., 1926 a, 104, 110
- Diplotriaena monticelliana* (Stossich, 1890)  
Boulenger, 1928  
Li, H. C., 1933 d, 193
- Diplotriaena monticelliana* (Stossich, 1890)  
Lopez-Neyra, C. R.; and Medina Blanco, M.,  
1951 a, 24, 36-40, 42, pl. 3, figs. 1-6  
*Sylvia atricapilla*: Cordoba
- Diplotriaena monticelliana*  
Schmerling, A. A., 1925 a, 269, 270  
*Sylvia atricapilla*  
*Poecile palustris*
- Diplotriaena monticelliana*  
Seibert, H. C., 1944 a, 250, 251  
key
- Diplotriaena monticolae* n. sp.  
Yamaguti, S., 1935 j, 403, 413-414, figs. 20-22  
*Monticola solitarius magnus* (body cavity):  
Formosa
- Diplotriaena monticolae* Yamaguti, 1935  
Anderson, R. C., 1959 d, 234, 235  
as syn. of *Diplotriaena pungens* (Schneider,  
1886) Henry and Ozoux, 1909
- Diplotriaena monticola* Yamaguti, 1935  
Myers, B. J.; Kuntz, R. E.; and Wells, W. H.,  
1962 a, 535  
*Monticola solitarius*: Egypt
- Diplotriaena mukteswarensis* n. sp.  
Singh, S., 1962 a, 22-23, fig. 6  
*Myiophonus caeruleus temminckii* (abdominal  
cavity): Mukteswar-Kumaun, U. P.
- Diplotriaena multipapillosa*  
Skrjabin, K. I.; and Shikhobalova, N. P.,  
1936 a, 62

- Diplotriaena multituberculata* n. sp.  
*Walton*, A. C., [1927 a], 121-122, pl. 8,  
 figs. 56-59  
*Aphelocoma cyanea*
- Diplotriaena multituberculata* Walton, 1927 (sp.  
 inq.)  
*Anderson*, R. C., 1959 d, 196, 202, 260, 263  
*Aphelocoma cyanea floridana*: Florida,  
 U. S. A.
- Diplotriaena multituberculata* Walton, 1928  
*Li*, H. C., 1933 d, 193
- Diplotriaena multituberculata*  
*Seibert*, H. C., 1944 a, 250  
 key
- Diplotriaena muscisaxicola* n. sp.  
*Schuurmans Stekhoven*, J. H. (jr.), 1952 c,  
 315, 317, 319, 375-377, fig. 23  
*Muscisaxicola m. maculirostris* (cavidad  
 general): Argentina
- Diplotriaena muscisaxicola* Schuurmans-Stekhoven,  
 1952 (sp. inq.)  
*Anderson*, R. C., 1959 d, 196, 258, 264  
*Muscisaxicola m. maculirostris*: Argentina
- Diplotriaena muscisaxicola* Schuurmans-Stekhoven,  
 1952  
*Lopez-Neyra*, C. R., 1956 b, 32  
*Muscisaxicola m. maculirostris*: Tucumán
- Diplotriaena nagpurensis* n. sp.  
*Karve*, J. N., 1934 a, 77-81, figs. 5-8  
*Acriderotheres tristis tristis*: Nagpur (C. P.)
- Diplotriaena nagpurensis* Karve, 1934  
*Anderson*, R. C., 1959 d, 215  
 as syn. of *Diplotriaena bhamoensis* (Parona,  
 1889) Henry and Ozoux, 1909
- Diplotriaena nagpurensis* Karve, 1934  
*Baylis*, H. A., 1939 b, xxv, 36, 42, 259  
*Acriderotheres tristis*: Nagpur, Central  
 Provinces
- Diplotriaena nagpurensis* Karve  
*Mirza*, M. B.; and *Farooqi*, H. U., [1960 a],  
 23-25  
 redescription
- Diplotriaena nagpurensis* (Karve, 1934)  
*Sarwar*, M. M., 1956 a, 109-111  
 as syn. of *Diplotriaena nocti* Hoeppli and  
*Hsu*, 1929  
*Pastor roseus*: Shaikhupura (Punjab)  
*Acriderotheres ginginianus*: "
- Diplotriaena nagpurensis*  
*Seibert*, H. C., 1944 a, 251  
 key
- Diplotriaena ninnii* (Stossich, 1891)  
*Blanc*, G. R., 1919 a, 548, 549  
*Corvus cornix*
- Diplotriaena nipponensis* n. sp.  
*Yamaguti*, S., 1941 e, 442, 477-478, 479, Pl.  
 XI, figs. 38-39; Fig. 42  
*Turdus c. cardis*: Kurama near Kyoto
- Diplotriaena nipponensis* Yamaguti, 1941  
*Anderson*, R. C., 1959 d, 215  
 as syn. of *Diplotriaena bhamoensis* (Parona,  
 1889) Henry and Ozoux, 1909
- Diplotriaena nipponensis*  
*Seibert*, H. C., 1944 a, 251  
 key
- Diplotriaena nocti* n. sp.  
*Hoeppli*, R. J. C.; and *Hsu*, H. F., 1929 b, 24,  
 29-31, pl. 3, figs. 10-13  
*Acriderotheres crystallus*
- Diplotriaena nocti* Hoeppli and *Hsu*, 1929  
*Anderson*, R. C., 1959 d, 215  
 as syn. of *Diplotriaena bhamoensis* (Parona,  
 1889) Henry and Ozoux, 1909
- Diplotriaena nocti* (Hoeppli et *Hsu*, 1929)  
*Chow*, C. Y., 1939 a, 22  
*Pica pica pica*
- Diplotriaena nocti* Hoeppli and *Hsu*, 1929  
*Li*, H. C., 1933 d, 192, 193, 195, 199-200, 212,  
 213, 222, 223, figs. 12, 12 A, 14, 16, 46  
*Spodiopsar cineraceus* (mesentery): Peiping,  
 China
- Diplotriaena nocti* Hoeppli & *Hsu*, 1929  
*Nagaty*, H. F.; and *Halfawi*, S., 1943 a, 3, 4,  
 7, 8, 9, 10, 11, 23, 24, 25, 26, 40, 46, figs.  
 1-3, pl., figs. 4-5, pl., fig. 15  
*Acriderotheres t. tristis*  
*Sturnus vulgaris*  
*Sturnopaster capensis*  
*Acriderotheres javanicus*  
 all from Zoological Gardens of Cairo
- Diplotriaena nocti* Hoeppli et *Hsu*, 1929  
*Oshmarin*, P. G., 1950 c, 182  
*Spodiopsar cinereus*: Far East
- Diplotriaena nocti* Hoeppli and *Hsu*, 1929  
*Sandground*, J. H., 1933 c, 542, 557-558, 560,  
 fig. 17  
*Aethiopsar cristatellus brevipennis* (mesen-  
 tery): Moung Monn, Tonkin
- Diplotriaena nocti* Hoeppli and *Hsu*, 1929  
*Sarwar*, M. M., 1956 a, 109-111  
 Syns.: *Diplotriaena tricuspid* of Canavan  
 (1931), and Mazhar (1933); *D. acridotheres*  
 (Karve, 1934); *D. nagpurensis* (Karve, 1934)  
*Pastor roseus*: Sheikhupura (Punjab)  
*Acriderotheres ginginianus*: "
- Diplotriaena nocti*  
*Seibert*, H. C., 1944 a, 251, 252  
 key
- Diplotriaena obtusa* (Rud., 1879) [n. c.]  
*Blanc*, G. R., 1919 a, 548, 550, 553, fig. 9, 10  
*Hirundo rustica*  
*H. urbica*  
*H. riparia*  
*H. versicolor*  
*Frogne purpurea*  
*Myotheca caudacuta*
- Diplotriaena obtusa* (Rudolphi, 1802) Henry and  
*Ozoux*, 1909  
*Anderson*, R. C., 1959 d, 195, 231-233, 253,  
 264, 265, 266, 270, 289, fig. 18  
*Hirundo rustica savignii*: Eghpt  
*Delichon urbica*  
*Hirundo rustica*: France
- Diplotriaena obtusa* (Rudolphi, 1802)  
*Anderson*, R. C., 1961 a, 377  
*Riparia riparia*: Ontario
- Diplotriaena obtusa* (Rud.)  
*Boulenger*, C. L., 1928 a, 45-46, figs. 31, 32  
*Hirundo savignyi*  
 swallow
- Diplotriaena obtusa* (Rud., 1802)  
*Chabaud*, A. G., [1956 f], 344  
*Chelidon rustica*: Banyuls  
*Calliphora* sp.: "
- Diplotriaena obtusa* Rudolphi  
*Dogiel*, V. A.; and *Navtsevich*, R., 1936 a, 93,  
 107, 112  
 swallow: Peterhof
- Diplotriaena obtusa* (Rud.)  
*Koroleva*, A. M., 1926 a, 92, 97-98, 99, 100,  
 102, 103, 109, figs. 2, 3  
*Hirundo rustica*  
*Cotyle riparia*
- Diplotriaena obtusa*  
*Sandground*, J. H., 1933 c, 559
- Diplotriaena obtusa*  
*Schmerling*, A. A., 1925 a, 269, 270
- Diplotriaena obtusa*  
*Seibert*, H. C., 1944 a, 251, 252  
 key
- Diplotriaena obtusa* (Rud., 1819)  
*Serkova*, O. P., 1948 a, 226, 242  
*Riparia riparia*: Barabin lakes
- Diplotriaena obtusa* (Rudolphi, 1819) Railliet et  
*Henry*, 1909  
*Spasskaiia*, L. P., 1949 a, 129  
*Alauda arvensis*: Western Siberia

- Diplotriaena obtusa* (Rudolphi, 1802)  
 Sprehn, C. E. W., 1932 c, 588, 845  
 Syns.: *Filaria obtusa* Rudolphi, 1802 nec  
 Schneider, 1866; *Gordius obtusus* (Rudolphi, 1802) Oken, 1915; *Diplotriaena obtusa* (Rudolphi, 1802) Yorke u. Maplestone, 1926  
*Hirundo rustica* (Körperhöhle)  
*Riparia riparia*  
*Delichon urbica*  
*Diplotriaena obtusa* (Rud.)  
 Walton, A. C., [1927 a], 120  
*Junco hyemalis*  
*Diplotriaena obtusa* (Rud., 1802)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 434  
*Hirundo rustica*  
*Diplotriaena obtuso-caudata* (Rud.) [n. comb.]  
 Walton, A. C., [1927 a], 120-121, pl. 8, fig. 55  
*Melanerpes erythrocephalus*  
*Diplotriaena obtuso-caudata* (Rudolphi, 1819)  
 Walton, 1927  
 Anderson, R. C., 1959 d, 261  
 doubtful status  
*Diplotriaena obtusocaudata* (Rudolphi, 1819)  
 Walton, 1928  
 Li, H. C., 1933 d, 193  
*Diplotriaena obtuso-caudata*  
 Seibert, H. C., 1944 a, 251  
 key  
*Diplotriaena ozouxi* Henry and Ozoux, 1909 (type)  
 Anderson, R. C., 1959 d, 195, 200, 201, 202,  
 203, 204-208, 238, 263, 264, 265, 266, 269,  
 272, fig. 1  
 Syns.: *Filaria affinis* Rud., 1819; *Diplotriaena affinis* (Rud.) Henry and Ozoux, 1909;  
*D. diucae* Boulenger, 1920; *D. pyromelanae*  
*D. diucae* Boulenger, 1920; *D. skrjabini*  
*Koroliowa*, 1926; ? *D. schikhobalovi*, Spasskaja, 1949; *D. textori* Vuylsteke, 1953; *D. dicruri* Vuylsteke; *D. diucae* var. *upembae* Vuylsteke, 1953; *D. sp.* Zamith and Lordello, 1952; *D. tricuspidis* of Judd, 1959, nec  
*Fedtschenko*, 1874  
*Foudia madagascariensis*: Madagascar  
*Plesiositagra c. cucullatus*: Africa  
*Textor x. xanthops*: Belgian Congo  
*Euplectes oryx*: Rustenburg  
*E. oryx franciscana*: West Africa  
*E. afra*: West Africa  
*E. xanthomelas*: Belgian Congo  
*Diuca grisea*: South America  
*Passer hispaniolensis*: North Africa  
*P. domesticus*: Africa  
*P. griseus swainsoni*: Gambia  
*Emberiza cabanisa orientalis*: Belgian Congo;  
 N. Rhodesia  
*Pooecetes g. gramineus*: Ontario, Canada  
*Dicrurus a. adsimilis*: Belgian Congo  
*Motacilla citreola*: India  
*M. flava*: Gr. Britain; France; India  
*M. sp.*: India  
*Diplotriaena ozouxi* Henry and Ozoux, 1909  
 Anderson, R. C., 1961 a, 377  
*Vermivora* [sp.]: Ontario  
*Diplotriaena ozouxi*  
 Blanc, G. R., 1919 a, 546, 547, 549, 550, 553,  
 fig. 8  
*Faudias madagascariensis*  
*Diplotriaena ozouxi Railliet & Henry*  
 Boulenger, C. L., 1928 a, 42  
*Diplotriaena ozouxi R. & H.*  
 Gendre, E., 1928 a, 80  
*Diplotriaena ozouxi Raill. & Henry*  
 Koroleva, A. M., 1926 a, 102, 104, 110  
*Diplotriaena ozouxi Railliet & Henry*  
 Rauther, M., 1930 a, 369  
*Diplotriaena ozouxi*  
 Schmerling, A. M., 1925 a, 269, 270  
*Diplotriaena ozouxi*  
 Seibert, H. C., 1944 a, 250, 251  
 key  
*Diplotriaena ozouxi Railliet u. Henry*, 1909  
 Sprehn, C. E. W., 1932 c, 588  
*Faudias madagascariensis*  
*Diplotriaena ozouxi* (Railliet and Henry, 1909)  
 Urbain, A.; Nouvel, J.; and Pasquier, M. A., 1937 a, 46-47  
*Serinus* sp.: Parc Zool., Bois Vincennes  
*Diplotriaena ozouxi Railliet & Henry*, 1909  
 Yorke, W.; and Maplestone, P. A., 1926 a, 433  
 type of genus  
*Faudias madagascariensis*  
*Diplotriaena parisi* n. sp.  
 Blanc, G. R., 1919 a, 552-553, figs. 4-6  
*Circus pygargus*  
*Diplotriaena parisi* Blanc, 1919 (sp. inq.)  
 Anderson, R. C., 1959 d, 196, 258-259, 263  
*Circus pygargus*: France  
*Diplotriaena paronai* (Stossich, 1897) [n. c.]  
 Blanc, G. R., 1919 a, 548  
*Buceros ansulus*  
*Diplotriaena paronae* (Stossich) Henry and Ozoux, 1909  
 Anderson, R. C., 1959 d, 242, 243  
 ? as syn. of *Diplotriaena tocki* Vuylsteke, 1953  
*Diplotriaena paronai* (Stossich)  
 Koroleva, A. M., 1926 a, 104, 110  
*Diplotriaena paronai*  
 Schmerling, A. A., 1925 a, 269, 270  
*Buceros nasutus*  
*Diplotriaena paronai* (Stossich, 1897)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 434  
*Buceros nasutus*  
*Diplotriaena pavlovskyi* n. sp.  
 Shtrom, Zh. K., 1940 b, 232-235, figs. 1-4  
*Chettusia leucura*: Usbek. SSR, Turkestan  
*Diplotriaena pavlovskyi* Strom, 1940  
 Anderson, R. C., 1959 d, 215, 217  
 ? as syn. of *Diplotriaena bhamoensis* (Parona, 1889) Henry and Ozoux, 1909  
*Diplotriaena pungens* (Schneider, 1866) [n. c.]  
 Blanc, G. R., 1919 a, 548, 552  
*Turdus cyaneus*  
*Diplotriaena pungens* (Schneider, 1886) Henry and Ozoux, 1909  
 Anderson, R. C., 1959 d, 195, 200, 201, 229,  
 233-236, 264, 265, 266, 270, 290, fig. 19  
 Syns.: *Filaria pungens* Schneider, 1866; *Diplotriaena monticolae* Yamaguti, 1935; ? *D. sialiae* Mawson, 1957  
*Monticola solitarius magnus*: Formosa  
*M. solitarius*: India  
*Sialia currucoidea*: Canada  
*Diplotriaena pungens* (Schneider)  
 Boulenger, C. L., 1928 a, 46-48, figs. 33-36  
*Turdus saxatilis*  
*Diplotriaenia* [sic] *pungens* (Schneider, 1866)  
 Maplestone, P. A., 1931 a, 103, 104  
*Diplotriaena pungens*  
 Seibert, H. C., 1944 a, 251  
 key  
*Diplotriaena pungens* (Schneider, 1866)  
 Sprehn, C. E. W., 1932 c, 589  
 Syns.: *Filaria pungens* Schneider, 1866;  
*Diplotriaena pungens* (Schneider, 1866) Yorke u. Maplestone, 1926  
*Turdus cyaneus*: Europa; Afrika  
*Diplotriaena pungens* (Schneider, 1866)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 434  
*Turdus cyaneus*  
*Diplotriaena pycnonoti* n. sp.  
 Tubangui, M. A., 1934 a, 116-118, 123, pl. 2,  
 figs. 1-2  
*Pycnonotus goiavier*: Sipocot, Camarines  
 Sur, Luzon

- Diplotriaena pycnonoti Tubangui, 1934  
 Anderson, R. C., 1959 d, 221, 222  
 as syn. of *D. corrugata* Wehr, 1930
- Diplotriaena pycnonoti Tubangui, 1934  
 Kurashvili, B. E., [1954 a], 342  
 Merops apiaster: Georgia, SSSR
- Diplotriaena pycnonoti Tubangui, 1934  
 Kurashvili, B. E., 1957 a, 307-308  
*Pycnonotus goavier*: Georgian SSR  
 Merops apiaster: " "
- Diplotriaena pycnonoti  
 Siebert, H. C., 1944 a, 251, 252  
 key
- Diplotriaena pyromelanae n. sp.  
 Yorke, W.; and Maplestone, P. A., 1926 a, 434, fig. 296  
*Pyromelana oryx*
- Diplotriaena pyromelanae Yorke and Maplestone, 1926  
 Anderson, R. C., 1959 d, 204  
 as syn. of *Diplotriaena ozouxi* Henry and Ozoux, 1909
- Diplotriaena pyromelanae Yorke & Maplestone, 1926  
 Ezzat, M. A.; and Tadros, G., 1958 a, 12, 58  
*Melanopteryx nigerrimus*: Belgian Congo
- Diplotriaena pyromelanae  
 Seibert, H. G., 1944 a, 250, 251  
 key
- Diplotriaena quadrioverrucosa (Molin, 1858) [n. c.]  
 Blanc, G. R., 1919 a, 548  
*Dendrocolaptes picus*  
*D. rufirostris*
- Diplotriaena quadrioverrucosa (Molin, 1858)  
 (sp. ind.)  
 Anderson, R. C., 1959 d, 196, 260, 263  
*Dendrocolaptes picus*: Brazil  
*D. rufirostris*: "
- Diplotriaena quadrioverrucosa (Molin, 1858)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 434  
*Dendrocolaptes picus*
- Diplotriaena rovegliae n. sp.  
 Caballero y C., E., 1941 c, 147-153, figs. 1-2  
*Cassidix mexicanus mexicanus*: Presidio, Veracruz
- Diplotriaena rovegliae Caballero, 1941  
 Anderson, R. C., 1959 d, 210, 212  
 as syn. of *Diplotriaena bargusinica* Skrjabin, 1917
- Diplotriaena schikhobalovi n. sp.  
 Spasskaià, L. P., 1949 a, 131-132, figs. 2, 3  
*Anthus trivialis*: Western Siberia
- Diplotriaena schikhobalovi Spasskaja, 1949  
 Anderson, R. C., 1959 d, 204, 207  
 ? as syn. of *Diplotriaena ozouxi* Henry and Ozoux, 1909
- Diplotriaena schikhobalovi Spasskaja, 1949  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Sobolev, A. A., 1949 a, 365  
*Anthus trivialis*
- Diplotriaena serratospicula n. sp.  
 Wehr, E. E., 1934 d, 3 pp.  
*Chryserpes striatus* (body cavity): Santa Barbara de Samaná, Dominican Republic
- Diplotriaena serratospicula Wehr, 1934  
 Anderson, R. C., 1959 d, 195, 236, 264, 265, 266, 270, 291, fig. 20  
 key  
*Chryserpes striatus*: Dominican Republic
- Diplotriaena serratospicula  
 Seibert, H. C., 1944 a, 251  
 key
- Diplotriaena sialiae n. sp.  
 Mawson, P. M., 1957 a, 213, 216-217, figs. 10-12  
*Sialia currucoides*: Alberta
- Diplotriaena sialiae Mawson, 1957  
 Anderson, R. C., 1959 d, 234, 235  
 ? as syn. of *Diplotriaena pungens* (Schneider, 1886) Henry and Ozoux, 1909
- Diplotriaena skrjabini n. sp.  
 Koroleva, A. M., 1926 a, 100-102, 103, 104, 110, fig. 5  
*Motacilla flava*  
*M. kaleniczenkii*  
*M. alba*
- Diplotriaena skrjabini Koroliowa, 1926  
 Anderson, R. C., 1959 d, 204, 207  
 ? as syn. of *Diplotriaena ozouxi* Henry and Ozoux, 1909
- Diplotriaena skrjabini Koroleva  
 Bauer, O. N., 1941 a, 79  
*Emberiza cia* (body cavity)  
*E. cia pragiri* (blood)  
*Motacilla cinerea* (possibly)  
*Anthus*  
 all from Kavkaz
- Diplotriaena skrjabini (microfilaria)  
 Bauer, O. N., 1941 a, 80  
*Emberiza cia*: Kavkaz
- Diplotriaena skrjabini ? (microfilaria)  
 Bauer, O. N., 1941 a, 80  
*Motacilla cinerea*: Kavkaz  
*Anthus trivialis*: "
- Diplotriaena skrjabini Korolewa, 1926  
 Gil'bert, L. I., 1930 a, 109  
*Agroaroma campestris*: western SSSR  
*Budytes flava*: "
- Diplotriaena skrjabini Koroliowa, 1926  
 Gushanskaia, L. Kh., 1951 a, 72  
*Phylloscopus trochilus*: Komi ASSR
- Diplotriaena skrjabini Koroliewa, 1926  
 Krotov, A. I., 1952 a, 275  
*Motacilla cinerea melanope*: basin of Amu-Darya
- Diplotriaena skrjabini Koroliowa, 1926  
 Kurashvili, B. E., 1957 a, 308-309, fig. 164  
*Emberiza cia pragiri*: Georgian SSR
- Diplotriaena skrjabini Koroliowa, 1926  
 Panin, V. Ia., 1960 b, 170, 171  
*Motacilla flava* (body cavity): Zaisansk basin
- Diplotriaena skrjabini Koroliova, 1926  
 Petrov, A. M.; and Chertkova, A. N., 1950 b, 96  
*Oriolus oriolus*: Southern Kirgizia
- Diplotriaena skrjabini  
 Seibert, H. C., 1944 a, 250, 251  
 key
- Diplotriaena skrjabini Korolewa, 1926  
 Serkova, O. P., 1948 a, 225, 237, 242  
*Motacilla flava*: Barabın lakes
- Diplotriaena skrjabini Koroliowa, 1926  
 Spasskaià, L. P., 1949 a, 129  
*Motacilla citreola*: Western Siberia
- Diplotriaena sokolowi Skrjabin, 1916  
 Anderson, R. C., 1959 d, 195, 201, 237-239, 263, 265, 266, 270, 292, fig. 21  
 key, Syns.: ? *Diplotriaena artemisiana* Schmerling, 1925; *D. halcyoni* Chabaud and Rousselot  
*Halcyon leucocephala pallidiventris*: Africa  
*H. malimbicus*: Africa
- Diplotriaena sokolowi Skrjabin, 1916  
 Dubinina, M. N.; and Serkova, O. P., 1951 a, 84-85, 94, 95  
*Passer hispaniolensis transcaspicus*: Tadzhikistan  
*P. montanus pallidus*: Tadzhikistan  
*Phoenicurus erythronotus*: "
- Diplotriaena sokolowi Skrj.  
 Koroleva, A. M., 1926 a, 102, 104, 110
- Diplotriaena sokolovi Skrj.  
 Schmerling, A. A., 1925 a, 269, 270
- Diplotriaena sokolowi  
 Seibert, H. C., 1944 a, 250  
 key

- Diplotriaena sokolowi* Skrjabin, 1916  
 Yorke, W.; and Maplestone, P. A., 1926 a, 434  
*Halcyon senegaloides*
- Diplotriaena spermospizae* (Linstow, 1879) Henry and Ozoux, 1909  
 Anderson, R. C., 1959 d, 195, 203, 222, 223, 239-240, 264, 265, 266, 270, 293, fig. 22  
*Spermospiza haematinus*: Sierra Leone
- Diplotriaena spermospizae*  
 Blanc, G. R., 1919 a, 548  
*Spermospiza guttata*
- Diplotriaena spermospizae* (Linst.)  
 Koroleva, A. M., 1926 a, 102, 104, 109
- Diplotriaena spermospizae*  
 Schmerling, A. A., 1925 a, 269, 270
- Diplotriaena spermospizae*  
 Seibert, H. C., 1944 a, 250  
 key
- Diplotriaena spermospizae* (Linst., 1879)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 434  
*Spermospiza guttata*
- Diplotriaena textori* n. sp.  
 Vuylsteke, C., 1953 a, 27-28, 41, figs. 108-115  
*Textor x. xanthops*: Mabwe
- Diplotriaena textori* Vuylsteke, 1953  
 Anderson, R. C., 1959 d, 204  
 as syn. of *Diplotriaena ozouxi* Henry and Ozoux, 1909
- Diplotriaena thomasi* n. sp.  
 Seibert, H. C., 1944 a, 244-246, 247, 250, pl. 1, figs. 1-16  
 key  
*Zonotrichia albicollis*: Champaign, Illinois
- Diplotriaena thomasi* Seibert, 1944  
 Anderson, R. C., 1959 d, 195, 201, 203, 204, 208, 233, 240-242, 263, 264, 265, 266, 270, 294, fig. 23  
*Melospiza melodia*: North America  
*Zonotrichia albicollis*: Canada; Ill., U.S.A.  
*Z. leucophrys*: Ontario, Canada  
*Juncos hyemalis*: "  
*Agelaius phoeniceus*: Texas, U.S.A.
- Diplotriaena thomasi* Siebert  
 Ogren, R. E., 1950 b, 85  
*Juncos hyemalis*: Evanston, Ill.
- Diplotriaena tinamicolor* n. sp.  
 Skrjabin, K. I., 1916 c, 707, 726-727, 750-751, pl. 24, figs. 15-17  
*Tinamus* sp.
- Diplotriaena tinamicolor* Skrjabin, 1916 (sp. inq.)  
 Anderson, R. C., 1959 d, 196, 259, 264  
*Tinamus* sp.: Paraguay
- Diplotriaena tinamicolor* Skrj.  
 Koroleva, A. M., 1926 a, 99, 100, 102, 103, 109
- Diplotriaena tinamicolor* Skrjabin, 1916  
 Kurashvili, B. E., [1954 a], 342  
*Sturnus vulgaris caucasicus*: Georgia, SSSR
- Diplotriaena tinamicolor* Skrjabin, 1916  
 Kurashvili, b. E., 1957 a, 309  
*Sturnus vulgaris caucasicus*: Georgian SSR
- Diplotriaena tinamicolor* Skrj.  
 Schmerling, A. A., 1925 a, 269, 270  
*D. tinamicolor* p. 269
- Diplotriaena tinamicolor*  
 Seibert, H. C., 1944 a, 250  
 key
- Diplotriaena tinamicolor* Skrjabin, 1916  
 Yorke, W.; and Maplestone, P. A., 1926 a, 434  
*Tinamus* sp.
- Diplotriaena tinnunculi* n. sp.  
 Gagarin, V. G.; Ablasov, N. A.; and Chibichenko, N. T., 1957 a, 110-112, fig. 2  
*Falco tinnunculus*: southern Kirgizia
- Diplotriaena tocki* n. sp.  
 Vuylsteke, C., 1953 a, 29, 30, 41, figs. 116-120  
*Tockus alboterminatus stegmanni*: Mabwe gorges de la Peilenge
- Diplotriaena tocki* Vuylsteke, 1953  
 Anderson, R. C., 1959 d, 195, 200, 220, 242-243, 263  
 Syns.: ?*Filaria* sp. *Parona*, 1885; *F. paronae* Stossich, 1897; ?*Diplotriaena paronae* (Stos-sich) Henry and Ozoux, 1909  
*Tockus alboterminatus stegmanni*: Belgian Congo
- Diplotriaena tricuspidis* (Fedtschenko, 1874) Henry and Ozoux, 1909  
 Anderson, R. C., 1959 d, 195, 200, 201, 202, 233, 243-247, 263, 265, 266, 270, 296, fig. 25  
 Syns.: *Filaria attenuata* Rud., 1803; *F. tricuspidis* Fedt., 1874; *F. ninnii* Stossich, 1891; *Aprocta tricuspidis* (Fedt.) Linstow, 1905; *Diplotriaena bifidis* Canavan, 1931; *D. manipoli* Chu, 1931  
*Pyrrhocorax graculus*: India  
*Corvus corax*  
*C. corone*: France  
*C. corax ruficollis*: Africa  
*C. brachyrhynchus*: Ontario, Canada; Quebec; New York  
*Cyanocorax chrysops*: Argentina
- Diplotriaena tricuspidis* of Baylis and Daubney, 1922 in *Trochalopteron meridionale*; of Monnig 1924 in *Otis rufigresta*  
 Anderson, R. C., 1959 d, 246  
 "misidentification"
- Diplotriaena tricuspidis* of Boulenger, 1920, nec Fedtschenko 1874  
 Anderson, R. C., 1959 d, 215  
 as syn. of *Diplotriaena bhamoensis* (Parona, 1889) Henry and Ozoux, 1909
- Diplotriaena tricuspidis* of Seurat, 1915 in *Alaemon duponti*, *Motacilla f. flava*, *Galerida theklae hilgerti*; of Seurat, 1918 in *Alauda arvensis*  
 Anderson, R. C., 1959 d, 246  
 "misidentification"
- Diplotriaena tricuspidis* of Spasskaja 1949 in *Calornis metallica*, *Oenanthe oenanthoides*; of Singh, 1949 in *Lanius vittatus*; of Vuylsteke, 1954 in *Spreo pulcher*; and of Kouraschvili 1957 in *Sturnella ludoviciana*  
 Anderson, R. C., 1959 d, 247  
 "misidentification"
- Diplotriaena tricuspidis* of Stossich, 1902 in *Athene* sp.; of *Parona*, 1902 in *Columba aenaeas*; of Johnston, 1910; and of Johnston and Mawson, 1941 in *Cysticola exilis*  
 Anderson, R. C., 1959 d, 246  
 "misidentification"
- Diplotriaena tricuspidis* of Walton, 1927 in *Megaquiscalis major* and *Pipilo erythrrophthalmus*; of Baylis, 1940 in *Camaroptera brevicaudata* *tincta*  
 Anderson, R. C., 1959 d, 246  
 "misidentification"
- Diplotriaena tricuspidis* (Fedtschenko, 1874)  
 Anderson, R. C., 1961 a, 377  
*Cyanocitta cristata*: Ontario
- Diplotriaena tricuspidis* (Fedtschenko)  
 Babic, I., 1936 a, 298  
*Parus palustris*: Jugoslawiens  
*Sylvia atricapilla*: "
- Diplotriaena tricuspidis* Fedtschenko  
 Bauer, O. N., 1941 a, 80  
*Corvus cornix* (body cavity): Kavkaz
- Diplotriaena tricuspidis* (Fedchenko, 1874) Seurat, 1915  
 Baylis, H. A., 1939 b, xxv, 36, 37-38, 258, 259, fig. 21-22  
 Syns.: *Aprocta tricuspidis* v. Linstow, 1905; *Diplotriaena acridotherei* Karve, 1934  
*Trochalopteron jerdoni meridionale*: India  
*Acridotheres ginginianus*: Aligarh Dist., U.P.  
*A. tristis*: Nagpur, Central Provin.

- Diplotriaena ? tricuspidis* (Fedchenko, 1874)  
*Baylis, H. A., 1940 b, 411*  
*Camaroptera brevicaudata tincta: Belgian Congo*
- Diplotriaena tricuspidis* (Fedtschenko, 1874)  
*Baylis, H. A.; and Daubney, R., 1922 a, 317*  
*Trochalopterum meridionale*
- Diplotriaena tricuspidis* (Fedchenko, 1874)  
*Baylis, H. A.; and Daubney, R., 1926 a, 203*
- Diplotriaena tricuspidis*  
*Blanc, G. R., 1919 a, 546, 548, 549*  
*Corvus cornix*  
*C. corone*  
*C. frugilegus*  
*C. corax*  
*C. monedula*  
*C. cyanomelas*  
*Pyrrhocorax alpinus*  
*Pica caudata*  
*Nucifraga caryocatactes*  
*Garrulus glandarius*  
*Sturnella ludoviciana*  
*Sylvia atricapilla*  
*Poecile palustris*  
*Alauda arvensis*  
*Hirundo rustica*  
*Lullula arborea*  
*Acridoheres tristis*  
*A. ginginianus*
- Diplotriaena tricuspidis* (Fedtsch., 1883)  
*Boulenger, C. L., 1920 a, 499-501, fig. 8*  
*Poliopsar leucocephalus*
- Diplotriaena tricuspidis* Fedts.  
*Boulenger, C. L., 1928 a, 44-45, 46, figs. 29, 30*  
*Corvus cornix*  
*C. umbrinus*  
*Varanus niloticus*
- Diplotriaena tricuspidis* Fedtschenko  
*Boyd, E. M.; Diminno, R. L.; and Nesslinger, C., 1956 a, 336*  
*Cyanocitta cristata: New England*
- Diplotriaena tricuspidis* (Fedtschenko, 1874)
- Seurat, 1915*  
*Caballero y C., E., [1950 a], 289-290*  
*Balanophyra formicivora: Chiapas*
- Diplotriaena tricuspidis* (Fedtsch.)  
*Canavan, W. P. N., 1929 a, 95*  
*Cyanocorax chrysops*
- Diplotriaena tricuspidis* Fedts.  
*Canavan, W. P. N., 1931 a, 223-224*  
*Cyanocorax affinis*  
*Acridoheres ginginianus*  
*Graculipica melanoptera*
- Diplotriaena tricuspidis*  
*Dubinina, M. N.; and Kulakova, A. P., 1960 a, 359*  
*Sturnus vulgaris: Volga delta*
- Diplotriaena tricuspidis* (Fedtsch., 1874)  
*Dubinina, M. N.; and Serkova, O. P., 1951 a, 85, 94*  
*Corvus cornix sharpei: Tadzhikistan*
- Diplotriaena tricuspidis* (Fedtschenko 1874) Seurat, 1915  
*Ezzat, M. A.; and Tadros, G., 1958 a, 12, 60*  
*Lamprocolius chalybeus: Belgian Congo*
- Diplotriaena tricuspidis* Fedts.  
*Galli-Valerio, B., 1940 b, 283*  
*Corvus corone: Suisse: Lausanne*
- Diplotriaena tricuspidis* (Fedtschenko, 1874)  
*Gushanskaia, L. Kh., 1951 a, 72*  
*Corvus cornix: Komi ASSR*
- Diplotriaena tricuspidis*  
*Hamerton, A. E., 1932 a, 634, 636, 638, pl. 1, fig. 3*  
*Cyanocorax chrysops (lung, body cavity): London*
- Diplotriaena tricuspidis*  
*Hamerton, A. E., 1933 a, 9*  
*jays (body cavity) (eggs in tissues of lungs)*
- Diplotriaena tricuspidis*  
*Hilbert, K. F., and Verelius, H., 1937 a, 46*  
*magpie: New York State (Farmingdale Lab., Long Island)*
- Diplotriaena tricuspidis*  
*Hsü, H. F., 1938 d, 403-406*  
*food*
- Diplotriaena tricuspidis* (Fedchenko, 1874)  
*Inglis, W. G., 1954 b, 826*  
*Acridoheres t. tristis: India*
- Diplotriaena tricuspidis* Fedtsch.  
*Johnston, T. H.; and Mawson, P. M., 1941 b, 9, 13, 15, figs. 23-25*  
*Cysticola exilis: Moa (Banks) Is., Torres Strait*
- Diplotriaena tricuspidis* (Fedts.)  
*Koroleva, A. M., 1926 a, 92-94, 99, 100, 102, 103, 109*  
*Corvus cornix*  
*C. frugilegus*  
*C. monedula*  
*Sturnus vulgaris*  
*S. caecasicus*
- Diplotriaena tricuspidis* (Fedtschenko, 1879)  
*Krotov, A. I., 1952 a, 275, 276*  
*Corvus corax subcorax: basin of Amu-Darya*
- Diplotriaena tricuspidis* (Fedtschenko, 1874)  
*Kurashvili, B. E., 1957 a, 310-311*  
*Corvus corone corax*  
*C. frugilegus*
- Diplotriaena tricuspidis* (Fedtschenko, 1874)
- Seurat, 1915*  
*Li, H. C., 1933 d, 192, 193, 196-197, 198, 212, 213, 222, 223, figs. 10, 13, 13 A, 47*  
*Corvus sinensis*  
*C. neglectus*  
*C. torquatus*  
*C. corax*  
*all from Peiping, China*
- Diplotriaena tricuspidis* (Fedts., 1874)  
*Liubimov, M. P., 1927 b, 310*  
*Corylus cornix*
- Diplotriaena tricuspidis*  
*Markowski, St., 1931 a, 20*  
*Corvidae: Polsk.*
- Diplotriaena tricupsis* [sic]  
*Markowski, St., 1931 b, 13*  
*corvides: Pologne*
- Diplotriaena tricuspidis* (Fedtsch., 1874)  
*Markowski, St., 1933 c, 4, 38, 49-50, 56, 58, fig. 27*  
*Syns.: Filaria cornicis Gmel. (nom. nudum); ? F. sturni Rud., 1809; F. attenuata Rud. (ex parte) non Rud., 1803 non Zeder, 1803; F. tricuspidis Fedtsch., 1874; ? F. ecaudata Oereley, 1882; ? F. ninnii Stossich, 1891*  
*Corvus cornix (cavum abdom.): Polen*  
*C. frugilegus*
- Diplotriaena tricuspidis*  
*Mazhar, A. K., 1933 a, 269, 270, 271, figs. 4-6*  
*Acridoheres ginginianus (body cavity): Aligarh district*
- Diplotriaena tricuspidis* (Fedtschenko)  
*Mönning, H. O., 1924 d, 456-457, fig. 39*  
*Otis ruficresta: Transvaal*
- Diplotriaena tricuspidis*  
*Morgan, B. B.; and Waller, E. F., 1940 a, 379-381*  
*Corvus b. brachyrhynchos: Iowa*
- Diplotriaena tricuspidis* (Fedtschenko, 1874)  
*Morgan, B. B.; and Waller, E. F., 1941 a, 17, 20, 21*  
*Corvus b. brachyrhynchos: U. S.*

- Diplotriaena tricuspis* (Fedtsch., 1874) Seurat, 1915  
 Myers, B. J.; Kuntz, R. E.; and Wells, W. H., 1962 a, 535  
 Corvus corone: Egypt  
 Hirundo rustica: "
- Diplotriaena tricuspis* (Fedtschenko, 1874) Oshmarin, P. G., 1950 c, 182  
 Corvus corone  
 C. levaillantii  
 Pica pica  
 Garrulus glandarius  
 Cyanopica cyana  
 all from the Far East
- Diplotriaena tricuspis* (Fedtschenko, 1874) Petrov, A. M.; and Chertkova, A. N., 1950 b, 96  
 Corvus corone: Southern Kirgizia
- Diplotriaena tricuspis* Raevskaya, Z. A., 1928 a, 102
- Diplotriaena tricuspis* Ramisz, A., 1958 a, 669, 670  
 Corvus frugilegus (body cavity, air sacs): Wroclaw
- Diplotriaena tricuspis* (Fedts.) Reichenow, E.; and Wulker, G., 1929 a, 189
- Diplotriaena tricuspis* Fedtschenko, 1874 Rysavy, B., 1857 a, 321, fig. 22  
 Corvus frugilegus: Czechoslovakia
- Diplotriaena tricuspis* (Fedtschenko, 1874) Sandground, J. H., 1933 c, 559
- Diplotriaena tricuspis* of Canavan (1931), and Mazhar (1933)  
 Sarwar, M. M., 1956 a, 109-111  
 as syn. of *Diplotriaena noctis* Hoepli and Hsu, 1929
- Diplotriaena tricuspis* Fedts. Schmerling, A. A., 1925 a, 269, 270
- Diplotriaena tricuspis* Seibert, H. C., 1944 a, 251, 252 key
- Diplotriaena tricuspis* (Fedtsch. 1874) Seurat, L. G., 1918 a, 272  
 Alauda arvensis: Sousse
- Diplotriaena tricuspis* (Fedts.) Seurat, L. G., 1919 a, 986
- Diplotriaena tricuspis* Seurat, L. G., 1920 c, 176 morphology, ethologie
- Diplotriaena tricuspis* (Fedchenko, 1874) Seurat, 1915 Singh, S. N., 1949 b, 52, 53, 54, 55, figs. 27-29  
 Lanius vittatus: Hyderabad Deccan, India
- Diplotriaena tricuspis* (Fedts., 1874) Skrjabin, K. I., 1916 c, 726
- Diplotriaena tricuspis* Fed. Skrjabin, K. I., 1926 d, 100  
 Corvus frugilegus
- Diplotriaena tricuspis* Fedts. Solonitsyn, I. A., 1928 a, 90  
 Corvus cornix
- Diplotriaena tricuspis* (Fedtsch., 1874) Spasskaya, L. P., 1949 a, 129  
 Corvus frugilegus: Western Siberia  
 Oenanthe oenanthe: " "  
 Corvus cornix: " "
- Diplotriaena tricuspis* (Fedtsch., 1874) Spasskii, A. A.; and Oshmarin, P. G., 1939 a, 48, 61, 65, 66, 67, 68, 69  
 Corvus cornix: Gorkii oblast  
 C. frugilegus: " "  
 Pica pica: " "
- Diplotriaena tricuspis* (Fedtschenko, 1874) Sprehn, C. E. W., 1932 c, 589, 832, 833, 834, 835, 837, 838, 842, 843, 845, 849, 871  
 Syns.: *Filaria cornicis* Gmelin, 1790 (nomen nudum); *F. attenuata* Rudolphi, 1819 e. p. nec Rudolphi, 1803 u. Zeder, 1803; ? *F. ecaudata* Oerley, 1882; ? *F. ninnii* Stossich, 1891; ? *F. sturni* Rudolphi, 1809; *D. tricuspis* (Fedtschenko, 1874) Seurat, 1915  
*Corvus cornis*  
*C. corax*  
*C. corone*  
*C. frugilegus*  
*Colveus monedula spermologus*; *Garrulus glandarius*; *Nucifraga caryocatactes*; *Pica pica*; *Alauda arvensis*; *Delichon urbica*; *Falco subbuteo*; *Hirundo rustica*; *Lullula arborea*; *Passer domesticus*  
*Sylvia atricapilla*  
*Columba oenas*; *Turdus merula*
- Diplotriaena tricuspis* Fedtschenko, 1874 Sultanov, M. A.; Ryzhikov, K. M.; and Kozlov, D. P., 1960 a, 59  
 [*Sturnus vulgaris*] skvorets: mouth of Amu-Darya  
 [*Corvus*] vorona: mouth of Amu-Darya
- Diplotriaena tricuspis* Vasiliu, G. D., 1939 a, 90, 91, 92, 93  
*Corvus corax corax*  
*C. corone cornix*  
*C. frugilegus frugilegus*  
*Pica pica pica*  
*Nucifraga caryocatactes caryocatactes*  
*Garrulus glandarius glandarius*
- Diplotriaena tricuspis* Fedts. Vavilova, N. M., 1926 a, 113, 128  
*Turdus musicus*  
*Corvus cornix*
- Diplotriaena tricuspis* Vevers, G. M., 1920 a, 410  
*Acridotheres ginginianus*: India
- Diplotriaena tricuspis* (Fedtsch., 1874) Vuylsteke, Cl., [1954 a], 7  
 [may be in error for *Diplotriaena diucae*]  
*Spreo pulcher*
- Diplotriaena tricuspis* Vuylsteke, Cl., [1954 a], 15, 26, pl., figs. 46-47  
 [given as *D. diucae* Boulenger, 1920]
- Diplotriaena tricuspis* (Fedts.) Walton, A. C., [1927 a], 119, 122  
*Pipilo erythropthalmus*  
*Megaquiscalus major*
- Diplotriaena tricuspis* (Fedtschenko, 1874) Yorke, W.; and Maplestone, P. M., 1926 a, 434  
*Corvus cornix*  
*Alaemon duponti*
- Diplotriaena tricuspis* (Fedtschenko, 1874) Zekhnov, M. I., 1947 a, 139, 140, 141, 142  
*Corvus frugilegus*
- Diplotriaena tricuspis* (Fedtschenko, 1874) Zekhnov, M. I., 1949 a, 237, 239, 240  
*Corvus frugilegus*: Russia
- Diplotriaena tricuspis* (Fedtschenko, 1874) Zekhnov, M. I., 1953 a, 56  
 growth changes  
*Corvus cornix*
- Diplotriaena tridens* (Molin, 1858) [n. c.] Blanc, G. R., 1919 a, 548  
*Lanius collurio*  
*Icterus cristatus*  
*I. haemorrhou*  
*I. icterocephalus*  
*I. chopi*  
*I. sericeus*  
*Cassicus ater*  
*C. viridis*

- Diplotriaena tridens (Molin, 1858) Boulenger, 1928  
 Anderson, R. C., 1959 d, 195, 197, 200, 247-250, 264, 265, 267, 270, 297, fig. 26  
 Syns.: *Filaria tridens* Molin, 1858; *F. monticelliana* Stossich, 1890; *Diplotriaena monticelliana* (Stoss.) Boulenger, 1928; *D. delta* Johnston and Mawson, 1940; *D. boulengeri* Chabaud, 1956; *D. diucae manningi* Vuylsteke, 1953; *D. diucae dryoscopi* Vuylsteke, 1953 (nec Boulenger, 1920)  
*Sylvia atricapilla*: England; France  
*Acrocephalus arundinaceus*: France  
*Sitta europaea*: France  
*Chloroponeus nigrifrons manningi*: Belgian Congo  
*Dryoscopus cubla hamatus*: Belgian Congo  
*Tephrodornis pelvica sylvicola*: India  
*Sphecotheres vieilloti*: Australia  
*Malurus lamberti*: "  
 Diplotriaena tridens (Molin)  
 Boulenger, C. L., 1928 a, 49-50, figs. 39, 40  
*Lanius collurio*  
 Diplotriaena tridens (Molin, 1858) Boulenger, 1928  
 Ezzat, M. A.; and Tadros, G., 1958 a, 12, 58, 59, 60, figs. 61-62  
*Pycnonotus barbatus minor* (intestine)  
*Halcyon senegalensis*  
 all from Belgian Congo  
 Diplotriaena tridens (Molin, 1858) Boulenger, 1928  
 Li, H. C., 1933 d, 192, 193, 195, 200, 214, 215, 222, 223, figs. 15, 18, 50  
*Lanius superciliosus* (mesentery): Peiping, China  
 Diplotriaena tridens  
 Seibert, H. C., 1944 a, 250, 251  
 key  
 Diplotriaena tridentis n. sp.  
 Walton, A. C., 1927 a, 122, pl. 8, fig. 60  
 Diplotriaena tridentis Walton, 1927  
 Anderson, R. C., 1959 d, 196, 262  
 "It is proposed ...this name be removed from *Diplotriaena*"  
 Diplotriaena tridentis Walton, 1928  
 Li, H. C., 1933 d, 193  
 Diplotriaena unguiculata (Rudolphi, 1819) n. comb.  
 Li, H. C., 1933 d, 192, 196, 197-198, 216, 217, 218, 219, 222, 223, figs. 23, 26, 26 A, 28, 35, 48  
 Syn.: *Filaria unguiculata* Rudolphi, 1819  
*Alauda arvensis* (mesentery): Peiping, China  
 Diplotriaena unguiculata (Rudolphi, 1819) Li, 1933  
 Anderson, R. C., 1959 d, 195, 233, 250-253, 263, 264, 265, 267, 270, 298, fig. 27  
*Alauda arvensis*: France; Philippines  
*Camaroptera brevicauda tinctoria*: Belgian Congo  
 Diplotriaena unguiculata  
 Seibert, H. C., 1944 a, 251  
 key  
 Diplotriaena unguiculata (Rudolphi, 1819)  
 Spasskia, L. P., 1949 a, 129  
*Alauda arvensis*: Western Siberia  
 Diplotriaenia [sic] urocissae n. sp.  
 Maplestone, P. A., 1931 a, 102-104, figs. 44-47  
*Urocissa flavirostris* (body cavity)  
 Diplotriaena urocissae Maplestone, 1931 (sp. inq.)  
 Anderson, R. C., 1959 d, 196, 259, 263  
*Urocissa flavirostris*: India  
 Diplotriaena urocissae (Maplestone, 1931)  
 Baylis, H. A., 1939 a, xxv, 36, 41-42, 258, fig. 24  
*Urocissa flavirostris*: Zool Gardens, Calcutta  
 Diplotriaena urocissae Maplestone, 1931  
 Li, H. C., 1933 d, 193, 203  
 Diplotriaena urocissae  
 Seibert, H. C., 1944 a, 251  
 key  
 Diplotriaena urocissoides n. sp.  
 Anderson, R. C., 1959 d, 195, 253-254, 263, 265, 267, 271, 299, fig. 28  
*Urocissa melanoccephala occipitalis*: India  
 Diplotriaena zeta n. sp.  
 Johnston, H. T.; and Mawson, P. M., 1940 c, 355, 356, 361, fig. 24  
*Acanthogenys rufigularia*: Monarto, South Australia  
 Diplotriaena zeta Johnston and Mawson, 1940 (sp. inq.)  
 Anderson, R. C., 1959 d, 195, 256, 264  
*Acanthogenys rufigularia*: South Australia  
 Diplotriaena zeta Johnston & Mawson  
 Mackerras, M. J., 1962 a, 431  
 Diplotriaenidae n. fam.  
 Anderson, R. C., 1958 d, 148, 149, 150, 151  
*Spirurida*, *Spirurina*, Filarioidea  
 keys, includes: *Dicheilonematinae* Wehr, 1935; *Dipetalonematidae* Skrjabin, 1916  
 Diplotriaenidae  
 Chabaud, A. G.; and Anderson, R. C., 1959 a, 64, 68  
 key  
 Diplotriaenidae  
 Chabaud, A. G.; and Petter, A. J., 1961 b, 65  
*cloacal papillae*  
 Diplotriaeninae nov. subfam.  
 Skrjabin, K. I., 1915 a, 907  
 type genus: *Diplotriaena* Railliet et Henry, 1909  
 contains: *Diplotriaena*, *Serratospiculum*, *Contortospiculum*  
 Diplotriaeninae Skrjabin, 1916  
 Anderson, R. C., 1958 d, 151, 152  
*Dicheilonematidae*, n. fam.  
 key  
 Diplotriaeninae Skrjabin, 1916  
 Baylis, H. A., 1939 b, xxv, 36  
*Filariidae*, key to genera  
 Diplotriaeninae Skrjabin, 1916  
 Baylis, H. A.; and Daubney, R., 1926 a, 203  
 Diplotriaeninae  
 Boulenger, C. L., 1928 a, 42  
 Diplotriaeninae Skrjabin 1916  
 Chabaud, A. G.; and Anderson, R. C., 1959 a, 70  
 Diplotriaenidae  
 key  
 Diplotriaeninae  
 Chitwood, B. G., 1937 c, 75  
*Filariidae*  
 Diplotriaeninae  
 Desportes, C., [1940 a], 398  
*Filariidae*  
 Diplotriaeninae  
 Railliet, A., 1918 b, 108  
 Diplotriaeninae  
 Rauther, M., 1930 a, 369  
 Diplotriaeninae Skrj.  
 Skrjabin, K. I., 1923 m, 78, 81  
 Diplotriaeninae Skrj., 1916  
 Skrjabin, K. I.; and Shikhobalova, N. P., 1936 a, 64, 73  
*Filariidae*  
 contains: *Diplotriaena*, *Diplotriaenoides*  
 Diplotriaeninae Skrjabin, 1915  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Sobolev, A. A., 1949 a, 359-368  
 includes: *Diplotriaena* Railliet et Henry, 1909; *Diplotriaenoides* Walton, 1927; *Quadrilateralis* Wehr, 1939  
 Diplotriaeninae Skrjabin, 1916  
 Sprehn, C. E. W., 1932 c, 565, 588  
 Diplotriaeninae Skrjabin, 1916  
 Travassos, L. P., 1920 h, 69

- Diplotriaeninae Skrjabin, 1916  
 Wehr, E. E., 1935 b, 85, 86  
 Filariidae  
 type genus: *Diplotriaena* Railliet and Henry  
 contains: *Diplotriaena*, *Diplotriaenoides*
- Diplotriaeninae  
 Wehr, E. E., 1936 b, 61  
 contains: *Diplotriaenoides* Walton, 1927;  
*Diplotriaena* Raill. and Henry; *Quadriplo-*  
*triaena* n. g.
- Diplotriaeninae Skrjabin, 1916  
 Wehr, E. E., 1939 d, 33  
 key to genera
- Diplotriaeninae Skrjabin, 1916  
 Yorke, W.; and Maplestone, P. A., 1926 a, 13,  
 14, 388, 432
- Diplotriaenoides n. g.  
 Walton, A. C., [1927 a], 123, 124-125  
 tod: *D. agelaius* n. sp.
- Diplotriaenoides Walton, 1927  
 Anderson, R. C., 1959 d, 195, 196, 203-204  
 as syn. of *Diplotriaena* Henry and Ozoux,  
 1909
- Diplotriaenoides Walton 1927 (=*Diplotriaena*  
*Railliet et Henry* 1909  
 Chabaud, A. G.; and Anderson, R. C., 1959 a,  
 70  
 key  
*Diplotriaenidae*; *Diplotriaeninae*
- Diplotriaenoides Walton, 1927  
 Skrjabin, K. I.; and Shikhobalova, N. P.,  
 1936 a, 74  
 key  
*Diplotriaeninae*
- Diplotriaenoides Walton  
 Wehr, E. E., 1939 d, 33  
 key  
*Diplotriaeninae*
- Diplotriaenoides agelaius n. sp.  
 Walton, A. C., [1927 a], 123-125, pl. 9,  
 figs. 63, 64  
*Agelaius phoeniceus*
- Diplotriaenoides agelaius Walton, 1927  
 Anderson, R. C., 1959 d, 203, 208  
 as syn. of *Diplotriaena agelaius* (Walton,  
 1927) [n. comb.]
- Diplotriaenoides hepaticus n. sp.  
 Walton, A. C., [1927 a], 125, pl. 9, fig. 66  
*Aphelocoma floridana*
- Diplotriaenoides hepaticus Walton, 1927  
 Anderson, R. C., 1959 d, 259  
 as syn. of *Diplotriaena hepatica* (Walton,  
 1927) [n. comb.]
- Diplotriaenoides minutus n. sp.  
 Walton, A. C., [1927 a], 125, pl. 9, fig. 65  
*Ortyx virginianus*
- Diplotriaenoides minutus (Walton, 1927)  
 Anderson, R. C., 1959 d, 125, 260  
*Colinus virginianus*: Florida
- Diplotriaenoides minutus Walton, 1927  
 Anderson, R. C., 1959 d, 260  
 as syn. of *Diplotriaena minuta* (Walton, 1927)  
 [n. comb.]
- Diplotriaenoides minutus  
 Cram, E. B., 1931 e, 241
- Diplotriaenoides minutus Walton, 1928  
 Kasimov, G. B., 1956 c, 456, fig. 371  
*Colinus virginianus*
- Diplotriaenoides translucidus n. sp.  
 Anderson, R. C., 1956 c, 213-216, figs. 1-7  
*Seiurus auropennis*: Ontario, Canada
- Diplotriaenoides translucidus Anderson  
 Anderson, R. C., 1957 c, 15, 16, 17-23, figs.  
 1-7, 14-15, pl., figs. 8-13  
 life cycle  
*Camnula pellucida* (exper.)  
*Seiurus auropennis*: Algonquin Park
- Diplotriaenoides translucidus  
 Anderson, R. C., 1958 a, 12  
 morphology, life cycle
- Diplotriaenoides translucidus Anderson, 1956  
 Anderson, R. C., 1959 d, 208  
 as syn. of *Diplotriaena agelaius* (Walton,  
 1927) [n. comb.]
- Diplotrioea  
 Urbain, A.; Nouvel, J.; and Pasquier, M. A.,  
 1937 a, 46-47  
 [for *Diplotriaena*]
- Dirhynchus Rudolphi, 1810  
 Baylis, H. A.; and Daubney, R., 1926 a, 252
- Dirofilaria  
 Abdel Azim, M., 1939 a, 33  
*Dirofilaria Railliet & Henry*  
 Alessandrini, G. C., 1929 a, 202
- Dirofilaria Railliet and Henry, 1911  
 Anderson, R. C., 1952 a, 35-64  
 review
- Dirofilaria  
 Basile, C., 1923 a, 211  
*Dirofilaria Railliet & Henry*  
 Baylis, H. A., 1929 c, 206
- Dirofilaria Railliet and Henry  
 Baylis, H. A., 1939 b, xxv, 2-3  
*Filariidae*, *Filariinae*  
 key to species, type: *D. immitis* (Leidy,  
 1856)
- Dirofilaria Railliet & Henry, 1911  
 Baylis, H. A.; and Daubney, R., 1926 a, 195-196  
 type: *D. immitis* (Leidy)
- Dirofilaria  
 Beattie, J. M.; and Dickson, W. E. C., [1921 a],  
 431
- Dirofilaria Railliet & Henry, 1911  
 Brumpt, E. J. A., 1922 f, 641, 680-681
- Dirofilaria Railliet & Henry, 1911  
 Brumpt, E. J. A., 1927 e, 623, 742
- Dirofilaria  
 Castellani, A.; and Chalmers, A. J., 1919 a,  
 623, 632, 644
- Dirofilaria Railliet et Henry 1910  
 Chabaud, A. G.; and Anderson, R. C., 1959 a, 79  
 key
- Onchocercidae; *Dirofiliariinae*
- Dirofilaria  
 Ch'en, N.-C.; et al., 1955 a, 1001-1003  
 periodicity in relation to cerebral activity  
 of host
- Dirofilaria  
 Ch'en, M.-C.; et al., 1956 a, 201  
 periodicity in relation to cerebral activity  
 of host
- Dirofilaria  
 Choquette, L. P. E., 1952 a, 347-349  
 table of species
- Dirofilaria R. et H., 1911  
 Desportes, C., [1940 a], 402, 403, 404  
*Filariinae*
- Dirofilaria Railliet & Henry  
 Faust, E. C., 1929 c, 453
- Dirofilaria nov. subgen.  
 Faust, E. C., 1937 c, 137, 138
- Dirofilaria  
 Faust, E. C., 1957 c, 59-68  
 human infection
- Dirofilaria  
 Filipjev, I. N., 1934 b, 422  
*Filariidae*
- Dirofilaria  
 Filipjev, I. N.; and Schuurmans Stekhoven, J.  
 H., 1941 a, 856
- Dirofilaria Railliet & Henry  
 Greenway, D. F., 1929 a, 213

- Dirofilaria Railliet & Henry, 1911  
 Lane, C., [1923 b], 1710  
 genotype: *D. immitis* (Leidy, 1856)
- Dirofilaria Railliet and Henry, 1911  
 Lent, H.; and Teixeira de Freitas, J. F.,  
 1937 b, 37-54
- Dirofilaria Railliet  
 Lopez Neyra, C. R., 1924 a, 116
- Dirofilaria  
 Manson-Bahr, P. H. in Manson, P., 1921 a, 821
- Dirofilaria  
 Pavlov, P. 1935 f, 125  
 role of humidity in propagation, sheep:  
 Bulgaria
- Dirofilaria Railliet & Henry  
 Rauther, M., 1930 a, 351, 368
- Dirofilaria  
 Rothstein, N., 1958 a, 29-30  
 staining with acridine orange
- Dirofilaria Railliet & Henry 1911  
 Seurat, L. G., 1918 a, 272
- Dirofilaria  
 Shigeura, S., 1939 a, 1057-1062 (7-12)  
 examination of ferments
- Dirofilaria  
 Shortt, H. E., [1948 d], 84
- Dirofilaria Railliet et Henry, 1911  
 Shul'ts, R. E. S., 1931 d, 135-136  
 rabbits  
 hares
- Dirofilaria Raill. and Henry, 1911  
 Skrjabin, K. I.; and Shikhobalova, N. P.,  
 1936 a, 66  
*Filarinae*  
 key
- Dirofilaria Railliet & Henry  
 Sluiter, C. P.; Swellengrebel, N. H.; & Ihle,  
 J. B. W., [1922 a], 325, 365-366, 432-434, 435
- Dirofilaria Railliet u. Henry, 1911  
 Sprehn, C. E. W., 1932 c, 566, 567-568  
 type species: *D. immitis* (Leidy, 1856)
- Dirofilaria  
 Travassos, L. P., 1920 h, 69
- Dirofilaria Railliet and Henry, 1911  
 Tüzdil, A. N., 1939 a, 9, 10
- Dirofilaria  
 Vogel, H. V., 1927 a, 81-89  
 anatomy
- Dirofilaria  
 Webber, W. A. F., 1955 a, 123-141  
 review
- Dirofilaria  
 Yamamoto, K., 1937 a, 307-357  
 pathologic, anatomical changes, dog uterus
- Dirofilaria  
 Yeoman, F. T., [1946 a], 67, 69  
 dogs
- Dirofilaria Railliet & Henry, 1911  
 Yorke, W.; and Maplestone, P. A., 1926 a, 390,  
 393-395  
 type: *D. immitis* (Leidy, 1856)
- Dirofilaria sp.  
 Anderson, R. C., 1951 a, 25  
*Buarctos a. americanus*
- Dirofilaria sp.  
 Babero, B. B., 1960 a, 456  
*Didelphis virginiana* (heart): Georgia
- Dirofilaria [sp.]  
 Berwick, E. J. H., 1960 a, 48  
 dogs: North Borneo
- Dirofilaria sp.  
 Cameron, T. W. M., 1928 e, 94  
*Felis planiceps*
- Dirofilaria sp.  
 Chabaud, A. G.; and Bryggo, E. R., 1958 b,  
 1471  
*Propithecus verreauxii*: Behara, Madagascar
- Dirofilaria sp. (von Linstow, 1899)  
 Curtiss, J. D.; and Kozicky, E. L., 1944 a, 142,  
 143  
*Erethizon d. dorsatum*: Northeastern Maine
- Dirofilaria sp.  
 Dashiell, G. F., 1961 a, 37-38, figs. 1-2  
 woman (lung): Detroit
- Dirofilaria sp.  
 Eyles, D. E.; Sandosham, A. A.; Wharton, R. H.;  
 and Sivanandam, S., 1962 a, 259  
*Macaca mulatta*: East Pakistan
- Dirofilaria sp.  
 Faust, E. C., 1939 d, 32  
 human: New Orleans
- Dirofilaria, undescribed species  
 Graham, G. L., 1960 a, 850  
*M[acaca] irus* (beneath skin in inguinal  
 region)
- ? Dirofilaria sp.  
 Haddow, A. J., 1952 a, 378  
*Papio doguera tessellatus*  
*P. d. ibeanus*  
*Cercopithecus labigena johnstoni*
- Dirofilaria sp., similar to those called D.  
 conjunctivae  
 Jung, R. S.; and Harris, F. H., 1960 a, 372,  
 fig.  
 human: Louisiana
- Dirofilaria (Nochtiella) sp.  
 O'Grady, F.; Fawcett, A. N.; and Buckley,  
 J. J. C., 1962 a, 309-312, figs. 1-3, on pl.  
 following p. 312  
 human, European (frontalis muscle): "recent-  
 ly visited Nigeria"
- Dirofilaria sp.  
 Petrov, A. M.; and Potekhina, L. F., 1953 b,  
 86, 92, 94  
*Felis ornata caudata*: Tadzhikistan  
*Meles meles*: "
- Dirofilaria sp.  
 Popov, N. P.; and Kalantarian, E. V., 1927 a,  
 175  
 [dog]: Armenia
- Dirofilaria sp.  
 Price, D. L., 1960 a, 4223  
*Macaca irus*
- Dirofilaria [sp.]  
 Price, D. L., and Jachowski, L. A., 1955 a, 41  
*Macaca cynomolgus*: vicinity of Kuantan,  
 Malaya
- Dirofilaria sp.  
 Sandosham, A. A., 1950 c, 178  
*Pongo pygmaeus*: London Zool. Gardens
- Dirofilaria [sp.]  
 Schäuffelen, O., 1961 a, 63  
*Saimiri sciurea*
- Dirofilaria sp. (female)  
 Thapar, G. S., 1956 a, 227  
 dog: Bihar
- Dirofilaria sp.  
 Travassos, L. P., 1945 a, 155  
*Leopardus pardalis brasiliensis*: Porto  
 Cabral
- Dirofilaria sp.  
 Travassos, L. P., 1945 a, 156  
*Hydrochoerus hydrochaeris*: Porto Cabral
- Dirofilaria [sp.]  
 Tsil'man, A. A.; and Kusenok, I. I., 1959 a,  
 126-127  
 rare case of encapsulation
- Dirofilaria acutiuscula (Molin, 1858) n. comb.  
 Chitwood, B. G., 1933 c, 63  
 Syn.: *Filaria acutiuscula* Molin, 1858  
*Lynx canadensis*: Deadwood Creek, Distma  
 River Flat

- Dirofilaria acutiuscula* Molin, 1858  
*Bacigalupo, J.; da Graña, A.; and Dolcetti, M.*, 1957 a, 3-21, figs. 1-4  
 perros  
*Taeniorhynchus titilans*  
*Aedes albifasciatus*  
*Psorophora cyanescens*  
 all from Argentina
- Dirofilaria acutiuscula* (Molin, 1858) Chitwood, 1933  
*Briceño Iragorry, L.; and Diaz-Ungria, C.*, 1958 a, 335-340  
*Tayassus tajacu*
- Dirofilaria acutiuscula* (Molin, 1858)  
*Desportes, C.*, [1940 a], 516-517, 518-519, 523, 526  
*Tayassus tajacu: Am. S.*  
*T. albirostris*  
*Canis azarae*
- Dirofilaria acutiuscula* (Molin, 1858) Chitwood, 1933  
*Lent, H.; and Teixeira de Freitas, J. F.*, 1937 b, 38-44, 46, pls. 1-7  
 synonymy  
*Tayassus tajacu: America do Sul*  
*T. albirostris: " " "*
- Dirofilaria acutiuscula* LeRoux, P. L., 1958 a, 14  
 lion: Northern Rhodesia
- Dirofilaria acutiuscula* Lopez-Neyra, C. R.; and Tarazona Vilas, J. M., 1955 a, 87-89
- Dirophylaria* [sic] *acutiuscula* Nevenic, V. V., 1953 c, 237, 238, 239, 240  
 chien: Macédoine, Serbie et Monténégro
- Dirofilaria acutiuscula* Molin, 1858 Simić, C. P.; and Vlatkovic, B., 1940 a, 79-82  
 transplantation from dog to dog
- Dirofilaria acutiuscula* (Molin, 1858) Tuzdil, A. N., 1939 a, 13-14  
 Syn.: *D. repens* Raill. and Henry, 1911
- Dirofilaria aethiops* Webber [n. sp.] Webber, W. A. F., 1955 a, 124, 125, 130, 134, fig. 5 a-b  
*Cercopithicus aethiops johnstoni*  
*Colobus badius temmincki*
- Dirofilaria aethiops* Webber, 1955 Webber, W. A. F., 1955 b, 369-377  
 morphology of adult and microfilariae  
*Cercopithicus aethiops hohnstoni*  
*Colobus badius bembinckii*  
*Cercopithacus* sp.
- Dirofilaria aethiops* Webber, 1955 Webber, W. A. F., 1955 c, 388, figs. 1-15  
 larval development in mosquitoes  
*Aedes aegypti* (exper.)  
*Anopheles maculipennis atroparvus* (exper.)
- Dirofilaria aethiops* Webber 1955 (=D. corynodes) (Linstow 1899)  
*Chabaud, A. G.; and Rousselot, R.*, 1955 a, 78-84, 97, figs. 13-15  
*Cercopithecus cebus cebus*: Brazzaville
- Dirofilaria aethiops* n. sp. [nomen nudum] Hawking, F.; and McFadzean, J. A., 1954 a, 10, 11  
 periodicity
- Dirofilaria aethiops* Hawking, F., 1956 b, 397, 398  
 stimuli affecting migration of microfilariae
- Dirofilaria aethiops* Webber, 1955 Hawking, F.; and Webber, W. A. F., 1955 a, 378-387  
*Aedes aegypti*  
*Anopheles maculipennis* var. *atroparvus*  
*Macaca mulatta*
- Dirofilaria aethiops* Himsorth, H. P., [1957 b], 146-147  
*Cercopithecus* sp.
- Dirofilaria aethiops* Jordan, P., 1954 a, 537  
 mosquitoes (dejecta)
- Dirofilaria aethiops* Webber (1955) Lavoipierre, M. M. J., 1958 b, 332  
*Cercopithecus aethiops*  
*Colobus abdus*  
*?Ae[des] aegypti* (malpighian tubules)  
*An[opheles] maculipennis* " "
- Dirofilaria aethiops* Webber, 1955 Nelson, G. S., 1959 a, 234, 236, 242-243, 249, 250, 253, fig. 5  
 as syn. of *Dirofilaria corynodes* (Linstow, 1899)  
 key
- Dirofilaria aethiops* Taylor, A. E. R., 1960 g, 14, 23, 24, pl. 2, figs. 2-4  
 microfilariae
- Dirofilaria ailuri* [n. sp.] Ryzhikov, K. M.; and Romanova, N. P., (1961), Mosk. Zoopark (3), 90-94  
 pandy
- Dirofilaria asymmetrica* n. sp. Kreis, H. A., 1938 c, 330, 346-348, fig. 11 A-D  
*Cephalophus grimmia*: Südafrika
- Dirofilaria asymmetrica* Kreis, 1938 Kreis, H. A., 1940 a, 165  
*Cephalophus grimmia*
- Dirofilaria asymmetrica* Kreis 1938 (=D. kuelzii) (Rodenwaldt 1910)  
*Chabaud, A. G.; and Rousselot, R.*, 1955 a, 84-88, 97, figs. 16-17  
*Cephalophus dorsalis castaneus*: Brazzaville
- Dirofilaria bonnei* n. sp. Vogel, H.; and Vogelsang, E. G., 1930 a, 483-485, figs. 3, 4  
*Mus rattus*: Java
- Dirofilaria bonnei* Adiwinata, R. T., 1958 a, 232  
 Syn.: *Filaria bonnei*  
*Tikus* (mammal or bird): Indonesia
- Dirofilaria bonnei* (Vogel et Vogelsang, 1930) Desportes, C., [1940 a], 516-517, 522, 523  
*Mus rattus*: Java
- Dirofilaria bonnei* Vogel and Vogelsang, 1930 Lent, H.; and Teixeira de Freitas, J. F., 1937 b, 49  
*Mus (Epimys) rattus*: Java
- Dirofilaria conjunctivae* (Addario, 1885) [n. comb.] Desportes, C., [1940 a], 380-404, 527, figs. 1-5  
 Syn.: *Filaria conjunctivae* Addario 1885
- Dirofilaria conjunctivae* (Addario, 1885) Bevacqua, R.; and Wirth, A., 1950 a, 37-41, pl. 4, fig. 2
- Dirofilaria conjunctivae* (Addario, 1885) Desportes, 1939-1940 Faust, E. C., 1957 c, 60, 61, 62, 63-64, 66, 67  
 woman: Florida; Thailand
- Dirofilaria conjunctivae* (Addario, 1885) Desportes, 1939 Faust, E. C.; et al., 1952 a, 243, 245, 246, 247, 248, figs. 12-17  
 girl (eyelid): Florida
- Dirofilaria conjunctivae* (?) Harant, H.; and Brès, A., 1946 a, 286-287
- Dirofilaria conjunctivae* (Addario, 1885) Lamy, L.; and Girard, G. G., 1959 a, 28-29 France
- Dirofilaria conjunctivae* Lenth, V. T. J., 1960 a, 1124 (154)  
 human being: Florida

- Dirofilaria conjunctivae [sic] (Addario, 1885)  
 Desportes, 1939  
   López Neyra, C. R.; and Arandes Adán, R.,  
   1953 a, 323, 325, 327, 329, 330, pl., figs.  
   1-5  
     human: España  
 Dirofilaria conjunctivae [sic] (Addario, 1885)  
   López Neyra, C. R.; and Balcazar Rubio, M.,  
   1951 a, 369, 380, 381, 383, 384, 385  
     mujer: Alicante, Spain  
 Dirofilaria conjunctivae [sic] (Addario)  
   Lopez-Neyra, C. R.; and Balcazar Rubio, M.,  
   1951 b, 219-223  
     humano: España  
 Dirofilaria conjunctivae  
   Orihel, T. C., 1960 a, 3904  
 Dirofilaria corynodes (v. Linstow, 1899)  
   Baylis, H. A., 1939 b, 628  
     Colobus congoensis: Belgian Congo  
 Dirofilaria corynodes (Linstow 1899) (=Dirofilaria schoutedeni Vuylsteke et Rodhain, 1938;  
   =D. aethiops Webber 1955)  
   Chabaud, A. G.; and Rousselot, R., 1955 a,  
   78-84, 97, figs. 13-15  
     Cercopithecus cephagus: Brazzaville  
 Dirofilaria corynodes (v. Linst.)  
   Chandler, A. C., 1929 c, 6  
 Dirofilaria corynodes (Linstow, 1899)  
   Desportes, C., [1940 a], 516-517, 523  
     singes: Afrique  
 Dirofilaria corynodes (Linst.)  
   Gendre, E. (in Joyeux, C. E.; Gendre, E.; &  
   Baer, J. G., 1928 a, 67)  
     Cercopithecus callitrichus  
 Dirofilaria corynodes  
   Heisch, R. B.; Nelson, G. S.; and Furlong, M.,  
   1959 a, 44, 49, fig. 1e  
     Cercopithecus aethiops: Pate Island, Kenya  
     Aedes pombaensis: " " "  
 Dirofilaria corynodes  
   Henry, A. C. L.; and Joyeux, C. E., 1920 a, 177  
     Cercopithecus callitrichus  
 Dirofilaria corynodes (Linst., 1899)  
   Lent, H.; and Teixeira de Freitas, J. F.,  
   1937 b, 47  
     Cercocebus fuliginosus  
     Cercopithecus campbelli  
     C. nictitans  
     Semnopithecus albocinereus  
       all from Africa  
 Dirofilaria corynodes (Linstow, 1899)  
   Nelson, G. S., 1959 a, 234, 236, 242-243, 249,  
   250, 253, fig. 5  
     Syn.: Dirofilaria aethiops Webber, 1955  
     key  
     Cercopithecus aethiops  
     Colobus sp.  
     Aedes pombaensis  
       A. aegypti  
 Dirofilaria corynodes  
   Nelson, G. S., 1960 b, 585, 586, 589, 590, fig.  
 Dirofilaria corynodes  
   Nelson, G. S.; Heisch, R. B.; and Furlong, M.,  
   1962 a, 215  
     monkeys: Kenya coast  
     Aedes aegypti: " "  
     A. pombaensis: " "  
 Dirofilaria corynodes  
   Railliet, A.; and Henry, A. C. L., 1918 a, 84  
     monkey  
 Dirofilaria corynodes  
   Sprehn, C. E. W., 1927 c, 64  
 Dirofilaria corynodes  
   Taliaferro, W. H.; and Taliaferro, L. G.,  
   1931 a, 26  
     skin reactions in humans  
 Dirofilaria corynodes von Linstow, 1899  
   Vuylsteke, A., 1956 a, 471  
     Cercopithecus aethiops: Lac Upemba  
 Dirofilaria corynodes (Linst., 1899)  
   Yorke, W.; and Maplestone, P. A., 1926 a, 393  
     monkeys  
 Dirofilaria desportesi sp. nov.  
   Choquette, L. P. E., 1952 a, 344-346, 350,  
     figs. 1-5  
     Euarctos a. americanus: Lake Edward, P. Q.,  
       Canada  
 Dirofilaria digitata n. sp.  
   Chandler, A. C., 1929 c, 5-6, pl. 1, figs. 3, 4  
     Hylobates hoolock  
 Dirofilaria digitata Chandler, 1929  
   Baylis, H. A., 1939 b, 10  
     as syn. of Dipetalonema (?) digitatum (Chandler, 1929)  
 Dirofilaria (?) digitata Chandler, 1929  
   Desportes, C., [1940 a], 516-517, 522, 523  
     Hylobates: Indies; Indochinie  
 Dirofilaria (?) digitata Chandler, 1929  
   Lent, H.; and Teixeira de Freitas, J. F.,  
   1937 b, 48  
     Hylobates hoolock  
     H. leucogenys  
 Dirofilaria ? digitata Chandler, 1929  
   Sandground, J. H., 1933 c, 543, 575  
     Hylobates leucogenys: Lai Chan, Annam  
 Dirofilaria digitata Chandler, 1929  
   Sandground, J. H., 1938 e, 49  
     as syn. of Tetrapetalonema digitata (Chandler, 1929) [n. comb.]  
 Dirofilaria fausti nom. nov.  
   Skrjabin, K. I.; and Schikhobalova, N. P.,  
   1948 b, 160-162, fig. 36  
     Syn.: Dirofilaria spirocauda Faust, 1937  
     nec Leidy, 1858  
     Zalophus californiensis: USA  
 Dirifilaria fausti Skrjabin et Schikhobalova,  
 1948  
   Deliamure, S. L., [1956 b], 328  
     as syn. of Dirofilaria immitis (Leidy, 1856)  
     Aedes (Ochlerotatus) caspius: Europe; Asia;  
       Africa  
       A. (O.) taeniorhynchus: America  
       A. (O.) canadensis  
 Dirofilaria freitasi n. sp.  
   Machado de Mendonça, J., 1949 a, 647-651,  
     pl. 1, fig. 1, pl. 2, fig. 3  
     Bradypus tridactylus: Brasil  
 Dirofilaria genettae n. sp.  
   Baylis, H. A., 1928 e, 295-296, fig. 17  
     Genetta tigrina pardina: Nigeria  
 Dirofilaria genettae Baylis, 1928  
   Desportes, C., [1940 a], 516-517, 521, 524,  
   525  
     Genetta tigrina: Nigerie  
 Dirofilaria genettae Baylis, 1928  
   Lent, H.; and Teixeira de Freitas, J. F.,  
   1937 b, 48  
     Genetta tigrina pardina: Nigeria  
 Dirofilaria genettae Baylis, 1929  
   Sandground, J. H., 1933 c, 579  
     civet cat  
 Dirofilaria granulosa (Linst., 1906)  
   Desportes, C., [1940 a], 516-517, 520, 523,  
   524  
     Felis pardus: Af. ou Asie  
 Dirofilaria granulosa (Linst., 1906)  
   Lent, H.; and Teixeira de Freitas, J. F.,  
   1937 b, 47  
     Felis pardus: Asia ou Africa

- Dirofilaria granulosa*  
Sprehn, C. E. W., 1927 e, 64  
  *Felis pardus*
- Dirofilaria granulosa* (Linst., 1906)  
Yorke, W.; and Maplestone, P. A., 1926 a, 394  
  *Felis pardus*
- Dirofilaria histrix* n. n.  
Canavan, W. P. N., 1929 a, 92, 99  
  for *D. subcutanea* (v. Linst.) Boulenger,  
  1920  
  *Erethizon dorsatus*
- Dirofilaria hystrix*  
Jellison, W. L., 1933 a, 43, 44  
  *Erethizon dorsatum* (intestines, peritoneum)
- Dirofilaria hystrix* Canavan, 1929 after  
Boulenger  
Sandground, J. H., 1933 c, 578  
  *Erethizon dorsatus*
- Dirofilaria immitis* (Leidy, 1856)  
Abdel Azim, M., 1939 a, 34  
  chiens: Egypte
- Dirofilaria immitis*  
Adams, A. R. D., 1933 b, 8  
dogs: Seremban and Ipoh, Fed. Malay States
- Dirofilaria pongoi*  
Adiwinata, R. T., 1958 a, 232  
  Orang hutan (primate): Indonesia
- Dirofilaria immitis*  
Akiyama, S.; and Nishikawa, K., 1943 a, 34-35  
  research of microfilariae in sperm of dogs
- Dirofilaria immitis* (Leidy)  
Alessandrini, G. C., 1929 a, 203
- Dirofilaria immitis* (Leidy)  
Alicata, J. E., 1947 a, 77, 80  
  dogs: Hawaii  
  *Culex quinquefasciatus*  
  *Aedes aegypti*
- Dirofilaria immitis*  
Alicata, J. E.; and Morrison, R. H., 1936 a,  
41-42  
  dog (eye)
- Dirofilaria immitis*  
Alvarez Crespo, J., 1944 a, 199-202  
  investigation in dogs in Guayaquil
- Dirofilaria immitis*  
Ameel, D. J., 1955 a, 325  
  *Canis latrans*: Kansas
- Dirofilaria immitis*  
Ameel, D. J., 1955 b, 209  
  *Canis latrans*: Kansas
- Dirofilaria immitis*  
Anderes, R. L., 1936 a, 37-39  
  diagnosis, treatment, dogs
- Dirofilaria immitis*  
Anderson, R. C., 1957 e, 209, (7)  
  "possible steps in evolution"
- Dirofilaria immitis*  
Andrews, J. S.; and Maldonado, J. F., [1941 c],  
135  
  perro: Puerto Rico
- Dirofilaria immitis*  
Andrews, M. N., 1937 a, 146  
  dogs: Shanghai
- Dirofilaria immitis*  
Andrews, M. N., 1937 b, 167-168 (1-2), 1 fig.  
  hyper-infection of dogs with microfilariae
- Dirofilaria immitis*  
Arnao Mendoza, M., 1951 a, 81  
  *Canis familiaris*: corazón [Peru]
- Dirofilaria immitis*  
Ash, L. R., 1962 a, 63  
  dogs: Hawaii  
  cats: "
- Dirofilaria immitis*  
Aspinall, K. W., 1955 a, 13, 34  
  dog: Nyasaland
- Dirofilaria immitis*  
Atchley, F. O., 1951 a, 484  
  *Canis familiaris*: South Carolina
- Dirofilaria immitis*  
Augustine, D. L., 1929 a, 356
- Dirofilaria immitis* (Leidy, 1856)  
Augustine, D. L., 1938 a, 390-395  
  dogs: New England
- Dirofilaria immitis*  
Austin, J. E., 1939 a, 48  
  canine
- Dirofilaria immitis* (Leidy, 1856)  
Babić, I., 1933 a, 103  
  *Canis familiaris*: Jugoslaviji
- Dirofilaria immitis*  
Bacigalupo, J., 1941 a, 718, 722, 723  
  (por el estudio realizado de las microfilarias  
  as no parecen corresponder a los embriones  
  de la *Dirofilaria immitis*)
- [*Dirofilaria immitis*]  
Bader, M. N., 1938 a, 486-487  
  dogs
- Dirofilaria immitis*  
Bailey, R. W., 1958 b, 48  
  sentry dogs: Pacific air forces
- Dirofilaria immitis*  
Bailey, W. S., 1956 e, 39, 41
- Dirofilaria immitis*  
Bailey, W. S., 1960 b, 28  
  incidence in dogs: Philippine Islands
- Dirofilaria immitis*  
Balch, R. K.; Fonseca, J.; Rice, W. G.; and  
Leach, B. F., 1957 a, 298-301  
  canine: Far East
- Dirofilaria immitis*  
Basu, M. N., 1939 a, 118  
  antigen test, positive reactions
- Dirofilaria immitis* (Leidy)  
Baylis, H. A., 1929 c, 206-207, fig. 150  
  dog  
  cat
- Anopheles maculipennis  
*A. bifurcatus*  
Myzorhynchus pseudopictus  
Myzomyia superpicta  
Culex penicillaris  
C. vexans  
C. fatigans  
C. pipiens
- Dirofilaria immitis* (Leidy, 1856) Railliet and  
Henry, 1911  
Baylis, H. A., 1939 b, xxv, 3-5, 57, 255,  
figs. 1-2  
Syns.: *Filaria canis cordis* Leidy, 1850; *F.*  
*papillosa haematica canis-domestici* Gruby  
and Delafond, 1852; *F. papillosa haematica*  
Schneider, 1866; *F. haematica* Leuckart, 1867;  
*F. sanguinis* Cobbold, 1869; *Spirometra immitis* Ercolani, 1875; *Dirofilaria indica* Chakravarthy, 1936  
  dogs  
  cats
- Dirofilaria immitis* (Leidy, 1856)  
Baylis, H. A.; and Daubney, R., 1926 a, 195
- Dirofilaria immitis*  
Beattie, J. M.; and Dickson, W. E. C.,  
[1921 a], 438
- Dirofilaria immitis*  
Beatty, H. A., 1944 a, 110  
  dogs: St Croix, V. I.
- Dirofilaria immitis*  
Benetazzo, B., 1949 a, 80-89  
  intradermal reaction
- Dirofilaria immitis*  
Beye, H. K.; et al., 1953 a, 149, 152, 153,  
162  
  clinical manifestations: Tahiti, Oceanie  
  française
- Dirofilaria immitis* (Leidy, 1856)  
Bhattacharjee, J., 1937 a, 94  
  synonymy  
  dog: Burma

- Dirofilaria immitis**
- Bicknell, S. R.; Clabby, J.; Dowling, M. A. C.; and Hughes, C. M., 1956 a, 6-17  
control, canine filariasis
  - Dirofilaria immitis**
  - Bicknell, S. R.; Clabby, J.; Dowling, M. A. C.; and Hughes, C. M., 1956 b, 94-103  
control, canine filariasis
  - Mansonia uniformis* (vector)
  - Dirofilaria immitis Leidy**
  - Bisbocci, G., 1939 a, 113-115, 1 fig.  
*Phoca (Calocephalus) vitulina*: Amburgo (e  
dopo tre anni circa di permanenza  
nell'Aquarium di Torino)
  - Dirofilaria immitis**
  - Bishopp, F. C.; and Webb, J. L., 1938 a, 163  
*Aedes geniculatus* (exper.)  
*A. punctor*  
*Anopheles plumbeus* (only in malpighian  
tubes) (exper.)  
*Aedes aegypti* (exper.)
  - Dirofilaria immitis**
  - Blackberg, S. N.; and Ashman, R., 1930 a, 634  
electrocardiographic studies, infested dogs
  - Dirofilaria immitis**
  - Blackberg, S. N.; and Ashman, R., 1930 b, 204-  
211, fig. 1  
electrocardiographic studies, infested dogs
  - Dirofilaria imuritidis [sic]**
  - Blamey, E. R., 1934 a, 75
  - Dirofilaria immitis**
  - de Boer, E., 1948 a, 175, 176, 177  
hond
  - Dirofilaria immitis**
  - Bonne, C., 1920 a, 209, 210  
Surinam
  - Dirofilaria immitis**
  - Bozicevich, J.; et al., 1947 a, 51, 52, 55, 57  
58, 59, 60, 61
  - Dirofilaria immitis**
  - Bozicevich, J.; and Hutter, A. M., 1944 a, 203,  
204, 205, 206, 207, 208  
intradermal and serological tests, human
  - Dirofilaria immitis**
  - Bremner, K. C., 1961 a, 1190  
copper content
  - Dirofilaria immitis**
  - Brewer, N. R., 1945-46 a, 24, 35
  - Dirofilaria immitis**
  - Brown, H. W.; and Sheldon, A. J., 1940 a,  
230-231  
*Ctenocephalus felis*
  - Dirofilaria immitis**
  - Brumley, O. V., 1921 a, 330, 332  
Syn.: *Filaria immitis*  
dog
  - Dirofilaria immitis**
  - Brumpt, E., 1922 f, 24, 680
  - Dirofilaria immitis**
  - Brumpt, E., 1927 e, 29, 732, 742
  - Dirofilaria immitis**
  - Brygoo, E. R.; Dodin, A.; and Capron, A.,  
1959 a, 217  
chien: Madagascar
  - Dirofilaria immitis**
  - Bump, G., 1942 a, 219  
muskrat: New York State
  - [**Dirofilaria immitis**]  
Burch, G. R., 1952 b, 384  
incidence in dogs: central Indiana
  - Dirofilaria immitis** (Leidy, 1856)
  - Burdzhanadze, P. L., 1943 a, 60  
*Canis familiaris*: Georgia [SSR]
  - [**Dirofilaria immitis**] "heartworms"  
Burns, H. C., 1941 a, 120  
veterinary practice: Bahamas
  - [**Dirofilaria immitis**], illus.
  - Burns, H. C., 1942 a, 79  
Bahamas
  - [**Dirofilaria immitis**]  
Burns, H. C., 1944 a, 325-327  
British racing greyhound kennels: Nassau
  - Dirofilaria immitis** (Leidy, 1856)
  - Caballero y C., E., 1944 a, 108, 109-113,  
figs. 1-5  
Nasua narica: Rio Tonto, Distrito de Tuxte-  
pec, Oax.
  - Dirofilaria immitis** (Leidy, 1856) Railliet y  
Henry, 1911
  - Caballero y C., E., 1949 b, 137-138  
Nasua narica: Chiapas, Mexico
  - Dirofilaria immitis** (Leidy, 1856)
  - Caldas, A. D.; Cavalcante de Queriroz, J.; and  
Mello, D., 1958 a, 70  
canine: estado de São Paulo
  - Dirofilaria immitis Leidy**
  - Cambournac, F. J. C.; and Pitta Simões, J. M.,  
1943 a, 115-125  
frequency in dogs: Aguas de Moura
  - Dirofilaria immitis**
  - Cameron, T. W. M., 1927 a, 555  
man  
dog
  - Dirofilaria immitis**
  - Cameron, T. W. M., 1933 c, 513  
dog: British Empire
  - Dirofilaria imanitis** [i.e. *immitis*]  
Carini, A.; and Maciel, J. J., 1917 a, 732  
*Canis familiaris*
  - Dirofilaria immitis**
  - Carnes, J. F., 1947 a, 159, fig.  
canine, field observations
  - Dirofilaria immitis**
  - Castellani, A.; and Chalmers, A. J., 1919 a,  
633, 645, 1598
  - Dirofilaria immitis**
  - Cates, J. S., 1934 a, 10, 74  
dogs
  - Dirofilaria immitis** (Leidy 1856)
  - Chatterji, R. C., 1940 c, 60  
dog: Burma
  - Dirofilaria immitis**
  - Chen, H. T., 1934 b, 76, 78, 85, 86  
dogs: Canton, China
  - Dirofilaria immitis**
  - Chitwood, B. G.; and Chitwood, M. B., 1937 b,  
15, 30, 31, fig. 14L-M, fig. 44 D
  - Dirofilaria immitis**
  - Chitwood, B. G.; and Chitwood, M. B., 1938 a,  
66, fig. 59 A
  - Dirofilaria immitis**
  - Chung, H.-L.; and Li, T. C., 1940 a, 661-670  
dogs
  - Dirofilaria immitis**
  - Clarkson, M. N.; and Owen, L. N., 1959 a, 343  
dog: Bahama Islands
  - Dirofilaria immitis**
  - Clearkin, P. A., 1943 a, 8, 9, 10  
British Guiana
  - Dirofilaria immitis**
  - Clearkin, P. A., 1945 a, 317, 318, 321
  - Dirofilaria immitis** (Leidy)
  - Clunies Ross, I., 1925 a, 94-95  
dog: New South Wales
  - Dirofilaria immitis**
  - Coffin, D. L., 1944 a, 611, 612  
*Canis occidentalis*: Philadelphia Zoological  
Gardens
  - Dirofilaria immitis**
  - Cohon, D. B., 1957 a, 149
  - Dirofilaria immitis**
  - Coutelen, F. R., 1927 b, 2
  - Dirofilaria immitis** (Leidy)
  - Coutelen, F. R., 1928 b, 316, 318, 321
  - Dirofilaria immitis**
  - Coutelen, F. R., 1929 f, 411

- Dirofilaria immitis*  
 Cowie, D. B.; et al., 1945 a, 192-195  
 localization of radioactive antimony following multiple daily injections to infected dog
- Dirofilaria immitis*  
 Craige, A. H., 1934 a, 13-14  
 routine examination of dog urine
- Dirofilaria immitis*  
 Crowe, C. E., 1932 a, 83-84; 105-106
- Dirofilaria immitis*  
 Curell, S. P., 1957 a, 148-149  
 Michigan
- Dirofilaria immitis*  
 Dacorse Filho, P., 1944 a, 211, 212, 213, 216, 217, fig. 3  
 cão
- Dirofilaria immitis*  
 Dacorse Filho, P.; Langenegger, J.; and Döbereiner, J., 1953 a, 22-27, 2 figs.  
 cães
- Dirofilaria immitis*  
 Dagain, R.; Gonzalez, P.; and Pompon, B., 1959 a, 25-26  
 chien (cardio-vasculaire)
- Dirofilaria immitis*  
 Davis, W. G., 1935 a, 3, 5, 7, 1 fig.
- Dirofilaria immitis* (Leidy, 1856)  
 Deliamure, S. L., [1956 b], 328  
 Syn.: *Dirofilaria fausti* Skrjabin et Schikhobalova, 1948  
*Aedes (Ochlerotatus) caspius*: Europe; Asia; Africa  
*A. (O.) taeniorhynchus*: America  
*A. (O.) canadensis*
- Dirofilaria immitis*  
 Delanova, R. Sh., 1957 a, 69  
 distribution
- Dirofilaria immitis*  
 Depieds, R.; and Remon, J., 1955 a, 824-826  
 endemicity, dog
- Dirofilaria immitis*  
 Descazeau, J., 1923 a, 231, 237, 238, 239
- Dirofilaria immitis* (Leidy, 1858)  
 Desportes, C., [1940 a], 515, 516, 517, 520, 522, 523, 524, 525  
*Canis familiaris*  
*Vulpes vulpes*  
*Felis catus*
- Dirofilaria immitis*  
 Dibbell, C. B., 1951 a, 298  
 dog (abdominal cavity)
- Dirofilaria immitis*  
 Dibbell, E. B., 1935 a, 493-499  
 veterinary practice
- Dirofilaria immitis*  
 Dibbell, E. B., 1935 b, 20-21, 1 fig.
- [*Dirofilaria*] *immitis*  
 Dickson, J. G.; Huntington, R. W. (jr); and Eichold, S., 1943 a, 1249
- Dirofilaria immitis*  
 Dikmans, G., 1948 f, 17, 23  
 skin lesions
- Dirofilaria immitis*  
 Dold, H.; and Fischer, W., 1918 a, 433  
 causing complications in dog with naturally acquired bacillary dysentery
- Dirofilaria immitis*  
 Dold, H.; and Fischer, W., 1920 a, 204  
 dog: Shanghai
- Dirofilaria immitis*  
 Dostrovsky, A.; and Sagher, F., 1946 a, 33-34  
 relationship between *D. immitis* and "eosinophilic erythredema"
- Dirofilaria immitis*  
 Douglas, J. R.; and Hage, T. J., 1950 a, 15  
 dog
- Dirofilaria immitis*  
 Douwes, J. B., [1938 b], -128  
 hond: Nederl.-Indie
- Dirofilaria immitis*  
 Drinker, C. K.; Augustine, D. L.; and Leigh, O. C., 1935 a, 51-58, figs. 1-2  
 filtration of microfilariae by lymph nodes
- Dirofilaria immitis*  
 D'Souza, B. A., 1950 a, 414  
 clinical aspects, canine
- Dirofilaria immitis*  
 Durr, J. L., 1962 a, 7, fig.  
 canine
- Dirofilaria immitis*  
 Durrer, J. L., 1957 a, 56  
 dog: Central Indiana
- Dirofilaria immitis*  
 Earl, P. R., 1959 a, 163-175, figs. 1-3  
 filariae from dog in vitro
- Dirofilaria immitis*  
 Eastman, D. A., 1936 a, 90-93  
 recent developments in small animal practice
- Dirofilaria immitis* (Leidy, 1856) Railliet and Henry, 1911  
 Erickson, A. B., 1944 b, 359, 360, 365, 366, 371  
 key  
*Canis lupus*: North America  
*C. rufus floridanus*: North America  
*Vulpes fulva*: " "
- Dirofilaria immitis*  
 Eyles, D. E.; Gibson, C. L.; Jones, F. E.; and Cunningham, M. E. G., 1954 a, 216-221  
 prevalence in Memphis, Tennessee
- Dirofilaria immitis*  
 Eyles, D. E.; Hunter, G. W. III; and Warren, V. G., 1947 a, 204
- Dirofilaria immitis*  
 Faust, E. C., 1921 e, 196-210  
 dog: China
- Dirofilaria immitis*  
 Faust, E. C., 1922 h, 253, 254
- Dirofilaria immitis*  
 Faust, E. C., 1923 a, 41  
 dog: China
- Dirofilaria immitis*  
 Faust, E. C., 1925 e, 513, 514
- Dirofilaria immitis*  
 Faust, E. C., 1928 k, 158  
*Culex pipiens*  
 dog: China
- Dirofilaria immitis*  
 Faust, E. C., 1929 a, 27, 40  
 dog: China  
 cat: "
- Dirofilaria immitis*  
 Faust, E. C., 1929 c, 322, 447, 453, 454
- Dirofilaria immitis*  
 Faust, E. C., 1937 c, 131-134, 135, 137, 138  
 [to *Dirofilaria* n. subg.]  
*Vulpes vulpes*: China  
*Canis dingo*: Australia  
*C. brachyurus*: Brazil  
*Canis* sp. (Japanese wolf): Japan  
*Felis catus domestica*: Peiping, China  
*F. onca*: Surinam  
*F. tigris*: Tonkin, French Indo-China  
*F. tigris sondiaca*: Netherlands Indies  
*Canis familiaris*: Wuchang, China  
*C. floridanus*: Lake Pontchartrain, N. Orleans
- Dirofilaria immitis*  
 Faust, E. C.; Thomas, E. P.; and Jones, J., 1941 a, 116, 119  
 New Orleans
- Dirofilaria immitis*  
 Faust, E. C.; and Wassell, C. M., 1921 a, 548
- Dirofilaria immitis*  
 Feng, L.-C., 1930 a, 347-366  
 experimental work with mosquitoes

- Dirofilaria immitis*  
 Feng, L.-C.; Chung, H.-L.; and Hoepli, R. J.  
 C., 1939 a, 371, 372  
 canine, skin lesions: Peiping
- Dirofilaria immitis*  
 Fisher, J. R., 1933 a, 241  
 dogs: far north
- Dirofilaria immitis*  
 Floch, H., 1954 f, 171, 173, 175, 176
- Dirofilaria immitis*  
 Foley, H., 1921 a, 216
- Dirofilaria immitis*  
 Foley, H.; Cattanei, A.; and Vialatte, Ch.,  
 1926 a, 500, 503
- Dirofilaria immitis*  
 Foshay, L., 1947 a, 236, 239, 242, 243, pl. 2
- Dirofilaria immitis*  
 Foster, A. O., 1939 b, 102  
 dog: Panama
- [*Dirofilaria immitis*]  
 Foster, A. O., 1940 a, 13  
 (efficiency of racing and hunting dogs in  
 Panama greatly impaired by heartworms and  
 hookworms)  
 dogs: Panama
- Dirofilaria immitis*  
 Fox, C., 1925 a, 136  
*Ctenocephalus canis*  
*C. felis*
- Dirofilaria immitis*  
 Franks, M. B.; and Stoll, N. R., 1945 a, 158,  
 159, 161, 162, figs. 1-2, 4-5  
 isolation of microfilariae from blood for use  
 as antigen
- Dirofilaria immitis* (Leidy)  
 Freund, L., 1930 c, 104
- Dirofilaria immitis*  
 Frickers, J., 1938 a, 921-924  
*Canis familiaris*: Suriname
- Dirofilaria immitis*  
 Frickers, J., 1939 a, 674  
 hond: Suriname
- Dirofilaria immitis*  
 Fu, T.-H., 1958 a, 455-465  
*Aedes albopictus* (exper.)  
*Anopheles hyrcanus*"  
*Culex pipiens*"  
*C. tritaeniorhynchus*"
- Dirofilaria immitis*  
 Fülleborn, F., 1913 a, 28, 45
- Dirofilaria immitis*  
 Fülleborn, F., 1913 b, 187, 193, 228, 242,  
 255, 315, fig. 1
- Dirofilaria immitis*  
 Fülleborn, F., 1920 g, 346
- Dirofilaria immitis*  
 Fülleborn, F., 1929 b, 1045, 1051, 1133, 1134,  
 1185, fig. 1
- Dirofilaria immitis* Leidy  
 Galliard, H., 1937 a, 130-132  
 evolution in *Aedes (Stegomyia) aegypti*  
 and *A. albopictus*: Tonkin
- Dirofilaria immitis*  
 Galliard, H., 1941 b, 209, 210, 212, 213,  
 pl. 13, figs. 1-4, 6  
*Aedes aegypti*  
*A. albopictus*
- Dirofilaria immitis*  
 Galliard, H., 1957 b, 476  
 mortality in infested Culicidae
- Dirofilaria immitis*  
 Galliard, H., 1958 a, 515  
 mortality in infested Culicidae
- Dirofilaria immitis*  
 Galliard, H.; and Dang-Van-Ngu, 1938 a, 210-  
 214, pl. 2, figs. 1-5  
 seasonal variation in *Aedes (Stegomyia) al-*  
*bopictus*
- Dirofilaria immitis*  
 Galliard, H.; and Dang-Van-Gnu, [1948 a], 162
- [*Dirofilaria immitis*] heart worms  
 Geary, J. C., 1955 a, 76  
 dog: New York State
- Dirofilaria immitis*  
 Gee, R. W.; and Auty, J. H., 1957 a, 152-153  
 dog: Shepparton, Victoria, Australia
- Dirofilaria immitis* (Leidy)  
 Ginetsinskaia, T. A., 1957 a, 54
- Dirofilaria immitis* (Leidy, 1856)  
 Goble, F. C., 1942 b, 346  
*Ondatra zibethica zibethica*: marsh in Greene  
 County, New York
- Dirofilaria immitis*  
 Gordon, R. M.; and Young, C. J., 1922 a, 298  
 dog: Amazonas Brazil
- Dirofilaria immitis*  
 Graham, R.; et al., 1933 a, 53, figs.  
 dogs
- Dirofilaria immitis*  
 Granouillet, F.; and Do-Van-Vien, 1936 a, 617-  
 630  
 chien: Cochinchine
- Dirofilaria immitis*  
 Gretillat, S., (1957 f), 115-116  
 domestic animals: Madagascar
- Dirofilaria immitis*  
 Griffiths, H. J.; Schlotthauer, J. C.; and  
 Gehrmann, F. W., 1962 a, 61, fig. 1  
 cat (heart): Minnesota
- Dirofilaria immitis*  
 Habermann, R. T.; and Williams, F. P.  
 (jr.), 1958 a, 989, 1006, 1007, pl. 104,  
 fig. 17  
 dog  
 cat  
 fox  
 wolf
- Dirofilaria immitis* (Leidy)  
 Hall, M. C., 1922 y, 150-151, 155  
 dog  
 fox  
 wolf
- Felis sondaicus*
- Dirofilaria immitis*  
 Hall, M. C., 1923 c, 34-35, 51  
 dog  
 cat
- Dirofilaria immitis*  
 Hall, M. C., 1926 d, 87  
 vomited by a dog
- Dirofilaria immitis*  
 Hall, M. C., 1929 b, 40, 48, 56, 57, 58, 60,  
 61  
 dog  
*Aedes aegypti*  
*A. punctatus*  
*A. vagans*  
*A. vexans*  
*Anopheles algeriensis*  
*A. bifurcatus*  
*A. maculipennis*  
*A. palestinus*  
*A. sinensis*  
*A. superpictus*  
*Culex malariae*  
*C. penicillaris*  
*C. pipiens*  
*C. quinquefasciatus*  
*C. fatigans*  
*Myzorhynchus pseudopictus*  
*Myzomyia superpicta*  
*Ctenocephalus canis*  
*C. felis*  
*Rhipicephalus sanguineus*  
*Aedes caspius*  
*Anopheles hyrcanus sinensis*  
*A. hyrcanus pseudopictus*  
*A. sinensis pseudopictus*

- Dirofilaria immitis**
- Hall, M. C.; and Wigdor, M., 1918 f, 736  
dog: U. S.
  - Dirofilaria immitis**  
Hardenbergh, J. G., 1951 a, 166  
(correction of error in Jan. 1951 issue)
  - Dirofilaria immitis**  
Harris, C. H., 1932 a, 28-30
  - Dirofilaria immitis**  
Harris, J. S.; and Summers, W. A., 1945 a, 497  
concentration method for demonstrating micro-  
filariae in blood
  - Dirofilaria immitis**  
Hartzell, H. P., 1932 a, 210-211  
canine
  - Dirofilaria immitis Leidy**  
Hauck, E., 1922 a, 10  
Mensch  
Hund  
Wolf  
Fuchs  
Culex  
Anopheles
  - Dirofilaria immitis**  
Hawking, F., 1962 b, 168-172  
role of spleen in controlling number of  
microfilariae
  - Dirofilaria immitis**  
Hayman, J. M. (jr.), 1945 a, 398, 403  
early manifestations
  - Dirofilaria immitis**  
Hays, I. M., 1933 a, 140-143  
dogs
  - Dirofilaria immitis**  
Hays, I. M., 1935 a, 23-24
  - [**Dirofilaria immitis**] heartworm  
Hays, I. M., 1937 a, 12-13
  - Dirofilaria immitis**  
Healy, G. R.; and Kagan, I. G., 1961 a, 290  
dogs: Atlanta, Georgia
  - Dirofilaria immitis**  
Heisch, R. B.; Nelson, G. S.; and Furlong, M.,  
1959 a, 44, 49, fig. 1d  
dog  
Aedes pempaensis  
both from Pate Island, Kenya
  - Dirofilaria immitis**  
Henry, M., 1933 b, 990  
fox: Moree, New South Wales
  - Diro-filariasis immitis [sic]**  
Hill, V. U., 1934 a, 252-257  
canine
  - Dirofilaria immitis**  
Hines, M. P., 1961 a, 6-7
  - Dirofilaria immitis**  
Hinman, E. H., 1933 b, 131  
chemotactic effect of salivary secretion of  
mosquitoes
  - Dirofilaria immitis**  
Hobbs, W. R., 1940 a, 383-391  
canine
  - Dirofilaria immitis**  
Hobson, H. P., 1959 a, 537-544  
angiography
  - Dirofilaria immitis**  
Hobson, H. P., 1960 a, 162-163  
angiography
  - Dirofilaria immitis**  
Hodgkin, E. P., 1938 a, 79, 81-82, 92  
Mansonia indiana (exper.)  
M. longipalpis "  
Culex tritaeniorhynchus "  
dogs (exper.)  
Aedes (S.) aegypti "  
A. (S.) albopictus "
- Dirofilaria immitis-- Continued.**
- Hodgkin, E. P., 1938 a  
Anopheles barbirostris "  
A. hyrcanus v. sinensis "  
Culex gelidus "  
Mansonia (M.) annulatus "  
M. (M.) annulifera "  
M. (M.) indiana "  
M. (M.) longipalpis "  
M. (M.) uniformis "
  - Dirofilaria immitis**  
Hoepli, R. J. C., 1929 a, 359-361, fig. 3  
Hund
  - Dirofilaria immitis**  
Hoepli, R. J. C.; and Feng, L. C., 1933 c,  
180, 181  
no effect on coagulation of rabbit blood
  - Dirofilaria immitis**  
Houdemer, F. E., 1927 a, 204, 209, 245, 248-  
250, 251  
canides  
Felis tigris
  - Dirofilaria immitis**  
Houdemer, F. E.; and Bablet, J., 1927 a, 347
  - Dirofilaria immitis**  
Hsiao, T.-y., 1946 a, 18  
dogs: Mukden
  - Dirofilaria immitis Leidy**  
Hsieh, H. C.; and Chuang, C. H., 1956 a, 502-  
504 (20-22)  
periodic appearance of microfilaria in  
peripheral blood of dog: Taiwan (Formosa)
  - Dirofilaria immitis (Leidy, 1856)**  
Hsu, H. F.; and Li, S. Y., 1941 b, 201, 202,  
203, 204, 205, 206, 209, 211  
dogs: Peiping  
Anopheles hyrcanus var. sinensis  
Aedes koreicus
  - Dirofilaria immitis**  
Hsu, K. C., 1948 a, 367, 368, 370  
survey  
dogs: Chengtu, Szechuan
  - Dirofilaria immitis Leidy**  
Hu, S. M. K., 1931 a, 614-629  
Anopheles maculipennis  
A. bifurcatus  
A. hyrcanus  
A. hyrcanus pseudopictus  
A. superpictus  
A. algeriensis  
A. hyrcanus sinensis  
Aedes aegypti  
A. vexans  
A. caspius  
A. koreicus  
Culex pipiens  
C. fatigans  
Aedes canadensis  
A. sollicitans  
A. taeniorhynchus  
Culex territans  
Anopheles punctipennis  
Culex salinarius
  - Dirofilaria immitis**  
Huang, W. H.; Chiu, J. K.; and Kao, C. T.,  
1957 a, 614  
dogs: Northern Taiwan
  - Dirofilaria immitis**  
Huard, P.; Vu-Cong-Hoe; and Tran-Anh, 1951 a,  
911-914  
hematochyluria
  - Dirofilaria immitis**  
Huntington, R. W. (jr.), 1945 a, 707, 708,  
709, 711, 712, 713, 715, 716
  - Dirofilaria immitis**  
Hutson, L. H., (1943?a), 1-19  
canine

- Dirofilaria immitis* (Leidy)  
 Ihle, J. E. W., 1918 c, 306
- Dirofilaria immitis*  
 Ihle, J. E. W., 1924 a, 17
- Dirofilaria immitis*  
 Ikeda, K., 1936 a, 1035-1060  
 complement binding reaction
- Dirofilaria immitis*  
 Inariba, S., 1957 a, 63, 132  
 canine
- Dirofilaria immitis*  
 Inoue, T., 1936 b, 1737-1754 (19-36)  
 seasonal appearance of immature worm
- Dirofilaria immitis*  
 Inoue, T., 1936 c, 753-773 (41-61)  
 development of larvae in *Aedes togoi*
- Dirofilaria immitis*  
 Inoue, T., 1937 a, 1097-1128 (63-94)  
 development in mosquitoes  
*Aedes togoi*  
*A. albopictus*  
*Culex pipiens pallens*  
*C. tritaeniorhynchus*
- Dirofilaria immitis*  
 Inoue, T., 1937 d, 1183-1199 (1-17)  
 resistance of infective larvae to environmental conditions
- Dirofilaria immitis*  
 Inoue, T., 1938 a, 71-87  
 cutaneous infection experiment
- Dirofilaria immitis*  
 Inoue, T., 1939 a, 55 (83)  
 periodic appearance of larvae
- Dirofilaria immitis* (Leidy)  
 Isshiki, O., 1939 b, 77, 78, 79, 81, 82, 87  
*Canis familiaris*
- Dirofilaria immitis*  
 Itagaki, S., [1938 a], 145-146
- Dirofilaria immitis*  
 Itagaki, S., 1949 a, 8  
 filariae and veterinary hygiene
- Dirofilaria immitis*  
 Itagaki, S.; and Kume, S., 1938 a, 1059-1263
- Dirofilaria immitis*  
 Itinose, K., 1941 a, 47-48 (9)
- Dirofilaria immitis*  
 Ito, J.; et al., 1958 a, 677 (75)  
 dogs: Shizuoka prefecture
- Dirofilaria immitis*  
 Ito, J.; et al., 1959 a, 652  
 dog
- Dirofilaria immitis*  
 Ito, J.; et al., 1959 c, 155-159  
 dogs: Shizuoka prefecture
- Dirofilaria immitis*  
 Iyengar, M. O. T., 1957 a, iii, 1, 2, 3, 4, 5,  
 6, 7, 8, pl. 4, pl., fig. 1, pl., fig. 3(1),  
 pl., fig. 6, pl., fig. 7
- [*Dirofilaria immitis*] heartworm  
 Jackson, W. F., 1956 a, 14-15  
 dogs
- Dirofilaria immitis*  
 Jackson, W. F.; et al., 1958 a, 23-26
- Dirofilaria immitis* Leidy, 1856
- Jimenez Millán, F., 1959 a, 43, 48-50  
*Canis c. domesticus*: Madrid and vicinity
- Dirofilaria immitis*  
 Johnston, T. H., 1916 a, 42, 64, 66  
*Canis familiaris*  
*Culex fatigans*
- Dirofilaria immitis* (Leidy)  
 Joyeux, Ch.; and Baer, J. G., [1931 c], 396,  
 402  
 chien (foie, placenta)
- Dirofilaria immitis* (Leidy)  
 Joyeux, C. E.; and Cabassu, J., 1935 a, 187-193  
 chiens: Camargue
- Dirofilaria immitis* (Leidy, 1856)  
 Joyeux, C. E.; and Sautet, J. J. J., 1937 a,  
 361-362  
 culture of microfilaria  
 chiens: Camargue
- Dirofilaria immitis*  
 Joyeux, C. E.; and Sautet, J. J. J., 1938 a,  
 576  
 microfilariae of dogs
- Dirofilaria immitis*  
 Joyeux, C. E.; and Sautet, J. J. J., 1938 c,  
 122-123  
*Ctenocephalus canis*  
*Rhipicephalus sanguineus*  
*Triatoma infestans*
- Dirofilaria immitis*  
 Judy, W. L., 1935 a, 1-134  
 Chicago
- Dirofilaria immitis*  
 Juminer, B.; and Durand, M., 1960 a, 392, 393  
 dog
- Dirofilaria immitis*  
 Kamo, M., 1956 a, 236-237  
 spreading factor
- Dirofilaria immitis*  
 Kartman, L., 1953 f, 296  
 problem of non-infective microfilariae
- D[irofilaria] immitis  
 Katamine, D.; and Era, E., 1958 a, 273 (85)
- Dirofilaria immitis*  
 Katamine, D.; Fujimaki, H.; and Kugita, Y.,  
 1955 a, 106-107  
 incidence: Nagasaki City
- Dirofilaria immitis*  
 Kawasaki, K.; Hamada, Y.; and Masuya, T.,  
 1959 a, 366-367  
 distribution of microfilariae in the dog
- Dirofilaria immitis*  
 Kersten, W., 1959 a, 217-219  
 dogs: Germany
- Dirofilaria immitis*  
 King, B. G., 1944 a, 286, 292, 295, 297
- Dirofilaria immitis*  
 Kingscote, A. A., [1953 a], 54, fig. 9
- Dirofilaria immitis*  
 Klemperer, P.; and Moschkowitz, L., 1938 a, 223  
*Canis nubilus*: New York Zool. Gardens (from  
 Colorado mountains)
- Dirofilaria immitis* (Leidy)  
 Kobayashi, H., 1921 b, 404
- Dirofilaria immitis*  
 Kobayashi, H., 1921 c, 469
- Dirofilaria immitis*  
 Kobayashi, M., 1961 a, 472, 473
- Dirofilaria immitis*  
 Kobayashi, S.; Ohishi, I.; and Kume, S.,  
 1960 a, 405-406
- Dirofilaria immitis*  
 Komarek, E. V., 1937 a, 564  
*Urocyon c. floridanus*
- Dirofilaria immitis*  
 Korke, V. T., 1924 a, 1234-1235, 1236
- Dirofilaria immitis*  
 Koutz, F. R., 1944 a, 199, 201, 203
- Dirofilaria immitis*  
 Koutz, F. R.; and Rebrassier, R. E., 1942 a,  
 215, 216  
 dogs
- Dirofilaria immitis*  
 Kraneveld, F. C., 1939 a, 79  
 hond: Nederl.-Indie (Watampone)
- Dirofilaria immitis*  
 Kraneveld, F. C., 1940 a, 76  
 hond: Koetajarakadja
- Dirofilaria immitis*  
 Kraneveld, F. C., 1941 a, 78  
 hond: Palembang

- Dirofilaria immitis*  
 Kraneveld, F. C.; and Djaenoedin, R., 1954 a,  
 41-44  
 hond
- Dirofilaria immitis*  
 Kreis, H. A., 1932 e, 479  
 dog (heart)
- Dirofilaria immitis* (Leidy, 1856)  
 Kreis, H. A., 1936 a, 60-66, figs. 1-2
- Dirofilaria immitis* (Leidy, 1856)  
 Kreis, H. A., 1940 a, 164  
 Canis familiaris
- Dirofilaria immitis*  
 Krijgsman, B. J., 1933 d, 376  
 Syn.: *Filaria immitis*  
 Hond (hart): *Nederlandsch-Indie*
- Dirofilaria immitis*  
 Krotov, A. I., 1960 c, 485
- Dirofilaria immitis*  
 Kume, S., 1951 c, 187, 188, 190, 191
- Dirofilaria immitis*  
 Kuo, S.-c.; and Kiang, L.-m., 1943 a, 15, 16,  
 18  
 dogs: Chengtu
- Dirofilaria immitis*  
 Laird, M., 1951 e, 1, 8, text-fig. 2, fig. 2  
 dogs: Suva, Fiji
- Dirofilaria immitis*  
 Lampe, P. H. J., 1950 a, 195, 197, 199, 200,  
 201, 202, 204, 206, 208  
 Surinam
- Dirofilaria immitis*  
 Lancaster, W. E., 1957 a, 161  
 dog: Malaya
- Dirofilaria immitis*  
 Lane, C., 1937 a, 68-70, 73-74
- Dirofilaria immitis*  
 Langeler, J. E. T., 1956 a, 424, 425  
 hond: Surinam (Dutch Guinea)
- Dirofilaria immitis*  
 Langeron, M., 1927 a, 842, 843, 844
- Dirofilaria immitis*  
 Larsen, S., 1962 a, 158
- Dirofilaria immitis*  
 Laurie, W., [1951? f], 23-26  
 symptoms
- Dirofilaria immitis*  
 Lawton, A. H.; Brady, F. J.; Ness, A. T.; and  
 Haskins, W. T., 1945 a, 263, 265, 266, 267,  
 268
- [*Dirofilaria immitis*]  
 Leash, A. M.; and Hanson, N., 1961 a, 70  
 incidence: Michigan State Univ. veterinary  
 clinic
- Dirofilaria immitis*  
 LeCompte, E. L., 1933 a, 2  
 scientific investigation of muskrat industry  
 in Maryland
- Dirofilaria immitis* Leidy  
 Leger, M.; and Baury, A., 1922 a, 937
- Dirofilaria* [sic] *immitis*  
 Legg, J., 1924 a, 105
- [*Dirofilaria immitis*]  
 Legros; and Mathieu, 1874 a, 296  
 chien
- Dirofilaria immitis*  
 Leiper, J. W. G., 1957 a, 18  
 dogs (blood stream): Iraq
- Dirofilaria immitis*  
 Le Lay, P., 1941 a, 89 pp.  
 chien (cardio-vasculaire)
- Dirofilaria immitis* (Leidy, 1856)  
 Lent, H.; and Teixeira de Freitas, J. F.,  
 1937 b, 45-46  
 synonymy  
 Canis familiaris  
 Felis catus dom.  
 Nasua sp.
- Dirofilaria immitis*  
 Li, F. S.; and Wu, S. C., 1934 a, 98, 103, 106,  
 112, 114
- Dirofilaria immitis*  
 Li, S. Y.; and Hsu, H. F., 1951 a, 32, 33, 34,  
 39  
 frequency
- Dirofilaria immitis*  
 Liggett, J. L., 1956 a, 107-108  
 respiratory symptoms, dog and cat
- Dirofilaria immitis*  
 Liggett, J. L., 1957 a, 107  
 respiratory symptoms, dog
- Dirofilaria immitis*  
 Lindsey, J. R., 1962 a, 175  
 dogs
- Dirofilaria immitis*  
 Lloyd, R. B., 1933 a, 68-69
- Dirofilaria immitis*  
 Lloyd, R. B., 1934 a, 57-60
- [*Dirofilaria immitis*]  
 Lombard, C.; and Tapernoux, A., 1927 a, 226-227  
 chien
- Dirofilaria immitis*  
 Lopez-Neyra, C. R.; and Tarazona Vilas, J. M.,  
 1955 a, 87-89, 1 fig.
- Dirofilaria immitis*  
 Louzada, A., 1955 a, 163-166
- Dirofilaria immitis*  
 Low, G. C., 1931 a, 370  
 puppy (pulmonary artery)
- Dirofilaria immitis*  
 Lu, C., 1941 a, 249, 252, 260  
 cat: China  
 dog: "
- Dirofilaria immitis*  
 McFadzean, J. A., 1955 a, 505
- Dirofilaria immitis* Leidy  
 McGinnis, C. L., 1933 a, 180  
 dog
- Dirofilaria immitis* (Leidy, 1856)  
 Mackerras, M. J., 1958 b, 134  
 Canis familiaris: Australia  
 Vulpes vulpes: "
- Dirofilaria immitis* (Leidy, 1856)  
 Mackerras, M. J., 1962 a, 429
- Dirofilaria immitis*  
 McQueen, R. D., 1957 a, 69-72  
 D. immitis as cause of congestive heart failure  
 in dog, first case report: American air  
 base at Athens, Greece
- Dirofilaria immitis*  
 Malvido Reckinger, I., 1950 a, 5  
 perro
- Dirofilaria immitis*  
 Malvido Reckinger, I., 1951 a, 3  
 canine: Mexico
- Dirofilaria immitis*  
 Mann, P. H., 1952 a, 630  
 incidence in cats: New York City
- Dirofilaria immitis*  
 Mann, P. H.; and Fratta, I., 1952 a, 496-497  
 dogs: northern New Jersey
- Dirofilaria immitis*  
 Mann, P. H.; and Fratta, I., 1952 b, 367-368  
 transplantation of adult heartworms in dogs
- Dirofilaria immitis*  
 Mann, P. M.; and Fratta, I., 1953 a, 18  
 survival of microfilariae in rats and mice
- Dirofilaria immitis*  
 Mann, P. H.; and Fratta, I., 1953 b, 139-144  
 transplantation of adult heartworms into  
 dogs and cats
- Dirofilaria immitis*  
 Mann, P. H.; and Fratta, I., 1955 a, 218  
 Wistar rats (exper.)  
 Swiss mice (exper.)  
 chick embryos (exper.)

- Dirofilaria immitis*  
 Manson, P., 1914 a, 683, 689
- Dirofilaria immitis*  
 Manson, P., 1929 a, fig. 278
- Dirofilaria immitis*  
 Manson-Bahr, P. H. in Manson, P., 1921 a, 594, 598, fig. 149
- Dirofilaria immitis* (Leidy, 1856) Railliet and Henry, 1911  
 Margolis, L., 1954 c, 272, 273, 280  
 Syns.: *Filaria spirocauda* Leidy, 1858(?)  
*Dirofilaria spirocauda* (Leidy, 1858) sub judice Faust, 1937  
*Zalophus californicus*: Sea Cliff, California
- Dirofilaria immitis*  
 Martin, H. M., 1938 a, 320
- Dirofilaria immitis* Leidy, 1859  
 Mazza, S.; and Romana, C., 1932 a, 1024, 1026, 1027, 1028, 1029, 1030, 1031, pl. 1  
 perros: Chaco santafesino, Argentina  
*Anopheles maculipennis*  
*A. bifurcatus*  
*Myzorhynchus pseudopictus*  
*Myzomia superpicta*  
*Culex penicillaris*  
*C. vexans*  
*C. fatigans*  
*C. pipiens*
- Dirofilaria immitis*  
 Mazzotti, L., 1953 e, 289  
 survival of microfilaria at 25°C.
- Dirofilaria immitis*  
 Mazzotti, L.; and Osorio E., M. T., 1941 a, 363-364  
 dogs: Mexico City
- Dirofilaria immitis*  
 Meginnis, P. J.; et al., 1945 a, 674, 675
- Dirofilaria immitis*  
 Menon, T. B., 1935 a, 51
- Dirofilaria immitis*  
 Merkens, J., 1939 a, 123  
 hond: Nederl.-Indie
- Dirofilaria immitis*  
 Mohri, R. W., 1931 a, 263-265  
 case report
- Dirofilaria immitis*  
 Molinari, P., 1959 a, 274  
 cane
- Dirofilaria immitis*  
 Morse, E. V., 1945 a, 282  
 dog
- [*Dirofilaria immitis*]  
 Moss, L. C., 1940 a, 548-550  
 dogs
- Dirofilaria immitis*  
 Moss, L. C., 1940 b, 101-102  
 dogs
- Dirofilaria immitis* (Leidy, 1856)  
 Mudaliar, S. V.; and Alwar, V. S., 1947 b, 88  
 dog: Madras
- Dirofilaria immitis*  
 Mundhenk, R. L., 1938 a, 25
- Dirofilaria immitis*  
 Mundhenk, R. L.; and Greene, J. E., 1939 a, 553  
 dog
- Dirofilaria immitis*  
 Murata, H., 1939 a, 945-972  
 immunological studies  
 Kaninchen (exper.)  
 Hunde (exper.)
- Dirofilaria immitis*  
 Murata, H., 1939 b, 40-41  
 Hunde (exper.)
- Dirofilaria immitis*  
 Nakabayashi, T., 1959 a, 696-701  
 increase or decrease of microfilaria in dog by diethylcarbamazine
- Dirofilaria immitis*  
 Nauck, E. G.; and Yu, S., 1926 a, 509
- Dirofilaria immitis*  
 Neiva, C., 1959 d, 26
- Dirofilaria immitis*  
 Neiva, C., 1959 e, 79-81
- Dirofilaria immitis* (Leidy, 1856)  
 Nelson, G. S., 1959 a, 234, 236, 238, 244-245, 247, 249, 250, 251, 253, fig. 7  
 dog  
*Canis dingo*  
*Chrysocyon brachyurus*  
*Vulpes vulpes*  
*Aedes pombaensis*  
*A. aegypti*  
*Culex] fatigans*
- Dirofilaria immitis*  
 Nelson, G. S.; Heisch, R. B.; and Furlong, M., 1962 a, 215  
 dogs  
*Culex pipiens fatigans*  
*Aedes pombaensis*  
*A. aegypti*  
 all from Kenya coast
- Dirofilaria immitis*  
 Nelson, T. C.; and Morris, M. L., 1938 a, 228-232, pl. figs. 2-4  
 dogs: New Jersey
- Dirofilaria immitis*  
 Neveu-Lemaire, M., 1921 a, 632  
 congenital infestation of man and animals
- Dirofilaria immitis*  
 Newton, W. L.; and Wright, W. H., 1956 a, 246-258
- Dirofilaria immitis*  
 Nicoll, W., 1914 c, 245  
 dog: Queensland
- Dirofilaria immitis*  
 Nielson, L. B., 1954 a, 370  
 case report, canine: Canada
- Dirofilaria immitis*  
 Nishikawa, K., 1941 a, 605-606  
 patho-histological research on testicle and epididymis of infected dogs
- Dirofilaria immitis*  
 Nishikawa, K., 1942 a, 342-343  
 patho-histological research on masculine sexual organs of infected dogs
- Dirofilaria immitis*  
 Noda, R., 1951 a, 348  
 [Nyctereutes procyonoides viverrinus?]
- Dinofilaria [sic] immitis*  
 O'Connor, F. W., 1923 a, 51  
 dogs: Ellice Islands, Samoan Islands
- Dirofilaria immitis*  
 O'Connor, F. W.; and Beatty, H. A., 1938 b, 416, 426  
 dogs: St. Croix, Virgin Islands  
*Aedes aegypti* (exper.)  
*Culex fatigans*: St. Croix, Virgin Islands
- Dirofilaria immitis*  
 Oguni, H.; Hosoya, H.; Niyamoto, K.; and Hata, K., 1959 a, 144  
 absorption of As<sup>73</sup> by tissues of *D. immitis* and its host
- Dirofilaria immitis*  
 Ohman, A. F. S., 1956 a, 57  
 dog: Fiji
- [*Dirofilaria immitis*]  
 Oishi, I.; Kobayashi, S.; and Kume, S., 1958 a, 10-12  
 canine
- Dirofilaria immitis*  
 Okabe, K., 1952 c, 28-33  
 goats
- Dirofilaria immitis*  
 Okabe, K.; and Oba, N., 1959 a, 36  
 cats: Fukuoka Prefecture

- Dirofilaria immitis  
 Ōkabe, K.; Shimomura, M.; and Tanaka, T.,  
 1958 a, 1173-1175  
 dogs: Saga Prefecture
- Dirofilaria immitis  
 Okano, K., 1958 d, 222  
 dogs: Kyoto City
- Dirofilaria immitis  
 Olafson, P.; and Monlux, W. S., 1941 a, 57  
 dog: New York State
- Dirofilaria immitis (Leidy, 1856) Railliet and  
 Henry, 1911  
 Oldham, J. N., 1938 a, 1136
- Dirofilaria immitis  
 Oliver-Gonzalez, J.; and Hernandez Morales,  
 F., 1945 a, 92, 93, 94, 95
- Dirofilaria immitis  
 Orihel, T. C., 1960 a, 3904  
 dogs  
     Anopheles quadrimaculatus
- Dirofilaria immitis  
 Orr, W., 1938 b, 99  
 dogs: Malaya
- [Dirofilaria immitis]  
 Orssaud, J. A. V., 1895 a, 501-502  
 chien
- Dirofilaria immitis (Leidy)  
 Ortlepp, R. J., 1924 a, 15, 20-21, figs. 1-3  
 dog: Surinam  
 cat: "
- Dirofilaria immitis  
 Otto, G. F., 1949 a, 181, 187, 188  
 dogs
- Dirofilaria immitis  
 Otto, G. F.; and Bauman, P. M., 1959 a, 87  
 canine
- Dirofilaria immitis  
 Otto, G. F.; and Maren, T. H., [1946 a], 17
- Dirofilaria immitis  
 Packchanian, A.; and Pinkerton, M., 1955 a,  
 866, 877  
 effect of simulated altitude
- Dirofilaria immitis  
 Palmer, R. F., 1955 c, 33
- Dirofilaria immitis  
 Parr, H. C. M., 1955 a, 237, 238
- Dirofilaria immitis  
 Pasquini, D., 1953 a, 58, 60-64  
 canine
- Dirofilaria immitis  
 Pavlovskii, E. N., 1927 a, 210
- Dirofilaria immitis Leidy  
 Pérand, C., 1936 a, 1036-1037, pl. 1  
 chien
- Dirofilaria immitis (Leidy, 1856)  
 Pérez Vigueras, I., 1934 d, 55, 56  
 Syn.: *Filaria immitis*  
 perros: Cuba
- Dirofilaria immitis (Leidy, 1856)  
 Pérez Vigueras, I., 1936 a, 73  
 Canis familiaris: Prov. Habana, Cuba
- Dirofilaria immitis  
 Peters, L.; et al., 1949 a, 212
- Dirofilaria immitis (Leidy)  
 Petrov, A. M., 1926 a, 89, 100  
 dog
- Dirofilaria immitis (Leidy, 1858)  
 Petrov, A. M.; Potekhina, L. F., 1953 b, 86, 92  
 Chaus chaus: Tadzhikistan
- Dirofilaria immitis  
 Piercy, S. E., 1951 a, 313, 314
- Dirofilaria immitis (Leidy, 1856)  
 Pinto, C. F.; and Lins de Almeida, J., 1935 a,  
 60  
 Felis catus domesticus: Brasil
- Dirofilaria immitis (Leidy)  
 Pinto, C. F.; and Lins de Almeida, J., 1937 b,  
 478  
 Canis familiaris  
 Felis catus domesticus  
 both from Brésil
- Dirofilaria immitis  
 Poenaru, I., 1920 a, 51-54  
 pseudo-angina pectoris, dog
- Dirofilaria immitis  
 Pollock, S., 1948 a, 429-430  
 canine filariasis complicated by albuminuria
- Dirofilaria immitis  
 Poynton, J. O.; and Hodgkin, E. P., 1938 a,  
 24, 25, 28, 38, 40, 67, fig. A  
 Mansonia indiana  
 M. longipalpis  
 Culex tritaeniorhynchus  
 all from Federated Malay States
- Dirofilaria immitis (Leidy 1850)  
 Pozo-Lora, R., 1960 a, 408  
 perro (heart): Cordoba
- Dirofilaria immitis  
 Price, E. W., 1928 e, 200-201  
 dog: Texas
- Dirofilaria immitis  
 Price, E. W., 1929 j, 870-871
- Dirofilaria immitis  
 Price, E. W.; and Harwood, P. D., 1942 a,  
 1161-1163, fig. 4
- Dirofilaria immitis  
 Price, E. W.; and Van Volkenberg, H. L. in  
 Van Volkenberg, H. L., 1937 a, 76  
 dog: Puerto Rico
- Dirofilaria immitis (Leidy)  
 Railliet, A., 1925 b, 22  
 Indochina
- Dirofilaria immitis  
 Ranque, J.; and Cabassu, H., 1947 a, 442  
 canine
- Dirofilaria immitis  
 Ranque, J.; and Clayette, J., 1951 a, 258  
 canine: region provencale
- Dirofilaria immitis  
 Ranque, J.; Depieds, R.; and Moignoux, J. B.,  
 1953 a, 1314  
 D. immitis, comparison of current distribution  
 with that of earlier human malaria  
 distribution: côté provencale
- Dirofilaria immitis (Leidy, 1856) Railliet &  
 Henry 1911  
 Ransom, B. H., 1921 j, 70, 73, 74, 76, 80, 81,  
 82  
 dog  
     Anopheles maculipennis  
     A. bifurcatus  
     A. (Myzorhynchus) sinensis pseudopictus  
     A. (Myzomyia) superpictus  
     Culex penicillaris  
     C. malariae  
     C. pipiens
- Dirofilaria immitis (Leidy)  
 Rauther, M., 1930 a, 336, 351, 368
- [Dirofilaria immitis]  
 Rebrassier, R. E., 1936 a, 440  
 dog
- Dirofilaria immitis (Leidy)  
 Reichenow, E.; and Wölker, G., 1929 a, 150,  
 158, 188, fig. 84
- Dirofilaria immitis  
 Ressang, A. A.; Fischer, H.; and Muchlis, A.,  
 1959 a, 95  
 Canis familiaris: Indonesia
- Dirofilaria immitis Leidy, 1856  
 Reyes, R. V., 1938 a, 22  
 perro: Colombia

- Dirofilaria immitis*  
 Richard, T. A.; and West, J. E., 1955 a, 268-  
 270  
 dogs
- Dirofilaria immitis*  
 Riley, W. A., 1922 a, 48  
 cat (heart)
- Dirofilaria immitis*  
 Riley, W. A.; and Christenson, R. O., 1930 a,  
 57
- Dirofilaria immitis* (Leidy, 1856) Railliet y  
 Henry, 1911  
 Rios Reverol, H., 1954 a, 88  
 synonymy  
 Canis fam.: Estado Aragua (Venezuela)
- [*Dirofilaria immitis*]  
 Ripley, O., 1938 a, 15-17
- Dirofilaria immitis*  
 Roberts, F. H. S., 1937 e, 142  
 dogs: Queensland
- Dirofilaria immitis*  
 Roberts, I. M., 1949 a, 16-18  
 canine: California
- Dirofilaria immitis*  
 Roberts, I. M.; and Roberts, S. R., 1946 a, 490  
 dog: California
- Dirofilaria immitis*  
 Robinson, C. E., 1960 a, 133  
 sentry dogs, USAF
- Dirofilaria immitis*  
 Rodhain, J., 1931 b, 882-897  
 allergic reactions, diagnosis: Afrique trop-  
 ica
- Dirofilaria immitis*  
 Rodhain, J., 1949 b, 184
- Dirofilaria immitis*  
 Rosen, L., 1954 b, 318-328  
 dogs: French Oceania  
 cats: "
- Dirofilaria immitis*  
 Rothstein, N., [1959 a], 588, 591, fig. 3  
 technique  
 dogs
- Dirofilaria immitis*  
 Rothstein, N.; and Brown, M. L., 1960 a, 1090,  
 1091, figs. 1-3  
 vital staining and differentiation of micro-  
 filariae
- Dirofilaria immitis*  
 Rothstein, N.; Kinnaman, K. E.; Brown, M. L.;  
 and Carithers, R. W., 1960 a, 28  
 canine: eastern United States
- Dirofilaria immitis*  
 Roubaud, E.; and Descazeaux, J., 1922 a, 1000
- Dirofilaria immitis* (Leidy)  
 Roveda, R.; and Ringuelet, R., 1947 a, 73  
 Canis familiaris: Argentina
- [*Dirofilaria immitis*]  
 Rowat, A. R., 1926 a, 234-236  
 dogs
- Dirofilaria immitis*  
 Rudd, J. A., 1936 a, 136  
 dogs: Queensland
- [*Dirofilaria immitis*]  
 Safford, J. W., [1957 a], 19, 22  
 dogs: Montana
- Dirofilaria immitis*  
 Samson, L. W., 1922 c, 175, fig.
- Dirofilaria immitis*  
 Sams, W. M.; and Beck, J. W., 1959 a, 294-298  
 (84-88)  
 housewife: Florida
- Dirofilaria immitis*  
 San Agustin, O. D., 1954 a, 434  
 A. F. P. war dogs
- Dirofilaria immitis*  
 San Agustin, O. D., 1954 b, 245-253  
 AFP war dogs, treatment with fuadin and  
 caricide
- Dirofilaria* [sic] *immitis*  
 Sanderson, C. J., 1945 a, 20
- Dirofilaria immitis*  
 Sandground, J. H., 1929 b, 231
- Dirofilaria immitis*  
 Sandground, J. H., 1933 a, 245  
 dog (right ventricle of heart): Yucatan
- Dirofilaria immitis* Fülleborn  
 Sandground, J. H., 1933 c, 577, 578  
 dog  
 cat
- Dirofilaria immitis* (Leidy, 1856)  
 Sandosham, A. A., 1951 a, 23-25, 26, fig. 2  
 Syn.: *D. pongoi* Vogel and Vogelsang, 1930  
*Pongo pygmaeus*
- Dirofilaria immitis*  
 Santivanez N., J.; and Rakower C., M., 1948 a,  
 40  
 canine
- Dirofilaria immitis*  
 Santucci, J.; Haag, J.; and Sendral, R.,  
 1953 a, 155-156  
 canine
- Dirofilaria immitis* (Leidy, 1856)  
 Sato, K., 1958 a, 1, 2, 4, 6, 7, 9, 10, 11,  
 1 fig.  
 Japan
- Dirofilaria immitis*  
 Saute, J. J. J.; and Palais, M., 1937 a, 241-  
 245  
 culture
- Dirofilaria immitis*  
 Savani, G., 1933 a, 357-364  
 distribution in dogs.
- Dirofilaria immitis*  
 Sawyer, T. K.; and Weinstein, P. P., 1961 a,  
 24  
 survival of microfilariae in modified physi-  
 ological saline solutions
- Dirofilaria immitis*  
 Schnelle, G. B.; Roby, T. O.; Young, R. M.;  
 and Jones, T. C., 1945 a, 155-164  
 canine
- Dirofilaria immitis*  
 Schuurmans Stekhoven, J. H., 1937 a, 437
- Dirofilaria immitis* (Leidy)  
 Schuurmans Stekhoven, J. H., 1939 a, 636,  
 fig. 217
- Dirofilaria immitis*  
 Schwartz, B., 1925 a, 113
- Dirofilaria immitis* (Leidy)  
 Schwartz, B., 1925 o, 7  
 Felis tigris: Tonkin
- Dirofilaria immitis* (Leidy)  
 Schwartz, B., 1926 h, 4  
 Canis vulpes: China  
 dogs:  
 "
- [*Dirofilaria immitis*]  
 Schwartz, B., 1937 d, 63  
 dog
- Dirofilaria immitis*  
 Secord, A. C., 1933 b, 11  
 dogs: North America, Ohio (rare)
- Dirofilaria immitis* (Leidy, 1856)  
 Seddon, H. R., 1947 c, 14, 19  
 dog: Australia  
 fox: "
- Dirofilaria immitis*  
 Seddon, H. R., 1948 a, 26  
 Australia
- Dirofilaria immitis*  
 Seurat, G., 1920 a, 115, 132, 158-160, 169
- Dirofilaria immitis*  
 Seurat, G., 1921 b, 36

- Dirofilaria immitis* (Leidy)  
 Shaw, T.-H., 1936 a, 228-231, figs. 1-2  
 dog: Peiping  
*Anopheles hyrcanus sinensis*  
*Aedes japonicus koreicus*  
*A. albopictus*
- Dirofilaria immitis* Leidy, 1856  
 Shimizu, S.; and Akusawa, M., 1959 b, 216-218  
 possible Sarles phenomenon found in micro-  
 filariae of *D. immitis*
- Dirofilaria immitis*  
 Shuhardt, V. T., 1931 a, 139  
 dogs
- Dirofilaria immitis*  
 Simonelli, A., 1936 a, 169-178  
 clinical and therapeutic note: Umbria
- Dirofilaria immitis*  
 Skrjabin, K. I., 1916 b, 67
- Dirofilaria* (probably *Dirofilaria immitis*)  
 Smith, F. R., 1938 a, 20-21, 23  
 Ondatra zibethicus macrodon: Gibbs Marsh,  
 Md. (Dorchester County)
- Dirofilaria immitis*  
 Solomon, S. G., 1933 b, 161  
 dogs: South Russia; Brazil
- [*Dirofilaria immitis*]  
 Soltys, A., 1956 b, 520-521  
 dog
- Dirofilaria immitis*  
 Sorgen, v. I., 1959 a, 11  
 prevalence
- Dirofilaria immitis* (Leidy, 1856)  
 Sousa Dias, V., 1950 a, 27  
 cão: Angola
- Dirofilaria immitis*  
 Sprehn, C. E. W., 1927 e, 64
- Dirofilaria immitis* (Leidy)  
 Sprehn, C. E. W., 1928 i, 765
- Dirofilaria immitis* (Leidy)  
 Sprehn, C. E. W., 1930 s, 245  
 Canis fam.
- Dirofilaria immitis* (Leidy, 1856)  
 Sprehn, C. E. W., 1932 c, 568, 569, 819, 820,  
 822, fig. 283  
 Syns.: *Filaria immitis* Leidy, 1856; *Diro-*  
*filaria immitis* (Leidy, 1856) Railliet u.  
 Henry, 1911  
 type  
*Canis familiaris*  
*Felis catus*  
*Vulpes vulpes*
- Dirofilaria immitis*  
 Stefanopoulo, G. J.; Ovazza, M.; and Bessis,  
 M., 1949 a, 767, 768, fig.  
 dog
- Dirofilaria immitis*  
 Stefanopoulo, G. J.; and Payet, M. I., 1938 a,  
 328, 331  
 diagnosis
- Dirofilaria immitis* Leidy  
 Stempell, W., 1938 a, 134
- Dirofilaria immitis* Leidy, 1856  
 Stiles, C. W., 1914 a, 314 In Osler and  
 McCrae  
 dog (right half of heart)  
*Anopheles*  
*Culex*  
 man?
- Dirofilaria immitis*  
 Stone, R. M., 1957 a, 441  
 midwest
- Dirofilaria immitis*  
 Stoudemire, W. F., 1939 a, 667, 1 fig.  
 male hound (crossbred): south Georgia
- Dirofilaria immitis*  
 Strong, R. P.; Shattuck, G. C.; and Wheeler,  
 R. E., 1926 a, 122
- Dirofilaria immitis*  
 Stueben, E. B., 1954 a, 57-60  
*Ctenocephalides felis*
- Dirofilaria immitis*  
 Sufrin, J., 1923 a, 69-71  
 chien  
*Anopheles maculipennis*  
*A. bifurcatus*  
*Myzorhynchus pseudopictus*  
*Myzomyia superpicta*  
*Culex penicillaris*  
*C. vexans*  
*C. malariae*  
*Ctenocephalus felis*  
*C. canis*
- Dirofilaria immitis* (Leidy, 1856) Railliet and  
 Henry, 1911  
 Sugimoto, M., 1925 a, 54, 100  
 Syn.: *Filaria immitis* Leidy, 1856  
*Canis familiaris*
- Dirofilaria immitis* (Leidy, 1856) Railliet and  
 Henry, 1911  
 Sugimoto, M., 1939 a, 190=191, 211, 219  
 synonymy  
*Canis brachyrurus*  
*C. familiaris*  
*C. lupus*  
*Homo sapiens*  
*Vulpes vulpes*  
 all from Formosa
- Dirofilaria immitis*  
 Sundar Rao, S., 1933 c, 128
- Dirofilaria immitis*  
 Sundar Rao., S., [1945 b], 92
- Dirofilaria immitis*  
 Swan, J. F. C., 1958 a, 7, 10  
 dog: Northern Rhodesia
- Dirofilaria immitis*  
 Swanson, L. E., 1939 a, 29  
 dog: Hawaiian Is.
- Dirofilaria immitis*  
 Swierstra, D.; Jansen, J. (jr.); and van den  
 Broek, E., 1959 a, 894  
*Canis familiaris*: Netherlands
- Dirofilaria immitis*  
 Takahashi, T., 1959 a, 402
- Dirofilaria immitis* [sic] (Leidy)  
 Tang, C. C., 1936 b, 230  
 cat: Canton
- Dirofilaria immitis*  
 Taniguchi, M., 1950 a, 45-46  
*Ursus torquatus japonica* (thoracic cavity)
- Dirofilaria immitis*  
 Taylor, A. E. R., 1960 g, 14, 17, 19, 23, 24,  
 fig. 2, pl. 2, figs. 5, 7, 9  
 microfilariae
- Dirofilaria immitis*?  
 Taylor, A. E. R.; Brown, D. H.; Heyneman, D.;  
 and McIntyre, R. W., 1961 a, 972, 976  
*Zalophus californianus*: (MarineLand of  
 Pacific) southern California
- Dirofilaria immitis* (Leidy, 1856)  
 Tendeiro, J., 1948 f, 711, 731, 734  
 synonymy  
*Canis* (*Canis*) *familiaris*: Guiné Portuguesa:  
 Bissau
- Dirofilaria immitis* (Leidy 1856) Railliet e  
 Henry 1911  
 Tendeiro, J., 1949 a, 198-204, 217, 219, 222,  
 223, 225, 226, fig. 15, microphoto 21  
*Canis familiaris*: Bissora, Guiné Portuguesa
- Dirofilaria immitis*  
 Thapar, G. S., 1956 a, 227  
 dogs: Perojpur
- Dirofilaria immitis*  
 Title, H. B., 1942 a, 304  
 dogs: Mississippi

- Dirofilaria immitis*  
 Tornes, W. A.; and Sambol, R. M., 1959 a, 150-152  
 cat
- Dirofilaria immitis*  
 Toumanoff, C., 1940 b, 176, 183, 192
- Dirofilaria immitis [sic] (Leidy)*  
 Travassos, L. P., 1921 1, 67  
 gato
- Dirofilaria immitis [sic] Leidy*  
 Travassos, L. P., [1922 i], 152
- Dirofilaria immitis*  
 Trevino, G. S., 1959 b, 311  
 dogs
- Dirofilaria immitis (Leidy)*  
 Tubangui, M. A., 1925 a, 21  
 dog: Manila, Laguna
- Dirofilaria immitis (Leidy, 1856)*  
 Tuzdil, A. N., 1939 a, 10-13, fig. 1 (1-5), 2-3
- Dirofilaria immitis*  
 Turbet, C. R., 1936 a, 38  
 dogs (practically 100% infection): Fiji
- Dirofilaria immitis*  
 Turbet, C. R., 1949 b, 92  
 mosquito  
 dogs  
 cats
- Dirofilaria immitis*  
 Tyu, B. J., 1940 a, 1136-1159 (94-117)  
 Southern Korea
- Dirofilaria immitis*  
 Underhill, B. M., 1920 a, 221, 248
- Dirofilaria immitis*  
 Underwood, P. C., 1933 a, 77  
 dogs: Virginia
- Dirofilaria immitis*  
 Underwood, P. C., 1933 e, 112  
 dogs: Virginia
- Dirofilaria immitis*  
 Underwood, P. C.; and Harwood, P. D., 1939 a, 23-33  
 survival and location of microfilariae, dogs
- Dirofilaria immitis*  
 Vaills, L., 1936 a, 133-141  
 chien
- Dirofilaria immitis*  
 Van Volkenberg, H. L., 1938 a, 8  
 dog: Puerto Rico
- Dirofilaria immitis (Leidy, 1856)*  
 Van Volkenberg, H. L., 1939 a, 8  
 dogs: Puerto Rico
- Dirofilaria immitis*  
 Vaughan, A. W., 1952 a, 454  
 canine
- Dirofilaria immitis*  
 Vaughan, A. W., 1953 a, 60  
 dog: St. Kitts, B. W. I.
- Dirofilaria immitis*  
 Velat, C. A.; Weinstein, P. P.; and Otto, G. F., 1950 a, 50
- Dirofilaria immitis (Leidy)*  
 Velu, H.; and Barotte, J. H., 1924 a, 235  
 chien
- Dirofilaria immitis*  
 Vera, R. S., 1936 a, 49-50  
 care of dogs
- Dirofilaria immitis*  
 Vlach, G., 1936 a, 418-445  
 cani: Trieste e provincia
- Dirofilaria immitis*  
 Vleming, E. in Frickers, J., 1939 a, 626  
 hond: Suriname
- Dirofilaria immitis*  
 Vogel, H., 1927 a, 81-86, 87, 88, figs. 1-8
- Dirofilaria immitis*  
 Vogel, H., [1950 a], 11
- Dirofilaria immitis*  
 Vogel, H., [1955 b], 12
- Dirofilaria immitis*  
 Vogel, H.; and Minning, W., [1952 a], 13
- Dirofilaria immitis*  
 Vogel, H.; and Vogelsang Wilckens, E. G., 1930 a, 482
- Dirofilaria immitis (Leidy, 1856)*  
 Vogelsang Wilckens, E. G., 1934 a, 137-138  
 Felis pardalis: Venezuela  
 caninos: Maracay, Venezuela  
*Vulpes vulpes:* " "  
*Felis catu:*
- Dirofilaria immitis*  
 Vogelsang Wilckens, E. G., 1940 a, 91-93,  
 1 fig. on pl.  
 Canis fam.: Venezuela  
*Felis onca:* "  
*Canis t. thous:* Piritu  
*Felis catus dom:* Maracay  
*F. pardalis:* Jardin Zool. Maracay  
*Lutra brasiliensis:* Venezuela
- Dirofilaria immitis (Leidy, 1856)*  
 Vogelsang Wilckens, E. G., 1940 c, 66, 67-68  
 Canis fam.: Caracas
- Dirofilaria immitis (Leidy, 1856)*  
 Vogelsang Wilckens, E. G., 1955 b, 123, 124,  
 fig. 1  
*Felis cati*  
*F. pardalis*  
*F. onca*  
*Lutra brasiliensis*  
 all from Venezuela
- Dirofilaria immitis (Leidy, 1856)*  
 Vogelsang Wilckens, E. G., 1959 a, 97  
*Panthera onca:* Venezuela  
*Leopardus pardalis:* "  
*Pteronura brasiliensis:* Venezuela
- Dirofilaria immitis (Leidy, 1856)*  
 Vogelsang Wilckens, E. G.; and Rodriguez C., C., 1952 a, 313  
*Canis dom.*  
*Lutra brasiliensis*  
*Felis onca*  
*F. pardalis*  
 all from Jardin zoologico de Maracay
- Dirofilaria immitis*  
 Wakasugi, M., 1956 a, 274-275 (174-175)  
 concentrating method of microfilariae
- Dirofilaria immitis*  
 Wallenstein, W. L.; and Tibolla, B. J., 1960 a, 712-716, figs. 1, 5  
 incidence, canine: Maryland
- Dirofilaria immitis (Leidy)*  
 Walton, A. C., [1927 a], 108-109  
 dog
- Dirofilaria immitis*  
 Ward, J. W., 1946 b, 13  
 dog: Mississippi
- Dirofilaria immitis*  
 Ward, J. W.; and Franklin, M. A., 1953 a, 570-571  
 dogs: Mississippi
- Dirofilaria immitis*  
 Ward, J. W.; and Reeder, R. C., 1943 a, 35-36  
 incidence, dogs: Mississippi
- Dirofilaria immitis Leidy*  
 Ware, F., 1925 a, 41  
 dog: Mauritius
- Dirofilaria immitis*  
 Warren, V. C., 1947 a, 299
- Dirofilaria immitis*  
 Wartman, W. B., 1946 a, 653  
 American armed forces
- Dirofilaria immitis*  
 Weatherford, T. W., 1954 a, 82-89, 126-127  
 diagnosis and treatment
- Dirofilaria immitis*  
 Webb, J. L.; and Nadeau, F., 1958 a, 159-162  
 incidence, dogs

- Dirofilaria immitis*  
 Webber, W. A. F.; and Hawking, F., 1955 a, 143-164  
 experimental maintenance, dogs
- Dirofilaria immitis*  
 Weeks, B. N., 1961 a, 71-77  
 diagnosis and treatment, canine
- Dirofilaria immitis*  
 Widdowson, W. L., 1956 a, 23-27  
 diagnosis and treatment, canine
- Dirofilaria immitis*  
 Willers, E. H., [1941 a], 16  
 dogs: Hawaii and certain sections of Main-land
- Dirofilaria immitis*  
 Williams, J. H., 1946 a, 20-27
- Dirofilaria immitis*  
 Williams, P., 1959 a, 451-464  
 effect of atmospheric pressure on *Aedes aegypti* exposed to *D. immitis*
- Dirofilaria immitis* (Leidy, 1856)  
 Wittenberg, G. S., 1934 a, 238  
 dogs
- Dirofilaria immitis*  
 Wright, J. C., 1942 a, 231  
 dogs  
 cats
- Dirofilaria immitis*  
 Wright, W. H., 1933 f, 126, 140
- Dirofilaria immitis*  
 Wright, W. H., 1934 a, 3 pp.  
 dog
- Dirofilaria immitis*  
 Wright, W. H., 1944 c, 1362
- Dirofilaria immitis*  
 Wu, C.-L.; Ting, C.-H.; and Liu, C.-W., 1956 a, 236  
 dogs: Peking
- Dirofilaria immitis*  
 Wu, K., 1937 d, 3  
 Canis familiaris: Hangchow area
- Dirofilaria immitis*  
 Xavier, M., 1946 a, 250, 253, 254  
 cães: Rio e Niteroi
- Dirofilaria immitis*  
 Yakimov, V. L.; and Rastegaeva, E. F., 1927 a, 419
- Dirofilaria immitis* (Leidy)  
 Yamaguti, S., 1935 k, 433, 452  
 Japanese dogs
- Dirofilaria immitis*  
 Yamane, Y., 1938 a, 111-115 (31)  
 street dogs: Mukden
- Dirofilaria immitis*  
 Yarborough, J. H., 1949 a, 57, fig.  
 racing dogs
- Dirofilaria immitis*  
 Yarborough, J. H.; et al., 1959 a, 366  
 dog
- Dirofilaria immitis*  
 Yoeli, M.; Alger, N.; and Most, H., 1958 a, 531-541, pls., figs. 1-11  
 behavior of microfilariae in *Galleria mellonella*
- Dirofilaria immitis*  
 Yoeli, M.; Alger, N.; and Most, H., 1958 b, 249  
 behavior of microfilariae in *Galleria mellonella*
- Dirofilaria immitis*  
 Yoeli, M.; Upmanis, R. S.; and Most, H., 1962 a, 125-127  
 relation between hormonal activities of adult mosquito and growth of *D. immitis*
- Dirofilaria immitis* (Leidy, 1856)  
 Yorke, W.; and Mapstone, P. A., 1926 a, 393, fig. 267  
 type of genus  
 dogs
- Dirofilaria immitis*  
 Young, H. G., [1955 a], 5-8  
 heartworm survey, dogs: United States
- Dirofilaria immitis*  
 Zasukhin, D. N.; Ioff, I. G.; and Tiflov, V. E., 1936 a, 36
- Dirofilaria immitis*  
 Zwart, D., 1959 c, 825  
 hond: Dutch New-Guinea
- Dirofilaria immitis*, Antigens  
 Augustine, D. L.; and Lherisson, C., 1946 a, 38, 39, 40
- Dirofilaria immitis*, Antigens  
 Beye, H. K.; Mille, R.; Thooris, G.; and Tapu, J., 1956 a, 23-29  
 use of antigen as epidemiologic tool and therapeutic agent in *Wuchereria bancrofti* infection: French Oceania
- Dirofilaria immitis*, Antigens  
 Bruynoghe, G., 1939 a, 335-353
- Dirofilaria immitis*, Antigens  
 Bruynoghe, G., 1939 b, 29-39
- Dirofilaria immitis*, Antigens  
 Chandler, A. C.; Milliken, G.; and Schuhardt, V. T., 1930 a, 345-351
- Dirofilaria immitis*, Antigens  
 Fairley, N. H., 1931 b, 46  
 used as antigen in alcohol extract form, and as saline extract of dried powdered worm in intradermal test for other parasites
- Dirofilaria immitis*, Antigens  
 Franks, M. B., 1946 b, 400, 401, 402, 403, 404
- Dirofilaria immitis*, Antigens  
 Ikejiani, O., 1954 a, 135-137  
 use of antigen in diagnosis of onchocerciasis: West Africa
- Dirofilaria immitis*, Antigens  
 Minning, W.; and McFadzean, J. A., 1956 b, 419
- Dirofilaria immitis*, Antigens  
 Oliver-González, J., 1954 b, 79
- Dirofilaria immitis*, Antigens  
 Rodenwaldt, E., 1934 b, 209-210
- Dirofilaria immitis*, Antigens  
 Tanabe, N., 1957 a, 1421-1429; English summary, 107  
 antigenic action of parasite
- Dirofilaria immitis*, Antigens  
 Warren, V. G.; Warren, J.; and Hunter, G. W. III, 164, 165, 166, 167, 168, 169, 170  
 serological relationships between antigenic extracts of *D. immitis* and *Wuchereria bancrofti*
- Dirofilaria immitis*, Antigens  
 Wharton, D. R. A.; and Stelma, T., 1946 a, 49, 56, 57, 58, 59
- Dirofilaria immitis*, Antigens  
 Wright, W. H.; and Murdock, J. R., 1944 a, 199, 200, 201, 202  
 intradermal reactions following use of *D. immitis* antigen in *Onchocerca volvulus*-infected persons
- Dirofilaria immitis*, Antigens  
 Zarow, M.; and Rifkin, H., 1946 a, 97, 98, 99, 101  
 specificity and clinical use of *D. immitis* antigen in diagnosis of human filariasis
- Dirofilaria immitis*, Development  
 Bradley, R. E., 1953 a, 176  
 development in mosquitoes
- Culex pipiens*  
*C. quinquefasciatus*  
*Aedes aegypti*  
*A. triseriatus*  
*Anopheles quadrimaculatus*
- Dirofilaria immitis*, Development  
 Breinl, A., 1921 b, 389-392  
 development of larvae in *Ctenocephalus felis* and *C. canis*

- Dirofilaria immitis*, Development  
Inouye, T., 1937 b, 1711-1722 (61-72), 2 pls.,  
figs. 1-32  
embryonal development
- Dirofilaria immitis*, Development  
Kartman, L., 1953 a, 671-672  
correlation of Malpighian tubule size with  
parasite development in mosquito
- Dirofilaria immitis*, Development  
Kume, S., 1950 a, 11-20  
percutaneous invasion of larvae following  
their development and growth in mosquitoes
- Dirofilaria immitis*, Development  
Sawyer, T. K.; and Weinstein, P. P., 1962 a,  
35-36  
in vitro development to sausage stage
- Dirofilaria immitis*, Development  
Taylor, A. E. R., 1960 f, 3, 5, 8-9, 11, pl.  
1, figs. 11-12, pl. 3, figs. 1-13, pl. 4,  
figs. 1-4  
spermatogenesis, embryology
- [*Dirofilaria immitis*], Diagnosis  
Akasawa, M.; Koyama, H.; and Oguri, K., 1958  
a, 32-35  
intradermal test
- Dirofilaria immitis*, Diagnosis  
Baker, N. F., 1958 a, 23  
diagnostic complications
- [*Dirofilaria immitis*], Diagnosis  
Bishop, H. W., 1954 a, 47-49
- Dirofilaria immitis*, Diagnosis  
Burch, G. R.; and Blair, H. E., 1951 a, 128-  
130  
rapid test for diagnosis
- Dirofilaria immitis*, Diagnosis  
Cebe, J., 1951 a, 76
- Dirofilaria immitis*, Diagnosis  
Chang, M. H.; Wang, Y. H.; and Chin, H., 1958  
a, 130-136  
skin test
- Dirofilaria immitis*, Diagnosis  
Culbertson, J. T.; Rose, H. M.; and Desmarest,  
C. R., 1944 b, 152, 155
- Dirofilaria immitis*, Diagnosis  
Danaraj, T. J.; and Schacher, J. F., 1959 a,  
640-643  
intradermal tests
- Dirofilaria immitis*, Diagnosis  
Danaraj, T. J.; da Silva, L. S.; and Schacher,  
J. F., 1957 a, 109-116  
complement-fixation test
- Dirofilaria immitis*, Diagnosis  
Danaraj, T. J.; da Silva, L. S.; and Schacher,  
J. F., 1959 a, 151, 152  
serological diagnosis
- Dirofilaria immitis*, Diagnosis  
Eshenour, R. W., 1958 a, 11  
differential diagnosis from *Dipetalonema*
- Dirofilaria immitis*, Diagnosis  
Federated Malay States, Institute for Medical  
Research, 1939 b, 19
- Dirofilaria immitis*, Diagnosis  
Franks, M. B.; Chenoweth, B. M. (jr.); and  
Stoll, N. R., 1947 a, 617-632  
skin tests
- Dirofilaria immitis*, Diagnosis  
Hunter, G. W. III; Bozicevich, J.; and Warren,  
V. G., [1946 a], 13
- Dirofilaria immitis*, Diagnosis  
Kaplan, E., 1950 a, 163
- Dirofilaria immitis*, Diagnosis  
Kume, S., 1954 b, 220-222
- Dirofilaria immitis*, Diagnosis  
Kurokawa, K.; and Ichiki, H., 1958 a, 346-351  
angiocardioangiographical diagnosis
- Dirofilaria immitis*, Diagnosis  
Lindsey, J. R., 1961 a, 695-702  
dogs
- Dirofilaria immitis*, Diagnosis  
Live, I.; and Stubbs, E. L., 1938 a, 686-690  
dog
- Dirofilaria immitis*, Diagnosis  
Lloyd, R. B.; and Chandra, S. N., 1933 a, 1197,  
1198, 1203, 1205, 1206, 1207, 1208  
complement-fixation
- Dirofilaria immitis*, Diagnosis  
Ma, H. C.; Yeh, Y. C.; and Ts'ao, C. C.,  
1959 a, 173  
intradermal tests
- Dirofilaria immitis*, Diagnosis  
Morris, M. L.; Dinkel, J. H.; and Green, D. F.,  
1935 a, 39  
drop method and concentration method
- Dirofilaria immitis*, Diagnosis  
Morris, M. L.; Dinkel, J. H.; and Green, D. F.,  
1935 b, 34  
dog, diagnosis
- Dirofilaria immitis*, Diagnosis  
Mundhenk, R. L.; and Greene, J. E., 1939 b,  
364, 365, 367, 368, 369, fig. 1, fig. 5  
differential diagnosis of avian hematozoa
- Dirofilaria immitis*, Diagnosis  
Murakami, M., 1935 a, 73-88  
precipitation test
- Dirofilaria immitis*, Diagnosis  
Nagata, M.; Shimizu, R.; and Yamada, K., 1958  
b, 314-315, 390  
dogs, intradermal tests
- Dirofilaria immitis*, Diagnosis  
Nagata, M.; Shimizu, R.; Yamada, K.; and Fuji-  
moto, E., 1959 a, 143  
early diagnosis with intradermal test
- Dirofilaria immitis*, Diagnosis  
Ohishi [i.e., Oishi], I.; et al., 1959 a, 367-  
368  
canine, intradermal test
- Dirofilaria immitis*, Diagnosis  
Ohishi, [i.e., Oishi], I.; et al., 1959 b, 65;  
English title, 143  
canine, intradermal tests
- Dirofilaria immitis*, Diagnosis  
Oishi, I.; Kobayashi, S.; and Kume, S., 1960 b,  
455; English title, 544  
canine, diagnosis
- [*Dirofilaria immitis*], Diagnosis  
Oishi, I.; Kobayashi, S.; and Kume, S., 1961 c,  
45-46  
concentration of microfilariae in test blood
- Dirofilaria immitis*, Diagnosis  
Ohishi [i.e., Oishi], I.; and Kume, S., 1957 c,  
59, 132  
canine, diagnosis
- [*Dirofilaria immitis*], Diagnosis  
Ohishi [i.e., Oishi], I.; and Kume, S., 1961 a,  
45  
canine
- Dirofilaria immitis*, Diagnosis  
Okabe, K.; and Matsuse, M., (1956 b), 1619-1622  
precipitin test
- Dirofilaria immitis*, Diagnosis  
Okabe, K.; and Matsuse, M., (1957 a), 562-566  
precipitin test
- Dirofilaria immitis*, Diagnosis  
Okabe, K.; Matsuse, M.; and Yamasaki, T., 1957  
a, 567-569  
skin test
- Dirofilaria immitis*, Diagnosis  
[Pandit, C. G.], [1949 a], 186-188
- Dirofilaria immitis*, Diagnosis  
Ridley, D. S., 1956 a, 255  
complement-fixation test
- Dirofilaria immitis*, Diagnosis  
Sanderson, C. J., 1942 a, 16  
dogs
- Dirofilaria immitis*, Diagnosis  
Sato, S.; et al., 1960 a, 431 (87)  
intradermal reaction

- Dirofilaria immitis, Diagnosis  
 Saunders, G. M.; Bianco, A. A.; and Jordan, W. S., 1946 a, 1242, 1243, 1244, 1245, 1246, 1247, 1248, 1249, 1250, 1251, 1252  
 intradermal tests, diagnostic aid in human filariasis
- Dirofilaria immitis, Diagnosis  
 Sayers, E. G., 1934 a, 507-509  
 intradermal skin test
- Dirofilaria immitis, Diagnosis  
 Shimizu, S.; and Akusawa, M., 1959 a, 207-209  
 intradermal reaction
- Dirofilaria immitis, Diagnosis  
 Shimizu, S.; and Akusawa, M., 1960 a, 55-57  
 intradermal reaction
- Dirofilaria immitis, Diagnosis  
 Shimizu, S.; and Akusawa, M., 1961 b, 96-99  
 intradermal reaction
- Dirofilaria immitis, Diagnosis  
 Shimizu, S.; Akusawa, M.; Koyama, F.; and Oguri, K., 1959 a, 66; English title, 144  
 skin reaction
- Dirofilaria immitis, Diagnosis  
 Shimizu, S.; Akusawa, M.; Oguri, K.; and Koyama, F., 1958 a, 315-316, 390  
 intradermal test
- Dirofilaria immitis, Diagnosis  
 Stubbs, E. L.; and Live, I., 1935 a, 680-682  
 dog
- Dirofilaria immitis, Diagnosis  
 Stubbs, E. L.; and Live, I., 1936 a, 11-15  
 dogs
- Dirofilaria immitis, Diagnosis  
 Sundar Rao, S., 1939 d, 139  
 complement-fixation tests
- Dirofilaria immitis, Diagnosis  
 Taliaferro, W. H.; and Hoffman, W. A., 1930 a, 261-280  
 skin reactions
- Dirofilaria immitis, Diagnosis  
 Taliaferro, W. H.; and Taliaferro, L. G., 1931 a, 26  
 skin reactions
- Dirofilaria immitis, Diagnosis  
 Valcarenghi, E., 1936 b, 59-64  
 canine
- Dirofilaria immitis, Diagnosis  
 Wang, Y. H.; Wang, H. P.; and Sung, C. M., 1956 a, 1108-1112  
 intradermal tests
- Dirofilaria immitis, Diagnosis  
 Wharton, D. R. A., 1947 a, 117, 120  
 skin test, man
- Dirofilaria immitis, Diagnosis  
 Wharton, D. R. A., 1947 c, 154-155  
 skin test, man
- Dirofilaria immitis, Diagnosis  
 Wharton, D. R. A.; Cuervo, C.; and Moyer, A. W., 1947 a, 254  
 skin reactions
- Dirofilaria immitis, Diagnosis  
 Yamamoto, T., 1959 a, 695-698 (113-116)  
 precipitin reactions
- Dirofilaria immitis, Diagnosis  
 Yamamoto, T., 1959 b, 699-706 (117-124)  
 intradermal tests
- Dirofilaria immitis, Diagnosis  
 Zelige, M. A., 1947 a, 824-826  
 intradermal tests
- Dirofilaria immitis, Enzymes  
 Oka, Y.; and Inatomi, S., 1961 a, 473 (45)
- Dirofilaria immitis, Eosinophilia  
 Wilson, T., 1957 b, 949
- Dirofilaria immitis, Epidemiology  
 Brown, H. W., 1937 b, 570
- Dirofilaria immitis, Epidemiology  
 Brown, H. W., 1939 a, 49-56  
 epidemiology, *Ctenocephalides felis* (as possible vector)
- Dirofilaria immitis, Epidemiology  
 Clayette, J., 1951 a, 50 pp.
- Dirofilaria immitis, Epidemiology  
 Hayashi, Shigeo, 1955 a, 1-12  
 epidemiology: Japan
- Dirofilaria immitis, Epidemiology  
 Yonezawa, T.; and Tokuda, K., 1959 a, 357
- Dirofilaria immitis, Immunity  
 Arnold, J. G. (jr.); and Duggan, T. L., 1937 a, 561  
 immunological studies
- Dirofilaria immitis, Immunity  
 Feng, L. C., 1937 b, 140-142  
 immunization, dogs  
 dogs (exper.)  
*Aedes koreicus* (exper.)
- Dirofilaria immitis, Immunity  
 Koyama, F., 1959 a, 1026
- Dirofilaria immitis, Immunity  
 Koyama, F., 1959 b, 353  
 immunological studies
- Dirofilaria immitis, Immunity  
 Koyama, T.; and Oguri, K., 1958 a, 275 (87)  
 immunological studies
- Dirofilaria immitis, Immunity  
 Nagata, M.; Shimizu, R.; Yamada, K.; and Fujimoto, E., 1959 b, 63-64; English title, 143  
 artificial immunization, dogs
- Dirofilaria immitis, Immunity  
 Ohishi, [i.e., Oishi], I.; Kobayashi, S.; and Kume, S., 1961 a, 478-479; English title, 525  
 immunization, dogs
- Dirofilaria immitis, Immunity  
 Okabe, K.; Yamaguchi, T.; and Yamashita, H., 1954 a, 188-192 (50-54)  
 immunological studies
- Dirofilaria immitis, Immunity  
 Shimizu, S.; Akusawa, M.; and Koyama, F., 1960 a, 477; English title, 547  
 immunological studies
- Dirofilaria immitis, Immunity  
 Takahashi, T., 1959 a, 790-807
- Dirofilaria immitis, Immunity  
 Yamanouchi, M.; Kato, K.; Takikawa, K.; and Okuno, K., 1969 a, 1063-1071
- Dirofilaria immitis, Life cycle  
 Chabaud, A. G., 1954 d, 369, 374, 375
- Dirofilaria immitis, Life cycle  
 Christenson, R. O., 1940 g, 415  
 studies on early developmental stages
- Dirofilaria immitis, Life cycle  
 Frizzi, G., 1954 a, 395-400  
 life cycle in *Anopheles maculipennis*
- Dirofilaria immitis, Life cycle  
 Kume, S., 1953 a, 17-27  
 life cycle, dog
- Dirofilaria immitis, Life cycle  
 Kume, S.; and Itagaki, S., 1947 a, 119-130, pl. 1, figs. 1-6  
 life cycle, dog
- Dirofilaria immitis, Life cycle  
 Kume, S.; and Itagaki, S., 1949 a, 13-23, pl. 1, figs. 1-6  
 life cycle, dog
- Dirofilaria immitis, Life cycle  
 Kume, S.; and Itagaki, S., 1955 a, 16-24, pls. 1-4, figs. 1-12  
 life cycle, dog
- Dirofilaria immitis, Localization  
 Abbott, P. K., 1961 a, 467  
 peritoneal cavity
- Dirofilaria immitis, Localization  
 Adams, E. W., 1956 a, 299, figs. 1-5  
 obstruction of hepatic veins
- Dirofilaria immitis, Localization  
 Coppin, W. N. M.; and Fuller, R. W., 1930 a, dogs (heart)

- Dirofilaria immitis*, Localization  
 Jackson, R. F.; von Lichtenberg, F.; and Otto, G. F., 1962 a, 117  
 dogs (*venae cavae*)
- Dirofilaria immitis*, Localization  
 McKee, A. J., 1938 a, 115  
 skin
- Dirofilaria immitis*, Localization  
 Philipp, F. G., 1931 a, 42-45  
 heart
- Dirofilaria immitis*, Localization  
 Pinto, C. F.; and Luz, A., 1936 a, 36-37  
 gall-bladder
- Dirofilaria immitis*, Localization  
 Schnelle, G. B.; and Jones, T. C., 1945 a, 14,  
 15, pl., fig. 1, fig. 3  
 found in eye and in an interdigital cyst
- Dirofilaria immitis*, Localization  
 Stuchbery, H. M., 1935 b, 29  
 dog (leg, foot)
- Dirofilaria immitis*, Localization  
 Taguchi, M.; Takehara, B.; and Uriu, I., 1959  
 a, 430-432  
 dog (lateral ventricles of brain)
- Dirofilaria immitis*, Localization  
 Turk, R. D.; Gaafar, S. M.; and Lynd, F. T.,  
 1956 a, 425  
 occurrence in unusual locations
- Dirofilaria immitis*, Localization  
 Yamanouchi, M., 1928 a, 487-489  
 mice (exper.) (kidney)
- Dirofilaria immitis*, Localization  
 Yamanouchi, M., 1929 a, 587-588  
 distribution of larvae in kidneys
- Dirofilaria immitis*, Migration  
 Augustine, D. L.; and Drinker, C. K., 1935 a,  
 303-306  
 migration of microfilariae from blood vessels  
 to lymphatics
- Dirofilaria immitis*, Migration  
 Kume, S.; Oishi, I.; and Kubo, M., 1951 a, 267,  
 prevention of migration
- Dirofilaria immitis*, Mixed infections  
 Edeson, J. F. B.; and Buckley, J. J. C., 1956 a,  
 304  
 mixed infection with *Wuchereria* sp. of "mala-  
 yi" type, dog (blood)
- Dirofilaria immitis*, Morphology  
 Desportes, C., [1940 b], 405-414
- Dirofilaria immitis*, Morphology  
 Hsü, H. F., 1933 b, 14, 15, 16, 17  
 oesophageal glands
- Dirofilaria immitis*, Morphology  
 Hsü, H. F., 1933 i, 277, 278, 280, 284-286,  
 fig. 6  
 oesophageal glands
- Dirofilaria immitis*, Morphology  
 Inouye, T., 1937 c, 903-911 (31-39), 3 pls.,  
 figs. 1-21
- Dirofilaria immitis*, Morphology  
 Kato, K., 1957 a, 569-582; English summary, 675  
 secretory and excretory systems
- Dirofilaria immitis*, Morphology  
 Kato, K., 1958 a, 21-31, figs. 1-14  
 secretory and excretory systems
- Dirofilaria immitis*, Morphology  
 Orihel, T. C., 1961 a, 251-262, pl. I, figs.  
 1-7; pl. II, figs. 4, 6; pl. III, figs. 1-4  
 morphology of larval stages
- Dirofilaria immitis*, Morphology  
 Sato, K., 1957 a, 114  
 microfilariae
- Dirofilaria immitis*, Morphology  
 Silva Leitão, J. L., 1942 b, 234, 235, 237,  
 figs. 1, 2, 3, 4
- Dirofilaria immitis*, Nutrition  
 Hsü, H. F., 1938 c, 347, 348, 354-355, 356,  
 359, 360, 361, 363, pl. 21, figs. 9-10, pl. 22,  
 figs. 11-12, pl. 23, figs. 13-14, pl. 31, fig.  
 29  
 studies on food and digestive system  
 dog (exper.)
- Dirofilaria immitis*, Pathology  
 Adcock, J. L., 1961 a, 655  
 pulmonary arterial lesions, canine
- Dirofilaria immitis*, Pathology  
 Hara, S., 1939 a, 542-544  
 dogs, histopathology of inner ear
- Dirofilaria immitis*, Pathology  
 Hartley, J., 1938 a, 235-246, pls. 1-5  
*Canis nubilus*, chronic pulmonary arteritis
- Dirofilaria immitis*, Pathology  
 Hashimoto, S., 1938 a, 624-627  
 dogs, patho-histological study on ovary
- Dirofilaria immitis*, Pathology  
 Hashimoto, S., 1939 a, 534-537  
 dogs, patho-histological study on pituitary  
 bodies
- Dirofilaria immitis*, Pathology  
 Hennigar, G. R.; and Ferguson, R. W., 1957 a,  
 336-340, figs. 2-3, 9  
 dogs, pulmonary vascular sclerosis
- Dirofilaria immitis*, Pathology  
 Holman, R. P., 1945 a, 400  
 dogs, cirrhosis of liver
- Dirofilaria immitis*, Pathology  
 Hosokawa, S.; Uchino, F.; and Kotoku, H., 1955  
 a, 214-215  
 dogs, changes in pulmonary blood vessels
- Dirofilaria immitis*, Pathology  
 Ikeda, K., 1936 b, 133-135 (1-3); German sum-  
 mary, 9
- Dirofilaria immitis*, Pathology  
 Izumi, J., 1955 a, 169-176  
 patho-histological study on corpus supra-  
 renalis and glandula thyreoidea, dogs
- Dirofilaria immitis*, Pathology  
 Nissen, E. E., 1953 a, 171-172  
 canine
- Dirofilaria immitis*, Pathology  
 Ohashi, N. [1936 a], 694-695  
 dogs, patho-histological study on eyes
- Dirofilaria immitis*, Pathology  
 Wartman, W. B., 1944 a, 299  
 lesions of lymphatic system
- Dirofilaria immitis*, Pathology  
 Winter, H., 1959 b, 366, fig. 3  
 canine
- Dirofilaria immitis*, Pathology  
 Yamamoto, K., [1936 a], 690-694  
 dogs, histo-pathological findings of uterus,  
 placenta, and fetus
- Dirofilaria immitis*, Periodicity  
 Bradley, R. E., 1954 a, 26, 40  
 microfilarial periodicity
- Dirofilaria immitis*, Periodicity  
 Burch, G. R., 1952 a, 26  
 microfilarial periodicity
- Dirofilaria immitis*, Periodicity  
 Euzéby, J.; and Laine, B., 1951 a, 231-238  
 microfilarial periodicity
- Dirofilaria immitis*, Periodicity  
 Fukamachi, H., 1960 a, 27-38  
 microfilarial periodicity
- Dirofilaria immitis*, Periodicity  
 Fukamachi, H., 1960 b, 39-45  
 microfilarial periodicity
- Dirofilaria immitis*, Periodicity  
 Galliard, H., [1948 b], 148-157
- Dirofilaria immitis*, Periodicity  
 Hall, M. C., 1935 i, 53

- Dirofilaria immitis, Periodicity  
 Hawking, F., 1956 b, 398, 406  
 microfilarial periodicity
- Dirofilaria immitis, Periodicity  
 Hinman, E. H., 1935 a, 265-267  
 filarial periodicity
- Dirofilaria immitis, Periodicity  
 Hinman, E. H., 1935 b, 371-383  
 filarial periodicity
- Dirofilaria immitis, Periodicity  
 Hinman, E. H., 1936 a, 524-527  
 attempted reversal of filarial periodicity
- Dirofilaria immitis, Periodicity  
 Hinman, E. H., 1937 a, 200-205  
 filarial periodicity
- Dirofilaria immitis, Periodicity  
 Hinman, E. H.; Faust, E. C.; and DeBakey, M. E., 1934 a, 1043-1046  
 filarial periodicity
- Dirofilaria immitis, Periodicity  
 Hosoya, H.; et al., 1957 a, 58-59  
 periodicity of appearance
- Dirofilaria immitis, Periodicity  
 Inoue, T., 1935 a, 1423-1432 (19-28)  
 periodicity of larva
- Dirofilaria immitis, Periodicity  
 Katamine, D., 1959 a, 252-277  
 periodicity of microfilariae
- Dirofilaria immitis, Periodicity  
 Katamine, D.; and Era, E., 1959 a, 242-251  
 microfilarial periodicity
- Dirofilaria immitis, Periodicity  
 Katamine, D.; Yoshimura, O.; and Sakaguchi, Y., 1960 a, 203-211  
 periodicity of microfilariae
- Dirofilaria immitis, Periodicity  
 Kume, S., 1960 a, 436-437 (92-93)  
 microfilarial periodicity
- Dirofilaria immitis, Periodicity  
 Lane, C., 1934 a, 1437-1441
- Dirofilaria immitis, Periodicity  
 Lane, C., 1935 e, 135-142
- Dirofilaria immitis, Periodicity  
 Ohishi [i.e., Oishi], I.; and Kume, S., 1958 a, 256-257 (68-69)  
 relation between periodicity and eosinophil counts
- [Dirofilaria immitis], Periodicity  
 Tongson, M. S.; and Romero, P. R., 1962 a, 299-304  
 periodicity in peripheral circulation
- Dirofilaria immitis, Periodicity  
 Underwood, P. C.; and Wright, W. H., 1933 a, 113  
 periodicity of larvae in peripheral blood of dogs
- Dirofilaria immitis, Periodicity  
 Wang, C. F.; Lin, C. L.; and Ch'en, W. H., 1959 a, 172  
 mechanism of microfilarial periodicity
- Dirofilaria immitis, Periodicity  
 Wang, C. F.; Lin, C. L.; and Ch'en, W. H., 1959 b, 22-23  
 some problems on mechanism of microfilarial periodicity
- Dirofilaria immitis, Periodicity  
 Yoshimura, O., 1961 a, 444 (16)  
 microfilarial periodicity
- Dirofilaria immitis, Prenatal infection  
 Taylor, E. L., 1933 e, 22
- Dirofilaria immitis, Proteins  
 Nagata, M.; and Yamada, K., 1961 a, 480-481;  
 English title, 525  
 variations of serum protein-N in varying stages of infection
- Dirofilaria immitis, Serology  
 Eisenbrandt, L. L., 1938 a, 124, 126, 127, 128, 129, 132, 134, 136
- Dirofilaria immitis, Serology  
 Pacheco, G., 1961 a, 24  
 dogs (exper.)
- Dirofilaria immitis, Serology  
 Pacheco, G., 1961 b, 1308
- Dirofilaria immitis, Surgery  
 Essex, H. E.; and Schlotthauer, C. F., 1951 a, 10-11  
 surgical removal of canine heartworms
- Dirofilaria immitis, Surgery  
 Gourley, I. M. G., 1961 a, 684-690  
 surgical removal of adult heartworms, dogs, clinical evaluation
- Dirofilaria immitis, Surgery  
 Hasegawa, T., 1943 a, 788-801
- Dirofilaria immitis, Surgery  
 Horne, R. D., 1962 a, 172-173  
 pulmonary arteriotomy, clinical evaluation
- Dirofilaria immitis, Surgery  
 Horne, R. D., 1962 b, 248-255  
 pulmonary arteriotomy
- Dirofilaria immitis, Surgery  
 Johnson, L. E., [1951 a], 52-53
- Dirofilaria immitis, Surgery  
 Kurokawa, K., 1959 a, 233-240  
 canine
- Dirofilaria immitis, Surgery  
 Larsen, L. H., 1962 a, 479  
 dog
- Dirofilaria immitis, Surgery  
 Nagata, M.; et al., 1957 a, 122-123, 141  
 dogs
- Dirofilaria immitis, Surgery  
 Pollard, H. S. (jr.); Ashby, R.; and Berrick, J. R., 1959 a, 603-609  
 surgical removal by open cardiotomy using total venous occlusions
- Dirofilaria immitis, Surgery  
 Roenigk, W. J., 1958 a, 581-585  
 canine, pulmonary arteriotomy
- [Dirofilaria immitis], Surgery  
 Tschantz, S., 1951 a, 6-7  
 dog
- Dirofilaria immitis, Surgery  
 Wilcox, H. S., 1960 a, 328-338  
 pulmonary arteriotomy, dog
- Dirofilaria immitis, Surgery  
 Wilcox, H. S., 1960 b, 165-166  
 pulmonary arteriotomy, dog
- Dirofilaria immitis, Surgery  
 Wright, R. A., 1956 a, 158  
 dog
- Dirofilaria immitis, Technique  
 Gingrich, W. D., 1941 c, 163  
 permanent stained preparations of thick blood films
- Dirofilaria immitis, Technique  
 Gordon, R. M.; and Webber, W. A. F., 1955 b, 81, 83, 85, 88  
 technique for concentration of microfilariae from venous blood
- Dirofilaria immitis, Technique  
 Hahn, A. W., 1960 a, 355-358, figs. 3-5  
 canine, utilization of rapid film change technique
- Dirofilaria immitis, Technique  
 Narayandas, M. G.; and Ray, A. P., 1958 a, 67  
 staining technique for microfilaria
- Dirofilaria immitis, Technique  
 Rothstein, N.; Brown, M. L.; and Carithers, R. W., 1959 a, 38  
 staining and differentiation
- Dirofilaria immitis, Technique  
 Taylor, A. E. R., 1960 d, 113  
 maintenance of filarial worms in vitro
- Dirofilaria immitis, Technique  
 Tobie, J. E.; and Beye, H. K., 1960 a, 137, 138, figs. 2, 3

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Dirofilaria immitis, Transmission and vectors  
 Bonnet, D. D.; Kessel, J. F.; Kerrest, J.; and  
 Chapman, H., 1956 a, 1096  
 mosquito collection and dissections for evaluating transmission of filariasis: Polynesia
- Dirofilaria immitis, Transmission and vectors  
 Dobrovolny, C. G., [1932 a], 65-66  
 canine filariasis and its transmission  
*Anopheles punctipennis*  
*Aedes vexans*  
*Culex territans*  
*C. pipiens*  
 dogs (by blood transfusion)
- Dirofilaria immitis, Transmission and vectors  
 Douglas, J. R., [1954? b], 17  
 vector problems
- Dirofilaria immitis, Transmission and vectors  
 Kartman, L., 1952 a, 39-40  
*Anopheles quadrimaculatus*  
*A. freeborni*  
*Aedes aegypti*  
*A. albopictus*  
*Culex quinquefasciatus*  
*C. pipiens*
- Dirofilaria immitis, Transmission and vectors  
 Kartman, L., 1953 a, 1062-1069  
 growth in mosquito
- Dirofilaria immitis, Transmission and vectors  
 Kartman, L., 1953 b, 572  
 effect of feeding mosquitoes upon dogs with different microfilaraemias
- Dirofilaria immitis, Transmission and vectors  
 Kartman, L., 1953 c, 27-78  
 factors influencing infection of mosquito
- Dirofilaria immitis, Transmission and vectors  
 Kartman, L., 1953 d, 573  
 ingestion by mosquitoes of saline and sugar suspensions of microfilariae
- Dirofilaria immitis, Transmission and vectors  
 Kartman, L., 1953 e, 571, 572  
 loss of microfilariae from mosquito during its infective meal
- Dirofilaria immitis, Transmission and vectors  
 Kartman, L., 1954 a, 25-29  
 frequency and intensity in mosquitoes
- Dirofilaria immitis, Transmission and vectors  
 Kartman, L., 1954 b, 330  
 suggestions concerning index of experimental filaria infection in mosquitoes
- Dirofilaria immitis, Transmission and vectors  
 Kartman, L., 1956 a, 810-812  
 encapsulation in *Aedes aegypti*
- Dirofilaria immitis, Transmission and vectors  
 Kartman, L., 1956 b, 19  
 vector of canine filariasis
- Dirofilaria immitis, Transmission and vectors  
 Kershaw, W. E.; Lavoipierre, M. M. J.; and Beesley, W. N., 1955 a, 203  
 intake of microfilariae by *Aedes aegypti* under laboratory conditions
- Dirofilaria immitis, Transmission and vectors  
 Kershaw, W. E.; Lavoipierre, M. M. J.; and Chalmers, T. A., 1953 a, 207-224  
 intake of microfilariae by *Aedes aegypti*
- Dirofilaria immitis, Transmission and vectors  
 Kume, S., 1951 b, 141  
 relation between mosquito blood sucking and the number of infective larvae remaining in proboscis
- Dirofilaria immitis, Transmission and vectors  
 Lavier, G., 1921 c, 95, 97, 154  
*Anopheles bifurcatus*  
*A. maculipennis*  
*A. palestiniensis*  
*A. sinensis*  
*Ctenocephalus canis*  
*C. felis*  
*Rhipicephalus sanguineus*  
*Culex fatigans*  
*C. pipiens*  
*Aedes punctatus*  
*A. vagans*
- Dirofilaria immitis, Transmission and vectors  
 Lavoipierre, M. M. J., 1958 b, 332, 339  
 dog  
 (several other spp. of carnivores; several spp. of anophelines and culicines (malpighian tubule))  
*Aedes aegypti*  
*A. spp.*  
*Anopheles spp.*
- Dirofilaria immitis, Transmission and vectors  
 Le Corrolier, Y., 1957 a, 542-555, pl. 1, figs. A-G  
*Aedes (Stegomyia) aegypti*
- Dirofilaria immitis, Transmission and vectors  
 Li, F. S., 1933 a, 86, 87  
*Culex pipiens*  
*C. quinquefasciatus*  
*Anopheles algeriensis*  
*A. bifurcatus*  
*A. hyrcanus var. sinensis*  
*A. maculipennis*  
*A. superpictus*
- Dirofilaria immitis, Transmission and vectors  
 Li, F.; and Wu, S., 1934 b, 682  
 Chinese *Aedes*
- Dirofilaria immitis, Transmission and vectors  
 Manuel, M. F., 1959 a, 69-70, 74  
 microfilarial incidence and intensity in mosquito host under clinical environment
- Dirofilaria immitis, Transmission and vectors  
 Marongiu, A., 1933 a, 215-226, figs. 1-2  
*Culex fatigans*  
*C. pipiens*  
*Mizomyia superpicta*  
*Anopheles superpictus*  
*Rhipicephalus sanguineus*  
*Anopheles claviger*  
*Pulex serraticeps*  
*Haematopinus pilifer*  
*Ctenocephalus canis*
- Dirofilaria immitis, Transmission and vectors  
 Newton, W. L., 1957 a, 589  
 experimental transmission by *Anopheles quadrimaculatus*
- Dirofilaria immitis, Transmission and vectors  
 Nicholas, W. L.; Gordon, R. M.; and Kershaw, W. E., 1952 a, 377-378  
*Culicoides nubeculosus*
- Dirofilaria immitis, Transmission and vectors  
 Nicoll, W., 1922 b, 387  
*Stegomyia fasciata*  
*Anopheles maculipennis*  
*Ctenocephalus canis*  
*C. felis*
- Dirofilaria immitis, Transmission and vectors  
 Pendlebury, H. M., 1940 a, 37  
*Mansonia longipalpis*: Ayer Mati on Perak River
- Dirofilaria immitis, Transmission and vectors  
 Phillips, J. H., 1939 a, 120-129, pl. figs. 1-4  
 transmission in Massachusetts dogs  
*Anopheles punctipennis*  
*A. quadrimaculatus*  
*Aedes excrucians*  
*A. cinereus* (exper.)  
*A. triseriatus* (exper.)  
*Culex territans* (exper.)  
*Stomoxys calcitrans* (? susceptible hosts)
- Dirofilaria immitis, Transmission and vectors  
 Pierce, W. D., 1920 h, 261  
*Anopheles maculipennis*  
*A. algeriensis*  
*A. bifurcatus*  
*A. sinensis*  
*A. superpictus*  
*Culex quinquefasciatus*  
*C. malariae*  
*C. penicillaris*  
*Aedes vexans*

- Dirofilaria immitis, Transmission and vectors.--  
Continued.
- Pierce, W. D., 1920 h
    - Culex pipiens
    - Aedes argenteus
  - Dirofilaria immitis, Transmission and vectors  
Reid, J. A., 1954 a, 98
    - Mansonia uniformis
    - Anopheles barbirostris
      - A. hyrcanus
      - all from Province Wellesley
  - Dirofilaria immitis, Transmission and vectors  
Robertson, R. C., [1940 a], 40
    - Culex pipiens var. pallens
    - C. vagans
    - Aedes vexans var. nipponii
    - Armigeres obturbans
  - Dirofilaria immitis, Transmission and vectors  
Rolfes, C., 1961 a, 20-21
    - negative results using dog tick as possible intermediate host to heartworm
  - Dirofilaria immitis, Transmission and vectors  
del Rosario, F., 1936 a, 45-57
    - culicine intermediate hosts in Manila
    - Culex quinquefasciatus
    - Stegomyia fasciata
  - Dirofilaria immitis, Transmission and vectors  
Roubaud, E., 1937 a, 511-519
    - Aedes aegypti (exper.)
  - Dirofilaria immitis, Transmission and vectors  
Roubaud, E.; and Colas-Belcour, J. C. G. J., 1937 a, 480-484, fig. 1
    - Anopheles plumbeus
    - Aedes geniculatus
    - A. punctator
      - (all exper.)
  - Dirofilaria immitis, Transmission and vectors  
Roubaud, E.; Colas-Belcour, J.; Toumanoff, C.; and Treillard, M., 1936 a, 1111-1120, pl. 2, figs. 1-2
    - chien: Pyrénées-Orientales
    - Anopheles maculipennis (exper.)
    - A. maculipennis typicus x camburnaci (exper.)
    - Aedes (Stegomyia) aegypti
  - Dirofilaria immitis, Transmission and vectors  
Seguy, E., 1923 a, 46, 50
    - Anopheles bifurcatus
    - A. maculipennis
    - A. sinensis
    - Culex fatigans
    - C. pipiens
    - Aedes punctatus
  - Dirofilaria immitis, Transmission and vectors  
Séguy, E., 1924 a, 115, 193, 200, 202, 205, 206, 208
    - Aedes (Ochlerotatus) punctatus
    - Culex pipiens
    - C. fatigans
    - Anopheles maculipennis
    - Ctenocephalus canis
    - Rhipicephalus sanguineus
    - A. palestiniensis
    - A. superpictus
  - Dirofilaria immitis, Transmission and vectors  
Seurat, L. G., 1918 a, 272
    - Syn.: Filaria immitis
    - Anopheles algeriensis: Djerba
  - Dirofilaria immitis, Transmission and vectors  
Simić, C. P., 1928 a, 37-39
    - Anopheles maculipennis: Serbie du Sud
  - Dirofilaria immitis, Transmission and vectors  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 432-433, 447
    - Anopheles
    - Culex
  - Dirofilaria immitis, Transmission and vectors  
Stauber, L. A., 1952 a, 101
    - mosquitoes
- Dirofilaria immitis, Transmission and vectors  
Stueben, E. B., 1954 b, 580-589
  - Ctenocephalides felis (nat. and exper.)
  - C. canis (exper.)
  - Xenopsylla cheopis (exper.)
  - Echidnophaga gallinacea (exper.)
  - Pulex irritans (exper.)
  - Orchopeas wickhami (exper.)
- Dirofilaria immitis, Transmission and vectors  
Summers, W. A., 1940 a, 55
  - larval development in insects
- Dirofilaria immitis, Transmission and vectors  
Summers, W. A., 1940 b, 448-450
  - fleas as acceptable intermediate hosts of dog heartworm
  - Ctenocephalides canis
  - C. felis
  - Pulex irritans
  - all from New Orleans
- Dirofilaria immitis, Transmission and vectors  
Summers, W. A., 1940 c, 15-18
  - Anopheles crucians: New Orleans
  - Aedes infirmatus: New Orleans
  - A. sollicitans: New Orleans
  - Culex territans
  - Aedes aegypti
  - A. vexans
  - A. triseriatus
  - Culex salinarius
  - Psorophora posticata
  - Ctenocephalides canis
  - C. felis
  - Pulex irritans
- Dirofilaria immitis, Transmission and vectors  
Summers, W. A., 1943 a, 173-178
  - larval development in certain insects
  - Anopheles crucians
  - Aedes infirmatus
  - A. sollicitans
  - Culex territans
  - C. fatigans
  - Aedes aegypti
  - A. vexans
  - Culex salinarius
  - Psorophora posticata
  - Ctenocephalides canis
  - C. felis
  - Pulex irritans
- Dirofilaria immitis, Transmission and vectors  
Symes, C. B., 1960 a, 11, fig. 12
  - Culex annulirostris
  - C. fatigans
  - Aedes aegypti
  - A. fijiensis
  - A. pseudoscutellaris
  - A. vexans
  - all from Fiji
- Dirofilaria immitis, Transmission and vectors  
Symes, C. B., 1960 c, 39-42, figs. 1-6
  - Aedes pseudoscutellaris: Fiji
  - A. fijiensis: Fiji
  - A. aegypti: "
  - A. vexans: "
  - Culex fatigans: "
  - C. annulirostris: "
- Dirofilaria immitis, Transmission and vectors  
Taylor, A. E. R., 1960 c, 27-38, figs. 1-7, pl. 1, figs. 1-3
  - development in Aedes aegypti
- Dirofilaria immitis, Transmission and vectors  
Toumanoff, C., 1939 c, 1000-1015
  - Stegomyia fasciata
  - S. albopicta
  - Culex fatigans
  - Anopheles vagus
  - A. hyrcanus var. sinensis
- Dirofilaria immitis, Transmission and vectors  
Toumanoff, C., 1940 a, 374, 376

- Dirofilaria immitis, Transmission and vectors  
 Travis, B. V., 1946 a, 18  
*Culex jepsoni*  
*C. annulirostris*  
*C. quinquefasciatus*  
*Aedes aegypti*  
*A. pandani*  
*A. guamensis*  
Dirofilaria immitis, Transmission and vectors  
 Travis, B. V., 1947 b, 142-145  
*Aedes pandani*  
*Culex sitiens*  
*C. annulirostris*  
*C. quinquefasciatus*  
*Aedes aegypti*  
*A. guamensis*  
Dirofilaria immitis, Transmission and vectors  
 Van Zwaluwenburg, R. H., 1928 a, 11, 16, 18  
*Haematopinus piliferus*  
*Anopheles maculipennis*  
*Culex quinquefasciatus*  
Dirofilaria immitis, Transmission and vectors  
 Wharton, R. H., 1962 a, 261  
 larvae in mosquitoes  
Dirofilaria immitis, Transmission and vectors  
 Yen, C., 1938 a, 189-205  
 susceptibility of some Minnesota species of  
 mosquitoes  
Dirofilaria immitis, Transmission and vectors  
 Yokogawa, S., 1938 a, 619-624  
Dirofilaria immitis, Transmission and vectors  
 Yokogawa, S., 1939 b, 285-290  
*Ctenocephalus felis*  
*C. canis*  
Dirofilaria immitis, Treatment  
 Alley, J. C., 1950 a, 522  
 dog, treatment  
Dirofilaria immitis, Treatment  
 Armistead, W. W., 1950 a, 267, 268, 269  
 dogs, treatment  
Dirofilaria immitis, Treatment  
 Ashburn, L. L.; Perrin, T. L.; Brady, F. J.; and Lawton,  
 A. H., 1945 a, 334, 335, 336, 337, 338, 339, figs. 1-2  
 dogs, trivalent antimony compounds  
Dirofilaria immitis, Treatment  
 Austin, J. A.; and Brown, H. P. [i.e. H. W.], 1939 a,  
 9  
 dogs, treatment  
Dirofilaria immitis, Treatment  
 Austin, J. A.; and Brown, H. P., 1940 a, 14  
 dog, treatment  
Dirofilaria immitis, Treatment  
 Austin, J. A.; and Brown, H. P., 1941 a, 67-68  
 dog, organic antimonials  
Dirofilaria immitis, Treatment  
 Bailey, R. W., 1958 a, 52-55  
 comparison study of various arsenical preparations  
Dirofilaria immitis, Treatment  
 Bangham, D. R., 1955 b, 408  
Dirofilaria immitis, Treatment  
 Bettini, S.; and Lagrange, E., 1947 a, 191, 192, 193,  
 194, 196, figs. 1-2  
Dirofilaria immitis, Treatment  
 Bild, C. E., 1938 a, 179-184  
Dirofilaria immitis, Treatment  
 Bishop, R. L., 1950 a, 384  
Dirofilaria immitis, Treatment  
 Brady, F. J.; et al., 1945 a, 103, 104, 106, 107  
 dogs, treatment  
Dirofilaria immitis, Treatment  
 Brizard, A., 1950 a, 538  
 chien  
Dirofilaria immitis, Treatment  
 Brown, H. P.; and Austin, J. A., 1939 a, 566-569  
 dogs, stibsal  
Dirofilaria immitis, Treatment  
 Brown, H. W., 1938 a, 98-100  
 canine, sulfanilamide ineffective  
Dirofilaria immitis, Treatment  
 Brown, H. W., 1948 b, 51  
 anthiomaline (lithium antimony thiomalate)  
Dirofilaria immitis, Treatment  
 Brown, H. W.; and Sheldon, A. J., 1940 b, 19-20  
 fuadin, sulfanilamide  
Dirofilaria immitis, Treatment  
 Brown, H. W.; and Sheldon, A. J., 1941 a, 477-481  
 fuadin, sulfanilamide  
Dirofilaria immitis, Treatment  
 Bueding, E., 1950 b, 206  
Dirofilaria immitis, Treatment  
 Campbell, W. G., 1961 a, 37  
Dirofilaria immitis, Treatment  
 Canet, J.; and Jahan, P., 1950 a, 471, 475, 476, 479  
Dirofilaria immitis, Treatment  
 Caporale, G., 1954 a, 1157  
Dirofilaria immitis, Treatment  
 Carlos, E. R.; and Directo, A. C., 1960 a, 717  
 dichlorophenarsine hydrochloride, canine  
Dirofilaria immitis, Treatment  
 Chapman, N. F.; and Smith, A. W., 1961 a, 605-607  
 dogs, dithiazine iodide  
Dirofilaria immitis, Treatment  
 Cheu, S. H.; and Khaw, O. K., 1935 a, 1394-1396  
 fouadin  
Dirofilaria immitis, Treatment  
 Cheu, S.; and Khaw, O. K., 1935 b, 23; English text, 12  
 fouadin  
Dirofilaria immitis, Treatment  
 Clabby, J., 1957 a, 114  
 canine, control  
Dirofilaria immitis, Treatment  
 Crowe, C. E., 1949 a, 658  
 dog, treatment  
Dirofilaria immitis, Treatment  
 Drudge, J. H., 1952 a, 220  
 canine, arsenamide  
Dirofilaria immitis, Treatment  
 Eaton, P., 1934 a, 312-313  
 dog, antimony  
Dirofilaria immitis, Treatment  
 Eshenour, R. W.; Newborne, J. W.; and Burch, G. R.,  
 1958 a, 22-23  
 canine, filicide  
Dirofilaria immitis, Treatment  
 Feugere, R., 1952 a, 69 pp.  
 chien, treatment  
Dirofilaria immitis, Treatment  
 Foley, R. J., 1950 a, 486  
 canine, treatment  
Dirofilaria immitis, Treatment  
 Hall, H. C., 1961 a, 284-285  
Dirofilaria immitis, Treatment  
 Hawking, F., 1940 a, 204  
 chemotherapy in vivo and in vitro  
Dirofilaria immitis, Treatment  
 Hays, I. M., 1935 b, 55-63  
Dirofilaria immitis, Treatment  
 Hewitt, R. I.; et al., 1947 a, 1309, 1311  
[Dirofilaria immitis], Treatment  
 Jackson, R. F., 1949 a, 17-22  
 dogs, arsenamide  
Dirofilaria immitis, Treatment  
 Jackson, R. F., 1963 a, 23-26  
 dog, thiacetarsamide  
Dirofilaria immitis, Treatment  
 Johnstone, H. G., 1936 a, 207-224  
 chemotherapy  
Dirofilaria immitis, Treatment  
 Khaw, O. K.; and Cheu, S. H., 1936 a, 402-417  
 dog, treatment with some organic antimony compounds  
Dirofilaria immitis, Treatment  
 Kingma, F. J., [1948 a], 40  
 dogs, treatment  
Dirofilaria immitis, Treatment  
 Kingma, F. J., 1949 a, 322-325  
 dog, treatment

- Dirofilaria immitis, Treatment  
Kingma, F. J., [1950 a], 77
- Dirofilaria immitis, Treatment  
Kobayashi, S.; Ohishi, I.; and Kume, S., 1959 b, 65-66;  
English title, 143-144  
chemotherapy
- Dirofilaria immitis, Treatment  
Kobayashi, S.; Ohishi, I.; and Kume, S., 1960 b, 476;  
English title, 547  
chemotherapy
- Dirofilaria immitis, Treatment  
Kobayashi, S.; Ohishi, I.; and Kume, S., 1961 b, 427;  
English title, 515  
chemotherapy
- Dirofilaria immitis, Treatment  
Kobayashi, S.; Oishi, I.; and Kume, S., 1961 c, 43  
dog, piperazine sulfate
- Dirofilaria immitis, Treatment  
Kume, S., 1954 a, 1759-1777 (229-247)  
chemotherapy, human
- Dirofilaria immitis, Treatment  
Kume, S., 1957 a, 912  
chemotherapy, canine
- Dirofilaria immitis, Treatment  
Kume, S., 1958 a, 675-676  
prophylactic therapy against developing stages before  
reaching canine heart
- Dirofilaria immitis, Treatment  
Kume, S.; and Itagaki, S., 1949 b, 61
- Dirofilaria immitis, Treatment  
Kume, S.; and Oishi, I., 1952 a, 36-42  
dogs, supatonin
- Dirofilaria immitis, Treatment  
Kume, S.; and Ohishi, I., 1957 a, 478  
canine, chemotherapy with arsenicals
- Dirofilaria immitis, Treatment  
Kume, S.; Ohishi, I.; and Kobayashi, S., 1961 a, 1066-  
1068  
prophylactic therapy against developing stages before  
reaching canine heart
- Dirofilaria immitis, Treatment  
Kume, S.; Ohishi, I.; and Kobayashi, S., 1962 a, 81-84  
prophylactic therapy against developing stages before  
reaching canine heart
- Dirofilaria immitis, Treatment  
Kume, S.; Ohishi, I.; and Kobayashi, S., 1962 b, 1257-  
1260  
prophylactic therapy against developing stages
- Dirofilaria immitis, Treatment  
Lane, C., 1938 a, 158-161  
drug-induced sterility of female filarial worms
- Diofilaria [sic] immitis, Treatment  
Lentz, W. J., 1941 a, 3-6  
lithium antimony tartrate
- Dirofilaria immitis, Treatment  
MacCallum, W. G., 1921 a, 189  
dog, chemotherapy
- D[irofilaria] immitis, Treatment  
Manley, F. H.; and Barazanji, A. S., 1953 a, 846-847  
stibophen: Iraq
- Dirofilaria immitis, Treatment  
Maren, T. H., 23
- Dirofilaria immitis, Treatment  
Mark, I. C., 1949 a, 588  
dogs, fuadin
- Dirofilaria immitis, Treatment  
Molinari, P., 1953 a, 31-32  
canine
- Dirofilaria immitis, Treatment  
Mullins, J. C.; and Gragg, J. E., 1960 a, 710  
dogs
- Dirofilaria immitis, Treatment  
Murchison, T. E., 1954 a, 68-69  
acute toxic hepatitis as a sequel to heartworm treat-  
ment
- Dirofilaria immitis, Treatment  
Neech, S. E., 1945 a, 151
- [Dirofilaria immitis], Treatment  
Noda, R.; and Oka, T., 1952 a, 350-351  
dog
- Dirofilaria immitis, Treatment  
Ohishi [i.e., Oishi], I.; Kobayashi, S.; and Kume, S.,  
1959 a, 368  
chemotherapy of developing stages
- Dirofilaria immitis, Treatment  
Ohishi [i.e., Oishi], I.; Kobayashi, S.; and Kume, S.,  
1960 a, 252-256  
canine, dithiazanine iodide
- Dirofilaria immitis, Treatment  
Ohishi [i.e., Oishi], I.; Kobayashi, S.; and Kume, S.,  
1961 b, 427-428; English title, 516  
canine, arsenical + dithiazanine
- Dirofilaria immitis, Treatment  
Okabe, K., 1952 d, 34-35  
supatonin
- Dirofilaria immitis, Treatment  
Otto, G. F., 1952 a, 69-75  
canine, treatment
- Dirofilaria immitis, Treatment  
Otto, G. F., 1955 a, 35, 38-41  
dogs, treatment
- Dirofilaria immitis, Treatment  
Otto, G. F., 1957 a, 150-154  
dogs, treatment
- Dirofilaria immitis, Treatment  
Otto, G. F.; and Maren, T. H., 1947 c, 128  
dogs, treatment
- Dirofilaria immitis, Treatment  
Otto, G. F.; and Maren, T. H., 1948 a, 41
- Dirofilaria immitis, Treatment  
Otto, G. F.; and Maren, T. H., 1950 a, 360, 361, 368,  
369, 370  
dogs, treatment
- Dirofilaria immitis, Treatment  
Otto, G. F.; and Maren, T. H., 1950 b, 371, 375, 380  
dog, treatment
- Dirofilaria immitis, Treatment  
Otto, G. F.; and Maren, T. H., 1950 c, 386, 388, 389,  
390, 391  
dog, treatment
- Dirofilaria immitis, Treatment  
Otto, G. F.; and Maren, T. H., 1957 a, 14  
treatment
- D[irofilaria] immitis, Treatment  
Ozerskaf, V. N., 1958 a, 329, fig. 4
- Dicrofilaria [sic] immitis, Treatment  
P'an, S. Y., 1939 a, 118
- [Dirofilaria immitis], Treatment  
Pillai, M. V., 1941 a, 289-291  
antimosan
- Dirofilaria immitis, Treatment  
Popescu, F., 1935 a, 215-261  
canine, treatment
- Dirofilaria immitis, Treatment  
Popescu, F., 1936 a, 196-197  
dogs, treatment with fuadin
- Dirofilaria immitis, Treatment  
Purchase, H. S., 1950 a, 34  
heterazan
- Dirofilaria immitis, Treatment  
Rippon, S. R., 1940 a, 3
- Dirofilaria immitis, Treatment  
Rippon, S. R., 1941 b, 3
- Dirofilaria immitis, Treatment  
Schaffer, J. D., 1955 a, 14
- Dirofilaria immitis, Treatment  
Schwartz, B. I., 1936 d, 58, 59
- Dirofilaria immitis, Treatment  
Singh, D.; and Ahluwalia, G. S., 1961 a, 307-311
- Dirofilaria immitis, Treatment  
Sipe, W. G., 1938 a, 24
- [Dirofilaria immitis], Treatment  
Soltys, A., 1947 a, 6  
canine, treatment
- Dirofilaria immitis, Treatment  
Soltys, A., 1956 a, 187
- Dirofilaria immitis, Treatment  
Soltys, A., 1956 c, 281

- Dirofilaria immitis, Treatment**  
 Soltys, A., 1958 a, 308  
 dogs, piperazine compound
- Dirofilaria immitis, Treatment**  
 Soltys, A., 1962 a, 129-130, figs. 1-2  
 dogs, treatment
- Dirofilaria immitis, Treatment**  
 Steinbach, F. G., 1933 b, 320  
 dogs, treatment
- Dirofilaria immitis, Treatment**  
 Steinbach, F. G., 1935 a, 413
- [**Dirofilaria immitis**], Treatment  
 Steiner, A. J., 1937 a, 13-14  
 dogs
- Dirofilaria immitis, Treatment**  
 Taniguchi, M., and Kazuno, Y., 1954 a, 229-234 (33-38)  
 dogs, antimonials
- Dirofilaria immitis, Treatment**  
 Trent, S. C., 1948 a, 311, 313, 315, 316, 322, 324, 326,  
 327, 331, 333, 338, 340, 344, 358, 360
- Dirofilaria immitis, Treatment**  
 Underwood, P. C., 1945 a, 4, 5, 6  
 mongrels: pound at Norfolk, Va.
- Dirofilaria immitis, Treatment**  
 Underwood, P. C.; and Wright, W. H., 1932 a, 180  
 dog, fouadin
- Dirofilaria immitis, Treatment**  
 Underwood, P. C.; and Wright, W. H., 1932 b, 89  
 dog, fouadin
- Dirofilaria immitis, Treatment**  
 Venkataraman, K. V., 1953 a, 276
- Dirofilaria immitis, Treatment**  
 Wagner, W. H., 1956 b, 164
- Dirofilaria immitis, Treatment**  
 Wright, W. H.; and Underwood, P. C., 1934 a, 234-246  
 dog, fouadin
- Dirofilaria immitis, Treatment**  
 Wright, W. H.; and Underwood, P. C., 1934 b, 2 leaves  
 dogs
- Dirofilaria immitis, Treatment**  
 Wright, W. H.; and Underwood, P. C., 1936 a, 39-43  
 dog, fouadin
- Dirofilaria immitis, Treatment**  
 Yarborough, J. H.; and Doty, L. T., 1961 a, 151
- Dirofilaria immitis, Treatment**  
 Ziegler, C. G., 1950 a, 209  
 caricide
- Dirofilaria incrassata** (Molin, 1858) [n. comb.]  
 Sandground, J. H., 1938 c, 422-423, legend of  
 pl. 2, pl. 2, fig. 1  
 Syn.: *Filaria incrassata* Molin, 1858  
*Bradyurus tridactylus*  
? *Nasua narica*  
both from Barra do Rio Negro (Manaos) Brasil
- Dirofilaria incrassata** (Molin, 1858)  
Anderson, R. C., 1952 a, 41  
*Nasua rufa*
- Dirofilaria incrassata** (Molin, 1858) Sandground,  
1938  
Caballero y C., E., 1947 a, 170-174, pl., figs.  
1-4  
*Bradyurus griseus*  
*Cholepus hoffmanni*  
both from Panamá
- Dirofilaria indica n. sp.**  
Chakravorty, G. K., 1936 a, 57-60, figs. 1-2  
*Canis familiaris* (heart): Calcutta
- Dirofilaria indica n. sp. [nomen solum]**  
Chakravorty, G. K., 1937 b, 299 (9)  
dog
- Dirofilaria indica**  
Baylis, H. A., 1939 b, 3  
as syn. of *D. immitis* (Leidy, 1856)
- Dirofilaria indica Chakravorty, 1936**  
Desportes, C., [1940 a], 516-517, 522, 523  
*Canis familiaris*: Indies
- Dirofilaria indica Chakravorty, 1937**  
Desportes, C., [1940 b], 411-413
- Dirofilaria indica**  
Faust, E. C.; Thomas, E. P.; and Jones, J.,  
1941 a, 119
- Dirofilaria indica Chakravorty, 1936**  
Lent, H.; and Teixeira de Freitas, J. F., 1937  
b, 50  
*Canis familiaris*: India
- Dirofilaria kuelzii** (Rodenwaldt 1910)  
Chabaud, A. G.; and Rousselot, R., 1955 a, 84-  
88, 97, figs. 16-17  
= *Dirofilaria asymmetrica* Kreis 1938  
*Cephalophus dorsalis castaneus*: Brazzaville
- Dirofilaria kuelzii** (Rodenwaldt, 1910)  
Desportes, C., [1940 a], 516-517, 521, 523,  
524  
*Cephalophus maxwelli*: Congo
- Dirofilaria kuelzii** (Rodenwaldt)  
Gedoelst, L., 1916 a, 48  
*Antilope non determiné*
- Cephalophus maxwelli**
- Dirofilaria kuelzii** (Rodenwaldt, 1910)  
Lent, L.; and Teixeira de Freitas, J. F., 1937  
b, 47  
*Cephalophus maxwelli*: Africa
- Dirofilaria kuelzii**  
Sprehn, C. E. W., 1927 e, 64  
*Cephalophus maxwelli*
- Dirofilaria kuelzii** (Rodenwaldt, 1910)  
Yorke, W.; and Maplestone, P. A., 1926 a, 394  
*Cephalophus maxwelli*
- Dirofilaria louisianensis** n. sp.  
Faust, E. C.; Thomas, E. P.; and Jones, J.,  
1941 a, 115-122, figs. 1-2  
elderly negress: New Orleans, La.
- Dirofilaria louisianensis** Faust, Thomas & Jones,  
1941  
Faust, E. C., 1957 c, 60, 61, 64, 66, 67  
*Pteronura brasiliensis*  
*Tayra barbara*
- Dirofilaria macacae** n. sp.  
Sandground, J. H., 1933 c, 543, 575, 579, fig.  
28  
*Macaca assamensis* var. *coolidgei*: Moun  
Moun, Annam
- Dirofilaria macacae** Sandground, 1933  
Desportes, C., [1940 a], 516-517, 522, 523  
*Macaca assamensis*: Indochine
- Dirofilaria macacae** Sandground, 1933  
Lent, H.; and Teixeira de Freitas, J. F.,  
1937 b, 49  
*Macaca assamensis coolidgei*: Indochina
- Dirofilaria magalhaesi** (R. Bl.)  
Alessandrini, G. C., 1929 a, 202-203
- Dirofilaria magalhaesi** (R. Bl.)  
Augustine, D. L., 1929 a, 422, 423
- Dirofilaria magalhaesi** (Blanchard, 1895)  
Basile, C., 1923 a, 225
- Dirofilaria magalhaesi** (Blanchard)  
Baylis, H. A., 1929 c, 207-208  
man
- Dirofilaria magalhaesi**  
Beattie, J. M.; and Dickson, W. E. C., [1921  
a], 431
- Dirofilaria magalhaesi** R. Blanchard, 1895  
Brumpt, E., 1922 f, 680-681  
Syns.: *Filaria bancrofti* von Linstow, non  
Cobbald, 1877; *F. bancrofti* Magalhaes, 1892,  
non Cobbald, 1877
- Dirofilaria magalhaesi** R. Bl., 1895  
Brumpt, E., 1927 e, 623, 726, 742-743
- Dirofilaria magalhaesi**  
Castellani, A.; and Chalmers, A. J., 1919 a,  
623, 644, 681
- Dirofilaria magalhaesi**  
Cort, W. W., 1921 1, 66
- Dirofilaria magalhaesi**  
Cort, W. W., 1923 a, 66  
man: Brazil

- Dirofilaria magalhaesi* (R. Blanchard, 1896)  
 Desportes, C., [1940 a], 516-517, 520, 523, 524  
 homo: Brésil
- Dirofilaria magalhaesi* (R. Blanchard, 1895)  
 Desportes, C., [1940 b], 396, 397, 398, 403
- Dirofilaria magalhaesi* (Blanchard)  
 Faust, E. C., 1929 c, 312, 453-454
- Dirofilaria magalhaesi*  
 Faust, E. C., 1937 c, 132, 137, 138
- Dirofilaria magalhaesi* (Blanchard, 1896) Railliet and Henry, 1911  
 Faust, E. C., 1957 c, 60, 61, 64, 66, 67  
 female: Florida
- Dirofilaria magalhaesi*  
 Faust, E. C.; Thomas, E. P.; and Jones, J., 1941 a, 116, 119
- Dirofilaria magalhaesi*  
 Fülleborn, F., 1913 b, 187, 315
- Dirofilaria magalhaesi* R. Bl., 1895  
 Fülleborn, F., 1929 b, 1045, 1048, 1183, 1185
- Dirofilaria magalhaesi*  
 Gonzalez Castro, J., 1946 b, 43  
 niño (ventrículo izquierdo): Brazil
- Dirofilaria magalhaesi* R. Bl.  
 Greenway, D. F., 1929 a, 214
- Dirofilaria magalhaesi* (Blanchard, 1896)  
 Lent, H.; and Teixeira de Freitas, J. F., 1937 b, 46-47  
 Homo sapiens: Brasil
- Dirofilaria magalhaesi* Blanchard  
 Lopez Neyra, C. R., 1924 a, 120
- Dirofilaria magalhaesi*  
 Manson-Bahr, P. H., In Manson, P., 1921 a, 821, 838
- Dirofilaria magalhaesi*  
 Montpellier, J.; Degouillon; and Lacroix, A., 1920 a, 533
- Dirofilaria magalhaesi*  
 Mühlens, P., 1932 f, 260
- Dirofilaria magalhaesi* (R. Blanchard, 1895)  
 Neveu-Lemaire, M., 1921 e, 300  
 Syn.: *Filaria magalhaesi*
- Dirofilaria magalhaesi*  
 Sandground, J. H., 1921 a, 329  
 man
- Dirofilaria magalhaesi* (R. Blanchard)  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 366  
 Syns.: *Filaria bancrofti* v. Linstow; *F. bancrofti* Magal.
- Dirofilaria magalhaesi* (Blanchard)  
 Smith, A. J., 1917 a, 63-64
- Dirofilaria magalhaesi*  
 Sprehn, C. E. W., 1927 e, 64
- Dirofilaria magalhaesi* (Blanchard, 1895)  
 Sprehn, C. E. W., 1932 c, 568, 569, 803  
 Syns.: *Filaria bancrofti* Linstow nec Cobbold, 1877; *F. bancrofti* Magalhaes, 1892 nec Cobbold, 1877; *F. magalhaesi* Blanchard, 1895; *D. magalhaesi* (Blanchard, 1895) Railliet u. Henry, 1911  
 Mensch (linke Herzammer): Südamerika
- Dirofilaria* [sic] *magalhaesi* (Blanchard, 1895)  
 Stephens, J. W. W.; and Yorke, W., [1923 a], 1942  
 [lapsus for *Dirofilaria magalhaesi*]  
 man (left ventricle of heart)
- Dirofilaria magalhaesi* R. Blanchard, 1895  
 Tyzzer, E. E.; and Smillie, W. G., [1927 a], 931
- Dirofilaria magalhaesi*  
 Vogel, H.; and Vogelsang Wilckens, E. G., 1930 a, 482
- Dirofilaria magalhaesi* (R. Bl., 1895)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 394  
 man
- Dirofilaria magnilarvatum* n. sp.  
 Price, D. L., 1959 a, 499-504, pls. 1-2  
*Macaca irus*
- Dirofilaria magnilarvatum* Price, 1959  
 Price, D. L., 1960 a, 4222, 4223  
*Macaca irus*  
*Mansonia longipalpis*  
*M. uniformis*
- Dirofilaria magnilarvatum*  
 Graham, G. L., 1960 a, 850  
 monkey (beneath skin in inguinal region)
- Dirofilaria magnilarvatum* Price, 1959  
 Hawking, F., 1959 a, 511-512  
*Macaca irus*
- Dirofilaria magnilarvatum* after Wharton (1959)  
 Nelson, G. S., 1960 b, 586, 590, fig.
- Dirofilaria magnilarvatum* Price, 1959  
 Taylor, A. E. R., 1959 a, 505-509, figs. 1-2  
*Macaca irus*
- Dirofilaria magnilarvatum* Price, 1959  
 Wharton, R. H., 1959 a, 513-518, pl., figs. a-c  
*Macaca irus*  
*Mansonia (Mansonioides) longipalpis*  
*M. uniformis*
- Dirofilaria minor* n. sp.  
 Sandground, J. H., 1933 c, 543, 575, 576, 579, fig. 30  
*Felis bengalensis*: Moun Moun, Annam
- Dirofilaria minor* Sandground, 1933  
 Desportes, C., [1940 a], 516-517, 522, 523  
*Felis bengalensis*: Indochine
- Dirofilaria minor* Sandground, 1933  
 Lent, H.; and Teixeira de Freitas, J. F., 1937 b, 49  
*Felis bengalensis*: Indochina
- Dirofilaria nasuae* n. sp.  
 Mazza, S., 1926 q, 273-279  
*coati (corazón)*
- Dirofilaria nasuae* n. sp.  
 Mazza, S., 1926 r, 1069-1075  
*coati (corazón)*
- Dirofilaria nasuae* n. sp.  
 Mazza, S., 1926 d, 1045-1048  
*coati (corazón)*
- Dirofilaria nasuae* Mazza, 1926  
 Desportes, C., [1940 a], 515, 516-517, 521, 523  
*Nasua* sp.: Argentine
- Dirofilaria ochmanni* (Fülleborn) [n. comb.]  
 Neumann, L. G., 1914 a, 309
- Dirofilaria ochmanni* (Full.)  
 Foley, H., 1921 a, 212
- Dirofilaria ochmanni* Fülleborn  
 Foley, H.; Catanei, A.; and Vialatte, C., 1926 a, 504
- Dirofilaria ochmanni* (Full.)  
 Houdemer, P. E., 1927 a, 251
- Dirofilaria ochmanni*  
 Korke, V. T., 1924 a, 1235
- Dirofilaria ochmanni* Fülleborn  
 Langeron, M., 1927 a, 842, 843
- Dirofilaria ochmanni* Fülleborn  
 Leger, M.; and Baury, A., 1922 a, 937
- Dirofilaria ochmanni*  
 Mazza, S.; and Romaña, S., 1932 a, 1024
- Dirofilaria ochmanni* (Full.)  
 Velu, H.; and Barotte, J. H., 1924 a, 235  
 chien
- Dirofilaria pagumae* n. sp.  
 Sandground, J. H., 1933 c, 543, 575, 576, 579, fig. 29  
*Paguma larvata intrudens*: Moun Moun, Annan
- Dirofilaria pagumae* Sandground, 1933  
 Desportes, C., [1940 a], 516-517, 522, 524, 525  
*Paguma larvata*: Indochine
- Dirofilaria pagumae* Sandground, 1933  
 Lent, H.; and Teixeira de Freitas, J. F., 1937 b, 49  
*Paguma larvata intrudens*: Indochina
- Dirofilaria pauliani* n. sp.  
 Chabaud, A. G.; and Petter, A. J., [1959 b], 153-155, 156, 157, fig. 9
- Propithecus verreauxii*: Madagascar

- Dirofilaria pauliani* Chabaud et Petter 1958  
*Chabaud, A. G.; Petter, A. J.; and Golvan, Y. J.*, 1961 a, 119  
 as syn. of *Paulianilaria pauliani* (Chabaud et Petter 1958) nov. gen., nov. comb.
- Dirofilaria perstans*  
*Carayon, A.; Collomb, H.; and Sankale, M.*, 1959 a, 309
- Dirofilaria perstans*  
*Cluver, E. H.*, 1943 a, 26  
 native outside Union, now working in Eastern Transvaal
- Dirofilaria perstans*  
*Dubois, A.*, 1957 a, 412, fig. 6
- D[irofilaria] perstans*  
*Husson, R. A.; and Schneider, J.*, [1959 a], 964
- D[irofilaria] perstans*  
*Macfarlane, L. R. S.; and Penman, H. G.*, 1959 a, 303  
 identification
- Dirofilaria perstans*  
*Ten Berg, J. A. G.*, 1952 a, 209-218, fig. 3
- Dirofilaria pongoi* n. sp.  
*Vogel, H.; and Vogelsang Wilckens, E. G.*, 1930 a, 480-482, fig. 1  
*Pongo pygmaeus* (heart)
- Dirofilaria pongoi*  
*Adiwinata, R. T.*, 1958 a, 232  
 Syn.: *D. immitis?*  
*Orang hutan: Indonesia*
- Dirofilaria pongoi* Vogel et Vogelsang, 1930  
*Desportes, C.*, [1940 a], 516-517, 522, 523  
*Pongo pygmaeus: Borneo*
- Dirofilaria pongoi*  
*Faust, E. C.*, 1937 c, 132, 137, 138
- Dirofilaria pongoi*  
*Faust, E. G.; Thomas, E. P.; and Jones, J.*, 1941 a, 119
- Dirofilaria pongoi Vogel and Vogelsang*, 1930  
*Lent, L.; and Teixeira de Freitas, J. F.*, 1937 b, 49  
*Pongo pygmaeus: Borneo*
- Dirofilaria pongoi* Vogel et al., 1930  
*Sandground, J. H.*, 1933 c, 579  
*Orang*
- Dirofilaria pongoi* Vogel and Vogelsang, 1930  
*Sandground, J. H.*, 1938 e, 49  
*Pongo pygmaeus*  
*Hylobates funereus*  
 both from Abai, N. Borneo
- Dirofilaria pongoi* Vogel and Vogelsang, 1930  
*Sandosham, A. A.*, 1951 a, 25  
 as syn. of *D. immitis* (Leidy, 1856)
- Dirofilaria recondita*  
*Mazza, S.; and Romaña, S.*, 1932 a, 1024
- Dirofilaria recondita* (Grassi, 1890) Neumann u. Mayer, 1914  
*Sprehn, C. E. W.*, 1932 c, 587  
 as syn. of *Dipetalonema reconditum* (Grassi, 1890)
- Dirofilaria repens* (Railliet e Henry 1911)  
*Battelli, C.*, 1943 b, 52, 54  
 dog: Asmara
- Dirofilaria repens*  
*Bauche, J.; and Bernard, P. H.*, 1912 a, 622  
 dogs, subcutaneous filariasis: Annam
- Dirofilaria repens* R. & H.  
*Baylis, H. A.*, 1928 e, 296
- Dirofilaria repens* Railliet & Henry  
*Baylis, H. A.*, 1929 c, 207  
 dogs  
*Stegomyia fasciata*  
*Anopheles maculipennis*
- Dirofilaria repens* Railliet and Henry  
*Baylis, H. A.*, 1939 b, xxv, 3, 5-6, 255, fig. 3  
 Syns.: *Filaria ochmanni* Fülleborn, 1908;  
*Microfilaria ochmanni* Gedoelst, 1911  
 dog
- Dirofilaria repens*  
*Berezantsev, Iu. A.*, 1961 c, 471  
 man (under skin of eyelid); Leningrad
- Dirofilaria repens* (Railliet e Henry, 1911)  
*Bettini, S.; and Lagrange, E.*, 1957 a, 191, 193, 196  
 histological changes due to drugs
- Dirofilaria repens*  
*Boshev, N.; and Iakov, N.*, 1956 a, 97-98, 2 figs.
- Dirofilaria repens*  
*Brumpt, E.*, 1922 f, 680
- Dirofilaria repens* (Railliet et Henry 1911)  
*Burdzhanadze, P. L.*, 1943 a, 60  
*Canis familiaris: Georgia [SSR]*
- Dirofilaria repens* Railliet y Henry, 1911  
*Caballero y C., E.; and Peregrina, D. I.*, 1938 b, 301  
*Vulpes vulpes: Parque Zoológico de Chapultepec, Mexico*
- Dirofilaria repens*  
*Canavan, W. P. N.*, 1929 a, 91, 92
- Dirofilaria repens* Railliet & Henry  
*Canavan, W. P. N.*, 1931 a, 222
- Dirofilaria repens*  
*Chabaud, A. G.*, 1954 d, 374, 375  
 life cycle
- Dirofilaria repens*, Railliet and Henry, 1911  
*Chitwood, B. G.*, 1933 c, 63  
 as syn. of *Dirofilaria acutiuscula* (Molin, 1858) n. comb.
- Dirofilaria repens*  
*Chitwood, B. G.; and Chitwood, M. B.*, 1938 a, 116, 117, fig. 109 S
- Dirofilaria repens*  
*Chun Siun, F.*, 1959 a, 483, figs. 1-2  
 dogs  
*Anopheles maculipennis sacharovi*  
 both from Kazakhstan
- Dirofilaria repens*  
*Coutelen, F. R.*, 1929 f, 411
- Dirofilaria repens*  
*Crawford, M.*, 1934 a, H11  
 dogs: Colombo, Ceylon
- Dirofilaria repens*  
*Das, P. N.; and Basu, S. C.*, 1926 a, 283-285  
*Puri*
- Dirofilaria repens*  
*Delianova, R. Sh.*, 1957 a, 69, 70  
 distribution  
 woman
- Dirofilaria repens*  
*Demidova, A. Ia.*, 1935 a, 414  
 Hund: Aserbeidschan
- Dirofilaria repens* R. & H.  
*Descazeau, J.*, 1923 a, 237
- Dirofilaria repens* Railliet and Henry, 1911  
*Desportes, C.*, [1940 a], (5) 396, 397, 403;  
 (6) 516-517, 521, 524-527  
*Canis familiaris*  
*Homo*
- Dirofilaria repens* Railliet and Henry, 1911  
*Desportes, C.*, [1940 b], 413
- Dirofilaria repens* Railliet et Henry, 1911  
*Desportes, C.*, 1941 a, 192-197
- Dirofilaria repens*  
*Dhayagude, R. G.*, 1943 a, 171-173, pl. 13,  
 figs. 1-3; pl. 14, figs. 1-2  
 periodicity similar to *D. immitis*  
 dogs
- Dirofilaria repens* (Raill. et Henry, 1911)  
*Dubinin, V. B.*, 1952 e, 259  
 fox  
 dog  
*Culex*  
*Anopheles*  
 all from delta of the Volga river

- Dirofilaria repens**
- Epshtein, S. I.; and Lychmanov, N. G., 1954 a, 175, 176  
man: Batum (from Astrakhan)
  - Dirofilaria repens Railliet and Henry, 1911  
Faust, E. C., 1937 c, 137, 138
  - Dirofilaria repens R. & H., 1911  
Faust, E. C., 1957 c, 60, 61, 66, 67
  - Dirofilaria repens  
Foley, H., 1921 a, 216
  - Dirofilaria repens (Railliet & Henry)  
Foley, H.; Catanei, A.; and Vialatte, C., 1926 a, 503, 504
  - Dirofilaria repens  
Fülléborn, F., 1912 b, 255
  - Dirofilaria repens  
Fülléborn, F., 1913 a, 52
  - Dirofilaria repens  
Fülléborn, F., 1913 b, 187, 255, 269
  - Dirofilaria repens  
Fülléborn, F., 1929 b, 1045, 1052, 1131, 1133
  - Dirofilaria repens (Railliet et Henry, 1911)  
Gnezdilov, V. G.; and Chebotarevich, N. D., 1934 b, 177  
[dog]: Turkmenistan
  - Dirofilaria repens (Railliet and Henry 1911)  
Guilhon, J.; and Gruber, M., 1953 a, 467-469  
chien: France
  - Dirofilaria repens  
Gunewardene, K., 1956 a, 45-53  
development  
Aedes (Stegomyia) albopictus: Ceylon  
Taeniorhynchus (Mansonioides) uniformis  
(exper.)  
T. (Mansonioides) annuliferus (exper.)  
Armigeres (A.) obturbans (exper.)  
Aedes (Stegomyia) aegypti (exper.)  
Anopheles hyrcanus var. nigerrimus (exper.)  
A. barbirostris
  - Dirofilaria repens  
Hall, M. C., 1929 b, 40, 57  
dog  
Aedes aegypti  
A. fasciatus  
Anopheles maculipennis
  - Dirofilaria repens (?)  
Harant, H.; and Brès, A., 1946 a, 286-287
  - Dirofilaria repens  
Hawking, F., 1950 a, 154, 177, 181, 192  
treatment  
dogs  
Anopheles maculipennis atroparvus  
Aedes aegypti
  - Dirofilaria repens  
Hawking, F., 1953 a, 82  
periodicity
  - Dirofilaria repens  
Hawking, F., 1956 b, 398, 410  
stimuli affecting migration
  - Dirofilaria repens  
Hawking, F., 1962 b, 168-172  
role of spleen in controlling number of  
microfilariae in blood
  - Dirofilaria repens  
Hawking, F.; Sewell, P.; and Thurston, J. P., 1950 a, 234, 238  
treatment  
Anopheles maculipennis atroparvus
  - Dirofilaria repens  
Hawking, F.; and Thurston, J. P., 1951 a, 308  
periodicity
  - Dirofilaria repens  
Heisch, R. B.; Nelson, G. S.; and Furlong, M., 1959 a, 44, 49, fig. 1d  
Genetta tigrina  
dog  
cat  
Aedes pombaensis  
A. aegypti  
all from Pate Island, Kenya
  - Dirofilaria repens (R. & H.)  
Houdemer, F. E., 1927 a, 204, 245, 248, 251  
canidés  
Stegomyia fasciata
  - Dirofilaria repens Railliet et Henry, 1911  
Irgashev, I. Kh., 1958 a, 40  
dog: Samarkand oblast
  - Dirofilaria repens  
Isaichikov, I. M., 1925 d, 51, 95
  - Dirofilaria repens  
Jellison, W. L., 1933 a, 43, 45  
Erethizon dorsatum
  - Dirofilaria repens  
Kellas, L. M.; and Webber, W. A. F., 1955 a, 9  
lion: Sudan
  - Dirofilaria repens  
Khramelashvili, N. G., 1957 a, 481, 482  
man (under conjunctiva of eye): Tbilisi
  - Dirofilaria repens  
Kobayashi, H., 1921 b, 405
  - Dirofilaria repens  
Korke, V. T., 1924 a, 1235
  - [? Dirofilaria repens]  
Kotlán, S., 1951 a, 69-79  
human: Hungary
  - Dirofilaria repens  
Kotlán, S., 1952 a, 75-80
  - Dirofilaria repens  
Kume, S., 1951 b, 133, 141  
mosquitoes
  - Dirofilaria repens  
Kume, S., 1951 c, 187, 188
  - Dirofilaria repens  
Langeron, M., 1927 a, 841, 842, 843, 844
  - Dirofilaria repens  
Lavier, G., 1921 c, 154  
Anopheles maculipennis  
Aedes fasciatus
  - Dirofilaria repens Fülléborn (1908); Bernard and  
Bauche (1931)  
Lavoipierre, M. M. J., 1958 b, 332, 339  
dog  
Ae. aegypti  
An. maculipennis  
(malpighian tubules of both)
  - Dirofilaria repens Railliet  
Leger, M.; and Baury, A., 1922 a, 937
  - Dirofilaria repens  
Leiper, J. W. G., 1957 a, 12  
dogs (subcutaneous tissue): Iraq
  - Dirofilaria repens Railliet and Henry, 1911  
Lent, H.; and Teixeira de Freitas, J. F., 1937  
b, 47-48  
Canis fam.  
Homo sapiens
  - Dirofilaria repens Railliet and Henry, 1911  
Lent, H.; and Teixeira de Freitas, J. F.,  
1937 c. 443-448, figs. 1-4  
Canis familiaris: S. Paulo, Est. S. Paulo,  
Brasil
  - Dirofilaria repens  
McFadzean, J. A., 1954 c, 85-94  
immunity
  - Dirofilaria repens  
McGaughey, C. A., 1952 a, 66  
dogs, treatment: Ceylon
  - Dirofilaria repens  
Maplestone, P. A.; and Bhaduri, V. N., 1940 a,  
597  
dogs: India
  - Dirofilaria repens  
Matchanov, N. M., 1961 b, 293  
dogs: Tashkent region
  - Dirofilaria repens  
Mazza, S.; and Romana, C., 1932 a, 1024, 1026,  
1027, 1028, 1029, 1030, 1031, pl. 2  
perros: Chaco santafesino, Argentina  
Stegomyia fasciata  
(?) Anopheles maculipennis

- Dirofilaria repens**  
 Mellanby, H., 1955 a, 287  
 identification and estimation of acetyl-choline in microfilariae
- Dirofilaria repens**  
 Meson, T. B., 1935 a, 52
- Dirofilaria repens R. & H.**, 1911  
 Myers, B. J.; Kuntz, R. E.; and Wells, W. H., 1962 a, 538  
 Canis aureus  
 Vulpes vulpes  
 both from Egypt
- Dirofilaria repens**  
 Nair, C. P.; Roy, Radhagovinda; and Raghavan, N. G. S., 1961 a, 49-52  
 susceptibility of Aedes albopictus to infection, cats
- Dirofilaria repens**  
 Narayandas, M. G., 1958 a, 210  
 technique
- Dirofilaria repens**  
 Narayandas, M. G.; and Ray, A. P., 1958 a, 67  
 rapid staining technique for microfilaria
- Dirofilaria repens (Railliet and Henry, 1911)**  
 Nelson, G. S., 1959 a, 234, 236, 243, 244, 245, 247, 249, 250, 251, 253, fig. 6  
 key  
 dog  
 cat  
 Genetta tigrina  
 Leo leo  
 Aedes pombaensis  
 A. aegypti  
 Mansonia uniformis  
 M. africanus
- Dirofilaria repens**  
 Nelson, G. S., 1960 b, 585, 586, 589, 590, fig. 6
- Dirofilaria repens**  
 Nelson, G. S.; Heisch, R. B.; and Furlong, M., 1962 a, 215  
 dogs  
 cats  
 genet cats  
 Aedes pombaensis  
 A. aegypti  
 Mansonia uniformis  
 M. africanus  
 all from Kenya coast
- Dirofilaria repens**  
 Nicoll, W., 1922 b, 387  
 Stegomyia fasciata
- Dirofilaria repens**  
 Panda, P., 1932 a, 241-250  
 dogs
- Dirofilaria repens**  
 Pasquini, D., 1953 a, 58, 60-64  
 canine
- Dirofilaria repens (Caylis, 1938)**  
 Perera, S. J. E., 1956 a, 22
- Dirofilaria repens R. & H.**  
 Petrov, A. M., 1926 a, 91, 95, 99, 100
- Dirofilaria repens Railliet et Henry, 1911**  
 Petrov, A. M.; and Potekhina, L. F., 1953 b, 86, 92  
 Chaus chaus: Tadzhikistan
- Dirofilaria repens**  
 Pfaff, G., 1940 a, 12  
 elephants: Insein
- Dirofilaria repens**  
 Phisalix, C. A., 1922 a, v. 1, 160
- Dirofilaria repens Railliet & Henry (1911)**  
 Pierce, W. D., 1921 h, 261  
 Aedes argenteus
- Dirofilaria repens**  
 Poenaru, I., (1935 a)  
 chiens
- Dirofilaria repens**  
 Popov, N. P., 1924 a, 14
- Dirofilaria repens**  
 Popov, N. P., 1927 a, 212  
 [dog]  
 [cat]  
 both from Kazakstan
- Dirofilaria repens**  
 Popov, P. P., 1926 a, 53
- Dirofilaria repens**  
 Raghavan, N. G. S.; Misra, B. G.; and Roy, R., 1952 a, 253  
 Mansonoides annulifera
- Dirofilaria repens R. & H.**  
 Railliet, A., 1925 b, 22, 23
- Dirofilaria repens, Railliet & Henry, 1911**  
 Ransom, B. H., 1921 j, 74, 76, 80  
 dog  
 Aedes argenteus
- Dirofilaria repens Railliet & Henry**  
 Rauber, M., 1930 a, 336
- Dirofilaria repens**  
 Restani, R.; Coluzzi, M.; and di Matteo, E., 1962 a, 585  
 cane
- Dirofilaria repens (Railliet, 1911)**  
 Roberman, S. L., (1941 a), 18  
 dogs: Kirgiz SSR
- Dirofilaria repens**  
 Roubaud, E.; and Descazeaux, J., 1922 a, 1000
- Dirofilaria repens Railliet et Henry**  
 Roveda, R.; and Ringuelet, R., 1947 a, 73  
 Canis familiaris: Argentina
- Dirofilaria repens**  
 Sandground, J. H., 1933 c, 577, 578  
 Erythizon dorsatus  
 dog  
 man
- Dirofilaria repens**  
 Séguy, E., 1923 a, 46, 50  
 Anopheles maculipennis  
 Aedes fasciatus
- Dirofilaria repens**  
 Séguy, E., 1924 a, 190, 205  
 Anopheles maculipennis  
 Stegomyia fasciata
- Dirofilaria repens Railliet and Henry, 1911**  
 Seneviratna, P., 1955 b, 35  
 dog: Colombo district
- Dirofilaria repens**  
 Seurat, L. G., 1920 c, 160, 210
- Dirofilaria repens**  
 Shleikher, E. I., 1948 a, 247, 248, 249, 250  
 dog  
 Aedes (O.) caspius  
 Anopheles maculipennis v. sacharovi  
 A. hyrcanus v. pseudopictus  
 all from Tashkent
- Dirofilaria repens**  
 Singh, D., 1962 a, 27-31  
 dog, absence of action of hetazan and alvosulphone (DDS) on microfilariae; developing forms in mosquito
- Dirofilaria repens**  
 Singh, D.; and Ahluwalia, G. S., 1961 a, 307-311  
 in vitro action of potassium permanganate on microfilariae
- Dirofilaria repens**  
 Singh, D.; Krishnaswami, A. K.; and Raghavan, N. G. S., 1958 a, 89-92, pl. II, fig. C  
 dog: Sakhigopal, Orissa (India)
- Dirofilaria repens**  
 Skrjabin, K. I., 1927 i, 58, 68  
 sobak [dog]: Golodnaia Step, Chardzhui
- Dirofilaria repens Railliet et Henry**  
 Skrjabin, K. I., 1940 a, 123, 125, 126, 127  
 homme
- Dirofilaria repens**  
 Skrjabin, K. I., 1947 c, 1564  
 Syns.: Filaria palpebralis; F. peritonei hominis; F. conjunctivae; Loa extraocularis

- Dirofilaria repens*  
 Skrjabin, K. I.; Al'tgauzen, A. Ia.; and  
 Shul'man, E. S., 1930 a, 9-11, figs. 1-4  
 homme
- Dirofilaria repens Railliet & Henry*  
 Sluiter, C. P.; Swellengrebel, N. H.; and  
 Ihle, J. E. W., [1922 a], 433-434, 447  
*Stegomyia fasciata*
- Dirofilaria repens*  
 Sprehn, C. E. W., 1927 e, 64
- Dirofilaria repens Railliet & Henry*  
 Sprehn, C. E. W., 1930 s, 245  
 Canis fam.
- Dirofilaria repens Railliet u. Henry, 1911*  
 Sprehn, C. E. W., 1932 c, 568, 569-570, 822,  
 fig. 284  
*Canis familiaris (subkutanes Bindegewebe):*  
*Europa; Asien*
- Dirofilaria repens*  
 Stepanian, S. G., 1961 b, 299  
 dogs (subcutaneous tissue): Kzyl-Orda  
 region
- Dirofilaria repens (Railliet et Henry, 1911)*  
 Sufrin, J., 1923 a, 71  
 chien  
*Stegomyia fasciata*  
*Anopheles maculipennis*
- Dirofilaria repens*  
 Taylor, A. E. R., 1960 g, 14, 21, 23, 24,  
 figs. 5-7  
*microfilariae*
- Dirofilaria repens Railliet and Henry, 1911*  
 Tüzdil, A. E., 1939 a, 13  
 as syn. of *D. acutiuscula* (Molin, 1858)
- Dirofilaria repens (Railliet & Henry)*  
 Velu, H.; and Barotte, J. H., 1924 a, 235,  
 343  
 chien
- Dirofilaria repens*  
 Venkataraman, K. V., 1953 a, 276
- Dirofilaria repens*  
 Vibe, P. P., 1961 c, 302  
 dogs: Semipalatinsk region
- Dirofilaria repens*  
 Vogel, H. I., 1927 a, 81, 83, 86-87, 88, figs.  
 9, 10
- Dirofilaria repens*  
 Webber, W. A. P.; and Hawking, F., 1955 a,  
 143  
 experimental maintenance in dogs
- Dirofilaria repens Railliet and Henry, 1911*  
 Wittenberg, G. G., 1934 a, 233, 236, 238  
 dog (connective tissue)  
 mosquitoes  
 both from Palestine
- Dirofilaria repens Railliet & Henry, 1911*  
 Yorke, W.; and Maplestorne, P. A., 1926 a, 394  
 dogs
- Dirofilaria roemeri* (Linstow, 1905)  
 Anderson, R. C., 1959 c, 481, 486, 488, 490-492, figs.  
 4-7, 10-11, 13  
 Syns.: *Filaria roemeri* Linstow, 1905; *Acanthocheilonema roemeri* (Linstow) Baylis, 1925; *Dipetalonema roemeri* (Linstow) Yorke & Maplestorne, 1926  
*Macropus major*: Queensland
- Dirofilaria roemeri* (Linstow)  
 Mackerras, M. J., 1962 a, 419, 423-426, figs. 17-18  
*Macropus major*  
*M. rufus*  
*Osphranter robustus*  
 (blood of all): all from western Queensland
- Dirofilaria sagitta* Rodenwalt, 1910  
 Vuylsteke, A., 1956 a, 472  
 antelope (muscles): Lisala  
*Tragelaphus scriptus*: Urundi
- Dirofilaria scapiceps* (Leidy, 1866) [n. comb.]  
 Yorke, W.; and Maplestorne, P. A., 1926 a, 394  
*Sylvilagus spp.*
- Dirofilaria scapiceps*  
 Alicata, J. E., 1929 a, 287  
 occurrence, rabbits
- Dirofilaria scapiceps Highby, 1943*  
 Bartel, M. H.; and Hansen, M. F., 1962 a, 45
- Dirofilaria scapiceps*  
 Chabaud, A. G., 1954 d, 373  
 life cycle
- Dirofilaria scapiceps*  
 Crites, J. L.; and Phinney, G. J., 1958 a, 128-130  
*Sylvilagus floridanus mearnsi*: Ohio
- Dirofilaria scapiceps* (Leidy, 1866)  
 Desportes, C., [1940 b], 516-517, 520, 524  
 Léporides: U.S.A.
- Dirofilaria scapiceps*  
 Erickson, A. B., 1944 a, 135, 136, 138  
*Lepus americanus*
- Dirofilaria scapiceps* (Leidy, 1896) Railliet and Henry, 1911  
 Erickson, A. B., 1947 b, 257, 258, 259, 260  
 key  
*Sylvilagus floridanus*  
*S. palustris*
- Dirofilaria scapiceps* (Leidy, 1886)  
 Highby, P. R., 1938 a, 36  
*Lepus americanus phaeonotus*  
*Aedes canadensis*  
*A. excrucians*  
*A. fitchii*
- Dirofilaria scapiceps*  
 Highby, P. R., 1943 c, 253-259, fig. 1  
*Lepus americanus phaeonotus*: Baudette, Minnesota  
*Aedes canadensis*  
*A. excrucians*  
*A. fitchii*  
*A. vexans*  
*A. cinereus*
- Dirofilaria scapiceps* Highby (1943)  
 Lavoipierre, M. M. J., 1958 b, 332  
*Lepus americanus phaeonotus*  
*Aedes spp.* (fat-body)
- Dirofilaria scapiceps* (Leidy, 1886)  
 Lent, H.; and Teixeira de Freitas, J. F., 1937 b, 46  
 Syn.: ? *Microfilaria* sp. Schwartz and Alicata, 1931  
*Lepus sylvaticus*  
*L. campestris*  
*Sylvilagus floridanus alacer*  
*S. floridanus mallurus*  
 all from U.S.A.
- Dirofilaria scapiceps*  
 MacLulich, D. A., 1937 a, 86  
*Lepus americanus*
- Dirofilaria scapiceps*  
 Penner, L. R., 1954 b, 458-459  
*Lepus americanus phaeonotus*: Connecticut
- Dirofilaria scapiceps*  
 Penner, L. R.; Dery, D. W.; and Knuckles, J. L., 1953 a, 676-677  
*Sylvilagus floridanus*: New England
- Dirofilaria scapiceps* Leidy, 1886  
 Price, D. L., 1957 a, 18, 19  
*Sylvilagus floridanus mallurus*: Maryland
- Dirofilaria scapiceps*  
 Schwartz, B.; and Alicata, J. E., 1931 d, 54  
*Lepus washingtonii* (blood)
- Dirofilaria scapiceps* Leidy, 1886  
 Shul'ts, R. E. S., 1931 d, 136-137, fig. 78  
*Lepus campestris*  
*Sylvilagus floridanus alacer*  
*A. floridanus mallurus*  
 (?) *Sylvilagus palustris*
- Dirofilaria scapiceps*  
 Sprehn, C. E. W., 1927 e, 64  
*Sylvilagus sp.*
- Dirofilaria scapiceps* (Leidy)  
 Walton, A. C., [1927 a], 109  
 rabbit
- Dirofilaria schoutedeni* n. sp.  
 Vuylsteke, C.; and Rodhain, J., 1938 a, 356-360, figs.  
 1-3  
*Colobus polykomos uelensis*: Mauda, Vélez

- Dirofilaria schoutedeni Vuylsteke et Rodhain 1938  
 Chabaud, A. G.; and Rousselot, R., 1956 a, 78-84, 97  
 as syn. of *D. corynodes* (Linstow 1899)
- Dirofilaria spectans n. sp.  
 Teixeira de Freitas, J. F.; and Lent, H., 1949 a, 377-380, figs. 1-12  
*Pteronura brasiliensis*: Brasil
- Dirofilaria spectans  
 Teixeira de Freitas, J. F.; and Mayall, R., 1953 a, 463-467  
 human: Rio de Janeiro
- Dirofilaria spinosa n. sp.  
 Canavan, W. P. N., 1929 a, 71, 91-93, pl. 5, figs. 10-14, pl. 8, fig. 47  
*Erethizon dorsatus dorsatus*
- Dirofilaria spinosa Canavan, 1929  
 Desportes, C., [1940 b], 516-517, 521-522, 524, 525  
*Erethizon dorsatus*: Europe, U.S.A.
- Dirofilaria spinosa Canavan, 1929  
 Highby, P. R., 1939 a, 15  
*Erethizon dorsatum*  
*Aedes stimulans*
- Dirofilaria spinosa Canavan, 1929  
 Highby, P. R., 1943 b, 243, 248, 251, pl. 2, fig. 2  
*Erethizon dorsatum*: Minnesota
- Dirofilaria spinosa Canavan  
 Jellison, W. L., 1933 a, 43, 44  
*Erethizon dorsatum* (subcutaneous connective tissue):  
 Pine Co., Minn.
- Dirofilaria spinosa Canavan, 1929  
 Lent, H.; and Teixeira de Freitas, J. F., 1937 b, 48-49  
*Erethizon dorsatus*: Europa; U.S.A.
- Dirofilaria spinosa Canavan, 1929  
 Sandground, J. H., 1933 c, 579  
 porcupine (*Erethizon dorsatus*)
- Dirofilaria spirocauda (sub judice) [n. comb.]  
 Faust, E. C., 1937 c, 132, 134-137, 138, figs. A-D  
 Syn.: *Filaria spirocauda*  
*Zalophus californianus*: Audubon Park Zool. Garden,  
 New Orleans
- Dirofilaria spirocauda sub. jud. (Leidy, 1858) Faust, 1937  
 Desportes, C., [1940 b], 515, 516, 517, 518, 523  
*Phoca vitulina*  
*Zalophus californianus*  
 both from Am. N.; Europe
- Dirofilaria spirocauda (Leidy, 1858) sub judice Faust, 1937  
 Margolis, L., 1954 c, 272, 273, 280  
 as syn. of *D. immitis* (Leidy, 1856) Railliet and  
 Henry, 1911
- Dirofilaria spirocauda Faust, 1937 nec Leidy, 1858  
 Skrjabin, K. I.; and Shikhobalova, N. P., 1948 a, 160  
 as syn. of *D. fausti* nom. nov.
- Dirofilaria streptocer[c]a  
 Dubois, A., 1957 a, 412, figs. 5, 6-8
- Dirofilaria striata (Molin, 1858) [n. comb.]  
 Yorke, W.; and Maplestone, P. A., 1926 a, 394  
*Felis concolor*  
*F. macroura*
- Dirofilaria striata (Molin, 1858)  
 Anderson, R. C., 1952 a, 46  
*Lynx rufus*: Brazil
- Dirofilaria striata (Molin, 1858)  
 Desportes, C., [1940 b], 516-517, 519, 523  
*Felis concolor*  
*F. macroura*  
*F. pardalis*  
 all from Brasil
- Dirofilaria striata (Molin, 1858)  
 Lent, H.; and Teixeira de Freitas, J. F., 1937 b, 46  
*Felis concolor*  
*F. macroura*  
 both from Brasil
- Dirofilaria striata  
 Sprehn, C. E. W., 1927 e, 64  
*Felis concolor*  
*F. macroura*
- Dirofilaria subcutanea (Linst., 1899) [n. comb.]  
 Yorke, W.; and Maplestone, P. A., 1926 a, 395  
*Erethizon dorsatus*
- Dirofilaria subcutanea (v. Linst.)  
 Canavan, W. P. N., 1929 a, 92, pl. 8, figs. 48, 49
- Dirofilaria subcutanea (v. Linst.)  
 Canavan, W. P. N., 1931 a, 221  
*Erethizon dorsatum*
- Dirofilaria (Filaria) subcutanea (von Linstow, 1899)  
 Jellison, W. L., 1933 a, 43, 44, 45  
*Erethizon dorsatum* (subcutaneous tissue)
- Dirofilaria subcutanea (v. Linstow, 1899)  
 Sandground, J. H., 1933 c, 579  
 porcupine (*Erethizon dorsatus*)
- Dirofilaria subcutanea  
 Sprehn, C. E. W., 1927 e, 64  
*Erethizon dorsatus*
- Dirofilaria subdermata (Monnig, 1924) [n. comb.]  
 Teixeira de Freitas, J. F.; and Lent, H., 1937 c, 423  
 Syn.: *Filaria subdermata* Monnig
- Dirofilaria subdermata Highby (1939)  
 Lavoipierre, M. M. J., 1958 b, 332  
*Erethizon dorsatum*  
*Ae. stimulans*
- Dirofilaria sudanensis (Linst., 1903) [n. comb.]  
 Yorke, W.; and Maplestone, P. A., 1926 a, 395  
*Felis leo*
- Dirofilaria sudanensis (Linst. in Shipley, 1902)  
 Desportes, C., [1940 b], 516-517, 520, 523, 524  
*Felis leo*  
*Hyaena* sp.  
 both from Soudan
- Dirofilaria sudanensis (Linst. in Shipley, 1902)  
 Lent, H.; and Teixeira de Freitas, J. F., 1937  
 a, 47  
*Felis leo*  
 ? *Hyaena* sp.  
 both from Africa
- Dirofilaria sudanensis  
 Sprehn, C. E. W., 1927 e, 64  
*Felis leo*
- Dirofilaria sudanensis (v. Linstow, 1903)  
 Yamashita, J.; and Nakamata, M., 1954 a, 150,  
 153-154, 156, fig. 5; pl. fig. 6  
*Felis leo*: Sapporo Zool. Gardens
- Dirofilaria sudanensis  
 Yamashita, J.; and Nakamata, M., 1954 b, 28  
 imported animals: Hokkaido
- Dirofilaria tenuis n. sp.  
 Chandler, A. C., 1942 a, 262-263, 264, 266,  
 267, pl. 1, figs. 9-11  
*Procyon lotor*: Angelina County, Texas
- Dirofilaria tenuis Pistey (1956)  
 Lavoipierre, M. M. J., 1958 b, 332, 339  
*raccoon*  
*Ae. taeniorhynchus* (malpighian tubules)  
*An. quadrimaculatus* (malpighian tubules)
- Dirofilaria tenuis Chandler, 1942  
 McIntosh, A., 1954 a, 31-32  
*Procyon lotor*: Sarasota, Florida
- Dirofilaria tenuis Chandler, 1942  
 Orihel, T. C., 1960 a, 3904  
*raccoons*  
*Anopheles quadrimaculatus*
- Dirofilaria tenuis Chandler, 1942  
 Pistey, W. R., 1956 a, 16  
*raccoons*: Longboat Key, Sarasota County,  
 Florida
- Dirofilaria tenuis Chandler, 1942  
*Aedes taeniorhynchus* (exper.)
- Dirofilaria tenuis Chandler, 1942  
*Anopheles quadrimaculatus* (exper.)
- Dirofilaria tenuis Chandler, 1942  
 Pistey, W. R., 1957 a, 2128  
*Aedes taeniorhynchus*  
*Anopheles quadrimaculatus*
- Dirofilaria tenuis Chandler 1942  
 Pistey, W. R., [1959 a], 613-622, pl. I, figs.  
 1-5, pl. II, figs. 1-3, pl. III, figs. 1-3,  
 pl. IV, figs. 1-7  
 development

- Dirofilaria tenuis Chandler 1942  
 Pistey, W. R., [1960 a], 596-608  
   *Procyon lotor elucus*  
   *Aedes taeniorhynchus* (exper.)  
   *A. quadrimaculatus* (exper.)
- Dirofilaria uniformis n. sp.  
 Price, D. L., 1957 a, 15-19, fig., pl., figs. 1-7  
   *Sylvilagus floridanus mallurus*: Maryland
- Dirofilaria uniformis Price, 1957  
 Price, D. L., 1960 a, 4222  
   *Sylvilagus floridanus*  
   *Anopheles quadrimaculatus*
- Dirofilaria uniformis Price  
 Bray, R. L.; and Walton, B. C., 1961 a, 13-22, 23, pl. I, figs. 1-4  
   *Anopheles quadrimaculatus* (hemocoel, proboscis) (exper.)
- Dirofilaria uniformis  
 Duxbury, R. E.; Moon, A. P.; and Sadun, E. H., 1960 a, 27-28  
   *Anopheles quadrimaculatus*, susceptibility and resistance to infection
- Dirofilaria uniformis  
 Duxbury, R. E.; Moon, A. P.; and Sadun, E. H., 1961 a, 687-691  
   *Anopheles quadrimaculatus*, susceptibility and resistance to infection
- Dirofilaria uniformis  
 Moon, A. P.; Duxbury, R. E.; and Sadun, E. H., 1960 a, 28-29  
   maintenance in laboratory animals
- Dirofilaria uniformis  
 Moon, A. P.; Duxbury, R. E.; and Sadun, E. H., 1961 a, 693-694  
   maintenance in laboratory animals
- Dirofilaria uniformis  
 Rothstein, N.; and Brown, M. L., 1960 a, 1090, 1091, 1092, figs. 4-5  
   vital staining and differentiation
- Dirofilaria uniformis  
 Rothstein, N.; Brown, M. L.; and Carithers, R. W., 1959 a, 38  
   staining and differentiation
- Dirofilaria ursi n. sp.  
 Yamaguti, S., 1941 d, 409, 433-434, 438, pl. IX, fig. 26; figs. 24-25  
   *Ursus torquatus japonicus*: Kiso, Nagano Prefecture, Japan
- Dirofilaria ursi Yamaguti, 1941  
 Anderson, R. C., 1952 a, 35, 47-50, 51, 53, 54, 55, 56, 62, 63, 64, pls., figs. 1-18  
   *Ursus a. americanus*: Ontario
- Dirofilaria ursi  
 King, J. M.; Black, H. C.; and Hewitt, O. H., 1960 a, 99, 104
- Dirofilaria ursi  
 Krotov, A. I., 1960 c, 485
- Dirofilaria ursi Yamaguti, 1941  
 Oshmarin, P. G., 1950 c, 181  
   *Ursus mantschuricus*: Far East
- Dirofilaria ursi Yamaguti, 1941  
 Petrov, A. M.; and Krotov, A. I., 1954 a, 335-336, fig. 1  
   bear (subcutaneous cells)
- Dirofilaria ursi  
 Whitlock, J. H., 1960 a, 47  
   bears: New York
- Dirofilaria websteri (Cobbald, 1879) [n. comb.]  
 Yorke, W.; and Maplestone, P. A., 1926 a, 395  
   *Macropus giganteus*
- Dirofilaria websteri (Cobbald, 1879)  
 Desportes, C., [1940 b], 516-517, 519-520, 523  
   *Macropus major*: Australie
- Dirofilaria websteri (Cobbald, 1879)  
 Lent, H.; and Teixeira de Freitas, J. H., 1937 a, 46  
   *Macropus giganteus*: Australia
- Dirofilaria websteri (Cobbald, 1879)  
 Oldham, J. N., 1933 b, 218-219, 228, 236, 237  
   *Macropus giganteus* (knee joint)  
   kangaroo  
   both from Queensland?; New South Wales; Australia
- Dirofilaria websteri  
 Sprehn, C. E. W., 1927 e, 64  
   *Macropus giganteus*
- Dirofilariaeformia Lubimov 1935  
 Chabaud, A. G.; and Anderson, R. C., 1959 a, 78  
   key  
   Onchocercidae; Dirofiliinae
- Dirofilariaeformia Lubimov, 1935  
 Desportes, C., [1940 a], 401  
   Filiariinae
- Dirofilariaeformia Lubimov, 1935  
 Skrjabin, K. I.; and Shikhobalova, N. P., 1936 a, 66  
   Filiariinae  
   key
- Dirofilariaeformia sp.  
 Hayashi, S.; Sato, K.; Matsumura, A.; and Watanabe, T., 1960 a, 369  
   *Petaurista leucogenys nikkonis*
- Dirofilariaeformia sciurorum  
 Krotov, A. I., 1960 c, 485
- Dirofilariaeformia sciurorum Lubimov, 1935  
 Oshmarin, P. G., 1950 c, 181  
   squirrel: Far East
- Dirofilariaeformia sciurorum Lubimov, 1935  
 Skrjabin, K. I.; and Shikhobalova, N. P., 1948 a, 180-182, fig. 47  
   [Ussuriiski polar bear]: Moskva zoopark
- Dirofilariaeformia ulari nov. sp.  
 Gagarin, V. G., 1954 a, 86, 97-98, 99, figs. 14, 14 a-g  
   *Tetraogallus himalayensis*: Kirgiz SSR
- Dirofilariasis  
 Benson, T. F., 1960 a, 99  
   dog: New York
- Dirofilariasis  
 Jubb, K. V.; and Kennedy, P. C., 1954 a, 60  
   canine: New York
- Dirofilariasis  
 von Lichtenberg, F.; Jackson, R. F.; and Otto, G. F., 1962 a, 121-128  
   dogs, hepatic lesions
- Dirofilariasis  
 Oguni, H.; et al., 1957 a, 75, 134  
   application of Sb<sup>124</sup> and I<sup>131</sup>
- Dirofilariasis  
 Olafson, P.; Bentinck-Smith, J.; and Saunders, L. Z., 1951 a, 58  
   dogs
- Dirofilariasis  
 Olafson, P.; McEntee, K.; and Saunders, L. Z., 1950 a, 64
- Dirofilariasis  
 Rickard, C. G.; Jubb, K. V.; and Panciera, R. J., 1955 a, 70  
   dogs: New York State
- Dirofilariasis  
 Rickard, C. G.; King, J. M.; and Mason, R. A., 1960 a, 87  
   dogs: New York
- Dirofilariasis  
 Rickard, C. G.; Panciera, R. J.; and King, J. M., 1956 a, 69  
   dog
- Dirofilariasis  
 Wallace, W. R., 1940 a, 7  
   dogs, fouadin: Perak

- Dirofiliidae [n. fam.]  
 Sandground, J. H., 1921 a, 329
- Dirofiliidae Sandground  
 Johnston, T. H.; and Mawson, P. M., 1938 a, 108  
 Syn.: Dipetalonematidae Wehr, 1935
- Dirofiliidae Sandground, 1921  
 Wehr, E. E., 1935 b, 87  
 as syn. of Dipetalonematidae n. fam.
- Dirofiliidae Sandground, 1921  
 Wehr, E. E., 1936 b, 61  
 as syn. of Dipetalonematidae
- Dirofiliinae n. subfam.  
 Wehr, E. E., 1935 b, 87, 88  
 Filarioidea, Dipetalonematidae n. fam.  
 contains: Dirofilaria; Loa; Foleyella  
 Syn.: Loainae Yorke and Maplestorne, in part
- Dirofiliinae n. subfam.  
 Wehr, E. E., 1936 b, 61  
 Dipetalonematidae  
 Syn.: Loainae Yorke and Maplestorne, 1926
- Dirofiliinae Wehr, 1935  
 Baylis, H. A., 1939 b, 2
- Dirofiliinae (Sandground 1921)  
 Chabaud, A. G.; and Anderson, R. C., 1959 a, 76  
 Onchocercidae  
 key
- Dirofiliinae Wehr, 1935  
 Chabaud, A. G.; and Choquet, M. T., 1953 a, 176, 183-184  
 key  
 includes: Bostrichodera Sandground, 1938;  
 Loa Stiles, 1905; Tawila Khalil, 1932; Foleyella Seurat, 1917 (- Foleyellides, Cabalero, 1935); Dirofilariaeformis Lubimov, 1935; Dirofilaria Railliet et Henry, 1911
- Dirofiliinae  
 Chitwood, B. G., 1937 c, 75  
 Dipetalonematidae
- Dirofuria repens  
 Mazza, S.; and Romaña, C., 1932 a, 1031  
 [misprint for Dirofilaria repens]
- Discophorus Mehlis, 1844  
 Baylis, H. A.; and Daubney, R., 1926 a, 252
- Discophorus Mehlis in Creplin, 1844  
 Yorke, W.; and Maplestorne, P. A., 1926 a, 447  
 type: D. tenax Mehlis in Creplin, 1844
- Discophorus tenax Mehlis, 1844  
 Baylis, H. A.; and Daubney, R., 1926 a, 252
- Discophorus tenax Mehlis in Creplin, 1844  
 Yorke, W.; and Maplestorne, P. A., 1926 a, 447  
 type of genus  
 Raja clavata
- Diserratosomus n. g.  
 Mirza, M. B., 1933 a, 146  
 mt: D. mungoosii n. sp.
- Diserratosomus Mirza, 1933  
 Baylis, H. A., 1939 b, 178  
 as syn. of Rictularia Frölich, 1802
- Diserratosomus mungoosii n. sp. (mt)  
 Mirza, M. B., 1933 a, 146, figs. 1-3  
 Herpestes mungo: India
- Diserratosomus mungoosii Mirza, 1933  
 Baylis, H. A., 1939 b, 182  
 as syn. of Rictularia sp.
- Dispharagus Dujardin, 1845 (part)  
 Baylis, H. A., 1939 b, 176  
 as syn. of Rhabdochona Railliet, 1916
- [Dispharagus] Dispharagose  
 Chenevard, W., 1931 a, 255
- Dispharagus  
 Fiebiger, J., 1923 a, 231, 232, 244-246
- Dispharagus?  
 Fox, H., 1930 a, 12-22  
 penguins
- Dispharagus  
 Gross, A. E., 1925 a, 424, 425
- Dispharagus  
 Magath, T. B., 1919 a, 151
- Dispharagus  
 Neumann, L. G., 1909 a, 100
- Dispharagus Duj.  
 Perrier, E., 1897 a, 1411
- Dispharagus Duj.  
 Skrjabin, K. I., 1920 b, 34
- Dispharagus Dujardin, 1845  
 Sprehn, C. E. W., 1932 c, 613  
 as syn. of Acuaria Bremser, 1811
- Dispharagus  
 Velu, H.; and Barotte, J. H., 1924 a, 308, 341, 345, fig. 14(9)
- Dispharagus  
 Wülker, G., 1924 a, 13
- Dispharagus Duj., 1845  
 Yorke, W.; and Maplestorne, P. A., 1926 a, 327  
 as syn. of Acuaria Bremser, 1811
- Dispharagus sp. Wasilewski  
 Blumenthal, F., 1917 a, 43  
 in etiology of cancer  
 Taub
- Dispharagus sp.  
 Goyanes, J., 1926 a, 202
- Dispharagus sp. of Wasilewski & Wülker, 1919  
 Hoeppli, R. J. C., 1933 c, 5  
 tissue changes in host  
 pigeon (proventriculus)
- Dispharagus sp.  
 Parona, C., 1902 c, 15  
 Larus ridibundus
- Dispharagus sp.  
 Sandground, J. H., 1921 a, 326  
 fowls
- (?) Dispharagus [sp.]  
 Secher, K., 1917 a, 303  
 and cancer  
 Huhn (Drüsennagen)
- Dispharagus [sp.]  
 Seurat, L. G., 1919 c, 179-189  
 Afrique mineure
- Dispharagus species (Ssolonitzin, 1928)  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Sobolev, A. A., 1949 a, 133  
 Syn.: Acuaria (Disp.) sp. Ssolonitzin, 1928  
 Falco vespertinus
- Dispharagus n. sp.  
 Smit, H. J.; and Noto Soediro, R., 1926 a, 94-97, fig. 2  
 hen
- Dispharagus [sp.]  
 Teutschlaender, O. R., 1919 a, 279-296  
 pigeon
- Dispharagus sp.  
 von Wasilewski, T. K. W. N.; and Wülker, G., 1917 a, 250-273  
 Taube
- Dispharagus aculeatus (Creplin, 1825) Stossich, 1891  
 Sprehn, C. E. W., 1932 c, 618  
 as syn. of Echinuria horrida (Rudolphi, 1809)
- Dispharagus aduncus (Creplin, 1846) Molin, 1860  
 Sprehn, C. E. W., 1932 c, 620  
 as syn. of Cosmocephalus aduncus (Creplin, 1846)
- Dispharagus alatus Rud.  
 Gendre, E., 1920 b, 39
- Dispharagus alatus  
 Perrier, E., 1897 a, 1378, 1411  
 Cigogne
- Dispharagus alatus Rud.  
 Sciacchitano, I., 1931 a, 248  
 Nycticorax nycticorax  
 Accipiter nisus

- Dispharagus alatus* Rud.  
*Sciacchitano*, I., 1933 c, 99  
*Nycticorax nycticorax*  
*Accipiter nisus*  
 both from Modena
- Dispharagus alatus* (Rudolphi, 1819) Stossich, 1891  
 Sprehn, C. E. W., 1932 c, 617  
 as syn. of *Acuaria sagittata* (Rudolphi, 1809)
- Dispharagus anatis* Molin, 1860  
 Sprehn, C. E. W., 1932 c, 617  
 as syn. of *Acuaria sagittata* (Rudolphi, 1809)
- Dispharagus anthuris* (Rud., 1819)  
 Márkowski, S., 1933 c, 44  
 as syn. of *Acuaria anthuris* (Rud., 1819)
- Dispharagus anthuris*  
 Parona, C., 1902 c, 15  
*Corvus frugilegus*
- Dispharagus anthuris*  
 Perrier, E., 1897 a, 1378
- Dispharagus anthuris* (Rudolphi, 1819) Dujardin, 1845  
 Sprehn, C. E. W., 1932 c, 614  
 as syn. of *Acuaria anthuris* (Rudolphi, 1819)!
- Dispharagus anthuris*  
 von Wasielewski, T. K. W. N.; and Wülker, G., 1917 a, 264, 267
- Dispharagus anthuris* (Rud., 1819) Duj., 1845  
 Yorke, W.; and Maplestone, P. A., 1926 a, 328  
 as syn. of *Acuaria anthuris* (Rud., 1819)
- Dispharagus ardeae* Smith  
 Ward, H. B., 1918 b, 527
- Dispharagus attenuata* (Rudolphi, 1819) Dujardin, 1845  
 Sprehn, C. E. W., 1932 c, 614  
 as syn. of *Acuaria attenuata* (Rudolphi, 1819)
- Dispharagus bicuspidis* (Rudolphi, 1819) Dujardin, 1845  
 Sprehn, C. E. W., 1932 c, 636  
 as syn. of *Schistorophus bicuspidis* (Rudolphi, 1819)
- Dispharagus bidens* (Rudolphi, 1819) Dujardin, 1845  
 Sprehn, C. E. W., 1932 c, 637  
 as syn. of *Schistorophus bidens* (Rudolphi, 1819)
- Dispharagus brevicaudatus* Duj.  
 Gendre, E., 1920 b, 39
- Dispharagus brevicaudatus* Dujardin, 1845  
 Sprehn, C. E. W., 1932 c, 614  
 as syn. of *Acuaria brevicaudata* (Dujardin, 1845)
- Dispharagus capitatus* Molin, 1860  
 Yorke, W.; and Maplestone, P. A., 1926 a, 328  
 as syn. of *Acuaria capitata* (Molin, 1860)
- Dispharagus cordatus* Müller, 1897  
 Sprehn, C. E. W., 1932 c, 614  
 as syn. of *Acuaria cordata* (Müller, 1897)
- Dispharagus crassicauda* (Creplin, 1829) Molin, 1860  
 Sprehn, C. E. W., 1932 c, 630  
 as syn. of *Streptocara crassicauda* (Creplin, 1829)
- Dispharagus crassus* Molin, 1860  
 Sprehn, C. E. W., 1932 c, 617  
 as syn. of *Acuaria quadriloba* (Rudolphi, 1819)
- Dispharagus cystidicola*  
 Baylis, H. A., 1934 k, 116
- Dispharagus cystidicola* (Lam.) Dujardin, 1845  
 Markevich, A. P., [1952 a], 270  
 as syn. of *Cystidicola farionis* Fischer, 1798
- Dispharagus cystidicola* (Lam., 1801) Duj., 1845  
 Yorke, W.; and Maplestone, P. A., 1926 a, 324  
 as syn. of *Cystidicola farionis* Fischer, 1798
- Dispharagus decorus* Duj.  
 Gendre, E., 1920 b, 40, 41  
 as syn. of *Prionostemma decorum* (Duj.)
- Dispharagus decorus* Dujardin, 1845  
 Sprehn, C. E. W., 1932 c, 631  
 as syn. of *Streptocara decora* (Dujardin, 1845)
- Dispharagus denticulata* Molin, 1860  
 Sprehn, C. E. W., 1932 c, 615  
 as syn. of *Acuaria denticulata* (Molin, 1860)
- Dispharagus denudatus* Duj.  
 Gendre, E., 1921 b, 148  
 as syn. of *Rhabdochona denudata* (Duj.)
- Dispharagus depressus* [(Schneider, 1866)] n. comb.  
 Perrier, E., 1897 a, 1378
- Dispharagus depressa* (Schneider, 1866) Gender, 1912  
 Sprehn, C. E. W., 1932 c, 615  
 as syn. of *Acuaria depressa* (Schneider, 1866)
- Dispharagus egrettae* "Rud., 1819" of MacCallum, 1912  
 Baylis, H. A., 1939 b, 135  
 as syn. of *Acuaria (Synhimantus) invaginata* (v. Linstow, 1901)
- Dispharagus egrettae*, Rud. 1819 [or MacC., 1921?]  
 MacCallum, G. A., 1921 c, 259-261, fig. 137  
*Egretta candidissima*
- Dispharagus elliptica* Molin, 1858  
 Sprehn, C. E. W., 1932 c, 615  
 as syn. of *Acuaria elliptica* (Molin, 1858)
- Dispharagus elongatus*  
 Parona, C., 1902 c, 15  
*Hydrochelidon nigra*
- Dispharagus elongatus*  
 Perrier, E., 1897 a, 1378
- Dispharagus elongatus* (Rudolphi, 1819) Molin, 1860  
 Sprehn, C. E. W., 1932 c, 620  
 as syn. of *Rusguniella elongata* (Rudolphi, 1819)
- Dispharagus filiformis* Zschokke, 1884  
 Markevich, A. P., [1952 a], 268  
 as syn. of *Rhabdochona denudata* (Dujardin, 1845)
- Dispharagus filiformis* Zschokke  
 Skrjabin, K. I., 1923 m, 76  
 as syn. of *Ichthyospirura filiformis* (Zsch.)
- Dispharagus filiformis* Zschokke, 1884  
 Yorke, W.; and Maplestone, P. A., 1926 a, 324  
 as syn. of *Rhabdochona denudata* (Duj., 1845)
- Dispharagus hamata* (Linstow, 1877) Stossich, 1891  
 Sprehn, C. E. W., 1932 c, 615  
 as syn. of *Acuaria hamata* (Linstow, 1877)
- Dispharagus hamulosus*  
 Altara, I., 1932 a, 297  
*Pollia*
- Dispharagus hamulosus* Stossich 1890  
 Borges Ferreira, L. D. B., 1953 a, 21-28, pl., figs. 1-7  
 as syn. of *Acuaria (Cheilospirura) hamulosa* (Diesing 1851)
- Dispharagus hamulosus* Stossich, 1890  
 Casarosa, L., 1950 a, 281-282  
 as syn. of *Cheilospirura hamulosa* (Diesing, 1851)
- Dispharagus hamulosus*  
 d'Emmerez de Charmoy, D., 1927 a, 21, pl. 1, fig. 0  
*prophylaxis*  
*poultry (gesier)*

- Dispharagus hamulosus* Dies.  
 Fiebiger, J., 1923 a, 245, 410, 422  
 Huhn
- Dispharagus hamulosa*  
 van Heelsbergen, T., 1928 a, 12
- Dispharagus hamulosus*  
 Klee, R., 1905 a, 80
- Dispharagus hamulosa*  
 Krijgsman, B. J., 1933 d, 378  
 as syn. of *Acuaria hamulosa*
- Dispharagus hamulosus*  
 Neumann, L. G., 1909 a, 108
- Dispharagus hamulosus* Diesing  
 Roman Bolelli, R., 1951 a, 47  
 gallinas
- Dispharagus hamulosa* (Diesing, 1851) Stossich, 1890  
 Sprehn, C. E. W., 1932 c, 615  
 as syn. of *Acuaria hamulosa* (Diesing, 1851)
- Dispharagus hamulosus* Diesing  
 Sugimoto, M., 1916 a, 484 (66)
- Dispharagus hamulosus* Diesing, 1851  
 Sugimoto, M., 1925 a, 55, 104  
 Syn.: *Spiroptera hamulosa* Diesing, 1851  
*Gallus domesticus*
- Dispharagus hamulosus*  
 Underhill, B. M., 1920 a, 254
- Dispharagus hamulosus*  
 von Wasielewski, T.; and Wulker, G., 1917 a, 261  
 and cancer  
 Huhn
- Dispharagus involutus* (Linstow, 1879) Stossich, 1891  
 Sprehn, C. E. W., 1932 c, 616  
 as syn. of *Acuaria laticeps* (Rudolphi, 1819)
- Dispharagus laticaudatus* (Rudolphi, 1819) Dujardin, 1845  
 Sprehn, C. E. W., 1932 c, 637  
 as syn. of *Histiocephalus laticaudatus* (Rudolphi, 1819)
- Dispharagus laticaudatus* (Rud., 1819) Duj., 1845  
 Yorke, W.; and Maplestone, P. A., 1926 a, 370  
 as syn. of *Histiocephalus laticaudatus* (Rud., 1819)
- Dispharagus laticeps*  
 Altara, I., 1932 c, 297  
 Polli
- Dispharagus laticeps* Rud.  
 Fiebiger, J., 1923 a, 246, 410, 422  
 Huhn
- Dispharagus laticeps* Rud.  
 Galli-Valerio, B., 1932 a, 130  
*Circus cyaneus*; Ripaille, Savoie
- Dispharagus laticeps* Rud.  
 Gendre, E., 1920 b, 39
- Dispharagus laticeps*  
 Klee, R., 1905 a, 80
- Dispharagus laticeps*  
 Larcher, O., 1873 a, 539
- Dispharagus laticeps*  
 Neumann, L. G., 1909 a, 108
- Dispharagus laticeps*  
 Perrier, E., 1897 a, 1377, 1378, 1386, fig. 998-2
- Dispharagus laticeps* Rudolphi  
 Roman Bolelli, R., 1951 a, 47  
 gallinas
- Dispharagus laticeps* (Rudolphi, 1819) Dujardin, 1845  
 Sprehn, C. E. W., 1932 c, 616  
 as syn. of *Acuaria laticeps* (Rudolphi, 1819)
- Dispharagus laticeps*  
 von Wasielewski, T. K. W. N.; and Wulker, G., 1917 a, 261, 263, 264  
 and cancer  
 Huhn
- Dispharagus magnilabiatus* Mol.  
 Gendre, E., 1920 b, 38, 39
- Dispharagus mamillaris*  
 Gendre, E., 1920 b, 39
- Dispharagus muscicapae* (Linstow, 1878) Stossich, 1891  
 Sprehn, C. E. W., 1932 c, 616  
 as syn. of *Acuaria muscicapae* (Linstow, 1878)
- Dispharagus nasutus*  
 Altara, I., 1932 a, 297  
 Syn.: *Filaria nasuta*  
 Polli
- Dispharagus nasutus* Piana, 1897  
 Baylis, H. A., 1939 b, 132  
 as syn. of *Acuaria (Dispharynx) spiralis* (Molin, 1858)
- Dispharagus nasutus* Rud.  
 Brandt, E. K., 1888 d, 214, fig. 243
- Dispharagus nasutus*  
 Brumley, O. V., 1921 a, 138, 163  
 birds
- Dispharagus nasutus*  
 Colucci, V., [1893 a], 605-617  
 polli
- Dispharagus nasutus*  
 d'Emmerez de Charmoy, D., 1927 a, 20-21, pl. 1, fig. L  
 prophylaxis, poultry (proventricule et les glandes qui secrètent les sucs digestifs)
- Dispharagus nasutus* Rud.  
 Fiebiger, J., 1923 a, 26, 245-246, 410, 422  
 Syns.: *Filaria*, *Spir. nasuta*  
*Porcellio laevis*  
 Huhn
- Dispharagus nasutus* Rud.  
 Galli-Valerio, B., 1917 c, 268  
*Numida* sp.: Bas Ogoué
- Dispharagus nasutus* Rud.  
 Galli-Valerio, B., 1930 d, 78  
*Numida* sp.
- Dispharagus nasutus* (Rudolphi, 1819) Dujardin, 1844  
 Goble, F. C.; and Kutz, H. L., 1945 a, 323, 329  
 as syn. of *Dispharynx nasuta* (Rudolphi, 1819) Stiles & Hassall, 1920
- Dispharagus nasutus*  
 van Heelsbergen, T., 1928 a, 13
- Dispharagus nasutus*  
 Johnston, T. H., 1910 e, 81  
 fowls: New South Wales
- Dispharagus nasutus* (Rud.)  
 Joyeux, C. E., 1925 a, 103  
 poule: Formosa
- Dispharagus nasuta* (Rudolphi, 1819) Railliet & Sisoff, 1912  
 Madsen, H., (1952 a), 3, 9, 10, 11, 12, 21-23  
*Phasianus colchicus*  
*Perdix perdix*  
*Lyrurus tetrix*
- Dispharagus nasutus*  
 Neumann, L. G., 1909 a, 106
- Dispharagus nasutus*  
 Perrier, E., 1897 a, 1378, 1411  
*moineau (estomac)*
- Dispharagus nasutus* (Rudolphi)  
 Ransom, B. H., 1921 j, 68
- Dispharagus nasutus*  
 Reinhardt, R., 1928 e, 360
- Dispharagus nasutus* Rudolphi  
 Roman Bolelli, R., 1951 a, 47  
 gallinas
- Dispharagus nasutus*  
 Rumball, P., 1928 a, 157, pl. 43
- Dispharagus nasutus* Rud.  
 Schlegel, M., 1920 a, 3-4  
 chickens
- Dispharagus nasutus* Rud.  
 Schlegel, M., 1921 b, 209-210  
*Hühner*
- Dispharagus nasutus* Rud.  
 Schlegel, M., 1922 a, 398  
 Huhn

- Dispharagus nasutus* (Rudolphi, 1819) Dujardin, 1845  
 Sprehn, C. E. W., 1932 c, 616  
 as syn. of *Acuaria nasuta* (Rudolphi, 1819)  
*Dispharagus nasutus* Piana, 1897  
 Sprehn, C. E. W., 1932 c, 617  
 as syn. of *Acuaria spiralis* (Molin, 1858)  
*Dispharagus nasutus* Rud.  
 Sugimoto, M., 1916 a, 484 (66)  
*Dispharagus nasutus* Rudolphi, 1819  
 Sugimoto, M., 1925 a, 56, 104  
 Syns.: *Spiroptera nasuta* Rudolphi, 1819;  
*Filaria nasuta* (Rudolphi, 1819) Schneider, 1866  
*Gallus domesticus*  
*Dispharagus nasutus* (Rudolphi, 1919)  
 Torreggiani, G., 1914 a, 407  
 synonymy  
 volta: Cochabamba, Bolivia  
*Dispharagus nasutus*  
 Turbet, C. R., 1949 b, 92  
 poultry  
*Dispharagus nasutus*  
 Underhill, B. M., 1920 a, 254  
*Dispharagus nasutus* Rudolphi  
 von Wasielewski, T.; and Wölker, G., 1917 a, 261, 263, 264  
 and cancer  
 Huhn (Magen)  
*Dispharagus n[otoi]*  
 Krijgsman, B. J., 1933 d, 378  
 as syn. of *Acuaria notoi*  
*Dispharagus obvelatus* (Creplin, 1825) Linstow, 1909  
 Sprehn, C. E. W., 1932 c, 621  
 as syn. of *Cosmocephalus obvelatus* (Creplin, 1825)  
*Dispharagus papillifera* (Linstow, 1878) Stossich, 1891  
 Sprehn, C. E. W., 1932 c, 616  
 as syn. of *Acuaria papillifera* (Linstow, 1878)  
*Dispharagus papillosum* (Molin, 1859) Stossich, 1898  
 Sprehn, C. E. W., 1932 c, 621  
 as syn. of *Cosmocephalus obvelatus* (Creplin, 1825)  
*Dispharagus quadrilobus*  
 Perrier, E., 1897 a, 1376, 1378  
*Dispharagus quadriloba* (Rudolphi, 1819) Dujardin, 1845  
 Sprehn, C. E. W., 1932 c, 617  
 as syn. of *Acuaria quadriloba* (Rudolphi, 1819)  
*Dispharagus rectus* Molin  
 Gendre, E., 1920 b, 38, 39  
*Dispharagus reticulatus*  
 Fiebiger, J., 1923 a, 246, 410, 419  
 Pferd  
 Schaf  
*Dispharagus reticulatus*  
 Velu, H.; and Barotte, J. H., 1924 a, 342  
*Dispharagus revolutus* (Rud., 1819) Molin, 1860  
 Yorke, W.; and Maplestone, P. A., 1926 a, 333  
 as syn. of *Chevreuxia revoluta* (Rud., 1819)  
*Dispharagus rotundatus* Linstow, 1908  
 Sprehn, C. E. W., 1932 c, 617  
 as syn. of *Acuaria rotundata* (Linstow, 1907)  
*Dispharagus spiniferus*  
 Perrier, E., 1897 a, 1378, 1411  
 Bécasse  
*Dispharagus spiralis*  
 Altara, I., 1932 a, 297  
 Polli  
*Dispharagus spiralis* Molin, 1860  
 Bogliolo, L., 1937 a, 43  
*Dispharagus spiralis* Molin  
 Brandt, E. K., 1888 d, 214  
*Dispharagus spiralis*  
 Brumley, O. V., 1921 a, 163  
 birds
- Dispharagus spiralis*  
 Dikmans, G., 1929 a, 27  
*guinea hens*: Porto Rico  
*Dispharagus spiralis*  
 Djaenoedin, R., 1955 a, 50  
*Dispharagus spiralis* Molin  
 Fiebiger, J., 1923 a, 246, 410, 422  
 Huhn  
*Dispharagus spiralis* Molin, 1858  
 Goble, F. C.; and Kutz, H. L., 1945 a, 323, 329  
 as syn. of *Dispharynx nasuta* (Rudolphi, 1819) Stiles & Hassall, 1920  
*Dispharagus spiralis*  
 Klee, R., 1905 a, 80  
*Dispharagus spiralis*  
 Krijgsman, B. J., 1933 d, 378  
 as syn. of *Acuaria spiralis*  
*Dispharagus spiralis*  
 Neumann, L. G., 1909 a, 106  
*Dispharagus spiralis*  
 Reinhardt, R., 1928 e, 360  
*Dispharagus spiralis* Molin  
 Rivolta, S.; and Delprato, P., 1881 a, 100  
*Gallus gallinaceus*  
*Dispharagus spiralis* Molin  
 Roman Bolelli, R., 1951 a, 47  
*gallinas*  
*Dispharagus spiralis* Molin, 1858  
 Ryšavý, B., 1957 a, 320  
*Passer montanus*: Czechoslovakia  
*Dispharagus spiralis* Molin  
 Schlegel, M., 1914 b, 381  
 Huhn  
*Dispharagus spiralis* Molin, 1858  
 Sprehn, C. E. W., 1932 c, 617  
 as syn. of *Acuaria spiralis* (Molin, 1858)  
*Dispharagus spiralis* Linstow, 1883 nec Molin, 1858  
 Sprehn, C. E. W., 1932 c, 616  
 as syn. of *Acuaria laticeps* (Rudolphi, 1819)  
*Dispharagus spiralis* Molin, 1858  
 Sugimoto, M., 1925 a, 56, 104  
*Gallus domesticus*  
*Dispharagus spiralis*  
 Underhill, B. M., 1920 a, 254  
*Dispharagus spiralis*  
 Velu, H.; and Barotte, J. H., 1924 a, 343  
*Dispharagus spiralis*  
 von Wasielewski, T. K. W. N.; and Wölker, G., 1917 a, 264  
*Dispharagus spiralis columbae* Bridré, 1910  
 Goble, F. C.; and Kutz, H. L., 1945 a, 329  
 as syn. of *Dispharynx nasuta* (Rudolphi, 1819) Stiles & Hassall, 1920  
*Dispharagus spiralis columbae* Bridré, 1910  
 Sprehn, C. E. W., 1932 c, 617  
 as syn. of *Acuaria spiralis* (Molin, 1858)  
*Dispharagus squamatus* (Linstow, 1883) Stossich, 1891  
 Sprehn, C. E. W., 1932 c, 619  
 as syn. of *Echinuria squamata* (Linstow, 1883)  
*Dispharagus squamatus* v. Linst.  
 Vevers, G. M., 1920 a, 410  
*Phalacrocorax carbo*: Britain  
*Dispharagus sygmoideus*  
 Gendre, E., 1920 b, 39  
*Dispharagus sygmoideus* Molin, 1860  
 Yorke, W.; and Maplestone, P. A., 1926 a, 330  
 as syn. of *Acuaria sygmoidea* (Molin, 1860)  
*Dispharagus tentaculatus* Colucci, 1893  
 Goble, F. C.; and Kutz, H. L., 1945 a, 329  
 as syn. of *Dispharynx nasuta* (Rudolphi, 1819) Stiles & Hassall, 1920  
*Dispharagus tenuis* Dujardin, 1845  
 Sprehn, C. E. W., 1932 c, 618  
 as syn. of *Acuaria tenuis* (Dujardin, 1846)

- Dispharagus truncata* (Creplin, 1825) Dujardin, 1845  
 Sprehn, C. E. W., 1932 c, 597  
   as syn. of *Hadjelia truncata* (Creplin, 1825)
- Dispharagus uncinatus*  
 Altara, I., 1932 a, 297  
   Anatre  
   Oche  
   Cigni  
   (stomaco ghiandolare of all)
- Dispharagus uncinatus*  
 Bittner, H., 1923 b, 256
- Dispharagus uncinatus*  
 Eber, A., 1920 a, 596  
   Wassergeflügel (Schlund u. Drüsennagen)
- Dispharagus uncinatus* Rud.  
 Fiebiger, J., 1923 a, 26, 245, 410, 424, figs. 197, 198  
   Syns.: *Filaria*, *Spir. uncinata*
- Gans  
 Ente  
 Schwan
- Dispharagus uncinatus*  
 van Heesbergen, T., 1928 a, 12, 1 fig.
- Dispharagus uncinatus*  
 Klee, R., 1905 a, 43
- Dispharagus uncinatus*  
 Neumann, L. G., 1909 a, 157, 171, 172
- Dispharagus uncinatus*  
 Nussdag, W., 1923 a, 103-104  
   Ente
- Dispharagus uncinatus*  
 Olt, A.; and Ströse, A., 1914 a, 298
- Dispharagus uncinatus*  
 von Ostertag, R., 1904 a, 381
- Dispharagus uncinatus*  
 von Ostertag, R., 1919 b, 407
- Dispharagus uncinatus*  
 v. Ostertag, R., 1932 a, 504  
   meat inspection  
 Gänse  
 Enten  
   (in Knoten des Magens of both)
- Dispharagus uncinatus*  
 Perrier, E., 1897 a, 1373, 1378
- Dispharagus uncinatus Rudolfi*  
 Raymond<sup>2</sup>, 1913 a, 517, 518, fig. 3
- Dispharagus uncinatus*  
 Sizov, P. V., 1914 a, 680  
   canard: Halles Centrales de Paris
- Dispharagus uncinatus* (Rudolphi, 1819) Railliet, 1893  
 Sprehn, C. E. W., 1932 c, 619  
   as syn. of *Echinuria uncinata* (Rudolphi, 1819)
- Dispharagus uncinatus Rudolphi*, 1819  
 Sugimoto, M., 1925 a, 56, 93, 95  
   Syns.: *Spiroptera uncinata* Rudolphi, 1819;  
   *Filaria uncinata* Schneider, 1866  
   *Anas domestica*  
   *Anser domesticus*
- Dispharagus uncinatus*  
 Velu, H.; and Barotte, J. H., 1924 a, 343, 345
- Dispharagus uncinatus*  
 von Wasielewski, T.; and Wölker, G., 1917 a, 260, 261, 264  
   and cancer  
 Gans  
 Ente
- Disphargus* [for *Dispharagus
 Markowski, S., 1933 b, 44*
- Dispharynx Railliet*, Henry & Sisoff  
 Baylis, H. A., 1929 c, 238
- Dispharynx Railliet*, Henry and Sisoff, 1912 subg.  
 Baylis, H. A., 1939 b, xxvi, 132  
   subg. of *Acuaria*  
   type: *Acuaria* (*Dispharynx*) *nasuta* (Rudolphi, 1819)
- Dispharynx* Railliet, Henry & Sisoff, 1912  
 Baylis, H. A.; and Daubney, R., 1922 a, 321
- Dispharynx Railliet*, Henry & Sisoff, 1912  
 Baylis, H. A.; and Daubney, R., 1926 a, 218  
   type: *Acuaria* (D.) *nasuta* (Rud.)
- Dispharynx*  
 Bump, G., 1938 a, 270
- Dispharynx*  
 Bump, G., 1941 a, 217
- Dispharynx* (Railliet, Henry et Sisoff, 1912 as genus)  
 Chabaud, A. G.; and Petter, A. J., 1959 a, 342  
   as subgenus of *Synhimantus* Railliet, Henry et Sisoff 1912  
   key
- Acuariidae*, *Acuariinae*
- Dispharynx*  
 Chitwood, B. G.; and Wehr, E. E., 1932 a, 168  
   taxonomy
- Dispharynx Railliet*, Henry, and Sisoff, 1912  
 Chitwood, B. G.; and Wehr, E. E., 1934 a, 323, 324, 333, pl. 1
- Dispharynx Railliet*, Henry & Sisoff  
 Cram, E. B., 1927 a, 211, 237  
   type: *D. nasuta* (Rud.)
- Dispharynx*  
 Gil'bert, L. I., 1927 a, 56, fig. 4
- Dispharynx*  
 Gross, A. O., 1925 a, 424, 425, 426, 427
- Dispharynx*  
 Gross, A. O., 1925 b, 55, 56
- Dispharynx*  
 Hsu, W. N., 1959 a, 2  
   key to species
- Dispharynx*  
 Olsen, O. W., 1939 e, 473-474  
   key
- Dispharynx Railliet*, Henry, and Sisoff, 1912  
 Pérez Vigueras, I., 1936 a, 69  
   as *Dispharyny*
- Dispharynx Railliet*, Henry and Sisoff, 1912  
 Rasheed, S., 1960 a, 18-19
- Dispharynx*  
 Skrjabin, K. I., 1920 a, 22-23
- Dispharynx* R. H. & S.  
 Skrjabin, K. I., 1923 m, 55
- Dispharynx Railliet*, Henry & Sisoff  
 Skrjabin, K. I., 1924 d, 152
- Dispharynx* R. H. & S.  
 Skrjabin, K. I., 1924 k, 6
- Dispharynx Railliet*, Henry et Sisoff, 1912  
 Skrjabin, K. I., 1941 b, 473  
   *Acuariidae*, *Acuariinae*
- Dispharynx Railliet*, Henry et Sisoff, 1912  
 Sobolev, A. A., 1943 b, 76
- Dispharynx*  
 Sobolev, A. A. 1957 a, 1311  
   not a syn. of *Synhimantus*
- Dispharynx Railliet*, Henry u. Sisoff, 1912  
 Sprehn, C. E. W., 1932 c, 613  
   as syn. of *Acuaria* Bremer, 1811
- Dispharynx*  
 Travassos, L. P., 1920 h, 67
- Dispharynx*  
 Wehr, E. E., 1931 a, 4
- Dispharynx*  
 Wehr, E. E., 1933 b, 396
- Dispharynx Railliet*, Henry & Sisoff, 1912  
 Yorke, W.; and Mapstone, P. A., 1926 a, 331
- Dispharynx* sp.  
 Ablasov, N. A., 1957 a, 132-133, 141, fig. 13  
   *Nyroca fuligula*: Kirgizia

- Dispharynx sp.**  
 Bangs, O.; and Loveridge, A., 1933 a, 149  
*Falco biarmicus biarmicus* Temminck (South African lanner) (stomach): Tanganyika territory
- Dispharynx [sp.]**  
 Bump, G., 1933 a, 42  
 grouse (stomach): New York
- Dispharynx [sp.]**  
 Bump, G., 1934 a, 264  
 ruffed grouse [*Bonasa umbellus*]: New York State
- Dispharynx [sp.]**  
 Bump, G., 1939 a, 243, 244  
 grouse
- Dispharynx [sp.]**  
 Bump, G., 1940 a, 242  
 peafowl: New York State
- Dispharynx sp.**  
 Chibichenko, N. T., 1960 a, 173  
*Bubo bubo* (esophagus): Kirgizia
- Dispharynx sp.**  
 Clapham, P. A., 1945 c, 93  
*Nycticorax violaceous*: Antigua, Brit. West Indies
- Dispharynx n. sp.**  
 Cram, E. B., 1927 a, 391-392  
 Syn.: *Dispharagus n. sp.* Smit & Noto  
 Soediro 1926  
 Java cock
- Dispharynx [sp.]**  
 Dorney, R. S.; and Kabat, C., 1960 a, 43, 45  
*Bonasa umbellus*: Wisconsin
- Dispharynx [sp.]**  
 Goble, F. C.; and Kutz, H. L., [1946 a], 397  
*Turdus m. migratorius*: New York State  
 pheasant chick [*Phasianus colchicus*]:  
 Sussex County (Long Island)
- Dispharynx sp.**  
 Gvozdev, E. V., 1961 b, 311  
*Syrrhaptes paradoxus* (glandular stomach): Kazakhstan
- Dispharynx sp.**  
 McIntosh, A.; and McIntosh, G., 1935 b, 431  
*Icteria virens*: Washington, D. C.
- Dispharynx sp.**  
 Sandground, J. H., 1933 d, 264  
*Falco biarmicus biarmicus*: Tanganyika
- Dispharynx sp.**  
 Serkova, O. P., 1948 a, 218, 241  
*Vanellus vanellus*: Barabin lakes
- Dispharynx sp.**  
 Sultanov, M., 1947 a, 139  
*Otus scops* L.: Tashkent oblast
- Dispharynx sp.**  
 Tinne, J. D.; and Rausch, R., 1949 b, 21  
 Acuariid
- Dispharynx [sp.]**  
 Travassos, L. P.; Teixeira de Freitas, J. F. &  
 Lent, H., 1939 a, 234  
*Crotophaga major* Gmelin: Estrado de Ferro Noroeste, Brasil
- Dispharynx alata n. sp.**  
 Akhtar, S. A., 1955 c, 31-33, figs. 1-7  
*Tochus birostris*: (Zool. Gardens) Lahore
- Dispharynx brevicordon n. sp.**  
 Schuurmans Stekhoven, J. H. (jr.), 1952 c,  
 315, 317, 319, 345-350, fig. 13  
*Falco sparvius cinnamominus* (cavidad y estómago)  
*Muscisaccola maculirostris maculirostris* (cavidad general)  
 both from Argentina
- Dispharynx brevicordon Stekhoven, 1952**  
 Rasheed, S., 1960 a, 25  
 key
- Dispharynx capitata** (Molin)  
 Cram, E. B., 1927 a, 237, 240  
*Falco minutus*
- Dispharynx capitata** (Molin, 1860)  
 Hsu, W. N., 1959 a, 2  
 key
- ' **Dispharynx capitata** (Molin, 1860)  
 Olsen, O. W., 1939 e, 473  
 key  
*Falco minutus*
- Dispharynx capitata** (Molin, 1860) Cram, 1927  
 Yamaguti, S., 1935 j, 403, 423  
 provisional identification  
*Otus bakkamoena semitorques* (esophagus): Japan
- Dispharynx crassissima** (Molin)  
 Cram, E. B., 1927 a, 237, 243-244  
*Rhamphastos vitellinus*
- Dispharynx crassissima** [sic] (Molin, 1860)  
 Hsu, W. N., 1959 a, 2  
 key
- Dispharynx crassissima** (Molin, 1860)  
 Olsen, O. W., 1939 e, 473  
 key  
*Rhamphastos vitellinus*
- Dispharynx emberizae** n. sp.  
 Yamaguti, S., 1935 j, 403, 421-423, figs. 33-34  
*Emberiza spodocephala personata* (esophagus, proventriculus): Sizuoka Prefecture
- Dispharynx emberizae** Yamaguti, 1935  
 Hsu, W. N., 1959 a, 2  
 key
- Dispharynx emberizae** Yamaguti, 1935  
 Olsen, O. W., 1939 e, 473, 474  
*Emberiza spodocephala personata*
- Dispharynx emberizae**, Yamaguti, 1935  
 Rasheed, S., 1960 a, 25  
 key
- Dispharynx falconis-subbuteonis** Diesing, 1851  
 Sprehn, C. E. W., 1932 c, 615  
 as syn. of *Acuaria denticulata* (Molin, 1860)
- Dispharynx fieldingi** (Baylis, 1934)  
 Hsu, W. N., 1959 a, 2  
 key
- Dispharynx fieldingi** Baylis, 1934  
 Olsen, O. W., 1939 e, 474  
 key  
 white hawk (?*Astur novae-hollandiae*)
- Dispharynx fieldingi** Baylis, 1934  
 Rasheed, S., 1960 a, 25  
 key
- Dispharynx galli** n. sp.  
 Hsu, W. N., 1959 a, 1-5, pl. I, figs. 1-7  
*Gallus gallus domesticus* L.: Paotong, Hopey, China
- Dispharynx indicus** n. sp.  
 Rasheed, S., 1960 a, 23-25, 26, 103, 104, figs. 37, 41  
 key  
*Tyto alba stertens* (proventriculus): Hyderabad-Deccan, India
- Dispharynx ketupae** n. sp.  
 Sanwal, K. C., 1952 a, 49-53, figs. 1-2  
*Ketupa zeylonensis*: Thamarwa Estate, Hardoi, U.P.
- Dispharynx laplantei** Seurat [n. comb.]  
 Cram, E. B., 1927 a, 237, 241, fig. 304  
*Garrulus glandarius cervicalis*
- Dispharynx laplantei** Seurat, 1919  
 Baylis, H. A., 1934 j, 146  
*Garrulus glandarius* (jay): North Africa
- Dispharynx laplantei** Seurat, 1919  
 Hsu, W. N., 1959 a, 2  
 key
- Dispharynx laplantei** [sic] Seurat, 1919  
 Kurashvili, B. E., [1954 a], 342  
*Garrulus glandarius*: Georgia, SSSR

- Dispharynx laplantei* Seurat, 1919  
*Kurashvili*, B. E., 1957 a, 287  
*Garrulus glandarius krynickii*: Georgian SSR  
*Dispharynx laplantei* (Seurat, 1919)  
*Luft*, K., 1960 a, 355  
*Garrulus glandarius* (L.): Lublin Palatinate  
*Dispharynx laplantei* Seurat, 1919  
*Matevosian*, E. M., 1938 b, 374  
*Accipiter nisus nisus*: Bashkiria  
*Dispharynx laplantei* Seurat, 1919  
*Olsen*, O. W., 1939 e, 474  
key  
*Garrulus glandularius cervicalis*
- Dispharynx laplantei* Seurat, 1919  
*Rasheed*, S., 1960 a, 25  
key
- Dispharynx laplantei* (Seurat, 1919)  
*Shul'ts*, R. E. S.; *Gnedina*, M. P.; and  
*Kadenatsii*, A. N., 1938 a, 35  
[sparrow hawk] iastreb perepeliatnik:  
Bashkiria
- Dispharynx laplantei* Seurat, 1919  
*Yamaguti*, S., 1941 e, 441, 467-468, 479, pl. XI,  
figs. 29-30  
*Garrulus glandarius japonicus* Schlegel:  
Toyohashi and Nara
- Dispharynx magnilabiata* (Molin) [n. comb.]  
*Cram*, E. B., 1927 a, 237, 241-242, fig. 305  
*Ajaja ajaja*; *Platalea ajaja*
- Dispharynx magnilabiata* (Molin, 1860)  
*Hsu*, W. N., 1959 a, 2  
key
- Dispharynx magnilabiata* (Molin, 1860)  
*Olsen*, O. W., 1939 e, 473  
key  
*Ajaja ajaja*; *Platalea ajaja*
- Dispharynx magnilabiata* (Molin 1860) Gendre,  
1920  
*Rasheed*, S., 1960 a, 26  
key
- Dispharynx mathevossianae* nov. sp.  
*Petrov*, A. M.; and *Chertkova*, A. N., 1950 a,  
76-77, fig. 1  
*Cerchneis tennunculus*: Kirgizia  
*Dispharynx mathevossianae* Petrow et Tschertkowa,  
1950  
*Petrov*, A. M.; and *Chertkova*, A. N., 1950 b,  
93  
*Cerchneis tinnunculus*: Southern Kirgizia
- Dispharynx mathevossianae*  
*Matevosian*, E. M., 1951 a, 194
- Dispharynx nasuta*  
*Augustine*, D. L., 1929 a, 356
- Dispharynx nasuta* Rud.  
*Bendell*, J. F., 1955 a, 203, 204  
*Dendragapus obscurus fuliginosus*: Quisam  
Lake, Vancouver Island
- Dispharynx nasuta*  
*Boyd*, E. M., 1947 b, 184  
*Sturnus vulgaris*: North America
- Dispharynx nasuta*  
*Boyd*, E. M., 1951 b, 65, 67, 71, 74, 75, 76,  
79, 80, 81, fig. 18  
*Sturnus vulgaris*: North America
- Dispharynx nasuta* Rudolphi  
*Boyd*, E. M.; *Diminno*, R. L.; and *Nesslinger*,  
C., 1956 a, 336  
*Cyanocitta cristata* L.: New England
- Dispharynx nasuta* (Rud. 1819)  
*Casarosa*, L., 1950 a, 285-288, figs. 3-5  
Syns.: *Spiroptera nasuta* Rud. 1819; *Dispharynx spiralis* Molin, 1858; *Acuaria spiralis* Railliet, Henry & Sisoff, 1912
- Dispharynx nasuta* Rudolphi, 1819  
*Chertkova*, A. N., 1959 a  
fowl
- Dispharynx nasuta* (Rud.)  
*Cram*, E. B., 1927 a, 237-238, fig. 300  
*Gallus gallus*; *Porcellio laevis*
- Dispharynx nasuta* (Rudolphi, 1819) Stiles &  
Hassall, 1920  
*Goble*, F. C.; and *Kutz*, H. L., 1945 a, 328, 329,  
330  
Syns.: *Spiroptera nasuta* Rudolphi, 1819;  
*Dispharagus nasutus* (Rudolphi, 1819) Dujardin  
1844; *D. spiralis* Molin, 1858; *Filaria nasuta*  
(Rudolphi, 1819) Schneider, 1866; *D. tentaculatus* Colucci, 1893; *D. spiralis columbae*  
*Bridré*, 1910; *Acuaria* (*Dispharynx*) *nasuta*  
(Rudolphi, 1819) Railliet, Henry & Sisoff,  
1912; *Acuaria* (*Dispharynx*) *spiralis* (Molin,  
1858) Railliet, Henry & Sisoff, 1912;  
*Cheilospirura nasuta* (Rudolphi, 1819) Ran-  
som, 1916; *Dispharynx spiralis* (Molin, 1858)  
*Skrjabin*, 1916; *D. stonae* Harwood, 1933  
*Passer domesticus*; *Coracias garrula*; *Corvus*  
*brachyrhynchos*; *Thyrothorus ludovicianus*;  
*Dumetella carolinensis*; *Sialia sialis*;  
*Quiscalus versicolor*; *Meleagris gallopavo*;  
*Pavo cristatus*; *Alectoris barbara*; *Phasianus*  
*colchicus*; *Chrysolophus pictus*; *Pedioecetes*  
*phasianellus*; *Turdus migratorius*; *Sturnus*  
*vulgaris*; *Molothrus ater*; *Numida meleagris*;  
*Perdix perdix*; *Colinus virginianus*; *Gallus*  
*gallus*; *Bonasa umbellus*; *Columba livia*
- Dispharynx nasuta* (Rudolphi, 1819) Railliet,  
Henry, and Sisoff, 1912  
*Gupta*, S. P., 1960 b, 575-579, figs. 1-3  
Syn.: *Dispharynx pavonis* Sanwal, 1952  
*Sturnus c. contra* (stomach): East Pakistan
- Dispharynx nasuta*  
*Hayward*, A. H., 1958 a, 20  
control  
poultry: Afghanistan
- Dispharynx nasuta*  
*Hilbert*, K. F.; and *Tax*, H., 1939 a, 50  
poultry: Farmingdale, Long Island
- D[isparynx] nasuta*  
*Hilbert*, K. F.; and *Verslius*, H., 1937 a, 46  
toucan, stork: New York State (Farmingdale  
Lab., Long Island)
- Dispharynx nasuta* (Randolphi, 1819)  
*Hsu*, W. N., 1959 a, 2  
key
- Dispharynx nasuta*  
*Hwang*, J. C.; *Tolgay*, N.; *Shalkop*, W. T.;  
and *Jaquette*, D. S., 1961 a, 60-65  
pigeons
- Dispharynx nasuta* (Randolphi [sic], 1819)  
*Olsen*, O. W., 1939 e, 473  
key  
*Gallus gallus*
- Dispharynx nasuta* (Rud., 1819)  
*Pérez Vigueras*, I., 1936 a, 69  
*Gallus gallus dom.*: Cuba
- Dispharynx nasuta*  
*Raggi*, L. G.; and *Baker*, N. F., 1957 a, 230,  
231, 234, fig. 3  
domestic pigeons: California
- Dispharynx nasuta* (Rudolphi, 1819) Stiles &  
Hassall, 1920  
*Rasheed*, S., 1960 a, 19-20, 26, 103, 104, figs.  
35, 39, 44, 45  
Syn.: *D. spiralis* Molin, 1858; *Skrjabin*,  
1916 [*D. nazuta*, variation of spelling]  
key  
*Athene brama indica* (proventriculus &  
oesophagus): Hyderabad-Deccan, India
- Dispharynx nasuta* (Rudolphi, 1819)  
*Seneviratna*, P., 1955 b, 36  
fowl: Ampitiya

- Dispharynx nasuta*  
Seneviratna, P.; and Seneviratna, D., 1955 a, 53  
domestic poultry: Ceylon
- Dispharynx noctuae* (Seurat) [n. comb.]  
Cram, E. B., 1927 a, 237, 242-243, fig. 306  
*Carine noctua glaux*
- Dispharynx noctuae* (Seurat, 1913)  
Hsu, W. N., 1959 a, 2  
key
- Dispharynx noctuae* (Seurat, 1912)  
Krotov, A. I., 1952 a, 275, 276  
*Athene noctua bactriana*: basin of Amu-Darya
- Dispharynx noctuae* (Seurat, 1913)  
Olsen, O. W., 1939 e, 474  
key  
*Carine noctua glaux*
- Dispharynx noctuae* (Seurat, 1913) Stiles and Hassall, 1920  
Rasheed, S., 1960 a, 26  
key
- Dispharynx noctuae*  
Sultanov, M., 1947 a, 139  
*Athene noctuae*: Tashkent oblast
- Dispharynx noctuae uzbekistanica* nov. subsp.  
Sultanov, M. A., 1945 c, 153  
[owl]: Tashkent oblast
- Dispharynx notoi* n. sp.  
Smit, H. J., 1927 a, 151
- Dispharynx notoi* Smith, 1927  
Hsu, W. N., 1959 a, 2  
key
- Dispharynx notoi* Smit, 1927  
Olsen, O. W., 1939 e, 473  
key  
Java cock
- Dispharynx pavonis* n. sp.  
Sanwal, K. C., 1951 b, 73-78, figs. 1-2  
*Pavo cristatus*: Lucknow (Prince of Wales Zool. Garden)
- Dispharynx pavonis* Sanwal, 1952  
Gupta, S. P., 1960 b, 575  
as syn. of *Dispharynx nasuta* (Rudolphi, 1819)
- Railliet, Henry and Sisoff, 1912*
- Dispharynx pavonis* Sanwal, 1951  
Rasheed, S., 1960 a, 20, 25, 103, 104, figs. 36, 40, 46, 47  
key  
*Turdoides terricolor* (proventriculus): Hyderabab-Deccan, India
- Dispharynx pelecani* n. sp.  
Johnston, T. H.; and Mawson, P., 1942 d, 183, 184, 185, figs. 5-6  
*Pelecanus conspicillatus*: Tailem Bend, South Australia
- Dispharynx pelecani* Johnston and Mawson, 1942  
Rasheed, S., 1960 a, 25  
key
- Dispharynx pipilonis* n. sp.  
Olsen, O. W., 1939 e, 472-475, pl., figs. 1-4  
*Pipilo erythrophthalmus erythrophthalmus*: Kentucky
- Dispharynx pipilonis* Olsen, 1939  
Hsu, W. N., 1959 a, 2  
key
- Dispharynx pipilonis* Olsen, 1939  
Rasheed, S., 1960 a, 25  
key
- Dispharynx rectovaginata* (Molin) [n. comb.]  
Cram, E. B., 1927 a, 237, 243, 391, fig. 307  
*Falco ater*
- Dispharynx rectovaginata* (Molin, 1860)  
Hsu, W. N., 1959 a, 2  
key
- Dispharynx rectovaginata* (Molin, 1860)  
Olsen, O. W., 1939 e, 473  
key  
*Falco ater*
- Dispharynx rectovaginata* (Molin, 1860) Cram, 1927  
Rasheed, S., 1960 a, 25  
key
- Dispharynx skrjabini* n. sp.  
Rasheed, S., 1960 a, 21-23, 26, 103, 104, figs. 34, 38, 42, 43  
*Haliaeetus leucoryphus* (stomach): Hyderabad-Deccan, India
- Dispharynx smitiana* Strand n. sp.  
Strand, E., 1929 d, 4  
Syn.: *Dispharagus* n. sp. Smit & Noto Soediro 1926
- Dispharynx soricis* n. sp.  
Tiner, J. C., 1951 a, 64-70, 2 pls., figs. 1-12  
*Sorex obscurus alascensis*: Alaska
- Dispharynx soricis* Tiner, 1951  
Sobolev, A. A., 1957 a, 1309  
as syn. of *Skrjabinoclava soricis* (Tiner, 1951)
- Dispharynx spiralis* (Molin) [n. comb.]  
Gedoelst, L., 1916 a, 52  
poule: Kivu
- Dispharynx spiralis*  
Adiwinata, R. T., 1958 a, 232  
as syn. of *Acuaria spiralis*
- Dispharynx spiralis*  
Alicata, J. E., 1936 e, 81  
*Procellio laevis* (new host): Near Honolulu  
*Armadillidium vulgare*; *Porcellio scaber*: both from United States
- Dispharynx spiralis*  
Alicata, J. E. [1936 f], leaf 4  
*Porcellio* sp. (exper.)
- Dispharynx spiralis*  
Alicata, J. E. 1938 g, 94  
poultry; *Porcellio laevis* (sow bug): both from Hawaii
- Dispharynx spiralis* (Molin)  
Alicata, J. E., 1947 a, 70, 71, 79  
chickens; *Porcellio laevis*: both from Hawaii
- Dispharynx (Acuaria) spiralis* Mol.  
Allen, A. A.; and Gross, A. O., 1926 a, 82, 83  
*Bonasa umbellus*
- Dispharynx spiralis*  
Andrews, J. S.; and Maldonado, J. F., 1939 a, 56  
chicken: Puerto Rico
- Dispharynx spiralis* Skr.  
Augustine, D. L., 1929 a, 432, fig. 210
- Dispharynx spiralis* Skrjabin, 1916  
Baylis, H. A., 1939 b, 132  
as syn. of *Acuaria (Dispharynx) spiralis* (Molin, 1858)
- Dispharynx spiralis*  
Beaudette, F. R., 1929 b, 293  
quail
- Dispharynx spiralis*  
Beaudette, F. R., 1930 a, [4]  
quail (first time found in this host): New Jersey
- Dispharynx spiralis*  
Beaudette, F. R., [1932? a], 135  
turkey (proventriculus); quail; chicken; pigeon; pheasant; Hungarian partridge and turkey

- Dispharynx spiralis*  
Beaudette, F. R., 1940 c, 4
- Dispharynx spiralis*  
Beaudette, F. R.; and Hudson, C., 1930 a, 562-564  
quail
- Dispharynx spiralis*  
Belokobylenko, V. T., 1958 a, 112  
seasonal and growth dynamics in Alma-Atinsk oblast
- Dispharynx spiralis*  
Belokobylenko, V. T., 1960 a, 173  
chickens: Alma-Atinsk oblast
- Dispharynx spiralis*  
Bump, G., 1935 b, 273-278  
(18 cases; 8 though serious enough to have caused death in due time)  
[*Bonasa umbellus*]
- Dispharynx spiralis*  
Bump, G., 1936 a, 325, 335, 336  
grouse
- Dispharynx spiralis*  
Bump, G., 1937 a, 308, 309  
[p. 309, *Dispharynx spiralis*]
- Dispharynx spiralis*  
Bump, G., 1939 a, 246  
grouse
- Dispharynx spiralis*  
Bump, G., 1940 a, 237, 238, 239  
grouse; Hungarian partridge; pheasants: all from New York State
- Dispharynx spiralis*  
Bump, G., 1941 a, 220, 221  
grouse: New York
- Dispharynx spiralis*  
Bump, G., 1942 a, 213, 215, 216  
grouse: New York State
- Dispharynx spiralis* (Molin, 1858)  
Carvalho, J. C. M., 1940 a, 421  
*Gallus gallus domesticus*
- Dispharynx spiralis*  
Cassamagnaghi, A. (*hijo*), 1946 b, 4 figs.  
*Numida galeata*
- Dispharynx spiralis*  
Cram, E. B., 1926 d, 180, 181  
*Bonasa umbellus*; *Meleagris gallopavo*
- Dispharynx spiralis* (Molin)  
Cram, E. B., 1927 a, 237, 238-240, figs. 301-303
- Dispharynx spiralis*  
Cram, E. B., 1927 e, 70  
*Numida meleagris* (guinea hen): Mayaguez, Porto Rico, United States
- Dispharynx spiralis*  
Cram, E. B., 1928 a, 3, fig. 3  
pigeons
- Dispharynx spiralis*  
Cram, E. B., 1930 d, 529-534  
poultry
- Dispharynx spiralis*  
Cram, E. B., 1930 g, 169  
birds
- Dispharynx spiralis*  
Cram, E. B., 1930 i, 5  
chicken; turkey; pigeon; guinea fowl; pheasant; *Colinus virginianus*; *Porcellio scaber*
- Dispharynx spiralis* (Molin)  
Cram, E. B., 1931 c, 2, 18-21, 25, 26, figs. 18-22  
*Colinus virginianus*; *Bonasa umbellus*; *Perdix perdix*; *Armadillidium vulgare*; *Gallus dom.*; *Porcellio laevis*; *Porcellio scaber*; *Meleagris gallopavo*; *Columba dom.*; *Numida meleagris*
- Dispharynx spiralis*  
Cram, E. B., 1931 e, 241
- Dispharynx spiralis*  
Cram, E. B., 1931 f, 574  
poultry
- Dispharynx spiralis*  
Cram, E. B., 1932 a, 310  
*Dumetella carolinensis* (cat bird): Riverton, N.J.  
*Numida meleagris*; bobwhite quail; domestic pigeon; isopods (pill bugs, sow bugs): all from New Brunswick, N.J.
- Dispharynx spiralis*  
Cram, E. B., 1932 b, 303  
*Passer domesticus domesticus*: Washington, D.C.  
*Planesticus migratorius migratorius* (proventriculus): New Jersey
- Dispharynx spiralis*  
Cuviiller, E., 1937 b, 99-104  
Syn.: *Dispharynx stonae*  
guinea fowls (exper.); pigeons (exper.); *Thyothorus ludovicianus*: all from Texas
- Dispharynx spiralis* (Molin, 1858)  
Dubinina, M. N.; and Serkova, O. P., 1951 a, 80-81, 94  
*Sturnus vulgaris poltoratskyi*: Tadzhikistan
- Dispharynx spiralis*  
Duckworth, C. U., 1941 b, 364  
pigeons: Los Angeles
- Dispharynx spiralis*  
Fisher, L. W., 1939 a, 35, 36  
proventricular worm  
*Bonasa umbellus umbellus* (ruffed grouse): Michigan
- Dispharynx spiralis*  
Foster, A. O., 1939 b, 102  
fowl: Panama
- Dispharynx spiralis*  
Freitas, M. G., 1957 b, 378, 380  
galinhas [chickens]; pombos [pigeon]; peru [turkey]: all from Estado de Minas Gerais
- Dispharynx spiralis* (Molin, 1858)  
Gagarin, V. G., 1954 a, 86, 93, 94, 95, figs. 10, 10a  
*Phasianus colchicus*: Kirgiz SSR
- Dispharynx spiralis* (Molin, 1858)  
Gagarin, V. G.; Ablasov, N. A.; and Chibichenko, N. T., 1957 a, 110  
*Corvus corone*: southern Kirgizia
- Dispharynx spiralis* (Molin, 1858)  
Gil'bert, L. I., 1930 a, 100  
*Anthus trivialis trivialis*: Western SSSR
- Dispharynx spiralis*  
Goble, F. C.; and Cheatum, E. L., 1943 a, 230, 231  
*Chrysolophus pictus*: Mexico, New York  
*Phasianus colchicus*: Long Island, N.Y.
- Dispharynx spiralis* (Molin, 1858) Skrjabin, 1916  
Goble, F. C.; and Kutz, H. L., 1945 a, 323, 324, 328, 329, 330  
as syn. of *Dispharynx nasuta* (Rudolphi, 1819) Stiles & Hassall, 1920
- Dispharynx (Acuaria) spiralis*  
Gross, A. O., 1926 a, 6  
*Bonasa umbellus*
- Dispharynx spiralis*  
Gross, A. O., 1930 b, 31, 32, 33  
ruffed grouse: Wisconsin
- Dispharynx spiralis*  
Gross, A. O., [1931? c], 44, 53  
ruffed grouse: Wolfville, Nova Scotia, Wisconsin
- Dispharynx spiralis*  
Gross, A. O., [1933 a], 466  
ruffed grouse: New England
- Dispharynx spiralis* (Molin, 1858)  
Gushanskaia, L. Kh., 1950 c, 56  
*Ciconia* sp.: SSSR
- Dispharynx spiralis* (Molin, 1858)  
Gushanskaia, L. Kh., 1952 a, 188, 199  
*Phasianus colchicus*: Kazakhstan

## NEMATODA AND NEMATODE DISEASES

4

- Dispharynx spiralis* (Molin, 1858)  
Gvozdev, E. V., 1955 b, 51-62  
*Phasianus colchicus mongolicus*: Alma-Atinsk Oblast
- Dispharynx spiralis* (Molin, 1858)  
Gvozdev, E. V., 1957 b, 161, 162, 163  
domashchnix kry (glandular stomach): Aksu-Djabagly Kazakhstan
- Dispharynx spiralis*  
Gvozdev, E. V., 1958 b, 124, 125, 129  
domestic hen; *Phasianus colchicus*; *Perdix perdix*; all from Kazakhstan
- Dispharynx spiralis* (Molin, 1858)  
Gvozdev, E. V.; Agapova, A. I., 1953 a, 135  
chukchee Kazakhstan
- Dispharynx spiralis*  
Hall, M. C., 1922 s, 537
- Dispharynx spiralis*  
Hall, M. C., 1923 b), 54
- Dispharynx spiralis*  
Hall, M. C., 1929 b, 35, 64  
chicken; *Bonasa umbellus*; *Phasianus gallus* po' fowl; *Quiscalus quiscula*; pigeon (sal, primary host); *Porcellio laevis* (secondary host)
- Dispharynx spiralis* [sic]  
Harwood, P. D., 1933 b, 173, 174
- Dispharynx spiralis*  
Haugen, A. O., 1959 a, 9  
swan
- Dispharynx spiralis* (Molin, 1858)  
Haugen, W. N., 1959 a, 2  
key
- Dispharynx spiralis* (Molin, 1858) Skrjabin, 1916  
Hunter, W. S.; and Quay, T. L., 1953 a,  
411
- Anemospiza maritima-macgillivraii*: Beaufort,  
North Carolina
- Dispharynx* [sic] *spiralis*  
Hurt, L. M., 1941 b, 47  
pigeons (intermediate host): both from Los Angeles County
- Dispharynx* [sic] *spiralis*  
Hurt, L. M., [1942 d], 39  
pigeon [*Columba spp.*]: California
- Dispharynx spiralis* (Molin, 1858)  
Ivashkin, V. M., 1961 a, 86  
biological peculiarities
- Dispharynx spiralis* (Molin, 1858)  
Kasimov, G. V., 1956 c, 426-428, figs. 347-348  
*Alauda arvensis*  
*Pavo cristatus*  
*Pedioecetes phasianellus*  
*phasianus colchicus mongolicum*  
*P. colchicus turkestanicus*  
*Motacilla indicus*  
*Passer domesticus*  
*Quiscalus quiscula*  
*Sturnus vulgaris caucasicus*
- Dispharynx spiralis*  
Khuan, Shen-I., 1961 a, 307  
chickens: Khabarovsk Krai
- Dispharynx spiralis* Skrjabin, 1916  
Kurashvili, R. E., 1941 a, 66, 91, 93  
*Falco tinnunculus* L. (*esophagus*): Georgia, SSR
- Dispharynx spiralis* (Molin, 1858)  
Kurashvili, R. E., 1957 a, 287-288, figs. 150-  
151
- Falco t. tinnunculus*: Georgian SSR
- Dispharynx spiralis*  
Levine, P. P.; Dougherty, E.; Fabricant, J.; and Morrissey, J., 1957 a, 70  
guinea hen: New York
- Dispharynx spiralis* (Molin, 1858)  
Lins da Almeida, J., 1933 a, 171
- Gallus domesticus* L.: Rio de Janeiro
- Dispharynx spiralis* (Molin, 1858)  
Lins de Almeida, J., 1934 a, 20
- Gallus domesticus* L.: Brazil
- Dispharynx spiralis* (Molin, 1858)  
Madsen, H., 1941 a, 31, 33, 34  
*Perdix perdix*; *Phasianus colchicus*: both from fowl
- Dispharynx spiralis*  
Madsen, H., 1941 a, 41  
quail: E. J., 1933 a, 41
- Dispharynx spiralis* (Molin, 1858)  
Olsen, O. K., 1939 a, 473, 474  
galinaceous birds
- Dispharynx spiralis* (Molin, 1858)  
Perez Vigueras, I., 1936 a, 69  
[*Colinus livia dom.*; *Numida meleagris*: both from Cuba]
- Dispharynx spiralis* (Molin, 1858)  
Pinto, C.; and Lins de Almeida, J., 1935 a  
54, 55, 56, fig. 1  
*Gallus domesticus*; *Columba livia domestica*: both from Brasil
- Dispharynx spiralis* (Molin)  
Pinto, C.; and Páños Martí, P., 1952 a,  
84-85, figs. 2, 4
- birds: *Granada*, Cordoba
- Dispharynx spiralis* Molin, 1858; Skrjabin, 1916  
Rakhmedov, S. N., 1950 a, 19-20, 26, 103, 104,  
figs. 35, 39, 44, 45
- as syn. of *Dispharynx nasuta* (Rudolphi, 1819)  
Stiles & Hassall, 1920 [D. nasuta, variation of spelling]  
key
- Athene brama indica* (proventriculus & oesophagus): Hyderabad-Deccan, India
- Dispharynx spiralis* Molin, 1858  
Rybachkov, B. B., 1952 b, 113-114, fig. 17  
*Parus major*; *Passer montanus*: both from Lednické rezervace
- Dispharynx spiralis* (Molin, 1858)  
Sarwar, M. M., 1956 a, 106-107, 111  
*Pica pica*: Zoological Gardens, Lahore-Punjab
- Dispharynx spiralis*  
Schwartz, B., 1936 d, 57  
*Cubaria murina* (exper.)
- Dispharynx spiralis*  
Schwartz, B., 1938 a, 432
- Dispharynx spiralis*  
Shillinger, J. E., 1942 a, 1230
- Dispharynx spiralis* (Molin, 1858) Skrjabin, 1916  
Sokolov, S. N., 1948 a, 211-212, 213, 217, figs.  
41-42
- Corvus macrorhynchos*: Hyderabad Deccan
- Dispharynx spiralis* (Molin, 1858)  
Sоловьев, Г. В., 1960 a, 146
- hens: Kirgizia
- Dispharynx spiralis*  
Sultanov, M. A., 1958 a, 65, 72  
chickens: Tashkent oblast
- Dispharynx spiralis*  
Sultanov, M. A., 1958 b, 19  
[*Corvus frugilegus* g. *domesticus*]; grach [*Corvus frugilegus*]; maimai [*mynah*]: all from Uzbekistan
- Dispharynx spiralis*  
Sultanov, M. A.; Ryzhikov, K. M.; and Kozlov, D., 1960 a, 51
- Vorona* [*Corvus*]: skvoretz [*Sturnus vulgaris*] (both, glandular stomach): both from mouth of Amu-Darya

## ORE

*Dispharynx spiralis*  
 Swales, W. E., 1933 a, 477  
 Bonasa umbellus: Nova Scotia

*Dispharynx spiralis*  
 Swanson, L. E., 1939 a, 30  
 chicken: Hawaiian Is.

*Dispharynx spiralis* (Molin, 1858) Railliet, Henry & Sisoff, 1912  
 Teixeira de Freitas, J. F.; and da Silva, A. A. J., 1960 a, 199, 201-202, 203, figs. 18-22  
*Gallus gallus dom.* (proventrículo): Bahia, Brasil

*Dispharynx spiralis*  
 Van Volkenberg, H. L., 1938 a, 8  
 poultry: Puerto Rico

*Dispharynx spiralis* (Molin, 1858)  
 Van Volkenberg, H. L., 1939 a, 8  
 guinea fowl; chicken: both from Puerto Rico

*Dispharynx spiralis*  
 Van Zwaluwenburg, R. H., 1928 a, 5  
*Porcellio laevis*

*Dispharynx spiralis* (Molin, 1858) Skrj., 1916  
 Venard, C. E., 1933 a, 205, 207, 208  
*Colinus virginianus virginianus* Linnaeus:  
 Ohio

*Dispharynx spiralis*  
 Venard, C. E. in Wickliff, E. L., [1933 a], 358  
*Colinus virginianus virginianus*: Ohio

*Dispharynx spiralis*  
 Wehr, E. E., [1939 c], 54  
 grouse; Hungarian partridge; bobwhite quail;  
 pheasant; pigeon; guinea fowl; turkey;  
 chicken

*Dispharynx spiralis*  
 Wehr, E. E.; and Christensen, J. F., 1942 a, 1029

*Dispharynx spiralis* (Molin, 1858) Skrjabin, 1916  
 Yamaguti, S., 1942 g, 95, 102-103, 104, figs.  
 7-8, pl. 3, fig. 11  
*Gallus gallus*: Mukden

*Dispharynx spiralis*  
 Yeatter, R. E., 1934 a, 74  
 Hungarian partridge [*Perdix perdix perdix*]:  
 Michigan and Ohio

*Diapharynx* [sic] *spiralis*  
 Youngberg, S., 1932 a, 477  
 chicken: Philippine Islands

*Dispharynx stonae* n. sp.  
 Harwood, P. D., 1933 b, 173-174, 175, pl. 29,  
 figs. 1-2  
*Thryothorus ludivicians*: Houston

*Dispharynx stonae*  
 Cuvillier, E., 1937 b, 101, 103  
 as syn. of *D. spiralis*

*Dispharynx stonae* Harwood, 1933  
 Goble, F. C.; and Kutz, H. L., 1945 a, 329  
 as syn. of *Dispharynx nasuta* (Rudolphi, 1819)  
 Stiles & Hassall, 1920

*Dispharynx stonae* Harwood, 1933  
 Hsu, W. N., 1959 a, 2  
 key

*Dispharynx stonae* Harwood, 1933  
 Olsen, O. W., 1939 e, 473, 474  
*Thryothorus ludivicians*

*Dispharyny*  
 Pérez Vigueras, I., 1936 a, 69  
 for *Dispharynx Railliet, Henry, and Sisoff*, 1912

*Ditylenchus glischrus* n. sp.  
 Rühm, W., 1956 b, 24, 41, 175, 183-185, 418,  
 fig. 34a-i  
*Pityogenes chalcographus*: Erlangen, Nürnberg  
 Oberpfälzer Wald, Oberbayern

*Ditylenchus panurgus* n. sp.  
 Rühm, W., 1956 b, 14, 26, 175, 181, 182-183,  
 416, fig. 33a-m  
*Hylastes ater*: Erlangen, Nürnberg,  
 Suderläugum

*Ditylenchus petithi* (Fuchs, 1938)  
 Rühm, W., 1956 b, 174, 175-177, 415, fig.  
 29a-g  
 Syn.: *Anquillonema petithi* Fuchs, 1938  
*Hylesinus crenatus*: München, Höbing  
 (Mittelfranken)

*Ditylenchus pityokteinophilus* n. sp.  
 Rühm, W., 1956 b, 25, 174, 178-180, 418, fig.  
 31a-k  
*Pityokteines curvidens*: Regensburg, Nürnberg  
 Stadtsteinach

*Ditylenchus striatus* (Fuchs 1938) Rühm 1950  
 Rühm, W., 1954 a, 222, 223  
 Syn.: *Anquillonema striata* Fuchs 1938  
*Pityogenes quadridens*: Schleswig-Holstein  
*Pityogenes bidentatus*: Oberfranken

*Ditylenchus striatus* (Fuchs, 1938)  
 Rühm, W., 1956 b, 184, 185, 418, fig. 35a-h  
 Syn.: *Anguillonema striata* Fuchs, 1938  
*Pityogenes bidentatus*; *P. quadridens*

*Dochmiosis*  
 Stiles, C. W., 1914 a, 271  
 as syn. of *Uncinariasis*

*Dochmius*  
 Aubertot, M., 1926 a, 163

*Dochmius*  
 de Barros, J., 1909 d, 373-375

*Dochmius Dujardin*, 1845  
 Baylis, H. A.; and Daubney, R., 1926 a, 172  
 as syn. of *Uncinaria Frölich*

*Dochmius*  
 Castellani, A.; and Chalmers, A. G., 1919 a,  
 665

*Dochmius*  
 Kamenskii, S. N., 1905 a, 17, 45

*Dochmius*  
 Mégnin, J. P., 1882 xx, 258-262

*Dochmius*  
 Müller, G. A., 1922 b, 45

*Dochmius*  
 Olt, A.; and Ströse, A., 1914 a, 321

*Dochmius Duj.*  
 Perrier, E., 1897 a, 1415

*Dochmius*  
 Perroncito, E., 1912 c

*Dochmius*  
 von Rätz, I., 1893 f, 438

*Dochmius*  
 von Rätz, I., 1894 c, 407

*Dochmius*  
 von Rätz, I., 1894 d, 153-159

*Dochmius Dujardin*, 1845 of *Stossich*, 1895 (in part)  
 Schad, G. A., 1962 c, 1037  
 as syn. of *Kalicephalus Molin*, 1861

*Dochmius Dujardin*, 1845  
 Sprehn, C. E. W., 1932 c, 693  
 as syn. of *Uncinaria Froelich*, 1789

*Dochmius Dujardin*  
 Törnquist, N., 1931 a, 2, 380

*Dochmius*  
 Wardle, R. A., 1929 a, 77

*Dochmius Dujardin*, 1845  
 Yorke, W.; and Maplestone, P. A., 1926 a,  
 101  
 as syn. of *Uncinaria Froel.*

*Dochmius* sp.  
 Krijgsman, B. J., 1933 d, 377  
 as syn. of *Uncinaria* sp.

*Dochmius* [sp.]  
 Mócsay, J., 1925 a, 251

- Dochmiasis aencylostomum*  
Castellani, A.; and Chalmers, A. J., 1919 a,  
666
- Dochmiasis anchylostomum*  
Perty, M., 1874 a, 30
- Dochmiasis anchylostomum Mulin*, 1861  
Sprehn, C. E. W., 1932 c, 683  
as syn. of *Ancylostoma duodenale* (Dubini,  
1843)
- Dochmiasis balsami*  
Brumley, O. V., 1921 a, 207  
cat
- Dochmiasis balsami*  
Disselhorst, R., 1921 a, 57
- Dochmiasis balsami*  
Martinez Santamaria, J., 1909 a, 224
- Dochmiasis balsami de Grassi*  
Megnin, J. P., 1894 b, 74, 75  
chien
- Dochmiasis balsamoi* [sic] *Parona & Grassi*  
Riley, W. A., 1921 a, 90  
as syn. of *Ancylostoma caninum*
- Dochmiasis balsami Par. and Gras.*  
Sciacchitano, I., 1933 c, 98  
*Felis catus*: Modena
- Dochmiasis balsami Parona u. Grassi*, 1877  
Sprehn, C. E. W., 1932 c, 685  
as syn. of *Ancyllostoma* [sic] *caninum* (Ercole-  
lani, 1859)
- Dochmiasis bidens*  
Baylis, H. A.; and Daubney, R., 1923 a, 574  
*Procyon cancrivorus*
- Dochmiasis bovis* *Ströse*  
Karokhin, V. I., 1928 a, 42
- Dochmiasis caninum*  
Perroncito, E., 1913 c, 4  
dog (duodeno): Italy
- Dochmiasis cernuus* *Crep.*  
Brandt, E. K., 1888 d, 168, fig. 229
- Dochmiasis cernuus*  
Cobb, N. A., 1898 a, 429, 447, figs., 89, 121
- Dochmiasis cernuus*  
van der Schroeoff, H. J., 1915 a, 419-423, 426  
goat
- Dochmiasis cernuus* *Crep.*  
Tryon, H., 1917 a, 54  
sheep: Queensland
- Dochmiasis cernuus*  
Underhill, B. M., 1920 a, 293
- Dochmiasis cernuus* (*Crep.*)  
Yorke, W.; and Maplestone, P. A., 1926 a, 109  
as syn. of *Bunostomum trigonocephalum* (Rud.)
- Dochmiasis criniformis*  
Krijgsman, B. J., 1933 d, 376  
as syn. of *Uncinaria criniformis*
- Dochmiasis criniformis* (*Goeze*, 1782)  
Sprehn, C. E. W., 1932 c, 693  
as syn. of *Uncinaria criniformis* (*Goeze*,  
1782)
- Dochmiasis criniformis* (*Goeze*)  
Yorke, W.; and Maplestone, P. A., 1926 a, 102  
as syn. of *Uncinaria criniformis* (*Goeze*)
- Dochmiasis duodenalis*  
Bowen, C., 1896 a, 212-213  
anaemia: Barbados
- Dochmiasis duodenalis* *Leuckart*  
Bugnion, E., 1881 d, 189-190
- Dochmiasis duodenalis*  
Castellani, A.; and Chalmers, A. J., 1919 a,  
666, 673
- Dochmiasis duodenalis*  
Hsu, H. F., 1933 b, 17  
Oesophageal glands
- Dochmiasis duodenalis*  
Jaegerskiold, L. A. K. E., 1901 a, 55
- Dochmiasis duodenalis* *Leuckart*, 1867  
Lane, C. in Ashford, B. K., [1923 a], 1873  
as syn. of *Ancylostoma* (*Ancylostoma*) *duode-  
nale* Dubini, 1843), emend. Creplin, 1845
- Dochmiasis duodenalis*  
Månsen, P., 1908 h, 671
- Dochmiasis duodenalis*  
Manson, P., 1914 a, 794
- Dochmiasis duodenalis*  
Manson-Bahr, P. H., in Manson, P., 1921 a, 829  
as syn. of *Ankylostoma duodenale*
- Dochmiasis duodenalis*  
Müller, G. A., 1922 a, 106
- Dochmiasis duodenalis*  
Orley, L., 1880 c, 164
- Dochmiasis duodenalis* *Dubini*  
Perroncito, E., 1880 cc, 913, 916, 920, 921
- Dochmiasis duodenalis*  
von Ratz, I., 1893 f, 438
- Dochmiasis duodenalis*  
von Ratz, I., 1894 d, 155, 157, 158
- Dochmiasis duodenalis* *Dub.*  
Sanchez, J., 1887 a, 109
- Dochmiasis duodenale* (*Dubini*, 1843 pro parte)  
Sprehn, C. E. W., 1932 c, 686  
as syn. of *Necator americanus* (Stiles, 1902)
- Dochmiasis duodenalis* (*Dub.*, 1843)  
Sprehn, C. E. W., 1932 c, 683  
as syn. of *Ancylostoma duodenale* (*Dubini*,  
1843)
- Dochmiasis glycirrhiza* v. *Linstow*, 1878  
Travassos, L. P., 1937 e, 251  
as syn. of *Strongylacantha glycirrhiza* v.  
Beneden
- Dochmiasis hypostomus* *Diesing*, 1851 (part)  
Baylis, H. A., 1936 a, 331  
as syn. of *Bunostomum trigonocephalum*  
(Rud., 1808)
- Dochmiasis hypostomus*  
Perrier, E., 1897 a, 1415  
ruminants (intestin)
- Dochmiasis hypostomus*  
Ruud, G., 1938 a, 15  
as syn. of *Chabertia ovina*  
sheep
- Dochmiasis hypostomum* (*Rudolphi*, 1819)  
Sprehn, C. E. W., 1932 c, 681  
as syn. of *Chabertia ovina* (*Fabricius*, 1788)
- Dochmiasis longemucronatus* (*Molin*, 1861)  
Sprehn, C. E. W., 1932 c, 696  
as syn. of *Globocephalus longemucronatus*  
*Molin*, 1861
- Dochmiasis maxillaris*  
Baylis, H. A.; and Daubney, R., 1923 a, 574  
*Procyon cancrivorus*
- Dochmiasis maxillaris* *Molin*, 1861  
Biocca, E., 1961 b, 20  
as syn. of *Uncinaria bidens* (*Molin*, 1861)
- Dochmiasis maxillaris* *Molin*, 1860  
Vaz, Z., 1935 h, 118  
*Procyon cancrivorus*
- Dochmiasis radiatus* Rud.  
Brandt, E. K., 1888 d, 168
- Dochmiasis radiatus* (*Rud.*, 1803)  
Sprehn, C. E. W., 1932 c, 690  
as syn. of *Bunostomum phlebotomum* (*Railliet*,  
1900)
- Dochmiasis radiatus*  
Underhill, B. M., 1920 a, 293
- Dochmiasis sangari* [sic] (*Cobbold*)  
Evans, G. H., 1910 b, 269
- Dochmiasis sangari* [sic] (*Cobbold*)  
Gupta, M. C., 1921 a, 27
- Dochmiasis sangeri* *Cobbold*  
Yorke, W.; and Maplestone, P. A., 1926 a, 105  
as syn. of *Bathmostomum sangeri* (*Cobbold*)
- Dochmiasis stenocephalus* *Raill.*  
Brandt, E. K., 1888 d, 167, 168, fig. 227

- Dochmius stenocephalus* Railliet  
 Koffman, M., 1939 a, 552  
 as syn. of *Ancylostoma caninum* Ercolani
- Dochmius stenocephala*  
 Krijgsman, B. J., 1933 d, 376  
 as syn. of *Uncinaria stenocephala*
- Dochmius stenocephalus*  
 Müller, G. A., 1922 a, 106
- Dochmius stenocephalus* Railliet 1884  
 Prokopić, I., 1960 b, 139, 146, 148  
 as syn. of *Uncinaria stenocephala* (Railliet 1884)  
 dog (intestine): Albania
- Dochmius stenocephalus*  
 von Rätz, I., 1893 f, 438
- Dochmius stenocephalus*  
 von Rätz, I., 1894 c, 407
- Dochmius stencephalus*  
 von Rätz, I., 1894 d, 155, 158
- Dochmius stenocephalus*  
 Sprehn, C. E. W., 1932 c, 693  
 as syn. of *Uncinaria stenocephala* (Railliet, 1884)
- Dochmius stenocephalus*  
 Underhill, B. M., 1920 a, 292
- Dochmius stenocephalus* Railliet  
 Yorke, W.; and Maplestorne, P. A., 1926 a, 102  
 as syn. of *Uncinaria stenocephala* (Railliet)
- Dochmius trigonocephalus* [sic] (Dujardin)  
 Baillet, C. C., 1854 a, 72, 73
- Dochmius trigonocephalus* Duj.  
 Baillet, C. C., 1862 d, fig. 4
- Dochmius trigonocephalus* (Duj.)  
 Baillet, C. C. 1868, 190
- Dochmius trigonocephalus*  
 de Blieck, L.; and Baudet, E. A. R. F., 1926 a, 89
- Dochmius trigonocephalus*  
 Brandt, A. J., 1929 b, 192
- Dochmius trigonocephalus*  
 Brandt, E. K., 1888 d, 61, 166, 167, fig. 226
- Dochmius trigonocephalus*  
 Disselhorst, R., 1921 a, 57, fig. 57
- Dochmius trigonocephalus* Dujardin, 1845  
 Gelormini, N., 1939 a, 64  
 as syn. of *Ancylostoma caninum* (Ercolani, 1859)
- Dochmius trigonocephalus*  
 Jaeger, O., 1921 a, 18
- Dochmius trigonocephalus*  
 Krabbe, H., 1867 j, 519  
 chien: Copenague
- Dochmius trigonocephalus*  
 Marek, J., 1922 a, 504, fig. 339
- Dochmius trigonocephalus*  
 Mégnin, J. P., 1894 b, 38, 66, 74  
 chien (intestins): France
- Dochmius trigonocephalus*  
 Müller, G. A., 1922 a, 106, fig. 56
- Dochmius trigonocephalus*  
 Perrier, E., 1897 a, 1398, 1401, 1405, 1415  
 chien
- Dochmius trigonocephalus*  
 Pillwax, J., 1862 b, 129
- Dochmius trigonocephalus*  
 von Rätz, I., 1893 f, 438
- Dochmius trigonocephalus*  
 von Rätz, I., 1893 g, 2, 3, 5, 9, 11, 12, 14,  
 16, figs. 1-2
- Dochmius trigonocephalus*  
 von Rätz, I., 1894 c, 407
- Dochmius trigonocephalus*  
 von Rätz, I., 1894 d, 154, 155, 157, 158
- Dochmius trigonocephalus*  
 von Rätz, I., 1896 a, 301
- Dochmius trigonocephalus*  
 de Saint-Loup, R., [1895 a], 205, 206-207,  
 fig. 172  
 chien
- Dochmius trigonocephalus*  
 Sequens, F., 1893 a, 24
- Dochmius trigonocephalus*  
 Sticker, A., 1901 a, 212, 213
- Dochmius trigonocephalus*  
 Underhill, B. M., 1920 a, 291
- Dochmius tubaeformis* Zeder  
 Brandt, E. K., 1888 d, 168, fig. 229
- Dochmius tubaeformis* de Dujardin  
 Megnin, J. P., 1894 b, 74  
 chien
- Dochmius vallei* Stossich, 1895  
 Schad, G. A., 1962 c, 1112  
 as syn. of *Kalicephalus viperae* *viperae*  
 (Rudolphi, 1819)
- Dochmooides* n. gen.  
 Cameron, T. W. M., 1924 a, 46-50  
 for *Uncinaria* [type sp. species inquir.]
- Dochmooides*  
 Cameron, T. W. M., 1924 b, 46-50  
 for *Uncinaria* [type sp. species inquir.]
- Dochmooides* Cameron, 1924  
 Baylis, H. A.; and Daubney, R., 1926 a, 172  
 as syn. of *Uncinaria* Frölich
- Dochmooides*  
 Ortlepp, R. J., 1925 a, 155
- Dochmooides* Cameron, 1924  
 Sprehn, C. E. W., 1932 c, 693  
 as syn. of *Uncinaria* Froelich, 1789
- Dochmooides* Cameron, 1924  
 Yorke, W.; and Maplestorne, P. A., 1926 a,  
 101  
 as syn. of *Uncinaria* Froel.
- Dochmooides stenocephala* (Railliet) [n. comb.]  
 Cameron, T. W. M., 1924 a, 46-50, figs. 1-5  
 fox (British): London Zoo
- Dochmooides stenocephala*  
 Cameron, T. W. M.; and Parnell, I. W., 1933 a,  
 141, 152  
 first report from Scotland
- Vulpes vulpes*: Scotland
- Dochmooides stenocephala*  
 Chervakov, V. F., 1926 a, 97, 103-104
- Dochmooides stenocephala*  
 Chervakov, V. F., 1927 a, 84, 85, 87, 88  
 dog
- Dochmooides stenocephala*  
 Chervakov, V. F., 1927 b, 437  
 dog 31.2%
- Dochmooides stenocephala* (Railliet, 1884)  
 Choquette, L. P. E.; Gayot, G.; and Poul, J.,  
 1952 a, 47, 48, 49  
 [p. 48, *Dochmooides* (= *Uncinaria*) *stenocephala*]  
 chien: Alger
- Dochmooides stenocephala* (Railliet)  
 Gedoelst, L., 1924 b, 251
- Dochmooides stenocephala*  
 Gibbs, H. C., 1958 a, figs. 1-7  
 dog
- Dochmooides stenocephala*  
 Gibbs, H. C., 1961 a, figs. 2-8
- Dochmooides stenocephala*  
 Gibbs, H. C.; and Gibbs, K. E., 1959 a,  
 247-257
- Dochmooides stenocephala*  
 Goodey, T., 1925 h, 173-176
- Dochmooides stenocephala* (Raill., 1884)  
 Isaichikov, I. M., 1925 e, 2, 5, 6, 8  
 dog (*Canis familiaris*): Omsk, USSR

- Dochmoides stenocephala* Railliet  
 Isaichikov, I. M., 1927 a, 156, 164, 167,  
 168  
 Canis fam.
- Dochmoides stenocephala* (Railliet)  
 Nieschulz, O. C. H., 1924 c, 712-714
- Dochmoides* (or *Uncinaria*) *stenocephala*  
 Parnell, I. S., 1934 a, 113  
 carbon tetrachloride or tetrachlorethylene:  
 effect of fat diet  
 dogs: North-east Canada
- Dochmoides stenocephala* (Railliet, 1884)  
 Perez Vigueras, I., 1936 a, 57  
 Canis familiaris: Habana, Cuba
- Dochmoides stenocephala* (Railliet)  
 Petrov, A. M., 1926 a, 89, 91, 94, 100  
 dog
- Dochmoides stenocephala*  
 Popov, N. P., 1924 a, 14, 16; Armenian summary  
 p. 13; French summary p. 3  
 chien: Arménie
- Dochmoides stenocephala* Cameron 1924  
 Prokopič, I., 1960 b, 139, 146, 148  
 as syn. of *Uncinaria stenocephala* (Railliet  
 1884)  
 dog (intestine): Albania
- Dochmoides stenocephala* (Railliet.)  
 Shul'man, E. S., 1926 a, 80
- Dochmoides stenocephala*  
 Skrjabin, K. I.; and Shul'ts, R. E. S., 1927 a,  
 260  
 Canis familiaris: Arkhangelsk
- Dochmoides stenocephala* (Railliet, 1884)  
 Solomon, S. G., 1933 b, 158, 159, 161, 162  
 (pp. 2, 3, 5, 6)  
 as syn. of *Uncinaria stenocephala* (R. 1884)  
 dogs: Marseilles, France; Wales; U.S.;  
 Russia
- Dochmoides stenocephala* (Railliet, 1884)  
 Sprehn, C. E. W., 1932 c, 693  
 as syn. of *Uncinaria stenocephala* (Railliet,  
 1884)
- Dochmoides stenocephala*  
 Wales, W. E., 1933 a, 472, 474, 475  
*Sus scrofa domesticus*: Ontario  
*Vulpes fulva*: Ontario, British Columbia  
*Mustela* sp. (fisher)
- Dochmoides stenocephala*  
 Wales, W. E., 1933 c, 481  
*Vulpes fulva*: Quebec, New Brunswick, Prince  
 Edward Island
- Dochmoides stenocephala*  
 Thomson, D. L., 1959 a, 244
- Dochmoides stenocephala*  
 Yorke, W.; and Maplestone, P. A., 1926 a,  
 102  
 as syn. of *Uncinaria stenocephala* (Railliet)
- Dochmoides yukonensis* sp. nov.  
 Wolfgang, R. W., 1956 b, 21, 23-25, figs. 1-6  
*Ursus americanus*: Yukon Territory
- Dracontiasis* see *Dracunculosis*
- Dracunculus* [for *Dracunculus* Reichard]  
 Lindberg, K., 1935 c, 869
- Dracunculidae*, nov. fam. [*nomen nudum*]  
 Leiper, R. T., 1912 a, 115
- Dracunculidae*  
 Basile, C., 1923 a, 211, 236-238
- Dracunculidae*  
 Baylis, H. A., 1939 c, 58  
 as syn. of *Philometridae* Baylis and Daubney,  
 1926
- Dracunculidae*  
 Blacklock, D. B.; and Southwell, T., 1931 a,  
 200
- Dracunculidae*  
 Castellani, A.; and Chalmers, A. J., 1919 a,  
 623, 624, 651
- Dracunculidae*  
 Chitwood, B. G., 1937 c, 75  
*Dracunculoidea*
- Dracunculidae*  
 Cort, W. W., 1921 1, 63
- Dracunculidae*  
 Filipjev, I. N., 1934 b, 71  
*Filaria*
- Dracunculidae*  
 Fülleborn, F., 1929 a, 1045
- Dracunculidae* Leiper 1912  
 Gedoelst, L., 1916 a, 46
- Dracunculidae*  
 Rauther, M., 1930 a, 368
- Dracunculidae*  
 Reichenow, E.; and Wüller, G., 1929 a,  
 153, 155
- Dracunculidae*  
 Sandground, J. H., 1921 a, 329
- Dracunculidae*  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 31,  
 V.c 32  
*Filarioidea*
- Dracunculidae*  
 Seurat, L. G., 1918 a, 272
- Dracunculidae*  
 Shigin, A. A.; and Shigina, N. G. [1959 a],  
 398  
 key
- Dracunculoidea*
- Dracunculidae* Stiles  
 Skrjabin, K. I., 1923 m, 78, 82
- Dracunculidae* Leiper, 1912  
 Skrjabin, K. I.; and Shikhobalova, N. P.,  
 1936 a, 75  
 key  
*Filaria*  
 contains: *Dracunculiniae*, *Philometrinae*,  
*Micropleurinae*, *Avioserpensinae*
- Dracunculidae*  
 Sprehn, C. E. W., 1927 e, 39
- Dracunculidae* Leiper, 1912  
 Sprehn, C. E. W., 1932 c, 565, 589
- Dracunculidae*  
 Strong, R. P., 1937 b, 461-463  
*Filarioidea*
- Dracunculidae* Leiper, 1912  
 Travassos, L. P., 1920 h, 69
- Dracunculidae* Leiper, 1912  
 Tuzdil, A. E., 1939 a, 9, 28  
*Filarioidea*
- Dracunculidae*  
 Van Cleave, H. J.; and Mueller, J. F., 1934 a,  
 308
- Dracunculidae*  
 Walton, A. C., [1927 a], 126
- Dracunculidae* Leiper  
 Ward, H. B., 1918 b, 523
- Dracunculidae*  
 Ward, H. B., 1918 c, 9299
- Dracunculidae*  
 Wüller, G., 1924 a, 2, 36, 45
- Dracunculidae* Leiper, 1912  
 Yorke, W.; and Maplestone, P. A., 1926 a, 13,  
 387, 440, 442
- Dracunculiniae*  
 Chitwood, B. G., 1937 c, 75  
*Dracunculidae*
- Dracunculiniae*  
 Fülleborn, F., 1929 a, 1045
- Dracunculiniae* Stiles, 1907  
 Yorke, W.; and Maplestone, P. A., 1926 a,  
 440

- Dracunculoidea**  
 Chabaud, A. G.; and Petter, A. J., 1961 b, 61  
 cloacal papillae
- Dracunculoidea Cameron**, 1934  
 Chitwood, B. G., 1937 c, 75  
 Camallanata
- Dracunculoidea**  
 Chitwood, B. G.; and Chitwood, M. B., 1937 b, 14
- Dracunculoidea**  
 Shigin, A. A.; and Shigina, N. G., [1959 a], 398-399  
 key
- Dracunculoidea Cameron**  
 Wehr, E. E., 1936 b, 60, 61  
 Spirurata  
 contains: Dracunculidae, Philometridae
- Dracunculosis**  
 Abbot, P. H., 1951 a, 14  
 hip joint; pelvis
- Dracunculosis**  
 Anraedt, J. L.; and Bryggo, E. R., 1955 a, 57, 58
- Dracunculosis**  
 Atkey, O. F. H., [1930 b], 16  
 (474 cases treated with acetylarsan with good results)
- Dracunculosis**  
 Bajon, B., 1777 a, 321-339
- Dracunculosis**  
 Balfour, A. (Sir), 1908 f, 307, 308
- Dracunculosis**  
 Balfour, H., 1908 a, 307, 308
- Dracunculosis**  
 Barrere, P., 1743 a, 75-77
- Dracunculosis**  
 Baumes, J. B. T., 1805 a, 270  
 in convulsions
- Dracunculosis**  
 van Beneden, P. J., 1863 b, 342  
 homme ("matelot, natif de Rotterdam")  
 [had been off Guinea coast for 10 months, but had not landed]
- Dracunculosis**  
 Bhachech, P. M., 1927 a, 450
- Dracunculosis**  
 Bhaduri, N. V., 1956 a, 115  
 India
- Dracunculosis**  
 Bhaduri, N. V., 1957 a, 134  
 human: Calcutta
- Dracunculosis**  
 Bhatnagar, B. L., 1952 a, 327, 328
- Dracunculosis**  
 Bhatnagar, B. L., 1953 a, 274-276  
 treatment
- Dracunculosis**  
 Blin, G. M. J., 1895 a, 368-737  
 treatment: Medine
- Dracunculosis**  
 Bodet, 1920 a, 50-56  
 Tamatave
- Dracunculosis**  
 Born, W., 1953 a, 5
- Dracunculosis**  
 Bosman, W. (1907 a), 108
- Dracunculosis**  
 Botreau-Rousset, P., 1932 a, 542-545
- Dracunculosis**  
 Bouilliez, M., 1912 a, 872-875  
 testicule
- Dracunculosis**  
 Bousfield, L., 1908 a, 273-275  
 native treatment
- Dracunculosis**  
 Brás de Sá, L. J., 1919 b, 1-10
- Dracunculosis**  
 Bryson, A., 1847 a, 259
- Dracunculosis**  
 Burot, F.; and Legrand, M. A., 1897 a, 142-143
- Dracunculosis**  
 Caillon; and Geneste, 1949 a, 136
- Dracunculosis**  
 Cameron, I. G., 1949 a, 296  
 human
- Dracunculosis**  
 du Castel, J., 1919 a, 72-74
- Dracunculosis**  
 Castellani, A.; and Chalmers, A. J., 1919 a, 9-10, 11, 12, 17, 25, 623, 632, 651, 652, 739, 1298, 1524, 1967, 1968, 1990, 2254
- Dracunculosis**  
 Cazanove, F., 1927 a, 445-447
- Dracunculosis**  
 Chabert, P. [1799 b], 402
- Dracunculosis**  
 Chaigneau, Y., 1927 a, 395-397  
 treatment
- Dracunculosis**  
 Chaigneau, Y., 1930 a, 81-85  
 treatment
- Dracunculosis**  
 Chaudhuri, R. N., 1958 b, 33
- Dracunculosis**  
 Chopra, R. N., 1935 a, 30, 31
- Dracunculosis**  
 Chowdhury, A. B., 1955 c, 190
- Dracunculosis**  
 Commélleran, 1907 a, 379-387
- Dracunculosis**  
 Davies, G. C. M., 1932 a, 13
- Dracunculosis**  
 Dejou, L., 1941 a, 15-35
- Dracunculosis**  
 Dejou, L., 1948 a, 200-202
- Dracunculosis**  
 Dejou, L., 1951 a, 545-652
- Dracunculosis**  
 De Rivas, D., 1920 a, 342, 437, 439, 441  
 human parasitology
- Dracunculosis**  
 Dhairyam, J., 1941 a, 12  
 clinical
- Dracunculosis**  
 Duff, D., 1922 a, 53  
 treatment
- Dracunculosis**  
 Ekbaum, E. K., 1933 c, 90  
 fish: Pacific
- Dracunculosis**  
 Elliott, M., 1942 a, 291-301  
 treatment
- Dracunculosis**  
 Emily, J., 1900 a, 101-102
- Dracunculosis**  
 Fairley, N. H., 1925 g, 457
- Dracunculosis**  
 Fitzgerald, R. D., [1929 a], 78
- Dracunculosis**  
 Forbes, J. G., 1920 a, 837, 838  
 intravenous injection
- Dracunculosis**  
 Gabriel, A., 1929 a, 68
- Dracunculosis**  
 Ghose, D. C., 1952 a, 525, 526
- Dracunculosis**  
 Hall, M. C., 1932 g, 48, 65  
 treatment; man
- Dracunculosis**  
 Harkness, J., 1955 a, 197  
 Tanganyika

- Dracunculosis  
Harris, W. C., 1844 a, v.2, 410  
Highlands of Aethiopia; Southern Abyssinia
- Dracunculosis  
Howells, W. M., 1930 a, 34
- Dracunculosis  
Hungerford, G., 1930 a, 15
- Dracunculosis  
Hunter, J. K., [1958 a], 17-18  
Uganda
- Dracunculosis  
Inness, W. D., 1929 c, 27
- Dracunculosis  
Joachim, H., 1890 b, 35-41
- Dracunculosis  
Joseph, M. P., 1948 a, 145, figs. 1-2  
right orbit
- Dracunculosis  
Journe, H., 1934 a, 588-590  
studies on puriform arthritis
- Dracunculosis  
Joyeux, C. E., 1927 d, 296-308, fig. 48
- Dracunculosis  
Kauntze, W. H., 1935 a, 31-42
- Dracunculosis  
Kinare, S. G.; Parulkar, G. B.; and Sen, P. K., 1962 a, 845
- Dracunculosis  
Klein, S. R., 1911 a, 237
- Dracunculosis  
Kotlan, S.; and Raitsits, E., 1923 a, 1-14
- Dracunculosis  
Krueger<sup>2</sup>, 1911 b, 464
- Dracunculosis  
Lafforet, J., 1934 a, 899
- Dracunculosis  
Laurens, R., 1908 a, 135, 136
- Dracunculosis  
Lefèvre, 1931 a, 329-332
- Dracunculosis  
Leger, L., 1903 f, 234  
mercurial inunction
- Dracunculosis  
Leiper, R. T., 1907 g, 600  
infection of monkeys
- Dracunculosis  
Leiper, R. T., 1914 b, 86, 87  
fish control of Cyclops
- Dracunculosis  
Lindberg, K., 1946 b, 303-318  
epidemiological investigation: village in Deccan (Inde)
- Dracunculosis  
Lindberg, K., 1948 a, 282-293  
epidemiological investigation: Inde
- Dracunculosis  
Lloyd, R. B.; and Chandra, S. N., 1933 a, 1200, 1205, 1207-1208
- Dracunculosis  
Macfie, J. W. S., 1920 a, 654-655  
intravenous injection of tartar emetic
- Dracunculosis  
McGrigor, J. (Sir), 1804 a,
- Dracunculosis  
Mackie, F. P., 1924 a, 24-25
- Dracunculosis  
Mallows, H. R., 1951 a, 211-213
- Dracunculosis  
Manson, P., 1929 a, 574-580, figs. 144, 145
- Dracunculosis  
Markell, E. K., 1957 b, 376
- Dracunculosis  
Mirza, M. B., (1932 a), 43-47  
Shorapur (H. E. H. the Hizam's state)
- Dracunculosis  
Montestruc, E., 1956 a, 56-75  
laboratory tests
- Dracunculosis  
Montpellier, J.; and Ardoine, E., 1919 a, 730-732
- Dracunculosis  
Moorthy, V. N., 1932 a, 498-504  
epidemiological and experimental studies:  
Chitaldrug District
- Dracunculosis  
Moorthy, V. N., 1933 b, 617-619  
treatment
- Dracunculosis  
Moorthy, V. N.; and Sweet, W. C., 1936 c, 437-442  
experimental infection of dogs
- Dracunculosis  
Mumford, E. P.; and Mohr, J. L., 1944 a, 24  
from a seaman treated in the Marshall Islands and from Indians in Fiji
- Dracunculosis  
Naudi, J. P., 1934 a, 142-143  
technique-surgery and anaesthesia
- Dracunculosis  
Niebuhr, C., 1772 a, 133-134
- Dracunculosis  
Nugent, D. A. W.; Scott, D.; and Waddy, B. B., 1955 a, 476-477
- Dracunculosis  
Okojie, X. G., 1954 a, 397
- Dracunculosis  
Parekh, J. G.; and Kulkarni, D. R., 1958 a, 22-39  
clinical and therapeutic study
- Dracunculosis  
Paton, 1806, 151-169
- Dracunculosis  
Payrot, J., 1919 a, 308-310  
man
- Dracunculosis  
Peacock, W. H., 1933 a, 24
- Dracunculosis  
Pradhan, 1930 a, 443-466  
method of "liming wells"
- Dracunculosis  
Prevôt, [n.d.], 139 et suiv.
- Dracunculosis  
Ramdas, A., 1953 a, 391
- Dracunculosis  
Ramdas, A., 1954 a, 163
- Dracunculosis  
Rao, M. G. R., 1931 a, 504-505  
a boy aged 2
- Dracunculosis  
Rao, S. R., 1942 a, 329-337  
epidemiological factors: Osmanabad District
- Dracunculosis  
Ribeiro, A. L., 1954 a, 819
- Dracunculosis  
Riou, M., 1934 a, 86-87  
presence of numerous embryos
- Dracunculosis  
Rodrigues, S. L., 1922 b, 597, 598  
treatment
- Dracunculosis  
Rousset, P., 1952 a, 351-368
- Dracunculosis  
Rufus of Ephesus, (1879 a)
- Dracunculosis  
Sauveplane, H., 1909 a, 257, 258
- Dracunculosis  
Solcard; Morvan; and Rigaud, 1939-40 a, 533

- Dracunculosis**  
Stewart, A. D.; and Moorthy, V. N., 1933 a, 395
- Dracunculosis**  
Stiles, C. W., 1914 a, 303-305  
man; cattle; horses; dogs; several wild animals: all from India, Persia, Turkestan, Arabia, Africa, United States
- Dracunculosis**  
Stott, E. R., [1919 a], 224
- Dracunculosis**  
Sudan Medical Service, 1939 a, 63
- Dracunculosis**  
Sudan Medical Service, 1943 a, 7  
[Homo]: Sudan
- Dracunculosis**  
Sundar Rao, S., 1935 a, 138-140  
effect of various drugs (negative results)
- Dracunculosis**  
Thompson, W. E., 1933 a, 528  
strangulated hernia
- Dracunculosis**  
Tournier, E., 1931 b, 871-875
- Dracunculosis**  
Turkhud, D. A., 1919 a, 217-225
- Dracunculosis**  
Turkhud, D. A., 1921 a, clvii-clviii  
cobra; animals
- Dracunculosis**  
Yoshida, S., 1912, 72
- Dracunculus**  
Freund, L., 1933 b, 249  
[for Dracunculus]
- Dracunculus Kniphoff**  
Alessandrini, G. C., 1929 a, 193
- Dracunculus**  
Basile, C., 1923 a, 211, 237
- Dracunculus**  
Bauer, O. N., 1947 a, 16  
key
- Dracunculus Reichard**  
Baylis, H. A., 1929 c, 222
- Dracunculus Reichard**, 1759  
Baylis, H. A., 1939 b, xxvi, 58, 63  
Philometridae  
Syns.: Furia Linnaeus, 1758 (part);  
Fuellebornius Leiper, 1926  
type: *D. medinensis* (Linnaeus, 1758)
- Dracunculus Kniphof**, 1759  
Baylis, H. A.; and Daubney, R., 1926 a, 208, 210  
type: *D. medinensis* (Linnaeus)
- Dracunculus**  
Blacklock, D. B.; and Southwell, T., 1931 a, 165, 167, 190
- Dracunculus Reichard**, 1759 emend.  
Brackett, S., 1938 a, 353-361  
type: *D. medinensis* (Linnaeus, 1758)
- Dracunculus Kniphoff**, 1759  
Brumpt, E., 1922 f, 681-688
- Dracunculus Kniphoff**, 1759  
Brumpt, E., 1927 e, 623, 771  
type: *D. medinensis* Welsch
- Dracunculus**  
Brumpt, E., 1930 d, 333
- Dracunculus**  
Canalini, G., 1918 a, 147
- Dracunculus**  
Castellani, A.; and Chalmers, A. J., 1919 a, 9, 10, 11, 12, 17, 623, 632, 651, 682
- Dracunculus**  
Chell, G. R. H., 1929 a, 14
- Dracunculus**  
Darwin, E., 1803 a, 46
- Dracunculus**  
Falkenstein, 1877 a, 434-435, 436  
*Cephalophus maxwelli* (Zwergantilope) :  
in der Gegend Loango  
*Cyclops*
- Dracunculus**  
Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a, 69, 82
- Dracunculus**  
Floch, H., 1954 d, 1-6
- Dracunculus**  
Fülleborn, F., 1929 b, 1044, 1045, 1048
- Dracunculus Reichard** 1759  
Gallandat, 1773 a, 103-116  
type: *medinensis* (in Homo)
- Dracunculus Kniphoff**  
Greenway, D. F., 1929 a, 215
- Dracunculus**  
Hertwig, K. W. T. R., 1922 a, 284
- Dracunculus**  
van Heutsz, 1926 a, xxxv
- Dracunculus**  
Hsu, H. F., 1933 c, 104, 114, 115
- Dracunculus**  
International Commission on Zoological Nomenclature, 1958 f, 201-216
- Dracunculus**  
Janicki, C.; and Rasin, K., 1930 a, 12
- Dracunculus**  
Keane, G. J., 1930 a, 15
- Dracunculus**  
Keane, G. J., 1931 a, 15
- Dracunculus**  
Kerr, J. G., 1921 a, 203-205, 208
- Dracunculus Reichard**, 1759  
Lane, C., [1923 b], 1710  
type: *D. medinensis*
- Dracunculus Reichard**, 1759  
Lane, C.; and Low, G. C., 1923 d, 1955  
as syn. of *Dracunculus medinensis* (Linne, 1758)
- Dracunculus**  
Lefèvre, 1931 a, 329-332
- Dracunculus**  
Leiper, R. T., 1924 b, 4
- Dracunculus**  
Leiper, R. T., 1926 f, 490-491
- Dracunculus**  
Lindberg, K., 1935 c, 869  
as syn. of *Dracunculus*
- Dracunculus**  
Lopez Neyra, C. R., 1924 a, 100
- Dracunculus**  
Magath, T. B., 1919 a, 151
- Dracunculus**  
Manson-Bahr, P. H., In Manson, P., 1921 a, 821
- Dracunculus**  
Martini, E. I., 1923 a, 281
- Dracunculus**  
Moquin-Tandon, C. H. B. A., 1860 a, 334
- Dracunculus**  
Moquin-Tandon, C. H. B. A., 1861 a, 360
- Dracunculus**  
Neveu-Lemaire, M., 1921 a, 270
- [**Dracunculus**]  
Orlov, I. I., 1925 a, 359, 360  
treatment
- Dracunculus**  
Paulus Aegineta, 1532 a, Liber IV, 48
- Dracunculus Kaempfer**  
Perrier, E., 1897 a, 1410
- Dracunculus**  
Pittaluga, G., 1923 a, 19

- Dracunculus  
Rauther, M., 1918 a, 480
- Dracunculus  
Rauther, M., 1930 a, 258, 296, 301, 309, 351, 368
- Dracunculus  
Reichenow, E.; and Wölker, G., 1929 a, 113
- Dracunculus  
Samson, L. W., 1924 b, 151
- Dracunculus  
Skrjabin, K. I., 1920 a, 7
- Dracunculus  
Skrjabin, K. I., 1923 m, 10
- Dracunculus Velsch, Reichard, Pallas  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 325, 369-372, 438
- Dracunculus Reichard, 1759  
Sprehn, C. E. W., 1932 c, 589  
Syns.: Vena Gallandat, 1773; Vermiculus Dunglison, 1895  
type species: *D. medinensis* (Linnaeus, 1758)
- Dracunculus  
Stauffer, H., 1924 a, 6
- Dracunculus  
Stiles, C. W., 1927 d, 59
- Dracunculus  
Tournier, E., 1931 a, 138-147
- Dracunculus  
Travassos, L. P., 1920 h, 69
- Dracunculus Reichard, 1759  
Tüzdiç, A. N., 1939 a, 28
- Dracunculus  
Wardle, R. A., 1929 a, 85
- Dracunculus  
Wilcocks, C., 1952 a, 740-741
- Dracunculus  
Winterbottom, T. M., 1803 a, 82-107
- Dracunculus  
Wölker, G., 1924 a, 2, 5, 13, 14, 15, 26, 39, 48, 56
- Dracunculus Reichard, 1759  
Yorke, W.; and Maplestone, P. A., 1926 a, 440, 442  
type: *D. medinensis* (Linnaeus, 1758)
- Dracunculus sp.  
Baker, D. W., 1934 a, 47  
raccoon: New York State
- Dracunculus sp.  
Dikmans, G., 1948 b, 39, 40  
dog: North Carolina
- Dracunculus sp. ?  
Hall, M. C., 1929 b, 43, 62  
Indian cobra - primary host; Cyclops sp. - secondary host
- Dracunculus sp.  
Herman, C. M., 1939 a, 484  
Python reticulatus: N. York Zool. Park
- Dracunculus sp.  
Mirza, M. B., 1957 a, 44  
Canis familiaris; Fiber z. cinnamomensis;  
muskrat; Procyon lotor; Gopher snake; Thamnophis sp.; Natrix erythrogaster; Natrix sipedon
- Dracunculus sp.  
Mirza, M. B.; and Roberts, L. S., 1957 a, 41, figs. 1-4  
Natrix sipedon
- Dracunculus sp.  
Moorthy, V. N., 1942 b, 633  
boy [Homo sapiens]
- Dracunculus [sp.]  
Orley, L., 1880 c, 164
- Dracunculus sp.  
Onabamiro, S. D., 1950 a, 31  
technique  
Cyclops
- Dracunculus sp.  
Schwabe, C. W.; Meier, H.; and Bent, C. F., [1957 a], 651  
mongrel terrier: Dunstable, Massachusetts
- Dracunculus sp.  
Yamashita, J.; and Nakamata, M., 1954 a, 150-151, 155, 156, fig. 1, pl. fig. 1  
*Python reticulatus*: Sapporo Zool., Gardens
- Dracunculus sp.  
Yamashita, J.; and Nakamata M., 1954 b, 28  
imported animals: Hokkaido
- Dracunculus aethiopicus Diesing, 1861  
Baylis, H. A., 1939 b, 63  
as syn. of *Dracunculus medinensis* (L., 1758)  
Gallandat, 1773
- Dracunculus dahomensis (Moorthy, 1937)  
Brackett, S., 1938 a, 354, 360, 361, 1 pl., fig. 2
- Dracunculus dahomensis  
Brumpt, E. J. A., 1922 f, 682
- Dracunculus dahomensis  
Brumpt, E. J. A., 1927 e, 773
- Dracunculus dahomensis  
Chitwood, B. G.; and Chitwood, M. B., 1937 b, 15, figs. 14H-J
- Dracunculus dahomensis  
Desportes, C., 1938 c, 323-324
- Dracunculus dahomensis  
Gedoelst, L., 1916 a, 46  
*Python sebae*: Kitabola, Belge-Cong
- Dracunculus dahomensis (Neum.)  
Gendre, E., 1928 a, 67  
*Python sebae*.
- Dracunculus dahomensis Neumann  
Hsu, H. F., 1933 c, 104  
*Python natalensis*
- Dracunculus dahomensis  
Mackin, J. G., 1927 a, 94
- Dracunculus dahomensis  
Railliet, A.; and Henry, A. C. L., 1918 a, 84  
*Python*
- Dracunculus dahomensis Neumann  
Schuurmans Stekhoven, J. H. (jr.), 1937 e, 8, 36-38, figs. 108-113  
*Psammophis sibilans*: Vitshumbi, Lake Edward
- Dracunculus dahomensis Neum., 1895  
Yorke, W.; and Maplestone, P. A., 1926 a, 442  
as syn. of *Dracunculus medinensis* (Linn., 1758)  
*Python natalensis*
- Dracunculus fuelleborni n. sp.  
Travassos, L. P., 1934 b, 235-237  
*Didelphis aurita*: Brasil
- Dracunculus globocephalus n. sp.  
Mackin, J., 1927 a, 91-94  
*Chelydra serpentina*
- Dracunculus globocephalus  
Hall, M. C., 1929 b, 43, 62  
*Chelydra serpentina* - primary host; *Cyclops bicuspidatus* - secondary host
- Dracunculus globocephalus  
Hsu, H. F., 1933 b, 15, 16  
oesophageal glands
- Dracunculus globocephalus  
Hsu, H. F., 1933 c, 101, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 115, 116, figs. 8, 12, 17-22, 24, 29
- Dracunculus globocephalus  
Hsu, H. F., 1933 i, 277, 284, 286  
oesophageal glands
- Dracunculus globocephalus Mackin  
Mirza, M. B., 1929 a, 133
- Dracunculus globocephalus Mackin (1927 types)  
Mirza, M. B., 1957 a, 44  
*Chelydra serpentina*
- Dracunculus globocephalus Mackin  
Rauther, M., 1930 a, 368
- Dracunculus globicephalus [sic]  
Thomas, L. J., 1929 c, 194  
*Chelydra serpentina*
- Dracunculus globocephalus Mackin, 1927  
Williams, R. W., 1953 a, 177  
*Chelydra serpentina*: Oklahoma

- Dracunculus graecorum* Gruner, 1777  
*Baylis, H. A.*, 1939 c, 63  
 as syn. of *Dracunculus medinensis* (L., 1758)  
*Gallandat*, 1773
- Dracunculus houdemeri* n. sp.  
*Hsu, H. F.*, 1933 c, 101-104, 105, 106, 107,  
 108, 109, 110, 111, 112, 113-118, figs. 1-7,  
 10-11, 13-16, 30-38  
*Natrix piscator*: Hanoi (Tonkin) French  
 Indo-China
- Dracunculus houdemeri* Hsu  
*Hsu, H. F.*, 1933 b, 14, 15, 16, 18  
 oesophageal glands
- Dracunculus houdemeri* Hsu, 1933  
*Hsu, H. F.*, 1933 i, 277, 278, 286  
 oesophageal glands
- Dracunculus houdemeri* (Hsu, 1933)  
*Brackett, S.*, 1938 a, 354, 360, 361, 1. pl.,  
 figs. 5, 7
- Dracunculus houdemeri*  
*Schuurmans Stekhoven, J. H.*, 1937 a, 389,  
 fig. 43
- Dracunculus insignis* (Leidy, 1858) n. comb.  
*Chandler, A. C.*, 1942 a, 263-264  
*Procyon lotor lotor*: Angelina County, East  
 Texas
- Dracunculus insignis* (Leidy, 1859) [n. comb.]  
*Chandler, A. C.*, 1942 e, figs. 1-3  
*Procyon lotor lotor*: East Texas
- Dracunculus insignis*  
*Bueding, E.*, 1950 b, 206
- Dracunculus insignis*  
*Bueding, E.*; and Oliver-González, J., 1950 a,  
 62-64  
*Procyon lotor lotor*
- Dracunculus insignis* (Leidy, 1878) Chandler,  
 1942  
*Cheatum, E. L.*; and Cook, A. H., 1948 a, 422,  
 423  
*Mustela vison*; *Lutra canadensis*; *Procyon*  
*lotor*; ? *Mephitis nigra*
- Dracunculus insignis*  
*Chitwood, B. G.*, 1950 a, figs. 1A-D
- Dracunculus insignis* (apparently)  
*Elder, C.*, 1954 a, 390, 391  
 dog: Missouri
- Dracunculus insignis*?  
*Erickson, A. B.*, 1946 a, 498, 500, 502, 507  
 [p. 500, *Dracunculus insignis*?]  
 key  
*Mephitis mephitis*: Minnesota
- Dracunculus insignis*  
*Hamilton, W. J.* (jr.); and Cook, A. H., 1955a,  
 32-33  
*Martes pennanti pennanti*: New York
- Dracunculus insignis* (Leidy, 1858) Chandler,  
 1942  
*Hughins, E. J.*, 1958 a, 41-42  
*Procyon lotor lotor*: South Dakota  
*Mustela vison letifera*: Minnesota
- Dracunculus insignis* (Leidy, 1858) Chandler  
 1942  
*Hughins, E. J.*, 1959 a, 40-46  
*Procyon lotor lotor*: South Dakota  
*Mustela vison letifera*: Minnesota
- Dracunculus insignis* (Leidy, 1858)  
*Layne, J. N.*; *Birkenholz, D. E.*; and  
*Griffo, J. V.* (jr.), 1960 a, 685  
*Procyon lotor*: Windsor, Alachua County,  
 Florida
- Dracunculus insignis* (Leidy, 1858)  
*Siegler, H. R.*, 1946 a, 179  
*Procyon lotor lotor*
- Dracunculus insignis* (Leidy, 1858)  
*Trahan, W. L.*, 1952 a, 156, 157  
 raccoon: Louisiana
- Dracunculus insignis*  
*Trevino, G. S.*, 1959 b, 311  
 dogs
- Dracunculus insignis*, Leidy 1858  
*Turk, R. D.*, 1950 a, 215, 216  
 dog
- Dracunculus insignis* (Leidy, 1858)  
*Wilson, W. D.*, 1958 b, 256  
*Procyon lotor*: Michigan
- Dracunculus lacustris*  
*Lameere, A.*, 1929-30 a, 134, fig. 131  
 (lapsus for *D. medinensis*?)
- Dracunculus loa*  
*Castellani, A.*; and Chalmers, A. J., 1919 a,  
 645
- Dracunculus loa* (Guyot, 1778) Cobbold, 1864  
*Sprehn, C. E. W.*, 1932 c, 581  
 as syn. of *Loa loa* (Guyot, 1778)
- Dracunculus loa* Cobbold, 1864  
*Stephens, J. W. W.*; and Yorke, W., [1923 a],  
 1942  
 as syn. of *Loa loa* (Cobboid, 1864)
- Dracunculus loa* Cobbold 1864  
*Ward, H. B.*, 1918 c, 9300
- Dracunculus longissimus* Cesalpin (teste  
 Blanchard, 1888)  
*Baylis, H. A.*, 1939 c, 226  
 ? as syn. of *Diocophyme renale* (Goeze,  
 1782) Stiles, 1901
- Dracunculus medinensis*  
*Ackermann, A.*, 1906 a, 587
- Dracunculus medinensis*  
*Acton, H. W.*, 1932 a, 38  
 man
- Dracunculus medinensis*  
*Adam, T. B.*, 1925 a, 8
- Dracunculus medinensis* (exper.)  
*Adiwinata, R. T.*, 1958 a, 232  
*Hylobates leuciscus* (kulit?): Indonesia
- Dracunculus medinensis*  
*Afrutkin, I. I.*, 1927 a, 33, 34
- Dracunculus medinensis*  
*Aguilar, F. J.*, 1940 b, 20  
*Cyclops coronatus* (*C. fuscus*): Guatemala
- Dracunculus medinensis* (Velsch)  
*Alessandrini, G. C.*, 1929 a, 193-194, figs.  
 183, 184
- Dracunculus medinensis*  
*Alvarez, A.*, (1904 b)  
 Republica Argentina
- Dracunculus medinensis*  
*Anderson, R. G.*, 1908 a, 307-308, figs. 78-79
- [*Dracunculus medinensis*]  
*Andre, 1928 a*, 202
- Dracunculus medinensis*  
*Anklesaria, B. J.*, 1958 a, 693-694
- [*Dracunculus medinensis*]  
*Antony, 1904 b*, 939  
*Ver de Guinee*
- Dracunculus medinensis*  
*Ash, J. E.*, 1947 a, 103
- Dracunculus medinensis* (Linn.)  
*Augustine, D. L.*, 1929 a, 352, 357, 424-427,  
 figs. 207, 208
- Dracunculus medinensis*  
*Azzi, A.*, 1953 d, figs. 15-17
- Dracunculus medinensis*  
*Balfour, A.*, 1920 e, 885  
 treatment
- Dracunculus medinensis*  
*Bamundaga, D.*, 1934 a, 292-293  
 (2 worms fused for about 2 inches from their  
 extremity)
- man* (pustule over left scapula): Kenya
- Dracunculus medinensis*  
*Barsikar, N. K.*, 1926 a, 158-160  
 horse
- [*Dracunculus medinensis*]  
*Bartels*<sup>4</sup>, 1899 a, 363
- Dracunculus medinensis*  
*Bartet, A.*, (1909 a), 1-272

- Dracunculus medinensis*  
Bartholinus, T., 1765 a, col. MDXXXIII-MDXXXVII
- Dracunculus medinensis*  
Basile, C., 1923 a, 210, 236-238, fig. 87  
Ciclops [sic] coronatus
- Dracunculus [medinensis]*  
Bastian, H. C., 1864 b, 456  
anatomy
- Dracunculus medinensis* (Velsch, 1674)  
Bauvallet, H., 1933 a, 444-446  
treatment
- Dracunculus medinensis*  
Baylis, H. A., 1925 i, 24
- Dracunculus medinensis*  
Baylis, H. A., 1929 b, 121
- Dracunculus medinensis*  
Baylis, H. A., 1929 c, 222-223  
man; ox; horse; dog; Cyclops coronatus;  
Cyclops bicuspidatus; Cyclops quadricornis
- Dracunculus medinensis* (Linnaeus, 1758)  
Gallandat, 1773  
Baylis, H. A., 1939 c, xxvi, 63-66, 254, 255,  
256, 257, 262, 263, 265, 266, fig. 32  
Syns.: *Dracunculus graecorum* Gruner, 1777;  
*Furia vena medinensis* Modeer, 1795; *Filaria tropica* Rudolphi, 1809; *Dracunculus aethiopicus* Diesing, 1861; *Filaria guineensis* Dunglison, 1893; *Vermicularis capillaris* Dunglison, 1895  
jackal; goat; sheep; ox; man; dog; horse;  
wolf; fox; cheetah; leopard; *Felis pardus*;  
Cyclops coronatus; Cyclops bicuspidatus;  
Cyclops quadricornis; Cyclops leuckarti;  
Cyclops vermicifer; Cyclops hyalinus; *Gazella bennetti*; Arabian baboon  
*Naja tripudians*: Bombay  
*Varanus* sp.: Allahabad
- Dracunculus medinensis* (Linnaeus, 1758)  
Baylis, H. A.; and Daubney, R., 1926 a, 208,  
210
- Dracunculus medinensis*  
Beal, A. M., 1938 a, figs. 1-7
- Dracunculus medinensis*  
Beattie, J. M.; and Dickson, W. E. C. [1921 a],  
427-429, fig. 213  
Syns.: *Filaria dracunculus*; *F. medinensis*  
*Cyclops bicuspidatus*; *C. quadricornis*; *C. strenuus*; *C. viridis*
- Dracunculus medinensis*  
Béclère, A., 1903 b, 867-871
- Dracunculus medinensis*  
Bell, C. M., 1941 a, 151-152  
Italia
- Dracunculus medinensis* (Linnaeus, 1758)  
Benbrook, E. A., 1932 a, 821-824  
*Vulpes fulva* (Desmarest) (beneath the skin  
on the legs, below carpal and tarsal regions);  
Iowa
- Dracunculus medinensis*  
Benbrook, E. A., 1940 a, fig. 1  
*Pitorius vision* [sic]: Nebraska; Iowa  
dog: South Dakota, Sioux Falls
- [*Dracunculus medinensis*]  
Benoit, J., 1859 a, 269-272
- Dracunculus medinensis*  
Bernstein, J., 1948 a, 368  
serpent
- Dracunculus medinensis*  
Bhachech, P. M., 1927 a, 450
- [*Dracunculus medinensis*]  
Bhajekar, N. V., 1951 a, 193-196  
treatment
- Dracunculus medinensis*  
Bhandari, R. M., 1949 a, 548-550  
penicillin
- Dracunculus medinensis*  
Binet-Sanglé, 1907 a, 39
- Dracunculus medinensis*  
Blacklock, B.; and O'Farrell, W. R., 1919 a,  
189-194
- Dracunculus medinensis*  
Blacklock, D. B.; and Southwell, T., 200-201,  
202, 220, 221, 223, 226, 234, 235, 246, 247,  
251, figs. 98, 119
- Dracunculus medinensis*  
Bonilla-Naar, A., 1947 b, 337  
human
- Dracunculus medinensis*  
Botreau Roussel, P., 1928 a, 103-104
- Dracunculus medinensis*  
Botreau Roussel, P., 1932 a, 542-545
- [*Dracunculus medinensis*]  
Bougnault, 1927 a, 286
- Dracunculus medinensis* (L.)  
Boulenger, C. L., 1928 a, 53-54  
*Putorius communis*
- Dracunculus medinensis*  
de Bourges, J., 1666 a, 92 (illus.)
- Dracunculus medinensis*  
Bourrel, P., 1960 a, 382-383  
gangrene du scrotum
- Dracunculus medinensis*  
Brackett, S., 1938 a, 354, 360, 361, 1 pl.,  
fig. 1  
type
- Dracunculus medinensis*  
Bras de Sa, L. J., 1919 a, 159
- [*Dracunculus medinensis*]  
Braun, M., 1892 a, 22
- Dracunculus medinensis*  
Brocklebank, J. A., 1944 a, 163-164  
calcification
- Dracunculus medinensis*  
Brug, S. L., 1930 a, 877
- Dracunculus medinensis*  
Brug, S. L., 1930 b, 162-167  
*Cyclops leuckarti*; *Hylobates leuciscus*  
(gibbon) (exper.)
- Dracunculus medinensis*  
Brug, S. L., 1930 c, 153-157  
*Cyclops leuckarti*; *Hylobates leuciscus*
- Dracunculus medinensis*  
Brumpt, E. J. A., 1922 f, 681-688, figs. 366-368, 371, 372  
Syns.: *Vena medinensis*; *D. persarum*; *Filaria medinensis*; *F. aethiopica*  
*Cyclops coronatus*
- Dracunculus medinensis* Welsch  
Brumpt, E. J. A., 1927 e, 622, 623, 771, 772-779, figs. 380-386
- Dracunculus medinensis*  
Brumpt, E. J. A.; and Neveu-Lemaire, M., 1929 a,  
92, 112, 114, 166, 167, fig. 87
- Dracunculus medinensis*  
Brun, G., 1928 a, 447-450
- Dracunculus medinensis*  
de Bruyn, C., (1711 a), 338-346, 406-410
- Dracunculus medinensis*  
Bump, G., 1942 a, 219  
Bonaparte weasel: New York State
- Dracunculus medinensis*  
Buxton, P. A., 1948 d, 431-432  
*Cyclops*
- Dracunculus medinensis*  
Cameron, T. W. M., 1922 a, 564
- Dracunculus medinensis*  
Cameron, T. W. M., 1927 a, 555  
man; dog; horse; jackal; leopard; monkey

- Dracunculus medinensis**  
 Campkin, M. R., 1955 a, 14, 15  
**Dracunculus medinensis**  
 Canalini, G., 1918 a, 145, 164  
**Dracunculus medinensis**  
 Cantlie, N., 1923 a, 39-40  
**Draconculus medinensis**  
 Casile, M.; and Saccharin, H., 1953 b, 139  
 [Dracunculus medinensis]  
 Castay, 1937 a, 499  
 [Dracunculus medinensis]  
 Castay, 1937 b, 455-456
- Dracunculus medinensis**  
 Castel, J., 1919 a, 72-74  
**Dracunculus medinensis**  
 Castellani, A.; and Chalmers, A. J., 1919 a,  
 623, 632, 651, 739, 896, 1968, 1970  
**Dracunculus medinensis** (Velsch, 1674)  
 Castellani, A.; and Chalmers, A. J., [1923 a],  
 2416  
     as cause of dermatitis  
     man  
**Dracunculus medinensis**  
 Cezilly, A. H., 1858 a, 1-40  
     tongue  
**Dracunculus medinensis**  
 Chabaud, A. G.; and Petter, A. J., 1961 b,  
 62, pl. V, fig. 28  
     cloacal papillae
- Dracunculus medinensis**  
 Chaddock, T. T., 1940 b, 13  
     minks  
**Dracunculus medinensis**  
 Chaddock, T. T., 1947 a, 409  
     mink  
**Dracunculus medinensis**  
 Chaigneau, Y., 1930 a, 81-85  
     treatment  
**Dracunculus medinensis**  
 Chandler, A. C., 1918 a, 311-314  
**Dracunculus medinensis**  
 Chandler, A. C., 1922 a, 311, fig. 130, 131  
     Cyclops  
**Dracunculus medinensis**  
 Chandler, A. C., 1928 a, 730-731  
     India
- Dracunculus medinensis**  
 Chandler, A. C., 1942 a, 264  
**Dracunculus medinensis**  
 Chardin, J., 1735 a, v.2, 213  
**Dracunculus medinensis**  
 Chatton, E., 1918 h, 158-169  
     Cyclops  
**Dracunculus medinensis**  
 Chatton, E., 1918 i, 338-347  
     Cyclops  
**Dracunculus medinensis**  
 Chervakov, V. F., 1925 a, 65  
**Dracunculus medinensis**  
 Chervakov, V. F., 1926 a, 96  
**Dracunculus medinensis**  
 Chippaux, C., 1958 b, 5273  
     geographical
- Dracunculus medinensis**  
 Chitwood, B. G., 1933 b, 802-804  
     Syn.: *Filaria insignis* Leidy  
     *Vulpes fulva* (silver fox); *Procyon lotor*;  
     *Putorius vison*; man  
**Dracunculus medinensis**  
 Chitwood, B. G.; and Chitwood, M. B., 1937 b,  
 2, 3, 4, 15, fig. 2, 14K  
**Dracunculus medinensis**  
 Chitwood, B. G.; and Chitwood, M. B., 1938 a,  
 62, 63, fig. 58 I-J
- Dracunculus medinensis**  
 Chitwood, M. B., 1940 a, 228, fig. 156 J-Q  
 [Dracunculus medinensis]  
 Chopra, R. L., 1953 a, 255-259  
**Dracunculus medinensis**  
 Chopra, R. N., 1939 a, 20
- Dracunculus medinensis**  
 Christenson, R. O., 1940 g, 415  
**Dracunculus medinensis**  
 Chukerbuti, J. C., 1931 a, 21-23  
     *Cyclops quadricornis*; *C. bicuspidatus*: man  
**Dracunculus medinensis** (L., 1758)  
 Chun-Siu, F., 1958 a, 219, fig.  
     dogs: Kzyly-Ord  
 [Dracunculus medinensis]  
 Clot, 1932 b, 573  
**Dracunculus medinensis**  
 Coggeshall, L. T., 1948 a, 21, 25-26  
**Dracunculus medinensis**  
 Cohen, G., 1959 a, 1094-1095  
     radiological demonstration  
**Dracunculus medinensis**  
 Colbourne, M. J.; Edington, G. M.; Hughes, M.  
 H.; and Ward-Brew, A., 1950 a, 281  
**Dracunculus medinensis**  
 Connell, W. K.; and Buchanan, J. C. R.,  
 1932 a, 99  
     Tanganyika  
**Dracunculus medinensis**  
 Connor, F. P., 1918 b, 297-298  
**Dracunculus medinensis**  
 Connor, F. P., 1918 c, 472  
**Dracunculus medinensis**  
 Cort, W. W., 1921 l, 63-64  
**Dracunculus medinensis**  
 Cort, W. W., In Hegner, R. W.; Cort, W. W.;  
 and Root, F. M., 1923 a, 66  
     man: Africa, Arabia, Near East, India  
**Dracunculus medinensis**  
 Cruz Ferreira, F. S.; and Rodrigues Lopes,  
 E. M., 1948 a, 72, figs. 5, 19-20  
     *Mesocyclops leuckarti aequatorialis*  
**Dracunculus medinensis**  
 Csernok, P., 1926 a, 193  
**Dracunculus medinensis**  
 Csernok, P., 1926 b, 4  
**Dracunculus medinensis**  
 Daniels, C. W.; and Newham, H. B. G., 1923 a,  
 333, 356-358, 540, fig. 96  
**Dracunculus medinensis**  
 Datta, S. C. A., 1939 a, 272, 275  
     horse; cattle; dog  
**Dracunculus medinensis**  
 Davoren, V., 1894 a, 918  
     treatment  
 [Dracunculus medinensis]  
 Degos, R.; Cottenham, F.; and Brille, P., 1960 a  
 430
- Dracunculus medinensis**  
 Dejou, L., 1947 a, 121-123  
**Dracunculus medinensis**  
 Dejou, L.; and Camain, H., 1951 a, 439  
**Dracunculus medinensis**  
 Delafield, F.; and Prudden, T. M., 1919 a, 154  
**Dracunculus medinensis**  
 Delamare, G.; and Achitouv, E., 1924 a,  
 788-790  
 [Dracunculus medinensis]  
 Delamare, G.; and Djemil, S., 1923 a, 560-563  
**Dracunculus medinensis**  
 Delamare, G.; and Mouchet, 1925 a, 318-319  
 [Dracunculus medinensis]  
 Delamare, G.; and Mouchet, 1925 b, 316-317  
**Dracunculus medinensis**  
 Delianova, R. Sh., 1957 a, 69, 70  
     distribution  
     woman; ruminant; horse

- Dracunculus medinensis*  
Deslongchamps, E. E., 1824 n, 386
- Dracunculus medinensis*  
Desportes, C., 1938 c, 323-324
- Dracunculus medinensis*  
De Rivas, D., 1920 a, 17, 436
- [*Dracunculus medinensis*]  
Dimier; and Bergonie, J. A., 1918 b, 337-341
- [*Dracunculus medinensis*]  
Doorenbos, W. B., 1926 a, lxxix
- Dracunculus medinensis*  
Dubois, A., 1927 a, 414
- Dracunculus medinensis*  
Duff, D., 1922 a, 53
- [*Dracunculus medinensis*]  
Dufreney, J.; and Dufreney, M.-L., 1950 a, 111-112
- [*Dracunculus medinensis*]  
Dupont, R., 1934 a, 96-99
- Dracunculus medinensis*  
di Egidio, M., 1955 a, 5-23
- Dracunculus medinensis*  
de Egidio, M., 1957 b, 469-483
- Dracunculus medinensis*  
di Egidio, M., 1959 b, 52-62
- Dracunculus medinensis* (Linne, 1758) Gallandant, 1773  
Erickson, A.-B., 1944 b, 358, 366, 371  
key
- Dracunculus medihensis* (Linnaeus, 1758) Gallandant, 1773  
Erickson, A. B., 1946 a, 494, 495, 498, 500, 501, 502, 507  
[p. 500, *Dranunculus medinensis*; p. 501,  
*Dracunculus mediensis*]  
key  
Mustela vison: Minnesota  
Mustela erminea cicognanii: North America
- Dracunculus medinensis*  
Essed, 1935 a, 1250
- Dracunculus medinensis*  
Fairley, N. H., 1924 e, 351-367  
clinical picture
- Dracunculus medinensis*  
Fairley, N. H., 1924 f, 369-374  
intravenous medication; tartar emetic
- Dracunculus medinensis*  
Fairley, N. H., 1924 g, 429-438  
mechanical and surgical extraction
- Dracunculus medinensis*  
Fairley, N. H.; and Liston, W. G., 1924 a, 219  
treatment
- Dracunculus medinensis*  
Fairley, N. H.; and Liston, W. G., 1924 b, 347-349
- Dracunculus medinensis*  
Fairley, N. H.; and Liston, W. G., 1924 c, 915-933  
pathology
- Dracunculus medinensis*  
Fairley, N. H.; and Liston, W. G., 1924 d, 93-104  
transmission; negative experiment
- [*Dracunculus medinensis*]  
Faure, 1844 a, 297-309
- [*Dracunculus medinensis*] dragonneaux  
Fauré, L. A. M., 1920 a, 79-86
- Dracunculus medinensis*  
Faust, E. C., 1925 e, 514
- Dracunculus medinensis*  
del Favero, E., 1928 b, 279  
cavalo; cane; bue; leopardo
- Dracunculus medinensis*  
Fedchenko, A. P., (1871? a)
- [*Dracunculus medinensis*]  
de Ferrières-Sauveboeuf, L. F., 1790 a, v, 2, 28-29
- Dracunculus medinensis* L.  
Filipjev, I. N., 1934 b, 52
- Dracunculus medinensis* L.  
Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a, 69, 863
- Dracunculus medinensis*  
Fischer, E. 3, 1956 a, 257-258
- [*Dracunculus medinensis*]  
Floch, H., 1954 b, 171, 173, 175, 176
- Dracunculus medinensis*  
Fox, C., 1925 a, 232, 276, 277  
Cyclops coronatus
- Dracunculus medinensis*  
Freund, L., 1933 b, 249, 250, figs. 2:6
- Dracunculus medinensis*  
Fülleborn, F., 1913 b, 187, 188, 192, 269, 280, 316, 321-327, figs. 38-40
- Dracunculus medinensis* L., 1758  
Fülleborn, F., 1929 a, 1045, 1046, 1050, 1167, 1183, 1196-1204, figs. 73-77
- Dracunculus medinensis* (früher Filaria medinensis; jetzt *Füllebornius medinensis*)  
Fülleborn, F., 1932 a, 760-767, figs. 39-42  
skin symptoms; life cycle chart
- Dracunculus medinensis*  
Gabriel, A., 1929 a, 67-68
- Dracunculus medinensis*  
Gaillard, R.; and Sicé, A., 1936 a, 724-730
- Dracunculus medinensis*  
Garland, L. H., 1945 a, 7, fig. 2
- [*Dracunculus medinensis*]  
Gaucher, E., 1905 a, 356-357
- [*Dracunculus medinensis*]  
Gemelli, C. G. F., 1719 a, 280  
"Vermi (come nervicciuoli o corde di liuto)"  
corpo umano: Bander Congo
- Dracunculus medinensis* (L.)  
Gendre, E., 1928 a, 67  
homme
- Dracunculus medinensis*  
Ghigo, M.; and Magrini, M., 1959 a, 953
- Dracunculus medinensis*  
Ghosal, M. L., 1932 a, 264-265  
veterinary practice
- [*Dracunculus medinensis*]  
Gideon, P. W., 1942 a, 225  
Rasbora daniconius as control
- [*Dracunculus medinensis*]  
Gideon, P. W., 1943 a, 194  
biological control: Dharwar district
- Dracunculus [medinensis]*  
Gilks, J. L., [1923 a] 117  
Kenya Colony
- Dracunculus medinensis* Linn.  
Ginetsinskaia, T. A., 1957 a, 56
- Dracunculus medinensis*  
Goble, F. C., 1942 c, 221  
Mustela cicognanii cicognanii swamp  
township of Diana, Lewis County, N.Y.
- [*Dracunculus medinensis*]  
Gokal Chand, S. A. S., 1922 a, 308  
treatment
- Dracunculus medinensis*  
Gonzalez Castro, J., 1946 b, 45, 52, 55,  
pl. 3 (life cycle)  
homo
- [*Dracunculus medinensis*]  
Gore, R. N., 1938 a, 139
- [*Dracunculus medinensis*]  
Graham, W. H., 1908 a, 417-422, 426-433
- Dracunculus medinensis*  
Greenway, D. F., 1929 a, 54, 215-218, figs. 93, 94

- Dracunculus medinensis**  
 Grey, C. G., 1910 a, 65  
 leopard
- Dracunculus medinensis**  
 Grey, C. G., 1910 b, 414  
 leopard
- Dracunculus medinensis**  
 Grey, C. G., 1920 a, 100  
 treatment
- Dracunculus medinensis**  
 Günther<sup>6</sup>, 1908 a, 158-160
- Dracunculus medinensis**  
 Guiart, J., 1914 a, 885
- Dracunculus medinensis**  
 Guiart, J., 1929 d, 108-109
- Dracunculus medinensis**  
 Gupta, P. N., 1951 a, 27-33
- Dracunculus medinensis**  
 Hagenauer, H., (1646 a), 41
- Dracunculus medinensis**  
 Hall, M. C., 1917 b, 409
- Dracunculus medinensis**  
 Hall, M. C., 1922 d, 706
- Dracunculus medinensis**  
 Hall, M. C., [1923 b], 74
- Dracunculus medinensis**  
 Hall, M. C., 1923 p, 676  
 treatment
- Dracunculus medinensis**  
 Hall, M. C., 1929 b, 43, 48, 62  
 man; dog; leopard; horse; cattle; sheep;  
 goat; *Gazella bennetti* (all, primary hosts)  
*Cyclops coronatus*; *Cyclops leuckarti*;  
*Cyclops quadricornis*; *Cyclops viridis*;  
*Cyclops prasinus*; *Cyclops bicuspis*;
- Dracunculus medinensis**  
 Hall, S., 1952 a, 23
- Dracunculus medinensis**  
 Harrington, V., 1899 a, 418-419
- Dracunculus medinensis**  
 Hawking, F., 1943 a, 164  
 Indian who had been stationed at Mombasa,  
 Tanga and Dar-es-Salaam during most of  
 preceding 11 months  
 patient: Mwanza, East Africa  
 K.A.R. askari  
 inhabitants: Northern Uganda (endemic)  
 inhabitants: Western Province  
 inhabitants: Kalino in Busoga
- Dracunculus medinensis**  
 Hebbar, A. C. K., 1918 a, 163-166  
 as syn. of *Filaria medinensis*
- Dracunculus medinensis**  
 Hempelmann, F. A., 1932 a, 179
- Dracunculus medinensis**  
 Herbert, T., (1677 a), 121
- Dracunculus medinensis** (Linn. 1758) Gallandat  
 1773  
 Hetherington, D. C., 1923 a, 14, 45  
 Syns.: *Vena medinensis* Velsch 1674; *D. persarum* Kaempfer 1694; *Gordius medinensis* Linn. 1758; *Filaria medinensis* (Linn. 1758) Gmelin 1790; *F. dracunculus* Bremser 1819; *F. aethiopica* Valenciennes 1856
- Dracunculus medinensis**  
 Hillier, E., 1892 a, 79  
 tongue
- [**Dracunculus medinensis**]  
 Himsworth, H. P., 1951 a, 107-108
- Dracunculus medinensis**  
 Himsworth, H. P., 1952 a, 114-115
- Dracunculus medinensis**  
 Himsworth, H. P., 1953 a, 116-117
- [**Dracunculus medinensis**]  
 Himsworth, H. P., 1954 a. 100. 101
- Dracunculus medinensis**  
 Himsworth, H. P., 1955 a, 105, 106
- Dracunculus medinensis**  
 Himsworth, H. P. (Sir), [1957 a], 160-161  
 treatment: Nigeria
- Dracunculus medinensis**  
 Himsworth, H. P. (Sir), 1959 a, 219  
 "use of frogs are so far inconclusive":  
 Nigeria
- Dracunculus medinensis**  
 Hsu, H. F., 1933 b, 13, 18  
 Oesophageal glands
- Dracunculus medinensis** (Linnaeus, 1758)  
 Hsu, H. F., 1933 c, 101, 104, 105, 106, 107,  
 113, 114, 115, fig. 9
- Dracunculus medinensis** (Linnaeus, 1758)  
 Hsu, H. F.; and Li, S. Y., 1941 b, 202, 205,  
 209, 211  
 dogs: Peiping
- Dracunculus medinensis**  
 Hsu, H. F.; and Watt, J. Y. C., 1933 a,  
 1326-1330  
*Cyclops leuckarti*; *C. magnus*; *C. serrulatus*;  
*C. ternis*: all from Peiping
- Dracunculus medinensis**  
 Huard, P., 1938 a, 722-725
- Dracunculus medinensis**  
 Hudellet, G., [1919 a], 17-19
- [**Dracunculus medinensis**]  
 Hudellet, G., 1919 b, 105-106  
 treatment
- Dracunculus medinensis**  
 Hudson, A. E. A., 1951 a, 927-937
- Dracunculus medinensis**  
 Huggins, E. J., 1959 a, 42, 44
- [**Dracunculus medinensis**]  
 Hulshoff, A. A., 1939 a, 693-698
- Dracunculus medinensis**  
 Hulshoff, A. A., 1941 a, 205  
 Homo sapiens: Senegal, Africa
- [**Dracunculus medinensis**]  
 Hutchinson, F. H. G. [1916 a], 23  
 guineaworm - and step-wells
- Dracunculus medinensis**  
 India. Public Health Commissioner, 1938 a,  
 2
- Dracunculus medinensis**  
 Isaev, L. M., (1930 ? a), 51
- Dracunculus medinensis** L., 1758  
 Isaev, L. M., 1934 a, figs. 1-2
- Dracunculus medinensis**  
 Isaev, L. M., 1934 b, fig. 12  
*Cyclops oithonoides*; *Cyclops vicinus uljanin*
- Dracunculus medinensis**  
 Itagaki, S., [1938 a], 157-158, 1 fig., on pl.  
 7  
 as syn. of *Fuellebornius medinensis*
- Dracunculus medinensis**  
 Iura, V., 1941 a, figs. 4-5  
 Italia
- Dracunculus medinensis**  
 Jackson, E., 1918 a, 610
- Dracunculus medinensis** ?  
 Jackson, H. F., 1951 a, 66-67
- Dracunculus medinensis**  
 Janicki, C.; and Rabin, K., 1930 a, 12, 32,  
 36
- Dracunculus medinensis**  
 Jeanselme, E. A., 1919 a, 58-60  
 man
- Dracunculus medinensis**  
 Jeanselme, E. A., 1919 e, 156-158
- Dracunculus medinensis**  
 Jelliffe, D. B., 1950 a, 210-211
- Dracunculus medinensis**  
 Jilla, A. D. [1914 a], 76

- Dracunculus medinensis*  
Job, T. J., 1941 a, 851-862  
glassfish (*Ambassis Cuv. & Val.*)
- Dracunculus medinensis*  
Job, T. J., 1944 a, 10-13  
fish
- Dracunculus medinensis*  
Johnson, W. B., [1930 a], 20  
statistics
- Dracunculus medinensis* (L.)  
Johnston, T. H.; and Cleland, J. B., 1937 a, 272
- Dracunculus medinensis*  
Jospin, 1937 a, 379
- Dracunculus medinensis*  
Joyeux, C. E., 1923 c, 256
- Dracunculus medinensis*  
Joyeux, C. E., 1924 h, 284-285, fig. 7
- Dracunculus medinensis*  
Joyeux, C. E., 1927 d, 296, 299
- Dracunculus medinensis* (Velsch)  
Joyeux, C. E., 1927 e, 503
- Dracunculus medinensis*  
Katzellenbogen, I., 1954 a, 129-136  
Yemenite immigrant
- Dracunculus medinensis*  
Kellie, G., 1893 a, 1166  
dog
- Dracunculus medinensis*  
Kerr, J. G., 1921 a, 203
- Dracunculus medinensis*  
Khailil, M., 1932 c, 3  
history  
man; dog: Egypt
- [*Dracunculus medinensis*]  
Khantra, D. S., 1899 a, 284  
treatment
- Dracunculus medinensis*  
Kimball, S., 1945 a, 301
- Dracunculus medinensis*  
Knuth, P.; and Du Toit, P. J., 1921 a, 757, 763
- Dracunculus medinensis* L.  
Kobayashi, H., 1921 b, 402
- Dracunculus medinensis*  
Kobayashi, H., 1928 a, 109-124  
Homo: Korea
- Dracunculus medinensis*  
Krtiger<sup>2</sup>, 1910 a, 262  
Togo
- Dracunculus medinensis*  
Kuz, L., 1907 c, 134  
Anecho, Togo
- [*Dracunculus medinensis*]  
Kumaraswami Pillai, D. M., 1907 a, 39-41, 298
- [*Dracunculus medinensis*]  
Lafforet, J., 1934 b, 206-208
- Dracunculus medinensis*  
Lane, C., 1912 c, 294
- Dracunculus medinensis* (Linné, 1758)  
Lane, C.; and Low, G. C., 1923 d, 1954-1957, 1959, 1963  
Syns.: *Gordius medinensis* Linné, 1758;  
*Dracunculus Reichard*, 1759; *Vena medinensis* Reichard, 1759; *Filaria medinensis* Gmelin, 1793  
man (subcutaneous tissue); various carnivora, *Ungulata*, *Reptilia*
- Dracunculus medinensis*  
Lapage, G., 1948 a, 24, fig. 5  
discovery
- Dracunculus medinensis*  
Laurie, Wm., [1951? f], 23-26
- Dracunculus medinensis*  
Laurie, Wm., 1954 a, 539
- Dracunculus medinensis*  
LeDentu, R., 1923 a, 566-567
- Dracunculus medinensis*  
LeDentu, R., 1924 a, 104-107
- [*Dracunculus medinensis*]  
Le Fort, R., 1917 a, 583-584
- Dracunculus medinensis*  
Leger, M., 1903 b, 246-247  
Soudan
- Dracunculus medinensis*  
Leiper, R. T., 1907 e, 35-38  
Cyclops; monkey (?)
- Dracunculus medinensis*  
Leiper, R. T., 1910 f, 113  
leopard: Broken Hill, North-west Rhodesia
- Dracunculus medinensis*  
Leiper, R. T., 1910 g, 65-66  
domesticated animals; leopard
- Dracunculus medinensis*  
Leiper, R. T., 1910 h, 414-419, pls. 36-38  
domesticated animals; leopard
- Dracunculus medinensis*  
Leiper, R. T., 1910 n, 60-63
- Dracunculus medinensis*  
Leiper, R. T., [1922 a], 92
- Dracunculus medinensis*  
Leiper, R. T., 1924 b, 4
- [*Dracunculus medinensis*]  
Leiper, R. T., 1924 c, 531, 532
- Dracunculus medinensis*  
Leurer, J., 1954 a, 155
- [*Dracunculus medinensis*]  
Lindberg, K., 1935 a, 215-230
- Dracunculus medinensis*  
Lindberg, K., 1935 b, 405-420  
Eucyclops multicolor sp. nov. (exper.);  
Mesocyclops leuckarti deccanensis;  
Mesocyclops rylovi vermifer: all from Deccan
- Dracunculus medinensis*  
Lindberg, K., 1935 c, 866-875  
Cyclops multicolor (exper.); Cyclops leuckarti; Cyclops vermifer: all from Kurduvadi, Deccan
- Dracunculus medinensis*  
Lindberg, K., 1935 d, 438-440  
homme (voile du palais; cou): Chendri, Haiderabad, Inde britannique
- Dracunculus medinensis*  
Lindberg, K., 1936 a, 330-342  
Iran
- Dracunculus [medinensis]*  
Lindberg, K., 1936 b, 286-287  
Iran
- Dracunculus medinensis*  
Lindberg, K., 1936 c, 1-26  
récoltes du Cyclopes; une idée générale sur la répartition; hôtes intermédiaires
- Dracunculus medinensis*  
Lindberg, K., 1936 d, 253-259  
cyclopide d'eau douce: Iran  
hôte intermédiaire
- Dracunculus medinensis*  
Lindberg, K., 1939 a, 816-821  
Mesocyclops vermifer: Deccan (Inde)
- Dracunculus medinensis*  
Lindberg, K., 1946 a, 318-328  
Mesocyclops leuckarti
- Dracunculus medinensis*  
Lindberg, K., 1946 b, 303-318  
epidemiological studies: Deccan (Inde)
- Dracunculo [sic] medinensis*  
Lindberg, K., 1950 a, 87  
Asie; Moyen Orient
- Dracunculus medinensis*  
von Linden, M., 1915 a, 160

- Dracunculus medinensis**  
 Lister, M., 1697 a, 417-418  
**[Dracunculus medinensis]**  
 Liston, W. G.; and Turkhud, D. A., 1914 a, 86-88  
   Indian village  
**Dracunculus medinensis**  
 Lloyd, R. B., 1933 a, 67-69  
**Dracunculus medinensis**  
 Loiselet, J., 1927 a, 74  
**Dracunculus medinensis**  
 Looss, A., 1924 a, 2311  
**Dracunculus medinensis**  
 López Albo, W., 1932 c, 451  
**[Dracunculus medinensis]**  
 Lurz, R., 1911 a, 157-158  
   [Deutsch-Ostafrika]  
**Dracunculus medinensis**  
 Lutz, A., 1924 a, 70, 91  
**Dracunculus medinensis**  
 McDill, J. R., 1918 a, 113  
**Dracunculus medinensis**  
 Macfie, J. W. S., 1920 c, 137-146  
   man: Accra, W. Africa  
**Dracunculus medinensis**  
 Macfie, J. W. S., 1921 c, 223-225  
**Dracunculus medinensis**  
 Macfie, J. W. S., 1922 d, 30  
**[Dracunculus medinensis]**  
 McGrigor, J. (Sir), 1804 a, 202-217  
**[Dracunculus medinensis]**  
 Mackenzie, E., 1899 a, 413  
**Dracunculus medinensis** (L., 1758)  
   Mackerras, M. J., 1958 b, 156  
   Homo sapiens "not indigenous": Australia  
**Dracunculus medinensis**  
 Mackie, T. T., 1943 b, 258  
**Dracunculus medinensis**  
 Mackin, J. G., 1927 a, 91, 94  
**Dracunculus medinensis**  
 Madden, F. C., 1923 b, 957-958  
**Dracunculus medinensis**  
 Madden, F. C., 1932 b, 882-884  
**Dracunculus medinensis**  
 Magno, L., 1959 a, 3192-3195  
**Dracunculus medinensis**  
 Mahajan, M. R., 1935 b, 38  
   man; dog: both from Hyderabad  
**Dracunculus medinensis**  
 Maitra, H., 1945 a, 169  
**Dracunculus medinensis**  
 Makel, H. P.; and De Vault, V. T., 1930 a, 600-604  
**[Dracunculus medinensis]**  
 Mallik, K. L. B., 1935 a, 1 fig.  
**Dracunculus medinensis**  
 Manso, F., 1950 a, 87-137  
**Dracunculus medinensis**  
 Manson, P., 1908 h, 630  
**Dracunculus medinensis**  
 Manson, P., 1914 a, 748  
**Dracunculus medinensis** (Linn.)  
 Manson, P., 1929 a, 574-580, 755, 788-791,  
   figs. 144, 145, 291-295  
   Cyclops quadricornis  
**Dracunculus medinensis**  
 Manson-Bahr, P. H. In Manson, P., 1921 a, 582  
   639-646, 820, 821, 844-846, figs. 174, 175  
   176, 334-338  
   Syn.: *Filaria medinensis*  
   Cyclops quadricornis; *C. viridis*;  
   *C. strenuus*; *C. bicuspidatus*  
**Dracunculus medinensis**  
 Manson-Bahr, P., 1961 b, 310  
**Dracunculus medinensis**  
 Marjitno, M.; and Essed, W. F. R., 1938 a, pl.  
   figs. 1-5  
   *Cyclops leuckarti*; gibbon: both from Netherlands Indies  
**Dracunculus medinensis**  
 Martinaud, G., 1924 a, 146-149  
   treatment  
**Dracunculus medinensis**  
 Martini, E. I., 1923 a, 280, fig. 183, 191A  
**Dracunculus medinensis**  
 Martini, E. I., 1951 a, 279  
**Dracunculus medinensis**  
 Marzan, B.; and Turner, V., 1951 a, 329, 335  
   *Capra domesticus*; *Sus domesticus*; *Felis ocreata*: all from Jugoslavia  
**Dracunculus medinensis**  
 Massino, B. G., 1924 b, 57  
**Dracunculus medinensis**  
 Massino, B. G., 1927 a, 193, 194, 282  
   [man]: Uzbekistan  
**Dracunculus medinensis**  
 Massino, B. G., 1927 b, 126  
**Dracunculus medinensis**  
 Masters, W. E., 1920 a, 301, figs.  
   Cyclops quadricornis  
**Dracunculus medinensis**  
 Mathe, G., 1958 a, 395-397  
   Antwerp harbor  
**Dracunculus medinensis**  
 Matheson, R., 1943 a, 225  
**Dracunculus medinensis**  
 Mayer, M., 1928 a, 260-261, figs. 141-142  
**[Dracunculus medinensis]**  
 Meier, K., 1937 a, 69-77  
**Dracunculus medinensis**  
 Mertens, W. K.; and de Moor, C. E., 1938 a, 35, 43  
**Dracunculus medinensis**  
 Millet-Horsain, 1925 a, 1822-1823  
**Dracunculus medinensis** Velsch.  
   Mirza, M. B., 1929 a, 129-156  
**Dracunculus medinensis**  
   Mirza, M. B., 1938 a, 170-172  
   Indien  
**Dracunculus medinensis**  
   Mirza, M. B.; and Basir, M. A., 1937 a, 26-32  
**Dracunculus medinensis**  
   Mönnig, H. O., 1924 a, 351  
**[Dracunculus medinensis]**  
   Mohr, W., 1939 b, 361-363  
**Dracunculus medinensis**  
   Mondain., 1949 a, 483  
**Dracunculus medinensis**  
   Moorthy, V. N., 1931 a, 358  
**Dracunculus medinensis**  
   Moorthy, V. N., 1932 a, 498-504  
   *Barbus puckelli* (fish) (exper.); dog; horse;  
   cattle; leopard; monkeys; cobra  
**[Dracunculus medinensis]**  
   Moorthy, V. N., 1935 a, figs. 1-2  
   fresh bile of *Barbus puckelli*, *Barbus punctatus*, and *Barbus gelius* exerts a  
   definite lethal action on cyclops and also  
   on guinea-worm embryos  
**Dracunculus medinensis**  
   Moorthy, V. N., 1937 c, figs. 1-14  
**Dracunculus medinensis**  
   Moorthy, V. N., 1938 c, pls. 1-5  
   *Mesocyclops leuckarti*; *Mesocyclops hyalinus*  
   :both, exper.): both from Chitaldrug District, Mysore, India

- [*Dracunculus medinensis*]  
Moorthy, V. N.; and Sweet, W. C., 1936 a,  
565-568  
biologic control with : Barbus (*Puntius*)  
*puckelli*; Barbus (*Puntius*) *ticto*; Lepido-  
cephalocythys *thermalis*; Rasbora *doniconius*;  
Barbus *sophore*; Barbus *chola*; Gambesia sp.
- [*Dracunculus medinensis*]  
Moorthy, V. N.; and Sweet, W. C., 1936 b,  
568-570  
Mesocyclops *leuckarti* Claus; Mesocyclops  
*hyalinus* Rehberg (both, in nature);  
Mesocyclops *decipiens* Kiefer; Paracyclops  
*fimbriatus* Fischer; Microcyclops *karwie*  
Kiefer & Moorthy (all, exper.)
- Dracunculus medinensis*  
Moorthy, V. N.; and Sweet, W. C., 1936 c,  
figs. 1-8  
dogs
- [*Dracunculus medinensis*]  
Moorthy, V. N.; and Sweet, W. C., 1936 d,  
1 fig., pls. 21-22, figs. 1-3  
man: Mysore State
- Dracunculus medinensis*  
Moorthy, V. N.; and Sweet, W. C., 1938 a,  
301-310  
dogs
- Dracunculus medinensis*  
Morard, 1933 a, 535-536
- [*Dracunculus medinensis*]  
Mosinger, M.; and Rowley-Harvey, 1932 a,  
597-598
- Dracunculus medinensis*  
Moskvin, S. N., 1959 a, 124-125
- Dracunculus medinensis* (*Linnaeus*, 1758)  
Mudaliar, S. V.; and Alwar, V. S., 1947 b,  
89  
dog; horse; man: all from Madras
- Dracunculus medinensis* Lin., 1758  
Mühlens, P., 1932 f, 261
- Dracunculus medinensis*  
Mumford, E. P.; and Mohr, J. L., 1943 a, 395  
man: Marshalls, Micronesian Islands
- [*Dracunculus medinensis*]  
Murgatroyd, F.; and Lawrence, D., 1952 a, 9
- Dracunculus medinensis*  
Murphy, W. O'S., 1919 a, 48
- Dracunculus medinensis*  
Nagaty, H. F., 1949 a, 423  
man: Egypt
- Dracunculus medinensis*  
Nash, T. A. M., 1941 a, 79
- Dracunculus medinensis*  
Nauck, F. G., 1942 a, 106
- Dracunculus medinensis* (*Velsch*, 1874)  
Neveu-Lemaire, M., 1921 e, 270, 303-306,  
figs. 187-188  
Syn.: *Filaria medinensis*  
*Cyclops prasinus*; *C. viridis*
- Dracunculus medinensis*  
Neveu-Lemaire, M., 1927 b, 360, 369, 376, 377,  
379, 380  
Canis fam.; *Felis pardus*; *Equus caballus*;  
*Bos taurus*; *Felis catus*
- Dracunculus medinensis*  
Neveu-Lemaire, M., 1930 c, 230-237, figs. 65-67
- Dracunculus medinensis*  
Neveu-Lemaire, M., 1933 a, 225, 226, 232  
*Cyclops coronatus* Claus, 1857; *Cyclops*  
*bicuspidatus* Claus, 1857; *Cyclops strenuus*  
Fischer, 1851; *Cyclops quadricornis* Linne,  
1758; *C. prasinus* Jur., 1820; *C. viridis*  
Jur., 1820; *Cyclops leuckarti* Claus, 1857;  
*Cyclops* sp.
- Dracunculus medinensis*  
Nicoll, W., 1927 c, 192  
skin
- Dracunculus medinensis*  
Nierstrasz, H. F., 1907 a, 18
- Dracunculus medinensis*  
Nuttall, G. H. F., 1916 c, 601-605
- Dracunculus medinensis*  
Nybelin, O., 1931 b, 58-64
- Dracunculus medinensis* (*Linnaeus*, 1758)  
Gallandat, 1773  
Oldham, J. N., 1938 a, 1136
- Dracunculus medinensis*  
Onabamiro, S. D., 1951 a, 1-10  
*Microcyclops linjanticus*; *Tropocyclops*  
*confinis*; *Platycyclops phaleratus*: all  
from Nigeria
- Dracunculus medinensis*  
Onabamiro, S. D., 1952 a, 159-165  
geographical distribution; clinical features:  
South-West Nigeria
- Dracunculus medinensis*  
Onabamiro, S. D., 1954 a, 180-194  
*Cyclops*
- Dracunculus medinensis* (*Linnaeus*)  
Onabamiro, S. D., 1956 a, fig., pls. 4-5,  
figs. 1-8
- Dracunculus medinensis*  
Onabamiro, S. D., 1956 b, 64-70
- Dracunculus medinensis*  
Oppenheim, F. W., 1833 a, 59-62  
Syns.: *Filaria medinensis*; *Vena medinensis*
- Dracunculus medinensis*  
Oudard; Ployé; and Jean, G., 1923 a, 174-175
- Dracunculus medinensis*  
Oytun, H. S., 1944 d, 484, fig. 24
- Dracunculus medinensis*  
Palmer, R. F., 1955 c, 33
- Dracunculus medinensis*  
Pavlovskii, E. M., 1926 a, 128
- Dracunculus medinensis*  
Pavlovskii, E. N., 1931 a, 177, 185  
toxins  
man (skin)
- Dracunculus medinensis*  
Peltier, M.; and Dominique, H., 1924 a, 846-  
850  
treatment
- Dracunculus medinensis* (Linn., 1758)  
Pérez Vigueras, I., 1934 d, 55  
Syn.: *Filaria medinensis*  
Hombres blancos (español y cubano): Cuba
- Dracunculus medinensis*  
Perramond, H., 1924 a, 1-71
- Dracunculus medinensis*  
Perrier, E., 1897 a, 1371, 1389, 1406, 1410,  
fig. 1022  
homme (peau)  
*Cyclops*
- Dracunculus medinensis*  
Perry, W. L. M., 1948 a, 1107  
hernial sac
- Dracunculus medinensis*  
Petrov, A. M.; and Chubabrija, I. T., 1955 a,  
231  
cat: Georgian SSR
- Dracunculus medinensis* (L. 1758)  
Petrov, A. M.; and Potekhina, L. F., 1953 b,  
86, 92, 93, 94  
*Chaus chaus*; *Canis aureus*; *Meles meles*: all  
from Tadzhikistan
- Dracunculus medinensis*  
Pillers, A. W. N., 1922 c, 367
- Dracunculus medinensis*  
Pittaluga, G., 1923 a, 18
- Dracunculus medinensis*  
Plehn, F., 1898 a, 1-363
- Dracunculus medinensis*  
Plotnikov, N. N., 1951 a, 92-95

- Dracunculus medinensis*  
di Poggio, E., 1937 b, 169, 172
- Dracunculus medinensis*  
Polak, J. E., 1857 a, 760
- Dracunculus medinensis*  
Popov, N. P., 1924 a, 13; Armenian summary  
12, 13
- Dracunculus [medinensis]*  
Postans, 1840 a, 804
- Dracunculus medinensis* (Lineu, 1759)  
Rachou, R. G., 1957 a, 79  
humanae: Brasil
- Dracunculus medinensis*  
Rahimuddin, M., 1941 b, 300  
dog: India
- Dracunculus medinensis*  
Railliet, A., 1915 a, 747  
Bos; goat; Capra
- Dracunculus medinensis*  
Ram Gupta, J. J., 1917 a, 419  
iodine
- Dracunculus medinensis*  
Rauther, M., 1918 a, 480
- Dracunculus medinensis*  
Ray, S. K., 1920 a, 186
- Dracunculus medinensis*  
Ray, S. K., (1920 b), 100
- Dracunculus medinensis*  
Ribeiro, A. L., 1953 a, 1310  
Nairobi
- Dracunculus medinensis* Linneo, 1758  
Ricci, M., 1940 a, 242, 264-265, 278, 279, 286,  
fig. 18  
omo: Eritrea; Amhara; Somalia
- Dracunculus medinensis*  
Richards, W. G., 1922 b, 307-308
- Dracunculus medinensis*  
Riddle, M. C., 1945 a, 23
- D[racunculus] medinensis  
Ridley, D. S., 1956 a, 256  
complement-fixation test
- Dracunculus medinensis*  
Roark, R. C.; and Keenan, G. L., 1931 a,  
4, 18
- Dracunculus medinensis*  
Rodrigues, S. L., 1922 b, 597-598  
treatment
- Dracunculus medinensis*  
Rosenu, M. J., 1917 a, 207, 788, 947
- Dracunculus medinensis*  
Rosenu, M. J., 1921 a, 265, 1013, 1181  
Cyclops coronatus
- Dracunculus medinensis*  
Rost, F., 1918 a, 71
- Dracunculus medinensis*  
Roubaud, E., 1914 c, 222-244, figs. 66-70
- Dracunculus medinensis*  
Roubaud, E., 1918 a, 347-348  
Cyclops
- Dracunculus medinensis*  
Roubaud, E., 1920 a, 254-260  
Cyclops viridis
- Dracunculus medinensis* (Linneé)  
Roveda, R.; and Ringuelet, R., 1947 a, 73  
Canis familiaris: Argentina
- Dracunculus medinensis*  
Sandground, J. H., 1921 a, 329  
man: Africa, S. America, Arabia, India
- Dracunculus medinensis*  
Sandground, J. H., 1929 b, 231, 236
- Dracunculus medinensis* (L.)  
Sant'Ana, J. F., 1937 a, 2054
- Dracunculus medinensis*  
Schröder, H. I., 1936 a, 474-475
- Dracunculus medinensis*  
Schuurmans Stekhoven, J. H., 1937 a, 457
- Dracunculus medinensis* (L.)  
Schuurmans Stekhoven, J. H., 1939 a, 584, 585,  
634, 635, figs. 164, 216
- [*Dracunculus medinensis*]  
Scott, D., 1960 a, 32-43  
epidemiological note: north-west Ashanti,  
Ghana
- Dracunculus medinensis*  
Sédan, J., 1957 a, 2314  
eye
- Dracunculus medinensis*  
Selkon, J. M.; and Latham, W. J., 1952 a,  
918-919  
South African Indian
- Dracunculus medinensis*  
Sendrail, J. M. M. L., 1932 a, 532
- Dracunculus medinensis*  
Servidori, G., 1928 a, 628
- Dracunculus medinensis* (Velsch, 1674)  
Seurat, L. G., 1918 a, 272
- Dracunculus medinensis*  
Seurat, L. G., 1920 c, 115, 146-147
- Dracunculus medinensis*  
Shah, H. L.; and Pandit, C. N., 1959 a, 5, 7  
man: Madhya Pradesh, India
- Dracunculus medinensis*  
Sharma, G. K.; and Hussain, A., 1946 a,  
31-32  
dogs
- [*Dracunculus medinensis*]  
Sharma, S. N., 1957 a, 289  
Bufo melanostictus: Assam
- Dracunculus medinensis*  
Shipley, A. E. (Sir), 1901 b, 147
- Dracunculus medinensis*  
Shircore, J. O., 1951 a, 292
- Dracunculus medinensis*  
Sigalas, R.; and Pautrizel, R., 1950 a,  
672
- Dracunculus medinensis*  
Skrjabin, K. I.; and Shul'ts, R. E. S., 1929 a,  
25, 49, 70
- Dracunculus medinensis* (L.)  
Sluiter, C. P.; Swellengrebel, N. H.; and  
Ihle, J. E. W., [1922 a], 369-372, 438, figs.  
187, 188, 189  
Syns.: Vena medinensis; *D. persarum*;  
*Gordius medinensis*; *Filaria dracunculus*  
Cyclops
- Dracunculus medinensis*  
Smit, H. J., 1925 a, 532
- Dracunculus medinensis*  
Sonsino, P., 1895 t, 98
- Dracunculus medinensis*  
Southwell, T.; and Kirchner, A., 1938 b, 193-  
196  
C[Cyclops] vernalis (=*C. lucidulus* =*C. ro-  
bustus*) (exper.): Liverpool  
C[Cyclops] prasinus (exper.) (partial devel-  
opment)
- Dracunculus medinensis*  
Speirs, R. E.; and Baum, A. H., 1953 a, 553-  
554  
woman: Kansas
- Dracunculus medinensis*  
Sprehn, C. E. W., 1927 e, 60, 61
- Dracunculus medinensis* (Linnaeus, 1758)  
Sprehn, C. E. W., 1932 c, 80, 589-590, 803,  
811, 822  
type  
Syns.: Vena medinensis Velsch, 1674; *Gordius*  
*medinensis* Linnaeus, 1758; *Filaria medinen-  
sis* (Linnaeus, 1758, Gmelin, 1790); *D. medi-  
nensis* (Linnaeus, 1758) Gallandat 1773  
Cyclops coronatus; *C. bicuspidatus*; *C. quad-  
ricornis*; Mensch; Pferd; Rind; Hund: all  
from Arabien, Persien, Turkestan, Indien;  
Afrika, auch Südamerika, Westindien u Fid-  
schiinseln

- Dracunculus medinensis*  
 Stefanopoulo, G. J.; and Daniaud, J., 1940 a, 149-153  
 humaine
- Dracunculus medinensis*  
 Stefanopoulo, G. J.; and Payet, M. I., 1938 a, 319, 323-324, 331
- Dracunculus medinensis*  
 Steiner, G., 1919 a, 35
- Dracunculus medinensis*  
 Steiner, G., 1921 d, 35
- Dracunculus medinensis* (L.)  
 Stempell, W., 1938 a, 138-139, figs. 157a-c
- Dracunculus medinensis*  
 Stepanian, S. G., 1961 b, 299  
 dogs (intermuscular connective tissue):  
 Kzy1-Orda region
- Dracunculus medinensis*  
 Stewart, F. H., 1922 a, 380  
 Cyclops
- Dracunculus medinensis*  
 Stitt, E. R., [1929 a], 549, 550, 552, 567-569, 627, figs. 169, 181-183  
 Cyclops coronatus
- [*Dracunculus medinensis*]  
 Stoll, A., 1926 a, XXXIV
- Dracunculus medinensis*  
 Strain, R. E., 1942 a, 29-30
- Dracunculus medinensis*  
 Strong, R. P., [1945? a], 371, 372, 373, 374, 375
- [*Dracunculus medinensis*]  
 Stulz, E.; and Fontaine, R., 1924 a, R.S.88-R.S.91
- [*Dracunculus medinensis*]  
 Sudan Medical Service, 1940 a, 9
- Dracunculus medinensis* (Velsch, 1867)  
 Sufrin, J., 1923 a, 71-72  
 Synonymy  
 homme  
 singe (exper.)
- Cyclops coronatus  
 Cyclops prasinus  
 Cyclops viridis
- Dracunculus medinensis*  
 Sukla, R. R., 1940 a, 34-38
- [*Dracunculus medinensis*]  
 Sundar Rao, E., 1932 a, 117-120
- [*Dracunculus medinensis*]  
 Sundar Rao, S., 1936 a, 535-540  
 Cyclops
- [*Dracunculus medinensis*]  
 Sundar Rao, S., 1938 b, 127-130
- Dracunculus medinensis*  
 Sundar Rao, S., 1939 d, 138-140
- Dracunculus medinensis*  
 Sundar Rao, S., [1944 a], 87
- Dracunculus medinensis*  
 Suzuki, S., 1929 b, 23, 34  
 infestation higher than in Japan: Formosa
- Dracunculus medinensis*  
 Swan, J. F. C., 1958 a, 7, 10  
 Northern Rhodesia
- Dracunculus medinensis*  
 Tarizzo, M. L., 1957 a, 796  
 human: Saudi Arabia
- [*Dracunculus medinensis*]  
 Tavernier, J. B., 1678 a, v. 1, 749
- Dracunculus medinensis*  
 Telford, W., 1822 a, 454
- Dracunculus medinensis*  
 Thomas, A.; and Rambo, V., 1954 a, 51-52
- Dracunculus medinensis*  
 Thomas, L. J., 1929 c, 195, 196
- Dracunculus medinensis*  
 Thompson, M. E., 1949 a, 54-56
- Dracunculus medinensis*  
 Tilak, C. T., 1949 a, 429  
 town of Ginges
- Dracunculus medinensis*  
 Tournier, E., 1922 b, 809-815  
 treatment
- Dracunculus medinensis*  
 Tournier, E., 1931 b, 871-875
- [*Dracunculus medinensis*]  
 Trewn, H. S., 1937 a, 606-609  
 treatment
- Dracunculus medinensis*  
 Tu'zil, A. N., 1939 a, 11, 28-29, figs. 1(7-8), 7a
- [*Dracunculus medinensis*]  
 Turkhud, D. A., 1913 b, 28-29
- [*Dracunculus medinensis*]  
 Turkhud, D. A., 1914 a, 89-92  
 India
- Dracunculus medinensis*  
 Turkhud, D. A., 1920 a, 727-734  
 animals  
 cobra
- Dracunculus medinensis*  
 Tyagi, P. S., 1957 a, 214  
 dogs
- Dracunculus medinensis* Velsch, 1674  
 Tyzzer, E. E.; and Smillie, W. G., [1927 a], 920, 923-927, figs. 2-3
- Dracunculus medinensis*  
 Valmont de Bomare, J. C., 1765 a, 562-563
- Dracunculus medinensis*  
 Velu, H.; and Barotte, J. H., 1924 a, 342, 343
- Dracunculus medinensis*  
 Vil'kens, A., (1877 a), 214-226
- Dracunculus medinensis*  
 Villault, N., 1669 a, 302
- Dracunculus medinensis*  
 Vogel, E.; and Le Rouzic, 1938 a, 501
- Dracunculus medinensis*  
 Vogel, H., 1929 e, 353, 367-372
- Dracunculus medinensis*  
 Vose, L. O., 1944 a, 149
- Dracunculus medinensis*  
 Waddy, B. B., 1956 a, 219, 331
- Dracunculus medinensis*  
 Ward, H. B., 1918 c, 9299, 9300, 9316
- Dracunculus medinensis*  
 Wardle, R. A., 1929 b, 87-88
- Dracunculus medinensis*  
 Wengler, 1851 b, 251-254  
 Europa
- Dracunculus medinensis*  
 Wenyon, C. M., 1908 b, 132-135  
 new method of fixation and staining; new points in anatomy of embryos
- Dracunculus medinensis* Velsch, 1674  
 Whitmore, E. R., 1921 b, 216-219  
 man
- Dracunculus medinensis*  
 Willcox, R. R., 1946 a, 418  
 West Africa
- Dracunculus medinensis*  
 Wilson, A. J., 1929 a, 81  
 pony: Salem, India  
 "presumed the first case in an equine recorded in this Presidency"
- Dracunculus medinensis*  
 Witenberg, G., 1961 a, 179-180  
 cat: Jerusalem, Israel
- Dracunculus medinensis*  
 Wooldridge, G. H., 1923 j, 443
- Dracunculus medinensis*  
 Wright, R. E., 1924 a, 458-459

- Dracunculus medinensis**  
Wülker, G., 1924 a, 30, 46
- Dracunculus medinensis**  
Wurtz, R.; and Sorel, F., 1912 a, 123-124
- Dracunculus medinensis**  
Yoeli, M., 1953 a, 176-185
- Dracunculus medinensis**  
Yorke, W.; and Maplestone, P. A., 1926 a, 442,  
fig. 301  
type of genus  
man  
dog  
horse  
cattle  
jackal  
leopard  
baboon  
cobra
- Dracunculus oculi**  
Canalini, G., 1918 a, 107
- Dracunculus oculi**  
Castellani, A.; and Chalmers, A. J., 1919 a,  
645
- Dracunculus oculi**  
Manson, P., 1914 a, 758
- Dracunculus oculi**  
Manson-Bahr, P. H., In Manson, P., 1921 a, 839  
as syn. of Loa loa
- Dracunculus oculi (Diesing)**  
Pacalin, G., 1930 a, 108-109
- Dracunculus oculi, Diesing 1860**  
Ward, H. B., 1918 c, 9300
- Dracunculus oesophageus (Polonio, 1859) [n.  
comb.]**  
Desportes, C., 1938 c, 305-326, figs. 1-10  
Tropidonotus natrix persa: Bologne  
Macrocylops fuscus (exper.)  
Cyclops (exper.)
- Dracunculus oesophagaeus**  
Chabaud, A. G.; and Petter, A. J., 1961 b, 62,  
pl. V, fig. 29  
cloacal papillae
- Dracunculus ophidensis n. sp.**  
Brackett, S., 1938 a, 353-361, 1 pl., figs.  
3-4, 6, 8  
Thamnophis sirtalis: Minnesota River near  
Minneapolis  
Cyclops viridis (exper.): Douglas Lake  
region, Cheboygan County, Mich.  
frog tadpoles  
Natrix sipedon: Douglas Lake region, Ithaca,  
New York, Minnesota River near Minneapolis
- Dracunculus ophidensis**  
Walton, A. C., 1950 e, 41  
(2n stage larvae)  
tadpoles: U.S.A.
- Dracunculus persarum**  
Castellani, A.; and Chalmers, A. J., 1919 a,  
651
- Dracunculus persarum**  
del Favero, E., 1928 b, 279  
cavalo  
cane  
bue  
leopardo
- Dracunculus persarum**  
Moquin-Tandon, C. H. B. A., 1860 a, 334
- Dracunculus persarum**  
Moquin-Tandon, C. H. B. A., 1861 a, 360
- Dracunculus persarum**  
Pavlovskii, E. N., 1924 c, 138, 246
- Dracunculus veterum**  
Castellani, A.; and Chalmers, A. J., 1919 a,  
651
- Dragonneau chanterelle**  
Degland, C. D., 1821 a, 209  
cheval
- Dragonneau de Claix (Charvet, 1834)**  
Dorier, A., 1930 a, 162, 167  
as syn. of *Paragordius tricuspidatus* (L.  
Dufour, 1828)
- Dragonneau de Risset (Charvet, 1846)**  
Dorier, A., 1930 a, 155  
as syn. of *Parachordodes tolosanus*  
(Dujardin, 1842)
- Dragonneau [Dracunculus medinensis]**  
Rémignard, H., 1902 a, 16-19
- Draschia n. g.**  
Chitwood, B. G.; and Wehr, E. E., 1934 a, 295,  
296, 319, 333, pl. 1  
Spiruridae, Habronematinae  
tod: *D. megastoma* (Rudolphi, 1819)
- Draschia Chitwood and Wehr**  
Baylis, H. A., 1939 c, xxvi, 67, 89  
Spiruridae, Spirurinae  
Syn.: ?*Dermofilaria Rivolta*, 1884 (part)  
type: *D. megastoma* (Rudolphi, 1819)
- Draschia Chitwood et Wehr, 1934**  
Chabaud, A. G., 1959 c, 19  
Hedruridae, Habronematinae
- Draschia Chitwood et Wehr, 1934**  
Skrjabin, K. I.; Shikhobalova, N. P.; and  
Sobolev, A. A., 1949 a, 49
- Draschia spp.**  
Berger, G., 1954 a, 268-270
- Draschia [sp.]**  
Nicol, G., 1946 a, 54
- Draschia megastoma (Rudolphi, 1819) [n. comb.]**  
Chitwood, B. G.; and Wehr, E. E., 1934 a,  
296, 319  
tod
- Draschia megastoma**  
Arnao Mendoza, M., 1951 a, 78  
*Equus caballus*: [Peru]
- Draschia megastoma (Rudolphi, 1819) Chitwood and  
Wehr, 1934**  
Baylis, H. A., 1939 c, xxvi, 89-92, 256, figs.  
44-47  
Syns.: *Spiroptera megastoma* Rudolphi, 1819;  
*Spirura megastoma* Blanchard, 1849; *Filaria  
megastoma* Schneider, 1866; *Habronema megas-  
toma* Seurat, 1914; ? *Dermofilaria irritans*  
Rivolta, 1884; ? *Filaria irritans* Railliet,  
1885  
horse  
donkey  
mule  
zebra
- Drosophilus megastoma**
- Drachia megastomum**  
Bondareva, V. I., [1941 a], 274  
horse: East Kazakhstan oblast
- Drascheia megastoma (Rud., 1819)**  
Burdzhanadze, P. L., 1943 a, 60  
*Equus caballus*: Georgia [SSR]
- Drascheia megastoma (Rud., 1891)**  
Burdzhanadze, P. L., 1943 b, 67, 68, 73  
Ioshadzi [horses]: Georgian SSR
- Draschia megastoma (Rudolphi 1819)**  
Chatterji, R. C., 1940 c, 55  
horse: Burma
- Draschia megastoma**  
Chitwood, B. G.; and Chitwood, M. B., 1938 a,  
62, 63, fig. 58 CC
- Draschia megastoma**  
Costa, H. M. A.; and Freitas, M. G., 1959 b,  
294-295  
cavalo: Rio Grande
- Draschia megastoma**  
Foster, A. O., 1939 a, 7  
(as one of the principal agents of parasitic  
gastritis in equines)
- equines: Panama**

- Draschia (formerly Habronema)\* megastoma  
Foster, A. O., 1942 a, 468
- Draschia megastoma (Rud., 1819)  
Giovannoni, M.; and Kubiak, G. V. L., 1947 a, 226  
Equus caballus  
Draschia megastoma  
Gorshkov, I. P., 1946 a, 87-90  
clinical study in horses
- Draschia megastoma  
Gorshkov, I. P., 1947 a, 293  
treatment  
horses
- Draschia megastoma  
Gorshkov, I. P., 1948 a, 98-108, figs. 1-7  
biology
- Musca domestica (intermediate host)
- Draschia megastoma (Rudolphi, 1819)  
Gorshkov, I. P., 1948 b, 174, 175, 176, 179  
Musca domestica  
Stomoxys calcitrans (exper.)
- Draschia megastoma  
Gorshkov, I. P., 1948 c, 389, 390, 391, 392, 393, 396, figs. 41, 42  
horses
- Draschia megastoma  
Gorshkov, I. P., [1954 a], 160-169  
as cause of pathological-anatomical changes  
in stomach of horse
- Draschia megastoma  
Gorshkov, I. P., 1954 b, 424, 425, 426, 427, 428, figs. 141, 144-148
- Draschia megastoma  
Gorshkov, I. P., 1959 a, 97, 98, 99, 100, 101, 103, 104, 105, 109  
epizootiology  
horses
- Draschia megastoma  
Ivashkin, V. M., 1961 a, 83  
biological peculiarities
- Draschia megastoma (Rudolphi, 1819)  
Kazlauskas, J., [1959 a], 86  
horses: Lithuanian SSR
- Draschia megastoma (Rudolphi, 1819)  
Kl'osov, M. D.; Gnatiuk, S. A., and Bekerman, M. Ia., 1941 b, 143, 144  
[horse]
- Draschia megastoma (Rudolphi, 1819)  
Mackerras, M. J., 1958 b, 149  
Equus caballus: Australia
- Draschia megastoma (Rud., 1819)  
de Mello, M. J., 1946 a, 159
- Draschia megastoma Rudolphi, 1819  
Moskvin, S. N., 1958 a, 187  
horse: Albania
- Draschia megastoma (Rudolphi, 1819)  
Mudaliar, S. V.; and Alwar, V. S., 1947 b, 90  
horse: Madras
- Draschia megastoma (Rudolphi, 1819) Chitwood and Wehr, 1934  
Oldham, J. N., 1938 a, 1136  
Synonymy
- Draschia megastoma (Rudolphi, 1819)  
Pérez Vigueras, I.; and Martínez Pérez Vento, R., 1946 a, 69, 79  
Syn.: Habronema megastoma
- Draschia megastoma  
Pinto, C. F.; and Cavalcanti Proença, M., 1938 a, 42, 2 pls., figs. 23-25  
cavalo
- Draschia megastoma  
Ressang, A. A.; Fischer, H.; and Muchlis, A., 1959 a, 92  
Equus caballus: Indonesia
- Draschia megastoma (Rudolphi)  
Roveda, R.; and Ringuelet, R., 1947 a, 72, 73  
Equus asini  
Equus caballus  
both from Argentina
- Draschia megastoma (Rudolphi, 1819)  
Seddon, H. R., 1947 c, 8  
horse: Australia
- Draschia megastoma (Rudolphi, 1819)  
Seneviratna, P., 1955 b, 36  
horse: Colombo
- Draschia megastoma Rud., 1819  
Shcherbinin, I. V., 1941 a, 8  
treatment  
Syn.: Habronema megastomum
- Draschia megastoma  
Stevens, M. S., 1958 a, 486  
horses: Queensland
- Draschia megastomum Rudolphi, 1819  
Toschev, A. P., 1949 a, 174  
horses (stomach): Eastern Siberia
- Draschia megastomum (Rudolphi, 1819)  
Vaivarinia, Kh. F., 1954 a, 304  
horse: Latvian SSR
- Draschia megastoma  
Wicktor, C. E., 1952 a, 45  
equine
- Dubium Rudolphi, 1819  
Chitwood, B. G.; and Chitwood, M. B., 1937 c, 134  
Helix nutris (=?) Succinia putris
- Dubium mustelarum Rudolphi, 1819  
Dougherty, E. C., 1943 a, 71  
as syn. of Filaroides martis (Werner, 1782), comb. nov.
- Dubium mustelarum Rudolphi 1819  
Prokopič, I., 1960 b, 139, 147, 148  
as syn. of Filaroides martis (Werner 1782)  
dog (bronchi): Albania
- Dubium protei-anguini Rud., 1819  
Walton, A. C., 1935 a, 46  
= Agamoneema proteis anguini (Rud., 1819) n. comb.  
Proteus anguineus: Europe
- Dubium ranae Rud., 1819  
Walton, A. C., 1935 a, 46  
= Agamoneema ranae (Rud., 1819) n. comb.  
Leptodactylus ocellatus  
Rana (sp.?)  
both from Brazil
- Dubium ranae-pipae (Rud., 1810), Rud., 1819  
Walton, A. C., 1935 a, 46  
= Agamoneema ranae-pipae (Rud., 1810) n. comb.  
Pipa pipa: Brazil
- Dudekemia n. g.  
Artigas, P., 1930 a, 21, 22, 24  
tod: D. multispinosa n. sp.
- Dudekemia  
Filipjev, I. N., 1934 b, 405, 418  
Cosmocercidae, Rhigoneminae
- Dudekemia Artigas, 1926  
Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a, 835, 837, 849  
Rhigonematinae  
Syn.: Isakis or Isacis auct. nec Lespes, 1857
- Dudekemia Artigas, 1930  
Travassos, L.; and Kloss, G. R., 1959 c, 9-10  
Tipo sp.: Dudekemia multispinosa Artigas, 1930
- Dudekemia Artigas, 1930  
Travassos, L.; and Kloss, G. R., 1960 b, 258, 259
- Dudekemia acuminata (d'Udekem) [n. comb.]  
Artigas, P., 1930 a, 22, 23, 24, pl. 14, figs. 26-28
- Dudekemia acuminata Artigas, 1930  
Travassos, L.; and Kloss, G. R., 1960 b, 281
- Dudekemia brevicaudata n. sp.  
Artigas, P., 1930 a, 22, 26, 27, pl. 9, fig. 10, pl. 10, fig. 15, pl. 11, figs. 16, 17, pl. 12, figs. 20-21

- Dudekemia bresicaudata [sic]  
Chabaud, A. G.; and Petter, A. J., 1961 b, 60,  
pl. IV, fig. 23  
cloacal papillae
- Dudekemia brevicaudata Artigas, 1930
- Travassos, L.; and Kloss, G. R., 1960 b, 266,  
267, 269-270, figs. 73-79  
Spirostrepidae  
*Rhinocricus* sp.  
(both, intestino posterior): both from  
Brasil
- Dudekemia falcata (Artigas) [n. comb.]  
Artigas, P., 1930 a, 22
- Dudekemia falcata Artigas, 1930  
Travassos, L.; and Kloss, G. R., 1960 b,  
282  
as syn. of *Ruizia falcata* (Artigas, 1926)  
comb. n.
- Dudekemia glabra Travassos & Kloss, 1959  
Travassos, L.; and Kloss, G. R., 1960 b, 287  
as syn. of *Ruizia glabra* (Dollfus, 1952)  
comb. nov.
- Dudekemia inerme n. sp.  
Artigas, P., 1930 a, 27-28, pl. 11, figs. 18,  
19, pl. 12, fig. 22  
miriapol
- Dudekemia insularis sp. n.  
Ruiz, J. M.; and Coelho, E., [1957 a], 57-60,  
61, 64, 65, pl. 2, figs. 7-9, pl. 3, figs.  
10-13  
*Neptunobolus hogei*: Sao Paulo, Brasil
- Dudekemia insularis Ruiz & Coelho, 1956  
Travassos, L.; and Kloss, G. R., 1960 b,  
270-271, figs. 84-90  
*Neptunobolus hogei*  
*Neptunobolus redentore*  
(both, intestino posterior): both from  
Brasil
- Dudekemia longecauda sp. nov.  
Travassos, L.; and Kloss, G. R., 1959 a, 1-2  
*Rhinocricus padbergi* (intestino posterior):  
Rio de Janeiro
- Dudekemia longispicula sp. nov.  
Travassos, L.; and Kloss, G. R., 1959 a, 2  
*Rhinocricus electrofasciatus* (intestino  
posterior): Estado do Pará
- Dudekemia longispicula Travassos & Kloss, 1959  
Travassos, L.; and Kloss, G. R., 1960 b, 288  
as syn. of *Ruizia longispicula* (Travassos  
& Kloss, 1959) comb. nov.
- Dudekemia multipapillata (Skrj.)[n. comb.]  
Artigas, P., 1930 a, 22, 24-25, pl. 8, figs.  
1-4
- Dudekemia multipapillata (Skrjabin)  
Filipjev, I. N., 1934 b, 417, figs. 317E-F
- Dudekemia multipapillata (Skrjabin)  
Filipjev, I. N.; and Schuurmans Stekhoven,  
J. H., 1941 a, 851, fig. 442E
- Dudekemia multipapillata (Skrjabin)  
Artigas, 1930  
Travassos, L.; and Kloss, G. R., 1960 b, 263-  
265, figs. 67-72  
*Julus* sp. (intestino posterior): Africa  
Oriental Britânica
- Dudekemia multispinosa n. sp.  
Artigas, P., 1930 a, 22, 25-26, 27, pl. 9,  
figs. 5-9, pl. 10, figs. 11-14
- Dudekemia multispinosa Artigas, 1930  
Travassos, L.; and Kloss, G. R., 1960 b, 260-  
263, figs. 56-66  
*Eurydesmus ruidus*  
*Leptodesmus paulistus*  
*Rhinocricus cachoeirensis*  
(all, intestino posterior): all from Brasil
- Dudemekia [sic] neyrai (Singh, 1955) comb. nov.  
Travassos, L.; and Kloss, G. R., 1960 b, 275,  
276, figs. 101-105  
Syns.: *Rhigonema neyrae* Singh, 1955; Dude-  
kemia subtruncatum Rao, 1958
- Dudemekia [sic] neyrai (Singh, 1955) comb. nov.—  
Continued.
- Travassos, L.; and Kloss, G. R., 1960 b  
*Thyroglobus malayus*  
*Spirostreptus* sp.  
(reto of both): both from India
- Dudekemia robusta (Walton) [n. comb.]  
Artigas, P., 1930 a, 22, 25, pl. 14, figs.  
29-32
- Dudekemia robusta (Walton, 1927) Artigas, 1930  
Travassos, L.; and Kloss, G. R., 1960 b, 265-  
267, 268, figs. 80-83  
*Periplaneta* sp. (?) (intestino)
- Dudekemia ruthi Travassos & Kloss, 1960  
Travassos, L.; and Kloss, G. R., 1960 b,  
272-275, figs. 91-100  
*Rhinocricus* sp. (intestino posterior):  
Brasil
- Dudekemia simile n. sp.  
Artigas, P., 1930 a, 22
- Dudekemia simile Artigas, 1930  
Travassos, L.; and Kloss, G. R., 1960 b,  
286  
as syn. of *Ruizia inermis* (Artigas, 1930)  
comb. nov.
- Dudekemia subtruncatum (Dollfus, 1952) [n. comb.]  
Rao, P. N., 1958 a, 40, 41, 42, figs. 18-22  
*Spirostreptus* sp. (intestine): Hyderabad,  
Andhra Pradesh (India)
- Dudekemia subtruncatum Rao, 1958  
Travassos, L.; and Kloss, G. R., 1960 b, 275  
as syn. of *Dudemekia neyrai* (Singh, 1955)  
comb. nov.
- Dudekemia subulata (Artigas)  
Artigas, P., 1930 a, 22
- Dudekemia subulata Artigas, 1930  
Travassos, L.; and Kloss, G. R., 1960 b, 284  
as syn. of *Ruizia subulata* (Artigas, 1926)  
comb. nov.
- Dujardinascaris nom. nov.  
Baylis, H. A., 1947 a, 123  
[for Dujardinia Gedoelst, 1916]  
tod: D. dujardini (Travassos)
- Dujardinascaris Baylis 1947  
Campana-Rouget, Y., 1960 a, 383-388
- Dujardinascaris Gedoelst, 1916  
Hartwich, G., 1954 a, 1177, 1180, 1183
- Dujardinascaris Baylis, 1947  
Hartwich, G., 1957 a, 222, 249  
Syns.: Dujardinia Gedoelst, 1916 nec  
Quatrefages, 1844 nec Greit, 1858 part;  
(?) *Trispiculascaris* Skjrabbin [sic], 1916
- Dujardinascaris alata n. sp.  
Baylis, H. A., 1947 a, 126-132, 133, figs. 2-6,  
7f  
*Caiman sclerops*: Trinidad, West Indies
- Dujardinascaris alata Baylis 1947  
Campana-Rouget, Y., 1960 a, 386-387, fig. 3
- Dujardinascaris antipini nov. sp.  
Mozgovoi, A. A., 1950 a, 111, 115-118, figs.  
18-23  
*Crocodilus* sp.: Iaroslavl
- Dujardinascaris australiensis (Baylis, 1931)  
[n. comb.]  
Baylis, H. A., 1947 a, 126, 131, 133, fig. 7d  
*Crocodilus johnstoni*: Australia
- Dujardinascaris cenotae (Pearse, 1936) n. comb.  
Baylis, H. A., 1947 a, 125  
*Rhamdia guatemalensis*
- Dujardinascaris dujardini (Trav., 1920) n. comb.  
Baylis, H. A., 1947 a, 126, 131, 133, fig. 7a  
tod  
Syns.: *Ascaris helicina* of Gedoelst, 1916;  
Dujardinia helicina of Baylis, 1923, 1929,  
1936; Dujardinia baylisi Travassos, 1933
- Crocodilus niloticus*  
*Crocodilus cataphractus*  
both from Africa
- Crocodilus porosus*: India

- Dujardinascaris ? helicina (Molin, 1860) (nec Multicaecum helicina (Molin) of Stekhoven, 1937 sp. inq. [n. comb.]  
 Baylis, H. A., 1947 a, 124, 126, 132, fig. 1  
 Crocodilus americanus: N. America  
 ? Alligator mississippiensis
- Dujardinascaris helicina Molin, 1860  
 Hartwich, G., 1954 a, 1175, 1177, 1187, 1194, 1195, 1208, 1209, pl. 1, fig. 2 g, pl. 8, fig. 37
- Dujardinascaris longispicula (Travassos, 1933) [n. comb.]  
 Baylis, H. A., 1947 a, 126, 131, 132, 133, fig. 7e  
 Caiman sclerops: Brazil
- Dujardinascaris malapteruri (Baylis, 1923) n. comb.  
 Baylis, H. A., 1947 a, 125  
 Malapterurus electricus: Sudan
- Dujardinascaris nigra (Gedoelst, 1916) [n. comb.]  
 Baylis, H. A., 1947 a, 126, 132  
 Crocodilus sp. (probably C. niloticus): Africa
- Dujardinascaris paulista (Travassos, 1933) [n. comb.]  
 Baylis, H. A., 1947 a, 126, 132, 133  
 Caiman sclerops: Brazil
- Dujardinascaris salomonis (Kreis, 1940) [n. comb.]  
 Baylis, H. A., 1947 a, 126, 132, 133  
 Crocodilus porosus: Solomon Is. (New Britain)
- Dujardinascaris tasmani (Ortlepp, 1932) [n. comb.]  
 Baylis, H. A., 1947 a, 126, 131, 133, fig. 7b  
 Crocodilus sp.  
 Crocodilus cataphractus  
 Crocodilus niloticus  
 all from Africa
- Dujardinascaris tasmani (Ortlepp 1932)  
 Campana-Rouget, Y., 1960 a, 385-386, fig. 2
- Dujardinascaris vandenbrandeni (Baylis, 1929)  
 Baylis, H. A., 1947 a, 126, 131, 133, fig. 7c  
 Crocodilus cataphractus  
 Crocodilus niloticus  
 both from Africa
- Dujardinascaris woodlandi (Baylis, 1923) [n. comb.]  
 Baylis, H. A., 1947 a, 126, 131, 133, fig. 7g  
 Gavialis gangeticus: India
- Dujardinia n.g.  
 Gedoelst, L., 1916 a, 21  
 tod: Asc. helicina Mol., 1860 (Ascaridae, Heterocheilinae)  
 (see Trispiculascaris)
- Dujardinia Gedoelst  
 Baylis, H. A., 1920 g, 255, 262, 263
- Dujardinia Gedoelst  
 Baylis, H. A., 1923 g, 223-332  
 Ascaridae, Anisakinae  
 crocodile
- Dujardinia Gedoelst, 1916  
 Baylis, H. A., 1936 a, 66, 95-96  
 Ascaridae, Anisakinae  
 key to species  
 type: D. helicina (Molin, 1860)
- Dujardinia Gedoelst, 1916  
 Baylis, H. A., 1947 a, 123  
 renamed Durjardinascaris nom. nov.
- Dujardinia Gedoelst, 1916  
 Baylis, H. A.; and Daubney, R., 1923 a, 558-560
- Dujardinia Gedoelst, 1916  
 Baylis, H. A.; and Daubney, R., 1926 a, 7  
 type: D. helicina (Molin)
- Dujardinia Gedoelst  
 Layman, E. M.; and Borovkova, A. M., 1926 a, 18
- Dujardinia (Gedoelst, 1916)  
 Lopez-Neyra, C. R., 1946 b, 363  
 Heterocheilidae, Anisakinae  
 key
- Dujardinia Gedoelst  
 Rauther, M., 1930 a, 380
- Dujardinia  
 Riley, W. A.; Christenson, R. O., 1930 a, 34
- Dujardinia  
 Schuurmans Stekhoven, J. H., 1937 d, 28
- Dujardinia  
 Sprehn, c. E. W., 1927 e, 42
- Dujardinia Ged.  
 Stiles, C. W.; and Brown, G., 1924 b, 1959, 1960, 1961
- Dujardinia  
 Travassos, L. P., 1920 h, 64
- Dujardinia Gedoelst, 1916  
 Travassos, L. P., 1933 g, 154-155, 162  
 Pars syn. of Paradujardinia n.g.  
 type: D. dujardini Travassos, 1920
- Dujardinia Gedoelst, 1916  
 Yorke, W.; and Maplestone, P. A., 1926 a, 8, 254, 272, 275-277, fig. 187D  
 type: D. helicina (Molin, 1860)
- Dujardinia sp.  
 Allen, G. M.; and Loveridge, A., 1933 a, 75  
 Myonax grantii (Gray) (stomach): Kigogo, Uzungwe Mtns, Africa
- Dujardinia sp.  
 Brandt, B. B., 1936 a, 501, 502, 503, 514, 515, 516  
 Rana catesbeiana  
 Rana sphenocephala  
 both from North Carolina
- Dujardinia sp. of Herman, 1942  
 Margolis, L., 1954 c, 272, 280  
 Zalophus californianus: Zool. Gardens San Diego, California
- Dujardinia sp. indet.  
 Sandground, J. H., 1933 d, 281  
 Myonax grantii: Kigogo, Tanganyika, Territory
- Dujardinia sp. ? of Brandt, 1936  
 Walton, A. C., 1947 c, 26  
 Rana catesbeiana: N. Am.
- Dujardinia australiensis n. sp.  
 Baylis, H. A., 1931 g, 99-101, figs. 4, 5  
 Crocodilus johnstoni
- Dujardinia australiensis Baylis  
 Baylis, H. A., 1947 a, 125
- Dujardinia australiensis Baylis  
 Kreis, H. A., 1940 a, 186, 189  
 Crocodilus johnstoni: Queensland (Australien)
- Dujardinia australiensis Baylis, 1931  
 Travassos, L. P., 1933 g, 157 [169]  
 Crocodilus johnstoni: Queensland
- Dujardinia baylisi n. sp. ? [provisional name]  
 Travassos, L. P., 1933 g, 155, 156  
 Syn: D. helicina Baylis, 1923; nec Molin, 1860; nec Gedoelst, 1916  
 ?Crocodilus porosus: India  
 ?Crocodilus sp.: Africa
- Dujardinia baylisi Travassos, 1933  
 Baylis, H. A., 1940 b, 403  
 = Dujardinia helicina (Molin, 1860)  
 Crocodilus niloticus  
 Crocodilus cataphractus  
 both from Belgian Congo
- Dujardinia baylisi Travassos, 1933  
 Baylis, H. A., 1947 a, 125, 216  
 as syn. of Dujardinascaris dujardini (Trav., 1920) n. comb.

- Dujardinia cenotae n. sp.  
Pearse, A. S., 1936 b, 48, 58, figs. 12-15  
Rhamdia guatemalensis decolor: Motul,  
Yucatan  
R. guatemalensis depressa: Yucatan
- Dujardinia dujardini n. sp.  
Travassos, L. P., 1920 c, 15
- Dujardinia dujardinia n. sp.  
Travassos, L. P., [1921 c], 92
- Dujardinia dujardini Travassos, 1920  
Travassos, L. P., 1933 g, 155, [169]  
Syns.: *Ascaris helicina* Shipley, 1902;  
*A. helicina* Gedoelst 1916, nec Molin, 1860;  
nec Schrjabin, 1916; nec Baylis, 1923  
*Crocodilus* sp. (estomago): Congo Belga
- Dujardinia dujardini  
Baylis, H. A., 1923 g, 223
- Dujardinia dujardini Travassos  
Baylis, H. A., 1947 a, 123, 124, 125
- Dujardinia dujardini  
Baylis, H. A.; and Daubney, R., 1922 a, 288
- Dujardinia dujardini Travassos, 1920  
Yorke, W.; and Maplestone, P. A., 1926 a, 277  
as syn. of Dujardinia helicina (Molin, 1860)
- Dujardinia halichoris (Owen) [n. comb.]  
Baylis, H. A., 1920 g, 262
- Dujardinia halichoris (Owen, 1833)  
Baylis, H. A., 1923 g, 229, 230  
Halicore dugong
- Dujardinia halicoris (Owen, 1833) Baylis, 1920  
Baylis, H. A., 1936 a, 96, 99-100, fig. 45  
Halicore dugong: Gulf of Manaar
- Dujardinia halicoris (Owen, 1833) Baylis, 1920  
Baylis, H. A., 1947 a, 125  
"placed by Travassos, 1933 in a distinct  
genus, *Paradujardinia*"
- Dujardinia halicoris (Owen, 1833)  
Baylis, H. A.; and Daubney, R., 1923 a, 558-560  
figs. 6, 7  
Halicore dugong
- Dujardinia halicoris (Owen)  
Johnston, T. H.; and Mawson, P. M., 1941 d,  
429, 432  
Dugong australis: North Queensland
- Dujardinia halicoris  
Sprehn, C. E. W., 1927 e, 42  
Halicore dugong
- Dujardinia halicoris (Owen, 1833)  
Yamaguti, S., 1941 d, 409, 425-427, figs. 19-  
21  
Halicore dugong: Palao, Japan
- Dujardinia halicoris (Owen, 1833)  
Yorke, W.; and Maplestone, P. A., 1926 a, 277,  
figs. 187 D2, 191c.D  
Halicore dugong
- Dujardinia helicina (Molin)  
Baylis, H. A., 1920 g, 256, 262  
*Crocodilus niloticus*
- Dujardinia helicina (Molin)  
Baylis, H. A., 1923 g, 224, 225-226, 227, 230,  
figs. 1-2  
type of genus  
*Crocodilus americanus*  
*Crocodilus niloticus*  
*Crocodilus porosus*
- Dujardinia helicina (Mol.)  
Baylis, H. A., 1928 i, 552  
*Lates microlepis*
- Dujardinia helicina (Molin)  
Baylis, H. A., 1929 e, 46  
*Crocodilus cataphractus*
- Dujardinia helicina (Molin, 1860) Gedoelst,  
1916  
Baylis, H. A., 1936 a, 95, 96-97, fig. 43  
type  
*Crocodilus niloticus*  
*Crocodilus cataphractus*  
both from Africa  
*Crocodilus americanus*: America  
*Crocodilus porosus*: Port Canning, Ganges  
Delta, India
- Dujardinia helicina (Molin, 1860) [of Baylis,  
1923]  
Baylis, H. A., 1940 b, 403  
= *D. baylisi* Travassos, 1933  
*Crocodilus niloticus*  
*Crocodilus cataphractus*  
both from Belgian Congo
- Dujardinia helicina of Baylis, 1923, 1929, 1936;  
Yorke and Maplestone, 1926; Baylis and Daubney,  
1926  
Baylis, H. A., 1947 a, 126  
as syn. of *Dujardinascaris dujardini* (Trav.,  
1920) n. comb.
- Dujardinia helicina (Molin, 1860)  
Baylis, H. A.; and Daubney, R., 1922 a, 288-  
289  
*Crocodilus porosus*: Ganges Delta
- Dujardinia helicina (Molin)  
Baylis, H. A.; and Daubney, R., 1923 a, 560
- Dujardinia helicina (Molin)  
Baylis, H. A.; and Daubney, R., 1926 a, 7
- Dujardinia helecina [sic]  
Chitwood, B. G.; and Chitwood, M. B., 1938 a,  
96, fig. 97 J
- Dujardinia helicina (Molin)  
Ortlepp, R. J., 1932 c, 70, 72  
crocodile (stomach): Kutama, south Rhodesia
- Dujardinia helicina (Molin, 1860)  
Pérez Vigueras, I., 1936 a, 68  
*Crocodilus americanus*: Cuba
- Dujardinia helicina (Molin)  
Rauther, M., 1930 a, 380
- Dujardinia helicina (Molin, 1860) Gedoelst,  
1916  
Reiber, R. J.; Byrd, E. E.; and Parker, M.  
V., 1940 a, 139-140, 141, 143, pl. 6, figs.  
39-40  
*Alligator mississippiensis* (Daudin):  
Silver Springs, Fla
- Dujardinia helicina  
Sandground, J. H., In Fox, H., 1936 a, 17  
*Crocodilus americanus*
- Dujardinia helicina (Molin) nec Gedoelst  
Schuurmans Stekhoven, J. H., 1937 d, 30, 32  
as syn. of *Multicaecum helicina* (Molin)  
[n. comb.]
- Dujardinia helicina (Molin) of Gedoelst  
Schuurmans Stekhoven, 1937 d, 30
- Dujardinia elicina [sic]  
Travassos, L. P., 1920 c, 15
- Dujardinia elicina [sic]  
Travassos, L. P., [1921 c], 92
- Dujardinia helicina Molin de Gedoelst  
Travassos, L. P., 1933 a, 833
- Dujardinia helicina (Molin)  
Walton, A. C., [1927 a], 70-71, 72, fig.  
1, pl. 4, figs. 2, 3  
*Alligator mississippiensis*
- Dujardinia helicina (Molin, 1860)  
Yamashita, J.; and Nakamata, M., 1954 a, 149,  
150, 154-155, 156, fig. 6; pl. fig. 7  
*Alligator mississippiensis*; Sapporo Zool.  
Gardens

- Dujardinia helicina*  
 Yamashita, J.; and Nakamata, M., 1954 b, 28  
 imported animals: Hokkaido, Japan
- Dujardinia helicina* (Molin, 1860)  
 Yorke, W.; and Maplestorne, P. A., 1926 a, 276,  
 figs. 187 D<sub>1</sub>, 191 A-B  
 type of genus  
*Crocodilus* sp.
- Dujardinia longiscipula*  
 Travassos, L. P., 1933 g, 158-160, [167],  
 pl. 4, figs. 12-17, pl. 5, fig. 18, pl. 6,  
 fig. 19  
 as syn. of *Dujardinia longispicula*  
 Travassos, 1933  
*Caiman sclerops* Gray: Rio S. Lourenco -  
 Matto Grosso
- Dujardinia longispicula* n. sp.  
 Travassos, L. P., 1933 a, 834  
*Caiman sclerops* (estomac): Matto Grosso  
 [Brasil]
- Dujardinia longispicula* Travassos, 1933  
 Travassos, L. P., 1933 g, 158-160, [167],  
 pl. 4, figs. 12-17, pl. 5, fig. 18, pl. 6,  
 fig. 19  
*Caiman sclerops* Gray: Rio S. Lourenco -  
 Matto Grosso  
 [p. 158 spelled *D. longiscipula*]
- Dujardinia malapteruri* n. sp.  
 Baylis, H. A., 1923 g, 228-229, 230, figs. 5, 6  
*Malapterurus electricus*: Khartoum
- Dujardinia malapteruri* Baylis, 1923  
 Travassos, L. P., 1933 g, 156, [169]  
*Malapterurus electricus*: Khartum
- Dujardinia malapteruri* Baylis, 1923  
 Yorke, W.; and Maplestorne, P. A., 1926 a, 277  
*Malapterurus electricus*
- Dujardinia nigra* (Gedoelst, 1916)  
 Baylis, H. A., 1923 g, 229, 230  
? *Crocodilus niloticus*: Belg. Congo
- Dujardinia nigra* (Gedoelst, 1916) Baylis, 1923  
 Travassos, L. P., 1933 g, 156, [169]  
*Crocodilus* sp.: Congo Belge
- Dujardinia nigra* (Gedoelst, 1916)  
 Yorke, W.; and Maplestorne, P. A., 1926 a, 277  
*Crocodilus niloticus*
- Dujardinia paulista* n. sp.  
 Travassos, L. P., 1933 a, 834  
*Caiman sclerops* (estomac): Rio Claro, Etat de Sao Paulo
- Dujardinia paulista* Travassos, 1933  
 Travassos, L. P., 1933 g, 157-158, pl. 1, figs. 1-7, pl. 2, figs. 8-10, pl. 3, fig. 11  
*Caiman sclerops* Gray: Rio Claro - S. Paulo
- Dujardinia salomonis* n. sp.  
 Kreis, H. A., 1940 a, 164, 186-189, fig. 10  
*Crocodilus porosus* Schneider: Møvehafen,  
 Neubritannien
- Dujardinia tasmani* n. sp.  
 Ortlepp, R. J., 1932 c, 70-72, figs. 1-4  
*crocodile* (stomach): Kutama, South. Rhodesia
- Dujardinia tasmani* Ortlepp, 1932  
 Baylis, H. A., 1940 b, 403-404  
*Crocodilus cataphractus*: Irumu [?] Ituri  
*Crocodilus niloticus*: Leopoldville
- Dujardinia tasmani* Ortlepp, 1932  
 Travassos, L. P., 1933 g, 157, [169]  
*Crocodilus* sp.: Rhodesia do Sul
- Dujardinia vandenbrandeni* n. sp.  
 Baylis, H. A., 1929 e, 46-49  
*Crocodilus cataphractus*  
*Crocodilus niloticus*
- Dujardinia vandenbrandeni* Baylis, 1929  
 Baylis, H. A., 1940 b, 403  
*Crocodilus niloticus*: Belgian Congo
- Dujardinia vandenbrandeni*  
 Baylis, H. A., 1947 a, 125
- Dujardinia vandenbrandeni*  
 Schuurmans Stekhoven, J. H., 1937 d, 28
- Dujardinia vandenbrandeni* Baylis, 1929  
 Travassos, L. P., 1933 g, 156, [169]  
*Crocodilus cataphractus*: Congo Belge
- Dujardinia woodlandi* n. sp.  
 Baylis, H. A., 1923 g, 226-228, 230, figs. 3, 4  
*Gavialis gangeticus*: India
- Dujardinia woodlandi* Baylis  
 Baylis, H. A., 1929 e, 47
- Dujardinia woodlandi* Baylis, 1923  
 Baylis, H. A., 1936 a, 96, 97-98, fig. 44  
*Gavialis gangeticus*
- Dujardinia woodlandi* Baylis, 1923  
 Travassos, L. P., 1933 g, 156, [169]  
*Gavialis gangeticus*: India
- Dujardinia woodlandi* Baylis, 1923  
 Yorke, W.; and Maplestorne, P. A., 1926 a, 277  
*Gavialis gangeticus*
- Dyacanthos* Stiebel, 1817  
 Baylis, H. A.; and Daubney, R., 1926 a, 255

- Echinocephalus**  
*Baylis, H. A., 1924 d, 22*
- Echinocephalus**  
*Baylis, H. A., 1929 a, 251*
- Echinocephalus**  
*Baylis, H. A., 1929 b, 118*
- Echinocephalus Molin, 1858**  
*Baylis, H. A., 1939 b, xxvii, 185, 191*  
*Gnathostomidae, Gnathostominae*  
*key to species, type: E. uncinatus Molin,*  
*1858*
- Echinocephalus Molin, 1858**  
*Baylis, H. A.; and Daubney, R., 1926 a, 233*  
*type: E. uncinatus Molin*
- Echinocephalus Molin, 1858**  
*Baylis, H. A.; and Lane, C., 1920 a, 245, 255,*  
*256, 273-275, 291*
- Echinocephalus**  
*Campana-Rouget, Y., 1959 c, 683*  
*systematics*
- Echinocephalus**  
*Chandler, A. C., 1925 a, 237*
- Echinocephalus**  
*Chitwood, B. G.; and Wehr, E. E., 1932 a, 168*  
*taxonomy*
- Echinocephalus Molin, 1858**  
*Chitwood, B. G.; and Wehr, E. E., 1934 a, 300,*  
*329, 334, pl. 1*
- Echinocephalus Molin**  
*Perrier, E., 1897 a, 1409*
- Echinocephalus Molin**  
*Rauther, M., 1930 a, 373*
- Echinocephalus Molin, 1858**  
*Yorke, W.; and Maplestone, P. A., 1926 a, 339,*  
*342-345*  
*type: E. uncinatus Molin, 1858*
- Echinocephalus aetobati sp. nov.**  
*MacCallum, G. A., 1921 c, 267, fig. 142*  
*Aetobatis narinari: Java*
- Echinocephalus aetobati MacCallum, 1921**  
*Baylis, H. A., 1939 b, 192*  
*?as syn. of Echinocephalus uncinatus Molin,*  
*1858, sensu Baylis and Lane, 1920*
- Echinocephalus aetobati MacCallum**  
*Travassos, L. P., 1925 b, 509*
- Echinocephalus cygni**  
*Baylis, H. A.; and Lane, C., 1920 a, 273*
- Echinocephalus cygni**  
*Perrier, E., 1897 a, 1409*  
*Cygne*
- Echinocephalus cygni Molin, 1858**  
*Sprehn, C. E. W., 1932 c, 758*  
*as syn. of Hystrichis cygni (Molin, 1858)*
- Echinocephalus gracilis Stossich in Shipley and Hornell, 1906**  
*Baylis, H. A., 1939 b, 192*  
*as syn of Echinocephalus uncinatus Molin,*  
*1858, sensu Baylis and Lane, 1920*
- Echinocephalus gracilis Stossich, 1906**  
*Yorke, W.; and Maplestone, P. A., 1926 a, 343*  
*as syn. of Echinocephalus uncinatus Molin,*  
*1858*
- Echinocephalus multidentatus n. sp.**  
*Baylis, H. A.; and Lane, C., 1920 a, 275, 283,*  
*285-289, figs. 33-36; pl. 6, figs. 24-27,*  
*pl. 7, fig. 28*
- Urogymnus asperimus**
- Echinocephalus multidentatus Baylis and Lane**  
*Baylis, H. A., 1939 b, xxvii, 191, 197, 264,*  
*fig. 110*
- Urogymnus asperimus: Ceylon**
- Echinocephalus multidentatus Baylis and Lane**  
*1920*
- Yorke, W.; and Maplestone, P. A., 1926 a, 343**
- Urogymnus asperimus**
- Echinocephalus pseudouncinatus n. sp.**  
*Millemann, R. E., 1951 a, 435-439, figs. 1-2*  
*Syn.: E. uncinatus of Hopkins, 1935*  
*Haliotis corrugata: Pyramid Cove, San*  
*Clemente Island, Los Angeles County*
- Echinocephalus southwelli n. sp.**  
*Baylis, H. A.; and Lane, C., 1920 a, 275, 283-*  
*285, 288, 291, figs. 30-32, pl. 4, fig. 19,*  
*pl. 5, figs. 20-23*
- Urogymnus asperimus**
- Echinocephalus southwelli Baylis and Lane, 1920**  
*Baylis, H. A., 1939 b, xxvii, 191, 195-197,*  
*264, figs. 108-109*
- Urogymnus asperimus**
- Urogymnus sp.**  
*both from Ceylon*
- Echinocephalus southwelli Baylis**  
*Taylor, E. L., 1925 b, 69*
- Urogymnus sp.: Ceylon**
- Echinocephalus southwelli Baylis and Lane, 1920**  
*Yorke, W.; and Maplestone, P. A., 1926 a, 343*
- Urogymnus asperimus**
- Echinocephalus spinosissimus (v. Linstow, 1905)**  
*Baylis and Lane, 1920*
- Baylis, H. A., 1939 b, xxvii, 191, 193-195,  
*264, figs. 106-107***
- Syn.: E. uncinatus ♂ Molin, 1858**
- Myliobatis aquila: Gulf of Manaar**
- Trygon brucco: Adriatic**
- Trygon walga: Ceylon**
- Urogymnus asperimus: Ceylon**
- Trygon sephen: Ceylon**
- Echinocephalus spinosissimus (v. Linst. 1905)**  
*Baylis, H. A.; and Daubney, R., 1922 a, 330*
- Trygon (Hypolophus) sephen: Chilka Lake**
- Echinocephalus spinosissimus (Linst.)**  
*Baylis, H. A.; and Lane, C., 1920 a, 275,*  
*276, 277-283, 286, 288, figs. 25-29, pl. 4,*  
*figs. 17, 18*
- Myliobatis aquila**
- Trygon walga**
- Urogymnus asperimus**
- Echinocephalus spinosissimus (von Linstow,  
*1905)***
- Campana-Rouget, Y., 1955 a, 818**
- Trygon margarita**
- T. m. gigas: mer ouest-africains**
- Echinocephalus spinosissimus (Linst.)**  
*Johnston, T. H.; and Mawson, P. M., 1943 b,*  
*187, 188, 189, pl. 1, fig. 9*
- Heterodontus philippi (Bloch and Schneider); Port Willunga**
- Urolophus testaceus (Mull. and Henle):**  
*Sydney, New South Wales*
- Echinocephalus spinosissimus (Linstow)**  
*Johnston, T. H.; and Mawson, P. M., 1945 a,*  
*75, 141*
- Heterodontus philippi: Hobart**
- Echinocephalus spinosissimus Baylis and Lane,  
*1920***
- Soota, T. D., 1954 a, 559, 560**
- Shark: Sandheads, mouth of River Hooghly**
- Echinocephalus spinosissimus (v. Linst.)**  
*Taylor, E. L., 1925 b, 69*
- Trygon sephen: Ceylon**
- Echinocephalus spinosissimus (Linst., 1905)**  
*Yorke, W.; and Maplestone, P. A., 1926 a,*  
*343, figs. 235 B-E*
- Myliobatis aquila**
- Trygon spp.**
- Echinocephalus striatus Montic., 1889**  
*Baylis, H. A.; and Lane, C., 1920 a, 289-291*
- Scyllium sp.**
- Echinocephalus striatus**  
*MacCallum, G. A., 1921 c, 267*

- Echinocephalus striatus* Monticelli, 1889  
 Yorke, W.; and Maplestorne, P. A., 1926 a, 343  
*Scyllium* sp.  
*Echinocephalus uncinatus* Molin, 1858  
 Baylis, H. A., 1933 c, 632  
*Crocodile* (stomach): Port Weld, Fed.  
 Malay States  
*Echinocephalus uncinatus* Molin, 1858, sensu  
 Baylis and Lane, 1920  
 Baylis, H. A., 1939 b, xxvii, 191, 192-193, 264, 265, fig. 105  
 Syns.: *Echinocephalus gracilis* Stosich in Shipley and Hornell, 1906; ? *Echinocephalus aetobati* MacCallum 1921  
*Margaritifera margaritifera*: *Pinna* sp.  
*Ceylon*  
*Aetobatis narinari*: Java  
*Trygon brucco*: Adriatic  
*Trygon pastinaca*: Ceylon  
*Myliobatis nieuhofii*: Ceylon  
*Balistes mitis*: Ceylon  
*Balistes stellatus*: Ceylon  
*Echinocephalus uncinatus* ♂ Molin, 1858  
 Baylis, H. A., 1939 b, 193  
 as syn. of *E. spinosissimus* (v. Linstow, 1905)  
*Echinocephalus uncinatus* Molin, 1858  
 Baylis, H. A.; and Daubney, R., 1926 a, 233  
*Echinocephalus uncinatus* Molin  
 Baylis, H. A.; and Lane, C., 1920 a, 273, 275-277, 286, 288, fig. 24  
*Myliobatis nieuhofii*: *Pinna* sp.  
*Echinocephalus uncinatus* Baylis and Lane, 1920  
 Hopkins, S. N., 1935 a, 314-315  
*Arbacia punctulata* (gonad): Woods Hole, Mass.  
*Echinocephalus uncinatus*  
 Ivashkin, V. M., 1961 a, 86  
 biological peculiarities  
*Echinocephalus uncinatus* Molin  
 Johnston, T. H.; and Mawson, P. M., 1941 d, 429, 433  
*Delphinus delphis*: St. Vincent Gulf, S.A  
*Echinocephalus uncinatus* Molin, 1858  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 75, 141-142  
*Platycephalus bassensis*: Hobart  
*P. laevigatus*  
*Echinocephalus uncinatus* Molin  
 Johnston, T. H.; and Mawson, P. M., 1945 c, 114, 117  
*Pagrosomus auratus*: Glenelg  
*Pseudolabrus psittacus*: Port Noarlunga  
*Sillaginodes punctatus*: Glenelg  
*Platycephalus fuscus*: Glenelg  
*Echinocephalus uncinatus* Molin, 1858  
 Mackerras, M. J., 1958 b, 136  
*Delphinus delphis* "probably ingested with prey": Australia  
*Echinocephalus uncinatus* of Hopkins, 1935  
 Millemann, R. E., 1951 a, 438  
 as syn. of *E. pseudouncinatus* n. sp.  
*Arbacia punctulata*: Woods Hole  
*Echinocephalus uncinatus*  
 Perrier, E., 1897 a, 1409  
*Echinocephalus uncinatus* Molin  
 Rauther, M., 1930 a, 373  
*Echinocephalus uncinatus*  
 Travassos, L. P., 1925 b, 509  
*Echinocephalus uncinatus* Molin, 1858  
 Yorke, W.; and Maplestorne, P. A., 1926 a, 343  
 fig. 235A  
 type of genus rays
- Echinocephalus uncinatus* Molin, 1858, in part  
 Yorke, W.; and Maplestorne, P. A., 1926 a, 343  
 as syn. of *Echinocephalus spinosissimus* (Linst., 1905)  
*Echinocoleus* n. gen. (=*Capillaria* Zeder, 1800 p.p.; *Trichosoma* Rudolphi, 1819 p.p.; *Thominx* Dujardin 1845 in part)  
 Lopez-Neyra, C. R., 1947 c, 192, 209, 227, 231, 236, 238  
 tod: *E. cyanopicae* Lopez-Neyra, 1946  
*Echinocoleus angrensis* (Freitas, 1934) mihi [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 209  
*Echinocoleus aramidesis* (Freitas y Almeida, 1935) mihi [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 210-211  
*Echinocoleus aurifitae* (Travassos, 1914) mihi [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 209  
*Echinocoleus brasiliensis* (Freitas, 1933) mihi [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 211  
*Echinocoleus brevicollis* (Walton, 1935) mihi [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 211-212  
*Echinocoleus carioca* (Freitas y Lent, 1935) mihi [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 212  
*Echinocoleus catenatus* (Cleave y Mueller, 1932) mihi [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 212  
*Echinocoleus collare* (Linstow, 1873) mihi [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 210, 236, 238  
 (= *Trichosoma retusa* Railliet, 1893; *T. longicolla* (Duj.) Eberth, 1863; *T. dubium* Kow., 1895; *Capillaria collare* (Linst.) Trav., 1916; *C. retusa* (Raill.) Trav., 1915)  
*Echinocoleus confusus* (Freitas y Almeida, 1935) mihi [n. comb.] (=*Capillaria contorta* Freitas y Almeida, 1934; *C. confusa* Freitas y Almeida, 1935)  
 Lopez-Neyra, C. R., 1947 c, 210  
*Echinocoleus costacruci* (Travassos, 1932) mihi [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 212  
*Echinocoleus cyanopicae* Lopez-Neyra, 1946 (tod) sp. nov.  
 Lopez-Neyra, C. R., 1947 c, 209, 210, 231, 236, 237, fig. 5-9  
*Cyanopica cyancus*: Granada  
*Pica pica*: Francia  
*Echinocoleus cyanopicae*  
 Lopez-Neyra, C. R., 1947 b, 243, pl. 8, fig. 7  
*Echinocoleus cyanopicae*  
 Lopez-Neyra, C. R., 1947 b, pl. 1, fig. 10  
*Echinocoleus cyanopicae* Lopez-Neyra, 1947  
 Skrjabin, K. I.; et al., 1954 a, 387  
 as syn. of *Thominx cyanopicae* (Lopez-Neyra, 1947) Skrjabin et Schikhobalova, 1954 [n. comb.]  
*Echinocoleus filiformis* (Linstow, 1885) mihi [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 212  
*Echinocoleus freitaslenti* (Araujo y Gandra, 1941) mihi [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 211  
*Echinocoleus gracilis* (Bellingham, 1840) mihi [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 212  
*Echinocoleus inaequalis* [for *inequalis*] (Walton, 1935) mihi [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 212  
*Echinocoleus manicus* (Dujardin, 1845) mihi [n. comb.] (=*Thominx manica* Dujardin, 1845)  
 Lopez-Neyra, C. R., 1947 c, 210

- Echinocoleus modigliani* (Parona, 1897) mihi  
[n. comb.]  
Lopez-Neyra, C. R., 1947 c, 211
- Echinocoleus pulchrum* (Freitas, 1934) mihi  
[n. comb.]  
Lopez-Neyra, C. R., 1947 c, 209
- Echinocoleus spinulosum* (Linstow, 1890) mihi  
[n. comb.]  
Lopez-Neyra, C. R., 1947 c, 211
- Echinocoleus tenuus* (Mueller, 1932) mihi  
[n. comb.]  
Lopez-Neyra, C. R., 1947 c, 212
- Echinocoleus totani* (Linstow, 1875) mihi [n. comb.] (=Trichosoma totani sp. inquir. Linstow, 1875= Tr. breve Linstow, 1877)  
Lopez-Neyra, C. R., 1947 c, 211, 232, 238
- Echinocoleus tridens* (Dujardin, 1845) mihi  
[n. comb.] (=Thominx tridens Dujardin, 1845)  
Lopez-Neyra, C. R., 1947 c, 210
- Echinocoleus uruguensis* (Calzada, 1937) mihi  
[n. comb.]  
Lopez-Neyra, C. R., 1947 c, 210
- Echinomerella* n. g.  
Chitwood, B. G., 1933 k, 104  
(Mermithoidea)  
type: *E. grayi* (Gemmill, 1901) n. comb.  
Syn.: *Echinonema Gemmilli*, 1901, not Linstow, 1898
- Echinomerella grayi* (Gemmill, 1901) n. comb.  
Chitwood, B. G., 1933 k, 104  
type  
Syns.: *Ichthyonema grayi* (Gemmill, 1901)  
*Gemmill and Linstow*, 1902; *Philometra grayi* (Gemmill, 1901) Yorke and Maplestone, 1926
- Echinonema*  
Baylis, H. A., 1933 a, 116
- Echinonema v.* Linstow, 1898  
Baylis, H. A.; and Daubney, R., 1926 a, 228-229  
type: *E. cinctum* (v. Linstow)
- Echinonema Linstow*, 1898  
Chabaud, A. G., 1959 c, 18  
Spiruridae, Rictulariinae
- Echinonema Gemmilli* 1901 not Linstow, 1898  
Chitwood, B. G., 1933 a, 104  
as syn of *Echinomerella* n. g.
- Echinonema*  
Chitwood, B. G.; and Wehr, E. E., 1932 a, 168  
taxonomy
- Echinonema Linst.*  
Chitwood, B. G.; and Wehr, E. E., 1934 a, 317, 333, pl. 1
- Echinonema v.* Linstow  
Rauther, M., 1930 a, 373
- Echinonema v.* Linst.  
Stiles, C. W.; and Brown, G., 1924 a, 1962
- Echinonema Linstow*, 1898  
Yorke, W.; and Maplestone, P. A., 1926 a, 344, 347-348  
type: *E. cincta* Linstow, 1898
- Echinonema* sp. Parona, 1900  
Imperial Bureau of Agricultural Parasitology, St. Albans, England, 1933 b, 219, 233  
*Didelphis marsupialis azarae* (intestine): Museum, Buenos Aires
- Echinonema cinctum* (v. Linstow, 1898)  
Baylis, H. A.; and Daubney, R., 1926 a, 229
- Echinonema cincta*  
Bremner, K. C., 1961 a, 1190  
copper content
- Echinonema cincta* Linstow, 1898  
Chitwood, B. G., 1933 a, 104
- Echinonema cincta* Linstow, 1898  
Imperial Bureau of Agricultural Parasitology, St. Albans, England, 1933 b, 219, 236  
*Isoodon obesula* (intestine): Queensland, Australia
- Echinonema cinctum* v. Linstow  
Johnston, T. H., 1916 a, 45  
*Perameles obesula*
- Echinonema cinctum* Linstow, 1898  
Johnston, T. H.; and Mawson, P. M., 1939 e, 204, 205-207  
*Dasyurus viverrinus*: Sydney
- Echinonema cinctum* Linst.  
Johnston, T. H.; and Mawson, P. M., 1940 b, 468, 473-474, fig. 25  
*Perameles nasuta*: Sydney
- Echinonema cinctum*  
Johnston, T. H., and Mawson, P. M., 1940 d, 368  
Key
- Echinonema cinctrum* Linstow  
Johnston, T. H.; and Mawson, P. M., 1952 a, 30, 33
- Isoodon torosus*: Queensland
- Echinonema cincta* (Linstow)  
Mackerras, I. M.; Mackerras, M. J.; and Sandars, D. F., 1953 a, 62  
Syn.: *Hoplocephalus cinctus* Linstow
- Isoodon obesulus*: Queensland
- Echinonema cinctum* (v. Linstow, 1898)  
Mackerras, M. J., 1958 b, 105, 107, 108  
*Dasyurus quoll* syn. *viverrinus*; *Thylacis obesulus*; *Thylacis torosus*; *Perameles nasuta*: all from Australia
- Echinonema cinctum* (v. Linstow)  
Pope, J. H.; Bicks, V. A.; and Cook, I., 1957a, 488  
*Thylacis obesulus*: Queensland
- Echinonema cincta* v. Linst.  
Rauther, M., 1930 a, 373
- Echinonema cincta* Linstow, 1898  
Yorke, W.; and Maplestone, P. A., 1926 a, 348, fig. 239  
type of genus
- Perameles obesula*
- Echinonema grayi*  
Chitwood, B. G., 1933 a, 104  
*Echinus escul*
- Echinopharynx* new genus  
Thapar, G. S., 1925 b, 19-32  
*Testudo tabulata*
- Echinopharynx*  
Thapar, G. S., 1928 b, 205-210  
present status
- Echinopharynx Thapar*, 1925  
Yorke, W.; and Maplestone, P. A., 1926 a, 61  
as syn. of *Sauricola Chapin*
- Echinopharynx echinopharynx* n.g. n.sp.  
Thapar, G. S., 1925 b, 21-31, figs. 1-10  
*Testudo tabulata*
- Echinopharynx echinopharynx Thapar*  
Thapar, G. S., [1928 b], 208
- Echinopharynx echinopharynx Thapar*  
Yorke, W.; and Maplestone, P. A., 1926 a, 62  
as syn. of *Sauricola echinopharynx* (Thapar)
- Echinuria*, en parte  
Alegret, M. J., 1941 a, 7, 18  
as syn. of *Chordoccephalus* n. gen. [also spelled *Cordocephalus*]
- Echinuria Soloviev*  
Baylis, H. A., 1929 c, 238
- Echinuria Soloviev*, 1912 subg.  
Baylis, H. A., 1939 b, 137  
tod: *Acuaria (Echinuria) jugadornata*  
Soloviev, 1912  
Syn.: *Hamannia Railliet*, Henry and Sisoff, 1912
- Echinuria Soloviev*, 1912  
Baylis, H. A.; and Daubney, R., 1922 a, 321-322

- Echinuria Soloviev, 1912  
 Baylis, H. A.; and Daubney, R., 1926 a, 219  
 type: *Acuaria (E.) jugadornata* Soloviev
- Echinuria Soloviev 1912  
 Chabaud, A. G.; and Petter, A. J., 1959 a, 341  
 key  
*Acuariidae, Acuariinae*
- Echinuria  
 Chitwood, B. G.; and Wehr, E. E., 1932 a, 168  
 taxonomy
- Echinuria Soloviev, 1912  
 Chitwood, B. G.; and Wehr, E. E., 1934 a, 323,  
 324, 333, pl. 1
- Echinuria Soloviev  
 Cram, E. B., 1927 a, 211, 244  
 type: *E. jugadornata* Soloviev
- Echinuria Soloviev, 1912  
 Gower, W. C., 1939 a, 611  
*Acuariidae*
- Echinuria Soloviev  
 Rauther, M., 1930a, 373
- Echinuria  
 Ryzhikov, K. M., 1961 a, 208-212  
 key
- Echinuria  
 v.d. Schaaf, A.; et al., 1959 a, 243
- Echinuria Solowiow  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 25,  
 V.c 26  
*Acuariidae*  
 Syn.: *Hamannia Railliet* and Henry
- Echinuria Solovjev 1912  
 Seurat, L. G., 1919 c, 179-180  
 Syn.: *Hamannia R.*, H. & S. 1912
- Echinuria Solowiew, 1912  
 Skrjabin, K. I., 1941 b, 470, 473  
*Acuariidae, Echinuriinae*
- Echinurja Solovjev, 1912  
 Sobolev, A. A., 1943 a, 287-291  
 type: *Ech. jugadornata* Soloviev, 1912
- Echinuria Solowiew, 1912  
 Sobolev, A. A., 1943 b, 78
- Echinuria Solowiow, 1912  
 Sprehn, C. E. W., 1932 c, 613, 618  
 type species: *E. jugadornata* Solowiow, 1912  
 Syn.: *Hamannia Railliet*, Henry u Sisoff,  
 1912
- Echinuria  
 Törnquist, N., 1931 a, 411, 413, 414
- Echinuria  
 de Toledo Piza, S. (jr.), 1931 a, 300-302  
*Carbo vigua* (tubo digestivo)
- Echinuria  
 Travassos, L. P., 1920 h, 67
- Echinuria Solowiow, 1912  
 Tuždil, A. N., 1939 a, 59
- Echinuria  
 Wehr, E. E., 1931 a, 4
- Echinuria  
 Wehr, E. E., 1933 b, 396
- Echinuria Solowiow, 1912  
 Yorke, W.; and Maplestone, P. A., 1926 a, 327,  
 331-332  
 type: *E. jugadornata* Solowiow, 1912
- Echinuria sp.  
 Bump, G., 1941 a, 220, 221  
 black ducks: N. York  
 mallards
- Echinuria sp.  
 Bump, G., 1942 a, 215, 216, 217  
 black ducks; wood ducks; mallard; pintail  
 green-winged teal: all from New York State
- Echinuria sp.  
 Clapham, P. A., 1945 a, 93, 94, 95, pl., fig. 5  
*Nycticorax violaceous*: Antigua, Brit. West Indies
- Echinuria sp.  
 Gushanskaià, L. KH., 1950 c, 57  
*Gallinula chloropus*; *Himanotopus candidus*;  
*Anus clypeata*: all from SSSR
- Echinuria sp.  
 Kamegai, S.; et al., 1961 a, 465  
*Galapagos Islands*
- Echinuria sp.  
 Leiper in Hamerton, A. E., 1937 a, 471  
*Chenopis atrata*: London Zoological Society's  
 Gardens
- Echinuria sp.  
 Lent, H.; and Teixeira de Freitas, J. F.,  
 1948 a, 5, 49  
*Phalacrocorax vigua*: Montevideo
- Echinuria sp.  
 Mudaliar, S. V.; and Alwar, V. S., 1947 b, 91  
*fowl*: Madras
- Echinuria sp.  
 Müller, G. W., [1936 a], 16, fig. 9(2)
- Echinuria sp.  
 Myers, B. J.; Kuntz, R. E.; and Wells, W. H.,  
 1962 a, 534  
*Hoplopterus spinosis*: Egypt
- Echinuria sp.  
 Pavlov, A. V.; and Sergeeva, T. P., 1961 a,  
 188, 190, 191  
*Fulica atra*; *Gallinula chloropus*: both from  
 SSSR
- Echinuria sp.  
 Shaw, J. N., 1947 a, 6  
*guil*: Oregon
- Echinuria sp.  
 Spasskaià, L. P., 1949 a, 140, 141  
*Anas platyrhynchos*: Western Siberia
- Echinuria [sp.]  
 Srivastava, H. D., 1939 s, 261  
 ducks  
*Daphnia pulex*
- Echinuria sp.  
 Vasil'kova, Z. G., 1927 a, 45, 46  
*Larus canus*
- Echinuria aculeata (Creplin) [n. comb.]  
 Skrjabin, K. I., 1923 m, 57-58, fig. 65  
*Scolopax gallinula* L.; *Charadrius hiaticula*  
 L.; *Tringa variabilis*; *Tringa alpina*
- Echinuria aculeata (Creplin, 1825) Solonitsyn,  
 1928  
 Sobolev, A. A., 1943 a, 300  
 as syn. of *Skrjabinoclava solonitzini* nom.  
 nov.
- Echinuria aculeata Creplin  
 Solonitsyn, I. A., 1928 a, 86, fig. 8  
*Tringa* sp.
- Echinuria aculeata (Creplin, 1825)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 331  
*Tringa* sp.  
*Scolopax* sp.
- Echinuria ardeae (Smith, Fox & White)  
 Cram, E. B., 1927 a, 244, 248-249, fig. 311  
*Ardea herodias*
- Echinuria borealis sp. nov.  
 Mawson, P., 1956 f, 193, 195-199, figs. 10-15  
*Somateria spectabilis*; *Clangula hiemalis*:  
 both from Hudson's Bay
- Echinuria borealis Mawson, 1956  
 Ryzhikov, K. M., 1961 a, 211  
 key
- Echinuria calcarata (Molin, 1860) [n. comb.]  
 Yorke, W.; and Maplestone, P. A., 1926 a, 331  
*Ibis* sp.
- Echinuria calcarata (Molin)  
 Cram, E. B., 1927 a, 245, 249, fig. 312  
*Ibis guarauna*

- Echinuria cincli n. sp.  
Yamaguti, S., 1935 j, 403, 426-427, figs.  
37-38  
Cinclus pallasi pallasi (proventriculus):  
Japan
- Echinuria cincli Yamaguti, 1935  
Sobolev, A. A., 1943 a, 288, 289
- Echinuria contorta (Molin, 1858) [n. comb.]  
Yorke, W.; and Maplestone, P. A., 1926 a, 331  
Ibis sp.
- Echinuria contorta (Molin)  
Cram, E. R., 1927 a, 245, 249-250, fig. 313  
Ibis falcinellus; Falcinellus igneus
- Echinuria decorata n. sp.  
Cram, E. B., 1927 a, 244, 250-253, fig. 314  
Colymbus auritus
- Echinuria decorata Cram, 1927  
Ginetsinskaia, T. A., 1952 b, 63  
Podiceps cristatus: Astrakhan preserve
- Echinuria decorata Cram, 1927  
Serkova, O. P., 1948 a, 216-217, 239, fig. 1  
Podiceps nigricollis: Barabin lakes
- Echinuria decorata Cram, 1927  
Sprehn, C. E. W., 1932 c, 618, 869  
Podiceps auritus (Muskelmagen): Nordamerika
- Echinuria decorata  
Wehr, E., 1937 e, 767, 768  
Emend.
- Echinuria decorata n. sp.  
Solonitsyn, I. A., 1928 a, 85-96, figs. 6-7  
Tringa sp.
- Echinuria decorata n. sp.  
Solonitsyn, I. A., 1928 b, 155-156  
birds: Volga-Kama region
- Echinuria decorata Solonitzin, 1928  
Sobolev, A. A., 1943 a, 288, 289
- Echinuria gilsoni, n. sp.  
Vuylsteke, C., 1953 b, 12-14, 41, figs. 34-40  
Philomachus pugnax: Mabwe
- Echinuria hargilae Baylis & Daubney 1923 [n. comb.]  
Yorke, W.; and Maplestone, P. A., 1926 a, 331  
adjutant stork
- Echinuria hargilae Cram, 1927  
Baylis, H. A., 1939 b, 137  
as syn. of Acuaria (Echinuria) hargilae  
Baylis and Daubney, 1923
- Echinuria hargilae (Baylis & Daubney)  
Cram, E. B., 1927 a, 245, 252, 253, fig. 315  
Leptoptilus dubius
- Echinuria heterobrachiata, n. sp.  
Wehr, E. E., 1937 e, 763-765, 768, figs. 1-5  
Larus sp.: Sparks Lake, Oregon  
Larus californicus: Tule Lake, California
- Echinuria heterobrachita Wehr., 1937  
Leonov, V. A., 1956 a, 74  
piscivorous birds: Dnepr estuaries of the  
Black Sea
- Echinuria heterobrachiata Wehr, 1937  
Ryzhikova, K. M., 1961 a, 211  
key
- Echinuria horrida (Rud.) [n. comb.]  
Cram, E. B., 1927 a, 245, 253-254, figs. 316,  
317  
Scolopax gallinula; Charadrins hiaticula;  
Tringa variabilis; Tringa alpina
- Echinuria horrida  
Jennings, A. R.; and Soulsby, E. J. L., 1957a,  
219  
Melanitta nigra (common scoter): England
- Echinuria horrida  
Riggins, M. A., 1955 a, 57, 58  
Catoptrophorus semipalmatus: Oklahoma
- Echinuria horrida (Rudolphi, 1809)  
Serkova, O. P., 1948 a, 217-218, 241, fig. 2  
Limosa lapponica: Barabin lakes
- Echinuria horrida (Rudolphi, 1809) Cram, 1927  
Singh, S. N., 1948 a, 212-214, 217, figs.  
38-40  
Halcyon smyrnensis: Hyderabad Deccan
- Echinuria horrida (Rudolphi, 1809)  
Sobolev, A. A., 1943 a, 288, 289
- Echinuria horrida (Rudolphi, 1809)  
Sprehn, C. E. W., 1932 c, 618-619, 872, 874,  
879  
Syns.: Strongylus horridus Rudolphi, 1809;  
Spiroptera gallinulae Rudolphi, 1819;  
Filaria aculeata Creplin, 1825; Filaria  
horrida (Rudolphi, 1809) Diesing, 1851; F.  
spinifera Schneider, 1866; F. aculeata  
(Creplin, 1825) Linstow, 1876; Dispharagus  
aculeatus (Creplin, 1825) Stossich, 1891;  
E. spinifera (Schneider, 1866) Solowiow,  
1912; E. horrida (Rudolphi, 1819) Cram, 1927  
Charadrius hiaticula (Kropf); Calidris alpina;  
Limnocryptes minimus: all from Europa
- Echinuria hypognatha, n. sp.  
Wehr, E. E., 1937 e, 765-767, 768, fig. 6-8  
Oidemia deglandi: National Zoological Park,  
Washington, D. C.
- Echinuria hypognatha Wehr, 1937  
Ryzhikov, K. M., 1961 a, 211  
key
- Echinuria jugadornata  
Baylis, H. A.; and Daubney, R., 1922 a, 320
- Echinuria jugadornata Soloviev  
Cram, E. B., 1927 a, 244, 245-246, fig. 308  
Anas boschas
- Echinuria jugadornata [sic] Soloviev, 1912  
Gower, W. C., 1939 a, 611, 617  
Anas boschas: Turkestan  
Anas platyrhynchos p.
- Echinuria jugadornata Soloviev  
Liubimov, M. P., 1926 a, 30  
Anas boschas
- Echinuria jugadornata Solowiejow  
Rauther, M., 1930 a, 373
- Echinuria jugadornata Solowiejow  
Skrjabin, K. I., 1923 m, 57  
Anas boschas L.
- Echinuria jugadornata Solowiejow, 1912 (type)  
Sprehn, C. E. W., 1932 c, 618, 860  
Anas platyrhyncha (Magen): Asien (Turkestan)
- Echinuria jugadornata Solowiejow, 1912  
Tuzdil, A. N., 1939 a, 60
- Echinuria jugadornata  
Wehr, E. E., 1937 e, 767
- Echinuria jugadornata Solowiejow, 1912  
Yorke, W.; and Maplestone, P. A., 1926 a, 331  
figs. 227 A-B  
type of genus  
Anas boschas
- Echinuria laticeps [n. comb.]  
Bittner, H., 1926 a, 730
- Echinuria leptoptili n.sp.  
Gedoelst, L., 1916 a, 52-53  
Leptoptilus crumenifer: Belg. Congo
- Echinuria leptoptili Ged.  
Baylis, H. A.; and Daubney, R., 1923 a, 95
- Echinuria leptoptili Gedoelst  
Cram, E. B., 1927 a, 245, 254-255, fig. 318  
Leptoptilus crumenifer
- Echinuria leptoptili Gedoelst  
Gendre, E., 1919 a, 45-49, figs. 1-5  
Leptoptilus crumenifer
- Echinuria leptoptili Ged.  
Gendre, E., 1928 a, 71  
Leptoptilus crumeniferus
- Echinuria leptoptili Gedoelst, 1916  
Törnquist, N., 1931 a, 40, 410, 411, 412, 413,  
414, 415, 416  
Leptoptilus crumenifer Less. (Marabu): Sinai,  
Afrika

- Echinuria leptoptili Gedoelst, 1916  
 Yorke, W.; and Maplestone, P. A., 1926 a, 331  
 Leptoptylus sp.
- Echinuria longeornata (Molin, 1860) [n. comb.]  
 Yorke, W.; and Maplestone, P. A., 1926 a, 331  
 Ciconia sp.
- Echinuria longeornata (Molin)  
 Cram, E. B., 1927 a, 245, 255-256  
 Ciconia maguari
- Echinuria longevaginata (Molin) [n. comb.]  
 Cram, E. B., 1927 a, 245, 256, fig. 319  
 Ciconia maguari
- Echinuria longivaginata (Molin, 1860)  
 Ryzhikov, K. M., 1961 a, 211  
 key
- Echinuria minor n. sp.  
 Sandground, J. H., 1937 d, 235-236, figs. 6-7  
 Sarkidornis melanotus (proventriculus):  
 Pania Matumbo, Katanga, Belgian Congo
- Echinuria minor Sandground, 1937  
 Ryzhikov, K. M., 1961 a, 211  
 key
- Echinuria parva n. sp.  
 Cram, E. B., 1928 a, 5-6, figs. 5, 6  
 Branta canadensis
- Echinura parva Cram.  
 Baer, J. G., 1932 d, 256  
 pathogeny  
 Branta canadensis (dans la sous-muqueuse du  
 jabot)
- Echinuria parva Cram, 1928  
 Gushanskaià, L. Kh., 1950 b, 57  
 Anas platyrhynchos: SSSR
- Echinuria parva Cram, 1928  
 Ryzhikov, K. M., 1961 a, 211  
 key
- Echinuria parva  
 Swales, W. E., 1933 a, 476, 477  
 Branta sp.: Ontario
- Echinuria parva  
 Wickware, A. B., 1941 a, 21  
 Branta canadensis: Western Ontario
- Echinuria phoenicopteri (Seurat, 1916) [n. comb.]  
 Seurat, L. G., 1919 c, 189  
 Phoenicopterus roseus: Algeria
- Echinuria phoenicopteri (Seurat)  
 Cram, E. B., 1927 a, 245, 257, fig. 320  
 Phoenicopterus roseus
- Echinuria phoenicopteri (Seurat, 1916)  
 Ryzhikov, K. M., 1961 a, 211  
 key
- Echinuria phoenicopteri (Seurat, 1916)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 332,  
 fig. 227C  
 Phoenicopterus roseus
- Echinuria querquedulae n. sp.  
 Johnston, T. H., ; and Mawson, P. M., 1942 e,  
 71, 72, fig. 1  
 Querquedula gibberifrons: South Australia
- Echinuria skrjabinensis [nomen nudum]  
 Efimov in Sobolev, A. A., 1943 a, 288
- Echinuria skrjabinensis Efimov, 1949  
 Ryzhikov, K. M., 1961 a, 212  
 key
- Echinuria skrjabinensis Efimov [in Sobolev, 1943,  
 nomen nudum]  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Sobo-  
 lev, A. A., 1949 a, 148  
 Recurvirostra avoecetta
- Echinuria skrjabinensis Efimov, 1949 [i.e. Efimov  
 in Sobolev, 1943, nomen nudum]  
 Sultanov, M. A.; Ryzhikov, K. M.; and Kozlov,  
 D. P., 1960 a, 59, 60-61, figs. 1, 1-4  
 Calidris minuta; Cracetia alba (glandular  
 stomach): both from delta of Amu-Darya  
 [Efimov's description and figs. never pub-  
 lished; in manuscript form in library of  
 Vsesoiuznyi Instiut Gel'mintologii K. I.  
 Skrjabin]. [This description and figs. based  
 on specimens of Sultanov, Ryzhikov and  
 Kozlov, which were compared with Efimov's  
 manuscript].
- Echinuria skrjabini [lapsus for Echinuria skrja-  
 biniana nov. sp.]  
 Liubimova, A. P., 1947 a, 148  
 Cygnus olor: Lake Chany, Western Siberia
- Echinuria skrjabini Lubimova, 1947  
 Ryzhikov, K. M., 1959 a, 239  
 Cygnus olor: SSSR
- Echinuria skrjabini Lubimova, 1947  
 Ryzhikov, K. M., 1961 a, 211  
 key
- Echinuria skrjabiniana nov. sp.  
 Liubimova, A. P., 1947 a, 150  
 Cygnus olor: lake Chany, Western Siberia
- Echinuria spinifera (Schneider, 1866) Solowiov,  
 1912  
 Sprehn, C. E. W., 1932 c, 618-619  
 as syn. of E. horrida (Rudolph, 1809)
- Echinuria spinifera (Rud., or Schneider)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 332  
 Scolopax gallinula
- Echinuria spinosa n. sp.  
 Maplestone, P. A., 1931 a, 83-85, 88, figs.  
 19-21  
 Aythya ferina (dun bird)(gizzard); duck
- Echinuria spinosa Maplestone, 1931  
 Baylis, H. A., 1939 b, 142  
 as syn. of Tetrameres spinosa (Maplestone,  
 1931)
- Echinuria spinosa Maplestone, 1931  
 Wehr, E. E., 1933 a, 113-114, fig. 2  
 as syn. of Tetrameres
- Echinuria squamata (Linst., 1883) [n. comb.]  
 Yorke, W.; and Maplestone, P. A., 1926 a,  
 332  
 Phalacrocorax sp.
- Echinuria squamata (Linstow, 1883) Cram, 1927  
 Alegrat, M. J., 1941 a, 7, 18  
 as syn. of Chordecephalus squamatus  
 (Linstow, 1883) n. comb. [also spelled  
 Cordocephalus]
- Echinuria squamata (Linstow)  
 Cram, E. B., 1927 a, 244, 253, 257-258, fig.  
 321  
 Phalacrocorax carbo; Carbo cormoranus
- Echinuria squamata (Linstow, 1883) emend.  
 Hsu, H. F., 1932 a, 99, 111-112, 115, pl. 3,  
 figs. 16-18  
 Phalacrocorax cristatellus sinensis  
 (stomach): Hanoi (Tonkin), Indo-China
- Echinuria squamata Linst.  
 Johnston, T. H.; and Mawson, P. M., 1941 f,  
 254, 257-258, figs. 15-19  
 Phalacrocorax carbo (Linn.): Tailem Bend  
 and Hope Valley Reservoir, Adelaide
- Echinuria squamata Linstow (1883)  
 Kurashvili, B. E., 1941 a, 70, 91, 93, 96  
 as syn. of Skrjabinocara squamata Linst.  
 [n. comb.] (tod)  
 Phalacrocorax carbo (glandular stomach):  
 Georgia, SSR
- Echinuria (Acuaria) squamata (Linstow)  
 Nikol'skaià, N. P., 1939 a, 62  
 Phalacrocorax carbo: Astrakhan reservate,  
 Volgadelta
- Echinuria squamata (Linstow, 1883)  
 Sobolev, A. A., 1943 a, 288

- Echinuria squamata* (Linstow, 1883)  
 Sprehn, C. E. W., 1932 c, 619, 868  
   Syns.: *Filaria squamata* Linstow, 1883;  
   *Dispharagus squamatus* (Linstow, 1883)  
   Stossich, 1891; *Acuaria squamata* (Linstow,  
   1883) Railliet, Henry u. Sisoff, 1912;  
   *Hamannia squamata* (Linstow, 1883) Stiles u.  
   Hassall, 1920; *E. squamata* (Linstow, 1883)  
   Yorke u. Maplestorne, 1926.  
   *Phalacrocorax carbo* (Darm): Asien  
     (Turkestan)
- Echinuria squamata* (Linstow)  
 de Toledo Piza, S. (jr.), 1931 a, 302
- Echinuria uncinata*  
 Ablasov, N. A., 1957 a, 139  
   *Anas strepera*: Kirgizia
- Echinuria uncinata* (Rud., 1819)  
 Akhtar, S. A., 1936 a, 373-375, figs. a-d  
   eggs  
   *Anas sp.*: Kabul, Afghanistan
- Echinuria uncinata*  
 Andrievskaià, N. fu., 1956 a, 21  
   goose (grandular stomach): Odessa oblast
- Echinuria uncinata*  
 Andrievskaià, N. Ju., 1957 a, 157  
   geese: Odessa oblast
- Echinuria uncinata* (Rudolphi, 1819)  
 Bezubik, B., [1957 a], 466-468, 482, 489, 492  
 504, 510, fig. 28  
   *Anas platyrhynchos*: Poland
- Echinuria uncinata*  
 Bittner, H., 1926 a, 730, fig. 320
- Echinuria uncinata* (Rud.)  
 Böhm, J., 1929 b, 2
- Echinuria uncinata*  
 Cram, E. B., 1925 f, 114  
   *Nettion carolinense*: Idaho
- Echinuria uncinata*  
 Cram, E. B., 1926 d, 180  
   *Anas rubripes*
- Echinuria uncinata* (Rud.)  
 Cram, E. B., 1927 a, 245, 246-248, 252,  
 figs. 309-310
- Echinuria uncinata*  
 Cram, E. B., 1928 a, 4-5  
   *Anas rubripes*  
   *Nettion carolinensis*
- Echinuria uncinata*  
 Cram, E. B., 1931 c, 2  
   *Daphnia pulex*  
   *Anas dom.*
- Echinuria uncinata* (Rud., 1819) Soloviev, 1912  
 Dubinina, M. N.; and Serkova, O. P., 1951 a,  
 81, 93  
   *Anas p. platyrhyncha*  
   *Mergus albellus*  
   *Anas strepera*: Tadzhikistan
- Echinuria uncinata* Rudolphi, 1819  
 Eisele, K., 1958 a, 7 figs.  
   diagnosis, biology and morphology  
   Wasservögel
- Echinuria uncinata* (Rud.)  
 Fediushin, A. B., 1937 a, 174  
   *Chaulelasmus strepera*: Western Siberia
- Echinuria uncinata* Sol., 1912  
 Ginetsinskaià, T. A., 1949 c, 90-91  
   *Anas platyrhyncha*; *Spatula clypeata*;  
   *Anas strepera*: all from Volga delta
- Echinuria uncinata* (Rudolphi, 1819)  
 Gower, W. C., 1939 a, 611-612, 617, 619, 620  
   Synonymy  
   *Anas boschas domestica*; *Anas platyrhynchos*  
   (dom.); *Anas penelope*; *Mareca penelope*;  
   *Anas rubripes*; *Anser cinereus domesticus*;  
   *Cygnus olor domesticus*; *Nettion caroli-*  
   *nense*
- Echinuria uncinata* (Rudolphi)  
 Graham, R.; Torrey, J. P.; Mizelle, J. D.;  
 and Michael, V. M., 1937 a, 43  
   geese; swans; *Daphnia pulex*
- Echinuria uncinata* (Rudolphi, 1819)  
 Gushanskafà, L. Kh., 1950 c, 57  
   *Anas crecca*: SSSR
- Echinuria uncinata*  
 Hall, M. C., 1929 b, 34, 47, 61  
   *Anas boschas*; *Anas penelope*; *Anas rubri-*  
   *pes*; *Anser cinereus domesticus*; *Cygnus*  
   *olor domesticus*; *Nettion carolinense*;  
   *Daphnia pulex*
- Echinuria uncinata*  
 Hill, W., 1941 a, figs. 1-2  
   Enten
- Echinuria uncinata*  
 India. Imperial Council of Agricultural  
 Research, 1940 a, 194  
   ducks: N.-W. F. P., India
- Echinuria uncinata*  
 Ivashkin, V. M., 1961 a, 87  
   biological peculiarities
- Echinuria uncinata*  
 Kauker, E., 1941 a, 609  
   Synonymy  
   Schwan: zoologischen Gartens, Posen
- Echinuria uncinata*  
 Kurochkin, I. V., 1959 a, 64  
   adaptation to parasitism in muscular stomach
- Echinuria uncinata* (Rudolphi, 1819)  
 Lalitha, C. M.; and Alwar, V. S., 1960 a, 179  
   *Anas boschas domesticus*: Madras
- Echinuria uncinata* (Rud.)  
 Liùbimov, M. P., 1926 a, 14, 17, 18, 19, 24, 30  
   *Anas boschas dom.*; *Anas boschas*
- Echinuria uncinata* (Rudolphi, 1819) Soloviev,  
 1912  
 Liùbimova, A. P., 1947 a, 148  
   *Cygnus olor*  
   *Cygnus musciculus*: Moskva Zoopark
- Echinuria uncinata* Rud.  
 Magnusson, H. G., 1929 b, 1-6, figs. 1-4  
   svan
- Echinuria uncinata* Rud.  
 Magnusson, H. G., 1929 c, 295-296, figs. 1-4  
   Schwan
- Echinuria uncinata* (Rudolphi, 1819) Soloviev,  
 1912  
 Maplestone, P. A., 1939 c, 419-420, fig. 1  
   *Querquedula querquedula*: Calcutta Zool.  
   Gardens
- Echinuria uncinata* (Rud.) Soloviev  
 Markov, G. S., 1942 a, 579, 581  
   *Somateria spectabilis*: Bezymiannaya Bay  
   (Novaya Zemlya)
- Echinuria uncinata* (Rud.)  
 Mawson, P. M., 1956 e, 206  
   *Anas p. platyrhynchos*: Alberta
- Echinuria uncinata*  
 Monné, L., 1955 a, 93, 99, 106  
   histochemical properties of egg envelopes  
   and external cuticles of nematodes
- Echinuria uncinata*  
 Monné, L., 1958 a, 1  
   technique
- Echinuria uncinata*  
 Monné, L., 1959 c, 344  
   histochemical study of external cuticle
- Echinuria uncinata* (Rud., 1819)  
 Oshmarin, P. G., 1950 b, 177  
   *Somateria mollissima*: Far East
- Echinuria uncinata* (Rudolphi, 1819)  
 Pallaské, G., 1944 b, 98
- Echinuria uncinata* Rudolphi, 1819  
 Panova, L. G., 1956 a, 141  
   goose: Leningrad oblast

- Echinuria uncinata*  
Petrochenko, V. I., 1962 a, 34  
ducks
- Echinuria uncinata* (Rud.)  
Petrov, A. M., 1926 a, 100, 111
- Echinuria uncinata*  
Popov, A.; and Mincheva, N., 1955 a, 162, figs. 3-4  
Enten: Bulgarien
- Echinuria uncinata*  
Potemkina, V. A., 1956 a, 28-30, figs. 1-5  
utka [duck]
- Echinuria uncinata*  
Quortrup, E. R.; and Shillinger, J. E., 1941 a, 386  
redhead: Bear River Wildlife Disease Research Station
- Echinuria uncinata*  
Radin, I. D., 1959 a, 165-169  
aquatic birds
- Echinuria uncinata* Rud., 1819  
Romanova, N. P., 1947 a, 371-372  
Daphnia pulex; Daphnia magna; ducks
- Echinuria uncinata* Rudolphi, 1819  
Romanova, N. P., 1948 b, 189-190  
cycle of development  
Daphnia pulex; D. magna
- Echinuria uncinata*  
Romanova, N. P., 1958 a, 357  
water birds
- Echinuria uncinata* (Rud., 1819)  
Ryzhikov, K. M., 1959 a, 239  
Cygnus cygnus; Cygnus olor: both from SSSR
- Echinuria uncinaa* [=uncinata] (Rud., 1819)  
Ryzhikov, K. M., 1961 a, 211  
key
- Echinuria uncinata*  
Ryzhikov, K. M.; and Kozlov, D. P., 1959 a, 60  
Anas strepera: Turkmenistan
- Echinuria uncinata*  
Ryzhova, A. A.; and Sheretnevskaya, E. N., 1958 a, 256  
ducks: Gorky oblast
- Echinuria uncinata*  
Schirrmeister, E., 1938 a, 118  
Schwan
- Echinuria uncinata*  
Schirrmeister, E., 1938 b, 49  
Schwan
- Echinuria uncinata* (Rudolphi)  
Schuurmans Stekhoven, J. H., 1935 f, V.c 24;  
V.c 26, V.c 39, fig. 393  
Daphnia pulex; Anser albifrons; Anas platyrhyncha; Anas penelope; Anser anser; Cygnus olor
- Echinuria uncinata* (Rudolphi, 1819)  
Serkova, O. P., 1948 a, 216, 231, 237, 240, 241  
Anas platyrhyncha; Anas strepera; Anas acuta; Nyroca ferina; Philomachus pugnax; Daphnia pulex: all from Barabin lakes
- Echinuria uncinata* (Rud.)  
Seurat, L. G., 1918 f, 579
- Echinuria uncinata* (Rud. 1819) Solojev, 1912  
Seurat, L. G., 1919 c, 180-181, figs. A 1-2  
Anas penelope L.: Algeria
- Echinuria uncinata*  
Seurat, L. G., 1920 c, 71  
morphology and ethiology
- Echinuria uncinata*  
Shakhnazarova, N. G., 1946 a, 133, 134, fig. 1  
helminthoovoscopic diagnosis
- Echinuria uncinata* Rudolphi, 1819  
Shevtsov, A. A., 1958 c, 247  
domestic ducks: Moscow region
- Echinuria uncinata* (Rud.)  
Skrjabin, K. I., 1923 m, figs. 62-64  
Anas boschas L.; Anas boschas dom. L.; Anser anser L.; Anser anser dom. L.; Cygnus olor dom.; Daphnia pulex
- Echinuria uncinata*  
Skrjabin, K. I., 1926 b, 308  
Anas boschas fer.
- Echinuria uncinata*  
Skrjabin, K. I.; and Shul'ts, R. E. S., 1929 a, 62
- Echinuria uncinata* (Rudolphi, 1819) Soloviev, 1912  
Spasskaya, L. P., 1949 a, 140  
Anas strepera: Western Siberia
- Echinuria uncinata* (Rudolphi, 1819)  
Sprehn, C. E. W., 1932 c, 619, 857, 860, 861, fig. 290  
Syns.: Spiroptera uncinata Rudolphi, 1819;  
Dispharagus uncinatus (Rudolphi, 1819) Railliet, 1893; E. (Hamannia) uncinata (Rudolphi, 1819) Railliet, Henry u. Sisoff, 1912;  
E. uncinata (Rudolphi, 1819) Solowiov, 1912  
Daphnia pulex; Anas platyrhyncha (Oesophagus, Kropf, Muskelmagen, u. Darm, auch einmal in den Luftschläcken gefunden); Anser anser; Anas penelope; Cygnus color [i.e. olor]: all from Europa, Afrika, Nordamerika
- Echinuria (Hamannia) uncinata* (Rudolphi, 1819)  
Railliet, Henry u Sisoff, 1912  
Sprehn, C. E. W., 1932 c, 619  
as syn. of E. uncinata (Rudolphi, 1819)
- Echinuria uncinata* (Rudolphi, 1819)  
Storozheva, A. M., 1959 a, 179  
Anas platyrhyncha domestica: Belorussian SSR
- Echinuria uncinata*  
Sultanov, M. A., 1958 b, 19  
domashnii gus [Anser anser]; sviaz [Anas penelope]: both from Uzbekistan
- Echinuria uncinata*  
Swales, W. E., 1934 a, 13  
teal and baldpates: Alberta
- Echinuria uncinata*  
Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 895, 897  
Anas platyrhyncha; Cygnus olor: both from Netherlands
- Echinuria uncinata*  
Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 b, 1303  
Anseriformes
- Echinuria uncinata* (Rud., 1819) Soloviev, 1912  
Tsvetaeva, N. P., 1953 a, 150, figs. 1-6  
pathology  
duck; barnacle goose; goose; black swan; white swan
- Echinuria uncinata* (Rudolphi, 1819)  
Tuzdil, A. N., 1939 a, 60-61, fig. 17 a
- Echinuria uncinata* Rud.  
Vavilova, N. M., 1926 a, 113, 123  
Anser cinereus
- Echinuria uncinata* (Rud., 1819) Soloviev, 1912  
Wehr, E. E., 1937 e, 767, 768  
Anas platyrhynchos
- Echinuria uncinata*  
Wickware, A. B., 1941 a, 21-22  
ducks: U.S.  
teal: Province of Alberta  
widgeons (baldpates): Province of Alberta
- Echinuria uncinata* (Rud., 1819) Soloviev, 1912  
Yamaguti, S., 1941 e, 441, 465-466, 479, pl. XI  
fig. 27, figs. 28-29  
Tadorna tadorna: Hukuoka, Kyūsyū
- Echinuria uncinata* (Rud., 1819)  
Yorke, W.; and Maplestone, P. A., 1926 a, 332  
ducks; geese
- Echinuria uncinata* (Rudolphi 1819)  
Zajicek, D., 1959 b, 133, figs. 1-6
- Echinuriasis*  
Kholoshchanov, V., 1960 a, 51  
ducks

- Echinuriasis  
Mozgovoi, A. A.; and Bychikhin, M. T., 1959 a, 44  
ducks
- Echinuriasis  
Selivanova, A. S., 1959 a, 37-38  
ducks: Omsk oblast
- Echinuriasis  
Selivanova, A. S., 1960 a, 51-52  
ducks
- Echinuriinae Sobolew, 1941  
Skrjabin, K. I., 1941 b, 470, 471, 473  
Acuariidae
- Echinuriinae n. subf.  
Sobolev, A. A., 1943 a, 290, 295
- Echinuriinae Sobolev, 1941  
Sobolev, A. A., 1943 b, 77-78
- Echinuriinae Sobolev  
Sobolev, A. A., 1957 a, 1311
- Echinuriinae  
Teixeira de Freitas, J. F., 1953 a, 89-94
- Echinurioides n. g.  
Thwaite, J. W., 1926 a, 273-275
- Echinurioides  
Wehr, E. E., 1933 d, 78  
Syn. of Tetrameres
- Echinurioides plectropteri n.g., n.sp.  
Thwaite, J. W., 1926 a, 273-275, figs. 1-3  
Plectropterus sp.: Nigeria
- Echinurioides plectropteri Thwaite, 1926  
Wehr, E. E., 1933 d, 78  
Plectropterus sp. (spurwinged goose):  
Nigeria
- Ectaphelenchus. See Ektaphelenchus.
- Edesonfilaria gen. nov  
Yeh, L. -S., 1960 c, 125-128  
Macaca irus
- Edesonfilaria n. sp.  
Wongsathuaythong, S., 1961 a, 255-257  
monkeys
- Edesonfilaria malayensis n. sp.  
Yeh, L.-S., 1960 c, pl., figs. 1-5  
Macaca irus
- Edesonfilaria malayensis Yeh, 1960  
Yamaguti, S.; and Hayama, S., 1961 a, pl., figs. 1-6
- Ectaphelenchus amitini (Fuchs, 1937)  
Rühm, W., 1956 b, 245, 255, 418  
Syns.: Cryptaphelenchus amitini Fuchs, 1937;  
Aphelenchoides amitini (Fuchs, 1938) Goodey,  
1951  
Eps amitinus
- Ectaphelenchus betulae n. sp.  
Rühm, W., 1956 b, 25, 51, 244, 247-249, figs.  
73a-e  
key  
Scolytus ratzeburgi: Burglengenfeld  
(Oberpfalz)
- Ectaphelenchus cunicularii (Fuchs, 1930) n.c.  
Rühm, W., 1956 b, 245, 250-252, 416  
Syns.: Parasitaphelenchus hylastophilus  
forma cunicularii Fuchs 1930; P. hylastophilus  
forma ateri Fuchs, 1930; Aphelenchoides  
hylastophilus forma cunicularii (Fuchs, 1930)  
Goodey, 1951; A. hylastophilus forma ateri  
(Fuchs, 1930) Goodey, 1951  
Hylastes ater; H. cunicularius: St. Blasien  
(Schwarzwald), Süderlügum (Schleswig-Holstein)
- Ectaphelenchus goffarti n. sp.  
Rühm, W., 1956 b, 51, 245, 252, 253, 417, figs.  
76a-m  
Dryocoetes villosus (unter den Flügeldecken):  
Brunn b. Nürnberg
- Ektaphelenchus hylastophilus ateri (Fuchs, 1930)  
Filipjev, I. A.; and Schuurmans Stekhoven, J.  
H., 1941 a, 789, 790, fig. 398B  
Syn.: Parasitaphelenchus hylastophilus ateri  
Hylastes ater: Germany
- Ektaphelenchus hylastophilus cunicularii (Fuchs,  
1930)  
Filipjev, I. A.; and Schuurmans Stekhoven, J.  
H., 1941 a, 790, fig. 398A  
Syn.: Parasitaphelenchus hylastophilus  
cunicularii Fuchs, 1930  
Hylastes cunicularius: Germany
- Ektaphelenchus macrostylus n. sp.  
Khan, M. A., 1960 a, 91, 92, 93, figs. 1-5  
Dendroctonus pseudotsugae: British Columbia
- Ektaphelenchus obtusus n. sp.  
Massey, C. L., 1956 a, 20-22, 24, figs. 3 C-E  
Dendroctonus engelmanni Hopk.: Colorado,  
northern Idaho, Kootenai and Lolo National  
Forests, northern Montana
- Dendroctonus pseudotsugae: vicinity of Weed,  
N. Mexico
- Dendroctonus borealis: Anchorage, Alaska
- Ectaphelenchus scolyti n. sp.  
Rühm, W., 1956 b, 25, 245, 248, 249, 415, fig.  
74  
Scolytus scolytus  
S. multistriatus: Erlangen, Nürnberg, Mün-  
chen
- Ectaphelenchus skrjabini n. sp.  
Lazarevskaya, S. L., 1961 a, 144, 147-152,  
figs. 3-4  
Pissodes pini L.: Buzuluk city in Orenburg  
oblast
- Ectaphelenchus tuerkorum n. sp.  
Rühm, W., 1956 b, 25, 252, 254, 418, fig. 77  
Pityokteines curvidens: Nürnberg, Regensburg  
Stadtsteinach, Sulzburg
- Ektaphelenchus typographi (Fuchs, 1930) [n. comb.]  
Filipjev, I. N.; and Schuurmans Stekhoven, J.  
H., 1941 a, 790  
Syn.: Parasitaphelenchus typographi (Fuchs,  
1930)  
Ips typographus: Germany
- Ectaphelenchus typographi (Fuchs, 1930)  
Rühm, W., 1956 b, 254-255, 418, fig. 78  
Eps typographus: Erlangen, Höbing (Mittel-  
franken), Regensburg, Fichtelgebirge, Sieber
- Ectaphelenchus zwölferi n. sp.  
Rühm, W., 1957 b, 72, 73, 78-81, fig. 2  
Käfer [Coleoptera]: Friedrichsruh im Sach-  
senwald
- Elaeophora Railliet & Henry, 1912  
Baylis, H. A.; and Daubney, R., 1926 a, 199  
type: E. poeli (Vrijburg)
- Elaeophora Railliet et Henry 1912  
Chabaud, A. G.; and Anderson, R. C., 1959 a,  
82  
key  
Onchocercidae; Onchocercinae
- Elaeophora  
Faust, E. C., 1929 c, 454  
Elaeophora [as Elaeophora]  
Gnedina, M. P., 1940 a, 92  
Elaeophora Raill. and Henry, 1912 [as Klaeophora]  
Huber, F. L., 1936 b, 80  
Elaeophora Railliet and Henry, 1912 [as Elaes-  
phora]  
Kemper, H. E., 1935 a, 2  
Elaeophora R. & H.  
Lopez Neyra, C. R., 1924 a, 131-132  
Elaeophora Raill. and Henry, 1912  
Peters, B. G., 1936 b, 9  
Elaeophora Railliet & Henry  
Rauther, M., 1930 a, 303, 369  
Elaeophora Raill. and Henry  
Sandground, J. H., 1938 d, 111, 114, 115

- Elaeophora Raill. and Henry  
Skrjabin, K. I.; and Shikhobalova, N. P.,  
1936 a, 74  
Onchocercinae  
key
- Elaeophora Rail. & Henry  
Sluiter, C. P.; Swellengrebel, N. H.; and  
Ihle, J. E. W. [1922 a], 438
- Elaeophora [as Elaeophora]  
Sprehn, C. E. W., 1927 e, 64
- Elaeophora Railliet et Henry, 1912  
Sprehn, C. E. W., 1932 c, 576, 579-580  
type: *E. poeli* (Vryburg, 1897)
- Elaeophora  
Travassos, L. P., 1920 h, 69
- Elaeophora Railliet and Henry, 1912  
Tüdzil, A. N., 1939 a, 10, 22
- Elaeophora Railliet & Henry, 1912  
Yorke, W.; and Maplestone, P. A., 1926 a,  
412, 414-416  
type: *E. poeli* (Vryburg, 1897)
- Elaeophora böhmi n. sp.  
Supperer, R., 1953 b, 193, 205-206, 207-210,  
figs. 8-10  
Pferd: Oesterreich
- Elaeophora poeli  
Adams, A. R. D., 1933 b, 8  
cattle and buffalo: Fed. Malay States
- Elaeophora poeli (Vrijburg)  
Baylis, H. A., 1929 c, 215, fig. 157  
cattle; buffalo
- Elaeophora poeli (Vrijburg, 1897)  
Baylis, H. A.; and Daubney, R., 1926 a, 199
- Elaeophora poeli  
Curasson, G., 1947 a, 448  
chameau
- Elaeophora poeli  
Euzeby, J., 1957 c, 18  
Bubalus bubalis; Bibos indicus: both from  
Federation of Malaya
- Elaeophora poeli Vryburg  
Gedoelst, L., 1916 a, 10
- Eloeophora [sic] poeli (Vrijburg, 1897)  
Gnedina, M. P., 1940 a, 92
- Elaeophora poeli  
Graber, M., 1959 c, 148  
zébu: République du Tchad
- Elaeophora poeli  
Griffiths, R. B., 1957 a, 43, 110  
cattle (thoracic aorta): Burma
- Elaeophora poeli  
Hock, R., 1925 b, 1472  
Würmer in der Aorta
- Elaeophora poeli Vryb.  
Houdemer, F. E., 1927 a, 197, 199, 247  
bovides; bubalides
- Elaeophora poeli (Vryburg) [as Klaeophora poeli]  
Huber, F. L., 1936 b, 80  
Karbouw: Koepang
- Elaeophora poeli (Vryburg, 1897)  
de Jesus, Z., 1938 b, 22, 27, 30  
Carabaos (Bubalus bubalis); Bos taurus:  
both from Philippines
- Elaeophora poeli  
Kraneveld, F. C., 1939 a, 79  
buffel: Nederl.-Indië (Balige; Benkoelen;  
Taroetoeng)
- Elaeophora poeli  
Kraneveld, F. C., 1939 c, fig. 1  
buffel: Nederl.-Indies
- Elaeophora poeli  
Krijgsman, B. J., 1933 d, 370, 371  
Syn.: *Filaria poeli*  
Rund (aortawand): Nederlandsch-Indië  
Karbouw (aortawand)
- Elaeophora poeli  
Lancaster, W. E., 1957 a, 161  
buffalo; cattle: both from Malaya
- Elaeophora [sic ?] poeli  
Li, H. C., 1933 d, 204
- Elaeophora poeli Vryburg  
Lopez Neyra, C. R., 1924 a, 132
- Elaeophora poeli (B. Vryburg)  
Railliet, A., 1925 b, 23-24
- Elaeophora poeli (Vryburg)  
Rauther, M., 1930 a, 369
- Elaeophora poeli  
Ressang, A. A.; Fischer, H. S.; and Muchlis,  
A., 1959 a, 93, 94  
cattle; Bubalus bubalis: both from Indonesia
- Elaeophora poelli Railliet and Henry, 1912  
(in association with Onchocerca armillata)  
Sandground, J. H., 1936 b, 523, 524, 528  
*Syncerus caffer*: Belgian Congo
- Elaeophora poeli  
Sandground, J. H., 1938 d, 108-115, pl. 1,  
figs. 1-4  
buffalo
- Elaeophora poeli (Vryburg)  
Schwartz, B., 1925 h., 529  
Bos taurus; Bos kerabau
- Elaeophora poeli  
Seurat, L. G., 1920 c, 72
- Elaeophora poeli (Vryb.)  
Seurat, L. G., 1921 b, 37
- Elaeophora poeli  
Shirlaw, J. F., 1939 a, 176  
Deg-nala disease of buffaloes
- Elaeophora poeli (B. Vrijburg)  
Sluiter, C. P.; Swellengrebel, N. H.; and  
Ihle, J. E. W., [1922 a], 438, 445  
*Syn.*: *Filaria poeleri* B. Vrijburg
- Elaeophora poeli  
Sprehn, C. E. W., 1927 e, 64  
Bos bubalis; Bos indicus
- Elaeophora poeli (Vryburg, 1897) (type)  
Sprehn, C. E. W., 1932 c, 580, 811  
Syns.: *Filaria poeli* Vryburg, 1897;  
F. blini Carougeau u Marotel, 1903;  
F. haemophilus Linstow, 1903; E. poeli  
(Vryburg, 1897) Railliet u. Henry, 1912  
Bos taurus (Aorta): Ostasien
- Elaeophora poeli (Vryburg, 1877 [sic])  
Tubangui, M. A., 1933 b, 79  
cattle; carabaos: both from Philippine  
Islands
- Elaeophora poeli (Vryburg, 1897)  
Tüdzil, A. N., 1939 a, 22
- Elaeophora poeli  
Varma, A. K., 1953 b, 11  
Bos bubalus: Assam
- Elaeophora poeli  
Wooldridge, G. H., 1923 d, 367
- Elaeophora poeli (Vryburg, 1897)  
Yorke, W.; and Maplestone, P. A., 1926 a, 416  
fig. 284  
type of genus  
ox
- Elaeophora schneideri n. sp.  
Wehr, E. E.; and Dikmans, G., 1935 a, 202-205  
206, fig. 1  
Syn.: Macdonaldius sp. Dikmans, 1934  
Ovis aries: New Mexico  
Odocoileus hemionus hemionus: Utah
- Elaeophora schneideri  
Allen, R. W., 1960 a, 54  
relation to environment
- Elaeophora schneideri  
Chitwood, B. G.; and Chitwood, M. B., 1938 a,  
66, fig. 59 E
- Elaeophora schneideri Wehr and Dikmans  
Cowan, I. M., 1946 b, 84, 88, 89  
Odocoileus hemionus columbianus (Richardson)  
(Columbian black-tailed deer): Southern  
British Columbia

- Elaeophora schneideri*  
Davis, C. L.; and Kemper, H. E., 1951 a, 103,  
fig. 2  
sheep
- Elaeophora schneideri*  
Dikmans, G., 1939 d, 99  
*Odocoileus hemionus*
- Elaeophora schneideri*  
Dikmans, G., 1948 f, 15, 16, 23
- Elaeophora schneideri*  
Dikmans, G.; and Shorb, D. A., 1942 a, 860,  
861, 889-890, 894, 897, fig. 8
- Elaeophora schneideri* Wehr and Dikmans 1935  
Douglas, J. R.; Cordy, D. R.; and Spurlock,  
C. M., 1954 a, figs. 1B, 2  
sheep
- Elaeophora schneideri*  
Foster, A. O., 1955 b, 197
- Elaeophora schneideri*  
Herman, C. M., 1945 e, 204, fig. 63C  
deer
- Elaeophora schneideri*  
Jensen, R.; and Seghetti, L., 1955 a, 499, 504,  
505, fig. 14, pl., figs. 9, 10  
sheep
- Elaeophora schneideri* [also *Elaesphora schnei-  
deri*]  
Kemper, H. E., 1935 a, 2  
sheep (arterial circulation, carotid and  
mesenteric arteries, posterior aorta):  
Southwestern New Mexico
- Elaeophora schneideri*  
Kemper, H. E., 1938 a, figs. 1-2  
sheep: Catron County, New Mexico
- Elaeophora schneideri* (Wehr and Dikmans, 1935)  
Kemper, H. E., 1957 a, 220, fig. 1.  
sheep
- Elaeophora schneideri*  
Kemper, H. E.; and Roberts, I. H., 1946 b, 350  
351, 353, 354  
sheep
- Elaeophora schneideri*  
McGregor, W. S.; and Miller, W. O., 1958 a, 8  
sheep
- Elaeophora schneideri* Wehr and Dikmans, 1935  
Olsen, O. W.; and Fenstermacher, R., 1943 a,  
8, 9, 16, 18, fig. 5a, 5b  
key
- Elaeophora schneideri* Wehr and Dikmans, 1935  
Sandground, J. H., 1938 d, 115
- Elaeophora schneideri*  
Schwartz, B. I., [1946 g], 35-36  
antimony
- Elaeophora schneideri*  
Schwartz, B. I., [1950 a], 56  
treatment  
sheep
- Elaeophora schneideri*  
Seghetti, L., 1955 b, 17  
sheep
- Elaeophora schneideri*  
Smith, H. C.; Lovell, V. E.; and Reppert, R.  
F., 1954 a, 588  
sheep
- Elaeophora schneideri*  
Swank, W. G., 1958 a, 54-55, fig. 20  
*Odocoileus hemionus*: Bloody Basin and  
Prescott areas, Arizona
- Elaeophora schneideri*  
Taber, R. D.; and Dasmann, R. F., 1958 a, 144,  
145, fig. 48 g  
*Odocoileus hemionus columbianus*
- Elaesphora* [for *Elaeophora* Railliet and Henry,  
1912]  
Kemper, H. E., 1935 a, 2
- Elaphocephalus Molin*, 1860  
Baylis, H. A.; and Daubney, R., 1926 a, 235
- Elaphocephalus Molin* Molin  
Perrier, E., 1897 a, 1410
- Elaphocephalus Molin* Molin  
Rauther, M., 1930 a, 374
- Elaphocephalus Molin*, 1860  
Wehr, E. E., 1936 b, 61  
?Filarioidea
- Elaphocephalus Molin*, 1860  
Yorke, W.; and Maplestone, P. A., 1926 a, 438-  
439  
type: *E. octocornutus* Molin, 1860
- Elaphocphalus octocornutus* Molin, 1860  
Baylis, H. A.; and Daubney, R., 1926 a, 235
- Elaphocephalus octocornutus*  
Perrier, E., 1897 a, 1410  
*Psittacus macao*: Bresil
- Elaphocephalus octocornutus* Molin  
Rauther, M., 1930 a, 374, fig. 402
- Elaphocephalus octocornutus* Dies., 1861  
Yorke, W.; and Maplestone, P. A., 1926 a, 439,  
fig. 299  
type of genus  
*Psittacus macao*
- Elaphocephalus octocoronatus*  
Baylis, H. A.; and Lane, C., 1920 a, 306
- Elaphocephalus octocoronatus* Molin  
Travassos, L. P., 1930 a, 14-15, pl. 2, figs.  
24-26  
*Ara macao* (L.)
- Elaphonema* n. g.  
Heyns, J., 1962 c, 128  
Cephalobidae; *Elaphonematinae* n. subf.  
mt.: *E. mirabile* n. g. n.sp.
- Elaphonema mirabile* n. gen., n. sp. (mt.)  
Heyns, J., 1962 c, 128-130, fig. 1
- Elaphonematinae* n. subf.  
Heyns, J., 1962 c, 128  
Cephalobidae  
includes: *Elaphonema* n.g.
- Elaphostrongylinae* subfam. nov.  
Boev, S. N.; and Shul'ts, R. E. S., 1950 a,  
355, 358  
includes *Elaphostrongylus* Cameron, 1931;  
*Parelaphostrongylus* gen. nov.
- Elaphostrongylosis*  
Liubimov, M. P., 1959 a, 155-156
- Elaphostrongylus* n.g.  
Cameron, T. W. M., 1931 g, 213-216 (1-4),  
figs. 1-6  
mt: *Elaphostrongylus cervi* n. sp.
- Elaphostrongylus* Cameron, 1931  
Böhm, L. K.; and Gebauer, O., 1934 a, 288, 291  
*Angiostrongylinae* n. subfam.  
key
- Elaphostrongylus* Cameron, 1931  
de Bruyn, W. M., 1933 a, 149  
type species: *E. cervi* Cameron, 1931  
Ruminantia: Europa (Schottland)
- Elaphostrongylus* Cameron, 1931  
Dougherty, E. C.; and Goble, F. C., 1946 a, 8,  
13  
Metastrongylidae, *Protostongylinae*  
key  
gt: *E. cervi* Cameron, 1931
- Elaphostrongylus* Cameron, 1932  
Shul'ts, R. E. S.; Orlov, I. V.; and Kutass,  
A. J., 1933 a, 304, 309
- Elaphostrongylus* Cameron, 1931 emend.  
Whitlock, J. H., 1959 a, 5-7, 14, 15-27, pls.  
1-26  
Syns.: *Pneumostrongylus* partim (fide  
Dougherty, 1945); *Odocoileostrongylus* Schulz,  
1951; *Parelaphostrongylus* Boev and Schulz,  
1950; *Neurofilaria* Whitlock, 1952; *Protos-  
trongyloides* Baudet and Vervey, 1957  
type sp.: *Elaphostrongylus tenuis* (Dougherty  
1945) nov. comb.

- Elaphostrongylus* n. sp.  
van den Burg, W. B.; Baudet, E. A. F.; and Verwey, J. H. P., 1953 a, 414-417  
deer (*Cervus elaphus*)
- ?*Elaphostrongylus* sp.  
Dikmans, G.; and Wehr, E. E., 1935 a, 57  
moose (*Alces americana*): Northern Minnesota
- ?*Elaphostrongylus* sp.  
Fenstermacher, R., 1937 a, 30-31  
moose
- Elaphostrongylus* sp.  
Mitskevich, V. Iu., 1953 a, 26  
reindeer
- Elaphostrongylus* sp.  
Olsen, O. W.; and Fenstermacher, R., 1942 a, 406  
*Alces americana*: Northern Minnesota
- Elaphostrongylus* (?) sp. Dikmans and Wehr, 1932  
Whitlock, J. H., 1959 a, 7-13  
as syn. of *Elaphostrongylus tenuis* (Dougherty, 1945) nov. comb.
- Odocoileus virginianus borealis*; *Alces americana*; domestic sheep: all from Pennsylvania
- Elaphostrongylus* n. sp.  
Whitlock, J. H., 1960 b, 47  
caribou: New York
- Elaphostrongylus cervi* n. sp.  
Cameron, T. W. M., 1931 g, 213-216(1-4), figs. 1-6  
*Cervus elaphus*
- Elaphostrongylus cervi*  
Cameron, T. W. M., 1932 f, 92  
*Cervus elaphus* (red deer): Scotland
- Elaphostrongylus cervi* Cameron, 1931  
Cameron, T. W. M., 1933 a, 5  
red deer
- Elaphostrongylus cervi* Cameron, 1931  
de Bruyn, W. M., 1933 a, 149  
type species
- Elaphostrongylus cervi* Cameron, 1931  
Cameron, T. W. M.; and Parnell, I. W., 1933 a, 137, 143  
*Cervus elaphus*: Scotland
- Elaphostrongylus cervi* Cameron, 1931  
Dougherty, E. C.; and Goble, F. C., 1946 a, 13  
*Cervus elephas scoticus* Lonnberg
- Elaphostrongylus odocoilei* n. sp.  
Hobmaier, A.; and Hobmaier, M., 1934 a, 509-514, figs. 1-5  
*Agriolimax agrestis* Linne; *A. campestris*; *Helix aspersa* Mueller and *Epigrammophora arrosa* Gld.
- Elaphostrongylus odocoilei* Hobmaier and Hobmaier, 1934  
Anderson, R. C., 1956 a, 2 pls., figs. 1-12  
*Odocoileus virginianus borealis* Miller:  
Algonquin park, Ontario, Canada
- Elaphostrongylus odocoilei*  
Dikmans, 1939 d, 99  
*Odocoileus columbianus*
- Elaphostrongylus odocoilei*  
Dougherty, E. C., 1945 a, 199, 205, 206, 207, pl., fig. 11  
*Odocoileus hemionus columbianus* (Richardson)
- Elaphostrongylus odocoilei* Hobmaier and Hobmaier, 1934  
Dougherty, E. C.; and Goble, F. C., 1946 a, 13  
*Odocoileus hemionus columbianus* (Richardson)
- Elaphostrongylus odocoilei*  
Hobmaier, M., 1937 b, 235-240, figs. 1-4
- ?*Elaphostrongylus odocoilei*  
Mills, H. B., 1937 a, 211  
*Ovis canadensis canadensis*: Yellowstone Park
- Elaphostrongylus odocoilei* Hobmaier and Hobmaier, 1934  
Olsen, O. W.; and Fenstermacher, R., 1943 a, 8, 9, 14, 19, fig. 6  
key
- Elaphostrongylus panticola*  
Boev, S. N., 1953 b, 116, 118, 121, 122, figs. 2(2), 3(2), 4(2)  
morphology
- Elaphostrongylus panticola*  
Boev, S. N., 1954 a, 780, 786  
[stag] maral: Kazakhstan
- Elaphostrongylus panticola*  
Boev, S. N., 1954 c, 167  
kosulka? [*Capreolus capreolus* or *Capreolus pygargus*]: Kazakhstan
- Elaphostrongylus panticola* Liubimov, 1945  
Boev, S. N., 1957 a, 130-132  
*Cervus elaphus canadensis*; *Cervus nippon*
- Elaphostrongylus panticola* Lubimov, 1945  
Boev, S. N., 1959 a, 932  
*Cervus elaphus canadensis*: Kazakhstan
- Elaphostrongylus panticola* Liubimov, M. P., 1948 b, 199, 200  
maral deer
- Elaphostrongylus panticola* Lubimov, 1945  
Rykovskiy, A. S., 1959 a, 254, 260  
*Alces alces*: European section of SSSR
- Elaphostorngylus rangiferi* nov. sp. [nom. nudum]  
Mitskevich, V. Iu., 1957 a, 207  
reindeer; *Trichida hispida*; *Succinea putris*
- Elaphostrongylus rangiferi* sp. nov.  
Mitskevich, V. Iu., 1958 a, figs. 1-3  
reindeer
- Elaphostrongylus rangiferi* n. sp.  
Mitskevich, V. Iu., 1960 a, figs. 1-6  
Rangifer tarandus: Kola Peninsula
- Elaphostrongylus tenuis* (Dougherty, 1945) nov. comb.  
Whitlock, J. H., 1959 a, 7-13, pls., figs. 1-27  
Syns.: *Pneumostrongylus tenuis* Dougherty, 1945; *Odocoileostrongylus tenuis* (Dougherty, 1945) Schulz, 1951; *Neurofilaria cornellensis* Whitlock, 1952; *Elaphostrongylus* (?) sp. Dikmans and Wehr, 1932  
*Odocoileus virginianus borealis*; *Alces americana*; domestic sheep: all from Pennsylvania
- Ematozoa filaria cardiaca* of Bossi, 1871  
Dougherty, E. C., 1946 b, 21  
as syn. of *Angiostrongylus vasorum* (Baillet, 1866) Kamenskii, 1905
- Ematozoa filaria cardiaca* Bossi  
Kamenskii, S. N., 1905 a, 44
- Encephalonema* gen. n.  
Parukhin, A. M.; and Oshmarin, P. G., 1960 a, June, 935  
tod: *E. longimicrofilaria* n. sp.
- Encephalonema* n.g.  
Oshmarin, P. G.; and Parukhin, A. M., 1960 a, Sept., 1308  
mt: *E. longimicrofilaria*
- Encephalonema longimicrofilaria* gen. et sp. n.  
Parukhin, A. M.; and Oshmarin, P. G., 1960 a, June, 935, fig.  
tod: *Pandion haliaetus* (brain): Marine Province Territory
- Encephalonema longimicrofilaria* n.g., n. sp.  
Oshmarin, P. G.; and Parukhin, A. M., 1960 a, Sept., 1308  
*Pandion haliaetus*
- Enchamalado*. See *Filariasis, bovine*
- Entaphelenchus* n. g.  
Wachek, F., 1955 a, 20, 24, 103  
tod: *E. oxyteli*
- Entaphelenchus* Wachek, 1955  
Goodey, J. B., 1960 a, 120-121  
type: *E. oxyteli* Wachek, 1955
- Entaphelenchus aliantae* n. sp.  
Wachek, F., 1955 a, 104, 108-109, fig. 58  
*Atheta* (*Alianta*) incana: Franken
- Entaphelenchus bledii* n. sp.  
Wachek, F., 1955 a, 104, 107-108, fig. 57  
key
- Bledius opacus*: Franken

## INDEX—CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Entaphelenchus oxyteli n. sp. (tod)  
Wachek, F., 1955 a, 103, 104-106, figs. 54-55  
Oxytelus piceus: Franken, Schwaben
- Entaphelenchus philonthi n. sp.  
Wachek, F., 1955 a, 104, 110-111, fig. 110  
key  
Philonthus fimetarius; P. concinnus;  
P. fulvipes: all from Franken
- Entaphelenchus platystethi n. sp.  
Wachek, F., 1955 a, 104, 106-107, fig. 56  
key  
Platystethus cornutus; P. arenarius:  
both from Franken
- Entaphelenchus xantholini n. sp.  
Wachek, F., 1955 a, 104, 109-110, fig. 59  
key  
Xantholinus tricolor; X. punctulatus;  
X. linearis: all from Franken
- Enterobiasis, Diagnosis  
Bacigalupo, J., 1941 c, 309-313
- Enterobiasis, Diagnosis  
Gimmel'farb, S. G., 1953 a, 43-44
- Enterobiasis, Diagnosis  
Kevorkova, V. I., 1946 a, 73
- Enterobiasis, Diagnosis  
Kuitunen Ekbaum, E., 1942 a, 174-176  
evaluation of recent devices
- Enterobiasis, Diagnosis  
Levin, I. I., 1930 a, 155-174
- Enterobiasis, Diagnosis  
Miyata, I.; Amiya, K.; Urakawa, S.; and  
Nakamura, A., 1961 a, 461 (33)  
studies on anal scraping, swabbing and scotch  
cellulose tape techniques
- Enterobiasis, Diagnosis  
Morisita, T.; et al., 1959 d, 1248-1258
- Enterobiasis, Diagnosis  
Nagase, T., 1959 d, 1781-1786
- Enterobiasis, Diagnosis  
Ricci, M., 1953 b, 666-682  
parasitological research: Isola d'Ischia
- Enterobiasis, Human  
Berzina, V. K.; Kalinovskaja, R. G.; and  
Petrichenko, D. I., 1956 a, 427-429  
children
- Enterobiasis, Human  
Bobra, S. T., 1956 a, 26-29  
resistance pinworm eggs to disinfectants
- Enterobiasis, Human  
Carter, C. H.; and Malley, M. C., 1956 a, 536  
institutional prophylaxis
- Enterobiasis, Human  
Cassis Sacre, G., 1948 a, 319, 320  
parasitological impression
- Enterobiasis, Human  
Chauthani, R. N., 1958 b, 33
- Enterobiasis, Human  
Christik, T. A., 1957 a, 76-77  
Hypericum perforatum as antihelminthic
- Enterobiasis, Human  
Duram-Jorda, F., 1957 a, 208-215  
histological study of 691 appendices
- Enterobiasis, Human  
Garcia de Lezo, V., 1936 a, 2037-2055
- Enterobiasis, Human  
Hara, J.; et al., 1960 a, 398-399 (54-55)  
epidemiological studies in primary school
- Enterobiasis, Human  
Hayashi, S.; et al., 1958 b, 269-270(81-82)  
epidemiology: Iiga City, Nagano Prefecture
- Enterobiasis, Human  
Hayashi, S.; and Takada, A., 1957 a, 359-360  
(135-136)  
epidemiological studies of sanitary model  
villages: Shizuka Vill., Saitama Pref.
- Enterobiasis, Human  
Heatlie, W. H., 1953 a, 37  
incidence and laboratory findings
- Enterobiasis, Human  
Hsieh, H.-C.; et al., 1960 a, 33-43 (1-11)  
epidemiological studies among aborigines:  
mountainous districts of South Taiwan
- Enterobiasis, Human  
Inatomi, S., 1957 c, 263-264 (39-40)  
egg-shell structure of pinworm
- Enterobiasis, Human  
Ito, T., 1959 a, 1060-1068 (80-88)  
experimental infection of pinworm
- Enterobiasis, Human  
Katsumuma, H.; and Tanaka, T., 1957 a, 139-140  
age-difference pinworm control, health  
education standpoint
- Enterobiasis, Human  
Kennedy, R. D., 1962 a, 46  
threadworms
- Enterobiasis, Human  
Kobayashi, A.; Nagase, T.; and Hadano, N.,  
1959 a, 1787-1792  
infection among youths of middle school
- Enterobiasis, Human  
Komdo, T.; et al., 1961 a, 459 (31)  
epidemiological study: village in Nagano  
Prefecture
- Enterobiasis, Human  
Kuitunen-Ekbaum, E., 1943 a, 229-231  
incidence: Toronto
- Enterobiasis, Human  
MacArthur, (Sir) W., 1946 a, 70-71  
threadworms; tapeworms
- Enterobiasis, Human  
Machado, O., 1940 b, 277-278  
appendicitis
- Enterobiasis, Human  
Marine Perez, J., 1955 a, 451-458  
diagnosis and treatment
- Enterobiasis, Human  
Matuda, S., 1956 a, 210 (110)  
incidence: Hiroshima district
- Enterobiasis, Human  
Matuda, S., 1957 a, 356-357 (132-133)  
incidence: Fukuyama district of Hiroshima  
Prefecture
- Enterobiasis, Human  
Matuda, S., 1961 a, 459  
survey, primary, middle and high school:  
Hiroshima Prefecture
- Enterobiasis, Human  
Morniuzko-Godrow, A.; and Stojalowska, W.,  
1956 a, 79-80  
home of infants: Lublinie
- Enterobiasis, Human  
Nagase, T., 1959 b, 1763-1775  
contagious state of infection
- Enterobiasis, Human  
Nagase, T., 1959 c, 1776-1780  
infection origin
- Enterobiasis, Human  
Ogawa, H., 1959 b, 958-961  
observation on pinworm infections among  
families
- Enterobiasis, Human  
Petrovykh, A. I., 1931 d, 572-577  
occasional troubles of adults
- Enterobiasis, Human  
Piatkowska, W., 1961 a, 129-134  
children, discovery pinworm ova in perianal  
smears and dust
- Enterobiasis, Human  
Pirninger, W., 1956 a, 153-156
- Enterobiasis, Human  
Polberezhnykh, L. I.; Zakhodnik, I. D., 1954 a,  
356  
chronic appendicitis
- Enterobiasis, Human  
Selivanov, K. P., 1955 b, 362-363  
children, methods of reducing and liquidating

- Enterobiasis, Human  
 Selivanov, K. P., 1955 c, 30-33  
 children's homes; control and elimination
- Enterobiasis, Human  
 Shikhobalova, N. P.; and Nemirovskii, A. M.,  
 1940 a, 72-77  
 children, vulvovaginitis
- Enterobiasis, Human  
 Shul'man, E. S.; Aberman, E. S.; and Kal'ning,  
 A. A., 1946 a, 289-292  
 epidemiology of intestinal infections
- Enterobiasis, Human  
 Terai, K.; and Ashino, K., 1956 a  
 elimination of pinworms
- Enterobiasis, Human  
 Usui, B., 1961 a, 460 (32)  
 method utilizing bleach function
- Enterobiasis, Human  
 Valteris, K., 1940 a, 293-306  
 connection with oxyuric perimetritis
- Enterobiasis, Treatment  
 Amato Netto, V.; and Alvares Correa, M. O.,  
 1955 b, 243-250  
 piperazine
- Enterobiasis, Treatment  
 Aparicio Garrido, J., 1955 a, 109-115  
 piperazine
- Enterobiasis, Treatment  
 Askue, W. E., 1953 a, 332-338  
 comparison of egrassin and gentian violet
- Enterobiasis, Treatment  
 Askue, W. E.; and Tufts, E. E., 1954 a, 380-  
 385  
 phthalylsulfathiazole (sulfathalidine)
- Enterobiasis, Treatment  
 Bagdasarov, N. E., 1957 a, 63  
 application of naphthalane
- Enterobiasis, Treatment  
 Basnuevo, J. G.; and Cowley Chavez, O., 1952 a,  
 57-59
- Enterobiasis, Treatment  
 Benbow, E. P. (jr.), 1955 a, 185-186  
 children, terramycin
- Enterobiasis, Treatment  
 Bhaduri, N. V., 1958 b, 114
- Enterobiasis, Treatment  
 Bhaduri, N. V.; and Chowdhury, A. B., 1955 d,  
 180  
 Piperazine
- Enterobiasis, Treatment  
 Bhaduri, N. V.; and Chowdhury, A. B., 1956 c,  
 30  
 Piperazine adipate
- Enterobiasis, Treatment  
 Bumbalo, T. S.; and Gustina, F. J., 1955 a,  
 311-314  
 gentian violet suspension
- Enterobiasis, Treatment  
 Bumbalo, T. S.; Gustina, F. J.; and Oleksiak,  
 R. E., 1953 a, 166-168  
 thymyl-N-isoamylcarbamate (egressin)
- Enterobiasis, Treatment  
 Bumbalo, T. S.; Gustina, F. J.; and Oleksiak,  
 R. E., 1953 b, 576-579  
 papain
- Enterobiasis, Treatment  
 Bumbalo, T. S.; Gustina, F. J.; and Oleksiak,  
 R. E., 1954 a, 386-391  
 study of three oxyuricides
- Enterobiasis, Treatment  
 Bumbalo, T. S.; and Plummer, L. J., 1957 a,  
 575-585  
 Piperazine (antepar)
- Enterobiasis, Treatment  
 Bumbalo, T. S.; Plummer, L. J.; and Warner, J.  
 R., 1958 a, 212-214  
 children, study of piperazine (antepar) and  
 pyrvinium chloride (vanquin)
- Enterobiasis, Treatment  
 Gerwel, C.; and Pawłowski, Z., 1956 a, 287
- Enterobiasis, Treatment  
 Gimmel'farb, S. G., 1955 a, 34-36
- Enterobiasis, Treatment  
 Hankiss, J., 1958 a, 1688-1690
- Enterobiasis, Treatment  
 Inagaki, M.; Otsuka, S.; Nakano, Y.; and Oikawa,  
 1961 a, 461-462 (33-34)  
 change of I.Q.
- Enterobiasis, Treatment  
 Ito, T.; Odake, E.; Kumagai, M.; and Okumura,  
 K., 1956 a, 212-213 (112-113)  
 anthelmintic effect, determination of  
 piperazine
- Enterobiasis, Treatment  
 Jenkins, M. E., 1957 a, 714-715  
 zinc oxide ointment as a therapeutic agent
- Enterobiasis, Treatment  
 Jung, R. C.; and Beaver, P. C., 1953 a, 611-616  
 diphenan, egrassin and gentian violet
- Enterobiasis, Treatment  
 Jung, R. C.; Emerson, S. M.; and Sewell, B.,  
 1957 a, 389
- Enterobiasis, Treatment  
 Kety, S. S., 1956 a, 10-12  
 piperazine
- Enterobiasis, Treatment  
 Kojima, K.; and Kumada, M., 1959 a, 240-243  
 children and their families: Tokyo
- Enterobiasis, Treatment  
 Kołowrotkiewics, W.; and Pawłowski, Z., 1958 a,  
 527-530  
 children
- Enterobiasis, Treatment  
 Kosova, E. P., 1951 a, 47  
 sankafen in tuberculous children
- Enterobiasis, Treatment  
 Kozar, Z.; and Sikorska, S., 1950 a, 101-102,  
 122, 136  
 preparations of native production
- Enterobiasis, Treatment  
 Kuitunen Ekbaum, E., 1942 b, 24  
 Phenothiazine
- Enterobiasis, Treatment  
 Lengyel, A.; Banki, G.; and Tapfer, D., 1958 a,  
 797-802  
 children, papain and combined papain-pipera-  
 zine therapy
- Enterobiasis, Treatment  
 Morishita, K.; et al., 1960 a, 422 (78)  
 pyrvinium pamoate, dithiazanine etc.
- Enterobiasis, Treatment  
 Morisita, T.; Tachino, T.; and Ishihara, B.,  
 1956 a, 232-233 (132-133)  
 bixin
- Enterobiasis, Treatment  
 Nagase, T., 1959 a, 535-538
- Enterobiasis, Treatment  
 Ogawa, H., 1959 a, 616-620  
 children, primary school and women visiting  
 gynecological clinic: Ashikaga City
- Enterobiasis, Treatment  
 Ogawa, H., 1960 a, 117-124  
 children, piperazine
- Enterobiasis, Treatment  
 Ogawa, H., 1960 b, 421 (77)  
 children, piperazine
- Enterobiasis, Treatment  
 Oka, t.; and Sano, M., 1955 a, 211-212 (115-116)  
 nematolyt
- Enterobiasis, Treatment  
 Pod'fapol'skaiā, V. P., 1945 b, 78-79
- Enterobiasis, Treatment  
 Rey Busto, M., 1953 a, 78-79  
 terramycin
- Enterobiasis, Treatment  
 Rey Busto, M., 1953 b, 47-48  
 terramycin

- Enterobiasis, Treatment  
 Semenova, N. E.; Tuchins, M. E.; and Krotov, A. I., 1955 a, 298-300  
 piperazine
- Enterobiasis, Treatment  
 Shimatani, T.; Sato, A.; and Aono, H., 1961 a, 462-463 (34-35)  
 dithiazanine iodide
- Enterobiasis, Treatment  
 Slavchev, S. B.; and Lozanova, Zl., 1953 a, 72-74
- Enterobiasis, Treatment  
 Suzuki, R.; Yamauchi, K.; and Kobayashi, A., 1961 a, 298-301 (158-161)  
 pyrvinium pamoate (poquil)
- Enterobiasis, Treatment  
 Swartzwelder, C.; Miller, J. H.; Sappenfield, R. W.; and Martinez, F., 1957 a, 389-390  
 piperazine citrate
- Enterobiasis, Treatment  
 Takeshita, S.; et al., 1957 a, 344 (120)  
 LD<sub>50</sub> Kainic acid-piperazine and piperidine
- Enterobiasis, Treatment  
 Totani, T.; Kato, K.; and Suzuki, I., 1961 a, 440 (12)  
 poquil
- Enterobiasis, Treatment  
 Tsuji, M.; Soga, T.; and Sohgen, Y., 1957 a, 346 (122)
- Enterobiasis, Treatment  
 Turchins, M. E., 1957 a, 106-107  
 clinics, specific and pathogenetic
- Enterobiasis, Treatment  
 Turchins, M. E., [1959 a], 369-370  
 piperazine sulfate
- Enterobiasis, Treatment  
 Turchins, M. E.; and Babaeva, O. M., 1959 a, 434-436  
 piperazine phosphate
- Enterobiasis, Treatment  
 Vasil'kova, Z. G., 1952 a, 56-57
- Enterobiasis, Treatment  
 Yü, T.-H.; et al., 1959 a, 152-155  
 piperazine citrate
- Enterobius Leach, in Baird, 1853  
 Baylis, H. A., 1923 j, 15
- Enterobius Leach  
 Baylis, H. A., 1929 c, 142
- Enterobius Leach, in Baird, 1853  
 Baylis, H. A., 1936 a, 184, 188-189  
 Oxyurinae  
 Synonymy  
 type: *E. vermicularis* (Linn, 1758)
- Enterobius Leach, in Baird, 1853  
 Baylis, H. A.; and Daubney, R., 1923 a, 563
- Enterobius Leach, 1853  
 Baylis, H. A.; and Daubney, R., 1926 a, 23  
 type: *E. vermicularis* (Linnaeus)
- Enterobius Leach  
 Blacklock, D. B.; and Southwell, T., 1931 a, 164, 165, 166, 167, 172
- Enterobius  
 Boeck, W. C., 1923 a, 14, 21, 25, 33, 40, 42, 49, 52
- Enterobius Leach, 1853  
 Brumpt, E., 1922 f, 552
- Enterobius Leach, 1853  
 Brumpt, E., 1927 e, 623, 644  
 type: *E. vermicularis* (Linne, 1758)
- Enterobius Leach  
 Cameron, T. W. M., 1929 g, 161-182 (1-22)
- Enterobius Leach  
 Faust, E. C., 1929 c, 34, 316, 380, 400
- Enterobius Leach, in Baird, 1853  
 Inglis, W. G., 1961 c, 109-110, 113, 116, 117  
 subgen.: Enterobius subgen.; Protenterobius  
 subgen. nov.
- Enterobius  
 Kreis, H. A., 1934 c, 30
- Enterobius Baird, 1853  
 Lane, C. [1923 b], 1709  
 genotype: *E. vermicularis*
- Enterobius  
 Leiper, R. T., 1926 f, 488, 490
- Enterobius Leach  
 Lopez Neyra, C. R., 1924 a, 193
- Enterobius  
 Manson, P., 1929 a, 755
- Enterobius  
 Maplestone, P. A., 1933 c, 107
- Enterobius  
 Most, H., 1950 a, 152  
 treatment
- Enterobius  
 Nagaty, H. F.; and Khalil, H. M., 1960 a, 978  
 treatment
- Enterobius  
 Neveu-Lemaire, M., 1921 e, 269
- Enterobius  
 Nor El Din, G., 1951 b, 457  
 treatment
- Enterobius Leach  
 Osche, G., 1957 a, 466-467
- Enterobius Leach, 1853  
 Railliet, A., 1917 b, 520
- Enterobius Leach  
 Rauther, M., 1930 a, 382
- Enterobius  
 Reichenow, E.; and Wulker, G., 1929 a, 152, 184
- Enterobius  
 Robinson, L. E., 1933 b, 336, 337  
 treatment
- Enterobius n. subg.  
 Sandosham, A. A., 1950 c, 198  
 tod: Enterobius (*Enterobius*) *vermicularis* (Linnaeus, 1758)
- Enterobius  
 Sergiev, P. G., 1923 a, 181
- Enterobius Leach 1853  
 Seurat, L. G., 1918 a, 259-260  
 Syn.: *Fusarella* Seurat 1916
- Enterobius  
 Seurat, L. G., 1920 c, 205
- Enterobius  
 Shul'ts, R. E. S., 1927 e, 296
- Enterobius  
 Skrjabin, K. I., 1929 b, 15
- Enterobius  
 Skrjabin, K. I.; and Shul'ts, R. E. S., 1929 a, 48
- Enterobius  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 324, 338-341, 390  
 Syns.: *Oxyuris* auct. part.; *Oxyurias* Stiles; *Fusarella* Seur.
- Enterobius Leach, 1853  
 Sprehn, C. E. W., 1932 c, 538, 542  
 Syns.: *Oxyurias* Stiles, 1905; *Fusarella* Seurat, 1916; *Lambriculus* Altdrovande u. Blanchard, 1888; ? *Trypanoxyuris* Vevers, 1923  
 type species: *E. vermicularis* (Linnaeus, 1758)
- Enterobius  
 Takeshita, S.; and Sekitani, T., 1957 a, 662-664 (38-40)
- Enterobius  
 Travassos, L. P., 1920 h, 62
- Enterobius Leach, 1853  
 Travassos, L. P., 1926 n, 1-11  
*Oxyuroidea*, *Oxyuridae*
- Enterobius  
 Travassos, L. P., 1930 g, 162

- Enterobius**  
Travassos, L. P., 1931 g, 238  
type: *E. vermicularis* (L.)
- Enterobius**  
Travassos, L. P., 1937 a, 608, 609, fig. 1 C
- Enterobius**  
Yorke, W.; and Maplestone, P. A., 1926 a,  
183, 186-188  
type: *E. vermicularis* (Linn.)
- Enterobius [sp.]**  
Basnuevo, J. G.; et al, 1951 b, 46  
treatment: Kuba
- Enterobius [sp.]**  
Bhaduri, N. V., 1954 b, 82  
human: India
- Enterobius [sp.]**  
Bozicevich, J.; et al., 1947 a, 57, 58  
[*Homo sapiens*]: Mexico, D. F.; Morganton,  
N.C.
- Enterobius sp.**  
van Dorssen, C. A.; and Donker-Voet, J., 1955 a  
1073  
Apen [monkeys]
- Enterobius [sp.]**  
Faine, S.; and Hercus, C. E., 1951 a, 346  
man: Rarotonga, Cook Islands
- Enterobius sp.**  
Ferreira d'Almeida, R., 1937 a, 297  
Ateles paniscus (grosso intestino): Breu
- Enterobius sp.**  
Goodrum, P. D., 1940 a, 24  
*Sciurus carolinensis carolinensis*: eastern  
Texas
- Enterobius [sp.]**  
Hamerton, A. E., 1933 b, 478  
Hapale jacchus (small intestine, alimentary  
canal): London Zool. Gard.
- Enterobius [sp.]**  
Kennedy, A. H., 1949 a, 90  
rabbits
- Enterobius [sp.]**  
Kostic, D.; Zlokas, D.; and Jevtić, M., 1952 a,  
21-26  
sewage waters and swimming pools in Belgrade
- Enterobius [sp.]**  
Lovett-Campbell, A. C., 1935 a, 15
- Enterobius sp.**  
McClure, G. W., 1932 a, 15  
*Cebus capucina*  
*Lagothrix humboldtii*  
*Ateles ater*
- Enterobius sp.**  
McClure, G. W., 1933 a, 30, 31, 40  
*Cercopithecus albogularis* (Sykes' monkey)  
*Cercopithecus campbelli* (intestine)  
*Lagothrix humboldtii* (intestine)  
all from N. York Zool. Park
- Enterobius [sp.]**  
Machado, O., 1940 b, 277, 278
- Enterobius [sp.]**  
Mumford, E. P.; and Mohr, J. L., 1944 a, 25  
New Guinea Territory; Territory of Papua;  
British Solomon Islands Protectorate; New  
Hebrides; New Caledonia; Nauru, Gilbert and  
Ellice Islands; Fiji; Cook Islands; Hawaii;  
Japanese Mandated Islands; Guam; Marquesas
- Enterobius [sp.]**  
Nagaty, H. F., (1957 b), 94  
human: Syria
- Enterobius [sp.]**  
Nagaty, H. F.; Rifaat, M. A.; and Salem, S.,  
(1956 a), 73, 74  
students: Egypt
- Enterobius [sp.]**  
Nor El Din, G., 1950 a, 41-46  
human
- Enterobius sp.**  
Osman Hill, W. C.; Porter, A.; and Southwick,  
M. D., 1952 a, 104, 111, pl. 4, fig. 20  
*Tarsius carbonarius*: Zool. Society of  
London Menagerie
- Enterobius sp.**  
Patino-Camargo, L., 1942 c, 528  
horses: Colombia
- Enterobius spp.**  
Porter, A. In Hamerton, A. E., 1942 a, 186  
*Gorilla gorilla*  
*Hylobates pileatus*  
*Lagothrix humboldtii*  
all from London Zool. Gardens
- Enterobius sp.**  
Porter, A., 1943 a, 136, 137  
*Pan satyrus*  
*Gorilla gorilla beringeri*  
both from Zool. Soc. Gardens, London
- Enterobius spp.**  
Porter, A., 1943 b, 161, 162, 163  
*Pan satyrus*  
*Hylobates concolor*  
*Cercopithecus sabaeus*  
all from London Zoological Gardens
- Enterobius sp.**  
Porter, A., 1944 a, 319  
*Lagothrix humboldtii*
- Enterobius spp.**  
Porter, A., 1946 a, 385, 386  
*Anthropopithecus troglodytes*
- Enterobius spp.**  
Porter, A., 1947 a, 624, 625  
*Anthropopithecus troglodytes*  
*Cercopithecus nictitans*  
*Erythrocebus patas*  
all from London Zool. Soc.
- Enterobius spp.**  
Porter, A., 1948 a, 673  
*Anthropopithecus troglodytes*  
*Cercopithecus fuliginosus*  
*Macaca nemestrina*  
all from London Zoo
- Enterobius sp.**  
Porter, A., 1952 a, 535  
*Tarsius carbonarius*  
chimpanzee  
orangutan  
gorilla  
all from London Zool. Gardens
- Enterobius [sp.]**  
Porter, A., 1953 a, 254, 255  
chimpanzee
- Enterobius sp.**  
Porter, A., 1954 a, 313  
chimpanzee: Zoological Society of London
- Enterobius sp.**  
Porter, A., 1955 a, 541  
chimpanzee: London Zoo
- Enterobius sp.**  
Rysavy, B.; and Dudek, J., 1960 a, 290  
*Macacus cynomolgus* L. (konečník)
- Enterobius sp.**  
Sandground, J. H., 1929 a, 2  
*Cercopithecus dianae*
- Enterobius sp.**  
Sandground, J. H., 1930 b, 478  
*Colobus*
- Enterobius sp.**  
Sandsham, A. A., 1950 a, 353, 354  
*Pongo pygmaeus*  
*Gorilla gorilla*  
*Papio comatus*; *Cercopithecus aethiops*:  
both from Southern Rhodesia  
*Leontocebus rosalia*: S. E. Brazil

- Enterobius [sp.]**  
 Sandosham, A. A., 1950 f, 6  
 Actus felineus  
**Enterobius [sp.]**  
 Sandosham, A. A., 1954 d, 211  
 aborigines: Malaya  
**Enterobius [sp.]**  
 Schott, G., 1960 a, 165  
 Menschenaffen: Zoologische Garten Berlin  
**Enterobius [spp.]**  
 Shattuck, G. C., 1938 b, 220  
 Guatemala  
**Enterobius [sp.]**  
 Steiner, P. E., 1946 a, 365  
 Homo sapiens: Okinawa  
**Enterobius [sp.]**  
 Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 1303  
 primates (except man) (faeces): Nether-lands  
**Enterobius [sp.]**  
 Travassos, L. P.; and Teixeira de Freitas, J. F., 1941 b, 274  
 Alouatta caraya: Brasil  
**Enterobius sp.**  
 Travassos, L. P.; Teixeira de Freitas, J. F.; and Lent, H., 1939 a, 224  
 Alauatta caraya: Estrado de Ferro Noroeste, Brasil  
**Enterobius sp.**  
 Wahid, S., 1961 a, 11  
 Colobus  
**Enterobius [sp.]**  
 Weinberg, M., 1906 m, 661-662  
 chimpanzee  
**Enterobius [sp.]**  
 Wigand, R., 1947 a, 426  
**Enterobius [sp.]**  
 Wigand, Reinhard, 1953 a, 612-613  
**Enterobius [sp.]**  
 Zuckerman, S., 1933 a, 1-203  
 man  
 monkeys  
 apes  
**Enterobius [sp.]**  
 Zuliniński, T., 1950 b, 123  
**Enterobius antropopitheci [sic] (Ged.) [n. comb.]**  
 Travassos, L. P., 1925 n, 7 [For author reference see Suppl. 17, Part 1]  
 Syn.: Oxyuris antropopitheci [sic] Ged., 1916  
 chimpanzee  
**Enterobius antropopitheci (Gedoelst, 1916)**  
 Baylis, H. A., 1936 a, 191-192  
 Pan satyrus: Belgian Congo  
 Lemur brunneus: Zool. Gardens, Calcutta  
**Enterobius antropopitheci (Gedoelst)**  
 Cameron, T. W. M., 1929 g, 164, 166, 181  
 Pan satyrus  
 chimpanzee  
**Enterobius antropopitheci (Gedoelst, 1916)**  
 Deschiens, R. E. A., 1935 a, 404, 405  
 Anthropopithecus troglodytes L.: de la singerie de l'Inst. Pasteur de Paris  
**Enterobius antropopitheci**  
 Graham, G. L., 1960 a, 849  
 monkeys  
**Enterobius (Enterobius) antropopitheci (Gedoelst, 1916)**  
 Travassos, 1925  
 Inglis, W. G., 1961 c, 110  
**Enterobius antropopitheci**  
 Reinisch, M., 1940 a, 277-278, 281  
 Panchimpanse Meyer: Budapest (Zool. Garden)  
**Enterobius antropopitheci (Gedoelst, 1916)**  
 Sandosham, A. A., 1950 a, 353  
 male  
 Pan satyrus  
**Enterobius anthropopitheci (Gedoelst, 1916)**  
 Sandosham, A. A., 1950 c, 174, 176-178, 184, 200, 202, fig. 2  
 chimpanzee (Anthropopithecus troglodytes)  
**Enterobius anthropopitheci**  
 Troisier, J.; and Deschiens, R., 1930 a, 562-565  
 chimpanzee  
**Enterobius anthropopopethici (Gedoelst)**  
 Yorke, W., and Maplestone, P. A., 1926 a, 188  
 chimpanzee  
**Enterobius apapillus (Kreis, 1944)** Skrjabin et Schikhobalova, 1951  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 45  
 Syn.: E. sciuri Kreis, 1944  
 Sciurus vulgaris: Europe  
**Enterobius atelis n. sp.**  
 Cameron, T. W. M., 1929 g, 177-179, 181, figs. 24-28  
 Ateles paniscus  
 Ateles ater  
 Ateles grisescens  
**Enterobius atelis Cameron, 1929**  
 Kreis, H. A., 1932 b, 301  
**Enterobius atelis**  
 Sandosham, A. A., 1950 c, 192, 193, 201  
**Enterobius atelis Cameron, 1929**  
 Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A., 1951 a, 47  
 as syn. of Odontorobius atelis (Cameron, 1929) [n. comb.]  
 Ateles paniscus  
 Ateles ater  
 Ateles grisescens  
**Enterobius atelis**  
 Solomon, S. G., 1933 d, 95, 98, 99, (1, 4, 5)  
 Ateles spp.  
**Enterobius bipapillatus (Gedoelst, 1916)**  
 Baylis, H. A., 1923 j, 15  
 Syn.: Oxyuris bipapillata Gedoelst, 1916  
 Semnopithecus entellus: Gizeh  
**Enterobius bipapillatus (Gedoelst)**  
 Baylis, H. A., 1928 h, 608  
**Enterobius bipapillatus (Gedoelst, 1916)** Baylis, 1923  
 Be Zubik, B.; and Furmaga, S., 1959 a, 592, 595  
 598  
 as syn. of Trypanoxyuris bipapillata (Gedoelst, 1916)  
 Macacus rhesus (caecum): China  
**Enterobius bipapillatus (Gedoelst)**  
 Cameron, T. W. M., 1929 g, 167-169, 171, 181, figs. 11-14  
 Cercopithecus sabaeus  
 Pithecius entellus  
 monkey  
**Enterobius bipapillatus (Gedoest [sic], 1916)**  
 Fraga de Azevedo, J.; and de Meira, M. T. V., 1946 d, 268  
 Cercopithecus aethiops sabasus: Guine Portuguesa  
**Enterobius (Enterobius) bipapillata (Gedoelst, 1916)** Baylis, 1923  
 Inglis, W. G., 1961 c, 110  
**Enterobius bipapillatus (Gedoelst, 1916)**  
 Sandosham, A. A., 1950 c, 184-185, 186, 187, 195, 200, 202, fig. 5  
 Cercopithecus aethiops: S. Rhodesia  
**Enterobius bipapillatus**  
 Strong, R. P.; and Shattuck, G. C., 1930 a, 419  
**Enterobius bipapillatus (Gedoelst, 1916)**  
 Tendeiro, J., 1948 f, 704, 733  
 Cercopithecus aethiops sabaeus: Guine Portuguesa

- Enterobius bipapillata* (Ged.)  
Travassos, L. P., 1925 n, 7  
macaco
- Enterobius bipapillatus* (Gedoelst)  
Yorke, W.; and Maplestone, P. A., 1926 a, 188  
monkey
- Enterobius brevicauda* n. sp.  
Sandosham, A. A., 1950 c, 186-187, 200, 202,  
fig. 6  
*Papio porcarius*: S. Rhodesia
- Enterobius* (*Enterobius*) *brevicauda* Sandosham,  
1950  
Inglis, W. G., 1961 c, 110
- Enterobius buckleyi* n. sp.  
Sandosham, A. A., 1950 c, 178-181, 200, fig.  
3  
*Pongo pygmaeus*: Borneo
- Enterobius buckleyi* Sandosham, 1950  
Sandosham, A. A., 1951 g, 19  
*Pongo pygmaeus*: Borneo
- Enterobius buckleyi*  
Adiwinata, R. T., 1958 a, 232  
Orang hutan (mammal or bird) (usus):  
Indonesia
- Enterobius* (*Enterobius*) *buckleyi* Sandosham, 1950  
Inglis, W. G., 1961 c, 110
- Enterobius callithricis* n. sp.  
Solomon, S. G., 1933 d, 95-100  
*Callithrix jacchus*
- Enterobius callithricis* Solomon, 1933  
Sandosham, A. A., 1950 c, 190, 201, 202  
*Oedipomidas oedipus*: South America
- Enterobius compar* [n. comb.]  
Sluiter, C. P.; Swellengrebel, N. H.; and  
Ihle, J. E. W. [1922 a], 341
- Enterobius duplicitens* n. sp.  
Buckley, J. J. C., 1931 c, 137-319, figs.  
8-14  
*Lagothrix humboldtii*
- Enterobius duplicitens* Buckley, 1931  
Kreis, H. A., 1932 b, 301
- Enterobius duplicitens*  
Sandosham, A. A., 1950 c, 192, 193, 195, 201
- Enterobius duplicitens* Buckley, 1931  
Skrjabin, K. I.; Shikhobalova, N. P.; and  
Mozgovoi, A. A., 1951 a, 47  
as syn. of *Odontorobius duplicitens* (Buckley  
1931) [n. comb.]  
*Lagothrix humboldtii*
- Enterobius duplicitens*  
Solomon, S. G., 1933 d, 95, 98, 99 (1, 4, 5)  
*Lagothrix humboldtii*
- Enterobius fecundus* (v. Linstow) [n. comb.]  
Travassos, L. P., 1925 n, 6, 7  
*Simia satyra*
- Enterobius fecundus* (v. Linst.)  
Cameron, T. W. M., 1929 g, 166, 167, 181  
*Pongo pygmaeus*  
orang.
- Enterobius* (*Enterobius*) *faecundus* (Linstow,  
1879) Travassos 1925, sp. inq., probably nomen  
dubium  
Inglis, W. G., 1961 c, 110
- Enterobius* (*Enterobius*) *inglisi* n. sp.  
Wahid, S., 1961 e, 345, 348-351, figs. 9-13  
Colobus monkey (intestine): "on its way  
to London, from West Africa"
- Enterobius interlabiata* n. sp.  
Sandosham, A. A., 1950 c, 188-190, 200, 202,  
fig. 7  
*Aotus felineus*: South America
- Enterobius interlabiata* Sandosham, 1950  
Inglis, W. G.; and Diaz-Ungria, C., 1959 a,  
192-196, figs. 22-30  
as syn. of *Trypanoxyuris interlabiata*  
(Sandosham, 1950) comb. nov.
- Aotus felineus*: Zoological Park of London
- Cebus nigrovittatus*  
*Chiropotes satanas chiropotes*  
both from Venezuela
- Enterobius intestinalis* (Linne, 1758)  
Deschiens, R., 1944 a, 113  
treatment
- Enterobius intestinalis* (Linne, 1767)  
Deschiens, R., 1944 d, 310, 311, 314
- Enterobius intestinalis* (Linne, 1758)  
Deschiens, R.; and Lamy, L., 1947 a, 184
- Enterobius lagothricis* n. sp.  
Buckley, J. J. C., 1931 c, 134-137, figs.  
1-7  
*Lagothrix humboldtii*
- Enterobius lagothricis* Buckley  
Kreis, H. A., 1932 b, 301
- Enterobius lagothricis* Buckley, 1931  
Skrjabin, K. I.; Shikhobalova, N. P., Moz-  
govoi, A. A., 1951 a, 47  
as syn. of *Odontorobius lagothricis* (Buckley  
1931) [n. comb.]  
*Lagothrix humboldtii*
- Enterobius lagothricis*  
Sandosham, A. A., 1950 c, 192, 193, 195, 201
- Enterobius lagothricis*  
Solomon, S. G., 1933 d, 95, 98, 99 (1, 4, 5)  
*Lagothrix humboldtii*
- Enterobius lemuris* n. sp.  
Baer, J. G., 1935 a, 280-283, figs. 1-4  
*Lemur albifrons* Geoffr.: Musée de Berlin  
*Lemur macao* L. (caecum): Museum d'Histoire  
Naturelle de Geneve
- Enterobius lemuris* Baer, 1935  
Chabaud, A. G.; and Petter, A. J., [1959 b],  
145-146, 155, 156, fig. 4  
*Lemur macaco*: Madagascar
- Enterobius* (*Enterobius*) *lemuris* Baer, 1935  
Inglis, W. G., 1961 c, 110  
Syn.: *Buckley-enterobius dentata* Sandosham,  
1950
- Enterobius lemuris* Baer 1935  
Sandosham, A. A., 1950 c, 190-191, 201  
*Lemur macaco*: Madagascar
- Enterobius lerouxi* n. sp.  
Sandosham, A. A., 1950 c, 181-183, 200, 202,  
fig. 4  
*Gorilla gorilla*: London zoological gardens
- Enterobius* (*Enterobius*) *lerouxi*  
Inglis, W. G., 1961 c, 110
- Enterobius microon* (v. Linst.) [n. comb.]  
Travassos, L. P., 1925 1, 6-7, 9-10, pl. 1,  
figs. 14, 15  
*Nyctipithecus trivirgatus*
- Enterobius microon* (v. Linst.)  
Cameron, T. W. M., 1929 g, 172, 181  
*Actus trivirgatus*
- Enterobius microon* (v. Linstow, 1907)  
Solomon, S. G., 1933 d, 98, 99 (4, 5)  
*Actus trivirgatus* (=*Nyctipithecus trivir-  
gatus*, the Douroucouli monkey): Brazil
- Enterobius minutus* (Schneider, 1866) [n. comb.]  
Travassos, L. P., 1923 d, 35-37  
*Cebus caraya* (Humb.)
- Enterobius minutus* (Schneider)  
Travassos, L. P., 1925 n, 5, 6, 8-9, pl. 2,  
figs. 4-9  
*Alouatta seniculus*  
*Ateles paniscus*  
*Cebus caraya*

- Enterobius minutus* (Schneider, 1866)  
 Baylis, H. A., 1947 b, 394  
*Alouatta macconnelli*: Surinam  
*Enterobius minutus* (Schn.)  
 Cameron, T. W. M., 1929 g, 175-177, 181  
*Mycetes seniculus*  
*Ateles paniscus*  
*Enterobius minutus* Barreto, 1918  
 Inglis, W. G.; and Diaz-Ungria, C., 1959 a,  
 196-198, figs. 31-38  
 as syn. of *Trypanoxyuris minutus* (Schneider,  
 1866) comb. nov.  
*Alouatta seniculus*  
*Alouatta caraya*: Brasil  
*Alouatta ursina*: Venezuela  
*Enterobius minutus* (Schn.)  
 Price, E. W., 1928 j, 3  
*Enterobius minutus*  
 Solomon, S. G., 1933 d, 98, 99 (4, 5)  
*Alouatta seniculus*  
*Ateles paniscus*  
*Enterobius minutus*  
 Travassos, L. P.; Pinto, C. F.; and Muniz, J.,  
 1928 a, 254  
*Cebus caraya*  
*Enterobius minutus* (Schneider, 1866) Barreto,  
 1918  
 Vogelsang, E. G., 1940 b, 39  
*Ateles seniculus* (araguato): Venezuela  
*Enterobius minutus* (Schneider, 1866)  
 Vogelsang, E. G.; and Rodriguez C., C., 1952 a,  
 314  
*Alouatta seniculus*: Jardin zoologico de  
 Maracay  
*Enterobius minutus* (Schneider)  
 Yorke, W.; and Maplestone, P. A., 1926 a,  
 188  
*Cebus* sp.  
*Enterobius muris* n. sp.  
 Yamaguti, S., 1935 k, 433, 436-437, figs. 2-4  
*Rattus norvegicus albus*: Kyoto, Japan  
*Enterobius muris* Yamaguti, 1935  
 Yamaguti, S., 1941 d, 409, 420, 438, pl. VIII,  
 fig. 7  
 Japan  
*Enterobius nycticebi* n. sp.  
 Baylis, H. A., 1928 h, 606-608, fig. 1  
*Nycticebus borneanus*  
*Enterobius nycticebi* Baylis  
 Cameron, T. W. M., 1929 g, 179-180, 181  
*Nycticebus borneanus*  
*Nycticebus coucang*  
*Enterobius* (*Proenterobius*) *nycticebi* (Baylis,  
 1928) nov. comb.  
 Inglis, W. G., 1961 c, 103, 104, 105, 106, 108,  
 109, 110, 113, figs. 1-4, 14, j  
 type of *Proenterobius*, subgen. nov. of  
*Enterobius*  
*Enterobius* (*Enterobius*) *parallela* (Linstow, 1908)  
 comb. nov.  
 Inglis, W. G., 1961 c, 110  
 Syn.: *Enterobius polyoon* (Linstow, 1909)  
 Leroux, 1930  
*Enterobius* (*Enterobius*) *pesteri* n. sp.  
 Wahid, S., 1961 e, 345-348, figs. 1-8  
*Colobus monkey* (intestine): "on its way to  
 London, from West Africa"  
*Enterobius pitheci* n. sp.  
 Cameron, T. W. M., 1929 g, 169-171, 181  
*Pitheci aygula*  
*Enterobius* (*Enterogius*) *pitheci* Cameron, 1929  
 Inglis, W. G., 1961 c, 103-122  
*Enterobius pitheci*  
 Solomon, S. G., 1933 d, 95 (1)
- Enterobius polyoon* (v. Linst.) [n. comb.]  
 Le Roux, P. L., 1930 c, 205  
*Enterobius polyoon* (Linstow, 1909) Leroux,  
 1930  
 Inglis, W. G., 1961 c, 110  
 as syn. of *Enterobius* (*Enterobius*) *parallela*  
 (Linstow, 1908) comb. nov.  
*Enterobius* (*Enterobius*) *polyoon* [i.e., *polyoon*]  
 (v. Linstow, 1909)  
 Sandosham, A. A., 1950 c, 199, 203  
*Enterobius sceleratus* n. sp.  
 Travassos, L. P., 1925 n, 7, 10, Pl. 1,  
 figs. 10-13A  
*Saimiris sciurea*: Brasil  
*Enterobius sceleratus* Trav.  
 Cameron, T. W. M., 1929 g, 173-175, 181, figs.  
 9, 19-23  
*Saimiri sciurea*  
*Saimiri Urstedii*  
*Enterobius sceleratus* Travassos, 1925  
 Skrjabin, K. I.; Shikhobalova, N. P.; and  
 Mozgovoi, A. A., 1951 a, 47  
 as syn. of *Lobatorobius sceleratus*  
 (Travassos, 1925) [n. comb.]  
*Saimiri sciurea*  
*Saimiri oerstedii*  
*Enterobius sceleratus*  
 Solomon, S. G., 1933 d, 98, 99 (4, 5)  
*Saimuri sciurea*  
*Saimuri Urstedii*  
*Enterobius sciuri*, n. sp.  
 Cameron, T. W. M., 1932 c, 29-32  
*Sciurus carolinensis*  
*Enterobius sciuri*  
 Cameron, T. W. M.; and Parnell, I. W., 1933 a,  
 146, 153  
*Sciurus vulgaris*  
*Sciurus carolinensis*  
 both from Scotland  
*Enterobius sciuri* Cameron, 1932  
 Baylis, H. A., 1939 a, 493  
*Sciurus vulgaris*: Northumberland, Brit. Is.  
*Enterobius sciuri*  
 Bernard, J., 1961 e, 781  
*Sciurus vulgaris* L.: Belgique  
*Enterobius sciuri* Cameron 1932  
 Erhardová, B., 1958 b, 46-47, 79, fig. 11  
*Sciurus vulgaris* L. (slepé a tlusté střevo):  
 Czechoslovakia  
*Enterobius sciuri* Kreis, 1944  
 Inglis, W. G., 1961 c, 111  
 as syn. and homonym of *Trypanoxyuris* (T.)  
*sciuri* (Cameron, 1931) comb. nov.  
*Enterobius sciuri* Cameron, 1932  
 James, P. M., 1954 a, 186  
*Sciurus vulgaris*: Shropshire  
*Enterobius sciuri* n. sp.  
 Kreis, H. A., 1944 a, 227, 233-237, pl., fig.  
 2 A-H  
 key  
*Sciurus vulgaris* L.: Bern  
*Enterobius sciuri* Cameron, 1932  
 Rausch, R.; and Tiner, J. C., 1948 a, 735-736,  
 745, 746  
*Glaucomys v. volans*  
*Sciurus niger rufiventer*  
*Enterobius sciuri* Cameron 1932  
 Sandosham, A. A., 1950 c, 199, 201, 202  
*Enterobius sciuri* Kreis, 1944  
 Sandosham, A. A., 1950 c, 199  
 as syn. of *Enterobius sciuri* Cameron 1932

- Enterobius sciuri* Kreis, 1944  
*Skrjabin, K. I.; Shikhobalova, N. P.; and Mozgovoi, A. A.*, 1951 a, 45  
 as syn. of *E. apapillus* (Kreis, 1944)  
*Skrjabin et Schikhobalova, 1951*
- Enterobius simiae* (MacCallum) [n. comb.]  
*Travassos, L. P.*, 1925 n, 7  
*Simia satyrus*
- Enterobius simiae* (MacCallum)  
*Cameron, T. W. M.*, 1929 g, 166-167, 181  
 = *Enterobius foecundus*  
*orang.*
- Enterobius trypanuris* (Vevers) [n. comb.]  
*Cameron, T. W. M.*, 1929 g, 172-173, 181  
*Pithecia monachus*
- Enterobius trypanuris* Cameron, 1929  
*Inglis, W. G.; and Diaz-Ungria, C.*, 1959 a, 182-185, figs. 8-13  
 as syn. of *Trypanoxyuris trypanuris*  
*Vevers, 1923*  
*Pithecia monachus: Guayana Britanica*  
*Chiropotes chiropotes: Venezuela*
- Enterobius (Trypanoxyuris) trypanuris* (Vevers, 1923) n. subg.  
*Sandosham, A. A.*, 1950 c, 198, 201
- Enterobius trypanuris*  
*Solomon, S. G.*, 1933 d, 98, 99 (4, 5)  
*Pithecia monachus*
- Enterobius vermicularis*  
*Alves Meira, J.; and Franco do Amaral, A. D.*, 1940 a, 125, 126, 127, 128  
 (considerações sobre dissiminação helmíntica entre operários, etc.)
- Enterobius (Oxyuris) vermicularis*  
*Alves Pequeno, R.*, 1954 a, 15-16, fig. 14
- Enterobius vermicularis* [sic]  
*Angulo y Puente Arnao, G.*, 1938 a, 267
- Enterobius vermicularis*  
*Argüelles, A. S.*, 1935 a, 10
- Enterobius vermicularis* (Linn.)  
*Augustine, D. L.*, 1929 a, 191, 192, 350, 352, 354, 370-373, figs. 170, 171, 223
- Enterobius vermicularis*  
*Augustine, D. L.*, 1959 a, 94
- Enterobius vermicularis*  
*Ayyangar, M. C. R.*, 1949 a, 351  
 infestation
- Enterobius (Oxyuris) vermicularis*  
*Azzi, A.*, 1953 d, 447, 448, figs. 7-8
- Enterobius vermicularis*  
*Barroso, S.*, [1922 a], 93, 95, 100-103, figs. 58, 59, 83
- Enterobius vermicularis*  
*Basnuevo, J. G.*, 1942 d, 1-3
- Enterobius vermicularis*  
*Basnuevo, J. G.*, 1956 b, 38-40
- Enterobius vermicularis* (L., 1758)  
*Baylis, H. A.*, 1923 j, 15  
 Syn.: *Fusarella vermicularis* (L.) of Seurat, 1916
- Enterobius vermicularis*  
*Baylis, H. A.*, 1925 i, 22
- Enterobius vermicularis*  
*Baylis, H. A.*, 1928 n, 606, 608, fig. 1
- Enterobius vermicularis*  
*Baylis, H. A.*, 1929 b, 111
- Enterobius vermicularis* (Linn.)  
*Baylis, H. A.*, 1929 c, 142-143, figs. 100-101  
 man
- Enterobius vermicularis* (Linnaeus 1758) Leach, in Baird, 1853  
*Baylis, H. A.*, 1936 a, 189-191, figs. 103-104  
 type  
 Syn.: ? *Ascaris pollicaris* Linn., fide Baird, 1853  
 man
- Enterobius vermicularis* (L., 1758)  
*Baylis, H. A.; and Daubney, R.*, 1923 a, 563  
 man
- Enterobius vermicularis* (Linnaeus, 1758)  
*Baylis, H. A.; and Daubney, R.*, 1926 a, 23
- Enterobius vermicularis* Becker, J. G., [1944 a], 31
- Enterobius vermicularis* L.  
*Beckers, H.*, 1949 a, 361  
 diagnosis and therapy
- Enterobius vermicularis*  
*Belonje, C. W. A.*, 1957 b, 19
- Enterobius vermicularis*  
*Belozerova, O. M.; and Litunovskaià, M. N.*, 1944 a, 33
- Enterobius vermicularis*  
*Bhaduri, N. V.*, 1953 c, 61
- Enterobius vermicularis*  
*Bhaduri, N. V.*, 1955 c, 113, 114
- Enterobius vermicularis* (Linnaeus)  
*Blacklock, D. B.; and Southwell, T.*, 1931 a, 109, 165, 168, 172-173, 188, 220, 221, 225, 246, 247, 250, 251, figs. 88, 98, 103, 114
- Enterobius vermicularis*  
*Boeck, W. C.*, 1923 a, 17, 24, 34, 53, 54
- E[nterobius] vermicularis*  
*Bonilla Naar, A.; and Rodriguez Velandia, O.*, 1951 a, 52
- Enterobius vermicularis*  
*Brady, F. J.*, 1947 a, 583-588  
 infection and trichinosis
- Enterobius vermicularis*  
*Brown, R. L.*, 1945 d, 61, 62, 63, 64, 65
- Enterobius vermicularis* (L.)  
*Brumpt, E. J. A.*, 1936 1, 867-880, figs. 455-458
- Enterobius vermicularis*  
*Brumpt, E. J. A.; and Neveu-Lemaire, M.*, 1929a, 94, 96, fig. 69
- Enterobius vermicularis*  
*Burgess, G. D.*, 1954 b, 316
- Enterobius vermicularis*  
*Burrows, R. B.; and Swerdlow, M. A.*, 1956 a, 258-265, fig. 1  
*Dientamoeba fragilis*
- Enterobius vermicularis*  
*Cameron, T. W. M.*, 1927 b, 556  
 man  
 monkeys
- Enterobius vermicularis*  
*Cameron, T. W. M.*, 1929 a 828
- Enterobius vermicularis*  
*Cameron, T. W. M.*, 1929 g, 161-164, 175, 176, 181, figs. 1-8  
*Homo*
- Enterobius vermicularis*  
*Capocaccia, L.; and Mastrandrea, G.*, 1953 a, 588-592
- Enterobius vermiculares* [sic]  
*de Carvalho, O.*, 1928 a, 117-118
- Enterobius vermicularis*  
*Castronuova, O.*, 1954 b, 175, fig. 7
- [*Enterobius vermicularis*]  
*Catouillard, G.*, 1911 a, 219
- Enterobius vermicularis* of Wu, 1930  
*Chin, T. G.*, 1939 a, 551, 554  
 (as described by Wu, 1930 in Soochow rats.  
 Possible he may have confused it with  
*Enterobius muris* (Yamaguti, 1935))
- Enterobius vermicularis*  
*Chitwood, B. G.; and Chitwood, M. B.*, 1937 b, 2, 3, 12, 26, 34, fig. 11G
- Enterobius vermicularis*  
*Chitwood, B. G.; and Chitwood, M. B.*, 1938 a, 60, fig. 57 L

- Enterobius vermicularis*  
Chitwood, B. G.; and Wehr, E. E., 1934 a, 279,  
fig. 4f
- Enterobius vermicularis*  
Chorine, C.; and Tanguy, Y., 1945 a, 44  
nutrition
- Enterobius vermicularis*  
Cole, P. A.; and Brackett, F. S., 1939 a, 22
- Enterobius vermicularis*  
Corbet, W., 1924 a, 493-494
- Enterobius vermicularis*  
Corbo, S., 1956 a, 106-118
- Enterobius vermicularis*  
Corrington, J. D., 1935 d, 9, 10, 2 figs.
- Enterobius vermicularis (Oxyuris vermicularis)*  
Cort, W. W., 1921 I, 41, 49, 72, pl. 5, fig. 19  
pl. 8, figs. 5-6
- Enterobius (Oxyuris) vermicularis*  
Cort, W. W. In Hegner, R. S.; Cort, W. W.; and  
Root, F. M., 1923 a, 61, 66, 67, 74, 80, pl. 7,  
fig. 19, pl. 11, figs. 5, 6
- Enterobius vermicularis*  
da Costa, O. R., 1947 a, 215, 216
- Enterobius vermicularis*  
Cram, E. B., 1940 b, 23
- Enterobius vermicularis*  
Cram, E. B., 1940 c, 31-35  
comparative findings in white and negro  
races
- Enterobius vermicularis*  
Cram, E. B., 1941 a, 39-48, 77  
familial nature
- Enterobius vermicularis*  
Cram, E. B., 1943 b, 47, 48, 50, 52
- Enterobius vermicularis*  
Cram, E. B., 1944 a, 25-42
- Enterobius vermicularis*  
Cram, E. B.; and Nolan, M. O., 1939 a, 567
- Enterobius vermicularis*  
Cram, E. B.; Jones, N. F.; and Reardon, L.,  
1941 a, 4-5
- Enterobius vermicularis*  
Darwin, E., 1803 a, vol. 2, pt. 2, 44-46  
= ascarides, threadworms
- [*Enterobius vermicularis*]  
Denhoff, E.; and Laufer, M. W., 1949 a, 746-  
752
- Enterobius vermicularis* Linne  
Dinulescu, Gh.; et al., 1957 a, 298  
oameni
- Enterobius vermicularis*  
Dowell, F. H.; et al., 1952 a, 80
- Enterobius vermicularis*  
Dunbar, D. C., 1957 b, 146  
specific to man
- Enterobius vermicularis*  
Engelbrecht, H., 1961 a, 113
- Enterobius (= Oxyuris) vermicularis*  
Erhardt, A.; and Wigand, R., 1949 b, 1-24
- Enterobius vermicularis* (Linn.)  
Faust, E. C., 1929 c, 18, 36, 39, 57, 310,  
320, 400-404, 406, 521, figs. 219, 220, 263
- Enterobius vermicularis*  
Faust, E. C.; et al., 1939 a, 255-256  
technic and diagnosis
- Enterobius vermicularis*  
Fel'dt, A. M., 1928 a, 420, 421
- Enterobius vermicularis*  
Filipjev, I. N.; and Schuurmans Stekhoven, J.  
H., 1941 a, 7, 82
- Enterobius vermicularis*  
Franco do Amaral, A. D.; and de Lima, P.,  
1941 a, 238, 239, 240
- Enterobius vermicularis*  
Führbringer, P., 1931 a, 40-42
- Enterobius vermicularis*  
Gardner, V. R., [1930 a], 12  
treated with colloidal iodine  
man
- Enterobius vermicularis* (L.)  
Gendre, E., 1928 a, 66  
homme
- Enterobius vermicularis*  
Goeters, W., 1953 a, 43-47
- Enterobius vermicularis*  
Gordon, H. McL., 1949 b, 133
- Enterobius vermicularis*  
Green, S. F. St. D., 1912 a, 686-698
- Enterobius (Oxyuris) vermicularis*  
Guberlet, J. E., 1922 c, 190
- [*Enterobius vermicularis*]  
Guillemet, 1910 a, 583
- Enterobius vermicularis*  
Gupta, P. N., 1951 b, 235-238
- Enterobius vermicularis*  
Gurfinkel, M. B., 1926 a, 35
- Enterobius vermicularis*  
Hall, M. C., 1938 k, 202-205
- Enterobius vermicularis*  
Hall, M. C.; and Cram, E. B., 1939 a, 249-  
267  
nature
- Enterobius vermicularis*  
Harwood, P. D., 1930 a, 66
- Enterobius vermicularis*  
Headlee, W. H., 1935 b, 1069-1077
- Enterobius vermicularis*  
Hellsten, H., 1934 a, 33
- Enterobius vermicularis*  
Henry, A. C. L.; and Joyeux, C. E., 1920 a,  
176  
homme
- Enterobius vermicularis*  
Heydon, G. A. M., 1936 a, 899  
main source of infestation
- Enterobius vermicularis*  
Hitchcock, D. J., 1948 a, 210-213  
human
- Enterobius vermicularis*  
Hoeppli, R. J. C.; and Hou, H.-C., 1931 a,  
20, 24-25, 26, 27
- Enterobius vermicularis*  
Honma M., 1959 a, 1327-1333 (53-59)  
infection
- Enterobius vermicularis*  
Hoza, E.; Kozak, A.; and Magrova, E., 1961 a,  
828
- Enterobius vermicularis*  
Hsu, H.-F.; and Li, S. Y., 1940 a, 566  
(on the food of certain helminths living in  
the digestive tract of vertebrates)
- Enterobius vermicularis*  
Hsu, K. C., 1961 a, 147-150, 158
- Enterobius vermicularis*  
Idoyaga, V., 1928 a, 31
- Enterobius (Enterobius) vermicularis* Leach, 1853  
[i. e. (Linnaeus, 1758)]  
Inglis, W. G., 1961 c, 110
- Enterobius (Oxyuris) vermicularis*  
Ivádyné, P. M., 1952 a, 98-99
- Enterobius vermicularis*  
Ivanhoe, G. L., 1943 a, 403, 406, 410, 411,  
417  
transmission  
children's home: New Orleans
- Enterobius vermicularis*  
James, T., 1952 a, 188-189
- Enterobius vermicularis*  
Jirovec, O., 1948 c, 145-146
- Enterobius vermicularis*  
Jones, M. F.; and Nolan, M. B., 1942 a, 63-65  
rats
- Enterobius vermicularis* (L.)  
Joyeux, C. E., 1927 d, 508

- Enterobius vermicularis* (L.)  
 Joyeux, C. E.; and Baer, J. G., [1931 c], 400  
     auto-infestation  
     homme
- Enterobius vermicularis*  
 Kalantarian, E. V., 1927 a, 439  
     Homo
- Enterobius vermicularis* (L.)  
 Kalantarian, E. V., 1927 b, 85, 87
- Enterobius vermicularis*  
 Kamate, T., 1956 a, 211 (111)  
     sperm and copulation
- Enterobius vermicularis*  
 Kawamoto, S., 1956 a, 809-813 (35-39)
- Enterobius vermicularis*  
 Kawamoto, S., 1956 a, 47-51
- Enterobius vermicularis*  
 Kawamoto, S., 1956 b, 61-65
- Enterobius vermicularis*  
 Kawamoto, S.; and Ito, S., 1955 a, 16-19
- E[*Enterobius*] *vermicularis*  
 King, B. G., 1944 a, 291
- Enterobius vermicularis*  
 Klimmer, M., 1923 a, 92
- [*Enterobius vermicularis*]  
 Koch, M., 1925 a, 752
- Enterobius vermicularis*  
 Kodaira, K.; and Kobayashi, A., 1953 a, 40-41
- Enterobius vermicularis*  
 Komiya, Y.; Ishizaki, T.; Katsumi, H.; and Kumada, M., 1960 a, 706-710 (76-80)
- Enterobius vermicularis*  
 Kouri, P., 1937 a, 310-313  
     intestinal
- Enterobius vermicularis*  
 Kouri, P.; and Basnuevo, J. G., 1938 a, 8 pls., figs. 1-10
- Enterobius vermicularis*  
 Kouri, P.; and Basnuevo, J. G., 1940 a, fig. 1
- Enterobius vermicularis*  
 Kreis, H. A., 1932 b, 296, 301  
     annulation
- Enterobius vermicularis*  
 Kreis, H. A., 1934 c, 51
- Enterobius vermicularis*  
 Krull, W. H., 1959 a, 10
- Enterobius vermicularis*  
 La Face, L., 1949 a, 108
- Enterobius vermicularis*  
 Lane, C., 1925 b, 294
- Enterobius vermicularis*  
 Lane, C., 1944 a, 511, 513  
     prevalence, pathogenicity, periodicity and prevention
- Enterobius vermicularis* (Linne, 1758)  
 Lane, C.; and Low, G. C., [1923 c], 1878, 1884-1885, 1886, 1887, 1888, figs. 640 n, 644, H, I  
     Syns.: *Ascaris vermicularis* Linne, 1758; *Oxyuris vermicularis* Bremser, 1819; *Enterobius vermicularis* Baird, 1853; *Oxyurias vermicularis* Stiles, 1905; *Fusarella vermicularis* Seurat, 1916  
     man  
     dog
- Enterobius vermicularis Baird, 1853  
 Lane, C.; and Low, G. C., [1923 c], 1884  
     as syn. of : *Enterobius vermicularis* (Linne, 1758)
- Enterobius vermicularis*  
 Lapage, G., 1950 d, 135
- Enterobius vermicularis*  
 Lengvens, M. D., 1928 a, 530
- Enterobius vermicularis*  
 Lepolard, A. M., 1947 a, 971, life cycle, 972, 975
- [*Enterobius vermicularis*]  
 Lerrigo, C. H., 1940 a, 402 (14)
- [*Enterobius vermicularis*]  
 Lerrigo, C. H., 1943 d, 17
- Enterobius vermicularis*  
 Li, H. C., 1933 a, 1341  
     as syn. of: *Oxyuris vermicularis*  
     feeding experiments
- Enterobius vermicularis* Linnaeus, 1758  
 Li, H. C., 1933 c, 33, 38, 39, 40  
     presence of bacteria; nutrition
- Enterobius vermicularis*  
 Liebmamn, H., 1953 a, 26, 27, figs. 7, 8
- Enterobius vermicularis*  
 Lima, F. M., 1954 a, 413-418
- Enterobius vermicularis*  
 Lopez Neyra, C. R., 1916 a, 458  
     Homo sapiens
- Enterobius vermicularis*  
 Lopez Neyra, C. R., 1924 a, 193-194, figs. 91, 92
- Enterobius vermicularis*  
 Lopez Neyra, C. R., 1950 e, 103-107
- Enterobius vermicularis*  
 Lubieniecki, H., 1929 a, 1526-1531
- Enterobius vermicularis*  
 MacArthur, W. P., 1954 a, 157-163
- Enterobius vermicularis*  
 MacKeith, R. C., 1950 a, 358  
     children
- Enterobius vermicularis*  
 McMullen, D. B., 1949 a, 542-543
- Enterobius vermicularis*  
 Maldonado Sanpedre, M., 1935 b, 372, 1 fig.
- Enterobius vermicularis*  
 Mallari, A. I., 1937 a, 305  
     dog
- Enterobius vermicularis* (Linn.)  
 Manson, P., 1929 a, 767-768, fig. 267, pl. 35, fig. 19
- Enterobius vermicularis*  
 Manson-Bahr, P. H., 1940 b, 535
- Enterobius vermicularis*  
 Maplestone, P. A., 1924 b, 185
- Enterobius vermicularis*  
 Marsden, A. T. H., 1957 a, 60
- Enterobius vermicularis*  
 Mathies, A. W. (jr.), 1961 a, 174-177 (66-69)
- Enterobius vermicularis*  
 Matsuda, T., 1960 a, 453-457 (149-153)
- Enterobius vermicularis*  
 Matuda, S., 1960 a, 521-533
- Enterobius vermicularis*  
 de Mello Senra, J.; and Felicissimo, O., 1942 a, 548
- Enterobius vermicularis*  
 Moorman, A. E., 1941 a, 366  
     chimpanzee
- Enterobius vermicularis*  
 Most, H., 1943 a, 460, 463
- Enterobius vermicularis*  
 Most, H., 1943 b, 930-931
- Enterobius vermicularis*  
 Mugrage, E. R., 1939 a, 163
- Enterobius vermicularis*  
 Naegeli, O., 1931 a, 656  
     blood
- Enterobius vermicularis*  
 Nathan, H., 1928 a, 82-92
- Enterobius vermicularis*  
 Nazirov, M. R.; Glashkina, T. P.; and Tuaev, S. M., 1954 a, 306
- Enterobius vermicularis*  
 Neale, R., 1880 a, 429
- Enterobius vermicularis*  
 Neser, A. T., [1946 a], 43

- Enterobius vermicularis*  
Neveu-Lemaire, M., 1921 e, 269, 274-275, 310,  
figs. 170, 192(2)  
Syn.: *Oxyuris vermicularis*
- Enterobius vermicularis*  
Neveu-Lemaire, M., 1930 c, 146-156, figs.  
45, 46
- Enterobius vermicularis*  
Niño, F. L., 1944 b, 1371, 1372, figs. 3-6
- Enterobius vermicularis*  
Nishio, T., 1925 a, 199-218 (1-10)
- Enterobius vermicularis*  
Oleinikov, S. V., 1931 a, 379-380
- Enterobius vermicularis*  
Oytun, H. S., 1944 d, 483
- Enterobius vermicularis*  
Pampiglione, S., 1958 c, 409
- Enterobius vermicularis*  
Parkinson, G. S., [1942 a], 13
- Enterobius vermicularis*  
Pascual-Gispert, J., 1953 a, 73-87
- Enterobius vermicularis*  
Pavlovskii, E. N., 1931 a, 183, 185  
toxins  
man (intestine)
- Enterobius vermicularis*  
Pessôa, S. B.; and Lucena, D., 1938 a, 17-38
- Enterobius vermicularis*  
Petrovykh, A. I., 1931 b, 663-664
- Enterobius vermicularis*  
Petrovykh, A. I., 1931 c, 789-791
- Enterobius vermicularis*  
Petrovykh, A. I., 1931 d, 572-577  
adults
- Enterobius vermicularis*  
Pinto, A. R., 1955 b, 266  
ovos, fezes: Guiné Portuguesa
- Enterobius vermicularis*  
Pipkin, A. C., 1943 a, 9
- Enterobius vermicularis*  
Pitta Simões, J. M.; and Hill, R. B., 1943 a,  
99, 101, 103
- Enterobius vermicularis* L.  
Pod'fapol'skaià, V. P., 1926 a, 63, 64, 65,  
66, 67, 68
- Enterobius vermicularis* (L.)  
Pod'fapol'skaià, V. P., 1927 a, 156, 157, 159,  
160-161, 170, 171
- Enterobius vermicularis*  
Rachelson, M. H.; and Ferguson, W. R., 1955 a,  
60-66  
military installation
- Enterobius vermicularis* (Linn.)  
Railliet, A., 1917 b, 520
- Enterobius vermicularis*  
Ramanujachari, G.; and Alwar, V. S., 1953 b,  
329  
*Sus scrofa domestica*
- Enterobius vermicularis*  
Ranjan, M. P., 1947 b, 234-236
- Enterobius vermicularis*  
Rauther, M., 1930 a, 321, 343, 347, 349, 356,  
382, fig. 410
- Enterobius vermicularis*  
Reichenow, E.; and Wulker, G., 1929 a, 113, 130  
136, figs. 44, 80
- Enterobius vermicularis*  
Ricci, M., 1962 a, 199
- Enterobius vermicularis* (L. 1785) Leach, 1853  
Riley, W. A., [1920b], 91
- Enterobius vermicularis*  
Riley, W. A.; and Christenson, R. O., 1930 a,  
53, fig. 19, 18
- Enterobius vermicularis*  
Ritchie, L. S.; et al., 1949 a, 41
- Enterobius vermicularis*  
Rockefeller Foundation, [1936 d], 97
- Enterobius vermicularis*  
Rondeau du Noyer, M., 1928 a, 137
- Enterobius vermicularis*  
Ruzicska, G., 1939 a, 777-781
- Enterobius* (*Enterobius*) *vermicularis* (Linnaeus,  
1758)  
Sandosham, A. A., 1950 c, 198, 201
- Enterobius vermicularis*  
Sansom, A. E., 1893 b, 413-417
- Enterobius vermicularis* (Linn.)  
Saunders, L. G., 1949 a, 33
- Enterobius vermicularis*  
Scherer, S., 1954 a, 193-195
- Enterobius vermicularis*  
Schmidt, W., (1920 a)
- Enterobius* [*vermicularis*]  
Schüffner, W., 1946 a, 872
- Enterobius vermicularis* (Rudolphi)  
Schuurmans Stekhoven, J. H., 1937 a, 454, 476,  
477, fig. 79
- Enterobius vermicularis* (L.)  
Schuurmans Stekhoven, J. H., 1939 a, 542, 550,  
fig. 138
- Enterobius* (*Oxyuris*) *vermicularis*  
Schwartz, B., 1923 b, 44, 45, 46
- Enterobius vermicularis*  
Seife, M.; and Lisa, J. R., 1950 a, 769-772  
man
- Enterobius vermicularis*  
Serbinov, P. I.; and Shul'man, E. S., 1927 a,  
272, 273
- Enterobius vermicularis*  
Skrjabin, K. I., 1929 a, 15
- Enterobius vermicularis*  
Skrjabin, K. I.; and Popov, N. P., 1924 c, 30
- Enterobius vermicularis*  
Skrjabin, K. I.; and Shul'ts, R. E. S., 1927 c,  
148, 149, 150, 151, 152
- Enterobius vermicularis*  
Skrjabin, K. I.; and Shul'ts, R. E. S., 1929 a,  
25, 28, 38, 41, 48, 65
- Enterobius vermicularis*  
Sluiter, C. P.; Swellengrebel, N. H.; and  
Ihle, J. E. W., [1922 a], 338-341, fig. 170  
Syn.: *Oxyuris vermicularis* L.
- Enterobius vermicularis*  
Smalt, F. H., 1946 a, 333-334
- Enterobius vermicularis*  
Smirnov, G. G., 1935 d, 318-322, figs. 174-175
- Enterobius vermicularis*  
Smirnov, G. G., 1935 e, 347, 351, 352
- Enterobius vermicularis*  
Smirnov, G. G., 1936 a, 229, 230, 234, 238, 241  
haemophagy
- Enterobius vermicularis*  
Smith, R. E., 1950 a, 14  
strongyles  
ascarids  
horses
- Enterobius vermicularis* Leach 1853  
Sorescu, A.; and Panaitescu, D., 1960 a,  
303-312
- Enterobius vermicularis*  
Sprehn, C. E. W., 1927 e, 42, 66
- Enterobius vermicularis*  
Stojałowska, A.; and Stanios, W., 1958 a, 526
- Enterobius vermicularis*  
Stoll, N. R., 1943 a, 209
- Enterobius vermicularis* (Linne, 1767)  
Sufrin, J., 1923 a, 18-20  
homme
- Enterobius vermicularis*  
Supperer, R., 1959 a, 399  
Hund
- Enterobius vermicularis*  
Symmers, W. St. C., 1950 a, 475, 476, 477, 481,  
486, 515  
as syn. of: *Oxyuris vermicularis*  
man

- [*Enterobius vermicularis*]  
 Takano, R.; Katsumata, M.; and Naito, K.,  
 1925 a, 345
- Enterobius vermicularis*  
 Taylor, E. L., 1946 c, 448
- Enterobius vermicularis*  
 van Thiel, P. H., 1925 c, 175
- Enterobius vermicularis*  
 van Thiel, P. H., 1926 c, 315
- Enterobius vermicularis*  
 Titov, Ia. T., 1929 a, 1-10  
 intestinal
- Enterobius vermicularis*  
 Toce, A.; Maurel, J. L.; and Bullaude, E.,  
 1947 a, 71
- Enterobius vermicularis* (Leach, 1853)  
 Travassos, L. P., 1920 h, 207
- Enterobius vermicularis*  
 Travassos, L. P., 1925 i, 874
- Enterobius vermicularis* (L.)  
 Travassos, L. P., 1925 1, 5, 6, 7-8, pl. 1,  
 figs. 1-3  
*Homo sap.*
- Enterobius vermicularis* (L.)  
 Travassos, L. P., 1931 g, 238
- Enterobius vermicularis*  
 Tsvetaev, A. A., 1928 a, 327
- Enterobius vermicularis* Linnaeus, 1767  
 Tyzzer, E. E.; and Smillie, W. G., [1927 a],  
 921, 954-955
- Enterobius vermicularis*  
 Vasil'kova, Z. G., 1941 b, 219, 222
- Enterobius vermicularis*  
 Vieira Rosa, J., 1959 a, 424
- Enterobius vermicularis*  
 Voitsekhovskii, A. A., 1927 a, 220, 221, 222
- Enterobius vermicularis* L.  
 Vo Can Can, M., 1934 a, 579, 580
- Enterobius (Oxyuris) vermicularis*  
 Wardle, R. A., 1929 a, 74, fig. 17
- Enterobius (Oxyuris) vermicularis*  
 Williams, T. H., 1948 a, 424-425
- Enterobius vermicularis*  
 Wright, W. H., 1939 c, 236, figs. A-C
- Enterobius vermicularis*  
 Wright, W. H.; and Bozicevich, J., 1937 a,  
 562
- Enterobius vermicularis*  
 Wu, K., 1930 a, 51, 58-59, 60, 61  
*Mus rattus*  
*Mus norvegicus*
- Enterobius vermicularis* (Linn.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 187,  
 fig. 122  
*type of genus*  
*man*
- Enterobius vermicularis*  
 Zaffino, C.; and Raspa, G., 1952 a, 308
- Enterobius vermicularis*  
 Zavadovskii, M. M., 1931 a, 217-219
- Enterobius vermicularis*  
 Zavadovskii, M. M.; and Shalimov, L. G., 1929b,  
 9-39  
*intestine*
- Enterobius (Oxyuris) vermicularis*, Appendix  
 Ashburn, L. L., 1940 a, 841-856
- Enterobius vermicularis*, Appendix  
 Aurizi, A., 1960 a, 13-14
- Enterobius vermicularis*, Appendix  
 Baca Puerta, A., 1950 a, 3-55
- Enterobius vermicularis*, Appendix  
 Bacigalupo, J., 1931 f, 1205-1206  
*Buenos Aires*
- Enterobius vermicularis*, Appendix  
 Banaitis, S. I., 1929 a, 115-128 [Russian  
 text], German summary p. 129
- Enterobius vermicularis*, Appendix  
 von der Becke, A., 1946 a, 15-23
- [*Enterobius vermicularis*], Appendix  
 Bloch-Wormser, 1927 a, 482
- Enterobius vermicularis*, Appendix  
 Bonelli, V. D., 1955 a, 735-736, 756
- Enterobius vermicularis*, Appendix  
 Botsford, T. W.; Hudson, H. W. (jr.); and  
 Chamberlain, J. W., 1939 a, 933-936
- Enterobius vermicularis*, Appendix  
 Buchanan, G., [1937 a], 70
- Enterobius vermicularis*, Appendix  
 Chenau, U. A., 1954 a, 221-227  
*adults: Córdoba*
- Enterobius vermicularis*, Appendix  
 Christeller, E.; and Mayer, E., 1929 a, 560-  
 567
- Enterobius vermicularis*, Appendix  
 Dekleva, D., 1952 a, 137-143
- Enterobius vermicularis*, Appendix  
 Ehlers, H. W. E., 1929 a, 275-279
- Enterobius vermicularis*, Appendix  
 El Gazaverli, M.; and Khalil, H. A., 1954 a,  
 1086-1092
- Enterobius vermicularis*, Appendix  
 Füsthy, Ö., 1938 b, 1085-1089, figs. 1-2
- Enterobius vermicularis*, Appendix  
 Füsthy, Ö., 1938 d, 394-404, figs. 1-4
- Enterobius vermicularis*, Appendix  
 Gharpure, P. V.; and Gharpure, V. V., 1937 a,  
 23  
*investigations confined to vermiform  
 appendix*
- Enterobius vermicularis*, Appendix  
 Goodale, R. H., 1934 a, 372-374
- Enterobius vermicularis*, Appendix  
 Hernández López, E.; and Domínguez Martínez, J.,  
 1945 a, 326
- Enterobius vermicularis*, Appendix  
 Kuitunen Ekbaum, E.; and Morgan, E. M.,  
 1942 a, 340-343
- Enterobius vermicularis*, Appendix  
 Liengme, A., 1932 a, 709-743
- Enterobius vermicularis*, Appendix  
 Lister, (Sir) S., 1933 a, 65  
*Johannesburg*
- Enterobius vermicularis*, Appendix  
 Lopez Neyra, C. R., 1933 a, 613-614
- Enterobius vermicularis*, Appendix  
 Lopez Neyra, C. R., 1933 b, 635
- Enterobius vermicularis*, Appendix  
 McKellar, D., 1958 a, 153-155
- Enterobius vermicularis*, Appendix  
 Mazza, S.; and Pasquini Lopez, C., 1936 a,  
 700-703  
*Tucumán*
- Enterobius vermicularis*, Appendix  
 Milovanović, M.; and Sretenović, M., 1956 a,  
 168
- Enterobius vermicularis*, Appendix  
 Niño, F. L., 1942 a, 683-693, figs. 3-4, 6-8
- Enterobius vermicularis*, Appendix  
 Niño, F. L., 1943 a, 30-36, figs. 3, 7
- Enterobius vermicularis*, Appendix  
 Niño, F. L., 1945 a, 278, 279, 280, figs. 3-6
- Enterobius vermicularis*, Appendix  
 Poenaru Caplescu, C., 1927 a, 31-35
- Enterobius vermicularis*, Appendix  
 Powell, A. T. W., 1932 a, 341
- Enterobius vermicularis*, Appendix  
 Quintanar, M.; and Osorio E., M. T., 1949 a,  
 215-217
- Enterobius vermicularis*, Appendix  
 Rojas, C., 1959 a, 26-27
- Enterobius vermicularis*, Appendix  
 Ross, R., 1924 a, 103-104
- Enterobius vermicularis*, Appendix  
 Ruzicska, J., 1939 a, 2515-2524

- Enterobius vermicularis*, Appendix  
Schenken, J. R.; and Moss, E. S., 1942 a, 509-517
- Enterobius vermicularis*, Appendix  
Solov'ev, N. I., 1927 a, 265-274
- Enterobius vermicularis*, Appendix  
Vucetich, M.; and Giscobbe, O., 1949 a, 249, 252, 254, 255, figs. 1, 2
- Enterobius vermicularis*, Appendix  
Wada, K., 1956 a, 817-826  
clinical and pathohistological studies
- Enterobius vermicularis*, Appendix  
Warren, V. P., 1933 a, 21
- Enterobius vermicularis*, Appendix  
Warwick, M., 1935 a, 238-248
- Enterobius vermicularis*, Biology  
Kimura, S., 1955 a, 281-284
- Enterobius vermicularis*, Biology  
Madsen, H., 1945 b, 392-297  
biological observations
- Enterobius vermicularis*, Blood  
Alexeieff, G., 1932 a, 355  
haemato genesis
- Enterobius vermicularis*, Complications  
Aquadro, C. F., 1954 a, 1209
- Enterobius vermicularis*, Complications  
Basnuevo, J. G., 1957 b, 22-24
- Enterobius vermicularis*, Complications  
Beddoe, H. L., 1956 a, 577-580, figs. 1-2  
peritoneal granuloma
- Enterobius vermicularis*, Complications  
Brooks, T. J. (jr.); Goetz, C. C.; and Plauché, W. C., 1962 a, 492-494  
Pelvic granuloma
- Enterobius vermicularis*, Complications  
Clark, R. F., 1961 a, 1026 (188)  
urticaria
- Enterobius vermicularis*, Complications  
Croce, E. J.; MacGillivray, W. F.; and Murphy, C. J., 1956 a, 67-69, fig. 1  
salpingitis
- Enterobius (Oxyuris) vermicularis*, Complications  
Horáček, J., 1952 a, 80  
dermatology
- Enterobius vermicularis*, Complications  
Ikeda, T., 1959 a, 409  
stomach
- Enterobius vermicularis*, Complications  
MacArthur, W. P., 1930 a, 214-216
- Enterobius vermicularis*, Complications  
MacArthur, W. P., 1930 b, 1195-1196
- Enterobius vermicularis*, Complications  
MacArthur, W. P., 1931 a, 334-336
- Enterobius vermicularis*, Complications  
MacArthur, W. P., 1931 b, 797-798
- Enterobius vermicularis*, Complications  
MacArthur, W. P., 1934 c, 354
- Enterobius vermicularis*, Complications  
MacKeith, A. A., 1931 a, 401
- Enterobius vermicularis*, Complications  
Miloshev, B. I., 1959 a, 150-155  
etiopathogenesis of eczematous diseases
- Enterobius vermicularis*, Complications  
Morley, A. S., 1934 a, 354-355
- Enterobius vermicularis*, Complications  
Nairn, R. C.; and Duguid, H. L., 1954 a, 228-230
- Enterobius vermicularis*, Complications  
Puccinelli, V., 1927 a, 533-535
- Enterobius vermicularis*, Complications  
Schneider, F., 1931 a, 1301-1304
- Enterobius vermicularis*, Complications  
Valles, A., 1953 a, 542-543  
intestinal
- Enterobius vermicularis*, Complications  
Wood, F. D., 1949 a, 20-29, 64  
prevalence, diagnosis and control
- Enterobius vermicularis*, Complications  
Yoshino, K., 1933 e, 142  
rectum
- Enterobius vermicularis*, Development  
Bonilla Naar, A., 1945 b, 723-726
- Enterobius vermicularis*, Development  
Lentze, F. A., 1932 a, 51-53
- Enterobius vermicularis*, Development  
Penso, G., (1932 i), 781
- Enterobius vermicularis*, Diagnosis  
de Almeida Christovão, D., 1941 a, 148, 151, 153-160  
intestinal
- Enterobius vermicularis*, Diagnosis  
Bacigalupo, J., 1941 c, 311-312
- Enterobius vermicularis*, Diagnosis  
Baer, J., [1942 b], 124
- Enterobius vermicularis* (*Oxyuris*), Diagnosis  
Basnuevo, J. G., 1955 d, 53  
Cuba
- Enterobius vermicularis*, Diagnosis  
Beaver, P. C., 1948 a, 21-22
- Enterobius vermicularis*, Diagnosis  
Beaver, P. C., 1949 a, 577-587
- Enterobius vermicularis*, Diagnosis  
Brooke, M. M.; Donaldson, A. E.; and Mitchell, R. B., 1949 a, 897  
cellulose tape
- Enterobius vermicularis*, Diagnosis  
Christiansen, J., 1952 a, 1052-1053
- Enterobius vermicularis*, Diagnosis  
Christiansen, J., 1953 a, 94-96
- Enterobius vermicularis*, Diagnosis  
Coutelen, F.; et al., [1957 a], 728
- Enterobius vermicularis*, Diagnosis  
Ermolov, V. I., 1959 a, 99
- Enterobius vermicularis*, Diagnosis  
Fernandes Coelho, M., 1949 a, 1232-1235
- Enterobius vermicularis*, Diagnosis  
Graham, C. F., 1941 a, 159-161, figs. 3-4
- Enterobius vermicularis*, Diagnosis  
Jacobs, A. H., 1942 a, 497-503, fig. 1  
children  
Scotch cellulose tape technique
- Enterobius vermicularis*, Diagnosis  
Kawamoto, S., 1956 c, 94-97  
perianal swab method with scotch cellulose tape technique
- Enterobius vermicularis*, Diagnosis  
Kouri, P.; and Basnuevo, J. G., 1940 e, 4
- Enterobius vermicularis*, Diagnosis  
Kouri, P.; Basnuevo, J. G.; and Arenas, R., 1934 b, 91-104, figs. 1-3
- Enterobius vermicularis*, Diagnosis  
Levin, I. I., 1930 a, 155-174
- Enterobius vermicularis*, Diagnosis  
López-Fernández, J. R., 1948 a, 89  
laboratory
- Enterobius vermicularis*, Diagnosis  
Malinowski, H., 1958 b, 497, 498, 499  
coprologic examinations
- Enterobius vermicularis*, Diagnosis  
McCoy, O. R.; Miller, J. J. (jr.); and Friedlander, R. D., 1933 a, 13, 17  
tests with *Trichinella spiralis* antigens
- Enterobius vermicularis*, Diagnosis  
Markey, R. L., 1950 a, 493  
anal swab method
- Enterobius vermicularis*, Diagnosis  
Mazzotti, L.; and Quintanar, E., 1943 b, 167-171
- Enterobius vermicularis*, Diagnosis  
Mazzotti, L., 1956 a, 1
- Enterobius vermicularis*, Diagnosis  
Mazzotti, L.; and Osorio E., M. T., 1942 a, 323-328

- Enterobius vermicularis*, Diagnosis  
Mazzotti, L.; and Osorio E., M. T., 1944 a,  
42
- Enterobius vermicularis*, Diagnosis  
Mazzotti, L.; and Osorio E., M. T., 1945 a,  
1046
- Enterobius vermicularis*, Diagnosis  
Mendheim, H.; and Scheid, G., 1948 a, 147-155
- Enterobius vermicularis*, Diagnosis  
Meneses Rubiáñez, C.; and Avendaño Escalante,  
S., 1949 a, 46
- Enterobius vermicularis*, Diagnosis  
Murashige, T., 1957 a, 476-478 (84-86)  
women
- Enterobius vermicularis*, Diagnosis  
Oleinikov, S. V., 1927 a, 162, 163, 164  
Ufa
- Enterobius vermicularis*, Diagnosis  
Oleinikov, S. V., 1929 a, 401-402
- [*Enterobius vermicularis*], Diagnosis  
Osorio E., M. T.; and Mazzotti, L., 1940 a,  
265-273
- Enterobius vermicularis*, Diagnosis  
Poindexter, H. A., 1938 a, 1052-1055  
leucorrhea during childbearing period
- Enterobius vermicularis*, Diagnosis  
Pod'íapol'skaià, V. P., 1943 a, 83
- Enterobius* [sic] *vermicularis*, Diagnosis  
Ray, M. M., 1949 a, 270  
urine examination  
female
- E[*Enterobius*] *vermicularis*, Diagnosis  
Ritter, E., 1958 a, 493, 494, 495  
coprological examinations
- Enterobius vermicularis*, Diagnosis  
Sadun, E. H.; and Melvin, D. M., 1955 a, 41
- Enterobius vermicularis*, Diagnosis  
Sadun, E. H.; and Melvin, D. M., 1956 a, 438-  
441
- Enterobius vermicularis*, Diagnosis  
Sawitz, W. G., 1940 a, 75-78
- Enterobius vermicularis*, Diagnosis  
Sawitz, W. G.; and Karpinos, B. D., 1942 a,  
15-26  
NIH swab
- Enterobius vermicularis*, Diagnosis  
Sawitz, W. G.; Odom, V. L.; and Lincicome,  
D. R., 1938 a, 9  
NIH anal swab  
brine and zinc sulphate floatation
- Enterobius vermicularis*, Diagnosis  
Sawitz, W. G.; Odom, V. L.; and Lincicome, D.  
R., 1939 a, 1148-1157  
NIH swab  
brine and zinc sulfate floatation
- Enterobius vermicularis*, Diagnosis  
Serbinov, P. I., 1926 a, 38-41
- Enterobius vermicularis*, Diagnosis  
Serbinov, P. I.; and Shul'man, E. S., 1926 a,  
44-48  
children: child welfare centers in the state  
tobacco factories, Kharkov
- Enterobius vermicularis*, Diagnosis  
Shukhat, I. A., 1931 a, 213-214
- Enterobius vermicularis*, Diagnosis  
Shul'man, E. S., 1926 b, 49-50  
adults  
scratchings from perianal region
- Enterobius vermicularis*, Diagnosis  
Smith, W. H. Y.; and Damon, S. R., 1940 a,  
209-211  
hexylresorcinol by mouth  
rectal jelly
- Enterobius vermicularis*, Diagnosis  
Stitt, E. R., 1929 a, 520-521, 523, figs. 159,  
160
- Enterobius vermicularis*, Diagnosis  
Toce, A.; Maurel, J. L.; and Bullaude, E.,  
1947 b, 975
- Enterobius vermicularis*, Diagnosis  
Tsuchiya, H.; and Bauerlein, T. C., 1939 a,  
627-631  
intradermal test
- Enterobius vermicularis*, Diagnosis  
Usui, B., 1960 a, 395 (51)  
Usui method
- Enterobius vermicularis*, Diagnosis  
Wachsmuth, R., 1951 a, 730-737
- Enterobius vermicularis*, Diagnosis  
Watson, J. M.; and MacKeith, R., 1952 a,  
526-532
- Enterobius vermicularis*, Diagnosis  
Zancan, B., 1939 a, 401, 406  
(La reazione di Triboulet)
- Enterobius vermicularis*, Eggs  
Bogoiavlenskii, N. A.; and Demidova, A. Ia.,  
1928 b, 1102  
carried by *Musca domestica*
- Enterobius vermicularis*, Eggs  
Capron, A.; and Brygoo, E. R., [1960 a], 576
- Enterobius vermicularis*, Eggs  
Chanishvili, I. V., 1959 a, 365  
river water: Georgian SSR
- Enterobius vermicularis*, Eggs  
Chowdhury, A. B.; Ghosh, T. N.; Ray, H. N.; and  
Bhaduri, N. V., 1957 a, 175  
histochemical character
- Enterobius vermicularis*, Eggs  
Dimitrova, E., 1955 b, 49
- Enterobius vermicularis*, Eggs  
Dimitrova, E., 1955 c, 59-72  
ultra-violet rayon
- Enterobius vermicularis*, Eggs  
Elsdon-Dew, R., 1952 c, 79
- Enterobius vermicularis*, Eggs  
González Castro, J.; and Manas Montalvo, J.,  
1952 a, 227-288
- Enterobius vermicularis*, Eggs  
Heinz, H. J., 1951 a, 915
- Enterobius vermicularis*, Eggs  
Hollaender, A.; Jones, M. F.; and Jacobs, L.,  
1940 a, 421-432  
effects of monochromatic ultraviolet radia-  
tion
- Enterobius vermicularis*, Eggs  
Inatomi, S., (1957 b), 18-22, pl., figs. 1-7  
electron microscope
- Enterobius vermicularis*, Eggs  
Iwaniczuk, I., 1956 a, 85-86  
sewers: Warsaw
- Enterobius vermicularis*, Eggs  
Jones, M. F.; and Hollaender, A., 1942 a,  
17-18  
effect of long ultraviolet and near visible  
radiation
- Enterobius vermicularis*, Eggs  
Jones, M. F.; and Hollaender, A., 1944 a,  
26, 27, 28, 29, 31, 32  
effect of long ultraviolet and near visible  
radiation
- Enterobius vermicularis*, Eggs  
Jones, M. F.; and Jacobs, L., 1939 a, 32
- Enterobius vermicularis*, Eggs  
Jones, M. F.; and Jacobs, L., 1941 a, 88-102
- Enterobius vermicularis*, Eggs  
Jones, M. F.; Jacobs, L.; and Hollaender, A.,  
1939 a, 21  
effect of monochromatic ultraviolet radiation
- Enterobius vermicularis*, Eggs  
Jones, M. F.; Jacobs, L.; and Hollaender, A.,  
1940 a, 435-445  
effect of monochromatic ultraviolet radiation

- Enterobius vermicularis*, Eggs  
 Kouri, P.; Arenas y Martorell, R.; and  
 Basnuevo, J. G., 1934 a, 114-116  
 urinary sediment
- Enterobius vermicularis*, Eggs  
 Mazzotti, L., 1945 c, 132, 134  
 Mexico
- Enterobius vermicularis*, Eggs  
 Mazzotti, L., 1951 a, 27-28, fig.
- Enterobius vermicularis*, Eggs  
 Miretskii, O. Ia., 1937 a, 396, 397  
 count
- Enterobius vermicularis*, Eggs  
 Monné, L.; and Hønig, G., 1954 b, 262  
 physical and chemical properties of egg  
 envelopes
- Enterobius vermicularis*, Eggs  
 Morisita, T.; et al., 1960 c, 385-386 (41-42)  
 human
- Enterobius vermicularis*, Eggs  
 Morisita, T.; et al., 1960 d, 182-184
- Enterobius vermicularis*, Eggs  
 Moriyama, S., 1956 a, 212 (112)
- Enterobius vermicularis*, Eggs  
 Nishimura, T., 1952 b, 283-289  
 floor dust, public bath and school
- Enterobius vermicularis*, Eggs  
 Nolan, M. B.; and Jones, M. F., 1942 a, 23-25  
 household fumigants
- Enterobius vermicularis*, Eggs  
 Nolan, M. B.; and Reardon, L., 1938 a, 9  
 household dust
- Enterobius vermicularis*, Eggs  
 Nolan, M. B.; and Reardon, L., 1939 a, 173-177  
 household dust
- Enterobius vermicularis*, Eggs  
 Oelkers, H. A., 1950 b, 574
- [*Enterobius vermicularis*], Eggs  
 Oka, M.; et al., 1958 a, 599-603
- Enterobius vermicularis*, Eggs  
 Okumura, K., 1960 b, 378 (34)  
 drying effect
- Enterobius vermicularis*, Eggs  
 Reardon, L. V., 1938 b, 978-984
- ? *Enterobius vermicularis* (L.), Geography  
 Adamson, A. M., 1935 a, 9  
 Marquesan children
- Enterobius vermicularis* (Linn., 1758), Geography  
 Akhtar, S. A., 1939 a, 287  
 child: Afghanistan
- Enterobius vermicularis*, Geography  
 Alicata, J. E., 1946 d, 12  
 natives: Truk, Eastern Carolines
- Enterobius vermicularis*, Geography  
 Alicata, J. E.; and Kartman, A. T., 1948 a,  
 214, fig. 1  
 Honolulu
- Enterobius vermicularis*, Geography  
 Alwar, V. S., 1958 b, 113, 114, 116  
 Sus scrofa domestica: Madras
- Enterobius vermicularis*, Geography  
 Andrews, J. S.; Maldonado, J. F., 1939 a, 55  
 Hylobates low (gibbon): Puerto Rico
- Enterobius vermicularis*, Geography  
 Asp, B. A.; and Shumard, R. F., 1957 a, 54
- Enterobius vermicularis*, Geography  
 Babbott, F. L. (jr.); Frye, W. W.; and Gordon,  
 J. E., 1961 a, 187  
 human: Greenland
- Enterobius vermicularis*, Geography  
 Beatty, H. A., 1944 a, 109  
 man: St. Croix, V. I.
- [*Enterobius vermicularis*], Geography  
 Bell, J., [1913? a], 116  
 Hongkong
- Enterobius vermicularis*, Geography  
 Ben Ari, J., 1957 a, 169, 170  
 fecal examination: Israel
- Enterobius vermicularis*, Geography  
 Benjamin, E. L., 1946 a, 497  
 natives: Okinawa

- Enterobius vermicularis*, Geography  
 Bern, H. A.; and Hansen, M. F., 1950 a, 105  
 native: New Guinea
- Enterobius vermicularis*, Geography  
 Biziulevicius, S., [1959 b], 52, 68, 69  
 inhabitants: Lithuanian SSR
- Enterobius vermicularis*, Geography  
 Biziulevicius, S., 1960 d, 30
- Enterobius vermicularis*, Geography  
 Blackie, W. K., 1932 a, 7, 9, 10, 13, 14, 52,  
 82-83, 88  
 Homo (stool, urine): Southern Rhodesia  
 Melsetter Dist., Umtali Dist., Sebungwe Dist.
- Enterobius vermicularis*, Geography  
 Brady, F. J., 1941 a, 10  
 Puerto Rico
- Enterobius vermicularis*, Geography  
 Brown, H. W.; Sheldon, A. J.; and Thurston, T.,  
 1940 a, 922-925  
 North Carolina
- E[nterobius] vermicularis, Geography  
 Brown, M., 1949 a, 70  
 Eskimo: South Hampton Island
- Enterobius vermicularis*, Geography  
 Brown, M.; et al., 1948 a, 451  
 Eskimo: Southampton Island, Northwest Territories
- Enterobius vermicularis*, Geography  
 Brown, M.; Green, J. E.; Boag, T. J.; and  
 Kuitunen-Ekbaum, E., 1950 a, 508, 509, 511  
 Eskimos: Igloolik, N. W. T.
- Enterobius vermicularis*, Geography  
 Bukh, F. L., 1945 a, 66, 67  
 Ufa
- Enterobius vermicularis* (L., 1758), Geography  
 Burdzhnadze, P. L., 1943 a, 56  
 Homo sapiens: Georgia [SSR]
- Enterobius vermicularis* (Linn., 1758), Geography  
 Caballero y C., E., 1942 e, 579, 580, 581  
 man: Izucar de Matamoros y Acatlan de  
 Osorio
- Enterobius vermicularis* (L., 1758) Leach, 1853,  
 Geography  
 Carvalho, J. C. N., 1940 a, 415  
 Homem: Minas Gerais
- [*Enterobius vermicularis*], Geography  
 Cates, S. S., 1953 a, 239-242  
 Florida
- Enterobius vermicularis*, Geography  
 Causey, O. R.; Costa, O.; and Causey, C. E.,  
 1947 a, 223, 225, 229, 230, 231  
 Brasil
- Enterobius vermicularis*, Geography  
 Chanco, P. P. (jr.); and Soriano, L. J.,  
 1939 a, 81-89  
 children: Philippine
- Enterobius vermicularis*, Geography  
 Cluver, E. H., [1946 a], 28  
 [Homo sapiens]: [South Africa]
- Enterobius vermicularis*, Geography  
 Cluver, E. H., [1957 b], 78  
 South Africa
- Enterobius vermicularis*, Geography  
 Cram, E. B., 1940 a, 438-440
- Enterobius vermicularis*, Geography  
 Dansker, V. N.; Vite, L. N.; and Aleksander,  
 L. L., 1935 a, 118, 119, 120, 121, 229  
 man: Leningrad
- Enterobius vermicularis*, Geography  
 Davis, W. D.; Scott, R. W., 1944 a, 1046, 1047,  
 1049  
 Cleveland
- Enterobius vermicularis*, Geography  
 Deane, M. P., 1950 a, 447, 450-451, 456, 458  
 residents: Amazonia
- Enterobius vermicularis*, Geography  
 Diaz de las Heras, S. R., 1942 a, 47, figs.  
 1-8  
 Buenos Aires
- Enterobius vermicularis*, Geography  
 Donaldson, A. W., 1943 a, 298-299  
 children: Ohio
- Enterobius vermicularis*, Geography  
 Erhardt, A., 1951 a, 1, 2  
 Balkan
- Enterobius vermicularis*, Geography  
 Ershov, V. S.; Gorshunova, O. K.; and Malygin,  
 S. A., 1935 a, 161  
 man: Kirov
- Enterobius vermicularis*, Geography  
 Forte, M.; and Franco, F., 1960 a, 175-177  
 Italy
- Enterobius vermicularis*, Geography  
 Fournelle, H. J.; Rader, V.; and Allen, C.,  
 1959 a, 57, 58  
 Eskimos: Alaska
- B[nterobius] vermicularis, Geography  
 Fournelle, H. J.; Wallace, I. L.; and Rader,  
 V., 1958 a, 1493  
 human: Alaska
- Enterobius vermicularis*, Geography  
 Fraga de Azevedo, J.; Coelho, M. F.; and  
 de Carvalho, F., 1949 a, 51, 52, 53, 54, 55,  
 56, 57  
 Lisboa
- Enterobius vermicularis*, Geography  
 Fraga de Azevedo, J.; and Colaço, A., 1950 a,  
 285, 286, 289
- Enterobius vermicularis*, Geography  
 Gentile, J. M., 1951 a, 293-304  
 Córdoba
- Enterobius vermicularis*, Geography  
 Gerberg, D. S.; and Derman, H., 1959 a, 4571-  
 4576  
 mid-Hudson Valley
- Enterobius vermicularis*, Geography  
 Giraldo, L. E.; Faust, E. C.; Bonfante, R.;  
 and Caicedo, G., 1959 a, 46  
 diagnostic findings  
 human feces: Ward Siloe, Cali, Colombia
- Enterobius vermicularis*, Geography  
 Gnedina, M. P.; and Statirova, N. A., 1928 a,  
 397  
 Moscou
- Enterobius vermicularis*, Geography  
 Gonzales-Mugaburu, L., 1956 a, 149, 151  
 escolares: Rimic
- Enterobius vermicularis*, Geography  
 Gonzalez Castro, J., 1951 a, 5  
 spread by paper money: Spain
- Enterobius vermicularis*, Geography  
 Graves, W. R., 1942 a, 220  
 children
- Enterobius vermicularis*, Geography  
 Hakki, I., 1928 d, 247  
 statistics: Turkey
- Enterobius vermicularis*, Geography  
 Hamerton, A. E., 1943 a, 123  
 Gorilla gorilla beringeri: Zool. Soc.  
 Gardens, London
- Enterobius vermicularis*, Geography  
 Headlee, W. H., 1942 c, 265  
 Indiana
- Enterobius vermicularis*, Geography  
 Headlee, W. H., 1943 a, 281-284  
 children: Indiana
- Enterobius vermicularis*, Geography  
 Headlee, W. H., [1944 a], 173, 175, 176  
 [Homo sapiens]: Indiana
- Enterobius vermicularis*, Geography  
 Headlee, W. H., 1949 a, 26-31, 52-55  
 Indiana

- Enterobius vermicularis*, Geography  
 Headlee, W. H., 1952 a, 286-288  
 children: Indiana
- Enterobius vermicularis*, Geography  
 Headlee, W. H.; and Hopp, W. B., 1941 a, 211  
 human: Indiana
- Enterobius vermicularis*, Geography  
 Headlee, W. H.; Vajrasthira, S.; and Maipoom, C., 1956 a, 13  
 incidence in Thailand
- Enterobius vermicularis*, Geography  
 Heilmann, C. G., 1950 a, 93, 94, fig. 1  
 Roanoke
- Enterobius vermicularis*, Geography  
 Herman, C. M., 1939 a, 484  
*Hylobates lar leuciscus*: N. York Zool. Park
- Enterobius vermicularis*, Geography  
 Hitchcock, D. J., 1949 b, 959, 963, 964  
 children: Michigan
- Enterobius vermicularis*, Geography  
 Hitchcock, D. J., 1950 a, 232, 233, 234  
 Eskimos: Alaska
- Enterobius vermicularis*, Geography  
 Hoekenga, M. T., 1950 b, 758  
 man: northwestern Honduras
- Enterobius vermicularis*, Geography  
 van der Hoeven, J. A.; and Rijpstra, A. C., 1957 a, 228  
 accidental finding  
 human: Netherlands New Guinea
- Enterobius vermicularis*, Geography  
 Hopp, W. B., 1941 a, 210  
 human: Indiana
- Enterobius vermicularis*, Geography  
 Hsiao, T.-Y., 1946 a, 29  
 man: Manchuria
- Enterobius vermicularis* (Linn., 1758), Geography  
 Hsü, H. F., 1933 g, 1289, 1290-1291, 1297,  
 pl. 1, figs. 2-3  
 morphology  
 man (lower portion of small intestine):  
 Peiping, China
- Enterobius vermicularis* Linnaeus, 1758, Geography  
 Hsü, H. F.; and Chow, C. Y., 1938 e, 249-252,  
 262, 263, 264, 265, 267, 268, 270, 271  
 human: Peiping, China
- Enterobius vermicularis*, Geography  
 Jeffery, G. M., 1950 a, 485-488  
 incidence in Puerto Rican children
- Enterobius vermicularis*, Geography  
 Jirovec, O., 1950 a, 540  
 Czechoslovakia
- Enterobius vermicularis*, Geography  
 Jirovec, O., 1951 c, 236-238  
 Gottwaldov
- Enterobius vermicularis* (Linn.), Geography  
 Johnston, T. H.; and Cleland, J. B., 1937 a,  
 273-274  
 Australia
- Enterobius vermicularis*, Geography  
 Jones, M. F., 1941 a, 7-10  
 children: Washington, D. C.
- Enterobius vermicularis*, Geography  
 Kalantarian, E. V., 1926 a, 76  
 statistics in Armenian children
- Enterobius vermicularis* (Linnaeus, 1758), Geography  
 Kalantarian, E. V.; and Badalian, A. O., 1959a,  
 26  
 man: Armenia
- Enterobius vermicularis* (Linnaeus, 1758), Leach  
 1853, Geography  
 Kao, C. M.; and Chow, Y. L. [1951 a], 267  
 children: Tientsin, China
- Enterobius vermicularis* L., 1758, Geography  
 Kasimov, G. B., 1947 b, 516  
 man: Azerbaijan
- Enterobius vermicularis*, Geography  
 Keller, A. E.; Leathers, W. S.; and Knox, J. C., 1938 a, 258-274  
 North Carolina
- Enterobius vermicularis*, Geography  
 Kelly, V. C.; and Scott, R. B., 1953 a, 351-352  
 Negro children: Washington area
- Enterobius vermicularis*, Geography  
 Kevorkov, N. P., 1936 b, 43, 46  
 [man]: Tashkent
- Enterobius vermicularis* L., Geography  
 Khalil, M., 1924 j, 161, 170
- Enterobius vermicularis*, Geography  
 Khalil, M., 1932 c, 3, 4  
 history  
 man: Egypt
- Enterobius vermicularis*, Geography  
 Khalil, M., 1934 o, 63, 65  
 treatment with carbon tetrachloride
- Enterobius vermicularis*, Geography  
 Khalil, M., 1934 x, 82, 85  
 carbon tetrachloride efficacious  
 hexylresorcinol efficacious  
 Egypt
- Enterobius vermicularis*, Geography  
 Khalil, M., 1936 b, 80  
 results of treatment: Egypt
- Enterobius vermicularis*, Geography  
 Kitabatake, K.; Mizutani, N.; and Yokouchi, K., 1959 a, 150  
 new method of diagnosis  
 boys and girls: Aomori Prefecture, Japan  
 (new locality)
- Enterobius vermicularis*, Geography  
 Klenin, I. I., 1947 b, 142, 143  
 man: Chkalov
- Enterobius vermicularis*, Geography  
 Kojima, K.; and Kumada, M., 1959 a, 240-243  
 children and their families: Tokyo
- Enterobius vermicularis*, Geography  
 Kondo, T.; Utida, A.; Araki, T.; and Yanagisawa, R., 1960 a, 398 (54)  
 rural area
- Enterobius vermicularis*, Geography  
 Kopp, F. N.; Dmitrieva, M. A.; and Tsvetkova-Prigorovskai, A. E., 1928 a, 117, 118, 141  
 [Homo sapiens]: Sevastopol
- Enterobius vermicularis*, Geography  
 Kovaleva, A. V., 1939 a, 96-97  
 Tashkent
- Enterobius vermicularis*, Geography  
 Kozar, Z., 1949 b, 85-89  
 children: Gdansk
- Enterobius vermicularis* (Linne 1758) Leach  
 1856, Geography  
 Kreis, H. A., 1958 a, 6, 23  
 Synonym  
*Homo sapiens* (small and large intestines, appendix): Iceland
- Enterobius vermicularis*, Geography  
 Kuitunen Ekbaum, E., 1940 b, 287-290  
 children: Toronto
- Enterobius vermicularis*, Geography  
 Kuitunen Ekbaum, E., 1945 a, 430, 431  
 servicemen: Ontario
- Enterobius vermicularis*, Geography  
 Kuntz, R. E., 1960 a, 170  
 children: Dacca, East Pakistan
- Enterobius vermicularis*, Geography  
 Kuntz, R. E.; Lawless, D. K.; and Langbehn, H. R., 1958 a, 300  
 man (stool): Anatolia, Turkey

- Enterobius vermicularis*, Geography  
 Kuntz, R. E.; Lawless, D. K.; Langbehn, H. R.;  
 and Malakatis, G. M., 1958 a, 632, 635  
*Homo sapien*: Egypt
- Enterobius vermicularis*, Geography  
 Leathers, W. S.; Keller, A. E.; and McPhaul, W.  
 A., 1939 b, 64, 66  
 prevalence, distribution, and intensity in  
 56 counties  
 [Homo sapiens]: Florida
- Enterobius vermicularis*, Geography  
 Li, S. Y.; and Hsu, H. F., 1951 a, 32, 34, 36,  
 41  
 men: Peiping
- Enterobius vermicularis*, Geography  
 Lik Kiu Ding; and Sutlive, J., 1960 a, 503  
 treatment: Borneo
- Enterobius vermicularis*, Geography  
 Lindrop, G. T., 1926 a, 60-61  
 Russia
- Enterobius vermicularis*, Geography  
 Lopez-Neyra, C. R., 1949 a, 428, 429  
*humana*: Marruecos español
- Enterobius vermicularis*, Geography  
 Lu, C., 1941 a, 257  
*Mus norvegicus*: China
- Enterobius vermicularis*, Geography  
 Mac Keith, R. C., 1950 b, 186  
 child
- Enterobius vermicularis* (L. 1758), Geography  
 MacKerras, M. J., 1958 b, 156  
*Homo sapiens*: Australia
- Enterobius vermicularis*, Geography  
 Malewitz, T. D.; and Lysenko, M. G., 1955 a,  
 330-331  
 Puerto Rican children
- Enterobius vermicularis*, Geography  
 Maplestone, P. A., 1938 b, 103, 105  
 human: India
- Enterobius vermicularis*, Geography  
 Markell, E. K., 1945 a, 66, 67  
*Homo sapiens*: New Zealand
- Enterobius vermicularis*, Geography  
 Markin, A. V., 1945 a, 43  
 human: Nijnij Tagil, Sverdlovsk province
- Enterobius vermicularis*, Geography  
 Massino, B. G., 1927 a, 193, 282  
 [man]: Uzbekistan
- Enterobius vermicularis*, Geography  
 Matuda, S., 1959 a, 409  
 carrier: primary school in Hiroshima
- Enterobius vermicularis*, Geography  
 Mazzotti, L., 1943 a, 273-277  
 Mexico
- Enterobius vermicularis*, Geography  
 Méhouaëd, T. H., 1938 a, 41-44  
 Tunisia
- Enterobius vermicularis*, Geography  
 de Meira, M. T. V.; Pinto Nogueira, J. F.; and  
 Serras Simoes, T., 1947 b, 241  
*homo*: S. Nicolau
- Enterobius vermicularis*, Geography  
 Menezes, H., 1943 a, 140  
 human: Brasil
- Enterobius vermicularis*, Geography  
 Miller, M. J.; and Choquette, L., 1940 a,  
 453-455  
 children: Canada
- Enterobius vermicularis*, Geography  
 Mills, R. G., 1926 a, 165  
 statistics
- Homo*: Korea
- Enterobius [vermicularis]*, Geography  
 Mills, R. G., 1927 a, 223  
 statistics
- Korea*
- Enterobius vermicularis*, Geography  
 Modi, C. J.; and Dave, C. V., 1955 a, 205-207  
 children: Ahmedabad
- Enterobius vermicularis*, Geography  
 de Morais, T., 1959 a, 177  
 African natives (faeces): Island of  
 Inhaca
- Enterobius vermicularis* (Linnaeus, 1758) Geogra-  
 phy
- Mudaliar, S. V.; and Alwar, V. S., 1947 b, 80  
*man*: Madras
- Enterobius vermicularis*, Geography  
 Mufel, P. P., 1928 a, 103  
 population: Voronezh
- Enterobius vermicularis*, Geography  
 Mumford, B. P., 1936 a, 147  
 Marquesas Islands
- Enterobius vermicularis*, Geography  
 Myers, E. N.; Negrón, R.; and Pearlstein, H.,  
 1959 a, 61, 62, 64  
 Puerto Rican children: Philadelphia,  
 Pennsylvania
- Enterobius vermicularis*, Geography  
 Nagaty, H. F., 1947 c, 17, 19, 20, 21  
*homo*: Ras Gharib, Red Sea district
- Enterobius vermicularis*, Geography  
 Neghme Rodriguez, A.; and Silva Campos, R.,  
 1951 b, 23  
*man*: Chile
- Enterobius vermicularis*, Geography  
 Netrebenko, A. V.; Fedotova, S. S.; Slonimskii,  
 L. A.; and Uvad'eva, P. M., 1935 a, 47, 48  
 [man]: Kokand, Uzbekistan
- Enterobius vermicularis*, Geography  
 Ohara, Y.; and Nishihata, Y., 1953 a, 116  
 Fukui Prefecture
- Enterobius [vermicularis]*, Geography  
 Orme, W. B., 1941 a, 87  
 China
- Enterobius vermicularis*, Geography  
 Orozco, H. I.; and Botero Ramos, D., 1958 a,  
 188-195  
 Medellin
- Enterobius vermicularis* L., Geography  
 Pandazis, G., 1937 a, 2006, 2008, 2009, 2011  
*homme*: Grèce
- Enterobius vermicularis*, Geography  
 Pankov, N. P., 1937 a, 474, 484  
 Leningrad
- Enterobius vermicularis*, Geography  
 Panov, A. A., 1928 a, 525  
 Mariupol
- Enterobius vermicularis* (Linnaeus, 1758),  
 Geography
- Patiño-Camargo, L., 1942 c, 528, 529  
*man*: Colombia
- Enterobius vermicularis*, Geography  
 Pedroso Ferreira, A.; and Franco Gándara, A.,  
 1950 a, 910, 911, 912, 915  
 human: província portuguesa de Macau
- Enterobius vermicularis* (Linn., 1758), Geography  
 Pérez Vigueras, I., 1936 a, 63  
*Homo sapiens*: Cuba
- Enterobius vermicularis*, Geography  
 Petrushevskii, I. K.; and Tarassov, V.,  
 1933 a, 312  
 Menschen: Karelien (Bezirk Kantscheserosee)
- Enterobius vermicularis* (Linneo, 1758),  
 Geography
- Pifano C., F. 1939 a, 188  
*hombre*: Estado Yaracuy, [Venezuela]
- Enterobius vermicularis*, Geography  
 Pimentel, J., 1961 a, 56  
 Brasil
- Enterobius vermicularis*, Geography  
 Pinto, A. R.; and Lehmann de Almeida, C.,  
 1947 a, 67  
*homo*: Guiné portuguesa

- Enterobius vermicularis**, Geography  
 Pinto, C. F., 1944 a, 284, 286  
 [Homo sapiens]: Itambacuri, Minas Gerais
- Enterobius vermicularis**, Geography  
 Pinto, C. F., 1958 a, 151, 152  
 humans: Rio de Janeiro
- Enterobius vermicularis**, Geography  
 Plavtov, K. A., 1926 b, 15  
 Armenia
- Enterobius vermicularis**, Geography  
 Pletneva, N. A., 1937 a, 118, 119, 120  
 Musca vicina: Ashkhabad
- Enterobius vermicularis**, Geography  
 Plotnikov, N. N., 1928 a, 58, 59  
 child: Sverdlovsk
- Enterobius vermicularis** (L.), Geography  
 Railliet, A., 1925 b, 8-9  
 Indochina
- Enterobius vermicularis** (Linnaeus, 1758) Leach  
 in Baird, 1853, Geography  
 Ramanujachari, G.; and Alwar, V. S., 1954 a, 52  
 pig (colon): Madras
- Enterobius vermicularis**, Geography  
 Ricci, M., 1951 a, 245  
 Palermo
- Enterobius vermicularis**, Geography  
 Ricci, M., 1951 b, 233  
 Palermo
- Enterobius vermicularis**, Geography  
 Ricci, M., 1952 b, 242  
 Isola d'Ischia
- Enterobius vermicularis**, Geography  
 Ricci, M., 1952 d, 52  
 Centro Siciliano
- Enterobius vermicularis**, Geography  
 Ricci, M., 1952 g, 617-626  
 Isola d'Ischia
- Enterobius vermicularis**, Geography  
 Ricci, M., 1953 d, 171-179  
 Isola d'Ischia
- Enterobius vermicularis**, Geography  
 Ricci, M., 1954 d, 222  
 Isola d'Ischia
- Enterobius vermicularis**, Geography  
 Ricci, M., 1958 a, 99, 107, 109, 112  
 human: Parco Nazionale d'Abruzzo
- Enterobius vermiculis** [sic], Geography  
 Richardson, L. R.; and Clark, A. E., [1949 a], 245-247  
 New Zealand
- Enterobius vermicularis** (Linn.), Geography  
 Richardson, L. R.; Clark, A. E.; and Ralph, P. M., 1943 a, 242, 243, 244, 246, 249  
 man: New Zealand
- Enterobius vermicularis**, Geography  
 Roberts, J. I., 1949 b, 50, 59  
 Homo: Nairobi
- Enterobius vermicularis**, Geography  
 Rodrigues, Y. T.; Rocha e Silva, R.; Gondim, A. M.; and Telles, W., 1955 a, 24-36  
 Brasil
- Enterobius vermicularis**, Geography  
 Rodrigues da Costa, O., 1955 a, 221-229  
 Belém, Pará
- Enterobius vermicularis**, Geography  
 Rodriguez M., J. D.; Villarmizar, L.; and Rios, T., 1949 a, 40  
 Guayaquil
- Enterobius vermicularis**, Geography  
 Rukhlialev, D. P., 1946 a, 101  
 Homo: Tamir Peninsula
- Enterobius vermicularis**, Geography  
 Sanchez Basseres, M.; and Pimentel Pantoja, W., 1947 c, 243  
 Rio Doce, Brasil
- Enterobius vermicularis**, Geography  
 Sandground, J. H., 1927 b, 64  
 South Africa
- Enterobius vermicularis**, Geography  
 Sandground, J. H., 1930 a, 165  
 Homo: Yucatan
- Enterobius vermicularis**, Geography  
 Sandground, J. H., 1933 a, 235-236  
 living male  
 man: Yucatan
- Enterobius vermicularis**, Geography  
 Sandground, J. H., 1938 a, 211  
 man: Guatemala
- Enterobius vermicularis**, Geography  
 Sandosham, A. A., 1950 a, 352, 353  
 Pan satyrus: London Zoological Gardens
- Enterobius vermicularis** (Linnaeus, 1758), Geography  
 Sandosham, A. A., 1950 c, 171-208, fig. 1  
 (Chimpanzee) *Anthropopithecus troglodytes*:  
 London Zool. Gardens
- Hylobates lar**: Malayan Waa Waa
- Leontocebus rosalia**: South East Brazil
- Enterobius vermicularis**, Geography  
 Santos de Almeida, A.; and Silveira da Motta, C. C., 1957 a, 89-92  
 Portão
- Ent[erobius] vermicularis**, Geography  
 Schensnovich, V. B.; and Khalansin, N. V., 1936 a, 308, 314, 315  
 Homo: Kola Peninsula
- Enterobius vermicularis** (L.), Geography  
 Schuurmans Stekhoven, J. H. (jr.), 1952 a, 318, 319, 326  
 Homo sapiens (defecar): Argentina
- Enterobius vermicularis**, Geography  
 Schwartz, B. I., 1924 e, 100  
 Philippine Isl.
- Enterobius vermicularis** (L.), Geography  
 Schwartz, B. I., 1926 h, 4  
 Homo: China
- Enterobius vermicularis**, Geography  
 Scott, J. A., 1957 b, 47  
 Egypt
- Enterobius vermicularis** Linne, 1758, Geography  
 Seneviratna, P., 1955 b, 34  
 man: Peradeniya
- Enterobius vermicularis** (L.), Geography  
 Seurat, L. G., 1918 a, 259-260  
 Syns.: *Ascaris vermicularis* L.; *Fusarella vermicularis* Zeder 1803; *Oxyuris vermicularis* Bremser 1819  
 man: Tunis
- Enterobius vermicularis**, Geography  
 Shah, H. L.; and Pandit, C. N., 1959 a, 5, 7  
 man: Madhya Pradesh, India
- Enterobius vermicularis**, Geography  
 Shakhmatov, A. P., 1928 a, 680  
 Kuznets
- Enterobius vermicularis**, Geography  
 Shstrom, Sh. K., 1935 b, 111, 112, 113, 114, 115, 116, 228  
 Kola Peninsula
- Enterobius vermicularis**, Geography  
 Shstrom, Sh. K.; Smirnov, G. G.; Sondak, V. A.; and Andreeva, M. P., 1936 a, 297, 301  
 Homo: Abkhazia
- Enterobius vermicularis** (L. 1758), Geography  
 Shul'ts R. E. S.; Gnedenina, M. P.; and Kadenatsii, A. N., 1938 a, 35  
 chelobeka [man]: Bashkiria
- Enterobius vermicularis**, Geography  
 Shwartsman, M., 1927 a, 166  
 Pridenskii region
- Enterobius vermicularis**, Geography  
 Shwartsman, M., 1928 a, 61  
 Lena

- [*Enterobius vermicularis*], Geography  
 Sidorova, L., [1959 a], 337-339  
 human: Kirgizia
- Enterobius vermicularis*, Geography  
 Sinev'nikov, A. M., 1928 a, 652  
 student: Ashkhabad
- Enterobius vermicularis*, Geography  
 Sisk, W. N., 1943 c, 513
- Enterobius vermicularis*, Geography  
 Skrjabin, K. I.; Shul'ts, R. E.; Serbinov, P. I.; and Smirnov, G. G., 1927 a, 219, 226  
 [man]: Donn bassis
- Enterobius vermicularis*, Geography  
 Smalt, F. H., 1944 a, 240-241  
 Amsterdam
- Enterobius vermicularis*, Geography  
 Smalt, F. H., 1944 b, 483-485  
 Amsterdam
- Enterobius vermicularis*, Geography  
 Sondak, V. A., 1938 a, 273, 276  
 man: Kirghizia
- Enterobius vermicularis* (Linnaeus, 1758), Geography  
 Sprehn, C. E. W., 1932 c, 117, 542-543, 803  
 type  
 Synts.: *Ascaris vermicularis* Linnaeus, 1758; *Fusaria vermicularis* (Linn., 1758); *Oxyuris vermicularis* (Linn., 1758); *Oxyurias vermicularis* (Linn., 1758); *Fusarella vermicularis* (Linn., 1758)  
 Mensch (Dickdarm): Kosmopolit
- Enterobius vermicularis*, Geography  
 Stankov, A. G., 1928 a, 322, 323, 324  
 [man]: Loubni, Ukraina
- Enterobius vermicularis*, Geography  
 Steiner, P. E., 1947 a, 236  
 homo: Okinawa
- Enterobius vermicularis*, Geography  
 Stoll, N. R.; Chenoweth, B. M. (jr.); and Peck, J. L. (jr.), 1947 a, 235-253  
 Guam (Islas Marianas)
- Enterobius vermicularis*, Geography  
 Stoll, N. R.; Chenoweth, B. M. (jr.); and Peck, J. L. (jr.), 1947 b, 189-192  
 Guam (Islas Marianas)
- Enterobius vermicularis*, Geography  
 Sutliff, W. D.; and Echandi G., R. A., 1946 a, 233-236  
 Costa Rican children
- Enterobius vermicularis*, Geography  
 Svensson, R., 1956 b, 167  
 human: Himalayan regions
- Enterobius vermicularis*, Geography  
 Swierstra, D.; Jansen, J. (jr.); and van den Broek, E., 1959 a, 1301  
 Hylobates lar: Netherlands
- Enterobius vermicularis*, Geography  
 Tarasov, V. A., 1935 c, 80, 81, 82, 83, 84, 87  
 [man]: Karelia
- Enterobius vermicularis*, Geography  
 Tarizzo, M. L., 1957 a, 796  
 Saudi Arabia
- Enterobius vermicularis*, Geography  
 Tay Zabala, J.; and Navattete, F., 1960 a, 201  
 human: Ometepec, estado Guerrero México
- Enterobius vermicularis*, Geography  
 Taylor, J. A.; and Riddell, W. A., 1950 a, 471, 472, 473, 475  
 children: Canada
- Enterobius vermicularis*, Geography  
 Teuscher, E.; and Stünzi, H., 1956 a, 264  
 Pantroglodytes: Zool. Gartens, Zürich
- Enterobius vermicularis*, Geography  
 van Thiel, P. H., 1957 a, 270-274  
 Netherlands
- Enterobius vermicularis*, Geography  
 van Thiel, P. H., 1958 b, 106-110  
 Netherlands
- Enterobius vermicularis*, Geography  
 Torres Bandeira, J. A.; and Cortes Pires, A., 1940 a, 6  
 Brasil
- Enterobius vermicularis*, Geography  
 Trausmiller, O., 1950 a, 62, 63
- Enterobius [vermicularis]*, Geography  
 Vajrasthira, S.; and Harinasuta, C., 1960 a, 129-131  
 children: Bangkok
- Enterobius vermicularis*, Geography  
 Valverde, M., 1957 a, 87-91  
 Huacho y alrededores
- Enterobius vermicularis*, Geography  
 Versiani, W.; and Renault, L., 1939 a, 453  
 humano: Venda Nova nas proximidades de Bello Horizonte
- Enterobius vermicularis*, Geography  
 Walton, A. C., 1949 d, 40  
 Rana spp.? Europe
- Enterobius vermicularis*, Geography  
 Wells, W. H.; and Blagg, W., 1956 a, 267  
 children: northern Egypt
- Enterobius vermicularis*, Geography  
 West, D. E., 1941 b, 330, 332, 336, 338, 346  
 persons: Connecticut
- Enterobius vermicularis*, Geography  
 Williams, T. H., 1947 a, 630, 631  
 Hongkong P. O. W.
- Enterobius vermicularis*, Geography  
 Yamaguchi, T.; Koga, Y.; and Shibue, H., 1952a, 40-42  
 Kurume District, Fukuoka Prefecture
- Enterobius vermicularis*, Geography  
 Yamaguchi, T.; Matsuo, E.; and Saheki, S., 1954 a, 119-121
- Enterobius vermicularis*, Geography  
 Young, M. R., 1942 a, 684-685  
 England
- Enterobius vermicularis*, Geography  
 Zaiman, H.; Leedy, W.; and Howard, P., 1952 a, 184-185  
 nursery population: San Francisco
- Enterobius vermicularis*, Geography  
 Zembrzuski, K., 1957 b, 575, 582-583, 586  
 man: Poland
- Enterobius vermicularis*, Geography  
 Zerchaninov, L. K.; and Bulycheva, N. A., 1946a, 67  
 coal miners: Russia
- Enterobius vermicularis*, Geography  
 Zmeev, G. Ia., 1935 b, 127, 128  
 Tadzhikistan
- Enterobius vermicularis* L., Geography  
 Zmeev, G. Ia., 1947 a, 303, 305, 308, 309, 310  
 [man]: Far East
- Enterobius vermicularis*, Geography  
 Zwart, P., 1959 a, 760  
 Hylobates lar: Netherlands
- Enterobius vermicularis*, Immunity  
 Biagi F., F.; Payan, A. M.; Cuenca, G.; and Hernández-Chihas, J. C., 1960 a, 149, 151, 152
- Enterobius vermicularis*, Immunity  
 Takahashi, O., 1959 a, 117-123  
*Aspiculuris tetraptera*
- Enterobius vermicularis*, Immunity  
 Takahashi, O., 1959 b, 124-129  
*Syphacia obvelata*
- Enterobius vermicularis*, Immunity  
 Takahashi, T., 1959 a, 790-807
- Enterobius vermicularis*, Immunity  
 Takahashi, Takashi, 1959 a, 402

- Enterobius vermicularis*, Immunity  
Takahashi, Y., 1958 a, 255 (67)
- Enterobius vermicularis*, Infants  
Burgos, E., 1955 a, 846
- Enterobius vermicularis*, Infants  
Burgos, E., 1957 a, 287
- Enterobius vermicularis*, Infants  
von Harnack, G. A., 1955 a, 365-368
- Enterobius vermicularis*, Infants  
Lipparoni, E., 1956 a, 91
- Enterobius vermicularis*, Infants  
Riopede, R. N.; et al., 1959 a, 251-257
- Enterobius vermicularis*, Infants  
Rossel, P., 1950 a, 449
- Enterobius [vermicularis]*, Infants  
Vassallo, M., 1951 a, 288-294
- Enterobius vermicularis*, Localization  
Bijlmer, J., 1946 a, 359-366, figs. 1-11
- Enterobius vermicularis*, Localization  
Bogofavlenskii, N. A.; and Demidova, A. Ia., 1928 c, 154, 155
- Enterobius vermicularis*, Localization  
Buckley, J. J. C., 1949 a, 2  
intestinal wall
- Enterobius vermicularis*, Localization  
Buckley, J. J. C., 1950 a, 357  
man: Great Britain
- Enterobius vermicularis*, Localization  
Chance, P. P. (jr.), 1940 a, 291-295  
man
- Enterobius vermicularis*, Localization  
Chitwood, B. G.; and Chitwood, M. B., 1940 b, 148, 149, figs. 122 BB-CC  
reproductive system
- Enterobius vermicularis*, Localization  
Cooray, G. H.; Yoganathan, M.; and Pissanaika, A. S., 1954 a, 199-201  
female breast
- Enterobius vermicularis*, Localization  
Doby, J.-M.; Chevrel, M.-L.; Rault, B.; and Dauleux, L., 1961 a, 92-106  
female genitalia
- Enterobius vermicularis*, Localization  
Fatheree, J. P.; Carrera, G. M.; and Beaver, P. C., 1951 a, 159-161  
human uterus
- Enterobius vermicularis*, Localization  
Gill, A. J.; and Smith, A. L., 1952 a, 879-882,  
pl., figs. 1-3  
ovary
- Enterobius vermicularis*, Localization  
Hoeppli, R. J. C.; and Li, F., [1951 a], 344, 353, 360, pl. 2, fig. 6  
eggs embedded in tissue
- [*Enterobius vermicularis*], Localization  
Hoge, R. H., 1946 a, 277-280  
vagina
- Enterobius vermicularis*, Localization  
Honma, M., 1954 a, 104
- Enterobius vermicularis*, Localization  
Jones, W. J.; and Bunting, C. H., 1931 a, 229-235, figs. 1-2
- Enterobius (Oxyuris) vermicularis*, Localization  
Morgan, E. L., [1931 a], 126  
Homo sapiens (broad ligament near right ovary): N. South Wales
- Enterobius vermicularis*, Localization  
Neal, J. B., 1950 a, 2  
tentative identification  
human being (intestinal wall)
- Enterobius vermicularis*, Localization  
Quintanar, E., 1943 a, 179-181  
vagina
- Enterobius vermicularis*, Localization  
Rajam, R. V.; and Rangiah, P. N., 1958 a, 327-336  
adult male (lower urinary tract)
- Enterobius vermicularis*, Localization  
de Ruiter, H.; Rijpstra, A. C.; and Swellen-grebel, N. H., 1962 a, 375-380, figs. 1-3, 8-10
- Enterobius vermicularis*, Localization  
Schenken, J. R.; and Tamisiea, J., 1956 a, 913-914  
endometrium
- Enterobius vermicularis*, Localization  
Turell, R., 1942 a, 257-258  
anorectum and colon
- Enterobius vermicularis*, Metabolism  
Iwaki, Y., 1958 a, 254-255 (66-67)
- Enterobius vermicularis*, Migration  
Chervakov, V. F., 1925 a, 65
- Enterobius vermicularis*, Mixed infections  
Jones, M. F., 1954 a, 15-17
- Enterobius vermicularis*, Mixed infections  
Miloshev, B. I., 1956 a, 94-97
- Enterobius vermicularis*, Mixed infections  
Mufel, P. P., 1926 b, 468-469
- Enterobius vermicularis*, Mixed infections  
Nishio, T., 1929 a, 1-11, pl. 1., figs. 1-27
- Enterobius vermicularis*, Mixed infections  
Passos, J., 1953 a, 1011  
typhoid fever
- Enterobius vermicularis*, Morphology  
Sakaida, H., 1957 c, 302
- Enterobius vermicularis*, Morphology  
Seurat, L. G., 1920 c, 142-143
- Enterobius vermicularis*, Morphology  
Yorke, W.; and Macfie, J. W. S., 1921 b, 148
- Enterobius vermicularis*, Occupation  
Leont'eva, E., 1925 a, 94, 95  
workmen in turf pits
- Enterobius vermicularis*, Occupation  
Winkler, A., 1940 a, 252-254
- Enterobius vermicularis*, Prophylaxis  
Jung, R. C.; Emerson, S. M.; and Sewell, B., 1956 a, 762-766
- Enterobius vermicularis*, Prophylaxis  
Schiaffino, J., 1951 a, 12-14
- Enterobius vermicularis*, Prophylaxis  
Stojałowska, W., 1958 a, 335, 336
- Enterobius vermicularis*, Prophylaxis  
Zivkov, D. S., 1957 a, 97-106
- Enterobius vermicularis*, Surgery  
Hosemann, G., 1928 a, 298-305, fig. 184, pl. 1
- Enterobius vermicularis*, Surgery  
Siurkus, T., 1961 a, 111-118  
intestine
- Enterobius [Oxyuris] vermicularis*, Symptoms  
Brady, F. J.; and Wright, W. H., 1939 b, 367-372
- Enterobius vermicularis*, Symptoms  
Faigenbaum A., J.; and Meneses, C., 1954 a, 10
- Enterobius vermicularis*, Symptoms  
Weller, T. H.; and Sorenson, C. W., 1941 a, 143-146
- Enterobius vermicularis*, Technique  
Alicina, A. D.; and Fadell, E. J., 1959 a, 139  
intestinal parasites
- Enterobius vermicularis*, Technique  
Artigas, P. de T., [1937 b], 67, 73, 2 pls., figs. 1-3  
mounting
- Enterobius vermicularis*, Technique  
Brygoo, E. R.; Capron, A.; and Randrimalala, J. Ch., [1960 a], 657, 658
- Enterobius vermicularis*, Technique  
Zotta, G., 1938 a, 147-148  
as syn. of *Oxyuris vermicularis*  
technique for fecal examination

- Enterobius vermicularis*, Transmission  
Aleksander, L. A.; and Dansker, V. N., 1935 a,  
171, 172, 174, 178, 179, 233  
[and *Musca domestica*. Transmission "by  
ingestion and subsequent dissemination in  
droppings"]
- Enterobius vermicularis*, Transmission  
Fedorov, V. G., 1957 a, 73  
*Musca*
- Enterobius vermicularis*, Transmission  
Khaustov, N. M., 1935 a, 152, 231  
vegetable-borne
- Enterobius vermicularis* (Grassi, 1883), Trans-  
mission  
Neveu-Lemaire, M., 1933 a, 372  
œufs  
*Musca domestica* [vector]
- Enterobius vermicularis*, Transmission  
Schüffner, W.; and Swellengrebel, N. H., 1949a,  
138-146
- Enterobius vermicularis*, Transmission  
Schüffner, W.; Swellengrebel, N. H.; and  
Zool, J., 1950 a, 391, 392, 393
- Enterobius* [sic] *vermicularis*, Treatment  
Abdel Azim, M., 1932 b, 635-637
- Enterobius vermicularis*, Treatment  
Abel, A. L., 1939 a, 628, 629
- E[nterobius] vermicularis*, Treatment  
Acevedo N., E., 1959 a, 509
- Enterobius vermicularis*, Treatment  
Agostinucci, G., 1955 e, 137-141
- Enterobius vermicularis*, Treatment  
Akagi, K., 1951 a, 3
- Enterobius vermicularis*, Treatment  
Allen, F. P. (jr.), 1955 a, 155-157
- Enterobius vermicularis*, Treatment  
Amato Neto, V.; and Alvares Correa, M. O. A.,  
1954 a, 39-44
- Enterobius vermicularis*, Treatment  
Amato Neto, V.; Coelho Neto, A. da S.; and  
Bassoi, O. N., 1959 a, 453
- Enterobius vermicularis*, Treatment  
Ammon, R.; and Debusmann-Morgenroth, M.,  
1953 a, 705-708
- Enterobius vermicularis*, Treatment  
Aparicio Garrido, J.; and Prieto Lorenzo, A.,  
1954 a, 5-13, figs. 5-7
- Enterobius vermicularis*, Treatment  
Atias, A.; and Ramirez, M., 1959 a, 28
- Enterobius vermicularis*, Treatment  
Avery, J. L., 1956 a, 681-683
- Enterobius vermiculare* [sic], Treatment  
Bagchi, H. N., 1956 a, 709-711
- Enterobius vermicularis*, Treatment  
Basnuevo, J. G., 1956 g, 70-71  
Cuba
- Enterobius vermicularis*, Treatment  
Basnuevo, J. G., 1957 j, 89
- Enterobius vermicularis*, Treatment  
Basnuevo, J. G.; Fontao, J. A.; and Blanco  
Rabassa, E., 1954 a, 41-44
- Enterobius vermicularis*, Treatment  
Basnuevo, J. G.; and Kouri, A., 1959 a, 27, 33
- Enterobius vermicularis*, Treatment  
Baudet, E. A. R. F., 1941 b, 453  
with Campiol
- Enterobius vermicularis*, Treatment  
Bauer, A., 1932 a, 254
- Enterobius vermicularis*, Treatment  
Baxter, E. J., 1910 a, 1693  
girl of 5 with threadworms and roundworms
- Enterobius vermicularis*, Treatment  
Beck, J. W.; Saavedra, D.; Antell, G. J.;  
and Tejeiro, B., 1959 a, 349
- Enterobius vermicularis*, Treatment  
Berenguer Puvia, F. J., 1961 a, 365
- Enterobius vermicularis*, Treatment  
Berman, E. I., 1936 a, 1403-1408  
children
- Enterobius vermicularis*, Treatment  
Bhaduri, N. V., 1956 a, 110, 111, 112
- Enterobius vermicularis*, Treatment  
Bhaduri, N. V., 1957 a, 125, 126, 128  
Calcutta
- Enterobius vermicularis*, Treatment  
Bhaduri, N. V., [1958 a], 273
- Enterobius vermicularis*, Treatment  
Bhaduri, N. V.; Bandyopadhyay, A. K.; and  
Arora, U. S., 1958 a, 72  
children
- Enterobius vermicularis*, Treatment  
Bhaduri, N. V.; Chowdhury, A. B.; and Arora,  
U. S., 1956 c, 131
- Enterobius vermicularis*, Treatment  
Bhaduri, N. V.; Chowdhury, A. B.; and Arora,  
U. S., 1956 d, 131-132
- Enterobius vermicularis*, Treatment  
Boecker, H., 1952 a, 378-381, fig. 6
- Enterobius vermicularis*, Treatment  
Brock, N.; and Erhardt, A., 1951 a, 6
- Enterobius vermicularis*, Treatment  
Brown, H. W., 1932 b, 221-224
- Enterobius vermicularis*, Treatment  
Brown, H. W.; and Chan, K. F., 1955 b, 321-325
- Enterobius vermicularis*, Treatment  
Brown, H. W.; Chan, K. F.; and Hussey, K. L.,  
1956 a, 515
- Enterobius vermicularis*, Treatment  
Brown, H. W.; Chan, K. F.; and Yolkin, H.,  
1956 a, 1049
- Enterobius vermicularis*, Treatment  
Brünning, H., 1934 c, 145
- Enterobius vermicularis*, Treatment  
Bumbalo, T. S.; and Gustina, F. J., 1953 a,  
83-86, 5 figs.  
children
- Enterobius vermicularis*, Treatment  
Bumbalo, T. S.; and Gustina, F. J., 1955 a,  
312  
with gentian violet suspension
- E[nterobius] vermicularis*, Treatment  
Bumbalo, T. S.; Gustina, F. J.; Bona, J.; and  
Oleksiak, R. E., 1953 a, 595  
children
- Enterobius vermicularis*, Treatment  
Bumbalo, T. S.; Plummer, L. J.; and Warner,  
J. R., 1957 a, 1651  
oral dose of promethazine hydrochloride
- Enterobius vermicularis*, Treatment  
Bumbalo, T. S.; Plummer, L. J.; and Warner,  
J. R., 1960 a, 617
- Enterobius vermicularis*, Treatment  
Burger, F., 1928 a, 101
- Enterobius vermicularis*, Treatment  
Carugh, O., 1958 a, 1879-1881
- Enterobius vermicularis*, Treatment  
Chan, K. F.; and Brown, H. W., 1953 a,  
290-293
- Enterobius vermicularis*, Treatment  
Chan, K. F.; and Brown, H. W., 1954 b, 100  
Bacitracin and sulfasuxidine
- Enterobius vermicularis*, Treatment  
Cheng, T. C., 1960 a, 49-53  
pre-school age children
- Enterobius vermicularis*, Treatment  
Comby, J., 1898 a, 763  
hyd. chlor. with Santonin
- Enterobius vermicularis*, Treatment  
D'Antoni, J. S.; and Sawitz, W., 1940 a, 377-  
383
- Enterobius vermicularis*, Treatment  
Deschiens, R. E. A., 1945 b, 181
- Enterobius vermicularis* (L., 1767), Treatment  
Deschiens, R. E. A., 1948 b, 400
- Enterobius* [sic] *vermicularis*, Treatment  
Deschiens, R. E. A.; Poirier, M.; and Lamy,  
L., 1954 a, 84
- Enterobius vermicularis*, Treatment  
Doncaster, R.; et al., 1961 a, 4-6

- Enterobius vermicularis*, Treatment  
Donoso, F., 1957 a, 71-72  
niños
- Enterobius vermicularis*, Treatment  
Donoso, F.; and Colodro, I., 1960 a, 65-69
- Enterobius vermicularis*, Treatment  
Erhardt, A., 1947 a, 859
- Enterobius vermicularis*, Treatment  
Evans, H. L.; and Moore, H., 1942 a, 627-631
- Enterobius vermicularis*, Treatment  
Faiguenbaum, J.; Gonzalez, G.; Pesa, J.; and Maffioletti, F., 1956 a, 51
- Enterobius vermicularis*, Treatment  
Fan, P. C.; Hsu, J.; and Liu, J. C., 1956 a, 182-191  
orphans: Northern Taiwan, China
- Enterobius vermicularis*, Treatment  
Fernández Bouzas C., An.; and Trujillo Duarte, H., 1960 a, 503  
dithiazanine
- Enterobius vermicularis*, Treatment  
Fernández Suárez, F. W., 1944 a, 716, 719
- Enterobius vermicularis*, Treatment  
Garaguso, P., 1954 a, 23-27  
infants
- Enterobius vermicularis*, Treatment  
Goddard, R. F.; and Brown, H. W., 1952 a, 469-473  
agressin
- Enterobius vermicularis*, Treatment  
Gonzalez Barranco, D.; and Mazzotti, L., 1959 a  
102
- Enterobius vermicularis*, Treatment  
Grabowska, M.; et al., 1959 a, 21  
workers of food-supply factories
- Enterobius vermicularis*, Treatment  
Greene, H. J., 1952 c, 749  
terramycin hydrochloride
- Enterobius vermicularis*, Treatment  
Guilhon, J., 1945 a, 281
- Enterobius vermicularis*, Treatment  
Hall, M. C., 1923 t, 611-616  
man
- Enterobius vermicularis*, Treatment  
Hall, M. C., 1930 l, 562-564
- Enterobius vermicularis*, Treatment  
Hammond, J. B.; and McCowen, M. C., 1960 a,  
500-502  
dithiazanine iodide
- Enterobius vermicularis*, Treatment  
Harant, H.; Castel, P.; and Gras, G., [1955 a],  
823  
tetracycline
- Enterobius vermicularis*, Treatment  
Herrmann, G., 1950 a, 449
- Enterobius vermicularis*, Treatment  
Hill, R. D., 1956 a, 1156
- Enterobius vermicularis*, Treatment  
Hollingsworth, M. W., 1926 a, 1309
- Enterobius vermicularis*, Treatment  
Hotta, T.; and Ito, J., 1957 a, 214-218  
school-children
- Enterobius vermicularis*, Treatment  
Howie, V. M., 1955 a, 202-203  
piperazine
- Enterobius vermicularis*, Treatment  
Inagaki, M.; et al., 1960 a, 398 (54)
- Enterobius vermicularis*, Treatment  
Ito, T.; and Omura, M., 1960 a, 421-422 (77-  
78)  
pyrvinium pamoate, piperazine and dithia-  
zaine with piperazine
- Enterobius vermicularis*, Treatment  
Iwata, S.; et al., 1961 b, 679-685 (57-63)  
domoicic acid, primary school children
- Enterobius vermicularis*, Treatment  
Jankó, M.; Balló, T.; Kendeifi, A.; and Lőrant, O., 1958 a, 803-805  
Hungarian made piperazine adipate
- Enterobius vermicularis*, Treatment  
Johnston, F., 1934 a, 224  
garlic treatment
- Enterobius vermicularis*, Treatment  
Kamegai, S.; Nonobe, H.; Kihara, M.; and Machida, M., 1960 a, 411 (67)
- Enterobius vermicularis*, Treatment  
Karapetian, E., 1927 a, 440, 445
- Enterobius vermicularis*, Treatment  
Kato, K., 1959 a, 409-410
- Enterobius vermicularis*, Treatment  
Kawamoto, S., 1955 a, 227-228 (131-132)  
piperazine hydrate
- Enterobius vermicularis*, Treatment  
Kawamoto, S., 1955 c, 159-162  
piperazine hydrate
- Enterobius vermicularis*, Treatment  
Kawamoto, S., 1955 d, 166-169  
piperazine hydrate (tablets)
- Enterobius vermicularis*, Treatment  
Kean, B. H., 1953 b, 47-53  
Syn.: *Oxyuris vermicularis*
- [*Enterobius vermicularis*], Treatment  
Kendig, E. L. (jr.); and Arnold, G. G., 1954 a,  
1111-1112  
oxytetracycline
- Enterobius vermicularis*, Treatment  
Killingsworth, W. P.; Meyer, P. R.; McFadden,  
I. M.; and Bordman, H. L., 1952 a, 27
- Enterobius vermicularis*, Treatment  
Killough, J. H.; Magill, G. B.; and Smith, R.  
C., 1952 a, 72  
fumagillin ineffective
- Enterobius vermicularis*, Treatment  
Kimura, S., 1955 b, 205-211  
anthelmintics
- Enterobius vermicularis*, Treatment  
Komiya, Y.; and Mori, Y., 1962 a, 123-125  
(57-59)  
pyrvinium pamoate (Poquil)
- Enterobius vermicularis*, Treatment  
Kouri, P.; Basnuevo, J. G.; and Sotolongo, F.,  
1945 b, 49-58, figs. 1-8
- Enterobius vermicularis*, Treatment  
Kuitunen-Ekbaum, E., 1946 a, 103  
Phenothiazine
- Enterobius vermicularis*, Treatment  
Kuitunen-Ekbaum, E.; and James, D. M.,  
1950 a, 168
- Enterobius vermicularis*, Treatment  
LaPage, G., 1948 d, 314, 315
- Enterobius vermicularis*, Treatment  
Leclerc, H., 1930 a, 1428  
Matricaria discoidea De C.
- Enterobius vermicularis*, Treatment  
Loeper, M., 1930 a, 339  
carbonate of bismuth
- Enterobius vermicularis*, Treatment  
Loughlin, E. H.; et al., 1951 a, 590  
terramycin base
- Enterobius vermicularis*, Treatment  
Loughlin, E. H.; and Mullin, W. G., 1955 a,  
154  
oxytetracycline
- Enterobius vermicularis*, Treatment  
Loughlin, E. H.; and Mullin, W. G., 1955 b,  
145-150  
crystalline oxytetracycline
- Enterobius vermicularis*, Treatment  
Lundberg, U., 1952 a, 2759-2771
- Enterobius vermicularis*, Treatment  
Maglano, H.; Picoccelli, L.; and Corra, O.,  
1955 a, 3561-3564  
infantile

- [*Enterobius vermicularis*], Treatment  
 Manson-Bahr, P., 1941 a, 93  
 phenothiazine as a remedy
- Enterobius vermicularis*, Treatment  
 Masuda, M.; Yokota, M.; Ogasawara, K.; and  
 Takechi, K., 1959 a, 433-434  
 man
- Enterobius vermicularis*, Treatment  
 [Megaw, J. W. D.], 1923 a, 554  
 carbon tet.
- Enterobius vermicularis*, Treatment  
 Miller, J. H.; et al., 1958 a, 229
- Enterobius vermicularis*, Treatment  
 Miller, M. J.; et al., 1940 a, 455-458  
 gentian violet
- Enterobius vermicularis*, Treatment  
 Miller, M. J.; and Choquette, L. P. E., 1950 a, 272  
 p-benzylphenyl carbamate
- Enterobius vermicularis*, Treatment  
 Minckler, D., 1944 a, 63-64
- Enterobius vermicularis*, Treatment  
 Molina Pasquel, C.; and Hernández Silva, J., 1960 a, 171-173
- Enterobius vermicularis*, Treatment  
 Morisita, T.; et al., 1960 e, 172-181
- Enterobius vermicularis*, Treatment  
 Morisita, T.; Iida, M.; Nagase, T.; and Kunii, Y., 1960 a, 411 (67)
- Enterobius vermicularis*, Treatment  
 Mudie, E. C., 1934 a, 224  
 garlic treatment
- Enterobius vermicularis*, Treatment  
 Nagase, N., 1959 a, 401
- Enterobius vermicularis*, Treatment  
 Nekliudov, S. F., 1949 a, 83-84
- Enterobius vermicularis*, Treatment  
 Neumann-Kleinpaul, K.; and Schebitz, H., 1950 a, 185  
 horse
- Enterobius vermicularis*, Treatment  
 Nor El Din, G., 1950 a, 41-46  
 phenothiazine
- Enterobius vermicularis*, Treatment  
 Nor El Din, G.; and Dawood, M., 1954 a, 262-270  
 childhood  
 antibiotic in comparison with other drugs
- Enterobius vermicularis*, Treatment  
 Nottage, H. P., 1926 a, 1716
- Enterobius vermicularis*, Treatment  
 Oclander, G., 1959 a, 2358
- Enterobius vermicularis*, Treatment  
 Ogino, Y.; and Abe, H., 1959 a, 515-517  
 piperazine
- Enterobius vermicularis*, Treatment  
 Orzechowski, G., 1954 a, 85-86
- Enterobius vermicularis*, Treatment  
 Owings, R. S., 1955 a, 280-282
- Enterobius vermicularis*, Treatment  
 Pawłowski, Z.; and Rydzewski, A., 1956 a, 282  
 piperazine
- Enterobius vermicularis*, Treatment  
 Penso, G., 1937 c, 2466
- Enterobius vermicularis*, Treatment  
 Rachelson, M. H.; and Ferguson, W. R., 1955 a, 347  
 piperazine
- Enterobius vermicularis*, Treatment  
 Ricci, M.; and Corbo, S., 1955 a, 73
- Enterobius vermicularis*, Treatment  
 Ricci, M.; and Corbo, S., 1956 a, 97-104
- Enterobius vermicularis*, Treatment  
 Ricci, M.; and Corbo, S., 1956 b, 230-239
- Enterobius vermicularis*, Treatment  
 Ricci, M.; and Corbo, S., 1957 a, 258-266
- Enterobius vermicularis*, Treatment  
 Ricci, M.; and Gagliano, E., 1960 a, 629  
 dithiazanine
- Enterobius vermicularis*, Treatment  
 Ricci, M.; and Gagliano, E., 1960 b, 151
- Enterobius vermicularis*, Treatment  
 S., J. H., 1931 a, 309
- Enterobius vermicularis*, Treatment  
 Sadun, E. H.; Melvin, D. M.; Brooke, M. M.; and Carter, C. H., 1956 a, 382-383  
 promethazine hydrochloride, RO2-5655-3  
 phthalysulfathiazole, and piperazine hexahydrate
- Enterobius vermicularis*, Treatment  
 Sanders, A. I.; and Hall, W. H., 1960 a, 413  
 dithiazonine iodide, pyrvinium pamoate
- Enterobius vermicularis*, Treatment  
 Sappenfield, R. W.; Swartzwelder, C.; Miller, J. H.; and Martinez, F., 1955 a, 276-284  
 piperazine citrate
- Enterobius vermicularis*, Treatment  
 Sawitz, W. G.; and Karpinski, F. E. (jr.), 1956 a, 539  
 pyrrovinquinium chloride (poquil)
- Enterobius vermicularis*, Treatment  
 Schubert, R.; and Fischer, H., 1952 a, 172-176
- Enterobius vermicularis*, Treatment  
 Shmeleva, A. A., 1933 a, 151-156
- Enterobius vermicularis*, Treatment  
 Siemens, H., 1955 a, 203-204
- [*Enterobius vermicularis*], Treatment  
 Simpson, G., 1939 a, 604
- Enterobius vermicularis*, Treatment  
 Skrjabin, K. I.; and Pod'apol'skaià, V. P., 1932 b, 157-162
- Enterobius vermicularis*, Treatment  
 Skrjabin, K. I.; and Šul'ts, R. Ed. S., 1928 a, 22-39, figs. 1-5
- Enterobius (Oxyuris) vermicularis*, Treatment  
 Stenden, O. D., 1953 a, 757
- Enterobius vermicularis*, Treatment  
 Swartzwelder, J. C.; et al., 1957 a, 2066  
 dithiazine
- Enterobius vermicularis*, Treatment  
 Swartzwelder, J. C.; Miller, J. H.; and Sappenfield, R. W., 1955 a, 329
- Enterobius vermicularis*, Treatment  
 Swartzwelder, J. C.; Miller, J. H.; and Sappenfield, R. W., 1955 b, 49  
 piperazine citrate
- Enterobius vermicularis*, Treatment  
 Takeshita, S.; and Murashige, T., 1959 a, 212-215 (54-57)  
 piperazine monokainate
- Enterobius vermicularis*, Treatment  
 Tarasov, V. A., 1936 a, 752-756
- Enterobius vermicularis*, Treatment  
 Thompson, E. J., 1954 a, 67  
 Atabrine
- Enterobius vermicularis*, Treatment  
 Toya, T.; et al., 1960 a, 397-398 (53-54)  
 Aichi Prefecture
- Enterobius vermicularis*, Treatment  
 Tubangui, M. A.; and Basaca, M., 1947 a, 23  
 latex of papaya
- Enterobius vermicularis*, Treatment  
 Umanzio, C. B., 1952 a, 23-31  
 man
- Enterobius vermicularis*, Treatment  
 Villaret, M.; and Cachera, R., 1930 a, 5-8
- Enterobius vermicularis*, Treatment  
 Wachsmuth, R., 1950 a, 810-812
- Enterobius vermicularis*, Treatment  
 Wachsmuth, R., 1950 b, 921-923
- Enterobius vermicularis*, Treatment  
 Wachsmuth, R., 1954 a, 1192-1195

- Enterobius vermicularis*, Treatment  
 Wagner, E. D.; Lemon, F. R.; and Burnett, H. S.  
 1958 a, 600-602  
 dithiazanine  
 Mexican farm laborers
- Enterobius vermicularis*, Treatment  
 Waks, J., 1955 b, 674-681  
 piperazine
- Enterobius vermicularis*, Treatment  
 Warnecke, W., 1950 a, 737-739
- Enterobius vermicularis*, Treatment  
 Warnecke, W., 1951 a, 278-281
- Enterobius (Oxyuris) vermicularis*, Treatment  
 White, R. H. R., 1956 a, 94-97
- Enterobius vermicularis*, Treatment  
 White, R. H. R.; and Scopes, J. W., 1960 a,  
 256-257  
 children
- [*Enterobius vermicularis*], Treatment  
 White, R. H. R.; and Standen, O. D., 1953 a,  
 1272-1273  
 piperazine
- Enterobius [vermicularis]*, Treatment  
 White, R. H. R.; and Standen, O. D., 1953 b,  
 755-757  
 children  
 piperazine
- Enterobius vermicularis*, Treatment  
 Wigand, R., 1949 b, 51-52
- Enterobius vermicularis*, Treatment  
 Wright, W. H.; and Brady, F. J., 1938 c, 9-10  
 enteric-coated tablet
- Enterobius vermicularis*, Treatment  
 Wright, W. H.; and Brady, F. J., 1940 b, 861,  
 863  
 gentian violet
- Enterobius vermicularis microbulbus* subsp. nov.  
 Yamashita, J.; and Konno, S., 1957 a, 83-85,  
 fig. 1  
 Pan chimpanse "of African birth": Maruyama  
 Zoological Garden, Sapporo, Hokkaido
- Enterobius vermicularis microbulbus* Yamashita and  
 Konno (1957)  
 Inglis, W. G., 1961 c, 477-478
- Enterobius zakiri* n. sp.  
 Siddiqi, A. H.; and Mirza, M. B., [1956 a],  
 24-26, fig. 1  
*Semnopithecus entellus schistaceus*: Garhwal,  
 India
- Enterobius (Enterobius) zakiri* Siddiqi and Mirza,  
 1956  
 Inglis, W. G., 1961 c, 110
- Entomelias* n.g.  
 Travassos, L. P., 1930 g, 163, 164, 172  
 tod: *E. entomelias* (Duj) [n. comb.]
- Entomelias* Travassos, 1930  
 Baylis, H. A., 1937 f, 589, 590
- Entomelias chameleonis* (Skrj.) [n. comb.]  
 Travassos, L. P., 1930 g, 164, 175
- Entomelias chamaeleonis* Travassos, 1930  
 Baylis, H. A., 1937 f, 589  
 as syn. of *Rhabdias chamaeleonis* (Skrjabin,  
 1916) Semenov, 1929
- Entomelias dujardini* (Maupas) [n. comb.]  
 Travassos, L. P., 1930 g, 164, 173-175, pl. 54,  
 figs. 22, 28-30, pl. 55, figs. 23-27  
 Anguis fragilis
- Entomelias dujardini*  
 Schad, G. A.; Kuntz, R. E.; and Wells, W. H.,  
 1960 a, 949, 951  
 Anguis fragilis: Turkey
- Entomelias entomelias* (Duj.) [n. comb.] (tod)  
 Travassos, L. P., 1930 g, 164, 172-173, 174,  
 175, pl. 54, fig. 17, pl. 55, figs. 18-21  
 Anguis fragilis
- Entomelias entomelias*  
 Chitwood, B. G.; and Chitwood, M. B., 1938 a,  
 57, fig. 54 N
- Entomelias entomelias* (Duj., 1845) Travassos, 1930  
 Markowski, S., 1933 a, 110  
 Anguis fragilis: Ile de Hel
- Entomelias entomelias*  
 Schad, G. A.; Kuntz, R. E.; and Wells, W. H.,  
 1960 a, 949  
 Anguis fragilis: Turkey
- Epomidiostomatinae* Skrjabin et Schulz, 1937  
 Skrjabin, K. I.; et al., [1953 a], 418  
 type: *Epomidiostomum Skrjabin*, 1915
- Epomidiostomum* n. gen.  
 Skrjabin, K. I., 1916 d, 461, 477-481  
 tod: *E. anatinum* [n. sp.]
- Epomidiostomum* Skrj.  
 Skrjabin, K. I., 1923 m, 25, 28
- Epomidiostomum* Skrjabin  
 Baylis, H. A., 1929 c, 201-202
- Epomidiostomum* Skrjabin, 1916  
 Baylis, H. A.; and Daubney, R., 1926 a, 192-193  
 type: *E. uncinatum* (Lundahl)
- Epomidiostomum* Skrj.  
 Cram, E. B., 1927 a, 18, 19, 26-27  
 type: *E. uncinatum* (Lundahl)
- Epomidiostomum* Skrjabin, 1916  
 Gower, W. C., 1939 a, 608  
 Amidostomidae
- Epomidiostomum* Skrj.  
 Mapstone, P. A., 1930 c, 397-399
- Epomidiostomum* Skrjabin  
 Petrov, A. M., 1926 a, 102-103
- Epomidiostomum* Skrj.  
 Rauther, M., 1930 a, 378
- Epomidiostomum* Skrjabin, 1916  
 Schuurmans Stekhoven, J. H., 1935 f, v.c 2, v.c 3  
 Trichostrongylidae
- Epomidiostomum*  
 Seurat, L. G., 1918 f, 578
- Epomidiostomum* Skrjabin, 1916  
 Seurat, L. G., 1918 j, 345-346 (1-2)
- Epomidiostomum*  
 Seurat, L. G., 1920 c, 68
- Epomidiostomum* Skrjabin, 1916  
 Sprehn, C. E. W., 1932 c, 733, 734-735  
 type species: *E. uncinatum* (Lundahl, 1848)
- Epomidiostomum*  
 Travassos, L. P., 1920 h, 65
- Epomidiostomum* Skrjabin, 1915  
 Travassos, L. P., 1937 e, IV, 17, 21, 24, 28, 204,  
 228, 240, 248  
 Amidostominae  
 type: *E. uncinatum* (Lundahl, 1848) Seurat, 1918
- Epomidiostomum* Skrj.  
 Wetzel, R., 1931 b, 1-2  
 type: *E. uncinatum* (Lundahl)
- Epomidiostomum* Skrjabin, 1915  
 Yen, W. C.; and Wu, S. C., 1959 a, 574  
 key
- Epomidiostomum* Skrjabin, 1916  
 Yorke, W.; and Mapstone, P. A., 1926 a, 152, 155-156  
 type: *E. uncinatum* (Lundahl)
- Epomidiostomum* spp.  
 McDonald, M. E., [1959 a], 51  
 snow goose: Denver, Colorado
- Epomidiostomum anatinum* [n. sp.] (tod)  
 Skrjabin, K. I., 1916 d, 461, 462, 478-481,  
 figs. 10-14
- Epomidiostomum anatinum*  
 Ablasov, N. A., 1957 a, 134, 135, 136, 137,  
 138, 139, 140, 141, 142  
 Anser anser  
 Anas acuta  
 A. clypeata  
 A. penelope  
 A. platyrhynchos  
 A. strepera  
 A. crecca  
*Cascara ferruginea*  
*Netta rufina*  
*Nyroca marila*  
*N. ferina*  
 all from Kirgizia

- Epomidiostomum anatinum*  
*Boulenger, C. L., 1926 a, 91*  
*Epomidiostomum anatinum Skrjabin, 1914*  
*Gil'bert, L. I., 1930 a, 93*  
*Querquedula querquedula: Western SSSR*  
*Hall, M. C., 1922 s, 537*  
*Epomidiostomum anatinum*  
*Kurashvili, B. E., 1956 d, 940*  
*zoogeographical characteristics*  
*Epomidiostomum anatinum Skrjabin, 1915*  
*Kurashvili, B. E., 1957 a, 208-210, fig. 104*  
*Anas platyrhynchos*  
*A. crecca*  
*A. querquedula*  
*A. strepera*  
*domestic duck*  
*(under lining of muscular stomach of all):*  
*all from Georgian SSR*  
*Epomidiostomum anatinum (Skrjabin, 1915)*  
*Kurochkin, Iu. V., 1954 a, 509, 510, 511, figs.*  
*1-3*  
*no intermediate host*  
*Epomidiostomum anatinum*  
*Kurochkin, Iu. V., 1959 a, 59, 60*  
*adaptation to parasitism in muscular stomach*  
*of birds*  
*Epomidiostomum anatinum Skrj.*  
*Lil'ubimov, M. P., 1926 a, 17, 18, 20, 22, 29,*  
*30, 31*  
*Anas boschas*  
*A. circia*  
*A. clypeata*  
*A. strepera*  
*A. penelope*  
*A. acuta*  
*Epomidiostomum anatinum Skrj.*  
*Lil'ubimov, M. P., 1927 a, 126, 127, 129*  
*Fuligula cristata*  
*Epomidiostomum anatinum Skrjabin, 1914*  
*Lil'ubimova, A. P., 1947 a, 148*  
*Cygnus olor*  
*Epomidiostomum anatinum Skrj.*  
*Panova, L. G., 1926 b, 36, 37*  
*Anas strepera*  
*Tadorna tadorna*  
*Epomidiostomum anatinum Skrj.*  
*Petrov, A. M., 1926 b, 102, 103, 105*  
*Epomidiostomum anatinum Skrjabin, 1915*  
*Ryzhikov, K. M., 1956 a, 126*  
*Anas platyrhynchos*  
*A. querquedula*  
*A. crecca*  
*all from Rybinsk reservoir*  
*Epomidiostomum anatinum Skrjabin, 1915*  
*Ryzhikov, K. M., 1956 b, 136, 138, 139*  
*Anas platyrhynchos*  
*A. strepera*  
*Netta rufina*  
*all from Gruzinskaia SSSR*  
*Epomidiostomum anatinum Skrjabin, 1914*  
*Ryzhikov, K. M., 1959 a, 239*  
*Cygnus cygnus*  
*C. olor*  
*both from SSSR*  
*Epomidiostomum anatinum*  
*Ryzhikov, K.; and Kozlov, D., 1959 a, 59, 60*  
*Anas angustirostris*  
*A. penelope*  
*A. strepera*  
*Nyroca nyroca*  
*A. clypeata*  
*all from Turkmenistan*
- Epomidiostomum anatinum*  
*Ryzhikov, K. M.; and Timofeeva, T. N., 1961 a,*  
*215*  
*Anas platyrhynchos*  
*A. poecilorhyncha*  
*A. platyrhynchos dom.*  
*A. falcata*  
*A. querquedula*  
*(under cuticle of muscular stomach of all):*  
*all from Amur oblast*  
*Epomidiostomum anatinum Skrjabin, 1914*  
*Shevtsov, A. A., 1958 c, 247*  
*domestic pigeon: Moscow region*  
*Epomidiostomum anatinum Skrj.*  
*Solonitsyn, I. A., 1928 a, 78*  
*Epomidiostomum anatinum Skrjabin, 1916*  
*Sprehn, C. E. W., 1932 c, 735*  
*as syn. of E. uncinatum (Lundahl, 1848)*  
*Epomidiostomum anatinum Skrjabin, 1915*  
*Storozheva, A. M., 1959 a, 179*  
*Anas platyrhyncha domestica: Belorussian SSR*  
*Epomidiostomum anatinum Skrjabin, 1915*  
*Sultanov, M. A., 1958 b, 19*  
*domashniaia utka [Anas boschas]*  
*gus gumennik [Anser fabalis]*  
*kriakva [Anas platyrhynchos]*  
*sviaz [Anas penelope]*  
*shirokonoska [Anas clypeata]*  
*shilokhvost [Anas acuta]*  
*chirok-svistunok [Anas crecca]*  
*all from Uzbekistan*  
*Epomidiostomum anatinum Skrjabin, 1914*  
*Sultanov, M. A.; Ryzhikov, K. M.; and Kozlov,*  
*D. P., 1960 a, 59*  
*krasnonosyi nyrok [Netta rufina] (muscular*  
*stomach): mouth of Amu-Darya*  
*Epomidiostomum anatinum Skrjabin, 1915*  
*Travassos, L. P., 1937 e*  
*as syn. of E. uncinatum (Lundahl, 1848)*  
*Epomidiostomum anatinum Skrjabin, 1915*  
*Yen, W. C.; and Wu, S. C., 1959 a, 574*  
*key*  
*Epomidiostomum anatinum Skrjabin*  
*Yorke, W.; and Maplestone, P. A., 1926 a, 155*  
*as syn. of Epomidiostomum uncinatum (Lundahl)*  
*Epomidiostomum anseris*  
*Lil'ubimov, M. P., 1927 a, 127*  
*Epomidiostomum anseris*  
*McDonald, M. E., [1959 a], 52*  
*snow goose: Denver, Colorado*  
*Epomidiostomum crami n. sp.*  
*Wetzel, R. 1931 b, 4-8, pl. 1. figs. 1-3,*  
*pl. 2, figs. 7-10*  
*Branta canadensis canadensis*  
*Chen caerulescens*  
*(gizzard of both)*  
*Epomidiostomum crami (Wetzel, 1931)*  
*Sultanov, M. A., 1959 a, 333-334*  
*Uzbekistan*  
*Epomidiostomum crami Wetzel, 1931*  
*Sultanov, M. A., 1959 c, 68*  
*kriakva [Anas platyrhynchos]*  
*shilokhvost [Anas acuta]*  
*svifaz [Anas penelope]*  
*gus-gumennik [Anser fabalis]*  
*all from Uzbekistan*  
*Epomidiostomum crami Wetzel, 1931*  
*Sultanov, M. A., 1959 d, 75*  
*Epomidiostomum crami Wetzel, 1931*  
*Travassos, L. P., 1937 e, IV, 244-245, 445,*  
*446, pl. 183, fig. 5, pl. 186, figs. 1-6*  
*Branta canadensis*  
*Chen caerulescens*  
*both from America do Norte*

- Epomidiostomum crami*  
Wehr, E. E., 1933 h, 69  
Branta canadensis: Albany, N. Y.
- Epomidiostomum crami* Wetzel, 1931  
Yen, W. C.; and Wu, S. C., 1959 a, 574  
key
- Epomidiostomum crispinum* (Molin)  
Seurat, L. G., 1918 j, 347 (3)  
for *E. orispinum* (M.)?
- Epomidiostomum crispinum* Seurat, 1918 [erro]  
Travassos, L. P., 1937 e, 242  
as syn. of *E. orispinum* (Molin, 1861)
- Epomidiostomum orispinum* (Molin)  
Baylis, H. A., 1929 c, 202  
goose
- Epomidiostomum orispinum* (Molin, 1861)  
Baylis, H. A., 1939 a, 493  
*Anser fabalis*  
*A. albifrons*  
both from Kirkcudbrightshire, Brit. Is.
- Epomidiostomum orispinum* (Molin)  
Cram, E. B., 1927 a, 27, 28-29, fig. 27
- Epomidiostomum orispinum* (Molin, 1861)  
Dubinina. M. N., 1948 a, 176, 180, 183  
Syn.: *Epomidiostomum skrjabini* Petrow, 1926
- Anser anser*  
*A. erythropus*  
both from Astrakhan preserve
- Epimidiostomum* [sic] *crispinum* (Molin, 1861)  
Gower, W. C., 1939 a, 608, 619, 620, 621, 622  
synonymy  
*Anas albifrons*  
*A. anser domestica*  
*A. anser fera*  
*A. clangula*  
*A. crecca*  
*A. fuligula*  
*A. fusca*  
*Glaucionetta clangula*  
*Anas leucops*  
*A. mollissima*  
*A. nigra*  
*A. penelope*  
*A. segetum*  
*Anser anser*  
*Fulica atra*  
*Mareca penelope*  
*Nettion crecca*  
*Nyroca fuligula*  
*Oidemia fusca*  
*O. nigra*  
*Somateria mollissima*
- Epomidiostomum orispinum*  
Hall, M. C., 1922 s, 537
- Epomidiostomum orispinum*  
Hall, M. C., [1923 b], 55
- Epomidiostomum orispinum* (Molin 1861)  
Khalil, M. (B.); and Vogelsang, E. G., 1932 b, 479-481,  
figs. 4-6  
*Cygnus melanocoryphus*
- Epomidiostomum crispinum*  
Ryzhikov, K. M.; and Timofeeva, T. N., 1961 a, 215  
*Anser albifrons* (under cuticle of muscular stomach):  
Amur oblast
- Epomidiostomum orispinum* (Molin)  
Schuurmans Stekhoven, J. H., 1935 f, V.c 3, V.c 39,  
V.c 40, V.c 41, fig. 343  
*Anser anser*  
*Anas platyrhyncha*  
*A. penelope*  
*A. crecca*  
*Bucephala clangula*  
*Nyroca fuligula*  
*Oidemia fusca*  
*O. nigra*  
*Somateria mollissima*  
*Anser fabalis*  
*A. domesticus*  
*A. albifrons*  
*Branta leucopsis*  
*Fulica atra*
- Epomidiostomum orispinum* (M.)  
Seurat, L. G., 1918 j, 347  
[as *E. crispinum* (Molin)]
- Epomidiostomum ovispinum* [sic] (Molin, 1861)  
Sprehn, C. E. W., 1932 c, 735, 736, 857, 858, 860, 861,  
862, 863, 865, 866, 887  
*Anser anser* (*Oesophagus und Kropf*)  
*A. platyrhyncha*  
*Bucephala clangula*  
*Anser albifrons*  
*A. fabalis*  
*Anas penelope*  
*Fulica atra*  
*Somateria mollissima*  
*Branta leucopsis*  
*Anas crecca*  
*Nyroca fuligula*  
*Oidemia fusca*  
*O. nigra*  
all from Europa [and/or] Afrika  
Syns.: *Strongylus anseris* Zeder, 1800 e. p.; *S. ovis-*  
*pinus* Molin, 1861; *E. ovispinum* (Molin, 1861)
- Epomidiostomum orispinum* Khalil & Vogelsang, 1932 nec  
Molin, 1861  
Travassos, L. P., 1937 e, 245, 247  
as syn. of *E. vogelsangi* n. sp.
- Epomidiostomum orispinum* (Molin, 1861) Seurat, 1918  
Travassos, L. P., 1937 e, 8, 9, 242-243, 445, 446,  
447, 448, pl. 182, fig. 1  
Syns.: *Strongylus anseris* Zeder, 1800 p.p.; *S.*  
*crispinus* Molin, 1861; *E. crispinum* Seurat, 1918  
[erro]  
*Anas albifrons*  
*A. platyrhyncha*  
*A. anser dom.*  
*A. anser fer.*  
*Clangula glaucion*  
*Nettion crecca*  
*Oidemia fusca*  
*Brnata leucopsis*  
*Somateria mollissima*  
*Oedemia nigra*  
*Mareca penelope*  
*Fulica atra*  
*Anser fabalis*  
*Fuligula fuligula*
- Epomidiostomum orispinum* (Molin)  
Wetzel, R., 1931 b, 6, 7, 8
- Epomidiostomum orispinum* (Molin, 1861)  
Yen, W. C.; and Wu, S. C., 1959 a, 574  
key
- Epomidiostomum orispinum* (Molin)  
Yorke, W.; and Maplestone, P. A., 1926 a, 156  
*Anas spp.*
- Epomidiostomum petalum* n. sp.  
Yen, W. C.; and Wu, S. C., 1959 a, 572-576, pl. 1, figs.  
1-6  
*Anas platyrhynchos* var. *domestica* (gizzard): China:  
Hofei (Anhwei)
- Epomidiostomum petrowi* nov. sp.  
Shakhtakhinskaya, Z. M., 1956 a, 37-39, 40, figs. 1-2  
*Fulica atra*: Azerbaijan
- Epomidiostomum petrowi* nov. sp.  
Shakhtakhinskaya, Z. M., 1956 b, 286  
*Fulica atra*: Azerbaijan SSR
- Epomidiostomum petrowi* Schachtachinskaya, 1956  
Pavlov, A. V.; and Sergeeva, T. P., 1961 a, 184, 186,  
fig. 4  
*Fulica atra*: SSSR
- Epomidiostomum querquedulae* n. emend.  
Wetzel, R., 1931 b, 8  
= *E. querquetulae* Boulenger--emended
- Epomidiostomum querquedulae* Boulenger, 1926  
Gower, W. C., 1939 a, 608, 620  
*Anas crecca*  
*Nettion crecca*  
both from Egypt
- Epomidiostomum querquedulae* Boulenger 1926  
Litvinova, A. P., 1947 a, 148  
*Cygnus olor*

- Epomidiostomum querquedulae* Boulenger, 1926  
 Ryzhikov, K. M., 1959 a, 239  
*Cygnus olor*: SSSR
- Epomidiostomum querquedulae* Boulenger, 1926  
 Sprehn, C. E. W., 1932 c, 736, 861  
*Anas crecca* (Magen): Aegypten
- Epomidiostomum querquedulae* (Boulenger, 1926)  
 Sultanov, M. A., 1959 a, 334  
 Uzbekistan
- Epomidiostomum querquedulae* Boulenger, 1926  
 Sultanov, M. A., 1959 c, 68  
*shilokhvost* [*Anas acuta*]: Uzbekistan
- Epomidiostomum querquedulae* Boulenger, 1926  
 Sultanov, M. A., 1959 d, 75
- Epomidiostomum querquedulae* Boulenger, 1926  
 Travassos, L. P., 1937 e, IV, 9, 243, 446, pl. 181,  
 figs. 2-4  
 Syn.: *E. querquetulae* Boulenger, 1926 [erro typ.]  
*Nettion creca*: Africa (Egypt)
- Epomidiostomum querquedulae* Boulenger, 1926  
 Yen, W. C.; and Wu, S. C., 1959 a, 574  
 key
- Epomidiostomum querquetulae* n. sp.  
 Boulenger, C. L., 1926 a, 91-92, figs. 8-10  
*Querquetula crecca*
- Epomidiostomum querquetulae* Boulenger  
 Cram, E. B., 1927 a, 27, 384  
*Querquetula crecca*
- Epomidiostomum querquetulae* Boulenger, 1926  
 Travassos, L. P., 1937 e, 243  
 [erro typ.] for *E. querquedulae* Boulenger, 1926
- Epomidiostomum skrjabini* n. sp.  
 Petrov, A. M., 1926 b, 101, 102, 103-105, 111,  
 112, 113, figs. 1-4  
*Anser anser dom.*  
*A. albifrons*
- Epomidiostomum skrjabini*  
 Ablasov, N. A., 1957 a, 134, 135  
*Anser anser*  
*A. indicus*  
 both from Kirgizia
- Epomidiostomum skrjabini* Petrov  
 Baylis, H. A., 1929 c, 202, fig. 148  
*goose*
- Epomidiostomum skrjabini* Petrov  
 Cram, E. B., 1927 a, 27, 384-385  
*Anser anser dom.*  
*A. albifrons*
- Epomidiostomum skrjabini* Petrov, 1926  
 Dubinina, M. N., 1948 a, 176, 180, 183  
 as syn. of *Epomidiostomum orispinum* (Molin,  
 1861)
- Epomidiostomum skrjabini*  
 Kurochkin, I. V., 1959 a, 61
- Epomidiostomum skrjabini* Petrov, 1926  
 Ryzhikov, K. M., 1959 a, 239  
*Cygnus cygnus*: SSSR
- Epomidiostomum skrjabini* A. M. Petrov  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 3  
*Anser domesticus*  
*A. albifrons*
- Epomidiostomum skrjabini* Petrov, 1926  
 Serkova, O. P., 1948 d, 212, 240  
*Anser anser*: Barabin lakes
- Epomidiostomum skrjabini* Petrov, 1926  
 Sprehn, C. E. W., 1932 c, 736, 857  
*Anser anser* (Magen): Russland
- Epomidiostomum skrjabini* Petrov, 1926  
 Sultanov, M. A., 1958 b, 19  
*seryi gus* [*Anser anser*]  
*gus gumennik* [*Anser fabalis*]  
*khokhlataia chernev* [*Nyroca fuligula*]  
*shilokhvost* [*Anas acuta*]  
*kriakva* [*Anas platyrhynchos*]  
*chirok-svistunok* [*Anas crecca*]  
 all from Uzbekistan
- Epomidiostomum skrjabini* Petrow, 1926  
 Travassos, L. P., 1937 e, IV, 9, 244, 445, pl.  
 185, figs. 1-4  
*Anser anser dom.*  
*Anas albifrons*  
 both from Região do Don, Russia
- Epomidiostomum skrjabini* Petrow  
 Wetzel, R., 1931 b, 6, 7, 8
- Epomidiostomum skrjabini* Petrow, 1926  
 Yen, W. C.; and Wu, S. C., 1959 a, 574  
 key
- Epomidiostomum skrjabini* Petrow, 1926  
 Zaskind, L. N., 1952 a, 408  
*Anser anser*
- Epomidiostomum spathulatum* (Baylis)  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 3,  
 V.c 39  
*Anser fabalis*
- Epomidiostomum uncinatum* (Lundhal) [n. comb.]  
 Seurat, L. G., 1918 f, 346-347  
*Anas penelope*
- Epomidiostomum uncinatum* (Lundhal)  
 Baylis, H. A., 1928 g, 339  
*Anas boschas*
- Epomidiostomum uncinatum* (Lundhal)  
 Baylis, H. A., 1929 c, 202  
*duck*
- Epomidiostomum uncinatum* (Lundhal, 1848) Seurat,  
 1918  
 Baylis, H. A., 1936 a, 360-361, fig. 169  
*synonymy*  
*Dafila acuta*  
*Nyroca rufa*  
*Querquedula querquedula*  
*Sarkidiornis melanotos*  
*Casarca ferruginea*  
 all from Zool. Gardens, Calcutta
- Epomidiostomum uncinatum* (Lundhal, 1848)  
 Baylis, H. A., 1939 a, 493  
*Mareca penelope*: Lincolnshire, Brit. Is.
- Epomidiostomum uncinatum* (Lundhal, 1848)  
 Baylis, H. A.; and Daubney, R., 1926 a, 193
- Epomidiostomum uncinatum*  
 Beaudette, F. R., 1937 a, 97  
*ducks*: New Jersey
- Epomidiostomum uncinatum*  
 Beaudette, F. R., 1939 a, 44  
*mallard duck*: Gloucester County, New Jersey
- Epomidiostomum uncinatum* (Lundhal, 1848) Seurat,  
 1918  
 Beverley-Burton, M., [1959 a], 32, 33, 34  
*Anas platyrhyncha platyrhyncha*  
*A. penelope*  
*A. crecca crecca*  
*A. acuta acuta*  
*Spatula clypeata*  
 all from Nacton Decoy, near Ipswich, Suffolk
- Epomidiostomum uncinatum*  
 Chitwood, B. G.; and Chitwood, M. B., 1938 a,  
 59, fig. 56 M
- Epomidiostomum uncinatum* (Lundhal)  
 Cram, E. B., 1927 a, 27-28, figs. 24-26
- Epomidiostomum uncinatum* (Lindhal, 1848)  
 Dubinina, M. N.; and Serkova, O. P., 1951 a,  
 76, 93  
*Anas p. platyrhyncha*: Tadzhikistan
- Epomidiostomum uncinatum* (Lundhal)  
 Fedushin, A. V., 1937 a, 171, 174, 176  
*Anas platyrhyncha*  
*Dafila acuta*  
*Chaulelasimus strepera*  
*Spatula clypeata*  
*Querquedula querquedula*  
*Nyroca ferina*  
 all from Western Siberia

- Epomidiostomum uncinatum* Skr., 1916  
*Ginetsinskia*, T. A., 1949 c, 88  
 Anas platyrhyncha  
 A. strepera  
 A. acuta  
 Spatula clypeata  
 Anas crecca  
 Mareca penelope  
 all from Volga delta
- Epomidiostomum uncinatum* (Lundahl, 1848)  
 Gower, W. C., 1939 a, 608, 617, 618, 619, 622  
 synonymy  
 Anas acuta  
 A. nigra  
 A. penelope  
 A. boschas domestica  
 Anser albifrons  
 Fuligula nigra  
 Mareca penelope  
 Anas p. platyrhynchos  
 Dafila acuta  
 Oidemia nigra
- Epomidiostomum uncinatum* (Lundahl, 1848) Seurat, 1915  
 Gushanskia, L. Kh., 1951 a, 81  
 Anas penelope: Komi ASSR
- Epomidiostomum uncinatum* (Lundahl)  
 Johnston, T. H.; and Mawson, P. M., 1942 e, 71, 73  
 Querquedula gibberifrons: South Australia
- Epomidiostomum uncinatum* (Lundahl, 1848) Seurat, 1918  
 Kurashvili, B. E., [1954 a], 342  
 Anas crecca: Georgia, SSSR
- Epomidiostomum uncinatum* Lundahl, 1848  
 Macko, J. K., 1961 a, 186, 187, 188, 189, 191, 192, 194, pl. 1, figs. 3 A-C, 4 A-D  
 Anas querquedula (muscular stomach): eastern Slovakia
- Epomidiostomum uncinatum*  
 Mapleson, P. A., 1930 c, 398, figs. 20-22  
 Dafila acuta  
 Fuligula nyroca  
 Querquedula circia  
 Sarcidiorius melanotata  
 Tadorna casarca
- Epomidiostomum uncinatum* (Lundahl)  
 Rauther, M., 1930 a, 378
- Epomidiostomum uncinatum* Lundahl, 1848  
 Ryšavý, B., 1957 a, 319, fig. 20  
 Anas querquedula: Czechoslovakia
- Epomidiostomum uncinatum*  
 Ryzhova, A. A.; and Sheretnevskia, E. N., 1958 a, 256  
 ducks: Gorky oblast
- Epomidiostomum uncinatum* (Lundahl)  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 3, V.c 39, V.c 40, fig. 342  
 Anas platyrhyncha  
 A. acuta  
 A. penelope  
 Oidemia nigra  
 Anser albifrons
- Epomidiostomum uncinatum* (Lundahl, 1848)  
 Serkova, O. P., 1948 a, 212, 231, 237, 240  
 Anas platyrhyncha  
 A. strepera  
 A. acuta  
 Querquedula querquedula  
 Spatula clypeata  
 Oxyura leucocephala  
 Nyroca ferina  
 N. fuligula  
 all from Barabin lakes
- Epomidiostomum uncinatum* (Lundahl, 1848) Seurat, 1918  
 Spasskia, L. P., 1949 a, 135  
 Cygnus cygnus  
 Anas platyrhynchos  
 A. strepera  
 A. acuta  
 A. querquedula  
 Nyroca ferina  
 Anas crecca  
 all from Western Siberia
- Epomidiostomum uncinatum* (Lundahl)  
 Sprehn, C. E. W., 1930 r, 772, 774
- Epomidiostomum uncinatum* (Lundahl, 1848) (type)  
 Sprehn, C. E. W., 1932 c, 735, 858, 860, 862, 866  
 Syns.: *Strongylus uncinatus* Lundahl, 1848;  
*E. anatinum* Skrjabin, 1916; *E. uncinatum* (Lundahl, 1848)  
 Anas platyrhyncha (*Muskelmagen*)  
 A. acuta  
 Anser albifrons  
 Anas penelope  
 Oidemia nigra  
 all from Europa [and/or] Asien [and/or] Afrika
- Epomidiostomum uncinatum* (Lundahl, 1848) Seurat, 1918  
 Travassos, L. P., 1937 e, IV, 8, 9, 240-242, 445, 446, 447, pl. 180, figs. 4-7, pl. 181, fig. 1  
 Syns.: *Strongylus uncinatus* Lundahl, 1848;  
*E. anatinum* Skrjabin, 1915  
 Dafila acuta  
 Oidemia nigra  
 Mareca penelope  
 Anas platyrhyncha  
 A. boschas dom.  
 Anser albifrons  
 Nyroca africana  
 Querquedula circia  
 Q. cyanoptera  
 Sarcidornis melanota  
 Casarca rutilla
- Epomidiostomum uncinatum* (Lundahl)  
 Wetzel, A., 1931 b, 2-4, 7, 8, pl. 1, figs. 4-6; pl. 2, figs. 11-12  
 Dafila acuta  
 Oidemia nigra  
 Mareca penelope  
 Anas platyrhyncha  
 A. plat. dom.  
 Anser albifrons  
 Querquedula cyanoptera
- Epomidiostomum uncinatum* (Lundahl)  
 Yorke, W.; and Mapleson, P. A., 1926 a, 155, fig. 100  
 type of genus  
 Anas spp.
- Epomidiostomum vogelsangi* n. sp.  
 Travassos, L. P., 1937 e, IV, 245-247, 444, pl. 182, figs. 2-6, pl. 184, figs. 1-2, pl. 185, figs. 1-4  
 Syn.: *E. orispinum* Khalil & Vogelsang, 1932  
 nec Molin, 1861  
 Cygnus melanocoryphus: Argentina
- Epomidiostomum vogelsangi* Travassos, 1937  
 Eckert, J., 1961 a, 855, fig. 4  
 Cygnus melanocoryphus: Zoologische Garten, Hannover
- Epomidiostomum vogelsangi* Travassos, 1937  
 Yen, W. C.; and Wu, S. C., 1959 a, 574  
 key
- Equinurbia*  
 Baylis, H. A., 1924 d, 21

- Equinurbia* Lane, 1914  
 Baylis, H. A., 1936 a, 247, 258  
 Strongylidae, Strongylinae  
 type: *E. sipunculiformis* (Baird, 1858)
- Equinurbia* Lane, 1914  
 Baylis, H. A.; and Daubney, R., 1926 a, 153  
 type: *E. sipunculiformis* (Baird)
- Equinurbia* Lane, 1914  
 Khalil, M., 1922 q, 273  
 type: *E. sipunculiformis*
- Equinurbia* Lane, 1914  
 Khalil, M., 1922 r, 69, 72  
 type: *E. sipunculiformis*
- Equinurbia* Lane, C., 1921 c, 164
- Equinurbia* Popov, N. P., 1927 b, 193
- Equinurbia* Rauther, M., 1930 a, 376
- Equinurbia* Lane Sprehn, C. E. W., 1927 e, 47
- Equinurbia* Travassos, L. P., 1920 h, 65
- Equinurbia* Lane, 1914 van der Westhuysen, O. P., 1938 a, 52, 88-89  
 Strongylinae
- Equinurbia* Lane, 1914 Yorke, W.; and Maplestone, P. A., 1926 a, 35, 39  
 type: *E. sipunculiformis* (Baird)
- Equinurbia* *sipunculiformis* (Baird, 1859) Lane, 1914 (type)  
 Baylis, H. A., 1936 a, 258-259  
 Syns.: *Sclerostoma* *sipunculiforme* Baird, 1859; *Sclerostoma* *spinuliferum* Cobbold, 1879; *Cylicostomum* *sipunculiforme* Railliet, Henry and Bauche, 1914  
 Indian elephant
- Equinurbia* *sipunculiformis* (Baird, 1859)  
 Baylis, H. A.; and Daubney, R., 1926 a, 153
- Equinurbia* *sipunculiformis* (Baird, 1859)  
 Bhalerao, G. D., 1935 d, 40  
 Indian elephant: Andamans
- Equinurbia* *sipunculiformis* (Baird, 1859)  
 Bhattacharjee, J., 1937 a, 90  
 synonymy  
 elephant: Burma
- Equinurbia* *sipunculiformis* (Baird, 1859), Lane, 1914  
 Brito-Babapulle, L. A. P., 1946 a, 368  
 Syn.: *Cylicostomum* *sipunculiforme*, Railliet, Henry and Bauche, 1914  
 elephants: Ceylon
- Equinurbia* *sipunculiformis* (Baird 1859)  
 Chatterji, R. C., 1940 c, 47  
 elephant: Burma
- Equinurbia* *sipunculiformis* (Baird)  
 Fernando, A.; and Fernando, C. H., 1961 a, 99, 101, 103, 106, fig. 1 I  
*Elephas maximus* (large intestine)
- Equinurbia* *sipunculiformis* (Baird)  
 Fernando, C. H.; and Fernando, A., 1961 a, 3, 4, pl., figs. 3A, 3B, 3C  
*Elephas maximus*: Ceylon
- Equinurbia* *sipunculiformis* (Baird)  
 Ihle, J. E. W., 1919 e, 101  
*Elephas indicus*
- Equinurbia* *sipunculiformis* Baird, 1859  
 Khalil, M., 1922 q, 273, 276  
 Indian elephant: India
- Equinurbia* *sipunculiformis* Baird  
 Khalil, M., 1922 r, 69, 72  
 Indian elephant: India
- Equinurbia* *sipunculiformis*  
 Malik, B. S.; and Singh, G., 1958 a, 191, 192, 193  
 Indian elephant: India
- Equinurbia* *sipunculiformis* (Baird)  
 Railliet, A., 1925 b, 13  
 Éléphant indien
- Equinurbia* *sipunculiformis* (Baird, 1859)  
 Railliet, A.; Henry, A.; and Bauche, J., 1915 a, 118-119
- Equinurbia* *sipunculiformis* (Baird)  
 Rauther, M., 1930 a, 376
- Equinurbia* *sipunculiformis*  
 Sankaranarayanan, M. V.; Das, D. N.; and Sundaram, S., 1957 a, 34, 43, fig. 4  
 bursa as diagnostic character
- Equinurbia* *sipunculiformis* (Baird, 1859)  
 Seneviratna, P., 1955 b, 34  
 elephant: Ceylon
- Equinurbia* *sipunculiformis*  
 Sprehn, C. E. W., 1927 e, 47
- Equinurbia* *sipunculiformis* (Baird, 1859)  
 Sutherland, A. K.; O'Sullivan, P. J.; and Ohman, A. P. S., 1950 a, 88-90  
 found in stomach and intestine
- Equinurbia* *sipunculiformis* (Baird, 1859)  
 Vogelsang, E. G.; and Mayaudon T., H., 1956 b, 21  
*Elephas maximus* (colon)
- Equinurbia* *sipunculiformis* (Baird, 1859). Lane, 1914  
 van der Westhuysen, O. P., 1938 a, 51, 52, 89-90, 162-164, figs. 154-161  
 Indian elephant
- Equinurbia* *sipunculiformis* (Baird)  
 Wu, H. W., 1934 a, 512, 515-517, figs. 4-8  
 Indian elephant: Nanking
- Equinurbia* *sipunculiformis* (Baird)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 39, fig. 13  
 type of genus  
 elephants
- Erschovicaecum* Mosgovoy, 1951  
 Hsu, W. N., 1957 a, 49
- Espectatus* n. g.  
 Travassos, L. P., 1923 c, 29  
 for *Spectatus*; also *Spectalus*
- Esponja*. See *Habronema*
- Eucoleus* Dujardin  
 Baylis, H. A., 1929 c, 266
- Eucoleus*  
 Baylis, H. A., 1931 f, 540
- Eucoleus*  
 Baylis, H. A., 1937 c, 411  
 as syn. of *Capillaria*
- Eucoleus* Dujardin, 1845  
 Baylis, H. A., 1939 b, 240  
 as syn. of *Capillaria* Zeder, 1800
- Eucoleus* Dujardin, 1845  
 Baylis, H. A.; and Daubney, R., 1926 a, 238  
 as syn. of *Capillaria* Zeder
- Eucoleus*  
 Freud, L., 1930 c, 81, 82
- Eucoleus*  
 Lampio, T., 1951 c, 44  
 fox: Finland
- Eucoleus* (Dujardin, 1845) mihi  
 Lopez-Neyra, C. R., 1947 c, 200, 238  
 = *Hepaticola* Hall, 1916  
 type: *E. aerophilus* (Creplin, 1839)
- Eucoleus* Dujardin  
 Orosz, D., 1932 a, 32  
 as syn. of *Capillaria* Zeder, 1800
- Eucoleus* Duj.  
 Perrier, E., 1897 a, 1411
- Eucoleus* Duj.  
 Rauther, M., 1930 a, 366  
 type: *E. aerophilus* Creplin

- Eucoleus Dujardin*, 1845  
*Schuurmans Stekhoven*, J. H., 1935 f, V.c 33  
*Trichiuridae*
- Eucoleus*  
*Sprehn*, C. E. W., 1927 e, 62  
*Eucoleus Dujardin*, 1845  
*Sprehn*, C. E. W., 1932 c, 767, 780  
 type species: *E. aerophilus* (Creplin, 1839)
- Eucoleus Duj.*, 1845  
*Teixeira de Freitas*, J. F.; and *Lent*, H., 1935  
 e, 110, 111
- Eucoleus Duj.*, 1845  
*Vasil'kova*, Z.; and *Gouchanskaja*, L., 1930 a,  
 619-623
- Eucoleus*  
*Wagner*, O., (1936 b)  
 revision
- Eucoleus Duj.*, 1845  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 23,  
 29  
 type: *E. aerophilus* (Crepl.)
- Eucoleus sp.*  
*Datta*, S. C. A., 1937 a, 31  
 cat: *Muktesar*
- Eucoleus sp.*  
*Pavlov*, A. V.; and *Sergeeva*, T. P., 1961 a,  
 182, 183, fig. 2  
*Porzana porzana* (muscular stomach): SSSR
- Eucoleus spp.*  
*Ryzhikov*, K. M.; and *Kozlov*, D., 1959 a, 59  
*Fulica atra*  
*Porzana porzana*  
 both from Turkmenistan
- Eucoleus sp.*  
*Sultanov*, M. A., 1959 c, 70  
 indeika [Meleagris gallopavo]: Uzbekistan
- Eucoleus acrophilus*  
*Perrier*, E., 1897 a, 1411  
 [for *E. aerophilus*]
- Eucoleus aerophilum*  
*Allen*, J. A., 1921 c, 11  
 fox
- Eucoleus aerophilus* (Creplin)  
*Baylis*, H. A., 1929 i, 266  
 fox  
 cat  
 dog  
 wolf  
 badger
- Eucoleus aerophilus* (Creplin)  
*Böhm*, J., 1929 a, 605
- Eucoleus aerophilus* Dujardin  
*Buechner*, H. K., 1944 a, 186, 187  
*Urocyon cinereoargenteus texensis*: central  
 Texas
- Eucoleus aerophilus*  
*Bump*, G., 1942 a, 219  
 red fox: New York State
- Eucoleus aerophilus* (Creplin, 1839)  
*Burdzhanadze*, P. L., 1937 a, 190, 193  
 cats: Georgia [SSR]
- Eucoleus aerophilus* (Creplin, 1839)  
*Burdzhanadze*, P. L., 1943 a, 61  
*Felis catus dom.*: Georgia [SSR]
- Eucoleus aerophilus*  
*Chaussat*, J. B., 1850 i, 46-48  
*Canis vulpes*
- Eucoleus aerophilus*  
*Dikmans*, G., 1931 c, 56  
 cat: United States
- Eucoleus aerophilus* (Creplin)  
*Dinnik*, J.; and *Dinnik*, N., 1949 a, 365
- Eucoleus aerophilus* Creplin  
*Erhardt*, A., 1934 b, 122  
*Felis ocreata domestica*: Karkeln, Ostpreussen
- Eucoleus aerophilus* (Creplin 1839)  
*Furmaga*, S.; and *Wysocki*, E., 1951 a, 99, 100,  
 118-119, fig. 11  
*Canis vulpes*: Lublin
- Eucoleus aerophilus* (Creplin, 1839)  
*Gagarin*, V. G., 1958 a, 117  
 fox: southern Kirigziia
- Eucoleus aerophilus* Crepl.  
*Galli-Valerio*, B., 1940 b, 354, 355  
*Mustela martes*: Lignerolles Vd.; *Naye d'en  
 bas*, Vd.  
*Canis vulpes*: Arête de Cahude Vd.; Portes  
 d'Onnaz V.; V. Ferret V.  
*Mustela foina*: Chailly s. Lausanne
- Eucoleus aerophilus*  
*Goble*, F. C.; and *Cook*, A. H., 1941 a, 456  
 red foxes: New York
- Eucoleus aerophilus*  
*Graham*, R.; et al., 1933 d, 54, fig.  
 fox
- Eucoleus aerophilus*  
*Grieder*, H., 1935 a, 83, 86-88, figs. 2-4  
 pathology, treatment  
*Farmfuchse*
- Eucoleus aerophilus* (Creplin, 1839)  
*Hanson*, K. B., 1933 g, 12-33  
 foxes
- Eucoleus aerophilus* (Creplin, 1839)  
*Hanson*, K. B.; and *McBlain*, W. G., 1935 a, 463-  
 473  
 foxes
- Eucoleus aerophilus*  
*Hülpfers*, G., 1933 a, 144, 146, 147, 152, fig.  
 13; English summary, 153  
*Räv* (excrement)
- Eucoleus aerophilus* (Creplin, 1839)  
*Kamalov*, N. G., 1935 a, 250, 251  
*Wölfen*: Tiflis Zoopark
- Eucoleus aerophilus* Creplin, Dujardin  
*Koffman*, M., 1939 a, 553-555, 558, 585, figs.  
 35-37  
 hos räv: Sverige  
 Syn.: *Trichosoma aerophilum* Creplin
- Eucoleus aerophilus*  
*Landa*, D. M., 1931 a, 291, 295  
*Felis catus domesticus*: Kasakstan
- Eucoleus aerophilus* Creplin, 1839  
*Law*, R. G.; and *Kennedy*, A. H., 1932 b, 29  
 fox (trachea, bronchi, lungs): Ontario
- Eucoleus aerophilus*  
*Law*, R. G.; and *Secord*, A. C., 1931 a, 42-44  
 silver foxes
- Eucoleus aerophilus*  
*Lorber*, E., 1932 a, 164, 165, 166, 168  
*Liška stříbrná* [silver fox]: Czechoslovakia
- Eukoleus aerophilus*  
*Lütje*, F., 1941 a, 274  
*Fuchs*: Regierungsbezirk Stade
- Eucoleus aerophilus* (Creplin, 1839)  
*Lukasiak*, J., 1935 a, 533-540, figs. 1-2
- Eucoleus aerophilus*  
*Mallari*, A. I., 1937 a, 306  
 cat
- Eucoleus aerophilus*  
*Miessner*, H.; and *Sprehn*, C. E. W., 1932 a,  
 110  
 control  
*Fuchs*
- Eucoleus aerophilus* (Creplin, 1839)  
*Morozov*, F. N., 1939 a, 5, 7, 28-29, 41  
*Putorius putorius*: Gorkii oblast
- Eucoleus aerophilus* Creplin, 1839  
*Nakamura*, Y., 1951 a, 27-35  
 dog (sputum): Japan
- Eucoleus aerophilus*  
*Neumüller*, O., 1930 d, 210

- ? *Eucoleus aerophilus*  
Olsen, B., 1939 a, 476, fig. 3  
hund: Østerbro, Denmark
- Eucoleus aerophilus*  
Olsson, E., (1936 a), 262-265
- Eucoleus aerophilus*  
Olsson, E., (1937 a), 13-15
- Eucoleus aerophilus*  
Perrier, E., 1897 a, 1411  
renard (trachée)
- Eucoleus aerophilus* (Crepl.)  
Prendel, A. R. 1937 a, 543, 545  
cats: Odessa
- Eucoleus aerophilus*  
Price, E. W., 1929 j, 876-877
- Eucoleus aerophilus* Creplin  
Rauther, M., 1930 a, 366, fig. 390  
type of genus
- Eucoleus aerophilus* (Crepl.)  
Reichenow, E.; and Wüller, G., 1929 a, 112
- Eucoleus aerophilum* (Creplin 1839) Duj. 1845  
Riley, W. A., 1921 a, 92  
Syn.: *Trichosoma aerophilus* Creplin
- Vulpes vulpes*
- Eucoleus aerophilus*  
Schmid, F., 1933 b, 307, 308  
Silberfuchs: Deutschland
- Eucoleus aerophilus*  
Schmid, F., 1934 b, 36, fig. 8
- Eucoleus aerophilus*  
Schofield, F. W., 1926 a, 41  
histology
- Eucoleus aerophilus*  
Secord, A. C., 1933 b, 11-12  
dog: North America
- Eucoleus aerophilus*  
Semenova, N. S., 1952 a, 36-37  
= *Thominx aerophilus*
- Eucoleus aerophilus* Duj.  
Seurat, L. G., 1920 c, 209  
as syn. of *Capillaria aerophila* (Crep.)
- Eucoleus aerophilus*  
Sheather, A. L., 1930 a, 247  
egg, cat
- Eucoleus aerophila*  
Shillinger, J. E., 1942 b, 1236
- Eucoleus aerophilus*  
Sniečkienė, P., 1937 d, 1-13, 1 fig.  
Silberfuchs: Litauen
- Eucoleus aerophilus*  
Sprehn, C. E. W., 1927 e, 62  
*Vulpes vulpes*  
Felis dom.
- Eucoleus aerophilus* (Creplin)  
Sprehn, C. E. W., 1928 d, 18, fig. 18
- Eucoleus aerophilus* (Crepl.)  
Sprehn, C. E. W., 1928 e, 130
- Eucoleus aerophilus* (Crepl.)  
Sprehn, C. E. W., 1928 i, 765
- Eucoleus aerophilus* (Creplin)  
Sprehn, C. E. W., 1930 p, 62, 64
- Eucoleus aerophilus* (Creplin)  
Sprehn, C. E. W., 1930 s, 258  
Felis catus
- Eucoleus aerophilus*  
Sprehn, C., 1930 v, 172  
Fuchs
- Eucoleus aerophilus* (Creplin, 1839) (type)  
Sprehn, C. E. W., 1932 c, 750, 781, 819, 820,  
821, 822, 823, figs. 348, 365  
Syns.: *Trichosoma aerophilum* Creplin, 1839;  
*Eucoleus aerophilus* (Creplin, 1839) Dujardin,  
1845  
Canis familiaris (Hund)
- Felis catus
- Vulpes vulpes*
- Meles meles*  
all from Europa [and/or] Amerika
- Eucoleus aerophilus* (Creplin)  
Sprehn, C. E. W., 1932 i, 146
- Eucoleus aerophilus* (Creplin)  
Sprehn, C. E. W., 1937 a, 674  
Fuchs
- Eucoleus aerophilus*  
Sprehn, C. E. W., 1950 a, 110  
Fuchs
- Eucoleus aerophilus* (Creplin, 1839)  
Sprehn, C., 1954 c, 91  
Silber- und Blaufuchs
- Eucoleus aerophilus*  
Stetter, R., 1933 a, 33-34  
Silberfuchs: Deutschland
- Eucoleus aerophila*  
Stevenson, L., 1939 b, 4  
fox
- Eucoleus aerophilus*  
Steward, J. S., [1932 b], 201  
silver fox (lung): Perth, Cambridgeshire
- Eucoleus aerophilus*  
Swales, W. E., 1933 a, 474, 477  
*Vulpes fulva*: Ontario, British Columbia
- Eucoleus aerophilus*  
Swales, W. E., 1933 c, 481  
*Vulpes fulva*: Quebec
- Eucoleus aerophilus*  
Swierstra, D., 1948 b, 833  
Kat
- Eucoleus aerophilus* (Creplin 1889)  
Toshchev, A. P., 1949 c, 181  
dogs (lungs): eastern Siberia
- Eucoleus aerophilus*  
Ullrich, K., 1930 d, 214  
[fox]: Leipzig
- Eucoleus aerophilus* (Crepl.)  
Vasil'kova, Z. G.; and Gouchanskaja, L., 1930  
a, 619
- Eucoleus (Capillaria) aerophilus* (Creplin,  
1839)  
Watkins, C. V.; and Harvey, L. A., 1942 a,  
157, 159, 160, 161, 162, 163, 165, 166, 167,  
169, 170, 172, 173, 174, 176, 177  
silver fox
- Canis vulpis*
- Eucoleus aerophilus* (Creplin, 1839)  
Wetzel, R., [1933? a], 12  
Syn.: *Trichosoma aerophilus* Creplin, 1839  
Hund (Bronchien, Nasenhöhle)
- Fuchs
- Katze
- Eucoleus aerophilus* (Crepl.)  
Yorke, W.; and Maplestone, P. A., 1926 a,  
29, fig. 6  
type of genus
- fox
- cat
- Eucoleus annulatus* (Molin, 1858) [n. comb.]  
Lopez-Neyra, C. R., 1947 c, 202  
= *Trichosomum strumosum* Reibisch, 1893; *Euco-*  
*coleus strumosa* (Reibisch) Wassilks y  
Gouchn., 1930; *Tr. delicatis simum* Perrone y  
Tom, 1900; *Capillaria obulata* Graham, 1929
- Eucoleus annulata*  
Andrievskaiā, N. ū., 1956 a, 21  
hen (small intestine): Odessa oblast
- Eucoleus annulata*  
Andriev's'kaia, N. ū., 1957 a, 157  
hens: Odessa oblast
- Eucoleus annulatus* (Molin, 1858)  
Bezubik, B., 1958 a, 685, 686, 687  
*Perdix perdix*: Lublin
- Eucoleus annulatus* (Molin, 1858) Lopez-Neyra,  
1946  
Bezubik, B., 1959 a, 183-184  
*Perdix perdix*: Lublin
- Eucoleus annulata* (Molin, 1858)  
Birová-Volosinovičová, V., 1960 a, 247, 248,  
249  
Gallus gallus domesticus: Slovensku

- Eucoleus annulata* (Molin, 1858)  
 Gagarin, V. G., 1954 a, 86, 98, 99, 100  
 Phasianus colchicus: Kirgiz SSR
- Eucoleus annulata* (Molin, 1858)  
 Gagarin, V. G., 1956 b, 215, 225  
*Gallicus gallus* dom.: SSSR
- Eucoleus annulatus* (Molin, 1858)  
 Gushanskaia, L. K., 1952 b, 210-212, fig. 14  
*Lyrurus tetrix*: Sibir, Ural
- Eucoleus annulatus* (Molin, 1858) Lopez-Neyra, 1946  
 Osikovski, E., 1960 a, 269, fig. 4  
 hens: Bulgaria
- Eucoleus annulata*  
 Shumilo, R.; and Korolevskaia, S., 1961 a, 39
- Eucoleus annulata* (Molin, 1858)  
 Solov'ev, G. V., 1960 a, 147  
 hens: Kirgizia
- Eucoleus annulata* (Molin, 1858)  
 Sultanov, M. A., 1958 a, 65, 71, 72  
 chickens  
 turkeys  
 both from Tashkent oblast
- Eucoleus annulata* (Molin, 1858)  
 Sultanov, M. A., 1959 c, 70  
 kuritsa [Gallus g. domesticus]  
 indeika [Meleagris gallopavo]  
 both from Uzbekistan
- Eucoleus? avellari* (Freitas y Almeida) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 205
- Eucoleus avicola* Wassilkowa  
 Baylis, H. A., 1931 f, 540  
*Garrulus glandarius*  
*Corvus cornix*
- Eucoleus (?) bacillatus* (Eberth, 1863) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 201
- Eucoleus bacillatus* (Eberth, 1863) Lopez-Neyra, 1946  
 Rodonatia, T. E., 1956 a, 174-175  
 Pitimys majori: Lagodekhskii state preserve
- Eucoleus baskakowi* n. sp.  
 Shul'ts, R. E., 1929 c, 78-79  
*Citellus musicus planicola*
- Eucoleus boskakovi* [sic] Schultz  
 Vasili'kova, Z.; and Gouchanskaja, L., 1930 a, 619
- Eucoleus baskakovi* Shul'ts, 1928  
 Zasukhin, D.; and Tiflov, V., 1932 a, 130  
*Citellus pygmaeus* (intestinal canal): South-east RSFSR
- Eucoleus baskakowi* Schulz, 1928  
 Zasukhin, D. N.; and Tiflov, V. E., 1933 a, 439  
*Citellus pygmaeus* (Darm): Süd-Ost USSR
- Eucoleus cairinae* (Freitas y Almeida, 1935) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 203, 230  
 Syn.: *Capillaria* sp. Freitas y Almeida, 1935 del esófago de Uoecilonetta bahamensis
- Eucoleus comboliodes* (Erlich et Mikacic, 1940) Tshertkova, 1952  
 Skrjabin, K. I.; et al., 1954 a, 388  
 as syn. of *Thominx comboliodes* [n. comb.]
- Eucoleus contortus* (Creplin, 1839) str. s. [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 203, 236
- Eucoleus contorta*  
 Ablasov, N. A., 1957 a, 135, 136, 137, 138, 139, 143  
*Anas acuta*  
*A. querquedula*  
*A. augustirostris*  
*A. crecca*  
*A. platyrhynchos*  
*A. strepera*  
*Larus ridibundus*  
 all from Kirgizia
- Eucoleus contorta*  
 Andrievskaya, N. Iu., 1956 a, 21  
 duck (small intestine): Odessa oblast
- Eucoleus contorta* (Creplin, 1839)  
 Gagarin, V. G., 1952 a, 404  
 duck: SSSR
- Eucoleus contorta* (Creplin, 1853)  
 Gagarin, V. G., 1954 a, 86, 99, 100, fig. 17  
*Tetraogallus himalayensis*  
*Alectoris graeca*  
 both from Kirgiz SSR
- Eucoleus contorta* (Creplin, 1839)  
 Gagarin, V. G., 1956 b, 215, 224, 225  
*Anas platyrhynchos* dom.: SSSR
- Eucoleus contorta* (Creplin, 1853)  
 Gvozdev, E. V., 1956 a, 72  
*Alectoris graeca*
- Eucoleus contorta* Creplin, 1839  
 Paudere, V., 1957 a, 324  
 geese: Latvian SSR
- Eucoleus contorta*  
 Shevtsov, A. A., 1954 a, 394  
 domestic duck: Georgia, SSSR
- Eucoleus corvicola* n. sp.  
 Vasil'kova, Z. G.; and Gouchanskaja, L., 1930 a, 619-620, 623  
*Pica pica*  
*Corvus cornix*  
*Garrulus glandarius*
- Eucoleus corvicola*  
 Baylis, H. A., 1931 f, 540
- Eucoleus corvicola* Wassilkowa, 1930  
 Gagarin, V. G.; Abilasov, N. A.; and Chibichenko, N. T., 1957 a, 112  
*Pica pica*: southern Kirgizia
- Eucoleus corvicola* Wassilkowa, 1930  
 Spasskii, A. A.; and Oshmarin, P. G., 1939 a, 46, 57, 65, 66, 67, 68, 69  
*Corvus cornix*  
*C. frugilegus*  
*Pica pica*  
 all from Gorkii oblast
- Eucoleus corvorum* (= *resecta*)  
 Lopez-Neyra, C. R., 1947 c, 238  
 [lapsus for *Capillaria corvorum*]
- Eucoleus cutaneus* (Swift, Boots y Miller, 1922) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 201
- Eucoleus dispar* (Dujardin, 1845) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 204, 230  
 = *Trichosomum contortum* Dujardin 1843 nec Creplin, 1839
- Eucoleus dubius* (Travassos, 1917) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 203, 230  
 = *E. corvicola* Wassilkowa, 1930 = *E. avicola* (Wassilk.) en Petrow, 1930
- Eucoleus eberthi* (Freitas y Lent, 1935) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 201
- Eucoleus fluminensis* (Freitas, 1946) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 192-193  
 Syn.: *Capillaria fluminensis* Freitas, 1946
- Eucoleus freitaslenti* (Araujo et Gandra, 1941)  
 Skrjabin et Schikhobalova, 1954 [n. comb.]  
 Skrjabin, K. I.; et al., 1954 a, 378  
 Syn.: *Capillaria freitaslenti* Araujo et Gandra, 1941
- Eucoleus gastricus* (Baylis 1926) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 201  
 = *Hepaticola muris* Uyuvama, 1928; *H. cancerogena* Beati, 1930
- Eucoleus hepaticus* (Bancroft, 1893) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 201  
 = *Tr. tenuis-simum* Leidy, 1891 nec Diesing;  
*C. ledyi* Trav. 1914; *H. anthropopitheci* Troissier etc., 1928; *H. muris* MacDonagh, 1929
- Eucoleus hepaticus* (Bancroft, 1893) Lopez Neyra, 1946  
 Gallego Berenguer, J., 1959 a, 178, 182, 184, 185, 186, 187, 188, 189, 191, 199, 201, 202, 203  
*Epimys rattus rattus*  
*E. rattus frugivorus*  
*E. norvegicus norvegicus*  
*Mus musculus brevirostris*  
 all from Spain

- Eucoleus hepaticus* (Bancroft, 1893) Lopez Neyra, 1946  
 Gallego Berenguer, J.; and Pumarola Busquets, A., 1952 a, 206, 208, 209, 210, 211, 212  
 perros: Barcelona
- Eucoleus hepaticus*  
 Schacher, J. F.; and Cheon, C. H., 1960 a, 209, 210, 211  
 Rattus r. diardi  
*R. exulans concolor*  
 both from Malaya
- Eucoleus hirundinis* (Rudolphi, 1819) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 204, 236, 238  
 Syns.: *Trichosomum curvicauda* Dujardin, 1845; *Tr. papillifer* Linstow, 1877
- Eucoleus hydrochoeris* (Travassos, 1916) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 201
- Eucoleus laricola* Vasil'kova, 1930 [n. sp.?]  
 Vasil'kova, Z.; and Gouchanskaja, L., 1930 a, 620-621, 623  
*Larus ridibundus*  
*L. canus*  
*L. argentatus*  
*Sterna hirundo*  
*Hydrochelidon nigra*
- Eucoleus laricola*  
 Jennings, A. R.; and Soulsby, E. J. L., 1957 a, 219  
 gull (Isle of Wight): England
- Eucoleus laricola* Wassilkowa, 1930  
 Lopez-Neyra, C. R., 1947 c, 204, 230
- Eucoleus laricola* Wassilkowa  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 33, V.c 41  
*Larus ridibundus*  
*L. canus*  
*L. argentatus*  
*Sterna hirundo*  
*Chlidonias niger*
- Eucoleus laricola*  
 Sultanov, M. A.; Ryzhikov, K. M.; and Kozlov, D.P., 1960 a, 59  
 chaika sizaia [*Larus canus*] (small intestine): mouth of Amu-Darya
- Eucoleus longicaudus* (Freitas y Lent, 1935) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 202
- Eucoleus lophortygis* (Baylis, 1924) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 202
- Eucoleus meleagridis*  
 Lopez-Neyra, C. R., 1947 b, 242, pl. 5, fig. 1
- Eucoleus meleagridis* nom. emend.  
 Lopez-Neyra, C. R., 1947 c, 202, 230  
 = *Trichosomum meleagris-gallo pavo* Basile 1912;  
*Capillaria* (Thominx) *meleagris* (Basile, 1912) Travassos, 1915
- Eucoleus oesophagicola* Soltys, 1952  
 Bernard, J., 1961 b, 61-66, 67, fig. 1  
 Syn.: *Capillaria blarinæ* Ogren, 1953  
*Neomys fodiens*: near Oxford
- Eucoleus oesophagicola* (Soltys, 1952) Skrjabin et Schikhobalova, 1954  
 Skrjabin, K. I.; et al., 1954 a, 380  
 Syn.: *Capillaria oesophagicola* Soltys, 1952
- Eucoleus pachydermus* (Linstow, 1877) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 204
- Eucoleus penidoi* (Freitas y Almeida, 1935) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 204
- Eucoleus perforans* (Kotlan y Orosz, 1931) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 202
- Eucoleus raillieti* n. sp.  
 Lopez-Neyra, C. R., 1947 c, 203, 230, 236  
 = *Trichosoma contortum* Railliet y Lucet, 1889 nec Creplin, 1839
- Eucoleus raillieti* Lopez-Neyra, 1946  
 Skrjabin, K. I.; et al., 1954 a, 392  
 as syn. of Thominx *raillieti* (Lopez-Neyra, 1946)  
 Skrjabin et Schikhobalova, 1954 [n. comb.]
- Eucoleus sorecicolus* [sic] (Yokogawa en Nishigori, 1924) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 200-201
- Eucoleus spirale* (Molin, 1858) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 204, 230, 238  
 = *Trichosomum ibidis* Eberth, 1863; *Capillaria venteli* Freitas y Almeida, 1935
- Eucoleus strumosum* Reibisch, 1893  
 Gushanskaia, L. Kh., 1946 a, 93  
 Tetrao tetrix: Kemerovskaya oblast, Siberia
- Eucoleus strumosa* (Reibisch) Gouchanskaja Kotlan, S.; and Orosz, D., 1931 a, 114  
 as syn. of *Capillaria annulata* (Molin, 1858)
- Eucoleus strumosus* Wassilkowa et L. Gouchanskaja, 1930  
 Orosz, D., 1932 a, 47, 50  
 as syn. of *Capillaria annulata* (Molin, 1858)
- Eucoleus strumosus*  
 Skrjabin, K. I.; and Shul'ts, R. S., 1934 b, 389  
 poule: U. R. S. S.
- Eucoleus strumosa* (Reibisch) Gouchanskaja Vasil'kova, Z.; and Gouchanskaja, L., 1930 a, 621-623  
*Phasianus colchicus*  
*Gallus gallus*  
*Lyurus tetrix*
- Eucoleus tenuis* Dujardin, 1845  
 Orosz, D., 1932 a, 45  
 as syn. of *Capillaria columbae* (Rudolphi, 1819)
- Eucoleus tenuis* Dujardin 1845  
 Prokopić, J., 1957 c, 98, 106-107, 109, 111, fig. 8 d-f  
 Syn.: *Capillaria* (Thominx) *tenuis* (Dujardin 1845) Travassos 1915  
*Erinaceus europaeus*  
*E. roumanicus*  
 (bronch-plice of both): both from Olomouc, Praha, CSR
- Eucoleus tenuis* (Dujardin 1845)  
 Prokopić, J., 1959 c, 106, pl. fig. 9  
*Erinaceus europaeus*  
*E. roumanicus*  
 (small intestine of both): both from Czechoslovakia
- Eucoleus tenuis*  
 Sprehn, C. E. W., 1927 e, 62  
*Erinaceus europaeus*
- Eucoleus tenuis* Duj.  
 Vasil'kova, Z.; and Gouchanskaja, L., 1930 a, 619
- Eucoleus tenuis* Duj.  
 Yorke, W.; and Maplesstone, P. A., 1926 a, 25, 29  
*Erinaceus europaeus*
- Eucoleus trilobus* (Linstow, 1875) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 205, 230
- Eucoleus trilobus* (Linstow, 1875)  
 Mamaev, Iu. L., 1959 a, 165  
*Calidris minuta*  
*Tringa hypoleucus*  
*T. glareola*  
*Charadrius hiaticula*  
*krustan* [*Charadrius morinellus*]  
 all from eastern Siberia
- Eucoleus uropapillatus* (Freitas y Almeida, 1935) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 202
- Eucoleus ? vanelli* (Rudolphi, 1819) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 205, 236, 238  
 = *Trichosomum protractum* Dujardin, 1845; *T. contorta* Creplin, 1839 pro parte; *Capillaria vanelli* Yamaguti, 1935; *Trichosoma charadrii Rudolphi*, 1819?
- Eucoleus vazi* (Freitas, 1933) [n. comb.]  
 Lopez-Neyra, C. R., 1947 c, 203

- Eucyathostomum Molin, 1861  
 Baylis, H. A.; and Daubney, R., 1926 a, 161-162  
 type: *E. longesubulatum* Molin
- Eucyathostomum  
 Ihle, J. E. W., 1922 b, 17
- Eucyathostomum  
 Popov, N. P., 1927 a, 209
- Eucyathostomum Molin  
 Rauther, M., 1930 a, 376
- Eucyathostomum Molin, 1861  
 Sprehn, C. E. W., 1932 c, 650, 672-673  
 type: *E. longesubulatum* (Molin, 1860)
- Eucyathostomum  
 Travassos, L. P., 1920 h, 65
- Eucyathostomum Molin, 1861  
 Travassos, L. P., 1937 b, 96  
 Trichoneminae  
 diagnosis, type: *E. longesubulatum* Molin, 1861
- Eucyathostomum Molin, 1861  
 Yorke, W.; and Maplestone, P. A., 1926 a, 54, 84-85  
 type: *E. longesubulatum* Molin
- Eucyathostomum [sp.]  
 Travassos, L. P.; Teixeira de Freitas, J. F.; and Lent, H., 1939 a, 226  
*Mazama americana*: Estrado de Ferro Noroeste, Brasil
- Eucyathostomum copulatum Mol.  
 Schmidt, M., 1875 a, 47  
*Dasyprocta aguti*
- Eucyathostomum copulatum Molin, 1861  
 Travassos, L. P., 1937 b, 98  
*Dasyprocta agouti*: Brasil
- Eucyathostomum dentatum Molin, 1861  
 Travassos, L. P., 1937 b, 95, 97-98, pls. 1-2  
*Tayassus tajacu*  
*T. albirostris*  
 both from Brasil (Matto Grosso) e Est. Rio (Estrella)
- Eucyathostomum longesubulatum Molin, 1861  
 Baylis, H. A.; and Daubney, R., 1926 a, 162
- Eucyathostomum longesubulatum Molin, 1861  
 Cameron, T. W. M., 1936 g, 1, 3-5, figs. 7-9  
*Mazama simplicicornis* (large intestine): Trinidad
- Eucyathostomum longesubulatum Molin, 1861  
 Cameron, T. W. M., 1936 i, 166-167, fig. 1
- Eucyathostomum longesubulatum  
 Dikmans, G., 1939 d, 99  
*Odocoileus virginianus*
- Eucyathostomum longesubulatum  
 Dinaburg, A. G., 1939 a, 103-104  
*Odocoileus virginianus*: Florida
- Eucyathostomum longesubulatum Molin, 1861  
 Olsen, O. W.; and Fenstermacher, R., 1943 a, 8, 9, 12, fig. 7  
 key
- Eucyathostomum longesubulatum (Molin, 1860)  
 (type)  
 Sprehn, C. E. W., 1932 c, 673  
*Cervus campestris*  
*Mazama rufa*  
 both from Brasilien
- Eucyathostomum longesubulatum Molin, 1861  
 Travassos, L. P., 1937 b, 96-97  
*Blastocerus campestris*  
*Mazama rufa*  
*M. simplicicornis*  
 all from Brasil e Trinidad
- Eucyathostomum longesubulatum Mol.  
 Yorke, W.; and Maplestone, P. A., 1926 a, 85, fig. 47  
 type of genus  
*Cervus campestris*  
*Mazama rufa*
- Eucyathostomum spinulosum (Linstow, 1879)  
 Sprehn, C. E. W., 1932 c, 673  
 Syns.: *Oesophagostomum spinulosum* Linstow, 1879; *Strongylus spinulosum* Linstow, 1879; *Sclerostomum spinulosum* (Linstow, 1879)  
*Capra ibex* (Darm): Europa
- Eucyathostomum spinulosum (Linst., 1879)  
 Travassos, L. P., 1937 b, 98-99  
*Capra ibex*: Europa
- Eucyathostomum spinulosum (Linstow)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 85  
*Capra ibex*
- Euflilaria nov. gen.  
 Seurat, L. G., 1921 a, 28  
 type: *Euflilaria sergenti* Seurat
- Euflilaria Seurat  
 Seurat, L. G., 1921 b, 32, 33, 34, 36
- Euflilaria Seurat, 1921  
 Baylis, H. A.; and Daubney, R., 1926 a, 205, 206  
 type: *E. sergenti* Seurat
- Euflilaria Seurat 1921  
 Chabaud, A. G.; and Anderson, R. C., 1959 a, 86  
*Onchocercidae*; *Euflariinae*  
 key
- Euflilaria Seurat, 1921  
 Desportes, C., [1940 a], 399  
*Aproctinae*
- Euflilaria Seurat  
 Rauther, M., 1930 a, 368
- Euflilaria  
 Shikhobalova, N. P., 1930 b, 627
- Euflilaria Seurat, 1921  
 Skrjabin, K. I.; and Shikhobalova, N. P., 1936 a, 70  
*Aproctinae*  
 key
- Euflilaria Seurat, 1921  
 Yorke, W.; and Maplestone, P. A., 1926 a, 404, 406-407  
 type: *E. sergenti* Seurat, 1921
- Euflilaria [sp.]  
 Alicata, J. E., 1933 e, 96  
 birds (subcutaneous tissue)
- Eufilaria n. sp.  
 Hayashi, S.; Sato, K.; and Wakasugi, M., 1956 a, 275 (175)  
*Emberiza cioides ciopsis*
- Eufilaria asiatica n. sp.  
 Singh, S. N., 1949 b, 42-44, figs. 7-10  
*Corvus splendens*: Hyderabad Deccan, India
- Eufilaria buckleyi n. sp.  
 Rasheed, S., 1960 a, 82-84, 114, figs. 20-23  
*Caprimulgus asiaticus* (body cavity): Hyderabad-Deccan, India
- Eufilaria (Filaria) capsulata Annett, Dutton & Elliot 1901  
 Seurat, L. G., 1921 b, 31  
*Pycnonotus barbatus*  
*Sitagra brachyptera*  
*Hyphantornis* sp.
- Eufilaria capsulata (Annett, Dutton, & Elliot, 1901)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 407  
*Picnonotus barbatus*  
*Sitagra* sp.  
*Hyphantornis* sp.
- Eufilaria delicata spec. nov.  
 Supperer, R., 1958 a, 313-316, figs. 1-5  
*Turdus viscivorus*  
*T. merula*  
*Garrulus glandarius*  
 all from Niederösterreich
- Eufilaria lari n. sp.  
 Yamaguti, S., 1935 j, 403, 415-416, figs. 23-24  
*Larus canus major* (esophageal serrosa): Mie Prefecture

- Eu filaria lari* Yamaguti, 1933  
*Belopol'skaiia*, M. M., 1952 c, 156-157, fig. 10  
*Larus argentatus*  
*L. marinus*  
*L. canus*  
*Rissa tridactyla*  
*Uria lomvia*  
*U. aagle*  
 all from Sem Ostrovov
- Eu filaria lari* Yamaguti, 1935  
*Serkova*, O. P., 1948 a, 226, 237, 241  
*Sterna hirundo*: Barabin lakes
- Eu filaria mcintoshi*, n. sp.  
*Anderson*, R. C.; and *Bennett*, G. F., 1960 a, 113-115, figs. 1-8  
*Padda oryzivora*
- Eu filaria micropennis* (Travassos, 1926) [n. comb.]  
*Lopez-Neyra*, C. R., 1956 b, 196-197  
 Syn.: *Lemdana micropennis* Trav., 1926
- Eu filaria sergenti* [n. sp.]  
*Seurat*, L. G., 1921 a, 28-31  
*Passer hispaniolensis*: Alger
- Eu filaria sergenti* Seur.  
*Seurat*, L. G., 1921 b, 33, 34, 36
- Eu filaria sergenti* Seurat, 1921  
*Baylis*, H. A.; and *Daubney*, R., 1926 a, 206
- Eu filaria sergenti* Seurat  
*Cova led a Ortega*, J.; and *Gállego Berenguer*, J., 1945 a, 24, 25, 26, 27, 28, 32, 33, pl., figs. 5-6  
*Serinus serinus*
- Eu filaria sergenti*  
*Foley*, H.; *Catlaniei*, A.; and *Vialatte*, C., 1926 a, 493-494, pl. iii  
*Passer hispaniolensis*
- Eu filaria sergenti* Seurat  
*Rauther*, M., 1930 a, 368
- Eu filaria sergenti* Seurat, 1941  
*Sargent*, Edmond; and *Sargent*, Etienne, 1948 a, 395, 396, 1 fig.  
*Passer hispaniolensis hispaniolensis*  
*canari*  
 both from Algérie
- Eu filaria sergenti* Seurat, 1921  
*Sargent*, Etienne, 1941 b, 346-352, figs., pls. 32-33, figs. 1-4  
*canaris*: Algerie
- Eu filaria sergenti* Seurat, 1921  
*Yeh*, L. S., 1957 a, 33, 37  
*Garrulax leucolophus*: London Zoological Society Gardens from Himalayas
- Eu filaria sergenti* Seurat, 1921  
*Yorke*, W.; and *Maplestone*, P. A., 1926 a, 407, fig. 277  
 type of genus  
*Passer hispaniolensis*
- Eufilariinae* nov. subfam.  
*Lopez Neyra*, C. R., 1956 b, 22, 110, 188-189  
 includes: *Saurositus Macfie*, 1924; *Pseudothamugadia* nov. gen.; *Conispiculum Pandit* e Iyer, 1929; *Piratuba Lent y Freitas*, 1941; *Anenteronema Oshmarin*, 1949; *Carinema Pereira y Vaz* 1933; *Sarconema Wehr*, 1939; *Sarconema Wehr*, 1939; *Aprocotella Cram*, 1931; *Skrjabin-octa Chertkova*, 1948; *Ornithofilaria Goennert*, 1937; *Eufilaria Seurat*, 1921
- Eufilariinae* Lopez-Neyra 1956  
*Chabaud*, A. G.; and *Anderson*, R. C., 1959 a, 77  
*Onchocercidae*  
 key
- Eugenuris* nov. gen.  
*Shul'ts*, R. E. S., 1948 a, 173, 174  
 tod: *E. schumakovitschi*
- Eugenuris* Schulz, 1948  
*Skrjabin*, K. I.; and *Shikhobalova*, N. P., 1950 a, 591  
 key
- Eugenuris* (?) sp.  
*Spasskii*, A. A.; and *Ryzhikov*, K. M., 1951 a, 34, 40-41, figs. 10-12  
*Ochotona alpina*: Lake Baikal
- Eugenuris* (?) sp.  
*Spasskii*, A. A.; *Ryzhikov*, K. M.; and *Sudarov*, V. E., 1952 a, 101-102  
*Ochotona alpina*: Lake Baikal zone
- Eugenuris pikaeuris* (Akhtar 1953) [n. comb.]  
*Akhtar*, S. A., 1956 b, 138, 139  
 key
- Eugenuris schumakovitschi* nov. sp.  
*Shul'ts*, R. S., 1948 a, 174-175, figs. 1-3  
*Ochotona daurica*: Mongolian Peoples' Republic
- Eugenuris schumakovitschi* Schulz, 1948  
*Gvozdev*, E. V., 1956 a, 99-100, 102  
 as syn. of *Dermatoxys schumakovitschi* (Schulz, 1948)
- Eugenuris schumakovitschi* Schulz, 1948  
*Machul'skii*, S. N., [1959 a], 222  
*Ochotona hyperborea svatoschi*  
*O. daurica*  
 (large intestine of both): both from Buriat ASSR
- Eugenuris schumakovitschi* Schulz, 1948  
*Spasskii*, A. A.; and *Ryzhikov*, K. M., 1951 a, 39  
*Ochotona alpina*: SSSR
- Eugenuris schumakovitschi* Schulz, 1948  
*Spasskii*, A. A.; *Ryzhikov*, K. M.; and *Sudarov*, V. E., 1952 a, 101  
*Ochotona alpina*: Lake Baikal zone
- Eugenuris talkeetnaeuri*s n. sp.  
*Akhtar*, S. A., 1956 b, 138-139, figs. 1-8  
*Ochotona collaris*: Alaska
- Eugenuris talkeetnaeuri*s n. sp.  
*Akhtar*, S. A., 1958 a, 62  
 Alaska
- Eulimdana* n. g.  
*Funikov*, S., 1934 a, 61-66  
*Aprocinae*  
 type: *E. clava* (Wedl, 1855) n. comb. (tod)
- Eulimdana* Founikoff 1934  
*Chabaud*, A. G.; and *Anderson*, R. C., 1959 a, 79  
 - *Pelecitus Railliet et Henry* 1910
- Eulimdana* Foukinoff, 1934  
*Desportes*, C., [1940 a], 400  
*Aprocinae*
- Eulimdana clava* (Wedl, 1855) Founikoff, 1934  
*Cova led a Ortega*, J.; and *Gállego Berenguer*, J., 1945 a, 18, 21, 22, 23, 32, 33, pl., figs. 1-4  
*Streptolia turtur*
- Eulimdana clava* (Wedl, 1855)  
*Funikov*, S., 1934 a, 61-66  
 Syn.: *Filaria clava* Wedl, 1855  
*pigeon domestique*: Kazan, Russia
- Eulimdana clava* (Wedl) Founikoff  
*Johnston*, T. H.; and *Mawson*, P. M., 1940 c, 355, 361  
*Columba livia*: Adelaide
- Eulimdana clava* (Wedl, 1855)  
*Mackerras*, M. J., 1962 a, 434
- Eulimdana clava* Wedl, 1855  
*Miller*, M. J., 1937 b, 92, 101  
*domestic pigeons*: Europe
- Eulimdana clava* (Wedl, 1885)  
*Vojtěchovská-Mayerová*, M., 1953 a, 84
- Columba livia*: Czechoslovakia
- Eulimdana mazzantii* Railliet, 1895 [n. comb.]  
*Miller*, M. J., 1937 b, 92, 101  
*domestic pigeon*: Europe
- Eumonodontus* Railliet, 1910  
*Baylis*, H. A.; and *Daubney*, R., 1926 a, 171  
 as syn. of *Monodontus Molin*, 1861
- Eumonodontus*  
*Castellani*, C.; and *Chalmers*, A. J., 1919 a, 672

- Eumonodontus  
  Ihle, J. E. W., 1930 a, 195-196
- Eumonodontus  
  Khalil, M., 1924 c, 195
- Eumonodontus  
  Ortlepp, R. J., 1925 a, 155
- Eumonodontus Railliet & Henry  
  Rauther, M., 1930 a, 377
- Eumonodontus  
  Sprehn, C. E. W., 1927 e, 50
- Eumonodontus  
  Travassos, L. P., 1920 h, 65
- Eumonodontus  
  Travassos, L., 1928 j, 1348-1349
- Eumonodontus Railliet and Henry, 1910  
  Travassos, L. P., 1929 j, 872  
    as syn. of *Monodontus* Molin, 1861
- Eumonodontus Railliet & Henry, 1910  
  Yorke, W.; and Maplestone, P. A., 1926 a, 97, 99  
    type: *E. semicircularis* (Molin)
- E[umonodontus] pachyscelis [(Railliet and Henry)]  
  McIntosh, A., 1935 b, 30  
    [lapsus for *Gaigeria pachyscelis* Railliet and Henry]
- Eumonodontus phlebotomus  
  Pillers, A. W. N., 1924 c, 123  
    ox: Uganda
- Eumonodontus semicircularis (Molin)  
  Ihle, J. E. W., 1930 a, 195
- Eumonodontus semicircularis (Molin)  
  Rauther, M., 1930 a, 377
- Eumonodontus semicircularis  
  Sprehn, C. E. W., 1927 e, 50  
    Dicotyles torquatus
- Eumonodontus semicircularis  
  Travassos, L. P., 1928 j, 1348
- Eumonodontus semicircularis (Molin)  
  Yorke, W.; and Maplestone, P. A., 1926 a, 99  
    type of genus
- Dicotyles torquatus
- Eumonodontus trigonocephalus  
  Pillers, A. W. N., 1924 c, 123  
    sheep: S. Africa
- Eurycoma  
  Basir, M. A., 1942 b, 105  
    key
- Euryconema n.g.  
  Chitwood, B. G., 1932 i, 14, 19, 25  
    type: *Euryconema paradisa*
- Euryconema  
  Chitwood, B. G.; and Chitwood, M. B., [1934 e], 392  
    key
- Euryconema paradisa n. sp.  
  Chitwood, B. G., 1932 i, 25-26, figs. 6-8  
    type  
    *Eurycotis floridana* (rectum): United States  
      (Paradise Key, Florida)
- Eurymermis n.g.  
  Müller, G. W., 1931 b, 90
- Eurymermis Müller, 1931  
  Filipjev, I. N., 1934 b, 370
- Eurymermis Mueller, 1931  
  Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a, 757
- Eurymermis chrysopidis n. sp.  
  Müller, G. W., 1931 b, 90-91, fig. 1
- Eurymermis chrysopidis Müller, 1931  
  Filipjev, I. N., 1934 b, 368, 370, fig. 267
- Eurymermis chrysopodis [sic?] G. Mueller, 1931  
  Filipjev, I. N.; and Schuurmans Stekhoven, J. H., 1941 a, 749, 757, fig. 372  
    Chrysops
- Eustoma van Beneden, 1871  
  Baylis, H. A.; and Daubney, R., 1926 a, 246
- Eustoma van Beneden, 1870  
  Hartwich, G., 1957 a, 228, 249  
    Syns.: *Pseudanisakis* Yamaguti, 1941; *Metanisakis* Mosgowoi in Skrjabin, Schichobalowa & Mosgowoi, 1951
- Eustoma Beneden, 1870  
  Yorke, W.; and Maplestone, P. A., 1926 a, 447  
    type: *E. truncata* Ben., 1870
- Eustoma [and/or] Anisakis sp.  
  Templeman, W.; Squires, H. J.; and Fleming, A. M., 1957 a, 851, 854, 856, 859, 886  
    *Gadus callarias*  
    *Hippoglossoides platessoides*  
    *Glyptocephalus cynoglossus*  
    *Melanogrammus aeglefinus*  
    *Sebastes marinus*  
    *Pollachius virens*  
    all from Newfoundland
- Eustoma australe (J. and M., 1945) [n. comb.]  
  Johnston, T. H.; and Mawson, P. M., 1951 a, 289, 290-291  
    *Emissola* [*Mustelus*] *antarctica*  
    *Pristiophorus cirratus*  
    both from N.S.W.
- Eustoma rajae (Yamaguti, 1941) [n. comb.]  
  Johnston, T. H.; and Mawson, P. M., 1951 a, 291  
    "perhaps synonymous with *Eustoma rotundatum*"
- Eustoma rotundatum (Rudolphi, 1819) [n. comb.]  
  Punt, A., 1941 a, 47, 48, 54, 74, 105, pl., figs. 41-45  
    synonymy  
    *Raja clavata*  
    *Raja* [sp.]  
    both from Mer du Nord; côte belge Ostende
- Eustoma rotundata (Rudolphi, 1819)  
  Berland, B., 1961 a, 35-36, fig. 43  
    *Raja radiata* (ventricle and intestine): Norwegian coast
- Eustoma rotundata (Rud., 1819) Punt, 1941  
  Campana-Rouget, Y., 1955 a, 819, 830-832, fig. 6  
    *Raja maderensis*: mer uest-africains
- Eustoma rotundata  
  Chabaud, A. G.; and Petter, A. J., 1961 b, 56, pl. II, fig. 11  
    cloacal papillae
- Eustoma rotundata (Rudolphi, 1819) A. Punt, 1941  
  Dollfus, R. P., 1956 f, 63  
    = *Anacanthocheilus rotundatus* (Rudolphi, 1819) G. Wülker, 1929  
    *Clupea harengus*: Norvège, mer du Nord
- Eustoma rotundatum (Rudolphi, 1819)  
  Heller, A. F., 1949 a, 256  
    *Raja erinacea*: Canada
- Eustoma rotundatum  
  Johnston, T. H.; and Mawson, P. M., 1951 a, 291  
    "perhaps synonymous with *E. rajae* (Yamaguti, 1941)"  
    [n. comb.]
- Eustoma rotundatum (Rudolphi 1819)  
  Kreis, H. A., 1958 a, 16, 22  
    synonymy  
    *Clupea harengus*  
    *G* [adus] *morrhua*  
    *Raja radiata*  
    all from Iceland
- Eustoma (= *Acanthocheilus*) rotundatus  
  Kuipers, F. C.; van Theil, P. H.; and Roskam, E. T., 1960 a, 422-427, figs. 1-4  
    man
- Eustoma rotundatum (Rud., 1819) Punt, 1941  
  Myers, B. J., 1959 a, 245, 246  
    *Raja laevis*  
    *R. ocellata*  
    *R. radiata*  
    all from Magdalen Islands region, Gulf St. Lawrence
- Eustoma rotundata (Rudolphi)  
  Polianskiy, I. I., 1955 a, 89-90  
    *Raja radiata*: Barents sea
- [Eustoma (= *Acanthocheilus*) rotundatum]  
  Rodenburg, W.; and Wielinga, W. J., 1960 a, 417-421
- Eustoma rotundatum (v. Beneden)  
  Schuurmans Stekhoven, J. H., 1946 a, 12  
    Stockholm
- Eustoma (*Anacanthocheilus*) rotundatum (Rudolphi, 1819)  
  van Theil, P. H.; Kuipers, F. C.; and Roskam, R. T., 1960 a, 97-113, figs. 1-13, 15  
    man (small intestine): Rotterdam

- Eustoma (Anacanthocheilus) rotundatum*  
van Thiel, P. H.; Kuipers, F. C.; and Roskam, R. T.,  
1960 b, 143-162, figs. 1-14  
patients (intestine): Rotterdam; Schiedam
- Eustoma rotundatum*  
Uspenskaja, A. V., 1954 a, 127  
Lithodes maja: eastern Murmansk
- Eustoma rotundatum* (Rudolphi 1819)  
Uspenskaja, A. V., 1960 a, 230, 239, pl., figs. 25, 1-3  
Lithodes maja: mer de Barents
- Eustoma truncatum*  
Baylis, H. A.; and Daubney, R., 1926 a, 246
- Eustoma truncata* Beneden, 1870  
Yorke, W.; and Maplestone, P. A., 1926 a, 447  
type of genus  
*Raja clavata*
- Eustrongylidae*  
See Opinion 56, p. 129
- Eustrongylidae*  
Alessandrini, G. C., 1929 a, 159, 188
- Eustrongylidae* Leiper, 1908  
Baylis, H. A.; and Daubney, R., 1926 a, 236  
as syn. of *Dioctophymidae* Railliet
- Eustrongylidae*  
Castellani, A.; and Chalmers, A. J., 1919 a,  
623, 624, 674
- Eustrongylidae*  
Ciurea, I., 1930 b, 12
- Eustrongylidae*  
De Rivas, D., 1920 a, 359
- Eustrongylidae*  
Fiebiger, J., 1923 a, 226, 259-260, 410
- Eustrongylidae*  
Joan, T., 1922 a, 8, 13
- Eustrongylidae*  
Leiper, R. T., 1926 h, 203
- Eustrongylidae*  
Lopez Neyra, C. R., 1924 a, 101, 145
- Eustrongylidae*  
Neveu Lemaire, M., 1918 a, 5
- Eustrongylidae*  
Neveu-Lemaire, M., 1921 e, 267-268
- Eustrongylidae*  
Sandground, J., 1921 a, 326
- Eustrongylidae*  
Skrjabin, K. I., 1923 m, 21, 91
- Eustrongylidae*  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
J. E. W., [1922 a], 325, 353, 426-428  
Syn.: *Dioctophymidae*
- Eustrongylidae* Leiper, 1908  
Sprehn, C. E. W., 1932 c, 755  
as syn. of *Dioctophymidae* Railliet, 1915
- Eustrongylidae*  
Underhill, B. M., 1920 a, 224, 296
- Eustrongylidae* Leiper, 1908  
Yorke, W.; and Maplestone, P. A., 1926 a, 177  
as syn. of *Dioctophymidae* Railliet
- Eustrongylidae* spp.  
Gvozdev, E. V., 1950 a, 220, 221, 222  
*Thymallus arcticus*  
*Brachymystax lenok*  
*Gobio gobio acutipinnatus*  
*Nemichthys barbatulus markakulensis*  
all from Lake Markakul
- Eustrongylidae* sp.  
Ivanov, A. S., 1946 a, 122, 124  
*Rutilus rutilus caspicus*  
*Aspius aspius*  
both from Volga delta
- Eustrongylides*  
Baylis, H. A., 1924 d, 18, 23
- Eustrongylides* Jägerskiöld  
Baylis, H. A., 1929 c, 252, 254
- Eustrongylides* Jägerskiöld, 1909  
Baylis, H. A., 1939 b, xxvii, 225, 227-228  
*Dioctophymidae*  
type: *E. tubifex* (Nitzsch, 1819)
- Eustrongylides* Jägerskiöld, 1909  
Baylis, H. A.; and Daubney, R., 1923 a, 570-571
- Eustrongylides* Jägerskiöld, 1909  
Baylis, H. A.; and Daubney, R., 1926 a, 236-237  
type: *E. tubifex* (Nitzsch)
- Eustrongylides* Jägerskiöld  
Cram, E. B., 1927 a, 366, 367  
type: *E. tubifex* (Nitzsch)
- Eustrongylides* Jägerskiöld, 1909  
Gower, W. C., 1939 a, 613  
*Dioctophymidae*
- Eustrongylides* Jägerskiöld, 1908  
Morishita, K., 1921 d, 206, 207
- Eustrongylides* Jäg.  
Petrov, A. M., 1930 c, 269, 270
- Eustrongylides*  
Rauther, M., 1918 a, 501, 502, 503
- Eustrongylides* Jägersk.  
Rauther, M., 1930 a, 268, 304, 365  
type: *E. tubifex* Dies.
- Eustrongylides* Jaegerskj.  
Schuurmans Stekhoven, J. H., 1935 f, V.c 33,  
V.c 34  
*Dioctophymidae*  
key to species
- Eustrongylides*  
Skrjabin, K. I., 1920 d, 14
- Eustrongylides* Jaegerskj.  
Skrjabin, K. I., 1923 m, 91, 92
- Eustrongylides* Jägerskiöld, 1909  
Sprehn, C. E. W., 1932 c, 755, 756  
type species: *E. tubifex* (Nitzsch, 1819)
- Eustrongylides*  
Travassos, L. P., 1920 h, 70
- Eustrongylides*  
Travassos, L. P., 1922 h, 256
- Eustrongylides*  
Travassos, L. P., [1923 f], 81  
*Nytanassa violacea*
- Eustrongylides* Jägerskiöld  
Travassos, L. P.; Artigas, P.; and Pereira, C.,  
1928 a, 28  
type: *E. tubifex* (Nitzsch)
- Eustrongylides*  
Ward, H. B., 1917 c, 10
- Eustrongylides* Jaegerskjöld, 1909  
Yorke, W.; and Maplestone, P. A., 1926 a, 177,  
178-180  
type: *E. tubifex* (Nitzsch)
- Eustrongylides* sp.  
Ablasov, N. A., 1957 a, 143  
*Nyroca nyroca*: Kirgiziia
- Eustrongylides* sp.  
Agapova, A. I., 1956 a, 31, 43  
*Aspius aspius*: Reservoirs western Kazakhstan
- Eustrongylides* sp.  
Akhmerov, A. K., 1941 b, 46  
*Diplophysa dorsalis* (body cavity): Lake Balkhash
- Eustrongylides* sp. (larval stages)  
Bangham, R. V., 1939 a, 265, 266  
*Chaenobrytus gulosus*  
*Helioperca macrochira*  
both from southern Florida
- Eustrongylides* sp.  
Bangham, R. V., 1941 a, 291, 292, 296, 299,  
305  
*bluegill*  
*warmouth bass*  
*Lepisosteus platyrhincus*  
*Amia calva*  
*Ameiurus natalis*  
*Heterandria formosa*  
*large-mouthed black bass*  
all from Florida
- Eustrongylides* sp.  
Bangham, R. V., 1941 c, 163  
*Catostomus commersonii*: Algonquin Park Lakes

- Eustrongylides** sp.  
 Bangham, R. V., 1951 a, 216  
*Rhinichthys osculus carringtonii*  
*Gila straria*  
 both from Wyoming
- Eustrongylides** sp.  
 Bangham, R. V.; and Venard, C. E., 1942 a, 34, 37  
*Chaenobryttus gulosus*
- Eustrongylides** sp.  
 Bangham, R. V.; and Venard, C. E., 1946 a, 36, 45  
*Catastomus commersonii*: Algonquin Park lakes
- Eustrongylides** sp.  
 Barysheva, A. F.; and Bauer, O. N., [1958 a], 196  
*Acerina cernua*: Lake Ladoga
- Eustrongylides** sp. (immature)  
 Baylis, H. A., 1928 g, 339  
*Larus ridibundus*
- Eustrongylides** sp. (larva) ["*Filaria bicolor*"]  
 Baylis, H. A., 1928 g, 339  
*Salmo trutta*
- Eustrongylides** sp.  
 Baylis, H. A., 1928 i, 557  
*Dinopterus cummingtoni*  
*Tilapia nilotica*
- Eustrongylides** sp. Baylis and Daubney, 1922  
 Baylis, H. A., 1939 b, xxvii, 228  
 prawn: Karachi
- Eustrongylides** sp.  
 Baylis, H. A., 1940 b, 414  
*Clarias lazera*: Belgian Congo
- Eustrongylides** sp.  
 Baylis, H. A., 1940 b, 414  
*Clarias walkeri*: Belgian Congo  
*C. theodorae*: Belgian Congo
- Eustrongylides** sp.  
 Baylis, H. A., 1940 b, 414  
*Lamprologus cunningtoni*: Belgian Congo
- Eustrongylides** sp.  
 Baylis, H. A.; and Daubney, R., 1922 a, 331  
 prawn
- Eustrongylides** sp. (?)  
 Baylis, H. A.; and Daubney, R., 1923 a, 570-571  
*Nemachilus yarkandensis*: Yarkand
- Eustrongylides** sp.  
 Berland, B., 1961 a, 40, 42, figs. 55-56  
*Salmo trutta* (viscera)  
*Corvus cornix* (exper.)  
 both from Norwegian coast
- Eustrongylides** sp.  
 Borovitskaya, M. P., 1952 a, 12  
*Scardinius erythrophthalmus*
- Eustrongylides** [sp.]  
 v. Brand, T., 1937 c, 225  
*Fundulus heteroclitus*
- Eustrongylides** [sp.] (immature)  
 von Brand, T., 1937 d, 189  
*Fundulus heteroclitus* (exper.)
- Eustrongylides** [sp.]  
 von Brand, T., 1937 e, 355
- Eustrongylides** [sp.]  
 von Brand, T., 1937 f, 572  
*Fundulus heteroclitus*
- Eustrongylides** [sp.]  
 von Brand, T., 1938 c, 445-451  
*Fundulus heteroclitus*: Chesapeake Bay
- Eustrongylides** [sp.]  
 von Brand, T., 1942 a, 27  
 oxygen consumption
- Eustrongylides** [spp.]  
 von Brand, T., 1943 a, 148-156  
 influence of temperature, pH, and inorganic ions upon oxygen consumption
- Eustrongylides** sp. (? *E. ignotus* Jägerskiöld)  
 von Brand, T.; and Cullinan, R. P., 1943 a, 29-33  
*Fundulus* spp.: Baltimore; Washington ducks (exper.)  
 chicks (exper.)  
 rats (exper.)  
 rabbit (exper.)  
*Fundulus heteroclitus*: Baltimore; Washington
- Eustrongylides** sp.  
 Butskaya, N. A., 1952 a, 48  
*Pomatomus saltatrix* (musculature): Danube
- Eustrongylides** sp.  
 Bykovskaya, I. E.; and Bykovskii, B. E., 1940 a, 157  
*Aspius aspius*  
*Aramis brama*
- Eustrongylides** sp.  
 Chibichenko, N. T., 1960 a, 173  
*Pandion haliaetus* (glandular stomach): Kirgizia
- Eustrongylides** [sp.]  
 Ciurea, J., 1924 a, 134-137
- Eustrongylides** larvae  
 Das, B. K. I.; and Rahimullah, M., 1933 a, 278  
*Mastacembelus armatus*  
*Gobius giuris*  
*Ophiocephalus punctatus*  
*O. marulus*  
*O. striatus*  
 all from India
- Eustrongylides** spp.  
 Dobrokhотова, О. В., 1960 a, 123, 124, 125  
*Lota lota*  
*Perca fluviatilis*  
*Acerina cernua*  
 (body cavity of all): all from Lake Zaisan
- Eustrongylides** sp. larva  
 Dubinina, M. N., 1949 b, 116  
*Silurus glanis*  
*Lucioperca lucioperca*  
 both from Volga delta
- Eustrongylides** sp.  
 Fahel, J., 1952 a, 391
- Eustrongylides** sp.  
 Fox, A. C., 1962 a, 180  
*Salmo gairdneri* (musculature): Cliff Lake, Montana  
*S. trutta* (musculature): Meadow Lake, Montana
- Eustrongylides** gen. sp.  
 Gvozdev, E. V.; Agapova, A. N.; and Martekhov, P. F., 1953 a, 105, 106  
*Schizothorax pseudaksaiensis*  
*Nemachilus struchi*  
 both from Ili Basin
- (?) **Eustrongylides** sp.  
 Haderlie, E. C., 1953 a, 354-355, 363, 367  
*Salmo gairdnerii* (under skin): northern California
- Eustrongylides** sp.  
 Hunter, G. W. III, 1937 c, 264, 265, 267-268  
*Anguilla bostoniensis*  
*Nycticorax naevius*  
*Butorides virescens*  
 all from Lower Hudson
- Eustrongylides** sp.  
 Hunter, G. W. III, 1942 a, 244, 248, 251, 254, 259, 260, 261, 264, 265, 281, 282, 283, 284, 286, fig. 15  
 eels  
 minnows  
 yellow perch (*Perca flavescens*)  
 bass (*Micropterus dolomieu*)  
 sunfish (*Lepomis gibbosus*)  
 calico bass  
 pickerel  
*Lepomis auritus*  
*Fundulus diaphanus*

- Eustrongylid[es sp.]**
- Iksanov, K. I., [1959 a], 143-144
    - marinka [Schizothorax]
    - osman [Diptychus]
    - seryi golets [Salvelinus ?]
    - gubach [Nemachilus strauchi]
      - (abdominal cavity of all): all from Issyk-Kul lake
  - Eustrongylides sp.**
    - Iksanov, K. I., 1959 b, 169
      - Radix auricularis
      - Caspio issykkulensis
      - both from Issyk-Kul lake
  - Eustrongylides sp.**
    - Ivanov, A. S.; and Murygin, I. I., 1937 a, 260-261, 268
      - Huso huso
  - Eustrongylides sp.**
    - Kamenov, V. P., 1959 a, 160
      - leshch [Abramis brama]: Priazovsk estuary
  - Eustrongylides sp.**
    - Kogteva, E. P., [1958 a], 251
      - Acerina cernua
      - Perca fluviatilis
      - Lota lota
      - Anguilla anguilla
      - Esox lucius
      - all from Pskov-Chud reservoir
  - Eustrongylides sp.**
    - Liubimov, M. P., 1926 a, 17, 27, 29, 30
      - Anas circia
      - A. boschas
  - Eustrongylides sp.**
    - Lordello Gonzaga, L.; and Pinto Monteiro, F., 1959 a, 37-40
      - Pseudoplatystoma corruscans: Piracicaba River, State of S. Paulo
  - Eustrongylides gen. sp.**
    - Maksimova, A. P., 1962 b, 153, 154
      - okun' (Perca schrenki) (intestine)
      - golets [Nemachilus barbatulus]
      - marinka (Schizothorax argentatus) (body cavity)
      - gubacha (N. strauchi) (intestine)
      - all from Balkhash Lake
  - Eustrongylides sp.**
    - Mikailov, T. K., 1959 a, 80, 81, 82, 83
      - Huso huso caspius
      - Acipenser nudiventris derjawini
      - A. güttenstüdti persicus
      - A. s. stellatus
      - all from Kura river
  - Eustrongylides spp.**
    - Mikailov, T. K., [1960 a], 44, 45, 46
      - Abramis sapa bergi
      - Barbus brachycephalus caspius
      - Chalcalburnus cahlocoides
      - Cyprinus carpio
      - all from Kura river
  - Eustrongylides sp.**
    - Moore, E., 1937 a, 276
      - eels
      - wall-eyed pike
      - large-mouthed bass
      - small-mouthed bass
      - rock bass
      - yellow perch
      - red-bellied sunfish (Lepomis auritus)
  - Eustrongylides sp.**
    - Müller, J. F., 1934 c, 372
      - Fundulus diaphanus menona (mesenteries): Oneida Lake
  - Eustrongylides sp.**
    - Omanov, S. O., 1954 a, 111
      - Abramis brama bergi: delta Amu-Darya
  - Eustrongylides sp.**
    - Ratcliffe, H. L., 1934 e, 24
      - Pipa americana: Philadelphia Zool. Gardens
- Eustrongylides sp.**
- Rausch, R., 1947 b, 438, 440
    - Chelydra serpentina: Ohio
  - Eustrongylides sp.**
    - Shaw, J. N., 1947 a, 4, 9, pl. cutthroat trout: Oregon
  - Eustrongylides sp.**
    - Shaw, J. N.; Simms, B. T.; and Muth, O. H., 1934 a, 9, 16, fig. 7
      - silversides [?Oncorhynchus kisutch]: Wilson River, Tillamook Co., Oregon
      - cutthroat trout [Salmo clarkii clarkii]: Squaw Lake, Jackson Co., Oregon and Alsea
  - Eustrongylides sp. larva**
    - Shliapnikova, R. L., [1958 a], 275
      - Acerina cernua: lake Vyrt's'iarv
  - Eustrongylides sp. (excisus?)**
    - Shul'man, S. S., 1954 d, 215, 217, 220-221, 226-227, 236
      - Huso huso: Caspian sea
      - Acipenser nudiventris: Caspian sea
      - A. ruthenus: Volga
      - A. guldentadtii: Caspian basin
  - Eustrongylides sp.**
    - Stokell, G., 1936 a, 80, 84, 85-89, 94, 95, 96, pl. figs. 3, 4
      - Salmo trutta
      - Gobiomorphus gobiodes
      - Galaxias attenuatus
      - Rhombosolea retiaria
      - Phalacrocorax carbo
      - P. punctatus
      - all from Lake Ellesmere, New Zealand
  - Eustrongylides sp.**
    - Tell, K., 1958 a, 225
      - Acerina cernua
      - Lota lota
      - Perca fluviatilis
      - all from lake Vyrt's'iarv
  - Eustrongylides sp.**
    - Titova, S. D.; and Skripchenko, E. G., 1960 a, 105
      - Acerina cernua (body cavity): Ob river
  - Eustrongylides sp.**
    - Travassos, L. P., 1921 a, 286
      - Bicticorax vaevius [= Nycticorax naevius?]
  - Eustrongylides [spp.]**
    - Travassos, L. P., [1941 a], 709, 710
      - Phalacrocorax olivaceus olivaceus
      - Theristicus caudatus caudatus
  - Eustrongylides [sp.]**
    - Travassos, L. P., 1941 e, 617
      - Phimosus infuscatus nudifrons: Estrada de Ferro Noroeste, Brasil
  - Eustrongylides sp.**
    - Travassos, L. P., 1945 a, 157
      - Tigrisoma lineatum marmoratum: Porto Cabral
  - Eustrongylides sp.**
    - Travassos, L. P., 1945 a, 157
      - Butorides striatus striatus: Porto Cabral
  - Eustrongylides sp.**
    - Travassos, L. P.; Artigas, P.; and Pereira, C., 1928 a, 28
      - Callichthys callichthys
      - Pimelodus clarias
      - Symbranchus marmoratus
      - Salinurus maxillosus
      - Pseudoplatistoma sp.
      - Acetrorhamphus sp.
      - Tetragonopterinae sp.
      - Poecilia vivipara
  - Eustrongylides [sp.]**
    - Travassos, L. P.; and Teixeira de Freitas, J. F., 1941 b, 277
      - Anhinga anhinga: Brasil

- Eustrongylides [sp.]**  
*Travassos, L. P.; and Teixeira de Freitas, J. F., 1942 b, 271, 284*  
*Tigrisoma lineatum marmoratum*  
*Pygocentrus nattereri*  
*Charax gibbosus*  
*all from Brasil*
- Eustrongylides [sp.]**  
*Travassos, L. P.; and Teixeira de Freitas, J. F., 1943 a, 397*  
*Anhinga anhinga: Estrada de Ferro Noroeste do Brasil*
- Eustrongylides [sp.]**  
*Travassos, L.; and Teixeira de Freitas, J. F., 1943 a, 398*  
*Mycetaria americana: Estrada de Ferro Noroeste do Brasil*
- Eustrongylides [sp.]**  
*Travassos, L. P.; Teixeira de Freitas, J. F.; and Lent, H., 1939 a, 228*  
*Casmerodus albus egretta: Estrado de Ferro Noroeste, Brasil*
- Eustrongylides [sp.]**  
*Travassos, L. P.; Teixeira de Freitas, J. F.; and Lent, H., 1939 a, 247*  
*Leptodactylus ocellatus: Estrado de Ferro Noroeste, Brasil*
- Eustrongylides sp. (larva)**  
*Volkova, M. M., 1941 a, 32-33*  
*Acerina cernua*  
*Perda fluviatilis*  
*Lota lota*  
*all from Ob river*
- Eustrongylides sp.?**  
*Walton, A. C., 1940 c, 87*  
*Hyla septentrionalis: Cuba*
- Eustrongylides sp.? Ratcliffe, 1934**  
*Walton, A. C., 1950 e, 41*  
*Pipa pipa: (Zool. Gard.), U.S.A.*
- [Eustrongyloides sp.] eustrongyloid worms**  
*Winsor, H., 1948 a, 68-72*  
*Holocentris ascensionis*  
*Abudefduf marginalis*  
*Stenotomus chrysops*  
*Centropristes furvus*  
*Roccus lineatus*  
*Tautoga onita*  
*Leistomum xantherius*  
*Chilomycterus schoepfii*  
*Bodianus fulvus punctatus*  
*Anisotremus virginianus*  
*Allutera monocanthus*  
*Pomocanthus var.*  
*Esox lucius*  
*E. americanus*  
*Stisostedion flavescens*  
*Perca flavescens*  
*Micropterus dolomieu*  
*Micropterus var.*  
*Eupomotus gibbosus*  
*Lipomus gibbosus*  
*Pomoxys spaeroides [i.e., Pomoxus sparoides]*  
*Fundulus heteroclitus*  
*Perca morone*  
*Rana catesbeiana [sic]*  
*Cryptobranchus allegheniensis*  
*Tropidonotus [sic] sipedon*  
*Alligator mississippiensis [sic]*  
*Bascanius constrictor*  
*B. flagellaris*  
*Pitiphis var.*  
*Thamnophis sirtalis*  
*T. sirtalis var.*  
*Trigonocephalus*  
*Ancistrodon contortrix*  
*Pythonidae*  
*Lacerta viridis*  
*Iguana tuberculata*  
*Tupinambis nigropunctata*  
*west African turtle*
- Eustrongylides sp., larva**  
*Yamaguti, S., 1941 b, 343, 345-346, figs. 1-2*  
*Rhinogobius similis: Japan*
- Eustrongylides africanus Jägerskiöld**  
*Cram, E. B., 1927 a, 367, 369, fig. 429*
- Eustrongylides africanus (Jaegerskiöld, 1909)**  
*Dubinin, V. B., 1954 e, 213-214*  
*Pelecanus crispus*  
*P. onocrotalus*  
*both from Volga delta*
- Eustrongylides africana Jagersk.**  
*Ljubimov, M. P., 1926 a, 27*
- Eustrongylides africanus Jägersk. 1908**  
*Morishita, K., 1921 d, 207*
- Eustrongylides africanus Jägersk.**  
*Rauther, M., 1930 a, 320, fig. 356*
- Eustrongylides africanus Jäg.**  
*Skrjabin, K. I., 1923 m, 93, 94, fig. 141*  
*Pelecanus rufescens*  
*Platalea leucorodia*
- Eustrongylides africanus Jägerskiöld, 1909**  
*Sugimoto, M., 1932 a, 104, 107*  
*Platalea leucorodia: Africa (Sudan); Lac Kul-Kainar, [Russian Turkestan]*  
*Anhinga rufa (proventriculus): Sudan*  
*Ardea goliath (proventriculus): Sudan*  
*Leptoptilus crumenifer (proventriculus): Sudan*  
*Pelecanus rufescens: Sudan, Russian Turkestan*
- Eustrongylides africanus Jägerskiold, 1909**  
*Sugimoto, M., 1933 d, 30-31, fold. table*  
*Anhinga rufa: Asia (Russian Turkestan)*  
*Ardea goliath*  
*Leptoptilus crumenifer*  
*Pelecanus rufescens: Sudan*  
*Platalea leucorodia: Kul-Kainar, Africa*
- Eustrongylides africanus, Jaegerskiold**  
*Yorke, W.; and Maplestone, P. A., 1926 a, 179*  
*Leptoptilus sp.*  
*Ardea sp.*  
*Pelecanus sp.*  
*Anhinga sp.*
- Eustrongylides elegans**  
*Hall, M. C., 1922 s, 538, fig. 16*
- Eustrongylides elegans**  
*Hall, M. C., [1923 b], 58, fig. 64*
- Eustrongylides elegans (von Olfers 1816) Jaeger-skiold 1909**  
*Hetherington, D. C., 1923 a, 37, 45, pl. 3, fig. 36*  
*Syns.: *Strongylus papilliferus* Rud., 1802; *S. mergorum* Rud., 1809; *S. elegans* von Olfers 1816; *S. tubifex* Rud., 1819; *Eustrongylus tubifex* Dies., 1851; *Hystrichis tubifex* Mol., 1861; *H. elegans* Railliet 1893; *H. papilliferus* Mol., 1861; *Tropidocerca paradoxa* von Linst., 1877*
- Eustrongylides elegans**  
*Hoeppli, R. J. C.; and Hsü, H. F., 1929 b, 26*
- Eustrongylides elegans (Olfers)**  
*Ljubimov, M. P., 1926 a, 14, 30*  
*Anas boschas*
- Eustrongylides elegans (O. Olfers) 1816**  
*Morishita, K., 1921 d, 207*
- Eustrongylides elegans Olfers**  
*Rauther, M., 1930 a, 365, fig. 388*
- Eustrongylides elegans (Olfers)**  
*Skrjabin, K. I., 1923 m, 93, figs. 138-140*  
*Harelda glacialis*  
*Mergus merganser*  
*M. albellus*  
*Podiceps cristatus*  
*P. minor*  
*Colymbus septentrionalis*  
*Alca torda*  
*Uria troile*  
*Phalacrocorax carbo*  
*Anas boschas*  
*A. boschas dom.*  
*Anser anser*

- Eustrongylides elegans* (Olfers, 1816)  
 Sprehn, C. E. W., 1932 c, 757, 860, 862, 865,  
 866, 867, 868, 869, 870, 873, 878, 884  
 Syns.: *Strongylus papillosus Rudolphi*, 1809  
*e. p.*; *S. mergorum Rudolphi*, 1809 *e. p.*; *S.  
 elegans* Olfers, 1816; *S. tubifex Rudolphi*,  
 1819 *e. p.*; *Tropidocerca paradoxa* (Diesing,  
 1835) Linstow, 1877; *Eustrongylides elegans*  
 (Olfers, 1816) Jägerskiöld, 1909; *E. mer-  
 gorum* (Rudolphi, 1809) Cram, 1827 [*i.e.*  
 1927]  
*Harelda glacialis*  
*Mergus merganser*  
*M. albëllus*  
*Podiceps cristatus*  
*P. minor*  
*Columbus septentrionalis*  
*Alca torda*  
*Uria troile*  
*Phalacrocorax carbo*  
*Anas platyrhyncha* (*Oesophagus*, Kropf)  
*Somateria mollissima*  
*Spatula clypeata*  
*Clangula hyemalis*  
*Mergus serrator*  
*Podiceps ruficollis*  
*Charadrius apricarius*  
*Numenius arquatus*  
*Scolopax rusticola*  
 all from Europa
- Eustrongylides elegans* (Olfers, 1816) Jägerskiöld, 1909  
 Sugimoto, M., 1932 a, 108  
 as syn. of *E. mergorum* Rudolphi, 1809, Cram,  
 1927
- Eustrongylides elegans*  
 Walton, A. C., [1927 a], 133
- Eustrongylides elegans* (Olfers, 1816)  
 Yamaguti, S., 1935 j, 403, 429  
*Podiceps ruficollis japonicus* (*proventricu-  
 lus*): Lake Biwa
- Eustrongylides elegans* (Olfers)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 179  
*Alca* sp.  
*Columbus* sp.  
*Harelda* sp.
- Eustrongylides excisus*  
 Bögdanova, E. A., [1959 a], 75  
*Esox lucius* (*intestine*): Volga river
- Eustrongylides excisus*  
 Ciurea, I., 1930 b, 5, 11, 12, figs. 33-36  
*bibani* (*Perca fluviatilis*)  
*Phalacrocorax carbo*
- Eustrongylides excisus* Jägerskiöld  
 Ciurea, I., 1933 c, 161-162, 165, 167  
*Phalacrocorax carbo*  
*Perca fluviatilis*  
*Esox lucius*: Lac Katalpug, Roumanie  
*Lucioperca lucioperca*: Dniester river
- Eustrongylides excisus* Jägerskiöld  
 Cram, E. B., 1927 a, 367, 370-371, fig. 430  
*Phalacrocorax carbo*  
*P. pygmaeus*
- Eustrongylides excisus* (Jägerskiöld, 1909)  
 Dubinin, V. B., 1949 d, 154-155, fig. 13  
 cycle of development  
*Phalacrocorax carbo*: Volga delta
- Eustrongylides excisus* Jaegersk.
- Dubinin, V. B., 1952 c, 245  
 [young sturgeon]: Lower Volga
- Eustrongylides excisus* (Jaegerskold, 1919)  
 Dubinin, V. B., 1952 c, 239, 242-243, 249, fig.  
 7 (V)  
 delta of the Volga river
- Eustrongylides excisus* (Jägerskiöld, 1909)  
 Dubinin, V. B., 1954 e, 214  
*Pelecanus crispus*  
*P. onocrotalus*  
 both from Volga delta
- Eustrongylides excisus larva*  
 Dubinin, M. N., 1949 b, 116  
*Silurus glanis*  
*Lucioperca lucioperca*  
 both from Volga delta
- Eustrongylides excisus* (Jägerskiöld, 1909)  
 Dubinin, M. N., [1954 a], 180-181  
*Natrix tessellatus*: maritime region Volga  
 Delta
- Eustrongylides excisus* Jägerskiöld  
 Hoepli, A. J. C.; and Hsü, H. F., 1929 b, 26
- Eustrongylides excisus* (?) Jägerskiöld, 1908  
 Kurochkin, Iu. V., [1959 b], 192  
*Phoca caspica*: Caspian Sea
- Eustrongylides excisus* Jägersk.  
 Morishita, K., 1921 d, 207
- Eustrongylides excisus* Jaegerskold  
 Nikolskaià, N. P., 1939 a, 62  
*Phalacrocorax carbo*: Astrakhan reservate,  
 Volgadelta
- Eustrongylides excisus* Jaegerskjöld  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 34,  
 V.c 35, V.c.40, fig. 410  
*Phalacrocorax carbo*  
*P. pygmaeus*
- Eustrongylides excisus* ? Jägerskiöld, 1908  
 Shchupakov, I., 1936 a, 139-140  
*Phoca caspica*: Caspian sea
- Eustrongylides excisus* Jäg.  
 Skrjabin, K. I., 1923 m, 93, 94, figs. 142,  
 143  
*Phalacrocorax carbo*  
*P. pygmaeus*
- Eustrongylides exciso* [sic] Jägerskiöld, 1909  
 Sprehn, C. E. W., 1932 c, 757, 868  
*Phalacrocorax* [sic] *carbo* (*Muskelmagen*):  
 Europa; Asien
- Eustrongylides excisus* Jägerskiöld, 1909  
 Sugimoto, M., 1932 a, 104, 107  
*Phalacrocorax pygmaeus*  
*P. carbo*  
 (gizzard of both): both from Austria;  
 Russian Turkestan
- Eustrongylides excisus* Jägerskiöld, 1909  
 Sugimoto, M., 1933 d, 33-34, 35, 36, 37, fold.  
 table; English summary, 40, 41  
 Syns.: *Strongylus tubifex* Nitzsch in Rud.,  
 1819 in pt.; *Eustrongylus papillosus* (Rud.,  
 1802) Dies., 1851 in part; *Hystrichis pap-  
 ilosus* (Rud., 1802) Molin, 1861 in part;  
*H. elegans* (Olfers, 1816) Stoss., 1899 in  
 part  
*Phalacrocorax carbo*  
*P. pygmaeus*  
 both from Europe; Asia (Russian Turkestan)
- Eustrongylides excisus* Jaegerskold  
 Yorke, W.; and Maplestone, P. A., 1926 a, 180  
*Phalacrocorax* sp.
- Eustrongylides excisus* var. *amoyensis* n. var.  
 Hoepli, R. J. C.; and Hsü, H. F., 1929 a, 6, 12-13, 23,  
 figs. 4, 5  
*Ardeola bacchus*  
*Nycticorax nycticorax*
- Eustrongylides excisus* var. *amoyensis*  
 Hoepli, R. J. C.; and Hsü, H. F., 1929 b, 24-26, fig.  
 15, pl. 1, figs. 1-5  
*Ardeola bacchus*  
*Nycticorax nycticorax*
- Eustrongylides formosensis* n. sp.  
 Sugimoto, M., 1933 d, 35, 36-37, 40-41, pls. 2-3  
*Nycticorax nycticorax*  
*? Bubulcus ibis coromandus*
- Eustrongylides formosensis* Sugimoto, 1933  
 Sugimoto, M., 1939 a, 188, 223  
*Ardeola ibis coromandus*  
*Nycticorax nycticorax*  
 both from Formosa (Taihoku)

- Eustrongylides gadopsis** n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1940 e, 340, 341, 346, 350-351, figs. 24-26  
 Syns.: *Filaria sanguinea* of Baird, 1861; *Spiroptera bicolor* of Linstow, 1899  
*Plectroplites ambiguus*: Mitchell River  
*Gadopsis marmoratus*: Orange, N. South Wales  
*Galaxias attenuatus*: South Australia
- Eustrongylides gadopsis** Johnston and Mawson  
 Johnston, T. H.; and Mawson, P. M., 1944 a, 60, 64, 65  
*Galaxias attenuatus*: Lake Alexandrina, S. A.  
*Salmo fario*: Murray Bridge, S. A.  
*Retropinna semoni*: Tailem Bend, S. A.  
*Agonostomus forsteri*: Lake Alexandrina and Tailem Bend, S. A.  
*Plectroplites ambiguus*: Lake Alexandrina, S. A.  
*Therapon (Bidyana) bidyana*: Lake Alexandrina, S. A.  
*Pseudaphritis urvillei*: Lake Alexandrina, S. A.  
*Phalacrocorax melanoleucus*: Lake Alexandrina, S. A.  
*Philypnodon grandiceps*: Tailem Bend, S. A.  
*Pseudaphritis urvillei*: Tailem Bend, S. A.
- Eustrongylides gadopsis** Johnston and Mawson  
 Johnston, T. H.; and Mawson, P. M., 1947 a, 547, 548  
 Syn.: *Eustrongylides galaxias* Johnston and Mawson  
*Pseudaphritis urvillii*  
*Craterocephalus fluviatilis*  
*Galaxias olidus*  
*Philypnodon grandiceps*  
 all from Tailem Bend, Australia
- Eustrongylides gadopsis** J. and M.  
 Johnston, T. H.; and Mawson, P. M., 1951 b, 18, 19, 24  
*Carassiope klunzingeri*: Tailem Bend  
*Pseudaphritis urvillii*: Coorong, South Australia  
*Nannoperca (Edelia) vittata*: South-western Australia  
*Salmo trutta*: New South Wales rivers  
*S. gairdneri*: Western Australia and New South Wales
- Eustrongylides galaxias** n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1940 e, 341, 346, 351, fig. 27  
*Galaxias olidus*: Adelaide
- Eustrongylides galaxias** Johnston and Mawson  
 Johnston, T. H.; and Mawson, P. M., 1947 a, 548  
 as syn. of *Eustrongylides gadopsis* Johnston and Mawson
- Eustrongylides ignotus** Jaegerskiöld  
 Baylis, H. A.; and Daubney, R., 1922 a, 331
- Eustrongylides ignotus**  
 Bowdish, B. S., 1948 a, 602-603  
 great blue heron
- Eustrongylides ignotus?**  
 von Brand, T., 1942 b, 1  
*Fundulus heteroclitus*
- Eustrongylides ignotus**  
 von Brand, T., 1944 a, 24, 25, 26  
*Fundulus heteroclitus*  
*Rana pipiens* (exper.)  
*Alligator mississippiensis* (exper.)  
*Chrysemys picta* (exper.)  
*Necturus maculosus* (exper.)  
*Pomoxis sporoides*  
*Perca flavescens*  
*Ameiurus* sp.  
*Helioperca*?
- Eustrongylides ignotus**  
 von Brand, T., [1946 b], 381, 383, 384, 385, 386, 387, 388, 390, 391, 392
- Eustrongylides ignotus**  
 von Brand, T., 1947 a, 162, 164, 165, 166  
 physiology
- ? **Eustrongylides ignotus** Jägerskiöld  
 von Brand, T.; and Cullinan, R. P., 1943 a, 29-33  
*Fundulus* spp.: Baltimore; Washington  
*F. heteroclitus*: Baltimore; Washington  
 ducks (exper.)  
 rabbit (exper.)  
 chicks (exper.)  
 rats (exper.)
- Eustrongylides ignotus**  
 von Brand, T.; and Simpson, W. F., 1942 a, 245-248  
*Fundulus heteroclitus*
- Eustrongylides ignotus**  
 von Brand, T.; and Simpson, W. F., 1944 a, 121-129  
 physiology
- Eustrongylides ignotus**  
 von Brand, T.; and Simpson, W. F., 1945 a, 371  
 physiology
- Eustrongylides ignotus**  
 von Brand, T.; and Simpson, W. F., 1947 a, 71  
 physiology
- Eustrongylides ignotus**  
 von Brand, T.; and Winkeljohn, (Sister) M. I., 1945 a, 62, 63, 65
- Eustrongylides ignotus** Jagersk.  
 Chaper, E. A., 1926 c, 86-87  
*Ardea cocco*  
*Botaurus pinnatus*  
*Ardea herodias*  
*Fundulus diaphanus*  
 all from United States
- Eustrongylides ignotus**  
 Chitwood, B. G.; and Chitwood, M. B., 1937 a, 525
- Eustrongylides ignotus**  
 Chitwood, B. G.; and Chitwood, M. B., 1937 b, 41, fig. 50 P
- Eustrongylides ignotus**  
 Chitwood, B. G.; and Chitwood, M. B., 1938 a, 72, fig. 64 G
- Eustrongylides ignotus** Jaegerskioeld  
 Cram, E. B., 1927 a, 367, 368, 371-372, fig. 431
- Eustrongylides ignotus**  
 Cram, E. B., 1933 a, 71  
*Nycticorax nycticorax* hoactli: Potomac River at Washington, D. C.  
*Ardea herodias*
- Eustrongylides ignotus**  
 Cullinan, R. P., 1945 a, 109, 111  
*Fundulus heteroclitus*: Chesapeake Bay, Baltimore, Md.
- Eustrongylides ignotus**  
 Dickinson, P., 1951 a, 251  
*Phalacrocorax carbo*
- Eustrongylides ignotus**  
 Elsee, J. R., 1954 a, 362-363  
 tentative identification
- Gambusia affinis**
- Eustrongylides ignotus** Jägerskiöld 1909  
 Hetherington, D. C., 1923 a, 33, 45  
 Syns.: *Eustrongylus papillosus* Dies. 1851;  
*E. tubifex* (Nitzsch 1819) Schn. 1866; *Hystericis papillosus* Mol. 1861
- Eustrongylides ignotus**  
 Hobson, A. D., 1948 b, 187  
 physiology
- Eustrongylides ignotus**  
 Locke, L. N., 1961 a, 135-138  
*Ardea herodias*  
*Casmerodus albus*  
 (peritoneal cavity of both): both from Bombay Hook National Wildlife Refuge, Delaware
- Eustrongylides ignotus** Jägersk. 1908  
 Morishita, K., 1921 d, 207
- Eustrongylides ignotus** Jägerskiold, 1908  
 Morishita, K., 1928 b, 12-16  
*Uria troile californica*
- Eustrongylides ignotus** Jägersk.  
 Morishita, K., 1930 b, 71  
*Ardea cocoi*: Brazil  
*Botaurus pinnatus*: Brazil  
*Fundulus diaphanus*: Washington, D. C.  
*Ardea herodias*: Washington, D. C.  
*Uria troile californica*

*Eustrongylides ignotus* Jägerskiöld, 1909  
 Sugimoto, M., 1932 a, 104, 107, 109-110, 111,  
 112, 113  
 Syns.: *Filaria cystica* Rudolphi, 1819; *Agamonema cysticum* (Rudolphi, 1819) Diesing, 1861; *Eustrongylus papillosus* Diesing, 1851 in part; *Hystrichis papillosus* Molin 1861 in part; *Spiroptera bicolor* Linstow, 1899; *Eustrongylus tubifex* Schneider, 1866 in part  
*Ardea cocoi*  
*A. herodias*  
*Botaurus pinnatus*  
*Phalacrocorax novae-hollandiae*  
*Phalacrocorax sulcirostris*  
*P. brevirostris*  
 ? *Anhinga anhinga*

*Eustrongylides ignotus* Jägerskiöld, 1909  
 Sugimoto, M., 1933 d, 31-32, 37, fold. table  
 Syns.: *Filaria cystica* Rud., 1819; *Agamonema cysticum* (Rud., 1819) Dies., 1851; *Eustrongylus papillosus* Dies., 1851, in part; *Hystrichis papillosus* Molin, 1861, in part; *Eustrongylus tubifex* Schneider, 1866, in part; *Spiroptera bicolor* Linstow, 1899  
 ? *Anhinga anhinga*  
*Ardea cocoi*  
*A. herodias*  
*Botaurus pinnatus*  
*Phalacrocorax novaehollandiae*  
*P. sulcirostris*  
*P. brevirostris*: New Zealand

*Eustrongylides ignotus* (larval form)  
 Walton, A. C., 1950 b, 162  
*Rana pipiens*: U.S.

*Eustrongylides ignotus*  
 Walton, A. C., 1950 e, 41  
*Amphiuma tridactylum*: U. S. A.

*Eustrongylides ignotus* Jaegerskiöld  
 Yorke, W.; and Maplestone, P. A., 1926 a, 180  
*Ardea* sp.  
*Botaurus* sp.  
*Anhinga* sp.

*Eustrongylides linstowi* n. n.  
 Chitwood, B. G., 1933 a, 104  
 Syns.: *Filaria bicolor* Linstow, 1873 not Creplin, 1825; *Spiroptera bicolor* (Linstow, 1873) Linstow, 1899

*Eustrongylides linstowi* Chitwood, 1933  
 Johnston, T. H.; and Mawson, P. M., 1940 e, 350, 351

*Eustrongylides mergorum* (Rud.) [n. comb.]  
 Cram, E. B., 1927 a, 367, 372-373, figs. 432-434

*Eustrongylides mergorum* (Rud.)  
 Baylis, H. A., 1928 g, 339  
*Podiceps fluvialis*

*Eustrongylides mergorum* (Rud.)  
 Baylis, H. A., 1929 c, 241

*Eustrongylides mergorum* (Rud., 1809)  
 Dubinin, V. B., 1949 d, 155-156, fig. 14  
 cycle of development  
*Ardea cinerea*  
*A. purpurea*  
*Egretta garzetta*  
*Nycticorax nycticorax*  
*karavaika* [curlew]  
*Phalacrocorax carbo*  
*Pelecanus onocrotalus*  
*P. crispus*  
 all from Volga delta

*Eustrongylides mergorum* (Rudolphi, 1819)  
 Dubinin, V. B., 1952 c, 239, 243, fig. 7 (VI)  
 delta of the Volga river

*Eustrongylides mergorum* (Rudolphi, 1809)  
 Dubinin, V. B., 1954 e, 213, 215  
*Pelecanus onocrotalus*  
*P. crispus*  
 both from Volga delta

*Eustrongylides mergorum* (Rud., 1809) Cram, 1927  
 Dubinina, M., 1937 a, 560-561, 567, 568, 570, 571  
*Nycticorax nycticorax*: Astrakhan State Reserve

*Eustrongylides mergorum* (Rudolphi, 1809)  
 Gower, W. C., 1939 a, 613, 617, 618, 619, 620, 622  
 synonymy  
*Alca torda*  
*Anas boschas domestica*  
*A. glacialis*  
*A. mollissima*  
*Charadrius pluvialis*  
*Ciconia nigra*  
*Colymbus septentrionalis*  
*Harelda glacialis*  
*Merganser serratus*  
*Mergus albellus*  
*M. merganser*  
*Numenius arquatus*  
*Phalacrocorax carbo*  
*Podiceps cristatus*  
*P. minor*  
*Somateria mollissima*  
*Uria troile*  
*Anas platyrhynchos*, domestic  
*Clangula hyemalis*  
*Mergellus albellus*  
*Mergus serrator*  
 all from Europe

*Eustrongylides mergorum* Olfers  
 Markov, G. S., 1942 a, 581, 582  
*Uria lomvia*: Bezymiannaya Bay (Novaya Zemlya)

*Eustrongylides mergorum* (Rudolphi)  
 Nikol'skaya, N. P., 1939 a, 62  
*Phalacrocorax carbo*: Astrakhan reserve, Volgadelta

*Eustrongylides mergorum* (Rud., 1809)  
 Ryzhikov, K. M., 1956 b, 137, 138, 139  
*Anas platyrhynchos*  
*A. acuta*  
*Nyroca fuligula*  
 all from Gruzinskaia SSSR

*Eustrongylides mergorum* (Rudolphi)  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 35, V.c 35, V.c 39, V.c 40, V.c 41, fig. 409  
*Alca torda*  
*Uria troille*  
*Charadrius apricarius*  
*Numenius arquatus*  
*Anas platyrhyncha*  
*Somateria mollissima*  
*Clangula hyemalis*  
*Merganser merganser*  
*M. serrator*  
*Mergus albellus*  
*Ciconia nigra*  
*Phalacrocorax carbo*  
*Colymbus stellatus*  
*Podiceps cristatus*  
*P. ruficollis*  
*Mergus merganser*

*Eustrongylides mergorum* (Rudolphi, 1809)  
 Serkova, O. P., 1948 a, 220, 240  
*Bucephalus clangula*  
*Mergellus albellus*  
 both from Barabin lakes

*Eustrongylides mergorum* (Rudolphi, 1809) Cram, 1927  
 Sprehn, C. E. W., 1932 c, 757  
 as syn. of *E. elegans* (Olfers, 1816)

- Eustrongylides mergorum Rudolphi*, 1809, Cram, 1927  
 Sugimoto, M., 1932 a, 105, 107, 108, 112, 113, English summary, 116  
 Syns.: *Strongylus mergorum Rudolphi*, 1809; *S. papillosum Rudolphi*, 1809 in part; *S. elegans Olfers*, 1816; *S. tubifex Rudolphi*, 1819 in part; *Tropidocerca paradoxa Linstow*, 1877, not *T. paradoxa Diesing*, 1851; *Histrichis elegans* (Olfers, 1816) Railliet, 1895 in part; *Eustrongylides elegans* (Olfers, 1816) Jägerskiöld, 1909; *Microtremeres inflata* (Mehlis, 1846) Travassos, 1915  
*Alca torda*  
*Anas acuta*  
*A. boschas*  
*A. boschas domestica*  
*A. clypeata*  
*A. crecca*  
*A. glacialis*  
*A. mollissima*  
*Carbo cormoranus*  
*Charadrius pluvialis*  
*Ciconia nigra*  
*Colymbus arcticus*  
*C. septentrionalis*  
*Harelda gracilis*  
*Merganser serratus*  
*Mergus albellus*  
*M. merganser*  
*M. serrator*  
*Numenius arquatus*  
*Phalacrocorax carbo*  
*Podiceps cristatus*  
*P. minor*  
*P. fluviatilis*  
*Somateria mollissima*  
*Spatula clypeata*  
*Uria troile*  
 all from Europe  
*Eustrongylides mergorum* ?  
 Szidat, L., 1940 a, 577  
*Ciconia nigra*  
*Eustrongylides mergorum* (Rud., 1809) Cram, 1927  
 Yamaguti, S., 1941 e, 441, 445-447, 479, figs. 6-7, pl. 10, figs. 1-2  
*Mergus merganser* *merganser*: Gihu Prefecture, Japan  
*Eustrongylides papillosum* (Rud.)  
 Cram, E. B., 1927 a, 367, 373-374, fig. 435  
*Eustrongylides papillosum* (Rudolphi, 1802)  
 Gower, W. C., 1939 a, 613, 617  
 synonymy  
*Anas boschas domestica*  
*Anser cinereus domesticus*  
*Nucifraga caryocatactes*  
*Anas platyrhynchos*, domestic  
 all from Europe  
*Eustrongylides papillosum*  
 Hall, M. C., 1922 s, 538  
*Eustrongylides papillosum* (Rudolphi)  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 35, V.c 39  
*Anas platyrhyncha*  
*Anser anser*  
*Nucifraga caryocatactes*  
*Eustrongylides papillosum* (Rudolphi, 1802)  
 Sprehn, C. E. W., 1932 c, 757, 835, 857, 860  
 Syns.: *Strongylus papillosum Rudolphi*, 1802 e. p.; *Eustrongylides papillosum* (Rudolphi, 1802) Jägerskiöld, 1909  
*Anser anser* (*Oesophagus*)  
*Anas platyrhyncha*  
*Nucifraga caryocatactes*  
 all from Europe  
*Eustrongylides papillosum* (Rudolphi, 1802) Jägerskiöld, 1909  
 Sugimoto, M., 1932 a, 106, 107, 108-109, 113, English summary, 116  
 Syns.: *Strongylus papillosum Rudolphi*, 1802 in part; *Eustrongylides papillosum* (Rudolphi, 1802) Diesing, 1851 in part; *Hystrichis papillosum* (Rudolphi, 1802) Molin, 1861 in part  
*Anas boschas domestica* (tubercles in esophagus)  
*A. cinereus domesticus* (tubercles in esophagus)  
*Nucifraga caryocatactes*  
 all from Europe  
*Eustrongylides papillosum* Dies., 1851, in part  
 Sugimoto, M., 1933 d, 31  
 as syn. of *Eustrongylides ignotus* Jägerskiöld, 1909  
*Eustrongylus papillosum* (Rud., 1802) Diesing, 1851 in part  
 Sugimoto, M., 1933 d, 33  
 as syn. of *Eustrongylides excisus* Jägerskiöld, 1909  
*Eustrongylides papillosum*  
 Vasiliu, G. D., 1939 a, 92  
*Nucifraga caryocatactes caryocatactes*  
*Eustrongylides papillosum* (Rud.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 180  
*Nucifraga caryocatactes*  
*Eustrongylides perpapillatus*  
 Chitwood, B. G.; and Chitwood, M. B., 1937 a, 525  
*Eustrongylides perpapillatus*  
 Chitwood, B. G.; and Chitwood, M. B., 1937 b, 17, fig. 15 O-P  
*Eustrongylides perpapillatus* Jaegerskioeld  
 Cram, E. B., 1927 a, 367, 374-375, fig. 436  
*Ardea leuca*  
*Herodias egretta*  
*Eustrongylides perpapillatus* Jägersk. 1908  
 Morishita, K., 1921 d, 207  
*Eustrongylides perpapillatus* Jägerskiöld, 1908  
 Morishita, K., 1923 a, 209-210, 1 fig.  
*Eustrongylides perpapillatus* Jägerskiöld, 1909  
 Sugimoto, M., 1932 a, 106, 107  
*Ardea leuca*  
*Herodias egretta*  
 both from Brazil  
*Eustrongylides perpapillatus* Jägerskiöld, 1909  
 Sugimoto, M., 1933 d, 32-33, 37, fold. table  
 Syns.: *Eustrongylus papillosum* (Rud., 1802) Dies., 1851, in part; *Hystrichis papillosum* (Rud., 1802) Molin, 1861, in part  
*Ardea leuca*  
*Herodias egretta*  
 both from South America (Brazil)  
*Eustrongylides perpapillatus* Jaegerskioeld  
 Yorke, W.; and Maplestone, P. A., 1926 a, 180  
*Herodias* sp.  
*Ardea* sp.  
*Eustrongylides phalacrocoracis* n. sp.  
 Johnston, T. H.; and Mawson, P. M., 1941 f, 254, 255-256, figs. 2-3  
*Microcarbo melanoleucus*: Tailem Bend and Adelaide  
*Phalacrocorax carbo*: Tailem Bend  
*Eustrongylides phalacrocoracis* Johnston and Mawson, 1941  
 Johnston, T. H.; and Mawson, P., 1942 d, 183, 186  
*Phalacrocorax fuscescens*: Tailem Bend, South Australia  
*Eustrongylides phalacrocoracis* Johnston and Mawson  
 Johnston, T. H.; and Mawson, P. M., 1945 a, 75, 149  
*Phalacrocorax fuscescens*: Tasmania

- Eustrongylides plotinus n. sp.**  
 Johnston, T. H.; and Mawson, P. M., 1941 f, 254, 255, 256, figs. 4-5  
*Anhinga novae-hollandiae*: Burnett River, Queensland
- Eustrongylides sinicus, sp. nov.**  
 Wu, H. W.; and Liu, C. K., 1943 a, 103-105  
*Egretta garzetta*: Do-shek-chao, near Pehpei, Szechwan
- Eustrongylides tricolor sp. nov.**  
 Sugimoto, M., 1931 a, 57-67  
*Anas boschas domesticus (proventriculus)*: Taihoku, Formosa
- Eustrongylides tricolor Sugimoto, 1931**  
 Sugimoto, M., 1932 a, 103-116  
*Anas boschas domestica (proventriculus)*: Formosa
- Eustrongylides tricolor Sugimoto, 1931**  
 Sugimoto, M., 1933 d, 29, 30, 34-36, 37, fold. table; English summary, 41  
*Anas boschas domesticus*: Asia (Formosa)
- Eustrongylides tricolor Sugimoto, 1931**  
 Sugimoto, M., 1939 a, 188, 224  
*Anas platyrhyncha domestica*: Formosa (Taihoku)
- Eustrongylides tubifex (Nitzsch, 1819)**  
 Baylis, H. A.; and Daubney, R., 1926 a, 237
- Eustrongylides tubifex (Nitzsch)**  
 Cram, E. B., 1927 a, 367-369, fig. 427  
*Anas boschas dom.*  
*Colymbus arcticus*  
*C. septentrionalis*
- Eustrongylides tubifex (Nitzsch, 1819)**  
 Dubinin, V. B., 1954 e, 213, 214-215  
*Pelecanus crispus*  
*P. onocrotalus*  
 both from Volga delta
- Eustrongylides tubifex (Nitzsch in Rudolphi, 1819)**  
 Gower, W. C., 1939 a, 613, 617  
 synonymy  
*Anas boschas domestica*: Europe  
*Colymbus arcticus*: Europe  
*C. septentrionalis*: Europe  
*Anas platyrhynchos*, domestic
- Eustrongylides tubifex**  
 Hall, M. C., 1922 s, 538
- Eustrongylides tubifex**  
 Hoeppli, R. J. C.; and Hsü, H. F., 1929 b, 25, 26
- Eustrongylides tubifex (Nitzsch)**  
 Morishita, K., 1921 d, 205, 207
- Eustrongylides tubifex Nitzsch**  
 Rauther, M., 1930 a, 298, 365, fig. 328
- Eustrongylides tubifex (Nitzsch)**  
 Schuurmans Stekhoven, J. H., 1935 f, V.c 34, V.c 35, V.c 37, V.c 38, V.c 39, V.c 40, V.c 41, fig. 408  
*Anas platyrhyncha*  
*Colymbus arcticus*  
*C. stellatus*  
*Symbranchus laticaudatus*  
*Serranus scriba*  
*Barbus fluviatilis*  
*Lota vulgaris*  
*Esox lucius*  
*Perca fluviatilis*
- Eustrongylides tubifex (Nitzsch)**  
 Skrjabin, K. I., 1923 m, 93, figs. 135-137  
*Colymbus arcticus*  
*C. septentrionalis*
- Eustrongylides tubifex (Nitzsch, 1819) (type)**  
 Sprehn, C. E. W., 1932 c, 756-757, 860, 870  
 Syns.: *Strongylus tubifex* Nitzsch, 1819 e. p.; *Hystrichis elegans* Olfer, 1816 e. p.; *E. tubifex* (Nitzsch, 1819) Jägerskiöld, 1909  
*Ente (Anas platyrhyncha)* (Darm)  
*Colymbus arcticus*  
 both from Europa
- Eustrongylides tubifex (Nitzsch in Rudolphi, 1819) Jägerskiöld, 1909**  
 Sugimoto, M., 1932 a, 106, 107, 109, 111, 113, English summary, 116  
 Syns.: *Strongylus tubifex* Nitzsch, 1819 in part; *Eustrongylus tubifex* (Nitzsch, 1819) Diesing, 1851; *Hystrichis tubifex* (Nitzsch, 1819) Molin, 1861 in part  
*Anas boschas domestica*  
*Colymbus arcticus*  
*C. septentrionalis*  
 (intestine of all): all from Europe
- Eustrongylides tubifex (Nitzsch)**  
 Yorke, W.; and Maplestone, P. A., 1926 a, 179, fig. 118  
 type of genus  
*Colymbus* spp.  
*Podiceps* sp.
- Eustrongylides wenrichi n. sp.**  
 Canavan, W. P. N., 1929 a, 96-97, pl. 8, figs. 55-58  
*Esox americanus*  
*Salvelinus fontinalis*  
*Pomoxis sparoides*  
*Enneacanthus gloriosus*  
*Rana catesbeiana*
- Eustrongylides wenrichi Canavan**  
 Canavan, W. P. N., 1931 a, 207-208
- Eustrongylididae nov. fam. [nomen nudum]**  
 Leiper, R. T., 1912 a, 117
- Eustrongylididae Leiper 1912**  
 Kreis, H. A., 1945 a, 556  
 as syn. of Dioctophymidae Railliet 1915
- Eustrongylidinae**  
 Clark, W. C., 1961 b, 146  
 key
- Eustrongylinae [n. subfam.]**  
 Railliet, A., 1885 a, 330  
 contains *Eustrongylus*
- Eustrongylinae**  
 Kamenskii, S. N., 1905 a, 18
- Eustrongylinae**  
 Neveu-Lemaire, M., 1918 a, 5
- Eustrongylinae**  
 Olt, A. and Strose, A., 1914 a, 308
- Eustrongylinae**  
 Uchida, S., 1909 a, 259
- Eustrongylus**  
 See Opinion 56, p. 128, 129; Opinion 72, p. 21
- Eustrongylus Diesing, 1851**  
 Baylis, H. A., 1939 b, 225  
 as syn. of Dioctophyme Collet-Meygret, 1802
- Eustrongylus Diesing, 1851**  
 Baylis, H. A.; and Daubney, R., 1926 a, 236  
 as syn. of Dioctophyme Collet-Meygret
- Eustrongylus**  
 Brumpt, E., 1922 f, 531, 609-611
- Eustrongylus**  
 Fiebiger, J., 1923 a, 259-260
- Eustrongylus**  
 Harwood, P. D.; Chitwood, B. G.; and McIntosh, A., 1941 b, 279-280  
 status
- Eustrongylus**  
 Heider, K., 1920 a, 475
- Eustrongylus**  
 Ihle, J. E. W., 1920 e, 761
- Eustrongylus**  
 Kamenskii, S. N., 1905 a, 18, 48
- Eustrongylus**  
 Leiper, R. T., 1926 h, 207
- Eustrongylus Dies.**  
 Lopez Neyra, C. R., 1924 a, 145
- Eustrongylus**  
 Magath, T. B., 1919 a, 149, 151
- Eustrongylus**  
 Manson-Bahr, P. H., In Manson, P., 1921 a, 821
- Eustrongylus**  
 Moquin-Tandon, C. H. B. A., 1860 a, 331

- Eustrongylus*  
von Ostertag, R., 1919 b, 394, 406
- Eustrongylus* Dies.  
Perrier, E., 1897 a, 1414
- Eustrongylus*  
Rauther, M., 1918 a, 500, 501, 502, 503
- Eustrongylus*  
Rauther, M., 1930 a, 361
- Eustrongylus*  
Sánchez, J., 1887 a, 109  
[as *Estrongilus*]
- Eustrongylus* Dies.  
Skrjabin, K. I., 1923 m, 92  
as syn. of *Diocophyme Collet-Meygret*
- Eustrongylus* Diesing  
Sluiter, C. P.; Swellengrebel, N. H.; and Ihle, J. E. W., [1922 a], 316, 325, 353, 426-428  
Syns.: *Diocophyme Collet-Meygret*; *Dictiophyme*
- Eustrongylus* Diesing, 1851  
Sprehn, C. E. W., 1932 c, 755  
as syn. of *Diocophyme Collet-Maygeret*, 1802
- Eustrongylus* Diesing, 1851  
Uchida, Seinosuke, 1909 a, 332
- Eustrongylus* Diesing, 1851  
Yorke, W.; and Maplesone, P. A., 1926 a, 177  
as syn. of *Diocophyme Collet-Meygret*
- Eustrongylus* sp.  
Agapova, A. I., 1956 a, 48  
*Pelecus cultratus*: Reservoirs western Kazakhstan
- Eustrongylus buteonis*  
Packard, A. S., 1883 b, 169
- Eustrongylus chordeilis*  
Packard, A. S., 1883 b, 169
- Eustrongylus excisus?*  
Mozgovoi, A. A.; and Ryzhikov, K. M., 1950 a, 999  
*Phoca caspica*
- Eustrongylus filaria*  
Cave, T. W., 1909 b, 371  
Eskimos: Southampton Island, Northwest Territories
- Eustrongylus filaria*  
Cave, T. W., 1929 a, 250
- Eustrongylus gigante Perroncito*, 1882  
Baylis, H. A., 1939 b, 226  
as syn. of *Diocophyme renale* (Goeze, 1782)  
Stiles, 1901
- Eustrongylus gigas*  
Abeshouse, B. S., 1934 a, 433
- Eustrongylus gigas*  
Allan, R. J., 1897 a, 607  
man: Sydney, Australia
- Eustrongylus gigas*  
Bach, V., 1920 a, 348-349
- Eustrongylus gigas*, Dies.  
Balbiani, E. G., 1869 c, 434-435
- Eustrongylus gigas* Dies.  
Balbiani, E. G., 1869 d, 494
- Eustrongylus gigas*  
Ballowitz, E., 1895 a, 381-382
- Eustrongylus gigas*  
Bartlakowski, J., 1934 a, 2670-2672
- Eustrongylus gigas*  
Baylis, H. A., 1924 d, 17
- Eustrongylus gigas*  
Beinarovitch, S. K., 1910 b, 978-980  
dog (kidney)
- Eustrongylus gigas*  
Blanchard, R., [1889 d], 3
- Eustrongylus gigas*  
Brandt, A. J., 1934 a, 962, [976], pl. [6]  
egg
- Eustrongylus gigas*  
Brandt, E. K., 1888 d, 61, 97, 98, fig. 196, 208, 209
- Eustrongylus gigas*  
Brug, S. L., 1922 f, pl. 12, figs. 8-9
- Eustrongylus gigas*  
Brug, S. L., 1926 d, pl. 8, fig. 3 e, f
- Eustrongylus gigas*  
Bütschli, O., 1931 a, 385, fig. 276  
anatomy
- Eustrongilus gigas*  
Canalini, G., 1918 a, 75, 79
- Eustrongilus gigas*  
Carini, A., 1939 g, 81-84  
Tayra barbara (intestino): Mogi das Cruzes (Est. S. Paulo)
- Eustrongylus gigas*  
Castellani, A.; and Chalmers, A. J., 1919 a, 675
- Eustrongylus gigas*  
Chandler, A. C., 1918 a, 202
- Eustrongylus gigas*  
Chandler, A. C., 1922 a, 200
- Eustrongylus gigas*  
Chaudhuri, G. N. R., 1931 a, 45-46  
great Dane dog (kidney)
- Eustrongylus gigas* Rud.  
Ciurea, J., 1921 a, 532-534  
Idus idus
- Eustrongylus gigas*  
Delafield, F.; and Prudden, T. M., 1919 a, 896
- Eustrongylus gigas*  
De Rivas, D., 1920 a, 359, 441
- Eustrongylus gigas*  
Disselhorst, R., 1921 a, 49, fig. 49
- Eustrongylus gigas*  
Duncan, J. T., 1891 b, 83
- Eustrongylus gigas*  
Edmonds, C. R., 1922 a, 390
- Eustrongylus gigas*  
Emerson, C. P., 1921 a, 306, fig. 68
- Eustrongylus gigas*  
Fantham, H. B.; Stephens, J. W. W.; and Theobald, F. V., 1916 a, 681, 682
- Eustrongylus gigas* Rud.  
Fiebiger, J., 1923 a, 47, 259-260, 410, 415, 416, 417, 418, fig. 15 (VIII), 203  
Syns.: *E. visceralis*; *Strongylus renalis*  
Hund  
Rind  
Mensch
- Eustrongylus gigas*  
Filipjev, I. N., 1934 b, 6
- Eustrongylus gigas*  
Genazzani, U., 1927 a, 367-369, 1 fig.  
man
- (?) *Eustrongylus gigas*  
Gliesch, R., 1933 a, 218-219  
Canis jubatus (rins): Cruz Alta, Brasil
- Eustrongylus gigas*  
Gol'tsman, K. A. M., 1903 a, 106
- Eustrongylus gigas*  
Güttlich, 1882 a, 64  
Hunde
- Eustrongylus gigas*  
Hall, M. C., 1916 c, 370  
dog
- Eustrongylus gigas*  
Hall, M. C., 1917 k, 183  
dog: Baltimore, Md.
- Eustrongylus gigas*  
Hall, M. C., 1917 m, 392  
dog: U. S.
- Eustron[gylus] [g]igas*  
Hauck, E., 1922 a, 11
- Eustrongylus gigas*  
Hempelmann, F. A., 1932 a, 179
- Eustrongylus gigas*  
Henschen, F., 1918 a, 334
- Eustrongylus gigas*  
Henschen, F., 1923 a, 375-376, fig. 178
- Eustrongylus gigas*

- Hickey, J. P., 1920 a, 1397, 1399  
*Eustrongylus gigas*  
 Hutyra, F.; and Marek, J., 1910 a, 1025-1027.  
 fig. 177  
*Eustrongylus gigas* (Rud.)  
 Ihle, J. E. W., 1920 e, 760  
*Eustrongylus gigas*  
 Izmest'ev, V. I., 1902 a, 63-65  
*Eustrongylus gigas*  
 Izmest'ev, V. I., 1902 b, 509-513  
*Eustrongylus gigas* Rud.  
 Joest, E., 1923 a, 319-322, fig. 1  
*Eustrongylus gigas*  
 Kirner, P., 1933 a, 249  
 Silberfuchs  
 Nerz (Nieren)  
 Menschen (Nieren)  
*Eustrongylus gigas*  
 Kobayashi, H., 1921 c, 471  
*Eustrongylus gigas* (Rud.)  
 Koch, M., 1925 a, 721, 745-749, figs. 16-19  
*Eustrongylus gigas*  
 Lacoste, 1845 a, 132-133  
 chien  
*Eustrongylus gigas* Diesing, 1851  
 Lane, C.; and Low, G. C., 1923 d, 1964  
 as syn. of *Diocophyme renale* (Goeze, 1782)  
*Eustrongylus gigas* (Dies.)  
 Leinat, L., 1922 a, 629-638  
*Eustrongylus gigas* Rudolphi  
 von Linden, M., 1915 a, 10, 69, fig. 32  
*Eustrongylus gigas*  
 Loiselet, J., 1927 a, 68  
*Eustrongylus gigas* Rud.  
 Lütken, C. F., 1875 b, 182  
 Canis familiaris groenlandicus: Greenland  
*Eustrongylus gigas*  
 Manson-Bahr, P. H., In Manson, P., 1921 a, 825  
 as syn. of *E. visceralis*  
*Eustrongylus gigas*  
 Marek, J., 1922 a, 605, fig. 393  
*Eustrongylus gigas*  
 Massaglia, A., 1910 a, 135-144  
*Eustrongylus gigas*  
 Mégnin, J. P., 1894 b, 111, 229-235, figs. 22-24  
 chien (reins, cavité péritonéale)  
*Eustrongylus gigas*  
 Moquin-Tandon, C. H. B. A., 1850 a, 329  
*Eustrongylus gigas*  
 Moquin-Tandon, C. H. B. A., 1861 a, 356  
*Eustrongylus gigas*  
 Müller, G. A., 1922 b, 117, 122, 209, 223,  
 fig. 91  
*Eustrongylus gigas*  
 Nasonov, N. V., 1898 1, 231  
*Eustrongylus gigas*  
 Nasonov, N. V., 1899 a, 80-82, 86, pl. 2,  
 figs. 5-6  
*Eustrongylus gigas*  
 Nasonov, N. V., 1899 b, 20-22, 26, pl. 2,  
 figs. 5-6  
*Eustrongylus gigas*  
 Nicoll, W., 1910 a, 373  
*Eustrongylus gigas*  
 Olt, A.; and Ströse, A., 1914 a, 309  
*Eustrongylus gigas*  
 Orley, L., 1880 b, 100  
*Eustrongylus gigas*  
 Orley, L., 1880 c, 162, 164  
*Eustrongylus gigas*  
 Olsson, E., 1940 a, 1004, 1017  
 imported blue fox  
*Eustrongylus gigas*  
 von Ostertag, R., 1904 a, 381  
*Eustrongylus gigas*  
 von Ostertag, R., 1919 b, 309, 407  
*Eustrongylus gigas*  
 von Ostertag, R., 1932 a, 502  
 meat inspection  
 Pferde  
 Rinder  
 Hunde  
 (Nierenbecken of all)  
*Eustrongylus gigas* (Rud.)  
 Pacella, G.; and Esquivel, R., 1922 a, 73-77  
 perro: La Plata [first report for Argentina]  
*Eustrongylus gigas*  
 Pacella, G.; and Esquivel, R., 1923 a, 221-227,  
 1 fig.  
 perro  
*Eustrongylus gigas*  
 Packard, A. S., 1883 c, 168  
*Eustrongylus gigas*  
 Pavlovskii, E. N., 1925 b, 5  
*Eustrongylus gigas*  
 Perrier, E., 1897 a, 1371, 1372, 1405, 1414  
 Syn.: *Filaria cystica*  
*Symbranchus laticaudus*  
 chien (rein)  
 homme  
*Eustrongylus gigas*  
 Popov, V. A., 1949 a, 128  
 Mustela vison: Tatar ASSR  
*Eustrongylus gigas*  
 Prokopic, I., 1960 b, 139, 146, 147  
 as syn. of *Diocophyme renale* (Goeze 1782)  
*Eustrongylus gigas*  
 Radulescu-Calafat, G., 1938 b, 35, 1 fig.  
*Eustrongylus gigas*  
 Rauther, M., 1918 a, 502  
*Eustrongylus gigas*  
 Rayger, C., (1675 a), 309  
*Eustrongylus gigas*  
 Reichenow, E.; and Wölker, G., 1929 a, 130,  
 fig. 47  
*Eustrongylus gigas* Dies.  
 Riley, W. A., 1921 a, 91  
 as syn. of *Diocophyme renale*  
*Eustrongylus gigas* Rud.  
 Rotshadt, fü. Ia., 1897 a, 147-154, pl.  
 dogs: Warsaw  
*Eustrongylus gigas* Dies.  
 Ruszkowski, J. S., 1925 c, 184  
 Canis fam.  
*Eustrongylus gigas* Rud.  
 Ruppert, H., 1926 a, 442-443  
 = *Diocophyme renale* (Goeze, 1782)  
*Nasua rufa*  
*Eustrongylus gigas* Dies.  
 Ruszkowski, J. S., 1926 b, 184  
 Canis familiaris: Varsovia, Pologne  
*E[ul]strongilus gigas* Rud.  
 Sánchez, J., 1887 a, 109  
*Eustrongylus gigas* Rudolphi  
 Sluiter, C. P.; Swellengrebel, N. H.; and Ihle,  
 J. E. W., [1922 a], 353, 426-428, 447, fig. 219  
 Syns.: *Strongylus renalis*; *E. visceralis*;  
*Diocophyme renale*  
*Symbranchus*  
*Galatias*  
*Eustrongylus gigas*  
 Starr, F. N. G., 1899 a, 271-274  
 mink (kidney)  
*Eustrongylus gigas*  
 Stuertz, E., 1903 d, 203-204  
 Menschen  
*Eustrongylus gigas*  
 Tarozzi, G., 1898 a, 431-433  
 cane  
*Eustrongylus gigas* (Rudolphi, 1802)  
 Uchida, S., 1909 a, 332-333  
*Eustrongylus gigas*  
 Underhill, B. M., 1920 a, 296  
*Eustrongilus gigas*  
 Vatti, G., 1926 a, 530-533

- Eustrongylus gigas*  
 Webster, R. W., [1920 a], 163-164, 385, fig. 55  
 Syns.: *Ascaris canis*; *A. martis*; *A. visceralis*; *A. renalis*; *Strongylus gigas*; *S. renalis*; *Eustrongylus visceralis*
- Eustrongylus gigas*  
 Wooldridge, G. H., 1923 e, 348
- Eustrongylus gigas* (Rud.)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 178  
 as syn. of *Diocophyme renale* (Goeze)
- Eustrongylus longevaginatus* Dunglison, 1874  
 Baylis, H. A., 1936 a, 387  
 as syn. of *Metastrongylus elongatus* (Duj., 1845)
- Eustrongylus longevaginatus* (Diesing, 1851)  
 Dunglison, 1874  
 Dougherty, E. C., 1944 b, 71  
 as syn. of *Metastrongylus apri* (Gmelin, 1790) Vostokov, 1905
- Eustrongylus papillosum* (Rudolphi, 1802) Diesing, 1851, in part  
 Gower, W. C., 1939 a, 613  
 as syn. of *Hystrichis neglectus* Jägerskiöld, 1909
- Eustrongylus papillosum*  
 Packard, A. S., 1883 c, 169
- Eustrongylus papillosum* (Rudolphi, 1802) Diesing, 1851 e. p.  
 Sprehn, C. E. W., 1932 c, 758  
 as syn. of *Hystrichis neglectus* Jägerskiöld, 1909
- Eustrongylus papillosum* Diesing, 1851 in part  
 Sugimoto, M., 1932 a, 110  
 as syn. of *Eustrongylides ignotus* Jägerskiöld, 1909
- Eustrongylus papillosum* Dies.  
 Ward, H. B., 1918 b, 523
- Eustrongylus renale*  
 Cameron, T. W. M., 1927 a, 555  
 man  
 dog  
 pig
- Eustrongylus renalis*  
 da Costa Monteiro, A., 1934 a, 191-193
- Eustrongylus renalis* (Goeze, 1782)  
 Guiart, J., 1922 f, 233-235
- Eustrongylus renalis*  
 Guiart, J., 1930 a, 421-423, figs. 353-355
- Eustrongylus renalis*  
 Leon, N., 1922 b, 18, fig. 4
- Eustrongylus renalis* (Goetze, 1782) Guiart, 1910  
 Sprehn, C. E. W., 1932 c, 755  
 as syn. of *Diocophyme renale* (Goetze, 1782)
- Eustrongylus renalis*  
 Vuathier, 1933 a, 356  
 homme
- Eustrongylus renale* (Goeze, 1782) Guirat, 1910  
 Wetzel, R., [1933? a], 12  
 as syn. of *Diocophyme renale* (Goeze, 1782)
- Eustrongylus renalis gigas*  
 Saint Cyr, J., 1925 a, 846
- Eustrongylus tubifex* Nitsch.  
 Grimm, O. A., 1876 a, 103-105, pl. 5, figs. 14-18  
*Gobius melanostomus*  
*G. caspius*  
*G. fluviatilis*  
*G. kessleri*  
*Leuciscus rutilus caspius*  
 all from Caspian Sea
- Eustrongylus tubifex* (Nitzsch, 1819) Diesing, 1851  
 Sugimoto, M., 1932 a, 109  
 as syn. of *Eustrongylides tubifex* (Nitzsch in Rudolphi, 1819)
- Eustrongylus tubifex* Schneider, 1866 in part  
 Sugimoto, M., 1932 a, 110  
 as syn. of *Eustrongylides ignotus* Jägerskiöld, 1909
- Eustrongylus tubifex* (Nitzsch)  
 Yorke, W.; and Maplestone, P. A., 1926 a, 179  
 as syn. of *Eustrongylides tubifex* (Nitzsch)  
*Eustrongylus tubifex* Nitzsch of Diesing 1851 in part  
 Yorke, W.; and Maplestone, P. A., 1926 a, 181  
 as syn. of *Hystrichis tricolor* Duj.
- Eustrongylus tubifex* Nitzsch.  
 Zykov, V. P., 1903 a, 7
- Eustrongylus visceralis* (Gmelin)  
 Alessandrini, G. C., 1929 a, 156, 188-189, figs. 177, 178
- Eustrongylus visceralis*  
 Barroso, S. M., [1922 a], 94, 95, 215, 216, 217, 222
- Eustrongylus viscéreux* [sic]  
 Beumeur, A.; Lafferre; and Lamotte, 1950 b, 879
- Eustrongylus visceralis* (Gmelin, 1789)  
 Brumpt, E., 1922 f, 531, 609-611, 705, figs. 329-331, 332  
 Syns.: *Ascaris canis et martis*; *A. visceralis et renalis*; *Strongylus gigas*; *S. renalis*; *Diocophyme*; *E. gigas*; *E. visceralis* Rail., 1885  
*Idus idus*
- Eustrongylus visceralis*  
 Castellani, A.; and Chalmers, A. J., 1919 a, 675
- Eustrongylus visceralis*  
 Caulery, M., 1922 a, 235
- Eustrongylus viscialis* [sic]  
 Chauffard, A. M. E., 1898 a, 815
- Eustrongylus visceralis*  
 Chervakov, V. F., 1925 a, 65
- Eustrongylus visceralis*  
 Cort, W. W. In Hegner, R. W.; Cort, W. W.; and Root, F. M., 1923 a, 65
- Eustrongylus visceralis*  
 Delafield, F.; and Prudden, T. M., 1919 a, 151
- Eustrongylus visceralis*  
 Galli-Valerio, B., 1928 a, 74  
 causing rabiform symptoms
- Eustrongylus visceralis*  
 Greenway, D. J., 1926 a, 161-167, figs. 1-5  
 perro
- Eustrongylus visceralis*  
 Guiart, J., 1914 a, 885, 901, fig. 57
- Eustrongylus visceralis*  
 Guiart, J.; and Grimbert, L. L., 1912 a, 1016
- Eustrongylus visceralis*  
 Hall, M. C., 1916 c, 371  
 dog
- Eustrongylus visceralis*  
 Hall, M. C., 1917 m, 184  
 dog: U.S.
- Eustrongylus visceralis* (Gmel.)  
 Bovemer, F. E., 1927 a, 197, 198  
 bovidés  
 bubalidés
- Eustrongylus visceralis* Gm.  
 Lopez Neyra, C. R., 1924 a, 145-146, fig. 74
- Eustrongylus visceralis* (Gmelin)  
 Manson, P., 1929 a, 756
- Eustrongylus visceralis*  
 Manson-Bahr, P. H. In Manson, P., 1921 a, 821, 825  
 Syns.: *E. gigas*; *Strongylus renalis*
- Eustrongylus visceralis*  
 Pave, S.; and Rossi, F. A., 1931 a, 127-137  
 pathology  
 perro
- Eustrongylus visceralis*  
 Pave, S.; and Rossi, F. A., 1937 a, 1295-1304, figs. 1-6  
 pathology  
 perro
- Eustrongylus visceralis* Gm.  
 Pavlovskii, E. N., 1924 c, 118, 247, figs. 81, 82

- Eustrongylus visceralis*  
Remlinger, P., 1918 a, 235
- Eustrongylus visceralis*  
Sandground, J. H., 1921 a, 326  
dog  
horse  
ox  
pig
- Eustrongylus visceralis*  
Underhill, B. M., 1920 a, 296
- Eustrongylus visceralis*  
Velu, H.; and Barotte, J. H., 1924 a, 342, 343
- Evaginuris Skrjabin et Schikhobalova*, 1951  
Skrjabin, K. I.; Shikhobalova, N. P.; and  
Mozgovoy, A. A., 1951 a, 98, 105-106  
Syphaciidae, Syphaciinae  
key, diagnosis, type species: *E. evaginata*  
(Smith, 1908)
- Evaginuris evaginata* (Smith, 1908) (type species)  
Skrjabin, K. I.; Shikhobalova, N. P.; and  
Mozgovoy, A. A., 1951 a, 106, 107, fig. 41  
Syns.: *Oxyuris evaginata* Smith, 1908; *Well-*  
*comia evaginata* (Smith, 1908)  
*Erethizon dorsatum*
- Evandroia* n. g.  
Travassos, L. P., 1937 e, VI, 29, 320, 351-352  
Viannaiinae  
tod: *E. evandroi* n. sp.
- Evandroia Travassos*  
Mawson, P. M., 1961 a, 799  
key
- Evandroia evandroi* n. sp. (tod)  
Travassos, L. P., 1937 e, VI, 352-353, 426,  
pl. 257, figs. 1-4  
Proechimys oris: Abaeté, Estado do Pará,  
Brasil
- Evansia Railliet & Henry*, 1913 not Scott, 1906  
Baylis, H. A.; and Daubney, R., 1926 a, 159  
as syn. of Quilonia Lane
- Evansia Raill. Henry & Joyeux* 1913  
Khalil, M., 1922 q, 229  
as syn. of Quilonia Lane
- Evansia Railliet, Henry & Joyeux* 1913 not Scott,  
1906  
Khalil, M., 1922 r, 25  
as syn. of Quilonia
- Evansia*  
Railliet, A.; Henry, A.; and Bauche, J.,  
1915 a, 188  
Syn.: Quilonia
- Evansia*  
Travassos, L. P., 1920 h, 65
- Evansia Railliet, Henry & Joyeux*, 1913  
Yorke, W.; and Maplestone, P. A., 1926 a, 71  
as syn. of Quilonia Lane
- Evansia apiensis* n. sp.  
Gedoelst, L., 1916 a, 62-64, 75  
elephant: Api, Uele, Belg. Congo
- Evansia apiensis* Gedoelst 1916  
Khalil, M., 1922 r, 26  
as syn. of Quilonia apiensis
- Evansia renniei*  
Gedoelst, L., 1916 a, 63, 64
- Evansia renniei* R. H. & J. 1913  
Khalil, M., 1922 q, 230  
as syn. of Quilonia renniei
- Evansia renniei* Raill., Henry & Joyeux 1913  
Khalil, M., 1922 r, 26  
as syn. of Quilonia renniei
- Evansia renniei* Raill. and Henry, 1913  
Railliet, A.; Henry, A.; and Bauche, J.,  
1915 a, 118  
Syn.: Quilonia quilonia Lane
- Evansia renniei* Railliet, Henry & Joyeux  
Yorke, W.; and Maplestone, P. A., 1926 a, 73  
as syn. of Quilonia renniei (R. H. & J.)
- Evansia travancra* [(Lane, 1941) n. comb.]  
Railliet, A.; Henry, A.; and Bauche, J.,  
1915 a, 118  
Syn.: Quilonia travancra Lane
- Evansia travancra* [sic]  
Khalil, M., 1922 r, 26  
as syn. of Quilonia travancra [sic]
- Excisa* n. g.  
Gendre, E., 1928 a, 69  
Spiruridae, Spirurinae  
mt: *E. excisa* (Molin) [n. comb.]
- Excisa Gendre*, 1928  
Chabaud, A. G., 1959 c, 19  
Hedruridae, Habronematinae
- Excisa Gendre*, 1928  
Chitwood, B. G.; and Wehr, E. E., 1934 a, 319  
as syn. of Hadjelia Seurat
- Excisa excisa* (Molin) [n. comb.] (mt)  
Gendre, E., 1928 a, 69  
Syn.: Spiroptera excisa Molin; Cyrnea excisa  
(Mol.)
- Leptoptilus crumeniferus*



