TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use

★

2020

HHSC REGION 6 AND 8 AND 11 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 6 and 8 and 11. It is divided into three major sections. The first section, titled "General Substance Use Tables", focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students' likelihood to use. The second section, titled "Prevalence Tables", provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, "Margin Tables", details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students' answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students' answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was "Since School Began in the Fall", but also reported on Q19d that they had used marijuana "1-2 Times" in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

During the 2019-2020 school year, schools across Texas were closed from early March through the end of the school year due to the COVID-19 pandemic. Due to this sudden and unexpected closure, many schools that had registered for the survey were unable to complete it. Please

note that both the drop in participation along with the fact that those that did complete did so before March may have impacted the data.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	14.4%	18.3%	31.1%	68.9%
Grade 7	3.9%	5.7%	11.3%	88.7%
Grade 8	8.4%	10.8%	21.8%	78.2%
Grade 9	13.7%	17.2%	28.1%	71.9%
Grade 10	19.6%	24.1%	41.7%	58.3%
Grade 11	20.2%	25.7%	43.0%	57.0%
Grade 12	22.3%	29.0%	44.1%	55.9%
Cigarettes?				
All	3.0%	4.5%	12.6%	87.4%
Grade 7	1.0%	1.5%	5.0%	95.0%
Grade 8	2.1%	2.6%	9.2%	90.8%
Grade 9	2.2%	3.2%	8.9%	91.1%
Grade 10	4.5%	6.0%	16.5%	83.5%
Grade 11	5.0%	7.7%	18.8%	81.2%
Grade 12	3.6%	6.3%	19.1%	80.9%
Smokeless Tobacco?				
All	2.2%	3.1%	6.6%	93.4%
Grade 7	0.7%	0.9%	2.7%	97.3%
Grade 8	1.7%	2.2%	4.8%	95.2%
Grade 9	1.5%	2.5%	5.3%	94.7%
Grade 10	2.4%	3.8%	8.3%	91.7%
Grade 11	3.7%	4.7%	10.0%	90.0%
Grade 12	3.7%	4.9%	9.2%	90.8%
Electronic Vapor Products?				
All	10.8%	15.0%	27.1%	72.9%
Grade 7	2.5%	4.3%	8.4%	91.6%
Grade 8	6.1%	8.3%	18.1%	81.9%
Grade 9	9.4%	13.7%	24.9%	75.1%
Grade 10	13.7%	19.0%	36.7%	63.3%
Grade 11	16.5%	21.7%	38.3%	61.7%
Grade 12	18.6%	25.2%	39.4%	60.6%

Percentages have been weighted to reflect proportions within the population.

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once Month	About Once a Year	Less Than Once a Year
All	87.7%	1.5%	1.3%	1.3%	2.3%	2.0%	3.9%
Grade 7	96.1%	0.1%	0.2%	0.4%	1.1%	0.7%	1.5%
Grade 8	92.9%	0.4%	0.3%	1.1%	0.9%	1.6%	2.8%
Grade 9	90.9%	0.9%	1.1%	1.1%	2.4%	0.8%	2.9%
Grade 10	83.9%	1.2%	2.4%	1.1%	3.1%	2.8%	5.4%
Grade 11	81.1%	3.3%	1.5%	2.3%	3.7%	2.3%	5.9%
Grade 12	79.5%	3.8%	2.8%	2.0%	2.5%	4.0%	5.3%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.3	10.5	10.9	12.2	13.3	13.7	14.8

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	34.2%	20.0%	7.2%	10.7%	12.9%	15.0%
Grade 7	45.9%	30.7%	7.9%	5.6%	5.5%	4.4%
Grade 8	38.1%	28.4%	7.8%	9.2%	9.8%	6.7%
Grade 9	32.8%	22.1%	9.3%	11.3%	12.1%	12.3%
Grade 10	31.3%	13.2%	6.9%	13.8%	17.6%	17.3%
Grade 11	28.0%	12.7%	6.3%	13.2%	16.6%	23.2%
Grade 12	27.2%	10.9%	4.5%	11.4%	17.2%	28.9%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	73.0%	16.4%	6.3%	3.3%	1.0%
Grade 7	89.3%	8.0%	1.6%	0.7%	0.3%
Grade 8	83.7%	11.5%	3.6%	0.8%	0.4%
Grade 9	73.9%	18.5%	4.4%	2.6%	0.6%
Grade 10	66.5%	20.9%	8.6%	2.1%	1.9%
Grade 11	62.8%	19.4%	10.7%	6.2%	1.0%
Grade 12	59.0%	21.0%	9.7%	8.7%	1.7%

Percentages have been weighted to reflect proportions within the population.

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	77.4%	6.8%	4.8%	1.0%	0.8%	9.2%
Grade 7	81.9%	4.2%	2.0%	0.4%	0.4%	11.1%
Grade 8	80.7%	4.8%	3.6%	0.7%	1.3%	8.8%
Grade 9	81.9%	6.0%	3.3%	0.8%	0.7%	7.3%
Grade 10	73.7%	6.6%	5.7%	1.3%	1.2%	11.4%
Grade 11	73.4%	9.4%	6.0%	0.6%	0.7%	9.8%
Grade 12	71.6%	10.2%	9.1%	2.1%	0.4%	6.5%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	60.6%	24.7%	6.5%	1.7%	6.5%
Grade 7	75.4%	14.9%	3.3%	1.2%	5.3%
Grade 8	69.9%	19.1%	5.0%	1.3%	4.8%
Grade 9	60.6%	26.3%	5.5%	1.3%	6.4%
Grade 10	52.1%	28.5%	7.8%	2.2%	9.3%
Grade 11	52.8%	30.8%	7.2%	1.6%	7.6%
Grade 12	50.8%	30.0%	10.9%	2.6%	5.7%
Electronic Vapor Products?					
All	60.5%	19.2%	10.1%	3.8%	6.4%
Grade 7	74.4%	13.3%	3.8%	2.2%	6.2%
Grade 8	65.1%	16.5%	9.1%	3.8%	5.4%
Grade 9	61.9%	18.2%	10.7%	3.5%	5.6%
Grade 10	53.9%	22.5%	11.9%	4.0%	7.7%
Grade 11	51.2%	23.1%	13.3%	4.8%	7.6%
Grade 12	54.4%	22.7%	12.9%	4.4%	5.7%

Percentages have been weighted to reflect proportions within the population.

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	29.7%	35.0%	52.0%	48.0%
Grade 7	14.7%	16.4%	32.3%	67.7%
Grade 8	21.4%	25.0%	43.2%	56.8%
Grade 9	29.4%	34.6%	51.9%	48.1%
Grade 10	35.1%	40.8%	58.1%	41.9%
Grade 11	36.2%	44.0%	63.4%	36.6%
Grade 12	44.1%	53.0%	66.9%	33.1%
Beer?				
All	10.3%	16.0%	38.6%	61.4%
Grade 7	3.8%	5.8%	24.3%	75.7%
Grade 8	7.1%	9.8%	32.5%	67.5%
Grade 9	8.1%	14.0%	35.5%	64.5%
Grade 10	12.3%	18.4%	43.0%	57.0%
Grade 11	14.8%	22.8%	47.7%	52.3%
Grade 12	17.3%	27.5%	51.9%	48.1%
Wine Coolers?				
All	8.8%	14.4%	30.4%	69.6%
Grade 7	2.5%	3.7%	14.9%	85.1%
Grade 8	5.3%	7.6%	20.7%	79.3%
Grade 9	7.9%	14.0%	29.4%	70.6%
Grade 10	9.2%	15.4%	34.6%	65.4%
Grade 11	12.4%	20.2%	40.3%	59.7%
Grade 12	17.1%	28.2%	45.7%	54.3%
Wine?				
All	7.1%	12.1%	31.7%	68.3%
Grade 7	2.9%	4.8%	18.6%	81.4%
Grade 8	5.0%	7.9%	24.8%	75.2%
Grade 9	6.6%	10.2%	27.8%	72.2%
Grade 10	8.9%	15.2%	37.3%	62.7%
Grade 11	7.6%	15.4%	39.7%	60.3%
Grade 12	12.2%	21.0%	44.9%	55.1%
Liquor?				
All	11.9%	19.1%	36.9%	63.1%
Grade 7	2.4%	4.3%	15.5%	84.5%
Grade 8	6.3%	9.3%	23.8%	76.2%
Grade 9	11.2%	17.7%	36.4%	63.6%
Grade 10	14.1%	22.5%	43.7%	56.3%
Grade 11	16.3%	26.7%	48.2%	51.8%
Grade 12	23.3%	37.3%	58.3%	41.7%

Percentages have been weighted to reflect proportions within the population.

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	60.9%	0.4%	1.6%	6.6%	11.1%	10.5%	8.9%
Grade 7	81.9%	0.3%	0.5%	2.1%	3.6%	4.8%	6.8%
Grade 8	73.1%	0.1%	1.0%	4.0%	6.2%	7.3%	8.3%
Grade 9	63.5%	0.1%	1.0%	4.5%	11.1%	10.8%	9.0%
Grade 10	53.4%	0.7%	2.2%	7.5%	13.1%	13.8%	9.3%
Grade 11	47.3%	0.5%	3.1%	10.0%	14.4%	13.2%	11.4%
Grade 12	41.5%	0.6%	2.0%	12.7%	20.0%	14.2%	8.9%

Percentages have been weighted to reflect proportions within the population.

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

	Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer					
All	65.2%	34.8%	5.9%	16.9%	12.0%
Grade 7	79.0%	21.0%	1.3%	8.3%	11.4%
Grade 8	70.6%	29.4%	2.8%	12.6%	14.0%
Grade 9	67.8%	32.2%	3.6%	15.1%	13.4%
Grade 10	61.7%	38.3%	6.5%	20.3%	11.6%
Grade 11	56.7%	43.3%	11.1%	21.2%	11.0%
Grade 12	52.5%	47.5%	11.3%	25.7%	10.4%
Wine Coolers					
All	72.9%	27.1%	5.1%	16.0%	6.0%
Grade 7	87.4%	12.6%	1.1%	6.0%	5.4%
Grade 8	82.7%	17.3%	2.0%	9.2%	6.1%
Grade 9	75.2%	24.8%	3.3%	15.3%	6.2%
Grade 10	68.9%	31.1%	5.5%	19.2%	6.4%
Grade 11	62.9%	37.1%	7.7%	22.2%	7.3%
Grade 12	57.1%	42.9%	12.0%	26.0%	4.8%
Wine					
All	72.1%	27.9%	2.0%	13.8%	12.2%
Grade 7	84.6%	15.4%	0.6%	6.6%	8.3%
Grade 8	78.9%	21.1%	0.9%	8.1%	12.0%
Grade 9	74.6%	25.4%	1.8%	12.5%	11.2%
Grade 10	66.9%	33.1%	2.7%	15.9%	14.4%
Grade 11	65.1%	34.9%	2.9%	18.3%	13.7%
Grade 12	60.0%	40.0%	3.0%	23.2%	13.8%
Liquor					
All	65.4%	34.6%	8.1%	16.8%	9.7%
Grade 7	86.2%	13.8%	1.2%	6.3%	6.3%
Grade 8	78.7%	21.3%	3.0%	7.6%	10.6%
Grade 9	66.3%	33.7%	5.5%	17.4%	10.8%
Grade 10	58.9%	41.1%	9.1%	22.5%	9.6%
Grade 11	55.2%	44.8%	13.4%	20.5%	10.9%
Grade 12	43.1%	56.9%	18.0%	28.7%	10.2%

Percentages have been weighted to reflect proportions within the population.

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	88.1%	4.8%	2.4%	2.5%	0.6%	1.6%
Grade 7	96.0%	2.1%	0.9%	0.3%	0.1%	0.6%
Grade 8	93.6%	3.2%	0.8%	1.7%	0.3%	0.4%
Grade 9	90.5%	4.1%	1.7%	1.2%	0.5%	2.1%
Grade 10	85.3%	6.1%	2.7%	3.0%	0.9%	2.1%
Grade 11	83.2%	5.2%	4.6%	3.7%	1.0%	2.3%
Grade 12	78.2%	8.5%	4.4%	5.7%	1.1%	2.1%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.0	10.3	11.1	12.3	13.1	14.0	14.8

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	26.7%	12.3%	5.9%	10.9%	17.7%	26.4%
Grade 7	40.2%	21.3%	7.6%	8.1%	12.2%	10.6%
Grade 8	31.9%	18.1%	7.3%	10.8%	14.4%	17.6%
Grade 9	25.7%	12.5%	7.2%	13.1%	17.1%	24.4%
Grade 10	22.7%	7.1%	5.0%	12.4%	21.5%	31.4%
Grade 11	19.7%	7.1%	3.7%	10.8%	21.4%	37.4%
Grade 12	18.2%	6.6%	4.3%	10.0%	20.8%	40.2%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.7%	3.1%	0.8%	0.4%
Grade 7	97.9%	1.8%	0.2%	0.1%
Grade 8	96.4%	2.6%	0.6%	0.3%
Grade 9	96.1%	2.9%	0.6%	0.3%
Grade 10	94.1%	3.8%	1.1%	0.9%
Grade 11	94.0%	4.1%	1.5%	0.4%
Grade 12	95.7%	3.5%	0.5%	0.4%

Percentages have been weighted to reflect proportions within the population.

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

	Average Days Absent Due to Illness or Other Reasons
Alcohol Users	4.2
Alcohol Non-Users	3.1

	Average Days Conduct Problems Reported
Alcohol Users	2.4
Alcohol Non-Users	0.8

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	96.5%	2.8%	0.4%	0.3%
Grade 9	99.5%	0.4%	0.0%	0.2%
Grade 10	96.7%	2.8%	0.4%	0.1%
Grade 11	96.1%	2.9%	0.5%	0.5%
Grade 12	93.3%	5.6%	0.8%	0.3%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.5%	3.0%	0.3%	0.2%
Grade 7	97.9%	2.0%	0.1%	0.1%
Grade 8	97.6%	1.6%	0.5%	0.3%
Grade 9	96.6%	3.0%	0.3%	0.1%
Grade 10	95.4%	4.0%	0.3%	0.2%
Grade 11	95.9%	3.7%	0.3%	0.1%
Grade 12	95.2%	4.2%	0.5%	0.1%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	49.1%	23.6%	14.0%	9.9%	3.4%
Grade 7	77.3%	15.6%	4.6%	1.6%	0.9%
Grade 8	64.7%	22.4%	8.2%	4.1%	0.6%
Grade 9	50.5%	26.0%	14.6%	7.1%	1.9%
Grade 10	36.7%	27.7%	19.3%	11.6%	4.6%
Grade 11	32.7%	26.9%	19.5%	16.2%	4.7%
Grade 12	28.0%	23.6%	19.0%	20.9%	8.4%

Percentages have been weighted to reflect proportions within the population.

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	50.0%	7.4%	6.1%	8.8%	9.0%	2.3%	16.4%
Grade 7	74.4%	5.5%	3.3%	3.4%	1.4%	2.4%	9.7%
Grade 8	65.9%	5.3%	5.7%	5.4%	2.9%	2.1%	12.7%
Grade 9	48.2%	9.4%	6.0%	7.6%	5.5%	3.3%	20.0%
Grade 10	41.6%	8.0%	9.2%	11.6%	8.6%	2.1%	18.9%
Grade 11	36.4%	7.1%	6.9%	11.0%	15.9%	2.4%	20.3%
Grade 12	30.0%	9.3%	5.2%	15.0%	21.9%	1.3%	17.4%

Percentages have been weighted to reflect proportions within the population.

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

	Do Not Drink	Never	Seldom	Most of the Time	Always
Home?					
All	59.2%	16.5%	15.4%	5.7%	3.2%
Grade 7	72.4%	15.4%	7.6%	3.1%	1.5%
Grade 8	66.2%	16.4%	12.4%	3.5%	1.5%
Grade 9	62.0%	15.4%	15.4%	4.8%	2.4%
Grade 10	55.5%	15.3%	17.9%	6.5%	4.8%
Grade 11	50.2%	19.7%	18.6%	7.7%	3.7%
Grade 12	46.0%	17.2%	21.7%	9.1%	6.0%
Friends?					
All	59.3%	18.1%	11.1%	8.5%	3.0%
Grade 7	76.4%	18.5%	3.0%	1.5%	0.5%
Grade 8	70.2%	17.9%	6.1%	4.8%	1.0%
Grade 9	62.9%	18.9%	11.2%	6.0%	1.0%
Grade 10	52.9%	18.8%	14.1%	10.6%	3.6%
Grade 11	48.4%	18.7%	14.2%	12.7%	5.9%
Grade 12	41.3%	15.2%	19.8%	17.2%	6.5%
A Store?					
All	62.2%	30.5%	3.6%	2.4%	1.2%
Grade 7	76.5%	21.5%	1.0%	0.6%	0.4%
Grade 8	71.5%	25.7%	1.3%	0.8%	0.7%
Grade 9	64.1%	30.8%	2.6%	1.7%	0.8%
Grade 10	56.7%	35.3%	3.2%	3.3%	1.5%
Grade 11	54.8%	33.5%	6.5%	3.5%	1.6%
Grade 12	46.5%	38.1%	7.7%	5.0%	2.8%
Parties?					
All	58.0%	15.6%	9.8%	10.0%	6.6%
Grade 7	73.4%	15.7%	6.1%	3.5%	1.3%
Grade 8	67.4%	15.8%	8.1%	6.3%	2.3%
Grade 9	60.5%	16.3%	10.3%	9.2%	3.7%
Grade 10	53.0%	16.4%	9.0%	12.9%	8.7%
Grade 11	48.8%	16.0%	11.7%	13.3%	10.1%
Grade 12	41.2%	13.3%	14.8%	16.0%	14.7%
Other Sources?					
All	62.8%	22.3%	7.0%	4.6%	3.3%
Grade 7	76.1%	17.5%	3.7%	1.7%	1.0%
Grade 8	70.6%	19.2%	5.6%	2.8%	1.8%
Grade 9	63.3%	23.3%	6.5%	5.0%	1.8%
Grade 10	59.0%	23.6%	7.2%	4.7%	5.4%
Grade 11	55.6%	25.1%	8.0%	6.5%	4.8%
Grade 12	49.2%	26.0%	12.0%	7.3%	5.4%

Percentages have been weighted to reflect proportions within the population.

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	59.4%	13.7%	12.1%	4.9%	1.2%	8.6%
Grade 7	72.5%	9.3%	5.4%	1.5%	0.4%	10.9%
Grade 8	67.2%	11.8%	7.6%	3.5%	0.8%	9.1%
Grade 9	64.2%	14.0%	9.9%	3.1%	1.3%	7.6%
Grade 10	52.3%	16.8%	13.7%	4.7%	1.9%	10.4%
Grade 11	49.9%	16.7%	18.1%	6.3%	1.1%	7.9%
Grade 12	48.1%	14.0%	19.6%	11.5%	1.6%	5.2%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	45.5%	31.2%	15.3%	2.8%	5.1%
Grade 7	58.9%	23.8%	10.1%	2.3%	4.9%
Grade 8	49.3%	29.3%	13.8%	2.8%	4.8%
Grade 9	44.8%	32.6%	15.4%	2.4%	4.7%
Grade 10	37.9%	33.9%	17.7%	3.5%	7.0%
Grade 11	39.5%	34.6%	16.7%	3.0%	6.3%
Grade 12	41.2%	33.9%	19.1%	2.9%	3.0%

Percentages have been weighted to reflect proportions within the population.

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	15.2%	19.6%	25.3%	74.7%
Grade 7	4.5%	6.5%	8.0%	92.0%
Grade 8	8.0%	11.2%	15.0%	85.0%
Grade 9	15.1%	18.5%	21.2%	78.8%
Grade 10	18.4%	23.0%	32.0%	68.0%
Grade 11	22.4%	29.0%	36.5%	63.5%
Grade 12	25.3%	32.0%	43.0%	57.0%
Marijuana?				
All	14.5%	17.4%	23.2%	76.8%
Grade 7	3.2%	3.5%	5.1%	94.9%
Grade 8	7.0%	8.8%	12.0%	88.0%
Grade 9	14.3%	16.2%	19.0%	81.0%
Grade 10	18.1%	21.6%	30.4%	69.6%
Grade 11	21.8%	26.7%	35.4%	64.6%
Grade 12	25.0%	30.5%	41.5%	58.5%
Cocaine?				
All	1.8%	2.0%	3.1%	96.9%
Grade 7	0.8%	0.8%	1.2%	98.8%
Grade 8	1.0%	1.2%	1.4%	98.6%
Grade 9	1.7%	1.8%	2.4%	97.6%
Grade 10	3.2%	3.5%	5.2%	94.8%
Grade 11	3.2%	3.4%	5.1%	94.9%
Grade 12	1.0%	1.7%	3.9%	96.1%
Crack?				
All	0.6%	0.8%	1.2%	98.8%
Grade 7	0.7%	0.8%	1.2%	98.8%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	1.4%	1.8%	2.4%	97.6%
Grade 11	0.6%	0.9%	1.2%	98.8%
Grade 12	0.3%	0.3%	1.0%	99.0%
Hallucinogens?				
All	1.5%	2.2%	3.7%	96.3%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	1.1%	1.3%	2.0%	98.0%
Grade 9	1.5%	1.8%	2.3%	97.7%
Grade 10	1.6%	2.0%	3.9%	96.1%
Grade 11	2.2%	3.1%	5.4%	94.6%
Grade 12	2.6%	5.3%	8.9%	91.1%

Percentages have been weighted to reflect proportions within the population.

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	0.3%	0.4%	0.5%	99.5%
Grade 12	0.0%	0.1%	0.6%	99.4%
Steroids?				
All	0.2%	0.4%	1.1%	98.9%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.6%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.1%	0.8%	1.4%	98.6%
Grade 11	0.3%	0.3%	1.2%	98.8%
Grade 12	0.3%	0.5%	1.3%	98.7%
Ecstasy?				
All	0.7%	1.0%	2.4%	97.6%
Grade 7	0.2%	0.4%	0.6%	99.4%
Grade 8	0.1%	0.1%	1.1%	98.9%
Grade 9	0.3%	0.5%	1.4%	98.6%
Grade 10	0.7%	1.1%	3.3%	96.7%
Grade 11	1.5%	2.0%	3.5%	96.5%
Grade 12	1.7%	2.2%	5.1%	94.9%
Heroin?				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.5%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.7%	0.7%	1.3%	98.7%
Grade 11	0.1%	0.3%	0.4%	99.6%
Grade 12	0.0%	0.1%	0.7%	99.3%
Methamphetamine?				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.5%	0.7%	1.2%	98.8%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	1.3%	1.5%	2.7%	97.3%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.3%	0.3%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.5%	2.3%	4.6%	95.4%
Grade 7	0.7%	0.9%	1.7%	98.3%
Grade 8	0.9%	1.4%	2.5%	97.5%
Grade 9	1.2%	2.8%	4.2%	95.8%
Grade 10	3.3%	3.9%	7.6%	92.4%
Grade 11	2.3%	3.0%	6.5%	93.5%
Grade 12	0.9%	1.7%	5.4%	94.6%

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	79.7%	2.3%	2.4%	3.4%	4.1%	4.0%	4.2%
Grade 7	96.3%	0.1%	0.6%	0.5%	0.3%	1.4%	0.7%
Grade 8	90.5%	0.8%	0.8%	1.4%	1.8%	2.5%	2.3%
Grade 9	83.2%	1.2%	1.6%	2.7%	4.3%	4.3%	2.6%
Grade 10	72.5%	3.5%	2.2%	5.6%	4.9%	4.6%	6.8%
Grade 11	69.0%	5.1%	4.5%	4.8%	6.9%	4.2%	5.5%
Grade 12	63.0%	3.5%	5.2%	5.9%	6.8%	7.6%	8.0%
Cocaine?							
All	97.5%	0.0%	0.1%	0.5%	0.3%	0.6%	0.9%
Grade 7	99.0%	0.1%	0.0%	0.0%	0.3%	0.2%	0.4%
Grade 8	99.4%	0.0%	0.0%	0.1%	0.3%	0.1%	0.1%
Grade 9	97.8%	0.0%	0.0%	0.5%	0.1%	1.4%	0.2%
Grade 10	96.0%	0.0%	0.2%	0.8%	0.3%	0.9%	1.7%
Grade 11	95.3%	0.0%	0.5%	1.1%	0.8%	0.4%	1.9%
Grade 12	97.3%	0.0%	0.0%	0.5%	0.2%	0.9%	1.1%
Crack?							
All	99.3%	0.0%	0.1%	0.1%	0.1%	0.2%	0.3%
Grade 7	99.3%	0.0%	0.0%	0.0%	0.2%	0.2%	0.4%
Grade 8	99.3%	0.0%	0.1%	0.1%	0.1%	0.3%	0.2%
Grade 9	99.5%	0.0%	0.0%	0.1%	0.0%	0.2%	0.2%
Grade 10	98.9%	0.0%	0.2%	0.2%	0.0%	0.3%	0.3%
Grade 11	99.4%	0.0%	0.0%	0.1%	0.3%	0.1%	0.2%
Grade 12	99.3%	0.0%	0.0%	0.1%	0.0%	0.1%	0.5%
Steroids?							
All	99.4%	0.0%	0.0%	0.0%	0.1%	0.1%	0.4%
Grade 7	99.5%	0.0%	0.0%	0.1%	0.1%	0.0%	0.3%
Grade 8	99.4%	0.1%	0.1%	0.0%	0.1%	0.0%	0.3%
Grade 9	99.6%	0.0%	0.0%	0.0%	0.0%	0.1%	0.4%
Grade 10	99.3%	0.0%	0.0%	0.0%	0.0%	0.1%	0.5%
Grade 11	99.2%	0.0%	0.1%	0.0%	0.0%	0.3%	0.4%
Grade 12	99.1%	0.0%	0.0%	0.1%	0.3%	0.1%	0.4%
Ecstasy?							
All	98.0%	0.0%	0.1%	0.1%	0.3%	0.6%	0.9%
Grade 7	99.5%	0.0%	0.1%	0.0%	0.1%	0.2%	0.0%
Grade 8	99.2%	0.0%	0.0%	0.0%	0.1%	0.2%	0.5%
Grade 9	98.6%	0.0%	0.0%	0.1%	0.3%	0.1%	0.9%
Grade 10	98.1%	0.1%	0.1%	0.2%	0.3%	0.1%	1.1%
Grade 11	96.6%	0.1%	0.6%	0.1%	0.2%	1.1%	1.4%
Grade 12	95.7%	0.1%	0.0%	0.3%	0.6%	1.8%	1.5%

Percentages have been weighted to reflect proportions within the population.

Table D-2: How Often Do You Normally Use...
(Continued)

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?							
All	99.6%	0.0%	0.0%	0.1%	0.0%	0.1%	0.2%
Grade 7	99.5%	0.2%	0.0%	0.0%	0.0%	0.2%	0.1%
Grade 8	99.6%	0.0%	0.0%	0.3%	0.0%	0.1%	0.0%
Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 10	99.4%	0.0%	0.0%	0.2%	0.0%	0.1%	0.2%
Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
Grade 12	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.3%
Methamphetamine?							
All	99.4%	0.0%	0.1%	0.1%	0.1%	0.2%	0.1%
Grade 7	99.6%	0.0%	0.1%	0.0%	0.1%	0.2%	0.1%
Grade 8	99.5%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
Grade 9	99.6%	0.1%	0.0%	0.0%	0.0%	0.1%	0.3%
Grade 10	99.0%	0.0%	0.3%	0.3%	0.1%	0.3%	0.0%
Grade 11	99.5%	0.0%	0.0%	0.0%	0.3%	0.2%	0.0%
Grade 12	99.1%	0.0%	0.2%	0.1%	0.0%	0.4%	0.2%
Synthetic Marijuana?							
All	96.6%	0.2%	0.3%	0.4%	0.6%	0.9%	1.2%
Grade 7	99.1%	0.2%	0.1%	0.1%	0.1%	0.1%	0.2%
Grade 8	98.1%	0.1%	0.2%	0.4%	0.6%	0.1%	0.5%
Grade 9	96.6%	0.0%	0.4%	0.3%	0.5%	1.4%	0.8%
Grade 10	94.3%	0.6%	0.6%	0.7%	0.6%	1.6%	1.7%
Grade 11	94.8%	0.0%	0.2%	0.8%	1.0%	1.1%	2.1%
Grade 12	96.1%	0.0%	0.1%	0.0%	0.5%	0.9%	2.3%

Percentages have been weighted to reflect proportions within the population.

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.9	11.2	11.9	13.2	13.7	14.2	15.2
Cocaine	14.3	11.5	11.5	12.8	14.3	14.7	16.2
Crack	13.4	11.9	11.1	13.2	13.9	14.1	15.4
Steroids	12.4	10.4	10.2	12.5	14.4	13.3	13.2
Ecstasy	14.8	11.5	12.6	13.8	14.0	15.3	16.1
Heroin	13.2	9.9	9.7	13.8	14.2	14.0	17.0
Metham- phetamine	13.8	10.9	12.5	12.5	13.8	14.9	16.2
Synthetic Marijuana	14.0	11.3	11.4	14.0	13.6	14.7	15.4

Percentages have been weighted to reflect proportions within the population.

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?						
All	31.9%	20.4%	7.2%	8.5%	12.7%	19.3%
Grade 7	47.7%	34.9%	7.4%	3.6%	3.7%	2.7%
Grade 8	37.4%	31.1%	8.7%	7.8%	7.0%	8.0%
Grade 9	30.2%	21.0%	8.1%	11.3%	15.2%	14.2%
Grade 10	26.7%	13.9%	7.7%	11.5%	15.2%	25.0%
Grade 11	24.2%	9.4%	7.3%	8.2%	16.9%	34.0%
Grade 12	23.1%	9.6%	3.2%	8.6%	19.7%	35.9%
Cocaine?						
All	42.2%	30.8%	11.3%	7.1%	4.1%	4.5%
Grade 7	50.4%	39.0%	6.2%	2.0%	1.2%	1.1%
Grade 8	44.1%	37.8%	9.3%	4.7%	2.0%	2.1%
Grade 9	40.4%	34.1%	12.0%	6.6%	4.4%	2.6%
Grade 10	39.2%	26.8%	12.5%	8.9%	5.7%	7.0%
Grade 11	38.3%	22.7%	14.4%	10.2%	6.2%	8.2%
Grade 12	40.1%	22.3%	14.3%	11.0%	5.6%	6.7%
Crack?						
All	44.8%	31.8%	11.4%	5.7%	2.8%	3.5%
Grade 7	51.6%	38.3%	6.1%	1.8%	1.3%	0.9%
Grade 8	46.1%	37.5%	8.8%	4.1%	1.6%	1.9%
Grade 9	43.5%	34.1%	11.9%	5.7%	2.4%	2.4%
Grade 10	42.6%	28.4%	12.1%	6.6%	4.1%	6.2%
Grade 11	40.6%	24.8%	16.4%	8.1%	4.0%	6.0%
Grade 12	43.6%	26.1%	13.8%	8.8%	3.5%	4.3%
Steroids?						
All	47.7%	29.6%	10.8%	6.1%	2.8%	3.0%
Grade 7	54.4%	34.8%	6.4%	3.0%	0.7%	0.8%
Grade 8	49.0%	33.6%	8.9%	4.9%	1.7%	1.9%
Grade 9	46.5%	32.8%	11.1%	5.7%	1.7%	2.1%
Grade 10	45.1%	27.4%	10.8%	7.6%	4.4%	4.6%
Grade 11	44.7%	23.2%	15.6%	6.5%	5.0%	5.0%
Grade 12	46.0%	24.4%	12.7%	9.6%	3.5%	3.8%
Ecstasy?						
All	53.5%	25.3%	8.3%	5.2%	3.5%	4.2%
Grade 7	64.9%	28.4%	3.9%	1.5%	0.7%	0.7%
Grade 8	58.0%	28.6%	7.3%	2.7%	1.0%	2.3%
Grade 9	52.9%	29.3%	7.6%	4.2%	3.0%	3.0%
Grade 10	50.7%	22.3%	10.4%	5.6%	5.0%	6.0%
Grade 11	46.9%	20.6%	11.1%	9.5%	5.9%	6.1%
Grade 12	45.8%	21.5%	9.7%	8.8%	6.3%	7.9%

Percentages have been weighted to reflect proportions within the population.

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?						
All	49.3%	32.5%	10.0%	4.0%	1.6%	2.5%
Grade 7	57.0%	34.6%	5.1%	1.6%	0.7%	1.0%
Grade 8	51.4%	34.8%	8.2%	2.8%	1.0%	1.7%
Grade 9	49.0%	34.4%	10.3%	3.6%	1.4%	1.3%
Grade 10	46.5%	30.7%	10.3%	6.5%	1.8%	4.2%
Grade 11	44.1%	29.8%	14.3%	5.3%	3.0%	3.5%
Grade 12	46.6%	30.4%	12.5%	4.9%	1.8%	3.7%
Methamphetamine?						
All	50.5%	30.8%	9.5%	4.3%	2.0%	2.9%
Grade 7	60.6%	32.1%	4.3%	1.5%	0.6%	0.9%
Grade 8	54.0%	32.8%	7.5%	3.0%	1.0%	1.8%
Grade 9	49.4%	32.1%	9.9%	5.1%	1.7%	1.8%
Grade 10	46.5%	29.1%	10.8%	5.9%	3.4%	4.3%
Grade 11	45.2%	28.8%	13.5%	4.4%	3.6%	4.5%
Grade 12	46.1%	29.6%	11.7%	6.5%	1.9%	4.2%
Synthetic Marijuana?						
All	50.2%	24.3%	7.1%	6.1%	5.3%	6.9%
Grade 7	62.5%	28.7%	4.3%	2.1%	1.1%	1.4%
Grade 8	55.5%	29.0%	6.8%	3.3%	2.2%	3.1%
Grade 9	49.6%	26.6%	6.9%	6.3%	5.3%	5.3%
Grade 10	45.6%	20.9%	6.3%	8.2%	8.4%	10.6%
Grade 11	41.7%	18.7%	9.5%	8.8%	8.3%	13.0%
Grade 12	45.0%	20.7%	9.4%	8.6%	7.2%	9.1%

Percentages have been weighted to reflect proportions within the population.

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	90.8%	5.2%	1.5%	2.6%
Grade 7	98.8%	0.8%	0.3%	0.1%
Grade 8	95.1%	2.9%	0.7%	1.3%
Grade 9	91.6%	4.4%	2.1%	2.0%
Grade 10	89.1%	6.4%	1.9%	2.6%
Grade 11	84.3%	8.1%	2.2%	5.4%
Grade 12	84.5%	9.1%	1.7%	4.8%
Attended Class While High from Use of Some Other Drug?				
All	96.2%	2.3%	0.7%	0.9%
Grade 7	98.0%	1.6%	0.3%	0.1%
Grade 8	96.8%	1.8%	0.9%	0.4%
Grade 9	95.4%	3.0%	0.4%	1.2%
Grade 10	95.5%	2.6%	0.7%	1.3%
Grade 11	94.3%	3.2%	1.5%	1.0%
Grade 12	96.9%	1.5%	0.4%	1.3%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

	Average Days Absent Due to Illness or Other Reasons
Marijuana Users	4.5
Marijuana Non-Users	3.3
	Average Days Conduct Problems Reported
Marijuana Users	3.3
Marijuana Non-Users	1.1

Percentages have been weighted to reflect proportions within the population.

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	93.3%	3.9%	1.2%	1.6%
Grade 9	98.2%	1.6%	0.2%	0.0%
Grade 10	94.8%	3.4%	1.0%	0.8%
Grade 11	91.4%	4.5%	1.6%	2.5%
Grade 12	88.0%	6.5%	2.3%	3.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.0%	3.3%	0.4%	0.3%
Grade 7	97.8%	2.0%	0.1%	0.1%
Grade 8	97.2%	2.3%	0.4%	0.1%
Grade 9	96.0%	3.0%	0.3%	0.7%
Grade 10	94.0%	4.5%	0.9%	0.6%
Grade 11	96.0%	3.3%	0.6%	0.2%
Grade 12	94.9%	4.6%	0.3%	0.2%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	57.4%	17.7%	11.3%	10.4%	3.2%
Grade 7	87.4%	8.6%	2.2%	1.1%	0.6%
Grade 8	75.2%	14.4%	6.5%	2.8%	1.1%
Grade 9	59.0%	18.2%	11.2%	8.7%	2.9%
Grade 10	43.9%	21.5%	16.0%	13.1%	5.6%
Grade 11	38.8%	22.1%	16.4%	18.4%	4.2%
Grade 12	35.2%	22.5%	16.8%	20.4%	5.2%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	59.1%	5.6%	3.9%	5.9%	6.4%	2.8%	16.3%
Grade 7	84.1%	2.3%	0.6%	1.0%	0.5%	1.9%	9.5%
Grade 8	73.5%	4.4%	3.1%	2.4%	2.2%	2.1%	12.4%
Grade 9	59.1%	4.9%	3.8%	4.7%	3.9%	3.6%	20.0%
Grade 10	51.5%	7.5%	4.7%	6.9%	7.1%	3.3%	19.0%
Grade 11	44.2%	5.7%	5.4%	9.9%	11.6%	3.4%	19.8%
Grade 12	38.5%	9.1%	6.1%	11.2%	14.7%	2.8%	17.7%

Percentages have been weighted to reflect proportions within the population.

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	73.6%	6.8%	7.7%	2.0%	1.4%	8.5%
Grade 7	83.5%	3.2%	2.0%	0.2%	0.4%	10.7%
Grade 8	80.2%	4.1%	4.5%	1.4%	1.1%	8.6%
Grade 9	76.5%	6.7%	5.7%	1.8%	1.5%	7.7%
Grade 10	68.7%	8.5%	8.2%	2.9%	2.1%	9.7%
Grade 11	65.7%	8.4%	12.8%	2.5%	2.3%	8.4%
Grade 12	65.2%	10.4%	14.3%	3.8%	1.0%	5.3%

Percentages have been weighted to reflect proportions within the population.

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?					
All	54.7%	14.6%	13.9%	11.0%	5.8%
Grade 7	78.0%	11.2%	3.3%	2.1%	5.4%
Grade 8	67.6%	13.6%	7.5%	6.5%	4.9%
Grade 9	57.4%	16.8%	11.7%	8.2%	5.9%
Grade 10	44.3%	16.8%	17.5%	14.1%	7.2%
Grade 11	39.1%	14.5%	21.5%	17.6%	7.3%
Grade 12	37.4%	14.9%	24.2%	19.4%	4.0%
Cocaine?					
All	84.9%	7.4%	0.9%	0.5%	6.3%
Grade 7	87.0%	6.4%	0.6%	0.6%	5.3%
Grade 8	85.9%	6.9%	0.8%	0.6%	5.8%
Grade 9	84.2%	8.3%	0.5%	0.3%	6.7%
Grade 10	82.6%	8.1%	1.2%	0.7%	7.4%
Grade 11	83.0%	8.1%	1.6%	0.6%	6.8%
Grade 12	86.8%	6.8%	0.5%	0.2%	5.7%
Crack?					
All	85.9%	6.5%	0.6%	0.4%	6.6%
Grade 7	85.8%	6.8%	0.5%	0.6%	6.3%
Grade 8	85.6%	6.7%	1.1%	0.6%	6.0%
Grade 9	86.2%	6.7%	0.6%	0.2%	6.2%
Grade 10	83.8%	6.9%	0.7%	0.2%	8.3%
Grade 11	84.2%	7.5%	0.4%	0.6%	7.3%
Grade 12	90.0%	4.3%	0.2%	0.2%	5.3%
Ecstasy?					
All	79.0%	8.2%	1.8%	0.8%	10.1%
Grade 7	82.0%	4.9%	0.9%	0.7%	11.5%
Grade 8	80.2%	7.1%	1.2%	1.1%	10.5%
Grade 9	78.5%	9.7%	1.3%	0.5%	10.0%
Grade 10	76.6%	9.3%	1.3%	0.9%	12.0%
Grade 11	76.6%	10.1%	2.9%	0.7%	9.7%
Grade 12	80.3%	8.5%	3.7%	1.0%	6.5%
Steroids?					
All	75.1%	11.6%	3.4%	1.1%	8.8%
Grade 7	79.1%	10.0%	2.3%	0.7%	7.9%
Grade 8	77.6%	10.1%	2.7%	1.1%	8.4%
Grade 9	74.6%	12.8%	3.7%	1.0%	7.9%
Grade 10	73.8%	11.4%	3.3%	1.2%	10.3%
Grade 11	70.7%	14.0%	4.2%	1.5%	9.6%
Grade 12	74.4%	11.6%	4.7%	0.8%	8.4%

Percentages have been weighted to reflect proportions within the population.

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?					
All	86.7%	4.8%	0.6%	0.5%	7.3%
Grade 7	85.9%	4.4%	0.6%	0.7%	8.3%
Grade 8	86.1%	5.3%	1.0%	0.9%	6.6%
Grade 9	87.3%	5.0%	0.8%	0.3%	6.6%
Grade 10	85.9%	4.7%	0.9%	0.2%	8.2%
Grade 11	85.4%	5.8%	0.2%	0.6%	8.1%
Grade 12	89.9%	3.7%	0.4%	0.4%	5.6%
Methamphetamine?					
All	86.5%	4.8%	0.7%	0.5%	7.4%
Grade 7	86.4%	3.9%	0.6%	0.7%	8.4%
Grade 8	86.1%	5.1%	1.2%	0.7%	6.9%
Grade 9	86.7%	5.7%	0.3%	0.2%	7.0%
Grade 10	84.4%	5.7%	1.1%	0.5%	8.4%
Grade 11	86.3%	4.8%	0.6%	0.8%	7.5%
Grade 12	89.2%	3.7%	0.3%	0.4%	6.4%
Synthetic Marijuana?					
All	79.4%	8.0%	2.8%	1.1%	8.7%
Grade 7	82.7%	5.6%	1.3%	1.0%	9.4%
Grade 8	81.7%	6.6%	2.2%	1.2%	8.3%
Grade 9	78.8%	9.1%	2.9%	0.9%	8.4%
Grade 10	76.5%	9.0%	3.8%	1.4%	9.4%
Grade 11	76.9%	8.6%	3.8%	1.4%	9.3%
Grade 12	79.3%	9.6%	2.8%	1.0%	7.3%

Percentages have been weighted to reflect proportions within the population.

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	6.2%	8.8%	17.0%	83.0%
Grade 7	4.9%	6.4%	12.0%	88.0%
Grade 8	6.1%	8.7%	15.2%	84.8%
Grade 9	6.8%	9.1%	16.8%	83.2%
Grade 10	6.7%	9.6%	18.2%	81.8%
Grade 11	6.6%	9.7%	19.5%	80.5%
Grade 12	6.2%	9.3%	21.3%	78.7%
Codeine Cough Syrup?				
All	2.6%	4.3%	10.0%	90.0%
Grade 7	2.4%	4.0%	8.1%	91.9%
Grade 8	3.1%	4.9%	9.5%	90.5%
Grade 9	2.9%	4.7%	10.8%	89.2%
Grade 10	2.7%	4.1%	9.5%	90.5%
Grade 11	2.7%	4.6%	11.1%	88.9%
Grade 12	2.0%	3.6%	11.2%	88.8%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.7%	1.2%	2.7%	97.3%
Grade 7	0.1%	0.3%	0.9%	99.1%
Grade 8	0.3%	0.7%	1.2%	98.8%
Grade 9	0.8%	1.2%	1.9%	98.1%
Grade 10	1.1%	1.3%	2.8%	97.2%
Grade 11	1.3%	1.7%	4.7%	95.3%
Grade 12	0.9%	2.0%	5.3%	94.7%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.5%	2.3%	5.3%	94.7%
Grade 7	0.4%	0.7%	1.9%	98.1%
Grade 8	0.9%	1.5%	3.1%	96.9%
Grade 9	1.8%	2.9%	4.9%	95.1%
Grade 10	2.0%	3.0%	7.0%	93.0%
Grade 11	2.6%	3.5%	8.3%	91.7%
Grade 12	1.6%	2.6%	7.2%	92.8%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.9%	2.8%	5.1%	94.9%
Grade 7	0.9%	1.0%	1.7%	98.3%
Grade 8	1.4%	2.1%	3.5%	96.5%
Grade 9	1.9%	2.5%	4.5%	95.5%
Grade 10	2.0%	3.1%	5.1%	94.9%
Grade 11	2.4%	3.0%	6.1%	93.9%
Grade 12	2.8%	5.0%	10.2%	89.8%

Percentages have been weighted to reflect proportions within the population.

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.9%	3.9%	7.8%	92.2%
Grade 7	2.3%	3.6%	7.2%	92.8%
Grade 8	2.5%	3.6%	7.0%	93.0%
Grade 9	2.9%	3.9%	8.4%	91.6%
Grade 10	4.3%	5.2%	9.4%	90.6%
Grade 11	3.2%	4.3%	7.9%	92.1%
Grade 12	2.1%	2.9%	6.6%	93.4%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.2%	1.6%	2.9%	97.1%
Grade 7	1.8%	2.1%	3.2%	96.8%
Grade 8	1.4%	1.6%	2.6%	97.4%
Grade 9	1.0%	1.4%	2.8%	97.2%
Grade 10	1.2%	1.5%	3.4%	96.6%
Grade 11	1.2%	1.6%	2.8%	97.2%
Grade 12	0.9%	1.1%	2.4%	97.6%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	72.1%	14.5%	4.0%	1.3%	8.1%
Grade 7	77.8%	8.7%	3.4%	1.3%	8.8%
Grade 8	75.1%	12.1%	3.8%	2.3%	6.8%
Grade 9	72.4%	16.4%	3.4%	0.9%	6.8%
Grade 10	69.0%	16.6%	4.5%	1.2%	8.7%
Grade 11	66.4%	16.5%	5.8%	1.7%	9.6%
Grade 12	71.1%	17.1%	3.2%	0.7%	8.0%

Percentages have been weighted to reflect proportions within the population.

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.4%	6.0%	12.3%	87.7%
Grade 7	5.5%	7.2%	14.1%	85.9%
Grade 8	6.5%	8.6%	16.1%	83.9%
Grade 9	4.2%	5.6%	11.2%	88.8%
Grade 10	4.3%	6.4%	11.8%	88.2%
Grade 11	3.2%	4.3%	11.3%	88.7%
Grade 12	2.3%	3.5%	8.8%	91.2%
Spray Paint?				
All	0.5%	0.6%	1.8%	98.2%
Grade 7	0.4%	0.4%	1.6%	98.4%
Grade 8	0.5%	0.6%	2.2%	97.8%
Grade 9	0.5%	0.6%	1.1%	98.9%
Grade 10	0.6%	0.9%	3.0%	97.0%
Grade 11	0.5%	0.6%	1.3%	98.7%
Grade 12	0.1%	0.1%	1.6%	98.4%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.2%	1.9%	5.6%	94.4%
Grade 7	1.6%	2.9%	6.9%	93.1%
Grade 8	1.5%	2.7%	7.2%	92.8%
Grade 9	1.3%	2.0%	5.2%	94.8%
Grade 10	1.7%	2.3%	6.6%	93.4%
Grade 11	0.1%	0.2%	3.7%	96.3%
Grade 12	0.5%	1.0%	3.5%	96.5%
Computer Dusting Sprays?				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.5%	0.7%	0.9%	99.1%
Grade 8	0.1%	0.5%	0.9%	99.1%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.5%	0.7%	1.7%	98.3%
Grade 11	0.3%	0.4%	1.4%	98.6%
Grade 12	0.0%	0.0%	0.5%	99.5%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.1%	1.7%	5.4%	94.6%
Grade 7	1.5%	2.7%	6.6%	93.4%
Grade 8	2.5%	2.8%	7.5%	92.5%
Grade 9	1.0%	1.3%	4.8%	95.2%
Grade 10	0.3%	1.3%	5.2%	94.8%
Grade 11	0.8%	1.3%	4.3%	95.7%
Grade 12	0.7%	0.9%	3.8%	96.2%

Percentages have been weighted to reflect proportions within the population.

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.6%	0.7%	1.6%	98.4%
Grade 8	0.5%	0.8%	1.9%	98.1%
Grade 9	0.4%	0.5%	0.7%	99.3%
Grade 10	0.2%	0.3%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.9%	99.1%
Grade 12	0.1%	0.3%	1.1%	98.9%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.2%	0.5%	1.2%	98.8%
Grade 8	0.3%	0.5%	1.1%	98.9%
Grade 9	0.1%	0.2%	0.8%	99.2%
Grade 10	0.1%	0.2%	1.1%	98.9%
Grade 11	0.3%	0.3%	0.9%	99.1%
Grade 12	0.2%	0.2%	0.6%	99.4%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.6%	0.9%	2.1%	97.9%
Grade 7	0.6%	0.9%	2.6%	97.4%
Grade 8	1.1%	1.6%	2.8%	97.2%
Grade 9	0.5%	0.7%	1.8%	98.2%
Grade 10	0.2%	0.5%	2.1%	97.9%
Grade 11	0.6%	1.3%	2.4%	97.6%
Grade 12	0.5%	0.5%	1.0%	99.0%
Other Aerosols/Sprays?				
All	0.5%	0.7%	1.6%	98.4%
Grade 7	0.5%	0.9%	2.8%	97.2%
Grade 8	0.4%	0.7%	1.9%	98.1%
Grade 9	1.2%	1.2%	1.5%	98.5%
Grade 10	0.1%	0.4%	1.1%	98.9%
Grade 11	0.2%	0.6%	1.3%	98.7%
Grade 12	0.2%	0.3%	0.9%	99.1%

Percentages have been weighted to reflect proportions within the population.

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.7%	0.1%	0.2%	0.3%	0.6%	0.4%	1.6%
Grade 7	96.1%	0.2%	0.5%	0.2%	0.9%	0.5%	1.6%
Grade 8	96.8%	0.0%	0.0%	0.5%	0.9%	0.5%	1.3%
Grade 9	96.9%	0.3%	0.3%	0.2%	0.4%	0.6%	1.2%
Grade 10	95.8%	0.0%	0.2%	0.4%	0.4%	0.5%	2.6%
Grade 11	96.8%	0.1%	0.0%	0.3%	0.8%	0.1%	2.0%
Grade 12	98.2%	0.1%	0.2%	0.1%	0.2%	0.3%	0.9%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	89.8%	5.6%	3.6%	1.0%
Grade 7	88.1%	6.2%	4.1%	1.6%
Grade 8	86.9%	7.4%	4.3%	1.4%
Grade 9	90.5%	5.5%	3.6%	0.4%
Grade 10	89.8%	4.9%	3.6%	1.7%
Grade 11	91.1%	5.0%	3.3%	0.6%
Grade 12	92.7%	4.3%	2.4%	0.6%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.6	10.1	11.0	11.9	12.6	11.7	14.0

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.6%	1.0%	0.1%	0.2%
Grade 7	98.6%	1.1%	0.2%	0.2%
Grade 8	98.3%	1.4%	0.0%	0.3%
Grade 9	98.4%	1.2%	0.2%	0.2%
Grade 10	98.2%	1.4%	0.0%	0.4%
Grade 11	98.8%	0.9%	0.1%	0.1%
Grade 12	99.3%	0.2%	0.3%	0.2%

Percentages have been weighted to reflect proportions within the population.

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

	Average Days Absent Due to Illness or Other Reasons
Inhalant Users	4.4
Inhalant Non-Users	3.5

	Average Days Conduct Problems Reported
Inhalant Users	4.5
Inhalant Non-Users	1.3

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	93.0%	4.5%	1.6%	0.5%	0.4%
Grade 7	92.1%	5.3%	1.3%	0.7%	0.6%
Grade 8	92.7%	4.7%	2.0%	0.4%	0.2%
Grade 9	91.3%	6.3%	1.9%	0.3%	0.2%
Grade 10	93.9%	2.7%	1.9%	0.7%	0.9%
Grade 11	92.9%	4.3%	1.8%	0.5%	0.4%
Grade 12	95.7%	3.3%	0.7%	0.2%	0.2%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	69.9%	14.8%	5.0%	1.5%	8.8%
Grade 7	73.2%	13.0%	4.3%	1.9%	7.7%
Grade 8	71.4%	13.4%	5.8%	1.8%	7.7%
Grade 9	69.1%	17.6%	5.2%	0.6%	7.5%
Grade 10	65.7%	15.5%	5.9%	1.9%	11.0%
Grade 11	67.1%	16.5%	5.4%	1.1%	9.9%
Grade 12	73.1%	13.0%	3.0%	1.7%	9.2%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	46.0%	14.9%	3.8%	4.6%	8.3%	22.4%
Grade 7	52.0%	22.7%	3.6%	3.9%	6.0%	11.8%
Grade 8	47.3%	20.7%	4.2%	5.7%	7.2%	14.9%
Grade 9	43.4%	15.9%	4.9%	4.4%	9.0%	22.5%
Grade 10	44.0%	11.0%	3.1%	6.0%	9.6%	26.3%
Grade 11	42.7%	8.4%	3.9%	4.0%	10.3%	30.7%
Grade 12	46.2%	9.6%	2.9%	3.5%	7.8%	30.0%

Percentages have been weighted to reflect proportions within the population.

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	41.2%
	Grade 7	40.1%
	Grade 8	43.1%
	Grade 9	41.2%
	Grade 10	44.8%
	Grade 11	41.8%
	Grade 12	35.8%
An Assembly Program		
	All	33.0%
	Grade 7	41.6%
	Grade 8	46.4%
	Grade 9	30.1%
	Grade 10	26.6%
	Grade 11	24.4%
	Grade 12	26.9%
Guidance Counselor		
	All	23.0%
	Grade 7	29.0%
	Grade 8	35.7%
	Grade 9	19.7%
	Grade 10	16.8%
	Grade 11	18.0%
	Grade 12	17.1%
School Nurse		
	All	16.0%
	Grade 7	23.0%
	Grade 8	23.4%
	Grade 9	12.1%
	Grade 10	12.9%
	Grade 11	13.2%
	Grade 12	10.0%
Science or Social Studies Class		
	All	31.2%
	Grade 7	33.7%
	Grade 8	33.3%
	Grade 9	35.0%
	Grade 10	28.9%
	Grade 11	25.1%
	Grade 12	30.5%

Percentages have been weighted to reflect proportions within the population.

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

(Continued)

		Yes
Student Group or Club Meeting at School		
	All	12.7%
	Grade 7	13.6%
	Grade 8	16.2%
	Grade 9	12.1%
	Grade 10	10.4%
	Grade 11	12.5%
	Grade 12	10.7%
An Invited School Guest		
	All	23.6%
	Grade 7	25.3%
	Grade 8	28.5%
	Grade 9	21.9%
	Grade 10	20.7%
	Grade 11	23.2%
	Grade 12	21.2%
Another Source at School		
	All	26.6%
	Grade 7	27.7%
	Grade 8	34.6%
	Grade 9	26.0%
	Grade 10	23.5%
	Grade 11	25.0%
	Grade 12	21.7%
Any School Source		
	All	63.6%
	Grade 7	66.3%
	Grade 8	69.1%
	Grade 9	62.7%
	Grade 10	62.9%
	Grade 11	61.1%
	Grade 12	58.8%

Percentages have been weighted to reflect proportions within the population.

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	37.6%
	Grade 7	51.9%
	Grade 8	45.2%
	Grade 9	37.4%
	Grade 10	31.3%
	Grade 11	29.8%
	Grade 12	27.5%
School Nurse		
	All	21.8%
	Grade 7	34.3%
	Grade 8	27.4%
	Grade 9	19.5%
	Grade 10	16.2%
	Grade 11	17.3%
	Grade 12	14.7%
Another Adult In School		
	All	42.0%
	Grade 7	52.6%
	Grade 8	46.5%
	Grade 9	40.8%
	Grade 10	34.0%
	Grade 11	38.7%
	Grade 12	38.6%
Counselor/Program Outside-School		
	All	41.4%
	Grade 7	49.8%
	Grade 8	46.3%
	Grade 9	38.6%
	Grade 10	35.2%
	Grade 11	39.2%
	Grade 12	38.6%
Your Parents		
	All	69.1%
	Grade 7	77.9%
	Grade 8	73.4%
	Grade 9	65.6%
	Grade 10	63.6%
	Grade 11	64.2%
	Grade 12	69.3%

Percentages have been weighted to reflect proportions within the population.

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

(Continued)

		Yes
A Medical Doctor		
	All	57.1%
	Grade 7	70.2%
	Grade 8	64.5%
	Grade 9	53.2%
	Grade 10	46.8%
	Grade 11	51.8%
	Grade 12	54.9%
Your Friends		
	All	62.2%
	Grade 7	54.9%
	Grade 8	56.9%
	Grade 9	60.7%
	Grade 10	63.9%
	Grade 11	67.5%
	Grade 12	70.6%
Another Adult		
	All	58.6%
	Grade 7	64.8%
	Grade 8	62.4%
	Grade 9	56.6%
	Grade 10	54.4%
	Grade 11	55.7%
	Grade 12	56.9%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

	Yes
All	6.9%
Grade 7	6.2%
Grade 8	6.3%
Grade 9	8.2%
Grade 10	8.2%
Grade 11	7.1%
Grade 12	5.7%

Percentages have been weighted to reflect proportions within the population.

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	6.3%	22.0%	24.9%	32.9%	14.0%
Grade 7	7.7%	18.3%	18.4%	33.4%	22.2%
Grade 8	6.1%	19.7%	23.0%	34.3%	16.8%
Grade 9	4.6%	20.7%	30.0%	31.5%	13.2%
Grade 10	6.8%	24.6%	27.1%	32.2%	9.4%
Grade 11	6.5%	25.6%	23.3%	32.3%	12.4%
Grade 12	6.1%	23.8%	27.6%	33.7%	8.9%
Sometimes Carry Weapons?					
All	81.1%	12.5%	4.1%	1.5%	0.9%
Grade 7	89.4%	7.2%	1.4%	1.4%	0.6%
Grade 8	85.0%	11.0%	2.1%	0.9%	1.0%
Grade 9	81.9%	12.9%	3.9%	0.8%	0.6%
Grade 10	78.7%	13.4%	5.0%	2.0%	1.0%
Grade 11	75.0%	15.5%	6.2%	1.8%	1.4%
Grade 12	74.7%	16.0%	6.5%	2.1%	0.6%
Care About Making Good Grades?					
All	2.0%	11.9%	25.2%	41.3%	19.7%
Grade 7	2.4%	11.0%	23.9%	37.8%	25.0%
Grade 8	2.3%	11.8%	25.1%	38.8%	22.0%
Grade 9	1.3%	12.9%	24.0%	42.6%	19.2%
Grade 10	2.7%	12.3%	27.9%	41.0%	16.2%
Grade 11	1.0%	11.8%	26.0%	42.6%	18.7%
Grade 12	2.2%	11.4%	24.3%	45.4%	16.8%
Belong/Want to Belong to a Gang?					
All	83.4%	11.0%	3.5%	1.2%	0.9%
Grade 7	85.8%	9.1%	3.0%	1.4%	0.7%
Grade 8	83.4%	11.1%	3.7%	0.8%	1.1%
Grade 9	81.0%	13.7%	3.9%	1.2%	0.1%
Grade 10	81.1%	12.0%	3.5%	1.6%	1.7%
Grade 11	81.5%	13.2%	3.4%	1.1%	0.8%
Grade 12	88.4%	6.1%	3.1%	1.3%	1.0%
Wish They Could Drop Out of School?					
All	46.9%	30.8%	12.8%	6.1%	3.4%
Grade 7	56.6%	26.2%	10.3%	4.4%	2.5%
Grade 8	50.8%	31.8%	11.1%	3.9%	2.4%
Grade 9	47.0%	30.7%	12.1%	6.8%	3.4%
Grade 10	41.4%	32.9%	13.6%	8.0%	4.1%
Grade 11	39.0%	32.5%	16.6%	7.3%	4.5%
Grade 12	45.0%	31.2%	13.9%	6.2%	3.7%

Percentages have been weighted to reflect proportions within the population.

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	85.5%	12.2%	1.0%	0.3%	1.0%
Grade 7	85.8%	12.4%	1.0%	0.2%	0.7%
Grade 8	84.9%	12.3%	0.8%	0.4%	1.5%
Grade 9	84.5%	13.2%	1.0%	0.3%	1.1%
Grade 10	84.1%	13.2%	1.1%	0.8%	0.9%
Grade 11	86.4%	11.6%	0.8%	0.1%	1.2%
Grade 12	87.6%	10.1%	1.4%	0.2%	0.7%
Out In Your Neighborhood?					
All	42.3%	46.4%	6.7%	1.5%	3.0%
Grade 7	42.7%	44.5%	6.6%	1.8%	4.3%
Grade 8	40.2%	49.4%	6.3%	1.3%	2.8%
Grade 9	39.7%	48.2%	7.8%	1.5%	2.9%
Grade 10	40.8%	47.2%	6.8%	2.3%	2.9%
Grade 11	45.4%	44.1%	6.5%	0.7%	3.3%
Grade 12	46.1%	44.4%	6.2%	1.6%	1.8%
At School?					
All	32.4%	49.1%	10.1%	4.1%	4.3%
Grade 7	43.4%	43.6%	7.4%	2.6%	3.0%
Grade 8	36.3%	44.3%	10.3%	4.5%	4.5%
Grade 9	31.5%	52.3%	8.7%	3.4%	4.2%
Grade 10	25.1%	53.9%	11.4%	4.3%	5.2%
Grade 11	26.3%	49.6%	13.1%	5.9%	5.1%
Grade 12	30.4%	50.9%	10.2%	4.4%	4.1%

Percentages have been weighted to reflect proportions within the population.

2   Prevalence Tables

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.4%	18.3%	31.1%	68.9%
Grade 7	3.9%	5.7%	11.3%	88.7%
Grade 8	8.4%	10.8%	21.8%	78.2%
Grade 9	13.7%	17.2%	28.1%	71.9%
Grade 10	19.6%	24.1%	41.7%	58.3%
Grade 11	20.2%	25.7%	43.0%	57.0%
Grade 12	22.3%	29.0%	44.1%	55.9%
Any Alcohol Product				
All	29.7%	35.0%	52.0%	48.0%
Grade 7	14.7%	16.4%	32.3%	67.7%
Grade 8	21.4%	25.0%	43.2%	56.8%
Grade 9	29.4%	34.6%	51.9%	48.1%
Grade 10	35.1%	40.8%	58.1%	41.9%
Grade 11	36.2%	44.0%	63.4%	36.6%
Grade 12	44.1%	53.0%	66.9%	33.1%
Any Illicit Drug				
All	15.2%	19.6%	25.3%	74.7%
Grade 7	4.5%	6.5%	8.0%	92.0%
Grade 8	8.0%	11.2%	15.0%	85.0%
Grade 9	15.1%	18.5%	21.2%	78.8%
Grade 10	18.4%	23.0%	32.0%	68.0%
Grade 11	22.4%	29.0%	36.5%	63.5%
Grade 12	25.3%	32.0%	43.0%	57.0%
Any Prescription Drug				
All	6.2%	8.8%	17.0%	83.0%
Grade 7	4.9%	6.4%	12.0%	88.0%
Grade 8	6.1%	8.7%	15.2%	84.8%
Grade 9	6.8%	9.1%	16.8%	83.2%
Grade 10	6.7%	9.6%	18.2%	81.8%
Grade 11	6.6%	9.7%	19.5%	80.5%
Grade 12	6.2%	9.3%	21.3%	78.7%
Any Inhalant				
All	4.4%	6.0%	12.3%	87.7%
Grade 7	5.5%	7.2%	14.1%	85.9%
Grade 8	6.5%	8.6%	16.1%	83.9%
Grade 9	4.2%	5.6%	11.2%	88.8%
Grade 10	4.3%	6.4%	11.8%	88.2%
Grade 11	3.2%	4.3%	11.3%	88.7%
Grade 12	2.3%	3.5%	8.8%	91.2%

Percentages have been weighted to reflect proportions within the population.

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.8%	15.0%	27.1%	72.9%
Grade 7	2.5%	4.3%	8.4%	91.6%
Grade 8	6.1%	8.3%	18.1%	81.9%
Grade 9	9.4%	13.7%	24.9%	75.1%
Grade 10	13.7%	19.0%	36.7%	63.3%
Grade 11	16.5%	21.7%	38.3%	61.7%
Grade 12	18.6%	25.2%	39.4%	60.6%
Marijuana				
All	14.5%	17.4%	23.2%	76.8%
Grade 7	3.2%	3.5%	5.1%	94.9%
Grade 8	7.0%	8.8%	12.0%	88.0%
Grade 9	14.3%	16.2%	19.0%	81.0%
Grade 10	18.1%	21.6%	30.4%	69.6%
Grade 11	21.8%	26.7%	35.4%	64.6%
Grade 12	25.0%	30.5%	41.5%	58.5%
Marijuana Only				
All	7.9%	10.0%	14.7%	85.3%
Grade 7	1.4%	1.5%	2.5%	97.5%
Grade 8	3.8%	4.7%	7.4%	92.6%
Grade 9	8.3%	9.7%	11.9%	88.1%
Grade 10	9.5%	12.0%	18.9%	81.1%
Grade 11	11.8%	15.5%	23.0%	77.0%
Grade 12	14.2%	18.2%	27.2%	72.8%
Cocaine or Crack				
All	2.0%	2.2%	3.4%	96.6%
Grade 7	1.2%	1.2%	1.7%	98.3%
Grade 8	1.2%	1.4%	1.8%	98.2%
Grade 9	1.7%	1.8%	2.4%	97.6%
Grade 10	3.3%	3.8%	5.5%	94.5%
Grade 11	3.3%	3.5%	5.3%	94.7%
Grade 12	1.2%	1.9%	4.1%	95.9%
Cocaine				
All	1.8%	2.0%	3.1%	96.9%
Grade 7	0.8%	0.8%	1.2%	98.8%
Grade 8	1.0%	1.2%	1.4%	98.6%
Grade 9	1.7%	1.8%	2.4%	97.6%
Grade 10	3.2%	3.5%	5.2%	94.8%
Grade 11	3.2%	3.4%	5.1%	94.9%
Grade 12	1.0%	1.7%	3.9%	96.1%

Percentages have been weighted to reflect proportions within the population.

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.8%	1.2%	98.8%
Grade 7	0.7%	0.8%	1.2%	98.8%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	1.4%	1.8%	2.4%	97.6%
Grade 11	0.6%	0.9%	1.2%	98.8%
Grade 12	0.3%	0.3%	1.0%	99.0%
Hallucinogens				
All	1.5%	2.2%	3.7%	96.3%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	1.1%	1.3%	2.0%	98.0%
Grade 9	1.5%	1.8%	2.3%	97.7%
Grade 10	1.6%	2.0%	3.9%	96.1%
Grade 11	2.2%	3.1%	5.4%	94.6%
Grade 12	2.6%	5.3%	8.9%	91.1%
Synthetic Cathinones				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	0.3%	0.4%	0.5%	99.5%
Grade 12	0.0%	0.1%	0.6%	99.4%
Steroids				
All	0.2%	0.4%	1.1%	98.9%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.6%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.1%	0.8%	1.4%	98.6%
Grade 11	0.3%	0.3%	1.2%	98.8%
Grade 12	0.3%	0.5%	1.3%	98.7%
Ecstasy				
All	0.7%	1.0%	2.4%	97.6%
Grade 7	0.2%	0.4%	0.6%	99.4%
Grade 8	0.1%	0.1%	1.1%	98.9%
Grade 9	0.3%	0.5%	1.4%	98.6%
Grade 10	0.7%	1.1%	3.3%	96.7%
Grade 11	1.5%	2.0%	3.5%	96.5%
Grade 12	1.7%	2.2%	5.1%	94.9%

Percentages have been weighted to reflect proportions within the population.

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.5%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.7%	0.7%	1.3%	98.7%
Grade 11	0.1%	0.3%	0.4%	99.6%
Grade 12	0.0%	0.1%	0.7%	99.3%
Synthetic Marijuana				
All	1.5%	2.3%	4.6%	95.4%
Grade 7	0.7%	0.9%	1.7%	98.3%
Grade 8	0.9%	1.4%	2.5%	97.5%
Grade 9	1.2%	2.8%	4.2%	95.8%
Grade 10	3.3%	3.9%	7.6%	92.4%
Grade 11	2.3%	3.0%	6.5%	93.5%
Grade 12	0.9%	1.7%	5.4%	94.6%
Methamphetamine				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.5%	0.7%	1.2%	98.8%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	1.3%	1.5%	2.7%	97.3%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.3%	0.3%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.5%	16.7%	29.5%	70.5%
Grade 7	4.2%	5.7%	12.6%	87.4%
Grade 8	8.1%	10.5%	22.7%	77.3%
Grade 9	11.7%	14.4%	25.5%	74.5%
Grade 10	15.9%	19.2%	35.8%	64.2%
Grade 11	20.9%	25.2%	41.8%	58.2%
Grade 12	22.9%	28.7%	42.7%	57.3%
Any Alcohol Product				
All	26.0%	30.8%	48.6%	51.4%
Grade 7	14.4%	16.2%	33.3%	66.7%
Grade 8	21.0%	24.5%	42.3%	57.7%
Grade 9	22.3%	28.2%	46.1%	53.9%
Grade 10	30.3%	34.2%	53.0%	47.0%
Grade 11	31.4%	38.6%	59.3%	40.7%
Grade 12	39.7%	46.9%	60.9%	39.1%
Any Illicit Drug				
All	14.6%	18.8%	24.4%	75.6%
Grade 7	4.8%	7.1%	8.9%	91.1%
Grade 8	8.7%	12.0%	16.3%	83.7%
Grade 9	11.3%	14.3%	17.2%	82.8%
Grade 10	16.4%	20.9%	29.2%	70.8%
Grade 11	23.4%	30.1%	37.8%	62.2%
Grade 12	26.0%	31.7%	41.6%	58.4%
Any Prescription Drug				
All	5.8%	7.8%	16.1%	83.9%
Grade 7	5.1%	6.3%	12.0%	88.0%
Grade 8	6.1%	7.4%	14.4%	85.6%
Grade 9	4.8%	6.7%	13.6%	86.4%
Grade 10	5.2%	8.0%	13.9%	86.1%
Grade 11	6.1%	8.7%	20.0%	80.0%
Grade 12	7.5%	10.0%	24.0%	76.0%
Any Inhalant				
All	4.0%	5.3%	11.3%	88.7%
Grade 7	4.2%	5.7%	11.7%	88.3%
Grade 8	6.1%	8.2%	13.9%	86.1%
Grade 9	2.0%	2.9%	8.6%	91.4%
Grade 10	4.6%	5.5%	10.8%	89.2%
Grade 11	4.6%	6.0%	13.4%	86.6%
Grade 12	2.4%	3.4%	9.4%	90.6%

Percentages have been weighted to reflect proportions within the population.

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.7%	13.4%	25.3%	74.7%
Grade 7	2.8%	4.3%	8.8%	91.2%
Grade 8	5.3%	7.4%	18.4%	81.6%
Grade 9	7.1%	11.5%	22.0%	78.0%
Grade 10	10.0%	14.4%	31.7%	68.3%
Grade 11	17.5%	21.5%	37.9%	62.1%
Grade 12	17.9%	23.7%	37.0%	63.0%
Marijuana				
All	13.6%	16.5%	22.1%	77.9%
Grade 7	3.0%	3.5%	5.2%	94.8%
Grade 8	7.5%	9.8%	13.3%	86.7%
Grade 9	10.5%	12.4%	15.6%	84.4%
Grade 10	15.8%	20.1%	27.9%	72.1%
Grade 11	22.4%	27.0%	36.3%	63.7%
Grade 12	25.6%	29.6%	39.4%	60.6%
Marijuana Only				
All	7.3%	9.1%	13.4%	86.6%
Grade 7	1.3%	1.5%	2.5%	97.5%
Grade 8	4.2%	5.5%	8.1%	91.9%
Grade 9	5.9%	7.3%	9.6%	90.4%
Grade 10	9.2%	11.5%	17.8%	82.2%
Grade 11	12.1%	15.7%	23.4%	76.6%
Grade 12	13.0%	15.3%	21.9%	78.1%
Cocaine or Crack				
All	2.1%	2.3%	3.7%	96.3%
Grade 7	1.5%	1.5%	2.3%	97.7%
Grade 8	1.3%	1.6%	2.3%	97.7%
Grade 9	1.5%	1.6%	1.9%	98.1%
Grade 10	2.9%	3.1%	4.4%	95.6%
Grade 11	3.7%	4.0%	5.9%	94.1%
Grade 12	1.8%	2.4%	6.2%	93.8%
Cocaine				
All	1.8%	2.0%	3.4%	96.6%
Grade 7	0.8%	0.8%	1.4%	98.6%
Grade 8	1.1%	1.3%	1.9%	98.1%
Grade 9	1.5%	1.6%	1.9%	98.1%
Grade 10	2.6%	2.6%	3.9%	96.1%
Grade 11	3.7%	4.0%	5.9%	94.1%
Grade 12	1.5%	2.1%	5.9%	94.1%

Percentages have been weighted to reflect proportions within the population.

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**

(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.8%	1.5%	98.5%
Grade 7	0.9%	0.9%	1.6%	98.4%
Grade 8	0.4%	0.4%	1.4%	98.6%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	1.2%	1.7%	2.1%	97.9%
Grade 11	0.8%	0.8%	1.1%	98.9%
Grade 12	0.5%	0.5%	1.9%	98.1%
Hallucinogens				
All	1.3%	2.1%	4.1%	95.9%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	1.1%	1.3%	2.0%	98.0%
Grade 9	0.8%	1.3%	1.7%	98.3%
Grade 10	1.3%	1.7%	4.3%	95.7%
Grade 11	1.8%	2.9%	5.4%	94.6%
Grade 12	3.0%	5.9%	12.0%	88.0%
Synthetic Cathinones				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.9%	99.1%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	1.0%	99.0%
Steroids				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.8%	1.0%	2.4%	97.6%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.2%	0.6%	1.0%	99.0%
Grade 11	0.3%	0.3%	1.5%	98.5%
Grade 12	0.2%	0.2%	1.5%	98.5%
Ecstasy				
All	0.8%	1.1%	2.7%	97.3%
Grade 7	0.0%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.1%	1.6%	98.4%
Grade 9	0.1%	0.4%	1.2%	98.8%
Grade 10	0.8%	0.9%	3.8%	96.2%
Grade 11	2.2%	2.5%	3.6%	96.4%
Grade 12	2.1%	2.8%	6.4%	93.6%

Percentages have been weighted to reflect proportions within the population.

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.5%	0.7%	1.2%	98.8%
Grade 9	0.7%	0.7%	0.9%	99.1%
Grade 10	0.5%	0.5%	1.4%	98.6%
Grade 11	0.1%	0.7%	0.7%	99.3%
Grade 12	0.0%	0.2%	1.5%	98.5%
Synthetic Marijuana				
All	1.1%	1.8%	4.0%	96.0%
Grade 7	0.5%	0.8%	2.0%	98.0%
Grade 8	0.8%	1.4%	2.8%	97.2%
Grade 9	0.4%	1.4%	2.0%	98.0%
Grade 10	2.2%	2.8%	6.2%	93.8%
Grade 11	2.2%	2.7%	6.1%	93.9%
Grade 12	0.6%	1.8%	5.5%	94.5%
Methamphetamine				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.8%	1.2%	1.7%	98.3%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	1.2%	1.2%	2.3%	97.7%
Grade 11	0.5%	0.7%	0.7%	99.3%
Grade 12	0.2%	0.2%	2.3%	97.7%

Percentages have been weighted to reflect proportions within the population.

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.2%	19.9%	32.7%	67.3%
Grade 7	3.6%	5.5%	9.8%	90.2%
Grade 8	8.6%	11.0%	20.7%	79.3%
Grade 9	15.6%	19.9%	30.7%	69.3%
Grade 10	23.4%	29.0%	47.7%	52.3%
Grade 11	19.5%	26.4%	44.3%	55.7%
Grade 12	21.7%	29.1%	45.3%	54.7%
Any Alcohol Product				
All	33.3%	39.2%	55.5%	44.5%
Grade 7	15.0%	16.6%	31.2%	68.8%
Grade 8	21.8%	25.4%	44.1%	55.9%
Grade 9	36.1%	40.6%	57.1%	42.9%
Grade 10	39.9%	47.5%	63.5%	36.5%
Grade 11	40.5%	49.1%	67.3%	32.7%
Grade 12	48.4%	58.8%	72.7%	27.3%
Any Illicit Drug				
All	15.8%	20.3%	26.0%	74.0%
Grade 7	4.0%	5.7%	6.9%	93.1%
Grade 8	7.2%	10.3%	13.5%	86.5%
Grade 9	18.8%	22.6%	25.0%	75.0%
Grade 10	20.2%	25.1%	34.7%	65.3%
Grade 11	21.5%	28.0%	35.0%	65.0%
Grade 12	24.4%	31.8%	44.0%	56.0%
Any Prescription Drug				
All	6.6%	9.8%	17.9%	82.1%
Grade 7	4.5%	6.6%	11.9%	88.1%
Grade 8	6.1%	10.2%	16.1%	83.9%
Grade 9	8.5%	11.2%	19.5%	80.5%
Grade 10	8.4%	11.2%	22.5%	77.5%
Grade 11	7.1%	10.8%	19.2%	80.8%
Grade 12	4.9%	8.7%	18.5%	81.5%
Any Inhalant				
All	4.7%	6.7%	13.2%	86.8%
Grade 7	6.7%	8.7%	16.4%	83.6%
Grade 8	6.9%	9.0%	18.4%	81.6%
Grade 9	6.3%	8.2%	13.6%	86.4%
Grade 10	4.0%	7.3%	12.9%	87.1%
Grade 11	1.9%	2.7%	8.7%	91.3%
Grade 12	2.0%	3.5%	8.1%	91.9%

Percentages have been weighted to reflect proportions within the population.

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**

(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.9%	16.6%	28.9%	71.1%
Grade 7	2.1%	4.2%	7.8%	92.2%
Grade 8	6.7%	9.1%	17.7%	82.3%
Grade 9	11.5%	15.8%	27.6%	72.4%
Grade 10	17.3%	23.5%	41.8%	58.2%
Grade 11	15.5%	22.0%	38.8%	61.2%
Grade 12	19.3%	26.5%	41.7%	58.3%
Marijuana				
All	15.4%	18.3%	24.2%	75.8%
Grade 7	3.3%	3.3%	5.0%	95.0%
Grade 8	6.6%	7.8%	10.8%	89.2%
Grade 9	17.8%	19.8%	22.3%	77.7%
Grade 10	20.3%	23.2%	32.9%	67.1%
Grade 11	21.4%	26.6%	34.3%	65.7%
Grade 12	24.2%	30.9%	43.3%	56.7%
Marijuana Only				
All	8.6%	10.8%	15.9%	84.1%
Grade 7	1.5%	1.5%	2.6%	97.4%
Grade 8	3.3%	4.0%	6.8%	93.2%
Grade 9	10.7%	12.0%	14.2%	85.8%
Grade 10	9.8%	12.6%	20.2%	79.8%
Grade 11	11.7%	15.4%	22.3%	77.7%
Grade 12	15.2%	20.9%	32.5%	67.5%
Cocaine or Crack				
All	1.9%	2.1%	3.1%	96.9%
Grade 7	0.8%	0.8%	1.2%	98.8%
Grade 8	1.0%	1.1%	1.1%	98.9%
Grade 9	1.9%	1.9%	2.9%	97.1%
Grade 10	3.8%	4.5%	6.5%	93.5%
Grade 11	2.9%	2.9%	4.8%	95.2%
Grade 12	0.6%	1.4%	2.0%	98.0%
Cocaine				
All	1.8%	2.1%	2.9%	97.1%
Grade 7	0.8%	0.8%	1.0%	99.0%
Grade 8	0.7%	0.8%	0.8%	99.2%
Grade 9	1.9%	1.9%	2.9%	97.1%
Grade 10	3.8%	4.5%	6.5%	93.5%
Grade 11	2.8%	2.8%	4.3%	95.7%
Grade 12	0.6%	1.4%	2.0%	98.0%

Percentages have been weighted to reflect proportions within the population.

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students

(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.8%	1.0%	99.0%
Grade 7	0.4%	0.6%	0.8%	99.2%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	0.1%	0.3%	0.5%	99.5%
Grade 10	1.6%	2.0%	2.6%	97.4%
Grade 11	0.5%	1.0%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.6%	2.2%	3.2%	96.8%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	1.0%	1.3%	2.0%	98.0%
Grade 9	2.0%	2.2%	2.7%	97.3%
Grade 10	1.9%	2.4%	3.6%	96.4%
Grade 11	2.6%	3.2%	5.4%	94.6%
Grade 12	2.1%	4.5%	5.5%	94.5%
Synthetic Cathinones				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.8%	99.2%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.7%	0.7%	0.8%	99.2%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.0%	0.1%	0.1%	99.9%
Steroids				
All	0.2%	0.5%	1.0%	99.0%
Grade 7	0.3%	0.6%	0.9%	99.1%
Grade 8	0.1%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.0%	1.1%	1.5%	98.5%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.2%	0.6%	0.9%	99.1%
Ecstasy				
All	0.6%	1.0%	2.1%	97.9%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.4%	0.6%	1.5%	98.5%
Grade 10	0.6%	1.4%	2.9%	97.1%
Grade 11	0.7%	1.5%	3.5%	96.5%
Grade 12	1.3%	1.6%	3.8%	96.2%

Percentages have been weighted to reflect proportions within the population.

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.9%	0.9%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.9%	2.7%	5.1%	94.9%
Grade 7	0.7%	0.9%	1.3%	98.7%
Grade 8	1.0%	1.4%	2.2%	97.8%
Grade 9	2.0%	4.0%	6.2%	93.8%
Grade 10	4.2%	4.8%	8.8%	91.2%
Grade 11	2.3%	3.3%	6.9%	93.1%
Grade 12	1.1%	1.5%	5.3%	94.7%
Methamphetamine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.2%	0.4%	0.8%	99.2%
Grade 10	1.4%	1.9%	3.0%	97.0%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.3%	99.7%

Percentages have been weighted to reflect proportions within the population.

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.2%	22.9%	35.1%	64.9%
Grade 7	3.0%	4.6%	11.2%	88.8%
Grade 8	6.7%	9.4%	19.2%	80.8%
Grade 9	16.5%	22.0%	34.8%	65.2%
Grade 10	20.8%	26.4%	39.1%	60.9%
Grade 11	26.6%	32.7%	50.8%	49.2%
Grade 12	37.4%	44.3%	58.0%	42.0%
Any Alcohol Product				
All	31.3%	38.6%	59.4%	40.6%
Grade 7	13.9%	15.6%	37.9%	62.1%
Grade 8	21.7%	26.6%	48.0%	52.0%
Grade 9	28.1%	38.0%	58.9%	41.1%
Grade 10	34.0%	40.8%	64.1%	35.9%
Grade 11	41.0%	51.1%	73.4%	26.6%
Grade 12	51.4%	61.8%	75.6%	24.4%
Any Illicit Drug				
All	14.6%	18.5%	24.3%	75.7%
Grade 7	4.2%	4.5%	5.4%	94.6%
Grade 8	5.3%	7.4%	9.6%	90.4%
Grade 9	9.7%	13.7%	19.7%	80.3%
Grade 10	17.0%	20.2%	25.9%	74.1%
Grade 11	21.2%	28.9%	35.9%	64.1%
Grade 12	31.9%	38.4%	51.6%	48.4%
Any Prescription Drug				
All	6.3%	10.2%	19.2%	80.8%
Grade 7	4.2%	6.4%	16.6%	83.4%
Grade 8	5.6%	8.5%	14.2%	85.8%
Grade 9	7.2%	10.9%	18.5%	81.5%
Grade 10	5.6%	9.6%	17.7%	82.3%
Grade 11	7.2%	11.7%	19.2%	80.8%
Grade 12	8.0%	14.2%	29.7%	70.3%
Any Inhalant				
All	3.5%	5.4%	12.1%	87.9%
Grade 7	4.6%	7.2%	13.9%	86.1%
Grade 8	4.8%	5.4%	14.3%	85.7%
Grade 9	3.9%	5.7%	10.6%	89.4%
Grade 10	1.9%	5.1%	12.1%	87.9%
Grade 11	3.2%	5.3%	11.4%	88.6%
Grade 12	2.6%	3.9%	10.0%	90.0%

Percentages have been weighted to reflect proportions within the population.

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.2%	20.7%	32.5%	67.5%
Grade 7	1.8%	3.7%	8.6%	91.4%
Grade 8	5.9%	8.4%	16.3%	83.7%
Grade 9	12.6%	19.5%	31.1%	68.9%
Grade 10	15.7%	24.1%	38.6%	61.4%
Grade 11	24.0%	29.1%	47.7%	52.3%
Grade 12	32.7%	41.1%	54.9%	45.1%
Marijuana				
All	13.8%	16.5%	22.3%	77.7%
Grade 7	2.6%	2.9%	3.7%	96.3%
Grade 8	3.9%	4.6%	6.7%	93.3%
Grade 9	8.7%	11.6%	17.6%	82.4%
Grade 10	17.0%	18.8%	24.3%	75.7%
Grade 11	20.7%	26.0%	33.9%	66.1%
Grade 12	31.7%	37.3%	50.5%	49.5%
Marijuana Only				
All	6.9%	9.2%	14.2%	85.8%
Grade 7	1.5%	1.8%	2.4%	97.6%
Grade 8	1.4%	2.1%	4.0%	96.0%
Grade 9	4.2%	5.9%	10.3%	89.7%
Grade 10	8.2%	10.0%	14.5%	85.5%
Grade 11	11.7%	16.5%	23.9%	76.1%
Grade 12	14.9%	20.2%	32.1%	67.9%
Cocaine or Crack				
All	0.7%	0.9%	2.2%	97.8%
Grade 7	0.9%	0.9%	1.4%	98.6%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	0.6%	0.6%	2.4%	97.6%
Grade 11	0.4%	0.4%	1.8%	98.2%
Grade 12	1.3%	2.5%	5.7%	94.3%
Cocaine				
All	0.7%	0.9%	2.1%	97.9%
Grade 7	0.7%	0.7%	1.2%	98.8%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	0.6%	0.6%	2.4%	97.6%
Grade 11	0.4%	0.4%	1.8%	98.2%
Grade 12	0.9%	2.2%	5.4%	94.6%

Percentages have been weighted to reflect proportions within the population.

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.3%	0.3%	0.6%	99.4%
Hallucinogens				
All	2.1%	3.1%	5.2%	94.8%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	1.3%	1.3%	2.2%	97.8%
Grade 9	1.9%	2.5%	3.6%	96.4%
Grade 10	3.1%	4.5%	7.9%	92.1%
Grade 11	2.0%	2.7%	5.9%	94.1%
Grade 12	4.5%	8.3%	11.6%	88.4%
Synthetic Cathinones				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.6%	0.6%	0.9%	99.1%
Grade 10	0.9%	0.9%	1.3%	98.7%
Grade 11	0.4%	0.4%	0.9%	99.1%
Grade 12	0.0%	0.3%	1.0%	99.0%
Steroids				
All	0.2%	0.4%	1.7%	98.3%
Grade 7	0.2%	0.8%	2.1%	97.9%
Grade 8	0.4%	0.6%	1.7%	98.3%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.5%	0.9%	1.0%	99.0%
Grade 11	0.1%	0.1%	2.3%	97.7%
Grade 12	0.0%	0.3%	2.2%	97.8%
Ecstasy				
All	0.8%	1.3%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.3%	1.2%	98.8%
Grade 9	0.6%	1.5%	2.9%	97.1%
Grade 10	1.2%	1.6%	3.7%	96.3%
Grade 11	0.7%	1.6%	2.7%	97.3%
Grade 12	2.5%	2.8%	7.0%	93.0%

Percentages have been weighted to reflect proportions within the population.

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.4%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.3%	0.3%	99.7%
Synthetic Marijuana				
All	1.2%	1.7%	3.2%	96.8%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.7%	1.1%	1.6%	98.4%
Grade 9	1.4%	2.1%	3.5%	96.5%
Grade 10	2.1%	2.5%	4.7%	95.3%
Grade 11	0.9%	1.3%	2.9%	97.1%
Grade 12	1.9%	3.2%	6.1%	93.9%
Methamphetamine				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.3%	0.3%	1.0%	99.0%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.8%	0.9%	2.1%	97.9%
Grade 11	0.0%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.5%	13.9%	27.6%	72.4%
Grade 7	0.2%	1.8%	5.7%	94.3%
Grade 8	12.5%	14.6%	26.3%	73.7%
Grade 9	8.4%	12.0%	31.3%	68.7%
Grade 10	16.2%	22.1%	38.3%	61.7%
Grade 11	3.4%	9.0%	26.5%	73.5%
Grade 12	18.0%	26.2%	40.2%	59.8%
Any Alcohol Product				
All	22.9%	29.6%	45.7%	54.3%
Grade 7	8.1%	9.7%	20.6%	79.4%
Grade 8	27.2%	29.5%	45.3%	54.7%
Grade 9	20.5%	25.2%	40.0%	60.0%
Grade 10	31.0%	43.3%	59.7%	40.3%
Grade 11	14.6%	28.9%	58.5%	41.5%
Grade 12	39.0%	44.5%	54.3%	45.7%
Any Illicit Drug				
All	13.9%	19.1%	25.5%	74.5%
Grade 7	5.0%	6.8%	6.8%	93.2%
Grade 8	7.9%	13.6%	22.7%	77.3%
Grade 9	13.0%	18.4%	18.4%	81.6%
Grade 10	15.2%	21.5%	34.0%	66.0%
Grade 11	13.1%	17.5%	28.6%	71.4%
Grade 12	31.9%	40.2%	47.2%	52.8%
Any Prescription Drug				
All	5.7%	8.1%	14.5%	85.5%
Grade 7	1.7%	4.3%	6.4%	93.6%
Grade 8	12.4%	12.8%	21.2%	78.8%
Grade 9	4.9%	7.0%	10.9%	89.1%
Grade 10	6.1%	10.2%	16.3%	83.7%
Grade 11	2.3%	4.6%	16.2%	83.8%
Grade 12	7.2%	9.9%	17.5%	82.5%
Any Inhalant				
All	3.7%	5.5%	11.1%	88.9%
Grade 7	4.8%	6.4%	11.2%	88.8%
Grade 8	10.1%	16.8%	23.3%	76.7%
Grade 9	2.5%	3.0%	8.1%	91.9%
Grade 10	4.0%	6.0%	6.0%	94.0%
Grade 11	0.0%	0.0%	13.1%	86.9%
Grade 12	0.0%	0.0%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.3%	11.0%	24.5%	75.5%
Grade 7	0.2%	1.9%	2.4%	97.6%
Grade 8	3.8%	6.0%	21.0%	79.0%
Grade 9	5.1%	7.2%	27.4%	72.6%
Grade 10	16.5%	20.5%	34.8%	65.2%
Grade 11	3.4%	9.0%	26.5%	73.5%
Grade 12	16.3%	23.1%	37.0%	63.0%
Marijuana				
All	12.9%	16.2%	22.5%	77.5%
Grade 7	1.8%	1.8%	3.7%	96.3%
Grade 8	6.5%	10.1%	17.0%	83.0%
Grade 9	13.0%	14.9%	14.9%	85.1%
Grade 10	15.2%	19.5%	32.0%	68.0%
Grade 11	13.1%	17.5%	28.6%	71.4%
Grade 12	30.5%	37.4%	44.4%	55.6%
Marijuana Only				
All	8.8%	11.1%	17.1%	82.9%
Grade 7	0.2%	0.2%	2.0%	98.0%
Grade 8	0.0%	0.0%	6.5%	93.5%
Grade 9	11.1%	12.9%	12.9%	87.1%
Grade 10	13.0%	17.2%	29.4%	70.6%
Grade 11	8.7%	13.1%	24.3%	75.7%
Grade 12	22.2%	26.4%	31.9%	68.1%
Cocaine or Crack				
All	1.1%	1.3%	1.3%	98.7%
Grade 7	1.6%	1.6%	1.6%	98.4%
Grade 8	2.3%	3.6%	3.6%	96.4%
Grade 9	1.4%	1.4%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.4%	1.4%	1.4%	98.6%
Cocaine				
All	0.8%	1.1%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.3%	3.6%	3.6%	96.4%
Grade 9	1.4%	1.4%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.4%	1.4%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students

(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	1.6%	1.6%	1.6%	98.4%
Grade 8	0.0%	0.0%	1.3%	98.7%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.0%	1.0%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	3.6%	3.6%	3.6%	96.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.8%	2.8%	7.1%	92.9%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.3%	1.3%	1.3%	98.7%
Grade 9	0.0%	0.0%	2.2%	97.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.4%	2.9%	97.1%
Ecstasy				
All	0.0%	0.0%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	4.3%	95.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.2%	97.8%
Grade 12	0.0%	0.0%	2.8%	97.2%

Percentages have been weighted to reflect proportions within the population.

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.3%	1.3%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.7%	1.9%	3.0%	97.0%
Grade 7	3.2%	3.2%	3.2%	96.8%
Grade 8	1.3%	1.3%	5.6%	94.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.0%	2.0%	2.0%	98.0%
Grade 11	2.2%	2.2%	2.2%	97.8%
Grade 12	1.4%	2.8%	5.6%	94.4%
Methamphetamine				
All	0.5%	0.8%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.0%	3.3%	3.3%	96.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.4%	1.4%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.9%	17.6%	30.0%	70.0%
Grade 7	4.5%	6.3%	11.5%	88.5%
Grade 8	8.2%	10.2%	20.2%	79.8%
Grade 9	13.4%	16.4%	24.8%	75.2%
Grade 10	19.7%	23.6%	43.8%	56.2%
Grade 11	21.8%	27.1%	43.5%	56.5%
Grade 12	17.3%	24.1%	40.0%	60.0%
Any Alcohol Product				
All	30.0%	34.5%	50.8%	49.2%
Grade 7	15.4%	17.2%	32.1%	67.9%
Grade 8	19.0%	22.3%	40.7%	59.3%
Grade 9	31.5%	35.4%	51.7%	48.3%
Grade 10	36.4%	40.8%	57.1%	42.9%
Grade 11	38.6%	44.3%	60.8%	39.2%
Grade 12	42.7%	51.4%	66.5%	33.5%
Any Illicit Drug				
All	15.6%	19.9%	25.4%	74.6%
Grade 7	4.3%	6.8%	8.8%	91.2%
Grade 8	8.3%	11.5%	13.9%	86.1%
Grade 9	17.3%	20.1%	21.9%	78.1%
Grade 10	19.9%	24.6%	34.0%	66.0%
Grade 11	24.7%	31.5%	38.7%	61.3%
Grade 12	21.1%	27.8%	39.1%	60.9%
Any Prescription Drug				
All	6.1%	8.1%	16.1%	83.9%
Grade 7	5.5%	6.6%	11.3%	88.7%
Grade 8	5.3%	8.0%	13.5%	86.5%
Grade 9	6.6%	8.1%	16.2%	83.8%
Grade 10	6.8%	8.8%	18.3%	81.7%
Grade 11	7.1%	9.9%	19.7%	80.3%
Grade 12	4.9%	7.3%	18.7%	81.3%
Any Inhalant				
All	4.8%	6.3%	12.4%	87.6%
Grade 7	5.8%	7.1%	14.2%	85.8%
Grade 8	6.8%	8.5%	15.2%	84.8%
Grade 9	4.9%	6.4%	11.8%	88.2%
Grade 10	4.5%	6.3%	12.2%	87.8%
Grade 11	3.9%	5.0%	11.3%	88.7%
Grade 12	2.3%	3.7%	8.9%	91.1%

Percentages have been weighted to reflect proportions within the population.

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.9%	13.7%	25.5%	74.5%
Grade 7	2.8%	4.6%	8.6%	91.4%
Grade 8	6.4%	8.1%	17.0%	83.0%
Grade 9	9.0%	13.0%	22.0%	78.0%
Grade 10	12.4%	17.0%	37.1%	62.9%
Grade 11	16.9%	21.7%	36.8%	63.2%
Grade 12	13.7%	20.0%	34.8%	65.2%
Marijuana				
All	14.9%	17.8%	23.4%	76.6%
Grade 7	3.3%	3.7%	5.7%	94.3%
Grade 8	7.5%	9.4%	11.5%	88.5%
Grade 9	16.3%	17.7%	19.9%	80.1%
Grade 10	19.5%	23.5%	32.6%	67.4%
Grade 11	24.3%	29.2%	37.6%	62.4%
Grade 12	20.9%	26.2%	37.6%	62.4%
Marijuana Only				
All	8.1%	10.0%	14.3%	85.7%
Grade 7	1.2%	1.4%	2.5%	97.5%
Grade 8	4.8%	6.1%	7.8%	92.2%
Grade 9	9.1%	10.1%	12.0%	88.0%
Grade 10	9.7%	12.3%	19.0%	81.0%
Grade 11	12.6%	16.1%	23.0%	77.0%
Grade 12	12.2%	15.9%	24.8%	75.2%
Cocaine or Crack				
All	2.5%	2.8%	4.1%	95.9%
Grade 7	1.2%	1.2%	1.9%	98.1%
Grade 8	1.0%	1.0%	1.3%	98.7%
Grade 9	2.1%	2.1%	3.0%	97.0%
Grade 10	5.0%	5.7%	7.7%	92.3%
Grade 11	5.2%	5.4%	7.5%	92.5%
Grade 12	0.9%	1.7%	4.0%	96.0%
Cocaine				
All	2.4%	2.6%	3.8%	96.2%
Grade 7	1.1%	1.1%	1.4%	98.6%
Grade 8	0.5%	0.6%	0.7%	99.3%
Grade 9	2.1%	2.1%	3.0%	97.0%
Grade 10	4.9%	5.4%	7.4%	92.6%
Grade 11	5.0%	5.2%	7.1%	92.9%
Grade 12	0.8%	1.5%	3.9%	96.1%

Percentages have been weighted to reflect proportions within the population.

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	1.0%	1.6%	98.4%
Grade 7	0.6%	0.7%	1.4%	98.6%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	0.3%	0.5%	0.5%	99.5%
Grade 10	2.0%	2.7%	3.4%	96.6%
Grade 11	0.9%	1.3%	1.8%	98.2%
Grade 12	0.3%	0.3%	1.4%	98.6%
Hallucinogens				
All	1.3%	2.0%	3.6%	96.4%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	0.6%	0.9%	1.7%	98.3%
Grade 9	1.6%	1.8%	2.2%	97.8%
Grade 10	1.3%	1.6%	3.2%	96.8%
Grade 11	2.9%	3.8%	6.5%	93.5%
Grade 12	1.3%	4.0%	8.0%	92.0%
Synthetic Cathinones				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.4%	0.4%	1.0%	99.0%
Grade 11	0.4%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.6%	99.4%
Steroids				
All	0.2%	0.5%	0.9%	99.1%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.1%	1.1%	1.9%	98.1%
Grade 11	0.5%	0.5%	1.2%	98.8%
Grade 12	0.3%	0.3%	0.6%	99.4%
Ecstasy				
All	0.7%	1.0%	2.4%	97.6%
Grade 7	0.4%	0.6%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.1%	0.3%	1.1%	98.9%
Grade 10	0.7%	1.1%	3.9%	96.1%
Grade 11	1.7%	2.2%	3.7%	96.3%
Grade 12	1.5%	2.3%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.4%	0.5%	0.9%	99.1%
Grade 9	0.6%	0.6%	0.9%	99.1%
Grade 10	1.1%	1.1%	1.9%	98.1%
Grade 11	0.1%	0.5%	0.7%	99.3%
Grade 12	0.0%	0.0%	1.1%	98.9%
Synthetic Marijuana				
All	1.7%	2.6%	5.4%	94.6%
Grade 7	0.4%	0.8%	1.8%	98.2%
Grade 8	1.0%	1.4%	2.1%	97.9%
Grade 9	1.5%	3.7%	5.3%	94.7%
Grade 10	4.3%	4.7%	9.7%	90.3%
Grade 11	2.9%	3.9%	8.3%	91.7%
Grade 12	0.3%	1.0%	5.5%	94.5%
Methamphetamine				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.4%	0.6%	1.1%	98.9%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	1.8%	2.2%	3.6%	96.4%
Grade 11	0.4%	0.4%	0.7%	99.3%
Grade 12	0.2%	0.2%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.3%	11.8%	23.0%	77.0%
Grade 7	2.2%	3.3%	6.6%	93.4%
Grade 8	3.5%	5.1%	13.9%	86.1%
Grade 9	7.7%	9.7%	19.5%	80.5%
Grade 10	10.9%	17.7%	34.1%	65.9%
Grade 11	11.9%	15.7%	39.8%	60.2%
Grade 12	21.1%	30.0%	43.3%	56.7%
Any Alcohol Product				
All	22.5%	28.7%	46.7%	53.3%
Grade 7	11.1%	12.0%	28.1%	71.9%
Grade 8	13.5%	17.7%	38.4%	61.6%
Grade 9	24.6%	31.7%	49.2%	50.8%
Grade 10	24.5%	34.7%	53.2%	46.8%
Grade 11	31.0%	40.7%	63.1%	36.9%
Grade 12	43.5%	54.0%	67.3%	32.7%
Any Illicit Drug				
All	8.5%	12.2%	16.9%	83.1%
Grade 7	2.1%	3.4%	5.0%	95.0%
Grade 8	3.5%	6.7%	9.1%	90.9%
Grade 9	9.7%	12.2%	14.8%	85.2%
Grade 10	10.1%	14.5%	21.2%	78.8%
Grade 11	11.8%	18.1%	26.4%	73.6%
Grade 12	21.1%	27.7%	38.8%	61.2%
Any Prescription Drug				
All	5.1%	7.2%	14.6%	85.4%
Grade 7	4.1%	6.2%	11.4%	88.6%
Grade 8	5.9%	7.9%	12.8%	87.2%
Grade 9	6.5%	8.9%	16.7%	83.3%
Grade 10	2.8%	4.0%	13.1%	86.9%
Grade 11	5.4%	7.6%	15.8%	84.2%
Grade 12	5.9%	8.4%	20.8%	79.2%
Any Inhalant				
All	2.9%	4.3%	10.1%	89.9%
Grade 7	4.1%	6.0%	11.6%	88.4%
Grade 8	3.5%	4.3%	10.7%	89.3%
Grade 9	4.0%	4.5%	10.6%	89.4%
Grade 10	0.7%	2.8%	7.1%	92.9%
Grade 11	1.5%	2.7%	9.1%	90.9%
Grade 12	1.7%	3.7%	9.5%	90.5%

Percentages have been weighted to reflect proportions within the population.

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average

(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.8%	10.0%	20.4%	79.6%
Grade 7	1.7%	2.7%	4.8%	95.2%
Grade 8	2.8%	4.0%	12.0%	88.0%
Grade 9	5.1%	7.5%	17.1%	82.9%
Grade 10	8.1%	14.8%	32.4%	67.6%
Grade 11	11.3%	14.0%	35.4%	64.6%
Grade 12	18.3%	26.6%	39.2%	60.8%
Marijuana				
All	8.1%	10.1%	15.0%	85.0%
Grade 7	1.4%	1.4%	2.9%	97.1%
Grade 8	3.2%	4.3%	6.5%	93.5%
Grade 9	8.5%	9.0%	12.0%	88.0%
Grade 10	10.1%	12.9%	19.6%	80.4%
Grade 11	11.8%	16.1%	25.5%	74.5%
Grade 12	21.1%	26.9%	38.8%	61.2%
Marijuana Only				
All	5.1%	6.8%	10.7%	89.3%
Grade 7	0.6%	0.6%	1.2%	98.8%
Grade 8	2.1%	3.0%	5.0%	95.0%
Grade 9	6.1%	6.2%	8.0%	92.0%
Grade 10	6.2%	8.5%	14.2%	85.8%
Grade 11	7.8%	11.0%	20.4%	79.6%
Grade 12	12.8%	18.2%	26.6%	73.4%
Cocaine or Crack				
All	0.8%	0.9%	1.6%	98.4%
Grade 7	0.7%	0.7%	1.5%	98.5%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	1.8%	1.8%	2.2%	97.8%
Grade 10	1.1%	1.2%	1.3%	98.7%
Grade 11	0.0%	0.7%	2.5%	97.5%
Grade 12	0.0%	0.0%	1.7%	98.3%
Cocaine				
All	0.8%	0.9%	1.5%	98.5%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	1.8%	1.8%	2.2%	97.8%
Grade 10	1.1%	1.2%	1.3%	98.7%
Grade 11	0.0%	0.7%	2.5%	97.5%
Grade 12	0.0%	0.0%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.5%	0.5%	1.1%	98.9%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	1.1%	98.9%
Hallucinogens				
All	1.2%	1.7%	2.5%	97.5%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.4%	0.9%	1.4%	98.6%
Grade 9	1.8%	2.1%	2.5%	97.5%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	1.1%	2.2%	2.9%	97.1%
Grade 12	4.1%	5.4%	8.0%	92.0%
Synthetic Cathinones				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.1%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.7%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.6%	0.7%	1.6%	98.4%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.0%	0.9%	1.4%	98.6%
Ecstasy				
All	0.4%	0.6%	1.6%	98.4%
Grade 7	0.2%	0.5%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.5%	1.2%	2.7%	97.3%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.4%	0.4%	1.2%	98.8%
Grade 12	1.0%	1.4%	4.9%	95.1%

Percentages have been weighted to reflect proportions within the population.

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.1%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.1%	98.9%
Synthetic Marijuana				
All	0.7%	1.0%	2.3%	97.7%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.4%	0.8%	1.0%	99.0%
Grade 9	1.5%	1.5%	3.5%	96.5%
Grade 10	1.7%	2.1%	4.7%	95.3%
Grade 11	0.0%	0.4%	1.5%	98.5%
Grade 12	0.6%	0.9%	4.1%	95.9%
Methamphetamine				
All	0.2%	0.3%	0.8%	99.2%
Grade 7	0.4%	0.6%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.4%	1.0%	99.0%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	2.2%	97.8%

Percentages have been weighted to reflect proportions within the population.

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.2%	18.8%	32.3%	67.7%
Grade 7	5.0%	7.1%	14.1%	85.9%
Grade 8	10.5%	12.9%	25.0%	75.0%
Grade 9	15.3%	19.0%	31.5%	68.5%
Grade 10	20.5%	23.8%	43.5%	56.5%
Grade 11	20.4%	25.9%	41.8%	58.2%
Grade 12	21.7%	26.6%	41.4%	58.6%
Any Alcohol Product				
All	31.2%	35.8%	52.1%	47.9%
Grade 7	16.8%	19.0%	34.3%	65.7%
Grade 8	24.7%	27.8%	44.9%	55.1%
Grade 9	32.0%	35.9%	52.9%	47.1%
Grade 10	38.9%	42.6%	59.5%	40.5%
Grade 11	35.7%	42.5%	60.7%	39.3%
Grade 12	42.5%	50.9%	64.1%	35.9%
Any Illicit Drug				
All	16.6%	21.1%	26.9%	73.1%
Grade 7	5.8%	8.4%	9.6%	90.4%
Grade 8	9.9%	13.1%	17.5%	82.5%
Grade 9	17.3%	21.8%	24.3%	75.7%
Grade 10	19.1%	23.7%	33.3%	66.7%
Grade 11	24.7%	30.9%	38.7%	61.3%
Grade 12	25.5%	32.3%	42.7%	57.3%
Any Prescription Drug				
All	6.6%	9.0%	17.0%	83.0%
Grade 7	5.4%	6.8%	12.5%	87.5%
Grade 8	6.4%	9.2%	15.8%	84.2%
Grade 9	6.4%	8.6%	15.5%	84.5%
Grade 10	8.5%	11.2%	19.1%	80.9%
Grade 11	7.2%	9.6%	19.8%	80.2%
Grade 12	5.6%	9.0%	20.5%	79.5%
Any Inhalant				
All	5.1%	6.9%	13.5%	86.5%
Grade 7	6.4%	8.2%	15.9%	84.1%
Grade 8	8.0%	10.4%	18.3%	81.7%
Grade 9	4.8%	6.5%	12.7%	87.3%
Grade 10	5.2%	7.2%	12.3%	87.7%
Grade 11	3.3%	4.7%	12.4%	87.6%
Grade 12	2.2%	3.1%	8.1%	91.9%

Percentages have been weighted to reflect proportions within the population.

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.2%	15.1%	27.8%	72.2%
Grade 7	3.0%	5.2%	10.6%	89.4%
Grade 8	7.5%	9.7%	20.5%	79.5%
Grade 9	10.2%	15.0%	27.2%	72.8%
Grade 10	13.4%	17.4%	36.6%	63.4%
Grade 11	17.4%	22.8%	38.4%	61.6%
Grade 12	17.6%	22.7%	36.9%	63.1%
Marijuana				
All	15.7%	18.8%	24.6%	75.4%
Grade 7	4.3%	4.8%	6.5%	93.5%
Grade 8	8.6%	10.8%	14.5%	85.5%
Grade 9	16.4%	19.2%	21.8%	78.2%
Grade 10	18.7%	22.3%	31.4%	68.6%
Grade 11	23.9%	28.8%	37.6%	62.4%
Grade 12	25.3%	30.6%	40.9%	59.1%
Marijuana Only				
All	8.2%	10.2%	14.8%	85.2%
Grade 7	2.0%	2.2%	3.4%	96.6%
Grade 8	4.5%	5.5%	8.5%	91.5%
Grade 9	9.1%	11.1%	13.3%	86.7%
Grade 10	8.3%	10.7%	17.7%	82.3%
Grade 11	13.0%	16.3%	23.3%	76.7%
Grade 12	14.0%	17.4%	25.9%	74.1%
Cocaine or Crack				
All	2.6%	2.9%	4.2%	95.8%
Grade 7	1.5%	1.5%	1.8%	98.2%
Grade 8	1.5%	1.8%	2.3%	97.7%
Grade 9	2.1%	2.1%	2.9%	97.1%
Grade 10	4.4%	5.1%	7.0%	93.0%
Grade 11	4.8%	4.8%	7.1%	92.9%
Grade 12	1.5%	2.6%	4.8%	95.2%
Cocaine				
All	2.4%	2.7%	3.9%	96.1%
Grade 7	0.9%	0.9%	1.3%	98.7%
Grade 8	1.1%	1.4%	1.7%	98.3%
Grade 9	2.1%	2.1%	2.9%	97.1%
Grade 10	4.1%	4.7%	6.6%	93.4%
Grade 11	4.8%	4.8%	6.9%	93.1%
Grade 12	1.2%	2.3%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.9%	1.1%	1.7%	98.3%
Grade 7	0.8%	1.0%	1.2%	98.8%
Grade 8	0.7%	0.7%	1.7%	98.3%
Grade 9	0.4%	0.6%	0.8%	99.2%
Grade 10	1.9%	2.6%	3.4%	96.6%
Grade 11	0.8%	1.2%	1.6%	98.4%
Grade 12	0.4%	0.4%	1.2%	98.8%
Hallucinogens				
All	1.5%	2.2%	4.0%	96.0%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	1.4%	1.5%	2.2%	97.8%
Grade 9	1.4%	1.6%	2.4%	97.6%
Grade 10	1.7%	2.5%	4.8%	95.2%
Grade 11	2.7%	3.2%	5.8%	94.2%
Grade 12	2.0%	5.2%	9.1%	90.9%
Synthetic Cathinones				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.1%	0.9%	99.1%
Steroids				
All	0.2%	0.5%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.5%	0.8%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	1.0%	1.6%	98.4%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.5%	0.5%	1.0%	99.0%
Ecstasy				
All	0.7%	1.1%	2.4%	97.6%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.0%	0.1%	1.4%	98.6%
Grade 9	0.1%	0.3%	1.0%	99.0%
Grade 10	0.7%	1.4%	3.9%	96.1%
Grade 11	1.6%	2.3%	3.9%	96.1%
Grade 12	1.7%	2.3%	4.0%	96.0%

Percentages have been weighted to reflect proportions within the population.

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	0.5%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.6%	0.6%	1.0%	99.0%
Grade 9	0.6%	0.6%	0.7%	99.3%
Grade 10	1.2%	1.2%	1.8%	98.2%
Grade 11	0.1%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.5%	99.5%
Synthetic Marijuana				
All	1.9%	2.8%	5.3%	94.7%
Grade 7	0.9%	1.2%	2.1%	97.9%
Grade 8	1.1%	1.7%	3.0%	97.0%
Grade 9	1.2%	3.5%	4.6%	95.4%
Grade 10	4.7%	5.0%	9.0%	91.0%
Grade 11	2.8%	3.9%	8.3%	91.7%
Grade 12	0.9%	1.8%	5.5%	94.5%
Methamphetamine				
All	0.6%	0.8%	1.4%	98.6%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.7%	1.1%	1.6%	98.4%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	1.8%	2.2%	3.8%	96.2%
Grade 11	0.4%	0.6%	0.7%	99.3%
Grade 12	0.2%	0.2%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.0%	15.4%	27.5%	72.5%
Grade 7	3.0%	4.7%	9.3%	90.7%
Grade 8	6.1%	8.1%	19.5%	80.5%
Grade 9	11.4%	14.1%	23.4%	76.6%
Grade 10	16.5%	20.6%	38.5%	61.5%
Grade 11	17.3%	21.2%	37.4%	62.6%
Grade 12	21.4%	28.7%	44.0%	56.0%
Any Alcohol Product				
All	26.6%	32.1%	48.9%	51.1%
Grade 7	12.9%	14.5%	29.1%	70.9%
Grade 8	19.3%	23.1%	41.0%	59.0%
Grade 9	26.0%	31.7%	48.3%	51.7%
Grade 10	30.9%	37.3%	55.1%	44.9%
Grade 11	33.2%	40.2%	61.4%	38.6%
Grade 12	43.0%	52.7%	65.9%	34.1%
Any Illicit Drug				
All	12.3%	16.1%	20.9%	79.1%
Grade 7	3.8%	5.5%	6.8%	93.2%
Grade 8	5.5%	7.4%	10.5%	89.5%
Grade 9	13.3%	16.1%	17.9%	82.1%
Grade 10	15.4%	20.1%	27.7%	72.3%
Grade 11	15.7%	21.9%	29.1%	70.9%
Grade 12	23.7%	30.2%	40.6%	59.4%
Any Prescription Drug				
All	5.2%	7.6%	15.0%	85.0%
Grade 7	4.6%	6.0%	10.8%	89.2%
Grade 8	4.8%	7.4%	12.9%	87.1%
Grade 9	6.1%	8.3%	15.7%	84.3%
Grade 10	4.8%	7.7%	14.9%	85.1%
Grade 11	4.9%	7.7%	16.2%	83.8%
Grade 12	6.7%	8.9%	21.0%	79.0%
Any Inhalant				
All	4.4%	5.5%	11.9%	88.1%
Grade 7	5.2%	6.4%	12.9%	87.1%
Grade 8	5.5%	6.7%	14.2%	85.8%
Grade 9	4.5%	5.6%	11.3%	88.7%
Grade 10	5.2%	6.1%	12.0%	88.0%
Grade 11	2.6%	3.6%	11.2%	88.8%
Grade 12	2.5%	4.1%	8.8%	91.2%

Percentages have been weighted to reflect proportions within the population.

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**

(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.2%	12.8%	23.7%	76.3%
Grade 7	1.6%	3.4%	6.6%	93.4%
Grade 8	4.2%	5.8%	15.0%	85.0%
Grade 9	7.7%	11.1%	20.3%	79.7%
Grade 10	13.1%	17.6%	34.2%	65.8%
Grade 11	15.0%	18.5%	33.8%	66.2%
Grade 12	17.2%	24.7%	38.8%	61.2%
Marijuana				
All	11.6%	14.0%	18.9%	81.1%
Grade 7	2.6%	2.9%	4.1%	95.9%
Grade 8	4.6%	5.7%	8.1%	91.9%
Grade 9	12.7%	14.1%	16.0%	84.0%
Grade 10	14.9%	18.8%	26.0%	74.0%
Grade 11	15.2%	19.4%	27.4%	72.6%
Grade 12	23.4%	28.2%	38.5%	61.5%
Marijuana Only				
All	6.4%	8.2%	11.9%	88.1%
Grade 7	1.1%	1.2%	1.7%	98.3%
Grade 8	2.7%	3.4%	5.2%	94.8%
Grade 9	6.9%	7.9%	9.6%	90.4%
Grade 10	7.5%	10.3%	16.0%	84.0%
Grade 11	8.7%	11.8%	18.3%	81.7%
Grade 12	13.6%	17.8%	25.9%	74.1%
Cocaine or Crack				
All	1.5%	1.7%	2.7%	97.3%
Grade 7	0.8%	0.8%	1.4%	98.6%
Grade 8	0.7%	0.7%	1.2%	98.8%
Grade 9	1.6%	1.7%	1.9%	98.1%
Grade 10	2.9%	3.4%	4.6%	95.4%
Grade 11	2.6%	2.6%	4.3%	95.7%
Grade 12	0.7%	1.2%	3.5%	96.5%
Cocaine				
All	1.4%	1.5%	2.5%	97.5%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	1.6%	1.7%	1.9%	98.1%
Grade 10	2.6%	3.2%	4.3%	95.7%
Grade 11	2.6%	2.6%	4.3%	95.7%
Grade 12	0.5%	1.0%	3.2%	96.8%

Percentages have been weighted to reflect proportions within the population.

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	1.0%	99.0%
Grade 7	0.5%	0.6%	1.0%	99.0%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	0.0%	0.2%	0.5%	99.5%
Grade 10	1.0%	1.6%	1.6%	98.4%
Grade 11	0.4%	0.4%	0.7%	99.3%
Grade 12	0.4%	0.4%	1.1%	98.9%
Hallucinogens				
All	1.1%	1.6%	2.7%	97.3%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.6%	0.7%	1.0%	99.0%
Grade 9	1.4%	1.7%	2.1%	97.9%
Grade 10	0.9%	1.4%	2.8%	97.2%
Grade 11	1.1%	1.3%	3.1%	96.9%
Grade 12	2.2%	5.0%	7.8%	92.2%
Synthetic Cathinones				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.9%	99.1%
Grade 8	0.2%	0.3%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.0%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.8%	99.2%
Steroids				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.4%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.2%	1.2%	1.8%	98.2%
Grade 11	0.1%	0.1%	1.1%	98.9%
Grade 12	0.3%	0.3%	1.2%	98.8%
Ecstasy				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	0.1%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.3%	1.1%	98.9%
Grade 10	0.6%	1.0%	2.7%	97.3%
Grade 11	0.7%	0.9%	1.7%	98.3%
Grade 12	1.7%	1.9%	4.7%	95.3%

Percentages have been weighted to reflect proportions within the population.

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.4%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.0%	0.0%	1.0%	99.0%
Synthetic Marijuana				
All	1.4%	2.0%	3.9%	96.1%
Grade 7	0.8%	1.0%	1.4%	98.6%
Grade 8	0.5%	0.9%	1.9%	98.1%
Grade 9	1.5%	2.8%	4.1%	95.9%
Grade 10	2.6%	3.3%	6.3%	93.7%
Grade 11	2.7%	2.7%	5.6%	94.4%
Grade 12	0.6%	1.6%	4.4%	95.6%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.6%	1.0%	1.7%	98.3%
Grade 11	0.0%	0.2%	0.3%	99.7%
Grade 12	0.4%	0.4%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.9%	22.7%	36.7%	63.3%
Grade 7	5.2%	7.0%	14.6%	85.4%
Grade 8	12.3%	15.5%	25.9%	74.1%
Grade 9	17.3%	22.4%	36.4%	63.6%
Grade 10	23.8%	28.6%	46.1%	53.9%
Grade 11	23.9%	31.5%	50.4%	49.6%
Grade 12	23.7%	29.4%	44.2%	55.8%
Any Alcohol Product				
All	34.4%	39.6%	57.0%	43.0%
Grade 7	17.7%	19.5%	37.4%	62.6%
Grade 8	25.2%	28.2%	46.8%	53.2%
Grade 9	35.4%	39.7%	57.9%	42.1%
Grade 10	40.5%	45.4%	62.4%	37.6%
Grade 11	39.9%	49.0%	66.4%	33.6%
Grade 12	46.1%	53.9%	69.1%	30.9%
Any Illicit Drug				
All	19.7%	25.0%	32.1%	67.9%
Grade 7	5.4%	8.0%	9.9%	90.1%
Grade 8	12.5%	17.9%	23.0%	77.0%
Grade 9	18.2%	22.7%	26.8%	73.2%
Grade 10	22.5%	27.3%	38.3%	61.7%
Grade 11	31.1%	38.1%	46.1%	53.9%
Grade 12	27.2%	34.3%	46.3%	53.7%
Any Prescription Drug				
All	7.6%	10.5%	20.1%	79.9%
Grade 7	5.2%	7.1%	13.5%	86.5%
Grade 8	8.3%	10.9%	18.8%	81.2%
Grade 9	8.3%	10.9%	19.1%	80.9%
Grade 10	9.2%	11.9%	22.7%	77.3%
Grade 11	8.7%	12.3%	23.7%	76.3%
Grade 12	5.7%	10.0%	22.2%	77.8%
Any Inhalant				
All	4.3%	6.7%	12.7%	87.3%
Grade 7	5.6%	8.4%	15.6%	84.4%
Grade 8	8.1%	11.8%	19.1%	80.9%
Grade 9	3.6%	5.5%	10.7%	89.3%
Grade 10	3.0%	7.0%	11.3%	88.7%
Grade 11	3.8%	5.0%	11.4%	88.6%
Grade 12	2.1%	2.8%	8.9%	91.1%

Percentages have been weighted to reflect proportions within the population.

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.2%	18.3%	32.6%	67.4%
Grade 7	3.5%	5.5%	11.3%	88.7%
Grade 8	9.3%	12.6%	23.7%	76.3%
Grade 9	12.5%	18.5%	33.3%	66.7%
Grade 10	14.2%	20.3%	40.0%	60.0%
Grade 11	18.3%	25.7%	44.3%	55.7%
Grade 12	20.8%	26.0%	40.4%	59.6%
Marijuana				
All	19.0%	22.5%	30.1%	69.9%
Grade 7	3.9%	4.3%	6.7%	93.3%
Grade 8	11.6%	14.1%	19.1%	80.9%
Grade 9	16.8%	19.6%	24.2%	75.8%
Grade 10	22.6%	25.7%	36.8%	63.2%
Grade 11	30.5%	36.1%	45.8%	54.2%
Grade 12	26.8%	33.5%	45.8%	54.2%
Marijuana Only				
All	10.4%	12.8%	19.2%	80.8%
Grade 7	2.0%	2.1%	4.2%	95.8%
Grade 8	5.8%	7.1%	11.6%	88.4%
Grade 9	10.6%	12.5%	15.8%	84.2%
Grade 10	12.7%	14.8%	23.6%	76.4%
Grade 11	16.1%	20.4%	29.3%	70.7%
Grade 12	14.8%	18.8%	29.2%	70.8%
Cocaine or Crack				
All	2.7%	3.0%	4.4%	95.6%
Grade 7	1.6%	1.6%	2.0%	98.0%
Grade 8	2.3%	2.3%	2.5%	97.5%
Grade 9	1.9%	1.9%	3.3%	96.7%
Grade 10	4.1%	4.3%	6.4%	93.6%
Grade 11	4.3%	4.6%	6.7%	93.3%
Grade 12	1.8%	2.8%	4.9%	95.1%
Cocaine				
All	2.6%	2.8%	4.1%	95.9%
Grade 7	1.1%	1.1%	1.5%	98.5%
Grade 8	2.0%	2.0%	2.2%	97.8%
Grade 9	1.9%	1.9%	3.3%	96.7%
Grade 10	4.1%	4.1%	6.1%	93.9%
Grade 11	4.1%	4.5%	6.2%	93.8%
Grade 12	1.8%	2.8%	4.9%	95.1%

Percentages have been weighted to reflect proportions within the population.

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents

(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	1.0%	1.4%	98.6%
Grade 7	0.7%	0.8%	1.3%	98.7%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	1.9%	2.2%	2.9%	97.1%
Grade 11	0.9%	1.5%	1.9%	98.1%
Grade 12	0.0%	0.0%	0.8%	99.2%
Hallucinogens				
All	2.1%	3.0%	5.1%	94.9%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	1.6%	1.9%	3.4%	96.6%
Grade 9	1.7%	1.9%	2.7%	97.3%
Grade 10	2.6%	3.0%	5.1%	94.9%
Grade 11	3.6%	5.1%	8.2%	91.8%
Grade 12	3.1%	5.8%	10.2%	89.8%
Synthetic Cathinones				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.9%	99.1%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.8%	0.8%	0.8%	99.2%
Grade 12	0.0%	0.2%	0.3%	99.7%
Steroids				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	0.3%	0.7%	1.4%	98.6%
Grade 9	0.1%	0.1%	1.1%	98.9%
Grade 10	0.0%	0.3%	0.8%	99.2%
Grade 11	0.6%	0.6%	1.2%	98.8%
Grade 12	0.3%	0.8%	1.5%	98.5%
Ecstasy				
All	1.0%	1.6%	3.5%	96.5%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.2%	0.2%	2.7%	97.3%
Grade 9	0.5%	1.0%	2.0%	98.0%
Grade 10	0.8%	1.3%	3.8%	96.2%
Grade 11	2.5%	3.5%	5.8%	94.2%
Grade 12	1.7%	2.7%	5.8%	94.2%

Percentages have been weighted to reflect proportions within the population.

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	1.1%	1.1%	1.3%	98.7%
Grade 10	1.1%	1.1%	1.5%	98.5%
Grade 11	0.1%	0.6%	0.6%	99.4%
Grade 12	0.1%	0.2%	0.4%	99.6%
Synthetic Marijuana				
All	1.7%	2.6%	5.6%	94.4%
Grade 7	0.4%	0.8%	2.1%	97.9%
Grade 8	1.2%	2.1%	3.1%	96.9%
Grade 9	0.8%	2.8%	4.4%	95.6%
Grade 10	4.4%	4.8%	8.9%	91.1%
Grade 11	1.8%	3.3%	7.5%	92.5%
Grade 12	1.3%	1.8%	6.8%	93.2%
Methamphetamine				
All	0.7%	0.8%	1.5%	98.5%
Grade 7	0.2%	0.3%	0.8%	99.2%
Grade 8	0.6%	0.8%	1.9%	98.1%
Grade 9	0.3%	0.6%	1.3%	98.7%
Grade 10	2.3%	2.4%	3.6%	96.4%
Grade 11	0.6%	0.6%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.6%	16.4%	29.2%	70.8%
Grade 7	2.7%	3.9%	9.3%	90.7%
Grade 8	6.8%	8.8%	19.5%	80.5%
Grade 9	12.3%	15.8%	26.8%	73.2%
Grade 10	16.3%	21.6%	39.1%	60.9%
Grade 11	17.7%	22.5%	41.4%	58.6%
Grade 12	22.0%	29.2%	43.7%	56.3%
Any Alcohol Product				
All	27.7%	32.6%	51.0%	49.0%
Grade 7	13.4%	15.3%	31.2%	68.8%
Grade 8	18.1%	21.5%	40.5%	59.5%
Grade 9	28.1%	32.4%	52.6%	47.4%
Grade 10	32.1%	37.4%	56.9%	43.1%
Grade 11	34.3%	41.0%	62.0%	38.0%
Grade 12	44.2%	53.1%	67.5%	32.5%
Any Illicit Drug				
All	13.4%	17.4%	23.1%	76.9%
Grade 7	2.9%	4.9%	6.1%	93.9%
Grade 8	6.0%	8.9%	12.3%	87.7%
Grade 9	12.7%	16.5%	18.9%	81.1%
Grade 10	16.1%	20.2%	28.9%	71.1%
Grade 11	20.9%	26.6%	34.8%	65.2%
Grade 12	24.9%	31.2%	42.3%	57.7%
Any Prescription Drug				
All	5.4%	7.9%	15.8%	84.2%
Grade 7	4.3%	5.5%	10.5%	89.5%
Grade 8	5.7%	8.3%	13.9%	86.1%
Grade 9	6.0%	8.3%	15.3%	84.7%
Grade 10	5.7%	8.7%	17.0%	83.0%
Grade 11	5.1%	7.6%	17.7%	82.3%
Grade 12	6.1%	9.4%	21.4%	78.6%
Any Inhalant				
All	3.8%	5.1%	11.1%	88.9%
Grade 7	4.1%	5.5%	12.0%	88.0%
Grade 8	5.9%	7.7%	14.7%	85.3%
Grade 9	3.0%	4.4%	10.1%	89.9%
Grade 10	4.1%	5.7%	10.3%	89.7%
Grade 11	3.3%	4.1%	11.2%	88.8%
Grade 12	1.7%	2.9%	7.7%	92.3%

Percentages have been weighted to reflect proportions within the population.

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.5%	13.4%	25.2%	74.8%
Grade 7	1.9%	3.1%	6.6%	93.4%
Grade 8	4.9%	6.8%	15.7%	84.3%
Grade 9	8.7%	13.5%	24.1%	75.9%
Grade 10	10.5%	16.4%	34.3%	65.7%
Grade 11	14.8%	18.7%	36.3%	63.7%
Grade 12	18.1%	25.1%	38.8%	61.2%
Marijuana				
All	12.7%	15.5%	21.3%	78.7%
Grade 7	1.8%	1.9%	3.5%	96.5%
Grade 8	4.9%	6.6%	9.4%	90.6%
Grade 9	12.1%	14.3%	16.9%	83.1%
Grade 10	15.8%	19.3%	28.2%	71.8%
Grade 11	20.4%	24.3%	33.5%	66.5%
Grade 12	24.7%	30.4%	41.3%	58.7%
Marijuana Only				
All	7.6%	9.6%	14.4%	85.6%
Grade 7	1.2%	1.3%	2.3%	97.7%
Grade 8	3.3%	4.2%	6.7%	93.3%
Grade 9	8.0%	9.7%	11.7%	88.3%
Grade 10	8.8%	11.1%	17.9%	82.1%
Grade 11	11.5%	14.6%	23.1%	76.9%
Grade 12	14.7%	18.7%	28.1%	71.9%
Cocaine or Crack				
All	1.5%	1.7%	2.6%	97.4%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.8%	1.0%	1.4%	98.6%
Grade 9	1.4%	1.4%	2.0%	98.0%
Grade 10	2.9%	3.1%	4.3%	95.7%
Grade 11	2.3%	2.5%	3.9%	96.1%
Grade 12	1.2%	2.0%	3.6%	96.4%
Cocaine				
All	1.4%	1.6%	2.4%	97.6%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.5%	0.7%	1.0%	99.0%
Grade 9	1.4%	1.4%	2.0%	98.0%
Grade 10	2.7%	2.9%	4.1%	95.9%
Grade 11	2.3%	2.5%	3.7%	96.3%
Grade 12	1.0%	1.9%	3.5%	96.5%

Percentages have been weighted to reflect proportions within the population.

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.6%	0.6%	1.2%	98.8%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	1.7%	1.7%	2.1%	97.9%
Grade 11	0.5%	0.5%	0.9%	99.1%
Grade 12	0.1%	0.1%	0.6%	99.4%
Hallucinogens				
All	1.2%	1.9%	3.1%	96.9%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	1.0%	1.1%	1.5%	98.5%
Grade 9	1.3%	1.7%	2.0%	98.0%
Grade 10	0.7%	1.0%	2.8%	97.2%
Grade 11	2.3%	3.2%	4.7%	95.3%
Grade 12	2.2%	4.5%	7.8%	92.2%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.4%	0.5%	0.7%	99.3%
Grade 12	0.0%	0.1%	0.4%	99.6%
Steroids				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.6%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.2%	0.5%	1.1%	98.9%
Grade 11	0.3%	0.3%	1.3%	98.7%
Grade 12	0.3%	0.4%	1.3%	98.7%
Ecstasy				
All	0.5%	0.8%	2.1%	97.9%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.3%	0.5%	1.3%	98.7%
Grade 10	0.2%	0.4%	2.5%	97.5%
Grade 11	1.4%	2.1%	3.6%	96.4%
Grade 12	1.4%	2.0%	4.9%	95.1%

Percentages have been weighted to reflect proportions within the population.

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Seek Help from Adults for Substance Abuse Problems**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	0.0%	0.4%	0.5%	99.5%
Grade 12	0.0%	0.1%	0.5%	99.5%
Synthetic Marijuana				
All	1.1%	1.6%	3.8%	96.2%
Grade 7	0.4%	0.6%	0.9%	99.1%
Grade 8	0.9%	1.1%	1.7%	98.3%
Grade 9	1.0%	2.1%	3.5%	96.5%
Grade 10	2.3%	2.7%	7.0%	93.0%
Grade 11	1.3%	1.6%	4.9%	95.1%
Grade 12	0.9%	1.7%	5.6%	94.4%
Methamphetamine				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.3%	0.5%	0.6%	99.4%
Grade 9	0.2%	0.4%	0.6%	99.4%
Grade 10	0.8%	0.9%	2.2%	97.8%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.3%	0.3%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	23.4%	27.9%	41.3%	58.7%
Grade 7	11.2%	16.3%	22.6%	77.4%
Grade 8	14.4%	19.4%	32.3%	67.7%
Grade 9	17.8%	20.7%	30.7%	69.3%
Grade 10	32.7%	35.1%	52.6%	47.4%
Grade 11	35.6%	43.3%	54.7%	45.3%
Grade 12	22.7%	27.8%	50.2%	49.8%
Any Alcohol Product				
All	40.7%	47.9%	58.8%	41.2%
Grade 7	24.7%	25.1%	38.4%	61.6%
Grade 8	39.2%	43.2%	57.3%	42.7%
Grade 9	37.1%	43.1%	51.8%	48.2%
Grade 10	44.5%	53.9%	63.8%	36.2%
Grade 11	47.7%	57.9%	69.2%	30.8%
Grade 12	48.5%	59.6%	69.5%	30.5%
Any Illicit Drug				
All	24.5%	31.6%	36.8%	63.2%
Grade 7	14.9%	18.5%	19.4%	80.6%
Grade 8	18.0%	23.8%	28.6%	71.4%
Grade 9	22.3%	25.4%	27.2%	72.8%
Grade 10	29.3%	36.4%	44.1%	55.9%
Grade 11	32.4%	44.7%	49.9%	50.1%
Grade 12	26.4%	37.4%	48.7%	51.3%
Any Prescription Drug				
All	10.6%	13.9%	23.9%	76.1%
Grade 7	8.7%	13.4%	22.2%	77.8%
Grade 8	8.5%	12.0%	23.9%	76.1%
Grade 9	9.2%	10.8%	20.3%	79.7%
Grade 10	13.0%	16.0%	26.4%	73.6%
Grade 11	14.4%	19.6%	27.7%	72.3%
Grade 12	8.2%	10.4%	22.5%	77.5%
Any Inhalant				
All	6.7%	9.9%	18.1%	81.9%
Grade 7	12.4%	16.1%	26.4%	73.6%
Grade 8	5.1%	10.1%	19.9%	80.1%
Grade 9	8.9%	10.9%	17.3%	82.7%
Grade 10	5.8%	10.9%	19.5%	80.5%
Grade 11	3.1%	5.4%	13.4%	86.6%
Grade 12	5.2%	6.7%	13.4%	86.6%

Percentages have been weighted to reflect proportions within the population.

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	17.8%	22.7%	36.5%	63.5%
Grade 7	5.8%	10.9%	18.8%	81.2%
Grade 8	12.9%	17.3%	31.1%	68.9%
Grade 9	10.0%	11.7%	24.2%	75.8%
Grade 10	27.2%	31.4%	46.4%	53.6%
Grade 11	27.4%	36.8%	49.5%	50.5%
Grade 12	19.9%	25.6%	46.5%	53.5%
Marijuana				
All	23.2%	27.9%	33.3%	66.7%
Grade 7	11.9%	13.2%	14.1%	85.9%
Grade 8	17.3%	21.0%	25.7%	74.3%
Grade 9	20.2%	21.9%	23.7%	76.3%
Grade 10	29.2%	33.7%	39.6%	60.4%
Grade 11	31.0%	42.0%	49.0%	51.0%
Grade 12	25.2%	31.1%	44.3%	55.7%
Marijuana Only				
All	11.1%	14.4%	18.2%	81.8%
Grade 7	2.7%	2.7%	3.6%	96.4%
Grade 8	7.3%	8.9%	13.7%	86.3%
Grade 9	13.1%	14.1%	15.9%	84.1%
Grade 10	13.3%	17.7%	22.4%	77.6%
Grade 11	15.9%	22.8%	26.4%	73.6%
Grade 12	10.6%	15.9%	23.0%	77.0%
Cocaine or Crack				
All	4.8%	5.2%	8.0%	92.0%
Grade 7	6.9%	6.9%	8.2%	91.8%
Grade 8	1.7%	1.7%	2.1%	97.9%
Grade 9	3.1%	3.1%	4.2%	95.8%
Grade 10	5.6%	7.3%	11.5%	88.5%
Grade 11	9.4%	9.4%	13.8%	86.2%
Grade 12	1.8%	1.8%	6.8%	93.2%
Cocaine				
All	4.3%	4.6%	7.4%	92.6%
Grade 7	4.2%	4.2%	6.1%	93.9%
Grade 8	1.7%	1.7%	2.1%	97.9%
Grade 9	3.1%	3.1%	4.2%	95.8%
Grade 10	5.6%	6.8%	10.9%	89.1%
Grade 11	8.8%	8.8%	13.2%	86.8%
Grade 12	1.3%	1.3%	6.3%	93.7%

Percentages have been weighted to reflect proportions within the population.

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	1.1%	1.9%	2.9%	97.1%
Grade 7	4.8%	4.8%	6.2%	93.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	1.0%	99.0%
Grade 10	0.5%	2.9%	4.1%	95.9%
Grade 11	1.3%	2.9%	2.9%	97.1%
Grade 12	1.2%	1.2%	3.7%	96.3%
Hallucinogens				
All	3.2%	4.6%	7.8%	92.2%
Grade 7	0.8%	0.8%	1.4%	98.6%
Grade 8	2.3%	2.7%	5.9%	94.1%
Grade 9	2.5%	2.8%	4.2%	95.8%
Grade 10	5.7%	6.9%	9.8%	90.2%
Grade 11	2.6%	3.3%	9.5%	90.5%
Grade 12	4.2%	10.9%	16.5%	83.5%
Synthetic Cathinones				
All	0.6%	0.6%	1.7%	98.3%
Grade 7	0.0%	0.1%	1.7%	98.3%
Grade 8	0.6%	0.6%	2.1%	97.9%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	2.3%	2.3%	3.5%	96.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.1%	97.9%
Steroids				
All	0.3%	1.1%	1.6%	98.4%
Grade 7	0.8%	0.8%	1.3%	98.7%
Grade 8	0.5%	1.2%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.1%	2.4%	2.4%	97.6%
Grade 11	0.6%	0.6%	1.2%	98.8%
Grade 12	0.2%	1.3%	2.1%	97.9%
Ecstasy				
All	1.7%	2.5%	4.7%	95.3%
Grade 7	1.3%	2.1%	2.4%	97.6%
Grade 8	0.6%	0.6%	4.3%	95.7%
Grade 9	0.0%	0.9%	1.9%	98.1%
Grade 10	2.8%	4.6%	7.7%	92.3%
Grade 11	2.5%	2.5%	4.1%	95.9%
Grade 12	3.5%	4.1%	7.7%	92.3%

Percentages have been weighted to reflect proportions within the population.

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.6%	0.6%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	2.5%	2.6%	3.6%	96.4%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.2%	0.2%	2.2%	97.8%
Synthetic Marijuana				
All	3.8%	5.7%	8.4%	91.6%
Grade 7	3.0%	3.7%	7.2%	92.8%
Grade 8	1.6%	4.2%	5.6%	94.4%
Grade 9	1.8%	3.7%	5.4%	94.6%
Grade 10	8.0%	9.6%	10.8%	89.2%
Grade 11	6.1%	9.1%	14.4%	85.6%
Grade 12	0.7%	1.4%	5.6%	94.4%
Methamphetamine				
All	0.8%	1.4%	2.3%	97.7%
Grade 7	0.0%	1.3%	1.4%	98.6%
Grade 8	0.0%	0.6%	2.1%	97.9%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	3.6%	4.8%	4.9%	95.1%
Grade 11	0.0%	0.5%	0.5%	99.5%
Grade 12	0.2%	0.2%	3.2%	96.8%

Percentages have been weighted to reflect proportions within the population.

3   Margin Tables

Gender

Q1	Frequency	Percent
Male	541,650	50.0%
Female	540,671	50.0%
Frequency Missing	3,624	

Hispanic or Latino

Q5a	Frequency	Percent
No	384,505	36.1%
Yes	681,363	63.9%
Frequency Missing	20,077	

Grade

Q2	Frequency	Percent
Grade 7	188,954	17.4%
Grade 8	183,556	17.0%
Grade 9	201,293	18.6%
Grade 10	181,139	16.7%
Grade 11	168,823	15.6%
Grade 12	159,136	14.7%
Frequency Missing	3,044	

Ethnicity

Q5b	Frequency	Percent
American Indian	25,523	2.6%
Asian American	16,850	1.7%
African American	132,819	13.5%
Pacific Islander	4,171	0.4%
White	486,175	49.3%
Other	186,437	18.9%
More Than One Race	133,752	13.6%
Frequency Missing	100,218	

Live with Both Parents

Q3	Frequency	Percent
No	419,912	39.1%
Yes	654,205	60.9%
Frequency Missing	11,828	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	5,409	0.6%
Mostly D's	13,999	1.5%
Mostly C's	142,849	15.3%
Mostly B's	488,993	52.5%
Mostly A's	280,640	30.1%
Frequency Missing	154,054	

Age

Q4	Frequency	Percent
11 or younger	1,571	0.1%
12	90,642	8.4%
13	176,413	16.3%
14	179,330	16.6%
15	185,123	17.2%
16	180,404	16.7%
17	167,654	15.5%
18	90,622	8.4%
19 or older	7,266	0.7%
Frequency Missing	6,919	

Do You Have a Job

Q7	Frequency	Percent
No	784,431	83.5%
Yes	155,147	16.5%
Frequency Missing	146,367	

Percentages and frequencies have been weighted to reflect proportions within the population.

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	244,260	26.3%
Yes	414,973	44.7%
Don't Know	268,429	28.9%
Frequency Missing	158,284	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	767,098	93.9%
Yes	50,017	6.1%
Frequency Missing	268,831	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	464,868	52.3%
Yes	423,984	47.7%
Frequency Missing	197,093	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	659,383	79.8%
Yes	167,150	20.2%
Frequency Missing	259,412	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	666,740	79.0%
Yes	177,000	21.0%
Frequency Missing	242,205	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	649,885	78.7%
Yes	175,799	21.3%
Frequency Missing	260,261	

Participate in School Choir

Q9c	Frequency	Percent
No	753,356	92.1%
Yes	64,933	7.9%
Frequency Missing	267,657	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	599,329	71.1%
Yes	243,191	28.9%
Frequency Missing	243,424	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	769,228	93.7%
Yes	51,362	6.3%
Frequency Missing	265,355	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	669,350	81.2%
Yes	155,413	18.8%
Frequency Missing	261,182	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	921,703	85.5%
Somewhat Safe	131,340	12.2%
Not Very Safe	10,835	1.0%
Not Safe At All	3,524	0.3%
Don't Know	10,881	1.0%
Frequency Missing	7,662	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	453,024	42.3%
Somewhat Safe	496,930	46.4%
Not Very Safe	72,041	6.7%
Not Safe At All	16,458	1.5%
Don't Know	32,400	3.0%
Frequency Missing	15,092	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	346,449	32.4%
Somewhat Safe	525,481	49.1%
Not Very Safe	108,150	10.1%
Not Safe At All	44,415	4.1%
Don't Know	46,333	4.3%
Frequency Missing	15,117	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	99,585	9.8%
Some High School	129,765	12.8%
Finished High School	209,777	20.6%
Some College	106,661	10.5%
Finished College	154,812	15.2%
Post-Secondary	105,484	10.4%
Don't Know or N/A	210,351	20.7%
Frequency Missing	69,510	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	104,651	10.2%
Some High School	113,537	11.1%
Finished High School	181,995	17.8%
Some College	145,004	14.2%
Finished College	204,530	20.0%
Post-Secondary	131,033	12.8%
Don't Know or N/A	142,722	13.9%
Frequency Missing	62,473	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	609,062	65.3%
Yes	323,463	34.7%
Frequency Missing	153,420	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	67,175	6.3%
A Few	234,834	22.0%
Some	265,858	24.9%
Most	350,857	32.9%
All	149,046	14.0%
Frequency Missing	18,174	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	21,032	2.0%
A Few	126,847	11.9%
Some	269,025	25.2%
Most	441,003	41.3%
All	210,965	19.7%
Frequency Missing	17,073	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	489,460	46.9%
A Few	321,937	30.8%
Some	134,112	12.8%
Most	63,398	6.1%
All	35,541	3.4%
Frequency Missing	41,497	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	1,005,628	94.4%
In Your Lifetime	39,649	3.7%
Since School Began	7,634	0.7%
In the Past Month	12,389	1.2%
Frequency Missing	20,645	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	856,930	81.1%
A Few	132,291	12.5%
Some	43,083	4.1%
Most	15,570	1.5%
All	9,122	0.9%
Frequency Missing	28,950	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	1,046,861	99.1%
In Your Lifetime	5,501	0.5%
Since School Began	1,721	0.2%
In the Past Month	2,648	0.3%
Frequency Missing	29,215	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	888,334	83.4%
A Few	116,837	11.0%
Some	36,760	3.5%
Most	13,187	1.2%
All	9,443	0.9%
Frequency Missing	21,384	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	1,008,448	94.6%
In Your Lifetime	39,123	3.7%
Since School Began	6,385	0.6%
In the Past Month	12,211	1.1%
Frequency Missing	19,778	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	1,053,406	98.2%
In Your Lifetime	13,645	1.3%
Since School Began	1,009	0.1%
In the Past Month	4,901	0.5%
Frequency Missing	12,984	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	1,049,775	98.8%
In Your Lifetime	7,567	0.7%
Since School Began	1,474	0.1%
In the Past Month	3,491	0.3%
Frequency Missing	23,638	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	1,053,833	99.1%
In Your Lifetime	6,409	0.6%
Since School Began	1,689	0.2%
In the Past Month	1,934	0.2%
Frequency Missing	22,080	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	1,036,622	97.9%
In Your Lifetime	12,914	1.2%
Since School Began	3,373	0.3%
In the Past Month	6,343	0.6%
Frequency Missing	26,694	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	1,044,662	98.4%
In Your Lifetime	9,755	0.9%
Since School Began	2,599	0.2%
In the Past Month	4,838	0.5%
Frequency Missing	24,092	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	925,613	87.4%
In Your Lifetime	86,831	8.2%
Since School Began	15,237	1.4%
In the Past Month	31,922	3.0%
Frequency Missing	26,343	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	984,069	93.4%
In Your Lifetime	36,831	3.5%
Since School Began	9,023	0.9%
In the Past Month	23,410	2.2%
Frequency Missing	32,611	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	677,978	65.3%
In Your Lifetime	189,988	18.3%
Since School Began	60,401	5.8%
In the Past Month	110,283	10.6%
Frequency Missing	47,296	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	778,619	74.2%
In Your Lifetime	117,136	11.2%
Since School Began	60,053	5.7%
In the Past Month	93,771	8.9%
Frequency Missing	36,366	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	746,720	72.0%
In Your Lifetime	161,477	15.6%
Since School Began	54,014	5.2%
In the Past Month	75,063	7.2%
Frequency Missing	48,671	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	697,068	66.3%
In Your Lifetime	151,324	14.4%
Since School Began	76,045	7.2%
In the Past Month	126,905	12.1%
Frequency Missing	34,603	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	1,024,192	97.2%
In Your Lifetime	16,509	1.6%
Since School Began	3,574	0.3%
In the Past Month	9,705	0.9%
Frequency Missing	31,966	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	1,015,253	96.1%
In Your Lifetime	26,656	2.5%
Since School Began	5,511	0.5%
In the Past Month	9,348	0.9%
Frequency Missing	29,177	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	1,038,790	99.1%
In Your Lifetime	4,096	0.4%
Since School Began	2,614	0.2%
In the Past Month	3,222	0.3%
Frequency Missing	37,223	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	770,566	72.9%
In Your Lifetime	128,015	12.1%
Since School Began	44,104	4.2%
In the Past Month	114,367	10.8%
Frequency Missing	28,894	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	1,009,917	96.3%
In Your Lifetime	16,131	1.5%
Since School Began	7,417	0.7%
In the Past Month	15,478	1.5%
Frequency Missing	37,002	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	826,558	78.2%
In Your Lifetime	98,456	9.3%
Since School Began	37,221	3.5%
In the Past Month	94,873	9.0%
Frequency Missing	28,837	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	1,044,708	99.4%
In Your Lifetime	3,801	0.4%
Since School Began	466	0.0%
In the Past Month	2,054	0.2%
Frequency Missing	34,917	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	1,039,317	99.0%
In Your Lifetime	6,094	0.6%
Since School Began	1,886	0.2%
In the Past Month	2,102	0.2%
Frequency Missing	36,545	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	1,007,557	96.0%
In Your Lifetime	23,017	2.2%
Since School Began	5,962	0.6%
In the Past Month	13,493	1.3%
Frequency Missing	35,916	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	1,026,269	97.9%
In Your Lifetime	12,803	1.2%
Since School Began	3,389	0.3%
In the Past Month	6,166	0.6%
Frequency Missing	37,318	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	942,842	90.0%
In Your Lifetime	59,452	5.7%
Since School Began	17,830	1.7%
In the Past Month	27,485	2.6%
Frequency Missing	38,336	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	1,044,942	99.4%
In Your Lifetime	3,092	0.3%
Since School Began	668	0.1%
In the Past Month	2,654	0.3%
Frequency Missing	34,589	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	1,017,080	97.3%
In Your Lifetime	15,910	1.5%
Since School Began	4,505	0.4%
In the Past Month	7,785	0.7%
Frequency Missing	40,665	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	1,042,620	99.0%
In Your Lifetime	4,657	0.4%
Since School Began	2,502	0.2%
In the Past Month	3,261	0.3%
Frequency Missing	32,904	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	989,322	94.7%
In Your Lifetime	30,586	2.9%
Since School Began	8,366	0.8%
In the Past Month	16,171	1.5%
Frequency Missing	41,500	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	990,635	94.9%
In Your Lifetime	24,019	2.3%
Since School Began	9,223	0.9%
In the Past Month	19,469	1.9%
Frequency Missing	42,599	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	772,930	74.2%
1-2 times	170,282	16.3%
3-10 times	74,804	7.2%
11+ times	23,701	2.3%
Frequency Missing	44,228	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	957,803	92.2%
In Your Lifetime	40,033	3.9%
Since School Began	10,869	1.0%
In the Past Month	29,885	2.9%
Frequency Missing	47,355	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	1,023,241	97.9%
1-2 times	14,708	1.4%
3-10 times	4,292	0.4%
11+ times	2,473	0.2%
Frequency Missing	41,231	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	1,013,308	97.1%
In Your Lifetime	13,650	1.3%
Since School Began	3,467	0.3%
In the Past Month	12,928	1.2%
Frequency Missing	42,592	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	903,567	86.4%
1-2 times	61,960	5.9%
3-10 times	35,247	3.4%
11+ times	44,446	4.3%
Frequency Missing	40,725	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	1,030,639	98.4%
1-2 times	11,408	1.1%
3-10 times	3,198	0.3%
11+ times	1,695	0.2%
Frequency Missing	39,005	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	967,465	92.6%
1-2 times	37,393	3.6%
3-10 times	18,205	1.7%
11+ times	21,685	2.1%
Frequency Missing	41,197	

Percentages and frequencies have been weighted to reflect proportions within the population.

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	1,038,635	99.5%
1-2 times	2,963	0.3%
3-10 times	1,761	0.2%
11+ times	399	0.0%
Frequency Missing	42,186	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	597,285	57.4%
A few	184,241	17.7%
Some	117,591	11.3%
Most	108,280	10.4%
All	33,323	3.2%
Frequency Missing	45,225	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	762,126	73.0%
A few	170,869	16.4%
Some	65,541	6.3%
Most	34,885	3.3%
All	10,025	1.0%
Frequency Missing	42,499	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	876,921	86.3%
8 or younger	9,083	0.9%
9 years old	5,158	0.5%
10 years old	9,502	0.9%
11 years old	10,183	1.0%
12 years old	13,976	1.4%
13 years old	16,571	1.6%
14 years old	22,356	2.2%
15 years old	26,139	2.6%
16 years old	17,668	1.7%
17 years old	6,774	0.7%
18 or older	2,241	0.2%
Frequency Missing	69,371	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	510,526	49.1%
A few	245,612	23.6%
Some	145,290	14.0%
Most	103,045	9.9%
All	34,994	3.4%
Frequency Missing	46,479	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	580,562	57.5%
8 or younger	46,258	4.6%
9 years old	16,324	1.6%
10 years old	28,876	2.9%
11 years old	21,755	2.2%
12 years old	42,775	4.2%
13 years old	55,890	5.5%
14 years old	66,967	6.6%
15 years old	73,456	7.3%
16 years old	46,138	4.6%
17 years old	22,784	2.3%
18 or older	8,634	0.9%
Frequency Missing	75,524	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	965,760	93.0%
A few	46,494	4.5%
Some	16,592	1.6%
Most	4,904	0.5%
All	4,233	0.4%
Frequency Missing	47,961	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	975,376	96.2%
8 or younger	5,818	0.6%
9 years old	2,451	0.2%
10 years old	4,859	0.5%
11 years old	5,859	0.6%
12 years old	4,726	0.5%
13 years old	5,783	0.6%
14 years old	4,842	0.5%
15 years old	2,071	0.2%
16 years old	803	0.1%
17 years old	1,157	0.1%
18 or older	319	0.0%
Frequency Missing	71,882	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	992,773	97.4%
8 or younger	1,450	0.1%
9 years old	196	0.0%
10 years old	452	0.0%
11 years old	632	0.1%
12 years old	1,255	0.1%
13 years old	3,409	0.3%
14 years old	4,524	0.4%
15 years old	4,850	0.5%
16 years old	6,329	0.6%
17 years old	2,793	0.3%
18 or older	246	0.0%
Frequency Missing	67,038	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	795,209	78.3%
8 or younger	6,880	0.7%
9 years old	2,488	0.2%
10 years old	5,871	0.6%
11 years old	10,484	1.0%
12 years old	19,999	2.0%
13 years old	36,198	3.6%
14 years old	46,417	4.6%
15 years old	42,923	4.2%
16 years old	31,946	3.1%
17 years old	14,802	1.5%
18 or older	2,877	0.3%
Frequency Missing	69,852	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	1,011,824	99.1%
8 or younger	554	0.1%
9 years old	88	0.0%
10 years old	190	0.0%
11 years old	963	0.1%
12 years old	1,214	0.1%
13 years old	1,112	0.1%
14 years old	1,092	0.1%
15 years old	1,542	0.2%
16 years old	1,565	0.2%
17 years old	432	0.0%
Frequency Missing	65,370	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	1,008,661	99.1%
8 or younger	1,245	0.1%
9 years old	455	0.0%
10 years old	1,381	0.1%
11 years old	230	0.0%
12 years old	1,421	0.1%
13 years old	347	0.0%
14 years old	1,145	0.1%
15 years old	1,435	0.1%
16 years old	679	0.1%
17 years old	561	0.1%
18 or older	106	0.0%
Frequency Missing	68,277	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	992,559	97.9%
8 or younger	310	0.0%
9 years old	0	0.0%
10 years old	131	0.0%
11 years old	222	0.0%
12 years old	1,890	0.2%
13 years old	2,330	0.2%
14 years old	3,437	0.3%
15 years old	3,857	0.4%
16 years old	5,833	0.6%
17 years old	2,590	0.3%
18 or older	565	0.1%
Frequency Missing	72,220	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	1,011,704	99.2%
8 or younger	231	0.0%
9 years old	400	0.0%
10 years old	101	0.0%
11 years old	0	0.0%
12 years old	1,476	0.1%
13 years old	970	0.1%
14 years old	1,665	0.2%
15 years old	1,482	0.1%
16 years old	1,366	0.1%
17 years old	678	0.1%
18 or older	0	0.0%
Frequency Missing	65,873	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	1,014,641	99.5%
8 or younger	853	0.1%
9 years old	82	0.0%
10 years old	0	0.0%
11 years old	413	0.0%
12 years old	315	0.0%
13 years old	348	0.0%
14 years old	916	0.1%
15 years old	544	0.1%
16 years old	583	0.1%
17 years old	678	0.1%
Frequency Missing	66,573	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	981,096	96.4%
8 or younger	821	0.1%
9 years old	352	0.0%
10 years old	1,296	0.1%
11 years old	1,358	0.1%
12 years old	3,386	0.3%
13 years old	3,700	0.4%
14 years old	9,520	0.9%
15 years old	9,975	1.0%
16 years old	3,084	0.3%
17 years old	2,953	0.3%
18 or older	432	0.0%
Frequency Missing	67,972	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	353,511	34.2%
Impossible	206,893	20.0%
Very Difficult	74,397	7.2%
Somewhat diff	110,397	10.7%
Somewhat easy	133,906	12.9%
Very easy	155,079	15.0%
Frequency Missing	51,762	

Percentages and frequencies have been weighted to reflect proportions within the population.

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	275,775	26.7%
Impossible	127,295	12.3%
Very Difficult	61,200	5.9%
Somewhat diff	112,277	10.9%
Somewhat easy	183,281	17.7%
Very easy	272,787	26.4%
Frequency Missing	53,330	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	461,131	44.8%
Impossible	327,288	31.8%
Very Difficult	116,956	11.4%
Somewhat diff	58,855	5.7%
Somewhat easy	28,340	2.8%
Very easy	36,422	3.5%
Frequency Missing	56,954	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	471,608	46.0%
Impossible	153,222	14.9%
Very Difficult	38,856	3.8%
Somewhat diff	47,287	4.6%
Somewhat easy	85,109	8.3%
Very easy	229,622	22.4%
Frequency Missing	60,240	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	490,545	47.7%
Impossible	304,145	29.6%
Very Difficult	110,986	10.8%
Somewhat diff	62,827	6.1%
Somewhat easy	28,698	2.8%
Very easy	30,574	3.0%
Frequency Missing	58,171	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	328,652	31.9%
Impossible	210,475	20.4%
Very Difficult	73,666	7.2%
Somewhat diff	87,122	8.5%
Somewhat easy	130,869	12.7%
Very easy	198,896	19.3%
Frequency Missing	56,264	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	546,817	53.5%
Impossible	258,272	25.3%
Very Difficult	84,333	8.3%
Somewhat diff	53,340	5.2%
Somewhat easy	36,210	3.5%
Very easy	42,835	4.2%
Frequency Missing	64,140	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	433,934	42.2%
Impossible	316,260	30.8%
Very Difficult	116,249	11.3%
Somewhat diff	72,652	7.1%
Somewhat easy	42,280	4.1%
Very easy	46,089	4.5%
Frequency Missing	58,481	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	507,438	49.3%
Impossible	335,252	32.5%
Very Difficult	102,933	10.0%
Somewhat diff	41,703	4.0%
Somewhat easy	16,511	1.6%
Very easy	26,160	2.5%
Frequency Missing	55,948	

Percentages and frequencies have been weighted to reflect proportions within the population.

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	519,324	50.5%
Impossible	316,604	30.8%
Very Difficult	97,720	9.5%
Somewhat diff	44,541	4.3%
Somewhat easy	20,512	2.0%
Very easy	29,408	2.9%
Frequency Missing	57,836	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	3,925	0.4%
Several times/wk	16,265	1.6%
Several times/mo	67,361	6.6%
About once/month	113,524	11.1%
About once/year	107,305	10.5%
Less than once/year	91,165	8.9%
Never used	621,124	60.9%
Frequency Missing	65,276	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	515,926	50.2%
Impossible	249,347	24.3%
Very Difficult	73,272	7.1%
Somewhat diff	62,741	6.1%
Somewhat easy	54,537	5.3%
Very easy	71,182	6.9%
Frequency Missing	58,941	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	1,113	0.1%
Several times/wk	2,130	0.2%
Several times/mo	3,013	0.3%
About once/month	6,410	0.6%
About once/year	4,251	0.4%
Less than once/year	16,432	1.6%
Never used	988,714	96.7%
Frequency Missing	63,881	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	15,760	1.5%
Several times/wk	13,784	1.3%
Several times/mo	13,367	1.3%
About once/month	23,096	2.3%
About once/year	20,082	2.0%
Less than once/year	40,078	3.9%
Never used	899,272	87.7%
Frequency Missing	60,506	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	23,451	2.3%
Several times/wk	24,391	2.4%
Several times/mo	34,534	3.4%
About once/month	41,572	4.1%
About once/year	41,095	4.0%
Less than once/year	43,165	4.2%
Never used	816,373	79.7%
Frequency Missing	61,365	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	234	0.0%
Several times/wk	1,253	0.1%
Several times/mo	4,870	0.5%
About once/month	3,513	0.3%
About once/year	6,524	0.6%
Less than once/year	8,994	0.9%
Never used	997,272	97.5%
Frequency Missing	63,285	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	401	0.0%
Several times/wk	1,227	0.1%
Several times/mo	1,088	0.1%
About once/month	2,735	0.3%
About once/year	5,733	0.6%
Less than once/year	8,754	0.9%
Never used	999,324	98.0%
Frequency Missing	66,684	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	107	0.0%
Several times/wk	596	0.1%
Several times/mo	934	0.1%
About once/month	853	0.1%
About once/year	1,847	0.2%
Less than once/year	2,911	0.3%
Never used	1,017,964	99.3%
Frequency Missing	60,733	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	324	0.0%
Several times/wk	68	0.0%
Several times/mo	873	0.1%
About once/month	188	0.0%
About once/year	808	0.1%
Less than once/year	1,658	0.2%
Never used	1,019,384	99.6%
Frequency Missing	62,642	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	139	0.0%
Several times/wk	416	0.0%
Several times/mo	501	0.0%
About once/month	731	0.1%
About once/year	899	0.1%
Less than once/year	3,756	0.4%
Never used	1,017,615	99.4%
Frequency Missing	61,887	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	220	0.0%
Several times/wk	977	0.1%
Several times/mo	777	0.1%
About once/month	987	0.1%
About once/year	2,117	0.2%
Less than once/year	1,302	0.1%
Never used	1,016,323	99.4%
Frequency Missing	63,243	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	1,551	0.2%
Several times/wk	2,774	0.3%
Several times/mo	3,939	0.4%
About once/month	5,733	0.6%
About once/year	8,728	0.9%
Less than once/year	12,450	1.2%
Never used	985,615	96.6%
Frequency Missing	65,155	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	736,451	72.1%
12+ drinks	5,136	0.5%
9-11 drinks	3,395	0.3%
5-8 drinks	11,427	1.1%
3-4 drinks	27,591	2.7%
2 drinks	39,253	3.8%
1 drink	74,459	7.3%
Less than 1 drink	124,316	12.2%
Frequency Missing	63,917	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	670,984	65.2%
12+ drinks	19,231	1.9%
9-11 drinks	11,766	1.1%
5-8 drinks	29,559	2.9%
3-4 drinks	48,785	4.7%
2 drinks	54,282	5.3%
1 drink	71,118	6.9%
Less than 1 drink	123,931	12.0%
Frequency Missing	56,289	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	671,851	65.4%
12+ drinks	21,532	2.1%
9-11 drinks	16,135	1.6%
5-8 drinks	45,287	4.4%
3-4 drinks	65,444	6.4%
2 drinks	47,810	4.7%
1 drink	59,462	5.8%
Less than 1 drink	99,378	9.7%
Frequency Missing	59,046	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	749,695	72.9%
12+ drinks	12,746	1.2%
9-11 drinks	10,000	1.0%
5-8 drinks	29,496	2.9%
3-4 drinks	55,255	5.4%
2 drinks	57,174	5.6%
1 drink	51,942	5.1%
Less than 1 drink	62,150	6.0%
Frequency Missing	57,486	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	585,610	57.7%
0 days	307,816	30.3%
1 day	48,352	4.8%
2 days	24,819	2.4%
3 to 5 days	25,573	2.5%
6 to 9 days	6,366	0.6%
10 or more days	15,985	1.6%
Frequency Missing	71,425	

Percentages and frequencies have been weighted to reflect proportions within the population.

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	605,631	59.2%
Never	168,885	16.5%
Seldom	157,431	15.4%
Most of the Time	57,969	5.7%
Always	33,247	3.2%
Frequency Missing	62,783	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	634,331	62.8%
Never	225,233	22.3%
Seldom	70,935	7.0%
Most of the Time	46,411	4.6%
Always	33,082	3.3%
Frequency Missing	75,953	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	603,775	59.3%
Never	183,712	18.1%
Seldom	113,370	11.1%
Most of the Time	86,775	8.5%
Always	30,129	3.0%
Frequency Missing	68,184	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	617,872	60.6%
Somewhat	251,514	24.7%
Not very	66,311	6.5%
Not at all	17,044	1.7%
Don't know	66,019	6.5%
Frequency Missing	67,185	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	632,107	62.2%
Never	310,097	30.5%
Seldom	36,490	3.6%
Most of the Time	24,307	2.4%
Always	12,652	1.2%
Frequency Missing	70,292	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	463,195	45.5%
Somewhat	317,860	31.2%
Not very	156,051	15.3%
Not at all	28,233	2.8%
Don't know	52,336	5.1%
Frequency Missing	68,270	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	591,532	58.0%
Never	159,663	15.6%
Seldom	100,339	9.8%
Most of the Time	101,976	10.0%
Always	66,869	6.6%
Frequency Missing	65,567	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	705,714	69.9%
Somewhat	149,769	14.8%
Not very	50,051	5.0%
Not at all	15,246	1.5%
Don't know	88,606	8.8%
Frequency Missing	76,558	

Percentages and frequencies have been weighted to reflect proportions within the population.

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	553,385	54.7%
Somewhat	148,075	14.6%
Not very	140,742	13.9%
Not at all	111,279	11.0%
Don't know	58,874	5.8%
Frequency Missing	73,592	

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	760,053	75.1%
Somewhat	117,594	11.6%
Not very	34,745	3.4%
Not at all	10,793	1.1%
Don't know	88,573	8.8%
Frequency Missing	74,187	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	859,363	84.9%
Somewhat	75,298	7.4%
Not very	8,759	0.9%
Not at all	5,200	0.5%
Don't know	63,660	6.3%
Frequency Missing	73,665	

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	876,591	86.7%
Somewhat	48,853	4.8%
Not very	6,548	0.6%
Not at all	5,367	0.5%
Don't know	73,438	7.3%
Frequency Missing	75,148	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	869,244	85.9%
Somewhat	66,129	6.5%
Not very	6,119	0.6%
Not at all	4,181	0.4%
Don't know	66,601	6.6%
Frequency Missing	73,671	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	875,234	86.5%
Somewhat	48,967	4.8%
Not very	7,158	0.7%
Not at all	5,410	0.5%
Don't know	75,267	7.4%
Frequency Missing	73,910	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	799,353	79.0%
Somewhat	83,101	8.2%
Not very	18,355	1.8%
Not at all	7,971	0.8%
Don't know	102,484	10.1%
Frequency Missing	74,681	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	800,791	79.4%
Somewhat	81,014	8.0%
Not very	28,017	2.8%
Not at all	11,568	1.1%
Don't know	87,688	8.7%
Frequency Missing	76,867	

Percentages and frequencies have been weighted to reflect proportions within the population.

Dangerous for Kids to Use Any Prescription

Q27l	Frequency	Percent
Very	725,885	72.1%
Somewhat	145,607	14.5%
Not very	40,360	4.0%
Not at all	13,583	1.3%
Don't know	81,435	8.1%
Frequency Missing	79,075	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	609,790	60.5%
Somewhat	194,130	19.2%
Not very	102,358	10.1%
Not at all	38,019	3.8%
Don't know	64,184	6.4%
Frequency Missing	77,464	

Days Skipped Since September

Q28a	Frequency	Percent
None	834,518	82.3%
1-3 days	134,396	13.3%
4-9 days	25,391	2.5%
10+ days	19,486	1.9%
Frequency Missing	72,154	

Days Ill Since September

Q28b	Frequency	Percent
None	382,845	37.9%
1-3 days	481,302	47.6%
4-9 days	112,401	11.1%
10+ days	33,859	3.4%
Frequency Missing	75,538	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	429,470	43.0%
1-3 days	466,496	46.7%
4-9 days	72,509	7.3%
10+ days	29,404	2.9%
Frequency Missing	88,066	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	884,487	87.3%
1-3 days	96,742	9.5%
4-9 days	18,803	1.9%
10+ days	13,195	1.3%
Frequency Missing	72,718	

Someone Called Home Since September

Q28e	Frequency	Percent
None	903,654	89.5%
1-3 days	79,149	7.8%
4-9 days	15,224	1.5%
10+ days	11,887	1.2%
Frequency Missing	76,032	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	973,654	96.5%
1-3 times	30,665	3.0%
4-9 times	3,412	0.3%
10+ times	1,556	0.2%
Frequency Missing	76,659	

Percentages and frequencies have been weighted to reflect proportions within the population.

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	980,137	97.3%
1-3 times	21,329	2.1%
4-9 times	3,226	0.3%
10+ times	2,260	0.2%
Frequency Missing	78,992	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	911,709	90.8%
1-3 days	51,777	5.2%
4-9 days	14,729	1.5%
10+ days	26,082	2.6%
Frequency Missing	81,647	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	966,930	96.0%
1-3 times	32,732	3.3%
4-9 times	4,196	0.4%
10+ times	3,164	0.3%
Frequency Missing	78,923	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	988,573	98.6%
1-3 days	10,474	1.0%
4-9 days	1,318	0.1%
10+ days	2,283	0.2%
Frequency Missing	83,298	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	957,322	95.3%
1-3 times	27,741	2.8%
4-9 times	8,271	0.8%
10+ times	10,923	1.1%
Frequency Missing	81,689	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	962,719	96.2%
1-3 days	22,844	2.3%
4-9 days	6,843	0.7%
10+ days	8,763	0.9%
Frequency Missing	84,776	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	963,554	95.7%
1-3 days	31,209	3.1%
4-9 days	7,564	0.8%
10+ days	4,051	0.4%
Frequency Missing	79,567	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	503,502	50.0%
Seldom	74,434	7.4%
Half the time	60,982	6.1%
Most of the Time	88,607	8.8%
Always	90,498	9.0%
Don't Know	23,072	2.3%
Didn't attend	165,143	16.4%
Frequency Missing	79,709	

Percentages and frequencies have been weighted to reflect proportions within the population.

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	593,790	59.1%
Seldom	55,820	5.6%
Half the time	39,132	3.9%
Most of the Time	58,788	5.9%
Always	64,478	6.4%
Don't Know	28,453	2.8%
Didn't attend	163,788	16.3%
Frequency Missing	81,696	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	841,794	93.1%
Yes	62,861	6.9%
Frequency Missing	181,291	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	616,352	62.4%
Yes	370,711	37.6%
Frequency Missing	98,882	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	767,017	78.2%
Yes	214,104	21.8%
Frequency Missing	104,824	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	570,604	58.0%
Yes	413,495	42.0%
Frequency Missing	101,846	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	305,357	30.9%
Yes	682,531	69.1%
Frequency Missing	98,057	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	421,381	42.9%
Yes	560,355	57.1%
Frequency Missing	104,209	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	370,931	37.8%
Yes	609,160	62.2%
Frequency Missing	105,854	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	407,996	41.4%
Yes	576,742	58.6%
Frequency Missing	101,207	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	575,702	58.6%
Yes	406,576	41.4%
Frequency Missing	103,667	

Percentages and frequencies have been weighted to reflect proportions within the population.

Would Not Seek Help

Q33i	Frequency	Percent
No	777,423	81.2%
Yes	180,331	18.8%
Frequency Missing	128,192	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	653,904	68.8%
Yes	296,495	31.2%
Frequency Missing	135,546	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	566,257	58.8%
Yes	397,546	41.2%
Frequency Missing	122,141	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	831,251	87.3%
Yes	120,383	12.7%
Frequency Missing	134,311	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	640,419	67.0%
Yes	315,166	33.0%
Frequency Missing	130,361	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	728,899	76.4%
Yes	224,645	23.6%
Frequency Missing	132,401	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	737,060	77.0%
Yes	219,549	23.0%
Frequency Missing	129,337	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	700,829	73.4%
Yes	253,380	26.6%
Frequency Missing	131,736	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	800,237	84.0%
Yes	152,197	16.0%
Frequency Missing	133,511	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	776,227	77.4%
Mild disapprove	67,962	6.8%
Neither	48,580	4.8%
Mildly approve	9,825	1.0%
Strongly approve	8,026	0.8%
Don't know	92,527	9.2%
Frequency Missing	82,799	

Percentages and frequencies have been weighted to reflect proportions within the population.

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	595,630	59.4%
Mild disapprove	137,599	13.7%
Neither	121,702	12.1%
Mildly approve	49,563	4.9%
Strongly approve	11,836	1.2%
Don't know	86,098	8.6%
Frequency Missing	83,517	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	738,302	73.6%
Mild disapprove	68,071	6.8%
Neither	77,390	7.7%
Mildly approve	20,541	2.0%
Strongly approve	14,100	1.4%
Don't know	85,030	8.5%
Frequency Missing	82,510	

Percentages and frequencies have been weighted to reflect proportions within the population.

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and receny of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall "Any Tobacco Product" category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	**Updating Rule**
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall "Any Alcohol Product" category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	**Updating Rule**
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	**Updating Rule**
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	**Updating Rule**
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	**Updating Rule**
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Any Alcohol Product	
This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	**Updating Rule**
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Alcohol (Q23b : alc_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for all responses to this question other than "Never 5+ at Time" or "0 Days".
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	**Updating Rule**
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	**Updating Rule**
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	**Updating Rule**
Crack Use in Past Month (Q19f : crack_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Crack (Q21f : crack_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Steroids
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.

Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	

Question	**Updating Rule**
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	**Updating Rule**
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	**Updating Rule**
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	**Updating Rule**
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	**Updating Rule**
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

Marijuana Only
This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used "Marijuana Only". Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack
This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug
This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey ("Codeine", "Percocets etc", "Benzodiazepines etc", "Adderall etc", and "Other Prescriptions"). However, the category of "DXM, Triple Cs etc" is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall "Any Inhalant" category is updated as described below.

Any Inhalant	
This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.	
Question	**Updating Rule**
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".