TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use

★

2020

HHSC REGION 8 AND 9 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 8 and 9. It is divided into three major sections. The first section, titled "General Substance Use Tables", focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students' likelihood to use. The second section, titled "Prevalence Tables", provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, "Margin Tables", details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students' answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students' answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was "Since School Began in the Fall", but also reported on Q19d that they had used marijuana "1-2 Times" in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

During the 2019-2020 school year, schools across Texas were closed from early March through the end of the school year due to the COVID-19 pandemic. Due to this sudden and unexpected closure, many schools that had registered for the survey were unable to complete it. Please

note that both the drop in participation along with the fact that those that did complete did so before March may have impacted the data.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	17.9%	22.2%	37.3%	62.7%
Grade 7	7.7%	9.7%	20.0%	80.0%
Grade 8	12.6%	16.6%	29.1%	70.9%
Grade 9	20.2%	24.1%	40.6%	59.4%
Grade 10	17.8%	22.1%	40.3%	59.7%
Grade 11	26.6%	32.4%	46.9%	53.1%
Grade 12	24.6%	31.6%	50.4%	49.6%
Cigarettes?				
All	3.6%	5.3%	16.1%	83.9%
Grade 7	1.3%	2.1%	8.7%	91.3%
Grade 8	2.7%	4.1%	12.5%	87.5%
Grade 9	3.0%	4.3%	14.9%	85.1%
Grade 10	3.8%	4.3%	13.5%	86.5%
Grade 11	6.4%	9.5%	23.4%	76.6%
Grade 12	5.1%	8.3%	26.3%	73.7%
Smokeless Tobacco?				
All	2.5%	3.5%	8.8%	91.2%
Grade 7	0.6%	0.8%	4.6%	95.4%
Grade 8	1.7%	2.9%	5.9%	94.1%
Grade 9	3.4%	4.0%	8.4%	91.6%
Grade 10	2.2%	3.2%	7.9%	92.1%
Grade 11	2.5%	4.6%	14.1%	85.9%
Grade 12	4.6%	5.8%	13.3%	86.7%
Electronic Vapor Products?				
All	13.2%	18.6%	33.1%	66.9%
Grade 7	4.3%	7.3%	16.0%	84.0%
Grade 8	8.8%	13.1%	25.2%	74.8%
Grade 9	14.2%	19.9%	35.1%	64.9%
Grade 10	13.1%	19.4%	36.8%	63.2%
Grade 11	21.6%	28.3%	43.0%	57.0%
Grade 12	19.5%	26.2%	46.7%	53.3%

Percentages have been weighted to reflect proportions within the population.

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once Month	About Once a Year	Less Than Once a Year
All	84.6%	2.0%	1.5%	1.9%	2.5%	2.2%	5.3%
Grade 7	92.6%	0.1%	0.1%	0.4%	2.5%	1.0%	3.3%
Grade 8	90.8%	0.4%	0.5%	1.8%	1.4%	2.3%	3.0%
Grade 9	86.9%	1.2%	1.3%	2.1%	2.3%	1.4%	4.9%
Grade 10	84.7%	1.9%	1.6%	2.0%	2.1%	2.5%	5.3%
Grade 11	75.1%	4.3%	3.8%	2.4%	3.7%	2.6%	8.1%
Grade 12	74.3%	5.1%	1.9%	3.3%	3.6%	3.7%	8.1%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.0	10.6	11.4	12.2	13.2	13.6	14.4

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	29.4%	21.9%	7.5%	11.4%	13.4%	16.4%
Grade 7	31.8%	34.9%	10.6%	8.7%	7.6%	6.4%
Grade 8	29.8%	29.0%	8.6%	12.6%	10.5%	9.6%
Grade 9	35.5%	18.9%	8.2%	11.6%	12.9%	12.9%
Grade 10	28.4%	18.8%	7.3%	12.6%	15.3%	17.6%
Grade 11	27.2%	15.2%	4.4%	12.4%	17.1%	23.7%
Grade 12	21.6%	12.0%	5.3%	10.9%	18.4%	31.9%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	68.7%	19.3%	6.8%	3.9%	1.4%
Grade 7	84.4%	11.8%	1.9%	1.1%	0.7%
Grade 8	76.7%	16.5%	4.8%	1.6%	0.4%
Grade 9	72.1%	18.2%	5.6%	3.1%	0.9%
Grade 10	66.2%	18.9%	9.4%	3.6%	2.0%
Grade 11	56.1%	24.0%	10.4%	8.4%	1.1%
Grade 12	51.6%	28.7%	9.8%	6.5%	3.5%

Percentages have been weighted to reflect proportions within the population.

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	73.1%	8.4%	7.5%	1.2%	0.8%	9.1%
Grade 7	78.5%	6.3%	3.4%	0.5%	0.6%	10.7%
Grade 8	80.8%	4.5%	4.2%	1.2%	0.8%	8.6%
Grade 9	76.6%	7.3%	5.5%	0.7%	0.6%	9.3%
Grade 10	70.6%	8.3%	8.3%	1.6%	1.4%	9.9%
Grade 11	67.3%	12.9%	10.3%	1.0%	0.6%	7.9%
Grade 12	62.6%	11.9%	14.5%	2.2%	0.7%	8.1%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	56.5%	27.0%	7.7%	2.1%	6.7%
Grade 7	69.5%	18.6%	4.9%	0.6%	6.3%
Grade 8	65.7%	22.8%	5.0%	2.0%	4.5%
Grade 9	56.7%	26.1%	8.2%	1.8%	7.2%
Grade 10	50.9%	29.6%	8.7%	2.3%	8.5%
Grade 11	48.5%	30.0%	8.3%	4.0%	9.2%
Grade 12	43.7%	37.4%	12.2%	2.3%	4.4%
Electronic Vapor Products?					
All	56.8%	20.8%	11.4%	4.3%	6.7%
Grade 7	65.7%	18.0%	7.0%	3.1%	6.2%
Grade 8	61.0%	18.7%	10.5%	3.3%	6.5%
Grade 9	56.2%	17.5%	14.1%	5.4%	6.7%
Grade 10	52.5%	21.7%	14.3%	4.2%	7.4%
Grade 11	49.6%	26.3%	10.6%	4.8%	8.7%
Grade 12	53.9%	24.2%	12.4%	5.3%	4.2%

Percentages have been weighted to reflect proportions within the population.

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	33.4%	39.5%	58.2%	41.8%
Grade 7	19.2%	21.3%	40.8%	59.2%
Grade 8	28.1%	32.2%	51.9%	48.1%
Grade 9	33.8%	39.3%	59.1%	40.9%
Grade 10	34.5%	41.1%	60.5%	39.5%
Grade 11	44.8%	51.4%	66.0%	34.0%
Grade 12	43.6%	56.8%	75.1%	24.9%
Beer?				
All	12.7%	18.8%	45.2%	54.8%
Grade 7	5.8%	8.5%	32.1%	67.9%
Grade 8	10.5%	14.9%	39.5%	60.5%
Grade 9	12.2%	18.4%	47.1%	52.9%
Grade 10	11.4%	17.4%	43.0%	57.0%
Grade 11	18.7%	27.3%	53.1%	46.9%
Grade 12	20.0%	29.4%	59.8%	40.2%
Wine Coolers?				
All	10.2%	16.0%	34.7%	65.3%
Grade 7	3.7%	5.8%	19.2%	80.8%
Grade 8	6.7%	10.4%	25.4%	74.6%
Grade 9	9.2%	14.5%	31.1%	68.9%
Grade 10	11.0%	16.6%	38.3%	61.7%
Grade 11	15.7%	23.2%	45.7%	54.3%
Grade 12	16.7%	28.7%	53.9%	46.1%
Wine?				
All	8.0%	12.5%	35.5%	64.5%
Grade 7	4.4%	6.1%	25.6%	74.4%
Grade 8	6.4%	10.0%	30.8%	69.2%
Grade 9	9.4%	12.7%	30.9%	69.1%
Grade 10	8.2%	11.9%	36.6%	63.4%
Grade 11	9.4%	17.4%	43.4%	56.6%
Grade 12	11.1%	18.5%	49.4%	50.6%
Liquor?				
All	13.1%	20.1%	42.2%	57.8%
Grade 7	3.5%	5.9%	21.2%	78.8%
Grade 8	8.7%	13.3%	30.6%	69.4%
Grade 9	13.2%	18.5%	41.7%	58.3%
Grade 10	12.3%	20.9%	44.4%	55.6%
Grade 11	18.5%	29.0%	55.9%	44.1%
Grade 12	25.3%	37.9%	66.0%	34.0%

Percentages have been weighted to reflect proportions within the population.

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	55.8%	0.3%	1.6%	7.6%	14.0%	10.6%	10.1%
Grade 7	76.3%	0.1%	0.2%	3.0%	4.5%	5.5%	10.5%
Grade 8	64.1%	0.0%	2.1%	5.5%	9.4%	9.1%	9.7%
Grade 9	57.9%	0.4%	1.2%	6.4%	14.5%	10.4%	9.3%
Grade 10	55.0%	0.2%	1.8%	6.9%	14.3%	11.4%	10.3%
Grade 11	43.6%	0.7%	2.6%	13.0%	19.7%	11.3%	9.1%
Grade 12	31.7%	0.3%	2.1%	12.5%	24.2%	17.0%	12.1%

Percentages have been weighted to reflect proportions within the population.

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

	Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer					
All	59.5%	40.5%	9.1%	18.8%	12.7%
Grade 7	71.8%	28.2%	2.2%	11.1%	14.9%
Grade 8	64.5%	35.5%	6.5%	15.2%	13.8%
Grade 9	57.9%	42.1%	6.9%	20.1%	15.1%
Grade 10	62.6%	37.4%	7.4%	20.1%	9.9%
Grade 11	51.4%	48.6%	16.5%	23.0%	9.1%
Grade 12	45.5%	54.5%	17.3%	24.8%	12.4%
Wine Coolers					
All	68.4%	31.6%	7.9%	17.2%	6.5%
Grade 7	84.0%	16.0%	1.5%	8.4%	6.0%
Grade 8	77.6%	22.4%	3.7%	11.6%	7.1%
Grade 9	72.9%	27.1%	5.0%	16.3%	5.9%
Grade 10	64.8%	35.2%	7.5%	19.7%	8.0%
Grade 11	57.5%	42.5%	14.3%	22.4%	5.7%
Grade 12	48.8%	51.2%	18.0%	27.0%	6.2%
Wine					
All	69.5%	30.5%	2.8%	15.4%	12.3%
Grade 7	79.1%	20.9%	0.8%	9.1%	11.0%
Grade 8	73.8%	26.2%	2.1%	11.2%	12.8%
Grade 9	73.9%	26.1%	2.5%	13.0%	10.5%
Grade 10	66.4%	33.6%	2.5%	17.1%	14.0%
Grade 11	64.0%	36.0%	3.1%	22.5%	10.3%
Grade 12	56.8%	43.2%	6.7%	21.1%	15.4%
Liquor					
All	60.5%	39.5%	9.5%	19.9%	10.2%
Grade 7	80.8%	19.2%	1.4%	8.7%	9.2%
Grade 8	72.1%	27.9%	6.2%	10.5%	11.2%
Grade 9	61.7%	38.3%	9.1%	17.4%	11.8%
Grade 10	58.2%	41.8%	8.0%	23.7%	10.0%
Grade 11	48.8%	51.2%	15.0%	26.5%	9.6%
Grade 12	35.4%	64.6%	19.7%	36.1%	8.7%

Percentages have been weighted to reflect proportions within the population.

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	86.4%	5.7%	2.3%	2.9%	0.7%	2.0%
Grade 7	95.1%	2.8%	1.0%	0.6%	0.1%	0.4%
Grade 8	90.1%	4.4%	1.6%	2.2%	0.6%	1.0%
Grade 9	87.3%	6.5%	2.0%	2.3%	0.4%	1.6%
Grade 10	87.3%	5.9%	1.8%	2.1%	0.4%	2.4%
Grade 11	79.4%	5.9%	3.2%	6.6%	1.3%	3.7%
Grade 12	76.8%	9.1%	5.0%	4.4%	1.4%	3.3%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.8	10.1	11.1	12.3	13.1	13.8	14.6

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	21.5%	13.3%	6.1%	12.1%	19.7%	27.4%
Grade 7	27.1%	22.0%	9.7%	11.2%	15.4%	14.5%
Grade 8	22.1%	16.9%	8.5%	12.6%	17.8%	22.1%
Grade 9	24.6%	13.2%	4.8%	13.3%	19.5%	24.6%
Grade 10	21.9%	10.5%	4.6%	12.8%	19.4%	30.8%
Grade 11	18.1%	9.5%	3.1%	10.8%	21.7%	36.8%
Grade 12	13.0%	5.5%	5.6%	11.3%	25.5%	39.0%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.5%	3.3%	0.7%	0.5%
Grade 7	95.4%	4.3%	0.2%	0.0%
Grade 8	94.8%	3.8%	0.9%	0.4%
Grade 9	95.2%	3.2%	0.8%	0.8%
Grade 10	96.1%	2.8%	0.4%	0.7%
Grade 11	95.5%	2.5%	1.3%	0.7%
Grade 12	95.7%	3.1%	0.7%	0.4%

Percentages have been weighted to reflect proportions within the population.

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

	Average Days Absent Due to Illness or Other Reasons
Alcohol Users	4.2
Alcohol Non-Users	3.1

	Average Days Conduct Problems Reported
Alcohol Users	2.3
Alcohol Non-Users	0.6

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	95.8%	3.3%	0.5%	0.4%
Grade 9	98.2%	1.5%	0.1%	0.2%
Grade 10	96.1%	3.1%	0.5%	0.3%
Grade 11	95.9%	3.5%	0.3%	0.4%
Grade 12	92.4%	5.6%	1.2%	0.7%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	95.7%	3.5%	0.6%	0.2%
Grade 7	96.9%	2.6%	0.4%	0.1%
Grade 8	95.9%	3.1%	0.4%	0.6%
Grade 9	95.4%	3.4%	1.1%	0.1%
Grade 10	96.6%	3.4%	0.1%	0.0%
Grade 11	95.5%	3.5%	0.6%	0.3%
Grade 12	93.6%	5.5%	0.8%	0.1%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	45.3%	25.4%	13.5%	11.3%	4.6%
Grade 7	71.2%	19.9%	5.8%	2.2%	0.9%
Grade 8	55.0%	25.5%	11.3%	6.7%	1.5%
Grade 9	42.4%	28.8%	14.8%	10.3%	3.7%
Grade 10	39.9%	27.7%	14.5%	11.6%	6.3%
Grade 11	32.6%	21.4%	19.7%	19.0%	7.3%
Grade 12	24.4%	29.3%	16.3%	20.8%	9.3%

Percentages have been weighted to reflect proportions within the population.

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	48.7%	7.1%	5.2%	8.9%	9.4%	2.4%	18.3%
Grade 7	67.3%	5.8%	3.6%	4.5%	1.7%	2.5%	14.6%
Grade 8	57.5%	7.0%	8.7%	6.2%	3.9%	3.1%	13.5%
Grade 9	50.3%	9.3%	4.9%	8.5%	6.5%	2.5%	18.1%
Grade 10	47.4%	8.0%	5.6%	11.5%	8.4%	1.5%	17.5%
Grade 11	36.6%	5.0%	4.9%	12.3%	14.3%	3.5%	23.4%
Grade 12	28.4%	7.6%	3.3%	11.1%	24.6%	0.9%	24.2%

Percentages have been weighted to reflect proportions within the population.

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

	Do Not Drink	Never	Seldom	Most of the Time	Always
Home?					
All	54.2%	17.7%	17.5%	6.7%	3.8%
Grade 7	67.1%	18.0%	9.8%	3.5%	1.6%
Grade 8	60.5%	18.2%	15.1%	4.3%	2.0%
Grade 9	55.3%	19.3%	16.0%	7.1%	2.3%
Grade 10	54.9%	11.7%	21.2%	7.1%	5.1%
Grade 11	47.3%	19.7%	19.5%	9.4%	4.1%
Grade 12	36.6%	19.5%	25.2%	9.8%	8.8%
Friends?					
All	54.7%	18.7%	13.4%	9.6%	3.6%
Grade 7	71.2%	20.9%	4.5%	2.6%	0.8%
Grade 8	63.0%	18.4%	8.5%	8.3%	1.8%
Grade 9	57.1%	20.0%	12.9%	7.4%	2.5%
Grade 10	52.4%	20.6%	13.6%	10.5%	2.9%
Grade 11	45.6%	12.9%	20.1%	14.4%	7.0%
Grade 12	34.3%	18.6%	23.2%	16.1%	7.7%
A Store?					
All	58.8%	33.7%	3.3%	2.6%	1.6%
Grade 7	71.7%	25.4%	1.6%	0.7%	0.6%
Grade 8	64.8%	30.4%	2.1%	1.5%	1.2%
Grade 9	60.6%	32.2%	3.3%	2.4%	1.4%
Grade 10	57.8%	34.3%	1.8%	4.4%	1.6%
Grade 11	53.9%	36.6%	4.7%	3.1%	1.7%
Grade 12	39.9%	46.0%	6.8%	3.7%	3.7%
Parties?					
All	54.5%	16.4%	10.7%	10.7%	7.7%
Grade 7	70.1%	18.4%	5.4%	4.0%	2.1%
Grade 8	61.4%	16.9%	8.8%	8.4%	4.5%
Grade 9	54.5%	16.6%	11.5%	11.1%	6.3%
Grade 10	54.5%	15.0%	11.0%	10.2%	9.3%
Grade 11	46.8%	15.0%	12.6%	16.0%	9.6%
Grade 12	35.4%	16.0%	16.0%	16.3%	16.3%
Other Sources?					
All	58.7%	23.5%	8.2%	5.2%	4.4%
Grade 7	70.9%	20.5%	4.8%	2.4%	1.4%
Grade 8	63.4%	20.2%	7.8%	5.4%	3.1%
Grade 9	58.8%	23.8%	7.8%	6.0%	3.7%
Grade 10	59.3%	22.8%	7.4%	4.3%	6.2%
Grade 11	53.4%	26.2%	10.4%	4.3%	5.7%
Grade 12	42.2%	29.0%	12.2%	9.7%	6.9%

Percentages have been weighted to reflect proportions within the population.

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	55.1%	14.6%	15.9%	5.3%	1.2%	7.9%
Grade 7	70.8%	10.0%	7.5%	1.7%	0.3%	9.7%
Grade 8	64.2%	14.6%	9.0%	3.7%	0.3%	8.1%
Grade 9	56.6%	17.5%	13.3%	3.0%	0.9%	8.8%
Grade 10	47.2%	16.4%	20.4%	5.3%	2.6%	8.1%
Grade 11	48.2%	15.3%	22.2%	7.4%	1.1%	5.8%
Grade 12	40.9%	13.8%	25.0%	12.1%	2.0%	6.3%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	42.4%	33.4%	15.9%	3.4%	4.9%
Grade 7	52.6%	29.6%	11.2%	2.6%	4.0%
Grade 8	43.9%	31.3%	16.8%	3.7%	4.3%
Grade 9	44.6%	30.0%	15.9%	3.9%	5.7%
Grade 10	38.5%	32.2%	21.5%	2.6%	5.1%
Grade 11	38.0%	36.4%	14.4%	3.2%	8.0%
Grade 12	34.4%	43.3%	15.8%	4.3%	2.1%

Percentages have been weighted to reflect proportions within the population.

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	15.7%	20.4%	26.6%	73.4%
Grade 7	7.2%	10.4%	13.4%	86.6%
Grade 8	11.1%	15.3%	17.5%	82.5%
Grade 9	15.7%	19.5%	25.4%	74.6%
Grade 10	18.8%	24.3%	29.7%	70.3%
Grade 11	22.2%	27.6%	36.5%	63.5%
Grade 12	21.4%	28.1%	41.5%	58.5%
Marijuana?				
All	14.7%	17.8%	24.3%	75.7%
Grade 7	5.4%	5.9%	8.6%	91.4%
Grade 8	9.7%	12.6%	14.6%	85.4%
Grade 9	15.0%	17.3%	23.1%	76.9%
Grade 10	17.7%	21.5%	27.9%	72.1%
Grade 11	21.8%	25.7%	34.9%	65.1%
Grade 12	21.0%	26.7%	41.3%	58.7%
Cocaine?				
All	1.3%	1.4%	2.5%	97.5%
Grade 7	2.0%	2.0%	2.6%	97.4%
Grade 8	0.8%	1.0%	1.5%	98.5%
Grade 9	0.6%	0.7%	1.1%	98.9%
Grade 10	1.5%	1.6%	2.5%	97.5%
Grade 11	1.5%	1.5%	3.2%	96.8%
Grade 12	1.2%	1.6%	4.6%	95.4%
Crack?				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.6%	1.0%	1.6%	98.4%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.1%	0.3%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	1.0%	1.0%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.5%	99.5%
Hallucinogens?				
All	1.7%	2.4%	3.9%	96.1%
Grade 7	0.8%	0.8%	1.7%	98.3%
Grade 8	1.3%	1.8%	3.7%	96.3%
Grade 9	1.0%	2.0%	2.8%	97.2%
Grade 10	2.4%	3.0%	4.3%	95.7%
Grade 11	3.1%	4.3%	5.3%	94.7%
Grade 12	1.9%	3.3%	6.1%	93.9%

Percentages have been weighted to reflect proportions within the population.

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	1.2%	98.8%
Grade 8	0.7%	0.9%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.2%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids?				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	0.2%	0.7%	1.5%	98.5%
Grade 8	0.9%	1.2%	2.6%	97.4%
Grade 9	0.8%	1.0%	2.0%	98.0%
Grade 10	0.3%	0.7%	1.4%	98.6%
Grade 11	0.8%	0.8%	1.2%	98.8%
Grade 12	0.6%	0.8%	1.3%	98.7%
Ecstasy?				
All	0.6%	1.0%	2.4%	97.6%
Grade 7	0.3%	0.6%	1.1%	98.9%
Grade 8	0.4%	0.5%	1.3%	98.7%
Grade 9	0.3%	0.5%	1.3%	98.7%
Grade 10	0.1%	1.0%	1.7%	98.3%
Grade 11	1.1%	1.3%	3.7%	96.3%
Grade 12	1.5%	2.3%	6.4%	93.6%
Heroin?				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.9%	99.1%
Grade 8	0.6%	0.9%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.4%	99.6%
Methamphetamine?				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.6%	1.0%	1.8%	98.2%
Grade 8	0.7%	1.0%	1.5%	98.5%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.9%	99.1%

Percentages have been weighted to reflect proportions within the population.

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.4%	1.9%	3.8%	96.2%
Grade 7	0.8%	1.5%	3.1%	96.9%
Grade 8	1.6%	2.2%	4.2%	95.8%
Grade 9	1.1%	2.1%	4.1%	95.9%
Grade 10	1.4%	2.1%	3.4%	96.6%
Grade 11	2.8%	2.8%	4.6%	95.4%
Grade 12	0.6%	0.6%	3.7%	96.3%

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	79.5%	2.2%	1.8%	3.9%	4.7%	4.1%	3.8%
Grade 7	93.8%	0.1%	0.6%	1.3%	0.9%	1.7%	1.6%
Grade 8	88.5%	0.8%	1.2%	2.2%	3.4%	2.5%	1.4%
Grade 9	80.4%	2.4%	1.0%	5.3%	4.2%	2.7%	3.9%
Grade 10	74.9%	3.2%	2.5%	4.1%	6.5%	5.2%	3.6%
Grade 11	69.5%	3.3%	2.3%	6.5%	7.5%	6.9%	3.9%
Grade 12	66.1%	3.8%	3.8%	4.5%	6.1%	6.7%	8.9%
Cocaine?							
All	98.1%	0.1%	0.0%	0.2%	0.4%	0.5%	0.8%
Grade 7	98.0%	0.2%	0.0%	0.1%	0.8%	0.3%	0.5%
Grade 8	99.1%	0.0%	0.0%	0.0%	0.4%	0.4%	0.0%
Grade 9	99.2%	0.0%	0.0%	0.1%	0.3%	0.2%	0.2%
Grade 10	98.3%	0.0%	0.0%	0.1%	0.4%	0.5%	0.7%
Grade 11	97.3%	0.0%	0.0%	0.7%	0.0%	0.4%	1.5%
Grade 12	96.3%	0.1%	0.0%	0.2%	0.2%	1.2%	2.0%
Crack?							
All	99.4%	0.0%	0.0%	0.0%	0.1%	0.2%	0.2%
Grade 7	98.6%	0.0%	0.0%	0.1%	0.3%	0.5%	0.4%
Grade 8	99.4%	0.0%	0.0%	0.0%	0.2%	0.3%	0.2%
Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
Grade 10	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 11	99.1%	0.0%	0.1%	0.0%	0.0%	0.3%	0.5%
Grade 12	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
Steroids?							
All	99.1%	0.1%	0.0%	0.0%	0.2%	0.1%	0.4%
Grade 7	99.1%	0.0%	0.0%	0.1%	0.5%	0.1%	0.2%
Grade 8	98.8%	0.0%	0.2%	0.0%	0.6%	0.1%	0.4%
Grade 9	98.4%	0.5%	0.0%	0.0%	0.0%	0.0%	1.2%
Grade 10	99.4%	0.0%	0.0%	0.1%	0.0%	0.3%	0.2%
Grade 11	99.3%	0.0%	0.0%	0.1%	0.0%	0.3%	0.3%
Grade 12	99.6%	0.1%	0.0%	0.0%	0.2%	0.0%	0.1%
Ecstasy?							
All	98.3%	0.1%	0.1%	0.1%	0.4%	0.5%	0.6%
Grade 7	99.3%	0.0%	0.0%	0.0%	0.4%	0.2%	0.1%
Grade 8	99.0%	0.0%	0.1%	0.1%	0.1%	0.1%	0.7%
Grade 9	99.1%	0.2%	0.0%	0.0%	0.2%	0.1%	0.4%
Grade 10	98.7%	0.0%	0.0%	0.0%	0.6%	0.2%	0.5%
Grade 11	98.1%	0.2%	0.3%	0.0%	0.3%	0.6%	0.6%
Grade 12	94.7%	0.0%	0.0%	0.3%	0.8%	2.3%	1.8%

Percentages have been weighted to reflect proportions within the population.

Table D-2: How Often Do You Normally Use...
(Continued)

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?							
All	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
Grade 7	99.5%	0.0%	0.1%	0.0%	0.0%	0.0%	0.4%
Grade 8	99.3%	0.0%	0.0%	0.2%	0.2%	0.1%	0.2%
Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?							
All	99.4%	0.0%	0.0%	0.0%	0.0%	0.3%	0.2%
Grade 7	99.0%	0.0%	0.0%	0.1%	0.1%	0.2%	0.5%
Grade 8	99.5%	0.0%	0.0%	0.1%	0.1%	0.3%	0.1%
Grade 9	99.5%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%
Grade 10	99.8%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%
Grade 11	99.5%	0.0%	0.0%	0.0%	0.0%	0.5%	0.0%
Grade 12	99.4%	0.0%	0.0%	0.0%	0.0%	0.2%	0.4%
Synthetic Marijuana?							
All	97.2%	0.1%	0.2%	0.3%	0.4%	0.6%	1.2%
Grade 7	97.7%	0.0%	0.1%	0.4%	0.5%	0.4%	0.9%
Grade 8	96.7%	0.0%	0.5%	0.7%	0.4%	0.5%	1.2%
Grade 9	96.7%	0.0%	0.1%	0.4%	1.1%	0.6%	1.0%
Grade 10	98.2%	0.3%	0.4%	0.1%	0.0%	0.3%	0.7%
Grade 11	96.2%	0.2%	0.0%	0.2%	0.1%	1.6%	1.7%
Grade 12	97.3%	0.0%	0.2%	0.0%	0.1%	0.3%	2.1%

Percentages have been weighted to reflect proportions within the population.

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.6	11.0	12.0	12.8	13.5	14.3	14.9
Cocaine	14.1	11.3	11.3	13.4	14.8	14.3	16.1
Crack	12.6	12.0	11.1	8.0	14.0	14.1	14.0
Steroids	12.0	9.8	10.6	12.7	14.4	13.9	9.1
Ecstasy	14.9	12.3	12.5	13.0	13.8	15.5	16.1
Heroin	11.8	10.2	9.5	13.0	12.0	14.0	17.0
Metham- phetamine	13.5	11.2	12.7	13.7	14.2	14.0	16.1
Synthetic Marijuana	13.2	11.2	12.1	12.9	12.2	14.5	15.0

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?						
All	28.2%	24.3%	8.1%	8.4%	12.0%	19.0%
Grade 7	35.5%	41.5%	9.2%	5.9%	3.2%	4.6%
Grade 8	28.3%	33.1%	10.7%	10.6%	8.8%	8.5%
Grade 9	33.2%	20.8%	8.0%	8.7%	12.6%	16.7%
Grade 10	25.9%	19.6%	7.5%	11.8%	12.0%	23.1%
Grade 11	23.4%	13.3%	7.3%	5.8%	18.2%	32.0%
Grade 12	20.1%	14.2%	5.1%	7.5%	19.3%	33.7%
Cocaine?						
All	41.1%	33.7%	10.7%	6.5%	3.6%	4.5%
Grade 7	38.3%	47.1%	8.0%	4.2%	1.0%	1.4%
Grade 8	37.0%	39.6%	13.0%	4.7%	2.7%	3.0%
Grade 9	45.8%	31.2%	10.5%	5.3%	3.5%	3.6%
Grade 10	40.7%	32.0%	10.8%	5.4%	5.5%	5.6%
Grade 11	43.8%	24.6%	10.4%	9.3%	4.1%	7.8%
Grade 12	41.0%	24.9%	11.5%	11.2%	5.4%	6.0%
Crack?						
All	43.4%	35.1%	10.2%	5.5%	2.6%	3.3%
Grade 7	39.2%	47.7%	6.7%	3.9%	1.4%	1.1%
Grade 8	38.6%	40.4%	11.6%	4.6%	2.0%	2.6%
Grade 9	47.0%	32.8%	9.5%	5.0%	2.5%	3.2%
Grade 10	44.3%	33.3%	11.2%	3.9%	2.9%	4.4%
Grade 11	45.7%	26.9%	11.1%	7.8%	2.8%	5.6%
Grade 12	46.0%	26.9%	11.7%	8.4%	4.1%	2.9%
Steroids?						
All	45.7%	32.6%	9.7%	6.6%	2.0%	3.4%
Grade 7	43.2%	41.4%	8.3%	5.1%	0.9%	0.9%
Grade 8	41.1%	36.5%	10.1%	7.2%	2.5%	2.5%
Grade 9	48.5%	31.2%	9.3%	5.2%	2.1%	3.7%
Grade 10	46.2%	33.6%	9.1%	4.9%	1.8%	4.4%
Grade 11	49.0%	25.0%	11.6%	6.2%	2.0%	6.3%
Grade 12	46.6%	26.0%	9.8%	11.9%	2.5%	3.2%
Ecstasy?						
All	53.7%	27.3%	7.1%	5.4%	3.0%	3.6%
Grade 7	62.6%	30.1%	3.9%	1.9%	0.8%	0.6%
Grade 8	52.3%	31.7%	8.9%	3.0%	1.3%	2.9%
Grade 9	54.9%	29.3%	6.4%	3.6%	2.6%	3.1%
Grade 10	51.2%	28.9%	7.8%	5.7%	2.4%	4.1%
Grade 11	51.9%	19.5%	8.3%	9.2%	5.0%	6.0%
Grade 12	47.4%	22.6%	7.5%	9.9%	6.5%	6.0%

Percentages have been weighted to reflect proportions within the population.

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?						
All	48.5%	34.9%	8.7%	3.9%	1.4%	2.7%
Grade 7	49.0%	40.3%	6.1%	2.5%	1.0%	1.0%
Grade 8	44.0%	39.4%	9.7%	3.2%	1.2%	2.5%
Grade 9	51.1%	33.3%	7.4%	3.9%	2.0%	2.3%
Grade 10	45.9%	36.7%	8.7%	3.0%	1.5%	4.2%
Grade 11	51.2%	27.7%	10.8%	4.8%	0.8%	4.6%
Grade 12	49.7%	30.5%	10.1%	6.3%	1.8%	1.6%
Methamphetamine?						
All	50.3%	33.2%	7.9%	4.4%	1.6%	2.6%
Grade 7	54.1%	36.6%	4.9%	2.8%	1.0%	0.6%
Grade 8	45.9%	37.7%	8.6%	3.9%	1.5%	2.4%
Grade 9	51.8%	31.5%	8.8%	4.1%	1.4%	2.4%
Grade 10	49.2%	35.1%	7.9%	2.7%	2.2%	3.0%
Grade 11	51.5%	27.2%	8.7%	5.8%	2.2%	4.6%
Grade 12	48.9%	30.3%	8.9%	7.8%	1.3%	2.9%
Synthetic Marijuana?						
All	50.0%	27.4%	6.8%	5.8%	4.4%	5.7%
Grade 7	56.5%	31.7%	5.5%	3.2%	1.7%	1.3%
Grade 8	47.5%	32.9%	8.4%	4.0%	2.7%	4.5%
Grade 9	52.5%	26.3%	5.9%	5.6%	4.3%	5.3%
Grade 10	46.7%	29.8%	5.4%	6.3%	4.2%	7.7%
Grade 11	47.0%	20.7%	8.3%	6.9%	6.9%	10.3%
Grade 12	48.7%	21.2%	7.5%	9.8%	7.1%	5.7%

Percentages have been weighted to reflect proportions within the population.

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	91.3%	5.2%	1.4%	2.0%
Grade 7	97.8%	1.5%	0.3%	0.4%
Grade 8	93.3%	4.2%	1.2%	1.4%
Grade 9	89.5%	6.6%	2.2%	1.8%
Grade 10	91.1%	5.0%	1.8%	2.1%
Grade 11	86.7%	9.1%	1.6%	2.6%
Grade 12	88.7%	5.2%	1.7%	4.4%
Attended Class While High from Use of Some Other Drug?				
All	96.4%	2.5%	0.6%	0.5%
Grade 7	96.7%	2.6%	0.5%	0.2%
Grade 8	95.9%	2.1%	1.4%	0.7%
Grade 9	95.9%	2.7%	0.6%	0.8%
Grade 10	96.8%	2.6%	0.2%	0.4%
Grade 11	95.9%	3.2%	0.3%	0.6%
Grade 12	97.7%	1.8%	0.3%	0.2%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

	Average Days Absent Due to Illness or Other Reasons
Marijuana Users	4.7
Marijuana Non-Users	3.3

	Average Days Conduct Problems Reported
Marijuana Users	3.3
Marijuana Non-Users	1.0

Percentages have been weighted to reflect proportions within the population.

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	93.3%	4.3%	1.2%	1.2%
Grade 9	97.7%	1.8%	0.4%	0.1%
Grade 10	95.0%	3.4%	1.0%	0.6%
Grade 11	90.7%	6.9%	1.0%	1.5%
Grade 12	88.6%	5.5%	3.0%	3.0%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	95.8%	3.7%	0.3%	0.3%
Grade 7	97.2%	2.5%	0.1%	0.3%
Grade 8	95.4%	4.3%	0.3%	0.1%
Grade 9	95.3%	3.7%	0.3%	0.6%
Grade 10	96.5%	2.8%	0.3%	0.4%
Grade 11	94.5%	5.0%	0.2%	0.3%
Grade 12	95.5%	4.0%	0.4%	0.2%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	57.8%	18.4%	10.7%	9.0%	4.0%
Grade 7	82.1%	11.0%	3.3%	2.7%	0.9%
Grade 8	67.4%	18.8%	7.9%	3.9%	2.0%
Grade 9	58.8%	17.9%	9.5%	9.5%	4.4%
Grade 10	51.6%	20.9%	11.9%	9.7%	5.9%
Grade 11	43.4%	17.6%	16.1%	17.4%	5.4%
Grade 12	37.5%	26.2%	17.4%	12.7%	6.2%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	58.4%	6.0%	4.2%	4.6%	6.0%	2.3%	18.5%
Grade 7	76.4%	3.4%	1.7%	1.5%	0.8%	1.9%	14.3%
Grade 8	65.5%	5.7%	5.9%	3.2%	3.3%	3.2%	13.4%
Grade 9	60.9%	4.7%	4.7%	4.5%	4.2%	2.4%	18.6%
Grade 10	57.6%	7.3%	4.1%	4.6%	6.5%	1.7%	18.3%
Grade 11	46.4%	7.3%	4.8%	6.9%	8.6%	2.3%	23.6%
Grade 12	38.7%	8.5%	4.2%	7.7%	14.4%	2.3%	24.2%

Percentages have been weighted to reflect proportions within the population.

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	72.2%	7.1%	8.9%	2.3%	1.2%	8.3%
Grade 7	81.4%	4.4%	3.1%	0.8%	0.3%	10.0%
Grade 8	81.8%	3.3%	5.0%	0.9%	1.0%	8.1%
Grade 9	73.3%	6.5%	8.2%	1.3%	0.9%	9.9%
Grade 10	67.2%	10.0%	9.6%	3.5%	2.3%	7.4%
Grade 11	63.5%	9.6%	14.0%	4.0%	1.6%	7.4%
Grade 12	63.9%	9.2%	15.0%	4.1%	1.2%	6.7%

Percentages have been weighted to reflect proportions within the population.

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?					
All	54.0%	15.1%	12.8%	12.2%	6.0%
Grade 7	74.3%	12.7%	4.1%	3.6%	5.4%
Grade 8	64.0%	13.7%	8.4%	9.1%	4.9%
Grade 9	55.9%	14.0%	11.0%	11.9%	7.3%
Grade 10	44.4%	15.0%	18.4%	16.3%	6.0%
Grade 11	39.3%	18.3%	17.3%	16.5%	8.6%
Grade 12	41.1%	18.0%	20.0%	17.6%	3.4%
Cocaine?					
All	84.6%	7.3%	0.9%	0.6%	6.6%
Grade 7	85.2%	8.5%	0.8%	0.6%	5.0%
Grade 8	85.2%	6.5%	0.9%	0.9%	6.5%
Grade 9	83.8%	6.7%	0.8%	0.7%	8.0%
Grade 10	83.7%	9.1%	0.8%	0.0%	6.5%
Grade 11	82.4%	6.6%	0.9%	1.1%	9.0%
Grade 12	87.7%	6.6%	1.0%	0.2%	4.5%
Crack?					
All	85.4%	6.5%	0.5%	0.6%	7.0%
Grade 7	83.0%	8.9%	0.6%	0.7%	6.7%
Grade 8	85.3%	6.3%	0.7%	0.9%	6.9%
Grade 9	84.9%	6.0%	0.4%	0.7%	8.0%
Grade 10	86.6%	6.4%	0.2%	0.0%	6.8%
Grade 11	83.2%	6.6%	0.2%	1.0%	9.0%
Grade 12	90.4%	4.1%	0.7%	0.2%	4.6%
Ecstasy?					
All	78.1%	8.2%	1.5%	0.8%	11.3%
Grade 7	76.6%	5.6%	1.1%	0.9%	15.9%
Grade 8	78.0%	7.2%	1.3%	0.9%	12.6%
Grade 9	79.3%	7.2%	1.3%	0.7%	11.5%
Grade 10	80.7%	8.9%	0.7%	0.0%	9.7%
Grade 11	76.5%	10.8%	1.4%	1.0%	10.3%
Grade 12	77.7%	10.7%	3.8%	1.1%	6.6%
Steroids?					
All	73.1%	12.8%	3.4%	1.4%	9.2%
Grade 7	72.4%	13.2%	3.2%	1.3%	9.9%
Grade 8	74.2%	11.8%	2.5%	1.5%	10.0%
Grade 9	75.4%	9.8%	3.8%	1.5%	9.5%
Grade 10	73.2%	12.4%	5.1%	1.1%	8.2%
Grade 11	70.0%	16.2%	2.2%	2.1%	9.5%
Grade 12	73.3%	14.3%	3.7%	0.7%	8.0%

Percentages have been weighted to reflect proportions within the population.

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?					
All	85.3%	5.1%	0.7%	0.7%	8.2%
Grade 7	82.8%	4.7%	1.0%	0.8%	10.7%
Grade 8	84.6%	5.0%	1.0%	1.2%	8.2%
Grade 9	84.3%	5.4%	0.7%	0.7%	8.9%
Grade 10	86.9%	5.6%	0.6%	0.0%	6.8%
Grade 11	83.6%	6.7%	0.1%	1.0%	8.6%
Grade 12	90.8%	2.9%	0.7%	0.2%	5.4%
Methamphetamine?					
All	85.6%	5.0%	0.7%	0.6%	8.2%
Grade 7	83.7%	4.6%	0.9%	0.6%	10.1%
Grade 8	83.4%	5.8%	1.1%	0.9%	8.9%
Grade 9	84.2%	5.3%	0.7%	0.7%	9.0%
Grade 10	86.1%	5.9%	0.7%	0.0%	7.3%
Grade 11	85.9%	5.1%	0.1%	1.1%	7.8%
Grade 12	91.2%	2.9%	0.7%	0.2%	5.0%
Synthetic Marijuana?					
All	79.0%	8.1%	2.2%	1.3%	9.3%
Grade 7	76.9%	7.4%	1.8%	1.7%	12.2%
Grade 8	77.6%	9.4%	1.9%	1.5%	9.6%
Grade 9	76.9%	8.1%	3.3%	1.8%	10.0%
Grade 10	80.2%	9.2%	2.3%	0.6%	7.6%
Grade 11	77.9%	7.9%	2.2%	1.5%	10.5%
Grade 12	86.2%	6.6%	1.8%	0.3%	5.1%

Percentages have been weighted to reflect proportions within the population.

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	6.6%	9.7%	18.8%	81.2%
Grade 7	7.2%	9.6%	18.1%	81.9%
Grade 8	6.9%	10.5%	17.9%	82.1%
Grade 9	8.6%	11.8%	20.1%	79.9%
Grade 10	4.6%	7.5%	16.5%	83.5%
Grade 11	6.9%	10.3%	19.0%	81.0%
Grade 12	4.8%	7.7%	21.8%	78.2%
Codeine Cough Syrup?				
All	3.1%	5.1%	13.2%	86.8%
Grade 7	3.1%	6.0%	12.4%	87.6%
Grade 8	3.1%	5.0%	11.1%	88.9%
Grade 9	3.6%	5.7%	14.5%	85.5%
Grade 10	2.7%	3.9%	12.7%	87.3%
Grade 11	3.5%	5.7%	13.8%	86.2%
Grade 12	2.2%	4.0%	15.0%	85.0%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.9%	1.4%	3.9%	96.1%
Grade 7	0.3%	0.5%	1.7%	98.3%
Grade 8	0.6%	1.0%	2.0%	98.0%
Grade 9	0.8%	1.1%	2.7%	97.3%
Grade 10	0.9%	1.5%	4.0%	96.0%
Grade 11	2.0%	2.9%	7.2%	92.8%
Grade 12	0.7%	1.5%	7.1%	92.9%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.4%	2.7%	6.0%	94.0%
Grade 7	1.0%	1.6%	4.3%	95.7%
Grade 8	1.4%	2.3%	5.0%	95.0%
Grade 9	1.6%	3.7%	7.1%	92.9%
Grade 10	1.6%	3.3%	5.5%	94.5%
Grade 11	1.8%	2.8%	5.8%	94.2%
Grade 12	1.3%	2.6%	8.5%	91.5%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	2.1%	2.8%	5.7%	94.3%
Grade 7	2.1%	2.5%	3.7%	96.3%
Grade 8	1.6%	2.7%	4.7%	95.3%
Grade 9	3.2%	4.0%	7.6%	92.4%
Grade 10	1.4%	1.8%	3.3%	96.7%
Grade 11	3.3%	3.8%	7.9%	92.1%
Grade 12	1.1%	1.8%	7.0%	93.0%

Percentages have been weighted to reflect proportions within the population.

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.8%	4.2%	8.4%	91.6%
Grade 7	3.7%	5.3%	10.8%	89.2%
Grade 8	3.6%	5.8%	8.7%	91.3%
Grade 9	3.5%	4.5%	8.4%	91.6%
Grade 10	2.8%	4.1%	8.4%	91.6%
Grade 11	1.5%	2.1%	5.7%	94.3%
Grade 12	1.3%	2.7%	7.9%	92.1%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.1%	1.7%	4.0%	96.0%
Grade 7	1.5%	1.9%	4.3%	95.7%
Grade 8	1.8%	2.3%	3.9%	96.1%
Grade 9	0.8%	1.2%	3.1%	96.9%
Grade 10	1.0%	2.0%	5.0%	95.0%
Grade 11	1.5%	1.8%	4.3%	95.7%
Grade 12	0.2%	0.6%	3.0%	97.0%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	72.1%	13.1%	4.2%	1.7%	8.8%
Grade 7	69.9%	11.9%	5.7%	1.1%	11.5%
Grade 8	72.2%	12.1%	3.8%	3.0%	8.9%
Grade 9	73.7%	12.3%	3.4%	2.5%	8.1%
Grade 10	73.4%	13.2%	4.2%	0.9%	8.4%
Grade 11	69.7%	15.8%	3.0%	2.0%	9.4%
Grade 12	74.2%	13.9%	5.0%	0.8%	6.1%

Percentages have been weighted to reflect proportions within the population.

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.4%	6.0%	14.2%	85.8%
Grade 7	6.8%	8.4%	18.6%	81.4%
Grade 8	7.2%	9.4%	18.2%	81.8%
Grade 9	3.8%	6.1%	14.9%	85.1%
Grade 10	2.6%	3.8%	9.3%	90.7%
Grade 11	5.0%	5.9%	13.2%	86.8%
Grade 12	0.8%	1.5%	9.8%	90.2%
Spray Paint?				
All	0.4%	0.5%	2.3%	97.7%
Grade 7	0.6%	0.7%	2.7%	97.3%
Grade 8	0.4%	0.7%	3.0%	97.0%
Grade 9	0.4%	0.4%	2.7%	97.3%
Grade 10	0.5%	0.5%	1.8%	98.2%
Grade 11	0.6%	0.7%	2.1%	97.9%
Grade 12	0.0%	0.0%	0.9%	99.1%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.0%	1.6%	6.1%	93.9%
Grade 7	1.8%	3.0%	8.6%	91.4%
Grade 8	1.7%	2.6%	7.7%	92.3%
Grade 9	1.0%	1.8%	5.3%	94.7%
Grade 10	0.3%	0.7%	4.5%	95.5%
Grade 11	0.4%	0.6%	6.6%	93.4%
Grade 12	0.3%	0.3%	3.0%	97.0%
Computer Dusting Sprays?				
All	0.2%	0.4%	0.9%	99.1%
Grade 7	0.8%	1.1%	1.4%	98.6%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.3%	0.4%	99.6%
Grade 11	0.3%	0.3%	1.3%	98.7%
Grade 12	0.0%	0.0%	1.6%	98.4%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.1%	1.6%	6.7%	93.3%
Grade 7	1.3%	2.4%	9.6%	90.4%
Grade 8	2.5%	3.2%	8.9%	91.1%
Grade 9	0.9%	1.3%	7.1%	92.9%
Grade 10	1.1%	1.2%	4.2%	95.8%
Grade 11	0.5%	0.9%	4.2%	95.8%
Grade 12	0.1%	0.1%	5.3%	94.7%

Percentages have been weighted to reflect proportions within the population.

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.8%	1.2%	2.4%	97.6%
Grade 8	0.4%	0.7%	2.0%	98.0%
Grade 9	0.1%	0.1%	0.9%	99.1%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.6%	0.7%	1.0%	99.0%
Grade 12	0.1%	0.1%	0.7%	99.3%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.1%	0.2%	0.8%	99.2%
Grade 8	0.2%	0.7%	1.2%	98.8%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.8%	0.9%	2.0%	98.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.6%	0.9%	2.1%	97.9%
Grade 7	0.4%	0.8%	3.2%	96.8%
Grade 8	1.2%	1.5%	3.2%	96.8%
Grade 9	0.4%	0.5%	1.4%	98.6%
Grade 10	0.1%	0.4%	1.4%	98.6%
Grade 11	1.6%	1.8%	2.8%	97.2%
Grade 12	0.1%	0.2%	0.4%	99.6%
Other Aerosols/Sprays?				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.7%	1.2%	3.6%	96.4%
Grade 8	0.7%	1.0%	2.3%	97.7%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.6%	0.8%	1.7%	98.3%
Grade 12	0.1%	0.1%	0.3%	99.7%

Percentages have been weighted to reflect proportions within the population.

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.7%	0.1%	0.3%	0.2%	0.6%	0.6%	1.5%
Grade 7	94.8%	0.2%	0.6%	0.2%	1.1%	0.8%	2.2%
Grade 8	96.1%	0.0%	0.2%	0.6%	0.7%	0.9%	1.6%
Grade 9	96.7%	0.0%	0.2%	0.3%	1.1%	0.6%	1.1%
Grade 10	98.1%	0.1%	0.4%	0.0%	0.1%	0.4%	0.9%
Grade 11	96.0%	0.2%	0.2%	0.3%	0.4%	0.3%	2.6%
Grade 12	98.6%	0.1%	0.0%	0.0%	0.2%	0.4%	0.6%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	87.7%	7.5%	3.7%	1.1%
Grade 7	83.2%	9.1%	5.9%	1.8%
Grade 8	84.3%	8.4%	5.8%	1.5%
Grade 9	87.5%	9.1%	2.7%	0.7%
Grade 10	92.4%	4.4%	2.8%	0.5%
Grade 11	88.5%	7.2%	2.7%	1.6%
Grade 12	91.3%	6.2%	2.1%	0.4%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.7	10.0	10.7	12.0	12.4	13.6	13.2

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.6%	0.9%	0.2%	0.3%
Grade 7	98.2%	1.4%	0.2%	0.2%
Grade 8	97.5%	1.7%	0.3%	0.5%
Grade 9	99.1%	0.5%	0.1%	0.3%
Grade 10	98.8%	1.0%	0.1%	0.1%
Grade 11	98.8%	0.7%	0.1%	0.4%
Grade 12	99.6%	0.1%	0.2%	0.2%

Percentages have been weighted to reflect proportions within the population.

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

	Average Days Absent Due to Illness or Other Reasons
Inhalant Users	4.5
Inhalant Non-Users	3.5
	Average Days Conduct Problems Reported
Inhalant Users	3.9
Inhalant Non-Users	1.2

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	93.4%	4.2%	1.4%	0.5%	0.4%
Grade 7	91.2%	6.6%	1.7%	0.3%	0.2%
Grade 8	90.6%	7.2%	1.9%	0.3%	0.0%
Grade 9	91.4%	4.5%	2.1%	1.2%	0.9%
Grade 10	96.2%	2.0%	0.4%	0.5%	1.0%
Grade 11	95.9%	1.6%	1.7%	0.4%	0.4%
Grade 12	96.5%	2.5%	0.5%	0.5%	0.0%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	69.6%	14.5%	4.5%	2.0%	9.4%
Grade 7	69.5%	15.2%	4.6%	2.2%	8.5%
Grade 8	68.9%	15.5%	4.9%	2.5%	8.2%
Grade 9	67.2%	15.6%	5.3%	1.9%	10.0%
Grade 10	65.9%	16.1%	5.0%	2.4%	10.6%
Grade 11	70.2%	13.1%	3.9%	2.0%	10.9%
Grade 12	77.0%	10.4%	3.1%	1.1%	8.4%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	44.9%	17.0%	3.9%	5.3%	7.3%	21.6%
Grade 7	42.6%	22.5%	4.0%	5.5%	8.1%	17.3%
Grade 8	39.3%	22.2%	4.7%	7.3%	7.3%	19.3%
Grade 9	51.7%	16.5%	3.7%	5.2%	5.5%	17.4%
Grade 10	41.1%	17.1%	4.8%	4.9%	7.7%	24.4%
Grade 11	47.7%	11.3%	3.1%	3.3%	6.8%	27.9%
Grade 12	47.3%	10.7%	2.7%	5.4%	8.9%	24.9%

Percentages have been weighted to reflect proportions within the population.

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	35.2%
	Grade 7	34.3%
	Grade 8	42.3%
	Grade 9	40.4%
	Grade 10	32.0%
	Grade 11	32.7%
	Grade 12	28.0%
An Assembly Program		
	All	38.6%
	Grade 7	39.7%
	Grade 8	43.8%
	Grade 9	33.9%
	Grade 10	42.0%
	Grade 11	34.1%
	Grade 12	38.1%
Guidance Counselor		
	All	20.9%
	Grade 7	21.0%
	Grade 8	31.1%
	Grade 9	19.1%
	Grade 10	20.5%
	Grade 11	18.0%
	Grade 12	14.3%
School Nurse		
	All	14.6%
	Grade 7	16.5%
	Grade 8	21.3%
	Grade 9	12.8%
	Grade 10	12.3%
	Grade 11	13.9%
	Grade 12	10.0%
Science or Social Studies Class		
	All	27.9%
	Grade 7	36.2%
	Grade 8	30.3%
	Grade 9	28.1%
	Grade 10	25.3%
	Grade 11	23.1%
	Grade 12	23.3%

Percentages have been weighted to reflect proportions within the population.

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

(Continued)

		Yes
Student Group or Club Meeting at School		
	All	11.0%
	Grade 7	8.9%
	Grade 8	12.5%
	Grade 9	11.5%
	Grade 10	9.5%
	Grade 11	14.0%
	Grade 12	9.9%
An Invited School Guest		
	All	22.3%
	Grade 7	19.3%
	Grade 8	23.0%
	Grade 9	20.8%
	Grade 10	24.4%
	Grade 11	22.7%
	Grade 12	24.0%
Another Source at School		
	All	25.2%
	Grade 7	25.2%
	Grade 8	31.4%
	Grade 9	25.1%
	Grade 10	26.1%
	Grade 11	22.7%
	Grade 12	20.0%
Any School Source		
	All	61.4%
	Grade 7	66.1%
	Grade 8	70.4%
	Grade 9	60.6%
	Grade 10	60.4%
	Grade 11	52.9%
	Grade 12	56.6%

Percentages have been weighted to reflect proportions within the population.

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

	Yes
Counselor/Program In-School	
All	33.5%
Grade 7	45.9%
Grade 8	43.6%
Grade 9	32.2%
Grade 10	26.7%
Grade 11	24.1%
Grade 12	26.0%
School Nurse	
All	20.9%
Grade 7	28.8%
Grade 8	25.5%
Grade 9	19.0%
Grade 10	18.2%
Grade 11	16.7%
Grade 12	15.7%
Another Adult In School	
All	40.5%
Grade 7	44.7%
Grade 8	46.0%
Grade 9	40.6%
Grade 10	33.0%
Grade 11	37.2%
Grade 12	40.9%
Counselor/Program Outside-School	
All	39.3%
Grade 7	43.4%
Grade 8	45.3%
Grade 9	37.7%
Grade 10	37.4%
Grade 11	37.1%
Grade 12	34.2%
Your Parents	
All	68.0%
Grade 7	73.8%
Grade 8	70.5%
Grade 9	68.4%
Grade 10	67.0%
Grade 11	61.6%
Grade 12	65.2%

Percentages have been weighted to reflect proportions within the population.

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	54.1%
	Grade 7	65.8%
	Grade 8	62.5%
	Grade 9	54.0%
	Grade 10	44.2%
	Grade 11	49.2%
	Grade 12	46.9%
Your Friends		
	All	64.2%
	Grade 7	52.7%
	Grade 8	60.2%
	Grade 9	62.6%
	Grade 10	71.8%
	Grade 11	64.1%
	Grade 12	76.0%
Another Adult		
	All	59.6%
	Grade 7	61.7%
	Grade 8	62.8%
	Grade 9	59.9%
	Grade 10	57.7%
	Grade 11	54.2%
	Grade 12	60.6%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

	Yes
All	7.2%
Grade 7	5.3%
Grade 8	9.2%
Grade 9	12.8%
Grade 10	7.2%
Grade 11	3.7%
Grade 12	3.8%

Percentages have been weighted to reflect proportions within the population.

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	5.5%	22.6%	24.6%	34.5%	12.8%
Grade 7	5.9%	18.1%	19.8%	36.8%	19.4%
Grade 8	4.9%	18.4%	24.4%	38.0%	14.3%
Grade 9	7.8%	24.2%	28.1%	29.6%	10.2%
Grade 10	4.4%	24.9%	22.5%	37.0%	11.1%
Grade 11	4.5%	26.3%	28.1%	29.0%	12.2%
Grade 12	4.8%	24.3%	25.3%	36.8%	8.8%
Sometimes Carry Weapons?					
All	75.2%	16.7%	5.2%	2.3%	0.6%
Grade 7	85.2%	10.4%	3.5%	0.9%	0.0%
Grade 8	79.8%	15.3%	3.3%	1.2%	0.5%
Grade 9	76.6%	16.5%	4.6%	1.8%	0.5%
Grade 10	71.1%	19.1%	6.2%	3.0%	0.7%
Grade 11	68.7%	20.5%	7.3%	2.8%	0.7%
Grade 12	67.3%	19.9%	6.9%	4.5%	1.4%
Care About Making Good Grades?					
All	2.1%	13.6%	25.3%	40.9%	18.1%
Grade 7	2.1%	10.2%	24.0%	40.2%	23.5%
Grade 8	2.4%	15.5%	28.4%	37.5%	16.2%
Grade 9	3.3%	12.7%	22.8%	42.8%	18.4%
Grade 10	2.1%	13.1%	27.0%	42.7%	15.1%
Grade 11	1.3%	16.0%	26.3%	38.7%	17.7%
Grade 12	1.3%	14.5%	23.5%	43.6%	17.2%
Belong/Want to Belong to a Gang?					
All	81.9%	12.3%	3.8%	1.2%	0.6%
Grade 7	81.8%	12.5%	4.0%	1.1%	0.6%
Grade 8	78.9%	15.4%	4.0%	1.2%	0.5%
Grade 9	79.9%	15.2%	3.2%	1.1%	0.6%
Grade 10	81.9%	10.5%	4.2%	2.2%	1.2%
Grade 11	81.6%	12.8%	4.7%	0.7%	0.2%
Grade 12	88.9%	6.5%	3.0%	0.9%	0.7%
Wish They Could Drop Out of School?					
All	42.2%	32.2%	14.0%	7.7%	3.9%
Grade 7	52.7%	28.4%	10.7%	6.1%	2.1%
Grade 8	45.7%	34.6%	11.1%	5.9%	2.6%
Grade 9	37.3%	36.6%	15.9%	6.0%	4.2%
Grade 10	39.6%	30.7%	15.7%	10.7%	3.4%
Grade 11	33.2%	32.3%	17.4%	11.1%	6.1%
Grade 12	44.2%	29.5%	13.6%	7.0%	5.7%

Percentages have been weighted to reflect proportions within the population.

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	84.1%	13.8%	0.8%	0.2%	1.1%
Grade 7	80.7%	17.0%	1.4%	0.0%	0.8%
Grade 8	81.6%	15.0%	1.3%	0.7%	1.4%
Grade 9	84.2%	13.1%	0.5%	0.3%	1.9%
Grade 10	85.7%	12.3%	0.9%	0.4%	0.7%
Grade 11	85.8%	13.2%	0.0%	0.0%	0.9%
Grade 12	87.7%	11.6%	0.3%	0.1%	0.3%
Out In Your Neighborhood?					
All	43.9%	46.2%	5.9%	1.6%	2.4%
Grade 7	40.0%	48.4%	6.8%	1.7%	3.1%
Grade 8	39.0%	49.9%	7.1%	1.8%	2.2%
Grade 9	43.9%	46.0%	6.0%	1.7%	2.5%
Grade 10	45.1%	45.6%	4.1%	2.6%	2.6%
Grade 11	47.8%	42.8%	6.1%	1.2%	2.2%
Grade 12	49.4%	43.5%	5.1%	0.3%	1.8%
At School?					
All	33.5%	48.0%	10.1%	3.9%	4.5%
Grade 7	45.6%	43.1%	7.2%	1.7%	2.5%
Grade 8	33.6%	45.8%	11.3%	4.0%	5.3%
Grade 9	27.8%	51.6%	11.6%	3.3%	5.7%
Grade 10	30.2%	52.0%	8.6%	4.6%	4.5%
Grade 11	30.7%	44.1%	13.1%	6.0%	6.1%
Grade 12	32.8%	51.4%	8.7%	4.2%	2.9%

Percentages have been weighted to reflect proportions within the population.

2 Prevalence Tables

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.9%	22.2%	37.3%	62.7%
Grade 7	7.7%	9.7%	20.0%	80.0%
Grade 8	12.6%	16.6%	29.1%	70.9%
Grade 9	20.2%	24.1%	40.6%	59.4%
Grade 10	17.8%	22.1%	40.3%	59.7%
Grade 11	26.6%	32.4%	46.9%	53.1%
Grade 12	24.6%	31.6%	50.4%	49.6%
Any Alcohol Product				
All	33.4%	39.5%	58.2%	41.8%
Grade 7	19.2%	21.3%	40.8%	59.2%
Grade 8	28.1%	32.2%	51.9%	48.1%
Grade 9	33.8%	39.3%	59.1%	40.9%
Grade 10	34.5%	41.1%	60.5%	39.5%
Grade 11	44.8%	51.4%	66.0%	34.0%
Grade 12	43.6%	56.8%	75.1%	24.9%
Any Illicit Drug				
All	15.7%	20.4%	26.6%	73.4%
Grade 7	7.2%	10.4%	13.4%	86.6%
Grade 8	11.1%	15.3%	17.5%	82.5%
Grade 9	15.7%	19.5%	25.4%	74.6%
Grade 10	18.8%	24.3%	29.7%	70.3%
Grade 11	22.2%	27.6%	36.5%	63.5%
Grade 12	21.4%	28.1%	41.5%	58.5%
Any Prescription Drug				
All	6.6%	9.7%	18.8%	81.2%
Grade 7	7.2%	9.6%	18.1%	81.9%
Grade 8	6.9%	10.5%	17.9%	82.1%
Grade 9	8.6%	11.8%	20.1%	79.9%
Grade 10	4.6%	7.5%	16.5%	83.5%
Grade 11	6.9%	10.3%	19.0%	81.0%
Grade 12	4.8%	7.7%	21.8%	78.2%
Any Inhalant				
All	4.4%	6.0%	14.2%	85.8%
Grade 7	6.8%	8.4%	18.6%	81.4%
Grade 8	7.2%	9.4%	18.2%	81.8%
Grade 9	3.8%	6.1%	14.9%	85.1%
Grade 10	2.6%	3.8%	9.3%	90.7%
Grade 11	5.0%	5.9%	13.2%	86.8%
Grade 12	0.8%	1.5%	9.8%	90.2%

Percentages have been weighted to reflect proportions within the population.

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.2%	18.6%	33.1%	66.9%
Grade 7	4.3%	7.3%	16.0%	84.0%
Grade 8	8.8%	13.1%	25.2%	74.8%
Grade 9	14.2%	19.9%	35.1%	64.9%
Grade 10	13.1%	19.4%	36.8%	63.2%
Grade 11	21.6%	28.3%	43.0%	57.0%
Grade 12	19.5%	26.2%	46.7%	53.3%
Marijuana				
All	14.7%	17.8%	24.3%	75.7%
Grade 7	5.4%	5.9%	8.6%	91.4%
Grade 8	9.7%	12.6%	14.6%	85.4%
Grade 9	15.0%	17.3%	23.1%	76.9%
Grade 10	17.7%	21.5%	27.9%	72.1%
Grade 11	21.8%	25.7%	34.9%	65.1%
Grade 12	21.0%	26.7%	41.3%	58.7%
Marijuana Only				
All	8.8%	11.1%	16.6%	83.4%
Grade 7	2.7%	3.1%	4.6%	95.4%
Grade 8	4.7%	6.2%	7.9%	92.1%
Grade 9	9.2%	11.0%	16.2%	83.8%
Grade 10	11.9%	14.4%	20.5%	79.5%
Grade 11	13.3%	16.7%	25.4%	74.6%
Grade 12	12.0%	16.8%	28.6%	71.4%
Cocaine or Crack				
All	1.4%	1.5%	2.7%	97.3%
Grade 7	2.1%	2.3%	3.1%	96.9%
Grade 8	1.0%	1.3%	2.0%	98.0%
Grade 9	0.6%	0.7%	1.1%	98.9%
Grade 10	1.5%	1.6%	2.5%	97.5%
Grade 11	1.8%	1.8%	3.6%	96.4%
Grade 12	1.2%	1.6%	4.7%	95.3%
Cocaine				
All	1.3%	1.4%	2.5%	97.5%
Grade 7	2.0%	2.0%	2.6%	97.4%
Grade 8	0.8%	1.0%	1.5%	98.5%
Grade 9	0.6%	0.7%	1.1%	98.9%
Grade 10	1.5%	1.6%	2.5%	97.5%
Grade 11	1.5%	1.5%	3.2%	96.8%
Grade 12	1.2%	1.6%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.6%	1.0%	1.6%	98.4%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.1%	0.3%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	1.0%	1.0%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.5%	99.5%
Hallucinogens				
All	1.7%	2.4%	3.9%	96.1%
Grade 7	0.8%	0.8%	1.7%	98.3%
Grade 8	1.3%	1.8%	3.7%	96.3%
Grade 9	1.0%	2.0%	2.8%	97.2%
Grade 10	2.4%	3.0%	4.3%	95.7%
Grade 11	3.1%	4.3%	5.3%	94.7%
Grade 12	1.9%	3.3%	6.1%	93.9%
Synthetic Cathinones				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	1.2%	98.8%
Grade 8	0.7%	0.9%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.2%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	0.2%	0.7%	1.5%	98.5%
Grade 8	0.9%	1.2%	2.6%	97.4%
Grade 9	0.8%	1.0%	2.0%	98.0%
Grade 10	0.3%	0.7%	1.4%	98.6%
Grade 11	0.8%	0.8%	1.2%	98.8%
Grade 12	0.6%	0.8%	1.3%	98.7%
Ecstasy				
All	0.6%	1.0%	2.4%	97.6%
Grade 7	0.3%	0.6%	1.1%	98.9%
Grade 8	0.4%	0.5%	1.3%	98.7%
Grade 9	0.3%	0.5%	1.3%	98.7%
Grade 10	0.1%	1.0%	1.7%	98.3%
Grade 11	1.1%	1.3%	3.7%	96.3%
Grade 12	1.5%	2.3%	6.4%	93.6%

Percentages have been weighted to reflect proportions within the population.

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.9%	99.1%
Grade 8	0.6%	0.9%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.4%	99.6%
Synthetic Marijuana				
All	1.4%	1.9%	3.8%	96.2%
Grade 7	0.8%	1.5%	3.1%	96.9%
Grade 8	1.6%	2.2%	4.2%	95.8%
Grade 9	1.1%	2.1%	4.1%	95.9%
Grade 10	1.4%	2.1%	3.4%	96.6%
Grade 11	2.8%	2.8%	4.6%	95.4%
Grade 12	0.6%	0.6%	3.7%	96.3%
Methamphetamine				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.6%	1.0%	1.8%	98.2%
Grade 8	0.7%	1.0%	1.5%	98.5%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.9%	99.1%

Percentages have been weighted to reflect proportions within the population.

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.3%	22.0%	35.8%	64.2%
Grade 7	9.3%	11.0%	22.7%	77.3%
Grade 8	12.5%	16.6%	28.6%	71.4%
Grade 9	19.0%	21.7%	38.6%	61.4%
Grade 10	15.9%	18.7%	33.9%	66.1%
Grade 11	27.9%	32.4%	43.4%	56.6%
Grade 12	30.1%	37.7%	53.7%	46.3%
Any Alcohol Product				
All	29.6%	34.7%	54.1%	45.9%
Grade 7	19.1%	21.4%	44.7%	55.3%
Grade 8	25.2%	29.4%	49.1%	50.9%
Grade 9	29.2%	33.9%	53.6%	46.4%
Grade 10	26.0%	31.4%	52.3%	47.7%
Grade 11	41.8%	46.1%	60.4%	39.6%
Grade 12	41.2%	52.8%	70.0%	30.0%
Any Illicit Drug				
All	15.9%	19.5%	25.4%	74.6%
Grade 7	9.6%	13.0%	16.9%	83.1%
Grade 8	11.3%	14.0%	17.1%	82.9%
Grade 9	13.2%	16.4%	23.5%	76.5%
Grade 10	17.6%	21.2%	24.6%	75.4%
Grade 11	20.2%	25.2%	31.3%	68.7%
Grade 12	27.5%	32.0%	46.1%	53.9%
Any Prescription Drug				
All	6.4%	9.1%	18.3%	81.7%
Grade 7	7.6%	10.1%	17.6%	82.4%
Grade 8	6.2%	8.7%	17.6%	82.4%
Grade 9	8.8%	11.5%	19.4%	80.6%
Grade 10	2.3%	5.1%	13.1%	86.9%
Grade 11	6.5%	9.4%	17.6%	82.4%
Grade 12	6.6%	10.0%	26.3%	73.7%
Any Inhalant				
All	4.0%	5.6%	12.2%	87.8%
Grade 7	7.9%	9.9%	17.7%	82.3%
Grade 8	6.0%	8.7%	15.7%	84.3%
Grade 9	1.7%	3.7%	12.6%	87.4%
Grade 10	1.3%	2.0%	5.4%	94.6%
Grade 11	5.5%	6.7%	12.4%	87.6%
Grade 12	0.4%	1.3%	7.4%	92.6%

Percentages have been weighted to reflect proportions within the population.

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.5%	17.7%	31.4%	68.6%
Grade 7	4.7%	7.9%	18.2%	81.8%
Grade 8	7.9%	12.3%	23.9%	76.1%
Grade 9	11.8%	18.4%	32.6%	67.4%
Grade 10	10.8%	14.7%	30.6%	69.4%
Grade 11	20.8%	27.7%	41.1%	58.9%
Grade 12	23.6%	30.4%	48.4%	51.6%
Marijuana				
All	14.6%	17.1%	23.2%	76.8%
Grade 7	7.1%	7.4%	10.5%	89.5%
Grade 8	9.2%	11.6%	14.3%	85.7%
Grade 9	12.2%	14.1%	22.0%	78.0%
Grade 10	17.3%	20.9%	24.3%	75.7%
Grade 11	19.6%	23.4%	29.6%	70.4%
Grade 12	26.6%	30.3%	45.9%	54.1%
Marijuana Only				
All	8.7%	10.6%	15.3%	84.7%
Grade 7	3.4%	3.6%	5.8%	94.2%
Grade 8	4.5%	6.0%	8.2%	91.8%
Grade 9	8.7%	10.2%	16.7%	83.3%
Grade 10	13.0%	15.6%	18.3%	81.7%
Grade 11	11.3%	14.5%	20.1%	79.9%
Grade 12	13.1%	16.1%	26.5%	73.5%
Cocaine or Crack				
All	1.5%	1.8%	3.4%	96.6%
Grade 7	3.0%	3.4%	4.2%	95.8%
Grade 8	1.0%	1.6%	2.5%	97.5%
Grade 9	0.4%	0.5%	0.5%	99.5%
Grade 10	1.6%	1.7%	2.2%	97.8%
Grade 11	1.3%	1.3%	4.2%	95.8%
Grade 12	1.7%	2.7%	8.7%	91.3%
Cocaine				
All	1.4%	1.6%	3.2%	96.8%
Grade 7	2.8%	2.8%	3.7%	96.3%
Grade 8	0.7%	1.1%	1.7%	98.3%
Grade 9	0.4%	0.5%	0.5%	99.5%
Grade 10	1.6%	1.7%	2.2%	97.8%
Grade 11	1.2%	1.2%	4.0%	96.0%
Grade 12	1.7%	2.7%	8.4%	91.6%

Percentages have been weighted to reflect proportions within the population.

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.9%	1.4%	2.1%	97.9%
Grade 8	0.5%	0.7%	1.7%	98.3%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.3%	0.3%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.9%	99.1%
Hallucinogens				
All	1.4%	2.2%	4.1%	95.9%
Grade 7	1.1%	1.1%	2.1%	97.9%
Grade 8	1.5%	2.1%	3.6%	96.4%
Grade 9	0.6%	2.7%	2.7%	97.3%
Grade 10	1.2%	1.8%	4.3%	95.7%
Grade 11	1.1%	2.2%	3.5%	96.5%
Grade 12	3.3%	3.7%	9.7%	90.3%
Synthetic Cathinones				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	1.3%	98.7%
Grade 8	1.0%	1.1%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.7%	0.8%	1.7%	98.3%
Grade 7	0.5%	0.9%	2.0%	98.0%
Grade 8	1.6%	1.9%	3.9%	96.1%
Grade 9	0.7%	0.7%	1.3%	98.7%
Grade 10	0.5%	0.6%	0.7%	99.3%
Grade 11	0.5%	0.5%	1.0%	99.0%
Grade 12	0.2%	0.2%	1.2%	98.8%
Ecstasy				
All	0.8%	1.1%	2.7%	97.3%
Grade 7	0.1%	0.5%	1.3%	98.7%
Grade 8	0.4%	0.5%	1.6%	98.4%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.0%	0.4%	1.7%	98.3%
Grade 11	1.1%	1.5%	2.0%	98.0%
Grade 12	3.0%	3.9%	10.9%	89.1%

Percentages have been weighted to reflect proportions within the population.

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.6%	0.9%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.8%	99.2%
Synthetic Marijuana				
All	1.0%	1.4%	3.4%	96.6%
Grade 7	1.4%	2.2%	4.8%	95.2%
Grade 8	1.2%	1.7%	3.6%	96.4%
Grade 9	0.5%	1.1%	2.3%	97.7%
Grade 10	0.3%	0.4%	1.9%	98.1%
Grade 11	2.0%	2.0%	5.0%	95.0%
Grade 12	0.6%	0.6%	3.0%	97.0%
Methamphetamine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.7%	1.2%	2.3%	97.7%
Grade 8	0.9%	1.3%	1.7%	98.3%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	1.8%	98.2%

Percentages have been weighted to reflect proportions within the population.

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.5%	22.4%	38.8%	61.2%
Grade 7	5.6%	7.9%	16.7%	83.3%
Grade 8	12.6%	16.4%	29.5%	70.5%
Grade 9	21.6%	26.6%	42.9%	57.1%
Grade 10	19.9%	25.1%	46.4%	53.6%
Grade 11	25.4%	32.4%	50.2%	49.8%
Grade 12	20.6%	26.8%	48.6%	51.4%
Any Alcohol Product				
All	37.2%	44.4%	62.0%	38.0%
Grade 7	19.1%	21.2%	36.3%	63.7%
Grade 8	30.9%	35.0%	55.0%	45.0%
Grade 9	38.7%	44.9%	64.6%	35.4%
Grade 10	42.6%	50.4%	68.6%	31.4%
Grade 11	47.6%	56.5%	71.3%	28.7%
Grade 12	46.5%	61.1%	78.7%	21.3%
Any Illicit Drug				
All	15.6%	21.2%	27.7%	72.3%
Grade 7	4.8%	7.7%	9.7%	90.3%
Grade 8	10.9%	16.6%	18.0%	82.0%
Grade 9	18.3%	22.8%	27.4%	72.6%
Grade 10	19.5%	26.9%	34.4%	65.6%
Grade 11	24.0%	29.9%	41.4%	58.6%
Grade 12	16.7%	24.8%	37.9%	62.1%
Any Prescription Drug				
All	6.8%	10.2%	19.3%	80.7%
Grade 7	6.8%	9.1%	18.5%	81.5%
Grade 8	7.6%	12.4%	18.1%	81.9%
Grade 9	8.5%	12.1%	20.8%	79.2%
Grade 10	7.0%	10.1%	20.1%	79.9%
Grade 11	7.2%	11.1%	20.4%	79.6%
Grade 12	3.3%	5.7%	17.6%	82.4%
Any Inhalant				
All	4.9%	6.3%	16.1%	83.9%
Grade 7	5.6%	6.9%	19.2%	80.8%
Grade 8	8.3%	9.8%	20.6%	79.4%
Grade 9	5.8%	8.5%	17.3%	82.7%
Grade 10	3.9%	5.6%	13.2%	86.8%
Grade 11	4.4%	5.1%	13.9%	86.1%
Grade 12	0.7%	1.3%	11.8%	88.2%

Percentages have been weighted to reflect proportions within the population.

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.9%	19.4%	34.9%	65.1%
Grade 7	3.5%	6.2%	13.3%	86.7%
Grade 8	9.5%	14.0%	26.6%	73.4%
Grade 9	16.7%	21.6%	37.8%	62.2%
Grade 10	15.4%	23.7%	42.7%	57.3%
Grade 11	22.3%	28.8%	44.7%	55.3%
Grade 12	16.4%	23.0%	46.1%	53.9%
Marijuana				
All	14.9%	18.4%	25.3%	74.7%
Grade 7	3.7%	4.3%	6.6%	93.4%
Grade 8	10.1%	13.7%	14.9%	85.1%
Grade 9	17.8%	20.6%	24.4%	75.6%
Grade 10	17.6%	21.5%	31.0%	69.0%
Grade 11	24.0%	27.9%	39.9%	60.1%
Grade 12	16.7%	23.5%	37.8%	62.2%
Marijuana Only				
All	8.9%	11.6%	18.0%	82.0%
Grade 7	2.0%	2.5%	3.3%	96.7%
Grade 8	4.9%	6.5%	7.5%	92.5%
Grade 9	9.8%	11.9%	15.7%	84.3%
Grade 10	10.8%	13.4%	22.8%	77.2%
Grade 11	15.2%	18.9%	30.5%	69.5%
Grade 12	11.3%	17.5%	30.9%	69.1%
Cocaine or Crack				
All	1.2%	1.2%	2.0%	98.0%
Grade 7	1.2%	1.2%	2.0%	98.0%
Grade 8	0.8%	0.8%	1.2%	98.8%
Grade 9	0.9%	0.9%	1.7%	98.3%
Grade 10	1.3%	1.5%	2.8%	97.2%
Grade 11	2.3%	2.3%	3.0%	97.0%
Grade 12	0.8%	0.8%	1.5%	98.5%
Cocaine				
All	1.1%	1.1%	1.9%	98.1%
Grade 7	1.2%	1.2%	1.6%	98.4%
Grade 8	0.8%	0.8%	1.2%	98.8%
Grade 9	0.9%	0.9%	1.7%	98.3%
Grade 10	1.3%	1.5%	2.8%	97.2%
Grade 11	1.8%	1.8%	2.5%	97.5%
Grade 12	0.8%	0.8%	1.5%	98.5%

Percentages have been weighted to reflect proportions within the population.

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.6%	0.7%	99.3%
Grade 7	0.3%	0.5%	1.0%	99.0%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.4%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	1.6%	1.6%	1.8%	98.2%
Grade 12	0.0%	0.0%	0.1%	99.9%
Hallucinogens				
All	2.0%	2.6%	3.6%	96.4%
Grade 7	0.5%	0.5%	1.2%	98.8%
Grade 8	1.2%	1.4%	3.8%	96.2%
Grade 9	1.3%	1.3%	2.9%	97.1%
Grade 10	3.7%	4.2%	4.3%	95.7%
Grade 11	4.9%	6.2%	7.0%	93.0%
Grade 12	0.7%	2.6%	2.8%	97.2%
Synthetic Cathinones				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	1.1%	98.9%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.5%	0.8%	1.5%	98.5%
Grade 7	0.0%	0.4%	0.9%	99.1%
Grade 8	0.1%	0.4%	1.1%	98.9%
Grade 9	0.9%	1.2%	2.7%	97.3%
Grade 10	0.1%	0.8%	1.5%	98.5%
Grade 11	1.1%	1.1%	1.3%	98.7%
Grade 12	0.6%	0.9%	1.1%	98.9%
Ecstasy				
All	0.4%	0.8%	2.1%	97.9%
Grade 7	0.5%	0.8%	0.8%	99.2%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.4%	1.6%	98.4%
Grade 10	0.3%	1.5%	1.7%	98.3%
Grade 11	1.1%	1.1%	5.4%	94.6%
Grade 12	0.4%	0.9%	2.8%	97.2%

Percentages have been weighted to reflect proportions within the population.

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	1.0%	99.0%
Grade 8	0.7%	0.9%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.7%	2.3%	4.2%	95.8%
Grade 7	0.3%	0.7%	1.4%	98.6%
Grade 8	2.0%	2.7%	4.9%	95.1%
Grade 9	1.7%	3.2%	5.8%	94.2%
Grade 10	1.9%	3.2%	4.4%	95.6%
Grade 11	3.6%	3.6%	4.4%	95.6%
Grade 12	0.5%	0.6%	4.4%	95.6%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.5%	0.7%	1.3%	98.7%
Grade 8	0.5%	0.7%	1.3%	98.7%
Grade 9	0.4%	0.6%	1.0%	99.0%
Grade 10	0.4%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.1%	99.9%

Percentages have been weighted to reflect proportions within the population.

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.5%	22.1%	35.3%	64.7%
Grade 7	5.5%	6.7%	14.8%	85.2%
Grade 8	8.4%	10.3%	22.8%	77.2%
Grade 9	20.0%	23.4%	37.3%	62.7%
Grade 10	19.3%	23.8%	39.3%	60.7%
Grade 11	30.6%	35.3%	48.5%	51.5%
Grade 12	28.6%	35.2%	51.4%	48.6%
Any Alcohol Product				
All	30.4%	37.5%	57.1%	42.9%
Grade 7	14.6%	15.9%	36.5%	63.5%
Grade 8	21.6%	27.9%	49.8%	50.2%
Grade 9	31.3%	38.9%	56.9%	43.1%
Grade 10	29.9%	36.4%	60.3%	39.7%
Grade 11	44.5%	49.7%	65.6%	34.4%
Grade 12	42.7%	59.0%	76.2%	23.8%
Any Illicit Drug				
All	9.9%	13.2%	20.7%	79.3%
Grade 7	4.3%	5.0%	8.1%	91.9%
Grade 8	6.3%	8.9%	10.5%	89.5%
Grade 9	6.6%	12.7%	18.4%	81.6%
Grade 10	12.4%	14.1%	19.9%	80.1%
Grade 11	14.9%	18.6%	31.1%	68.9%
Grade 12	16.0%	21.2%	38.8%	61.2%
Any Prescription Drug				
All	6.2%	10.0%	20.4%	79.6%
Grade 7	4.6%	7.3%	19.0%	81.0%
Grade 8	6.4%	10.0%	16.3%	83.7%
Grade 9	10.3%	14.9%	21.3%	78.7%
Grade 10	3.3%	7.1%	14.2%	85.8%
Grade 11	7.5%	12.6%	22.2%	77.8%
Grade 12	5.0%	7.9%	30.7%	69.3%
Any Inhalant				
All	3.2%	4.7%	13.7%	86.3%
Grade 7	5.1%	8.0%	17.5%	82.5%
Grade 8	5.6%	7.8%	18.6%	81.4%
Grade 9	2.8%	4.0%	10.2%	89.8%
Grade 10	1.2%	2.3%	8.1%	91.9%
Grade 11	3.8%	4.9%	15.8%	84.2%
Grade 12	0.5%	1.2%	12.0%	88.0%

Percentages have been weighted to reflect proportions within the population.

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.2%	18.8%	31.5%	68.5%
Grade 7	2.4%	4.6%	12.3%	87.7%
Grade 8	7.0%	9.1%	20.1%	79.9%
Grade 9	12.9%	18.0%	30.7%	69.3%
Grade 10	14.8%	22.1%	36.8%	63.2%
Grade 11	25.3%	30.4%	42.7%	57.3%
Grade 12	24.3%	30.9%	48.6%	51.4%
Marijuana				
All	9.3%	11.8%	19.0%	81.0%
Grade 7	3.2%	3.6%	4.9%	95.1%
Grade 8	5.1%	6.6%	7.4%	92.6%
Grade 9	5.2%	9.2%	15.6%	84.4%
Grade 10	12.4%	14.0%	19.9%	80.1%
Grade 11	14.9%	17.4%	29.9%	70.1%
Grade 12	16.0%	21.2%	38.8%	61.2%
Marijuana Only				
All	4.3%	6.6%	12.9%	87.1%
Grade 7	1.9%	2.2%	3.3%	96.7%
Grade 8	2.4%	3.7%	4.3%	95.7%
Grade 9	2.1%	5.5%	10.9%	89.1%
Grade 10	3.8%	5.4%	10.3%	89.7%
Grade 11	9.9%	12.4%	24.7%	75.3%
Grade 12	6.2%	11.3%	25.8%	74.2%
Cocaine or Crack				
All	0.6%	0.9%	1.9%	98.1%
Grade 7	0.9%	0.9%	1.6%	98.4%
Grade 8	0.3%	0.5%	0.6%	99.4%
Grade 9	0.9%	0.9%	1.2%	98.8%
Grade 10	0.9%	0.9%	1.2%	98.8%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	0.7%	2.2%	6.1%	93.9%
Cocaine				
All	0.6%	0.9%	1.9%	98.1%
Grade 7	0.9%	0.9%	1.6%	98.4%
Grade 8	0.3%	0.5%	0.6%	99.4%
Grade 9	0.9%	0.9%	1.2%	98.8%
Grade 10	0.9%	0.9%	1.2%	98.8%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	0.7%	2.2%	6.1%	93.9%

Percentages have been weighted to reflect proportions within the population.

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.7%	99.3%
Hallucinogens				
All	1.2%	1.6%	2.7%	97.3%
Grade 7	0.2%	0.2%	1.5%	98.5%
Grade 8	1.8%	1.8%	2.4%	97.6%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	2.9%	3.6%	5.1%	94.9%
Grade 11	0.7%	1.6%	1.8%	98.2%
Grade 12	1.8%	2.5%	5.0%	95.0%
Synthetic Cathinones				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.7%	0.7%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.5%	1.5%	98.5%
Grade 7	0.4%	0.6%	1.6%	98.4%
Grade 8	0.0%	0.3%	1.8%	98.2%
Grade 9	0.0%	0.0%	2.8%	97.2%
Grade 10	0.7%	0.7%	0.9%	99.1%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.7%	1.0%	99.0%
Ecstasy				
All	0.5%	0.9%	2.4%	97.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	2.3%	3.2%	96.8%
Grade 11	0.6%	0.6%	1.8%	98.2%
Grade 12	1.5%	1.5%	7.9%	92.1%

Percentages have been weighted to reflect proportions within the population.

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.8%	1.1%	2.6%	97.4%
Grade 7	0.1%	0.1%	2.5%	97.5%
Grade 8	0.0%	0.2%	0.8%	99.2%
Grade 9	2.4%	3.8%	4.5%	95.5%
Grade 10	0.7%	0.7%	3.1%	96.9%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	1.5%	1.5%	3.9%	96.1%
Methamphetamine				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.1%	0.1%	1.4%	98.6%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.9%	98.1%

Percentages have been weighted to reflect proportions within the population.

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.6%	18.2%	27.9%	72.1%
Grade 7	10.9%	12.9%	23.1%	76.9%
Grade 8	16.0%	18.2%	27.4%	72.6%
Grade 9	17.3%	21.8%	35.8%	64.2%
Grade 10	2.3%	2.3%	24.6%	75.4%
Grade 11	10.2%	20.5%	20.5%	79.5%
Grade 12	20.0%	36.4%	36.4%	63.6%
Any Alcohol Product				
All	38.5%	40.6%	52.0%	48.0%
Grade 7	6.5%	6.5%	25.4%	74.6%
Grade 8	31.0%	31.0%	42.3%	57.7%
Grade 9	45.0%	46.0%	58.8%	41.2%
Grade 10	49.5%	51.7%	65.2%	34.8%
Grade 11	38.8%	49.0%	59.2%	40.8%
Grade 12	64.1%	64.1%	64.1%	35.9%
Any Illicit Drug				
All	14.6%	19.3%	23.3%	76.7%
Grade 7	10.7%	10.7%	13.0%	87.0%
Grade 8	17.6%	21.1%	21.1%	78.9%
Grade 9	15.8%	21.3%	21.3%	78.7%
Grade 10	15.7%	26.9%	29.1%	70.9%
Grade 11	0.0%	4.0%	24.5%	75.5%
Grade 12	29.1%	32.2%	32.2%	67.8%
Any Prescription Drug				
All	3.1%	6.8%	15.2%	84.8%
Grade 7	0.0%	6.4%	19.7%	80.3%
Grade 8	10.9%	14.0%	19.9%	80.1%
Grade 9	4.5%	9.0%	17.3%	82.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	20.5%	79.5%
Grade 12	3.3%	12.3%	14.6%	85.4%
Any Inhalant				
All	4.2%	4.3%	9.7%	90.3%
Grade 7	8.2%	8.2%	15.2%	84.8%
Grade 8	10.3%	10.3%	22.0%	78.0%
Grade 9	5.3%	6.2%	14.1%	85.9%
Grade 10	0.0%	0.0%	2.6%	97.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.2%	97.8%

Percentages have been weighted to reflect proportions within the population.

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.2%	13.4%	21.0%	79.0%
Grade 7	4.7%	6.7%	10.9%	89.1%
Grade 8	5.4%	10.7%	23.9%	76.1%
Grade 9	4.5%	9.0%	23.8%	76.2%
Grade 10	2.3%	2.3%	13.4%	86.6%
Grade 11	10.2%	20.5%	20.5%	79.5%
Grade 12	18.9%	36.4%	36.4%	63.6%
Marijuana				
All	14.0%	17.2%	21.2%	78.8%
Grade 7	10.7%	10.7%	13.0%	87.0%
Grade 8	14.1%	17.6%	17.6%	82.4%
Grade 9	15.8%	16.8%	16.8%	83.2%
Grade 10	15.7%	26.9%	29.1%	70.9%
Grade 11	0.0%	0.0%	20.5%	79.5%
Grade 12	29.1%	32.2%	32.2%	67.8%
Marijuana Only				
All	9.1%	11.6%	15.6%	84.4%
Grade 7	8.1%	8.1%	10.4%	89.6%
Grade 8	5.0%	5.0%	5.0%	95.0%
Grade 9	6.8%	7.8%	7.8%	92.2%
Grade 10	15.7%	26.9%	29.1%	70.9%
Grade 11	0.0%	0.0%	20.5%	79.5%
Grade 12	20.0%	23.0%	23.0%	77.0%
Cocaine or Crack				
All	0.0%	0.6%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	3.5%	3.5%	96.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.0%	0.6%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	3.5%	3.5%	96.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.0%	0.0%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	3.5%	96.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.6%	0.6%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	3.6%	3.6%	3.6%	96.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	2.1%	2.1%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	3.5%	3.5%	3.5%	96.5%
Grade 9	8.2%	8.2%	12.7%	87.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.0%	0.0%	3.6%	96.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	5.2%	94.8%
Grade 9	0.0%	0.0%	8.2%	91.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	9.3%	90.7%

Percentages have been weighted to reflect proportions within the population.

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.6%	0.6%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	3.5%	3.5%	3.5%	96.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.0%	1.0%	2.6%	97.4%
Grade 7	2.4%	2.4%	2.4%	97.6%
Grade 8	3.5%	3.5%	12.6%	87.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.9%	1.5%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	5.2%	8.7%	8.7%	91.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.9%	22.4%	38.5%	61.5%
Grade 7	8.1%	10.4%	21.3%	78.7%
Grade 8	13.8%	18.6%	30.8%	69.2%
Grade 9	20.8%	24.3%	42.2%	57.8%
Grade 10	18.9%	23.7%	43.3%	56.7%
Grade 11	25.4%	31.3%	47.2%	52.8%
Grade 12	22.5%	28.9%	50.4%	49.6%
Any Alcohol Product				
All	33.9%	40.2%	59.4%	40.6%
Grade 7	21.5%	24.1%	43.3%	56.7%
Grade 8	29.5%	33.3%	53.5%	46.5%
Grade 9	34.3%	39.4%	60.0%	40.0%
Grade 10	35.5%	42.5%	61.7%	38.3%
Grade 11	44.6%	51.6%	66.9%	33.1%
Grade 12	41.8%	55.5%	75.9%	24.1%
Any Illicit Drug				
All	17.5%	22.7%	28.6%	71.4%
Grade 7	8.1%	12.3%	15.5%	84.5%
Grade 8	12.0%	16.8%	18.9%	81.1%
Grade 9	18.6%	21.3%	27.4%	72.6%
Grade 10	21.8%	28.1%	33.7%	66.3%
Grade 11	24.5%	31.0%	38.2%	61.8%
Grade 12	22.2%	29.7%	43.1%	56.9%
Any Prescription Drug				
All	6.9%	9.6%	18.2%	81.8%
Grade 7	8.8%	10.7%	17.6%	82.4%
Grade 8	6.9%	10.4%	17.8%	82.2%
Grade 9	8.6%	11.1%	19.8%	80.2%
Grade 10	4.8%	7.8%	18.4%	81.6%
Grade 11	6.8%	10.1%	16.8%	83.2%
Grade 12	4.5%	6.8%	18.8%	81.2%
Any Inhalant				
All	4.8%	6.5%	14.6%	85.4%
Grade 7	7.3%	8.6%	19.1%	80.9%
Grade 8	7.6%	10.0%	17.4%	82.6%
Grade 9	4.2%	7.0%	16.9%	83.1%
Grade 10	2.9%	4.2%	9.9%	90.1%
Grade 11	5.8%	6.8%	13.3%	86.7%
Grade 12	0.5%	0.9%	8.9%	91.1%

Percentages have been weighted to reflect proportions within the population.

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.2%	18.8%	34.5%	65.5%
Grade 7	4.8%	8.1%	17.4%	82.6%
Grade 8	9.7%	14.9%	26.8%	73.2%
Grade 9	15.9%	21.3%	37.4%	62.6%
Grade 10	13.5%	20.4%	40.0%	60.0%
Grade 11	19.9%	26.7%	43.3%	56.7%
Grade 12	17.4%	23.4%	46.2%	53.8%
Marijuana				
All	16.3%	19.6%	26.1%	73.9%
Grade 7	5.9%	6.4%	9.8%	90.2%
Grade 8	10.6%	14.1%	16.0%	84.0%
Grade 9	18.0%	19.8%	25.6%	74.4%
Grade 10	20.2%	24.2%	31.3%	68.7%
Grade 11	24.0%	29.0%	36.4%	63.6%
Grade 12	21.5%	27.5%	42.8%	57.2%
Marijuana Only				
All	10.0%	12.4%	17.9%	82.1%
Grade 7	2.7%	3.1%	4.8%	95.2%
Grade 8	5.2%	7.1%	8.8%	91.2%
Grade 9	11.6%	12.9%	18.1%	81.9%
Grade 10	14.9%	17.3%	24.1%	75.9%
Grade 11	13.7%	18.0%	24.8%	75.2%
Grade 12	13.4%	18.5%	30.7%	69.3%
Cocaine or Crack				
All	1.6%	1.7%	3.0%	97.0%
Grade 7	2.6%	3.0%	3.9%	96.1%
Grade 8	1.2%	1.3%	2.0%	98.0%
Grade 9	0.6%	0.7%	1.2%	98.8%
Grade 10	1.8%	1.9%	3.1%	96.9%
Grade 11	2.5%	2.5%	4.4%	95.6%
Grade 12	0.9%	1.1%	4.1%	95.9%
Cocaine				
All	1.5%	1.5%	2.7%	97.3%
Grade 7	2.6%	2.6%	3.2%	96.8%
Grade 8	0.9%	0.9%	1.4%	98.6%
Grade 9	0.6%	0.7%	1.2%	98.8%
Grade 10	1.8%	1.9%	3.1%	96.9%
Grade 11	2.0%	2.0%	3.9%	96.1%
Grade 12	0.9%	1.1%	3.9%	96.1%

Percentages have been weighted to reflect proportions within the population.

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.7%	1.0%	99.0%
Grade 7	0.8%	1.3%	2.2%	97.8%
Grade 8	0.7%	0.9%	1.1%	98.9%
Grade 9	0.1%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	1.5%	1.5%	2.0%	98.0%
Grade 12	0.0%	0.0%	0.5%	99.5%
Hallucinogens				
All	1.9%	2.8%	4.5%	95.5%
Grade 7	1.1%	1.1%	2.0%	98.0%
Grade 8	1.0%	1.7%	4.3%	95.7%
Grade 9	1.4%	2.9%	3.8%	96.2%
Grade 10	2.3%	2.8%	4.3%	95.7%
Grade 11	4.4%	5.3%	6.6%	93.4%
Grade 12	1.8%	3.3%	6.7%	93.3%
Synthetic Cathinones				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.1%	1.6%	98.4%
Grade 8	0.7%	1.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.2%	0.7%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.6%	0.9%	1.6%	98.4%
Grade 7	0.2%	0.7%	1.6%	98.4%
Grade 8	1.0%	1.4%	2.6%	97.4%
Grade 9	0.5%	0.8%	0.8%	99.2%
Grade 10	0.2%	0.7%	1.8%	98.2%
Grade 11	1.0%	1.0%	1.6%	98.4%
Grade 12	0.6%	0.6%	1.3%	98.7%
Ecstasy				
All	0.6%	1.0%	2.2%	97.8%
Grade 7	0.3%	0.9%	1.5%	98.5%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.1%	0.4%	1.0%	99.0%
Grade 10	0.2%	0.6%	1.4%	98.6%
Grade 11	1.2%	1.2%	4.5%	95.5%
Grade 12	1.5%	2.6%	5.1%	94.9%

Percentages have been weighted to reflect proportions within the population.

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.3%	1.1%	98.9%
Grade 8	0.6%	1.0%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.1%	0.2%	99.8%
Grade 11	0.4%	0.4%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.6%	99.4%
Synthetic Marijuana				
All	1.6%	2.3%	4.4%	95.6%
Grade 7	0.9%	1.9%	3.5%	96.5%
Grade 8	2.0%	2.7%	4.6%	95.4%
Grade 9	0.8%	1.9%	4.2%	95.8%
Grade 10	1.9%	2.8%	3.9%	96.1%
Grade 11	4.0%	4.0%	6.0%	94.0%
Grade 12	0.3%	0.4%	4.1%	95.9%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.8%	1.3%	2.1%	97.9%
Grade 8	0.5%	0.6%	1.2%	98.8%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.6%	99.4%

Percentages have been weighted to reflect proportions within the population.

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.2%	15.7%	31.6%	68.4%
Grade 7	3.6%	5.1%	12.6%	87.4%
Grade 8	5.5%	7.0%	16.1%	83.9%
Grade 9	14.3%	18.1%	34.2%	65.8%
Grade 10	11.3%	17.8%	41.1%	58.9%
Grade 11	16.2%	22.6%	44.5%	55.5%
Grade 12	17.8%	25.7%	45.4%	54.6%
Any Alcohol Product				
All	25.1%	32.7%	52.1%	47.9%
Grade 7	14.7%	15.6%	34.5%	65.5%
Grade 8	13.1%	18.4%	38.8%	61.2%
Grade 9	24.2%	32.0%	53.0%	47.0%
Grade 10	30.3%	38.0%	61.1%	38.9%
Grade 11	30.3%	40.2%	58.1%	41.9%
Grade 12	40.0%	55.1%	71.7%	28.3%
Any Illicit Drug				
All	8.3%	12.5%	17.8%	82.2%
Grade 7	3.5%	4.9%	7.5%	92.5%
Grade 8	4.6%	7.0%	8.0%	92.0%
Grade 9	8.0%	11.7%	13.8%	86.2%
Grade 10	4.6%	9.1%	14.2%	85.8%
Grade 11	13.0%	18.2%	29.8%	70.2%
Grade 12	15.9%	24.6%	33.1%	66.9%
Any Prescription Drug				
All	5.2%	7.6%	14.0%	86.0%
Grade 7	7.6%	10.5%	16.2%	83.8%
Grade 8	5.0%	7.9%	11.3%	88.7%
Grade 9	4.4%	7.8%	13.9%	86.1%
Grade 10	3.3%	5.0%	9.8%	90.2%
Grade 11	5.2%	7.1%	13.7%	86.3%
Grade 12	4.6%	6.3%	17.7%	82.3%
Any Inhalant				
All	3.1%	4.7%	12.5%	87.5%
Grade 7	5.5%	7.4%	16.4%	83.6%
Grade 8	5.7%	7.9%	13.8%	86.2%
Grade 9	0.4%	3.9%	10.3%	89.7%
Grade 10	3.7%	5.6%	9.8%	90.2%
Grade 11	2.2%	2.6%	11.9%	88.1%
Grade 12	0.3%	0.3%	11.2%	88.8%

Percentages have been weighted to reflect proportions within the population.

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average

(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.2%	13.6%	27.5%	72.5%
Grade 7	2.9%	4.2%	8.7%	91.3%
Grade 8	3.9%	5.6%	14.4%	85.6%
Grade 9	13.0%	15.4%	28.5%	71.5%
Grade 10	8.3%	17.6%	37.0%	63.0%
Grade 11	14.5%	20.0%	37.8%	62.2%
Grade 12	13.5%	20.8%	42.6%	57.4%
Marijuana				
All	7.8%	10.8%	16.6%	83.4%
Grade 7	2.1%	2.2%	5.9%	94.1%
Grade 8	3.9%	5.7%	6.0%	94.0%
Grade 9	8.0%	8.6%	11.3%	88.7%
Grade 10	4.3%	8.3%	13.3%	86.7%
Grade 11	13.0%	17.9%	29.4%	70.6%
Grade 12	15.9%	22.7%	32.8%	67.2%
Marijuana Only				
All	4.9%	7.4%	12.3%	87.7%
Grade 7	0.9%	0.9%	2.7%	97.3%
Grade 8	2.2%	4.0%	4.3%	95.7%
Grade 9	3.6%	4.0%	6.6%	93.4%
Grade 10	3.2%	4.5%	9.6%	90.4%
Grade 11	9.2%	13.7%	25.0%	75.0%
Grade 12	10.1%	16.9%	24.8%	75.2%
Cocaine or Crack				
All	0.5%	0.6%	1.6%	98.4%
Grade 7	1.5%	1.5%	2.2%	97.8%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.4%	0.4%	1.5%	98.5%
Grade 10	0.0%	0.3%	2.8%	97.2%
Grade 11	0.3%	0.3%	2.2%	97.8%
Grade 12	0.0%	0.3%	0.3%	99.7%
Cocaine				
All	0.5%	0.6%	1.5%	98.5%
Grade 7	1.5%	1.5%	1.5%	98.5%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.4%	0.4%	1.5%	98.5%
Grade 10	0.0%	0.3%	2.8%	97.2%
Grade 11	0.3%	0.3%	2.2%	97.8%
Grade 12	0.0%	0.3%	0.3%	99.7%

Percentages have been weighted to reflect proportions within the population.

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.7%	0.7%	1.3%	98.7%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
Hallucinogens				
All	1.0%	1.2%	2.1%	97.9%
Grade 7	1.3%	1.3%	2.2%	97.8%
Grade 8	0.7%	1.4%	1.9%	98.1%
Grade 9	0.7%	0.7%	3.3%	96.7%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	1.5%	1.5%	1.5%	98.5%
Grade 12	1.1%	1.9%	3.4%	96.6%
Synthetic Cathinones				
All	0.0%	0.0%	0.5%	99.5%
Grade 7	0.0%	0.0%	1.5%	98.5%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.6%	1.3%	98.7%
Grade 7	0.4%	1.0%	1.6%	98.4%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.7%	2.9%	97.1%
Grade 10	0.9%	1.2%	1.5%	98.5%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.5%	1.6%	98.4%
Ecstasy				
All	0.5%	1.0%	1.7%	98.3%
Grade 7	0.7%	1.3%	1.3%	98.7%
Grade 8	0.5%	0.5%	1.5%	98.5%
Grade 9	0.4%	1.2%	2.0%	98.0%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.7%	0.7%	1.5%	98.5%
Grade 12	0.8%	2.0%	3.6%	96.4%

Percentages have been weighted to reflect proportions within the population.

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.4%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.7%	1.1%	1.9%	98.1%
Grade 7	0.9%	0.9%	1.2%	98.8%
Grade 8	0.3%	1.0%	1.0%	99.0%
Grade 9	1.3%	1.3%	2.4%	97.6%
Grade 10	0.3%	2.7%	3.2%	96.8%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	1.0%	1.0%	3.4%	96.6%
Methamphetamine				
All	0.2%	0.5%	0.7%	99.3%
Grade 7	0.7%	1.7%	1.7%	98.3%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.0%	0.3%	1.1%	98.9%
Grade 10	0.3%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	21.0%	25.2%	39.8%	60.2%
Grade 7	9.6%	12.1%	24.4%	75.6%
Grade 8	15.6%	20.4%	34.9%	65.1%
Grade 9	22.7%	26.6%	43.9%	56.1%
Grade 10	21.9%	24.9%	41.2%	58.8%
Grade 11	32.6%	37.8%	47.5%	52.5%
Grade 12	29.3%	36.8%	53.0%	47.0%
Any Alcohol Product				
All	36.6%	41.7%	60.1%	39.9%
Grade 7	21.7%	24.9%	44.0%	56.0%
Grade 8	34.1%	37.8%	58.1%	41.9%
Grade 9	36.3%	40.5%	59.8%	40.2%
Grade 10	37.6%	43.9%	62.4%	37.6%
Grade 11	52.6%	57.8%	70.6%	29.4%
Grade 12	44.0%	54.4%	73.7%	26.3%
Any Illicit Drug				
All	19.8%	24.3%	30.6%	69.4%
Grade 7	9.8%	13.9%	16.6%	83.4%
Grade 8	13.2%	18.1%	21.0%	79.0%
Grade 9	18.5%	23.1%	30.0%	70.0%
Grade 10	26.8%	30.7%	36.6%	63.4%
Grade 11	29.7%	34.3%	42.1%	57.9%
Grade 12	27.8%	32.9%	47.4%	52.6%
Any Prescription Drug				
All	7.3%	10.7%	20.9%	79.1%
Grade 7	6.2%	8.5%	18.8%	81.2%
Grade 8	7.8%	11.7%	20.0%	80.0%
Grade 9	9.9%	13.2%	21.7%	78.3%
Grade 10	6.3%	9.6%	19.1%	80.9%
Grade 11	7.2%	11.0%	23.0%	77.0%
Grade 12	5.1%	9.7%	23.9%	76.1%
Any Inhalant				
All	5.1%	6.6%	15.4%	84.6%
Grade 7	7.3%	9.1%	19.2%	80.8%
Grade 8	7.9%	10.0%	20.2%	79.8%
Grade 9	5.0%	6.8%	17.2%	82.8%
Grade 10	2.4%	2.9%	9.8%	90.2%
Grade 11	5.0%	6.3%	12.6%	87.4%
Grade 12	1.1%	2.2%	9.4%	90.6%

Percentages have been weighted to reflect proportions within the population.

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.7%	20.6%	35.4%	64.6%
Grade 7	4.4%	8.4%	19.7%	80.3%
Grade 8	10.6%	15.9%	29.7%	70.3%
Grade 9	14.6%	21.6%	37.7%	62.3%
Grade 10	14.8%	20.0%	37.9%	62.1%
Grade 11	26.1%	33.0%	44.7%	55.3%
Grade 12	24.0%	31.9%	50.2%	49.8%
Marijuana				
All	18.4%	21.3%	27.4%	72.6%
Grade 7	7.6%	8.3%	10.0%	90.0%
Grade 8	11.1%	14.6%	17.4%	82.6%
Grade 9	17.7%	21.0%	27.5%	72.5%
Grade 10	25.0%	28.3%	34.3%	65.7%
Grade 11	29.3%	31.6%	39.3%	60.7%
Grade 12	26.9%	31.2%	47.3%	52.7%
Marijuana Only				
All	11.1%	13.0%	18.4%	81.6%
Grade 7	4.3%	4.9%	5.9%	94.1%
Grade 8	5.3%	6.9%	9.1%	90.9%
Grade 9	11.3%	13.9%	20.1%	79.9%
Grade 10	17.0%	19.3%	24.9%	75.1%
Grade 11	17.5%	19.1%	26.2%	73.8%
Grade 12	15.2%	18.4%	31.1%	68.9%
Cocaine or Crack				
All	1.6%	1.8%	2.9%	97.1%
Grade 7	2.7%	2.7%	3.4%	96.6%
Grade 8	1.1%	1.4%	2.2%	97.8%
Grade 9	0.7%	0.8%	1.1%	98.9%
Grade 10	1.4%	1.5%	1.6%	98.4%
Grade 11	2.4%	2.4%	4.3%	95.7%
Grade 12	2.1%	2.9%	6.7%	93.3%
Cocaine				
All	1.5%	1.7%	2.7%	97.3%
Grade 7	2.5%	2.5%	3.3%	96.7%
Grade 8	0.8%	1.1%	1.6%	98.4%
Grade 9	0.7%	0.8%	1.1%	98.9%
Grade 10	1.4%	1.5%	1.6%	98.4%
Grade 11	2.3%	2.3%	4.1%	95.9%
Grade 12	2.1%	2.9%	6.5%	93.5%

Percentages have been weighted to reflect proportions within the population.

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.6%	0.9%	1.3%	98.7%
Grade 8	0.7%	0.7%	1.6%	98.4%
Grade 9	0.0%	0.3%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.8%	99.2%
Hallucinogens				
All	2.1%	3.2%	4.7%	95.3%
Grade 7	0.5%	0.5%	1.6%	98.4%
Grade 8	1.7%	1.9%	4.3%	95.7%
Grade 9	1.2%	2.8%	3.1%	96.9%
Grade 10	3.8%	4.9%	6.0%	94.0%
Grade 11	3.9%	5.9%	7.9%	92.1%
Grade 12	2.2%	4.5%	8.1%	91.9%
Synthetic Cathinones				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.9%	99.1%
Grade 8	0.9%	1.1%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.7%	0.9%	2.0%	98.0%
Grade 7	0.1%	0.1%	1.1%	98.9%
Grade 8	1.2%	1.6%	3.5%	96.5%
Grade 9	1.3%	1.3%	2.1%	97.9%
Grade 10	0.1%	0.7%	2.0%	98.0%
Grade 11	0.5%	0.5%	1.2%	98.8%
Grade 12	1.2%	1.2%	1.6%	98.4%
Ecstasy				
All	0.5%	0.9%	2.5%	97.5%
Grade 7	0.1%	0.3%	0.8%	99.2%
Grade 8	0.3%	0.5%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.3%	1.6%	2.0%	98.0%
Grade 11	1.2%	1.6%	5.6%	94.4%
Grade 12	1.6%	2.3%	7.1%	92.9%

Percentages have been weighted to reflect proportions within the population.

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	1.0%	1.3%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.2%	99.8%
Synthetic Marijuana				
All	1.7%	2.3%	4.6%	95.4%
Grade 7	0.8%	1.6%	3.3%	96.7%
Grade 8	2.0%	2.5%	5.2%	94.8%
Grade 9	1.2%	2.5%	4.0%	96.0%
Grade 10	2.2%	2.3%	4.3%	95.7%
Grade 11	4.2%	4.2%	7.8%	92.2%
Grade 12	0.4%	0.6%	3.7%	96.3%
Methamphetamine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.6%	0.6%	1.9%	98.1%
Grade 8	1.0%	1.5%	1.9%	98.1%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.7%	99.3%

Percentages have been weighted to reflect proportions within the population.

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.2%	19.2%	32.0%	68.0%
Grade 7	5.3%	6.8%	14.1%	85.9%
Grade 8	8.2%	11.4%	23.5%	76.5%
Grade 9	22.6%	26.0%	38.9%	61.1%
Grade 10	13.6%	19.6%	35.8%	64.2%
Grade 11	24.1%	27.9%	43.3%	56.7%
Grade 12	21.6%	28.8%	43.4%	56.6%
Any Alcohol Product				
All	29.9%	35.6%	54.3%	45.7%
Grade 7	16.2%	18.0%	37.0%	63.0%
Grade 8	24.5%	29.0%	48.7%	51.3%
Grade 9	34.2%	38.9%	57.8%	42.2%
Grade 10	28.4%	35.2%	59.4%	40.6%
Grade 11	39.4%	46.8%	61.4%	38.6%
Grade 12	43.1%	54.1%	69.2%	30.8%
Any Illicit Drug				
All	12.6%	16.2%	21.3%	78.7%
Grade 7	5.9%	8.4%	10.4%	89.6%
Grade 8	7.5%	10.2%	12.2%	87.8%
Grade 9	15.5%	18.9%	24.6%	75.4%
Grade 10	12.9%	17.1%	22.2%	77.8%
Grade 11	19.7%	23.8%	31.7%	68.3%
Grade 12	17.8%	22.8%	33.3%	66.7%
Any Prescription Drug				
All	6.0%	8.8%	16.2%	83.8%
Grade 7	6.4%	8.5%	15.6%	84.4%
Grade 8	5.1%	8.7%	15.0%	85.0%
Grade 9	8.5%	11.4%	19.8%	80.2%
Grade 10	4.1%	6.5%	13.8%	86.2%
Grade 11	7.2%	10.3%	15.6%	84.4%
Grade 12	4.0%	6.6%	17.2%	82.8%
Any Inhalant				
All	4.2%	5.5%	12.7%	87.3%
Grade 7	6.2%	7.5%	16.8%	83.2%
Grade 8	6.2%	8.5%	16.5%	83.5%
Grade 9	3.6%	4.7%	14.5%	85.5%
Grade 10	1.4%	2.5%	8.8%	91.2%
Grade 11	6.1%	6.8%	11.8%	88.2%
Grade 12	0.6%	1.5%	4.1%	95.9%

Percentages have been weighted to reflect proportions within the population.

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.1%	16.2%	28.8%	71.2%
Grade 7	2.3%	4.9%	11.2%	88.8%
Grade 8	6.1%	9.1%	19.4%	80.6%
Grade 9	14.1%	21.1%	34.9%	65.1%
Grade 10	11.9%	18.8%	33.4%	66.6%
Grade 11	20.5%	25.0%	40.9%	59.1%
Grade 12	15.8%	23.4%	40.6%	59.4%
Marijuana				
All	11.6%	13.9%	18.9%	81.1%
Grade 7	3.9%	4.2%	6.5%	93.5%
Grade 8	5.9%	7.6%	9.1%	90.9%
Grade 9	15.5%	17.7%	22.6%	77.4%
Grade 10	10.9%	14.4%	19.4%	80.6%
Grade 11	19.4%	22.3%	30.4%	69.6%
Grade 12	17.8%	22.1%	33.2%	66.8%
Marijuana Only				
All	6.7%	8.9%	13.1%	86.9%
Grade 7	1.8%	2.2%	3.0%	97.0%
Grade 8	3.3%	4.8%	5.9%	94.1%
Grade 9	9.4%	11.4%	15.6%	84.4%
Grade 10	7.5%	10.9%	15.6%	84.4%
Grade 11	11.4%	14.0%	21.6%	78.4%
Grade 12	8.9%	13.2%	22.7%	77.3%
Cocaine or Crack				
All	0.8%	1.0%	1.9%	98.1%
Grade 7	1.4%	1.4%	2.3%	97.7%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	0.7%	0.8%	0.8%	99.2%
Grade 10	0.4%	0.5%	0.8%	99.2%
Grade 11	1.5%	1.5%	3.3%	96.7%
Grade 12	0.4%	1.1%	4.0%	96.0%
Cocaine				
All	0.7%	0.9%	1.7%	98.3%
Grade 7	1.3%	1.3%	1.9%	98.1%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.7%	0.8%	0.8%	99.2%
Grade 10	0.4%	0.5%	0.8%	99.2%
Grade 11	1.4%	1.4%	3.1%	96.9%
Grade 12	0.4%	1.1%	4.0%	96.0%

Percentages have been weighted to reflect proportions within the population.

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**

(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.5%	0.5%	1.1%	98.9%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	0.0%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.8%	0.8%	1.4%	98.6%
Grade 12	0.0%	0.0%	0.1%	99.9%
Hallucinogens				
All	1.4%	2.0%	2.9%	97.1%
Grade 7	1.2%	1.2%	2.2%	97.8%
Grade 8	0.6%	1.0%	1.5%	98.5%
Grade 9	0.6%	1.8%	1.9%	98.1%
Grade 10	2.1%	2.7%	3.3%	96.7%
Grade 11	3.0%	3.6%	4.2%	95.8%
Grade 12	1.5%	2.2%	5.1%	94.9%
Synthetic Cathinones				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.1%	1.7%	98.3%
Grade 8	0.8%	0.9%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	0.0%	0.3%	1.2%	98.8%
Grade 8	0.6%	0.9%	2.2%	97.8%
Grade 9	1.4%	1.7%	2.9%	97.1%
Grade 10	0.6%	0.7%	1.9%	98.1%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.6%	0.6%	1.4%	98.6%
Ecstasy				
All	0.5%	0.6%	1.9%	98.1%
Grade 7	0.4%	0.8%	1.1%	98.9%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	1.2%	1.2%	4.4%	95.6%
Grade 12	1.2%	1.2%	5.1%	94.9%

Percentages have been weighted to reflect proportions within the population.

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.4%	1.1%	98.9%
Grade 8	0.3%	0.6%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.3%	0.3%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.2%	1.7%	2.7%	97.3%
Grade 7	0.7%	0.9%	1.4%	98.6%
Grade 8	1.2%	1.7%	2.2%	97.8%
Grade 9	0.9%	2.7%	4.7%	95.3%
Grade 10	1.0%	1.1%	1.5%	98.5%
Grade 11	3.6%	3.6%	4.2%	95.8%
Grade 12	0.0%	0.1%	2.1%	97.9%
Methamphetamine				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.8%	1.2%	1.7%	98.3%
Grade 8	0.6%	0.7%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.3%	99.7%

Percentages have been weighted to reflect proportions within the population.

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	21.6%	26.6%	44.7%	55.3%
Grade 7	11.5%	14.4%	30.2%	69.8%
Grade 8	19.1%	24.4%	38.1%	61.9%
Grade 9	17.0%	21.4%	43.3%	56.7%
Grade 10	24.1%	26.4%	46.0%	54.0%
Grade 11	29.8%	38.1%	51.1%	48.9%
Grade 12	28.3%	35.4%	58.8%	41.2%
Any Alcohol Product				
All	38.3%	45.1%	63.3%	36.7%
Grade 7	24.3%	27.0%	47.2%	52.8%
Grade 8	33.4%	36.9%	56.8%	43.2%
Grade 9	33.8%	40.3%	60.9%	39.1%
Grade 10	41.0%	47.6%	61.8%	38.2%
Grade 11	51.2%	57.0%	71.3%	28.7%
Grade 12	45.8%	61.3%	82.2%	17.8%
Any Illicit Drug				
All	20.3%	26.1%	34.0%	66.0%
Grade 7	9.4%	13.9%	18.7%	81.3%
Grade 8	18.1%	22.9%	25.8%	74.2%
Grade 9	15.9%	20.3%	26.6%	73.4%
Grade 10	27.4%	32.6%	38.5%	61.5%
Grade 11	25.0%	32.1%	42.2%	57.8%
Grade 12	25.7%	34.9%	52.6%	47.4%
Any Prescription Drug				
All	7.6%	11.1%	22.2%	77.8%
Grade 7	8.8%	12.0%	22.1%	77.9%
Grade 8	10.0%	13.3%	21.5%	78.5%
Grade 9	9.1%	12.4%	20.8%	79.2%
Grade 10	5.5%	9.3%	18.4%	81.6%
Grade 11	6.6%	10.5%	23.1%	76.9%
Grade 12	5.9%	9.2%	28.0%	72.0%
Any Inhalant				
All	4.7%	6.7%	16.6%	83.4%
Grade 7	7.9%	10.3%	21.4%	78.6%
Grade 8	8.6%	10.8%	21.3%	78.7%
Grade 9	3.6%	7.6%	15.4%	84.6%
Grade 10	4.2%	5.6%	10.5%	89.5%
Grade 11	3.6%	4.9%	15.0%	85.0%
Grade 12	1.1%	1.6%	17.5%	82.5%

Percentages have been weighted to reflect proportions within the population.

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	16.2%	22.2%	39.5%	60.5%
Grade 7	7.7%	11.3%	24.0%	76.0%
Grade 8	11.9%	18.8%	34.9%	65.1%
Grade 9	14.7%	18.8%	36.2%	63.8%
Grade 10	15.2%	21.0%	42.4%	57.6%
Grade 11	22.9%	32.4%	45.3%	54.7%
Grade 12	24.9%	31.1%	54.1%	45.9%
Marijuana				
All	19.4%	23.3%	31.6%	68.4%
Grade 7	8.0%	8.7%	12.4%	87.6%
Grade 8	17.2%	20.1%	23.0%	77.0%
Grade 9	14.2%	16.8%	24.0%	76.0%
Grade 10	27.4%	31.8%	37.7%	62.3%
Grade 11	24.6%	29.8%	40.3%	59.7%
Grade 12	24.8%	32.4%	52.4%	47.6%
Marijuana Only				
All	11.6%	14.2%	21.4%	78.6%
Grade 7	4.1%	4.5%	7.4%	92.6%
Grade 8	7.6%	9.4%	12.1%	87.9%
Grade 9	8.7%	10.3%	16.8%	83.2%
Grade 10	18.1%	19.8%	25.3%	74.7%
Grade 11	15.6%	20.1%	30.1%	69.9%
Grade 12	15.1%	20.8%	36.2%	63.8%
Cocaine or Crack				
All	2.1%	2.3%	3.8%	96.2%
Grade 7	3.3%	4.0%	4.6%	95.4%
Grade 8	1.6%	1.9%	2.8%	97.2%
Grade 9	0.5%	0.5%	1.6%	98.4%
Grade 10	2.9%	3.0%	4.7%	95.3%
Grade 11	1.9%	1.9%	3.8%	96.2%
Grade 12	2.2%	2.5%	5.9%	94.1%
Cocaine				
All	1.9%	2.0%	3.6%	96.4%
Grade 7	3.3%	3.3%	4.0%	96.0%
Grade 8	1.6%	1.7%	2.5%	97.5%
Grade 9	0.5%	0.5%	1.6%	98.4%
Grade 10	2.9%	3.0%	4.7%	95.3%
Grade 11	1.3%	1.3%	3.2%	96.8%
Grade 12	2.2%	2.5%	5.6%	94.4%

Percentages have been weighted to reflect proportions within the population.

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.7%	1.0%	99.0%
Grade 7	0.8%	1.8%	2.4%	97.6%
Grade 8	0.9%	1.1%	1.1%	98.9%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	1.2%	1.2%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.9%	99.1%
Hallucinogens				
All	2.1%	3.1%	5.1%	94.9%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	2.3%	2.8%	5.4%	94.6%
Grade 9	1.4%	2.3%	4.1%	95.9%
Grade 10	3.0%	3.6%	5.9%	94.1%
Grade 11	3.2%	5.2%	6.7%	93.3%
Grade 12	2.4%	4.7%	7.7%	92.3%
Synthetic Cathinones				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.6%	0.6%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.6%	0.6%	0.7%	99.3%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.5%	0.9%	1.6%	98.4%
Grade 7	0.6%	1.3%	2.0%	98.0%
Grade 8	0.7%	1.0%	2.8%	97.2%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.7%	0.9%	99.1%
Grade 11	1.3%	1.3%	2.2%	97.8%
Grade 12	0.6%	1.1%	1.2%	98.8%
Ecstasy				
All	0.8%	1.6%	3.3%	96.7%
Grade 7	0.1%	0.5%	1.0%	99.0%
Grade 8	0.9%	1.1%	3.0%	97.0%
Grade 9	0.7%	1.1%	1.6%	98.4%
Grade 10	0.2%	1.9%	3.3%	96.7%
Grade 11	1.1%	1.5%	3.0%	97.0%
Grade 12	2.0%	3.6%	8.4%	91.6%

Percentages have been weighted to reflect proportions within the population.

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents

(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.1%	0.6%	99.4%
Grade 8	0.7%	0.9%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.2%	0.2%	0.9%	99.1%
Synthetic Marijuana				
All	1.6%	2.2%	5.4%	94.6%
Grade 7	1.2%	2.6%	6.1%	93.9%
Grade 8	2.0%	2.7%	5.9%	94.1%
Grade 9	1.4%	1.4%	3.4%	96.6%
Grade 10	2.1%	3.5%	6.0%	94.0%
Grade 11	1.9%	1.9%	5.3%	94.7%
Grade 12	1.3%	1.3%	5.8%	94.2%
Methamphetamine				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.3%	0.6%	2.1%	97.9%
Grade 8	1.1%	1.1%	2.1%	97.9%
Grade 9	0.1%	0.3%	0.8%	99.2%
Grade 10	0.3%	0.4%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.2%	0.2%	1.5%	98.5%

Percentages have been weighted to reflect proportions within the population.

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.7%	19.9%	34.5%	65.5%
Grade 7	5.7%	7.1%	16.4%	83.6%
Grade 8	10.4%	13.7%	26.7%	73.3%
Grade 9	17.5%	21.4%	39.3%	60.7%
Grade 10	15.0%	20.0%	37.6%	62.4%
Grade 11	25.9%	31.5%	44.1%	55.9%
Grade 12	22.9%	29.2%	47.6%	52.4%
Any Alcohol Product				
All	30.6%	36.3%	56.1%	43.9%
Grade 7	16.5%	18.9%	37.1%	62.9%
Grade 8	25.2%	29.2%	49.6%	50.4%
Grade 9	32.9%	37.1%	58.1%	41.9%
Grade 10	28.8%	35.8%	59.3%	40.7%
Grade 11	44.0%	48.6%	64.1%	35.9%
Grade 12	40.5%	53.9%	73.4%	26.6%
Any Illicit Drug				
All	13.4%	18.0%	23.7%	76.3%
Grade 7	4.9%	8.0%	10.5%	89.5%
Grade 8	8.8%	12.8%	14.9%	85.1%
Grade 9	12.4%	16.5%	21.7%	78.3%
Grade 10	15.5%	19.9%	25.2%	74.8%
Grade 11	22.3%	28.4%	37.0%	63.0%
Grade 12	19.4%	25.7%	37.9%	62.1%
Any Prescription Drug				
All	6.1%	9.2%	18.1%	81.9%
Grade 7	6.6%	8.5%	16.6%	83.4%
Grade 8	6.0%	9.7%	17.0%	83.0%
Grade 9	8.0%	11.6%	19.6%	80.4%
Grade 10	3.9%	7.3%	15.7%	84.3%
Grade 11	7.0%	10.5%	19.2%	80.8%
Grade 12	4.9%	7.3%	21.4%	78.6%
Any Inhalant				
All	3.8%	5.0%	12.7%	87.3%
Grade 7	5.2%	6.7%	15.7%	84.3%
Grade 8	6.8%	8.7%	16.5%	83.5%
Grade 9	3.1%	4.5%	12.5%	87.5%
Grade 10	1.6%	2.2%	6.7%	93.3%
Grade 11	5.1%	6.1%	14.1%	85.9%
Grade 12	0.6%	0.9%	9.6%	90.4%

Percentages have been weighted to reflect proportions within the population.

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.0%	16.8%	30.3%	69.7%
Grade 7	3.7%	5.3%	12.7%	87.3%
Grade 8	7.5%	10.9%	22.4%	77.6%
Grade 9	12.5%	18.5%	34.5%	65.5%
Grade 10	11.3%	17.6%	34.0%	66.0%
Grade 11	21.6%	27.7%	39.4%	60.6%
Grade 12	18.1%	24.3%	43.6%	56.4%
Marijuana				
All	12.7%	15.7%	21.7%	78.3%
Grade 7	3.3%	3.8%	6.1%	93.9%
Grade 8	7.7%	10.7%	12.6%	87.4%
Grade 9	11.8%	14.3%	19.4%	80.6%
Grade 10	15.4%	18.1%	24.8%	75.2%
Grade 11	21.9%	26.0%	35.2%	64.8%
Grade 12	18.9%	25.1%	37.8%	62.2%
Marijuana Only				
All	8.0%	10.3%	15.7%	84.3%
Grade 7	2.0%	2.4%	3.7%	96.3%
Grade 8	4.2%	5.7%	7.1%	92.9%
Grade 9	7.7%	9.6%	14.7%	85.3%
Grade 10	11.2%	13.3%	19.5%	80.5%
Grade 11	13.4%	17.0%	25.9%	74.1%
Grade 12	11.3%	16.5%	27.6%	72.4%
Cocaine or Crack				
All	0.9%	1.1%	1.9%	98.1%
Grade 7	1.2%	1.5%	2.2%	97.8%
Grade 8	0.8%	1.1%	1.6%	98.4%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.9%	1.0%	1.3%	98.7%
Grade 11	1.2%	1.2%	2.7%	97.3%
Grade 12	1.0%	1.4%	3.2%	96.8%
Cocaine				
All	0.8%	1.0%	1.7%	98.3%
Grade 7	1.2%	1.2%	1.6%	98.4%
Grade 8	0.6%	0.8%	1.1%	98.9%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.9%	1.0%	1.3%	98.7%
Grade 11	1.2%	1.2%	2.7%	97.3%
Grade 12	1.0%	1.4%	3.2%	96.8%

Percentages have been weighted to reflect proportions within the population.

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.7%	1.2%	98.8%
Grade 8	0.5%	0.5%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.7%	0.7%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.2%	99.8%
Hallucinogens				
All	1.4%	2.1%	3.2%	96.8%
Grade 7	0.7%	0.7%	1.4%	98.6%
Grade 8	1.0%	1.5%	3.1%	96.9%
Grade 9	1.3%	2.2%	2.7%	97.3%
Grade 10	1.4%	1.4%	2.6%	97.4%
Grade 11	3.5%	4.6%	5.5%	94.5%
Grade 12	1.1%	2.6%	4.4%	95.6%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.6%	0.9%	1.6%	98.4%
Grade 7	0.3%	0.8%	1.5%	98.5%
Grade 8	0.9%	0.9%	2.0%	98.0%
Grade 9	1.1%	1.3%	2.5%	97.5%
Grade 10	0.3%	0.7%	1.2%	98.8%
Grade 11	0.6%	0.6%	1.1%	98.9%
Grade 12	0.6%	0.8%	1.0%	99.0%
Ecstasy				
All	0.4%	0.7%	2.1%	97.9%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	0.0%	0.8%	1.5%	98.5%
Grade 11	0.5%	0.7%	3.5%	96.5%
Grade 12	1.2%	1.7%	5.6%	94.4%

Percentages have been weighted to reflect proportions within the population.

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.6%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	1.1%	1.4%	3.0%	97.0%
Grade 7	0.4%	0.7%	2.1%	97.9%
Grade 8	1.6%	1.9%	3.6%	96.4%
Grade 9	0.3%	1.2%	2.5%	97.5%
Grade 10	0.7%	0.8%	1.9%	98.1%
Grade 11	3.0%	3.0%	5.1%	94.9%
Grade 12	0.7%	0.8%	3.0%	97.0%
Methamphetamine				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.7%	0.7%	1.6%	98.4%
Grade 8	0.5%	0.7%	1.0%	99.0%
Grade 9	0.1%	0.2%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.4%	99.6%

Percentages have been weighted to reflect proportions within the population.

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	28.5%	32.7%	49.7%	50.3%
Grade 7	23.0%	27.0%	39.6%	60.4%
Grade 8	23.4%	29.7%	39.4%	60.6%
Grade 9	29.4%	31.7%	41.8%	58.2%
Grade 10	30.3%	31.1%	52.1%	47.9%
Grade 11	32.0%	37.2%	58.6%	41.4%
Grade 12	30.4%	37.9%	64.5%	35.5%
Any Alcohol Product				
All	46.8%	55.8%	68.8%	31.2%
Grade 7	36.8%	38.5%	60.1%	39.9%
Grade 8	38.9%	45.0%	62.7%	37.3%
Grade 9	42.0%	50.5%	63.5%	36.5%
Grade 10	51.1%	59.0%	67.0%	33.0%
Grade 11	50.1%	63.3%	75.2%	24.8%
Grade 12	60.1%	75.2%	83.4%	16.6%
Any Illicit Drug				
All	26.4%	33.1%	40.4%	59.6%
Grade 7	24.9%	30.8%	32.5%	67.5%
Grade 8	20.4%	26.2%	29.8%	70.2%
Grade 9	23.3%	28.1%	36.5%	63.5%
Grade 10	35.4%	45.6%	49.5%	50.5%
Grade 11	22.8%	26.7%	34.9%	65.1%
Grade 12	30.4%	40.5%	58.0%	42.0%
Any Prescription Drug				
All	8.8%	12.2%	22.5%	77.5%
Grade 7	13.4%	20.3%	31.2%	68.8%
Grade 8	10.4%	13.3%	22.2%	77.8%
Grade 9	8.6%	10.5%	21.9%	78.1%
Grade 10	9.4%	11.9%	24.0%	76.0%
Grade 11	7.4%	9.5%	15.6%	84.4%
Grade 12	4.7%	9.8%	23.0%	77.0%
Any Inhalant				
All	7.5%	10.4%	21.6%	78.4%
Grade 7	17.5%	20.4%	41.1%	58.9%
Grade 8	5.5%	9.3%	22.5%	77.5%
Grade 9	9.2%	12.1%	25.4%	74.6%
Grade 10	7.6%	12.2%	21.5%	78.5%
Grade 11	4.2%	5.1%	11.2%	88.8%
Grade 12	1.8%	4.6%	11.6%	88.4%

Percentages have been weighted to reflect proportions within the population.

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	18.6%	25.7%	45.7%	54.3%
Grade 7	7.9%	18.7%	32.9%	67.1%
Grade 8	17.2%	25.2%	36.8%	63.2%
Grade 9	18.7%	20.5%	35.6%	64.4%
Grade 10	20.0%	27.6%	48.7%	51.3%
Grade 11	22.0%	29.7%	55.9%	44.1%
Grade 12	23.9%	32.1%	62.6%	37.4%
Marijuana				
All	24.1%	28.4%	36.0%	64.0%
Grade 7	20.6%	21.1%	21.9%	78.1%
Grade 8	17.8%	20.1%	23.5%	76.5%
Grade 9	23.3%	26.5%	33.9%	66.1%
Grade 10	29.0%	39.2%	43.1%	56.9%
Grade 11	22.3%	26.6%	33.5%	66.5%
Grade 12	30.4%	34.1%	57.5%	42.5%
Marijuana Only				
All	12.9%	16.2%	21.7%	78.3%
Grade 7	7.6%	7.8%	8.6%	91.4%
Grade 8	7.4%	9.6%	13.1%	86.9%
Grade 9	14.3%	17.0%	22.1%	77.9%
Grade 10	16.0%	22.0%	25.9%	74.1%
Grade 11	13.8%	17.7%	23.1%	76.9%
Grade 12	15.8%	19.5%	33.8%	66.2%
Cocaine or Crack				
All	4.1%	4.1%	7.0%	93.0%
Grade 7	10.0%	10.0%	11.0%	89.0%
Grade 8	1.3%	1.4%	2.3%	97.7%
Grade 9	1.6%	1.6%	3.2%	96.8%
Grade 10	4.9%	4.9%	9.3%	90.7%
Grade 11	4.7%	4.7%	7.6%	92.4%
Grade 12	2.5%	2.5%	9.2%	90.8%
Cocaine				
All	3.6%	3.6%	6.6%	93.4%
Grade 7	9.5%	9.5%	11.0%	89.0%
Grade 8	1.1%	1.2%	2.2%	97.8%
Grade 9	1.6%	1.6%	3.2%	96.8%
Grade 10	4.9%	4.9%	9.3%	90.7%
Grade 11	2.8%	2.8%	5.7%	94.3%
Grade 12	2.5%	2.5%	9.2%	90.8%

Percentages have been weighted to reflect proportions within the population.

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Not Seek Help from Adults for Substance Abuse Problems**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	1.2%	1.3%	1.7%	98.3%
Grade 7	3.3%	3.3%	5.3%	94.7%
Grade 8	0.2%	0.3%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	1.1%	1.5%	1.5%	98.5%
Grade 11	2.3%	2.3%	2.3%	97.7%
Grade 12	0.0%	0.0%	1.2%	98.8%
Hallucinogens				
All	3.6%	4.7%	7.5%	92.5%
Grade 7	2.1%	2.1%	2.1%	97.9%
Grade 8	3.5%	3.5%	7.7%	92.3%
Grade 9	0.0%	0.0%	1.8%	98.2%
Grade 10	8.6%	11.6%	13.9%	86.1%
Grade 11	1.5%	3.3%	5.4%	94.6%
Grade 12	6.4%	7.7%	14.8%	85.2%
Synthetic Cathinones				
All	0.6%	0.6%	1.9%	98.1%
Grade 7	0.0%	0.0%	4.1%	95.9%
Grade 8	2.3%	2.3%	3.9%	96.1%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	1.6%	1.6%	2.4%	97.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.6%	1.0%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.6%	2.9%	4.0%	96.0%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.4%	0.8%	0.8%	99.2%
Grade 11	1.9%	1.9%	1.9%	98.1%
Grade 12	0.5%	0.5%	3.0%	97.0%
Ecstasy				
All	1.4%	2.6%	4.2%	95.8%
Grade 7	0.4%	2.4%	2.4%	97.6%
Grade 8	0.4%	1.0%	1.9%	98.1%
Grade 9	0.0%	1.3%	2.5%	97.5%
Grade 10	0.8%	2.1%	3.2%	96.8%
Grade 11	4.2%	4.2%	5.1%	94.9%
Grade 12	2.5%	4.5%	10.2%	89.8%

Percentages have been weighted to reflect proportions within the population.

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.0%	0.0%	2.0%	98.0%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.0%	0.4%	0.8%	99.2%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.5%	0.5%	0.5%	99.5%
Synthetic Marijuana				
All	2.7%	4.5%	7.8%	92.2%
Grade 7	4.3%	7.7%	9.8%	90.2%
Grade 8	1.5%	2.4%	4.3%	95.7%
Grade 9	3.8%	6.3%	11.2%	88.8%
Grade 10	3.6%	7.3%	9.2%	90.8%
Grade 11	2.4%	2.4%	3.4%	96.6%
Grade 12	0.0%	0.0%	8.4%	91.6%
Methamphetamine				
All	0.6%	1.0%	2.0%	98.0%
Grade 7	0.2%	3.4%	4.0%	96.0%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	1.3%	1.3%	2.6%	97.4%
Grade 10	1.3%	1.3%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.5%	3.3%	96.7%

Percentages have been weighted to reflect proportions within the population.

3   Margin Tables

Gender

Q1	Frequency	Percent
Male	145,402	50.2%
Female	144,362	49.8%
Frequency Missing	1,314	

Hispanic or Latino

Q5a	Frequency	Percent
No	90,077	31.6%
Yes	195,207	68.4%
Frequency Missing	5,794	

Grade

Q2	Frequency	Percent
Grade 7	51,581	17.8%
Grade 8	49,407	17.1%
Grade 9	54,926	19.0%
Grade 10	48,684	16.8%
Grade 11	44,305	15.3%
Grade 12	40,856	14.1%
Frequency Missing	1,319	

Ethnicity

Q5b	Frequency	Percent
American Indian	7,701	3.0%
Asian American	2,673	1.0%
African American	20,164	7.8%
Pacific Islander	1,101	0.4%
White	120,882	46.8%
Other	58,918	22.8%
More Than One Race	46,617	18.1%
Frequency Missing	33,021	

Live with Both Parents

Q3	Frequency	Percent
No	117,866	41.2%
Yes	167,944	58.8%
Frequency Missing	5,268	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	1,155	0.5%
Mostly D's	2,525	1.0%
Mostly C's	34,995	14.1%
Mostly B's	122,378	49.3%
Mostly A's	87,305	35.2%
Frequency Missing	42,719	

Age

Q4	Frequency	Percent
11 or younger	284	0.1%
12	28,147	9.8%
13	45,735	15.9%
14	46,412	16.1%
15	51,687	17.9%
16	47,565	16.5%
17	42,505	14.7%
18	23,583	8.2%
19 or older	2,541	0.9%
Frequency Missing	2,619	

Do You Have a Job

Q7	Frequency	Percent
No	206,048	81.5%
Yes	46,735	18.5%
Frequency Missing	38,295	

Percentages and frequencies have been weighted to reflect proportions within the population.

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	78,993	31.5%
Yes	92,902	37.1%
Don't Know	78,818	31.4%
Frequency Missing	40,365	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	192,150	90.0%
Yes	21,460	10.0%
Frequency Missing	77,468	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	105,634	44.2%
Yes	133,287	55.8%
Frequency Missing	52,157	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	165,816	76.1%
Yes	52,184	23.9%
Frequency Missing	73,079	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	169,411	77.9%
Yes	47,978	22.1%
Frequency Missing	73,689	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	171,253	80.3%
Yes	42,128	19.7%
Frequency Missing	77,697	

Participate in School Choir

Q9c	Frequency	Percent
No	193,781	92.1%
Yes	16,681	7.9%
Frequency Missing	80,616	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	153,790	69.9%
Yes	66,363	30.1%
Frequency Missing	70,925	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	194,926	91.9%
Yes	17,177	8.1%
Frequency Missing	78,975	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	170,780	79.9%
Yes	43,090	20.1%
Frequency Missing	77,208	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	239,312	84.1%
Somewhat Safe	39,244	13.8%
Not Very Safe	2,198	0.8%
Not Safe At All	692	0.2%
Don't Know	3,004	1.1%
Frequency Missing	6,628	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	123,801	43.9%
Somewhat Safe	130,245	46.2%
Not Very Safe	16,622	5.9%
Not Safe At All	4,417	1.6%
Don't Know	6,836	2.4%
Frequency Missing	9,157	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	94,481	33.5%
Somewhat Safe	135,192	48.0%
Not Very Safe	28,441	10.1%
Not Safe At All	10,961	3.9%
Don't Know	12,726	4.5%
Frequency Missing	9,277	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	20,968	7.8%
Some High School	32,132	11.9%
Finished High School	67,533	25.1%
Some College	30,958	11.5%
Finished College	40,309	15.0%
Post-Secondary	25,010	9.3%
Don't Know or N/A	52,112	19.4%
Frequency Missing	22,056	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	20,391	7.5%
Some High School	28,533	10.6%
Finished High School	59,590	22.0%
Some College	42,914	15.9%
Finished College	55,991	20.7%
Post-Secondary	30,768	11.4%
Don't Know or N/A	32,251	11.9%
Frequency Missing	20,638	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	162,000	65.5%
Yes	85,258	34.5%
Frequency Missing	43,820	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	15,665	5.5%
A Few	64,689	22.6%
Some	70,578	24.6%
Most	98,826	34.5%
All	36,573	12.8%
Frequency Missing	4,746	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	6,095	2.1%
A Few	38,956	13.6%
Some	72,683	25.3%
Most	117,413	40.9%
All	51,874	18.1%
Frequency Missing	4,057	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	117,929	42.2%
A Few	89,788	32.2%
Some	39,085	14.0%
Most	21,524	7.7%
All	10,928	3.9%
Frequency Missing	11,824	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	269,798	93.9%
In Your Lifetime	12,884	4.5%
Since School Began	1,747	0.6%
In the Past Month	2,760	1.0%
Frequency Missing	3,889	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	213,518	75.2%
A Few	47,456	16.7%
Some	14,749	5.2%
Most	6,447	2.3%
All	1,710	0.6%
Frequency Missing	7,198	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	282,347	99.1%
In Your Lifetime	1,549	0.5%
Since School Began	335	0.1%
In the Past Month	709	0.2%
Frequency Missing	6,139	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	234,732	81.9%
A Few	35,337	12.3%
Some	11,023	3.8%
Most	3,537	1.2%
All	1,830	0.6%
Frequency Missing	4,619	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	267,862	93.3%
In Your Lifetime	14,604	5.1%
Since School Began	1,272	0.4%
In the Past Month	3,218	1.1%
Frequency Missing	4,123	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	281,440	97.7%
In Your Lifetime	5,065	1.8%
Since School Began	193	0.1%
In the Past Month	1,228	0.4%
Frequency Missing	3,152	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	282,578	98.7%
In Your Lifetime	2,286	0.8%
Since School Began	378	0.1%
In the Past Month	1,079	0.4%
Frequency Missing	4,757	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	283,392	99.1%
In Your Lifetime	1,639	0.6%
Since School Began	298	0.1%
In the Past Month	678	0.2%
Frequency Missing	5,071	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	280,237	97.9%
In Your Lifetime	3,573	1.2%
Since School Began	728	0.3%
In the Past Month	1,737	0.6%
Frequency Missing	4,803	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	282,636	98.5%
In Your Lifetime	2,683	0.9%
Since School Began	481	0.2%
In the Past Month	1,270	0.4%
Frequency Missing	4,008	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	240,312	83.9%
In Your Lifetime	30,938	10.8%
Since School Began	4,766	1.7%
In the Past Month	10,311	3.6%
Frequency Missing	4,751	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	259,380	91.2%
In Your Lifetime	15,121	5.3%
Since School Began	2,858	1.0%
In the Past Month	6,978	2.5%
Frequency Missing	6,740	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	166,826	59.5%
In Your Lifetime	59,491	21.2%
Since School Began	17,485	6.2%
In the Past Month	36,580	13.0%
Frequency Missing	10,697	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	200,578	70.6%
In Your Lifetime	37,756	13.3%
Since School Began	16,686	5.9%
In the Past Month	29,209	10.3%
Frequency Missing	6,849	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	193,317	69.1%
In Your Lifetime	50,613	18.1%
Since School Began	12,814	4.6%
In the Past Month	23,037	8.2%
Frequency Missing	11,298	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	176,905	62.2%
In Your Lifetime	49,621	17.5%
Since School Began	20,206	7.1%
In the Past Month	37,618	13.2%
Frequency Missing	6,727	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	279,775	97.8%
In Your Lifetime	3,951	1.4%
Since School Began	560	0.2%
In the Past Month	1,744	0.6%
Frequency Missing	5,048	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	272,897	95.7%
In Your Lifetime	7,813	2.7%
Since School Began	1,074	0.4%
In the Past Month	3,349	1.2%
Frequency Missing	5,945	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	282,834	99.4%
In Your Lifetime	746	0.3%
Since School Began	312	0.1%
In the Past Month	712	0.3%
Frequency Missing	6,475	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	191,289	66.9%
In Your Lifetime	41,620	14.5%
Since School Began	15,452	5.4%
In the Past Month	37,776	13.2%
Frequency Missing	4,941	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	273,166	96.1%
In Your Lifetime	4,087	1.4%
Since School Began	2,100	0.7%
In the Past Month	4,807	1.7%
Frequency Missing	6,919	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	220,002	77.1%
In Your Lifetime	29,676	10.4%
Since School Began	10,491	3.7%
In the Past Month	25,243	8.8%
Frequency Missing	5,666	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	282,381	99.4%
In Your Lifetime	920	0.3%
Since School Began	202	0.1%
In the Past Month	591	0.2%
Frequency Missing	6,984	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	280,664	98.6%
In Your Lifetime	2,187	0.8%
Since School Began	510	0.2%
In the Past Month	1,371	0.5%
Frequency Missing	6,346	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	275,261	96.7%
In Your Lifetime	5,079	1.8%
Since School Began	1,122	0.4%
In the Past Month	3,243	1.1%
Frequency Missing	6,374	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	279,132	98.1%
In Your Lifetime	3,195	1.1%
Since School Began	863	0.3%
In the Past Month	1,433	0.5%
Frequency Missing	6,456	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	242,999	86.8%
In Your Lifetime	22,615	8.1%
Since School Began	5,690	2.0%
In the Past Month	8,578	3.1%
Frequency Missing	11,197	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	284,025	99.5%
In Your Lifetime	662	0.2%
Since School Began	154	0.1%
In the Past Month	490	0.2%
Frequency Missing	5,746	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	266,800	96.1%
In Your Lifetime	6,977	2.5%
Since School Began	1,445	0.5%
In the Past Month	2,458	0.9%
Frequency Missing	13,397	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	282,983	99.2%
In Your Lifetime	1,157	0.4%
Since School Began	326	0.1%
In the Past Month	928	0.3%
Frequency Missing	5,684	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	260,381	94.0%
In Your Lifetime	8,942	3.2%
Since School Began	3,551	1.3%
In the Past Month	4,005	1.4%
Frequency Missing	14,199	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	261,110	94.3%
In Your Lifetime	7,914	2.9%
Since School Began	1,804	0.7%
In the Past Month	5,928	2.1%
Frequency Missing	14,322	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	252,693	91.6%
In Your Lifetime	11,570	4.2%
Since School Began	3,725	1.4%
In the Past Month	7,786	2.8%
Frequency Missing	15,305	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	268,235	96.0%
In Your Lifetime	6,399	2.3%
Since School Began	1,473	0.5%
In the Past Month	3,160	1.1%
Frequency Missing	11,811	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	255,564	90.4%
1-2 times	13,746	4.9%
3-10 times	5,275	1.9%
11+ times	8,209	2.9%
Frequency Missing	8,284	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	199,406	70.9%
1-2 times	52,517	18.7%
3-10 times	19,229	6.8%
11+ times	10,223	3.6%
Frequency Missing	9,703	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	276,938	98.3%
1-2 times	3,109	1.1%
3-10 times	1,077	0.4%
11+ times	694	0.2%
Frequency Missing	9,260	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	242,366	86.2%
1-2 times	16,740	6.0%
3-10 times	9,128	3.2%
11+ times	12,851	4.6%
Frequency Missing	9,993	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	279,686	98.9%
1-2 times	2,556	0.9%
3-10 times	357	0.1%
11+ times	89	0.0%
Frequency Missing	8,390	

Percentages and frequencies have been weighted to reflect proportions within the population.

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	280,952	99.7%
1-2 times	674	0.2%
3-10 times	77	0.0%
11+ times	124	0.0%
Frequency Missing	9,251	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	161,543	57.8%
A few	51,538	18.4%
Some	29,771	10.7%
Most	25,223	9.0%
All	11,279	4.0%
Frequency Missing	11,725	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	192,039	68.7%
A few	53,810	19.3%
Some	18,918	6.8%
Most	10,793	3.9%
All	3,808	1.4%
Frequency Missing	11,711	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	220,998	82.3%
8 or younger	3,111	1.2%
9 years old	2,123	0.8%
10 years old	3,300	1.2%
11 years old	4,001	1.5%
12 years old	6,171	2.3%
13 years old	6,402	2.4%
14 years old	7,461	2.8%
15 years old	7,327	2.7%
16 years old	4,894	1.8%
17 years old	2,146	0.8%
18 or older	707	0.3%
Frequency Missing	22,436	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	125,793	45.3%
A few	70,510	25.4%
Some	37,529	13.5%
Most	31,335	11.3%
All	12,749	4.6%
Frequency Missing	13,161	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	137,285	51.6%
8 or younger	14,923	5.6%
9 years old	5,898	2.2%
10 years old	8,156	3.1%
11 years old	8,505	3.2%
12 years old	13,005	4.9%
13 years old	20,302	7.6%
14 years old	18,454	6.9%
15 years old	18,503	7.0%
16 years old	13,335	5.0%
17 years old	5,704	2.1%
18 or older	1,929	0.7%
Frequency Missing	25,077	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	260,654	93.4%
A few	11,678	4.2%
Some	3,944	1.4%
Most	1,490	0.5%
All	1,179	0.4%
Frequency Missing	12,133	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	257,350	96.3%
8 or younger	1,610	0.6%
9 years old	607	0.2%
10 years old	1,164	0.4%
11 years old	1,206	0.5%
12 years old	1,568	0.6%
13 years old	840	0.3%
14 years old	1,908	0.7%
15 years old	407	0.2%
16 years old	262	0.1%
17 years old	290	0.1%
18 or older	0	0.0%
Frequency Missing	23,865	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	261,379	97.8%
8 or younger	196	0.1%
9 years old	39	0.0%
10 years old	205	0.1%
11 years old	284	0.1%
12 years old	616	0.2%
13 years old	807	0.3%
14 years old	619	0.2%
15 years old	914	0.3%
16 years old	1,446	0.5%
17 years old	506	0.2%
18 or older	122	0.0%
Frequency Missing	23,945	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	206,362	77.1%
8 or younger	2,427	0.9%
9 years old	1,274	0.5%
10 years old	2,144	0.8%
11 years old	3,252	1.2%
12 years old	7,405	2.8%
13 years old	9,710	3.6%
14 years old	11,355	4.2%
15 years old	11,361	4.2%
16 years old	7,915	3.0%
17 years old	3,402	1.3%
18 or older	1,185	0.4%
Frequency Missing	23,287	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	265,560	99.4%
8 or younger	118	0.0%
9 years old	10	0.0%
10 years old	51	0.0%
11 years old	128	0.0%
12 years old	603	0.2%
13 years old	183	0.1%
14 years old	129	0.0%
15 years old	118	0.0%
16 years old	236	0.1%
17 years old	0	0.0%
Frequency Missing	23,942	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	263,962	98.6%
8 or younger	594	0.2%
9 years old	184	0.1%
10 years old	400	0.1%
11 years old	244	0.1%
12 years old	438	0.2%
13 years old	591	0.2%
14 years old	458	0.2%
15 years old	427	0.2%
16 years old	300	0.1%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	23,480	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	259,952	97.9%
8 or younger	62	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	115	0.0%
12 years old	527	0.2%
13 years old	974	0.4%
14 years old	337	0.1%
15 years old	666	0.3%
16 years old	1,704	0.6%
17 years old	1,326	0.5%
18 or older	0	0.0%
Frequency Missing	25,414	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	266,307	99.4%
8 or younger	88	0.0%
9 years old	0	0.0%
10 years old	10	0.0%
11 years old	52	0.0%
12 years old	369	0.1%
13 years old	213	0.1%
14 years old	584	0.2%
15 years old	163	0.1%
16 years old	75	0.0%
17 years old	149	0.1%
18 or older	0	0.0%
Frequency Missing	23,067	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	267,113	99.7%
8 or younger	229	0.1%
9 years old	51	0.0%
10 years old	33	0.0%
11 years old	39	0.0%
12 years old	122	0.0%
13 years old	136	0.1%
14 years old	139	0.1%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	122	0.0%
Frequency Missing	23,094	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	258,785	96.9%
8 or younger	181	0.1%
9 years old	293	0.1%
10 years old	722	0.3%
11 years old	393	0.1%
12 years old	1,419	0.5%
13 years old	1,853	0.7%
14 years old	1,230	0.5%
15 years old	759	0.3%
16 years old	1,008	0.4%
17 years old	489	0.2%
18 or older	45	0.0%
Frequency Missing	23,900	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	82,411	29.4%
Impossible	61,382	21.9%
Very Difficult	21,172	7.5%
Somewhat diff	32,011	11.4%
Somewhat easy	37,565	13.4%
Very easy	45,893	16.4%
Frequency Missing	10,644	

Percentages and frequencies have been weighted to reflect proportions within the population.

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	60,143	21.5%
Impossible	37,111	13.3%
Very Difficult	17,094	6.1%
Somewhat diff	33,802	12.1%
Somewhat easy	55,038	19.7%
Very easy	76,677	27.4%
Frequency Missing	11,213	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	121,447	43.4%
Impossible	98,253	35.1%
Very Difficult	28,597	10.2%
Somewhat diff	15,355	5.5%
Somewhat easy	7,203	2.6%
Very easy	9,147	3.3%
Frequency Missing	11,076	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	124,739	44.9%
Impossible	47,209	17.0%
Very Difficult	10,711	3.9%
Somewhat diff	14,650	5.3%
Somewhat easy	20,342	7.3%
Very easy	59,891	21.6%
Frequency Missing	13,536	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	127,742	45.7%
Impossible	91,100	32.6%
Very Difficult	27,030	9.7%
Somewhat diff	18,456	6.6%
Somewhat easy	5,473	2.0%
Very easy	9,631	3.4%
Frequency Missing	11,647	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	78,576	28.2%
Impossible	67,802	24.3%
Very Difficult	22,523	8.1%
Somewhat diff	23,567	8.4%
Somewhat easy	33,478	12.0%
Very easy	53,011	19.0%
Frequency Missing	12,121	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	149,103	53.7%
Impossible	75,791	27.3%
Very Difficult	19,655	7.1%
Somewhat diff	14,886	5.4%
Somewhat easy	8,219	3.0%
Very easy	10,129	3.6%
Frequency Missing	13,295	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	115,163	41.1%
Impossible	94,330	33.7%
Very Difficult	29,869	10.7%
Somewhat diff	18,172	6.5%
Somewhat easy	10,100	3.6%
Very easy	12,474	4.5%
Frequency Missing	10,970	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	135,834	48.5%
Impossible	97,771	34.9%
Very Difficult	24,397	8.7%
Somewhat diff	10,829	3.9%
Somewhat easy	3,904	1.4%
Very easy	7,541	2.7%
Frequency Missing	10,802	

Percentages and frequencies have been weighted to reflect proportions within the population.

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	140,682	50.3%
Impossible	92,872	33.2%
Very Difficult	22,149	7.9%
Somewhat diff	12,284	4.4%
Somewhat easy	4,392	1.6%
Very easy	7,282	2.6%
Frequency Missing	11,416	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	771	0.3%
Several times/wk	4,504	1.6%
Several times/mo	21,014	7.6%
About once/month	38,755	14.0%
About once/year	29,190	10.6%
Less than once/year	28,021	10.1%
Never used	154,299	55.8%
Frequency Missing	14,524	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	139,558	50.0%
Impossible	76,491	27.4%
Very Difficult	18,950	6.8%
Somewhat diff	16,255	5.8%
Somewhat easy	12,158	4.4%
Very easy	15,903	5.7%
Frequency Missing	11,764	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	278	0.1%
Several times/wk	751	0.3%
Several times/mo	605	0.2%
About once/month	1,758	0.6%
About once/year	1,580	0.6%
Less than once/year	4,224	1.5%
Never used	267,749	96.7%
Frequency Missing	14,133	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	5,615	2.0%
Several times/wk	4,152	1.5%
Several times/mo	5,321	1.9%
About once/month	7,008	2.5%
About once/year	6,052	2.2%
Less than once/year	14,733	5.3%
Never used	235,000	84.6%
Frequency Missing	13,197	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	6,127	2.2%
Several times/wk	5,078	1.8%
Several times/mo	10,883	3.9%
About once/month	12,982	4.7%
About once/year	11,499	4.1%
Less than once/year	10,432	3.8%
Never used	221,019	79.5%
Frequency Missing	13,059	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	160	0.1%
Several times/wk	7	0.0%
Several times/mo	535	0.2%
About once/month	994	0.4%
About once/year	1,314	0.5%
Less than once/year	2,145	0.8%
Never used	272,208	98.1%
Frequency Missing	13,714	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	181	0.1%
Several times/wk	152	0.1%
Several times/mo	170	0.1%
About once/month	1,103	0.4%
About once/year	1,435	0.5%
Less than once/year	1,737	0.6%
Never used	271,787	98.3%
Frequency Missing	14,514	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	9	0.0%
Several times/wk	35	0.0%
Several times/mo	49	0.0%
About once/month	235	0.1%
About once/year	671	0.2%
Less than once/year	643	0.2%
Never used	276,497	99.4%
Frequency Missing	12,940	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	12	0.0%
Several times/wk	30	0.0%
Several times/mo	103	0.0%
About once/month	94	0.0%
About once/year	160	0.1%
Less than once/year	440	0.2%
Never used	276,802	99.7%
Frequency Missing	13,438	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	262	0.1%
Several times/wk	107	0.0%
Several times/mo	104	0.0%
About once/month	580	0.2%
About once/year	369	0.1%
Less than once/year	1,123	0.4%
Never used	274,085	99.1%
Frequency Missing	14,448	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	43	0.0%
Several times/wk	43	0.0%
Several times/mo	106	0.0%
About once/month	98	0.0%
About once/year	699	0.3%
Less than once/year	582	0.2%
Never used	276,158	99.4%
Frequency Missing	13,350	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	222	0.1%
Several times/wk	608	0.2%
Several times/mo	841	0.3%
About once/month	1,058	0.4%
About once/year	1,664	0.6%
Less than once/year	3,451	1.2%
Never used	268,731	97.2%
Frequency Missing	14,504	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	191,748	69.5%
12+ drinks	3,008	1.1%
9-11 drinks	1,097	0.4%
5-8 drinks	3,740	1.4%
3-4 drinks	9,335	3.4%
2 drinks	10,473	3.8%
1 drink	22,589	8.2%
Less than 1 drink	33,797	12.3%
Frequency Missing	15,292	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	165,030	59.5%
12+ drinks	8,423	3.0%
9-11 drinks	5,383	1.9%
5-8 drinks	11,318	4.1%
3-4 drinks	13,650	4.9%
2 drinks	17,297	6.2%
1 drink	21,158	7.6%
Less than 1 drink	35,140	12.7%
Frequency Missing	13,681	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	167,842	60.5%
12+ drinks	8,154	2.9%
9-11 drinks	5,507	2.0%
5-8 drinks	12,712	4.6%
3-4 drinks	21,440	7.7%
2 drinks	15,212	5.5%
1 drink	18,499	6.7%
Less than 1 drink	28,199	10.2%
Frequency Missing	13,513	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	189,255	68.4%
12+ drinks	5,036	1.8%
9-11 drinks	4,457	1.6%
5-8 drinks	12,364	4.5%
3-4 drinks	15,539	5.6%
2 drinks	17,235	6.2%
1 drink	14,745	5.3%
Less than 1 drink	17,959	6.5%
Frequency Missing	14,487	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	155,848	56.6%
0 days	82,094	29.8%
1 day	15,684	5.7%
2 days	6,461	2.3%
3 to 5 days	8,069	2.9%
6 to 9 days	1,817	0.7%
10 or more days	5,462	2.0%
Frequency Missing	15,643	

Percentages and frequencies have been weighted to reflect proportions within the population.

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	150,453	54.2%
Never	49,092	17.7%
Seldom	48,551	17.5%
Most of the Time	18,693	6.7%
Always	10,602	3.8%
Frequency Missing	13,687	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	160,566	58.7%
Never	64,446	23.5%
Seldom	22,526	8.2%
Most of the Time	14,231	5.2%
Always	11,990	4.4%
Frequency Missing	17,319	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	151,040	54.7%
Never	51,574	18.7%
Seldom	36,924	13.4%
Most of the Time	26,440	9.6%
Always	9,912	3.6%
Frequency Missing	15,188	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	151,413	56.5%
Somewhat	72,374	27.0%
Not very	20,718	7.7%
Not at all	5,735	2.1%
Don't know	17,943	6.7%
Frequency Missing	22,894	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	161,891	58.8%
Never	92,807	33.7%
Seldom	9,050	3.3%
Most of the Time	7,141	2.6%
Always	4,446	1.6%
Frequency Missing	15,744	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	113,484	42.4%
Somewhat	89,420	33.4%
Not very	42,407	15.9%
Not at all	8,995	3.4%
Don't know	13,108	4.9%
Frequency Missing	23,664	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	150,542	54.5%
Never	45,193	16.4%
Seldom	29,467	10.7%
Most of the Time	29,674	10.7%
Always	21,290	7.7%
Frequency Missing	14,912	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	183,784	69.6%
Somewhat	38,230	14.5%
Not very	11,958	4.5%
Not at all	5,372	2.0%
Don't know	24,883	9.4%
Frequency Missing	26,853	

Percentages and frequencies have been weighted to reflect proportions within the population.

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	142,602	54.0%
Somewhat	39,906	15.1%
Not very	33,700	12.8%
Not at all	32,130	12.2%
Don't know	15,732	6.0%
Frequency Missing	27,008	

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	192,537	73.1%
Somewhat	33,778	12.8%
Not very	9,008	3.4%
Not at all	3,633	1.4%
Don't know	24,324	9.2%
Frequency Missing	27,798	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	223,216	84.6%
Somewhat	19,380	7.3%
Not very	2,269	0.9%
Not at all	1,534	0.6%
Don't know	17,367	6.6%
Frequency Missing	27,312	

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	224,714	85.3%
Somewhat	13,448	5.1%
Not very	1,865	0.7%
Not at all	1,740	0.7%
Don't know	21,610	8.2%
Frequency Missing	27,701	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	224,999	85.4%
Somewhat	17,097	6.5%
Not very	1,265	0.5%
Not at all	1,538	0.6%
Don't know	18,560	7.0%
Frequency Missing	27,619	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	224,858	85.6%
Somewhat	13,079	5.0%
Not very	1,888	0.7%
Not at all	1,525	0.6%
Don't know	21,444	8.2%
Frequency Missing	28,285	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	205,406	78.1%
Somewhat	21,682	8.2%
Not very	4,070	1.5%
Not at all	2,020	0.8%
Don't know	29,761	11.3%
Frequency Missing	28,139	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	207,702	79.0%
Somewhat	21,364	8.1%
Not very	5,889	2.2%
Not at all	3,387	1.3%
Don't know	24,500	9.3%
Frequency Missing	28,236	

Percentages and frequencies have been weighted to reflect proportions within the population.

Dangerous for Kids to Use Any Prescription

Q27l	Frequency	Percent
Very	188,682	72.1%
Somewhat	34,331	13.1%
Not very	10,943	4.2%
Not at all	4,532	1.7%
Don't know	23,126	8.8%
Frequency Missing	29,465	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	149,400	56.8%
Somewhat	54,811	20.8%
Not very	30,074	11.4%
Not at all	11,361	4.3%
Don't know	17,534	6.7%
Frequency Missing	27,898	

Days Skipped Since September

Q28a	Frequency	Percent
None	221,641	82.6%
1-3 days	35,573	13.3%
4-9 days	6,488	2.4%
10+ days	4,581	1.7%
Frequency Missing	22,796	

Days Ill Since September

Q28b	Frequency	Percent
None	96,063	36.1%
1-3 days	130,418	49.0%
4-9 days	30,592	11.5%
10+ days	9,138	3.4%
Frequency Missing	24,868	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	105,973	40.5%
1-3 days	127,514	48.7%
4-9 days	21,211	8.1%
10+ days	7,110	2.7%
Frequency Missing	29,270	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	234,677	87.8%
1-3 days	24,357	9.1%
4-9 days	5,130	1.9%
10+ days	3,049	1.1%
Frequency Missing	23,866	

Someone Called Home Since September

Q28e	Frequency	Percent
None	240,926	90.4%
1-3 days	19,407	7.3%
4-9 days	3,145	1.2%
10+ days	3,061	1.1%
Frequency Missing	24,540	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	256,966	95.7%
1-3 times	9,467	3.5%
4-9 times	1,552	0.6%
10+ times	515	0.2%
Frequency Missing	22,579	

Percentages and frequencies have been weighted to reflect proportions within the population.

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	256,637	96.5%
1-3 times	7,379	2.8%
4-9 times	1,031	0.4%
10+ times	903	0.3%
Frequency Missing	25,128	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	239,942	91.3%
1-3 days	13,681	5.2%
4-9 days	3,785	1.4%
10+ days	5,348	2.0%
Frequency Missing	28,321	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	255,062	95.8%
1-3 times	9,793	3.7%
4-9 times	701	0.3%
10+ times	803	0.3%
Frequency Missing	24,719	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	258,743	98.6%
1-3 days	2,397	0.9%
4-9 days	404	0.2%
10+ days	767	0.3%
Frequency Missing	28,768	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	251,890	94.9%
1-3 times	8,836	3.3%
4-9 times	2,270	0.9%
10+ times	2,312	0.9%
Frequency Missing	25,770	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	251,272	96.4%
1-3 days	6,535	2.5%
4-9 days	1,469	0.6%
10+ days	1,259	0.5%
Frequency Missing	30,543	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	253,135	95.5%
1-3 days	8,784	3.3%
4-9 days	1,906	0.7%
10+ days	1,341	0.5%
Frequency Missing	25,912	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	128,316	48.7%
Seldom	18,802	7.1%
Half the time	13,679	5.2%
Most of the Time	23,347	8.9%
Always	24,689	9.4%
Don't Know	6,214	2.4%
Didn't attend	48,225	18.3%
Frequency Missing	27,806	

Percentages and frequencies have been weighted to reflect proportions within the population.

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	153,262	58.4%
Seldom	15,794	6.0%
Half the time	11,046	4.2%
Most of the Time	12,121	4.6%
Always	15,760	6.0%
Don't Know	6,025	2.3%
Didn't attend	48,516	18.5%
Frequency Missing	28,555	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	227,114	92.8%
Yes	17,690	7.2%
Frequency Missing	46,274	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	175,735	66.5%
Yes	88,470	33.5%
Frequency Missing	26,873	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	208,043	79.1%
Yes	54,861	20.9%
Frequency Missing	28,174	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	156,528	59.5%
Yes	106,500	40.5%
Frequency Missing	28,050	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	84,690	32.0%
Yes	179,592	68.0%
Frequency Missing	26,796	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	120,502	45.9%
Yes	142,164	54.1%
Frequency Missing	28,413	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	94,072	35.8%
Yes	168,776	64.2%
Frequency Missing	28,229	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	106,523	40.4%
Yes	156,886	59.6%
Frequency Missing	27,669	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	159,659	60.7%
Yes	103,571	39.3%
Frequency Missing	27,848	

Percentages and frequencies have been weighted to reflect proportions within the population.

Would Not Seek Help

Q33i	Frequency	Percent
No	206,985	80.3%
Yes	50,691	19.7%
Frequency Missing	33,402	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	182,207	72.1%
Yes	70,580	27.9%
Frequency Missing	38,291	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	166,165	64.8%
Yes	90,275	35.2%
Frequency Missing	34,638	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	224,908	89.0%
Yes	27,874	11.0%
Frequency Missing	38,296	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	156,425	61.4%
Yes	98,467	38.6%
Frequency Missing	36,186	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	197,396	77.7%
Yes	56,622	22.3%
Frequency Missing	37,060	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	201,783	79.1%
Yes	53,169	20.9%
Frequency Missing	36,126	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	189,851	74.8%
Yes	64,031	25.2%
Frequency Missing	37,196	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	216,140	85.4%
Yes	36,943	14.6%
Frequency Missing	37,995	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	196,217	73.1%
Mild disapprove	22,463	8.4%
Neither	20,095	7.5%
Mildly approve	3,095	1.2%
Strongly approve	2,048	0.8%
Don't know	24,511	9.1%
Frequency Missing	22,649	

Percentages and frequencies have been weighted to reflect proportions within the population.

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	147,702	55.1%
Mild disapprove	39,190	14.6%
Neither	42,561	15.9%
Mildly approve	14,195	5.3%
Strongly approve	3,138	1.2%
Don't know	21,134	7.9%
Frequency Missing	23,157	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	193,689	72.2%
Mild disapprove	18,941	7.1%
Neither	23,958	8.9%
Mildly approve	6,305	2.3%
Strongly approve	3,210	1.2%
Don't know	22,297	8.3%
Frequency Missing	22,678	

Percentages and frequencies have been weighted to reflect proportions within the population.

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and receny of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall "Any Tobacco Product" category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	**Updating Rule**
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall "Any Alcohol Product" category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	**Updating Rule**
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	**Updating Rule**
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	**Updating Rule**
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	**Updating Rule**
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Any Alcohol Product	
This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	**Updating Rule**
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Alcohol (Q23b : alc_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for all responses to this question other than "Never 5+ at Time" or "0 Days".
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	**Updating Rule**
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	**Updating Rule**
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	

Question	**Updating Rule**
Crack Use in Past Month (Q19f : crack_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Crack (Q21f : crack_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Steroids
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.

Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	**Updating Rule**
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	**Updating Rule**
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	**Updating Rule**
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	**Updating Rule**
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	**Updating Rule**
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used "Marijuana Only". Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey ("Codeine", "Percocets etc", "Benzodiazepines etc", "Adderall etc", and "Other Prescriptions"). However, the category of "DXM, Triple Cs etc" is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall "Any Inhalant" category is updated as described below.

Any Inhalant	
This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.	
Question	**Updating Rule**
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".