96State712.OUT

TABLE B1: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE --> ALL STUDENTS

		EVER USED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
GR GR GR GR	ADE 7 ADE 8 ADE 9 ADE 10 ADE 11 ADE 12	55. 3% 41. 3% 51. 9% 57. 7% 60. 1% 61. 4% 63. 3%	26. 3% 17. 0% 22. 6% 27. 5% 29. 6% 30. 8% 33. 6%	13. 0% 11. 8% 14. 2% 13. 8% 13. 4% 12. 3% 11. 6%	16. 0% 12. 4% 15. 0% 16. 3% 17. 1% 18. 3% 18. 1%	44. 7% 58. 7% 48. 1% 42. 3% 39. 9% 38. 6% 36. 7%
GR GR GR GR	ADE 7 ADE 8 ADE 9 ADE 10 ADE 11 ADE 12	73. 5% 56. 4% 68. 0% 76. 1% 79. 0% 82. 2% 84. 6%	37. 5% 23. 1% 31. 6% 38. 2% 42. 1% 45. 7% 50. 8%	20. 8% 17. 4% 20. 7% 21. 5% 22. 3% 22. 3% 20. 7%	15. 2% 15. 9% 15. 7% 16. 4% 14. 6% 14. 2% 13. 1%	26. 5% 43. 6% 32. 0% 23. 9% 21. 0% 17. 8% 15. 4%
GR GR GR GR	TS ADE 7 ADE 8 ADE 9 ADE 10 ADE 11 ADE 12	19. 8% 22. 1% 23. 9% 21. 3% 18. 2% 15. 5% 14. 4%	5. 0% 8. 1% 7. 4% 4. 8% 3. 6% 2. 4% 2. 2%	5. 8% 6. 8% 7. 6% 6. 3% 5. 3% 4. 1% 3. 1%	8. 9% 7. 1% 8. 9% 10. 2% 9. 3% 9. 0% 9. 1%	80. 2% 77. 9% 76. 1% 78. 7% 81. 8% 84. 5% 85. 6%
GR GR GR GR	DRUG ADE 7 ADE 8 ADE 9 ADE 10 ADE 11 ADE 12	33.9% 19.0% 28.4% 37.3% 39.0% 41.5% 42.5%	17. 7% 10. 2% 15. 6% 20. 7% 20. 4% 20. 5% 20. 5%	8. 9% 4. 8% 7. 7% 9. 4% 10. 1% 11. 0% 11. 5%	7. 3% 4. 1% 5. 1% 7. 3% 8. 5% 10. 1% 10. 5%	66. 1% 81. 0% 71. 6% 62. 7% 61. 0% 58. 5% 57. 5%
GR GR GR GR	ADE 7 ADE 8 ADE 9 ADE 10 ADE 11 ADE 12	31. 3% 16. 6% 25. 5% 34. 9% 36. 1% 39. 1% 40. 5%	15. 9% 8. 7% 13. 7% 18. 8% 18. 4% 18. 8% 18. 5%	8. 4% 4. 3% 7. 1% 9. 0% 9. 6% 10. 5% 11. 5%	7. 0% 3. 6% 4. 7% 7. 2% 8. 1% 9. 8% 10. 5%	68. 7% 83. 4% 74. 5% 65. 1% 63. 9% 60. 9% 59. 5%
GR GR GR GR	NLY ADE 7 ADE 8 ADE 9 ADE 10 ADE 11 ADE 12	14. 4% 8. 0% 11. 5% 16. 0% 16. 6% 18. 9% 18. 0%	5. 5% 3. 5% 4. 8% 6. 5% 6. 4% 6. 8% 5. 5%	4. 4% 2. 1% 3. 7% 4. 7% 5. 0% 5. 6% 5. 9%	4. 6% 2. 4% 3. 1% 4. 8% 5. 1% 6. 5% 6. 6%	85. 6% 92. 0% 88. 5% 84. 0% 83. 4% 81. 1% 82. 0%

Page 1

	96State	9712. OUT			
COCAINE OR CRACK	7.2%	2.5%	2.3%	2.4%	92.8%
GRADE 7	3.6%	1. 2%	1. 1%	1. 2%	96.4%
GRADE 8	5.6%	2.0%	1.8%	1.8%	94.4%
GRADE 9	8.0%	2.9%	2.5%	2.6%	92.0%
GRADE 10	8. 1%	2.7%	2.6%	2.8%	91. 9%
GRADE 11	8.5%	2.7%	2.8%	3.0%	91.5%
GRADE 12	10. 6%	3.6%	3.2%	3.7%	89.4%

- - - CONTINUED

		EVER USED	PAST MONTH	SCH00L YEAR	NOT PAST YEAR	NEVER USED
COCAINE	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	8. 1%	2. 2% 1. 0% 1. 7% 2. 6% 2. 5% 2. 6% 3. 4%	2. 2% 0. 9% 1. 6% 2. 4% 2. 5% 2. 8% 3. 1%	2. 3% 1. 0% 1. 7% 2. 4% 2. 7% 2. 8% 3. 7%	93. 3% 97. 0% 94. 9% 92. 5% 92. 3% 91. 9% 89. 8%
CRACK	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	2. 3%	0. 7% 0. 6% 0. 8% 0. 9% 0. 6% * %	0. 8% 0. 6% 0. 9% 1. 0% 0. 8% 0. 6% 0. 9%	1. 0% 0. 6% 0. 9% 1. 2% 1. 1% 1. 1%	97. 5% 98. 1% 97. 5% 97. 0% 97. 6% 97. 7% 97. 5%
HALLUCIN	OGENS GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	10. 3%	2. 4% 0. 9% 1. 6% 3. 1% 3. 0% 2. 7% 3. 5%	2. 7% 0. 8% 1. 8% 2. 7% 3. 3% 4. 1% 4. 1%	2. 4% 0. 7% 1. 3% 2. 2% 3. 2% 3. 5% 5. 0%	92. 5% 97. 6% 95. 3% 92. 0% 90. 5% 89. 7% 87. 5%
UPPERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	10. 7%	2. 6% 1. 1% 2. 1% 3. 0% 3. 3% 3. 0% 3. 4%	2. 7% 0. 8% 1. 9% 2. 8% 3. 6% 3. 7% 3. 8%	2. 7% 0. 8% 1. 4% 2. 5% 3. 8% 4. 0% 4. 8%	92. 0% 97. 2% 94. 6% 91. 7% 89. 3% 89. 3% 87. 9%
DOWNERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	7. 2%	1. 9% 0. 9% 1. 6% 2. 1% 2. 2% 2. 0% 2. 6%	1. 9% 0. 7% 1. 3% 2. 1% 2. 7% 2. 4% 2. 6%	1. 9% 0. 6% 1. 0% 2. 0% 2. 4% 2. 7% 3. 3%	94. 3% 97. 9% 96. 1% 93. 7% 92. 7% 92. 8% 91. 5%
STEROI DS	GRADE 7 GRADE 8 GRADE 9	2. 1% 2. 0% 2. 1% 2. 0%	0. 6% 0. 7% 0. 6% 0. 6% Page 2	0. 6% 0. 5% 0. 7% 0. 6%	0. 9% 0. 7% 0. 8% 0. 8%	97. 9% 98. 0% 97. 9% 98. 0%

Page 2

	GRADE 10 GRADE 11 GRADE 12	96State7 2.0% 2.3% 2.3%	712. OUT 0. 5% 0. 8% 0. 6%	0.6% * % 0.6%	0. 9% 1. 2% 1. 1%	98. 0% 97. 7% 97. 7%
ECSTASY	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	5. 4% 1. 7% 3. 4% 5. 7% 6. 7% 7. 5% 9. 4%	1. 5% O. 7% 1. 2% 2. 1% 1. 8% 1. 6% 1. 8%	2. 0% 0. 6% 1. 3% 1. 9% 2. 5% 2. 5% 3. 5%	2. 0% * % 0. 9% 1. 7% 2. 4% 3. 3% 4. 1%	94.6% 98.3% 96.6% 94.3% 93.3% 92.5% 90.6%
ROACH	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	9.3% 6.8% 10.2% 11.2% 9.9% 8.6% 8.5%	3. 6% 2. 9% 4. 2% 4. 4% 3. 5% 2. 8% 2. 8%	2. 8% 2. 2% 2. 9% 3. 5% 3. 1% 2. 6% 2. 4%	2. 9% 1. 7% 3. 0% 3. 3% 3. 3% 3. 1% 3. 3%	90. 7% 93. 2% 89. 8% 88. 8% 90. 1% 91. 4% 91. 5%

TABLE B2: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE --> MALE STUDENTS

		EVER USED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
GRA GRA GRA GRA	NDE 7 NDE 8 NDE 9 NDE 10 NDE 11	59. 3% 45. 8% 55. 3% 60. 4% 64. 2% 66. 2% 69. 0%	29. 4% 18. 1% 24. 3% 30. 5% 33. 8% 36. 0% 38. 9%	13. 2% 13. 1% 14. 1% 13. 7% 13. 2% 11. 9% 12. 4%	16. 7% 14. 6% 16. 9% 16. 2% 17. 2% 18. 3% 17. 7%	40. 7% 54. 2% 44. 7% 39. 6% 35. 8% 33. 8% 31. 0%
GRA GRA GRA GRA	NDE 7 NDE 8 NDE 9 NDE 10 NDE 11	73. 8% 58. 5% 69. 0% 75. 2% 78. 5% 82. 8% 84. 8%	37. 8% 22. 3% 30. 4% 37. 2% 42. 7% 49. 1% 54. 3%	19. 6% 17. 7% 20. 5% 20. 5% 20. 7% 19. 7% 18. 0%	16. 3% 18. 6% 18. 1% 17. 5% 15. 1% 13. 9% 12. 5%	26. 2% 41. 5% 31. 0% 24. 8% 21. 5% 17. 2% 15. 2%
GRA GRA GRA GRA	S NDE 7 NDE 8 NDE 9 NDE 10 NDE 11 NDE 12	20. 5% 22. 0% 22. 7% 22. 0% 18. 9% 18. 1% 16. 9%	5. 1% 7. 6% 6. 5% 5. 2% 4. 0% 2. 6% 2. 8%	5. 9% 6. 8% 7. 0% 6. 2% 5. 4% 5. 0% 4. 0%	9. 6% 7. 6% 9. 2% 10. 6% 9. 6% 10. 5% 10. 2%	79. 5% 78. 0% 77. 3% 78. 0% 81. 1% 81. 9% 83. 1%
GRA GRA	DRUG NDE 7 NDE 8 NDE 9 NDE 10	37. 7% 22. 2% 31. 6% 41. 5% 42. 5%	20. 5% 11. 4% 17. 3% 23. 7% 23. 5% ge. 3	9. 4% 5. 7% 8. 5% 10. 3% 10. 1%	7. 8% 5. 1% 5. 8% 7. 6% 8. 9%	62. 3% 77. 8% 68. 4% 58. 5% 57. 5%

	96Sta	ate712. OUT			
GRADE 11	47. 1%	25. 7%	11. 5%	10. 0%	52. 9%
GRADE 12	47. 2%	24.3%	11. 7%	11. 1%	52.8%
MARI JUANA	35. 7%	18.8%	9. 2%	7.7%	64.3%
GRADE 7	19. 8%	9. 9%	5. 2%	4. 7%	80. 2%
GRADE 8	29. 3%	15. 7%	8.0%	5.6%	70. 7%
GRADE 9	39. 8%	22.0%	10. 1%	7. 7%	60. 2%
GRADE 10	40. 5%	21. 9%	9. 8%	8.8%	59.5%
GRADE 11	45.4%	23.7%	11. 7%	10. 1%	54.6%
GRADE 12	45. 6%	22. 2%	12.0%	11. 4%	54.4%
MARI JUANA ONLY	16. 6%	6.6%	4.9%	5. 1%	83.4%
GRADE 7	9. 6%	3.8%	2.6%	3. 1%	90. 4%
GRADE 8	13. 7%	5. 8%	4. 2%	3. 7%	86.3%
GRADE 9	18. 4%	7.8%	5. 4%	5. 1%	81.6%
GRADE 10	18. 7%	7.7%	5. 2%	5.8%	81.3%
GRADE 11	21. 7%	8.4%	6.6%	6. 7%	78.3%
GRADE 12	20. 1%	6. 3%	6. 5%	7. 3%	79. 9%
COCALNE OR CRACK	8.6%	3. 2%	2.6%	2.8%	91.4%
GRADE 7	3. 9%	1. 3%	1. 1%	1. 5%	96. 1%
GRADE 8	6. 1%	2.3%	1.8%	2.0%	93.9%
GRADE 9	9. 9%	3.8%	2. 9%	3. 1%	90. 1%
GRADE 10	9. 5%	3.4%	2. 9%	3. 3%	90. 5%
GRADE 11	11. 3%	3. 9%	3.6%	3. 8%	88. 7%
GRADE 12	13. 3%	4.9%	4.3%	4. 1%	86. 7%

- - - CONTINUED

		EVER USED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
COCAINE	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	8. 1% 3. 2% 5. 6% 9. 4% 9. 1% 10. 8% 13. 0%	2. 9% 1. 0% 2. 1% 3. 6% 3. 1% 3. 8% 4. 8%	2. 5% 0. 9% 1. 6% 2. 8% 2. 8% 3. 5% 4. 2%	2. 7% 1. 3% 1. 8% 3. 0% 3. 2% 3. 5% 4. 0%	91. 9% 96. 8% 94. 4% 90. 6% 90. 9% 89. 2% 87. 0%
CRACK	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	2. 9% 1. 9% 2. 6% 3. 7% 2. 9% 2. 9% 3. 5%	0. 8% 0. 6% 0. 8% 1. 2% 0. 8% 0. 6% 0. 7%	0. 9% 0. 5% 0. 9% 1. 1% 0. 9% 0. 8% 1. 2%	1. 2% 0. 8% 0. 9% 1. 4% 1. 2% 1. 5% 1. 7%	97. 1% 98. 1% 97. 4% 96. 3% 97. 1% 97. 1% 96. 5%
HALLUCIT	NOGENS GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	8. 6% 2. 6% 5. 2% 9. 0% 10. 6% 13. 0% 14. 6%	2. 9% 0. 9% 1. 9% 3. 6% 3. 7% 3. 6% 4. 8%	3. 0% 0. 9% 1. 9% 3. 0% 3. 4% 5. 1% 4. 9%	2. 7% 0. 8% 1. 5% 2. 5% 3. 5% 4. 3% 4. 9%	91. 4% 97. 4% 94. 8% 91. 0% 89. 4% 87. 0% 85. 4%
UPPERS		7. 6%	2.4%	2.5%	2. 7%	92.4%

Page 4

	GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	96St 2. 8% 4. 7% 7. 8% 10. 1% 10. 6% 12. 4%	ate712. OUT 1. 1% 1. 7% 2. 5% 3. 1% 3. 1% 3. 7%	0. 8% 1. 7% 2. 6% 3. 2% 3. 5% 4. 1%	0. 9% 1. 3% 2. 6% 3. 8% 4. 0% 4. 6%	97. 2% 95. 3% 92. 2% 89. 9% 89. 4% 87. 6%
DOWNERS	GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	6. 0% 2. 3% 3. 7% 6. 5% 7. 5% 7. 8% 10. 0%	2. 0% 0. 9% 1. 5% 2. 1% 2. 4% 2. 3% 3. 4%	1. 9% 0. 8% 1. 2% 2. 2% 2. 5% 2. 3% 3. 3%	2. 0% 0. 7% 1. 0% 2. 2% 2. 6% 3. 2% 3. 3%	94. 0% 97. 7% 96. 3% 93. 5% 92. 5% 92. 2% 90. 0%
STEROI DS	GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	3. 0% 2. 4% 2. 7% 2. 8% 3. 0% 3. 5% 3. 9%	0. 9% 0. 9% 0. 8% 0. 9% 0. 7% 0. 9% 1. 0%	O. 8% O. 6% O. 8% O. 8% I. 0% O. 5% I. 0%	1. 3% 1. 0% 1. 1% 1. 1% 1. 3% 2. 0% 1. 8%	97. 0% 97. 6% 97. 3% 97. 2% 97. 0% 96. 5% 96. 1%
ECSTASY	GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	5. 9% 1. 8% 3. 5% 6. 0% 7. 1% 8. 9% 10. 4%	1. 9% 0. 7% 1. 3% 2. 4% 2. 1% 2. 3% 2. 6%	1. 9% 0. 6% 1. 3% 1. 7% 2. 6% 2. 7% 3. 7%	2. 1% 0. 5% 1. 0% 1. 9% 2. 5% 3. 9% 4. 1%	94. 1% 98. 2% 96. 5% 94. 0% 92. 9% 91. 1% 89. 6%
ROACH	GRADE GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	10. 5% 8. 2% 11. 1% 12. 5% 10. 6% 9. 5% 10. 1%	4. 2% 3. 5% 4. 6% 5. 4% 4. 1% 3. 4% 3. 8%	3. 0% 2. 5% 3. 0% 3. 6% 3. 1% 2. 5% 2. 8%	3. 3% 2. 2% 3. 5% 3. 6% 3. 4% 3. 5% 3. 5%	89. 5% 91. 8% 88. 9% 87. 5% 89. 4% 90. 5% 89. 9%

TABLE B3: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE ${\mbox{\scriptsize -->}}$ FEMALE STUDENTS

		EVER USED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
TOBACCO	GRADE 7 GRADE 8 GRADE 9	51. 7% 37. 2% 48. 6% 55. 2%	23. 4% 16. 0% 21. 0% 24. 7%	12. 8% 10. 7% 14. 4% 14. 0%	15. 4% 10. 4% 13. 2% 16. 5%	48. 3% 62. 8% 51. 4% 44. 8%
	GRADE 10 GRADE 11 GRADE 12	56. 5% 57. 3% 58. 1%	25. 9% 26. 3% 28. 7%	13. 5% 12. 6% 10. 9%	17. 0% 18. 4% 18. 6%	43. 5% 42. 7% 41. 9%
ALCOHOL	GRADE 7	73. 2% 54. 4%	37. 3% 23. 8%	21. 8% 17. 1%	14. 1% 13. 4%	26. 8% 45. 6%

GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	96Stat 67. 0% 77. 0% 79. 5% 81. 8% 84. 4%	e712. OUT 32. 7% 39. 2% 41. 6% 42. 8% 47. 7%	20. 8% 22. 5% 23. 7% 24. 5% 23. 2%	13. 5% 15. 3% 14. 1% 14. 5% 13. 5%	33. 0% 23. 0% 20. 5% 18. 2% 15. 6%
ADJ-I NHALANTS GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	19. 1%	5. 0%	5. 7%	8. 4%	80. 9%
	22. 1%	8. 5%	6. 9%	6. 7%	77. 9%
	25. 0%	8. 2%	8. 2%	8. 6%	75. 0%
	20. 6%	4. 5%	6. 4%	9. 7%	79. 4%
	17. 6%	3. 3%	5. 4%	9. 0%	82. 4%
	13. 3%	2. 2%	3. 4%	7. 6%	86. 7%
	12. 0%	1. 6%	2. 2%	8. 2%	88. 0%
ANY ILLICIT DRUG	30. 4%	15. 2%	8. 4%	6. 8%	69. 6%
GRADE 7	16. 2%	9. 1%	4. 0%	3. 1%	83. 8%
GRADE 8	25. 3%	14. 0%	7. 0%	4. 3%	74. 7%
GRADE 9	33. 4%	17. 9%	8. 6%	7. 0%	66. 6%
GRADE 10	36. 0%	17. 8%	10. 0%	8. 1%	64. 0%
GRADE 11	36. 7%	16. 1%	10. 5%	10. 2%	63. 3%
GRADE 12	38. 2%	16. 9%	11. 4%	9. 9%	61. 8%
MARI JUANA GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	27. 3% 13. 6% 21. 8% 30. 4% 32. 4% 33. 6% 35. 7%	13. 3% 7. 6% 11. 7% 15. 7% 15. 5% 14. 6% 15. 1%	7. 7% 3. 4% 6. 2% 7. 9% 9. 4% 9. 6% 10. 9%	6. 3% 2. 6% 3. 8% 6. 7% 7. 5% 9. 5% 9. 7%	72. 7% 86. 4% 78. 2% 69. 6% 67. 6% 66. 4% 64. 3%
MARI JUANA ONLY GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	12. 5% 6. 6% 9. 4% 13. 8% 14. 7% 16. 5% 16. 1%	4. 6% 3. 1% 3. 8% 5. 3% 5. 4% 4. 7%	3. 9% 1. 8% 3. 2% 4. 0% 4. 8% 4. 8% 5. 4%	4. 1% 1. 8% 2. 5% 4. 5% 4. 6% 6. 3% 6. 0%	87. 5% 93. 4% 90. 6% 86. 2% 85. 3% 83. 5% 83. 9%
COCAINE OR CRACK GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	5. 9%	1. 8%	2. 0%	2. 1%	94. 1%
	3. 3%	1. 2%	1. 2%	0. 9%	96. 7%
	5. 1%	1. 7%	1. 8%	1. 6%	94. 9%
	6. 2%	2. 0%	2. 1%	2. 1%	93. 8%
	6. 9%	2. 1%	2. 5%	2. 4%	93. 1%
	6. 1%	1. 6%	2. 2%	2. 3%	93. 9%
	8. 0%	2. 3%	2. 3%	3. 4%	92. 0%

- - - CONTINUED

			VER SED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
G G G	RADE RADE RADE RADE RADE	7 2 8 4 9 5 10 6	. 4% . 7% . 6% . 7% . 5% . 8% Page 6	1. 6% 1. 0% 1. 4% 1. 8% 2. 0% 1. 5%	1. 8% 0. 9% 1. 6% 2. 1% 2. 3% 2. 1%	1. 9% 0. 8% 1. 6% 1. 9% 2. 3% 2. 2%	94. 6% 97. 3% 95. 4% 94. 3% 93. 5% 94. 2%

	GRADE	12	96State 7.8%	712. OUT 2. 3%	2. 1%	3. 4%	92. 2%
CRACK	GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	2. 1% 1. 8% 2. 5% 2. 4% 2. 0% 1. 7% 1. 6%	0. 5% 0. 6% 0. 8% 0. 6% * % * %	0. 7% 0. 7% 0. 8% 0. 8% 0. 7% 0. 5% 0. 6%	O. 8% O. 5% O. 8% 1. 0% O. 9% O. 8% O. 8%	97. 9% 98. 2% 97. 5% 97. 6% 98. 0% 98. 3% 98. 4%
HALLUCIN	OGENS GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	6. 5% 2. 1% 4. 2% 7. 0% 8. 6% 8. 0% 10. 7%	1. 9% 0. 9% 1. 4% 2. 7% 2. 4% 1. 9% 2. 3%	2. 4% 0. 7% 1. 7% 2. 4% 3. 3% 3. 2% 3. 3%	2. 2% 0. 5% 1. 1% 1. 8% 2. 9% 2. 9% 5. 0%	93. 5% 97. 9% 95. 8% 93. 0% 91. 4% 92. 0% 89. 3%
UPPERS	GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	8. 3% 2. 8% 6. 0% 8. 8% 11. 2% 10. 8% 11. 8%	2. 7% 1. 2% 2. 4% 3. 4% 3. 4% 2. 9% 3. 2%	2. 9% 0. 9% 2. 1% 3. 1% 4. 0% 3. 9% 3. 6%	2. 7% 0. 7% 1. 5% 2. 3% 3. 8% 3. 9% 5. 0%	91. 7% 97. 2% 94. 0% 91. 2% 88. 8% 89. 2% 88. 2%
DOWNERS	GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	5. 4% 2. 0% 4. 0% 6. 0% 7. 1% 6. 7% 7. 2%	1. 7% 0. 8% 1. 7% 2. 1% 2. 0% 1. 8% 1. 9%	1. 9% 0. 6% 1. 3% 2. 1% 2. 9% 2. 6% 2. 1%	1. 7% * % 1. 1% 1. 8% 2. 2% 2. 2% 3. 2%	94. 6% 98. 0% 96. 0% 94. 0% 92. 9% 93. 3% 92. 8%
STEROI DS	GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	1. 3% 1. 5% 1. 6% 1. 1% 1. 1% 1. 4% 0. 9%	* % O. 5% * % * % O. 7% * %	* % * % O. 6% * % * % * %	* % O. 5% O. 6% * % O. 5% * %	98. 7% 98. 5% 98. 4% 98. 9% 98. 9% 98. 6% 99. 1%
ECSTASY	GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	5. 0% 1. 6% 3. 3% 5. 4% 6. 4% 6. 3% 8. 6%	1. 2% 0. 7% 1. 1% 1. 7% 1. 6% 1. 1% 1. 1%	2. 0% 0. 6% 1. 3% 2. 1% 2. 5% 2. 4% 3. 3%	1. 8% * % 0. 9% 1. 5% 2. 3% 2. 8% 4. 2%	95. 0% 98. 4% 96. 7% 94. 6% 93. 6% 93. 7% 91. 4%
ROACH	GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	8. 3% 5. 5% 9. 3% 10. 0% 9. 3% 7. 8% 7. 1%	2. 9% 2. 4% 3. 9% 3. 6% 3. 0% 2. 2% 2. 0%	2. 7% 1. 8% 2. 8% 3. 4% 3. 1% 2. 8% 2. 1%	2. 6% 1. 3% 2. 5% 3. 0% 3. 2% 2. 8% 3. 1%	91. 7% 94. 5% 90. 7% 90. 0% 90. 7% 92. 2% 92. 9%

STATE SAMPLE: GRADES 7-12 SPRING 1996 Page 7

TABLE B4: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE --> WHI TE STUDENTS

		0020				
		EVER USED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
GRAD	E 8	59. 2% 41. 2% 51. 6% 60. 8% 65. 4% 68. 3% 69. 3%	32. 7% 17. 9% 25. 2% 33. 6% 38. 3% 40. 4% 42. 5%	12. 8% 11. 6% 13. 6% 13. 6% 13. 6% 12. 1% 11. 6%	13. 7% 11. 7% 12. 8% 13. 6% 13. 5% 15. 8% 15. 1%	40. 8% 58. 8% 48. 4% 39. 2% 34. 6% 31. 7% 30. 7%
GRAD	E 8	72. 4% 50. 5% 63. 1% 75. 1% 79. 6% 82. 7% 85. 1%	39. 9% 19. 6% 29. 7% 40. 1% 46. 7% 50. 6% 55. 3%	19. 9% 16. 6% 19. 8% 21. 0% 22. 1% 20. 4% 19. 0%	12. 6% 14. 3% 13. 6% 13. 9% 10. 8% 11. 6% 10. 9%	27. 6% 49. 5% 36. 9% 24. 9% 20. 4% 17. 3% 14. 9%
GRAD	DE 7 DE 8	20. 6% 20. 7% 23. 4% 22. 8% 20. 5% 18. 2% 16. 6%	4.8% 7.7% 6.9% 5.0% 3.7% 2.8% 2.4%	6. 1% 6. 5% 7. 7% 7. 1% 6. 1% 5. 0% 3. 8%	9. 6% 6. 5% 8. 8% 10. 7% 10. 8% 10. 4%	79. 4% 79. 3% 76. 6% 77. 2% 79. 5% 81. 8% 83. 4%
GRAD)E 7)E 8	33. 0% 14. 3% 23. 4% 34. 4% 39. 8% 43. 7% 44. 3%	17. 5% 7. 3% 12. 9% 19. 6% 21. 9% 21. 7% 22. 0%	8. 7% 3. 8% 6. 4% 8. 9% 10. 1% 11. 8%	6. 8% 3. 2% 4. 2% 5. 9% 7. 8% 10. 1% 10. 6%	67. 0% 85. 7% 76. 6% 65. 6% 60. 2% 56. 3% 55. 7%
GRAD	E 8	29. 8% 11. 4% 20. 1% 30. 9% 36. 1% 40. 6% 42. 0%	15. 3% 5. 7% 10. 6% 17. 3% 19. 3% 19. 5% 19. 7%	8. 0% 3. 0% 5. 7% 7. 8% 9. 5% 11. 3%	6. 5% 2. 8% 3. 8% 5. 8% 7. 4% 9. 8% 10. 6%	70. 2% 88. 6% 79. 9% 69. 1% 63. 9% 59. 4% 58. 0%
GRAD	DE 7 DE 8	11. 5% 4. 7% 7. 8% 11. 6% 13. 7% 16. 1% 16. 4%	3. 9% 1. 7% 2. 7% 4. 3% 5. 1% 4. 8% 4. 7%	3. 7% 1. 3% 2. 7% 3. 8% 4. 3% 5. 4% 5. 4%	3. 9% 1. 7% 2. 3% 3. 5% 4. 3% 5. 9% 6. 4%	88. 5% 95. 3% 92. 2% 88. 4% 86. 3% 83. 9% 83. 6%
COCAINE OR CR GRAD GRAD GRAD	DE 7 DE 8	6. 5% 2. 7% 4. 0% 6. 4%	2. 1% 0. 8% 1. 4% 2. 2%	2. 3% 1. 0% 1. 3% 2. 5%	2. 1% 0. 9% 1. 3% 1. 8%	93. 5% 97. 3% 96. 0% 93. 6%

		96State712	. OUT			
GRADE	10	7.5%	2.4%	2.6%	2.5%	92.5%
GRADE	11	8. 6%	2. 7%	3.0%	2. 9%	91.4%
GRADE	12	10. 6%	3.6%	3.4%	3.6%	89.4%

- - - CONTINUED

		EVE		ACT (SCH00L	NOT DACT	NEVED
		EVEI USEI		AST S NTH	YEAR	NOT PAST YEAR	NEVER USED
COCAI NE	GRADE 7 GRADE 8 GRADE 9 GRADE 1 GRADE 1 GRADE 1	3. 5 5. 8 0 7. 1 1 8. 1	% 0. % 1. % 1. % 2.	. 9% . 5% . 2% . 8% . 2% . 6% . 5%	2. 1% 0. 7% 1. 2% 2. 4% 2. 5% 2. 9% 3. 2%	2. 0% 0. 7% 1. 2% 1. 6% 2. 4% 2. 7% 3. 5%	94.0% 98.0% 96.5% 94.2% 92.9% 91.9% 89.8%
CRACK	GRADE 7 GRADE 8 GRADE 9 GRADE 1 GRADE 1 GRADE 1	2. 0 2. 9 0 2. 5 1 2. 9	% O. % O. % O. % O.	6% 5% 7% 8% 5% 6% 5%	O. 9% O. 7% O. 7% 1. 1% 1. 0% O. 9% 1. 0%	1. 0% 0. 5% 0. 7% 1. 0% 1. 0% 1. 4% 1. 5%	97. 5% 98. 3% 98. 0% 97. 1% 97. 5% 97. 1% 96. 9%
HALLUCI N	OGENS GRADE 7 GRADE 8 GRADE 9 GRADE 1 GRADE 1 GRADE 1	6. 3 ⁰ 11. 2 ⁰ 0 13. 3 ⁰ 1 14. 3	% 1. % 2. % 4. % 4.	5% 3% 3% 8% 4% 0%	3. 8% 1. 0% 2. 6% 3. 7% 4. 8% 5. 5%	3. 4% 0. 8% 1. 4% 2. 7% 4. 1% 4. 8% 6. 9%	89. 3% 97. 0% 93. 7% 88. 8% 86. 7% 85. 7% 83. 0%
UPPERS	GRADE 7 GRADE 8 GRADE 9 GRADE 1 GRADE 1 GRADE 1	6. 99 12. 09 0 14. 89 1 15. 79	% 1. % 2. % 4. % 4.	. 7% . 4% . 7% . 6% . 6% . 5% . 2%	4. 0% 1. 0% 2. 4% 4. 4% 5. 3% 5. 4% 5. 4%	3. 7% 0. 9% 1. 8% 3. 1% 4. 9% 5. 8% 6. 3%	88. 7% 96. 7% 93. 1% 88. 0% 85. 2% 84. 3% 84. 0%
DOWNERS	GRADE 7 GRADE 8 GRADE 9 GRADE 1 GRADE 1 GRADE 1	4. 5 8. 3 0 9. 5 1 9. 9	% 1. % 2. % 2. % 2.	5% 0% 9% 9% 9% 9% 5%	2. 6% 0. 9% 1. 4% 3. 1% 3. 7% 3. 4% 3. 3%	2. 5% 0. 8% 1. 1% 2. 3% 2. 9% 3. 5% 4. 5%	92. 4% 97. 3% 95. 5% 91. 7% 90. 5% 90. 1% 88. 7%
STEROI DS	GRADE 7 GRADE 8 GRADE 9 GRADE 1 GRADE 1 GRADE 1	2. 39 2. 59 0 2. 49 1 2. 79	% O.	7% 9% 6% 6% 6% 7% 6%	0. 7% 0. 6% 0. 7% 0. 8% 0. 7% * % 0. 6%	1. 2% 1. 0% 1. 0% 1. 1% 1. 1% 1. 7% 1. 3%	97. 5% 97. 5% 97. 7% 97. 5% 97. 6% 97. 3% 97. 4%
			Page 9				

Page 9

		96State	712. OUT			
ECSTASY		8.0%	2. 1%	3.0%	2.9%	92.0%
	GRADE 7	2. 3%	1.0%	0.8%	0.6%	97. 7%
	GRADE 8	4. 5%	1. 5%	1. 9%	1. 2%	95.5%
	GRADE 9	8. 2%	3. 1%	2.9%	2. 2%	91.8%
	GRADE 10	9. 8%	2.5%	3.9%	3.3%	90. 2%
	GRADE 11	10. 9%	2. 2%	3.6%	5.0%	89. 1%
	GRADE 12	13. 1%	2. 2%	4.9%	6. 1%	86. 9%
ROACH		8. 1%	3. 1%	2.6%	2.5%	91. 9%
	GRADE 7	4.6%	2.0%	1. 5%	1. 1%	95.4%
	GRADE 8	7. 5%	3. 1%	2.4%	2.0%	92.5%
	GRADE 9	9. 6%	3. 9%	3. 2%	2.6%	90. 4%
	GRADE 10	9. 4%	3.4%	3.0%	3.0%	90.6%
	GRADE 11	8. 9%	2.9%	2.8%	3.3%	91. 1%
	GRADE 12	8. 2%	3.0%	2.4%	2.8%	91. 8%

TABLE B5: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE --> AFRI CAN/AMERI CAN STUDENTS

	EVER	PAST	SCHOOL	NOT PAST	NEVER
	USED	MONTH	YEAR	YEAR	USED
TOBACCO GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	43. 4%	13. 0%	11. 1%	19. 3%	56. 6%
	35. 4%	11. 2%	10. 4%	13. 9%	64. 6%
	45. 6%	14. 7%	12. 5%	18. 4%	54. 4%
	45. 2%	14. 1%	11. 7%	19. 4%	54. 8%
	44. 8%	11. 5%	10. 9%	22. 4%	55. 2%
	47. 2%	14. 3%	11. 2%	21. 7%	52. 8%
	42. 0%	11. 7%	9. 0%	21. 2%	58. 0%
GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	75. 1%	30. 4%	22. 8%	22. 0%	24. 9%
	62. 0%	22. 1%	18. 3%	21. 6%	38. 0%
	72. 8%	28. 4%	22. 4%	22. 0%	27. 2%
	77. 3%	30. 8%	22. 3%	24. 2%	22. 7%
	76. 8%	29. 2%	24. 9%	22. 7%	23. 2%
	81. 7%	36. 9%	23. 9%	20. 8%	18. 3%
	84. 3%	39. 0%	26. 1%	19. 2%	15. 7%
ADJ-I NHALANTS GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	11. 2%	2. 9%	3. 2%	5. 1%	88.8%
	14. 9%	5. 4%	4. 2%	5. 3%	85.1%
	15. 5%	4. 6%	4. 9%	6. 1%	84.5%
	11. 9%	2. 6%	3. 3%	6. 0%	88.1%
	8. 4%	2. 0%	2. 0%	4. 4%	91.6%
	7. 9%	1. 1%	2. 8%	4. 1%	92.1%
	5. 6%	0. 7%	1. 5%	3. 4%	94.4%
ANY ILLICIT DRUG	34. 3%	16. 9%	9. 0%	8. 4%	65. 7%
GRADE 7	20. 0%	9. 5%	4. 8%	5. 6%	80. 0%
GRADE 8	31. 9%	16. 3%	8. 8%	6. 7%	68. 1%
GRADE 9	36. 9%	19. 3%	9. 2%	8. 4%	63. 1%
GRADE 10	37. 2%	17. 9%	10. 1%	9. 2%	62. 8%
GRADE 11	43. 2%	21. 4%	10. 3%	11. 5%	56. 8%
GRADE 12	39. 8%	17. 4%	11. 8%	10. 6%	60. 2%
MARI JUANA	33. 5%	16.3%	8.8%	8. 3%	66. 5%

Page 10

Ť

GRADE 7	18. 2%	e712. OUT 8. 8%	4. 2%	5. 2%	81. 8%
GRADE 8 GRADE 9	31. 0% 36. 2%	15. 5% 18. 8%	8. 9% 9. 1%	6. 6% 8. 3%	69. 0% 63. 8%
GRADE 10	36. 7%	17.5%	9.9%	9. 3%	63.3%
GRADE 11 GRADE 12	42. 6% 39. 4%	21. 0% 17. 2%	10. 3% 11. 8%	11. 4% 10. 4%	57. 4% 60. 6%
	37.4%	17.2/0	11.0%	10.4%	00.0%
MARI JUANA ONLY	26. 9%	12. 5%	7. 1%	7. 3%	73. 1%
GRADE 7	14.0%	6.8%	3.0%	4.3%	86.0%
GRADE 8 GRADE 9	22. 8% 29. 1%	11. 1% 14. 6%	6. 1% 7. 3%	5. 6% 7. 3%	77. 2% 70. 9%
GRADE 9 GRADE 10	30.6%	13. 7%	7. 3% 8. 6%	7. 3% 8. 2%	70. 9% 69. 4%
GRADE 10	35. 9%	16. 4%	9. 1%	10. 4%	64. 1%
GRADE 12	32. 7%	12. 9%	10. 3%	9. 5%	67. 3%
COCALNE OR CRACK	1. 5%	0.5%	* %	* %	98.5%
GRADE 7	1. 5%	0. 5%	* %	0. 6%	98.5%
GRADE 8	1. 7%	0. 7%	0.6%	0. 5%	98. 3%
GRADE 9	1. 5%	0.7%	* %	* %	98.5%
GRADE 10	1. 5%	0.5%	0.6%	* %	98.5%
GRADE 11	1. 1%	* %	* %	0. 6%	98. 9%
GRADE 12	1. 2%	* %	* %	* %	98. 8%
CONTINUED					
CONTI NUED					

		EVER USED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
COCATNE	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	1. 2% 1. 0% 1. 3% 1. 3% 1. 2% 1. 0% 1. 1%	* % * % * % O. 6% * % * %	* % * % * % * % * % * %	* % * % * % * % O. 5%	98. 8% 99. 0% 98. 7% 98. 7% 98. 8% 99. 0% 98. 9%
CRACK	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	O. 7% O. 9% O. 9% O. 8% O. 9% * %	* % * % * % * % * % * % * %	* % * % * % * % * %	* % * % * % * % * % * %	99. 3% 99. 1% 99. 1% 99. 2% 99. 1% 99. 7% 99. 5%
HALLUCIN	OGENS GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	1. 2% 0. 6% 0. 8% 1. 1% 1. 6% 1. 8% 1. 9%	* % * % * % * % * %	* % * % * % 0. 6% 0. 7% 0. 7%	* % * % * % 0. 6% 0. 6% 0. 7%	98. 8% 99. 4% 99. 2% 98. 9% 98. 4% 98. 2% 98. 1%
UPPERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10	1. 2% 0. 8% 1. 4% 1. 1% 1. 6%	* % * % 0.7% * % 0.5%	* % * % * % * %	* % * % * % O. 7%	98. 8% 99. 2% 98. 6% 98. 9% 98. 4%

Page 11

	00.05		e712. OUT			20 =0
	GRADE 11 GRADE 12	1. 3% 1. 3%	* % * %	* % O. 7%	0. 6% 0. 6%	98. 7% 98. 7%
DOWNERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	1. 1% 0. 6% 1. 0% 1. 0% 1. 1% 1. 0% 2. 0%	* % * % * % * % * % * %	* % * % * % * % * %	* % * % * % * % * %	98. 9% 99. 4% 99. 0% 99. 0% 98. 9% 99. 0% 98. 0%
STEROI DS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	1. 5% 1. 6% 1. 3% 1. 4% 1. 2% 2. 2% 1. 2%	0.5% * % * % * % 1.5%	* % O. 5% * % * % * % * % O. 5%	O. 6% O. 7% O. 6% O. 8% * % O. 5% * %	98. 5% 98. 4% 98. 7% 98. 6% 98. 8% 97. 8% 98. 8%
ECSTASY	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	0. 9% * % 0. 8% 0. 8% 1. 1% 1. 4% 1. 1%	* % * % * % * % O. 8%	* % * % * % * % * %	* % * % * % * % * % O. 6%	99. 1% 99. 6% 99. 2% 99. 2% 98. 9% 98. 6% 98. 9%
ROACH	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	4. 3% 3. 5% 6. 3% 5. 3% 3. 7% 3. 4% 2. 6%	1. 7% 1. 3% 2. 5% 1. 8% 1. 7% 1. 4% 1. 0%	1. 2% 1. 2% 1. 4% 1. 8% 0. 6% 0. 7% 0. 7%	1. 5% 1. 1% 2. 4% 1. 6% 1. 4% 1. 3% 0. 9%	95. 7% 96. 5% 93. 7% 94. 7% 96. 3% 96. 6% 97. 4%

TABLE B6: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE --> MEXICAN/AMERICAN STUDENTS

		EVER USED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
TOBACCO	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	57. 9% 45. 1% 56. 1% 63. 0% 62. 1% 61. 8% 66. 1%	25. 7% 19. 5% 24. 0% 29. 1% 27. 3% 26. 7% 31. 1%	14. 8% 13. 0% 16. 4% 15. 8% 14. 8% 14. 1% 13. 9%	17. 4% 12. 6% 15. 7% 18. 1% 19. 9% 21. 0% 21. 2%	42. 1% 54. 9% 43. 9% 37. 0% 37. 9% 38. 2% 33. 9%
ALCOHOL	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11	76. 3% 61. 6% 73. 9% 79. 9% 81. 9% 83. 8%	40. 4% 28. 4% 37. 1% 42. 7% 44. 9% 46. 2%	21. 4% 18. 3% 21. 6% 22. 5% 21. 8% 24. 3%	14. 5% 14. 9% 15. 2% 14. 7% 15. 2% 13. 4%	23. 7% 38. 4% 26. 1% 20. 1% 18. 1% 16. 2%

		e712. OUT			
GRADE 12	86. 7%	53. 1%	21. 4%	12. 2%	13. 3%
ADJ-I NHALANTS GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	23. 1%	6. 4%	6. 7%	9. 9%	76. 9%
	26. 8%	10. 1%	8. 4%	8. 4%	73. 2%
	28. 4%	9. 4%	8. 8%	10. 2%	71. 6%
	24. 6%	5. 8%	7. 1%	11. 7%	75. 4%
	20. 2%	4. 3%	6. 3%	9. 7%	79. 8%
	15. 3%	2. 4%	3. 6%	9. 3%	84. 7%
	14. 5%	2. 1%	2. 5%	9. 9%	85. 5%
ANY ILLICIT DRUG	36. 9%	19. 6%	9. 6%	7. 6%	63. 1%
GRADE 7	24. 5%	13. 8%	6. 2%	4. 5%	75. 5%
GRADE 8	34. 2%	19. 5%	9. 3%	5. 5%	65. 8%
GRADE 9	43. 2%	23. 8%	10. 7%	8. 7%	56. 8%
GRADE 10	40. 8%	21. 2%	10. 3%	9. 3%	59. 2%
GRADE 11	40. 5%	19. 2%	11. 3%	10. 0%	59. 5%
GRADE 12	43. 8%	20. 8%	12. 1%	10. 9%	56. 2%
MARI JUANA GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	34. 2%	17. 6%	9. 3%	7. 3%	65. 8%
	21. 9%	12. 1%	5. 9%	4. 0%	78. 1%
	30. 9%	17. 4%	8. 4%	5. 1%	69. 1%
	41. 1%	21. 8%	10. 8%	8. 5%	58. 9%
	38. 2%	19. 1%	10. 1%	9. 0%	61. 8%
	37. 9%	17. 6%	10. 6%	9. 8%	62. 1%
	41. 3%	18. 5%	11. 9%	10. 9%	58. 7%
MARI JUANA ONLY GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	13. 4%	4. 8%	4. 2%	4. 4%	86. 6%
	9. 4%	4. 1%	2. 9%	2. 5%	90. 6%
	11. 7%	4. 8%	4. 0%	3. 0%	88. 3%
	15. 8%	5. 6%	4. 8%	5. 4%	84. 2%
	15. 1%	5. 3%	4. 6%	5. 2%	84. 9%
	15. 6%	5. 2%	4. 6%	5. 8%	84. 4%
	15. 1%	3. 7%	5. 4%	6. 0%	84. 9%
COCAI NE OR CRACK GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	11. 2%	4. 0%	3. 4%	3. 8%	88. 8%
	5. 6%	2. 1%	1. 7%	1. 8%	94. 4%
	9. 4%	3. 5%	3. 0%	2. 9%	90. 6%
	13. 4%	4. 9%	3. 9%	4. 6%	86. 6%
	13. 0%	4. 6%	4. 0%	4. 5%	87. 0%
	13. 3%	4. 6%	4. 2%	4. 5%	86. 7%
	16. 4%	5. 7%	4. 6%	6. 2%	83. 6%
CONTI NUED					

		EVER USED	PAST MONTH	SCH00L YEAR	NOT PAST YEAR	NEVER USED
COCATNE	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	10. 7% 5. 0% 8. 7% 12. 9% 12. 7% 13. 0% 16. 1%	3. 8% 1. 9% 3. 1% 4. 6% 4. 3% 4. 5% 5. 5%	3. 2% 1. 4% 2. 8% 3. 9% 3. 9% 4. 2% 4. 5%	3. 7% 1. 7% 2. 8% 4. 4% 4. 4% 6. 2%	89. 3% 95. 0% 91. 3% 87. 1% 87. 3% 87. 0% 83. 9%
CRACK	GRADE 7	3. 2% 2. 4%	1. 0% 0. 9%	1. 0% 0. 8%	1. 3% 0. 7%	96. 8% 97. 6%

Page 13

	GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	96State 3. 9% 4. 2% 3. 0% 2. 4% 2. 6%	e712. OUT 1. 3% 1. 2% 0. 8% 0. 7% 0. 6%	1. 3% 1. 1% 0. 8% 0. 5% 0. 9%	1. 3% 1. 9% 1. 4% 1. 2% 1. 1%	96. 1% 95. 8% 97. 0% 97. 6% 97. 4%
HALLUCIN	OGENS GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	6. 2% 2. 4% 4. 3% 7. 6% 7. 7% 8. 2% 10. 1%	1. 9% 0. 8% 1. 4% 2. 6% 2. 2% 1. 7% 3. 1%	2. 1% 0. 9% 1. 4% 2. 6% 2. 7% 3. 1% 3. 2%	2. 2% 0. 7% 1. 5% 2. 4% 2. 8% 3. 4% 3. 7%	93. 8% 97. 6% 95. 7% 92. 4% 92. 3% 91. 8% 89. 9%
UPPERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	6. 9% 2. 9% 5. 4% 7. 9% 8. 7% 8. 0% 11. 4%	2. 2% 1. 1% 2. 1% 2. 5% 2. 6% 1. 8% 3. 8%	2. 2% 0. 9% 1. 9% 2. 5% 2. 8% 3. 1% 3. 0%	2. 5% 0. 9% 1. 4% 3. 0% 3. 3% 3. 2% 4. 6%	93. 1% 97. 1% 94. 6% 92. 1% 91. 3% 92. 0% 88. 6%
DOWNERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	5. 3% 2. 1% 4. 4% 6. 8% 6. 9% 6. 2% 7. 3%	1. 7% 0. 9% 1. 8% 2. 0% 1. 9% 1. 5% 2. 5%	1.8% 0.7% 1.4% 2.2% 2.8% 1.7% 2.2%	1. 8% O. 6% 1. 2% 2. 5% 2. 2% 3. 0% 2. 5%	94. 7% 97. 9% 95. 6% 93. 2% 93. 1% 93. 8% 92. 7%
STEROI DS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	1. 8% 1. 6% 2. 1% 1. 7% 1. 6% 1. 5% 2. 3%	0. 6% 0. 7% 0. 6% 0. 5% 0. 5% * % 0. 8%	0.6% * % 0.8% 0.6% * % 0.5%	0. 6% * % 0. 7% 0. 5% 0. 6% 0. 8% 1. 0%	98. 2% 98. 4% 97. 9% 98. 3% 98. 4% 98. 5% 97. 7%
ECSTASY	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	4. 2% 1. 6% 3. 1% 5. 1% 4. 8% 5. 4% 7. 3%	1. 3% 0. 7% 1. 2% 1. 7% 1. 4% 1. 0% 1. 9%	1. 4% 0. 6% 1. 0% 1. 5% 1. 7% 1. 9% 2. 6%	1. 5% * % 1. 0% 1. 8% 1. 7% 2. 5% 2. 7%	95. 8% 98. 4% 96. 9% 94. 9% 95. 2% 94. 6% 92. 7%
ROACH	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	14. 1% 10. 8% 15. 7% 16. 8% 14. 8% 12. 5% 13. 0%	5. 4% 4. 7% 6. 7% 6. 7% 4. 8% 3. 9% 3. 8%	4. 3% 3. 4% 4. 5% 5. 0% 4. 9% 4. 2% 3. 5%	4. 5% 2. 7% 4. 5% 5. 0% 5. 1% 4. 4% 5. 7%	85. 9% 89. 2% 84. 3% 83. 2% 85. 2% 87. 5% 87. 0%

TABLE B7: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE Page 14

96State712.OUT --> STUDENTS REPORTING A AND B GRADES

		EVER USED	PAST MONTH	SCH00L YEAR	NOT PAST YEAR	NEVER USED
TOBACCO	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	51. 4% 36. 1% 47. 1% 52. 0% 56. 8% 58. 8% 61. 6%	22. 9% 13. 4% 18. 8% 22. 4% 26. 3% 27. 9% 32. 0%	12. 3% 10. 6% 13. 5% 13. 0% 12. 9% 11. 9% 11. 4%	16. 2% 12. 1% 14. 8% 16. 6% 17. 7% 19. 0% 18. 2%	48. 6% 63. 9% 52. 9% 48. 0% 43. 2% 41. 2% 38. 4%
ALCOHOL	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	70. 9% 51. 9% 64. 4% 72. 8% 77. 1% 80. 5% 83. 6%	35. 0% 19. 7% 28. 5% 34. 2% 39. 6% 43. 9% 49. 5%	20. 7% 16. 7% 20. 3% 21. 8% 22. 5% 22. 1% 20. 9%	15. 2% 15. 5% 15. 6% 16. 8% 15. 1% 14. 5% 13. 2%	29. 1% 48. 1% 35. 6% 27. 2% 22. 9% 19. 5% 16. 4%
ADJ-I NHA	ALANTS GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	17. 0% 19. 0% 20. 8% 17. 4% 15. 8% 13. 9% 13. 2%	4. 1% 6. 7% 6. 1% 3. 8% 3. 0% 2. 1% 1. 8%	4. 9% 5. 9% 6. 7% 5. 0% 4. 5% 3. 7% 2. 7%	8. 0% 6. 4% 8. 0% 8. 6% 8. 4% 8. 1% 8. 8%	83. 0% 81. 0% 79. 2% 82. 6% 84. 2% 86. 1% 86. 8%
ANY ILLI	CLT DRUG GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	29. 2% 14. 5% 23. 4% 30. 0% 34. 3% 37. 6% 39. 8%	14. 3% 7. 3% 12. 3% 15. 2% 17. 1% 17. 3% 18. 4%	8. 0% 4. 0% 6. 6% 8. 2% 9. 1% 10. 4% 11. 3%	6. 8% 3. 3% 4. 5% 6. 6% 8. 1% 9. 9% 10. 2%	70. 8% 85. 5% 76. 6% 70. 0% 65. 7% 62. 4% 60. 2%
MARI JUAN	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	26. 6% 12. 3% 20. 4% 27. 3% 31. 3% 35. 2% 37. 7%	12. 6% 6. 0% 10. 5% 13. 3% 15. 0% 15. 7% 16. 4%	7. 5% 3. 4% 5. 9% 7. 6% 8. 7% 10. 0% 11. 2%	6. 5% 2. 9% 4. 1% 6. 5% 7. 6% 9. 6% 10. 1%	73. 4% 87. 7% 79. 6% 72. 7% 68. 7% 64. 8% 62. 3%
MARI JUAN	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	12. 8% 6. 4% 9. 7% 13. 5% 14. 7% 17. 4% 17. 1%	4. 4% 2. 6% 3. 9% 4. 9% 5. 1% 5. 4% 4. 8%	4.0% 1.8% 3.1% 4.0% 4.6% 5.5% 5.9%	4. 3% 2. 0% 2. 7% 4. 6% 5. 0% 6. 5% 6. 4%	87. 2% 93. 6% 90. 3% 86. 5% 85. 3% 82. 6% 82. 9%
COCAINE	OR CRACK GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	5. 5% 2. 6% 4. 1% 5. 2% 6. 3% 6. 9% 9. 4%	1. 8% 0. 8% 1. 4% 1. 7% 2. 0% 2. 1% 2. 9%	1. 7% 0. 8% 1. 3% 1. 6% 2. 0% 2. 3% 2. 9%	2. 0% 1. 0% 1. 4% 1. 8% 2. 3% 2. 5% 3. 6%	94. 5% 97. 4% 95. 9% 94. 8% 93. 7% 93. 1% 90. 6%

		EVER USED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
COCAI NE	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	5. 2% 2. 1% 3. 7% 4. 8% 5. 9% 6. 5% 9. 1%	1. 6% 0. 6% 1. 2% 1. 6% 1. 8% 1. 9% 2. 8%	1. 6% 0. 7% 1. 2% 1. 5% 1. 9% 2. 2% 2. 8%	1. 9% 0. 9% 1. 3% 1. 7% 2. 3% 2. 3% 3. 5%	94.8% 97.9% 96.3% 95.2% 94.1% 93.5% 90.9%
CRACK	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	1. 8% 1. 3% 1. 9% 1. 9% 1. 8% 1. 8% 2. 1%	* % * % O. 6% * % * % * %	0.6% * % 0.6% 0.6% 0.6% 0.7%	0. 8% * % 0. 6% 0. 8% 0. 8% 0. 9% 1. 0%	98. 2% 98. 7% 98. 1% 98. 1% 98. 2% 98. 2% 97. 9%
HALLUCIN	OGENS GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	6. 5% 1. 7% 3. 7% 6. 1% 8. 2% 9. 4% 11. 6%	1. 9% 0. 6% 1. 2% 2. 1% 2. 4% 2. 4% 3. 0%	2. 4% 0. 6% 1. 5% 2. 1% 3. 0% 3. 8% 3. 9%	2. 2% 0. 5% 1. 0% 1. 8% 2. 8% 3. 2% 4. 8%	93. 5% 98. 3% 96. 3% 93. 9% 91. 8% 90. 6% 88. 4%
UPPERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	7. 1% 2. 2% 4. 5% 6. 6% 9. 6% 10. 0% 11. 5%	2. 2% 0. 9% 1. 8% 2. 4% 2. 8% 2. 7% 3. 1%	2. 4% 0. 7% 1. 6% 2. 3% 3. 2% 3. 6% 3. 7%	2. 5% 0. 6% 1. 1% 1. 9% 3. 6% 3. 8% 4. 7%	92. 9% 97. 8% 95. 5% 93. 4% 90. 4% 90. 0% 88. 5%
DOWNERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	4. 8% 1. 6% 3. 2% 4. 8% 6. 0% 6. 5% 7. 7%	1. 5% 0. 6% 1. 3% 1. 6% 1. 7% 1. 7% 2. 2%	1. 6% 0. 5% 1. 1% 1. 6% 2. 4% 2. 3% 2. 4%	1. 6% * % 0. 8% 1. 6% 2. 0% 2. 4% 3. 1%	95. 2% 98. 4% 96. 8% 95. 2% 94. 0% 93. 5% 92. 3%
STEROI DS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	1. 9% 1. 7% 1. 8% 1. 7% 1. 8% 2. 1% 2. 3%	0.5% 0.6% * % * % 0.5% 0.6%	0.5% * % 0.6% 0.5% 0.5% * % 0.6%	0. 8% 0. 7% 0. 7% 0. 7% 0. 8% 1. 2% 1. 1%	98. 1% 98. 3% 98. 2% 98. 3% 98. 2% 97. 9% 97. 7%
ECSTASY	GRADE 7 GRADE 8 GRADE 9	4. 8% 1. 3% 2. 9% 4. 3%	1. 2% * % 0. 9% 1. 4%	1. 7% 0. 5% 1. 1% 1. 4%	1. 9% * % 0. 8% 1. 5%	95. 2% 98. 7% 97. 1% 95. 7%

			96State712	. OUT			
	GRADE		5. 9%	1. 6%	2. 2%	2. 1%	94.1%
	GRADE		6. 9%	1. 5%	2.4%	3. 1%	93. 1%
	GRADE	12	8. 9%	1. 5%	3.4%	4.0%	91. 1%
ROACH			7. 2%	2.6%	2.2%	2. 4%	92.8%
	GRADE	7	4.7%	1. 9%	1.6%	1. 2%	95.3%
	GRADE	8	7. 7%	3. 1%	2.3%	2.4%	92.3%
	GRADE	9	8.0%	2.8%	2.6%	2.5%	92.0%
	GRADE	10	8.0%	2. 7%	2.4%	2.8%	92.0%
	GRADE	11	7. 1%	2. 2%	2.3%	2. 7%	92.9%
	GRADE	12	7. 7%	2.4%	2.3%	3.0%	92.3%

TABLE B8: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE --> STUDENTS REPORTING C, D, AND F GRADES

	EVER USED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	68. 7% 57. 4% 68. 1% 72. 2% 72. 2% 71. 2% 73. 4%	37. 9% 28. 4% 35. 6% 40. 6% 41. 9% 42. 0% 42. 8%	15. 4% 15. 8% 16. 7% 16. 1% 15. 3% 13. 7% 12. 9%	15. 3% 13. 2% 15. 8% 15. 5% 15. 1% 15. 5% 17. 7%	31. 3% 42. 6% 31. 9% 27. 8% 27. 8% 28. 8% 26. 6%
GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	82. 5% 70. 6% 80. 0% 85. 0% 86. 1% 88. 9% 90. 3%	46. 5% 33. 6% 42. 1% 48. 7% 52. 0% 52. 7% 58. 4%	21. 2% 19. 7% 21. 8% 20. 8% 21. 4% 23. 4% 20. 2%	14. 8% 17. 3% 16. 1% 15. 4% 12. 7% 12. 7% 11. 6%	17. 5% 29. 4% 20. 0% 15. 0% 13. 9% 11. 1% 9. 7%
ANTS GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	29. 2% 32. 0% 34. 2% 31. 4% 27. 1% 21. 6% 20. 5%	8. 3% 12. 6% 11. 4% 7. 7% 5. 9% 3. 6% 4. 5%	8. 8% 9. 7% 10. 7% 9. 5% 8. 7% 5. 8% 4. 9%	12. 2% 9. 7% 12. 0% 14. 2% 12. 5% 12. 2% 11. 1%	70.8% 68.0% 65.8% 68.6% 72.9% 78.4% 79.5%
GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	49. 8% 33. 2% 45. 0% 55. 8% 56. 6% 56. 1% 57. 6%	29. 5% 19. 4% 26. 6% 34. 4% 33. 2% 32. 5% 32. 4%	11. 6% 7. 6% 11. 4% 12. 4% 13. 4% 13. 1% 12. 9%	8. 7% 6. 3% 7. 0% 8. 9% 9. 9% 10. 5% 12. 3%	50. 2% 66. 8% 55. 0% 44. 2% 43. 4% 43. 9% 42. 4%
GRADE 7 GRADE 8 GRADE 9 GRADE 10	47. 3% 30. 0% 42. 0% 53. 6% 53. 9% Pag	27. 4% 17. 1% 24. 2% 32. 5% 31. 2% te 17	11. 3% 7. 3% 11. 0% 12. 2% 13. 0%	8. 6% 5. 7% 6. 8% 8. 9% 9. 8%	52. 7% 70. 0% 58. 0% 46. 4% 46. 1%

	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	6. 7% 10. 6% 15. 3% 14. 9% 14. 3% 17. 3%	2. 7% 4. 0% 5. 9% 5. 3% 5. 0% 7. 3%	2. 2% 3. 4% 4. 8% 5. 2% 4. 8% 5. 5%	1.8% 3.2% 4.6% 4.5% 4.5%	93. 3% 89. 4% 84. 7% 85. 1% 85. 7% 82. 7%
CC	ONTI NUED					
		EVER USED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
COCAINE	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	11. 9% 5. 5% 9. 7% 14. 3% 14. 2% 13. 8% 16. 8%	4. 5% 2. 3% 3. 7% 5. 3% 4. 9% 4. 9% 7. 0%	4. 0% 1. 8% 3. 1% 4. 8% 5. 0% 4. 6% 5. 2%	3. 5% 1. 5% 3. 0% 4. 2% 4. 3% 4. 3% 4. 6%	88. 1% 94. 5% 90. 3% 85. 7% 85. 8% 86. 2% 83. 2%
CRACK	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	4. 7% 3. 7% 4. 6% 5. 9% 4. 7% 3. 7% 5. 1%	1. 4% 1. 5% 1. 4% 1. 9% 1. 1% 0. 8% 1. 0%	1. 6% 1. 2% 1. 5% 2. 0% 1. 6% 0. 8% 2. 0%	1. 8% 1. 0% 1. 7% 2. 0% 2. 0% 2. 1% 2. 1%	95. 3% 96. 3% 95. 4% 94. 1% 95. 3% 96. 3% 94. 9%
HALLUCIN	OGENS GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	11. 1% 4. 4% 8. 0% 13. 0% 14. 2% 13. 5% 17. 9%	4. 2% 1. 7% 2. 9% 5. 8% 5. 4% 3. 9% 6. 6%	3. 7% 1. 6% 2. 8% 4. 2% 4. 9% 4. 8% 5. 1%	3. 2% 1. 1% 2. 2% 3. 1% 4. 0% 4. 8% 6. 3%	88. 9% 95. 6% 92. 0% 87. 0% 85. 8% 86. 5% 82. 1%
UPPERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	11. 2% 4. 7% 8. 6% 12. 8% 15. 2% 13. 1% 15. 6%	4. 0% 1. 8% 3. 3% 4. 6% 5. 1% 4. 3% 5. 3%	3. 7% 1. 4% 3. 1% 4. 3% 5. 4% 4. 1% 4. 4%	3. 5% 1. 4% 2. 3% 3. 9% 4. 7% 4. 7% 5. 8%	88. 8% 95. 3% 91. 4% 87. 2% 84. 8% 86. 9% 84. 4%
DOWNERS		8. 9% Pa	3. 2% age 18	2.9%	2.8%	91. 1%

96State712.0UT 53.3% 30.3%

30.4%

9.3%

6. 0% 7. 8%

10.5%

11.2%

11. 9%

8.9%

4.9%

2.7%

56.5%

20.0%

13. 2% 17. 2%

22.1%

23.2%

24.6%

22.8%

12.8%

6. 7% 10. 6% 15. 3%

12. 5% 13. 3%

5. 5% 3. 4% 5. 4%

6.2%

6. 3% 5. 9%

6.0%

4. 2%

2. 2% 3. 4%

10. 5% 12. 8%

5. 3% 3. 7%

4. 1%

5.3%

5.8%

6.7%

7.8%

3.8%

1.8%

46.7% 43.5%

80.0%

86.8%

82.8%

77.9%

76.8%

75.4%

77.2%

87. 2%

93. 3% 89. 4% 84. 7%

GRADE 11 GRADE 12

GRADE 7 GRADE 8

GRADE 9

GRADE 10 GRADE 11

GRADE 12

GRADE 7 GRADE 8 GRADE 9

MARI JUANA ONLY

COCAINE OR CRACK

			96State712	2. OUT			
	GRADE	7	4.0%	1.5%	1.4%	1. 1%	96.0%
	GRADE	8	6. 5%	2.8%	1. 9%	1. 8%	93.5%
	GRADE		10. 2%	3.4%	3. 7%	3. 1%	89.8%
	GRADE		11. 9%	4. 1%	4. 1%	3. 7%	88. 1%
	GRADE		9.6%	3.3%	2.6%	3. 7%	90.4%
	GRADE	12	13. 6%	4.8%	4.3%	4. 5%	86. 4%
STEROI DS			2. 9%	1.0%	0.8%	1. 1%	97. 1%
	GRADE	7	2. 9%	1. 1%	0.8%	1.0%	97.1%
	GRADE	8	3. 2%	1.0%	1.0%	1. 1%	96.8%
	GRADE	9	2.8%	0. 9%	0.8%	1.0%	97.2%
	GRADE		2. 7%	0.8%	0.8%	1. 1%	97.3%
	GRADE		3. 5%	1. 8%	* %	1. 4%	96.5%
	GRADE	12	2. 6%	0. 8%	0. 6%	1. 2%	97.4%
ECSTASY			7. 7%	2.7%	2. 7%	2.4%	92.3%
	GRADE	7	2. 9%	1. 4%	0. 8%	0. 7%	97. 1%
	GRADE	8	5. 3%	2.0%	2.0%	1. 3%	94.7%
	GRADE	9	9. 1%	3.9%	3. 2%	2. 1%	90.9%
	GRADE	10	9.8%	2.7%	3.8%	3.3%	90.2%
	GRADE	11	9. 5%	2.3%	3.2%	4. 1%	90.5%
	GRADE	12	12. 7%	3.8%	4.0%	4. 9%	87.3%
ROACH			16. 5%	7.0%	4.9%	4. 7%	83.5%
	GRADE	7	13. 6%	6. 2%	3.9%	3.4%	86.4%
	GRADE	8	18. 4%	8.0%	5. 1%	5. 2%	81.6%
	GRADE	9	19. 3%	8.6%	5. 7%	5. 1%	80.7%
	GRADE		17. 2%	6. 5%	5. 7%	5.0%	82.8%
	GRADE		13. 8%	5. 1%	4. 1%	4.6%	86.2%
	GRADE	12	13. 1%	5. 1%	3. 3%	4. 7%	86. 9%

TABLE B9: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE --> STUDENTS LIVING WITH TWO PARENTS

		EVER USED	PAST MONTH	SCH00L YEAR	NOT PAST YEAR	NEVER USED
TOBACCO	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	58. 5%	24. 1% 14. 2% 19. 3% 24. 6% 27. 9% 30. 3% 32. 9%	12. 6% 10. 6% 13. 7% 13. 6% 13. 3% 11. 7% 12. 0%	14. 6% 11. 2% 13. 3% 15. 1% 15. 9% 16. 4% 17. 0%	48. 7% 64. 0% 53. 7% 46. 7% 42. 9% 41. 5% 38. 1%
ALCOHOL	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	79. 1%	35. 2% 20. 1% 28. 2% 35. 1% 40. 2% 44. 9% 49. 9%	19. 7% 15. 9% 19. 5% 21. 0% 21. 4% 21. 2% 19. 5%	14. 4% 14. 7% 15. 1% 15. 5% 14. 3% 12. 9% 12. 6%	30. 8% 49. 3% 37. 2% 28. 4% 24. 2% 20. 9% 17. 9%
ADJ-I NHA	LANTS GRADE 7	18. 2% 20. 5%	4. 7% 7. 5%	5. 3% 6. 3%	8. 3% 6. 7%	81. 8% 79. 5%

GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	96Stat 21. 7% 19. 4% 16. 9% 14. 5% 13. 6%	e712. OUT 6. 7% 4. 7% 3. 3% 2. 2% 2. 0%	7. 0% 5. 5% 5. 1% 3. 7% 2. 7%	8. 0% 9. 2% 8. 5% 8. 5% 8. 8%	78. 3% 80. 6% 83. 1% 85. 5% 86. 4%
ANY ILLICIT DRUG	28. 5%	14. 5%	7.8%	6. 2%	71. 5%
GRADE 7	14. 6%	7. 6%	3.9%	3. 2%	85. 4%
GRADE 8	22. 9%	12. 2%	6.5%	4. 2%	77. 1%
GRADE 9	30. 4%	16. 2%	8.3%	5. 9%	69. 6%
GRADE 10	33. 3%	16. 8%	9.0%	7. 6%	66. 7%
GRADE 11	37. 1%	17. 8%	10.4%	8. 8%	62. 9%
GRADE 12	38. 4%	18. 9%	10.3%	9. 2%	61. 6%
MARI JUANA GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	25. 9%	12. 8%	7. 2%	5. 8%	74. 1%
	12. 4%	6. 3%	3. 3%	2. 8%	87. 6%
	19. 7%	10. 4%	5. 6%	3. 7%	80. 3%
	27. 7%	14. 3%	7. 7%	5. 8%	72. 3%
	30. 3%	15. 0%	8. 4%	6. 9%	69. 7%
	34. 4%	16. 0%	9. 8%	8. 5%	65. 6%
	36. 2%	16. 9%	10. 1%	9. 1%	63. 8%
MARI JUANA ONLY GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	11. 5%	4. 1%	3. 7%	3. 6%	88. 5%
	5. 7%	2. 3%	1. 6%	1. 8%	94. 3%
	8. 8%	3. 5%	3. 0%	2. 3%	91. 2%
	12. 2%	4. 6%	4. 0%	3. 6%	87. 8%
	13. 4%	4. 8%	4. 2%	4. 4%	86. 6%
	15. 7%	5. 2%	5. 1%	5. 4%	84. 3%
	15. 6%	5. 0%	5. 0%	5. 5%	84. 4%
COCALNE OR CRACK GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	6. 0%	2. 1%	1. 9%	2. 0%	94. 0%
	3. 0%	0. 9%	0. 9%	1. 1%	97. 0%
	4. 6%	1. 7%	1. 5%	1. 4%	95. 4%
	6. 3%	2. 5%	1. 9%	1. 9%	93. 7%
	6. 8%	2. 3%	2. 2%	2. 4%	93. 2%
	7. 4%	2. 4%	2. 4%	2. 7%	92. 6%
	9. 1%	3. 1%	2. 7%	3. 3%	90. 9%

- - - CONTINUED

		EVER USED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
COCAINE	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	5. 5% 2. 4% 4. 1% 5. 8% 6. 5% 7. 1% 8. 7%	1. 9% 0. 7% 1. 4% 2. 1% 2. 1% 2. 3% 3. 0%	1. 8% 0. 8% 1. 4% 1. 9% 2. 1% 2. 3% 2. 6%	1. 9% 0. 9% 1. 3% 1. 8% 2. 2% 2. 5% 3. 2%	94. 5% 97. 6% 95. 9% 94. 2% 93. 5% 92. 9% 91. 3%
CRACK	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11	2. 1% 1. 5% 2. 2% 2. 5% 2. 1% 1. 9%	0.6% * % 0.7% 0.9% 0.5% 0.5%	O. 7% O. 5% O. 7% O. 9% O. 7% * %	0. 8% 0. 5% 0. 7% 0. 7% 0. 9% 1. 0%	97. 9% 98. 5% 97. 8% 97. 5% 97. 9% 98. 1%

			96Sta	te712. OUT				
	GRADE 12	2.	3%	* %	0.8	3% 1.	0%	97.7%
HALLUCI NO	OGENS GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	2. 3. 6. 7. 9.	4% 0% 9% 3% 9% 6% 3%	1. 9% 0. 7% 1. 4% 2. 4% 2. 3% 2. 3% 3. 0%	2. 3 0. 6 1. 5 2. 2 3. 0 3. 8 3. 6	% 0. % 1. % 1. % 2. % 3.	2% 6% 1% 7% 6% 4%	93. 6% 98. 0% 96. 1% 93. 7% 92. 1% 90. 4% 88. 7%
UPPERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	2. 4. 6. 9. 9.	9% 1% 3% 8% 1% 8% 3%	2. 2% 0. 8% 1. 7% 2. 5% 2. 8% 2. 8% 3. 3%	2. 2 0. 6 1. 5 2. 3 3. 1 3. 3	% 0. % 1. % 2. % 3. % 3.	4% 7% 1% 0% 2% 7%	93. 1% 97. 9% 95. 7% 93. 2% 90. 9% 90. 2% 88. 7%
DOWNERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	1. 3. 5. 6. 6.	8% 6% 1% 1% 2% 3% 7%	1. 5% 0. 6% 1. 2% 1. 7% 1. 9% 1. 7% 2. 1%	1. 7 * 1. 1 1. 7 2. 4 2. 3 2. 5	%	6% * % 7% 9% 3% 1%	95. 2% 98. 4% 96. 9% 94. 9% 93. 8% 93. 7% 92. 3%
STEROI DS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	1. 2. 1. 1. 2.	0% 8% 0% 8% 9% 2%	0. 6% 0. 7% 0. 6% 0. 6% 0. 5% 0. 7% 0. 6%	0.5 * 0.6 0.6 0.6 *	% O. % O. % O. % O. % O. %	8% 6% 8% 6% 8% 2% 1%	98. 0% 98. 2% 98. 0% 98. 2% 98. 1% 97. 8% 97. 8%
ECSTASY	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	1. 2. 4. 5. 7.	7% 4% 8% 6% 7% 0% 2%	1. 3% 0. 6% 1. 0% 1. 7% 1. 6% 1. 6%	1. 7 * 1. 1 1. 6 2. 2 2. 5 2. 9	% 0. % 1. % 1. % 2.	7% * % 8% 3% 9% 9% 8%	95. 3% 98. 6% 97. 2% 95. 4% 94. 3% 93. 0% 91. 8%
ROACH	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	5. 8. 9. 8. 8.	0% 5% 4% 4% 8% 1% 0%	3. 0% 2. 3% 3. 5% 3. 8% 3. 0% 2. 4% 2. 5%	2. 5 1. 8 2. 5 2. 8 2. 9 2. 7 2. 1	1. % 2. % 2. % 2. % 3.	6% 3% 4% 7% 9% 0% 3%	92.0% 94.5% 91.6% 90.6% 91.2% 91.9% 92.0%

TABLE B10: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE --> STUDENTS NOT LIVING WITH TWO PARENTS

EVER	PAST	SCHOOL	NOT PAST	NEVER
USED	MONTH	YEAR	YEAR	USED
Pa	ge 21			

우

GI GI GI	RADE 7 RADE 8 RADE 9 RADE 10 RADE 11 RADE 12	61. 8% 50. 1% 61. 2% 64. 3% 65. 0% 66. 2% 65. 7%	29. 9% 21. 6% 28. 2% 31. 9% 32. 4% 31. 6% 34. 7%	13. 6% 13. 9% 15. 2% 14. 1% 13. 4% 13. 2% 11. 0%	18. 3% 14. 6% 17. 8% 18. 3% 19. 1% 21. 4% 20. 1%	38. 2% 49. 9% 38. 8% 35. 7% 35. 0% 33. 8% 34. 3%
GI GI GI GI	RADE 7 RADE 8 RADE 9 RADE 10 RADE 11 RADE 12	80. 4% 65. 9% 76. 7% 83. 0% 84. 3% 87. 3% 89. 0%	41. 4% 28. 0% 37. 3% 43. 0% 45. 4% 46. 9% 52. 3%	22. 6% 19. 9% 22. 7% 22. 3% 23. 9% 24. 3% 22. 8%	16. 4% 18. 0% 16. 7% 17. 7% 15. 0% 16. 1% 13. 9%	19. 6% 34. 1% 23. 3% 17. 0% 15. 7% 12. 7% 11. 0%
GI GI GI	NTS RADE 7 RADE 8 RADE 9 RADE 10 RADE 11 RADE 12	22. 3% 24. 7% 27. 5% 24. 2% 20. 3% 17. 2% 15. 7%	5. 6% 9. 2% 8. 4% 5. 0% 4. 2% 2. 7% 2. 4%	6. 6% 7. 7% 8. 6% 7. 5% 5. 7% 4. 7% 3. 6%	10. 1% 7. 8% 10. 5% 11. 6% 10. 4% 9. 7% 9. 7%	77. 7% 75. 3% 72. 5% 75. 8% 79. 7% 82. 8% 84. 3%
GI GI GI	T DRUG RADE 7 RADE 8 RADE 9 RADE 10 RADE 11 RADE 12	42. 5% 26. 4% 37. 5% 47. 7% 48. 3% 48. 6% 49. 5%	23.0% 14.5% 21.2% 27.4% 26.4% 24.8% 23.2%	10. 6% 6. 3% 9. 9% 11. 0% 11. 8% 11. 8% 13. 6%	9. 0% 5. 5% 6. 5% 9. 3% 10. 0% 12. 0% 12. 7%	57. 5% 73. 6% 62. 5% 52. 3% 51. 7% 51. 4% 50. 5%
GI GI GI	RADE 7 RADE 8 RADE 9 RADE 10 RADE 11 RADE 12	40. 1% 23. 5% 34. 9% 45. 6% 45. 6% 46. 5% 47. 7%	21. 0% 12. 7% 19. 1% 25. 5% 24. 1% 23. 2% 21. 2%	10. 3% 5. 8% 9. 5% 10. 8% 11. 6% 11. 7% 13. 7%	8. 8% 5. 0% 6. 3% 9. 2% 10. 0% 11. 7% 12. 8%	59. 9% 76. 5% 65. 1% 54. 4% 54. 4% 53. 5% 52. 3%
GI GI GI GI	ONLY RADE 7 RADE 8 RADE 9 RADE 10 RADE 11 RADE 12	19. 3% 11. 9% 16. 0% 21. 7% 21. 7% 24. 0% 22. 2%	7.8% 5.4% 6.9% 9.4% 9.1% 9.2% 6.2%	5. 5% 3. 1% 4. 8% 5. 7% 6. 2% 6. 5% 7. 5%	6. 0% 3. 5% 4. 3% 6. 6% 6. 3% 8. 3% 8. 5%	80. 7% 88. 1% 84. 0% 78. 3% 76. 0% 77. 8%
GI GI GI	CRACK RADE 7 RADE 8 RADE 9 RADE 10 RADE 11 RADE 12	9. 1% 4. 6% 7. 3% 10. 7% 10. 3% 10. 2% 13. 0%	3. 1% 1. 7% 2. 5% 3. 6% 3. 4% 3. 1% 4. 4%	3.0% 1.5% 2.3% 3.4% 3.6% 4.2%	3. 1% 1. 4% 2. 5% 3. 7% 3. 5% 4. 5%	90. 9% 95. 4% 92. 7% 89. 3% 89. 7% 89. 8% 87. 0%

- - - CONTINUED

		EVER USED	PAST MONTH	SCH00L YEAR	NOT PAST YEAR	NEVER USED
COCAI NE	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	8. 6% 3. 8% 6. 6% 10. 0% 9. 8% 9. 9% 12. 7%	2. 9% 1. 5% 2. 2% 3. 4% 3. 1% 4. 2%	2. 8% 1. 1% 2. 0% 3. 2% 3. 2% 3. 5% 4. 0%	3. 0% 1. 2% 2. 4% 3. 4% 3. 3% 4. 5%	91. 4% 96. 2% 93. 4% 90. 0% 90. 2% 90. 1% 87. 3%
CRACK	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	3. 0% 2. 4% 3. 1% 3. 8% 2. 9% 2. 8% 2. 9%	0. 7% 0. 8% 1. 0% 0. 8% 0. 7% * %	1. 0% 0. 9% 1. 0% 1. 1% 1. 1% 0. 9% 1. 0%	1. 3% 0. 8% 1. 1% 1. 9% 1. 2% 1. 4% 1. 5%	97. 0% 97. 6% 96. 9% 96. 2% 97. 1% 97. 2% 97. 1%
HALLUCI NO	OGENS GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	9. 3% 3. 0% 6. 0% 10. 5% 12. 1% 11. 5% 14. 6%	3. 2% 1. 1% 2. 1% 4. 3% 4. 1% 3. 3% 4. 3%	3. 2% 1. 1% 2. 3% 3. 4% 3. 9% 4. 5% 4. 9%	2. 9% 0. 8% 1. 7% 2. 8% 4. 1% 3. 7% 5. 5%	90. 7% 97. 0% 94. 0% 89. 5% 87. 9% 88. 5% 85. 4%
UPPERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	9.8% 3.9% 7.3% 10.5% 13.4% 12.1% 13.4%	3. 2% 1. 6% 2. 8% 3. 6% 4. 1% 3. 3% 3. 7%	3. 4% 1. 2% 2. 6% 3. 6% 4. 5% 4. 4% 4. 7%	3. 2% 1. 0% 1. 9% 3. 2% 4. 8% 4. 4% 5. 1%	90. 2% 96. 1% 92. 7% 89. 5% 86. 6% 87. 9% 86. 6%
DOWNERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	7. 1% 3. 1% 5. 1% 8. 0% 9. 0% 8. 6% 9. 9%	2. 4% 1. 3% 2. 2% 2. 6% 2. 6% 2. 5% 3. 4%	2. 3% 1. 1% 1. 5% 2. 8% 3. 2% 2. 7% 2. 8%	2. 4% 0. 7% 1. 4% 2. 5% 3. 2% 3. 4% 3. 6%	92. 9% 96. 9% 94. 9% 92. 0% 91. 0% 91. 4% 90. 1%
STEROI DS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	2. 3% 2. 3% 2. 4% 2. 2% 2. 2% 2. 5% 2. 5%	O. 7% O. 8% O. 7% O. 6% O. 5% O. 9% O. 7%	0.6% 0.6% 0.7% 0.7% 0.6% * %	1. 0% 0. 9% 1. 0% 1. 0% 1. 0% 1. 3% 1. 2%	97. 7% 97. 7% 97. 6% 97. 8% 97. 8% 97. 5% 97. 5%
ECSTASY	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	6. 8% 2. 3% 4. 4% 7. 3% 8. 5% 8. 3% 11. 5%	1. 9% 1. 0% 1. 5% 2. 7% 2. 2% 1. 7% 2. 3%	2. 4% 0. 7% 1. 7% 2. 4% 3. 2% 2. 7% 4. 4%	2. 4% 0. 6% 1. 1% 2. 2% 3. 1% 4. 0% 4. 8%	93. 2% 97. 7% 95. 6% 92. 7% 91. 5% 91. 7% 88. 5%

		96State	712. OUT			
ROACH		11. 4%	4.5%	3.4%	3.5%	88.6%
	GRADE 7	8. 9%	4.0%	2.6%	2.3%	91.1%
	GRADE 8	13. 2%	5.5%	3.6%	4. 1%	86.8%
	GRADE 9	13. 9%	5.3%	4.5%	4.1%	86. 1%
	GRADE 10	11. 8%	4.3%	3.5%	3.9%	88. 2%
	GRADE 11	9.4%	3.4%	2.7%	3.3%	90.6%
	GRADE 12	9. 5%	3.4%	2.9%	3. 2%	90.5%

TABLE B11: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE
--> STUDENTS WHO WOULD SEEK HELP FROM ADULTS FOR SUBSTANCE ABUSE PROBLEMS

	EVER	PAST	SCHOOL	NOT PAST	NEVER
	USED	MONTH	YEAR	YEAR	USED
TOBACCO GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	52. 7%	24. 2%	12. 4%	16. 0%	47. 3%
	37. 4%	14. 4%	11. 0%	12. 0%	62. 6%
	47. 8%	19. 4%	13. 4%	15. 1%	52. 2%
	55. 1%	25. 2%	13. 5%	16. 4%	44. 9%
	57. 8%	27. 8%	12. 9%	17. 2%	42. 2%
	59. 8%	29. 5%	12. 0%	18. 3%	40. 2%
	62. 0%	32. 4%	11. 2%	18. 4%	38. 0%
GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	71. 5%	35. 8%	20. 7%	15. 0%	28. 5%
	52. 1%	20. 3%	16. 6%	15. 2%	47. 9%
	64. 6%	28. 9%	20. 0%	15. 8%	35. 4%
	74. 6%	36. 3%	21. 8%	16. 6%	25. 4%
	77. 6%	40. 4%	22. 7%	14. 6%	22. 4%
	81. 1%	44. 5%	22. 5%	14. 1%	18. 9%
	84. 0%	50. 1%	20. 7%	13. 2%	16. 0%
ADJ-I NHALANTS GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	17. 2%	4. 1%	4. 9%	8. 1%	82. 8%
	18. 5%	6. 5%	5. 7%	6. 3%	81. 5%
	20. 8%	6. 2%	6. 6%	8. 0%	79. 2%
	18. 5%	3. 9%	5. 5%	9. 2%	81. 5%
	16. 5%	3. 2%	4. 8%	8. 6%	83. 5%
	13. 9%	2. 2%	3. 4%	8. 3%	86. 1%
	12. 6%	1. 7%	2. 5%	8. 4%	87. 4%
ANY ILLICIT DRUG GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	30. 3%	15. 4%	8. 1%	6. 9%	69. 7%
	15. 1%	7. 7%	4. 0%	3. 4%	84. 9%
	23. 8%	12. 7%	6. 7%	4. 4%	76. 2%
	33. 1%	17. 7%	8. 5%	6. 9%	66. 9%
	35. 8%	18. 1%	9. 5%	8. 2%	64. 2%
	38. 7%	18. 6%	10. 1%	10. 0%	61. 3%
	39. 7%	18. 7%	11. 0%	10. 0%	60. 3%
MARI JUANA GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	28. 0%	13. 7%	7. 6%	6. 6%	72. 0%
	13. 2%	6. 5%	3. 5%	3. 1%	86. 8%
	21. 0%	11. 0%	6. 0%	4. 0%	79. 0%
	30. 8%	16. 1%	7. 9%	6. 8%	69. 2%
	33. 0%	16. 2%	9. 0%	7. 7%	67. 0%
	36. 4%	17. 1%	9. 8%	9. 5%	63. 6%
	37. 8%	17. 0%	10. 8%	10. 1%	62. 2%
MARIJUANA ONLY	13. 4% Pag	4.9% ne 24	4.1%	4.4%	86.6%

è	,	٠		
	3	2		

COCATNE	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	2. 6% 4. 3% 6. 4% 7. 0% 7. 6% 9. 5%	0. 8% 1. 4% 2. 2% 2. 2% 2. 2% 3. 1%	1. 3% 1. 3% 2. 0% 2. 4% 2. 6% 2. 9%	1. 0% 1. 5% 2. 1% 2. 4% 2. 8% 3. 4%	97. 4% 95. 7% 93. 6% 93. 0% 92. 4% 90. 5%
CO	NTI NUED					
		EVER USED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
COCAI NE	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	5. 7% 2. 2% 3. 9% 6. 0% 6. 7% 7. 3% 9. 2%	1. 8% 0. 7% 1. 2% 2. 0% 2. 1% 2. 1% 3. 0%	1. 8% 0. 7% 1. 2% 2. 0% 2. 2% 2. 6% 2. 8%	2. 0% 0. 9% 1. 5% 2. 0% 2. 3% 2. 6% 3. 4%	94. 3% 97. 8% 96. 1% 94. 0% 93. 3% 92. 7% 90. 8%
CRACK	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	1. 8% 1. 2% 1. 7% 2. 2% 1. 9% 1. 8% 2. 0%	* % * % 0.5% 0.6% * % * %	0. 6% * % 0. 6% 0. 8% 0. 6% 0. 5% 0. 7%	0.8% * % 0.6% 0.8% 0.9% 1.0%	98. 2% 98. 8% 98. 3% 97. 8% 98. 1% 98. 2% 98. 0%
HALLUCIN	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	6. 5% 1. 7% 3. 5% 6. 7% 8. 4% 9. 3% 11. 2%	1. 9% 0. 5% 1. 1% 2. 5% 2. 4% 2. 2% 3. 0%	2. 4% 0. 6% 1. 4% 2. 4% 3. 0% 3. 7% 3. 6%	2. 2% 0. 5% 1. 0% 1. 8% 3. 0% 3. 3% 4. 6%	93. 5% 98. 3% 96. 5% 93. 3% 91. 6% 90. 7% 88. 8%
UPPERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	7. 0% 2. 0% 4. 3% 7. 1% 9. 7% 9. 7% 10. 8%	2. 2% 0. 8% 1. 7% 2. 5% 2. 7% 2. 7% 2. 7%	2. 4% 0. 6% 1. 6% 2. 4% 3. 3% 3. 3% 3. 6%	2. 5% 0. 6% 1. 0% 2. 2% 3. 6% 3. 7% 4. 6%	93. 0% 98. 0% 95. 7% 92. 9% 90. 3% 90. 3% 89. 2%
DOWNERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10	4. 8% 1. 5% 3. 1% 5. 1% 6. 3% Page	1. 5% 0. 6% 1. 3% 1. 6% 1. 9%	1.7% * % 1.0% 1.8% 2.3%	1. 7% * % 0. 8% 1. 7% 2. 1%	95. 2% 98. 5% 96. 9% 94. 9% 93. 7%

96State712.0UT
6.7% 2.8%
10.0% 4.1%
14.8% 5.8%
15.6% 5.7%
17.9% 6.1%
17.7% 5.5%

6.0%

2.0%

1.8% 3.2% 4.4% 4.9% 5.2% 5.7%

1. 9%

93. 3% 90. 0% 85. 2% 84. 4% 82. 1% 82. 3%

94.0%

2. 2% 2. 7% 4. 7% 5. 0%

6. 6% 6. 6%

2. 1%

GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12

COCALNE OR CRACK

Ŧ
Г

			96State712	. OUT			
	GRADE		6. 4%	1. 7%	2.3%	2. 4%	93.6%
	GRADE	12	7. 7%	2. 3%	2.4%	3. 0%	92.3%
STEROI DS			1. 8%	* %	* %	0.8%	98. 2%
STEROIDS	GRADE	7	1. 6%	0. 6%	* %	0.5%	98. 4%
		8	1. 8%	* %	0. 6%	0. 7%	98. 2%
		9	1. 6%	0. 5%	* %	0. 7%	98.4%
	GRADE	10	1. 7%	* %	0.5%	0. 8%	98.3%
	GRADE	11	2.0%	0.5%	* %	1. 2%	98.0%
	GRADE	12	2. 1%	0.5%	0.6%	1. 0%	97.9%
ECSTASY			4.8%	1. 3%	1.8%	1. 8%	95. 2%
ECSTAST	GRADE	7	1. 4%	0. 6%	* %	1.0% * %	93. 2% 98. 6%
		8	2. 7%	0. 9%	1. 1%	0. 7%	97.3%
		9	4. 8%	1. 7%	1. 7%	1. 3%	95. 2%
		10	6. 1%	1. 5%	2. 3%	2. 2%	93. 9%
		11	6. 6%	1. 4%	2. 4%	2. 9%	93.4%
	GRADE	12	8. 7%	1.5%	3. 2%	4.0%	91.3%
ROACH			7.8%	2.8%	2.4%	2.5%	92.2%
KOACII	GRADE	7	5. 2%	2. 1%	1. 7%	1. 3%	94.8%
		8	8. 3%	3. 2%	2.5%	2. 5%	91. 7%
		9	9. 4%	3.6%	2. 9%	2. 8%	90.6%
		10	8. 6%	2. 9%	2. 7%	3. 0%	91.4%
	GRADE	11	7. 6%	2. 4%	2. 3%	2. 9%	92.4%
	GRADE	12	7. 2%	2.5%	2.0%	2. 6%	92.8%

TABLE B12: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE
--> STUDENTS WHO WOULD NOT SEEK HELP FROM ADULTS FOR SUBSTANCE ABUSE PROBLEMS

	EVER	PAST	SCHOOL	NOT PAST	NEVER
	USED	MONTH	YEAR	YEAR	USED
TOBACCO GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	74. 0%	42.5%	17. 0%	14. 5%	26. 0%
	68. 2%	36.5%	17. 6%	14. 2%	31. 8%
	73. 0%	40.7%	19. 5%	12. 9%	27. 0%
	74. 0%	42.2%	17. 2%	14. 6%	26. 0%
	75. 4%	43.7%	16. 8%	15. 0%	24. 6%
	75. 3%	43.9%	16. 0%	15. 3%	24. 7%
	77. 5%	48.0%	14. 1%	15. 4%	22. 5%
GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	87. 4% 77. 0% 83. 8% 87. 8% 89. 3% 92. 9% 92. 9%	54. 1% 40. 3% 49. 9% 53. 0% 56. 5% 60. 4% 64. 6%	21. 8% 21. 6% 22. 1% 22. 2% 22. 3% 21. 9% 20. 2%	11. 4% 15. 2% 11. 8% 12. 6% 10. 5% 10. 6% 8. 1%	12. 6% 23. 0% 16. 2% 12. 2% 10. 7% 7. 1%
ADJ-I NHALANTS GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11	32. 2% 42. 4% 39. 9% 35. 3% 26. 6% 23. 9%	8. 9% 16. 9% 14. 3% 9. 1% 5. 6% 3. 5% ge 26	9. 6% 13. 7% 11. 5% 11. 7% 7. 8% 6. 8%	13. 6% 11. 8% 14. 1% 14. 5% 13. 2% 13. 6%	67. 8% 57. 6% 60. 1% 64. 7% 73. 4% 76. 1%

	96Stat	e712. OUT			
GRADE 12	24. 1%	4.1%	6. 1%	14.0%	75. 9%
ANY ILLICIT DRUG GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	51. 7% 35. 5% 46. 7% 54. 3% 54. 7% 57. 6% 59. 0%	30. 1% 21. 9% 26. 4% 33. 3% 32. 6% 31. 3% 32. 9%	13. 3% 8. 5% 12. 8% 12. 9% 13. 7% 17. 1% 14. 3%	8. 3% 5. 1% 7. 4% 8. 0% 8. 4% 9. 2% 11. 8%	48. 3% 64. 5% 53. 3% 45. 7% 45. 3% 42. 4% 41. 0%
MARI JUANA GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	47. 6% 29. 7% 42. 1% 50. 1% 50. 7% 54. 3% 56. 1%	26. 9% 18. 7% 23. 3% 30. 1% 29. 0% 28. 5% 29. 9%	12. 6% 6. 9% 12. 0% 12. 4% 13. 1% 16. 1% 14. 7%	8. 1% 4. 1% 6. 9% 7. 6% 8. 6% 9. 7% 11. 5%	52. 4% 70. 3% 57. 9% 49. 9% 45. 7% 43. 9%
MARI JUANA ONLY GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	18. 1% 11. 9% 15. 8% 18. 9% 20. 4% 21. 5% 18. 9%	7. 6% 5. 9% 6. 4% 8. 9% 9. 0% 8. 8% 5. 9%	5. 9% 3. 5% 5. 4% 5. 7% 6. 4% 8. 2% 6. 2%	4. 5% 2. 5% 4. 0% 4. 3% 5. 0% 4. 5% 6. 8%	81. 9% 88. 1% 84. 2% 81. 1% 79. 6% 78. 5% 81. 1%
COCAINE OR CRACK GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	11. 8% 7. 9% 10. 1% 12. 9% 12. 1% 12. 7%	4. 4% 3. 3% 3. 5% 4. 6% 4. 4% 4. 7% 5. 9%	4. 0% 3. 0% 3. 5% 4. 3% 4. 2% 4. 0% 4. 6%	3. 5% 1. 6% 3. 2% 3. 9% 3. 5% 4. 2%	88. 2% 92. 1% 89. 9% 87. 1% 87. 9% 87. 1% 85. 3%

- - - CONTINUED

		EVER USED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
COCATNE	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	10. 7% 6. 2% 8. 7% 11. 7% 11. 3% 12. 1% 13. 8%	3. 9% 2. 5% 2. 9% 4. 2% 3. 9% 4. 6% 5. 6%	3. 6% 2. 4% 3. 2% 3. 9% 4. 0% 3. 8% 4. 1%	3. 2% 1. 3% 2. 6% 3. 6% 3. 4% 3. 8% 4. 1%	89. 3% 93. 8% 91. 3% 88. 3% 88. 7% 87. 9% 86. 2%
CRACK	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	4. 8% 5. 1% 5. 3% 5. 8% 3. 7% 4. 2% 4. 4%	1. 3% 1. 9% 1. 6% 1. 8% 0. 9% 0. 7% 0. 9%	1. 8% 1. 9% 1. 9% 2. 0% 1. 6% 1. 5% 2. 1%	1. 6% 1. 2% 1. 9% 2. 1% 1. 2% 1. 9% 1. 4%	95. 2% 94. 9% 94. 7% 94. 2% 96. 3% 95. 8% 95. 6%
HALLUCIN	IOGENS GRADE 7	14. 4% 6. 7%	5. 5% 3. 0%	5. 0% 2. 4%	3. 9% 1. 4%	85. 6% 93. 3%

Page 27

			9	6State712.	. 01	JT					
	GRADE 9 GRADE 1 GRADE 1 GRADE 1) 0 1	10. ! 15. (16. <i>(</i> 17. :	0% 4% 3%	6. 5.	1% 7% 5% 4% 6%	4. 5. 6.	7% 8% 5% 5% 0%	3. 4. 5.	6% 4% 3% 4% 8%	89. 5% 85. 0% 83. 6% 82. 7% 79. 6%
UPPERS	GRADE 7 GRADE 8 GRADE 9 GRADE 1 GRADE 1 GRADE 1	7 3 9 10 11	15 7 11 14 17 17 21	8% 4% 6% 9% 8%	4. 4. 6. 7. 5.	9% 0% 1% 0% 1% 0% 1%	2. 4. 4. 6. 7.	1% 3% 0% 9% 0% 3% 8%	1. 3. 4. 5.	2% 5% 3% 7% 8% 4% 5%	84.8% 92.2% 88.6% 85.4% 82.1% 82.2% 78.5%
DOWNERS	GRADE 7 GRADE 8 GRADE 9 GRADE 1 GRADE 1	7 3 9 10 1	10. 5. 7. 11. 13. 12. 1	8% 9% 8% 1% 2%	3. 4. 4. 3.	0% 0% 7% 5% 1% 5%	1. 2. 4. 5. 4.	7% 6% 1% 0% 5% 0% 4%	1. 2. 3. 4.	2% 1% 1% 2% 6% 6% 4%	89. 1% 94. 2% 92. 1% 88. 2% 86. 9% 87. 8% 86. 5%
STEROI DS	GRADE 7 GRADE 8 GRADE 9 GRADE 1 GRADE 1 GRADE 1	} 0 1	3. 4. 3. 4. 2. 2. 2. 3. 3.	5% 6% 9% 9% 3%	1. 0. 0.	7% 2% 7%	0. 1. 1. 0.	9% 9% 2% 3% 6% %	1. 1. 0. 1.	3% 7% 4% 9% 0% 2% 8%	96. 8% 95. 5% 96. 4% 97. 1% 97. 1% 97. 7% 96. 9%
ECSTASY	GRADE 7 GRADE 8 GRADE 9 GRADE 1 GRADE 1 GRADE 1	7 3 9 10 11	10. (4. (7.) 9. (11.) 13.	6% 3% 8% 3% 1%	2. 2. 4. 3.	1% O% 4% 2% 3% O% 3%	2. 3. 2. 4. 3.	5% 0% 1% 8% 5% 6% 9%	0. 1. 2. 3. 6.	4% 6% 8% 8% 5% 4% 9%	90. 0% 95. 4% 92. 7% 90. 2% 88. 7% 86. 9% 85. 8%
ROACH		7 3 9 10	16. 12. 17. 17. 16. 14.	9% 5% 3% 0% 5%	6. 7. 7.		3. 4. 5. 4.	8% 7% 6% 5% 2% O%	2. 5. 4. 4.	9% 7% 6% 0% 6% 6% 2%	83. 9% 87. 1% 82. 5% 82. 7% 84. 0% 85. 5% 82. 7%

TABLE B13: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE --> BY STUDENTS LIVING IN TOWN LESS THAN 3 YEARS

			EVER USED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
TOBACCO	GRADE GRADE	-	55. 7% 43. 2% 54. 7%	26. 4% 18. 2% 25. 1%	12. 4% 11. 6% 13. 4%	16. 8% 13. 3% 16. 2%	44. 3% 56. 8% 45. 3%
			Page	e 28			

우

		96State71	2. OUT			
GRADE		. O%	29. 1%	13. 2%	16. 7%	41.0%
GRADE		. 4%	29. 7%	12. 2%	18. 5%	39.6%
GRADE GRADE		. 9% . 5%	30. 4% 32. 6%	11. 8% 10. 7%	18. 6% 22. 2%	39. 1% 34. 5%
ALCOHOL		. 7%	35. 6%	20. 2%	16. 9%	27. 3%
GRADE GRADE		. 7% . 4%	24. 2% 32. 7%	16. 7% 20. 7%	16. 7% 17. 0%	42. 3% 29. 6%
GRADE		. 7%	37. 5%	19. 9%	18. 3%	24.3%
GRADE		. 9%	41. 8%	21. 0%	16. 0%	21.1%
GRADE		. 7%	42. 2%	23. 7%	15. 9%	18.3%
GRADE	12 85	. 1%	46.0%	22. 7%	16. 3%	14. 9%
ADJ-I NHALANTS	22	. 2%	5. 7%	6.6%	9. 9%	77. 8%
GRADE		. 3%	8.4%	7.0%	7. 9%	76. 7%
GRADE GRADE		. 0%	7.6%	8.4%	10. 0% 11. 5%	74.0%
GRADE		. 9% . 1%	5.0% 4.4%	7. 4% 5. 9%	9.8%	76. 1% 79. 9%
GRADE		. 9%	2.4%	4.4%	10. 1%	83. 1%
GRADE		. 6%	2. 5%	3.0%	11. 1%	83.4%
ANY ILLICIT DRI	110 25	. 5%	18. 9%	8.8%	7.8%	64.5%
GRADE		. 3%	11. 5%	5.0%	4. 8%	78. 7%
GRADE		. 4%	17. 7%	8. 2%	6. 4%	67.6%
GRADE		. 6%	22.5%	9.8%	8. 3%	59.4%
GRADE		. 0%	22. 4%	10. 6%	9.0%	58.0%
GRADE GRADE		. 5% . 1%	22. 1% 20. 4%	10. 3% 11. 4%	10. 1% 12. 4%	57. 5% 55. 9%
MARI JUANA		. 9%	17. 2%	8. 3%	7. 4%	67. 1%
GRADE GRADE		. 6% . 5%	9. 9% 15. 8%	4.6% 7.7%	4. 1% 6. 0%	81. 4% 70. 5%
GRADE		. 2%	20. 6%	9. 5%	8. 2%	61. 8%
GRADE		. 4%	20. 7%	9. 8%	8. 9%	60.6%
GRADE		. 1%	20. 7%	9. 9%	9. 5%	59. 9%
GRADE	12 42	. 0%	18. 5%	11. 6%	11. 9%	58.0%
MARIJUANA ONLY	14	. 6%	5. 8%	4. 1%	4.8%	85.4%
GRADE		. 9%	3.8%	2.4%	2.8%	91.1%
GRADE		. 7%	5. 7%	3.8%	4. 2%	86.3%
GRADE GRADE		. 4% . 9%	6. 6% 6. 8%	4.6% 4.7%	5. 2% 5. 3%	83. 6% 83. 1%
GRADE		. 5%	7. 0%	5. 1%	6. 4%	81. 5%
GRADE		. 5%	4. 9%	5. 4%	7. 2%	82.5%
COCALNE OR CRA	∩K 7	. 9%	2.6%	2.5%	2. 8%	92. 1%
GRADE		. 9% . 0%	1. 4%	1. 3%	1. 3%	96. 0%
GRADE	8 6	. 2%	2. 2%	1. 9%	2. 1%	93.8%
GRADE		. 8%	3. 2%	3. 1%	3. 5%	90. 2%
GRADE GRADE		. 0% . 5%	3. 1% 2. 6%	3. 3% 3. 0%	3. 6% 3. 8%	90. 0% 90. 5%
GRADE		. 7%	4.0%	3.5%	3. 6% 4. 2%	90. 3% 88. 3%
						0

- - - CONTINUED

EVER PAST SCHOOL NOT PAST NEVER USED MONTH YEAR YEAR USED Page 29

Ť

		7001410.				
COCAINE	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	7. 3% 3. 2% 5. 6% 9. 1% 9. 5% 9. 0% 11. 3%	2. 4% 1. 2% 2. 0% 2. 9% 2. 8% 2. 5% 3. 9%	2. 4% 1. 0% 1. 8% 3. 1% 3. 3% 2. 8% 3. 3%	2. 6% 1. 1% 1. 9% 3. 1% 3. 5% 3. 7% 4. 1%	92. 7% 96. 8% 94. 4% 90. 9% 90. 5% 91. 0% 88. 7%
CRACK	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	2. 9% 2. 2% 2. 7% 3. 9% 3. 0% 2. 8% 3. 0%	0. 7% 0. 7% 0. 8% 0. 9% 0. 7% 0. 6%	0. 9% 0. 7% 0. 8% 1. 1% 1. 0% 0. 8% 0. 9%	1. 3% O. 8% 1. 1% 1. 9% 1. 2% 1. 5% 1. 7%	97. 1% 97. 8% 97. 3% 96. 1% 97. 0% 97. 2% 97. 0%
HALLUCIN	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	8. 0% 2. 5% 5. 2% 9. 5% 11. 0% 11. 3% 14. 6%	2. 5% 0. 9% 1. 6% 3. 7% 3. 4% 2. 9% 3. 2%	2. 8% 0. 9% 2. 1% 2. 8% 3. 9% 4. 5% 4. 9%	2. 7% 0. 7% 1. 5% 3. 0% 3. 8% 3. 9% 6. 5%	92. 0% 97. 5% 94. 8% 90. 5% 89. 0% 88. 7% 85. 4%
UPPERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	8.3% 3.2% 6.0% 9.4% 11.8% 11.4% 13.2%	2. 6% 1. 2% 2. 3% 3. 0% 3. 6% 3. 6% 2. 9%	2. 7% 1. 0% 2. 1% 3. 1% 3. 8% 3. 3% 4. 4%	3. 0% 1. 1% 1. 7% 3. 2% 4. 3% 4. 5% 6. 0%	91. 7% 96. 8% 94. 0% 90. 6% 88. 2% 88. 6% 86. 8%
DOWNERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	6. 2% 2. 6% 4. 4% 7. 7% 8. 3% 8. 3% 9. 5%	2. 0% 1. 1% 1. 9% 2. 4% 2. 4% 2. 6% 2. 4%	2. 0% 0. 9% 1. 5% 2. 5% 3. 0% 2. 4% 2. 7%	2. 2% 0. 7% 1. 1% 2. 8% 2. 8% 3. 3% 4. 3%	93. 8% 97. 4% 95. 6% 92. 3% 91. 7% 91. 7% 90. 5%
STEROI DS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	2. 2% 1. 8% 2. 2% 2. 1% 2. 0% 3. 2% 2. 2%	0. 6% 0. 7% 0. 6% 0. 5% * % 0. 7%	0.6% * % 0.6% 0.6% 0.6% * % * %	1. 0% 0. 6% 1. 0% 0. 9% 1. 0% 2. 0% 1. 1%	97. 8% 98. 2% 97. 8% 97. 9% 98. 0% 96. 8% 97. 8%
ECSTASY	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	5. 6% 1. 9% 3. 9% 6. 6% 7. 3% 8. 1% 10. 2%	1. 6% O. 8% 1. 3% 2. 4% 1. 9% 1. 8% 1. 5%	1. 9% 0. 6% 1. 5% 1. 8% 2. 7% 2. 8% 4. 1%	2. 1% 0. 5% 1. 2% 2. 4% 2. 7% 3. 6% 4. 7%	94. 4% 98. 1% 96. 1% 93. 4% 92. 7% 91. 9% 89. 8%
ROACH	GRADE 7 GRADE 8 GRADE 9	10. 5% 7. 6% 11. 5% 12. 9% Page	4. 1% 3. 5% 4. 8% 5. 0%	3. 1% 2. 2% 3. 4% 3. 9%	3. 3% 2. 0% 3. 3% 4. 0%	89. 5% 92. 4% 88. 5% 87. 1%

	96State	9712. OUT			
GRADE 10	11. 7%	4.1%	3.6%	4.1%	88.3%
GRADE 11	9. 2%	2.9%	3.1%	3. 2%	90.8%
GRADE 12	9.0%	2.9%	2. 1%	4.0%	91.0%

TABLE B14: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE --> BY STUDENTS LIVING IN TOWN MORE THAN 3 YEARS

	, 5	. OTOBERTO		TOME MORE	11111111 0 11	-,	
		EV US		PAST ONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
TOBACCO	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 1 GRADE 1	59. 1 61.	4% 1.7% 2.3% 2.9% 2.7% 3.4% 3.4%	6.3% 6.5% 1.6% 6.9% 9.6% 0.9%	13. 3% 11. 9% 14. 6% 14. 2% 13. 9% 12. 5% 11. 8%	15. 7% 12. 0% 14. 5% 16. 2% 16. 5% 18. 2% 17. 3%	44. 7% 59. 6% 49. 3% 42. 7% 40. 1% 38. 3% 37. 1%
ALCOHOL	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 1 GRADE 1	79. 1 82.	8% 2 9% 3 4% 3 0% 4 5% 4	8. 5% 2. 5% 1. 2% 8. 6% 2. 2% 7. 1% 1. 8%	21. 0% 17. 8% 20. 6% 22. 2% 22. 9% 21. 8% 20. 3%	14. 4% 15. 5% 15. 1% 15. 6% 13. 9% 13. 5% 12. 4%	26. 1% 44. 2% 33. 1% 23. 6% 21. 0% 17. 5% 15. 4%
ADJ-T NHA	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 1 GRADE 1 GRADE 1	0 17. 1 15.	5% 9% 2% 5% 0%	4.8% 8.0% 7.3% 4.7% 3.3% 2.4% 2.1%	5. 5% 6. 8% 7. 2% 5. 8% 5. 2% 4. 0% 3. 0%	8. 5% 6. 7% 8. 4% 9. 6% 9. 0% 8. 5% 8. 7%	81. 2% 78. 5% 77. 1% 79. 8% 82. 5% 85. 0% 86. 1%
ANY ILLI	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 1 GRADE 1	17. 26. 35. 37. 1 41.	8% 1988 1988 1988 1988 1988 1988 1988 19	7.3% 9.4% 4.6% 9.8% 9.7% 9.8% 0.5%	8. 9% 4. 7% 7. 5% 9. 2% 9. 8% 11. 3%	7.0% 3.7% 4.4% 6.9% 8.3% 10.1%	66. 8% 82. 2% 73. 5% 64. 1% 62. 2% 58. 9% 57. 8%
MARI JUAN	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 1 GRADE 1	1 38.	4% 5% 1, 4% 1 8% 1, 7% 1,	5. 4% 7. 9% 2. 7% 7. 9% 7. 5% 8. 0% 8. 5%	8. 4% 4. 1% 6. 8% 8. 7% 9. 6% 10. 8% 11. 4%	6. 8% 3. 4% 4. 1% 6. 8% 7. 7% 9. 8% 10. 2%	69. 3% 84. 6% 76. 5% 66. 6% 65. 2% 61. 3% 59. 8%
MARI JUAN	GRADE 7 GRADE 8 GRADE 9 GRADE 10	10. 15.	6% 5% 8%	5. 4% 3. 3% 4. 4% 6. 5% 6. 3%	4.5% 2.0% 3.6% 4.7% 5.1%	4. 5% 2. 2% 2. 5% 4. 6% 5. 1%	85. 6% 92. 4% 89. 5% 84. 2% 83. 5%

	GRADE 11 GRADE 12	96Stat 19. 0% 18. 1%	e712. OUT 6. 6% 5. 6%	5. 8% 6. 0%	6. 5% 6. 5%	81. 0% 81. 9%
COCATNE	OR CRACK GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	6. 9% 3. 3% 5. 3% 7. 2% 7. 4% 8. 1% 10. 3%	2. 4% 1. 1% 1. 9% 2. 7% 2. 5% 2. 7% 3. 5%	2. 2% 1. 1% 1. 7% 2. 3% 2. 4% 2. 8% 3. 2%	2. 3% 1. 1% 1. 7% 2. 2% 2. 5% 2. 6% 3. 7%	93. 1% 96. 7% 94. 7% 92. 8% 92. 6% 91. 9% 89. 7%
CC	ONTI NUED					
		EVER USED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
COCAINE	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12					

COCATINE	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	6. 4% 2. 8% 4. 8% 6. 8% 7. 0% 7. 8% 10. 0%	2. 2% 0. 9% 1. 6% 2. 5% 2. 3% 2. 6% 3. 4%	2. 1% 0. 9% 1. 6% 2. 2% 2. 3% 2. 8% 3. 1%	2. 2% 1. 0% 1. 6% 2. 1% 2. 4% 2. 4% 3. 6%	93.6% 97.2% 95.2% 93.2% 93.0% 92.2% 90.0%
CRACK	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	2. 3% 1. 7% 2. 4% 2. 6% 2. 2% 2. 0% 2. 4%	O. 6% O. 5% O. 8% O. 9% * % * %	0. 8% 0. 6% 0. 8% 0. 9% 0. 7% 0. 6% 0. 8%	O. 9% O. 5% O. 8% O. 9% 1. 0% 1. 0% 1. 1%	97. 7% 98. 3% 97. 6% 97. 4% 97. 8% 98. 0% 97. 6%
HALLUCIN	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	7. 3% 2. 2% 4. 5% 7. 4% 8. 9% 9. 9% 12. 1%	2. 4% 0. 9% 1. 7% 2. 9% 2. 8% 2. 6% 3. 5%	2. 6% 0. 8% 1. 7% 2. 7% 3. 1% 3. 9%	2. 3% 0. 6% 1. 2% 1. 8% 2. 9% 3. 4% 4. 7%	92. 7% 97. 8% 95. 5% 92. 6% 91. 1% 90. 1% 87. 9%
UPPERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	7. 9% 2. 5% 5. 1% 7. 9% 10. 3% 10. 5% 11. 9%	2. 6% 1. 1% 2. 0% 3. 0% 3. 1% 2. 8% 3. 5%	2. 7% 0. 8% 1. 8% 2. 7% 3. 6% 3. 9% 3. 7%	2. 6% 0. 7% 1. 3% 2. 2% 3. 6% 3. 8% 4. 6%	92. 1% 97. 5% 94. 9% 92. 1% 89. 7% 89. 5% 88. 1%
DOWNERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	5. 5% 1. 9% 3. 7% 5. 7% 6. 9% 6. 7% 8. 4%	1. 8% 0. 7% 1. 5% 2. 0% 2. 1% 1. 8% 2. 6%	1. 9% 0. 6% 1. 2% 2. 0% 2. 6% 2. 4% 2. 6%	1. 8% 0. 5% 1. 0% 1. 7% 2. 2% 2. 5% 3. 1%	94. 5% 98. 1% 96. 3% 94. 3% 93. 1% 93. 3% 91. 6%
STEROI DS	3	2. 1% Pag	0.7% e 32	0.6%	0. 8%	97. 9%

		96State	e712. OUT			
	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	2. 1% 2. 1% 1. 9% 2. 0% 2. 0% 2. 3%	0. 7% 0. 6% 0. 6% 0. 6% 0. 8% 0. 6%	0. 6% 0. 7% 0. 6% 0. 6% * % 0. 6%	O. 8% O. 8% O. 7% O. 8% O. 9% 1. 1%	97. 9% 97. 9% 98. 1% 98. 0% 98. 0% 97. 7%
ECSTASY		5. 4%	1. 5%	2.0%	1. 9%	94.6%
	GRADE 7	1. 7%	0.7%	0.6%	* %	98.3%
	GRADE 8	3. 2%	1. 1%	1. 2%	0.8%	96.8%
	GRADE 9	5. 3%	2.0%	1. 9%	1. 4%	94.7%
	GRADE 10	6. 5%	1. 8%	2.5%	2. 3%	93.5%
	GRADE 11	7. 2%	1.6%	2.5%	3. 2%	92.8%
	GRADE 12	9. 3%	1. 9%	3.4%	4. 1%	90. 7%
ROACH		8.8%	3.3%	2.7%	2.8%	91. 2%
	GRADE 7	6. 3%	2.6%	2. 1%	1. 5%	93. 7%
	GRADE 8	9. 5%	4.0%	2. 7%	2. 8%	90. 5%
	GRADE 9	10. 5%	4. 2%	3. 3%	3. 0%	89. 5%
	GRADE 10	9. 1%	3. 3%	2. 9%	3. 0%	90. 9%
	GRADE 11	8. 3%	2.8%	2.5%	3. 1%	91. 7%
	GRADE 12	8. 4%	2. 8%	2.5%	3. 2%	91.6%

TABLE B15: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE --> ASIAN AMERICAN STUDENTS

		EVER USED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
TOBACCO	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	36. 9% 24. 5% 32. 5% 34. 5% 41. 0% 43. 9% 46. 0%	14. 4% 9. 2% 12. 5% 11. 3% 16. 0% 21. 5% 17. 2%	7. 9% 5. 5% 7. 8% 9. 6% 8. 8% 7. 3% 7. 0%	14. 7% 9. 7% 12. 1% 13. 6% 16. 2% 15. 1% 21. 8%	63. 1% 75. 5% 67. 5% 65. 5% 59. 0% 56. 1% 54. 0%
ALCOHOL	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	55. 6% 38. 5% 44. 7% 54. 7% 59. 3% 71. 6% 66. 6%	21. 2% 12. 7% 15. 2% 16. 3% 23. 4% 34. 8% 27. 8%	16. 0% 11. 5% 13. 6% 17. 7% 17. 2% 17. 6% 17. 8%	18. 4% 14. 3% 15. 8% 20. 8% 18. 6% 19. 2% 21. 1%	44. 4% 61. 5% 55. 3% 45. 3% 40. 7% 28. 4% 33. 4%
ADJ-I NHA	LANTS GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	15. 4% 16. 8% 18. 7% 14. 3% 13. 6% 15. 6% 13. 3%	4. 0% 6. 1% 5. 5% 3. 7% 3. 6% 2. 2% 2. 5%	4. 4% 6. 2% 5. 6% 3. 8% 4. 8% 2. 3% 3. 4%	7. 0% 4. 6% 7. 6% 6. 8% 5. 2% 11. 1% 7. 4%	84. 6% 83. 2% 81. 3% 85. 7% 86. 4% 84. 4% 86. 7%
ANY ILLI	CLT DRUG GRADE 7	16. 5% 8. 9%	7. 8% 4. 3%	4. 7% 3. 0%	3. 9% 1. 5%	83. 5% 91. 1%

	١	

GI GI GI	ONLY RADE 7 RADE 8 RADE 9 RADE 10 RADE 11 RADE 12	5. 8% 4. 3% 3. 8% 5. 8% 7. 3% 6. 2% 7. 4%	1. 6% 1. 3% 0. 7% 1. 5% 2. 6% 1. 7% 1. 5%	2. 1% 1. 9% 1. 9% 2. 7% 2. 0% 2. 1% 2. 0%	2. 1% 1. 1% 1. 2% 1. 6% 2. 8% 2. 4% 3. 8%	94. 2% 95. 7% 96. 2% 94. 2% 92. 7% 93. 8% 92. 6%
GI GI GI	CRACK RADE 7 RADE 8 RADE 9 RADE 10 RADE 11 RADE 12	4.0% 1.5% 2.5% 3.3% 4.5% 7.9% 4.6%	1. 0% 0. 5% 0. 9% 0. 8% 1. 1% 1. 1%	1. 1% 0. 8% 0. 8% 1. 0% 0. 7% 2. 2% 1. 2%	1. 9% * % 0. 9% 1. 5% 2. 7% 4. 6% 1. 8%	96. 0% 98. 5% 97. 5% 96. 7% 95. 5% 92. 1% 95. 4%
CONT	I NUED					
		EVER USED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
GI GI GI	RADE 7 RADE 8 RADE 9 RADE 10 RADE 11 RADE 12	3. 5% 1. 1% 2. 4% 2. 6% 3. 8% 7. 5% 4. 4%	0. 8% * % 0. 7% * % 0. 9% 1. 1% 1. 7%	1. 2% 1. 1% 0. 9% 1. 0% 0. 7% 2. 2% 1. 2%	1. 6% * % 0. 7% 1. 1% 2. 1% 4. 2% 1. 5%	96. 5% 98. 9% 97. 6% 97. 4% 96. 2% 92. 5% 95. 6%
GI GI GI	RADE 7 RADE 8 RADE 9 RADE 10 RADE 11 RADE 12	1. 8% 1. 0% 1. 7% 2. 4% 2. 5% 1. 2% 2. 0%	* % O. 5% O. 6% O. 5% * % * %	0. 5%	1. 0% * % 0. 6% 0. 8% 1. 8% 1. 0% 1. 2%	98. 2% 99. 0% 98. 3% 97. 6% 97. 5% 98. 8% 98. 0%
G G G	ENS RADE 7 RADE 8 RADE 9 RADE 10 RADE 11	5. 1% 1. 3% 3. 0% 5. 7% 5. 1% 9. 2%	1. 5% 0. 6% 0. 9% 1. 8% 2. 3% 1. 4%	2. 0% * % 1. 4% 1. 7% 1. 4% 6. 3%	1. 5% * % 0. 7% 2. 2% 1. 4% 1. 6%	94. 9% 98. 7% 97. 0% 94. 3% 94. 9% 90. 8%

96State712. OUT

10.5%

17.1%

19. 8% 22. 8%

19. 9%

14.1%

6.7%

8.6%

15.5%

16. 4% 19. 7%

18.0%

4.8%

7.9%

9. 4% 12. 4%

8. 2%

6.4%

3.0%

3.9%

6.4%

7.8%

6.6%

10.9%

3.7%

5.6%

4.6% 5.0%

6.3%

4.3%

2.4%

3.0%

5.3%

4. 4% 4. 3% 6. 2%

2. 0% 3. 6%

5. 8% 5. 4%

5. 4%

3.4%

1.3%

1.8%

3.7%

4. 2% 4. 5% 5. 2%

89.5% 82. 9% 80. 2% 77. 2%

80. 1%

85.9%

93.3%

91.4%

84.5%

83. 6% 80. 3% 82. 0%

GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12

GRADE 7 GRADE 8

GRADE 9

GRADE 10

GRADE 11

GRADE 12

MARI JUANA

	•	
_		

	GRADE 1	2	96State712 6. 0%	. OUT 2. 0%	1.4%	2. 7%	94.0%
UPPERS	GRADE 7 GRADE 8 GRADE 9 GRADE 1 GRADE 1 GRADE 1	7 3 9 10 11	4. 1% 1. 8% 2. 6% 2. 9% 6. 5% 4. 9% 5. 9%	1. 4% 0. 8% 0. 6% 1. 1% 2. 1% 1. 9% 2. 3%	1. 2% 1. 0% 1. 5% 0. 6% 1. 7% 1. 1% 1. 7%	1. 4% * % * % 1. 1% 2. 7% 2. 0% 1. 9%	95. 9% 98. 2% 97. 4% 97. 1% 93. 5% 95. 1% 94. 1%
DOWNERS	GRADE 7 GRADE 8 GRADE 9 GRADE 1 GRADE 1 GRADE 1	7 3 9 10 11	2. 6% 0. 9% 2. 5% 1. 5% 4. 0% 3. 2% 3. 6%	1.1% * % * % 1.0% 1.4% 1.8% 1.5%	0. 8% * % 1. 2% * % 1. 4% 0. 9% 0. 6%	0. 7% * % 0. 8% * % 1. 1% 0. 6% 1. 5%	97. 4% 99. 1% 97. 5% 98. 5% 96. 0% 96. 8% 96. 4%
STEROI DS	GRADE 7 GRADE 8 GRADE 9 GRADE 1 GRADE 1 GRADE 1	7 3 9 10 11	1. 3% 1. 0% 0. 8% 0. 9% 1. 5% 2. 3% 1. 8%	0. 6% * % * % 0. 6% 0. 8% 0. 6% 0. 7%	* % * % * % * % * % O. 8%	* % * % * % * % * % O. 9%	98. 7% 99. 0% 99. 2% 99. 1% 98. 5% 97. 7% 98. 2%
ECSTASY	GRADE 7 GRADE 8 GRADE 9 GRADE 1 GRADE 1 GRADE 1	7 3 9 10 11	3. 3% 0. 9% 2. 1% 2. 9% 5. 5% 3. 8% 4. 3%	1. 3% 0. 6% 0. 8% 1. 7% 2. 0% 1. 3% 1. 1%	1. 1% * % 0. 8% 0. 6% 1. 5% 1. 3% 2. 3%	0. 9% * % 0. 5% 0. 6% 2. 0% 1. 2% 0. 9%	96. 7% 99. 1% 97. 9% 97. 1% 94. 5% 96. 2% 95. 7%
ROACH		7 3 9 10 11	4. 2% 1. 3% 4. 3% 5. 9% 5. 5% 3. 2% 4. 3%	1. 6% 0. 7% 1. 6% 2. 4% 2. 2% 0. 8% 1. 3%	1. 6% 0. 6% 1. 1% 2. 2% 2. 0% 1. 1% 2. 3%	1. 0% * % 1. 5% 1. 2% 1. 2% 1. 2% 0. 6%	95. 8% 98. 7% 95. 7% 94. 1% 94. 5% 96. 8% 95. 7%

TABLE B16: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE --> NATI VE AMERI CAN STUDENTS

		EVER USED	PAST MONTH	SCHOOL YEAR	NOT PAST YEAR	NEVER USED
TOBACCO	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	66. 4% 47. 9% 70. 3% 64. 7% 71. 9% 78. 5% 76. 7%	32. 5% 22. 2% 23. 8% 29. 8% 42. 4% 45. 9% 46. 6%	15. 1% 16. 1% 15. 6% 17. 6% 14. 7% 12. 6% 11. 0%	18. 7% 9. 6% 30. 8% 17. 3% 14. 8% 20. 0% 19. 1%	33. 6% 52. 1% 29. 7% 35. 3% 28. 1% 21. 5% 23. 3%
Page 35						

AL 001101	75 00/	20 50	20 (0)	14.00/	25 0%
ALCOHOL GRADE 7	75. 0% 61. 6%	39. 5% 22. 7%	20. 6% 19. 5%	14. 8% 19. 4%	25. 0% 38. 4%
GRADE 7 GRADE 8	65.6%	30. 1%	22. 1%	13. 4%	34.4%
GRADE 9	77. 5%	44. 7%	21. 0%	11. 8%	22.5%
GRADE 10	80.6%	45.7%	18. 9%	15. 9%	19.4%
GRADE 11	92.6%	56. 1%	27.0%	9.5%	7.4%
GRADE 12	90. 0%	55. 9 %	16. 5%	17. 6%	10.0%
ADJ-I NHALANTS	25. 2%	6. 2%	7.3%	11. 7%	74.8%
GRADE 7	26.0%	8.0%	7.6%	10. 3%	74.0%
GRADE 8 GRADE 9	22. 5% 29. 3%	4. 7% 9. 0%	8. 4% 7. 1%	9. 4% 13. 3%	77. 5% 70. 7%
GRADE 10	21. 1%	3.6%	7. 1%	10. 5%	78. 9%
GRADE 11	26. 9%	3.5%	9. 9%	13. 5%	73. 1%
GRADE 12	25. 8%	7.0%	2. 7%	16. 2%	74. 2%
ANY ILLICIT DRUG	39. 4%	21. 4%	10. 2%	7. 9%	60.6%
GRADE 7	22. 7%	12.5%	6. 4%	3. 7%	77. 3%
GRADE 8 GRADE 9	30. 1%	18.3%	7. 3%	4. 5%	69.9%
GRADE 9 GRADE 10	40. 2% 52. 9%	25. 2% 23. 4%	8. 8% 17. 2%	6. 2% 12. 3%	59. 8% 47. 1%
GRADE 11	54.6%	28. 1%	15. 1%	11. 4%	45.4%
GRADE 12	53.4%	27.6%	10. 2%	15.5%	46.6%
MARI JUANA	35. 6%	18.5%	10.0%	7. 1%	64.4%
GRADE 7	20. 7%	10. 9%	5.5%	4. 2%	79.3%
GRADE 8	25. 8%	14.5%	7.8%	3. 5%	74. 2%
GRADE 9 GRADE 10	36. 2% 47. 3%	22. 0% 19. 9%	8. 6% 16. 6%	5. 6% 10. 8%	63. 8% 52. 7%
GRADE 10	51.0%	26. 2%	15. 1%	9. 7%	49.0%
GRADE 12	50. 6%	25. 2%	11.0%	14. 4%	49.4%
MARI JUANA ONLY	12. 0%	4. 2%	3.6%	4. 3%	88.0%
GRADE 7	6. 8%	2.6%	1. 4%	2. 9%	93. 2%
GRADE 8	11.0%	5.5%	2.4%	3. 1%	89.0%
GRADE 9	11. 1%	5. 1%	1. 6%	4. 4%	88. 9%
GRADE 10 GRADE 11	16. 1% 19. 5%	3. 1% 6. 7%	8. 5% 7. 2%	4. 5% 5. 6%	83. 9% 80. 5%
GRADE 12	12. 6%	2.5%	2.8%	7. 4%	87. 4%
COCALNE OR CRACK	11. 2%	2. 2%	4.3%	4. 7%	88.8%
GRADE 7	4. 4%	* %	1. 3%	2. 7%	95.6%
GRADE 8	5.5%	0.9%	2.6%	2.0%	94.5%
GRADE 9	15. 8%	4. 2%	6. 5%	5. 2%	84. 2%
GRADE 10 GRADE 11	15. 4% 14. 2%	2. 2% 1. 9%	5. 5% 3. 4%	7. 7% 8. 8%	84. 6% 85. 8%
GRADE 11 GRADE 12	14. 2%	1. 9% 4. 9%	3. 4% 8. 3%	4.3%	85. 8% 82. 4%
510 IDE 12	17.0%	1. 770	0.0%	1. 070	O2. 170

- - - CONTINUED

		EVER USED	PAST MONTH	SCH00L YEAR	NOT PAST YEAR	NEVER USED
COCALNE		10. 6%	2. 2%	4. 2%	4. 1%	89.4%
	GRADE 7	3. 1%	* %	1.3%	1.4%	96. 9%
	GRADE 8	5. 2%	0.9%	2.6%	1. 7%	94.8%

우

	GRADE 9 GRADE 10 GRADE 11 GRADE 12	96State 15.3% 15.4% 13.3% 16.7%	2712. OUT 4. 2% 2. 2% 2. 0% 4. 9%	6. 5% 5. 5% 3. 5% 7. 4%	4. 6% 7. 7% 7. 8% 4. 3%	84. 7% 84. 6% 86. 7% 83. 3%
CRACK	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	4. 7% 3. 6% 3. 1% 5. 0% 5. 9% 6. 4% 5. 9%	* % * % * % 1.1% * % * %	1. 4% * % 0. 6% 2. 1% 1. 2% 1. 9% 4. 1%	2. 8% 3. 6% 2. 0% 1. 7% 4. 2% 4. 4% 1. 8%	95. 3% 96. 4% 96. 9% 95. 0% 94. 1% 93. 6% 94. 1%
HALLUCIN	OGENS GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	12. 2% 4. 0% 5. 5% 14. 0% 16. 1% 22. 1% 23. 2%	3.6% * % 1.0% 7.4% 3.5% 3.8% 7.7%	4. 8% 2. 3% 3. 3% 2. 1% 6. 6% 11. 7% 8. 4%	3. 9% 1. 3% 1. 2% 4. 5% 6. 1% 6. 5% 7. 0%	87. 8% 96. 0% 94. 5% 86. 0% 83. 9% 77. 9% 76. 8%
UPPERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	14. 2% 4. 6% 7. 1% 14. 4% 22. 6% 20. 6% 27. 2%	4. 1% 2. 1% 2. 0% 5. 4% 5. 0% 4. 9% 7. 1%	5. 4% 0. 8% 4. 7% 4. 5% 5. 9% 11. 8% 11. 0%	4. 7% 1. 8% * % 4. 4% 11. 7% 3. 9% 9. 1%	85. 8% 95. 4% 92. 9% 85. 6% 77. 4% 79. 4% 72. 8%
DOWNERS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	9. 7% 3. 4% 6. 0% 11. 0% 13. 9% 14. 3% 16. 2%	3. 8% 1. 7% 3. 1% 5. 5% 4. 6% 3. 9% 5. 0%	2. 7% * % 2. 5% 2. 8% 2. 2% 5. 5% 6. 3%	3. 2% 1. 8% * % 2. 7% 7. 1% 4. 8% 5. 0%	90. 3% 96. 6% 94. 0% 89. 0% 86. 1% 85. 7% 83. 8%
STEROI DS	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	5. 5% 3. 0% 4. 0% 5. 6% 8. 3% 4. 6% 9. 3%	1.9% * % 1.8% 2.9% 1.1% 1.2% 5.5%	1.3% * % 0.9% 1.5% 2.7% 1.2% 0.9%	2. 4% 2. 6% 1. 4% 1. 2% 4. 5% 2. 1% 3. 0%	94. 5% 97. 0% 96. 0% 94. 4% 91. 7% 95. 4% 90. 7%
ECSTASY	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	9.4% 2.6% 7.4% 9.9% 11.7% 12.6% 18.5%	2.6% * % 1.6% 4.4% 3.7% 2.6% 4.0%	3. 5% 1. 3% 4. 0% 3. 4% 1. 7% 5. 6% 7. 7%	3. 3% 0. 9% 1. 8% 2. 2% 6. 4% 4. 4% 6. 8%	90. 6% 97. 4% 92. 6% 90. 1% 88. 3% 87. 4% 81. 5%
ROACH	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	13. 6% 11. 0% 9. 6% 20. 2% 14. 4% 12. 2% 14. 6%	5. 9% 5. 3% 3. 5% 9. 6% 6. 9% 3. 5% 5. 1%	2. 9% 4. 7% 2. 2% 3. 8% 2. 2% 2. 2% 1. 0%	4. 8% 1. 0% 3. 8% 6. 7% 5. 2% 6. 4% 8. 4%	86. 4% 89. 0% 90. 4% 79. 8% 85. 6% 87. 8% 85. 4%

우

STATE SAMPLE: GRADES 7-12 SPRING 1996

TABLE 1: ABOUT HOW MANY TIMES (IF ANY) HAVE YOU EVER SNIFFED, HUFFED, OR INHALED THE FOLLOWING INHALANTS FOR "KICKS" OR TO GET "HIGH"?

	FULLOWING INF	IALANIS FUR K	CICKS OR TO	GET HIGH ?		
1A.	LIQUID OR SPRAY PA	AI NT				
		NEVER	EVER	1-2 TIMES	3-19 TIMES	20+ TIMES
	ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	93.0% 92.6% 91.2% 91.8% 93.4% 95.4%	7. 0% 7. 4% 8. 8% 8. 2% 6. 6% 4. 6% 4. 4%	4. 7% 5. 1% 6. 0% 5. 5% 4. 3% 2. 9% 3. 1%	1. 8% 2. 0% 2. 4% 2. 2% 1. 7% 1. 2% 1. 0%	* % * % * % 0.6% 0.5% * %
1B.	CORRECTION FLUID,	LIQUID PAPER				
		NEVER	EVER	1-2 TIMES	3-19 TIMES	20+ TIMES
	ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	90. 6% 88. 9% 87. 4% 89. 9% 91. 2% 93. 8% 94. 9%	9. 4% 11. 1% 12. 6% 10. 1% 8. 8% 6. 2% 5. 1%	6. 9% 8. 3% 9. 4% 7. 5% 6. 2% 4. 6% 3. 6%	2. 1% 2. 5% 2. 8% 2. 2% 2. 2% 1. 3% 1. 2%	* % * % * % * % * %
1C.	GASOLI NE					
		NEVER	EVER	1-2 TIMES	3-19 TIMES	20+ TIMES
	ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	94.5% 93.9% 93.4% 94.0% 94.5% 95.8% 96.4%	5. 5% 6. 1% 6. 6% 6. 0% 5. 5% 4. 2% 3. 6%	3. 6% 4. 2% 4. 4% 3. 9% 3. 4% 2. 7% 2. 2%	1. 5% 1. 6% 1. 7% 1. 7% 1. 6% 1. 2% 1. 0%	* % * % * % O. 55% * %
1D.	FREON					
		NEVER	EVER	1-2 TIMES	3-19 TIMES	20+ TIMES
	ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	98.3% 98.7% 98.5% 98.0% 98.2% 98.4% 98.1%	1. 7% 1. 3% 1. 5% 2. 0% 1. 8% 1. 6% 1. 9%	1. 0% 0. 9% 1. 1% 1. 1% 1. 0% 1. 1% 1. 1%	* % * % 0. 6% 0. 6% * % 0. 5%	* % * % * % * % * % * %

1E.	POPPERS, LOCKER ROOM,	RUSH, MEDUSA	, WHI PPET	S, C02		
		NEVER	EVER	1-2 TIMES	3-19 TIMES	20+ TIMES
	ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	96. 9% 98. 2% 97. 8% 97. 2% 96. 8% 95. 7% 94. 9%	3. 1% 1. 8% 2. 2% 2. 8% 3. 2% 4. 3% 5. 1%	1. 8% 1. 3% 1. 5% 1. 7% 1. 8% 2. 2% 2. 4%	0. 9% * % 0. 5% 0. 8% 1. 1% 1. 5% 1. 8%	* % * % * % * % O. 5%
				MPLE: GRAD SPRING 1996		
1F.	SHOE SHINE, TEXAS SHI	NE				
		NEVER	EVER	1-2 TIMES	3-19 TIMES	
	ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	98. 8% 98. 2% 98. 6% 98. 6% 99. 1% 99. 3% 99. 4%	1. 2% 1. 8% 1. 4% 1. 4% 0. 9% 0. 7% 0. 6%	O. 8% 1. 3% 1. 0% O. 9% O. 6% * % * %	* % * % * % * % * %	* % * % * % * % * %
1G.	GLUE					
		NEVER	EVER	1-2 TIMES	3-19 TIMES	20+ TIMES
	ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	94. 7% 92. 7% 92. 9% 94. 7% 95. 5% 96. 6% 97. 3%	5. 3% 7. 3% 7. 1% 5. 3% 4. 5% 3. 4% 2. 7%	4. 0% 5. 7% 5. 6% 4. 0% 3. 3% 2. 6% 1. 8%	1. 0% 1. 3% 1. 2% 1. 1% 1. 0% 0. 6% 0. 6%	* % * % * % * % * %
1H.	PAINT OR LACQUER THIN	NER, TOLUENE,	OTHER SO	LVENTS		
		NEVER	EVER	1-2 TIMES	3-19 TIMES	20+ TIMES
	ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	94. 9% 94. 3% 93. 4% 93. 9% 95. 4% 96. 5% 97. 0%	5. 1% 5. 7% 6. 6% 6. 1% 4. 6% 3. 5% 3. 0%	3. 7% 4. 3% 5. 0% 4. 3% 3. 2% 2. 5% 2. 0%	1. 1% 1. 2% 1. 4% 1. 4% 1. 1% 0. 8% 0. 7%	* % * % * % * % * %
11.	OCTANE BOOSTER					
		NEVER	EVER	1-2 TIMES	3-19 TIMES	20+ TIMES
			Page	39		

ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	97.9% 97.9% 97.6% 97.2% 98.2% 98.6% 98.7%	96Sta 2. 1% 2. 1% 2. 4% 2. 8% 1. 8% 1. 3%	te712. OUT 1. 1% 1. 3% 1. 4% 1. 6% 0. 9% 0. 7% 0. 6%	0. 6% 0. 6% 0. 7% 0. 9% 0. 6% * %	* % * % * % * % * %
1J. OTHER SPRAYS (PAM, HA	IR SPRAY, ET	C.)			
	NEVER	EVER	1-2 TIMES	3-19 TIMES	20+ TIMES
	96. 5% 94. 5% 94. 9% 96. 4% 97. 6% 98. 4% 98. 6%	3. 5% 5. 5% 5. 1% 3. 6% 2. 4% 1. 6% 1. 4%	2. 5% 4. 0% 3. 8% 2. 5% 1. 6% 1. 0% 0. 8%	O. 8% 1. 2% 1. 1% O. 8% O. 5% * % * %	* % * % * % * % * %
		STATE	SAMPLE: GRAD SPRING 1996		
1K. OTHER INHALANTS					
	NEVER	EVER	1-2 TIMES	3-19 TIMES	20+ TIMES
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	92. 2% 90. 2% 89. 3% 91. 3% 93. 4% 95. 1% 96. 1%	7. 8% 9. 8% 10. 7% 8. 7% 6. 6% 4. 9% 3. 9%	4. 7% 6. 2% 6. 8% 4. 9% 3. 9% 2. 7% 2. 0%	2. 3% 2. 7% 2. 9% 2. 8% 1. 9% 1. 4% 1. 2%	0. 9% 0. 9% 1. 0% 1. 0% 0. 8% 0. 8% 0. 7%
TABLE 2: NUMBER OF DIFFER	ENT KINDS OF	INHALA			
	0		1	2-3	4+
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	85.0%		7. 6% 7 7. 9% 8 7. 7% 7 7. 2% 6 7. 0% 5	. 9% . 6% . 4% . 1% . 1%	4. 9% 5. 8% 6. 5% 5. 5% 4. 3% 3. 0% 2. 9%
TABLE 3: EXPERIMENTAL USE	OF ANY IIII	CLT DRUG	G(S):		
			1-2 TIMES	3+ TIMES	
GR	L ADE 7 ADE 8 ADE 9	67. 1% 82. 0% 72. 7% 63. 6%	7.9% 5.9% 7.3% 8.4% age 40	25. 0% 12. 1% 20. 0% 28. 0%	

96State712.OUT GRADE 10 62.0% 8.4% 29.6% GRADE 11 59.2% 9.3% 31.5% GRADE 12 58.3% 8.4% 33.4%

TABLE 4: AVERAGE NUMBER OF TIMES ILLICIT SUBSTANCES WERE USED:

	PAST MONTH	LIFE TIME
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	2. 2 1. 0 1. 9 2. 7 2. 6 2. 6 2. 9	6. 4 2. 4 4. 5 7. 1 7. 8 8. 4

TABLE 5: IN THE PAST 30 DAYS, HAVE YOU SMOKED CIGARETTES?

		NO	YES
ALL GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	75. 4% 83. 9% 78. 7% 74. 0% 72. 4% 71. 2% 69. 0%	24.6% 16.1% 21.3% 26.0% 27.6% 28.8% 31.0%

STATE SAMPLE: GRADES 7-12 SPRING 1996

TABLE 6: ABOUT HOW MANY OF YOUR CLOSE FRIENDS USE...

6A. ALCOHOL (BEER, WINE COOLERS, WINE, HARD LIQUOR)?

	,	- 1	/ -			
	NEVER HEARD OF	NONE	A FEW	SOME	MOST	ALL
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	1. 0% 1. 5% 1. 0% 1. 1% 0. 6% 1. 0% 0. 7%	19. 0% 38. 1% 24. 9% 15. 3% 12. 1% 9. 8% 8. 4%	24. 0% 28. 6% 28. 6% 24. 0% 21. 6% 19. 5% 18. 4%	19. 2% 14. 7% 18. 4% 20. 8% 21. 3% 20. 5% 20. 0%	24. 1% 11. 1% 17. 7% 25. 1% 29. 3% 32. 2% 34. 2%	12. 8% 6. 1% 9. 3% 13. 6% 15. 1% 16. 8% 18. 3%
INHALANTS (S	SPRAY, GLUE, G	ASOLINE, ET	C.)?			
	NEVER	NONE	A FFW	COME	мост	A.I. I.

HEARD OF NONE A FEW SOME MOST ALL 2. 9% 3. 6% 3. 1% 74. 2% 71. 9% 68. 5% 71. 3% 5. 2% 5. 8% 6. 6% 6. 1% ALL GRADE 7 GRADE 8 GRADE 9 14. 8% 14. 5% 17. 8% 2. 0% 2. 9% 2. 9% 2. 2% 0. 8% 1. 2% 1. 1% 3. 3% 16. 2% 1.0% Page 41

우

6B.

GRADE 10 GRADE 11 GRADE 12	2. 5% 2. 7% 2. 1%	96S ⁻ 75. 8% 79. 9% 82. 6%	tate712. OUT 15. 0% 12. 4% 11. 1%	4.8% 3.6% 3.1%	1. 4% 0. 9% 0. 8%	0.5% * % * %
6C. MARIJUANA?						
	NEVER HEARD OF	NONE	A FEW	SOME	MOST	ALL
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	1. 8% 2. 7% 1. 8% 1. 9% 1. 2% 1. 5% 1. 2%	41. 2% 61. 6% 47. 2% 36. 0% 34. 7% 32. 7% 31. 6%	20. 5% 21. 0% 22. 7% 23. 6%	14. 2% 7. 8% 11. 5% 15. 0% 16. 6% 18. 0% 18. 6%	14. 0% 6. 9% 12. 3% 15. 9% 16. 9% 16. 5% 16. 0%	7. 4% 4. 5% 6. 7% 10. 2% 8. 0% 7. 6% 7. 0%
TABLE 7: HOW MANY	OF YOUR FRIEN	IDS:				
7A. FEEL CLOSE TO	THEIR PARENTS?	•				
	NONE	A FEW	SOME	MOST	ALL	
ALL GRADE GRADE GRADE GRADE GRADE GRADE	8 6. 3% 9 6. 0% 10 4. 7% 11 4. 0%	27. 4% 29. 1% 32. 0% 29. 4% 28. 6%	22. 7% 25. 0% 27. 2% 28. 4% 29. 8%	28. 9% 30. 0% 27. 9% 31. 1%	8. 1% 13. 6% 9. 5% 6. 9% 6. 3% 5. 6% 5. 7%	
7B. SOMETIMES CARR	Y WEAPONS?					
	NONE	A FEW	SOME	MOST	ALL	
ALL GRADE GRADE GRADE GRADE GRADE GRADE	8 58.0% 9 51.3% 10 52.5% 11 53.0%	18. 8% 23. 7% 26. 5% 26. 9% 27. 2%	8. 3% 11. 5% 13. 9% 13. 5% 13. 2%		1. 8% 1. 8% 1. 7% 2. 3% 1. 8% 1. 5%	
		STAT	E SAMPLE: GF SPRING 19			
7C. CARE ABOUT MAK	ING GOOD GRADE	S?				
	NONE	A FEW	SOME	MOST	ALL	
ALL GRADE GRADE GRADE GRADE	8 4.3% 9 4.0%	19. 3% 17. 7% 18. 9% 15. 4%	21. 4% 22. 9% 24. 7%	39. 9% 32. 3% 36. 6% 36. 9% 42. 7%	17. 3% 22. 5% 18. 5% 15. 6% 15. 8%	

+

GRADE 11 GRADE 12	2. 2% 2. 0%	96State71 13. 3% 11. 1%	2. OUT 23. 4% 21. 9%	45. 4% 50. 1%	15. 6% 14. 9%	
7D. BELONG/WANT TO BELON	NG TO A GANG?					
	NONE	A FEW	SOME	MOST	ALL	
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	59. 3% 58. 4% 53. 0% 53. 3% 61. 8% 64. 2% 71. 0%	20. 2% 19. 7% 22. 1% 21. 8% 19. 6% 19. 4% 17. 1%	11. 2% 11. 5% 12. 8% 13. 0% 10. 6% 9. 8% 7. 8%	6. 7% 7. 2% 8. 8% 8. 7% 6. 0% 4. 9% 2. 8%	2. 6% 3. 3% 3. 3% 3. 3% 2. 1% 1. 6% 1. 3%	
7E. WISH THEY COULD DROP	OUT OF SCHOO	L?				
	NONE	A FEW	SOME	MOST	ALL	
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	52. 4% 58. 9% 53. 0% 47. 2% 49. 6% 50. 5% 56. 7%	28. 4% 22. 9% 26. 3% 30. 1% 31. 2% 31. 6% 29. 9%	11. 2% 9. 4% 11. 6% 13. 1% 11. 7% 11. 4% 9. 0%	5. 1% 5. 0% 5. 6% 6. 3% 5. 2% 4. 6% 2. 7%	2. 9% 3. 8% 3. 5% 3. 4% 2. 4% 1. 9% 1. 7%	
TABLE 8: AVERAGE AGE OF	FIRST USE OF	SELECTED SUI	BSTANCES:			
	GRADE 7	GRADE 8	GRADE 9	GRADE 10	GRADE 11	GRADE 12
TOBACCO ALCOHOL BEER WI NECOOL WI NE LI QUOR I NHALANT MARI JUAN COCAI NE CRACK HALLUCI N UPPERS DOWNERS STEROI DS ECSTASY ROACH	10. 9 10. 6 10. 6 11. 0 11. 2 11. 2 11. 6 11. 8 11. 8 11. 8 11. 5 11. 6 11. 3 12. 1	11. 4 11. 1 11. 2 11. 5 11. 6 11. 9 11. 8 12. 3 12. 7 12. 5 12. 6 12. 5 12. 4 12. 2 12. 8 12. 3	12. 1 11. 9 12. 0 12. 4 12. 8 12. 6 13. 1 13. 8 13. 7 13. 7 13. 4 13. 0 13. 9 13. 2	12.6 12.5 12.7 13.1 13.0 13.5 13.0 14.5 14.5 14.0 14.3 14.1 14.0 14.6 14.0	13. 1 13. 2 13. 3 13. 8 13. 6 14. 1 13. 4 14. 5 15. 3 14. 9 14. 7 14. 7 14. 5 13. 8 15. 3 14. 8	13. 6 13. 7 13. 9 14. 4 14. 2 14. 8 13. 9 15. 2 15. 8 15. 6 15. 5 15. 1 16. 2 15. 5

TABLE 9: IF YOU WANTED SOME, HOW DIFFICULT WOULD IT BE TO GET...

96State712.OUT 9A. ALCOHOL (BEER, WINE COOLERS, WINE, HARD LIQUOR)?

ALCOHOL (BEER	, WINE COOL	ERS, WINE, HA	ARD LIQUOR)?			
	NEVER HEARD OF	I MPOSSI BLE	VERY DI FFI CULT	SOMEWHAT DI FFI CULT	SOMEWHAT EASY	VERY EASY
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	3. 8% 7. 0% 4. 7% 4. 1% 2. 4% 2. 2% 1. 6%	9. 2% 21. 1% 11. 8% 7. 2% 5. 6% 4. 2% 2. 8%	3. 9% 7. 4% 5. 3% 3. 3% 2. 4% 2. 3% 1. 6%	7. 7% 10. 6% 9. 8% 7. 3% 6. 5% 5. 7% 5. 0%	20. 7% 18. 5% 20. 8% 20. 4% 20. 6% 21. 3% 23. 6%	54. 7% 35. 5% 47. 7% 57. 7% 62. 4% 64. 4% 65. 5%
MARI JUANA?						
	NEVER HEARD OF	I MPOSSI BLE	VERY DI FFI CULT	SOMEWHAT DI FFI CULT	SOMEWHAT EASY	VERY EASY
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	7. 0% 11. 2% 8. 3% 7. 4% 5. 2% 4. 6% 3. 8%	22. 4% 44. 7% 30. 1% 18. 0% 14. 4% 12. 1% 9. 6%	8. 0% 10. 6% 10. 1% 7. 4% 6. 8% 6. 3% 5. 6%	9. 9% 8. 0% 10. 9% 9. 9% 10. 4% 9. 8% 10. 4%	16. 8% 9. 5% 14. 1% 16. 8% 19. 3% 21. 0% 22. 8%	35.9% 16.0% 26.6% 40.4% 43.9% 46.2% 47.7%
COCAI NE?						
	NEVER HEARD OF	I MPOSSI BLE	VERY DI FFI CULT	SOMEWHAT DI FFI CULT	SOMEWHAT EASY	VERY EASY
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	10.0% 14.3% 11.8% 11.5% 7.8% 7.1% 5.7%	30. 8% 52. 9% 40. 0% 27. 6% 22. 8% 19. 3% 15. 9%	14. 9% 12. 8% 15. 2% 14. 1% 15. 7% 15. 9% 16. 0%	15. 9% 7. 7% 12. 9% 15. 9% 19. 4% 20. 1% 22. 2%	12. 8% 5. 2% 8. 9% 13. 6% 15. 7% 17. 6% 18. 7%	15. 5% 7. 1% 11. 2% 17. 3% 18. 7% 20. 0% 21. 5%
CRACK?						
	NEVER HEARD OF	I MPOSSI BLE	VERY DI FFI CULT	SOMEWHAT DI FFI CULT	SOMEWHAT EASY	VERY EASY
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	10. 7% 14. 7% 12. 5% 12. 2% 8. 5% 8. 1% 6. 3%	31. 8% 53. 3% 40. 7% 28. 7% 24. 1% 20. 2% 17. 6%	16. 2% 13. 0% 15. 7% 15. 2% 17. 7% 17. 8% 18. 9%	16. 3% 7. 4% 12. 6% 15. 9% 19. 9% 21. 9% 23. 6%	11. 3% 4. 8% 8. 1% 12. 4% 13. 6% 15. 0% 16. 2%	13. 6% 6. 8% 10. 4% 15. 6% 16. 2% 17. 1% 17. 4%
HALLUCI NOGENS	?					
	NEVER HEARD OF	I MPOSSI BLE	VERY DI FFI CULT	SOMEWHAT DI FFI CULT	SOMEWHAT EASY	VERY EASY
	ALL GRADE 7 GRADE 8 GRADE 10 GRADE 11 GRADE 12 MARI JUANA? ALL GRADE 7 GRADE 8 GRADE 9 GRADE 11 GRADE 12 COCAI NE? ALL GRADE 7 GRADE 12 COCAI NE? ALL GRADE 10 GRADE 11 GRADE 12 CRACK?	NEVER HEARD OF ALL 3. 8% GRADE 7 7. 0% GRADE 8 4. 7% GRADE 9 4. 1% GRADE 10 2. 4% GRADE 11 2. 2% GRADE 12 1. 6% MARI JUANA? NEVER HEARD OF ALL 7. 0% GRADE 7 11. 2% GRADE 8 8. 3% GRADE 9 7. 4% GRADE 10 5. 2% GRADE 11 4. 6% GRADE 12 3. 8% COCAI NE? NEVER HEARD OF ALL 10. 0% GRADE 12 3. 8% COCAI NE? NEVER HEARD OF ALL 10. 0% GRADE 10 7. 14. 3% GRADE 8 11. 8% GRADE 9 11. 5% GRADE 10 7. 8% GRADE 10 7. 1% GRADE 10 7. 8% GRADE 10 7. 1% GRADE 11 7. 1% GRADE 12 5. 7% CRACK? NEVER HEARD OF ALL 10. 7% GRADE 10 7. 18% GRADE 10 8. 5% GRADE 11 8. 1% GRADE 11 6. 3%	NEVER	ALL GRADE 7 7.0% 21.1% 7.4% GRADE 8 4.7% 11.8% 5.3% GRADE 9 4.1% 7.2% 3.3% GRADE 10 2.4% 5.6% 2.4% GRADE 11 2.2% 4.2% 2.3% GRADE 12 1.6% 2.8% 1.6% MARI JUANA? NEVER HEARD OF IMPOSSIBLE DI FFI CULT ALL 7.0% 22.4% 8.0% GRADE 8 8.3% 30.1% 10.1% GRADE 8 8.3% 30.1% 10.1% GRADE 9 7.4% 18.0% 7.4% GRADE 9 7.4% 18.0% 7.4% GRADE 10 5.2% 14.4% 6.8% GRADE 11 4.6% 12.1% 6.3% GRADE 12 3.8% 9.6% 5.6% COCAI NE? NEVER HEARD OF IMPOSSIBLE DI FFI CULT ALL 7.0% 22.4% 10.6% GRADE 9 7.4% 18.0% 7.4% GRADE 9 7.5% 14.4% 6.8% GRADE 10 5.2% 14.4% 6.8% GRADE 11 4.6% 12.1% 6.3% GRADE 12 3.8% 9.6% 5.6% COCAI NE? NEVER HEARD OF IMPOSSIBLE DI FFI CULT ALL 10.0% 30.8% 14.9% GRADE 12 3.8% 9.6% 5.6% COCAI NE? OCCAI NE? NEVER HEARD OF IMPOSSIBLE DI FFI CULT ALL 10.7% 30.8% 14.9% GRADE 10 7.8% 22.8% 15.7% GRADE 10 7.8% 22.8% 15.7% GRADE 11 7.1% 19.3% 15.9% GRADE 12 5.7% 15.9% 16.0% CRACK? NEVER HEARD OF IMPOSSIBLE DI FFI CULT ALL 10.7% 31.8% 16.2% GRADE 12 5.7% 15.9% 15.9% GRADE 13 1.1% 15.9% 15.0% GRADE 14 1.1% 15.9% 15.0% GRADE 15.7% 15.9% 15.2% GRADE 10 8.5% 24.1% 17.7% GRADE 10 8.5% 24.1% 17.7% GRADE 11 8.1% 20.2% GRADE 12 6.3% 17.6% HALLUCI NOGENS?	NEVER	NEVER

			96St	ate/12.001			
ALL	1	18.6%	29. 1%	14.5%	13.3%	10. 7%	13.8%
GRADE 7	7 2	29. 6%	43. 9%	10. 9%	5.8%	4.0%	5.7%
GRADE 8	8 2	23. 6%	36. 2%	13.8%	9.8%	7.0%	9.5%
GRADE 9	9 1	19.8%	27. 0%	13. 5%	12. 7%	11. 7%	15.3%
GRADE 1	10 1	12. 9%	24. 2%	15. 8%	16. 4%	13. 2%	17.6%
GRADE 1	11 1	12. 3%	19. 5%	16. 9%	17. 5%	15. 1%	18. 7%
GRADE 1	12	9.3%	18. 3%	17. 5%	20. 4%	15. 7%	18.8%

TABLE 10: SINCE SCHOOL BEGAN IN THE FALL, ON HOW MANY DAYS HAVE YOU GOTTEN INTO TROUBLE WITH YOUR TEACHERS BECAUSE OF YOUR DRINKING?

	NONE	1 DAY	2-3 DAYS	4+ DAYS
ALL	98. 4%	0. 8%	* % * %	* % * %
GRADE 7 GRADE 8	98. 3% 98. 2%	0. 8% 0. 8%	* %	* %
GRADE 9 GRADE 10	98. 1% 98. 5%	0. 9% 0. 8%	* % * %	0.6% * %
GRADE 11 GRADE 12	98. 5% 98. 9%	0. 8% 0. 7%	* % * %	* % * %

TABLE 11: SINCE SCHOOL BEGAN IN THE FALL, ON HOW MANY DAYS HAVE YOU GOTTEN INTO TROUBLE WITH YOUR TEACHERS BECAUSE OF YOUR DRUG USE?

	NONE	1 DAY	2-3 DAYS	4+ DAYS
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	97. 8% 98. 0% 97. 3% 97. 1% 97. 9% 98. 3% 98. 8%	1. 1% 1. 1% 1. 4% 1. 2% 0. 8% 0. 7%	O. 5% * % O. 7% O. 8% O. 5% * %	* % * % O. 6% O. 7% * % * %

TABLE 12: 30-DAY PREVALENCE OF USE OF SELECTED SUBSTANCES:

12A. BY ABSENCES DUE TO ILLNESS OR OTHER REASONS

		NONE	1 DAY	2-3 DAYS	4+ DAYS
	ALCOHOL I NHALANTS MARI JUANA	24. 7% 3. 7% 8. 8%	31. 9% 3. 9% 11. 7%	34.4% 4.0% 13.8%	44. 2% 5. 9% 19. 5%
12B.	BY CONDUCT PROBLEMS				
		NONE	1 DAY	2-3 DAYS	4+ DAYS
	ALCOHOL I NHALANTS MARI JUANA	25. 0% 2. 6% 6. 5%	41. 8% 4. 8% 14. 4% Page 45	50. 3% 6. 1% 21. 2%	62. 1% 10. 6% 38. 1%

TABLE 13: SINCE SCHOOL BEGAN IN THE FALL, ON HOW MANY DAYS (IF ANY) HAVE YOU ATTENDED AT LEAST ONE CLASS WHILE "HIGH", "DRUNK", OR "STONED" ON...

13A. ALCOHOL (BEER, WINE COOLERS, WINE, OR HARD LIC	13A.	ALCOHOL (B	FFR. WINF	COOLERS.	WINE.	OR HARD	110U0R)?
---	------	------------	-----------	----------	-------	---------	----------

	NONE	1 DAY	2-3 DAYS	4+ DAYS
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	90. 6% 92. 8% 91. 1% 89. 6% 90. 2% 90. 5% 89. 5%	4. 5% 3. 9% 4. 4% 5. 0% 4. 5% 4. 3% 4. 7%	2. 9% 2. 0% 2. 8% 3. 1% 3. 2% 3. 1%	1. 9% 1. 2% 1. 7% 2. 3% 2. 1% 2. 1% 2. 3%

13B.	MARI	JUANA?	

	NONE	1 DAY	2-3 DAYS	4+ DAYS
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	87. 5% 92. 6% 88. 6% 84. 1% 85. 8% 86. 4% 87. 4%	3. 7% 2. 9% 4. 0% 4. 4% 4. 0% 3. 6% 3. 1%	3. 5% 2. 1% 3. 4% 4. 4% 4. 0% 3. 7% 3. 1%	5. 3% 2. 4% 4. 0% 7. 1% 6. 2% 6. 2% 6. 4%

13C. INHALANTS (SPRAY, GLUE, GASOLINE, ETC.)?

	NONE	1 DAY	2-3 DAYS	4+ DAYS
ALL	96. 4%	1. 7%	1. 1%	0. 9%
GRADE 7	95. 1%	2.4%	1.4%	1. 1%
GRADE 8	94.8%	2.5%	1. 6%	1. 1%
GRADE 9	95. 9%	1. 8%	1. 2%	1. 1%
GRADE 10	97. 1%	1.4%	0.8%	0.7%
GRADE 11	98. 2%	0.6%	0.6%	* %
GRADE 12	98. 7%	* %	* %	0.5%

13D. SOME OTHER DRUG(S)?

		NONE	1 DAY	2-3 DAYS	4+ DAYS
ALL GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	94. 0% 95. 5% 93. 9% 92. 7% 93. 3% 94. 4% 94. 6%	2. 2% 2. 0% 2. 6% 2. 5% 2. 4% 2. 0% 1. 7%	1. 9% 1. 2% 2. 0% 2. 4% 2. 2% 1. 9% 1. 8%	1.8% 1.2% 1.6% 2.5% 2.2% 1.6%

TABLE 14: AGE OF FIRST USE OF MARIJUANA BY FAMILY SITUATION:

14A. TWO-PARENT FAMILY

	NEVER	9 OR UNDER	10-11	12-13	14-15	16-17	18 OR OVER
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	74. 5% 88. 3% 80. 8% 72. 9% 69. 8% 65. 7% 64. 1%	0. 9% 1. 2% 1. 1% 1. 1% 0. 8% 0. 6%	0. 8% 1. 2% 1. 3% 0. 8% 0. 6% 0. 6%	1. 4% 2. 2% 2. 0% 1. 5% 1. 0% 0. 6% 0. 5%	3. 0% 4. 2% 4. 3% 3. 5% 2. 1% 2. 2% 0. 9%	4. 6% 2. 3% 6. 8% 7. 0% 4. 5% 3. 4% 2. 1%	5. 2% * % 3. 3% 9. 3% 7. 9% 5. 5% 4. 0%
14B. OTHER FAMILY	Y SITUATIO	ON					
	NEVER	9 OR UNDER	10-11	12-13	14-15	16-17	18 OR OVER
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	60. 2% 77. 2% 65. 7% 54. 3% 54. 8% 53. 4% 53. 3%	2. 2% 2. 4% 2. 7% 2. 5% 1. 9% 1. 7% 1. 4%	1. 7% 3. 2% 2. 4% 2. 0% 1. 0% 0. 8% * %	2. 7% 4. 6% 4. 0% 2. 8% 1. 7% 1. 4% 1. 1%	5. 3% 6. 8% 7. 6% 6. 7% 4. 0% 2. 4% 2. 4%	8. 0% 4. 5% 11. 6% 12. 0% 7. 7% 5. 7% 3. 6%	7.8% 1.2% 4.9% 13.2% 12.0% 7.8% 6.0%

TABLE 15: DURING THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU...

15A. GOTTEN INTO DIFFICULTIES OF ANY KIND WITH YOUR FRIENDS BECAUSE OF YOUR DRINKING?

	NONE	1 TIME	2-3 TIMES	4+ TIMES
ALL	91. 1%	4.8%	3. 1%	1. 0%
GRADE 7	95. 6%	2. 7%	1.3%	0.5%
GRADE 8	93. 5%	3.8%	2.0%	0. 7%
GRADE 9	91. 4%	4.9%	2.8%	0.9%
GRADE 10	89. 5%	5.4%	3.9%	1. 2%
GRADE 11	87.6%	6.4%	4.5%	1.5%
GRADE 12	87. 2%	6. 5%	4.8%	1.5%

15B. GOTTEN INTO DIFFICULTIES OF ANY KIND WITH YOUR FRIENDS BECAUSE OF YOUR DRUG USE?

	NONE	1 TIME	2-3 TIMES	4+ TIMES
ALL	93. 6%	3.4%	2.1%	0. 9%
GRADE 7	95. 6%	2.6%	1. 3%	0.6%
GRADE 8	93.9%	3.5%	1. 7%	0. 9%
GRADE 9	92.3%	4. 2%	2.3%	1. 2%
GRADE 10	92.4%	3.9%	2.7%	1. 1%
GRADE 11	93.3%	3.0%	2.5%	1. 1%
GRADE 12	94. 1%	2.6%	2.6%	0.8%

Page 47

15C. BEEN CRITICIZED BY SOMEONE YOU WERE DATING BECAUSE OF DRINKING?

	NONE	1 TIME	2-3 TIMES	4+ TIMES
ALL	92.0%	4. 2%	2.4%	1.4%
GRADE 7	96. 7%	2. 1%	0.8%	* %
GRADE 8	94.8%	2. 9%	1.5%	0.8%
GRADE 9	92.6%	4. 2%	2. 1%	1. 1%
GRADE 10	90. 7%	4.8%	3.0%	1.6%
GRADE 11	88. 2%	5. 9%	3.5%	2.4%
GRADE 12	86. 7%	6. 7%	4.0%	2.6%

15D. BEEN CRITICIZED BY SOMEONE YOU WERE DATING BECAUSE OF DRUG USE?

	NONE	1 TIME	2-3 TIME	S 4+ TIMES
ALL	93. 5%	3.3%	1. 9%	1. 3%
GRADE	7 96.8%	2.0%	0. 7%	0.5%
GRADE	8 94.9%	2. 7%	1.5%	0. 9%
GRADE	9 93.0%	3. 7%	2.0%	1.3%
GRADE	10 92.4%	3. 7%	2.4%	1.5%
GRADE	11 91. 2%	4. 1%	2. 9%	1. 7%
GRADE	12 91.7%	4. 1%	2.5%	1.8%

TABLE 16: DURING THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU...

16A. DRIVEN A CAR WHEN YOU'VE HAD A GOOD BIT TO DRINK?

	NONE	1 TIME	2-3 TIMES	4+ TIMES
ALL	88. 7%	4. 6%	4.0%	2.8%
GRADE 7	96.6%	1. 9%	0.9%	0.6%
GRADE 8	94.4%	2.8%	1. 7%	1. 1%
GRADE 9	92. 2%	3.5%	2.9%	1.5%
GRADE 10	88. 1%	4. 9%	4.5%	2.5%
GRADE 11	80. 4%	7. 7%	6.8%	5. 1%
GRADE 12	74.0%	8. 7%	9.3%	7. 9%

STATE SAMPLE: GRADES 7-12 SPRING 1996

16B. DRIVEN A CAR WHEN YOU FELT HIGH FROM DRUGS?

	NONE	1 TIME	2-3 TIMES	4+ TIMES
ALL	91. 2%	2. 9%	2.7%	3. 1%
GRADE 7	97. 3%	1. 3%	0.8%	0.6%
GRADE 8	95. 2%	2. 1%	1. 5%	1. 2%
GRADE 9	92. 9%	2. 9%	2. 2%	2.1%
GRADE 10	90.0%	3. 7%	3. 1%	3.1%
GRADE 11	85.6%	3. 9%	4.3%	6.3%
GRADE 12	82. 7%	4.3%	5.3%	7.7%

16C. GOTTEN INTO TROUBLE WITH THE POLICE BECAUSE OF DRINKING?
Page 48

	NONE	1 TIME	2-3 TIMES	4+ TIMES
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	95. 2% 97. 3% 96. 1% 95. 6% 94. 6% 93. 7% 92. 5%	2. 9% 1. 4% 2. 2% 2. 5% 3. 4% 4. 1%	1. 3% 0. 7% 0. 9% 1. 2% 1. 4% 2. 1%	0. 6% 0. 6% 0. 8% 0. 7% 0. 6%

16D. GOTTEN INTO TROUBLE WITH THE POLICE BECAUSE OF DRUG USE?

		NONE	1 TIME	2-3 TIMES	4+ TIMES
ALL GRADE GRADE GRADE GRADE GRADE	8 9 10 11	96. 9% 97. 5% 96. 5% 96. 2% 97. 1% 97. 1%	1. 7% 1. 4% 2. 0% 1. 9% 1. 6% 1. 7%	O. 8% O. 6% O. 8% 1. 1% O. 8% O. 8%	O. 6% O. 5% O. 7% O. 8% O. 5% * %
GRADE	12	97. 3%	1. 7%	0. 7%	* %

TABLE 17: HOW DANGEROUS DO YOU THINK IT IS FOR KIDS YOUR AGE TO USE

17A. TOBACCO (CIGARETTES, SNUFF, CHEWING TOBACCO)?

	VERY DANGEROUS	SOMEWHAT DANGEROUS	NOT VERY DANGEROUS	NOT AT ALL DANGEROUS	DO NOT KNOW
ALL	38.6%	33. 6%	17. 0%	4. 2%	6. 5%
GRADE 7	53.1%	26.8%	10.0%	2.3%	7. 8%
GRADE 8	43.4%	31.5%	14. 1%	3.3%	7. 7%
GRADE 9	36.9%	33. 9%	16. 9%	4. 7%	7.6%
GRADE 10	34.0%	35.3%	20.0%	5. 2%	5.4%
GRADE 11	32.1%	37.0%	20.8%	5.0%	5. 1%
GRADE 12	29.6%	38.5%	22. 1%	5. 1%	4. 7%

17B. ALCOHOL (BEER, WINE COOLERS, WINE, LIQUOR)?

	VERY	SOMEWHAT	NOT VERY	NOT AT ALL	DO NOT
	DANGEROUS	DANGEROUS	DANGEROUS	DANGEROUS	KNOW
ALL	43. 9%	35. 6%	14. 0%	3. 0%	3. 5%
GRADE 7	52. 0%	27. 8%	12. 1%	3. 0%	5. 2%
GRADE 8	43. 7%	32. 6%	15. 9%	3. 5%	4. 3%
GRADE 9	41. 0%	35. 7%	15. 7%	3. 5%	4. 0%
GRADE 10	42. 5%	37. 3%	14. 3%	3. 4%	2. 5%
GRADE 11	42. 8%	39. 8%	12. 7%	2. 3%	2. 4%
GRADE 12	41. 4%	42.5%	12. 1%	2.0%	2.0%

STATE SAMPLE: GRADES 7-12 SPRING 1996

		VERY DANGEROUS	SOMEWHAT DANGEROUS	NOT VERY DANGEROUS	NOT AT ALL DANGEROUS	DO NOT KNOW
	ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	75. 8% 74. 6% 73. 5% 72. 7% 76. 7% 79. 0% 80. 6%	15. 2% 14. 0% 15. 7% 17. 0% 15. 7% 14. 5% 13. 6%	3. 2% 3. 7% 4. 2% 3. 8% 2. 9% 2. 1% 1. 7%	1. 0% 1. 5% 1. 2% 1. 0% 0. 7% 0. 8% * %	4.8% 6.2% 5.4% 5.4% 3.9% 3.6% 3.7%
17D.	MARI JUANA?					
		VERY DANGEROUS	SOMEWHAT DANGEROUS	NOT VERY DANGEROUS	NOT AT ALL DANGEROUS	DO NOT KNOW
	ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	59. 8% 75. 1% 66. 4% 55. 8% 53. 9% 52. 9%	19. 1% 11. 6% 15. 5% 19. 7% 22. 3% 23. 2% 23. 9%	10. 9% 4. 9% 8. 1% 12. 2% 13. 4% 13. 7% 13. 9%	6. 6% 3. 4% 5. 7% 8. 2% 7. 6% 7. 7% 7. 0%	3. 6% 4. 9% 4. 3% 4. 1% 2. 8% 2. 5% 2. 2%
17E.	COCAI NE?					
		VERY DANGEROUS	SOMEWHAT DANGEROUS	NOT VERY DANGEROUS	NOT AT ALL DANGEROUS	DO NOT KNOW
	ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	86. 7% 85. 9% 85. 4% 84. 7% 87. 1% 89. 0% 89. 6%	7. 4% 6. 7% 7. 8% 8. 3% 7. 7% 6. 9% 6. 7%	1. 3% 1. 3% 1. 3% 1. 8% 1. 4% 1. 0%	0. 7% 0. 9% 0. 8% 0. 8% 0. 6% * %	3. 8% 5. 2% 4. 7% 4. 4% 3. 1% 2. 7% 2. 3%
17F.	CRACK?					
		VERY DANGEROUS	SOMEWHAT DANGEROUS	NOT VERY DANGEROUS	NOT AT ALL DANGEROUS	DO NOT KNOW
	ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	88. 4% 86. 4% 86. 5% 89. 2% 91. 2% 92. 6%	6. 0% 6. 2% 6. 8% 7. 1% 6. 0% 4. 9% 4. 0%	0. 9% 1. 2% 1. 1% 1. 2% 0. 9% * %	0. 6% 0. 8% 0. 8% 0. 6% 0. 5% * %	4. 1% 5. 5% 4. 9% 4. 6% 3. 5% 3. 0% 2. 7%
17G.	ECSTASY?					
		VERY DANGEROUS	SOMEWHAT DANGEROUS	NOT VERY DANGEROUS	NOT AT ALL DANGEROUS	DO NOT KNOW
	ALL	69.0%	10. 3% Page	3. 9% e 50	1. 7%	15. 2%

		96State	712. OUT		
GRADE 7	71. 2%	6.5%	1.8%	1. 2%	19. 4%
GRADE 8	68.9%	8. 1%	2.8%	1. 7%	18. 5%
GRADE 9	66.3%	10.6%	4.5%	2.4%	16. 2%
GRADE 10	68.3%	11. 8%	5.0%	2.0%	12. 9%
GRADE 11	69.5%	12.6%	4.7%	1. 7%	11. 5%
GRADE 12	70. 5%	12. 9%	4.7%	1.4%	10.4%

17H. STEROI DS?

	VERY	SOMEWHAT	NOT VERY	NOT AT ALL	DO NOT
	DANGEROUS	DANGEROUS	DANGEROUS	DANGEROUS	KNOW
ALL	72. 9%	14. 7%	3. 1%	1. 0%	8. 3%
GRADE 7	73. 7%	11. 7%	2. 8%	1. 2%	10. 6%
GRADE 8	72. 2%	13. 8%	3. 0%	1. 2%	9. 8%
GRADE 9	70. 6%	15. 6%	3. 5%	1. 1%	9. 1%
GRADE 10	73. 3%	15. 7%	3. 2%	0. 8%	7. 0%
GRADE 11	73. 4%	15. 8%	3. 5%	0. 7%	6. 5%
GRADE 12	75. 2%	15. 8%	2. 6%	0. 7%	5. 8%

TABLE 18: ALCOHOL OR OTHER DRUGS ARE SOMETIMES USED AT TEENAGE PARTIES. THINKING OF THE PARTIES YOU ATTENDED THIS SCHOOL YEAR, HOW OFTEN WERE THE FOLLOWING USED?

18A. ALCOHO	DL NEVER	SELDOM	HALF THE TIME	MOST OF THE TIME	ALWAYS	DON' T KNOW	DI DN' T ATTEND
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	16.3%	11. 3% 12. 9% 15. 9% 12. 7% 9. 7% 8. 0% 6. 3%	8. 3% 7. 4% 9. 7% 10. 3% 8. 5% 7. 0% 5. 7%	14. 3% 7. 1% 11. 0% 16. 8% 17. 9% 17. 6% 16. 7%	23. 1% 5. 3% 10. 5% 20. 5% 30. 3% 37. 6% 44. 1%	2. 4% 2. 9% 3. 2% 2. 8% 2. 2% 1. 7% 1. 3%	10. 7% 9. 2% 9. 1% 11. 1% 11. 5% 11. 8% 12. 2%
18B. MARIJU	JANA AND/OR OTH		HALF	_MOST_OF		DON' T	DI DN' T
	NEVER	SELDOM	THE TIME	THE TIME	ALWAYS	KNOW	ATTEND
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	27.9%	11. 6% 7. 5% 11. 5% 12. 2% 12. 9% 12. 5% 13. 6%	8. 6% 4. 4% 6. 7% 9. 4% 10. 0% 10. 9% 11. 5%	10. 6% 4. 0% 7. 2% 11. 3% 13. 6% 14. 9% 15. 1%	12. 2% 4. 2% 7. 8% 13. 3% 15. 5% 17. 2% 18. 1%	3. 8% 2. 8% 3. 4% 3. 7% 4. 1% 4. 7% 4. 3%	10. 6% 9. 1% 9. 0% 11. 0% 11. 6% 11. 8% 12. 2%

TABLE 19: IF YOU HAD A DRUG OR ALCOHOL PROBLEM AND NEEDED HELP, WHO WOULD YOU GO TO?

19A. A COUNSELOR OR PROGRAM IN SCHOOL

		NO	YES
ALL GRADE GRADE GRADE GRADE	8	65. 2% 54. 7% 59. 7% 66. 1%	34.8% 45.3% 40.3% 33.9% 30.3%
GRADE	11	71. 2%	28. 8%
GRADE		73. 8%	26. 2%
OIGIDE	12	13.0%	20.2/0

STATE SAMPLE: GRADES 7-12 SPRING 1996

19B. ANOTHER ADULT IN SCHOOL (SUCH AS A NURSE OR TEACHER)

	NO	YES
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10	67. 9% 61. 3% 65. 9% 69. 7% 70. 4%	32. 1% 38. 7% 34. 1% 30. 3% 29. 6%
GRADE 11	70. 7%	29. 3%
GRADE 12	70. 6%	29.4%

19C. A COUNSELOR OR PROGRAM OUTSIDE OF SCHOOL

	ALL GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	57. 6% 54. 7% 55. 9% 58. 5% 59. 1% 59. 5% 58. 4%	42. 4% 45. 3% 44. 1% 41. 5% 40. 9% 40. 5% 41. 6%
--	---	--------------------	--	--

NO

YES

19D. YOUR PARENTS

		NO	YES
ALL GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	45. 7% 39. 0% 43. 5% 48. 5% 48. 5% 48. 8% 46. 6%	54. 3% 61. 0% 56. 5% 51. 5% 51. 2% 53. 4%

19E. A MEDICAL DOCTOR

	NO	YES
ALL	61. 9% Page 52	38. 1%
	rage 32	

(

		GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	96State712. OUT 56. 2% 60. 4% 63. 1% 64. 5% 65. 0% 63. 0%	43. 8% 39. 6% 36. 9% 35. 5% 35. 0% 37. 0%
19F.	YOUR FRIENDS			
			NO	YES
		ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	25. 7% 35. 0% 28. 4% 26. 0% 21. 6% 20. 5% 20. 1%	74. 3% 65. 0% 71. 6% 74. 0% 78. 4% 79. 5% 79. 9%
			STATE SAMPLE: SPRING	

19G. ANOTHER ADULT (SUCH AS RELATIVE, CLERGYMAN, OR OTHER FAMILY FRIEND)

GRADE 7 41.6% 58.4' GRADE 8 42.0% 58.0' GRADE 9 42.1% 57.9' GRADE 10 41.8% 58.2' GRADE 11 41.4% 58.6'			NO	YES
GRADE 12 41.0% 59.0	GRADE GRADE GRADE GRADE GRADE	7 8 9 10 11	41. 6% 42. 0% 42. 1% 41. 8%	58. 3% 58. 4% 58. 0% 57. 9% 58. 2% 58. 6% 59. 0%

TABLE 20: SINCE SCHOOL BEGAN IN THE FALL, HAVE YOU GOTTEN ANY INFORMATION ON DRUGS OR ALCOHOL FROM THE FOLLOWING SCHOOL SOURCES?

20A. HEALTH CLASS

	NO	YES
ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	53. 7% 51. 3% 59. 0% 44. 4% 47. 3% 57. 5% 67. 0%	46. 3% 48. 7% 41. 0% 55. 6% 52. 7% 42. 5% 33. 0%

20B. AN ASSEMBLY PROGRAM

NO YES ALL 55.8% 44.2% Page 53

		GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	96State712. OUT 50. 1% 47. 8% 58. 2% 60. 1% 59. 4% 61. 2%	49.9% 52.2% 41.8% 39.9% 40.6% 38.8%
20C.	GUI DANCE COUNSELOR			
			NO	YES
		ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	77. 6% 69. 0% 67. 6% 80. 1% 82. 1% 84. 4% 85. 8%	22. 4% 31. 0% 32. 4% 19. 9% 17. 9% 15. 6% 14. 2%
20D.	SCIENCE CLASS			
			NO	YES
		ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	71. 3% 50. 4% 68. 1% 73. 4% 74. 4% 80. 1% 85. 0%	28. 7% 49. 6% 31. 9% 26. 6% 25. 6% 19. 9% 15. 0%
			STATE SAMPLE: SPRING	GRADES 7-12 1996
20E.	SOCIAL STUDIES CLASS			
			NO	YES
		ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	88. 1% 85. 3% 85. 0% 88. 6% 89. 6% 90. 8% 90. 3%	11. 9% 14. 7% 15. 0% 11. 4% 10. 4% 9. 2% 9. 7%
20F.	DRUG PROGRAM RAP SESSIO	N		
			NO	YES
		ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10	80. 5% 70. 3% 74. 0% 82. 5% 84. 5% Page 54	19.5% 29.7% 26.0% 17.5% 15.5%

			GRADE 11 GRADE 12	96State712. OUT 86. 5% 87. 9%	13. 5% 12. 1%
20G.	AN INVITED	SCHOOL GUEST			
				NO	YES
			ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	61. 7% 54. 6% 53. 6% 64. 4% 65. 7% 66. 7% 67. 3%	38. 3% 45. 4% 46. 4% 35. 6% 34. 1% 33. 3% 32. 7%
20H.	SOME OTHER	SCHOOL SOURCE	E		
				NO	YES
			ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	65. 2% 61. 2% 60. 1% 67. 4% 67. 2% 68. 1% 68. 7%	34. 8% 38. 8% 39. 9% 32. 6% 32. 8% 31. 9% 31. 3%
201 .	ANY SCHOOL	SOURCE			
				NO	YES
			ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	25. 2% 19. 8% 22. 1% 22. 1% 24. 9% 30. 8% 35. 3%	74. 8% 80. 2% 77. 9% 77. 9% 75. 1% 69. 2% 64. 7%

TABLE 21: SINCE SCHOOL BEGAN IN THE FALL, HAVE YOU SOUGHT HELP, OTHER THAN FROM FAMILY OR FRIENDS, FOR PROBLEMS IN ANY WAY CONNECTED WITH YOUR USE OF ALCOHOL, MARIJUANA, OR OTHER DRUGS?

			NO	YES
GRADE 7 92.3% 7.7% GRADE 8 92.4% 7.6% GRADE 9 92.1% 7.9% GRADE 10 93.8% 6.2% GRADE 11 95.0% 5.0%	GRADE GRADE GRADE GRADE	8 9 10 11	92. 4% 92. 1% 93. 8% 95. 0% 96. 1%	6. 6% 7. 7% 7. 6% 7. 9% 6. 2% 5. 0% 3. 9%

0

TABLE 22: HOW DO YOUR PARENTS FEEL ABOUT KIDS YOUR AGE ...

22A. DRINKING BEER?

		STRONGLY DI SAPPROVE	MI LDLY DI SAPPROVE	NEI THER	MI LDLY APPROVE	STRONGLY APPROVE	DON' T KNOW
	ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	60. 5% 69. 2% 66. 2% 60. 7% 58. 6% 55. 4% 48. 6%	15. 6% 8. 2% 11. 8% 14. 9% 18. 4% 19. 9% 23. 2%	10. 3% 4. 8% 7. 6% 10. 2% 11. 6% 13. 4% 16. 4%	3. 1% 1. 5% 2. 3% 3. 0% 3. 1% 4. 0% 5. 6%	1. 2% 1. 6% 1. 4% 1. 3% 1. 1% 0. 8% 1. 0%	9. 3% 14. 7% 10. 7% 9. 9% 7. 0% 6. 5% 5. 3%
22B.	USING MARIJ	UANA?					
		STRONGLY DI SAPPROVE	MI LDLY DI SAPPROVE	NEI THER	MI LDLY APPROVE	STRONGLY APPROVE	DON' T KNOW
	GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	80. 2% 79. 2% 80. 8% 78. 6% 81. 2% 80. 9% 81. 1%	5. 1% 2. 6% 4. 1% 5. 4% 5. 9% 6. 3% 7. 1%	4. 0% 2. 2% 3. 2% 4. 6% 4. 6% 4. 9% 5. 1%	1. 1% 0. 9% 1. 0% 1. 4% 1. 2% 1. 2% 1. 1%	1. 4% 1. 8% 1. 6% 1. 5% 1. 4% 1. 0% 0. 9%	8. 1% 13. 2% 9. 3% 8. 5% 5. 8% 5. 8% 4. 7%

STATE SAMPLE: GRADES 7-12 SPRING 1996

TABLE A1: HOW OFTEN DO YOU NORMALLY USE...

A1A.	BEER?						
		NEVER	EVER	WEEKLY	MONTHLY	YEARLY	RARELY
	ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	44. 1% 63. 6% 50. 6% 42. 1% 37. 4% 34. 0% 30. 9%	55. 9% 36. 4% 49. 4% 57. 9% 62. 6% 66. 0% 69. 1%	6. 7% 4. 5% 5. 7% 6. 7% 7. 1% 7. 6% 9. 4%	26. 3% 14. 8% 22. 1% 27. 3% 30. 8% 32. 3% 33. 9%	12. 9% 8. 4% 11. 8% 13. 7% 14. 2% 15. 5% 14. 9%	10. 1% 8. 7% 9. 8% 10. 2% 10. 5% 10. 6% 10. 9%
A1B.	WINE COOLERS?						
		NEVER	EVER	WEEKLY	MONTHLY	YEARLY	RARELY
	ALL GRADE 7 GRADE 8 GRADE 9	41. 8% 61. 7% 48. 9% 40. 0%	58. 2% 38. 3% 51. 1% 60. 0%	4. 7% 4. 4% 5. 3% 5. 4% Page 56	25. 9% 15. 5% 21. 9% 27. 5%	16. 5% 9. 4% 13. 3% 16. 3%	11. 1% 9. 0% 10. 5% 10. 7%

	GRADE 10 GRADE 11 GRADE 12	35. 2% 30. 9% 27. 5%	64. 8% 69. 1% 72. 5%	4. 5% 4. 4% 3. 6%	30. C	3% 21.	4% 12.4%
A1C.	WI NE?						
		NEVER	EVER	WEEKLY	MONTH	ILY YEAR	LY RARELY
	ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	50. 7% 71. 2% 57. 4% 48. 6% 44. 4% 40. 5% 36. 1%	49.3% 28.8% 42.6% 51.4% 55.6% 59.5% 63.9%	3. 0% 2. 5% 3. 3% 3. 3% 2. 9% 3. 0% 2. 7%	17. 6 10. 2 15. 7 19. 7 19. 9 20. 1 21. 6	% 8. % 12. % 16. % 18. % 21.	3% 7.9% 7% 10.9% 3% 12.0% 9% 13.9% 2% 15.2%
A1D.	LI QUOR?						
		NEVER	EVER	WEEKLY	MONTH	ILY YEAR	LY RARELY
	ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	52. 2% 76. 4% 62. 1% 50. 1% 43. 9% 38. 4% 34. 4%	47. 8% 23. 6% 37. 9% 49. 9% 56. 1% 61. 6%	4. 3% 2. 8% 3. 9% 4. 9% 4. 8% 4. 7%	22. 5 9. 7 16. 6 23. 3 27. 2 30. 1 32. 9	5. 9. 13. 14. 16.	8% 5. 2% 5% 7. 9% 1% 8. 7% 6% 9. 5% 6% 10. 0%
				STATE SAMPL SPR	E: GRADES	5 7-12	
TABLE			E FOLLOWING NE TIME, ON	ALCOHOLIC B AVERAGE?	EVERAGES,	HOW MANY DR	INKS DO YOU
A2A.	BEER						
		N	EVER	EVER 5	OR MORE	1 TO 4	LESS THAN 1
	ALL GRADE 7 GRADE 8 GRADE 9 GRADE 10 GRADE 11 GRADE 12	5 4 3 3 3	7. 4% 5. 9% 8. 8% 5. 5% 3. 6%	42. 6% 54. 1% 61. 2% 64. 5% 66. 4%	18. 9% 8. 7% 13. 6% 19. 3% 22. 9% 24. 9% 28. 6%	29. 3% 23. 2% 29. 1% 31. 0% 31. 1% 32. 0% 30. 0%	10. 7% 10. 7% 11. 5% 10. 9% 10. 4% 9. 6% 10. 5%
A2B.	WINE COOLERS						
		N	EVER	EVER 5	OR MORE	1 TO 4	LESS THAN 1

NEVER EVER 5 OR MORE 1 TO 4 LESS THAN CONTROL OF THAN 1 ALL 37.6% 62.4% 18.3% 36.0% 8.2% GRADE 7 54.6% 45.4% 11.7% 24.7% 9.0% GRADE 8 43.2% 56.8% 15.5% 32.2% 9.1% GRADE 9 35.0% 65.0% 20.1% 36.4% 8.5% GRADE 10 32.2% 67.8% 20.9% 39.5% 7.4% Page 57

A2C.	WI NE							
7120.	WINE			NEVER	EVER	5 OR MORE	1 TO 4 L	ESS THAN 1
		ALL GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	47. 1% 64. 7% 52. 1% 44. 5% 41. 7% 39. 2% 35. 6%	52. 9% 35. 3% 47. 9% 55. 5% 58. 3% 60. 8% 64. 4%	8. 1% 5. 2% 7. 3% 9. 1% 9. 6% 9. 3% 8. 6%	31. 8% 19. 4% 27. 9% 33. 6% 35. 3% 37. 2% 41. 3%	12. 9% 10. 7% 12. 6% 12. 9% 13. 3% 14. 3% 14. 5%
A2D.	LI QU	OR						
					EVER	5 OR MORE	1 TO 4 L	ESS THAN 1
		ALL GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	48. 7% 71. 6% 57. 3% 46. 0% 40. 8% 36. 1% 32. 5%	51. 3% 28. 4% 42. 7% 54. 0% 59. 2% 63. 9% 67. 5%	14. 2% 5. 5% 9. 7% 15. 3% 17. 4% 18. 8% 21. 6%	27. 3% 14. 4% 22. 4% 28. 4% 31. 7% 35. 3% 36. 3%	9. 8% 8. 5% 10. 6% 10. 2% 10. 0% 9. 8% 9. 6%
					STATE S	AMPLE: GRADES SPRING 1996	7-12	
TABLE	A3:	DURING TAT ONE		YEAR (12 I	MONTHS), HO	W OFTEN HAVE Y	OU HAD 5 OR I	MORE DRINKS
A3A.	BEER							
				NEVER	EVER	SEVERAL TIMES/WEEK	SEVERAL TI MES/MONTI	
		GRADE GRADE GRADE GRADE GRADE GRADE	8 9 10 11	62. 6% 77. 5% 69. 1% 61. 3% 57. 6% 55. 1% 51. 1%	37. 4% 22. 5% 30. 9% 38. 7% 42. 4% 44. 9% 48. 9%	5. 2% 3. 3% 4. 2% 5. 6% 5. 6% 5. 7% 7. 5%	19. 4% 9. 8% 14. 7% 19. 8% 23. 1% 24. 8% 26. 6%	12. 8% 9. 4% 12. 0% 13. 3% 13. 8% 14. 3% 14. 9%
A3B.	WI NE	COOLERS						
				NEVER	EVER	SEVERAL TIMES/WEEK	SEVERAL TI MES/MONTI	
		ALL GRADE GRADE GRADE	8	60. 4% 74. 2% 66. 8% 58. 5%	39. 6% 25. 8% 33. 2% 41. 5% Pag	4.3% 3.9% 4.6% 4.9%	19. 2% 10. 9% 15. 5% 20. 9%	16. 1% 11. 0% 13. 0% 15. 8%

96State712. OUT 71. 0% 21. 4% 73. 4% 21. 7%

42. 4% 44. 7% 7. 3% 7. 1%

GRADE 11 GRADE 12 29. 0% 26. 6% 96State712. OUT 3. 9% 4. 2%

17.4%

GENDER

Q1	Frequency	Percent
Male	52404. 05	47. 8
Female	57217. 39	52. 2

Frequency Missing = 273.13203028

GRADE

Q2	Frequency	Percent
7th 8th 9th 10th 11th	19173. 4 21766. 17 21665. 65 19301. 13 13588. 47	17. 4 19. 8 19. 7 17. 6 12. 4
12th	14399. 75	13. 1

LIVE WITH BOTH PARENTS Page 59

Q3	Frequency	Percent
Yes	67478. 99	61. 7
No	41919. 17	38. 3

Frequency Missing = 496.41396778

AGE

Q4	Frequency	Percent
11 or younger 12 13 14	248. 1621 5400. 427 17507. 89 20512. 79 21000. 87	0. 2 4. 9 16. 0 18. 7 19. 2
16 17 18	18779. 79 15101. 92 9363. 288	17. 1 13. 8 8. 5
19 or older	1689. 147	1.5

Frequency Missing = 290. 29725649

ETHNI CI TY

Q5	Frequency	Percent
White	47507. 55	43. 9
Afri can/Ameri can Mexi can/Ameri can	17827. 65 34112. 8	16. 5 31. 5
Asi an/Ameri can	3364. 719	3. 1
Nati ve/Ameri can	1012. 495	0. 9
0ther	4317.047	4.0

Frequency Missing = 1752.320492

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

ON AVERAGE WHAT GRADES DO YOU GET

Q6 F	requency [Percent
Mostly C's 2	30226. 4 33325. 23 20023. 95 2729. 249 1203. 93 Page 60	28. 1 49. 6 18. 6 2. 5 1. 1

Frequency Missing = 2385.8172189

LENGTH OF TIME IN THIS DISTRICT

Q7	Frequency	Percent
<1 year	12339. 97	11. 4
2-3 years	19605. 86	18. 1
>4 years	76542. 84	70. 6

Frequency Missing = 1405.9086677

DO YOU HAVE A JOB

8D	Frequency	Percent
Yes	30212. 08	27. 7
No	78710. 72	72. 3

Frequency Missing = 971.77872393

DO YOU GET AN ALLOWANCE

Q9	Frequency	Percent
Yes	50470. 01	46. 6
No	57807. 91	53. 4

Frequency Missing = 1616.6523499

EITHER PARENT COLLEGE GRADUATE

	Q10	Frequency	Percent
Yes	Know	49370. 23	45. 3
No		41922. 2	38. 5
Don' t		17598. 15	16. 2

Frequency Missing = 1003.9980898

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

QUALIFY FOR FREE/REDUCED PRICE LUNCH

	Q11	Frequency	Percent
Yes	Know	33947. 32	31. 2
No		60562. 99	55. 7
Don't I		14241. 41	13. 1

Frequency Missing = 1142.8510873

PARTICIPATE IN ATHLETICS

Q12A	Frequency	Percent
Yes	53532. 47	51. 4
No	50520. 69	48. 6

Frequency Missing = 5841.4191631

PARTICIPATE IN BAND/ORCHESTRA

Q12B	Frequency	Percent
Yes	18095. 78	18. 7
No	78829. 54	81. 3

Frequency Missing = 12969. 25326

PARTICIPATE IN CHOIR

Q12C	Frequency	Percent
Yes	14051. 77	14. 7
No	81306. 55	85. 3

Frequency Missing = 14536.258682

PARTICIPATE IN DRAMA/SPEECH

Page 62

¥

96State712. OUT		
Q12D	Frequency	Percent
Yes	13381.84	14. 1
No	81610.5	85. 9

Frequency Missing = 14902.230307

PARTICIPATE IN DRILL TEAM/CHEERLEADING

Q12E	Frequency	Percent
Yes	9664. 102	10. 2
No	85290. 56	89. 8

Frequency Missing = 14939.909112

PARTICIPATE IN STUDENT GOVERNMENT

Q12F	Frequency	Percent
Yes	6170. 013 87929 37	6. 6 93. 4

Frequency Missing = 15795. 191726

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK

Q12G	Frequency	Percent
Yes	6152. 076	6. 5
No	87923. 36	93. 5

Frequency Missing = 15819.137239

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES

Q12H	Frequency	Percent
Yes	22866. 5	23. 9
No	72753. 47	76. 1

Frequency Missing = 14274.598594

PARTICIPATE IN SERVICE CLUBS

Q12I	Frequency	Percent
Yes	10374. 55	11. 0
No	83514. 42	89. 0

Frequency Missing = 16005.610503

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

PARTICIPATE IN VOE/DE/WORK-STUDY

Q12J	Frequency	Percent
Yes	4761. 369	5. 1
No	87999. 87	94. 9

Frequency Missing = 17133.335738

PARTICIPATE IN OTHER CLUBS

Q12K	Frequency	Percent
Yes	33716. 07	34. 8
No	63197	65. 2

Page 64

4

96State712.0UT Frequency Missing = 12981.504182

DO YOU FEEL SAFE IN YOUR HOME

Q13A	Frequency	Percent
Very Safe	80264.54	73. 7
Somewhat Safe	24877.59	22. 8
Not Very Safe	1727.172	1. 6
Not Safe At All	483.7008	0. 4
Don't Know	1603.593	1. 5

Frequency Missing = 937. 98234093

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD

Q13B Frequency Percei	
Very Safe 39078.99 36.5 Somewhat Safe 52805.26 48.8 Not Very Safe 11228.61 10.4 Not Safe At Al I 2866.13 2.0 Don't Know 2302.341 2.5	3

Frequency Missing = 1613. 2406864

DO YOU FEEL SAFE AT SCHOOL

Q13C	Frequency	Percent
Very Safe	32220. 81	29. 7
Somewhat Safe	56945. 58	52. 5
Not Very Safe	11622. 39	10. 7
Not Safe At All	4053. 878	3. 7
Don't Know	3627. 749	3. 3

Frequency Missing = 1424.1732563

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

FRIENDS FEELING CLOSE TO THEIR PARENTS

Q14A	96State712 Frequency	. OUT Percent
None	5908. 269	5. 4
A Few	31666. 65	29. 2
Some	28981. 85	26. 7
Most	33019. 75	30. 5
All	8832. 358	8. 1

Frequency Missing = 1485.6978985

HOW MANY FRIENDS CARRY WEAPONS

Q14B	Frequency	Percent
None	59520. 32	56. 0
A Few	26462. 45	24. 9
Some	13005. 12	12. 2
Most	5320. 597	5. 0
All	1900. 156	1. 8

Frequency Missing = 3685.9335865

HOW MANY FRIENDS CARE ABOUT GOOD GRADES

Q14C	Frequency	Percent
None	3631. 51	3. 4
A Few	17325. 17	16. 4
Some	24355.88	23. 0
Most	42153.5	39. 9
Al I	18292. 13	17. 3

Frequency Missing = 4136.3773346

HOW MANY FRIENDS BELONG TO A GANG

Q14D	Frequency	Percent
None	63852. 94	59. 3
A Few	21746. 07	20. 2
Some	12034. 61	11. 2
Most	7238. 795	6. 7
All	2815. 713	2. 6

Frequency Missing = 2206.4521862

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

FRIENDS WISHING TO DROP OUT OF SCHOOL

Q14E	Frequency	Percent
None	56560. 85	52. 4
A Few	30669. 3	28. 4
Some	12038. 48	11. 2
Most	5457. 063	5. 1
All	3139. 611	2. 9

Frequency Missing = 2029. 2682081

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES

Q15	Frequency	Percent
Yes	42184. 83	42. 5
No	57070. 86	57. 5

Frequency Missing = 10638.876429

EVER INHALED SPRAY PAINT FOR KICKS

Q16A	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times 11-19 times	8181. 777 92561. 15 5053. 21 1598. 466 390. 2599	7. 6 85. 5 4. 7 1. 5 0. 4
20+ times	489. 3399	0. 5

Frequency Missing = 1620. 3675372

EVER INHALED LIQUID PAPER FOR KICKS

	tate712.0UT Frequency	Percent
Never heard of	7159. 259	6. 7
Never used	90005. 91	83. 9
1-2 times	7416. 161	6. 9
3-10 times	1782. 438	1. 7
11-19 times	497. 6438	0. 5
20+ times	385. 953	0. 4

Frequency Missing = 2647. 2132247

EVER INHALED GASOLINE FOR KICKS

Q16C	Frequency	Percent
Never heard of	6877. 659	6. 4
Never used	94109. 85	88. 1
1-2 times	3826. 568	3. 6
3-10 times	1125. 686	1. 1
11-19 times	470. 5319	0. 4
20+ times	443. 3612	0. 4

Frequency Missing = 3040.9182192

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

EVER INHALED FREON FOR KICKS

Q16D	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times 11-19 times	21640. 78 82710. 52 1104. 717 343. 4877 140. 5173	20. 4 77. 9 1. 0 0. 3 0. 1
20+ times	203. 8726	0. 2

Frequency Missing = 3750.6802416

EVER INHALED POPPERS, ETC. FOR KICKS

Q16E Freque	
Never heard of 39214. Never used 64987 1-2 times 1892.6 3-10 times 759.22 11-19 times 253.84 20+ times 406.77	7.1 60.4 76 1.8 66 0.7 26 0.2

Frequency Missing = 2380.341716 Page 68

EVER INHALED SHOE SHINE FOR KICKS

Q16F	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times 11-19 times 20+ times	18984. 72 86146. 3 870. 1132 212. 1966 92. 76517 102. 4099	17. 8 81. 0 0. 8 0. 2 0. 1
20+ trilles	102.4099	U. I

Frequency Missing = 3486.0666832

EVER INHALED GLUE FOR KICKS

Q16G	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times 11-19 times 20+ times	6726. 681 93503. 79 4259. 36 834. 6938 217. 9412 273. 3677	6. 4 88. 4 4. 0 0. 8 0. 2
20+ tilles	213.3011	0. 3

Frequency Missing = 4078.7453619

EVER INHALED PAINT THINNERS FOR KICKS

Q16H	Frequency	Percent
Never used 1-2 times 3-10 times 11-19 times	11246. 17 90103. 37 3959. 085 964. 4432 243. 8493 321. 5063	10. 5 84. 3 3. 7 0. 9 0. 2 0. 3

Frequency Missing = 3056.1472356

EVER INHALED OCTANE BOOSTER FOR KICKS

Q16I	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times	32737. 67 70652. 92 1209. 053 470. 6777	31. 0 66. 9 1. 1 0. 4
11-19 times	191. 8414	0. 2
20+ times	298. 4829	0. 3

Frequency Missing = 4333.9292239

EVER INHALED OTHER SPRAYS FOR KICKS

Never heard of 7913.589 7.5 Never used 93598.4 89.0 1-2 times 2584.834 2.5 3-10 times 629.682 0.6 11-19 times 171.3755 0.2	Q16J	Frequency	Percent
20± fimes 2/1 810 0 3	Never used	93598. 4	89. 0
	1-2 times	2584. 834	2. 5
	3-10 times	629. 682	0. 6

Frequency Missing = 4724.8747669

EVER INHALED OTHER INHALANTS FOR KICKS

Q16K	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times 11-19 times 20+ times	9819. 564 87235. 24 4926. 958 1855. 403 526. 2659 923. 0858	9. 3 82. 9 4. 7 1. 8 0. 5 0. 9
20+ triiids	723. UOSO	0. 9

Frequency Missing = 4608.0541326

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
STATE SAMPLE: GRADES 7-12
SPRING 1996
Page 70

96State712.0UT

CIGARETTE USE DURING LIFETIME

Q17A	Frequency	Percent
Never heard of	1579. 518	1. 5
Never used	49095. 7	45. 3
1-2 times	20214. 73	18. 6
3-10 times	12135. 82	11. 2
11-19 times	4643. 363	4. 3
20+ times	20826. 71	19. 2

Frequency Missing = 1398.7357093

SMOKELESS TOBACCO USE DURING LIFETIME

Q17B	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times 11-19 times	4315. 443 86280. 24 7681. 376 3488. 86 1391. 504	4. 0 80. 3 7. 1 3. 2 1. 3
20+ times	4319. 028	4. 0

Frequency Missing = 2418.1247763

BEER USE DURING LIFETIME

Q17C	Frequency	Percent
Never heard of	1077. 885	1. 0
Never used	41917. 35	39. 0
1-2 times	22283. 3	20. 7
3-10 times	15887. 41	14. 8
11-19 times	7270. 309	6. 8
20+ times	19116. 06	17. 8

Frequency Missing = 2342.2712562

WINE COOLER USE DURING LIFETIME

Q17D	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times 11-19 times	1509. 834 38361. 07 23832. 59 18696. 95 9166. 292	1. 4 35. 8 22. 2 17. 4 8. 5
20+ times	15692. 31	14. 6

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

WINE USE DURING LIFETIME

Q17E	Frequency	Percent
Never heard of	1361. 03	1. 3
Never used	49007. 53	45. 9
1-2 times	26984. 48	25. 3
3-10 times	14797. 14	13. 9
11-19 times	5561. 463	5. 2
20+ times	8999. 769	8. 4

Frequency Missing = 3183.1599973

LIQUOR USE DURING LIFETIME

Q17F	Frequency	Percent
Never heard of	1614. 613	1. 5
Never used	50607. 59	47. 9
1-2 times	18309. 54	17. 3
3-10 times	13479. 64	12. 8
11-19 times	7063. 927	6. 7
20+ times	14555. 58	13. 8

Frequency Missing = 4263.6754127

INHALANT USE DURING LIFETIME

Q17G	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times 11-19 times 20+ times	3486. 445 89973. 78 7738. 566 3241. 055 1111. 604 1657. 759	3. 3 83. 9 7. 2 3. 0 1. 0

96State712.0UT Frequency Missing = 2685.3631909

MARIJUANA USE DURING LIFETIME

Q17H	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times 11-19 times 20+ times	2234. 628 70753. 14 9839. 386 7216. 618 3630. 773 12623. 67	2. 1 66. 6 9. 3 6. 8 3. 4

Frequency Missing = 3596.3574863

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

COCAINE USE DURING LIFETIME

Q17I Fr	equency Percent
Never used 96 1-2 times 36 3-10 times 16 11-19 times 67	29. 513 2. 5 533. 91 91. 0 46. 836 3. 4 01. 469 1. 5 9. 2273 0. 6 44. 203 1. 0

Frequency Missing = 3759.4149927

CRACK USE DURING LIFETIME

Q17J	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times 11-19 times 20+ times	3309. 02 99441. 07 1607. 908 457. 7364 154. 3431 216. 6507 Page 73	3. 1 94. 5 1. 5 0. 4 0. 1 0. 2

4

Frequency Missing = 4707.8500796

HALLUCINOGEN USE DURING LIFETIME

Q17L	Frequency	Percent
Never heard of	14924. 6	14. 0
Never used	83914. 94	78. 7
1-2 times	3493. 008	3. 3
3-10 times	2114. 141	2. 0
11-19 times	848. 4891	0. 8
20+ times	1382. 297	1. 3

Frequency Missing = 3217.0990609

UPPER USE DURING LIFETIME

Q17M	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times 11-19 times 20+ times	21134. 77 75500. 76 3965. 465 2257. 163 818. 1427 1271. 602	20. 1 71. 9 3. 8 2. 2 0. 8 1. 2
201 1111100	1271.002	

Frequency Missing = 4946.670351

DOWNER USE DURING LIFETIME

Q17N	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times 11-19 times	20658. 17 78116. 83 2745. 254 1500. 107 540. 4638 Page 74	19. 8 74. 7 2. 6 1. 4 0. 5

우

96State712.0UT 20+ times 1023.182 1.0

Frequency Missing = 5310.5683419

STEROID USE DURING LIFETIME

Q170	Frequency	Percent
Never heard of	6784. 633	6. 5
Never used	96276. 28	91. 7
1-2 times	1153. 114	1. 1
3-10 times	368. 57	0. 4
11-19 times	139. 7065	0. 1
20+ times	310. 2711	0. 3

Frequency Missing = 4861.996896

ECSTASY USE DURING LIFETIME

Never heard of 28461.28 27.1 Never used 71102.62 67.6 1-2 times 3014.306 2.9	Q17P	Frequency	Percent
3-10 times 1407.536 1.3 11-19 times 483.6635 0.5 20+ times 739.5639 0.7	Never used 1-2 times 3-10 times 11-19 times	71102. 62 3014. 306 1407. 536 483. 6635	67. 6 2. 9 1. 3 0. 5

Frequency Missing = 4685.6029097

ROACH USE DURING LIFETIME

Q17Q	Frequency	Percent
Never heard of	28402. 41	26. 7
Never used	68064. 97	64. 1
1-2 times	4331. 715	4. 1
3-10 times	2029. 018	1. 9
11-19 times	999. 2875	0. 9
20+ times	2388. 202	2. 2

Frequency Missing = 3678.9695631

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

CIGARETTE USE IN PAST SCHOOL YEAR

Q18A	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times 11-19 times 20+ times	1931. 756 64937. 59 13087. 65 8428. 729 3231. 435 15163. 69	1. 8 60. 8 12. 3 7. 9 3. 0
20T LINGS	15105.07	14. ∠

Frequency Missing = 3113.7262155

SMOKELESS TOBACCO USE IN PAST SCHOOL YR

Q18B	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times 11-19 times 20+ times	3660. 055 90623. 18 4301. 512 2028. 573 922. 794 3023. 441	3. 5 86. 7 4. 1 1. 9 0. 9
20+ LI 111C3	JUZJ. 44 I	۷. ۶

Frequency Missing = 5335.0148519

BEER USE IN PAST SCHOOL YEAR

Q18C	Frequency	Percent
Never heard of	1423. 669	1. 4
Never used	56663. 24	54. 2
1-2 times	17304. 29	16. 6
3-10 times	12521. 51	12. 0
11-19 times	5523. 856	5. 3
20+ times	11036. 93	10. 6

Frequency Missing = 5421.0842607

WINE COOLER USE IN PAST SCHOOL YEAR

Q18D Frequency Percent

Page 76

968	tate712. OUT	
Never heard of	1765. 202	1. 7
Never used	55169. 91	53. 1
1-2 times	20366. 4	19. 6
3-10 times	13854.06	13. 3
11-19 times	5086.057	4. 9
20+ times	7653, 297	7.4

Frequency Missing = 5999.6377844

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

WINE USE IN PAST SCHOOL YEAR

Q18E	Frequency	Percent
Never heard of	1646. 844	1.6
Never used	64903. 17	62.7
1-2 times	20606. 81	19.9
3-10 times	8837. 128	8.5
11-19 times	2802. 858	2.7
20+ times	4685. 379	4.5

Frequency Missing = 6412.3919074

LIQUOR USE IN PAST SCHOOL YEAR

Q18F	Frequency	Percent
Never heard of	1803. 346	1. 8
Never used	61412. 37	59. 6
1-2 times	15796. 97	15. 3
3-10 times	11007. 18	10. 7
11-19 times	4665. 142	4. 5
20+ times	8292. 958	8. 1

Frequency Missing = 6916.615083

INHALANT USE IN PAST SCHOOL YEAR

Q18G Frequency Percent

Page 77

96S	tate712.0UT	
Never heard of	3450. 412	3. 3
Never used	93803. 98	89. 7
1-2 times	4434. 031	4. 2
3-10 times	1774. 102	1. 7
11-19 times	530. 8334	0. 5
20+ times	630 0729	0.6

Frequency Missing = 5271.1458961

MARIJUANA USE IN PAST SCHOOL YEAR

Q18H	Frequency	Percent
Never heard of	2358. 85	2. 3
Never used	74323	72. 7
1-2 times	8217. 244	8. 0
3-10 times	6208. 58	6. 1
11-19 times	2829. 353	2. 8
20+ times	8365. 759	8. 2

Frequency Missing = 7591.7902028

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

COCAINE USE IN PAST SCHOOL YEAR

Q18	31 Frequency	Percent
Never heard of	95055. 6	2. 6
Never used	95055. 6	92. 9
1-2 times	2426. 986	2. 4
3-10 times	1165. 541	1. 1
11-19 times	401. 7274	0. 4
20+ times	580. 2083	0. 6

Frequency Missing = 7587. 9193207

CRACK USE IN PAST SCHOOL YEAR

Q18J Frequency Percent Page 78

5

96State712.0UT

Never heard of	3277. 554	3. 2
Never used	96963.62	95. 3
1-2 times	958. 4076	0. 9
3-10 times	267. 4954	0. 3
11-19 times	92. 61418	0. 1
20+ times	143. 7306	0. 1

Frequency Missing = 8191.1559284

HALLUCINOGEN USE IN PAST SCHOOL YEAR

Q18L	Frequency	Percent
Never heard of	13266. 84	12. 8
Never used	84854. 41	82. 1
1-2 times	2762. 897	2. 7
3-10 times	1493. 278	1. 4
11-19 times	483. 9532	0. 5
20+ times	517. 5353	0. 5

Frequency Missing = 6515.6664546

UPPER USE IN PAST SCHOOL YEAR

Never heard of 18170.68 18.3 Never used 75544.95 76.2 1-2 times 2980.431 3.0 3-10 times 1380.883 1.4 11-19 times 442.505 0.4 20+ times 630.9424 0.6	Q18M	Frequency	Percent
	Never used	75544. 95	76. 2
	1-2 times	2980. 431	3. 0
	3-10 times	1380. 883	1. 4
	11-19 times	442. 505	0. 4

Frequency Missing = 10744.176896

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
STATE SAMPLE: GRADES 7-12
SPRING 1996

DOWNER USE IN PAST SCHOOL YEAR

	State712. OUT Frequency	Percent
Never heard of	17875. 71	18. 2
Never used	76777	78. 0
1-2 times	2050. 173	2. 1
3-10 times	961. 9385	1. 0
11-19 times	328. 697	0. 3
20+ times	494. 369	0. 5

Frequency Missing = 11406.695299

STEROID USE IN PAST SCHOOL YEAR

Q180	Frequency	Percent
Never heard of	6210. 504	6. 2
Never used	92522. 19	92. 7
1-2 times	619. 8443	0. 6
3-10 times	199. 7525	0. 2
11-19 times	98. 5528	0. 1
20+ times	163. 4516	0. 2

Frequency Missing = 10080.278551

ECSTASY USE IN PAST SCHOOL YEAR

Q18P	Frequency	Percent
Never heard of	25046. 22	25. 1
Never used	71308. 68	71. 3
1-2 times	2279. 977	2. 3
3-10 times	750. 1806	0. 8
11-19 times	241. 0835	0. 2
20+ times	317. 512	0. 3

Frequency Missing = 9950.9294534

ROACH USE IN PAST SCHOOL YEAR

Never heard of Never used 25020.37 24.7 1-2 times 3087.418 3.1 3-10 times 1347.05 1.3 11-19 times 631.9551 0.6 20+ times 1490.185 1.5	3

Frequency Missing = 8759.5750074

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

CIGARETTE USE IN PAST 30 DAYS

Q19A	Frequency	Percent
Never heard of	6121. 165	5. 8
Never used	71886. 53	68. 6
1-2 times	8798. 03	8. 4
3-10 times	5708. 828	5. 4
11-19 times	2587. 607	2. 5
20+ times	9739. 791	9. 3

Frequency Missing = 5052.6260014

SMOKELESS TOBACCO USE IN PAST 30 DAYS

Q19B	Frequency	Percent
Never heard of	9205. 076	8. 9
Never used	88056. 39	85. 4
1-2 times	2301. 302	2. 2
3-10 times	1211. 285	1. 2
11-19 times	580. 1155	0. 6
20+ times	1802. 147	1 7

Frequency Missing = 6738.260603

BEER USE IN PAST 30 DAYS

Q19C	Frequency	Percent
Never heard of	5354. 698	5. 2
Never used	68369. 35	66. 3
1-2 times	13457. 04	13. 1
3-10 times	9199. 516	8. 9
11-19 times	3360. 992	3. 3
20+ times	3362. 643	3. 3

Frequency Missing = 6790.334198

Page 81

WINE COOLER USE IN PAST 30 DAYS

Q19D	Frequency	Percent
Never heard of	5549. 804	5. 4
Never used	72265. 75	70. 4
1-2 times	13621. 21	13. 3
3-10 times	7181. 392	7. 0
11-19 times	2038. 607	2. 0
20+ times	1936. 179	1. 9

Frequency Missing = 7301.6408766

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

WINE USE IN PAST 30 DAYS

Q19E	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times 11-19 times 20+ times	5822. 822 79390. 54 10495. 88 3835. 491 1087. 834 1408. 943	5. 7 77. 8 10. 3 3. 8 1. 1

Frequency Missing = 7853.0660346

LIQUOR USE IN PAST 30 DAYS

Q19F	Frequency	Percent
Never heard of	5906. 191	5. 8
Never used	71697. 51	70. 6
1-2 times	12208. 18	12. 0
3-10 times	6918. 835	6. 8
11-19 times	2409. 618	2. 4
20+ times	2477. 043	2. 4

Frequency Missing = 8277.1962277

Page 82

INHALANT USE IN PAST 30 DAYS

Q19G	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times 11-19 times 20+ times	9218. 42 89479. 74 2340. 211 850. 6923 194. 8743 235. 7195	9. 0 87. 5 2. 3 0. 8 0. 2 0. 2

Frequency Missing = 7574.9173691

MARIJUANA USE IN PAST 30 DAYS

Q19H	Frequency	Percent
Never heard of	7186. 84	7. 1
Never used	76872. 18	75. 9
1-2 times	6341. 47	6. 3
3-10 times	4585. 319	4. 5
11-19 times	2090. 807	2. 1
20+ times	4185. 933	4. 1

Frequency Missing = 8632.0263091

COCAINE USE IN PAST 30 DAYS

Q19I	Frequency	Percen ⁻
Never heard of	8589. 629	8. 5
Never used	89846. 3	89. 1
1-2 times	1400. 273	1. 4
3-10 times	615. 9602	0. 6
11-19 times	193. 7837	0. 2
20+ times	218. 6641	0. 2

Frequency Missing = 9029.9697933 Page 83

Ť

96State712.0UT

CRACK USE IN PAST 30 DAYS

Q19J	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times 11-19 times 20+ times	9238. 099 90284. 45 454. 5255 142. 0426 40. 41568 75. 69017	9. 2 90. 1 0. 5 0. 1 0. 0
20+ triii85	73.09017	U. I

Frequency Missing = 9659.3495244

HALLUCINOGEN USE IN PAST 30 DAYS

Q19L	Frequency	Percent
Never heard of	17646. 3	17. 4
Never used	81225. 85	80. 0
1-2 times	1698. 776	1. 7
3-10 times	577. 4673	0. 6
11-19 times	167. 4236	0. 2
20+ times	162. 0097	0. 2

Frequency Missing = 8416.7495436

UPPER USE IN PAST 30 DAYS

Q19M	Frequency	Percent
Never heard of Never used	22384. 35 75253. 41	22. 3 74. 9
1-2 times 3-10 times	1675. 348 687. 16	1. 7
11-19 times	179. 9558	0. 7
20+ times	246. 0658	0. 2

Frequency Missing = 9468.2899948

f

96State712.OUT analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

DOWNER USE IN PAST 30 DAYS

Never used 75724.22 7 1-2 times 1154.601 3-10 times 504.602 11-19 times 138.1974	2. 2 5. 8 1. 2 0. 5 0. 1

Frequency Missing = 9985.909909

STEROID USE IN PAST 30 DAYS

Q190	Frequency	Percent
Never heard of	12020. 14	11. 9
Never used	87899. 4	87. 4
1-2 times	319. 6636	0. 3
3-10 times	143. 6138	0. 1
11-19 times	66. 4509	0. 1
20+ times	151. 1374	0. 2

Frequency Missing = 9294.1690012

ECSTASY USE IN PAST 30 DAYS

Q19P	Frequency	Percent
Never heard of	28711. 62	28. 5
Never used	70492. 1	69. 9
1-2 times	1097. 306	1. 1
3-10 times	320. 1417	0. 3
11-19 times	86. 64013	0. 1
20+ times	140. 935	0. 1

Frequency Missing = 9045.834911

ROACH USE IN PAST 30 DAYS

Q19Q	Frequency	Percent
Never heard of Never used 1-2 times 3-10 times	28943. 68 68600. 23 1896. 463 808. 9614 Page 85	28. 5 67. 7 1. 9 0. 8

11-19 times	361. 221	0.4
20+ times	781. 5744	0.8

Frequency Missing = 8502.4422885

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

CLOSE FRIENDS USE CIGARETTES

Q20A	Frequency	Percent
Never heard of	1386. 228	1. 3
None	27719. 41	26. 4
A few	33470. 78	31. 8
Some	20665. 29	19. 7
Most	17445. 18	16. 6
All	4448. 483	4. 2

Frequency Missing = 4759. 2063353

CLOSE FRIENDS USE SMOKELESS TOBACCO

Q20B	Frequency	Percent
Never heard of None A few Some Most	2686. 731 64674. 09 21346. 96 9358. 296 3918. 289 1146. 538	2. 6 62. 7 20. 7 9. 1 3. 8 1. 1

Frequency Missing = 6763.6752338

CLOSE FRIENDS USE BEER

	Q20C	Frequency	Percent
Never None A few	heard of	1091. 857 24567. 17 25153. 83 Page 86	1. 1 23. 9 24. 4

¥

	96State712. OUT	
Some	20122. 76	19. 6
Most	21970. 23	21. 4
ΔΙΙ	9995 023	9 7

Frequency Missing = 6993.7020844

CLOSE FRIENDS USE WINE COOLERS

	Q20D	Frequency	Percent
Never	heard of	1389. 256	1. 4
None		28014. 85	27. 6
A few		26829. 35	26. 4
Some		20214. 56	19. 9
Most		17251. 79	17. 0
All		7939. 211	7. 8

Frequency Missing = 8255.5464891

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

CLOSE FRIENDS USE WINE

Q20E	Frequency	Percent
Never heard of	1353. 221	1. 3
None	42623. 54	42. 2
A few	26751. 46	26. 5
Some	15208. 28	15. 0
Most	10127. 9	10. 0
All	5020. 844	5. 0

Frequency Missing = 8809. 321251

CLOSE FRIENDS USE LIQUOR

020F	Frequency	Percent
Never heard of None	1417. 374 33689. 44 Page 87	1. 4 33. 5

5

	96State712. OUT	
A few	22609. 41	22. 5
Some	17839. 11	17. 7
Most	17009. 43	16. 9
ALI	8069. 642	8. 0

Frequency Missing = 9260.1583932

CLOSE FRIENDS USE INHALANTS

Q20G	Frequency	Percent
Never heard of	3022. 915	2. 9
None	76107. 79	74. 2
A few	15205. 63	14. 8
Some	5350. 471	5. 2
Most	2020. 181	2. 0
All	826. 3931	0. 8

Frequency Missing = 7361. 1933727

CLOSE FRIENDS USE MARIJUANA

Q20H	Frequency	Percent
Never heard of	1762. 517	1. 8
None	41418. 36	41. 2
A few	21489. 38	21. 4
Some	14288. 03	14. 2
Most	14010. 41	14. 0
All	7441. 969	7. 4

Frequency Missing = 9483.9053161

CLOSE FRIENDS USE COCAINE

Q20I	Frequency	Percent
Never heard of	2076. 384	2. 1
	Page 88	

우

	96State712. OUT	
None	75049. 16	75. 4
A few	14479. 88	14. 5
Some	5226. 254	5. 2
Most	1877. 218	1. 9
All	855. 6135	0. 9

Frequency Missing = 10330.062724

CLOSE FRIENDS USE CRACK

Q20J	Frequency	Percent
Never heard of	3433. 297	3. 5
None	80489. 06	81. 1
A few	10476. 32	10. 5
Some	3152. 863	3. 2
Most	1083. 047	1. 1
All	670. 6038	0. 7

Frequency Missing = 10589.383766

CLOSE FRIENDS USE HALLUCINOGENS

	Q20L	Frequency	Percent
Never hea	ard of	10385. 6	10. 4
None		71182. 31	71. 3
A few		10472. 39	10. 5
Some		4688. 146	4. 7
Most		2259. 275	2. 3
All		846. 6963	0. 8

Frequency Missing = 10060.15878

CLOSE FRIENDS USE UPPERS

	Q20M	Frequency	Percent
Never he	ard of	14002. 75	15. 2
None		62445. 25	68. 0
A few		9800. 704	10. 7
Some		3571. 238	3. 9
Most		1424. 422	1. 6
All		635. 9805	0. 7

Frequency Missing = 18014.229117

φ

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
STATE SAMPLE: GRADES 7-12
SPRING 1996

CLOSE FRIENDS USE DOWNERS

Q20I	N Frequency	Percent
Never heard or	f 13788.7	15. 1
None	64290.86	70. 5
A few	8376.031	9. 2
Some	2999.215	3. 3
Most	1214.282	1. 3
All	495.128	0. 5

Frequency Missing = 18730.360318

CLOSE FRIENDS USE STEROIDS

0200) Frequency	Percent
Never heard of	f 4966. 185	5. 3
None	78248. 94	83. 9
A few	7614. 832	8. 2
Some	1693. 538	1. 8
Most	492. 9162	0. 5
All	274. 493	0. 3

Frequency Missing = 16603.674232

CLOSE FRIENDS USE ECSTASY

	Q20P	Frequency	Percent
Never hone A few Some Most All	eard of	1990. 36 59105. 37 9094. 744 4004. 768 1619. 551 608. 8626	21. 2 62. 6 9. 6 4. 2 1. 7 0. 6

Frequency Missing = 15470.918018

CLOSE FRIENDS USE ROACH Page 90

0

96State712. OUT

	Q20Q	Frequency	Percent
Never h	eard of	20567. 86	21. 3
None		57530. 59	59. 6
A few		9171. 007	9. 5
Some		4392. 89	4. 6
Most		3093. 446	3. 2
All		1741. 492	1. 8

Frequency Missing = 13397. 295882

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

AGE WHEN FIRST USED CIGARETTES

Q21A	Frequency	Percent
Never used it <9 years old 10 years old 11 years old 12 years old 13 years old 14 years old 15 years old 16 years old	48142. 39 8616. 981 5699. 94 6404. 303 9426. 52 9676. 618 7319. 232 5395. 319 2964. 106	45. 7 8. 2 5. 4 6. 1 9. 2 7. 0 5. 1 2. 8
17 years old	1206. 486	1. 1
>18 years old	400. 0388	0. 4

Frequency Missing = 4642.6462824

AGE WHEN FIRST USED SMOKELESS TOBACCO

Q21B	Frequency	Percent
Never used it <9 years old 10 years old 11 years old 12 years old 13 years old	85469. 74 2295. 803 1396. 303 1726. 251 2470. 646 2897. 911 Page 91	82. 4 2. 2 1. 3 1. 7 2. 4 2. 8

96	State712. OUT	
14 years old	2812. 89	2. 7
15 years old	2386. 918	2. 3
16 years old	1442. 34	1.4
17 years old	573. 575	0.6
>18 years old	205. 8421	0. 2

Frequency Missing = 6216.3604269

AGE WHEN FIRST USED BEER

Q21C	Frequency	Percent
Never used it <9 years old 10 years old 11 years old 12 years old 13 years old 14 years old 15 years old 16 years old 17 years old >18 years old	40579. 93 12608. 58 5264. 266 5942. 367 8341. 284 9720. 106 8672. 916 7153. 648 3829. 458 1328. 639 497. 8846	39. 0 12. 1 5. 1 5. 7 8. 0 9. 4 8. 3 6. 9 3. 7 1. 3 0. 5

Frequency Missing = 5955.4953716

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

AGE WHEN FIRST USED WINE COOLERS

Q21D	Frequency	Percent
Never used it <9 years old 10 years old 11 years old 12 years old 13 years old 14 years old 15 years old 16 years old 17 years old >18 years old	38951. 51 7054. 75 5004. 714 6791. 317 9785. 787 11055. 86 9857. 258 8238. 128 4396. 159 1619. 217 569. 7836 Page 92	37. 7 6. 8 4. 8 6. 6 9. 5 10. 7 9. 5 8. 0 4. 3 1. 6 0. 6

오

Frequency Missing = 6570.092011

AGE WHEN FIRST USED WINE

Q21E	Frequency	Percent
Never used it <9 years old 10 years old 11 years old 12 years old 13 years old 14 years old 15 years old 16 years old 17 years old	49474. 54 6761. 318 4094. 906 5262. 029 7662. 338 8909. 65 8086. 249 6895. 612 3769. 74 1549. 082	48. 0 6. 6 4. 0 5. 1 7. 4 8. 6 7. 8 6. 7 3. 7 1. 5
>18 years old	570. 0252	0. 6

Frequency Missing = 6859.0871808

AGE WHEN FIRST USED LIQUOR

Q21F	Frequency	Percent
Never used it <9 years old 10 years old 11 years old 12 years old 13 years old 14 years old 15 years old 16 years old 17 years old >18 years old	51904. 71 4199. 765 2681. 761 3776. 557 6236. 919 8780. 677 9135. 251 8026. 661 4712. 878 1918. 376 633. 6747	50. 9 4. 1 2. 6 3. 7 6. 1 8. 6 9. 0 7. 9 4. 6 1. 9 0. 6
> 18 years or u	033.0/4/	U. 0

Frequency Missing = 7887.3433021

AGE WHEN FIRST USED INHALANTS

Q21G	Frequency	Percent
Never used it <9 years old 10 years old 11 years old	90340. 58 1370. 018 950. 0547	87. 8 1. 3 0. 9
11 years old	1492 931	1.5

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12

96State712.OUT SPRING 1996

AGE WHEN FIRST USED INHALANTS

	Q21G	Frequency	Percent
12 years 13 years 14 years 15 years 16 years 17 years	ol d ol d ol d ol d ol d	2317. 992 2602. 623 1815. 981 1191. 871 531. 3679 167. 9377	2. 3 2. 5 1. 8 1. 2 0. 5 0. 2
>18 year	s old	55. 16915	0. 1

Frequency Missing = 7058.046832

AGE WHEN FIRST USED MARIJUANA

Q21H	Frequency	Percent
Never used it <pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	70334. 04 1420. 508 1191. 171 1932. 232 3977. 623 6021. 707 6261. 897 5436. 966 3412. 234 1524. 576 347. 3484	69. 0 1. 4 1. 2 1. 9 3. 9 5. 9 6. 1 5. 3 3. 3 1. 5 0. 3

Frequency Missing = 8034.2704123

AGE WHEN FIRST USED COCAINE

Q21I	Frequency	Percent
Never used it	94731.09	93.5
<9 years old	162.0034	0. 2
10 years old	138. 5282	0. 1
11 years old	231. 3047	0. 2
12 years old	488. 6903	0. 5
13 years old	959. 2146	0. 9
14 years old	1300. 908	1. 3
15 years old	1422. 193	1. 4
16 years old	1051. 43	1. 0
17 years old	607. 8969	0.6
>18 years old	215. 9077	0. 2

Frequency Missing = 8585.4096828

96State712.OUT AGE WHEN FIRST USED CRACK

Q21J	Frequency	Percent
Never used it <9 years old 10 years old 11 years old 12 years old 13 years old 14 years old	98202. 58 133. 818 84. 08448 131. 985 246. 2691 386. 3175 426. 1561	97. 7 0. 1 0. 1 0. 1 0. 2 0. 4 0. 4
15 years old	397. 0511	0. 4

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
STATE SAMPLE: GRADES 7-12
SPRING 1996

AGE WHEN FIRST USED CRACK

Q21J	Frequency	Percent
16 years old 17 years old	315. 7899 137. 0879	0. 3 0. 1
>18 years old	58. 7337	0. 1

Frequency Missing = 9374.6975621

AGE WHEN FIRST USED HALLUCINOGENS

Q21L	Frequency	Percent
Never used it <pre><pre><pre> years old 10 years old 11 years old 12 years old 13 years old 14 years old 15 years old 16 years old 17 years old</pre></pre></pre>	93996. 26 163. 816 140. 0773 246. 8769 499. 7931 1111. 588 1704. 787 1708. 995 1227. 01 482. 2148	92. 7 0. 2 0. 1 0. 2 0. 5 1. 1 1. 7 1. 7 0. 5
>18 years old	119. 3034	0. 1

Frequency Missing = 8493.8571472

AGE WHEN FIRST USED UPPERS

Q21M	Frequency	Percent
Never used it <9 years old 10 years old 11 years old	92506. 32 215. 5906 197. 5797 314. 8789 Page 95	92. 6 0. 2 0. 2 0. 3

Ŧ

1.0 0. 5 109.6737 0.1

Frequency Missing = 9948.0516931

AGE WHEN FIRST USED DOWNERS

Q21N	Frequency	Percent
Never used it <9 years old 10 years old 11 years old 12 years old 13 years old 14 years old 15 years old 16 years old 17 years old	94314. 71 198. 6888 124. 1835 282. 7482 529. 8621 891. 0989 1163. 562 1125. 302 608. 7233 282. 2828	94. 7 0. 2 0. 1 0. 3 0. 5 0. 9 1. 2 1. 1 0. 6 0. 3
>18 years old	77. 64271	0. 1

Frequency Missing = 10295.769391

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

AGE WHEN FIRST USED STEROIDS

Q210	Frequency	Percent
Never used it <9 years old 10 years old 11 years old 12 years old 13 years old 14 years old 15 years old 16 years old 17 years old 18 years old 19 years old	98302. 71 264. 633 98. 27768 119. 1596 192. 1792 227. 287 268. 4122 293. 6152 171. 7981 103. 2519 40. 94002	98. 2 0. 3 0. 1 0. 2 0. 2 0. 3 0. 3 0. 2 0. 1
<i>y</i>		

Frequency Missing = 9812.3081412

AGE WHEN FIRST USED ECSTASY

Frequency Percent Page 96

Never used it	94601	94. 7
<9 years old	117. 9694	0. 1
10 years old	68. 99825	0. 1
11 years old	117. 7389	0. 1
12 years old	269. 935	0. 3
13 years old	662. 3086	0. 7
14 years old	1011. 886	1. 0
15 years old	1238. 716	1. 2
16 years old	1118. 565	1. 1
17 years old	608. 5547	0.6
>18 years old	116. 2241	0. 1

Frequency Missing = 9962.6832748

AGE WHEN FIRST USED ROACH

Q21Q	Frequency	Percent
Never used it	92325. 44	91. 7
<9 years old	413. 9803	0. 4
10 years old	376. 2425	0. 4
11 years old	584. 7029	0. 6
12 years old	1076. 23	1. 1
13 years old	1676. 591	1. 7
14 years old	1598. 677	1. 6
15 years old	1333. 934	1. 3
16 years old	816. 5153	0. 8
17 years old	339. 497	0. 3
>18 years old	112. 6557	0. 1

Frequency Missing = 9240. 1120477

HOW OFTEN NORMALLY USE CIGARETTES

Q22A	Frequency	Percent
Never used Every day Several times/wk Several times/mo About once/month < once/month < once/year	53029. 46 8519. 638 5478. 95 7194. 118 6689. 757 8904. 616 11829. 77	52. 2 8. 4 5. 4 7. 1 6. 6 8. 8 11. 6

Page 97

_

96State712.0UT Frequency Missing = 8248.2740439

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO

Q22B	Frequency	Percent
Never used Every day Several times/wk Several times/mo About once/month < once/month < once/year	84325. 93 1448. 069 1157. 348 1503. 916 1794. 063 2763. 073 5683. 099	85. 5 1. 5 1. 2 1. 5 1. 8 2. 8 5. 8

Frequency Missing = 11219.076915

HOW OFTEN NORMALLY USE BEER

Q22C	Frequency	Percent
Never used Every day Several times/wk Several times/mo About once/month < once/month	43850. 76 538. 4117 6118. 576 14570. 32 11563. 52 12841. 11 10041. 13	44. 1 0. 5 6. 1 14. 6 11. 6 12. 9
· Oncor your	100-11. 13	10. 1

Frequency Missing = 10370.750351

HOW OFTEN NORMALLY USE WINE COOLERS

Q22D	Frequency	Percen ⁻
Never used Every day Several times/wk Several times/mo About once/month < once/year	41307. 8 340. 3732 4312. 3 12885. 22 12721. 02 16288. 32 10987. 65	41. 8 0. 3 4. 4 13. 0 12. 9 16. 5

Frequency Missing = 11051.891668

우

96State712.OUT analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

HOW OFTEN NORMALLY USE WINE

Q22E	Frequency	Percent
Never used Every day Several times/wk Several times/mo About once/month < once/month	49971. 22 215. 2092 2727. 597 7713. 958 9658. 078 15956. 7	50. 7 0. 2 2. 8 7. 8 9. 8 16. 2
< once/wear	12275. 69	12. 5

Frequency Missing = 11376.126247

HOW OFTEN NORMALLY USE LIQUOR

Q22F	Frequency	Percent
Never used	51195. 78	52. 2
Every day	317. 3291	0. 3
Several times/wk	3896. 147	4. 0
Several times/mo	11215. 88	11. 4
About once/month	10856. 72	11. 1
< once/month	12289. 31	12. 5
< once/year	8255. 947	8. 4

Frequency Missing = 11867.461665

HOW OFTEN NORMALLY USE INHALANTS

Q22G	Frequency	Percen
Never used Every day Several times/wk Several times/mo About once/month < once/month	88772. 46 226. 0871 718. 5843 1297. 304 1561. 232 2419. 584 4253. 053	89. 4 0. 2 0. 7 1. 3 1. 6 2. 4

Frequency Missing = 10646. 273564

HOW OFTEN NORMALLY USE MARIJUANA

	Q22H	Frequency	Percent
Never used		69076. 93	71. 1
	F	Page 99	

96State712. OUT			
Every day	2837. 975	2. 9	
Several times/wk	4513. 299	4.6	
Several times/mo	5817.773	6.0	
About once/month	4385. 025	4. 5	
< once/month	5052. 31	5. 2	
< once/year	5468. 382	5.6	

Frequency Missing = 12742.874501

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

HOW OFTEN NORMALLY USE COCAINE

	Q22I	Frequency	Percent
N	lever used	91585. 72	94. 1
Е	Every day	136. 8795	0. 1
S	Several times/wk	444. 4419	0.5
S	Several times/mo	809. 331	0.8
Ρ	About once/month	1014. 844	1.0
<	once/month	1355. 327	1.4
<	once/year	1955. 413	2.0
<i>P</i>	Several times/mo About once/month conce/month	809. 331 1014. 844 1355. 327	0. 1. 1.

Frequency Missing = 12592.618189

HOW OFTEN NORMALLY USE CRACK

Q22J	Frequency	Percent
Never used Every day Several times/wk Several times/mo About once/month	94133. 71 95. 85644 131. 0416 246. 3562 390. 282	97. 8 0. 1 0. 1 0. 3 0. 4
< once/month < once/year	486. 124 737. 9546	0. 5

Frequency Missing = 13673. 249858

HOW OFTEN NORMALLY USE HALLUCINOGENS

	Q22L	Frequency	Percent
Never used	P.	91183. 45 age 100	93. 2

f

96St	ate712. OUT	
Every day	88. 63303	0. 1
Several times/wk	262. 0365	0.3
Several times/mo	861. 0587	0. 9
About once/month	1239. 383	1. 3
< once/month	2120.634	2. 2
< once/vear	2068. 397	2. 1

Frequency Missing = 12070.98378

HOW OFTEN NORMALLY USE UPPERS

Q22M	Frequency	Percent
Never used Every day Several times/wk Several times/mo About once/month < once/month	88176. 51 211. 9426 454. 7042 953. 5316 1301. 253 1801. 437	92.9 0.2 0.5 1.0 1.4
< once/year	1996. 672	2. 1

Frequency Missing = 14998.522865

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

HOW OFTEN NORMALLY USE DOWNERS

Q22N	Frequency	Percent
Never used	89593. 41	94. 9
Every day	125. 1682	0. 1
Several times/wk	331. 5282	0.4
Several times/mo	742. 941	0.8
About once/month	964. 9262	1.0
< once/month	1286. 505	1.4
< once/vear	1356. 73	1.4

Frequency Missing = 15493.368301

HOW OFTEN NORMALLY USE STEROIDS

	0220	Frequency	Percent
Never used	Pa	93448. 23 age 101	98. 4

(

96St	ate712.0UT	
Every day	168. 02	0. 2
Several times/wk	108. 2374	0. 1
Several times/mo	184. 7231	0. 2
About once/month	176. 7834	0. 2
< once/month	257. 2022	0. 3
< once/year	594. 2227	0.6

Frequency Missing = 14957.157564

HOW OFTEN NORMALLY USE ECSTASY

Q22P	Frequency	Percent
Never used	89694. 12	94. 9
Every day	79. 38874	0. 1
Several times/wk	160. 7719	0. 2
Several times/mo	508. 149	0.5
About once/month	819. 9593	0. 9
< once/month	1627.772	1. 7
< once/year	1673. 658	1.8

Frequency Missing = 15330.750373

HOW OFTEN NORMALLY USE ROACH

Q22Q	Frequency	Percent
Never used	88005.8	92. 3
Every day	457. 9122	0. 5
Several times/wk	920. 5374	1.0
Several times/mo	1351. 635	1.4
About once/month	1325. 353	1.4
< once/month	1529. 099	1.6
< once/year	1731. 692	1.8

Frequency Missing = 14572.54621

DIFFICULT TO GET CIGARETTES

	Q23A	Freque	ncy	Percent
Never hea				5. 0
	ŀ	Page 102	<u>'</u>	

우

State712. OUT	
11607. 23	11. 4
3739. 609	3. 7
6284. 113	6. 2
16949. 1	16. 6
58326.08	57. 2
	11607. 23 3739. 609 6284. 113 16949. 1

Frequency Missing = 7923.7887291

DIFFICULT TO GET SMOKELESS TOBACCO

Q23B	Frequency	Percent
Never heard of	11202. 82	11. 3
Impossible	19313. 68	19. 5
Very difficult	6036. 834	6. 1
Somewhat diff	9029. 737	9. 1
Somewhat easy	15286. 08	15. 4
Very easy	38408. 62	38. 7

Frequency Missing = 10616.800644

DIFFICULT TO GET BEER

Q23C	Frequency	Percent
Never heard of	4428. 727	4. 4
Impossible	11359. 85	11. 3
Very difficult	4814. 998	4. 8
Somewhat diff	9349. 596	9. 3
Somewhat easy	22005. 85	22. 0
Very easy	48257. 63	48. 2

Frequency Missing = 9677.9271903

DIFFICULT TO GET WINE COOLERS

Q23D	Frequency	Percent
Never heard of	4611. 163	4. 7
Impossible	11367. 23	11. 5
Very difficult	5008. 7	5. 1
Somewhat diff	9885. 302	10. 0
Somewhat easy	22148. 46	22. 3
Very easy	46141. 44	46. 5

Frequency Missing = 10732.277671

Q

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
STATE SAMPLE: GRADES 7-12
SPRING 1996

DIFFICULT TO GET WINE

Q23E	Frequency	Percent
Never heard of	5405. 334	5. 5
Impossible	14091. 83	14. 3
Very difficult	6297. 948	6. 4
Somewhat diff	11137. 48	11. 3
Somewhat easy	20348. 09	20. 6
Very easy	41553. 04	42. 0

Frequency Missing = 11060.847378

DIFFICULT TO GET LIQUOR

Q23F Frequency Perce	
Never heard of 5537. 92 5. Impossible 15216. 73 15. Very difficult 6664. 035 6. Somewhat diff 10234. 74 10. Somewhat easy 18735. 02 19. Very easy 41841. 67 42.	5 8 4 1

Frequency Missing = 11664.473314

DIFFICULT TO GET INHALANTS

Q23G	Frequency	Percent
Never heard of	10682. 78	10. 8
Impossible	18094. 61	18. 3
Very difficult	3807. 062	3. 8
Somewhat diff	4670. 101	4. 7
Somewhat easy	9716. 07	9. 8
Very easy	52040. 08	52. 6

Frequency Missing = 10883.868654

DIFFICULT TO GET MARIJUANA Page 104

Q23H	Frequency	Percent
Never heard of	6878. 357	7. 0
Impossible	22055. 87	22. 4
Very difficult	7846. 056	8. 0
Somewhat diff	9785. 421	9. 9
Somewhat easy	16588. 46	16. 8
Very easy	35374. 48	35. 9

Frequency Missing = 11365.931705

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

DIFFICULT TO GET COCAINE

Q23I	Frequency	Percent
Never heard of	9808. 841	10. 0
Impossible	30160. 94	30. 8
Very difficult	14547. 53	14. 9
Somewhat diff	15606. 83	15. 9
Somewhat easy	12544. 46	12. 8
Very easy	15219. 44	15. 5

Frequency Missing = 12006.532148

DIFFICULT TO GET CRACK

Q23J	Frequency	Percent
Never heard of	10362. 46	10. 7
Impossible	30795. 55	31. 8
Very difficult	15649. 36	16. 2
Somewhat diff	15801. 38	16. 3
Somewhat easy	10958. 4	11. 3
Very easy	13185. 01	13. 6

Frequency Missing = 13142.417619

96State712.OUT DIFFICULT TO GET HALLUCINOGENS

Q23L	Frequency	Percent
Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy	18207. 03 28431. 93 14178. 54 12968. 98 10475. 41 13532. 86	18. 6 29. 1 14. 5 13. 3 10. 7 13. 8
voi y casy	10002.00	10.0

Frequency Missing = 12099.8278

DIFFICULT TO GET UPPERS

Q23M	Frequency	Percent
Never heard of	22829. 98	23. 7
Impossible	24166. 89	25. 1
Very difficult	11635. 89	12. 1
Somewhat diff	12034. 28	12. 5
Somewhat easy	11151. 75	11. 6
Very easy	14652. 69	15. 2

Frequency Missing = 13423.092631

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

DIFFICULT TO GET DOWNERS

Q23N	Frequency	Percent
Never heard of	22614. 91	23. 6
Impossible	24340. 13	25. 4
Very difficult	11752. 78	12. 2
Somewhat diff	12111. 03	12. 6
Somewhat easy	10974. 41	11. 4
Very easy	14174. 15	14. 8

Frequency Missing = 13927. 157636

DIFFICULT TO GET STEROIDS

0230	Frequency	Percent
Never heard of	13922. 32	14. 4
Impossible	30200. 05	31. 3
Very difficult	14692. 99	15. 2
Somewhat diff	14262. 03	14. 8
Somewhat easy	10535. 39	10. 9
Very easy	12871. 8	13. 3

Frequency Missing = 13409.998487

DIFFICULT TO GET ECSTASY

Q23P	Frequency	Percent
Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy	28822. 7 22624. 94 11031. 24 10839. 43 9759. 075 13451. 55	29. 9 23. 4 11. 4 11. 2 10. 1 13. 9

Frequency Missing = 13365.631004

DIFFICULT TO GET ROACH

0230	Frequency	Percent
Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy	30548. 82 22278. 02 9705. 576 9572. 894 9271. 469 16259. 1	31. 3 22. 8 9. 9 9. 8 9. 5 16. 7
Impossible Very difficult Somewhat diff Somewhat easy	22278. 02 9705. 576 9572. 894 9271. 469	22. 8 9. 9 9. 8 9. 5

Frequency Missing = 12258.692006

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12

96State712.OUT SPRING 1996

NEVER HEARD OF CIGARETTES

Q24A1	Frequency	Percent
Agree	4188. 426	3. 8
Di sagree	105706. 1	96. 2

NEVER USE CIGARETTES

Q24A2	Frequency	Percent
Agree	52115. 24	47. 4
Di sagree	57779. 33	52. 6

NORMALLY USE CIGARETTES BEFORE SCHOOL

Q24A3	Frequency	Percent
Yes	7842. 611	7. 1
No	102052	92. 9

NORMALLY USE CIGARETTES DURING SCHOOL

Q24A4	Frequency	Percent
Yes	4971. 657	4. 5
No	104922. 9	95. 5

NORMALLY USE CIGARETTES AFTER SCHOOL

Q24A5	Frequency	Percent
Yes	18088. 3	16. 5
No	91806. 27	83. 5

NORMALLY USE CIGARETTES ON WEEKENDS

Q24A6	Frequency	Percent
Yes	32027.04	29. 1
	Page 10	8

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

NEVER HEARD OF SMOKELESS TOBACCO

Q24B1	Frequency	Percent
Agree	8846. 048	8. 0
Di sagree	101048. 5	92. 0

NEVER USE SMOKELESS TOBACCO

Q24B2	Frequency	Percent
Agree	77642. 84	70. 7
Di sagree	32251. 74	29. 3

USE SMOKELESS TOBACCO BEFORE SCHOOL

Q24B3	Frequency	Percent
Yes	1274. 926	1. 2
No	108619. 6	98. 8

USE SMOKELESS TOBACCO DURING SCHOOL

Q24B4	Frequency	Percent
Yes	1811. 962	1. 6
No	108082. 6	98. 4

USE SMOKELESS TOBACCO AFTER SCHOOL

Q24B5	Frequency	Percent
Yes	4203. 701	3. 8
No	105690. 9	96. 2

USE SMOKELESS TOBACCO ON WEEKENDS

Q24B6	Frequency	Percent
Yes	8740. 047	8. 0
No	101154. 5	92. 0

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

NEVER HEARD OF BEER

Q24C1	Frequency	Percent
Agree	3447. 023	3. 1
Di sagree	106447. 6	96. 9

NEVER USE BEER

Q24C2	Frequency	Percent
Agree	43299. 73	39. 4
Di sagree	66594. 84	60. 6

NORMALLY USE BEER BEFORE SCHOOL

4

96State712.OUT Yes 1072.567 1.0 No 108822 99.0

NORMALLY USE BEER DURING SCHOOL

Q24C4	Frequency	Percent
Yes	776. 1018	0. 7
No	109118. 5	99. 3

NORMALLY USE BEER AFTER SCHOOL

Q24C5	Frequency	Percent
Yes	7139. 378	6. 5
No	102755. 2	93. 5

NORMALLY USE BEER ON WEEKENDS

Q24C6	Frequency	Percent
Yes	48280. 09	43. 9
No	61614. 48	56. 1

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

NEVER HEARD OF WINE COOLERS

Q24D1	Frequency	Percent
Agree	3743. 201	3. 4
Di sagree	106151. 4	96. 6

NEVER USE WINE COOLERS

Q24D2	Frequency	Percent
Agree	40544. 98	36. 9
Di sagree	69349. 59	63. 1

NORMALLY USE WINE COOLERS BEFORE SCHOOL

Q24D3	Frequency	Percent
Yes	773. 4946	0. 7
No	109121. 1	99. 3

NORMALLY USE WINE COOLERS DURING SCHOOL

Q24D4	Frequency	Percent
Yes	619. 4148	0. 6
No	109275. 2	99. 4

NORMALLY USE WINE COOLERS AFTER SCHOOL

Q24D5	Frequency	Percent
Yes	6055. 697	5. 5
No	103838. 9	94. 5

NORMALLY USE WINE COOLERS ON WEEKENDS

Q24D6	Frequency	Percent
Yes	49752. 56	45. 3
No	60142. 01	54. 7

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
STATE SAMPLE: GRADES 7-12
SPRING 1996

NEVER HEARD OF WINE

Q24E1	Frequency	Percent
Agree	4366. 726	4. 0
Di sagree	105527. 8	96. 0

NEVER USE WINE

Q24E2	Frequency	Percent
Agree	48491. 35	44. 1
Di sagree	61403. 22	55. 9

NORMALLY USE WINE BEFORE SCHOOL

Q24E3	Frequency	Percent
Yes	569. 3894	0. 5
No	109325. 2	99. 5

NORMALLY USE WINE DURING SCHOOL

Q24E4	Frequency	Percent
Yes	449. 2499	0. 4
No	109445. 3	99. 6

NORMALLY USE WINE AFTER SCHOOL

Q24E5	Frequency	Percent
Yes	4934. 076	4. 5
No	104960. 5	95. 5

NORMALLY USE WINE ON WEEKENDS

Q24E6	Frequency	Percent
 Yes No	41147. 02 68747. 55	37. 4 62. 6

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
STATE SAMPLE: GRADES 7-12
SPRING 1996

NEVER HEARD OF LIQUOR

Q24F1	Frequency	Percent
Agree	4464. 267	4. 1
Di sagree	105430. 3	95. 9

NEVER USE LIQUOR

Q24F2	Frequency	Percent
Agree	48162. 83	43. 8
Di sagree	61731. 74	56. 2

NORMALLY USE LIQUOR BEFORE SCHOOL

Q24F3	Frequency	Percent
Yes	914. 9824	0. 8
No	108979. 6	99. 2

NORMALLY USE LIQUOR DURING SCHOOL

Q24F4 Frequency Percent Page 114

9

Yes	913. 0225	0.8
No	108981.6	99. 2

NORMALLY USE LIQUOR AFTER SCHOOL

Q24F5	Frequency	Percent
Yes	5119. 291	4. 7
No	104775. 3	95. 3

NORMALLY USE LIQUOR ON WEEKENDS

Q24F6	Frequency	Percent
Yes	41459. 4	37. 7
No	68435. 17	62. 3

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12

SPRING 1996

NEVER HEARD OF INHALANTS

Q24G1	Frequency	Percent
Agree	10145. 85	9. 2
Di sagree	99748. 73	90. 8

NEVER USE INHALANTS

Q24G2	Frequency	Percent
Agree	78041	71. 0
Di sagree	31853. 57	29. 0

Page 115

NORMALLY USE INHALANTS BEFORE SCHOOL

Q24G3	Frequency	Percent
Yes	882. 5684	0. 8
No	109012	99. 2

NORMALLY USE INHALANTS DURING SCHOOL

Q24G4	Frequency	Percent
Yes	3137. 117	2. 9
No	106757. 5	97. 1

NORMALLY USE INHALANTS AFTER SCHOOL

Q24G5	Frequency	Percent
Yes	2749. 018	2. 5
No	107145. 6	97. 5

NORMALLY USE INHALANTS ON WEEKENDS

Q24G6	Frequency	Percent
Yes	5316. 578	4. 8
No	104578	95. 2

NEVER HEARD OF MARIJUANA Page 116

Q24H1	Frequency	Percent
Agree	6637. 435	6. 0
Di sagree	103257. 1	94. 0

NEVER USE MARIJUANA

Q24H2	Frequency	Percent
Agree	63669. 04	57. 9
Di sagree	46225. 54	42. 1

NORMALLY USE MARIJUANA BEFORE SCHOOL

Q24H3	Frequency	Percent
Yes	4306. 635	3. 9
No	105587. 9	96. 1

NORMALLY USE MARIJUANA DURING SCHOOL

Q24H4	Frequency	Percent
Yes	3407. 601	3. 1
No	106487	96. 9

NORMALLY USE MARIJUANA AFTER SCHOOL

Q24H5	Frequency	Percent
Yes	9257. 11	8. 4
No	100637. 5	91. 6

NORMALLY USE MARIJUANA ON WEEKENDS

Q24H6	Frequency	Percent
Yes	21840. 99	19. 9
No	88053. 59	80. 1

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
STATE SAMPLE: GRADES 7-12
SPRING 1996

NEVER HEARD OF COCAINE

Q24I 1	Frequency	Percent
Agree	9323. 863	8. 5
Di sagree	100570. 7	91. 5

NEVER USE COCALNE

Q24I 2	Frequency	Percent
Agree	81816. 56	74. 5
Di sagree	28078. 02	25. 5

NORMALLY USE COCAINE BEFORE SCHOOL

02413	Frequency	Percent
Yes	448. 2075	0. 4
No	109446. 4	99. 6

NORMALLY USE COCAINE DURING SCHOOL

Q24I4	Frequency	Percent
Yes	560. 99	0. 5
No	109333. 6	99. 5

NORMALLY USE COCAINE AFTER SCHOOL

Page 118

96State712. OUT 024I5 Frequency Percent ----Yes 1130. 392 1. 0 No 108764. 2 99. 0

NORMALLY USE COCAINE ON WEEKENDS

02416	Frequency	Percent
Yes	4489. 38	4. 1
No	105405. 2	95. 9

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

NEVER HEARD OF CRACK

Q24J1	Frequency	Percent
Agree	9938. 396	9. 0
Di sagree	99956. 18	91. 0

NEVER USE CRACK

Q24J2	Frequency	Percent
Agree	83734. 69	76. 2
Di sagree	26159. 89	23. 8

NORMALLY USE CRACK BEFORE SCHOOL

Q24J3	Frequency	Percent
Yes	160. 5182	0. 1
No	109734. 1	99. 9

Page 119

Ť

NORMALLY USE CRACK DURING SCHOOL

Q24J4	Frequency	Percent
Yes	166. 1822	0. 2
No	109728. 4	99. 8

NORMALLY USE CRACK AFTER SCHOOL

Q24J5	Frequency	Percent
Yes	403. 0022	0. 4
No	109491.6	99. 6

NORMALLY USE CRACK ON WEEKENDS

Q24J6	Frequency	Percent
Yes	1690. 845	1. 5
No	108203. 7	98. 5

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

NEVER HEARD OF HALLUCI NOGENS

Q24L1	Frequency	Percent
Agree	16530. 32	15. 0
Di sagree	93364. 25	85. 0

NEVER USE HALLUCI NOGENS Page 120

Q24L2	Frequency	Percent
Agree	73754. 53	67. 1
Di sagree	36140. 05	32. 9

NORMALLY USE HALLUCI NOGENS BEFORE SCHOOL

Q24L3	Frequency	Percent
Yes	569. 8461	0. 5
No	109324. 7	99. 5

NORMALLY USE HALLUCI NOGENS DURI NG SCHOOL

Q24L4	Frequency	Percent
Yes	992. 5164	0. 9
No	108902. 1	99. 1

NORMALLY USE HALLUCI NOGENS AFTER SCHOOL

Q24L5	Frequency	Percent
Yes	1261. 953	1. 1
No	108632. 6	98. 9

NORMALLY USE HALLUCINOGENS ON WEEKENDS

024L6	Frequency	Percent
Yes	5608. 089	5. 1
No	104286.5	94.9

96State712.0UT

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade

level in the district

STATE SAMPLE: GRADES 7-12

SPRING 1996

NEVER HEARD OF UPPERS

Q24M1	Frequency	Percent
Agree	20569. 56	18. 7
Di sagree	89325. 02	81. 3

NEVER USE UPPERS

Q24M2	Frequency	Percent
Agree	68826. 22	62. 6
Di sagree	41068. 35	37. 4

NORMALLY USE UPPERS BEFORE SCHOOL

Q24M3	Frequency	Percent
Yes	1518. 724	1. 4
No	108375. 9	98. 6

NORMALLY USE UPPERS DURING SCHOOL

Q24M4	Frequency	Percent
Yes	1767. 697	1. 6
No	108126. 9	98. 4

NORMALLY USE UPPERS AFTER SCHOOL

Q24M5	Frequency	Percent
Yes	1655. 902	1. 5
No	108238. 7	98. 5

NORMALLY USE UPPERS ON WEEKENDS Page 122

Q24M6	Frequency	Percent
Yes	4295. 608	3. 9
No	105599	96. 1

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

NEVER HEARD OF DOWNERS

Q24N1	Frequency	Percent
Agree	20610. 25	18. 8
Di sagree	89284. 32	81. 2

NEVER USE DOWNERS

Q24N2	Frequency	Percent
Agree	70031. 2	63. 7
Di sagree	39863. 37	36. 3

NORMALLY USE DOWNERS BEFORE SCHOOL

Q24N3	Frequency	Percent
Yes	579. 6565	0. 5
No	109314. 9	99. 5

NORMALLY USE DOWNERS DURING SCHOOL

Q24N4	Frequency	Percent
Yes No	987. 2817 108907. 3 Page 123	0. 9 99. 1 3

f

NORMALLY USE DOWNERS AFTER SCHOOL

Q24N5	Frequency	Percent
Yes	1386. 352	1. 3
No	108508. 2	98. 7

NORMALLY USE DOWNERS ON WEEKENDS

Q24N6	Frequency	Percent
Yes	3252. 047	3. 0
No	106642. 5	97. 0

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

NEVER HEARD OF STEROIDS

Q2401	Frequency	Percent
Agree	12596. 97	11. 5
Di sagree	97297. 6	88. 5

NEVER USE STEROIDS

Q2402	Frequency	Percent
Agree	81461. 97	74. 1
Di sagree	28432. 6	25. 9

NORMALLY USE STEROIDS Page 124

우

96State712.OUT BEFORE SCHOOL

02403	Frequency	Percent
Yes	336. 2608	0. 3
No	109558. 3	99. 7

NORMALLY USE STEROIDS DURING SCHOOL

Q2404	Frequency	Percent
Yes	333. 3784	0. 3
No	109561. 2	99. 7

NORMALLY USE STEROIDS AFTER SCHOOL

Q2405	Frequency	Percent
Yes	513. 054	0. 5
No	109381. 5	99. 5

NORMALLY USE STEROIDS ON WEEKENDS

Q2406	Frequency	Percent
Yes	764. 6764	0. 7
No	109129. 9	99. 3

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

NEVER HEARD OF ECSTASY

Q24P1 Frequency Percent

Page 125

우

96State712. OUT Agree 25900. 54 Di sagree 83994. 03 23. 6 76. 4

NEVER USE ECSTASY

Q24P2	Frequency	Percent
Agree	64819. 99	59. 0
Di sagree	45074. 58	41. 0

NORMALLY USE ECSTASY BEFORE SCHOOL

Q24P3	Frequency	Percent
Yes	224. 4525	0. 2
No	109670. 1	99. 8

NORMALLY USE ECSTASY DURING SCHOOL

Q24P4	Frequency	Percent
Yes	303. 9717	0. 3
No	109590. 6	99. 7

NORMALLY USE ECSTASY AFTER SCHOOL

Q24P5	Frequency	Percent
Yes	634. 5542	0. 6
No	109260	99. 4

NORMALLY USE ECSTASY ON WEEKENDS

Q24P6	Frequency	Percent
Yes	4404. 865	4. 0
No	105489. 7	96. 0

NEVER HEARD OF ECSTASY

Q24Q1	Frequency	Percent
Agree	26355. 7	24. 0
Di sagree	83538. 88	76. 0

NEVER USE ROACH

02402	Frequency	Percent
Agree	61917. 22	56. 3
Di sagree	47977. 36	43. 7

NORMALLY USE ROACH BEFORE SCHOOL

Q24Q3	Frequency	Percent
Yes	802. 1989	0. 7
No	109092. 4	99. 3

NORMALLY USE ROACH DURING SCHOOL

Q24Q4	Frequency	Percent
Yes	949. 6552	0. 9
No	108944. 9	99. 1

NORMALLY USE ROACH AFTER SCHOOL

Q24Q5	Frequency	Percent
Yes	1866. 019	1. 7
	Page 12	7

NORMALLY USE ROACH ON WEEKENDS

Q24Q6	Frequency	Percent
Yes	5673. 606	5. 2
No	104221	94. 8

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

AMOUNT OF BEER AT ONE TIME

12+ dri nks 6839. 392 6. 9-11 dri nks 3987. 336 3. 5-8 dri nks 8716. 647 8.	Q25A	Frequency	Percen ⁻
1 dri nk 11019. 66 10.	12+ dri nks 9-11 dri nks 5-8 dri nks 3-4 dri nks 2 dri nks 1 dri nk	6839. 392 3987. 336 8716. 647 10193. 12 8986. 81 11019. 66	41. 1 6. 6 3. 9 8. 5 9. 9 8. 7 10. 7

Frequency Missing = 6748. 1122348

AMOUNT OF WINE COOLERS AT ONE TIME

Q25B Frequency Perc	ent
12+ dri nks 6116. 199 6 9-11 dri nks 3820. 06 3 5-8 dri nks 8779. 169 8 3-4 dri nks 13578. 04 13 2 dri nks 11331. 38 11 1 dri nk 11922. 75 11	. 6 . 0 . 7 . 6 . 3 . 1

Page 128

AMOUNT OF WINE AT ONE TIME

Q	25C Freque	ency Percent
Never drink t 12+ drinks 9-11 drinks 5-8 drinks 3-4 drinks 2 drinks 1 drink < 1 drink	his 48187. 2863. 1631. 3805. 7541. 9942. 15047. 13233.	169 2.8 953 1.6 104 3.7 689 7.4 166 9.7 .23 14.7

Frequency Missing = 7642.3946384

AMOUNT OF LIQUOR AT ONE TIME

Frequency Missing = 7686.7451276

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

BEERS, FIVE OR MORE AT ONE TIME

Q26A	Frequency	Percent
Never drink this	36911, 52	41. 9
Never 5+ at time	18182, 64	20. 6
Every day	428, 2106	0. 5
Several times/wk	4178, 094	4. 7
Several times/mo	9645, 227	11. 0
About once/month	7409, 884	8. 4
< once/month	6059, 953	6. 9
< once/year	5254, 47	6. 0

Frequency Missing = 21824.568403 Page 129

Ť

WINE COOLERS, FIVE OR MORE AT ONE TIME

02	6B Frequen	cy Percent
Never drink th Never 5+ at ti Every day Several times/ Several times/ About once/mon < once/month < once/year	me 18948.6 329.982 wk 3395.93 mo 8725.52	3 21.7 7 0.4 6 3.9 9 10.0 3 9.2 5 9.2

Frequency Missing = 22729.312314

WINE, FIVE OR MORE AT ONE TIME

Q26C	Frequency	Percent
Never drink this	40466. 24	46. 5
Never 5+ at time	17889. 81	20. 6
Every day	143. 1219	0. 2
Several times/wk	2090. 317	2. 4
Several times/mo	4942. 138	5. 7
About once/month	6224. 465	7. 2
< once/month	7929. 897	9. 1
< once/year	7326. 314	8. 4

Frequency Missing = 22882.272924

LIQUOR, FIVE OR MORE AT ONE TIME

	Q26D	Frequency	Percen
Never drink	time es/wk es/mo month h	40795. 73	46. 9
Never 5+ at		15363. 1	17. 6
Every day		304. 01	0. 3
Several tim		3139. 207	3. 6
Several tim		8039. 89	9. 2
About once/		7333. 172	8. 4
< once/mont		6863. 44	7. 9
< once/year		5217. 153	6. 0

Frequency Missing = 22838.866025

96State712.OUT STATE SAMPLE: GRADES 7-12 SPRING 1996

GET ALCOHOLIC BEVERAGES FROM HOME

Q27A	Frequency	Percent
Do not Drink	76954. 66	88. 4
Never	5188. 533	6. 0
Seldom	799. 4279	0. 9
Most of the Time	517. 959	0. 6
Always	3586. 62	4. 1

Frequency Missing = 22847.373709

GET ALCOHOLIC BEVERAGES FROM FRIENDS

Q27B	Frequency	Percent
Do not Drink	28676. 94	28. 6
Never	16451. 39	16. 4
Seldom	16576. 54	16. 5
Most of the Time	25464. 44	25. 4
Always	13266. 26	13. 2

Frequency Missing = 9458.9994494

GET ALCOHOLIC BEVERAGES FROM A STORE

Frequency	Percent
29093. 53 40370. 57	29. 1 40. 3
13650.88	13. 6
	10. 6 6. 3
	29093. 53 40370. 57

Frequency Missing = 9837.0568299

GET ALCOHOLIC BEVERAGES AT PARTIES

Q27D	Frequency	Percent
Do not Drink	28034. 69	28. 0
Never	15690. 16	15. 7
Seldom	13398. 71	13. 4
Most of the Time	20633. 82	20. 6
Always	22471. 35	22. 4

Frequency Missing = 9665.8320982

Q27E Fred	quency Percent
Never 275; Seldom 169 Most of the Time 1208	53. 83 30. 5 37. 74 28. 1 79. 21 17. 3 86. 77 12. 3 519. 8 11. 7

Frequency Missing = 11817.22034

DANGEROUS FOR KIDS TO USE TOBACCO

Q28A	Frequency	Percent
Very Somewhat Not very Not at all	34406. 64 29884. 76 15158. 87 3760. 238	38. 6 33. 6 17. 0 4. 2
Don't know	5825. 736	6. 5

Frequency Missing = 20858.331651

DANGEROUS FOR KIDS TO USE ALCOHOL

Q28B F	requency l	Percent
Somewhat Not very 1 Not at all	8729. 73 31415. 4 2359. 34 2665. 32 094. 449	43. 9 35. 6 14. 0 3. 0

Frequency Missing = 21630.331555

DANGEROUS FOR KIDS TO USE INHALANTS

Q28C	Frequency	Percent
Very Somewhat Not very Not at all	66605.61 13396.87 2800.052 871.0008 Page 132	75. 8 15. 2 3. 2 1. 0

96State712. OUT 4214. 25 Don't know 4.8

Frequency Missing = 22006.794244

DANGEROUS FOR KIDS TO USE MARIJUANA

Q28D	Frequency	Percent
Very	52419. 26	59. 8
Somewhat	16743. 81	19. 1
Not very	9538. 675	10. 9
Not at all	5788. 777	6. 6
Don't know	3122. 156	3. 6

Frequency Missing = 22281.889579

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

DANGEROUS FOR KIDS TO USE COCALNE

Q28E	Frequency	Percent
Very	75916. 48	86. 7
Somewhat	6489. 141	7. 4
Not very	1174. 266	1. 3
Not at all	617. 5827	0. 7
Don't know	3358. 85	3. 8

Frequency Missing = 22338.251133

DANGEROUS FOR KIDS TO USE CRACK

Q28F	Frequency	Percent
Very Somewhat Not very Not at all	76954. 66 5188. 533 799. 4279 517. 959 Page 133	88. 4 6. 0 0. 9 0. 6

96State712. OUT 3586. 62

Don't know

Frequency Missing = 22847.373709

4. 1

DANGEROUS FOR KIDS TO USE ECSTASY

Q28G	Frequency	Percent
Very	60242. 22	69. 0
Somewhat	8965. 377	10. 3
Not very	3388. 28	3. 9
Not at all	1526. 677	1. 7
Don't know	13245.53	15. 2

Frequency Missing = 22526.492818

DANGEROUS FOR KIDS TO USE STEROIDS

Q28H	Frequency	Percent
Very	63933. 76	72. 9
Somewhat	12889. 15	14. 7
Not very	2735. 884	3. 1
Not at all	862. 6078	1. 0
Don't know	7280. 628	8. 3

Frequency Missing = 22192.539417

DAYS SKIPPED SINCE SEPTEMBER

Q29A	Frequency	Percent
None	72117. 3	70. 6
1 day	10167. 94	10. 0
2-3 days	10410. 45	10. 2
4-9 days	5562. 45	5. 4

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

DAYS SKIPPED SINCE SEPTEMBER

Q29A	Frequency	Percent
10+ days	3854. 945	3. 8

Frequency Missing = 7781.4976863 Page 134

DAYS ILL SINCE SEPTEMBER

Q29B	Frequency	Percent
None 1 day 2-3 days 4-9 days	24668. 79 16793. 88 34342. 85 19562. 84	24. 4 16. 6 34. 0 19. 4
10+ days	5729. 357	5. 7

Frequency Missing = 8796.8689787

OTHER DAYS MISSED SINCE SEPTEMBER

None 39423. 84 39. 2 1 day 26132. 96 26. 0 2-3 days 25224. 22 25. 1 4-9 days 7429. 664 7. 4
10+ days 2326.303 2.3

Frequency Missing = 9357.5884046

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER

Q29D	Frequency	Percent
None 1 day 2-3 days 4-9 days	77013. 94 9856. 113 8019. 16 3677. 643	75. 9 9. 7 7. 9 3. 6
10+ days	2891. 451	2. 8

Frequency Missing = 8436.2688216

SOMEONE CALLED HOME SINCE SEPTEMBER

Q29E	Frequency	Percent
None 1 day 2-3 days 4-9 days 10+ days	83546. 18 8396. 735 5661. 844 2066. 925 1343. 646 Page 135	82. 7 8. 3 5. 6 2. 0 1. 3

Frequency Missing = 8879. 247237

IN TROUBLE FOR DRINKING SINCE SEPTEMBER

Q29F	Frequency	Percent
None 1 day 2-3 days 4-9 days	98616. 32 813. 5515 410. 5873 155. 5607	98. 4 0. 8 0. 4 0. 2
10+ days	224. 2357	0. 2

Frequency Missing = 9674.3197505

IN TROUBLE FOR DRUGUSE SINCE SEPTEMBER

Q29G	Frequency	Percent
None 1 day 2-3 days 4-9 days	98214. 42 1149. 841 550. 7641 208. 914	97. 8 1. 1 0. 5 0. 2
10+ days	287. 9404	0. 3

Frequency Missing = 9482.6900094

DAYS SKIPPED IN PAST MONTH

Q30A	Frequency	Percent
None 1 day 2-3 days 4-9 days	82172. 83 9117. 743 5812. 126 1774. 861	82. 4 9. 1 5. 8 1. 8
10+ days	834. 738	0.8

Frequency Missing = 10182.271594

DAYS ILL IN PAST MONTH

Q30B Frequency Percent

Page 136

Ť

	96State712. OUT	
None	58426. 3	59. 7
1 day	19654. 24	20. 1
2-3 days	15092. 04	15. 4
4-9 days	3712. 019	3.8
10+ days	935. 7544	1.0

Frequency Missing = 12074.222085

OTHER DAYS MISSED IN PAST MONTH

Q30C	Frequency	Percent
None	66497. 21	68. 1
1 day	18742. 95	19. 2
2-3 days	9650. 415	9. 9
4-9 days	2074. 846	2. 1

OTHER DAYS MISSED IN PAST MONTH

Q30C	Frequency	Percent
10+ days	639. 355	0. 7

Frequency Missing = 12289.790075

SENT TO PRINCIPAL/DEAN IN PAST MONTH

Q30D	Frequency	Percent
None	87224. 68	88. 3
1 day	6030. 119	6. 1
2-3 days	3662. 376	3. 7
4-9 days	1144. 014	1. 2
10+ days	717. 974	0. 7

Frequency Missing = 11115.413279

SOMEONE CALLED HOME IN PAST MONTH

Q30E	Frequency	Percent
None	91032. 23	92. 3
	Page 137	

우

	96State712. OUT	
1 day	4407. 023	4. 5
2-3 days	2089. 642	2. 1
4-9 days	618. 5081	0.6
10+ davs	512. 8571	0. 5

Frequency Missing = 11234.314402

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT

Q31A	Frequency	Percent
None 1 day 2-3 days 4-9 days	90288. 75 4467. 372 2923. 361 994. 945	90. 6 4. 5 2. 9 1. 0
10+ davs	938. 0654	0. 9

Frequency Missing = 10282.079324

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT

Q31B	Frequency	Percent
None	85863. 75	87. 5
1 day	3652. 873	3. 7
2-3 days	3426. 692	3. 5
4-9 days	2027. 113	2. 1
10+ days	3210. 383	3. 3

Frequency Missing = 11713.761463

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

CLASS DAYS HIGH ON INHALANTS SINCE SEPT

Q31C	Frequency	Percent
None 1 day 2-3 days 4-9 days 10+ days	94665. 58 1622. 972 1055. 614 406. 8 435. 4675	96. 4 1. 7 1. 1 0. 4 0. 4
10+ uays	433.4073	0.4

Frequency Missing = 11708.143356

CLASS DAYS HIGH ON OTHER DRUG(S)

None 92617. 15 94. 0 1 day 2212. 825 2. 2 2-3 days 1916. 183 1. 9
4-9 days 850.7557 0.9 10+ days 964.551 1.0

Frequency Missing = 11333.108612

TROUBLE WITH FRIENDS BECAUSE OF DRINKING

Q32A Frequency P	
None 90461.68	91. 1
1 time 4771.034	4. 8
2-3 times 3042.695	3. 1
4-9 times 593.3926	0. 6
10+ times 402.6751	0. 4

Frequency Missing = 10623.092895

DRIVEN A CAR AFTER A GOOD BIT TO DRINK

Q32B	Frequency	Percent
None 1 time 2-3 times 4-9 times 10+ times	87173. 75 4517. 856 3898. 149 1432. 448 1294. 451	88. 7 4. 6 4. 0 1. 5 1. 3

Frequency Missing = 11577. 921363

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

CRITICIZED BY DATE BECAUSE OF DRINKING

	96State712.0	UT
Q32C	Frequency	Percent
None 1 time 2-3 times 4-9 times 10+ times	90208. 42 4158. 591 2324. 725 686. 2509 649. 1316	92. 0 4. 2 2. 4 0. 7 0. 7

Frequency Missing = 11867.453084

TROUBLE WITH POLICE BECAUSE OF DRINKING

Q32D	Frequency	Percent
None 1 time 2-3 times 4-9 times 10+ times	92614. 51 2855. 886 1234. 739 373. 211 249. 1074	95. 2 2. 9 1. 3 0. 4 0. 3
io+ times	249. IU/4	0. 3

Frequency Missing = 12567.1206

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE

Q32E	Frequency	Percent
None	91900. 53	93. 6
1 time	3311. 721	3. 4
2-3 times	2109. 447	2. 1
4-9 times	494. 2963	0. 5
10+ times	418. 7109	0. 4

Frequency Missing = 11659.866107

DRIVEN A CAR WHILE HIGH FROM DRUGS

Q32F	Frequency	Percent
None	88651. 34	91. 2
1 time	2862. 761	2. 9
2-3 times	2591. 447	2. 7
4-9 times	1159. 41	1. 2
10+ times	1892. 793	1. 9

Frequency Missing = 12736.823633

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

CRITICIZED BY DATE BECAUSE OF DRUG USE

Q32G	Frequency	Percent
None 1 time 2-3 times 4-9 times	91041. 38 3237. 126 1872. 654 597. 3929	93. 5 3. 3 1. 9 0. 6
10+ times	623. 1495	0. 6

Frequency Missing = 12522.870256

TROUBLE WITH POLICE BECAUSE OF DRUG USE

Q32H	Frequency	Percent
None 1 time 2-3 times 4-9 times	94471. 76 1695. 276 781. 4041 251. 7527	96. 9 1. 7 0. 8 0. 3
10+ times	285 3163	03

Frequency Missing = 12409.061169

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR

Q33A	Frequency	Percent
Never Seldom Half the time Most of the time Always Don't know	29777. 07 11302. 68 8306. 504 14272. 37 22991. 84 2428. 257	29. 9 11. 3 8. 3 14. 3 23. 1 2. 4
Didn't attend	10659. 74	10. 7

Frequency Missing = 10156.104097

Page 141

7

DRUG USE AT PARTIES THIS SCHOOL YEAR

Q33B	Frequency	Percent
Never Seldom Half the time Most of the time Always Don't know	42249. 64 11570. 31 8542. 683 10576. 45 12140. 75 3744. 206	42. 5 11. 6 8. 6 10. 6 12. 2
Didn't attend	10582. 82	10. 6

Frequency Missing = 10487.712804

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM

Q34	Frequency	Percent
Yes	5874. 238	6. 6
No	83553. 32	93. 4

Frequency Missing = 20467.017222

WOULD SEEK HELP FROM SCHOOL COUNSELOR

Q35A	Frequency	Percent
Yes	33796. 2 63396. 64	34. 8 65. 2

Frequency Missing = 12701.734977

WOULD SEEK HELP OUTSIDE OF SCHOOL

Q35B Frequency Percent Page 142

f

Yes	30951.93	32. 1
No	65504.97	67. 9

Frequency Missing = 13437.676833

WOULD SEEK HELP FROM OTHER COUNSELOR

Q35C	Frequency	Percent
Yes	40733. 16	42. 4
No	55281. 96	57. 6

Frequency Missing = 13879.452959

WOULD SEEK HELP FROM PARENTS

Q35D	Frequency	Percent
Yes	51702. 11	54. 3
No	43545. 59	45. 7

Frequency Missing = 14646.876097

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

WOULD SEEK HELP FROM A MEDICAL DOCTOR

Q35E	Frequency	Percent
Yes	35965. 81	38. 1
No	58376. 74	61. 9

Frequency Missing = 15552.023714

96State712.OUT WOULD SEEK HELP FROM FRIENDS

Q35F	Frequency	Percent
Yes	70410. 73	74. 3
No	24359. 07	25. 7

Frequency Missing = 15124.775245

WOULD SEEK HELP FROM ANOTHER ADULT

Q35G	Frequency	Percent
Yes	55977. 06	58. 3
No	40011. 53	41. 7

Frequency Missing = 13905.983487

WOULD NOT SEEK HELP

Q35H	Frequency	Percent
Yes	16939. 68	18. 3
No	75866. 59	81. 7

Frequency Missing = 17088. 298186

DRUG/ALCOHOL INFO--HEALTH CLASS

Q36A	Frequency	Percent
Yes	42851. 89	46. 3
No	49643. 18	53. 7

Frequency Missing = 17399.502546

96State712.OUT level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

DRUG/ALCOHOL INFO--ASSEMBLY PROGRAM

Q36B	Frequency	Percent
Yes	40394. 01	44. 2
No	50928. 49	55. 8

Frequency Missing = 18572.069994

DRUG/ALCOHOL INFO--GUI DANCE COUNSELOR

Q36C	Frequency	Percent
Yes	20388. 11	22. 4
No	70622. 1	77. 6

Frequency Missing = 18884.366895

DRUG/ALCOHOL I NFO--SCI ENCE CLASS

Q36D	Frequency	Percent
Yes	26016. 94	28. 7
No	64559. 22	71. 3

Frequency Missing = 19318.41075

DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS

Q36E	Frequency	Percent
Yes	10785. 06	11. 9
No	79743. 88	88. 1

Frequency Missing = 19365.634616

DRUG/ALCOHOL I NFO--DRUG RAP SESSI ON

Q36F Frequency Percent

Page 145

96State712.0UT Yes 17579.43 19.5 No 72732.19 80.5

Frequency Missing = 19582.954142

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district STATE SAMPLE: GRADES 7-12 SPRING 1996

DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST

Q36G	Frequency	Percent
Yes	34761. 89	38. 3
No	55985. 08	61. 7

Frequency Missing = 19147.609593

DRUG/ALCOHOL I NFO--OTHER SCHOOL SOURCE

Q36H	Frequency	Percent
Yes	31483. 91	34. 8
No	58990. 64	65. 2

Frequency Missing = 19420.031066

PARENTS FEEL ABOUT KIDS DRINKING BEER

Q37A	Frequency	Percent
Strong disappro Mild disapprove Neither Mildly approve Strongly approve Don't know	59331. 39 15251. 09 10088. 09 3056. 518 1217. 666 9118. 086	60. 5 15. 6 10. 3 3. 1 1. 2 9. 3

Frequency Missing = 11831.734728

PARENTS FEEL ABOUT KIDS USING MARIJUANA

Q37B	Frequency	Percent
Cture and the constant	77014 00	
Strong di sappro	77214. 89	80. 2
Mild disapprove	4917. 994	5. 1
Nei ther	3893. 516	4.0
Mildly approve	1093.812	1. 1
Strongly approve	1344.372	1.4
Don' t know '	7771.077	8. 1

Frequency Missing = 13658.919001

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district