		Past	School	Ever	Never
		Month	Year	Used	Used
Any tobacco product					
	All	16.4%	22.6%	38.0%	62.0%
	Grade 7	6.0%	8.2%	17.8%	82.2%
	Grade 8	10.3%	15.5%	30.0%	70.0%
	Grade 9	16.3%	22.9%	40.0%	60.0%
	Grade 10	19.0%	26.7%	44.1%	55.9%
	Grade 11	23.0%	31.1%	49.7%	50.3%
	Grade 12	30.3%	38.6%	55.6%	44.4%
Cigarettes					
	All	15.8%	21.9%	37.3%	62.7%
	Grade 7	5.5%	7.7%	17.1%	82.9%
	Grade 8	9.8%	14.8%	29.0%	71.0%
	Grade 9	15.7%	22.3%	39.6%	60.4%
	Grade 10	18.3%	25.7%	43.3%	56.7%
	Grade 11	22.3%	30.4%	49.1%	50.9%
	Grade 12	29.6%	38.0%	54.9%	45.1%
Smokeless tobacco					
	All	3.1%	4.4%	7.6%	92.4%
	Grade 7	1.4%	1.9%	3.5%	96.5%
	Grade 8	2.3%	3.4%	6.1%	93.9%
	Grade 9	3.4%	4.9%	8.6%	91.4%
	Grade 10	3.0%	4.8%	8.1%	91.9%
	Grade 10	3.6%	4.7%	9.0%	91.0%
	Grade 12	5.6%	7.9%	12.4%	87.6%

Table T-1: How recently, if ever, have you used ..

		-	Several	Several	About	About	Less than
	Never Used		Times a Week	Times a Month	Once a Month	Once a Year	Once a Year
Any tobacco product?							
All	64.8%	2.4%	4.4%	5.4%	7.2%	6.5%	9.3%
Grade 7	84.6%	0.3%	1.5%	2.0%	3.1%	4.0%	4.6%
Grade 8	72.3%	0.9%	3.1%	3.3%	5.2%	5.9%	9.2%
Grade 9	62.3%	1.9%	4.7%	6.0%	8.2%	7.2%	9.7%
Grade 10	58.9%	2.5%	5.2%	5.8%	9.2%	7.3%	11.1%
Grade 11	54.4%	3.8%	5.2%	8.1%	9.7%	7.5%	11.3%
Grade 12	48.3%	6.6%	8.1%	9.2%	9.6%	7.5%	10.8%
Cigarettes?							
All	65.0%	2.3%	4.4%	5.4%	7.2%	6.4%	9.3%
Grade 7	84.8%	0.3%	1.4%	1.9%	3.2%	3.9%	4.6%
Grade 8	72.5%	0.9%	3.1%	3.3%	5.2%	5.9%	9.1%
Grade 9	62.5%	1.9%	4.7%	5.8%	8.2%	7.0%	9.9%
Grade 10	59.2%	2.4%	5.1%	5.7%	9.3%	7.2%	11.0%
Grade 11	54.6%	3.5%	5.3%	8.1%	9.5%	7.6%	11.4%
Grade 12	48.6%	6.2%	8.0%	9.2%	9.3%	7.3%	11.3%
Smokeless tobacco?							
All	93.2%	0.3%	0.6%	0.9%	1.4%	1.5%	2.1%
Grade 7	96.9%	0.1%	0.5%	0.4%	0.4%	0.8%	0.8%
Grade 8	94.9%	0.0%	0.6%	0.5%	1.4%	1.0%	1.6%
Grade 9	92.8%	0.3%	0.6%	1.1%	1.2%	1.7%	2.3%
Grade 10	93.4%	0.3%	0.7%	0.9%	1.3%	1.2%	2.1%

0.9%

1.6%

1.5%

3.1%

0.3%

0.8%

1.9%

2.6%

2.5%

4.3%

you normally use w often de ...

Grade 11

Grade 12

92.2%

87.0%

0.7%

0.7%

	None	<1 Per Day	1-9 Per Day		1 Pack but <2 Packs Per Day	>2 Packs Per Day
All	83.4%	10.6%	4.4%	1.0%	0.4%	0.3%
Grade 7	93.1%	5.4%	1.0%	0.3%	0.1%	0.1%
Grade 8	89.6%	6.7%	2.9%	0.5%	0.1%	0.2%
Grade 9	82.5%	11.3%	4.5%	1.1%	0.4%	0.3%
Grade 10	81.0%	11.8%	5.3%	1.3%	0.5%	0.2%
Grade 11	77.8%	13.9%	6.1%	1.3%	0.6%	0.3%
Grade 12	70.5%	17.5%	8.7%	2.0%	0.7%	0.5%

T-3: In the past 30 days, how many cigarettes have you smoked?

Table T-4: Average age of first use of:

G	rade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Tobacco						
	11.0	11.6	12.4	13.0	13.8	14.6

Table T-5: If you wanted some, how difficult would it be to get...

	Never		Very	Somewhat	Somewhat	
	Heard Of	Impossible	Difficult	Difficult	Easy	Very Easy
Cigarettes?						
All	15.6%	15.7%	5.3%	9.0%	18.6%	35.9%
Grade 7	25.6%	31.0%	7.6%	8.9%	11.6%	15.2%
Grade 8	18.9%	21.9%	7.9%	9.7%	19.3%	22.2%
Grade 9	14.9%	13.2%	5.2%	10.7%	21.0%	34.9%
Grade 10	11.5%	8.9%	4.1%	10.0%	22.9%	42.7%
Grade 11	9.7%	8.2%	3.1%	8.1%	21.9%	49.0%
Grade 12	8.4%	4.4%	1.5%	4.4%	14.4%	67.0%
Smokeless Tobacco?						
All	31.2%	21.2%	7.1%	9.4%	11.2%	19.9%
Grade 7	37.3%	35.3%	8.6%	5.6%	4.7%	8.5%
Grade 8	33.6%	30.0%	8.5%	8.9%	8.2%	10.8%
Grade 9	31.7%	19.1%	8.4%	11.1%	11.4%	18.3%
Grade 10	28.4%	15.1%	6.5%	12.5%	14.3%	23.2%
Grade 11	27.6%	12.6%	5.5%	11.6%	16.5%	26.2%
Grade 12	25.0%	7.3%	2.9%	6.9%	15.5%	42.3%

	None	A Few	Some	Most	ALL
Use any tobacco product?					
All	38.1%	30.1%	14.8%	8.8%	8.2%
Grade 7	67.0%	19.8%	5.8%	2.1%	5.3%
Grade 8	49.9%	28.4%	10.9%	5.1%	5.7%
Grade 9	32.9%	33.1%	15.3%	9.4%	9.3%
Grade 10	27.8%	33.3%	17.3%	11.2%	10.4%
Grade 11	22.6%	34.8%	21.1%	12.4%	9.1%
Grade 12	18.5%	33.1%	22.4%	15.9%	10.1%
Smoke cigarettes?					
All	39.0%	31.3%	14.2%	8.7%	6.7%
Grade 7	68.1%	20.0%	5.5%	2.0%	4.3%
Grade 8	50.7%	29.2%	10.1%	4.9%	5.0%
Grade 9	34.2%	34.4%	14.5%	9.2%	7.7%
Grade 10	28.5%	35.6%	16.4%	11.1%	8.4%
Grade 11	23.2%	36.6%	20.9%	12.2%	7.1%
Grade 12	18.8%	34.5%	22.3%	16.0%	8.5%
Use a smokeless tobacco product	?				
All	74.9%	12.1%	5.0%	2.0%	6.0%
Grade 7	86.5%	6.3%	2.1%	0.8%	4.4%
Grade 8	80.8%	9.4%	3.7%	1.7%	4.4%
Grade 9	71.9%	13.5%	5.0%	2.4%	7.1%
Grade 10	69.8%	14.0%	5.9%	2.4%	7.9%
Grade 11	70.2%	15.1%	6.4%	2.1%	6.2%
Grade 12	66.6%	16.5%	8.2%	2.6%	6.1%

Table T-6: About how many of your close friends...

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	72.9%	8.3%	5.7%	1.4%	1.1%	10.6%
Grade 7	77.9%	3.4%	1.9%	0.7%	0.8%	15.4%
Grade 8	77.3%	4.7%	3.4%	0.9%	0.9%	12.8%
Grade 9	73.1%	7.9%	5.7%	1.4%	1.4%	10.6%
Grade 10	73.5%	9.4%	6.4%	1.4%	1.0%	8.4%
Grade 11	68.5%	13.0%	8.5%	1.5%	1.1%	7.4%
Grade 12	62.8%	15.2%	10.9%	2.9%	1.5%	6.7%

Table T-7: How do your parents feel about kids your age smoking cigarettes?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	53.6%	26.2%	11.5%	3.3%	5.5%
Grade 7	71.8%	16.0%	4.8%	1.4%	6.0%
Grade 8	60.6%	23.8%	7.4%	2.1%	6.2%
Grade 9	50.5%	28.0%	12.3%	3.9%	5.4%
Grade 10	47.0%	29.9%	14.5%	3.3%	5.4%
Grade 11	44.1%	31.3%	15.2%	4.7%	4.6%
Grade 12	40.8%	31.2%	18.0%	5.2%	4.8%

Table T-8: How dangerous do you think it is for kids your age to use tobacco?

		Past Month	School Year	Ever Used	Never Used
Any alcohol product					
	All	34.6%	44.6%	67.3%	32.7%
	Grade 7	17.4%	21.6%	46.8%	53.2%
	Grade 8	25.7%	34.4%	61.3%	38.7%
	Grade 9	36.5%	47.2%	70.6%	29.4%
	Grade 10	40.1%	52.9%	74.4%	25.6%
	Grade 11	45.0%	57.8%	77.8%	22.2%
	Grade 12	51.4%	64.0%	80.1%	19.9%
Beer					
	All	25.6%	34.5%	53.4%	46.6%
	Grade 7	10.8%	14.2%	32.5%	67.5%
	Grade 8	17.3%	24.1%	45.9%	54.1%
	Grade 9	25.9%	36.2%	55.6%	44.4%
	Grade 10	30.4%	41.7%	60.7%	39.3%
	Grade 11	35.1%	47.3%	65.7%	34.3%
	Grade 12	42.2%	53.3%	69.0%	31.0%
Wine coolers					
	All	21.1%	30.3%	48.6%	51.4%
	Grade 7	9.2%	13.0%	27.7%	72.3%
	Grade 8	16.7%	23.7%	42.3%	57.7%
	Grade 9	23.0%	32.7%	51.7%	48.3%
	Grade 10	24.9%	37.0%	56.5%	43.5%
	Grade 11	26.7%	38.5%	59.9%	40.1%
	Grade 12	30.4%	43.6%	61.0%	39.0%
Wine					
	All	16.2%	24.5%	44.3%	55.7%
	Grade 7	8.0%	11.3%	27.4%	72.6%
	Grade 8	12.5%	19.3%	38.6%	61.4%
	Grade 9	19.4%	27.8%	47.4%	52.6%
	Grade 10	18.2%	29.7%	50.7%	49.3%
	Grade 11	18.9%	29.8%	52.6%	47.4%
	Grade 12	22.6%	33.3%	55.3%	44.7%
Liquor					
1	All	21.8%	29.9%	43.8%	56.2%
	Grade 7	6.6%	8.9%	17.3%	82.7%
	Grade 8	12.8%	18.1%	31.0%	69.0%
	Grade 9	21.8%	30.3%	45.9%	54.1%
	Grade 10	26.8%	37.7%	54.2%	45.8%
	Grade 11	32.5%	44.2%	60.8%	39.2%
	Grade 12	39.6%	51.8%	65.9%	34.1%

Table A-1: How recently, if ever, have you used...

Table A-2: How often do you normally use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any alcohol product?							
All	37.9%	0.7%	7.3%	15.7%	15.6%	13.1%	9.6%
Grade 7	60.9%	0.4%	2.9%	5.2%	8.0%	11.4%	11.2%
Grade 8	45.6%	0.6%	4.7%	9.6%	13.4%	15.2%	10.8%
Grade 9	33.4%	0.6%	8.0%	16.9%	16.4%	15.1%	9.5%
Grade 10	30.0%	0.8%	8.5%	19.1%	19.4%	13.0%	9.3%
Grade 11	25.9%	1.1%	9.4%	23.2%	19.0%	12.8%	8.5%
Grade 12	23.5%	0.9%	12.8%	25.5%	20.2%	9.6%	7.4%
Beer?							
All	47.3%	0.5%	6.4%	13.1%	13.5%	10.0%	9.3%
Grade 7	70.7%	0.2%	2.2%	3.8%	6.2%	7.8%	9.1%
Grade 8	55.8%	0.4%	3.7%	7.5%	11.1%	10.8%	10.6%
Grade 9	43.4%	0.4%	6.9%	13.9%	14.4%	11.9%	9.1%
Grade 10	39.5%	0.4%	7.6%	16.3%	17.0%	9.5%	9.7%
Grade 11	35.0%	0.7%	8.3%	19.6%	17.2%	10.3%	8.9%
Grade 12	31.4%	0.7%	12.0%	21.7%	17.2%	8.7%	8.3%
Wine coolers?							
All	52.8%	0.1%	3.9%	10.4%	13.0%	11.4%	8.4%
Grade 7	74.3%	0.1%	1.7%	3.5%	5.8%	7.8%	6.7%
Grade 8	59.8%	0.2%	2.9%	6.8%	10.7%	11.7%	7.9%
Grade 9	49.8%	0.1%	4.2%	12.1%	13.8%	11.6%	8.3%
Grade 10	44.7%	0.3%	4.5%	13.1%	16.1%	12.5%	8.9%
Grade 11	41.4%	0.0%	4.9%	14.8%	15.7%	13.7%	9.5%
Grade 12	39.0%	0.1%	6.0%	14.7%	18.1%	11.9%	10.2%
Wine?							
All	56.8%	0.1%	3.1%	7.4%	9.8%	13.2%	9.6%
Grade 7	75.6%	0.2%	1.4%	3.0%	3.7%	8.5%	7.5%
Grade 8	64.5%	0.1%	2.3%	4.6%	7.4%	12.8%	8.4%
Grade 9	54.3%	0.1%	3.5%	9.1%	10.7%	13.0%	9.4%
Grade 10	48.7%	0.1%	3.4%	9.0%	11.8%	15.7%	11.2%
Grade 11	47.3%	0.0%	4.0%	9.7%	12.5%	15.4%	11.1%
Grade 12	43.7%	0.2%	4.4%	10.6%	14.8%	15.1%	11.3%
Liquor?							
All	57.9%	0.3%	4.5%	10.9%	11.2%	8.6%	6.6%
Grade 7	84.0%	0.2%	1.3%	2.3%	3.3%	4.6%	4.3%
Grade 8	71.2%	0.1%	2.4%	5.0%	6.9%	7.7%	6.7%
Grade 9	55.6%	0.2%	4.7%	11.9%	11.3%	8.8%	7.5%
Grade 10	47.8%	0.4%	5.5%	13.5%	14.6%	10.8%	7.4%
Grade 11	40.8%	0.6%	6.3%	17.5%	16.0%	11.6%	7.2%
Grade 12	35.8%	0.4%	8.6%	20.3%	18.9%	9.3%	6.7%

		Never	Ever	5 or More	1 to 4	Less than 1
Beer						
	All	45.4%	54.6%	15.3%	26.0%	13.3%
	Grade 7	66.3%	33.7%	3.5%	15.3%	14.9%
	Grade 8	52.7%	47.3%	7.5%	24.2%	15.6%
	Grade 9	42.5%	57.5%	15.4%	28.4%	13.8%
	Grade 10	38.1%	61.9%	19.7%	29.8%	12.4%
	Grade 11	34.0%	66.0%	24.6%	30.5%	10.9%
	Grade 12	31.0%	69.0%	27.8%	30.7%	10.5%
Wine Coolers						
	All	50.2%	49.8%	11.3%	29.1%	9.5%
	Grade 7	71.2%	28.8%	3.7%	15.5%	9.5%
	Grade 8	56.5%	43.5%	7.7%	25.7%	10.1%
	Grade 9	46.7%	53.3%	12.9%	31.2%	9.3%
	Grade 10	41.7%	58.3%	14.3%	34.4%	9.6%
	Grade 11	39.4%	60.6%	15.7%	35.5%	9.4%
	Grade 12	38.6%	61.4%	16.2%	36.2%	9.0%
Wine						
	All	55.1%	44.9%	5.2%	23.7%	16.0%
	Grade 7	72.7%	27.3%	1.8%	12.0%	13.5%
	Grade 8	61.3%	38.7%	3.8%	19.1%	15.8%
	Grade 9	52.2%	47.8%	5.6%	27.1%	15.1%
	Grade 10	47.5%	52.5%	6.3%	28.4%	17.8%
	Grade 11	46.9%	53.1%	7.5%	28.3%	17.3%
	Grade 12	44.2%	55.8%	7.7%	30.6%	17.5%
Liquor						
	All	55.5%	44.5%	11.2%	23.5%	9.8%
	Grade 7	82.4%	17.6%	2.1%	7.6%	7.9%
	Grade 8	68.6%	31.4%	4.8%	16.2%	10.4%
	Grade 9	53.3%	46.7%	11.1%	24.4%	11.3%
	Grade 10	44.8%	55.2%	14.5%	30.0%	10.7%
	Grade 11	38.5%	61.5%	19.6%	32.6%	9.4%
	Grade 12	32.5%	67.5%	21.0%	37.7%	8.7%

Table A-3: When you drink the following alcoholic beverages, how many drinks doyou usually have at one time, on average?

Table A-4: During the past 30 days, on how many days have you had five or more
drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol							
	All	75.0%	8.1%	5.7%	6.3%	2.5%	2.6%
	Grade 7	91.6%	3.9%	1.6%	1.6%	0.5%	0.8%
	Grade 8	85.4%	5.4%	3.1%	3.2%	1.3%	1.6%
	Grade 9	73.9%	9.1%	6.3%	6.0%	2.2%	2.6%
	Grade 10	69.7%	9.8%	6.9%	7.3%	3.1%	3.1%
	Grade 11	63.5%	10.9%	7.6%	10.5%	3.9%	3.5%
	Grade 12	56.3%	11.2%	10.6%	12.0%	5.1%	4.8%

Table A-5: Average age of first use of:

Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol					
10.8	11.3	12.1	12.8	13.4	13.9
Beer					
10.8	11.3	12.3	13.0	13.6	14.2
Wine Coolers					
11.2	11.7	12.5	13.2	13.8	14.3
Wine					
11.0	11.7	12.6	13.3	13.8	14.3
Liquor					
11.5	12.0	13.0	13.8	14.4	14.9

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Beer?			1				
	All	13.3%	12.2%	5.3%	10.9%	20.7%	37.5%
	Grade 7	23.5%	24.8%	8.2%	10.9%	13.9%	18.8%
	Grade 8	16.2%	16.6%	7.7%	11.7%	19.5%	28.4%
	Grade 9	12.7%	9.5%	4.5%	11.3%	22.4%	39.6%
	Grade 10	8.9%	7.2%	4.5%	10.3%	22.3%	46.9%
	Grade 11	7.6%	6.0%	3.0%	10.5%	23.4%	49.5%
	Grade 12	6.6%	4.5%	2.6%	10.3%	25.1%	50.9%
Wine coolers?							
	All	18.0%	12.9%	5.7%	11.0%	18.7%	33.7%
	Grade 7	30.5%	25.7%	7.8%	9.8%	11.0%	15.3%
	Grade 8	21.7%	18.1%	8.3%	11.6%	16.6%	23.7%
	Grade 9	17.5%	10.2%	5.9%	12.0%	19.0%	35.3%
	Grade 10	12.4%	7.8%	4.2%	11.1%	21.7%	42.7%
	Grade 11	11.2%	5.7%	3.5%	10.9%	22.6%	46.2%
	Grade 12	9.5%	4.6%	2.6%	10.3%	24.7%	48.4%
Wine?							
	All	17.0%	15.3%	7.1%	12.4%	17.6%	30.6%
	Grade 7	27.3%	28.9%	8.9%	9.5%	10.4%	15.0%
	Grade 8	20.3%	21.5%	10.3%	12.6%	14.0%	21.3%
	Grade 9	16.5%	12.8%	7.2%	12.6%	18.7%	32.2%
	Grade 10	12.8%	9.9%	5.3%	14.1%	20.1%	37.9%
	Grade 11	11.0%	7.4%	5.5%	13.2%	21.8%	41.1%
	Grade 12	9.6%	5.7%	3.8%	12.8%	23.8%	44.2%
Liquor?							
-	All	16.7%	16.8%	7.2%	10.7%	16.5%	32.1%
	Grade 7	29.0%	32.3%	9.3%	7.3%	8.3%	13.9%
	Grade 8	21.1%	23.2%	9.7%	11.1%	13.6%	21.3%
	Grade 9	15.7%	14.2%	7.8%	12.0%	17.3%	33.0%
	Grade 10	10.9%	10.6%	5.6%	11.1%	20.7%	41.0%
	Grade 11	9.8%	7.9%	4.9%	11.8%	20.5%	45.0%
	Grade 12	8.1%	5.8%	3.8%	11.1%	22.4%	48.7%

Table A-6: If you wanted some, how difficult would it be to get...

	None	1-3 Times	4-9 Times	10+ Times
Attended class while drunk on alcol	hol?			
All	90.3%	7.6%	1.1%	1.0%
Grade 7	94.5%	4.1%	0.7%	0.7%
Grade 8	91.5%	6.7%	0.8%	1.0%
Grade 9	89.8%	8.0%	1.1%	1.1%
Grade 10	88.8%	8.8%	1.5%	1.0%
Grade 11	88.0%	9.6%	1.3%	1.1%
Grade 12	87.7%	9.4%	1.3%	1.6%
Gotten into trouble with teachers be	ecause of your	drinking?		
All	98.6%	0.9%	0.2%	0.3%
Grade 7	99.0%	0.6%	0.2%	0.2%
Grade 8	99.0%	0.6%	0.1%	0.2%
Grade 9	98.1%	1.2%	0.2%	0.5%
Grade 10	98.4%	1.0%	0.1%	0.5%
Grade 11	98.5%	1.1%	0.3%	0.1%
Grade 12	98.4%	1.0%	0.4%	0.2%

Table A-7: Since school began in the fall, on how many days (if any) have you...

8	ays absent due to r other reasons
Alcohol Users:	3.9
Alcohol Non-users:	2.9
Average days	s conduct problems
r	eported
Alcohol Users:	-

Table A-8: School year use of alcohol by absences and conduct problems:

Table A-9: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've had a goo	d bit to drink	?		
All	86.8%	10.1%	1.8%	1.3%
Grade 9	92.7%	5.4%	1.2%	0.6%
Grade 10	89.3%	8.7%	1.3%	0.8%
Grade 11	83.9%	12.3%	2.3%	1.5%
Grade 12	77.0%	17.4%	3.0%	2.6%
Gotten into trouble with the police	because of dri	nking?		
All	96.4%	3.0%	0.4%	0.3%
Grade 7	98.7%	1.1%	0.1%	0.1%
Grade 8	97.4%	1.9%	0.4%	0.2%
Grade 9	96.0%	3.2%	0.4%	0.3%
Grade 10	95.8%	3.5%	0.5%	0.2%
Grade 11	95.2%	4.0%	0.6%	0.1%
Grade 12	93.9%	5.1%	0.4%	0.6%

	None	A Few	Some	Most	ALL
Any alcohol product?					
All	23.7%	22.7%	16.1%	20.7%	16.8%
Grade 7	51.5%	24.9%	9.8%	6.0%	7.8%
Grade 8	31.7%	27.7%	15.6%	13.8%	11.3%
Grade 9	17.2%	23.8%	18.4%	22.7%	17.9%
Grade 10	13.7%	20.6%	17.8%	25.9%	21.9%
Grade 11	10.1%	19.9%	18.5%	29.2%	22.3%
Grade 12	9.7%	16.1%	17.1%	33.0%	24.1%
Beer?					
All	27.6%	23.5%	16.4%	19.4%	13.2%
Grade 7	58.0%	23.1%	8.9%	4.3%	5.7%
Grade 8	37.8%	27.3%	14.6%	11.4%	8.8%
Grade 9	20.8%	25.7%	19.0%	21.3%	13.2%
Grade 10	16.1%	21.8%	19.1%	25.8%	17.3%
Grade 11	12.4%	22.0%	19.4%	28.1%	18.0%
Grade 12	10.8%	18.3%	18.9%	32.1%	20.0%
Wine coolers?					
All	39.7%	21.6%	15.0%	12.9%	10.7%
Grade 7	66.7%	17.2%	7.1%	3.6%	5.5%
Grade 8	48.7%	22.0%	12.1%	9.2%	8.0%
Grade 9	34.6%	23.2%	16.3%	14.1%	11.8%
Grade 10	29.3%	21.1%	18.6%	16.3%	14.7%
Grade 11	25.7%	24.5%	19.8%	17.7%	12.2%
Grade 12	24.5%	22.4%	19.0%	20.4%	13.7%
Wine?					
All	49.0%	21.8%	11.8%	8.3%	9.1%
Grade 7	71.8%	16.0%	5.1%	2.1%	5.0%
Grade 8	57.8%	20.9%	9.5%	5.7%	6.2%
Grade 9	43.3%	23.4%	12.8%	10.0%	10.5%
Grade 10	40.3%	22.6%	15.0%	10.1%	12.1%
Grade 11	38.2%	25.2%	14.7%	11.4%	10.4%
Grade 12	35.8%	23.8%	15.9%	12.7%	11.8%
Liquor?					
All	42.3%	18.3%	13.6%	14.2%	11.5%
Grade 7	73.9%	12.8%	4.9%	3.3%	5.1%
Grade 8	57.1%	18.7%	9.9%	7.8%	6.5%
Grade 9	36.9%	21.6%	15.4%	14.4%	11.8%
Grade 10	28.6%	20.1%	17.9%	18.6%	14.9%
Grade 11	23.3%	19.9%	18.8%	21.9%	16.1%
Grade 12	20.8%	16.5%	18.3%	25.6%	18.8%

Table A-10: About how many of your close friends use...

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with yo	ur friends bec	ause of your dri	nking?	
All	92.6%	6.4%	0.7%	0.3%
Grade 7	97.4%	2.4%	0.1%	0.2%
Grade 8	94.7%	4.4%	0.7%	0.1%
Grade 9	91.7%	7.0%	0.6%	0.6%
Grade 10	91.1%	7.9%	0.8%	0.3%
Grade 11	89.8%	8.8%	1.1%	0.4%
Grade 12	88.8%	9.8%	1.0%	0.4%
Been criticized by someone you wer	e dating beca	use of drinking?	,	
All	92.8%	5.8%	0.8%	0.6%
Grade 7	97.5%	2.2%	0.2%	0.1%
Grade 8	95.6%	3.7%	0.4%	0.3%
Grade 9	92.0%	6.4%	0.8%	0.8%
Grade 10	91.9%	6.7%	0.9%	0.6%
Grade 11	89.2%	8.6%	1.4%	0.8%
Grade 12	88.3%	9.1%	1.7%	0.9%

Table A-11: During the past twelve months, how many times have you...

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	35.6%	10.7%	8.3%	14.1%	21.1%	2.5%	7.6%
Grade 7	64.2%	11.3%	6.5%	5.2%	2.8%	3.0%	7.0%
Grade 8	46.9%	14.9%	9.0%	10.8%	8.1%	2.9%	7.4%
Grade 9	30.4%	11.5%	11.6%	16.4%	19.1%	3.3%	7.7%
Grade 10	24.1%	9.8%	8.7%	19.6%	27.6%	2.4%	7.8%
Grade 11	19.8%	8.3%	7.2%	18.0%	36.8%	1.2%	8.6%
Grade 12	17.7%	5.7%	5.3%	16.9%	45.3%	1.6%	7.5%

	Do Not Drink	Never	Seldom	Most of the Time	Always
At home					-
2	All 41.7%	33.8%	17.6%	5.2%	1.7%
Grade	7 53.3%	31.0%	11.7%	3.0%	1.0%
Grade	8 47.0%	30.8%	15.8%	5.0%	1.4%
Grade	9 40.6%	33.6%	17.6%	5.9%	2.3%
Grade	10 36.7%	34.8%	21.1%	5.9%	1.6%
Grade	11 35.5%	36.7%	20.1%	6.0%	1.7%
Grade	12 31.9%	38.4%	21.4%	5.8%	2.5%
From friends					
	All 34.2%	20.2%	15.6%	20.1%	9.9%
Grade	7 53.2%	32.4%	7.5%	5.3%	1.5%
Grade	8 43.2%	25.4%	14.3%	12.6%	4.4%
Grade	9 31.0%	20.1%	17.8%	22.0%	9.1%
Grade	10 26.5%	16.1%	19.0%	26.2%	12.2%
Grade	11 23.5%	12.5%	18.6%	28.2%	17.2%
Grade		8.8%	17.5%	32.4%	20.7%
From a store					
1	All 36.5%	43.8%	8.5%	6.7%	4.4%
Grade		42.3%	2.3%	1.5%	0.7%
Grade		46.3%	4.0%	3.3%	1.8%
Grade		47.3%	8.6%	6.1%	4.1%
Grade		44.8%	10.2%	9.1%	5.4%
Grade		41.2%	13.9%	10.4%	8.0%
Grade		38.0%	16.0%	13.0%	8.9%
At parties					
-	All 31.8%	15.2%	13.3%	17.8%	21.9%
Grade		25.4%	12.9%	9.8%	4.9%
Grade		19.1%	14.8%	15.8%	11.4%
Grade		13.6%	14.7%	19.4%	23.3%
Grade		11.7%	13.0%	21.6%	27.8%
Grade		9.9%	12.1%	21.1%	33.5%
Grade		7.8%	10.8%	21.1%	39.5%
Other source		10/0	1010/0	2111/0	0,00,00
	All 37.0%	28.3%	13.9%	9.8%	10.9%
Grade		31.8%	8.7%	4.6%	3.1%
Grade		30.1%	11.9%	8.0%	6.4%
Grade		28.6%	13.9%	10.9%	11.8%
Grade		27.1%	16.7%	12.2%	12.9%
Grade		26.2%	17.1%	12.2%	16.1%
Grade		24.0%	17.1%	12.6%	19.6%

Table A-13: How often, if ever, do you get alcoholic beverages from..

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	62.6%	14.4%	8.2%	3.1%	1.5%	10.2%
Grade 7	69.5%	9.4%	3.5%	1.3%	1.2%	15.1%
Grade 8	67.4%	11.2%	5.1%	2.5%	1.3%	12.6%
Grade 9	61.1%	14.7%	9.2%	2.9%	1.7%	10.5%
Grade 10	61.4%	16.0%	10.0%	3.5%	1.2%	7.9%
Grade 11	58.3%	18.1%	12.0%	3.8%	1.5%	6.4%
Grade 12	54.4%	20.2%	12.1%	5.6%	1.9%	5.9%

Table A-14: How do your parents feel about kids your age drinking beer?

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	46.8%	30.6%	14.7%	3.8%	4.1%
Grade 7	59.7%	23.2%	9.2%	2.7%	5.2%
Grade 8	49.6%	28.1%	14.5%	3.6%	4.2%
Grade 9	41.0%	32.0%	17.2%	5.5%	4.4%
Grade 10	42.8%	32.1%	17.4%	4.0%	3.7%
Grade 11	42.1%	34.9%	16.1%	3.7%	3.2%
Grade 12	44.1%	36.1%	13.8%	2.5%	3.5%

		Past Month	School Year	Ever Used	Neve Used
Marijuana?					
	All	10.0%	14.5%	25.0%	75.0%
Gr	ade 7	3.6%	4.6%	8.2%	91.8%
Gr	ade 8	7.5%	10.3%	17.5%	82.5%
Gr	ade 9	10.9%	15.5%	26.1%	73.9%
Gra	ade 10	11.8%	17.6%	30.1%	69.9%
Gra	ade 11	13.3%	20.2%	35.5%	64.5%
Gra	ade 12	15.7%	23.2%	40.6%	59.4%
Cocaine?					
	All	4.6%	6.7%	11.7%	88.39
Gr	ade 7	1.0%	1.5%	2.6%	97.49
Gr	ade 8	2.7%	3.9%	7.3%	92.79
Gr	ade 9	4.8%	7.0%	12.1%	87.9%
Gra	ade 10	6.5%	9.6%	15.2%	84.89
Gra	ade 11	6.9%	9.5%	17.4%	82.69
Gra	ade 12	7.5%	11.2%	20.4%	79.6%
Crack?					
	All	1.1%	1.6%	3.3%	96.79
Gr	ade 7	0.7%	1.0%	1.7%	98.3%
Gr	ade 8	1.3%	1.9%	3.8%	96.29
Gr	ade 9	1.3%	1.9%	3.4%	96.69
Gra	ade 10	1.3%	1.8%	4.0%	96.0%
	ade 11	0.9%	1.5%	3.4%	96.69
Gra	ade 12	0.8%	1.4%	3.7%	96.39
Hallucinogens?					
	All	1.3%	2.0%	4.0%	96.0%
	ade 7	0.4%	0.5%	0.9%	99.19
Gr	ade 8	0.6%	0.9%	2.2%	97.8%
	ade 9	1.3%	2.0%	3.7%	96.3%
	ade 10	1.7%	2.7%	5.1%	94.9%
	ade 11	1.7%	2.5%	5.9%	94.19
	ade 12	2.4%	4.0%	8.4%	91.69
Uppers?					
	All	1.3%	2.0%	3.4%	96.69
	ade 7	0.5%	0.6%	0.9%	99.19
	ade 8	0.7%	1.1%	1.8%	98.29
	ade 9	1.4%	2.1%	3.8%	96.29
	ade 10	1.5%	2.3%	4.1%	95.9%
	ade 11	1.9%	2.7%	5.2%	94.89
	ade 12	2.3%	3.6%	5.9%	94.19
Downers?					
	All	1.5%	2.2%	3.8%	96.29
	ade 7	0.4%	0.5%	0.8%	99.29
	ade 8	0.7%	1.2%	2.3%	97.79
	ade 9	1.7%	2.5%	4.4%	95.6%
	ade 10	2.1%	2.8%	4.8%	95.29
	ade 11	2.0%	2.8%	5.6%	94.4%
Gra	ade 12	2.5%	3.7%	6.1%	93.9%

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Rohypnol?					
	All	1.8%	2.6%	5.1%	94.9%
	Grade 7	0.8%	1.2%	1.9%	98.1%
	Grade 8	1.4%	2.1%	4.3%	95.7%
	Grade 9	2.2%	3.3%	5.8%	94.2%
	Grade 10	2.3%	3.5%	6.6%	93.4%
	Grade 11	2.1%	3.2%	6.5%	93.5%
	Grade 12	1.7%	2.8%	6.6%	93.4%
Steroids?					
	All	0.5%	0.7%	1.2%	98.8%
	Grade 7	0.5%	0.6%	1.0%	99.0%
	Grade 8	0.6%	0.7%	1.2%	98.8%
	Grade 9	0.3%	0.4%	1.0%	99.0%
	Grade 10	0.8%	0.9%	1.3%	98.79
	Grade 11	0.7%	0.9%	1.2%	98.8%
	Grade 12	0.5%	0.7%	1.9%	98.19
Ecstasy?					
-	All	1.5%	2.3%	4.2%	95.8%
	Grade 7	0.5%	0.6%	1.0%	99.0%
	Grade 8	1.0%	1.6%	2.6%	97.49
	Grade 9	1.7%	2.5%	4.4%	95.6%
	Grade 10	2.0%	3.1%	6.0%	94.0%
	Grade 11	1.8%	2.6%	5.3%	94.7%
	Grade 12	2.6%	4.1%	7.7%	92.3%
Heroin?					
	All	0.5%	0.8%	1.5%	98.5%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	0.5%	0.8%	1.7%	98.3%
	Grade 9	0.6%	0.8%	2.0%	98.0%
	Grade 10	0.7%	0.9%	1.6%	98.4%
	Grade 11	0.2%	0.5%	1.1%	98.9%
	Grade 12	0.5%	0.7%	1.3%	98.7%

Table D-1: How recently, if ever, have you used... (Continued)

Table D-2: How often do you normally use...

		Never	Every	Several Times a	Several Times a	About Once a	About Once a	Less than Once a
Marijuana?		Used	Day	Week	Month	Month	Year	Year
wiai ijualia :	All	78.1%	1.9%	2.7%	3.8%	4.2%	3.9%	5.3%
	Grade 7	92.6%	0.5%	1.2%	1.4%	4.2%	1.4%	1.5%
	Grade 8	84.4%	1.0%	2.5%	3.3%	2.6%	2.5%	3.6%
	Grade 9	76.2%	2.2%	3.7%	4.5%	4.4%	4.0%	4.9%
	Grade 10	73.2%	2.2%	3.0%	4.6%	5.6%	4.6%	6.7%
	Grade 10 Grade 11	70.2%	2.3%	2.9%	4.3%	6.3%	4.0% 6.1%	8.0%
	Grade 11 Grade 12	66.3%	3.5%	3.0%	5.2%	6.3%	6.2%	9.5%
Cocaine?	Grade 12	00.570	5.570	5.070	5.270	0.570	0.270	2.570
Cocame.	All	90.0%	0.4%	1.2%	2.0%	1.9%	1.8%	2.7%
	Grade 7	97.5%	0.2%	0.3%	0.3%	0.6%	0.5%	0.7%
	Grade 8	93.7%	0.2%	0.3%	1.1%	1.3%	1.0%	1.8%
	Grade 9	89.4%	0.6%	1.5%	2.3%	2.1%	1.0%	2.2%
	Grade 10	86.9%	0.4%	1.8%	3.1%	2.7%	2.2%	2.2%
	Grade 10 Grade 11	85.8%	0.4%	1.3%	2.7%	2.7%	2.2%	4.7%
	Grade 11 Grade 12	83.6%	0.7%	1.5%	3.2%	2.6%	3.0%	5.3%
Crack?	Grade 12	05.070	0.770	1.570	5.270	2.070	5.070	5.570
Clack:	All	97.2%	0.1%	0.2%	0.4%	0.6%	0.5%	0.8%
	Grade 7	98.5%	0.1%	0.2%	0.4%	0.4%	0.3%	0.8%
	Grade 7 Grade 8	96.7%	0.1%	0.1%	0.1%	0.4%	0.2%	1.1%
	Grade 9	90.7% 97.3%	0.0%	0.4%	0.0%	0.0%	0.5%	0.5%
	Grade 9 Grade 10	97.3% 96.3%	0.0%	0.2%	0.7%	1.0%	0.6%	0.3% 1.2%
	Grade 10 Grade 11	90.3% 97.5%	0.0%	0.2%	0.0%	0.6%	0.0%	0.9%
	Grade 11 Grade 12	97.3% 97.1%	0.1%	0.2%	0.2%	0.0%	0.5%	0.9%
Hallucinogens?	Graue 12	97.170	0.270	0.2%	0.370	0.470	0.870	1.170
Hanuemogens.	All	96.6%	0.0%	0.1%	0.3%	0.7%	1.0%	1.3%
	Grade 7	99.3%	0.0%	0.1%	0.1%	0.1%	0.2%	0.3%
	Grade 8	98.3%	0.0%	0.1%	0.1%	0.1%	0.2%	0.3%
	Grade 9	96.6%	0.0%	0.2%	0.1%	0.9%	0.0%	0.4%
	Grade 10	95.9%	0.1%	0.1%	0.3%	0.7%	1.5%	1.5%
	Grade 10	95.0%	0.0%	0.3%	0.3%	0.7%	1.3%	2.5%
	Grade 11 Grade 12	92.8%	0.0%	0.0%	0.2%	1.6%	1.9%	2.9%
Uppers?	Grade 12	72.070	0.070	0.070	0.770	1.070	1.970	2.970
oppers.	All	96.7%	0.1%	0.2%	0.6%	0.7%	0.7%	0.9%
	Grade 7	99.0%	0.0%	0.1%	0.2%	0.3%	0.1%	0.3%
	Grade 8	98.2%	0.0%	0.1%	0.4%	0.5%	0.1%	0.3%
	Grade 9	96.1%	0.1%	0.1%	0.7%	0.8%	0.4%	1.2%
	Grade 10	95.9%	0.2%	0.2%	0.8%	1.0%	0.9%	1.2%
	Grade 10	95.1%	0.2%	0.2%	0.7%	1.0%	1.3%	1.1%
	Grade 11 Grade 12	94.8%	0.1%	0.2%	1.1%	1.0%	1.3%	1.4%
Downers?	Grade 12	74.070	0.1 /0	0.270	1.170	1.070	1.570	1.070
Downers:	All	96.6%	0.1%	0.3%	0.7%	0.7%	0.8%	0.9%
	Grade 7	90.0% 99.1%	0.1%	0.3%	0.7%	0.7%	0.8%	0.9%
	Grade 7 Grade 8	99.1% 97.9%	0.0%	0.1%	0.2%	0.3%	0.1%	0.2%
	Grade 8 Grade 9	97.9% 95.8%	0.0%	0.1%	0.7%	0.4%	0.4%	0.3% 1.2%
	Grade 9 Grade 10	95.8% 95.7%	0.0%	0.4%	1.0%	0.9%	1.1%	0.8%
	Grade 10 Grade 11	95.7% 95.3%	0.2%	0.3%	0.8%	0.9%	1.1%	0.8% 1.6%
	Grade 11 Grade 12	95.5% 94.6%	0.2%	0.3%	0.8% 1.0%	0.8%	1.1%	1.6%

Table D-2: How often do you normally use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Rohypnol?			-					
	All	95.7%	0.1%	0.3%	0.7%	1.0%	1.1%	1.2%
	Grade 7	98.5%	0.0%	0.2%	0.3%	0.3%	0.3%	0.4%
	Grade 8	96.1%	0.0%	0.4%	0.9%	0.9%	0.8%	0.9%
	Grade 9	95.0%	0.1%	0.3%	0.9%	1.3%	1.4%	0.9%
	Grade 10	94.3%	0.1%	0.4%	0.9%	1.2%	1.5%	1.7%
	Grade 11	94.5%	0.2%	0.3%	0.8%	1.1%	1.4%	1.8%
	Grade 12	94.9%	0.0%	0.2%	0.6%	1.2%	1.2%	1.8%
Steroids?								
	All	99.1%	0.2%	0.1%	0.1%	0.1%	0.2%	0.3%
	Grade 7	99.3%	0.2%	0.1%	0.1%	0.1%	0.1%	0.3%
	Grade 8	99.1%	0.0%	0.1%	0.0%	0.2%	0.1%	0.4%
	Grade 9	99.1%	0.1%	0.1%	0.1%	0.1%	0.3%	0.2%
	Grade 10	99.1%	0.3%	0.1%	0.1%	0.1%	0.0%	0.2%
	Grade 11	98.9%	0.3%	0.0%	0.0%	0.3%	0.1%	0.3%
	Grade 12	98.6%	0.1%	0.1%	0.2%	0.1%	0.3%	0.6%
Ecstasy?								
	All	96.2%	0.0%	0.2%	0.5%	0.8%	1.1%	1.2%
	Grade 7	99.2%	0.1%	0.1%	0.1%	0.1%	0.3%	0.2%
	Grade 8	97.8%	0.1%	0.1%	0.2%	0.5%	0.6%	0.8%
	Grade 9	95.9%	0.0%	0.4%	0.6%	0.8%	1.1%	1.2%
	Grade 10	94.5%	0.1%	0.4%	0.6%	1.4%	1.3%	1.8%
	Grade 11	95.2%	0.0%	0.1%	0.5%	0.8%	1.5%	1.8%
	Grade 12	93.0%	0.0%	0.2%	1.1%	1.4%	2.1%	2.2%
Heroin?								
	All	98.7%	0.0%	0.1%	0.1%	0.2%	0.3%	0.5%
	Grade 7	99.0%	0.1%	0.1%	0.1%	0.2%	0.3%	0.3%
	Grade 8	98.6%	0.0%	0.0%	0.0%	0.2%	0.5%	0.6%
	Grade 9	98.4%	0.0%	0.2%	0.2%	0.2%	0.5%	0.5%
	Grade 10	98.9%	0.0%	0.1%	0.1%	0.2%	0.2%	0.4%
	Grade 11	98.9%	0.0%	0.1%	0.0%	0.1%	0.2%	0.7%
	Grade 12	98.7%	0.1%	0.0%	0.2%	0.2%	0.2%	0.6%

Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana					
11.7	12.3	13.0	13.6	14.3	14.7
Cocaine					
11.8	12.8	13.7	14.5	15.0	15.6
Crack					
11.6	12.7	13.6	14.2	15.0	15.6
Hallucinogens					
12.0	12.7	13.5	14.3	14.9	15.5
Uppers					
11.6	12.2	13.3	14.0	14.4	15.2
Downers					
11.4	12.4	13.3	13.9	14.4	15.1
Rohypnol					
12.0	12.6	13.4	14.2	14.6	15.2
Steroids					
11.8	11.9	13.2	13.4	14.8	15.3
Ecstasy					
12.2	12.8	13.7	14.6	15.4	15.9
Heroin					
12.0	12.5	12.6	14.2	14.7	15.2

Table D-3: Average age of first use of:

Table D-4: Age of first use of marijuana by family situation:

	Never	9/Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
Two parent family							
All	78.5%	0.7%	1.8%	6.7%	8.6%	3.4%	0.3%
Grade 7	93.8%	0.6%	1.9%	3.3%	0.3%	0.0%	0.1%
Grade 8	85.6%	0.3%	2.5%	8.3%	3.2%	0.0%	0.0%
Grade 9	78.4%	1.3%	2.0%	8.7%	8.8%	0.7%	0.0%
Grade 10	75.2%	0.5%	1.8%	7.3%	12.9%	2.2%	0.0%
Grade 11	66.7%	0.7%	1.6%	6.4%	15.7%	8.8%	0.2%
Grade 12	61.6%	0.8%	0.9%	5.8%	15.6%	13.4%	1.9%
Other family situation							
All	67.0%	1.4%	3.7%	11.7%	11.9%	3.9%	0.4%
Grade 7	87.6%	1.1%	3.0%	7.6%	0.7%	0.0%	0.0%
Grade 8	74.9%	2.0%	5.5%	13.4%	4.2%	0.0%	0.0%
Grade 9	63.2%	1.5%	5.0%	14.5%	15.2%	0.6%	0.0%
Grade 10	58.9%	1.3%	3.3%	13.5%	19.0%	3.7%	0.2%
Grade 11	60.3%	0.7%	2.1%	9.7%	17.6%	9.3%	0.4%
Grade 12	54.3%	1.2%	2.6%	9.6%	15.7%	14.4%	2.1%

Table D-5: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?						•	
	All	19.3%	22.9%	7.0%	9.6%	13.6%	27.5%
	Grade 7	29.4%	41.1%	7.5%	5.2%	5.2%	11.7%
	Grade 8	21.5%	32.8%	8.3%	9.4%	9.8%	18.2%
	Grade 9	18.3%	19.5%	8.0%	11.0%	14.2%	29.1%
	Grade 10	15.2%	15.0%	6.1%	11.3%	17.4%	35.1%
	Grade 11	14.4%	12.4%	5.7%	11.3%	19.8%	36.4%
	Grade 12	13.5%	9.1%	5.2%	10.2%	19.3%	42.7%
Cocaine?							
	All	22.5%	26.6%	9.6%	10.4%	10.5%	20.2%
	Grade 7	31.5%	43.4%	8.3%	4.6%	3.2%	9.0%
	Grade 8	25.5%	37.0%	10.6%	7.8%	7.1%	11.9%
	Grade 9	21.9%	24.6%	9.7%	11.1%	10.4%	22.3%
	Grade 10	18.9%	18.1%	10.0%	13.9%	13.2%	26.1%
	Grade 11	17.0%	15.4%	9.7%	14.1%	17.1%	26.7%
	Grade 12	16.7%	13.0%	9.4%	13.4%	16.4%	31.1%
Crack?							
	All	26.8%	27.5%	10.6%	11.1%	8.5%	15.5%
	Grade 7	35.9%	41.3%	8.1%	4.3%	2.9%	7.5%
	Grade 8	28.4%	37.4%	10.3%	7.6%	6.2%	10.1%
	Grade 9	25.9%	25.6%	11.3%	11.5%	8.4%	17.2%
	Grade 10	23.2%	20.0%	10.8%	15.0%	10.9%	20.0%
	Grade 11	22.4%	17.8%	12.1%	15.5%	12.7%	19.5%
	Grade 12	21.9%	15.6%	11.7%	16.0%	12.5%	22.2%
Hallucinogens?	All	43.4%	20.8%	9.1%	8.7%	5.5%	12.5%
	Grade 7	43.4% 55.3%	20.8% 28.0%	5.1%	3.0%	1.3%	7.3%
	Grade 7 Grade 8	50.3%	28.0% 25.9%	7.9%	5.1%	3.2%	7.3%
	Grade 8 Grade 9	30.3% 42.7%	20.2%	9.3%	5.1% 8.4%	5.4%	13.9%
	Grade 10						
	Grade 10 Grade 11	38.3%	16.8% 16.4%	10.7%	11.4%	7.0% 8.0%	15.8%
	Grade 11 Grade 12	35.7%		11.5% 12.0%	13.2%		15.2%
Uppers?	Grade 12	31.7%	13.7%	12.0%	14.3%	10.8%	17.5%
Oppers:	All	49.7%	17.7%	7.2%	6.9%	5.1%	13.3%
	Grade 7	59.5%	25.3%	4.7%	2.1%	1.4%	7.0%
	Grade 8	55.5%	23.2%	6.1%	4.0%	2.8%	8.3%
	Grade 9	48.5%	17.1%	8.0%	6.9%	4.8%	14.7%
	Grade 10	47.4%	12.9%	7.2%	8.7%	6.9%	16.8%
	Grade 10 Grade 11	42.6%	13.4%	8.7%	10.9%	8.2%	16.2%
	Grade 11 Grade 12	39.8%	10.6%	9.4%	11.8%	8.7%	19.8%
Downers?	0144012	271070	1010/0	211/0	11070	011/0	1910/0
Downers:	All	49.8%	17.7%	7.4%	6.9%	5.2%	13.1%
	Grade 7	60.2%	24.9%	5.0%	2.2%	1.4%	6.2%
	Grade 8	55.2%	23.0%	6.5%	4.0%	2.8%	8.5%
	Grade 9	48.3%	17.4%	8.0%	7.0%	5.0%	14.3%
	Grade 10	47.2%	13.1%	7.1%	8.6%	7.1%	16.8%
	Grade 10 Grade 11	42.6%	13.4%	8.8%	11.0%	8.3%	16.0%
	Grade 11 Grade 12	40.1%	10.3%	9.7%	11.0%	8.6%	20.1%

Table D-5: If you wanted some, how difficult would it be to get.. Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Rohypnol?			F *******				
J F	All	45.4%	18.9%	7.3%	7.3%	6.1%	15.0%
	Grade 7	58.1%	25.6%	4.7%	2.4%	1.8%	7.3%
	Grade 8	50.7%	24.1%	6.2%	5.1%	4.2%	9.7%
	Grade 9	43.7%	19.1%	8.0%	6.8%	5.8%	16.6%
	Grade 10	40.3%	15.0%	7.3%	8.9%	9.1%	19.4%
	Grade 11	38.6%	14.0%	8.9%	10.6%	9.3%	18.6%
	Grade 12	36.1%	11.6%	9.5%	12.6%	8.8%	21.3%
Steroids?							
	All	31.1%	28.5%	10.3%	9.8%	6.5%	13.9%
	Grade 7	38.9%	40.6%	6.9%	3.6%	2.7%	7.3%
	Grade 8	33.3%	37.8%	9.8%	7.0%	3.6%	8.4%
	Grade 9	32.2%	26.2%	11.1%	9.4%	6.4%	14.8%
	Grade 10	28.0%	22.6%	11.3%	12.7%	8.1%	17.3%
	Grade 11	25.5%	20.8%	12.1%	14.6%	9.5%	17.6%
	Grade 12	24.5%	16.9%	11.2%	15.0%	11.1%	21.4%
Ecstasy?							
-	All	37.1%	23.6%	9.2%	8.7%	6.7%	14.6%
	Grade 7	53.3%	30.0%	5.5%	2.8%	1.5%	6.9%
	Grade 8	44.7%	29.7%	8.3%	4.9%	3.7%	8.8%
	Grade 9	36.3%	23.3%	9.3%	8.9%	6.4%	15.8%
	Grade 10	29.9%	19.7%	10.5%	11.6%	9.3%	19.0%
	Grade 11	26.1%	19.3%	12.0%	13.7%	10.5%	18.3%
	Grade 12	24.7%	15.2%	11.4%	14.1%	12.1%	22.5%
Heroin?							
	All	33.2%	29.0%	11.3%	8.7%	5.2%	12.6%
	Grade 7	43.8%	37.7%	6.9%	2.8%	1.9%	6.8%
	Grade 8	37.3%	36.2%	9.4%	5.5%	3.5%	8.2%
	Grade 9	32.6%	26.9%	11.3%	9.1%	5.4%	14.8%
	Grade 10	28.7%	24.3%	12.8%	11.1%	6.8%	16.3%
	Grade 11	25.9%	23.8%	15.1%	12.9%	7.8%	14.5%
	Grade 12	26.5%	20.8%	14.5%	13.7%	7.8%	16.7%

	None	1-3 Times	4-9 Times	10+ Times
Attended class while high from man	ijuana use?			
All	90.9%	5.3%	1.7%	2.1%
Grade 7	95.9%	2.8%	0.6%	0.8%
Grade 8	93.1%	4.6%	1.0%	1.4%
Grade 9	88.8%	6.7%	1.8%	2.7%
Grade 10	89.3%	6.0%	2.2%	2.5%
Grade 11	88.6%	6.1%	2.6%	2.6%
Grade 12	88.3%	6.0%	2.3%	3.4%
Attended class while high from use	of some other	drug?		
All	94.3%	3.5%	1.0%	1.2%
Grade 7	97.2%	1.9%	0.6%	0.4%
Grade 8	95.5%	3.2%	0.7%	0.7%
Grade 9	93.2%	4.4%	1.0%	1.5%
Grade 10	92.3%	4.7%	1.7%	1.3%
Grade 11	93.6%	3.6%	1.2%	1.6%
Grade 12	93.6%	3.0%	1.3%	2.0%
Gotten into trouble with teachers b	ecause of your	drug use?		
All	98.3%	1.1%	0.2%	0.3%
Grade 7	98.9%	0.7%	0.1%	0.3%
Grade 8	98.5%	1.0%	0.2%	0.3%
Grade 9	97.5%	1.7%	0.3%	0.5%
Grade 10	98.4%	0.9%	0.3%	0.4%
Grade 11	98.7%	1.0%	0.2%	0.1%
Grade 12	98.3%	1.1%	0.2%	0.5%

Table D-6: Since school began in the fall, on how many days (if any) have you..

8	e days absent due to s or other reasons
Marijuana Users:	4.4
Marijuana Non-users:	3.1
A	
Average d	ays conduct problems reported
Marijuana Users:	• 1

Table D-7: School year use of marijuana by absences and conduct problems:

Table D-8: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've felt high	from drugs?			
All	92.4%	5.1%	1.2%	1.3%
Grade 9	94.9%	3.7%	0.6%	0.7%
Grade 10	93.6%	4.6%	1.0%	0.9%
Grade 11	91.6%	5.3%	1.4%	1.6%
Grade 12	87.5%	7.9%	2.2%	2.4%
Gotten into trouble with the police	because of dru	ıg use?		
All	97.3%	2.0%	0.3%	0.3%
Grade 7	98.6%	1.1%	0.2%	0.2%
Grade 8	97.5%	1.9%	0.3%	0.3%
Grade 9	96.4%	2.8%	0.5%	0.3%
Grade 10	97.5%	2.1%	0.3%	0.2%
Grade 11	97.1%	2.2%	0.4%	0.3%
Grade 12	97.0%	2.2%	0.3%	0.5%

	None	A Few	Some	Most	ALL
All	51.1%	18.7%	11.3%	8.6%	10.2%
Grade 7	76.6%	10.3%	4.6%	3.0%	5.5%
Grade 8	60.1%	17.1%	8.8%	6.5%	7.5%
Grade 9	45.6%	19.7%	12.5%	9.8%	12.3%
Grade 10	41.0%	21.0%	13.5%	11.6%	12.9%
Grade 11	38.7%	23.6%	15.3%	11.1%	11.3%
Grade 12	36.6%	23.7%	15.8%	11.4%	12.4%

Table D-9: About how many of your close friends use marijuana?

Table D-10: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with yo	ur friends bec	ause of your dr	ug use?	
All	93.8%	5.2%	0.7%	0.4%
Grade 7	97.1%	2.5%	0.2%	0.2%
Grade 8	94.6%	4.3%	0.7%	0.4%
Grade 9	92.0%	6.7%	0.6%	0.7%
Grade 10	93.0%	5.7%	0.9%	0.5%
Grade 11	92.5%	6.5%	0.9%	0.1%
Grade 12	93.1%	5.5%	1.0%	0.3%
Been criticized by someone you wer	e dating beca	use of drug use?		
All	94.2%	4.6%	0.7%	0.5%
Grade 7	97.5%	2.0%	0.2%	0.3%
Grade 8	95.7%	3.4%	0.7%	0.2%
Grade 9	93.4%	5.2%	0.6%	0.8%
Grade 10	93.1%	5.4%	0.7%	0.8%
Grade 11	92.3%	6.3%	0.9%	0.5%
Grade 12	91.7%	6.2%	1.4%	0.7%

Table D-11: Thinking of parties you attended this school year, how often weremarijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	51.7%	11.2%	7.5%	8.2%	9.2%	4.4%	7.7%
Grade 7	78.4%	5.5%	2.4%	2.2%	1.5%	3.1%	7.0%
Grade 8	64.4%	9.5%	5.3%	5.3%	4.1%	3.8%	7.5%
Grade 9	49.8%	12.1%	7.8%	8.8%	8.6%	5.2%	7.8%
Grade 10	40.5%	14.2%	10.0%	10.4%	12.0%	4.8%	8.0%
Grade 11	34.9%	14.1%	10.2%	11.8%	15.2%	4.9%	8.8%
Grade 12	29.9%	13.7%	11.4%	13.3%	19.0%	5.2%	7.5%

Table D-12: How often, if ever, do you smoke marijuana in..

CATEGOR	Y	Never	Seldom	Half the Time	Most of the Time	Always	Don't know
Joints?	All	79.1%	6.4%	4.0%	5.3%	3.9%	1.2%
	Grade 7	91.5%	2.7%	1.7%	1.8%	1.4%	1.0%
	Grade 8	83.4%	4.7%	3.6%	4.0%	3.0%	1.4%
	Grade 9	77.5%	6.6%	4.9%	5.5%	4.4%	1.1%
	Grade 10	75.1%	7.5%	4.6%	6.6%	4.8%	1.4%
	Grade 11	72.6%	9.4%	4.8%	6.5%	5.3%	1.4%
	Grade 12	69.9%	9.5%	5.2%	8.7%	5.5%	1.3%
Blunts?	All	83.4%	6.0%	3.9%	3.0%	2.4%	1.2%
	Grade 7	94.6%	1.6%	1.2%	0.9%	0.8%	0.9%
	Grade 8	87.3%	4.0%	3.5%	2.0%	1.7%	1.4%
	Grade 9	82.0%	6.2%	5.0%	3.0%	2.7%	1.1%
	Grade 10	79.8%	7.9%	4.5%	3.8%	2.6%	1.4%
	Grade 11	78.4%	9.0%	3.8%	4.1%	3.5%	1.2%
	Grade 12	74.1%	9.6%	5.8%	5.0%	4.2%	1.2%
Bongs or water pipes?	All	86.5%	5.1%	2.9%	2.3%	2.1%	1.1%
	Grade 7	95.8%	1.3%	0.9%	0.6%	0.5%	0.9%
	Grade 8	90.8%	3.1%	2.3%	1.5%	1.2%	1.2%
	Grade 9	86.1%	4.9%	3.0%	2.3%	2.4%	1.3%
	Grade 10	83.9%	6.1%	3.3%	2.9%	2.6%	1.2%
	Grade 11	81.6%	7.2%	3.8%	3.3%	3.1%	0.9%
	Grade 12	76.4%	9.9%	4.8%	3.9%	3.7%	1.3%
Pipes?	All	84.2%	5.3%	3.2%	3.5%	2.8%	1.1%
	Grade 7	95.2%	1.8%	0.9%	0.9%	0.6%	0.6%
	Grade 8	88.7%	3.7%	2.5%	2.1%	1.7%	1.2%
	Grade 9	83.2%	5.1%	3.8%	3.7%	3.2%	1.1%
	Grade 10	80.7%	6.6%	3.9%	4.4%	3.1%	1.3%
	Grade 11	78.7%	7.0%	4.0%	5.6%	3.7%	1.0%
	Grade 12	73.9%	9.3%	4.5%	5.6%	5.3%	1.4%
Some other way?	All	88.2%	4.6%	1.7%	1.6%	1.9%	2.0%
	Grade 7	95.3%	1.5%	0.7%	0.7%	0.8%	1.1%
	Grade 8	90.4%	3.4%	1.3%	1.4%	1.5%	2.1%
	Grade 9	87.3%	4.5%	2.2%	1.6%	2.2%	2.2%
	Grade 10	86.0%	5.6%	2.1%	1.8%	2.0%	2.4%
	Grade 11	85.4%	6.0%	2.2%	1.9%	2.2%	2.3%
	Grade 12	82.3%	7.8%	2.0%	2.4%	3.2%	2.2%

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	81.6%	3.5%	3.0%	0.7%	1.4%	9.8%
Grade 7	80.3%	1.4%	1.6%	0.5%	1.2%	15.1%
Grade 8	81.4%	2.4%	2.3%	0.6%	1.5%	11.8%
Grade 9	81.1%	3.8%	3.3%	0.5%	1.9%	9.5%
Grade 10	83.4%	3.6%	3.7%	0.7%	1.1%	7.5%
Grade 11	82.1%	5.0%	4.0%	1.0%	1.3%	6.6%
Grade 12	81.9%	5.6%	4.0%	1.0%	1.2%	6.4%

Table D-13: How do your parents feel about kids your age using marijuana?

		Very	Somewhat	Not very	Not at All	D I
		Dangerous	Dangerous	Dangerous	Dangerous	Do Not Know
Marijuana?				0.444	-	
	All	66.1%	16.1%	8.6%	5.0%	4.1%
	Grade 7	82.5%	7.8%	2.9%	1.7%	5.1%
	Grade 8	74.3%	12.4%	5.9%	3.1%	4.3%
	Grade 9	63.0%	17.8%	8.9%	5.6%	4.6%
	Grade 10	58.9%	19.4%	11.5%	6.2%	3.9%
	Grade 11	57.4%	21.1%	11.7%	6.9%	2.9%
a	Grade 12	54.0%	20.9%	13.4%	8.3%	3.4%
Cocaine?		00.00/	10 60/	0.5%	1 40/	1 (0)
	All	80.8%	10.6%	2.5%	1.4%	4.6%
	Grade 7	87.0%	5.2%	1.2%	1.1%	5.5%
	Grade 8	83.2%	8.7%	2.2%	1.3%	4.5%
	Grade 9	77.6%	12.6%	2.8%	1.9%	5.1%
	Grade 10	77.5%	13.1%	3.6%	1.4%	4.4%
	Grade 11	79.8%	12.4%	2.6%	1.3%	3.8%
	Grade 12	79.1%	12.6%	2.9%	1.5%	3.9%
Crack?						
	All	82.9%	8.9%	1.7%	1.0%	5.4%
	Grade 7	86.4%	4.9%	1.2%	1.0%	6.4%
	Grade 8	83.0%	8.6%	1.7%	1.0%	5.6%
	Grade 9	80.1%	10.8%	1.9%	1.5%	5.7%
	Grade 10	81.5%	10.3%	2.5%	0.7%	4.9%
	Grade 11	83.5%	9.9%	1.3%	1.0%	4.4%
	Grade 12	83.8%	8.9%	1.6%	0.8%	4.9%
Ecstasy?						
	All	80.6%	8.9%	2.3%	1.2%	6.9%
	Grade 7	82.8%	5.0%	1.2%	0.9%	10.1%
	Grade 8	80.5%	7.7%	2.0%	1.2%	8.5%
	Grade 9	79.1%	10.0%	2.7%	1.7%	6.5%
	Grade 10	79.4%	10.9%	2.8%	1.1%	5.9%
	Grade 11	81.7%	10.3%	2.3%	1.2%	4.5%
	Grade 12	80.7%	10.7%	2.9%	1.1%	4.6%
Steroids?						
	All	75.8%	13.0%	3.6%	1.4%	6.2%
	Grade 7	80.4%	8.3%	2.3%	1.3%	7.7%
	Grade 8	77.1%	11.7%	3.4%	1.2%	6.6%
	Grade 9	73.0%	14.4%	4.2%	1.8%	6.6%
	Grade 10	73.9%	15.4%	4.2%	1.1%	5.5%
	Grade 11	75.2%	14.6%	3.9%	1.5%	4.7%
	Grade 12	75.1%	14.9%	3.9%	1.2%	4.9%
Heroin?						
	All	85.4%	6.4%	1.1%	0.9%	6.2%
	Grade 7	85.0%	4.7%	0.8%	1.0%	8.5%
	Grade 8	85.0 <i>%</i> 84.5%	4.7 <i>%</i> 6.6%	1.1%	1.0%	6.8%
	Grade 9	84.3 <i>%</i> 83.8%	0.0% 7.6%	1.1%	1.0%	5.9%
	Grade 10	83.8% 84.9%	7.0%	1.4%	0.6%	5.7%
	Grade 10 Grade 11	84.9% 87.5%	6.2%	0.9%	0.8%	3.7% 4.7%
	Grade 11 Grade 12	87.3% 88.0%	5.5%	0.9% 1.0%	0.7%	4.7%

Table D-14: How dangerous do you think it is for kids your age to use...

		Past	School	Ever	Never
		Month	Year	Used	Used
DXM, Triple C?					
	All	0.7%	1.8%	3.3%	96.7%
	Grade 7	0.2%	1.2%	2.2%	97.8%
	Grade 8	0.7%	1.5%	2.9%	97.1%
	Grade 9	0.7%	2.1%	3.5%	96.5%
	Grade 10	0.9%	2.2%	3.6%	96.4%
	Grade 11	0.9%	1.9%	3.1%	96.9%
	Grade 12	1.0%	2.1%	4.9%	95.1%
Codeine?					
	All	0.8%	2.3%	4.0%	96.0%
	Grade 7	0.3%	1.0%	1.9%	98.1%
	Grade 8	0.6%	1.5%	2.9%	97.1%
	Grade 9	0.9%	2.8%	4.6%	95.4%
	Grade 10	0.8%	2.7%	4.5%	95.5%
	Grade 11	1.0%	3.0%	5.1%	94.9%
	Grade 12	1.4%	3.2%	5.9%	94.1%

Table D-15: How recently, if ever, have you taken...

		Past Month	School Year	Ever Used	Never Used
Any inhalant?					
	All	7.0%	9.6%	17.9%	82.1%
	Grade 7	8.2%	10.2%	18.0%	82.0%
	Grade 8	8.9%	12.1%	20.8%	79.2%
	Grade 9	7.6%	10.4%	20.1%	79.9%
	Grade 10	5.9%	8.8%	17.3%	82.7%
	Grade 11	4.6%	7.2%	14.3%	85.7%
	Grade 12	5.2%	7.5%	14.4%	85.6%
Liquid or spray paint?					
	All	1.8%	2.9%	7.4%	92.6%
	Grade 7	2.2%	2.9%	6.2%	93.8%
	Grade 8	2.5%	3.8%	8.6%	91.4%
	Grade 9	1.9%	3.3%	9.0%	91.0%
	Grade 10	1.2%	2.5%	7.4%	92.6%
	Grade 11	1.2%	2.1%	5.8%	94.2%
	Grade 12	1.1%	1.9%	6.4%	93.6%
Whiteout, correction fld?					
	All	2.1%	3.2%	7.5%	92.5%
	Grade 7	3.1%	4.3%	8.9%	91.1%
	Grade 8	3.3%	5.3%	10.3%	89.7%
	Grade 9	2.0%	2.9%	8.0%	92.0%
	Grade 10	1.3%	2.4%	6.6%	93.4%
	Grade 11	1.0%	1.8%	4.7%	95.3%
	Grade 12	1.1%	1.8%	4.6%	95.4%
Gasoline?					
	All	1.4%	2.0%	3.9%	96.1%
	Grade 7	1.9%	2.5%	4.3%	95.7%
	Grade 8	1.7%	2.4%	4.5%	95.5%
	Grade 9	1.5%	2.2%	4.4%	95.6%
	Grade 10	1.0%	1.6%	3.6%	96.4%
	Grade 11	0.7%	1.1%	2.4%	97.6%
	Grade 12	0.9%	1.5%	3.6%	96.4%
Freon?					
	All	0.7%	1.2%	2.1%	97.9%
	Grade 7	0.8%	1.2%	1.8%	98.2%
	Grade 8	0.8%	1.3%	2.3%	97.7%
	Grade 9	1.0%	1.4%	2.3%	97.7%
	Grade 10	0.9%	1.3%	2.3%	97.7%
	Grade 11	0.3%	0.7%	1.6%	98.4%
	Grade 12	0.4%	0.8%	2.4%	97.6%
Poppers, Locker Room?					
	All	0.8%	1.1%	1.8%	98.2%
	Grade 7	0.8%	1.3%	2.1%	97.9%
	Grade 8	0.8%	1.2%	1.9%	98.1%
	Grade 9	1.0%	1.4%	2.2%	97.8%
	Grade 10	0.7%	1.0%	1.8%	98.2%
	Grade 11	0.6%	1.0%	1.5%	98.5%
	Grade 12	0.5%	0.7%	1.3%	98.7%

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Glue?					
	All	1.1%	1.6%	3.4%	96.6%
	Grade 7	1.6%	2.3%	4.1%	95.9%
	Grade 8	1.4%	2.1%	4.4%	95.6%
	Grade 9	1.0%	1.6%	3.6%	96.4%
	Grade 10	0.8%	1.2%	2.8%	97.2%
	Grade 11	0.5%	0.9%	2.2%	97.8%
	Grade 12	0.9%	1.2%	2.6%	97.4%
Paint,lacquer thinner?					
	All	1.4%	2.1%	4.2%	95.8%
	Grade 7	1.5%	2.1%	3.7%	96.3%
	Grade 8	1.9%	2.9%	5.2%	94.8%
	Grade 9	1.4%	2.3%	4.9%	95.1%
	Grade 10	0.9%	1.6%	4.1%	95.9%
	Grade 11	0.9%	1.2%	3.3%	96.7%
	Grade 12	1.3%	1.8%	3.5%	96.5%
Nitrous oxide?					
	All	1.4%	2.3%	4.3%	95.7%
	Grade 7	1.2%	1.8%	3.2%	96.8%
	Grade 8	1.3%	2.0%	3.6%	96.4%
	Grade 9	1.6%	2.4%	4.8%	95.2%
	Grade 10	1.4%	2.3%	4.3%	95.7%
	Grade 11	1.2%	2.2%	4.3%	95.7%
	Grade 12	1.9%	3.3%	5.9%	94.1%
Octane booster?					
	All	0.5%	0.7%	1.3%	98.7%
	Grade 7	0.6%	0.9%	1.3%	98.7%
	Grade 8	0.6%	0.9%	1.7%	98.3%
	Grade 9	0.4%	0.8%	1.5%	98.5%
	Grade 10	0.6%	0.8%	1.1%	98.9%
	Grade 11	0.2%	0.5%	0.7%	99.3%
	Grade 12	0.3%	0.5%	1.1%	98.9%
Other sprays?					
	All	1.5%	2.3%	4.5%	95.5%
	Grade 7	2.0%	2.7%	5.2%	94.8%
	Grade 8	2.4%	3.5%	6.4%	93.6%
	Grade 9	1.6%	2.8%	5.3%	94.7%
	Grade 10	1.0%	1.7%	3.4%	96.6%
	Grade 11	0.8%	1.3%	2.6%	97.4%
	Grade 12	0.6%	1.1%	2.7%	97.3%
Other inhalants?					
	All	3.1%	4.6%	9.0%	91.0%
	Grade 7	3.3%	4.7%	8.5%	91.5%
	Grade 8	3.7%	5.6%	11.1%	88.9%
	Grade 9	3.5%	5.1%	10.3%	89.7%
	Grade 10	3.2%	4.7%	8.9%	91.1%
	Grade 11	2.0%	2.9%	7.0%	93.0%
	Grade 12	2.3%	3.5%	6.7%	93.3%

Table I-1: How recently, if ever, have you used...(Continued)

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	93.1%	0.2%	0.5%	0.8%	1.3%	1.4%	2.6%
Grade 7	92.4%	0.2%	0.6%	1.2%	1.8%	1.6%	2.3%
Grade 8	91.7%	0.4%	0.7%	1.7%	1.7%	1.7%	2.0%
Grade 9	92.3%	0.2%	0.4%	0.7%	1.7%	1.5%	3.2%
Grade 10	94.1%	0.1%	0.3%	0.6%	1.1%	1.3%	2.5%
Grade 11	95.1%	0.1%	0.5%	0.2%	0.4%	1.1%	2.6%
Grade 12	94.5%	0.1%	0.2%	0.3%	0.7%	1.2%	3.0%

Table I-2: How often do you normally use inhalants?

I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	84.7%	6.4%	5.3%	3.6%
Grade 7	84.5%	6.6%	5.3%	3.6%
Grade 8	82.1%	6.9%	6.5%	4.5%
Grade 9	83.0%	6.4%	6.4%	4.1%
Grade 10	85.0%	6.6%	5.3%	3.1%
Grade 11	88.1%	5.5%	4.0%	2.3%
Grade 12	87.4%	5.9%	3.3%	3.4%

Table I-4: Average age of first use of:

Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants					
10.9	11.3	12.2	12.9	13.4	14.1

	None	1-3 Times	4-9 Times	10+ Times
All	97.6%	1.7%	0.4%	0.4%
Grade 7	96.9%	2.6%	0.3%	0.3%
Grade 8	96.7%	2.4%	0.5%	0.4%
Grade 9	97.8%	1.4%	0.3%	0.5%
Grade 10	97.8%	1.3%	0.4%	0.4%
Grade 11	98.3%	1.1%	0.3%	0.3%
Grade 12	98.4%	0.9%	0.3%	0.5%

Table I-5: Since school began in the fall, on how many days (if any) have youattended class while high from inhalant use?

Table I-6: School year use of inhalants by absences and conduct problems:

	Average days absent due to illness or other reasons
Inhalants Users:	3.9
Inhalants Non-users:	3.3

Inhalants Users:	Average days conduct problems reported		
	4.4		
Inhalants Non-users:	1.7		

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	ALL
All	78.8%	10.3%	3.2%	1.4%	6.3%
Grade 7	81.8%	9.4%	2.9%	1.1%	4.8%
Grade 8	77.1%	11.3%	4.9%	1.3%	5.4%
Grade 9	76.6%	10.9%	3.3%	1.8%	7.4%
Grade 10	76.0%	11.1%	3.0%	1.6%	8.3%
Grade 11	80.7%	9.2%	2.6%	1.5%	6.1%
Grade 12	82.2%	9.0%	2.1%	0.9%	5.9%

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	74.1%	15.2%	3.5%	1.4%	5.8%
Grade 7	78.6%	10.0%	3.3%	1.4%	6.8%
Grade 8	73.3%	15.4%	3.6%	1.5%	6.3%
Grade 9	71.4%	16.5%	4.2%	1.7%	6.2%
Grade 10	72.2%	17.4%	3.9%	1.1%	5.4%
Grade 11	74.0%	17.2%	2.7%	1.4%	4.7%
Grade 12	75.6%	15.5%	3.0%	1.0%	5.0%

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

CATEGORY		Yes
A school health class	All	54.9%
	Grade 7	56.1%
	Grade 8	58.0%
	Grade 9	51.9%
	Grade 10	60.3%
	Grade 11	54.7%
	Grade 12	47.8%
An assembly program	All	47.3%
	Grade 7	53.0%
	Grade 8	52.7%
	Grade 9	41.1%
	Grade 10	47.7%
	Grade 11	45.1%
	Grade 12	43.8%
Guidance counselor	All	33.8%
	Grade 7	46.2%
	Grade 8	42.5%
	Grade 9	30.3%
	Grade 10	29.6%
	Grade 11	24.0%
	Grade 12	26.1%
Science class	All	31.9%
	Grade 7	40.1%
	Grade 8	37.3%
	Grade 9	29.2%
	Grade 10	30.8%
	Grade 11	27.2%
	Grade 12	24.5%
Social studies class	All	16.8%
	Grade 7	16.5%
	Grade 8	16.9%
	Grade 9	16.7%
	Grade 10	17.0%
	Grade 11	16.5%
	Grade 12	16.9%
Student group session	All	18.3%
	Grade 7	17.9%
	Grade 8	17.3%
	Grade 9	17.5%
	Grade 10	19.2%
	Grade 11	18.7%
	Grade 12	20.1%

Table X-1: Since school began in the fall, have you gotten any informationon drugs or alcohol from the following sources?

CATEGORY		Yes
An invited school guest	All	39.7%
	Grade 7	43.4%
	Grade 8	45.1%
	Grade 9	34.9%
	Grade 10	40.2%
	Grade 11	37.1%
	Grade 12	36.5%
Another source at school	All	35.6%
	Grade 7	36.2%
	Grade 8	38.0%
	Grade 9	34.0%
	Grade 10	36.8%
	Grade 11	32.9%
	Grade 12	34.9%
Any school source	All	61.0%
	Grade 7	62.1%
	Grade 8	65.2%
	Grade 9	58.4%
	Grade 10	62.1%
	Grade 11	60.3%
	Grade 12	57.3%

Table X-1: Since school began in the fall, have you gotten any information
on drugs or alcohol from the following sources?
(Continued)

CATEGORY		Yes
A counselor or program in	All	39.4%
	Grade 7	54.1%
	Grade 8	47.5%
	Grade 9	38.0%
	Grade 10	32.2%
	Grade 11	28.3%
	Grade 12	29.4%
Another adult in school (All	38.9%
	Grade 7	46.6%
	Grade 8	43.7%
	Grade 9	36.3%
	Grade 10	34.2%
	Grade 11	35.2%
	Grade 12	34.7%
A counselor or program ou	All	38.8%
	Grade 7	43.3%
	Grade 8	41.8%
	Grade 9	37.7%
	Grade 10	36.8%
	Grade 11	35.6%
	Grade 12	35.3%
Your parents	All	60.8%
	Grade 7	70.2%
	Grade 8	63.2%
	Grade 9	59.0%
	Grade 10	56.1%
	Grade 11	56.3%
	Grade 12	57.1%
A medical doctor	All	44.5%
	Grade 7	53.7%
	Grade 8	47.8%
	Grade 9	42.3%
	Grade 10	41.1%
	Grade 11	40.1%
	Grade 12	39.0%
Your friends	All	68.2%
	Grade 7	60.0%
	Grade 8	65.4%
	Grade 9	68.8%
	Grade 10	72.0%
	Grade 10 Grade 11	74.1%
	Grade 11 Grade 12	72.5%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

CATEGORY		Yes
Another adult (a relative	All	61.5%
	Grade 7	61.8%
	Grade 8	62.9%
	Grade 9	60.7%
	Grade 10	61.1%
	Grade 11	61.6%
	Grade 12	61.1%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

CATE	GORY	Yes
Seek Help	All	9.5%
	Grade 7	8.5%
	Grade 8	11.0%
	Grade 9	11.1%
	Grade 10	9.2%
	Grade 11	8.3%
	Grade 12	7.6%

	None	A Few	Some	Most	ALL
Feel close to their parents?					
All	7.4%	31.1%	26.2%	26.8%	8.5%
Grade 7	9.9%	27.8%	22.4%	26.2%	13.7%
Grade 8	8.3%	28.6%	26.3%	26.9%	10.0%
Grade 9	8.0%	33.6%	27.0%	24.4%	7.1%
Grade 10	6.1%	32.7%	27.5%	27.1%	6.5%
Grade 11	5.6%	32.9%	27.0%	27.7%	6.8%
Grade 12	4.8%	31.2%	27.4%	30.8%	5.8%
Sometimes carry weapons?					
All	72.1%	17.0%	7.2%	2.3%	1.4%
Grade 7	83.4%	10.7%	3.7%	1.0%	1.2%
Grade 8	73.5%	15.8%	6.9%	2.5%	1.3%
Grade 9	67.0%	19.6%	8.8%	2.9%	1.7%
Grade 10	69.0%	18.8%	8.3%	2.5%	1.4%
Grade 11	70.3%	18.1%	7.9%	2.3%	1.4%
Grade 12	68.3%	19.7%	8.1%	2.7%	1.3%
Care about making good grades?	,				
All	4.0%	17.6%	24.6%	35.1%	18.7%
Grade 7	4.0%	18.6%	22.2%	30.7%	24.5%
Grade 8	4.5%	18.0%	24.1%	31.4%	22.1%
Grade 9	5.0%	19.1%	26.3%	33.2%	16.3%
Grade 10	3.4%	17.8%	26.1%	37.6%	15.1%
Grade 11	3.6%	15.5%	24.3%	39.3%	17.4%
Grade 12	2.4%	15.4%	24.6%	42.2%	15.5%
Belong/want to belong to a gang?	•				
All	65.7%	18.1%	9.5%	4.6%	2.19
Grade 7	71.3%	16.3%	7.2%	3.2%	2.0%
Grade 8	60.4%	20.1%	11.4%	5.8%	2.2%
Grade 9	60.4%	19.9%	11.3%	5.7%	2.7%
Grade 10	63.2%	18.6%	10.6%	5.5%	2.0%
Grade 11	69.1%	17.3%	8.2%	3.6%	1.8%
Grade 12	74.0%	14.9%	6.9%	2.6%	1.5%
Wish they could drop out of scho	ol?				
All	59.3%	26.3%	9.1%	3.5%	2.0%
Grade 7	68.7%	20.5%	6.5%	2.3%	2.0%
Grade 8	61.9%	23.9%	8.5%	3.4%	2.4%
Grade 9	54.9%	27.0%	11.0%	4.9%	2.29
Grade 10	53.5%	29.7%	10.9%	3.8%	2.0%
Grade 11	56.0%	29.9%	9.8%	2.9%	1.5%
Grade 12	60.0%	28.5%	7.4%	2.9%	1.3%

Table X-4: About how many of your friends:

			Not Very	Not Safe	Don't
	Very Safe	t Safe	Safe	at All	Know
In your home?					
Al	l 80.5%	16.2%	1.3%	0.5%	1.4%
Grade '	7 81.2%	15.2%	1.7%	0.4%	1.5%
Grade	8 78.1%	17.9%	1.6%	0.5%	1.8%
Grade	9 78.1%	18.2%	1.2%	0.7%	1.8%
Grade 1	0 81.8%	15.4%	1.2%	0.5%	1.1%
Grade 1	82.8%	15.2%	0.7%	0.5%	0.9%
Grade 12	2 83.5%	14.1%	0.9%	0.5%	0.9%
Out in your neighbourhood					
Al	1 32.7%	51.3%	10.7%	2.6%	2.7%
Grade '	7 29.7%	49.6%	13.9%	2.5%	4.3%
Grade	3 29.3%	52.1%	11.9%	3.5%	3.1%
Grade	9 31.8%	51.7%	11.0%	2.5%	3.0%
Grade 1	33.6%	52.5%	9.9%	2.4%	1.7%
Grade 1	1 35.6%	52.7%	7.8%	2.1%	1.8%
Grade 12	2 39.3%	48.7%	8.1%	2.2%	1.6%
At school					
Al	1 33.2%	48.5%	10.4%	4.6%	3.3%
Grade '	7 42.4%	41.5%	8.3%	3.9%	3.9%
Grade	3 39.6%	45.0%	8.4%	3.8%	3.3%
Grade	9 28.2%	50.8%	12.2%	5.0%	3.8%
Grade 1	0 27.1%	53.1%	12.2%	4.7%	2.8%
Grade 1	28.8%	53.0%	10.8%	5.1%	2.3%
Grade 12	2 31.8%	49.4%	10.9%	5.2%	2.8%

Table X-5: How safe do you feel when you are:

CATEGORY		Ye
A website or online chat	All	26.3%
	Grade 7	21.1%
	Grade 8	24.1%
	Grade 9	26.0%
	Grade 10	29.7%
	Grade 11	29.9%
	Grade 12	29.8%
Books, magazines, poster	All	51.9%
	Grade 7	48.7%
	Grade 8	52.7%
	Grade 9	51.0%
	Grade 10	54.5%
	Grade 11	53.4%
	Grade 12	52.4%
TV, radio, or other audi	All	55.8%
	Grade 7	52.0%
	Grade 8	55.8%
	Grade 9	55.1%
	Grade 10	59.0%
	Grade 11	57.2%
	Grade 12	57.0%
Your parents	All	58.8%
	Grade 7	61.2%
	Grade 8	59.2%
	Grade 9	59.1%
	Grade 10	59.0%
	Grade 11	58.2%
	Grade 12	54.7%

Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

		Past Month	School Year	Ever Used	Never Used
Тоbассо					
	All	16.4%	22.6%	38.0%	62.0%
Gra	ade 7	6.0%	8.2%	17.8%	82.2%
	ade 8	10.3%	15.5%	30.0%	70.0%
Gra	ade 9	16.3%	22.9%	40.0%	60.0%
Gra	de 10	19.0%	26.7%	44.1%	55.9%
Gra	de 11	23.0%	31.1%	49.7%	50.3%
Gra	de 12	30.3%	38.6%	55.6%	44.4%
Alcohol					
	All	34.6%	44.6%	67.3%	32.79
	ade 7	17.4%	21.6%	46.8%	53.29
Gra	ade 8	25.7%	34.4%	61.3%	38.79
	ade 9	36.5%	47.2%	70.6%	29.4%
	de 10	40.1%	52.9%	74.4%	25.6%
	de 11	45.0%	57.8%	77.8%	22.29
	de 12	51.4%	64.0%	80.1%	19.9%
Inhalants					
	All	7.0%	9.6%	17.9%	82.19
Gra	ade 7	8.2%	10.2%	18.0%	82.0%
	ade 8	8.9%	12.1%	20.8%	79.2%
Gra	ade 9	7.6%	10.4%	20.1%	79.9%
	de 10	5.9%	8.8%	17.3%	82.7%
Gra	de 11	4.6%	7.2%	14.3%	85.7%
Gra	de 12	5.2%	7.5%	14.4%	85.6%
Any Illicit Drug					
	All	12.3%	16.7%	27.4%	72.6%
Gra	ade 7	4.6%	6.0%	9.9%	90.19
	ade 8	8.8%	11.5%	19.3%	80.79
Gra	ade 9	13.2%	17.6%	29.2%	70.89
	de 10	15.0%	21.1%	33.3%	66.79
	de 11	16.5%	22.8%	38.2%	61.89
	de 12	18.8%	25.8%	42.3%	57.7%
Marijuana					
	All	10.0%	14.5%	25.0%	75.0%
	ade 7	3.6%	4.6%	8.2%	91.8%
Gra	ade 8	7.5%	10.3%	17.5%	82.5%
Gra	ade 9	10.9%	15.5%	26.1%	73.9%
Gra	de 10	11.8%	17.6%	30.1%	69.9%
Gra	de 11	13.3%	20.2%	35.5%	64.5%
Gra	de 12	15.7%	23.2%	40.6%	59.4%
Marijuana Only					
	All	3.3%	5.1%	11.0%	89.0%
	ade 7	1.7%	2.3%	4.7%	95.39
Gra	ade 8	2.8%	4.0%	8.1%	91.9%
Gra	ade 9	3.5%	5.3%	11.2%	88.89
Gra	de 10	3.5%	6.1%	13.0%	87.0%
Gra	de 11	3.9%	6.8%	15.3%	84.79
Gra	de 12	5.0%	7.8%	16.9%	83.19

Table B1: Prevalence and recency of use of selected substances by grade All students

		Past Month	School Year	Ever Used	Neve Use
Cocaine or Crack					
	All	4.9%	7.0%	12.3%	87.79
	Grade 7	1.3%	1.9%	3.2%	96.89
	Grade 8	3.1%	4.4%	8.3%	91.79
	Grade 9	5.3%	7.5%	12.8%	87.29
	Grade 10	6.9%	9.8%	15.5%	84.59
	Grade 11	7.0%	9.7%	17.7%	82.39
	Grade 12	7.6%	11.2%	20.5%	79.59
Cocaine					
	All	4.6%	6.7%	11.7%	88.39
	Grade 7	1.0%	1.5%	2.6%	97.49
	Grade 8	2.7%	3.9%	7.3%	92.79
	Grade 9	4.8%	7.0%	12.1%	87.99
	Grade 10	6.5%	9.6%	15.2%	84.89
	Grade 11	6.9%	9.5%	17.4%	82.69
	Grade 12	7.5%	11.2%	20.4%	79.69
Crack					
	All	1.1%	1.6%	3.3%	96.79
	Grade 7	0.7%	1.0%	1.7%	98.39
	Grade 8	1.3%	1.9%	3.8%	96.29
	Grade 9	1.3%	1.9%	3.4%	96.69
	Grade 10	1.3%	1.8%	4.0%	96.09
	Grade 11	0.9%	1.5%	3.4%	96.69
	Grade 12	0.8%	1.4%	3.7%	96.3%
Hallucinogens					
	All	1.3%	2.0%	4.0%	96.09
	Grade 7	0.4%	0.5%	0.9%	99.19
	Grade 8	0.6%	0.9%	2.2%	97.89
	Grade 9	1.3%	2.0%	3.7%	96.39
	Grade 10	1.7%	2.7%	5.1%	94.99
	Grade 11	1.7%	2.5%	5.9%	94.19
**	Grade 12	2.4%	4.0%	8.4%	91.69
Uppers	4.11	1.20/	2.00/	2 40/	06.60
		1.3%	2.0%	3.4%	96.69
	Grade 7	0.5%	0.6%	0.9%	99.19
	Grade 8	0.7%	1.1%	1.8%	98.29
	Grade 9	1.4%	2.1%	3.8%	96.29
	Grade 10	1.5%	2.3%	4.1%	95.99
	Grade 11	1.9%	2.7%	5.2%	94.89
Downong	Grade 12	2.3%	3.6%	5.9%	94.19
Downers	All	1 50/	2 204	3.8%	06.20
	All Grade 7	1.5% 0.4%	2.2% 0.5%	5.8% 0.8%	96.29
	Grade 7 Grade 8	0.4% 0.7%	0.5%	0.8% 2.3%	99.29
	Grade 8 Grade 9		2.5%	2.3% 4.4%	97.79
	Grade 9 Grade 10	1.7% 2.1%		4.4% 4.8%	95.69
	Grade 10 Grade 11	2.1%	2.8%	4.8% 5.6%	95.29
	Grade 11 Grade 12	2.0% 2.5%	2.8% 3.7%	5.6% 6.1%	94.49 93.99

Table B1: Prevalence and recency of use of selected substances by grade All students (Continued)

		Past	School	Ever	Neve
		Month	Year	Used	Used
Rohypnol					
	All	1.8%	2.6%	5.1%	94.9%
	Grade 7	0.8%	1.2%	1.9%	98.19
	Grade 8	1.4%	2.1%	4.3%	95.79
	Grade 9	2.2%	3.3%	5.8%	94.29
	Grade 10	2.3%	3.5%	6.6%	93.49
	Grade 11	2.1%	3.2%	6.5%	93.59
	Grade 12	1.7%	2.8%	6.6%	93.49
Steroids					
	All	0.5%	0.7%	1.2%	98.89
	Grade 7	0.5%	0.6%	1.0%	99.09
	Grade 8	0.6%	0.7%	1.2%	98.89
	Grade 9	0.3%	0.4%	1.0%	99.09
	Grade 10	0.8%	0.9%	1.3%	98.79
	Grade 11	0.7%	0.9%	1.2%	98.89
	Grade 12	0.5%	0.7%	1.9%	98.19
Ecstasy					
<i>.</i>	All	1.5%	2.3%	4.2%	95.89
	Grade 7	0.5%	0.6%	1.0%	99.09
	Grade 8	1.0%	1.6%	2.6%	97.49
	Grade 9	1.7%	2.5%	4.4%	95.69
	Grade 10	2.0%	3.1%	6.0%	94.09
	Grade 11	1.8%	2.6%	5.3%	94.79
	Grade 12	2.6%	4.1%	7.7%	92.39
Heroin		2.070		,	210
	All	0.5%	0.8%	1.5%	98.59
	Grade 7	0.5%	0.8%	1.2%	98.89
	Grade 8	0.5%	0.8%	1.7%	98.39
	Grade 9	0.6%	0.8%	2.0%	98.09
	Grade 10	0.7%	0.9%	1.6%	98.49
	Grade 10 Grade 11	0.7%	0.5%	1.1%	98.99
	Grade 11 Grade 12	0.2%	0.5%	1.1%	98.79

Table B1: Prevalence and recency of use of selected substances by grade All students (Continued)

		Past Month	School Year	Ever Used	Never Usec
Торассо					
	All	19.1%	25.5%	39.9%	60.1%
	Grade 7	6.7%	9.0%	19.2%	80.8%
	Grade 8	12.0%	17.5%	30.9%	69.1%
	Grade 9	17.6%	24.7%	41.0%	59.0%
	Grade 10	22.8%	29.9%	45.9%	54.19
	Grade 11	26.4%	34.7%	51.2%	48.8%
	Grade 12	36.3%	45.1%	59.7%	40.3%
Alcohol					
	All	34.7%	43.6%	65.1%	34.9%
	Grade 7	17.8%	21.4%	45.4%	54.6%
	Grade 8	24.0%	32.4%	58.7%	41.3%
	Grade 9	35.8%	45.6%	67.7%	32.3%
	Grade 10	39.4%	50.3%	71.4%	28.69
	Grade 11	45.8%	57.3%	75.0%	25.09
	Grade 12	53.6%	63.7%	78.3%	21.79
Inhalants					
	All	6.7%	9.4%	18.0%	82.09
	Grade 7	7.5%	9.6%	16.7%	83.39
	Grade 8	8.3%	11.2%	20.4%	79.69
	Grade 9	7.0%	9.7%	20.1%	79.99
	Grade 10	6.1%	9.1%	17.3%	82.79
	Grade 11	5.0%	7.8%	15.7%	84.39
	Grade 12	5.2%	8.0%	16.3%	83.79
Any Illicit Drug					
	All	14.5%	19.3%	30.7%	69.3%
	Grade 7	5.3%	6.7%	11.8%	88.29
	Grade 8	9.9%	13.2%	22.1%	77.9%
	Grade 9	15.8%	20.8%	33.0%	67.09
	Grade 10	17.7%	24.0%	36.3%	63.79
	Grade 11	19.5%	25.4%	41.6%	58.4%
	Grade 12	22.3%	30.0%	46.5%	53.5%
Marijuana					
	All	11.9%	17.0%	28.8%	71.29
	Grade 7	4.0%	5.4%	10.3%	89.7%
	Grade 8	8.5%	11.9%	21.0%	79.0%
	Grade 9	13.0%	18.5%	30.4%	69.69
	Grade 10	14.4%	20.6%	33.7%	66.39
	Grade 11	15.9%	22.8%	39.8%	60.29
	Grade 12	18.4%	26.9%	44.6%	55.49
Marijuana Only					
	All	4.2%	6.3%	13.2%	86.89
	Grade 7	2.2%	3.0%	6.5%	93.5%
	Grade 8	3.5%	4.9%	10.4%	89.6%
	Grade 9	4.7%	7.0%	14.3%	85.7%
	Grade 10	5.1%	7.7%	15.1%	84.9%
	Grade 11	4.8%	7.5%	16.5%	83.5%
	Grade 12	5.5%	8.8%	18.1%	81.99

Table B2: Prevalence and recency of use of selected substances by gradeMale students

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack		monu	I cui	Oseu	Osed
	All	5.8%	8.1%	13.2%	86.8%
	Grade 7	1.3%	1.8%	3.2%	96.8%
	Grade 8	3.2%	4.7%	8.2%	91.8%
	Grade 9	6.3%	8.9%	13.8%	86.2%
	Grade 10	7.1%	10.2%	15.5%	84.5%
	Grade 11	8.5%	11.2%	19.9%	80.1%
	Grade 12	10.2%	14.1%	23.1%	76.9%
Cocaine					
	All	5.5%	7.7%	12.7%	87.3%
	Grade 7	1.0%	1.5%	2.5%	97.5%
	Grade 8	2.9%	4.3%	7.7%	92.3%
	Grade 9	5.9%	8.4%	13.0%	87.0%
	Grade 10	6.9%	10.0%	15.2%	84.8%
	Grade 11	8.3%	10.9%	19.7%	80.3%
	Grade 12	10.0%	13.9%	22.9%	77.1%
Crack					
	All	1.0%	1.6%	3.1%	96.9%
	Grade 7	0.6%	0.9%	1.6%	98.4%
	Grade 8	0.9%	1.6%	2.6%	97.4%
	Grade 9	1.4%	2.0%	3.5%	96.5%
	Grade 10	0.9%	1.3%	3.2%	96.8%
	Grade 11	1.1%	1.7%	3.8%	96.2%
	Grade 12	1.0%	2.0%	4.2%	95.8%
Hallucinogens					
	All	1.6%	2.5%	5.1%	94.9%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	1.0%	1.4%	2.8%	97.2%
	Grade 9	1.3%	2.6%	5.0%	95.0%
	Grade 10	2.2%	3.3%	6.3%	93.7%
	Grade 11	2.0%	2.6%	7.0%	93.0%
	Grade 12	3.4%	5.3%	10.6%	89.4%
Uppers					
	All	1.4%	2.1%	3.6%	96.4%
	Grade 7	0.6%	0.7%	1.0%	99.0%
	Grade 8	0.6%	1.1%	1.6%	98.4%
	Grade 9	1.6%	2.2%	3.6%	96.4%
	Grade 10	1.5%	2.3%	4.2%	95.8%
	Grade 11	1.9%	2.7%	5.9%	94.1%
	Grade 12	2.4%	4.1%	6.9%	93.1%
Downers					
	All	1.6%	2.4%	4.0%	96.0%
	Grade 7	0.3%	0.5%	0.9%	99.1%
	Grade 8	0.7%	1.3%	2.2%	97.8%
	Grade 9	1.8%	2.6%	4.0%	96.0%
	Grade 10	2.5%	3.2%	4.9%	95.1%
	Grade 11	2.1%	3.0%	6.8%	93.2%
	Grade 12	2.8%	4.2%	7.1%	92.9%

Table B2: Prevalence and recency of use of selected substances by grade Male students (Continued)

		Past	School	Ever	Neve
		Month	Year	Used	Used
Rohypnol					
	All	2.0%	2.8%	4.9%	95.1%
	Grade 7	0.9%	1.3%	1.9%	98.19
	Grade 8	1.7%	2.2%	4.4%	95.6%
	Grade 9	2.3%	3.4%	5.3%	94.79
	Grade 10	2.4%	3.3%	5.8%	94.29
	Grade 11	2.4%	3.3%	6.3%	93.7%
	Grade 12	2.3%	3.5%	6.7%	93.3%
Steroids					
	All	0.9%	1.2%	2.0%	98.0%
	Grade 7	0.9%	1.0%	1.8%	98.29
	Grade 8	0.9%	1.1%	1.5%	98.59
	Grade 9	0.4%	0.7%	1.6%	98.49
	Grade 10	1.3%	1.5%	2.2%	97.89
	Grade 11	1.3%	1.6%	2.4%	97.69
	Grade 12	0.9%	1.3%	3.2%	96.89
Ecstasy					
·	All	1.9%	2.7%	4.8%	95.29
	Grade 7	0.8%	1.0%	1.3%	98.79
	Grade 8	1.3%	2.0%	3.1%	96.99
	Grade 9	1.9%	2.4%	4.4%	95.69
	Grade 10	2.4%	3.6%	6.6%	93.49
	Grade 11	2.3%	3.2%	6.5%	93.59
	Grade 12	3.0%	4.9%	9.0%	91.09
Heroin					
	All	0.6%	0.9%	1.5%	98.59
	Grade 7	0.7%	0.9%	1.3%	98.79
	Grade 8	0.5%	1.1%	1.4%	98.69
	Grade 9	0.5%	0.8%	1.9%	98.19
	Grade 10	0.8%	1.0%	1.7%	98.39
	Grade 11	0.2%	0.4%	0.8%	99.29
	Grade 12	0.2%	0.9%	1.9%	98.19

Table B2: Prevalence and recency of use of selected substances by grade Male students (Continued)

	Past Month	School Year	Ever Used	Never Used
Tobacco				
All	14.0%	19.9%	36.3%	63.7%
Grade 7	5.4%	7.5%	16.6%	83.4%
Grade 8	8.9%	13.7%	29.0%	71.0%
Grade 9	15.0%	21.1%	38.9%	61.1%
Grade 10	15.7%	24.0%	42.6%	57.4%
Grade 11	19.9%	27.5%	48.1%	51.9%
Grade 12	24.7%	32.6%	52.0%	48.0%
Alcohol				
All	34.5%	45.5%	69.3%	30.7%
Grade 7	17.0%	21.8%	48.1%	51.9%
Grade 8	27.0%	36.1%	63.3%	36.7%
Grade 9	37.2%	48.6%	73.3%	26.7%
Grade 10	40.7%	55.2%	77.0%	23.0%
Grade 11	44.3%	58.2%	80.4%	19.6%
Grade 12	49.5%	64.4%	81.8%	18.2%
Inhalants				
All	7.2%	9.8%	17.7%	82.3%
Grade 7	8.9%	10.7%	19.2%	80.8%
Grade 8	9.4%	12.7%	21.1%	78.9%
Grade 9	8.0%	10.8%	19.9%	80.1%
Grade 10	5.7%	8.6%	17.3%	82.7%
Grade 11	4.2%	6.6%	12.8%	87.2%
Grade 12	5.3%	7.0%	12.4%	87.6%
Any Illicit Drug				
All	10.3%	14.3%	24.4%	75.6%
Grade 7	4.1%	5.4%	8.3%	91.7%
Grade 8	7.9%	10.1%	17.0%	83.0%
Grade 9	10.6%	14.5%	25.6%	74.4%
Grade 10	12.9%	18.7%	30.9%	69.1%
Grade 11	13.6%	20.2%	35.0%	65.0%
Grade 12	15.6%	21.9%	38.4%	61.6%
Marijuana				
All	8.3%	12.2%	21.6%	78.4%
Grade 7	3.3%	3.9%	6.4%	93.6%
Grade 8	6.6%	9.0%	14.6%	85.4%
Grade 9	8.7%	12.4%	21.8%	78.2%
Grade 10	9.6%	15.1%	27.2%	72.8%
Grade 11	10.7%	17.7%	31.5%	68.5%
Grade 12	13.3%	19.7%	36.8%	63.2%
Marijuana Only				
All	2.5%	4.1%	9.0%	91.0%
Grade 7	1.3%	1.6%	3.1%	96.9%
Grade 8	2.3%	3.2%	6.0%	94.0%
Grade 9	2.4%	3.6%	8.2%	91.8%
Grade 10	2.1%	4.7%	11.2%	88.8%
Grade 11	3.0%	6.2%	14.1%	85.9%
Grade 12	4.6%	6.9%	15.7%	84.3%

Table B3: Prevalence and recency of use of selected substances by gradeFemale students

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack		WIOItti	I cai	Useu	Uset
cocume of cruck	All	4.1%	6.1%	11.4%	88.6%
	Grade 7	1.3%	1.9%	3.3%	96.7%
	Grade 8	3.0%	4.2%	8.3%	91.7%
	Grade 9	4.3%	6.1%	11.8%	88.2%
	Grade 10	6.6%	9.4%	15.5%	84.5%
	Grade 11	5.6%	8.2%	15.5%	84.5%
	Grade 12	5.1%	8.6%	18.0%	82.0%
Cocaine	01440 12				
	All	3.8%	5.8%	10.9%	89.19
	Grade 7	1.0%	1.5%	2.7%	97.39
	Grade 8	2.5%	3.6%	7.0%	93.0%
	Grade 9	3.9%	5.7%	11.3%	88.79
	Grade 10	6.2%	9.2%	15.1%	84.99
	Grade 11	5.6%	8.1%	15.3%	84.79
	Grade 12	5.1%	8.6%	18.0%	82.09
Crack					
	All	1.1%	1.6%	3.5%	96.5%
	Grade 7	0.7%	1.0%	1.7%	98.3%
	Grade 8	1.6%	2.2%	4.9%	95.19
	Grade 9	1.2%	1.9%	3.3%	96.79
	Grade 10	1.7%	2.2%	4.7%	95.39
	Grade 11	0.8%	1.3%	3.0%	97.0%
	Grade 12	0.6%	0.9%	3.3%	96.79
Hallucinogens					
	All	0.9%	1.5%	3.0%	97.0%
	Grade 7	0.4%	0.5%	0.7%	99.3%
	Grade 8	0.3%	0.4%	1.7%	98.39
	Grade 9	1.2%	1.6%	2.5%	97.5%
	Grade 10	1.2%	2.2%	4.0%	96.09
	Grade 11	1.4%	2.2%	4.8%	95.29
	Grade 12	1.5%	2.8%	6.2%	93.89
Uppers					
	All	1.2%	1.8%	3.3%	96.79
	Grade 7	0.4%	0.5%	0.9%	99.19
	Grade 8	0.7%	1.2%	2.1%	97.9%
	Grade 9	1.3%	1.9%	4.0%	96.0%
	Grade 10	1.4%	2.4%	4.1%	95.9%
	Grade 11	1.9%	2.7%	4.6%	95.4%
	Grade 12	2.2%	3.1%	4.9%	95.19
Downers					
	All	1.4%	2.0%	3.6%	96.4%
	Grade 7	0.4%	0.5%	0.8%	99.29
	Grade 8	0.8%	1.1%	2.3%	97.79
	Grade 9	1.6%	2.4%	4.7%	95.39
	Grade 10	1.8%	2.5%	4.7%	95.39
	Grade 11	1.9%	2.6%	4.4%	95.69
	Grade 12	2.1%	3.3%	5.2%	94.89

Table B3: Prevalence and recency of use of selected substances by gradeFemale students
(Continued)

		Past	School	Ever	Never
		Month	Year	Used	Used
Rohypnol					
	All	1.5%	2.5%	5.3%	94.7%
	Grade 7	0.8%	1.1%	1.9%	98.1%
	Grade 8	1.2%	2.0%	4.3%	95.7%
	Grade 9	2.1%	3.2%	6.3%	93.7%
	Grade 10	2.3%	3.7%	7.2%	92.8%
	Grade 11	1.7%	3.0%	6.5%	93.5%
	Grade 12	1.1%	2.0%	6.4%	93.6%
Steroids					
	All	0.2%	0.3%	0.5%	99.5%
	Grade 7	0.2%	0.2%	0.3%	99.7%
	Grade 8	0.4%	0.4%	1.0%	99.0%
	Grade 9	0.1%	0.1%	0.3%	99.7%
	Grade 10	0.4%	0.4%	0.6%	99.4%
	Grade 11	0.2%	0.2%	0.2%	99.8%
	Grade 12	0.1%	0.2%	0.6%	99.4%
Ecstasy					
	All	1.2%	1.9%	3.7%	96.3%
	Grade 7	0.2%	0.3%	0.8%	99.2%
	Grade 8	0.8%	1.2%	2.2%	97.8%
	Grade 9	1.6%	2.6%	4.2%	95.8%
	Grade 10	1.7%	2.6%	5.4%	94.6%
	Grade 11	1.2%	2.0%	4.2%	95.8%
	Grade 12	2.3%	3.4%	6.4%	93.6%
Heroin					
	All	0.4%	0.7%	1.5%	98.5%
	Grade 7	0.4%	0.7%	1.0%	99.0%
	Grade 8	0.4%	0.6%	1.9%	98.19
	Grade 9	0.6%	0.8%	2.1%	97.9%
	Grade 10	0.6%	0.8%	1.5%	98.5%
	Grade 11	0.3%	0.6%	1.3%	98.79
	Grade 12	0.3%	0.4%	0.7%	99.39

Table B3: Prevalence and recency of use of selected substances by gradeFemale students
(Continued)

	Past Month	School Year	Ever Used	Never Useo
Tobacco				
All	18.5%	24.1%	37.0%	63.0%
Grade 7	7.0%	8.1%	16.5%	83.5%
Grade 8	5.5%	8.4%	17.5%	82.5%
Grade 9	18.6%	25.4%	38.1%	61.9%
Grade 10	23.9%	29.9%	47.3%	52.7%
Grade 11	26.8%	40.4%	55.6%	44.49
Grade 12	27.8%	32.4%	47.0%	53.0%
Alcohol				
All	34.4%	43.9%	67.0%	33.09
Grade 7	12.6%	16.1%	39.3%	60.79
Grade 8	12.0%	21.7%	50.3%	49.79
Grade 9	42.5%	49.6%	77.7%	22.39
Grade 10	37.9%	53.1%	72.8%	27.29
Grade 11	51.3%	64.3%	83.2%	16.89
Grade 12	48.0%	57.5%	77.7%	22.39
Inhalants				
All	5.5%	7.4%	16.9%	83.19
Grade 7	3.5%	5.6%	11.6%	88.49
Grade 8	8.6%	9.8%	15.5%	84.59
Grade 9	5.4%	7.8%	22.0%	78.09
Grade 10	6.3%	9.0%	21.1%	78.99
Grade 11	5.1%	6.4%	16.3%	83.79
Grade 12	4.5%	5.7%	14.7%	85.3%
Any Illicit Drug				
All	11.6%	16.6%	26.2%	73.89
Grade 7	4.2%	4.9%	9.8%	90.29
Grade 8	8.2%	9.4%	10.6%	89.49
Grade 9	10.6%	14.8%	23.8%	76.29
Grade 10	13.5%	20.6%	32.1%	67.99
Grade 11	16.5%	28.5%	46.2%	53.89
Grade 12	16.8%	21.8%	35.3%	64.79
Marijuana				
All	9.9%	14.9%	22.9%	77.19
Grade 7	2.1%	2.8%	7.4%	92.69
Grade 8	7.2%	9.1%	10.3%	89.79
Grade 9	10.3%	13.4%	17.8%	82.29
Grade 10	9.9%	17.2%	27.0%	73.09
Grade 11	14.4%	27.5%	41.5%	58.59
Grade 12	15.5%	21.0%	34.7%	65.39
Marijuana Only				
All	3.2%	5.7%	10.8%	89.29
Grade 7	1.0%	1.7%	3.5%	96.59
Grade 8	0.8%	1.6%	2.4%	97.69
Grade 9	3.5%	4.0%	7.5%	92.59
Grade 10	2.5%	5.7%	11.0%	89.09
Grade 11	4.8%	11.5%	22.4%	77.69
Grade 12	6.6%	9.6%	18.3%	81.79

Table B4: Prevalence and recency of use of selected substances by gradeWhite students

		Past	School	Ever	Neve
<u> </u>		Month	Year	Used	Used
Cocaine or Crack	All	3.1%	4.5%	8.6%	91.4%
	Grade 7	0.3%	4.5%	1.8%	98.2%
	Grade 8	1.4%	1.1%	2.3%	98.27
	Grade 9	4.0%	4.6%	8.2%	91.8%
	Grade 10	4.0 <i>%</i> 5.5%	4.0% 8.2%	13.4%	86.6%
	Grade 10 Grade 11	3.7%	6.3%	15.5%	84.5%
	Grade 11 Grade 12	3.4%	4.8%	10.6%	89.49
Cocaine	Grade 12	5.470	4.070	10.070	07.47
cocame	All	3.0%	4.4%	8.0%	92.0%
	Grade 7	0.2%	0.9%	1.9%	98.19
	Grade 8	1.4%	1.8%	2.0%	98.09
	Grade 9	4.0%	4.6%	6.0%	94.09
	Grade 10	5.6%	8.2%	13.0%	87.09
	Grade 11	3.7%	6.1%	14.9%	85.19
	Grade 12	3.3%	4.6%	10.2%	89.89
Crack		0.070		10.270	0,10,
01	All	0.4%	0.9%	3.2%	96.8%
	Grade 7	0.2%	0.2%	1.1%	98.99
	Grade 8	0.4%	1.0%	1.3%	98.79
	Grade 9	0.7%	1.2%	5.1%	94.99
	Grade 10	0.5%	1.6%	2.8%	97.29
	Grade 11	0.0%	0.7%	4.4%	95.6%
	Grade 12	0.4%	0.6%	4.1%	95.9%
Hallucinogens					
8	All	2.0%	3.4%	6.5%	93.5%
	Grade 7	0.1%	0.1%	0.5%	99.5%
	Grade 8	3.4%	3.4%	4.3%	95.7%
	Grade 9	2.8%	3.0%	3.6%	96.49
	Grade 10	1.3%	5.1%	8.9%	91.19
	Grade 11	2.1%	2.9%	12.3%	87.79
	Grade 12	2.4%	5.4%	9.9%	90.1%
Uppers					
	All	1.6%	3.0%	4.7%	95.39
	Grade 7	1.7%	1.7%	1.9%	98.19
	Grade 8	0.4%	0.4%	1.5%	98.5%
	Grade 9	2.0%	2.7%	3.2%	96.89
	Grade 10	2.0%	5.2%	8.5%	91.5%
	Grade 11	1.5%	2.4%	5.7%	94.3%
	Grade 12	1.6%	5.0%	6.9%	93.19
Downers					
	All	1.6%	3.0%	4.6%	95.4%
	Grade 7	0.0%	0.1%	0.4%	99.6%
	Grade 8	0.4%	0.6%	1.1%	98.99
	Grade 9	2.7%	5.4%	5.8%	94.29
	Grade 10	2.9%	4.4%	6.1%	93.99
	Grade 11	1.1%	1.7%	6.3%	93.79
	Grade 12	2.0%	5.0%	7.6%	92.4%

Table B4: Prevalence and recency of use of selected substances by gradeWhite students
(Continued)

Rohypnol All Grade 7 Grade 8 Grade 9 Grade 10 Grade 10 Grade 11 Grade 12 Steroids All Grade 7 Grade 8 Grade 9 Grade 9 Grade 10 Grade 11 Grade 12	Month 1.4% 0.4%	2.4%	Used	Used
All Grade 7 Grade 8 Grade 9 Grade 10 Grade 10 Grade 11 Grade 12 Steroids All Grade 7 Grade 8 Grade 9 Grade 9 Grade 10 Grade 11 Grade 12	0.4%			
Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 Steroids All Grade 7 Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12	0.4%			
Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 Steroids All Grade 7 Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12		0 501	4.2%	95.8%
Grade 9 Grade 10 Grade 11 Grade 12 Steroids All Grade 7 Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12		0.5%	1.2%	98.8%
Grade 10 Grade 11 Grade 12 Steroids All Grade 7 Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12	2.7%	2.7%	3.1%	96.9%
Grade 11 Grade 12 Steroids All Grade 7 Grade 7 Grade 8 Grade 9 Grade 9 Grade 10 Grade 11 Grade 12	2.8%	4.1%	7.2%	92.8%
Grade 12 Steroids All Grade 7 Grade 8 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12	0.5%	1.8%	3.4%	96.6%
Steroids All Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12	0.0%	2.8%	6.6%	93.4%
All Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12	1.7%	2.5%	4.2%	95.8%
Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12				
Grade 8 Grade 9 Grade 10 Grade 11 Grade 12	0.3%	0.5%	1.1%	98.9%
Grade 9 Grade 10 Grade 11 Grade 12	0.0%	0.3%	0.3%	99.7%
Grade 10 Grade 11 Grade 12	0.2%	0.2%	0.7%	99.3%
Grade 11 Grade 12	0.5%	0.5%	1.4%	98.6%
Grade 12	0.6%	0.6%	0.6%	99.4%
	0.0%	0.4%	0.4%	99.6%
	0.3%	0.9%	3.0%	97.0%
Ecstasy				
All	1.7%	2.7%	5.4%	94.6%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	2.7%	2.9%	3.9%	96.19
Grade 9	2.1%	4.7%	5.4%	94.6%
Grade 10	0.9%	1.5%	6.3%	93.79
Grade 11	2.2%	2.6%	9.6%	90.4%
Grade 12	1.8%	3.6%	7.1%	92.9%
Ieroin				
All	0.3%	0.4%	1.9%	98.19
Grade 7	0.2%	0.4%	2.1%	97.99
Grade 8	0.2%	0.2%	1.2%	98.89
Grade 9	1.0%	1.0%	3.8%	96.29
Grade 10	0.2%	0.2%	0.6%	99.49
Grade 10 Grade 11	0.2%	0.2%	1.2%	98.8%
Grade 12	0.0%	0.0%	2.3%	97.7%

Table B4: Prevalence and recency of use of selected substances by gradeWhite students
(Continued)

		Past Month	School Year	Ever Used	Neve Used
Тоbассо					
	All	13.0%	20.6%	31.4%	68.6%
G	rade 7	8.2%	9.3%	17.3%	82.79
G	rade 8	5.5%	15.4%	23.0%	77.0%
G	rade 9	17.9%	25.1%	40.4%	59.6%
Gi	rade 10	11.3%	17.8%	36.0%	64.0%
Gi	rade 11	20.1%	23.2%	34.7%	65.3%
Gi	rade 12	18.6%	39.1%	43.8%	56.29
Alcohol					
	All	36.3%	46.5%	65.5%	34.59
	rade 7	20.5%	26.8%	47.0%	53.09
	rade 8	37.3%	48.0%	69.1%	30.99
	rade 9	40.9%	45.4%	62.8%	37.29
	rade 10	31.2%	43.6%	63.0%	37.09
	ade 11	59.1%	69.4%	80.4%	19.69
	rade 12	44.3%	66.9%	89.2%	10.89
Inhalants					
	All	8.4%	11.4%	21.1%	78.99
G	rade 7	5.7%	7.8%	24.1%	75.99
G	rade 8	6.5%	16.9%	23.8%	76.29
G	rade 9	10.3%	11.9%	16.5%	83.59
Gi	rade 10	12.0%	14.0%	23.2%	76.89
Gi	ade 11	3.3%	3.3%	11.2%	88.89
Gi	rade 12	12.3%	13.8%	24.7%	75.3%
Any Illicit Drug					
	All	16.0%	21.3%	30.2%	69.89
	rade 7	4.2%	6.6%	8.3%	91.79
	rade 8	6.4%	14.3%	17.7%	82.39
	rade 9	19.2%	20.5%	43.4%	56.6%
	rade 10	19.1%	28.7%	36.5%	63.5%
	rade 11	24.3%	29.4%	44.5%	55.5%
Gi	rade 12	33.8%	43.4%	45.5%	54.5%
Marijuana					
	All	13.9%	19.3%	28.3%	71.79
	rade 7	2.5%	4.6%	5.9%	94.19
G	rade 8	4.3%	13.2%	16.8%	83.29
G	rade 9	15.0%	17.8%	42.7%	57.39
Gi	rade 10	16.8%	24.0%	31.0%	69.09
	rade 11	24.3%	29.4%	44.5%	55.59
Gi	rade 12	32.9%	42.4%	43.2%	56.89
Marijuana Only					
	All	5.9%	8.4%	14.1%	85.99
	rade 7	0.7%	1.9%	3.2%	96.89
	rade 8	0.0%	7.3%	9.0%	91.09
G	rade 9	8.2%	8.2%	23.2%	76.89
Gi	ade 10	7.4%	12.6%	16.2%	83.89
Gi	ade 11	2.1%	4.2%	17.1%	82.99
Gi	ade 12	19.4%	20.2%	20.2%	79.89

Table B5: Prevalence and recency of use of selected substances by gradeBlack students

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	6.1%	7.7%	11.0%	89.0%
	Grade 7	1.1%	2.6%	3.3%	96.7%
	Grade 8	3.9%	6.6%	7.8%	92.2%
	Grade 9	5.6%	7.1%	7.1%	92.9%
	Grade 10	3.4%	5.3%	13.8%	86.2%
	Grade 11	15.9%	18.9%	23.1%	76.9%
	Grade 12	13.5%	13.5%	23.3%	76.7%
Cocaine					
	All	5.6%	6.9%	9.9%	90.1%
	Grade 7	1.1%	2.2%	2.6%	97.4%
	Grade 8	4.0%	6.7%	7.2%	92.8%
	Grade 9	4.1%	4.1%	4.1%	95.9%
	Grade 10	3.4%	5.3%	13.0%	87.0%
	Grade 11	14.6%	17.6%	21.8%	78.2%
	Grade 12	13.5%	13.5%	23.3%	76.7%
Crack					
	All	1.7%	3.7%	5.8%	94.29
	Grade 7	1.1%	1.5%	2.2%	97.8%
	Grade 8	1.3%	1.3%	1.9%	98.19
	Grade 9	2.1%	4.0%	4.0%	96.0%
	Grade 10	1.4%	1.4%	6.9%	93.19
	Grade 11	2.2%	2.2%	12.3%	87.79
	Grade 12	2.4%	13.1%	13.9%	86.1%
Hallucinogens					
	All	1.6%	2.2%	7.7%	92.39
	Grade 7	1.4%	1.8%	2.2%	97.89
	Grade 8	1.4%	2.6%	5.5%	94.5%
	Grade 9	3.6%	3.6%	16.4%	83.6%
	Grade 10	0.0%	0.0%	4.8%	95.29
	Grade 11	2.3%	5.7%	5.7%	94.3%
	Grade 12	0.0%	0.0%	9.7%	90.3%
Uppers					
	All	1.6%	2.6%	4.2%	95.8%
	Grade 7	1.8%	2.2%	2.2%	97.89
	Grade 8	1.4%	1.4%	5.4%	94.6%
	Grade 9	2.8%	2.8%	5.2%	94.8%
	Grade 10	1.4%	3.8%	6.6%	93.49
	Grade 11	0.0%	5.2%	5.2%	94.89
	Grade 12	1.1%	1.1%	2.0%	98.09
Downers					
	All	1.8%	2.8%	5.0%	95.0%
	Grade 7	1.4%	1.8%	2.2%	97.8%
	Grade 8	1.3%	4.0%	5.9%	94.19
	Grade 9	0.9%	0.9%	5.0%	95.0%
	Grade 10	0.0%	0.0%	6.3%	93.79
	Grade 11	10.0%	15.1%	15.1%	84.9%
	Grade 12	0.0%	0.0%	0.0%	100.09

Table B5: Prevalence and recency of use of selected substances by gradeBlack students
(Continued)

		Past	School	Ever	Neve
		Month	Year	Used	Used
Rohypnol					
	All	1.1%	1.6%	3.8%	96.2%
	Grade 7	0.0%	0.4%	0.8%	99.2%
	Grade 8	2.6%	3.2%	6.0%	94.0%
	Grade 9	0.9%	1.4%	2.0%	98.0%
	Grade 10	2.2%	2.2%	3.3%	96.7%
	Grade 11	1.3%	4.3%	17.5%	82.5%
	Grade 12	0.0%	0.0%	0.0%	100.09
Steroids					
	All	2.1%	2.2%	4.3%	95.7%
	Grade 7	0.4%	0.8%	2.6%	97.4%
	Grade 8	0.6%	0.6%	0.6%	99.49
	Grade 9	2.2%	2.2%	2.2%	97.89
	Grade 10	3.2%	3.2%	4.3%	95.79
	Grade 11	10.1%	10.1%	10.1%	89.99
	Grade 12	0.0%	0.0%	11.5%	88.59
Ecstasy					
-	All	2.6%	3.3%	5.3%	94.79
	Grade 7	0.0%	0.0%	0.4%	99.69
	Grade 8	1.3%	3.2%	4.5%	95.59
	Grade 9	1.6%	3.1%	3.7%	96.39
	Grade 10	1.4%	1.4%	7.2%	92.89
	Grade 11	3.0%	3.0%	7.2%	92.89
	Grade 12	11.7%	11.7%	14.3%	85.79
Heroin					
	All	2.9%	3.2%	4.0%	96.09
	Grade 7	0.3%	0.3%	0.7%	99.39
	Grade 8	1.3%	3.2%	3.2%	96.89
	Grade 9	2.4%	2.4%	4.3%	95.79
	Grade 10	3.8%	3.8%	4.9%	95.19
	Grade 11	0.0%	0.0%	0.9%	99.19
	Grade 12	11.5%	11.5%	11.5%	88.5%

Table B5: Prevalence and recency of use of selected substances by grade Black students (Continued)

	Past Month	School Year	Ever Used	Never Usec
Tobacco				
All	16.5%	22.8%	38.5%	61.5%
Grade 7	6.0%	8.2%	18.1%	81.9%
Grade 8	10.5%	15.9%	31.0%	69.0%
Grade 9	16.4%	23.3%	40.7%	59.3%
Grade 10	19.3%	27.1%	44.4%	55.6%
Grade 11	23.2%	30.9%	49.5%	50.5%
Grade 12	31.0%	39.7%	56.8%	43.2%
Alcohol				
All	35.1%	45.2%	67.8%	32.29
Grade 7	17.7%	21.9%	47.2%	52.8%
Grade 8	26.6%	35.3%	62.2%	37.89
Grade 9	37.3%	48.3%	71.4%	28.69
Grade 10	41.0%	53.6%	74.5%	25.5%
Grade 11	44.5%	57.5%	77.9%	22.19
Grade 12	52.1%	64.9%	80.4%	19.6%
Inhalants				
All	7.0%	9.6%	17.9%	82.19
Grade 7	8.5%	10.4%	18.1%	81.9%
Grade 8	9.1%	12.2%	21.2%	78.89
Grade 9	7.7%	10.6%	20.5%	79.5%
Grade 10	5.6%	8.5%	16.6%	83.4%
Grade 11	4.4%	6.9%	13.7%	86.3%
Grade 12	4.8%	7.2%	13.8%	86.29
Any Illicit Drug				
All	12.4%	16.8%	27.6%	72.49
Grade 7	4.6%	6.1%	10.0%	90.0%
Grade 8	9.1%	11.9%	20.2%	79.8%
Grade 9	13.6%	18.2%	30.0%	70.0%
Grade 10	15.0%	21.1%	33.2%	66.89
Grade 11	16.2%	22.3%	37.9%	62.19
Grade 12	19.0%	26.0%	42.4%	57.6%
Marijuana				
All	10.1%	14.5%	25.2%	74.8%
Grade 7	3.7%	4.7%	8.3%	91.79
Grade 8	7.7%	10.6%	18.3%	81.79
Grade 9	11.1%	16.0%	26.8%	73.29
Grade 10	11.7%	17.5%	30.1%	69.9%
Grade 11	12.7%	19.4%	35.2%	64.89
Grade 12	15.9%	23.4%	40.6%	59.4%
Marijuana Only				
All	3.3%	5.1%	11.0%	89.09
Grade 7	1.7%	2.3%	4.7%	95.3%
Grade 8	3.1%	4.2%	8.6%	91.49
Grade 9	3.6%	5.3%	11.4%	88.69
Grade 10	3.5%	6.0%	12.9%	87.19
Grade 11	3.7%	6.4%	15.0%	85.09
Grade 12	4.9%	7.6%	16.5%	83.5%

Table B6: Prevalence and recency of use of selected substances by grade Mexican/American students

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	5.1%	7.3%	12.6%	87.4%
	Grade 7	1.3%	2.0%	3.4%	96.6%
	Grade 8	3.1%	4.6%	8.6%	91.4%
	Grade 9	5.4%	7.8%	13.4%	86.6%
	Grade 10	7.0%	10.0%	15.7%	84.3%
	Grade 11	7.2%	10.0%	18.2%	81.8%
	Grade 12	7.9%	11.7%	21.0%	79.0%
Cocaine					
	All	4.7%	6.9%	12.1%	87.9%
	Grade 7	1.1%	1.5%	2.7%	97.3%
	Grade 8	2.8%	4.1%	7.7%	92.3%
	Grade 9	4.9%	7.3%	12.9%	87.1%
	Grade 10	6.7%	9.9%	15.4%	84.6%
	Grade 11	7.1%	9.8%	18.0%	82.0%
	Grade 12	7.9%	11.6%	21.0%	79.0%
Crack					
	All	1.1%	1.6%	3.3%	96.7%
	Grade 7	0.7%	1.0%	1.8%	98.2%
	Grade 8	1.3%	1.9%	4.0%	96.0%
	Grade 9	1.3%	1.9%	3.3%	96.7%
	Grade 10	1.3%	1.8%	3.9%	96.1%
	Grade 11	0.9%	1.4%	3.2%	96.8%
	Grade 12	0.8%	1.4%	3.5%	96.5%
Hallucinogens					
	All	1.2%	1.9%	3.7%	96.3%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	0.5%	0.8%	2.2%	97.8%
	Grade 9	1.2%	2.1%	3.7%	96.3%
	Grade 10	1.7%	2.7%	4.8%	95.29
	Grade 11	1.4%	2.1%	5.1%	94.9%
	Grade 12	2.4%	3.9%	7.7%	92.3%
Uppers					
	All	1.3%	1.9%	3.3%	96.7%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.7%	1.2%	1.9%	98.1%
	Grade 9	1.5%	2.1%	4.0%	96.0%
	Grade 10	1.5%	2.2%	3.9%	96.19
	Grade 11	1.9%	2.6%	5.1%	94.9%
	Grade 12	2.2%	3.3%	5.3%	94.7%
Downers					
	All	1.5%	2.1%	3.7%	96.3%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	0.8%	1.3%	2.4%	97.6%
	Grade 9	1.8%	2.6%	4.6%	95.4%
	Grade 10	2.1%	2.8%	4.8%	95.2%
	Grade 11	1.9%	2.7%	5.2%	94.8%
	Grade 12	2.6%	3.5%	5.7%	94.3%

Table B6: Prevalence and recency of use of selected substances by grade Mexican/American students (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.8%	2.7%	5.2%	94.8%
	Grade 7	0.8%	1.2%	2.0%	98.0%
	Grade 8	1.5%	2.2%	4.6%	95.4%
	Grade 9	2.3%	3.5%	6.0%	94.0%
	Grade 10	2.4%	3.7%	6.6%	93.49
	Grade 11	2.1%	3.1%	6.1%	93.9%
	Grade 12	1.7%	2.9%	7.0%	93.0%
Steroids					
	All	0.5%	0.7%	1.1%	98.9%
	Grade 7	0.5%	0.6%	1.0%	99.0%
	Grade 8	0.6%	0.7%	1.2%	98.89
	Grade 9	0.2%	0.4%	0.9%	99.19
	Grade 10	0.8%	0.9%	1.4%	98.69
	Grade 11	0.6%	0.7%	1.1%	98.99
	Grade 12	0.3%	0.6%	1.2%	98.89
Ecstasy					
	All	1.5%	2.3%	4.2%	95.8%
	Grade 7	0.5%	0.6%	1.0%	99.0%
	Grade 8	1.0%	1.6%	2.6%	97.49
	Grade 9	1.8%	2.5%	4.5%	95.5%
	Grade 10	2.1%	3.1%	5.8%	94.29
	Grade 11	1.7%	2.5%	5.1%	94.9%
	Grade 12	2.6%	4.1%	7.3%	92.7%
Heroin					
	All	0.5%	0.7%	1.5%	98.5%
	Grade 7	0.6%	0.8%	1.2%	98.89
	Grade 8	0.5%	0.7%	1.7%	98.3%
	Grade 9	0.6%	0.8%	1.9%	98.19
	Grade 10	0.7%	0.8%	1.5%	98.5%
	Grade 11	0.3%	0.5%	1.1%	98.9%
	Grade 12	0.3%	0.5%	1.0%	99.0%

Table B6: Prevalence and recency of use of selected substances by grade Mexican/American students (Continued)

	Past Month	School Year	Ever Used	Never Used
Tobacco				
All	8.7%	12.5%	25.1%	74.9%
Grade 7	2.9%	3.4%	11.7%	88.39
Grade 8	4.7%	7.7%	17.1%	82.9%
Grade 9	7.1%	11.2%	24.1%	75.9%
Grade 10	9.3%	14.2%	31.2%	68.89
Grade 11	11.7%	17.1%	33.1%	66.9%
Grade 12	19.6%	26.1%	40.9%	59.19
Alcohol				
All	25.5%	35.2%	60.6%	39.4%
Grade 7	12.3%	16.3%	44.7%	55.3%
Grade 8	16.3%	25.1%	53.9%	46.1%
Grade 9	25.3%	34.7%	61.1%	38.9%
Grade 10	30.3%	44.6%	67.7%	32.3%
Grade 11	34.6%	46.2%	68.8%	31.29
Grade 12	41.8%	54.7%	75.3%	24.7%
Inhalants				
All	4.1%	5.9%	11.9%	88.19
Grade 7	4.6%	6.2%	14.0%	86.0%
Grade 8	5.8%	8.5%	13.4%	86.69
Grade 9	5.1%	7.2%	15.1%	84.9%
Grade 10	2.4%	3.6%	10.2%	89.8%
Grade 11	3.2%	4.9%	9.2%	90.8%
Grade 12	3.0%	3.7%	7.5%	92.5%
Any Illicit Drug				
All	5.9%	8.6%	15.5%	84.5%
Grade 7	2.2%	3.1%	5.4%	94.6%
Grade 8	3.9%	5.8%	9.6%	90.49
Grade 9	4.8%	6.7%	12.6%	87.49
Grade 10	7.2%	10.3%	19.5%	80.5%
Grade 11	8.8%	13.4%	24.3%	75.79
Grade 12	10.7%	15.7%	28.3%	71.79
Marijuana				
All	4.8%	7.5%	14.2%	85.89
Grade 7	1.4%	2.0%	4.2%	95.8%
Grade 8	3.1%	5.3%	8.6%	91.49
Grade 9	3.9%	5.4%	11.3%	88.79
Grade 10	5.5%	8.4%	16.9%	83.19
Grade 11	7.5%	13.0%	23.4%	76.6%
Grade 12	9.6%	14.8%	27.5%	72.5%
Marijuana Only				
All	1.5%	2.9%	7.5%	92.5%
Grade 7	0.8%	1.2%	3.1%	96.9%
Grade 8	0.8%	1.7%	3.8%	96.29
Grade 9	0.8%	1.6%	5.9%	94.19
Grade 10	1.5%	3.7%	10.1%	89.9%
Grade 11	4.1%	6.8%	12.6%	87.49
Grade 12	1.8%	4.3%	13.2%	86.89

Table B7: Prevalence and recency of use of selected substances by gradeStudents reporting A grades

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.8%	2.9%	5.6%	94.4%
	Grade 7	0.4%	0.9%	1.1%	98.9%
	Grade 8	1.7%	2.3%	4.6%	95.4%
	Grade 9	2.0%	3.4%	5.0%	95.0%
	Grade 10	2.2%	2.9%	6.5%	93.5%
	Grade 11	1.3%	2.6%	8.6%	91.4%
	Grade 12	3.6%	5.6%	9.8%	90.2%
Cocaine					
	All	1.7%	2.7%	5.4%	94.6%
	Grade 7	0.4%	0.5%	0.7%	99.3%
	Grade 8	1.6%	2.2%	4.3%	95.7%
	Grade 9	1.8%	3.2%	4.9%	95.1%
	Grade 10	2.1%	2.8%	6.4%	93.6%
	Grade 11	1.2%	2.6%	8.6%	91.4%
	Grade 12	3.5%	5.6%	9.7%	90.3%
Crack					
	All	0.4%	0.8%	1.7%	98.3%
	Grade 7	0.2%	0.6%	0.8%	99.2%
	Grade 8	0.3%	1.3%	3.0%	97.0%
	Grade 9	0.9%	1.3%	1.7%	98.3%
	Grade 10	0.2%	0.2%	1.3%	98.7%
	Grade 11	0.2%	0.3%	1.2%	98.8%
	Grade 12	0.4%	0.6%	2.1%	97.9%
Hallucinogens					
_	All	0.8%	1.3%	2.4%	97.6%
	Grade 7	0.2%	0.2%	0.3%	99.7%
	Grade 8	0.6%	0.7%	1.9%	98.1%
	Grade 9	0.6%	1.0%	1.8%	98.2%
	Grade 10	0.9%	1.7%	2.5%	97.5%
	Grade 11	0.9%	1.6%	3.4%	96.6%
	Grade 12	1.7%	3.0%	5.8%	94.2%
Uppers					
	All	0.8%	1.2%	2.1%	97.9%
	Grade 7	0.4%	0.4%	0.5%	99.5%
	Grade 8	0.2%	0.6%	1.8%	98.2%
	Grade 9	0.5%	0.9%	1.2%	98.8%
	Grade 10	0.4%	0.8%	1.5%	98.5%
	Grade 11	1.5%	2.3%	5.1%	94.9%
	Grade 12	1.8%	2.6%	3.5%	96.5%
Downers					
	All	0.7%	1.2%	2.2%	97.8%
	Grade 7	0.3%	0.3%	0.4%	99.6%
	Grade 8	0.3%	0.4%	1.9%	98.1%
	Grade 9	0.3%	1.3%	1.9%	98.1%
	Grade 10	0.4%	0.8%	1.5%	98.5%
	Grade 11	1.4%	2.0%	4.1%	95.9%
	Grade 12	2.0%	3.0%	4.2%	95.8%

Table B7: Prevalence and recency of use of selected substances by gradeStudents reporting A grades
(Continued)

		Past Month	School Year	Ever Used	Neve Use
Rohypnol					
•	All	0.4%	0.8%	1.9%	98.1%
	Grade 7	0.3%	0.3%	0.5%	99.5%
	Grade 8	0.4%	0.9%	1.6%	98.49
	Grade 9	0.6%	1.0%	1.8%	98.29
	Grade 10	0.3%	0.4%	1.3%	98.79
	Grade 11	0.2%	0.8%	3.2%	96.89
	Grade 12	0.9%	1.4%	3.4%	96.69
Steroids					
	All	0.4%	0.6%	1.1%	98.99
	Grade 7	0.5%	0.5%	0.8%	99.29
	Grade 8	0.3%	0.3%	1.1%	98.9
	Grade 9	0.3%	0.5%	1.1%	98.9
	Grade 10	0.7%	0.7%	1.1%	98.9
	Grade 11	0.8%	0.8%	1.0%	99.0
	Grade 12	0.3%	0.6%	1.3%	98.7
Ecstasy					
	All	0.7%	1.1%	2.5%	97.5
	Grade 7	0.5%	0.5%	0.6%	99.4
	Grade 8	0.6%	1.2%	2.3%	97.7
	Grade 9	0.4%	1.0%	1.6%	98.49
	Grade 10	0.5%	0.9%	3.9%	96.19
	Grade 11	0.8%	1.5%	3.6%	96.4
	Grade 12	1.3%	1.7%	4.4%	95.69
Heroin					
	All	0.3%	0.4%	1.0%	99.0
	Grade 7	0.4%	0.5%	0.5%	99.59
	Grade 8	0.2%	0.4%	1.6%	98.49
	Grade 9	0.7%	0.8%	1.6%	98.49
	Grade 10	0.2%	0.3%	0.4%	99.69
	Grade 11	0.1%	0.1%	0.9%	99.19
	Grade 12	0.1%	0.3%	1.0%	99.09

Table B7: Prevalence and recency of use of selected substances by gradeStudents reporting A grades
(Continued)

		Past Month	School Year	Ever Used	Never Used
Торассо					
	All	18.2%	24.9%	41.1%	58.9%
	Frade 7	6.9%	9.5%	19.6%	80.4%
	Frade 8	11.5%	17.3%	33.0%	67.0%
	Frade 9	17.8%	25.0%	43.0%	57.0%
	rade 10	20.9%	29.3%	46.9%	53.1%
	rade 11	25.3%	33.9%	53.0%	47.0%
G	rade 12	33.7%	42.6%	60.2%	39.8%
Alcohol					
	All	36.8%	46.9%	69.0%	31.09
	Frade 7	18.8%	23.2%	47.6%	52.4%
(Frade 8	27.9%	36.6%	63.2%	36.89
0	Frade 9	38.6%	49.4%	72.6%	27.49
	rade 10	42.2%	54.8%	75.9%	24.19
	rade 11	47.0%	60.0%	79.5%	20.5%
G	rade 12	54.5%	66.9%	81.6%	18.49
Inhalants					
	All	7.7%	10.4%	19.3%	80.79
(Frade 7	9.3%	11.4%	19.3%	80.79
(Frade 8	9.7%	12.9%	22.6%	77.49
(Frade 9	8.0%	10.8%	21.0%	79.0%
G	rade 10	6.5%	9.8%	18.8%	81.29
	rade 11	5.0%	7.5%	15.1%	84.9%
G	rade 12	6.0%	8.7%	16.4%	83.6%
Any Illicit Drug					
	All	13.7%	18.5%	30.2%	69.89
	Grade 7	5.4%	6.8%	11.3%	88.7%
	Frade 8	9.9%	12.7%	21.5%	78.59
	Frade 9	14.7%	19.7%	32.4%	67.69
	rade 10	16.7%	23.4%	36.4%	63.6%
	rade 11	18.0%	24.7%	41.0%	59.0%
	rade 12	21.3%	29.0%	46.7%	53.3%
Marijuana					
	All	11.2%	16.1%	27.5%	72.5%
	Frade 7	4.2%	5.3%	9.4%	90.69
	Frade 8	8.4%	11.3%	19.5%	80.5%
	Frade 9	12.1%	17.3%	28.9%	71.19
	rade 10	13.1%	19.6%	33.1%	66.9%
	rade 11	14.4%	21.6%	38.0%	62.09
	rade 12	17.5%	25.8%	44.6%	55.49
Marijuana Only					
	All	3.8%	5.7%	11.9%	88.19
	Grade 7	2.0%	2.6%	5.2%	94.89
	Grade 8	3.3%	4.5%	9.1%	90.99
	Grade 9	4.1%	6.0%	12.3%	87.79
	rade 10	3.9%	6.6%	13.7%	86.39
	rade 11	3.9%	6.9%	15.9%	84.19
G	rade 12	6.0%	8.9%	18.1%	81.9%

Table B8: Prevalence and recency of use of selected substances by gradeStudents reporting grades lower than A

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	5.7%	8.1%	13.8%	86.2%
	Grade 7	1.5%	2.2%	3.8%	96.2%
	Grade 8	3.4%	4.9%	9.0%	91.0%
	Grade 9	5.9%	8.3%	14.2%	85.8%
	Grade 10	7.9%	11.3%	17.4%	82.6%
	Grade 11	8.2%	11.2%	19.5%	80.5%
	Grade 12	8.8%	12.9%	23.7%	76.3%
Cocaine					
	All	5.3%	7.7%	13.2%	86.8%
	Grade 7	1.2%	1.8%	3.1%	96.9%
	Grade 8	2.9%	4.3%	7.9%	92.1%
	Grade 9	5.4%	7.7%	13.5%	86.5%
	Grade 10	7.5%	11.1%	17.1%	82.9%
	Grade 11	8.1%	11.0%	19.3%	80.7%
	Grade 12	8.7%	12.9%	23.6%	76.4%
Crack					
	All	1.2%	1.8%	3.7%	96.3%
	Grade 7	0.8%	1.1%	2.0%	98.0%
	Grade 8	1.5%	2.1%	3.9%	96.1%
	Grade 9	1.3%	2.0%	3.7%	96.3%
	Grade 10	1.6%	2.2%	4.5%	95.5%
	Grade 11	1.1%	1.7%	3.8%	96.2%
	Grade 12	0.9%	1.7%	4.3%	95.7%
Hallucinogens					
	All	1.4%	2.1%	4.4%	95.6%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	0.6%	0.9%	2.1%	97.9%
	Grade 9	1.4%	2.2%	4.1%	95.9%
	Grade 10	1.8%	2.9%	5.7%	94.3%
	Grade 11	1.9%	2.6%	6.4%	93.6%
	Grade 12	2.6%	4.2%	9.2%	90.8%
Uppers					
	All	1.4%	2.1%	3.7%	96.3%
	Grade 7	0.5%	0.7%	1.0%	99.0%
	Grade 8	0.8%	1.2%	1.7%	98.3%
	Grade 9	1.6%	2.3%	4.3%	95.7%
	Grade 10	1.6%	2.6%	4.7%	95.3%
	Grade 11	1.8%	2.7%	5.1%	94.9%
	Grade 12	2.4%	3.9%	6.6%	93.4%
Downers					
	All	1.7%	2.4%	4.2%	95.8%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	0.9%	1.3%	2.3%	97.7%
	Grade 9	2.0%	2.8%	4.9%	95.1%
	Grade 10	2.4%	3.2%	5.4%	94.6%
	Grade 11	2.1%	3.0%	5.9%	94.1%
	Grade 12	2.6%	4.0%	6.7%	93.3%

Table B8: Prevalence and recency of use of selected substances by gradeStudents reporting grades lower than A
(Continued)

		Past	School	Ever	Neve
		Month	Year	Used	Used
Rohypnol					
	All	2.1%	3.1%	5.9%	94.19
	Grade 7	1.0%	1.4%	2.3%	97.79
	Grade 8	1.7%	2.4%	5.0%	95.0%
	Grade 9	2.5%	3.7%	6.5%	93.5%
	Grade 10	2.8%	4.2%	7.7%	92.39
	Grade 11	2.4%	3.6%	7.1%	92.99
	Grade 12	1.8%	3.2%	7.5%	92.59
Steroids					
	All	0.6%	0.7%	1.3%	98.79
	Grade 7	0.5%	0.6%	1.1%	98.99
	Grade 8	0.7%	0.8%	1.3%	98.79
	Grade 9	0.3%	0.4%	1.0%	99.09
	Grade 10	0.9%	1.0%	1.4%	98.69
	Grade 11	0.7%	0.9%	1.3%	98.79
	Grade 12	0.5%	0.8%	2.0%	98.0
Ecstasy					
·	All	1.7%	2.6%	4.6%	95.49
	Grade 7	0.5%	0.6%	1.2%	98.89
	Grade 8	1.1%	1.7%	2.5%	97.5
	Grade 9	1.9%	2.7%	4.9%	95.19
	Grade 10	2.4%	3.5%	6.5%	93.59
	Grade 11	2.0%	2.9%	5.6%	94.49
	Grade 12	3.0%	4.9%	8.7%	91.39
Heroin					
	All	0.6%	0.8%	1.6%	98.49
	Grade 7	0.6%	0.9%	1.4%	98.69
	Grade 8	0.5%	0.9%	1.7%	98.39
	Grade 9	0.6%	0.8%	2.1%	97.99
	Grade 10	0.8%	1.0%	1.9%	98.19
	Grade 11	0.2%	0.6%	1.1%	98.99
	Grade 12	0.2%	0.8%	1.1%	98.69

Table B8: Prevalence and recency of use of selected substances by grade Students reporting grades lower than A (Continued)

	Past Month	School Year	Ever Used	Never Usec
Tobacco				
All	14.3%	19.7%	33.8%	66.29
Grade 7	4.7%	6.7%	15.1%	84.99
Grade 8	8.8%	13.2%	26.5%	73.59
Grade 9	13.9%	18.8%	34.1%	65.9%
Grade 10	16.3%	22.6%	39.1%	60.99
Grade 11	20.8%	29.0%	46.4%	53.6%
Grade 12	28.1%	36.8%	52.8%	47.29
Alcohol	22.24	41.00/	64.004	
All	32.3%	41.8%	64.3%	35.79
Grade 7	16.0%	19.8%	43.9%	56.19
Grade 8	24.0%	31.4%	57.9%	42.19
Grade 9	34.2%	44.2%	67.2%	32.89
Grade 10	36.4%	49.3%	71.5%	28.59
Grade 11	44.2%	56.4%	75.7%	24.39
Grade 12	49.2%	62.3%	78.9%	21.19
Inhalants	6.50	0.00/	16 50/	02.50
All	6.5%	8.8%	16.5%	83.59
Grade 7	7.7%	9.4%	16.9%	83.19
Grade 8	8.8%	11.1%	19.2%	80.89
Grade 9	6.7%	9.5%	18.3%	81.79
Grade 10	5.3%	7.9%	15.7%	84.39
Grade 11	4.3%	6.7%	13.1%	86.99
Grade 12	4.8%	6.8%	13.1%	86.9%
Any Illicit Drug	10.20	14.20/	22.5%	
	10.3%	14.2%	23.5%	76.5%
Grade 7	3.8%	5.2%	8.4%	91.69
Grade 8	7.1%	9.1%	15.8%	84.29
Grade 9	10.4%	13.9%	23.6%	76.49
Grade 10	12.1%	17.1%	27.6%	72.49
Grade 11	15.1%	21.4%	35.7%	64.39
Grade 12	17.7%	24.8%	40.0%	60.09
Marijuana	8.20/	10.10/	21.10/	79.00
All	8.2%	12.1%	21.1%	78.99
Grade 7	2.8%	3.7%	6.4%	93.69
Grade 8	5.8%	8.1%	14.1%	85.99
Grade 9	8.4%	11.9%	20.7%	79.39
Grade 10	8.8%	13.7%	24.6%	75.49
Grade 11	12.1%	18.8%	33.3%	66.79
Grade 12	14.8%	22.1%	37.8%	62.29
Marijuana Only	0.5%	4.004	0.60	00.45
	2.7%	4.3%	9.6%	90.49
Grade 7	1.3%	1.9%	3.7%	96.39
Grade 8	2.0%	2.7%	6.6%	93.49
Grade 9	2.9%	4.2%	9.6%	90.49
Grade 10	2.7%	4.9%	11.2%	88.89
Grade 11	3.7%	6.6%	14.4%	85.69
Grade 12	4.6%	7.5%	15.7%	84.39

Table B9: Prevalence and recency of use of selected substances by gradeStudents living with two parents

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	4.4%	6.2%	10.5%	89.5%
	Grade 7	1.2%	1.8%	3.1%	96.9%
	Grade 8	2.8%	3.9%	6.6%	93.4%
	Grade 9	4.4%	6.4%	10.0%	90.0%
	Grade 10	5.6%	7.7%	12.0%	88.09
	Grade 11	6.6%	9.2%	16.7%	83.3%
	Grade 12	7.6%	11.2%	19.8%	80.2%
Cocaine					
	All	4.1%	5.9%	10.0%	90.0%
	Grade 7	0.9%	1.4%	2.4%	97.6%
	Grade 8	2.3%	3.4%	5.7%	94.3%
	Grade 9	3.9%	5.8%	9.5%	90.5%
	Grade 10	5.3%	7.4%	11.6%	88.49
	Grade 11	6.5%	9.0%	16.5%	83.5%
	Grade 12	7.5%	11.2%	19.7%	80.3%
Crack					
	All	1.0%	1.5%	2.9%	97.19
	Grade 7	0.6%	1.0%	1.8%	98.29
	Grade 8	1.4%	2.1%	3.4%	96.6%
	Grade 9	1.0%	1.5%	2.6%	97.4%
	Grade 10	1.2%	1.5%	3.2%	96.8%
	Grade 11	1.0%	1.5%	3.1%	96.9%
	Grade 12	1.0%	1.5%	3.9%	96.1%
Hallucinogens					
	All	1.1%	1.7%	3.4%	96.6%
	Grade 7	0.3%	0.4%	0.8%	99.2%
	Grade 8	0.5%	0.8%	1.5%	98.5%
	Grade 9	0.8%	1.5%	2.9%	97.19
	Grade 10	1.7%	2.6%	4.6%	95.4%
	Grade 11	1.9%	2.6%	5.4%	94.6%
	Grade 12	1.7%	3.0%	7.5%	92.5%
Uppers					
	All	1.1%	1.7%	2.8%	97.2%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.4%	0.8%	1.3%	98.79
	Grade 9	1.3%	1.7%	2.9%	97.19
	Grade 10	1.2%	2.1%	3.5%	96.5%
	Grade 11	1.8%	2.6%	4.5%	95.5%
	Grade 12	2.0%	3.5%	5.6%	94.49
Downers					
	All	1.2%	1.8%	3.0%	97.09
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.5%	0.8%	1.4%	98.6%
	Grade 9	1.4%	2.0%	3.1%	96.9%
	Grade 10	1.9%	2.4%	3.9%	96.19
	Grade 11	1.9%	2.7%	4.9%	95.1%
	Grade 12	2.1%	3.6%	5.8%	94.29

Table B9: Prevalence and recency of use of selected substances by gradeStudents living with two parents
(Continued)

Past	School	Ever	Neve
Month	Year	Used	Used
			95.7%
	0.9%	1.5%	98.5%
3 1.2%	1.7%	3.4%	96.69
9 2.0%	2.9%	4.8%	95.29
2.1%	3.1%	5.2%	94.89
2.0%	3.1%	5.8%	94.29
2 1.6%	2.5%	6.1%	93.99
0.5%	0.6%	1.1%	98.99
0.5%	0.6%	1.0%	99.09
3 0.4%	0.5%	1.0%	99.09
0.3%	0.5%	1.0%	99.09
0.6%	0.7%	1.1%	98.99
0.6%	0.8%	1.2%	98.89
2 0.3%	0.6%	1.5%	98.5
I 1.4%	2.0%	3.5%	96.59
		1.1%	98.99
		2.0%	98.09
			96.79
			95.29
			95.29
			93.09
	,	,.	
0.5%	0.7%	1.3%	98.79
			98.79
			98.69
			98.69
			98.39
			98.5 99.19
			99.09 99.09
	II 1.5% 7 0.6% 8 1.2% 9 2.0% 0 2.1% 1 2.0% 2 1.6% II 0.5% 7 0.5% 8 0.4% 9 0.3% 0 0.6% 1 0.6% 2 0.3% 0 1.4% 7 0.5% 8 0.9%	II 1.5% 2.3% 7 0.6% 0.9% 8 1.2% 1.7% 9 2.0% 2.9% 0 2.1% 3.1% 1 2.0% 2.5% 1 2.0% 2.5% 1 2.0% 2.5% 1 0.5% 0.6% 7 0.5% 0.6% 8 0.4% 0.5% 9 0.3% 0.5% 9 0.3% 0.5% 9 0.3% 0.5% 9 0.3% 0.5% 9 0.3% 0.6% 1 0.6% 0.8% 2 0.3% 0.6% 1 1.4% 2.0% 7 0.5% 0.6% 9 1.4% 1.8% 9 1.4% 1.8% 9 1.4% 0.7% 1 0.5% 0.7% 1 0.5% 0.7% 9	II 1.5% 2.3% 4.3% 7 0.6% 0.9% 1.5% 8 1.2% 1.7% 3.4% 9 2.0% 2.9% 4.8% 0 2.1% 3.1% 5.2% 1 2.0% 3.1% 5.8% 2 1.6% 2.5% 6.1% 1 0.5% 0.6% 1.1% 7 0.5% 0.6% 1.0% 8 0.4% 0.5% 1.0% 9 0.3% 0.5% 1.0% 9 0.3% 0.5% 1.0% 9 0.3% 0.5% 1.0% 9 0.3% 0.5% 1.0% 9 0.3% 0.5% 1.0% 1 0.6% 0.7% 1.1% 1 0.6% 0.5% 1.0% 9 1.4% 2.0% 3.5% 9 1.4% 2.6% 4.8% 1 1.8% 2.6% 4.8%

Table B9: Prevalence and recency of use of selected substances by gradeStudents living with two parents
(Continued)

		Past Month	School Year	Ever Used	Neve Use
Tobacco					
	All	20.5%	28.0%	45.9%	54.1%
	Grade 7	8.8%	11.2%	23.3%	76.79
	Grade 8	13.5%	20.2%	37.0%	63.0%
	Grade 9	20.4%	30.3%	50.1%	49.9%
	Grade 10	23.8%	34.1%	53.0%	47.09
	Grade 11	27.0%	34.5%	55.6%	44.49
	Grade 12	34.3%	41.9%	61.1%	38.99
Alcohol					
	All	39.1%	50.0%	73.0%	27.09
	Grade 7	20.3%	25.3%	53.1%	46.99
	Grade 8	29.3%	40.8%	67.8%	32.29
	Grade 9	40.9%	52.6%	76.6%	23.49
	Grade 10	46.7%	59.6%	79.6%	20.49
	Grade 11	46.7%	60.1%	81.8%	18.29
	Grade 12	55.8%	67.5%	82.7%	17.39
Inhalants					
	All	7.9%	11.1%	20.6%	79.49
	Grade 7	9.5%	11.9%	20.4%	79.69
	Grade 8	9.1%	14.1%	24.2%	75.89
	Grade 9	9.1%	12.0%	23.3%	76.79
	Grade 10	6.8%	10.3%	20.1%	79.99
	Grade 11	5.0%	7.9%	16.3%	83.79
	Grade 12	6.0%	8.8%	16.5%	83.5%
Any Illicit Drug					
	All	15.9%	21.3%	34.7%	65.3%
	Grade 7	6.4%	7.6%	13.1%	86.9%
	Grade 8	12.3%	16.6%	26.5%	73.5%
	Grade 9	18.1%	24.4%	39.3%	60.79
	Grade 10	20.3%	28.2%	43.5%	56.5%
	Grade 11	18.9%	25.2%	42.6%	57.4%
	Grade 12	20.9%	27.6%	46.6%	53.4%
Marijuana					
	All	13.4%	19.0%	32.1%	67.9%
	Grade 7	5.3%	6.4%	11.8%	88.29
	Grade 8	11.0%	15.1%	24.5%	75.5%
	Grade 9	15.3%	21.8%	35.6%	64.4%
	Grade 10	16.9%	24.5%	39.9%	60.19
	Grade 11	15.2%	22.5%	39.3%	60.79
	Grade 12	17.4%	25.2%	45.7%	54.3%
Marijuana Only					
	All	4.4%	6.7%	13.6%	86.49
	Grade 7	2.5%	3.1%	6.6%	93.49
	Grade 8	4.5%	6.7%	11.1%	88.99
	Grade 9	4.6%	7.2%	14.0%	86.09
	Grade 10	4.9%	8.2%	15.9%	84.19
	Grade 11	4.4%	7.2%	17.1%	82.9%
	Grade 12	5.7%	8.3%	19.0%	81.09

Table B10: Prevalence and recency of use of selected substances by gradeStudents not living with two parents

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	6.0%	8.6%	15.6%	84.4%
	Grade 7	1.5%	2.1%	3.6%	96.4%
	Grade 8	3.7%	5.5%	11.5%	88.5%
	Grade 9	6.9%	9.5%	17.8%	82.2%
	Grade 10	9.0%	13.5%	21.7%	78.3%
	Grade 11	7.5%	10.5%	19.3%	80.7%
	Grade 12	7.5%	11.2%	21.7%	78.3%
Cocaine					
	All	5.7%	8.3%	15.1%	84.9%
	Grade 7	1.2%	1.6%	3.1%	96.9%
	Grade 8	3.3%	5.1%	10.6%	89.4%
	Grade 9	6.5%	9.1%	16.9%	83.1%
	Grade 10	8.7%	13.4%	21.4%	78.69
	Grade 11	7.3%	10.2%	19.0%	81.09
	Grade 12	7.5%	11.2%	21.7%	78.3%
Crack					
	All	1.1%	1.8%	4.0%	96.0%
	Grade 7	0.7%	1.0%	1.5%	98.5%
	Grade 8	1.1%	1.5%	4.8%	95.2%
	Grade 9	1.7%	2.6%	4.7%	95.3%
	Grade 10	1.6%	2.3%	5.4%	94.6%
	Grade 11	0.9%	1.4%	4.0%	96.0%
	Grade 12	0.4%	1.3%	3.3%	96.79
Hallucinogens					
	All	1.6%	2.6%	5.2%	94.89
	Grade 7	0.6%	0.7%	1.0%	99.0%
	Grade 8	0.8%	1.2%	3.8%	96.29
	Grade 9	2.0%	3.1%	5.3%	94.79
	Grade 10	1.7%	3.0%	6.1%	93.9%
	Grade 11	1.3%	2.2%	6.9%	93.19
	Grade 12	3.6%	5.6%	9.8%	90.29
Uppers					
	All	1.7%	2.4%	4.6%	95.49
	Grade 7	0.8%	1.0%	1.4%	98.69
	Grade 8	1.2%	1.8%	3.0%	97.09
	Grade 9	1.7%	2.8%	5.5%	94.5%
	Grade 10	1.9%	2.7%	5.3%	94.79
	Grade 11	2.0%	2.9%	6.2%	93.89
	Grade 12	2.7%	3.7%	6.5%	93.5%
Downers					
	All	2.0%	2.8%	5.3%	94.79
	Grade 7	0.7%	0.9%	1.3%	98.79
	Grade 8	1.4%	2.2%	4.1%	95.9%
	Grade 9	2.4%	3.4%	6.6%	93.49
	Grade 10	2.5%	3.6%	6.4%	93.6%
	Grade 11	2.3%	3.1%	6.9%	93.19
	Grade 12	3.0%	4.0%	6.7%	93.3%

Table B10: Prevalence and recency of use of selected substances by grade Students not living with two parents (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol				cou	0.500
• •	All	2.2%	3.3%	6.8%	93.2%
	Grade 7	1.3%	1.7%	2.8%	97.2%
	Grade 8	2.0%	3.0%	6.3%	93.7%
	Grade 9	2.6%	4.0%	7.6%	92.4%
	Grade 10	2.8%	4.2%	9.0%	91.09
	Grade 11	2.2%	3.4%	7.7%	92.3%
	Grade 12	1.9%	3.2%	7.4%	92.6%
Steroids					
	All	0.7%	0.9%	1.5%	98.5%
	Grade 7	0.5%	0.6%	1.0%	99.0%
	Grade 8	1.0%	1.2%	1.8%	98.2%
	Grade 9	0.2%	0.3%	0.9%	99.1%
	Grade 10	1.2%	1.3%	1.7%	98.3%
	Grade 11	0.9%	1.1%	1.4%	98.69
	Grade 12	0.7%	0.9%	2.5%	97.5%
Ecstasy					
	All	1.8%	2.8%	5.6%	94.4%
	Grade 7	0.4%	0.6%	1.0%	99.09
	Grade 8	1.2%	1.9%	3.9%	96.19
	Grade 9	2.2%	3.5%	6.3%	93.7%
	Grade 10	2.8%	4.0%	8.1%	91.99
	Grade 11	1.7%	2.5%	6.2%	93.8%
	Grade 12	2.6%	4.7%	8.9%	91.19
Heroin					
	All	0.6%	0.9%	1.9%	98.19
	Grade 7	0.3%	0.5%	0.9%	99.19
	Grade 8	0.5%	0.9%	2.2%	97.89
	Grade 9	1.1%	1.4%	3.1%	96.9%
	Grade 10	0.6%	0.8%	1.4%	98.6%
	Grade 11	0.2%	0.4%	1.4%	98.6%
	Grade 12	0.8%	1.0%	1.9%	98.19

Table B10: Prevalence and recency of use of selected substances by grade Students not living with two parents (Continued)

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.8%	20.4%	35.8%	64.2%
	Grade 7	5.0%	6.8%	15.7%	84.39
	Grade 8	9.6%	14.3%	28.0%	72.0%
	Grade 9	14.6%	21.0%	38.2%	61.8%
	Grade 10	16.5%	23.8%	41.2%	58.89
	Grade 11	21.5%	28.8%	47.9%	52.19
	Grade 12	28.3%	36.1%	54.0%	46.0%
Alcohol					
	All	32.9%	42.6%	66.4%	33.69
	Grade 7	16.1%	19.8%	45.0%	55.0%
	Grade 8	23.4%	31.8%	59.6%	40.49
	Grade 9	35.2%	46.0%	70.8%	29.29
	Grade 10	38.4%	50.8%	73.7%	26.39
	Grade 11	43.6%	56.3%	77.4%	22.69
	Grade 12	50.3%	62.6%	80.5%	19.5%
Inhalants					
	All	6.1%	8.4%	16.2%	83.89
	Grade 7	7.2%	9.0%	16.4%	83.69
	Grade 8	7.7%	10.4%	18.7%	81.39
	Grade 9	6.7%	9.4%	19.1%	80.9%
	Grade 10	4.5%	7.1%	14.9%	85.19
	Grade 11	4.3%	6.3%	12.8%	87.29
	Grade 12	4.6%	6.7%	12.5%	87.5%
Any Illicit Drug					
	All	10.5%	14.5%	24.9%	75.19
	Grade 7	3.5%	4.6%	7.8%	92.29
	Grade 8	7.5%	10.0%	17.3%	82.7%
	Grade 9	11.6%	16.1%	27.4%	72.6%
	Grade 10	12.9%	18.3%	30.1%	69.9%
	Grade 11	15.3%	21.2%	36.2%	63.89
	Grade 12	15.7%	21.9%	39.4%	60.6%
Marijuana					
	All	8.5%	12.5%	22.6%	77.49
	Grade 7	2.5%	3.3%	6.3%	93.79
	Grade 8	6.3%	8.8%	15.4%	84.69
	Grade 9	9.8%	14.3%	24.4%	75.6%
	Grade 10	10.1%	15.2%	27.1%	72.9%
	Grade 11	12.2%	18.6%	33.7%	66.39
	Grade 12	12.8%	19.4%	37.5%	62.5%
Marijuana Only					
	All	2.9%	4.7%	10.4%	89.6%
	Grade 7	1.2%	1.6%	3.5%	96.5%
	Grade 8	2.5%	3.5%	7.5%	92.5%
	Grade 9	3.2%	4.9%	10.7%	89.3%
	Grade 10	3.4%	5.9%	12.7%	87.3%
	Grade 11	3.6%	6.6%	15.2%	84.8%
	Grade 12	4.3%	7.0%	17.0%	83.09

Table B11: Prevalence and recency of use of selected substances by gradeStudents would seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Neve Useo
Cocaine or Crack					
	All	4.1%	5.9%	10.7%	89.3%
	Grade 7	0.9%	1.5%	2.7%	97.3%
	Grade 8	2.7%	3.9%	7.5%	92.5%
	Grade 9	4.3%	6.4%	11.4%	88.69
	Grade 10	5.6%	8.1%	13.1%	86.9%
	Grade 11	6.6%	8.9%	16.1%	83.9%
	Grade 12	6.1%	9.0%	17.7%	82.39
Cocaine					
	All	3.8%	5.6%	10.2%	89.89
	Grade 7	0.7%	1.3%	2.2%	97.8%
	Grade 8	2.3%	3.4%	6.5%	93.5%
	Grade 9	4.0%	6.0%	10.9%	89.19
	Grade 10	5.3%	8.0%	12.9%	87.19
	Grade 11	6.5%	8.7%	15.8%	84.29
	Grade 12	5.9%	8.9%	17.6%	82.4%
Crack					
	All	0.9%	1.3%	2.8%	97.29
	Grade 7	0.5%	0.8%	1.4%	98.6%
	Grade 8	1.1%	1.7%	3.5%	96.5%
	Grade 9	1.0%	1.5%	2.8%	97.29
	Grade 10	1.1%	1.5%	3.3%	96.7%
	Grade 11	0.9%	1.4%	3.1%	96.99
	Grade 12	0.8%	1.1%	3.2%	96.8%
Hallucinogens					
	All	1.1%	1.6%	3.5%	96.5%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.4%	0.6%	1.6%	98.4%
	Grade 9	1.0%	1.8%	3.3%	96.7%
	Grade 10	1.3%	2.2%	4.2%	95.8%
	Grade 11	1.7%	2.3%	5.3%	94.7%
	Grade 12	2.1%	3.4%	7.7%	92.3%
Uppers					
	All	1.0%	1.6%	2.9%	97.1%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.4%	0.7%	1.4%	98.6%
	Grade 9	1.4%	2.0%	3.7%	96.3%
	Grade 10	1.1%	1.9%	3.5%	96.5%
	Grade 11	1.8%	2.4%	4.7%	95.3%
	Grade 12	1.7%	2.5%	4.5%	95.5%
Downers					
	All	1.2%	1.7%	3.2%	96.8%
	Grade 7	0.2%	0.4%	0.6%	99.4%
	Grade 8	0.5%	0.7%	1.9%	98.1%
	Grade 9	1.5%	2.2%	4.2%	95.8%
	Grade 10	1.7%	2.3%	4.0%	96.0%
	Grade 11	1.9%	2.5%	5.1%	94.9%
	Grade 12	1.8%	2.8%	4.8%	95.29

Table B11: Prevalence and recency of use of selected substances by grade Students would seek help from adults for substance abuse problems (Conti nued)

		Past Month	School	Ever	Neve
Rohypnol		Month	Year	Used	Used
Konyphoi	All	1.4%	2.2%	4.5%	95.5%
		0.7%			
	Grade 7		1.0%	1.6%	98.4%
	Grade 8	1.1%	1.8%	3.8%	96.29
	Grade 9 Crude 10	1.9%	2.9%	5.2%	94.89
	Grade 10	1.8%	3.0%	5.7%	94.3%
	Grade 11	1.9%	2.8%	5.8%	94.29
	Grade 12	1.4%	2.1%	5.7%	94.39
Steroids	4.11	0.40/	0.60	1.00/	00.00
	All	0.4%	0.6%	1.0%	99.09
	Grade 7	0.4%	0.5%	0.8%	99.29
	Grade 8	0.6%	0.7%	1.1%	98.99
	Grade 9	0.3%	0.4%	0.9%	99.19
	Grade 10	0.6%	0.6%	1.0%	99.09
	Grade 11	0.7%	0.8%	1.2%	98.89
	Grade 12	0.2%	0.5%	1.1%	98.99
Ecstasy					
	All	1.2%	1.9%	3.6%	96.49
	Grade 7	0.4%	0.5%	0.9%	99.19
	Grade 8	0.7%	1.1%	2.0%	98.09
	Grade 9	1.5%	2.2%	3.9%	96.19
	Grade 10	1.8%	2.6%	5.3%	94.79
	Grade 11	1.4%	2.3%	4.7%	95.39
	Grade 12	1.9%	3.4%	6.5%	93.59
Heroin					
	All	0.4%	0.6%	1.2%	98.89
	Grade 7	0.4%	0.7%	1.0%	99.09
	Grade 8	0.3%	0.6%	1.4%	98.69
	Grade 9	0.5%	0.7%	1.7%	98.39
	Grade 10	0.4%	0.5%	1.1%	98.99
	Grade 11	0.2%	0.5%	1.0%	99.09
	Grade 12	0.2%	0.3%	0.8%	99.29

Table B11: Prevalence and recency of use of selected substances by grade Students would seek help from adults for substance abuse problems (Continued)

		Past Month	School Year	Ever Used	Neve Use
Tobacco					
	All	23.0%	31.5%	47.8%	52.2%
	Grade 7	11.4%	15.1%	26.7%	73.3%
	Grade 8	13.9%	21.1%	39.4%	60.69
	Grade 9	23.0%	31.5%	48.8%	51.29
	Grade 10	27.2%	37.2%	54.5%	45.59
	Grade 11	28.3%	39.2%	57.1%	42.9%
	Grade 12	36.8%	47.8%	62.5%	37.59
Alcohol					
	All	42.5%	53.8%	72.1%	27.99
	Grade 7	24.5%	30.4%	54.9%	45.19
	Grade 8	37.2%	47.7%	70.3%	29.79
	Grade 9	42.6%	53.0%	71.1%	28.99
	Grade 10	45.8%	61.0%	77.8%	22.29
	Grade 11	52.5%	65.2%	81.9%	18.19
	Grade 12	55.2%	69.0%	78.9%	21.19
Inhalants					
	All	10.5%	14.3%	24.6%	75.49
	Grade 7	12.3%	15.5%	24.3%	75.79
	Grade 8	14.7%	20.7%	30.4%	69.69
	Grade 9	10.6%	13.7%	24.2%	75.89
	Grade 10	10.5%	13.8%	25.4%	74.69
	Grade 11	6.2%	10.9%	20.1%	79.99
	Grade 12	7.4%	10.5%	22.1%	77.99
Any Illicit Drug					
	All	20.1%	25.8%	38.1%	61.99
	Grade 7	11.1%	12.8%	19.4%	80.69
	Grade 8	15.3%	19.2%	28.5%	71.59
	Grade 9	19.5%	24.1%	37.5%	62.59
	Grade 10	23.2%	31.3%	44.6%	55.49
	Grade 11	22.2%	30.0%	47.6%	52.49
	Grade 12	31.3%	40.8%	54.1%	45.99
Marijuana					
	All	16.7%	22.9%	35.3%	64.79
	Grade 7	9.5%	11.0%	16.8%	83.29
	Grade 8	13.4%	17.7%	27.1%	72.99
	Grade 9	15.7%	21.0%	33.9%	66.19
	Grade 10	18.1%	26.2%	40.5%	59.59
	Grade 11	18.6%	27.2%	44.2%	55.89
	Grade 12	27.2%	37.6%	53.1%	46.99
Marijuana Only					
	All	5.2%	7.4%	13.7%	86.39
	Grade 7	4.8%	5.8%	9.8%	90.29
	Grade 8	4.8%	6.3%	11.1%	88.99
	Grade 9	4.7%	6.8%	13.6%	86.49
	Grade 10	3.8%	6.9%	14.1%	85.99
	Grade 11	5.7%	8.4%	17.2%	82.89
	Grade 12	8.1%	11.1%	17.2%	82.89

Table B12: Prevalence and recency of use of selected substances by gradeStudents wouldn"t seek help from adults for substance abuse problems

Table B12: Prevalence and recency of use of selected substances by grade Students wouldn"t seek help from adults for substance abuse problems (Continued)

	Past Month	School Year	Ever Used	Never Used
Cocaine or Crack				
All	8.0%	11.5%	18.5%	81.5%
Grade 7	2.7%	3.3%	5.6%	94.4%
Grade 8	3.9%	6.5%	10.8%	89.2%
Grade 9	8.4%	11.7%	18.1%	81.9%
Grade 10	11.2%	15.7%	24.0%	76.0%
Grade 11	9.2%	13.6%	24.1%	75.9%
Grade 12	12.9%	19.5%	30.8%	69.29
Cocaine				
All	7.7%	11.1%	17.9%	82.19
Grade 7	2.0%	2.2%	4.0%	96.09
Grade 8	3.6%	6.0%	10.1%	89.99
Grade 9	8.1%	11.1%	17.5%	82.5%
Grade 10	10.7%	15.3%	23.3%	76.79
Grade 11	9.1%	13.6%	24.2%	75.89
Grade 12	13.0%	19.6%	30.6%	69.49
Crack	1 404	2.4%	5.00/	04.00
All	1.4%	2.4%	5.2%	94.89
Grade 7	1.2%	1.7%	3.2%	96.8%
Grade 8	1.2%	2.2%	5.2%	94.89
Grade 9	1.6%	3.1%	5.3%	94.79
Grade 10	2.2%	2.8%	6.2%	93.89
Grade 11	1.0%	1.7%	5.0%	95.09
Grade 12	0.9%	2.5%	6.4%	93.69
Hallucinogens	2.10/	2 40/	6 70/	02.20
All	2.1%	3.4%	6.7%	93.3%
Grade 7	0.8%	1.3%	1.6%	98.49
Grade 8	1.7%	2.4%	4.8%	95.29
Grade 9	2.1%	3.1%	5.7%	94.3%
Grade 10	3.1%	5.3%	9.2%	90.89
Grade 11	1.6%	2.7%	8.3%	91.79
Grade 12	3.5%	6.0%	11.5%	88.5%
Uppers	2.50/	2 70/	5 70/	04.20
	2.5%	3.7%	5.7%	94.39
Grade 7	1.6%	1.7%	2.1%	97.99
Grade 8	2.4%	3.6%	4.3%	95.79
Grade 9	1.7%	2.4%	4.8%	95.29
Grade 10	2.7%	3.9%	6.7%	93.3%
Grade 11	2.3%	4.0%	7.0%	93.09
Grade 12	4.8%	7.6%	10.9%	89.19
Downers	0.00/	4 10/	C 20/	02.70
All Crede 7	2.8%	4.1%	6.3%	93.79
Grade 7 Grade 8	1.2%	1.3%	2.3%	97.79
Grade 8	2.2%	3.8%	4.6%	95.4%
Grade 9 Grade 10	2.4%	3.6%	5.3%	94.79
Grade 10	4.0%	5.1%	8.5%	91.5%
Grade 11	2.4%	4.0%	7.7%	92.39
Grade 12	5.1%	7.0%	10.4%	89.6%

		Past Month	School	Ever	Neve
Dohymnol		Month	Year	Used	Used
Rohypnol	A 11	2.00/	4 40/	7 70/	02.20
	All	3.0%	4.4%	7.7%	92.3%
	Grade 7	1.9%	2.2%	3.3%	96.79
	Grade 8	3.2%	4.1%	7.4%	92.69
	Grade 9	3.5%	4.9%	8.0%	92.09
	Grade 10	3.7%	4.7%	9.0%	91.09
	Grade 11	3.0%	5.1%	9.5%	90.5%
	Grade 12	2.6%	4.9%	9.2%	90.89
Steroids					
	All	0.9%	1.2%	2.3%	97.79
	Grade 7	0.9%	1.2%	2.0%	98.09
	Grade 8	0.3%	0.5%	1.6%	98.49
	Grade 9	0.4%	0.7%	1.4%	98.69
	Grade 10	1.9%	2.0%	2.6%	97.49
	Grade 11	0.9%	1.1%	1.3%	98.79
	Grade 12	1.5%	1.9%	5.3%	94.79
Ecstasy					
	All	2.6%	3.8%	6.5%	93.59
	Grade 7	1.2%	1.3%	1.8%	98.29
	Grade 8	2.2%	3.7%	4.9%	95.19
	Grade 9	2.7%	3.8%	6.2%	93.89
	Grade 10	2.1%	4.4%	8.1%	91.99
	Grade 11	2.5%	3.2%	6.4%	93.69
	Grade 12	5.3%	6.9%	12.3%	87.79
Heroin					
	All	1.1%	1.4%	2.9%	97.19
	Grade 7	1.1%	1.4%	2.1%	97.99
	Grade 8	1.0%	1.4%	2.9%	97.19
	Grade 9	0.9%	1.1%	3.5%	96.5%
	Grade 10	1.3%	1.8%	3.2%	96.89
	Grade 11	0.3%	0.7%	1.4%	98.69
	Grade 12	2.0%	2.3%	3.6%	96.49

Table B12: Prevalence and recency of use of selected substances by grade Students wouldn"t seek help from adults for substance abuse problems (Continued)

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	17.8%	24.0%	38.6%	61.4%
	Grade 7	7.1%	9.7%	19.3%	80.7%
	Grade 8	13.3%	18.4%	31.9%	68.1%
	Grade 9	19.0%	26.5%	42.7%	57.3%
	Grade 10	21.9%	29.2%	46.1%	53.9%
	Grade 11	25.1%	34.8%	51.6%	48.49
	Grade 12	35.6%	40.8%	59.3%	40.79
Alcohol					
	All	33.9%	42.9%	64.6%	35.4%
	Grade 7	16.6%	19.9%	45.2%	54.8%
	Grade 8	28.5%	36.5%	59.9%	40.19
	Grade 9	35.8%	45.1%	67.1%	32.9%
	Grade 10	40.4%	51.8%	72.3%	27.79
	Grade 11	46.0%	59.4%	77.9%	22.19
	Grade 12	56.9%	70.2%	83.5%	16.5%
Inhalants					
	All	7.8%	10.5%	19.2%	80.89
	Grade 7	8.7%	10.7%	19.4%	80.69
	Grade 8	9.6%	12.5%	20.9%	79.19
	Grade 9	8.3%	11.3%	20.0%	80.09
	Grade 10	6.4%	9.0%	18.6%	81.49
	Grade 11	5.2%	7.8%	15.1%	84.99
	Grade 12	7.2%	10.6%	20.2%	79.89
Any Illicit Drug					
	All	13.1%	17.1%	27.0%	73.0%
	Grade 7	4.7%	6.1%	10.5%	89.5%
	Grade 8	11.1%	13.0%	21.6%	78.49
	Grade 9	14.9%	19.8%	29.8%	70.29
	Grade 10	16.5%	22.5%	34.1%	65.9%
	Grade 11	17.8%	24.1%	37.9%	62.19
	Grade 12	20.5%	26.4%	44.9%	55.1%
Marijuana					
	All	10.8%	15.0%	24.6%	75.4%
	Grade 7	3.7%	4.6%	8.2%	91.8%
	Grade 8	9.5%	11.9%	19.8%	80.29
	Grade 9	12.6%	17.7%	26.9%	73.1%
	Grade 10	12.2%	17.9%	30.7%	69.39
	Grade 11	15.5%	22.3%	35.6%	64.49
	Grade 12	18.0%	24.3%	43.7%	56.39
Marijuana Only					
	All	3.8%	5.6%	10.7%	89.3%
	Grade 7	1.9%	2.6%	5.1%	94.9%
	Grade 8	4.4%	5.3%	8.8%	91.29
	Grade 9	4.1%	6.5%	11.6%	88.4%
	Grade 10	3.8%	6.2%	12.3%	87.79
	Grade 11	3.8%	7.1%	14.6%	85.4%
	Grade 12	7.1%	8.5%	18.4%	81.69

Table B13: Prevalence and recency of use of selected substances by gradeStudents living in town three years or less

		Past Month	School Year	Ever Used	Neve Use
Cocaine or Crack					
	All	5.1%	7.1%	12.1%	87.9%
	Grade 7	1.2%	1.7%	3.4%	96.6%
	Grade 8	2.8%	3.9%	8.8%	91.29
	Grade 9	6.5%	8.6%	13.1%	86.99
	Grade 10	8.0%	11.3%	16.9%	83.19
	Grade 11	7.6%	10.3%	18.0%	82.09
	Grade 12	6.6%	10.5%	21.1%	78.99
Cocaine					
	All	4.8%	6.8%	11.5%	88.59
	Grade 7	1.0%	1.5%	2.6%	97.49
	Grade 8	2.3%	3.3%	7.8%	92.29
	Grade 9	6.0%	8.1%	12.5%	87.59
	Grade 10	7.5%	10.9%	16.5%	83.59
	Grade 11	7.5%	10.2%	17.7%	82.39
	Grade 12	6.5%	10.5%	21.2%	78.89
Crack					
	All	1.2%	1.8%	3.9%	96.19
	Grade 7	0.4%	0.8%	1.8%	98.29
	Grade 8	1.2%	2.0%	4.8%	95.29
	Grade 9	1.8%	2.6%	4.3%	95.79
	Grade 10	1.4%	1.8%	4.3%	95.79
	Grade 11	1.0%	1.7%	3.9%	96.19
	Grade 12	0.8%	1.4%	5.4%	94.69
Hallucinogens					
	All	1.0%	1.9%	4.0%	96.09
	Grade 7	0.2%	0.3%	0.8%	99.29
	Grade 8	0.5%	1.0%	3.2%	96.89
	Grade 9	1.4%	2.5%	4.3%	95.79
	Grade 10	0.8%	2.1%	4.5%	95.59
	Grade 11	1.9%	2.7%	6.6%	93.49
	Grade 12	2.6%	5.5%	9.0%	91.09
Uppers					
	All	1.3%	2.0%	3.3%	96.79
	Grade 7	0.3%	0.4%	0.7%	99.39
	Grade 8	0.9%	1.1%	1.7%	98.39
	Grade 9	1.4%	2.3%	3.5%	96.59
	Grade 10	1.6%	2.7%	4.5%	95.59
	Grade 11	2.0%	3.1%	5.5%	94.59
	Grade 12	3.1%	5.4%	8.3%	91.79
Downers					
	All	1.8%	2.4%	3.9%	96.19
	Grade 7	0.3%	0.5%	0.8%	99.29
	Grade 8	1.4%	1.7%	2.3%	97.79
	Grade 9	2.2%	3.0%	4.5%	95.59
	Grade 10	2.1%	2.9%	5.1%	94.99
	Grade 11	2.5%	3.5%	6.6%	93.49
	Grade 12	3.4%	4.9%	7.8%	92.29

Table B13: Prevalence and recency of use of selected substances by grade Students living in town three years or less (Continued)

	Past	School	Ever	Neve
	Month	Year	Used	Used
				94.8%
				98.0%
				94.79
	2.1%	3.1%		94.79
	2.3%	3.2%		93.29
Grade 11	2.4%	3.7%	7.1%	92.9%
Grade 12	1.4%	2.4%	6.5%	93.5%
All	0.4%	0.6%	1.3%	98.79
Grade 7	0.5%	0.5%	1.2%	98.89
Grade 8	0.6%	0.7%	1.4%	98.69
Grade 9	0.3%	0.5%	1.3%	98.79
Grade 10	0.6%	0.6%	0.8%	99.29
Grade 11	0.4%	0.6%	1.3%	98.79
Grade 12	0.1%	0.2%	1.9%	98.19
All	1.4%	1.9%	3.8%	96.29
Grade 7	0.5%	0.6%	1.0%	99.0%
Grade 8	1.0%	1.4%	3.1%	96.99
	1.5%		3.8%	96.29
				93.9%
		2.5%		95.4%
		3.4%		92.8%
All	0.5%	0.8%	1.7%	98.39
				99.09
				98.99
				96.99
				98.29
				98.79
				99.09
	All Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 All	Month All 1.8% Grade 7 0.6% Grade 8 1.8% Grade 9 2.1% Grade 10 2.3% Grade 11 2.4% Grade 12 1.4% Grade 7 0.5% Grade 7 0.5% Grade 7 0.5% Grade 10 0.6% Grade 10 0.6% Grade 10 0.6% Grade 11 0.4% Grade 2 0.1% All 0.4% Grade 7 0.5% Grade 11 0.4% Grade 12 0.1% Mil 1.4% Grade 11 0.4% Grade 2 0.1% Grade 3 1.0% Grade 4 1.0% Grade 5 0.5% Grade 10 2.0% Grade 11 1.7% Grade 7 0.5% Grade 7 0.5% Grade 10 2.0%	Month Year All 1.8% 2.5% Grade 7 0.6% 1.1% Grade 8 1.8% 2.1% Grade 9 2.1% 3.1% Grade 10 2.3% 3.2% Grade 11 2.4% 3.7% Grade 12 1.4% 2.4% All 0.4% 0.6% Grade 7 0.5% 0.5% Grade 8 0.6% 0.7% Grade 9 0.3% 0.5% Grade 10 0.6% 0.6% Grade 11 0.4% 0.6% Grade 12 0.1% 0.2% All 1.4% 1.9% Grade 12 0.1% 0.2% All 1.4% 1.9% Grade 7 0.5% 0.6% Grade 8 1.0% 1.4% Grade 9 1.5% 2.1% Grade 10 2.0% 3.0% Grade 11 1.7% 2.5% Grade 12 3.0%	Month Year Used All 1.8% 2.5% 5.2% Grade 7 0.6% 1.1% 2.0% Grade 8 1.8% 2.1% 5.3% Grade 9 2.1% 3.1% 5.3% Grade 10 2.3% 3.2% 6.8% Grade 11 2.4% 3.7% 7.1% Grade 12 1.4% 2.4% 6.5% All 0.4% 0.6% 1.3% Grade 12 1.4% 2.4% 6.5% All 0.4% 0.6% 1.3% Grade 7 0.5% 0.5% 1.2% Grade 8 0.6% 0.7% 1.4% Grade 9 0.3% 0.5% 1.3% Grade 10 0.6% 0.6% 0.8% Grade 10 0.6% 0.6% 1.3% Grade 11 0.4% 0.6% 1.3% Grade 12 0.1% 0.2% 1.9% MI 1.4% 1.9% 3.8%

Table B13: Prevalence and recency of use of selected substances by grade Students living in town three years or less (Continued)

		Past Month	School Year	Ever Used	Neve Use
Tobacco					
	All	16.0%	22.1%	38.0%	62.0%
	Grade 7	5.6%	7.6%	17.3%	82.79
	Grade 8	9.3%	14.5%	29.3%	70.79
	Grade 9	15.0%	21.4%	39.1%	60.9%
	Grade 10	17.8%	25.7%	43.2%	56.89
	Grade 11	22.2%	29.6%	48.9%	51.19
	Grade 12	29.5%	38.4%	55.2%	44.89
Alcohol					
	All	35.1%	45.4%	68.6%	31.49
	Grade 7	17.8%	22.4%	47.8%	52.29
	Grade 8	24.8%	33.8%	62.0%	38.09
	Grade 9	37.0%	48.3%	72.6%	27.49
	Grade 10	39.9%	53.3%	75.2%	24.89
	Grade 11	44.9%	57.3%	77.9%	22.19
	Grade 12	50.7%	63.1%	79.7%	20.39
Inhalants					
	All	6.7%	9.3%	17.5%	82.59
	Grade 7	8.2%	10.2%	17.6%	82.49
	Grade 8	8.7%	12.0%	20.9%	79.19
	Grade 9	7.3%	10.0%	20.3%	79.79
	Grade 10	5.7%	8.7%	16.7%	83.39
	Grade 11	4.3%	6.7%	13.7%	86.39
	Grade 12	5.0%	7.0%	13.4%	86.69
Any Illicit Drug					
	All	12.0%	16.6%	27.7%	72.3%
	Grade 7	4.7%	6.0%	9.8%	90.29
	Grade 8	8.0%	11.0%	18.5%	81.5%
	Grade 9	12.5%	16.9%	29.2%	70.89
	Grade 10	14.5%	20.6%	33.0%	67.09
	Grade 11	15.9%	22.2%	38.4%	61.69
	Grade 12	18.6%	25.8%	42.1%	57.9%
Marijuana					
	All	9.7%	14.3%	25.2%	74.89
	Grade 7	3.6%	4.6%	8.3%	91.79
	Grade 8	6.8%	9.7%	16.7%	83.39
	Grade 9	10.2%	14.6%	25.8%	74.29
	Grade 10	11.6%	17.4%	29.9%	70.19
	Grade 11	12.5%	19.4%	35.5%	64.59
	Grade 12	15.4%	23.1%	40.2%	59.89
Marijuana Only					
	All	3.1%	5.0%	11.2%	88.89
	Grade 7	1.6%	2.1%	4.6%	95.49
	Grade 8	2.3%	3.5%	7.8%	92.29
	Grade 9	3.3%	4.8%	11.2%	88.89
	Grade 10	3.4%	6.0%	13.1%	86.99
	Grade 11	4.0%	6.8%	15.8%	84.29
	Grade 12	4.7%	7.7%	16.7%	83.39

Table B14: Prevalence and recency of use of selected substances by gradeStudents living in town more than three years

		Past Month	School Year	Ever Used	Never Usec
Cocaine or Crack					
	All	4.8%	7.0%	12.4%	87.6%
	Grade 7	1.3%	1.9%	3.2%	96.8%
	Grade 8	3.1%	4.6%	8.1%	91.9%
	Grade 9	4.7%	7.0%	12.7%	87.3%
	Grade 10	6.4%	9.2%	15.0%	85.0%
	Grade 11	6.7%	9.3%	17.3%	82.7%
	Grade 12	7.8%	11.4%	20.4%	79.6%
Cocaine					
	All	4.6%	6.7%	11.9%	88.19
	Grade 7	1.0%	1.5%	2.7%	97.3%
	Grade 8	2.8%	4.1%	7.1%	92.9%
	Grade 9	4.3%	6.5%	12.1%	87.9%
	Grade 10	6.1%	9.0%	14.6%	85.4%
	Grade 11	6.6%	9.1%	17.1%	82.9%
	Grade 12	7.7%	11.3%	20.3%	79.7%
Crack					
	All	1.0%	1.5%	3.1%	96.9%
	Grade 7	0.7%	1.0%	1.6%	98.4%
	Grade 8	1.3%	1.9%	3.5%	96.59
	Grade 9	1.0%	1.6%	2.9%	97.19
	Grade 10	1.3%	1.8%	3.9%	96.19
	Grade 11	0.8%	1.3%	3.1%	96.9%
	Grade 12	0.8%	1.4%	3.5%	96.5%
Hallucinogens					
	All	1.3%	2.0%	4.0%	96.0%
	Grade 7	0.5%	0.6%	0.9%	99.1%
	Grade 8	0.6%	0.8%	1.8%	98.29
	Grade 9	1.2%	1.9%	3.5%	96.5%
	Grade 10	2.0%	3.0%	5.4%	94.6%
	Grade 11	1.6%	2.2%	5.5%	94.5%
	Grade 12	2.4%	3.7%	8.3%	91.79
Uppers					
	All	1.3%	2.0%	3.5%	96.5%
	Grade 7	0.6%	0.7%	1.0%	99.0%
	Grade 8	0.6%	1.1%	1.9%	98.19
	Grade 9	1.5%	2.0%	4.0%	96.0%
	Grade 10	1.4%	2.2%	4.1%	95.9%
	Grade 11	1.9%	2.6%	5.1%	94.9%
	Grade 12	2.2%	3.4%	5.6%	94.4%
Downers					
	All	1.4%	2.1%	3.8%	96.2%
	Grade 7	0.4%	0.6%	0.9%	99.19
	Grade 8	0.5%	1.0%	2.2%	97.8%
	Grade 9	1.6%	2.4%	4.5%	95.5%
	Grade 10	2.1%	2.9%	4.8%	95.2%
	Grade 11	1.8%	2.6%	5.2%	94.8%
	Grade 12	2.3%	3.6%	5.9%	94.19

Table B14: Prevalence and recency of use of selected substances by gradeStudents living in town more than three years
(Continued)

Rohypnol All Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 Steroids	Month 1.7% 0.9% 1.3% 2.3% 2.4% 1.9% 1.7%	Year 2.7% 1.2% 2.1% 3.4% 3.7% 3.0% 2.8%	Used 5.1% 1.8% 4.0% 6.1% 6.5% 6.2%	Used 94.9% 98.2% 96.0% 93.9% 93.5%
All Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 Steroids	0.9% 1.3% 2.3% 2.4% 1.9%	1.2% 2.1% 3.4% 3.7% 3.0%	1.8% 4.0% 6.1% 6.5%	98.2% 96.0% 93.9%
Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 Steroids	0.9% 1.3% 2.3% 2.4% 1.9%	1.2% 2.1% 3.4% 3.7% 3.0%	1.8% 4.0% 6.1% 6.5%	98.2% 96.0% 93.9%
Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 Steroids	1.3% 2.3% 2.4% 1.9%	2.1% 3.4% 3.7% 3.0%	4.0% 6.1% 6.5%	96.0% 93.9%
Grade 9 Grade 10 Grade 11 Grade 12 Steroids	2.3% 2.4% 1.9%	3.4% 3.7% 3.0%	6.1% 6.5%	93.9%
Grade 10 Grade 11 Grade 12 Steroids	2.4% 1.9%	3.7% 3.0%	6.5%	
Grade 11 Grade 12 Steroids	1.9%	3.0%		93.59
Grade 12 Steroids			6.2%	10.07
Steroids	1.7%	2 80%		93.8%
		2.070	6.6%	93.49
A 11				
All	0.6%	0.7%	1.2%	98.89
Grade 7	0.5%	0.6%	1.0%	99.09
Grade 8	0.6%	0.7%	1.2%	98.89
Grade 9	0.2%	0.4%	0.9%	99.19
Grade 10	0.8%	0.9%	1.5%	98.59
Grade 11	0.8%	1.0%	1.2%	98.89
Grade 12	0.5%	0.8%	1.9%	98.19
Ecstasy				
All	1.6%	2.4%	4.4%	95.69
Grade 7	0.5%	0.7%	1.1%	98.99
Grade 8	1.0%	1.6%	2.4%	97.69
Grade 9	1.8%	2.7%	4.6%	95.49
Grade 10	2.0%	3.1%	6.0%	94.09
Grade 11	1.7%	2.5%	5.5%	94.59
Grade 12	2.6%	4.2%	7.7%	92.39
Heroin				
All	0.5%	0.7%	1.5%	98.59
Grade 7	0.5%	0.9%	1.2%	98.89
Grade 8	0.4%	0.8%	1.9%	98.19
Grade 9	0.5%	0.6%	1.6%	98.49
Grade 10	0.7%	0.9%	1.5%	98.59
Grade 10 Grade 11	0.1%	0.4%	0.8%	99.29
Grade 11 Grade 12	0.1%	0.4%	1.4%	98.69

Table B14: Prevalence and recency of use of selected substances by gradeStudents living in town more than three years
(Continued)

q6	Frequency	Percent
Α	64536	18.81
B	188E3	54.91
С	76907	22.41
D	9849	2.87
F	3429	1.00

Frequency Missing = 4430.169049

q7	Frequency	Percent
1	32835	9.62
2	60017	17.58
3	249E3	72.80

Frequency Missing = 6147.3754148

q8	Frequency	Percent
Ν	296E3	86.11
Y	47759	13.89

Frequency Missing = 3739.6275873

q9	Frequency	Percent
Ν	185E3	54.52
Y	154E3	45.48

Frequency Missing = 7980.9560301

q10	Frequency	Percent
D	71934	20.95
Ν	156E3	45.39
Y	116E3	33.67

Frequency Missing = 4168.8722592

q11	Frequency	Percent
D	66009	19.32
Ν	57055	16.70
Y	219E3	63.98

Frequency Missing = 5950.0357481

q12a	Frequency	Percent
Ν	161E3	50.37
Y	159E3	49.63

Frequency Missing = 28130.465378

q12b	Frequency	Percent
Ν	238E3	80.65
Y	57153	19.35

Frequency Missing = 5	52168.912392
-----------------------	--------------

q12c	Frequency	Percent
Ν	251E3	91.00
Y	24864	9.00

Frequency Missing = 71338.881245

q12d	Frequency	Percent
Ν	231E3	82.82
Y	47949	17.18

Frequency Missing = 68540.224128

q12e	Frequency	Percent
Ν	252E3	91.43
Y	23671	8.57

Frequency Missing = 71484.929216

q12f	Frequency	Percent
Ν	265E3	95.15
Y	13528	4.85

Frequency Missing = 68711.773876

q12g	Frequency	Percent
Ν	263E3	93.51
Y	18254	6.49

Frequency Missing = 66493.254894

q12h	Frequency	Percent
Ν	251E3	86.22
Y	40062	13.78

Frequency Missing = 56870.420592

The FREQ Procedure

q1	Frequency	Percent
F	183E3	52.71
М	164E3	47.29

Frequency Missing = 1115.3281616

q2	Frequency	Percent
7	63368	18.23
8	63971	18.40
9	74969	21.57
10	56074	16.13
11	44304	12.75
12	44887	12.91

 q3
 Frequency
 Percent

 N
 121E3
 34.86

 Y
 225E3
 65.14

Frequency Missing = 1899.4256852

q4	Frequency	Percent
11	712	0.21
12	22537	6.51
13	57558	16.61
14	64709	18.68
15	64816	18.71
16	56751	16.38
17	48296	13.94
18	26625	7.69
19	4445	1.28

Frequency Missing = 1123.6532295

q5	Frequency	Percent
AF	4516	1.32
AS	2544	0.74
MA	301E3	88.06
NA	3245	0.95
ОТ	16361	4.79
WT	14122	4.13

Frequency Missing = 5992.4936893

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

q13b	Frequency	Percent
1	112E3	32.71
2	176E3	51.26
3	36766	10.73
4	8859	2.59
5	9307	2.72

Frequency Missing = 4942.9132737

q13c	Frequency	Percent
1	114E3	33.24
2	166E3	48.50
3	35840	10.44
4	15700	4.57
5	11163	3.25

Frequency Missing = 4297.2250821

q14a Fr	equency	Percent
1	25214	7.37
2	106E3	31.09
3	89576	26.17
4	91911	26.85
5	29178	8.52

Frequency Missing = 5254.5963365

q14b	Frequency	Percent
1	243E3	72.07
2	57185	16.98
3	24358	7.23
4	7794	2.31
5	4723	1.40

Frequency Missing = 10861.550335

q14c	Frequency	Percent
1	13110	3.95
2	58529	17.65
3	81714	24.64
4	116E3	35.09
5	61941	18.68

Frequency Missing = 15916.274538

q14d	Frequency	Percent
1	224E3	65.72
2	61842	18.11
3	32442	9.50
4	15607	4.57
5	7188	2.10

Frequency Missing = 6078.597326

q14e	Frequency	Percent
1	202E3	59.26
2	89698	26.26
3	30987	9.07
4	11806	3.46
5	6704	1.96

Frequency Missing = 5932.5160535

q15	Frequency	Percent
Ν	17E4	54.43
Y	143E3	45.57

Frequency Missing = 34752.777574

q16a	Frequency	Percent
0	316E3	92.57
1	15615	4.57
2	3675	1.08
3	6072	1.78

Frequency Missing = 6194.2074059

q16b	Frequency	Percent
0	314E3	92.50
1	14484	4.27
2	3920	1.16
3	7024	2.07

Frequency Missing = 8369.1964541

q16c Frequency Percent		
0	323E3	96.09
1	6601	1.96
2	1976	0.59
3	4588	1.36

Frequency Missing = 11203.388339

Ν	252E3	86.11
Y	40585	13.89

Frequency Missing = 55309.091294

q12j	Frequency	Percent
Ν	28E4	94.44
Y	16495	5.56

Frequency Missing = 50983.636085

q12k	Frequency	Percent
Ν	239E3	78.80
Y	64359	21.20

Frequency Missing = 43985.604946

q12l	Frequency	Percent
Ν	207E3	66.23
Y	105E3	33.77

Frequency Missing = 35312.986999

q12m	Frequency	Percent
Ν	228E3	73.55
Y	81985	26.45

Frequency Missing = 37620.28208

q13a Frequency Percent		
1	277E3	80.54
2	55886	16.23
3	4335	1.26
4	1841	0.53
5	4927	1.43

Frequency Missing = 3275.2201136

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Frequency Missing = 12135.355916

q16j	Frequency	Percent
0	323E3	95.49
1	7423	2.20
2	2776	0.82
3	5050	1.49

Frequency Missing = 9513.999402

q16k	Frequency	Percent
0	308E3	91.01
1	14974	4.42
2	4953	1.46
3	10511	3.10

Frequency Missing = 8825.8975861

q17a Fi	requency	Percent
0	214E3	62.65
1	52801	15.49
2	20691	6.07
3	53849	15.79

Frequency Missing = 6631.4918251

q17b	Frequency	Percent
0	312E3	92.37
1	10921	3.23
2	4453	1.32
3	10419	3.08

Frequency Missing = 9446.621143

q17c	Frequency	Percent
0	157E3	46.56
1	63917	18.97
2	29962	8.89
3	86190	25.58

Frequency Missing = 10590.49544

q17d	Frequency	Percent
0	173E3	51.40
1	61671	18.31
2	31077	9.22
3	70983	21.07

Frequency Missing = 10673.156297

q17e	Frequency	Percent
0	189E3	55.65
1	67271	19.86
2	28060	8.28
3	54905	16.21

Frequency Missing = 8796.7610993

q17f Fr	equency	Percent
0	192E3	56.23
1	47166	13.84
2	27595	8.10
3	74412	21.84

Frequency Missing = 6794.7508024

q18a	Frequency	Percent
0	255E3	75.03
1	35737	10.50
2	15231	4.48
3	34001	9.99

Frequency Missing = 7299.1042294

q18b	Frequency	Percent
0	299E3	88.26
1	17089	5.04
2	7090	2.09
3	15647	4.61

Frequency Missing = 8322.3788062

q18c F	requency	Percent
0	325E3	96.69
1	5717	1.70
2	1791	0.53
3	3597	1.07

Frequency Missing = 11690.708332

q16d F	requency	Percent
0	329E3	97.86
1	3330	0.99
2	1415	0.42
3	2459	0.73

Frequency Missing = 11491.915882

q16e Fi	Percent	
0	329E3	98.16
1	2427	0.72
2	1200	0.36
3	2561	0.76

Frequency Missing = 12156.797997

q16f	Frequency	Percent
0	324E3	96.60
1	6012	1.79
2	1807	0.54
3	3601	1.07

Frequency Missing = 11924.493345

q16g	Frequency	Percent
0	321E3	95.79
1	7208	2.15
2	2344	0.70
3	4561	1.36

Frequency Missing = 12171.139416

q16h	Frequency	Percent
0	322E3	95.70
1	6799	2.02
2	2822	0.84
3	4845	1.44

Frequency Missing = 11039.952541

q16i	Frequency	Percent
0	331E3	98.72
1	1789	0.53
2	954	0.28
3	1541	0.46

Frequency Missing = 11111.509516

q18k F	requency	Percent
0	333E3	98.47
1	2606	0.77
2	818	0.24
3	1739	0.51

Frequency Missing = 9262.9202825

q19a	Frequency	Percent
1	299E3	88.74
2	17219	5.11
3	10721	3.18
4	9981	2.96

Frequency Missing = 10772.633723

q19b	Frequency	Percent
1	242E3	71.95
2	47939	14.28
3	32611	9.71
4	13612	4.05

Frequency Missing = 11848.813414

q19c F	requency	Percent
1	321E3	95.76
2	10636	3.17
3	2365	0.71
4	1212	0.36

Frequency Missing = 12270.279148

q19d	Frequency	Percent
1	303E3	90.49
2	13678	4.09
3	9117	2.72
4	9014	2.69

Frequency Missing = 12970.363432

q19e F	requency	Percent
1	321E3	95.61
2	7727	2.30
3	4175	1.24
4	2853	0.85

Frequency Missing = 11495.96928

q19f	Frequency	Percent
1	334E3	98.98
2	2314	0.69
3	597	0.18
4	530	0.16

Frequency Missing = 10588.644476

q20a Fi	requency	Percent
1	127E3	38.97
2	102E3	31.34
3	46546	14.23
4	28482	8.71
5	22066	6.75

Frequency Missing = 20581.377837

q20b	Frequency	Percent
1	244E3	74.92
2	39424	12.13
3	16150	4.97
4	6422	1.98
5	19537	6.01

Frequency Missing = 22446.120557

q20c	Frequency	Percent
1	88896	27.61
2	75577	23.47
3	52836	16.41
4	62317	19.35
5	42382	13.16

Frequency Missing = 25564.905399

q18e Frequency Percent		
0	322E3	95.98
1	6912	2.06
2	2400	0.71
3	4206	1.25

Frequency Missing = 11625.675124

q18f Fi	requency	Percent
0	325E3	96.58
1	4928	1.46
2	2222	0.66
3	4354	1.29

Frequency Missing = 11168.872529

q18g F	requency	Percent
0	322E3	96.21
1	5440	1.62
2	2280	0.68
3	4986	1.49

Frequency Missing = 12516.62593

q18h	Frequency	Percent
0	319E3	94.88
1	8324	2.48
2	2986	0.89
3	5876	1.75

Frequency Missing = 11867.760976

q18i	Frequency	Percent
0	33E4	98.76
1	1856	0.56
2	474	0.14
3	1829	0.55

Frequency Missing = 13322.220362

q18j	Frequency	Percent
0	322E3	95.76
1	6569	1.95
2	2523	0.75
3	5165	1.54

q20d	Frequency	Percent
1	129E3	39.68
2	70216	21.62
3	48814	15.03
4	42057	12.95
5	34859	10.73

Frequency Missing = 22754.58677

q20e Fr	equency	Percent
1	16E4	49.04
2	71007	21.75
3	38488	11.79
4	27100	8.30
5	29764	9.12

Frequency Missing = 21111.234955

q20f Fi	requency	Percent
1	138E3	42.32
2	59582	18.33
3	44336	13.64
4	46069	14.17
5	37496	11.54

Frequency Missing = 22508.624405

q20g F	requency	Percent
1	259E3	78.80
2	33813	10.27
3	10521	3.20
4	4572	1.39
5	20866	6.34

Frequency Missing = 18469.872729

q20h	Frequency	Percent
1	17E4	51.13
2	62161	18.74
3	37614	11.34
4	28599	8.62
5	33740	10.17

Frequency Missing = 15828.163961

q21a	Frequency	Percent
1	48696	15.63
2	48951	15.71
3	16411	5.27
4	27987	8.98
5	57822	18.55
6	112E3	35.87

Frequency Missing = 35927.926572

q21b F	requency	Percent
1	98799	31.19
2	67044	21.17
3	22533	7.11
4	29898	9.44
5	35449	11.19
6	63016	19.90

Frequency Missing = 30833.730007

q21c	Frequency	Percent
1	40830	13.31
2	37422	12.20
3	16330	5.33
4	33404	10.89
5	63618	20.75
6	115E3	37.52

Frequency Missing = 40911.820948

q21d	Frequency	Percent
1	55641	18.03
2	39674	12.85
3	17550	5.69
4	34025	11.02
5	57747	18.71
6	104E3	33.70

Frequency Missing = 38933.799462

q21e I	Frequency	Percent
1	52848	17.02
2	47515	15.30
3	22121	7.12
4	38392	12.37
5	54571	17.58
6	95035	30.61

Frequency Missing = 37092.353281

q21f Fi	q21f Frequency Percent		
1	51942	16.69	
2	52295	16.81	
3	22416	7.20	
4	33228	10.68	
5	51450	16.53	
6	99857	32.09	

Frequency Missing = 36384.532357

q21g	Frequency	Percent
1	85822	28.06
2	51975	16.99
3	13974	4.57
4	18150	5.93
5	27523	9.00
6	108E3	35.45

Frequency Missing = 41716.593171

Frequency	Percent
60131	19.30
71491	22.95
21842	7.01
29979	9.62
42361	13.60
85747	27.52
	60131 71491 21842 29979 42361

Frequency Missing = 36021.937701

q21i F	requency	Percent
1	70728	22.55
2	83519	26.62
3	30193	9.62
4	32717	10.43
5	33049	10.53
6	63512	20.24

Frequency Missing = 33856.216976

q21j Frequency Percent 85143 26.82 1 2 87182 27.46 3 33696 10.61 4 35354 11.13 5 26871 8.46 49259 15.51 6

Frequency Missing = 30068.187553

q211	Frequency	Percent
1	138E3	43.36
2	66427	20.81
3	29175	9.14
4	27654	8.66
5	17669	5.53
6	39891	12.50

Frequency Missing = 28322.774509

q21m	Frequency	Percent
1	158E3	49.74
2	56400	17.70
3	22974	7.21
4	22106	6.94
5	16291	5.11
6	42372	13.30

Frequency Missing = 28975.169144

q21n	Frequency	Percent
1	16E4	49.77
2	56901	17.69
3	23658	7.35
4	22132	6.88
5	16637	5.17
6	42254	13.13

Frequency Missing = 25874.346745

q21o	Frequency	Percent
1	145E3	45.43
2	60356	18.93
3	23194	7.27
4	23188	7.27
5	19557	6.13
6	47712	14.96

Frequency Missing =	28724.869121
---------------------	--------------

q21p	Frequency	Percent
1	99810	31.10
2	91443	28.49
3	32923	10.26
4	31479	9.81
5	20819	6.49
6	44449	13.85

Frequency Missing =	26649.812389
---------------------	--------------

q21q	Frequency	Percent
1	119E3	37.14
2	75752	23.58
3	29571	9.21
4	28094	8.75
5	21663	6.74
6	46821	14.58

Frequency Missing = 26355.518338

q21r	Frequency	Percent
1	11E4	33.23
2	95968	29.00
3	37300	11.27
4	28793	8.70
5	17346	5.24
6	41555	12.56

Frequency Missing = 16661.980888

q22a	Frequency	Percent
9	15410	11.63
10	9970	7.53
11	10880	8.21
12	16242	12.26
13	22773	17.19
14	20396	15.39
15	17748	13.40
16	11201	8.45
17	5859	4.42
18	2009	1.52

Frequency Missing = 215085.29828

q22b	Frequency	Percent
9	2039	8.12
10	1337	5.33
11	1553	6.18
12	2511	10.00
13	4081	16.26
14	3485	13.88
15	4181	16.65
16	3335	13.28
17	1872	7.46
18	714	2.85

Frequency Missing = 322464.18261

q22c	Frequency	Percent
9	32362	16.83
10	13865	7.21
11	14828	7.71
12	23631	12.29
13	30879	16.06
14	30677	15.95
15	25996	13.52
16	12883	6.70
17	5105	2.65
18	2077	1.08
-		

Frequency Missing = 155269.87886

q22d	Frequency	Percent
9	16590	9.80
10	12298	7.26
11	15184	8.97
12	23154	13.67
13	31337	18.51
14	29109	17.19
15	24175	14.28
16	11681	6.90
17	4263	2.52
18	1542	0.91

Frequency Missing = 178239.27031

q22h	Frequency	Percent
9	3028	3.66
10	3042	3.67
11	5093	6.15
12	10950	13.23
13	16535	19.97
14	17592	21.25
15	14016	16.93
16	8545	10.32
17	2954	3.57
18	1035	1.25

q22e	Frequency	Percent
9	16530	10.59
10	11010	7.05
11	14399	9.22
12	19858	12.72
13	27474	17.60
14	26129	16.73
15	23859	15.28
16	10838	6.94
17	4479	2.87
18	1563	1.00

Frequency Missing = 191433.78439

q22f	Frequency	Percent
9	9323	6.51
10	6219	4.35
11	9067	6.33
12	14891	10.40
13	24819	17.34
14	27788	19.41
15	27414	19.15
16	15145	10.58
17	6199	4.33
18	2267	1.58

Frequency Missing = 204441.44553

	_	
q22g	Frequency	Percent
9	4060	14.28
10	3020	10.62
11	3744	13.17
12	5012	17.63
13	4993	17.57
14	3682	12.95
15	2242	7.89
16	1093	3.85
17	462	1.63
18	115	0.40

Frequency Missing = 319151.05409

Frequency Missing = 264781.52483

q22i	Frequency	Percent
9	560	1.45
10	653	1.70
11	1158	3.01
12	2776	7.21
13	5271	13.69
14	8601	22.34
15	9985	25.93
16	5797	15.06
17	2912	7.56
18	790	2.05

Frequency Missing = 309070.38942

q22j	Frequency	Percent
9	377	3.58
10	334	3.17
11	415	3.94
12	1150	10.92
13	1970	18.71
14	2312	21.96
15	1825	17.34
16	1288	12.24
17	738	7.01
18	118	1.12

Frequency Missing = 337045.9245

q221	Frequency	Percent
9	184	1.54
10	206	1.72
11	422	3.53
12	932	7.79
13	1772	14.82
14	2209	18.47
15	2818	23.56
16	2288	19.13
17	980	8.19
18	150	1.26

Frequency Missing = 335612.75505

q22m	Frequency	Percent
9	282	2.48
10	371	3.25
11	556	4.88
12	1253	10.99
13	1914	16.78
14	2605	22.84
15	2246	19.69
16	1491	13.07
17	587	5.15
18	99	0.87

Frequency Missing = 336168.41748

-		
q22n	Frequency	Percent
9	412	3.31
10	317	2.56
11	536	4.32
12	1356	10.92
13	2323	18.71
14	2902	23.37
15	2503	20.16
16	1302	10.48
17	628	5.06
18	139	1.12

Frequency Missing = 335154.01984

q22r	Frequency	Percent
9	374	8.27
10	193	4.28
11	435	9.63
12	397	8.78
13	947	20.96
14	574	12.70
15	973	21.55
16	357	7.90
17	188	4.16
18	79	1.75

Frequency Missing = 343056.37296

q23a F	requency	Percent
2	7438	2.25
3	14415	4.37
4	17722	5.37
5	23858	7.23
6	21092	6.39
7	30830	9.35
8	215E3	65.03

Frequency Missing = 17691.918213

q23b Fi	requency	Percent
2	1005	0.31
3	1887	0.58
4	2813	0.86
5	4556	1.40
6	4862	1.49
7	6976	2.14
8	303E3	93.21

Frequency Missing = 22111.565386

q23c	Frequency	Percent
2	1483	0.45
3	20961	6.43
4	42633	13.07
5	43940	13.47
6	32502	9.96
7	30456	9.34
8	154E3	47.28

Frequency Missing = 21365.519974

q23d	Frequency	Percent
2	481	0.15
3	12620	3.88
4	33852	10.41
5	42221	12.99
6	36995	11.38
7	27425	8.44
8	171E3	52.75

Frequency Missing = 22498.6189

q23e	Frequency	Percent
2	396	0.12
3	9897	3.05
4	24061	7.43
5	31657	9.77
6	42614	13.15
7	31211	9.63
8	184E3	56.84

Frequency Missing = 23550.699485

q23f F	requency	Percent
2	888	0.27
3	14681	4.51
4	35594	10.94
5	36297	11.16
6	27951	8.59
7	21496	6.61
8	188E3	57.91

Frequency Missing = 22326.35182

q23g	Frequency	Percent
2	607	0.19
3	1482	0.46
4	2722	0.84
5	4282	1.33
6	4653	1.44
7	8376	2.60
8	301E3	93.14
8	301E3	93.

Frequency Missing = 24928.467843

q220 Fi	requency	Percent
9	313	1.97
10	311	1.96
11	849	5.35
12	1466	9.23
13	3379	21.29
14	3519	22.17
15	3266	20.58
16	1902	11.99
17	705	4.45
18	159	1.00

Frequency Missing = 331702.11927

q22p	Frequency	Percent
9	420	11.96
10	262	7.46
11	236	6.73
12	348	9.92
13	364	10.38
14	448	12.77
15	452	12.89
16	564	16.07
17	288	8.20
18	127	3.61

Frequency Missing = 344065.87871

q22q Fi	requency	Percent
9	220	1.61
10	259	1.89
11	546	3.99
12	795	5.81
13	1569	11.47
14	2604	19.04
15	3066	22.42
16	2645	19.34
17	1613	11.80
18	360	2.63

Frequency Missing = 333895.99231

q23m Frequency Percent

282

692

1950

2356

2307

3002

308E3

0.09

0.22

0.61

0.74

0.72

0.94

96.68

2

3

4

5

6

7

8

q23q	Frequency	Percent
2	155	0.05
3	732	0.23
4	1520	0.48
5	2456	0.78
6	3352	1.06
7	3922	1.24
8	303E3	96.15

Frequency Missing = 31980.372702

q23r F	requency	Percent
2	125	0.04
3	318	0.10
4	357	0.11
5	573	0.18
6	1020	0.32
7	1638	0.51
8	315E3	98.74

Frequency Missing = 28270.456652

a24	Frequency	Percent
- -	1 0	
1	28E4	83.35
2	35531	10.59
3	14917	4.44
4	3373	1.00
5	1215	0.36
6	847	0.25

Frequency Missing = 11911.912853

q25a	Frequency	Percent
1	151E3	45.39
2	17115	5.16
3	10664	3.22
4	22910	6.91
5	30806	9.29
6	26053	7.85
7	29525	8.90
8	44059	13.28

Frequency Missing = 15883.657923

Frequency Missing = 26205.451036

q23h Frequency Percent

2

3

4

5

6

7

8

6049

8726

12194

13575

12580

17143

251E3

1.88

2.72

3.79

4.22

3.91

5.33

78.14

q23i	Frequency	Percent
2	1278	0.40
3	3777	1.18
4	6480	2.02
5	6159	1.92
6	5654	1.77
7	8609	2.69
8	288E3	90.02

Frequency Missing = 27318.701681

q23j	Frequency	Percent
2	252	0.08
3	748	0.23
4	1428	0.44
5	2045	0.64
6	1750	0.54
7	2695	0.84
8	312E3	97.22

Frequency Missing = 26358.731523

q231 Fr	equency	Percent
2	58	0.02
3	449	0.14
4	1030	0.32
5	2185	0.68
6	3182	0.99
7	4038	1.26
8	31E4	96.59

Frequency Missing = 26873.131777

Frequency Missing = 29071.511553

q23n	Frequency	Percent
2	283	0.09
3	822	0.26
4	2220	0.69
5	2194	0.69
6	2521	0.79
7	2968	0.93
8	309E3	96.56

Frequency Missing = 27620.942129

q23o	Frequency	Percent
2	229	0.07
3	908	0.29
4	2293	0.72
5	3167	1.00
6	3448	1.09
7	3713	1.17
8	303E3	95.65

Frequency Missing = 30953.814657

q23p	Frequency	Percent
2	477	0.15
3	265	0.08
4	268	0.08
5	449	0.14
6	497	0.16
7	1043	0.33
8	313E3	99.05

Frequency Missing = 31299.19739

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

q27a Fi	requency	Percent
1	137E3	41.66
2	111E3	33.83
3	57749	17.57
4	17123	5.21
5	5692	1.73

Frequency Missing = 18813.729416

q27b Fi	requency	Percent
1	112E3	34.22
2	65912	20.21
3	50803	15.58
4	65491	20.08
5	32331	9.91

Frequency Missing = 21437.834883

q27c Fi	equency	Percent
1	118E3	36.53
2	141E3	43.82
3	27529	8.53
4	21709	6.72
5	14219	4.40

Frequency Missing = 24652.599814

q27d Fi	requency	Percent
1	103E3	31.80
2	49463	15.20
3	43253	13.29
4	57931	17.80
5	71305	21.91

Frequency Missing = 22136.483114

q27e Fr	equency	Percent
1	119E3	37.05
2	91191	28.33
3	44607	13.86
4	31633	9.83
5	35216	10.94

Frequency Missing = 25667.066058

q28a	Frequency	Percent
1	26E4	79.14
2	21086	6.43
3	13249	4.04
4	17271	5.27
5	12771	3.89
6	4035	1.23

Frequency Missing = 19590.255662

a28h	Frequency	Porcont
· .	1 V	
1	272E3	83.45
2	19675	6.04
3	12677	3.89
4	9715	2.98
5	7953	2.44
6	3917	1.20

Frequency Missing = 21687.525475

q28c Fi	requency	Percent
1	28E4	86.53
2	16354	5.05
3	9247	2.86
4	7406	2.29
5	6910	2.13
6	3698	1.14

Frequency Missing = 23835.998879

q28d	Frequency	Percent
1	274E3	84.22
2	17133	5.28
3	10233	3.15
4	11342	3.49
5	8974	2.76
6	3580	1.10

Frequency Missing = 22807.098915

q28e	Frequency	Percent
1	285E3	88.25
2	14752	4.57
3	5522	1.71
4	5016	1.55
5	6130	1.90
6	6516	2.02

q25b	Frequency	Percent
1	165E3	50.17
2	9115	2.77
3	7865	2.39
4	20203	6.13
5	31468	9.55
6	30551	9.27
7	33742	10.24
8	31293	9.49

Frequency Missing = 17952.828044

q25c]	Frequency	Percent
1	182E3	55.14
2	5129	1.56
3	4006	1.22
4	8029	2.44
5	15962	4.84
6	22432	6.81
7	39628	12.03
8	52611	15.97

Frequency Missing = 18081.02478

q25d	Frequency	Percent
1	184E3	55.46
2	10852	3.28
3	8127	2.46
4	18129	5.48
5	28166	8.51
6	23308	7.04
7	26312	7.95
8	32554	9.83

Frequency Missing = 16560.757242

q26a 1	Frequency	Percent
1	128E3	38.40
2	122E3	36.55
3	26902	8.08
4	18828	5.66
5	20849	6.26
6	8174	2.46
7	8639	2.59

Frequency Missing = 14665.927011

q30d	Frequency	Percent
1	205E3	66.11
2	49906	16.06
3	26850	8.64
4	15677	5.05
5	12894	4.15

Frequency Missing = 36822.78939

q30e	Frequency	Percent
1	249E3	80.83
2	32645	10.59
3	7752	2.52
4	4382	1.42
5	14283	4.63

Frequency Missing = 39415.879607

q30f Frequency Percent		
1	258E3	82.93
2	27660	8.89
3	5324	1.71
4	3232	1.04
5	16881	5.43

Frequency Missing = 36602.393089

q30g	Frequency	Percent
1	251E3	80.63
2	27800	8.93
3	7131	2.29
4	3811	1.22
5	21544	6.92

Frequency Missing = 36416.974488

q30h	Frequency	Percent
1	24E4	75.81
2	41350	13.04
3	11497	3.63
4	4301	1.36
5	19522	6.16

Frequency Missing = 30564.238228

q30i Frequency		Percent
1	273E3	85.35
2	20437	6.38
3	3531	1.10
4	2930	0.92
5	19995	6.25

Frequency Missing = 27422.121434

q31a	Frequency	Percent
1	239E3	73.88
2	58413	18.02
3	16526	5.10
4	9709	3.00

Frequency Missing = 23461.084931

q31b	Frequency	Percent
1	123E3	38.02
2	154E3	47.48
3	37763	11.67
4	9134	2.82

Frequency Missing = 24090.717563

q31c	Percent	
1	143E3	44.70
2	148E3	46.26
3	22003	6.86
4	6975	2.17

Frequency Missing = 26863.355882

q31d Frequency Percent		
1	275E3	84.90
2	36909	11.37
3	6853	2.11
4	5247	1.62

Frequency Missing = 23066.979145

q31e F	requency	Percent
1	273E3	85.14
2	38185	11.90
3	5607	1.75
4	3906	1.22

Frequency Missing = 24772.212195

q29a F	requency	Percent
1	31E4	96.69
2	3576	1.11
3	2266	0.71
4	4791	1.49

Frequency Missing = 26614.613127

q29b	Frequency	Percent
1	31E4	95.99
2	4893	1.51
3	2587	0.80
4	5489	1.70

Frequency Missing = 24221.330845

q30a	Frequency	Percent
1	168E3	53.58
2	82003	26.17
3	36011	11.49
4	10231	3.27
5	17206	5.49

Frequency Missing = 34226.89339

q30b Frequency Percent		
1	147E3	46.82
2	95916	30.61
3	46017	14.69
4	11820	3.77
5	12886	4.11

Frequency Missing = 34245.382765

q30c	Frequency	Percent
1	227E3	74.06
2	46532	15.20
3	10839	3.54
4	4248	1.39
5	17806	5.81

Frequency Missing = 41349.388632

q32d	Frequency	Percent
1	308E3	96.36
2	9582	3.00
3	1275	0.40
4	801	0.25

Frequency Missing = 27645.057343

q32e	Frequency	Percent
1	296E3	93.77
2	16301	5.16
3	2180	0.69
4	1182	0.37

Frequency Missing = 31771.74687

q32f Frequency		Percent
1	299E3	94.42
2	12039	3.80
3	2743	0.87
4	2882	0.91

Frequency Missing = 31152.20192

q32g F	requency	Percent
1	298E3	94.17
2	14482	4.57
3	2266	0.72
4	1719	0.54

Frequency Missing = 30808.404434

q32h]	Frequency	Percent
1	311E3	97.34
2	6526	2.04
3	1099	0.34
4	886	0.28

Frequency Missing = 28085.615649

q33a Frequency Percent		
1	291E3	90.33
2	24296	7.55
3	3443	1.07
4	3376	1.05

Frequency Missing = 25915.792205

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Frequency	Percent
292E3	90.88
17096	5.32
5303	1.65
6893	2.15
	292E3 17096 5303

Frequency Missing = 26226.559402

q33c	Frequency	Percent
1	313E3	97.57
2	5353	1.67
3	1144	0.36
4	1293	0.40

Frequency Missing = 27067.26668

q33d	Frequency	Percent
1	304E3	94.30
2	11226	3.48
3	3302	1.02
4	3878	1.20

Frequency Missing = 24835.839245

q34a	Frequency	Percent
1	116E3	35.61
2	34610	10.66
3	27012	8.32
4	45755	14.09
5	68655	21.15
6	8223	2.53
7	24820	7.64

Frequency Missing = 22885.369716

q34b F	requency	Percent
1	168E3	51.74
2	36404	11.22
3	24387	7.51
4	26519	8.17
5	29926	9.22
6	14418	4.44
7	24981	7.70

Frequency Missing = 23036.692653

Frequency Missing = 26597.293442

q31f Frequency Percent		
1	317E3	98.57
2	2938	0.91
3	654	0.20
4	1010	0.31

Frequency Missing = 25890.888029

q31g	Frequency	Percent
1	318E3	98.33
2	3568	1.10
3	733	0.23
4	1100	0.34

Frequency Missing = 24618.653937

q32a	Frequency	Percent
1	298E3	92.57
2	20666	6.42
3	2178	0.68
4	1072	0.33

Frequency Missing = 25870.121201

q32b	Frequency	Percent
1	29E4	90.45
2	23732	7.41
3	4093	1.28
4	2774	0.87

Frequency Missing = 27186.371947

q32c F	requency	Percent
1	296E3	92.82
2	18514	5.81
3	2581	0.81
4	1778	0.56

Frequency Missing = 29185.071492

q36g	Frequency	Percent
Ν	122E3	38.45
Y	195E3	61.55

Frequency Missing = 31439.392325

q36h	Frequency	Percent
Ν	258E3	82.53
Y	54607	17.47

Frequency Missing = 34947.928311

q37a	Frequency	Percent
Ν	123E3	45.09
Y	15E4	54.91

Frequency Missing = 74405.37565

q37b	Frequency	Percent
Ν	143E3	52.73
Y	128E3	47.27

Frequency Missing = 76962.014402

q37c	Frequency	Percent
Ν	177E3	66.18
Y	90276	33.82

Frequency Missing = 80660.680197

q37d	Frequency	Percent
Ν	183E3	68.06
Y	85788	31.94

Frequency Missing = 79019.739907

q37e	Frequency	Percent
Ν	223E3	83.25
Y	44883	16.75

Frequency Missing = 79618.629293

q37f	Frequency	Percent
Ν	221E3	81.68
Y	49552	18.32

Frequency Missing = 77148.796712

q37g	Frequency	Percent
Ν	164E3	60.35
Y	108E3	39.65

Frequency Missing = 76466.732106

q37h	Frequency	Percent
Ν	176E3	64.44
Y	96938	35.56

Frequency Missing = 74952.951471

q38a	Frequency	Percent
Ν	229E3	73.66
Y	81934	26.34

Frequency Missing = 36513.076604

q38b	Frequency	Percent
Ν	149E3	48.05
Y	161E3	51.95

Frequency Missing = 36844.183123

q38c	Frequency	Percent
Ν	138E3	44.21
Y	174E3	55.79

Frequency Missing = 36204.787118

q38d	Frequency	Percent
Ν	129E3	41.21
Y	184E3	58.79

Frequency Missing = 34461.492441

analysis reflects the distribution of students by grade level in the district

Frequency Missing = 32418.532967

q36e	Frequency	Percent
Ν	174E3	55.51
Y	139E3	44.49

Frequency Missing = 34723.622076

q36f	Frequency	Percent
Ν	1E5	31.76
Y	215E3	68.24

Frequency Missing = 32382.175178

q35	Frequency	Percent
Ν	265E3	90.52
Y	27740	9.48

Frequency Missing = 54978.857007

q36a	Frequency	Percent
Ν	193E3	60.59
Y	125E3	39.41

Frequency Missing = 29398.012716

q36b	Frequency	Percent
Ν	193E3	61.13
Y	123E3	38.87

Frequency Missing = 31881.875541

q36c	Frequency	Percent
Ν	191E3	61.24
Y	121E3	38.76

Frequency Missing = 35565.258422

q36d	Frequency	Percent
Ν	124E3	39.24
Y	191E3	60.76

The frequencies have been weighted so that the

q39a I	Frequency	Percent
1	231E3	72.87
2	26410	8.32
3	18148	5.72
4	4386	1.38
5	3509	1.11
6	33649	10.60

Frequency Missing = 30186.983608

q39b	Frequency	Percent
1	198E3	62.62
2	45708	14.44
3	26114	8.25
4	9749	3.08
5	4606	1.45
6	32149	10.16

Frequency Missing = 31001.322104

a39c	Frequency	Percent
<u>4070</u>	258E3	81.59
2	10951	3.46
23	9651	3.05
•		
4	2178	0.69
5	4419	1.40
6	31080	9.82

Frequency Missing = 31049.617766

q40	Frequency	Percent
Ν	297E3	93.25
Y	21478	6.75

Frequency Missing = 29383.502171

q41	Frequency	Percent
Ν	266E3	83.77
Y	51444	16.23

Frequency Missing = 30628.571094