

region45
Spring 2006

Table T-1: How recently, if ever, have you used ..

		Past Month	School Year	Ever Used	Never Used
Any tobacco product					
	All	16.2%	21.8%	37.6%	62.4%
	Grade 7	9.6%	12.9%	26.0%	74.0%
	Grade 8	12.3%	17.4%	34.0%	66.0%
	Grade 9	17.8%	24.1%	40.6%	59.4%
	Grade 10	16.5%	23.1%	40.2%	59.8%
	Grade 11	21.0%	26.9%	41.3%	58.7%
	Grade 12	22.9%	29.8%	46.7%	53.3%
Cigarettes					
	All	13.7%	18.9%	34.6%	65.4%
	Grade 7	7.7%	10.7%	24.0%	76.0%
	Grade 8	10.4%	15.0%	30.5%	69.5%
	Grade 9	14.3%	20.1%	37.2%	62.8%
	Grade 10	14.3%	20.1%	37.2%	62.8%
	Grade 11	17.5%	23.4%	37.8%	62.2%
	Grade 12	21.3%	27.5%	44.5%	55.5%
Smokeless tobacco					
	All	5.5%	8.0%	13.3%	86.7%
	Grade 7	2.5%	3.9%	6.5%	93.5%
	Grade 8	4.6%	6.7%	12.1%	87.9%
	Grade 9	6.6%	10.0%	14.8%	85.2%
	Grade 10	5.9%	8.6%	13.9%	86.1%
	Grade 11	7.8%	9.9%	18.1%	81.9%
	Grade 12	5.8%	9.3%	15.7%	84.3%

region45
Spring 2006

Table T-2: How often do you normally use ..

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any tobacco product?							
All	66.4%	6.6%	3.4%	3.9%	5.0%	5.5%	9.3%
Grade 7	77.3%	1.6%	2.4%	3.1%	3.5%	5.1%	6.9%
Grade 8	70.1%	3.6%	2.8%	4.0%	5.2%	4.5%	9.8%
Grade 9	62.7%	7.2%	4.1%	4.0%	5.1%	6.6%	10.3%
Grade 10	63.8%	7.4%	4.1%	3.8%	5.2%	5.9%	9.8%
Grade 11	62.2%	9.4%	3.3%	5.1%	5.6%	4.2%	10.2%
Grade 12	59.7%	12.3%	3.7%	3.5%	5.5%	6.6%	8.7%
Cigarettes?							
All	68.8%	4.9%	3.0%	3.7%	4.9%	5.2%	9.6%
Grade 7	79.0%	1.1%	1.8%	2.7%	3.2%	4.9%	7.3%
Grade 8	72.6%	2.8%	2.2%	3.7%	4.9%	4.1%	9.6%
Grade 9	66.0%	5.1%	3.4%	3.7%	5.0%	6.2%	10.7%
Grade 10	66.0%	5.3%	3.8%	4.1%	5.2%	5.2%	10.4%
Grade 11	64.9%	6.5%	3.3%	4.1%	5.9%	4.5%	10.7%
Grade 12	61.6%	10.8%	3.4%	3.9%	5.4%	6.3%	8.6%
Smokeless tobacco?							
All	87.0%	2.1%	1.3%	1.3%	1.9%	2.2%	4.2%
Grade 7	92.9%	0.7%	1.0%	0.9%	0.9%	1.5%	2.1%
Grade 8	89.0%	1.2%	1.0%	1.1%	2.5%	1.6%	3.5%
Grade 9	85.1%	2.7%	1.6%	1.6%	2.0%	2.6%	4.5%
Grade 10	85.5%	2.7%	1.5%	1.4%	1.4%	2.6%	4.8%
Grade 11	82.6%	3.5%	1.3%	1.9%	3.3%	2.0%	5.5%
Grade 12	86.0%	2.3%	1.2%	1.0%	1.4%	2.8%	5.4%

region45
Spring 2006

T-3: In the past 30 days, how many cigarettes have you smoked?

	None	<1 Per Day	1-9 Per Day	10 but < Pack Per Day	1 Pack but <2 Packs Per Day	>2 Packs Per Day
All	84.1%	8.0%	5.2%	1.5%	0.8%	0.3%
Grade 7	90.5%	6.6%	2.6%	0.2%	0.0%	0.2%
Grade 8	87.5%	7.6%	3.9%	0.4%	0.6%	0.1%
Grade 9	82.8%	7.9%	7.3%	1.1%	0.4%	0.5%
Grade 10	83.7%	7.7%	5.3%	2.1%	0.9%	0.3%
Grade 11	81.2%	9.5%	5.3%	2.1%	1.8%	0.1%
Grade 12	76.3%	9.6%	7.1%	4.5%	1.6%	0.9%

Table T-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Tobacco	10.7	10.9	11.7	12.6	13.2	13.6

Table T-5: If you wanted some, how difficult would it be to get...

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Cigarettes?						
All	12.3%	17.0%	6.4%	8.4%	17.0%	38.9%
Grade 7	15.8%	33.7%	9.1%	7.9%	14.3%	19.2%
Grade 8	10.6%	25.0%	9.6%	10.4%	17.7%	26.7%
Grade 9	14.1%	14.8%	6.7%	10.5%	18.2%	35.7%
Grade 10	11.3%	10.5%	5.1%	9.5%	20.9%	42.6%
Grade 11	10.6%	8.6%	4.4%	6.3%	19.1%	51.0%
Grade 12	10.7%	4.4%	1.4%	3.2%	9.3%	71.1%
Smokeless Tobacco?						
All	20.6%	20.8%	7.7%	8.1%	12.9%	29.9%
Grade 7	26.5%	38.2%	9.7%	7.2%	7.5%	11.0%
Grade 8	18.7%	32.9%	12.7%	8.0%	11.5%	16.2%
Grade 9	22.7%	16.3%	8.5%	9.8%	14.9%	27.8%
Grade 10	20.1%	13.4%	5.8%	9.4%	18.5%	32.9%
Grade 11	16.7%	12.2%	5.0%	8.8%	15.3%	42.1%
Grade 12	17.1%	6.4%	2.0%	3.6%	8.5%	62.4%

region45
Spring 2006

Table T-6: About how many of your close friends...

	None	A Few	Some	Most	ALL
Use any tobacco product?					
All	42.5%	29.0%	14.5%	11.5%	2.5%
Grade 7	63.1%	23.6%	8.1%	3.9%	1.2%
Grade 8	51.4%	28.9%	11.0%	6.5%	2.2%
Grade 9	38.7%	27.8%	16.3%	14.4%	2.8%
Grade 10	34.1%	33.6%	16.3%	13.1%	3.0%
Grade 11	31.7%	31.9%	18.1%	15.4%	2.9%
Grade 12	31.5%	28.4%	19.2%	17.7%	3.2%
Smoke cigarettes?					
All	46.8%	30.0%	12.6%	8.7%	1.8%
Grade 7	68.1%	21.5%	6.7%	2.8%	0.9%
Grade 8	55.4%	28.4%	9.2%	5.3%	1.6%
Grade 9	44.7%	30.9%	13.2%	9.3%	2.0%
Grade 10	38.5%	34.5%	14.9%	10.1%	1.9%
Grade 11	36.0%	35.4%	15.3%	11.2%	2.1%
Grade 12	33.1%	29.4%	18.2%	16.5%	2.7%
Use a smokeless tobacco product?					
All	65.1%	19.1%	9.4%	5.1%	1.3%
Grade 7	82.3%	11.7%	3.6%	1.6%	0.8%
Grade 8	74.8%	15.4%	6.0%	2.7%	1.1%
Grade 9	61.2%	19.4%	11.2%	6.8%	1.4%
Grade 10	57.4%	22.6%	12.2%	6.3%	1.4%
Grade 11	54.1%	23.8%	12.6%	8.0%	1.6%
Grade 12	57.7%	23.5%	11.9%	5.4%	1.5%

region45
Spring 2006

Table T-7: How do your parents feel about kids your age smoking cigarettes?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	71.8%	8.9%	7.4%	1.3%	1.4%	9.2%
Grade 7	76.5%	5.6%	2.8%	0.5%	1.7%	12.9%
Grade 8	77.0%	6.4%	5.1%	1.0%	1.4%	9.0%
Grade 9	74.0%	8.2%	6.8%	1.9%	1.2%	8.1%
Grade 10	71.1%	9.5%	8.5%	1.3%	1.2%	8.3%
Grade 11	68.2%	11.7%	10.6%	1.4%	1.1%	7.1%
Grade 12	59.2%	14.4%	13.0%	1.9%	1.5%	10.0%

region45
Spring 2006

Table T-8: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	50.4%	26.0%	13.2%	4.6%	5.8%
Grade 7	64.4%	19.4%	7.9%	2.0%	6.3%
Grade 8	58.1%	23.1%	10.7%	2.5%	5.6%
Grade 9	44.3%	28.8%	14.7%	5.7%	6.5%
Grade 10	46.9%	28.2%	13.9%	5.3%	5.7%
Grade 11	45.0%	26.7%	17.5%	5.8%	5.0%
Grade 12	40.8%	31.3%	15.6%	6.7%	5.6%

region45
Spring 2006

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product					
	All	30.5%	42.9%	67.3%	32.7%
	Grade 7	19.4%	28.3%	55.5%	44.5%
	Grade 8	25.4%	36.9%	63.5%	36.5%
	Grade 9	32.4%	45.7%	71.6%	28.4%
	Grade 10	33.9%	46.6%	69.2%	30.8%
	Grade 11	35.9%	49.3%	72.0%	28.0%
	Grade 12	39.8%	55.3%	74.1%	25.9%
Beer					
	All	19.9%	28.4%	47.9%	52.1%
	Grade 7	11.5%	18.1%	38.8%	61.2%
	Grade 8	14.1%	21.1%	42.1%	57.9%
	Grade 9	20.6%	30.2%	50.4%	49.6%
	Grade 10	23.5%	33.7%	51.8%	48.2%
	Grade 11	24.8%	33.1%	50.9%	49.1%
	Grade 12	28.3%	38.4%	56.6%	43.4%
Wine coolers					
	All	17.7%	29.0%	49.8%	50.2%
	Grade 7	11.6%	17.9%	36.3%	63.7%
	Grade 8	15.4%	25.2%	44.5%	55.5%
	Grade 9	18.6%	30.4%	51.8%	48.2%
	Grade 10	20.7%	31.8%	53.2%	46.8%
	Grade 11	19.2%	34.0%	58.3%	41.7%
	Grade 12	22.4%	38.5%	58.6%	41.4%
Wine					
	All	13.0%	22.4%	42.4%	57.6%
	Grade 7	8.8%	13.3%	30.5%	69.5%
	Grade 8	11.7%	19.3%	39.6%	60.4%
	Grade 9	13.9%	24.7%	43.5%	56.5%
	Grade 10	15.3%	25.3%	45.9%	54.1%
	Grade 11	14.3%	25.4%	48.4%	51.6%
	Grade 12	14.4%	28.2%	49.5%	50.5%
Liquor					
	All	19.6%	29.0%	44.0%	56.0%
	Grade 7	8.1%	12.3%	25.0%	75.0%
	Grade 8	13.5%	20.7%	35.1%	64.9%
	Grade 9	20.9%	30.8%	46.6%	53.4%
	Grade 10	24.0%	34.7%	49.9%	50.1%
	Grade 11	25.2%	38.1%	55.5%	44.5%
	Grade 12	30.1%	43.1%	57.9%	42.1%

region45
Spring 2006

Table A-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any alcohol product?								
	All	40.0%	1.2%	4.9%	13.6%	14.9%	13.7%	11.6%
	Grade 7	53.9%	0.8%	3.4%	7.0%	9.8%	12.1%	12.9%
	Grade 8	45.6%	1.1%	3.3%	10.4%	13.3%	14.0%	12.3%
	Grade 9	35.0%	1.3%	4.5%	14.2%	17.4%	15.8%	11.8%
	Grade 10	36.5%	0.9%	4.9%	18.2%	14.8%	12.6%	12.2%
	Grade 11	34.4%	1.5%	6.2%	17.7%	16.0%	14.1%	10.1%
	Grade 12	31.6%	2.0%	8.6%	14.9%	19.7%	13.6%	9.6%
Beer?								
	All	54.3%	0.6%	4.0%	9.8%	11.0%	9.7%	10.7%
	Grade 7	65.9%	0.3%	2.5%	4.7%	7.1%	9.1%	10.4%
	Grade 8	61.4%	0.2%	2.4%	6.8%	8.9%	9.4%	10.9%
	Grade 9	50.1%	0.9%	4.0%	9.7%	12.5%	11.3%	11.7%
	Grade 10	49.3%	0.2%	4.5%	14.6%	11.4%	10.0%	9.9%
	Grade 11	49.6%	1.0%	5.0%	12.4%	12.7%	8.9%	10.4%
	Grade 12	46.7%	1.1%	7.1%	11.8%	14.5%	8.5%	10.4%
Wine coolers?								
	All	53.8%	0.5%	2.7%	8.6%	11.8%	11.9%	10.8%
	Grade 7	68.6%	0.4%	2.3%	5.1%	7.9%	8.0%	7.6%
	Grade 8	59.5%	0.4%	2.0%	6.8%	10.3%	10.7%	10.3%
	Grade 9	51.5%	0.6%	2.5%	8.9%	12.4%	14.2%	10.0%
	Grade 10	50.3%	0.3%	3.0%	10.9%	12.9%	10.2%	12.4%
	Grade 11	45.0%	0.6%	2.8%	11.5%	12.7%	16.1%	11.3%
	Grade 12	43.4%	0.6%	3.9%	9.1%	16.1%	12.3%	14.6%
Wine?								
	All	59.1%	0.3%	2.3%	6.2%	8.4%	12.6%	11.0%
	Grade 7	72.8%	0.3%	1.7%	3.6%	4.9%	8.3%	8.4%
	Grade 8	63.0%	0.6%	1.8%	5.1%	7.5%	11.5%	10.5%
	Grade 9	56.6%	0.2%	2.2%	6.5%	9.3%	13.7%	11.3%
	Grade 10	55.6%	0.2%	2.5%	7.8%	9.3%	13.9%	10.7%
	Grade 11	52.4%	0.2%	3.1%	8.3%	9.8%	14.7%	11.7%
	Grade 12	51.3%	0.6%	3.0%	6.1%	10.4%	13.9%	14.6%
Liquor?								
	All	58.2%	0.6%	2.9%	9.7%	10.9%	10.1%	7.6%
	Grade 7	77.0%	0.3%	1.5%	3.1%	5.5%	5.9%	6.6%
	Grade 8	67.0%	0.8%	1.6%	6.9%	7.4%	9.0%	7.3%
	Grade 9	56.1%	0.3%	3.4%	9.1%	12.1%	10.6%	8.3%
	Grade 10	51.2%	0.6%	2.7%	14.0%	12.5%	11.7%	7.3%
	Grade 11	47.6%	1.2%	4.0%	13.6%	13.6%	11.7%	8.2%
	Grade 12	44.2%	0.8%	5.1%	13.2%	16.1%	12.5%	8.1%

region45
Spring 2006

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never	Ever	5 or More	1 to 4	Less than 1
Beer						
	All	53.6%	46.4%	13.0%	20.3%	13.1%
	Grade 7	62.4%	37.6%	5.5%	16.7%	15.5%
	Grade 8	58.2%	41.8%	8.0%	17.7%	16.1%
	Grade 9	51.1%	48.9%	13.0%	22.2%	13.7%
	Grade 10	50.1%	49.9%	16.4%	23.2%	10.2%
	Grade 11	50.1%	49.9%	19.5%	18.6%	11.8%
	Grade 12	47.6%	52.4%	18.6%	23.6%	10.2%
Wine Coolers						
	All	50.6%	49.4%	10.4%	29.0%	9.9%
	Grade 7	62.9%	37.1%	7.3%	18.9%	10.8%
	Grade 8	55.2%	44.8%	7.5%	26.3%	11.0%
	Grade 9	48.1%	51.9%	10.9%	31.7%	9.4%
	Grade 10	47.4%	52.6%	13.2%	30.8%	8.6%
	Grade 11	43.9%	56.1%	13.7%	32.5%	10.0%
	Grade 12	43.6%	56.4%	10.3%	36.1%	10.0%
Wine						
	All	58.0%	42.0%	5.1%	23.4%	13.5%
	Grade 7	68.8%	31.2%	3.6%	14.1%	13.4%
	Grade 8	61.0%	39.0%	4.2%	19.5%	15.3%
	Grade 9	54.8%	45.2%	4.9%	26.3%	14.1%
	Grade 10	55.7%	44.3%	6.4%	27.0%	10.9%
	Grade 11	53.8%	46.2%	6.8%	26.7%	12.8%
	Grade 12	52.0%	48.0%	5.1%	28.1%	14.8%
Liquor						
	All	56.2%	43.8%	12.0%	22.8%	8.9%
	Grade 7	75.8%	24.2%	4.1%	11.3%	8.8%
	Grade 8	65.4%	34.6%	6.6%	17.1%	10.9%
	Grade 9	53.7%	46.3%	13.5%	23.6%	9.1%
	Grade 10	49.6%	50.4%	14.6%	26.9%	8.9%
	Grade 11	45.1%	54.9%	18.3%	29.1%	7.5%
	Grade 12	42.2%	57.8%	17.6%	33.2%	7.0%

region45
Spring 2006

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol	All	78.1%	7.2%	4.6%	5.1%	2.6%	2.6%
	Grade 7	88.9%	5.0%	2.2%	1.7%	1.0%	1.1%
	Grade 8	85.7%	5.3%	2.6%	3.2%	1.0%	2.3%
	Grade 9	77.1%	8.3%	5.1%	4.7%	2.4%	2.5%
	Grade 10	73.4%	7.8%	6.4%	6.6%	2.6%	3.1%
	Grade 11	71.7%	8.1%	6.3%	6.8%	4.2%	2.9%
	Grade 12	67.5%	8.8%	5.3%	8.9%	5.3%	4.3%

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	10.4	10.8	11.7	12.3	13.0	13.5
Beer	10.4	10.8	11.8	12.4	13.1	13.7
Wine Coolers	10.8	11.3	12.1	12.7	13.3	13.9
Wine	10.9	11.3	12.2	12.7	13.4	14.2
Liquor	11.0	11.5	12.6	13.2	13.9	14.7

region45
Spring 2006

Table A-6: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Beer?							
	All	10.9%	14.2%	5.6%	11.5%	20.1%	37.7%
	Grade 7	13.6%	27.4%	7.6%	12.9%	14.5%	24.0%
	Grade 8	9.5%	20.9%	8.4%	12.5%	19.7%	28.9%
	Grade 9	12.3%	11.3%	5.3%	12.2%	19.8%	39.1%
	Grade 10	10.8%	8.7%	4.0%	10.3%	20.8%	45.5%
	Grade 11	9.0%	8.8%	4.0%	10.2%	20.6%	47.5%
	Grade 12	9.4%	4.8%	2.9%	10.0%	27.9%	45.0%
Wine coolers?							
	All	13.4%	14.6%	6.2%	11.8%	19.9%	34.1%
	Grade 7	19.5%	28.3%	8.0%	10.8%	15.0%	18.3%
	Grade 8	11.8%	23.1%	9.1%	14.3%	17.2%	24.4%
	Grade 9	14.7%	11.9%	6.1%	12.9%	20.3%	34.1%
	Grade 10	12.5%	8.5%	4.5%	11.3%	20.8%	42.4%
	Grade 11	10.1%	7.4%	4.4%	10.5%	21.2%	46.4%
	Grade 12	10.1%	4.3%	3.7%	9.8%	27.8%	44.3%
Wine?							
	All	12.8%	16.6%	7.1%	12.2%	18.6%	32.7%
	Grade 7	16.7%	31.7%	9.0%	11.4%	12.5%	18.7%
	Grade 8	11.2%	26.0%	10.3%	12.7%	15.9%	23.9%
	Grade 9	14.8%	13.5%	7.5%	12.7%	19.7%	31.8%
	Grade 10	11.8%	9.4%	5.4%	13.8%	20.2%	39.4%
	Grade 11	10.3%	9.9%	5.1%	11.6%	19.3%	43.8%
	Grade 12	10.9%	4.4%	3.9%	10.7%	26.3%	43.9%
Liquor?							
	All	12.5%	18.2%	7.1%	11.2%	17.3%	33.8%
	Grade 7	18.0%	35.2%	9.7%	8.9%	10.9%	17.3%
	Grade 8	11.6%	28.9%	9.9%	11.2%	14.5%	23.9%
	Grade 9	13.1%	15.1%	7.3%	12.5%	17.4%	34.6%
	Grade 10	11.7%	9.6%	5.2%	12.3%	19.2%	42.0%
	Grade 11	9.4%	9.7%	5.2%	10.1%	18.5%	47.1%
	Grade 12	9.7%	5.5%	3.4%	12.1%	26.6%	42.8%

region45
Spring 2006

Table A-7: Since school began in the fall, on how many days (if any) have you...

	None	1-3 Times	4-9 Times	10+ Times
Attended class while drunk on alcohol?				
All	90.2%	7.2%	1.3%	1.3%
Grade 7	92.7%	5.4%	1.1%	0.8%
Grade 8	91.7%	6.7%	0.6%	1.0%
Grade 9	90.5%	7.3%	1.0%	1.3%
Grade 10	88.7%	6.9%	2.3%	2.1%
Grade 11	89.5%	8.1%	1.2%	1.3%
Grade 12	86.9%	9.6%	2.3%	1.2%
Gotten into trouble with teachers because of your drinking?				
All	98.6%	0.8%	0.3%	0.3%
Grade 7	99.0%	0.4%	0.3%	0.3%
Grade 8	99.2%	0.5%	0.1%	0.2%
Grade 9	98.8%	0.6%	0.3%	0.3%
Grade 10	97.5%	1.6%	0.5%	0.5%
Grade 11	98.3%	1.0%	0.3%	0.4%
Grade 12	98.6%	1.2%	0.1%	0.2%

region45
Spring 2006

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users:	4.7
Alcohol Non-users:	3.7

Average days conduct problems reported	
Alcohol Users:	3.3
Alcohol Non-users:	1.5

Table A-9: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've had a good bit to drink?				
All	89.1%	7.8%	1.6%	1.6%
Grade 9	94.3%	4.0%	1.2%	0.5%
Grade 10	90.0%	6.5%	1.4%	2.0%
Grade 11	85.8%	10.2%	2.5%	1.5%
Grade 12	82.6%	13.0%	1.6%	2.8%
Gotten into trouble with the police because of drinking?				
All	96.8%	2.6%	0.4%	0.2%
Grade 7	98.4%	1.4%	0.1%	0.1%
Grade 8	98.5%	1.1%	0.1%	0.2%
Grade 9	96.8%	2.4%	0.7%	0.1%
Grade 10	96.3%	2.7%	0.6%	0.3%
Grade 11	95.3%	4.0%	0.3%	0.5%
Grade 12	94.4%	4.8%	0.5%	0.3%

region45
Spring 2006

Table A-10: About how many of your close friends use...

		None	A Few	Some	Most	ALL
Any alcohol product?						
	All	27.9%	26.0%	18.1%	19.0%	9.0%
	Grade 7	46.7%	29.6%	11.4%	7.8%	4.5%
	Grade 8	35.2%	29.8%	17.0%	12.2%	5.9%
	Grade 9	23.8%	25.5%	19.5%	20.9%	10.2%
	Grade 10	21.1%	25.3%	20.1%	23.3%	10.1%
	Grade 11	19.0%	21.5%	21.5%	26.8%	11.2%
	Grade 12	17.3%	22.7%	19.8%	26.6%	13.7%
Beer?						
	All	38.1%	23.9%	16.4%	15.4%	6.1%
	Grade 7	59.6%	24.5%	8.4%	5.1%	2.4%
	Grade 8	48.4%	26.0%	14.0%	8.2%	3.3%
	Grade 9	34.9%	23.3%	17.4%	17.6%	6.8%
	Grade 10	30.1%	23.7%	19.4%	19.9%	6.9%
	Grade 11	26.1%	22.7%	20.4%	21.8%	9.0%
	Grade 12	24.0%	22.4%	20.9%	23.2%	9.5%
Wine coolers?						
	All	44.1%	24.5%	15.0%	11.4%	5.0%
	Grade 7	63.2%	20.0%	8.1%	5.7%	3.1%
	Grade 8	50.4%	25.2%	12.2%	8.6%	3.5%
	Grade 9	41.3%	23.3%	17.0%	12.6%	5.8%
	Grade 10	37.7%	26.4%	17.1%	13.1%	5.8%
	Grade 11	34.9%	25.8%	19.3%	15.2%	4.9%
	Grade 12	32.9%	27.2%	17.7%	14.9%	7.4%
Wine?						
	All	55.9%	22.2%	11.2%	7.3%	3.4%
	Grade 7	72.3%	16.0%	6.2%	3.4%	2.1%
	Grade 8	62.0%	20.0%	10.3%	5.2%	2.5%
	Grade 9	54.4%	23.1%	10.2%	8.2%	4.0%
	Grade 10	48.6%	27.3%	12.2%	8.5%	3.5%
	Grade 11	46.7%	23.5%	16.5%	9.4%	4.0%
	Grade 12	47.5%	23.7%	13.6%	10.5%	4.6%
Liquor?						
	All	46.0%	20.2%	14.0%	14.0%	5.8%
	Grade 7	72.3%	15.8%	5.4%	4.2%	2.3%
	Grade 8	57.0%	20.4%	11.4%	7.5%	3.7%
	Grade 9	43.0%	22.1%	13.3%	14.9%	6.8%
	Grade 10	36.8%	21.9%	16.5%	17.7%	7.1%
	Grade 11	30.8%	20.0%	19.8%	21.5%	7.9%
	Grade 12	28.8%	20.4%	20.6%	21.9%	8.3%

region45
Spring 2006

Table A-11: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drinking?				
All	93.5%	5.6%	0.6%	0.4%
Grade 7	97.1%	2.3%	0.3%	0.3%
Grade 8	96.6%	2.9%	0.3%	0.3%
Grade 9	91.9%	7.3%	0.5%	0.2%
Grade 10	92.3%	6.1%	1.0%	0.7%
Grade 11	91.6%	6.9%	1.1%	0.4%
Grade 12	90.1%	8.9%	0.6%	0.4%
Been criticized by someone you were dating because of drinking?				
All	93.7%	4.9%	0.8%	0.6%
Grade 7	97.6%	1.9%	0.4%	0.2%
Grade 8	96.0%	3.3%	0.4%	0.2%
Grade 9	93.1%	5.5%	0.9%	0.5%
Grade 10	91.5%	6.5%	1.0%	1.0%
Grade 11	91.5%	6.2%	1.1%	1.2%
Grade 12	92.0%	6.2%	1.4%	0.4%

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	44.0%	10.8%	7.3%	11.0%	13.2%	2.3%	11.4%
Grade 7	65.2%	8.2%	6.0%	4.8%	4.1%	1.4%	10.2%
Grade 8	56.8%	11.8%	8.0%	5.5%	6.0%	2.7%	9.2%
Grade 9	39.2%	13.2%	8.2%	12.3%	11.8%	2.7%	12.5%
Grade 10	35.0%	11.2%	7.4%	13.9%	17.6%	2.5%	12.5%
Grade 11	31.2%	9.2%	7.3%	15.8%	21.5%	2.7%	12.4%
Grade 12	30.5%	10.2%	6.3%	16.3%	23.0%	1.7%	12.0%

region45
Spring 2006

Table A-13: How often, if ever, do you get alcoholic beverages from..

		Do Not Drink	Never	Seldom	Most of the Time	Always
At home						
	All	41.9%	27.5%	21.3%	6.4%	2.9%
	Grade 7	49.3%	25.5%	17.9%	5.2%	2.1%
	Grade 8	45.2%	24.6%	20.0%	7.1%	3.2%
	Grade 9	38.6%	27.9%	24.3%	6.9%	2.3%
	Grade 10	39.9%	27.5%	21.9%	7.0%	3.7%
	Grade 11	38.6%	28.9%	24.0%	5.6%	2.8%
	Grade 12	38.7%	32.4%	18.9%	6.1%	3.9%
From friends						
	All	38.2%	20.2%	16.3%	17.2%	8.2%
	Grade 7	51.2%	28.4%	9.8%	8.3%	2.4%
	Grade 8	42.4%	26.7%	15.4%	12.2%	3.3%
	Grade 9	35.0%	22.1%	17.5%	18.3%	7.1%
	Grade 10	34.2%	16.1%	17.9%	20.5%	11.3%
	Grade 11	32.9%	13.0%	20.2%	22.0%	11.9%
	Grade 12	30.7%	9.9%	17.6%	24.6%	17.1%
From a store						
	All	40.4%	45.0%	7.7%	4.3%	2.5%
	Grade 7	51.2%	42.4%	2.9%	2.7%	0.8%
	Grade 8	43.7%	48.5%	4.6%	2.1%	1.1%
	Grade 9	38.3%	47.4%	8.9%	3.6%	1.8%
	Grade 10	37.7%	47.4%	7.3%	4.7%	2.9%
	Grade 11	35.2%	41.7%	12.0%	6.7%	4.4%
	Grade 12	34.4%	39.7%	12.7%	7.9%	5.3%
At parties						
	All	37.8%	21.9%	12.5%	14.4%	13.4%
	Grade 7	48.0%	28.8%	9.1%	8.4%	5.7%
	Grade 8	41.4%	29.2%	11.6%	10.7%	7.1%
	Grade 9	34.7%	22.4%	14.8%	14.4%	13.7%
	Grade 10	35.4%	17.6%	12.9%	17.7%	16.4%
	Grade 11	33.6%	15.1%	13.2%	17.6%	20.5%
	Grade 12	31.9%	14.4%	12.9%	20.2%	20.5%
Other source						
	All	40.0%	27.4%	14.8%	9.0%	8.8%
	Grade 7	49.2%	29.9%	10.5%	6.1%	4.3%
	Grade 8	42.9%	29.8%	13.0%	8.3%	5.9%
	Grade 9	37.1%	27.2%	17.3%	9.8%	8.7%
	Grade 10	36.4%	25.9%	18.0%	9.4%	10.4%
	Grade 11	36.8%	24.2%	15.0%	9.8%	14.1%
	Grade 12	36.4%	26.7%	14.6%	11.5%	10.8%

region45
Spring 2006

Table A-14: How do your parents feel about kids your age drinking beer?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	64.1%	12.4%	9.9%	3.0%	1.7%	8.8%
Grade 7	70.2%	8.7%	5.4%	1.9%	1.7%	12.1%
Grade 8	69.1%	9.1%	8.5%	2.9%	1.7%	8.7%
Grade 9	63.3%	13.3%	9.8%	4.0%	1.6%	8.0%
Grade 10	61.3%	14.0%	11.5%	2.8%	2.0%	8.4%
Grade 11	60.0%	14.2%	14.3%	3.5%	1.5%	6.5%
Grade 12	58.7%	16.6%	10.8%	3.0%	2.0%	8.8%

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	50.5%	28.2%	13.2%	3.5%	4.6%
Grade 7	57.4%	22.2%	12.6%	3.5%	4.4%
Grade 8	53.3%	25.4%	13.6%	2.9%	4.7%
Grade 9	46.7%	28.9%	15.6%	3.9%	4.9%
Grade 10	46.6%	31.0%	13.4%	4.5%	4.5%
Grade 11	48.2%	31.1%	13.1%	3.2%	4.3%
Grade 12	51.2%	32.5%	8.9%	2.9%	4.5%

region45
Spring 2006

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?					
	All	11.1%	16.3%	26.2%	73.8%
	Grade 7	4.3%	6.6%	11.1%	88.9%
	Grade 8	7.4%	10.9%	18.6%	81.4%
	Grade 9	12.6%	17.8%	27.1%	72.9%
	Grade 10	12.5%	19.0%	30.9%	69.1%
	Grade 11	16.1%	22.5%	36.2%	63.8%
	Grade 12	16.0%	24.3%	39.0%	61.0%
Cocaine?					
	All	1.2%	2.3%	4.1%	95.9%
	Grade 7	0.4%	0.7%	1.7%	98.3%
	Grade 8	0.9%	1.3%	2.1%	97.9%
	Grade 9	1.3%	2.5%	4.6%	95.4%
	Grade 10	1.4%	2.7%	4.7%	95.3%
	Grade 11	1.5%	3.6%	6.2%	93.8%
	Grade 12	1.7%	3.3%	6.3%	93.7%
Crack?					
	All	0.7%	1.0%	2.0%	98.0%
	Grade 7	0.6%	0.9%	2.0%	98.0%
	Grade 8	0.7%	1.1%	1.9%	98.1%
	Grade 9	0.9%	1.2%	2.0%	98.0%
	Grade 10	0.6%	1.0%	1.9%	98.1%
	Grade 11	0.9%	1.2%	2.3%	97.7%
	Grade 12	0.8%	0.8%	2.0%	98.0%
Hallucinogens?					
	All	1.1%	1.9%	3.7%	96.3%
	Grade 7	0.2%	0.4%	0.7%	99.3%
	Grade 8	0.6%	1.3%	2.1%	97.9%
	Grade 9	1.4%	2.2%	4.4%	95.6%
	Grade 10	2.4%	3.2%	5.6%	94.4%
	Grade 11	0.8%	2.6%	4.5%	95.5%
	Grade 12	0.9%	2.0%	5.3%	94.7%
Uppers?					
	All	2.0%	3.1%	5.1%	94.9%
	Grade 7	0.3%	0.3%	0.7%	99.3%
	Grade 8	0.9%	1.4%	2.7%	97.3%
	Grade 9	1.5%	2.6%	4.5%	95.5%
	Grade 10	3.0%	4.9%	7.4%	92.6%
	Grade 11	3.2%	5.2%	7.4%	92.6%
	Grade 12	3.7%	5.1%	9.6%	90.4%
Downers?					
	All	2.1%	3.1%	5.1%	94.9%
	Grade 7	0.1%	0.1%	0.4%	99.6%
	Grade 8	1.0%	1.4%	2.4%	97.6%
	Grade 9	1.8%	3.2%	4.5%	95.5%
	Grade 10	3.2%	4.8%	7.3%	92.7%
	Grade 11	3.0%	4.7%	8.0%	92.0%
	Grade 12	4.5%	5.8%	10.3%	89.7%

region45
Spring 2006

Table D-1: How recently, if ever, have you used...
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol?					
	All	0.8%	1.2%	1.9%	98.1%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.6%	1.0%	1.9%	98.1%
	Grade 9	1.4%	1.8%	2.7%	97.3%
	Grade 10	1.1%	1.6%	1.9%	98.1%
	Grade 11	0.8%	1.2%	2.0%	98.0%
	Grade 12	0.2%	0.6%	1.6%	98.4%
Steroids?					
	All	0.6%	0.7%	1.4%	98.6%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	0.8%	0.9%	1.6%	98.4%
	Grade 9	0.4%	0.6%	1.0%	99.0%
	Grade 10	0.6%	0.6%	1.7%	98.3%
	Grade 11	0.4%	0.6%	1.2%	98.8%
	Grade 12	1.0%	1.2%	1.3%	98.7%
Ecstasy?					
	All	1.2%	2.1%	4.2%	95.8%
	Grade 7	0.3%	0.5%	1.2%	98.8%
	Grade 8	0.9%	1.6%	3.0%	97.0%
	Grade 9	1.8%	2.4%	4.7%	95.3%
	Grade 10	1.7%	3.4%	5.4%	94.6%
	Grade 11	1.0%	1.8%	5.3%	94.7%
	Grade 12	1.8%	3.0%	6.1%	93.9%
Heroin?					
	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.5%	0.5%	1.0%	99.0%
	Grade 8	0.6%	0.6%	1.8%	98.2%
	Grade 9	0.7%	0.8%	1.4%	98.6%
	Grade 10	0.7%	0.8%	1.5%	98.5%
	Grade 11	0.2%	0.5%	1.1%	98.9%
	Grade 12	0.4%	0.8%	1.2%	98.8%

region45
Spring 2006

Table D-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	77.3%	2.7%	2.8%	3.6%	4.4%	3.9%	5.3%
	Grade 7	90.4%	0.4%	1.3%	1.6%	1.9%	2.3%	2.1%
	Grade 8	83.0%	1.5%	2.1%	2.9%	3.4%	2.6%	4.4%
	Grade 9	76.1%	3.2%	3.8%	4.4%	4.0%	3.7%	4.8%
	Grade 10	72.8%	3.1%	3.2%	4.7%	5.6%	4.7%	5.9%
	Grade 11	68.9%	3.8%	3.3%	4.2%	5.9%	5.9%	8.0%
	Grade 12	69.1%	5.1%	2.9%	3.3%	6.7%	4.8%	8.2%
Cocaine?								
	All	96.5%	0.0%	0.2%	0.5%	0.7%	0.8%	1.2%
	Grade 7	99.0%	0.1%	0.1%	0.2%	0.1%	0.1%	0.4%
	Grade 8	98.0%	0.1%	0.1%	0.2%	0.4%	0.4%	0.8%
	Grade 9	96.2%	0.0%	0.1%	0.7%	0.8%	1.2%	1.1%
	Grade 10	95.5%	0.0%	0.5%	1.1%	0.8%	0.6%	1.5%
	Grade 11	95.0%	0.1%	0.1%	0.3%	1.0%	1.3%	2.1%
	Grade 12	94.2%	0.0%	0.2%	0.7%	1.5%	1.5%	1.8%
Crack?								
	All	98.4%	0.0%	0.2%	0.3%	0.2%	0.2%	0.7%
	Grade 7	98.6%	0.3%	0.2%	0.2%	0.0%	0.3%	0.5%
	Grade 8	98.1%	0.0%	0.2%	0.3%	0.2%	0.2%	1.0%
	Grade 9	98.7%	0.0%	0.0%	0.6%	0.3%	0.1%	0.4%
	Grade 10	98.5%	0.0%	0.5%	0.3%	0.1%	0.2%	0.4%
	Grade 11	98.0%	0.0%	0.1%	0.0%	0.2%	0.2%	1.4%
	Grade 12	98.8%	0.0%	0.2%	0.2%	0.3%	0.2%	0.3%
Hallucinogens?								
	All	96.8%	0.0%	0.1%	0.2%	0.6%	0.8%	1.4%
	Grade 7	99.2%	0.0%	0.1%	0.0%	0.3%	0.1%	0.4%
	Grade 8	97.7%	0.0%	0.2%	0.1%	0.5%	0.6%	0.9%
	Grade 9	96.4%	0.1%	0.1%	0.3%	0.7%	0.8%	1.6%
	Grade 10	95.4%	0.0%	0.3%	0.5%	1.0%	1.1%	1.7%
	Grade 11	96.0%	0.0%	0.0%	0.2%	0.4%	1.5%	1.9%
	Grade 12	95.5%	0.1%	0.0%	0.2%	0.8%	1.1%	2.3%
Uppers?								
	All	95.0%	0.1%	0.4%	0.9%	1.4%	1.0%	1.1%
	Grade 7	99.6%	0.0%	0.0%	0.1%	0.1%	0.2%	0.0%
	Grade 8	97.4%	0.1%	0.3%	0.4%	0.5%	0.3%	1.0%
	Grade 9	95.2%	0.2%	0.5%	0.9%	1.5%	0.9%	0.8%
	Grade 10	92.6%	0.3%	0.8%	1.6%	1.6%	1.6%	1.6%
	Grade 11	92.6%	0.3%	0.4%	1.0%	2.5%	1.5%	1.7%
	Grade 12	90.9%	0.1%	0.5%	1.7%	2.8%	2.1%	1.9%
Downers?								
	All	95.1%	0.2%	0.4%	1.0%	1.4%	1.0%	0.9%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.1%	0.2%	0.1%
	Grade 8	98.1%	0.2%	0.2%	0.4%	0.3%	0.3%	0.7%
	Grade 9	95.2%	0.2%	0.6%	0.9%	1.5%	1.0%	0.5%
	Grade 10	92.9%	0.2%	0.9%	1.8%	1.6%	1.3%	1.2%
	Grade 11	92.2%	0.2%	0.4%	1.1%	2.7%	2.0%	1.4%
	Grade 12	90.4%	0.2%	0.5%	2.2%	2.7%	1.7%	2.5%

region45
Spring 2006

Table D-2: How often do you normally use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Rohypnol?								
	All	98.4%	0.1%	0.1%	0.3%	0.3%	0.4%	0.4%
	Grade 7	99.2%	0.0%	0.0%	0.2%	0.2%	0.2%	0.2%
	Grade 8	98.2%	0.1%	0.1%	0.3%	0.4%	0.5%	0.3%
	Grade 9	98.0%	0.2%	0.1%	0.5%	0.4%	0.3%	0.5%
	Grade 10	98.0%	0.2%	0.1%	0.3%	0.2%	0.6%	0.5%
	Grade 11	98.6%	0.1%	0.2%	0.1%	0.3%	0.4%	0.2%
	Grade 12	98.3%	0.1%	0.0%	0.2%	0.6%	0.0%	0.9%
Steroids?								
	All	98.7%	0.2%	0.2%	0.0%	0.2%	0.2%	0.6%
	Grade 7	99.1%	0.1%	0.1%	0.1%	0.2%	0.1%	0.4%
	Grade 8	98.1%	0.4%	0.2%	0.0%	0.3%	0.1%	0.9%
	Grade 9	99.2%	0.0%	0.0%	0.0%	0.1%	0.1%	0.6%
	Grade 10	98.4%	0.1%	0.4%	0.0%	0.3%	0.6%	0.3%
	Grade 11	98.5%	0.4%	0.1%	0.1%	0.1%	0.0%	0.7%
	Grade 12	98.4%	0.4%	0.7%	0.0%	0.0%	0.0%	0.5%
Ecstasy?								
	All	96.3%	0.1%	0.2%	0.2%	0.7%	0.9%	1.5%
	Grade 7	99.1%	0.0%	0.1%	0.1%	0.2%	0.3%	0.2%
	Grade 8	97.8%	0.1%	0.4%	0.0%	0.5%	0.1%	1.1%
	Grade 9	95.9%	0.2%	0.2%	0.2%	1.0%	1.4%	1.0%
	Grade 10	94.0%	0.3%	0.6%	0.4%	1.2%	1.7%	1.8%
	Grade 11	95.8%	0.0%	0.0%	0.5%	0.7%	0.8%	2.3%
	Grade 12	94.6%	0.2%	0.0%	0.4%	0.5%	1.3%	3.1%
Heroin?								
	All	98.9%	0.1%	0.1%	0.1%	0.2%	0.2%	0.5%
	Grade 7	99.4%	0.0%	0.0%	0.0%	0.4%	0.1%	0.2%
	Grade 8	98.4%	0.2%	0.1%	0.1%	0.1%	0.3%	0.8%
	Grade 9	98.7%	0.1%	0.1%	0.1%	0.3%	0.3%	0.4%
	Grade 10	98.6%	0.2%	0.4%	0.0%	0.1%	0.1%	0.7%
	Grade 11	99.3%	0.0%	0.0%	0.1%	0.0%	0.2%	0.4%
	Grade 12	99.0%	0.2%	0.2%	0.0%	0.3%	0.0%	0.3%

region45
Spring 2006

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.5	12.1	12.7	13.7	14.2	14.8
Cocaine	11.1	12.4	13.7	14.4	15.4	16.0
Crack	11.3	12.3	13.4	13.6	15.1	14.5
Hallucinogens	12.5	12.6	13.3	14.3	14.3	15.8
Uppers	11.8	12.6	13.4	14.0	14.7	15.2
Downers	*	12.3	13.3	13.7	14.6	15.0
Rohypnol	11.4	12.4	12.6	13.6	14.2	14.4
Steroids	11.1	11.7	12.8	12.9	13.6	10.9
Ecstasy	12.4	13.1	13.8	14.6	15.3	15.5
Heroin	12.4	12.1	13.5	14.1	15.4	*

Table D-4: Age of first use of marijuana by family situation:

		Never	9/Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
Two parent family								
	All	79.8%	0.9%	1.8%	6.0%	7.5%	3.6%	0.4%
	Grade 7	90.7%	0.6%	2.2%	5.6%	0.9%	0.0%	0.0%
	Grade 8	88.7%	0.4%	2.4%	5.3%	3.2%	0.0%	0.0%
	Grade 9	80.8%	1.7%	2.1%	7.2%	7.8%	0.2%	0.2%
	Grade 10	74.7%	0.4%	0.7%	7.8%	13.1%	3.2%	0.0%
	Grade 11	70.8%	1.0%	2.2%	5.3%	11.0%	9.2%	0.5%
	Grade 12	68.8%	1.6%	0.8%	4.1%	9.7%	12.8%	2.2%
Other family situation								
	All	66.7%	3.1%	4.2%	9.6%	12.0%	3.9%	0.5%
	Grade 7	86.9%	3.0%	4.2%	5.3%	0.5%	0.0%	0.0%
	Grade 8	73.5%	3.6%	6.0%	11.6%	5.0%	0.2%	0.2%
	Grade 9	62.8%	4.3%	5.2%	12.3%	15.4%	0.0%	0.0%
	Grade 10	62.9%	2.0%	4.0%	9.6%	18.0%	3.6%	0.0%
	Grade 11	57.9%	2.3%	2.5%	9.2%	17.7%	10.0%	0.3%
	Grade 12	49.6%	3.2%	1.6%	8.2%	18.4%	15.7%	3.4%

region45
Spring 2006

Table D-5: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	15.1%	27.6%	9.2%	9.4%	12.8%	25.9%
	Grade 7	22.7%	48.0%	10.3%	5.4%	5.4%	8.3%
	Grade 8	12.9%	43.7%	10.5%	7.7%	9.2%	16.0%
	Grade 9	16.3%	24.0%	8.8%	10.5%	11.6%	28.7%
	Grade 10	13.6%	17.9%	9.5%	10.8%	14.7%	33.3%
	Grade 11	10.9%	15.6%	8.6%	11.6%	17.8%	35.5%
	Grade 12	12.7%	9.0%	6.4%	10.7%	22.3%	38.9%
Cocaine?							
	All	21.5%	36.7%	13.5%	10.7%	7.8%	9.8%
	Grade 7	25.7%	53.9%	10.3%	4.3%	2.5%	3.3%
	Grade 8	17.1%	52.5%	12.3%	8.1%	4.8%	5.2%
	Grade 9	24.7%	32.9%	13.4%	11.1%	7.8%	10.1%
	Grade 10	21.2%	28.0%	15.4%	11.6%	9.6%	14.2%
	Grade 11	18.3%	28.6%	15.1%	15.0%	10.6%	12.4%
	Grade 12	21.2%	17.4%	15.1%	16.7%	13.5%	16.2%
Crack?							
	All	22.2%	37.6%	14.1%	10.2%	7.0%	8.8%
	Grade 7	25.3%	54.5%	9.8%	4.4%	2.4%	3.7%
	Grade 8	17.2%	52.5%	12.3%	8.0%	5.2%	4.8%
	Grade 9	24.7%	35.1%	14.7%	8.9%	7.0%	9.6%
	Grade 10	22.8%	28.5%	16.1%	11.2%	9.0%	12.3%
	Grade 11	19.7%	29.0%	15.5%	15.5%	9.4%	10.9%
	Grade 12	22.9%	18.7%	17.2%	16.4%	10.9%	13.8%
Hallucinogens?							
	All	40.6%	27.5%	11.0%	7.9%	5.6%	7.4%
	Grade 7	51.1%	34.2%	6.8%	3.0%	1.8%	3.1%
	Grade 8	42.4%	34.5%	9.1%	6.3%	3.8%	3.9%
	Grade 9	39.7%	28.5%	11.8%	6.8%	6.0%	7.3%
	Grade 10	39.0%	22.6%	12.3%	9.2%	6.5%	10.4%
	Grade 11	34.1%	24.1%	12.4%	11.9%	7.6%	10.1%
	Grade 12	35.1%	16.4%	15.2%	12.0%	9.3%	11.9%
Uppers?							
	All	50.3%	21.0%	7.5%	6.5%	5.9%	8.8%
	Grade 7	58.4%	28.9%	6.0%	2.5%	1.8%	2.4%
	Grade 8	53.0%	28.3%	6.7%	5.8%	3.2%	3.0%
	Grade 9	53.5%	18.8%	7.2%	6.3%	5.2%	9.1%
	Grade 10	47.7%	17.8%	8.8%	6.4%	7.2%	12.1%
	Grade 11	43.8%	18.5%	8.2%	8.8%	7.6%	13.0%
	Grade 12	41.0%	10.1%	8.6%	10.6%	13.4%	16.4%
Downers?							
	All	50.6%	21.1%	7.4%	6.2%	6.0%	8.8%
	Grade 7	58.4%	28.8%	5.9%	2.8%	1.8%	2.3%
	Grade 8	52.9%	28.6%	7.0%	5.4%	3.0%	3.1%
	Grade 9	54.0%	18.8%	7.1%	6.0%	5.2%	9.0%
	Grade 10	48.2%	17.4%	8.5%	6.1%	7.4%	12.4%
	Grade 11	43.5%	18.2%	8.1%	8.5%	8.0%	13.6%
	Grade 12	41.9%	11.2%	8.2%	9.8%	13.4%	15.5%

region45
Spring 2006

Table D-5: If you wanted some, how difficult would it be to get..
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Rohypnol?							
	All	53.8%	21.9%	8.1%	5.7%	4.3%	6.2%
	Grade 7	59.6%	28.0%	5.1%	2.7%	1.9%	2.6%
	Grade 8	53.0%	28.1%	6.9%	5.4%	3.2%	3.4%
	Grade 9	54.8%	20.8%	8.0%	5.9%	4.5%	6.1%
	Grade 10	51.5%	19.8%	9.1%	5.4%	5.4%	8.7%
	Grade 11	50.4%	19.3%	9.7%	7.3%	5.0%	8.3%
	Grade 12	53.0%	11.9%	10.8%	8.4%	6.5%	9.4%
Steroids?							
	All	26.7%	36.8%	13.3%	9.1%	6.2%	8.0%
	Grade 7	30.2%	52.2%	7.5%	3.9%	2.7%	3.4%
	Grade 8	22.1%	50.0%	10.9%	6.8%	5.2%	4.9%
	Grade 9	28.7%	36.5%	13.3%	8.7%	5.6%	7.2%
	Grade 10	27.2%	29.4%	14.8%	11.0%	7.2%	10.4%
	Grade 11	23.2%	27.0%	17.8%	12.5%	8.8%	10.7%
	Grade 12	28.7%	17.7%	17.2%	13.2%	9.1%	14.0%
Ecstasy?							
	All	32.8%	31.1%	11.3%	7.8%	6.9%	10.0%
	Grade 7	48.5%	37.6%	6.2%	3.0%	1.9%	2.8%
	Grade 8	35.4%	40.5%	9.0%	5.7%	4.3%	5.1%
	Grade 9	33.0%	31.5%	11.5%	8.2%	6.7%	9.2%
	Grade 10	28.5%	27.2%	13.9%	8.1%	8.0%	14.3%
	Grade 11	22.5%	27.7%	13.8%	10.7%	11.1%	14.2%
	Grade 12	25.5%	16.7%	15.0%	13.3%	11.4%	18.1%
Heroin?							
	All	29.6%	37.6%	13.1%	7.9%	4.5%	7.3%
	Grade 7	38.6%	45.9%	8.0%	3.0%	2.1%	2.5%
	Grade 8	26.4%	49.6%	10.8%	5.5%	3.4%	4.3%
	Grade 9	31.1%	35.2%	13.7%	8.1%	4.0%	7.8%
	Grade 10	28.2%	32.6%	15.4%	8.6%	5.2%	10.1%
	Grade 11	23.9%	34.0%	14.8%	11.6%	6.0%	9.7%
	Grade 12	28.2%	22.9%	17.5%	12.5%	7.3%	11.6%

region45
Spring 2006

Table D-6: Since school began in the fall, on how many days (if any) have you..

	None	1-3 Times	4-9 Times	10+ Times
Attended class while high from marijuana use?				
All	90.3%	5.3%	1.6%	2.8%
Grade 7	94.4%	3.9%	0.6%	1.1%
Grade 8	92.2%	4.8%	1.5%	1.6%
Grade 9	87.9%	7.3%	1.8%	3.0%
Grade 10	88.1%	5.1%	2.2%	4.6%
Grade 11	90.8%	4.4%	2.0%	2.8%
Grade 12	87.7%	6.2%	1.4%	4.7%
Attended class while high from use of some other drug?				
All	94.0%	3.8%	1.2%	1.0%
Grade 7	97.1%	1.8%	0.4%	0.7%
Grade 8	96.0%	2.8%	0.6%	0.6%
Grade 9	91.5%	5.1%	2.2%	1.1%
Grade 10	91.8%	5.3%	1.1%	1.9%
Grade 11	94.8%	3.2%	1.1%	0.9%
Grade 12	92.7%	4.5%	1.7%	1.1%
Gotten into trouble with teachers because of your drug use?				
All	98.5%	0.9%	0.3%	0.3%
Grade 7	99.2%	0.6%	0.2%	0.1%
Grade 8	98.5%	1.0%	0.2%	0.3%
Grade 9	98.4%	0.6%	0.6%	0.4%
Grade 10	97.3%	1.6%	0.4%	0.7%
Grade 11	98.4%	1.1%	0.2%	0.4%
Grade 12	99.3%	0.7%	0.0%	0.0%

region45
Spring 2006

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users:	5.3
Marijuana Non-users:	3.9

Average days conduct problems reported	
Marijuana Users:	5.1
Marijuana Non-users:	1.7

Table D-8: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've felt high from drugs?				
All	90.5%	5.2%	1.8%	2.5%
Grade 9	94.4%	3.3%	1.6%	0.7%
Grade 10	91.3%	4.5%	1.9%	2.3%
Grade 11	88.8%	6.0%	1.8%	3.4%
Grade 12	84.7%	8.4%	1.9%	5.0%
Gotten into trouble with the police because of drug use?				
All	97.8%	1.5%	0.3%	0.4%
Grade 7	98.3%	1.0%	0.5%	0.2%
Grade 8	98.2%	1.1%	0.2%	0.5%
Grade 9	97.2%	1.7%	0.6%	0.4%
Grade 10	97.2%	2.2%	0.1%	0.5%
Grade 11	98.1%	1.3%	0.2%	0.4%
Grade 12	97.7%	1.9%	0.3%	0.2%

region45
Spring 2006

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	ALL
All	56.5%	18.5%	11.0%	9.3%	4.7%
Grade 7	80.2%	9.4%	4.5%	3.6%	2.3%
Grade 8	65.4%	16.0%	9.0%	6.6%	3.0%
Grade 9	54.4%	17.8%	9.7%	11.4%	6.6%
Grade 10	45.9%	21.6%	15.4%	12.1%	4.9%
Grade 11	44.1%	26.4%	12.7%	11.3%	5.6%
Grade 12	43.4%	22.1%	17.3%	11.5%	5.8%

Table D-10: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drug use?				
All	95.2%	3.8%	0.6%	0.4%
Grade 7	97.4%	2.0%	0.3%	0.3%
Grade 8	96.5%	3.1%	0.3%	0.2%
Grade 9	93.4%	5.1%	0.8%	0.6%
Grade 10	94.7%	4.0%	0.8%	0.5%
Grade 11	95.4%	3.8%	0.7%	0.1%
Grade 12	94.0%	4.9%	0.6%	0.5%
Been criticized by someone you were dating because of drug use?				
All	94.7%	3.6%	0.9%	0.8%
Grade 7	97.9%	1.5%	0.2%	0.5%
Grade 8	96.9%	2.4%	0.2%	0.4%
Grade 9	93.7%	3.9%	1.4%	1.0%
Grade 10	93.3%	4.3%	1.3%	1.1%
Grade 11	92.6%	5.3%	0.9%	1.2%
Grade 12	93.5%	4.6%	1.0%	1.0%

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	56.3%	10.7%	6.0%	6.0%	6.6%	2.8%	11.4%
Grade 7	75.8%	4.8%	3.0%	2.2%	2.4%	1.8%	10.1%
Grade 8	68.5%	9.1%	3.8%	3.4%	3.6%	2.5%	9.1%
Grade 9	55.0%	10.6%	5.3%	6.3%	7.1%	3.3%	12.3%
Grade 10	46.5%	13.2%	8.2%	7.9%	8.6%	2.6%	13.1%
Grade 11	43.3%	15.3%	7.7%	8.7%	9.2%	3.3%	12.4%
Grade 12	42.2%	12.8%	9.9%	8.9%	10.6%	3.7%	11.9%

region45
Spring 2006

Table D-12: How often, if ever, do you smoke marijuana in..

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
Joints?	All	81.5%	6.9%	3.8%	3.9%	2.8%	1.2%
	Grade 7	89.6%	2.7%	3.4%	1.8%	1.5%	1.1%
	Grade 8	85.9%	5.6%	2.9%	2.3%	1.8%	1.4%
	Grade 9	79.0%	7.3%	4.0%	5.5%	3.0%	1.2%
	Grade 10	79.8%	7.4%	3.5%	4.2%	3.9%	1.1%
	Grade 11	76.0%	8.7%	5.2%	5.5%	3.7%	0.9%
	Grade 12	76.6%	11.0%	4.1%	3.8%	3.3%	1.2%
Blunts?	All	79.3%	6.2%	4.0%	4.4%	5.0%	1.1%
	Grade 7	89.1%	3.2%	2.9%	1.7%	1.6%	1.4%
	Grade 8	85.1%	4.3%	3.2%	2.9%	3.5%	1.1%
	Grade 9	77.1%	6.2%	5.1%	4.9%	5.4%	1.3%
	Grade 10	76.2%	7.7%	3.2%	5.4%	6.5%	1.1%
	Grade 11	73.5%	8.3%	4.7%	6.0%	6.4%	1.1%
	Grade 12	71.5%	8.7%	4.8%	6.6%	7.6%	0.8%
Bongs or water pipes?	All	88.9%	5.2%	1.8%	1.7%	1.6%	0.8%
	Grade 7	96.2%	1.6%	0.5%	0.7%	0.3%	0.8%
	Grade 8	93.5%	3.3%	0.9%	0.9%	0.5%	0.8%
	Grade 9	87.8%	6.3%	1.4%	1.8%	1.5%	1.1%
	Grade 10	86.4%	5.7%	2.2%	1.9%	2.9%	0.9%
	Grade 11	83.6%	7.3%	2.8%	3.2%	2.7%	0.4%
	Grade 12	84.1%	7.8%	3.7%	1.7%	1.9%	0.8%
Pipes?	All	88.6%	4.6%	1.9%	2.4%	1.7%	0.8%
	Grade 7	95.7%	1.7%	0.9%	0.5%	0.4%	0.8%
	Grade 8	92.8%	3.3%	1.0%	1.4%	0.9%	0.6%
	Grade 9	86.6%	5.3%	2.3%	3.0%	1.5%	1.2%
	Grade 10	86.2%	5.0%	2.4%	2.8%	2.9%	0.8%
	Grade 11	84.6%	5.3%	2.1%	4.6%	3.1%	0.3%
	Grade 12	83.6%	8.0%	3.5%	2.0%	1.9%	1.0%
Some other way?	All	90.8%	4.4%	1.1%	1.0%	1.3%	1.4%
	Grade 7	94.5%	2.1%	0.8%	0.5%	0.6%	1.4%
	Grade 8	94.1%	2.8%	0.5%	0.4%	1.0%	1.2%
	Grade 9	88.6%	5.4%	1.5%	1.7%	1.4%	1.3%
	Grade 10	88.6%	5.2%	1.3%	1.5%	1.6%	1.9%
	Grade 11	87.9%	6.4%	1.3%	1.0%	1.8%	1.5%
	Grade 12	90.9%	4.5%	1.3%	0.7%	1.3%	1.3%

region45
Spring 2006

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	80.8%	3.9%	4.3%	1.1%	1.6%	8.2%
Grade 7	83.2%	1.4%	1.9%	0.7%	1.8%	11.0%
Grade 8	82.5%	3.7%	3.3%	0.9%	1.6%	8.0%
Grade 9	81.1%	3.9%	4.4%	1.4%	1.3%	8.0%
Grade 10	79.1%	4.9%	5.7%	1.1%	1.5%	7.7%
Grade 11	80.5%	4.7%	5.8%	1.5%	1.6%	5.9%
Grade 12	77.5%	5.1%	5.3%	1.1%	2.1%	8.8%

region45
Spring 2006

Table D-14: How dangerous do you think it is for kids your age to use...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	66.3%	13.9%	8.1%	6.8%	4.9%
	Grade 7	81.9%	6.8%	4.0%	2.4%	4.8%
	Grade 8	76.6%	10.3%	4.9%	3.8%	4.4%
	Grade 9	63.4%	15.7%	8.0%	8.1%	4.9%
	Grade 10	58.6%	18.1%	8.7%	9.4%	5.2%
	Grade 11	57.5%	16.7%	12.0%	9.0%	4.8%
	Grade 12	55.9%	16.9%	12.9%	9.1%	5.3%
Cocaine?						
	All	85.5%	6.5%	1.3%	1.1%	5.5%
	Grade 7	88.2%	3.9%	1.4%	0.7%	5.9%
	Grade 8	86.0%	7.0%	1.6%	0.8%	4.6%
	Grade 9	83.0%	8.1%	1.7%	1.3%	5.9%
	Grade 10	82.3%	8.2%	1.2%	1.5%	6.8%
	Grade 11	87.2%	5.4%	1.1%	1.3%	4.9%
	Grade 12	87.5%	5.9%	0.8%	0.9%	4.8%
Crack?						
	All	86.8%	5.7%	1.0%	0.9%	5.6%
	Grade 7	88.7%	4.1%	1.4%	0.8%	5.0%
	Grade 8	87.1%	6.5%	1.2%	0.6%	4.6%
	Grade 9	84.7%	6.5%	1.1%	1.0%	6.7%
	Grade 10	84.6%	6.3%	0.8%	1.4%	6.9%
	Grade 11	87.4%	5.2%	0.6%	1.2%	5.6%
	Grade 12	89.8%	5.2%	0.6%	0.4%	3.9%
Ecstasy?						
	All	83.5%	6.8%	1.4%	1.0%	7.4%
	Grade 7	83.6%	4.5%	1.2%	0.5%	10.0%
	Grade 8	85.1%	4.9%	1.9%	0.7%	7.4%
	Grade 9	80.8%	8.5%	1.5%	1.2%	8.0%
	Grade 10	82.1%	7.7%	1.3%	1.1%	7.8%
	Grade 11	85.5%	6.6%	1.1%	1.6%	5.2%
	Grade 12	84.6%	8.8%	1.0%	0.9%	4.6%
Steroids?						
	All	78.8%	10.3%	2.9%	1.6%	6.5%
	Grade 7	82.4%	6.8%	2.8%	1.0%	7.1%
	Grade 8	79.4%	10.5%	2.6%	1.2%	6.2%
	Grade 9	76.8%	12.0%	2.5%	1.5%	7.2%
	Grade 10	76.2%	11.6%	3.3%	1.6%	7.3%
	Grade 11	76.9%	11.2%	3.5%	2.7%	5.7%
	Grade 12	82.0%	9.0%	2.5%	1.6%	5.0%
Heroin?						
	All	87.0%	4.9%	0.7%	0.7%	6.7%
	Grade 7	86.8%	3.9%	1.2%	0.5%	7.5%
	Grade 8	86.5%	4.8%	1.2%	0.5%	7.0%
	Grade 9	84.8%	6.4%	0.6%	0.8%	7.4%
	Grade 10	86.2%	5.4%	0.3%	0.7%	7.5%
	Grade 11	89.7%	3.2%	0.5%	1.2%	5.4%
	Grade 12	89.7%	5.0%	0.2%	0.7%	4.4%

region45
Spring 2006

Table D-15: How recently, if ever, have you taken...

		Past Month	School Year	Ever Used	Never Used
DXM, Triple C?					
	All	1.0%	2.6%	4.0%	96.0%
	Grade 7	0.2%	1.3%	2.3%	97.7%
	Grade 8	0.7%	1.9%	2.9%	97.1%
	Grade 9	0.9%	3.2%	4.3%	95.7%
	Grade 10	1.9%	3.7%	4.8%	95.2%
	Grade 11	1.3%	2.3%	4.0%	96.0%
	Grade 12	1.5%	3.1%	6.2%	93.8%
Codeine?					
	All	2.5%	6.3%	9.6%	90.4%
	Grade 7	0.7%	2.8%	4.3%	95.7%
	Grade 8	1.4%	4.3%	6.6%	93.4%
	Grade 9	2.4%	6.3%	9.8%	90.2%
	Grade 10	3.5%	8.4%	11.8%	88.2%
	Grade 11	4.9%	9.4%	13.3%	86.7%
	Grade 12	2.9%	7.0%	13.0%	87.0%

region45
Spring 2006

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any inhalant?					
	All	6.4%	8.7%	16.3%	83.7%
	Grade 7	10.1%	12.3%	20.0%	80.0%
	Grade 8	6.4%	9.6%	18.3%	81.7%
	Grade 9	7.6%	10.3%	18.2%	81.8%
	Grade 10	5.7%	8.0%	15.1%	84.9%
	Grade 11	2.9%	4.5%	12.5%	87.5%
	Grade 12	4.1%	5.9%	11.2%	88.8%
Liquid or spray paint?					
	All	1.6%	2.7%	7.2%	92.8%
	Grade 7	2.5%	3.3%	8.5%	91.5%
	Grade 8	1.4%	3.0%	8.4%	91.6%
	Grade 9	1.9%	3.3%	8.0%	92.0%
	Grade 10	1.8%	3.3%	7.6%	92.4%
	Grade 11	0.5%	1.0%	5.3%	94.7%
	Grade 12	0.8%	1.4%	4.1%	95.9%
Whiteout, correction fld?					
	All	1.9%	2.8%	7.0%	93.0%
	Grade 7	3.1%	4.1%	8.1%	91.9%
	Grade 8	2.1%	3.2%	7.9%	92.1%
	Grade 9	1.6%	2.7%	7.3%	92.7%
	Grade 10	1.8%	3.1%	7.2%	92.8%
	Grade 11	0.9%	1.6%	5.4%	94.6%
	Grade 12	1.4%	1.6%	4.9%	95.1%
Gasoline?					
	All	1.7%	2.5%	5.4%	94.6%
	Grade 7	2.6%	2.9%	7.0%	93.0%
	Grade 8	2.0%	3.2%	6.0%	94.0%
	Grade 9	1.9%	2.5%	5.6%	94.4%
	Grade 10	1.5%	2.8%	5.4%	94.6%
	Grade 11	0.5%	1.0%	3.6%	96.4%
	Grade 12	1.5%	2.1%	4.3%	95.7%
Freon?					
	All	0.7%	1.1%	2.0%	98.0%
	Grade 7	0.7%	1.0%	1.3%	98.7%
	Grade 8	0.4%	0.8%	1.8%	98.2%
	Grade 9	0.8%	1.6%	2.6%	97.4%
	Grade 10	1.0%	1.4%	2.1%	97.9%
	Grade 11	0.3%	0.4%	1.5%	98.5%
	Grade 12	0.7%	1.4%	2.6%	97.4%
Poppers, Locker Room?					
	All	0.8%	1.2%	2.1%	97.9%
	Grade 7	0.9%	1.3%	2.7%	97.3%
	Grade 8	0.8%	1.0%	1.8%	98.2%
	Grade 9	0.8%	1.7%	2.5%	97.5%
	Grade 10	0.9%	1.4%	2.2%	97.8%
	Grade 11	0.6%	0.9%	1.7%	98.3%
	Grade 12	0.7%	0.7%	1.3%	98.7%

region45
Spring 2006

Table I-1: How recently, if ever, have you used...
(Continued)

		Past Month	School Year	Ever Used	Never Used
Glue?					
	All	1.0%	1.6%	4.2%	95.8%
	Grade 7	1.7%	2.1%	6.1%	93.9%
	Grade 8	0.8%	1.7%	4.7%	95.3%
	Grade 9	0.9%	1.8%	4.7%	95.3%
	Grade 10	1.6%	2.1%	4.7%	95.3%
	Grade 11	0.3%	0.8%	1.9%	98.1%
	Grade 12	0.6%	0.8%	2.4%	97.6%
Paint, lacquer thinner?					
	All	1.1%	2.0%	4.4%	95.6%
	Grade 7	1.0%	2.1%	4.0%	96.0%
	Grade 8	1.1%	2.4%	5.2%	94.8%
	Grade 9	1.7%	2.3%	5.2%	94.8%
	Grade 10	1.2%	2.3%	4.7%	95.3%
	Grade 11	0.4%	0.8%	3.3%	96.7%
	Grade 12	1.3%	1.7%	3.2%	96.8%
Nitrous oxide?					
	All	1.5%	2.4%	4.9%	95.1%
	Grade 7	1.5%	2.1%	3.3%	96.7%
	Grade 8	1.2%	2.8%	5.3%	94.7%
	Grade 9	1.8%	2.8%	5.4%	94.6%
	Grade 10	2.1%	2.8%	5.6%	94.4%
	Grade 11	1.7%	1.8%	4.9%	95.1%
	Grade 12	0.7%	1.5%	4.6%	95.4%
Octane booster?					
	All	0.6%	0.9%	1.5%	98.5%
	Grade 7	0.7%	0.9%	1.4%	98.6%
	Grade 8	0.4%	0.7%	1.5%	98.5%
	Grade 9	0.6%	1.0%	1.5%	98.5%
	Grade 10	0.4%	1.4%	1.8%	98.2%
	Grade 11	0.5%	0.6%	1.0%	99.0%
	Grade 12	0.9%	1.2%	1.5%	98.5%
Other sprays?					
	All	1.3%	2.2%	4.3%	95.7%
	Grade 7	2.1%	2.9%	6.3%	93.7%
	Grade 8	1.8%	2.4%	5.3%	94.7%
	Grade 9	1.4%	2.6%	4.2%	95.8%
	Grade 10	1.1%	2.4%	4.4%	95.6%
	Grade 11	0.4%	1.1%	2.4%	97.6%
	Grade 12	0.5%	1.0%	2.5%	97.5%
Other inhalants?					
	All	2.5%	4.0%	8.1%	91.9%
	Grade 7	3.7%	5.1%	9.9%	90.1%
	Grade 8	2.9%	4.4%	9.5%	90.5%
	Grade 9	3.4%	5.5%	9.4%	90.6%
	Grade 10	2.0%	3.5%	7.4%	92.6%
	Grade 11	1.4%	2.1%	5.4%	94.6%
	Grade 12	1.2%	2.2%	5.6%	94.4%

region45
Spring 2006

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	92.5%	0.3%	0.5%	0.8%	1.4%	1.4%	3.0%
Grade 7	90.9%	0.3%	0.7%	1.9%	1.9%	1.7%	2.5%
Grade 8	91.8%	0.1%	0.5%	1.0%	2.5%	1.8%	2.4%
Grade 9	91.3%	0.6%	0.7%	0.8%	1.6%	1.2%	4.0%
Grade 10	92.6%	0.4%	0.8%	0.8%	1.0%	1.0%	3.4%
Grade 11	94.3%	0.0%	0.0%	0.2%	0.4%	1.6%	3.5%
Grade 12	95.5%	0.4%	0.0%	0.0%	0.6%	1.3%	2.1%

I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	85.7%	5.6%	4.5%	4.2%
Grade 7	82.8%	6.5%	6.2%	4.4%
Grade 8	83.8%	6.3%	5.1%	4.9%
Grade 9	83.9%	6.7%	4.9%	4.5%
Grade 10	86.7%	4.9%	3.3%	5.2%
Grade 11	88.9%	4.8%	3.6%	2.7%
Grade 12	90.2%	3.7%	3.4%	2.7%

Table I-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.9	11.2	12.0	12.5	12.8	13.3

**region45
Spring 2006**

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Times	4-9 Times	10+ Times
All	97.6%	1.5%	0.4%	0.5%
Grade 7	97.8%	1.8%	0.1%	0.4%
Grade 8	97.3%	1.8%	0.3%	0.6%
Grade 9	96.8%	1.9%	0.7%	0.5%
Grade 10	97.0%	1.6%	0.5%	0.9%
Grade 11	98.7%	0.7%	0.1%	0.5%
Grade 12	98.7%	0.9%	0.4%	0.0%

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons	
Inhalants Users:	5.4
Inhalants Non-users:	4.0

Average days conduct problems reported	
Inhalants Users:	5.4
Inhalants Non-users:	1.9

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	ALL
All	86.3%	9.2%	2.7%	1.2%	0.6%
Grade 7	87.0%	8.6%	2.5%	1.6%	0.4%
Grade 8	85.8%	9.8%	2.7%	1.3%	0.4%
Grade 9	83.9%	10.6%	3.2%	1.6%	0.7%
Grade 10	84.8%	10.2%	3.2%	1.1%	0.7%
Grade 11	89.0%	8.0%	1.6%	0.9%	0.5%
Grade 12	88.7%	7.0%	2.5%	0.8%	1.1%

region45
Spring 2006

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	76.7%	12.5%	3.2%	1.3%	6.2%
Grade 7	79.3%	8.9%	3.8%	1.4%	6.6%
Grade 8	78.1%	12.0%	3.1%	0.7%	6.1%
Grade 9	73.1%	14.7%	3.7%	1.6%	6.9%
Grade 10	73.8%	14.5%	3.5%	1.4%	6.8%
Grade 11	77.5%	12.6%	3.0%	1.5%	5.4%
Grade 12	80.5%	11.8%	1.7%	1.1%	4.9%

region45
Spring 2006

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY	Yes
A school health class	All 46.3%
	Grade 7 42.5%
	Grade 8 47.5%
	Grade 9 62.1%
	Grade 10 45.4%
	Grade 11 37.7%
	Grade 12 34.8%
An assembly program	All 58.5%
	Grade 7 58.2%
	Grade 8 63.1%
	Grade 9 59.8%
	Grade 10 49.2%
	Grade 11 54.4%
	Grade 12 67.6%
Guidance counselor	All 23.4%
	Grade 7 27.0%
	Grade 8 33.3%
	Grade 9 23.1%
	Grade 10 17.6%
	Grade 11 15.3%
	Grade 12 23.5%
Science class	All 33.7%
	Grade 7 48.0%
	Grade 8 51.7%
	Grade 9 29.9%
	Grade 10 26.4%
	Grade 11 22.9%
	Grade 12 19.4%
Social studies class	All 14.8%
	Grade 7 14.6%
	Grade 8 16.3%
	Grade 9 13.3%
	Grade 10 13.1%
	Grade 11 13.9%
	Grade 12 19.0%
Student group session	All 19.9%
	Grade 7 18.8%
	Grade 8 20.5%
	Grade 9 17.6%
	Grade 10 19.8%
	Grade 11 20.1%
	Grade 12 23.9%

region45
Spring 2006

**Table X-1: Since school began in the fall, have you gotten any information
on drugs or alcohol from the following sources?**
(Continued)

CATEGORY	Yes
An invited school guest	All 43.6%
	Grade 7 49.0%
	Grade 8 52.7%
	Grade 9 44.1%
	Grade 10 31.5%
	Grade 11 36.3%
	Grade 12 48.9%
Another source at school	All 34.8%
	Grade 7 35.3%
	Grade 8 37.3%
	Grade 9 36.4%
	Grade 10 31.6%
	Grade 11 32.0%
	Grade 12 36.2%
Any school source	All 61.1%
	Grade 7 58.1%
	Grade 8 64.0%
	Grade 9 66.4%
	Grade 10 53.9%
	Grade 11 58.7%
	Grade 12 65.3%

region45
Spring 2006

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

CATEGORY	Yes
A counselor or program in	All 31.4%
	Grade 7 40.7%
	Grade 8 38.8%
	Grade 9 30.6%
	Grade 10 26.2%
	Grade 11 22.3%
	Grade 12 26.7%
Another adult in school (All 32.0%
	Grade 7 38.5%
	Grade 8 35.5%
	Grade 9 28.9%
	Grade 10 28.0%
	Grade 11 28.3%
	Grade 12 33.5%
A counselor or program ou	All 36.4%
	Grade 7 38.8%
	Grade 8 39.2%
	Grade 9 36.1%
	Grade 10 31.4%
	Grade 11 34.0%
	Grade 12 39.9%
Your parents	All 59.4%
	Grade 7 68.2%
	Grade 8 60.5%
	Grade 9 58.1%
	Grade 10 51.0%
	Grade 11 56.6%
	Grade 12 63.0%
A medical doctor	All 41.9%
	Grade 7 51.2%
	Grade 8 42.8%
	Grade 9 40.5%
	Grade 10 34.7%
	Grade 11 38.5%
	Grade 12 44.4%
Your friends	All 66.7%
	Grade 7 59.5%
	Grade 8 63.3%
	Grade 9 66.5%
	Grade 10 70.0%
	Grade 11 70.5%
	Grade 12 73.4%

region45
Spring 2006

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

CATEGORY		Yes
Another adult (a relative	All	58.9%
	Grade 7	61.1%
	Grade 8	58.8%
	Grade 9	58.2%
	Grade 10	53.3%
	Grade 11	61.7%
	Grade 12	61.6%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

CATEGORY		Yes
Seek Help	All	7.8%
	Grade 7	8.2%
	Grade 8	7.9%
	Grade 9	8.9%
	Grade 10	7.4%
	Grade 11	7.1%
	Grade 12	6.5%

region45
Spring 2006

Table X-4: About how many of your friends:

	None	A Few	Some	Most	ALL
Feel close to their parents?					
All	5.7%	27.2%	23.0%	32.8%	11.2%
Grade 7	7.0%	23.8%	19.2%	32.7%	17.4%
Grade 8	6.8%	26.0%	22.9%	31.9%	12.4%
Grade 9	6.3%	30.4%	20.9%	32.4%	10.0%
Grade 10	4.3%	29.9%	25.5%	31.5%	8.8%
Grade 11	3.6%	25.5%	26.6%	34.6%	9.6%
Grade 12	5.6%	26.9%	24.2%	35.2%	8.1%
Sometimes carry weapons?					
All	58.4%	22.9%	11.5%	5.0%	2.2%
Grade 7	75.2%	15.1%	6.4%	1.9%	1.3%
Grade 8	63.8%	21.1%	9.3%	4.5%	1.2%
Grade 9	54.8%	24.6%	13.9%	4.7%	2.0%
Grade 10	52.8%	25.1%	12.7%	6.0%	3.3%
Grade 11	49.9%	26.7%	14.3%	6.6%	2.5%
Grade 12	51.3%	26.2%	12.3%	7.2%	3.0%
Care about making good grades?					
All	3.3%	14.7%	22.1%	38.6%	21.3%
Grade 7	4.1%	14.1%	18.2%	33.6%	30.0%
Grade 8	3.3%	15.2%	20.8%	35.5%	25.2%
Grade 9	3.8%	15.4%	24.6%	36.4%	19.8%
Grade 10	3.1%	17.4%	22.4%	41.5%	15.7%
Grade 11	2.0%	11.7%	22.3%	46.4%	17.7%
Grade 12	3.4%	13.4%	24.9%	40.1%	18.3%
Belong/want to belong to a gang?					
All	73.2%	13.3%	6.6%	4.3%	2.7%
Grade 7	70.9%	14.3%	7.2%	4.4%	3.2%
Grade 8	70.9%	15.0%	6.3%	5.4%	2.4%
Grade 9	70.0%	13.7%	8.3%	5.3%	2.8%
Grade 10	72.7%	14.5%	5.7%	4.0%	3.0%
Grade 11	78.3%	10.2%	6.1%	3.3%	2.0%
Grade 12	79.7%	10.5%	5.0%	2.2%	2.6%
Wish they could drop out of school?					
All	58.8%	25.4%	9.0%	4.0%	2.9%
Grade 7	66.3%	20.4%	7.2%	3.4%	2.7%
Grade 8	62.8%	23.2%	7.3%	4.2%	2.5%
Grade 9	56.9%	26.3%	9.6%	4.1%	3.1%
Grade 10	51.6%	28.9%	11.2%	4.4%	3.8%
Grade 11	56.0%	29.4%	9.3%	3.3%	1.9%
Grade 12	58.7%	23.8%	9.5%	4.7%	3.2%

region45
Spring 2006

Table X-5: How safe do you feel when you are:

		Somewha Very Safe	t Safe	Not Very Safe	Not Safe at All	Don't Know
In your home?						
	All	78.4%	18.5%	1.3%	0.5%	1.4%
	Grade 7	78.0%	18.1%	1.5%	0.7%	1.7%
	Grade 8	74.3%	22.5%	1.2%	0.4%	1.6%
	Grade 9	76.3%	19.6%	1.3%	0.6%	2.2%
	Grade 10	77.6%	20.3%	1.0%	0.4%	0.7%
	Grade 11	84.6%	13.2%	1.4%	0.3%	0.5%
	Grade 12	82.4%	14.7%	1.5%	0.3%	1.1%
Out in your neighbourhood						
	All	41.8%	43.8%	9.0%	2.6%	2.8%
	Grade 7	35.9%	44.7%	12.0%	3.1%	4.3%
	Grade 8	36.0%	48.7%	9.8%	2.4%	3.1%
	Grade 9	38.4%	46.1%	9.6%	2.8%	3.1%
	Grade 10	44.5%	42.4%	8.6%	2.7%	1.8%
	Grade 11	49.8%	39.6%	6.7%	2.1%	1.8%
	Grade 12	51.4%	37.9%	6.0%	2.2%	2.4%
At school						
	All	31.0%	47.8%	12.3%	5.9%	3.1%
	Grade 7	40.4%	44.5%	7.8%	3.9%	3.4%
	Grade 8	36.2%	47.6%	10.0%	3.5%	2.8%
	Grade 9	25.8%	49.8%	14.5%	5.9%	4.1%
	Grade 10	23.2%	49.1%	16.2%	8.4%	3.1%
	Grade 11	27.9%	49.0%	13.6%	7.4%	2.2%
	Grade 12	33.5%	45.8%	11.3%	7.0%	2.3%

region45
Spring 2006

Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY	Yes
A website or online chat	All 21.9%
	Grade 7 16.8%
	Grade 8 18.1%
	Grade 9 25.0%
	Grade 10 22.8%
	Grade 11 24.9%
	Grade 12 25.1%
Books, magazines, poster	All 46.3%
	Grade 7 44.8%
	Grade 8 47.6%
	Grade 9 49.1%
	Grade 10 43.6%
	Grade 11 47.1%
	Grade 12 44.0%
TV, radio, or other audi	All 52.3%
	Grade 7 50.4%
	Grade 8 53.1%
	Grade 9 53.7%
	Grade 10 50.6%
	Grade 11 54.2%
	Grade 12 50.9%
Your parents	All 48.9%
	Grade 7 53.3%
	Grade 8 52.2%
	Grade 9 50.4%
	Grade 10 43.6%
	Grade 11 47.8%
	Grade 12 44.3%

region45
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	16.2%	21.8%	37.6%	62.4%
	Grade 7	9.6%	12.9%	26.0%	74.0%
	Grade 8	12.3%	17.4%	34.0%	66.0%
	Grade 9	17.8%	24.1%	40.6%	59.4%
	Grade 10	16.5%	23.1%	40.2%	59.8%
	Grade 11	21.0%	26.9%	41.3%	58.7%
	Grade 12	22.9%	29.8%	46.7%	53.3%
Alcohol					
	All	30.5%	42.9%	67.3%	32.7%
	Grade 7	19.4%	28.3%	55.5%	44.5%
	Grade 8	25.4%	36.9%	63.5%	36.5%
	Grade 9	32.4%	45.7%	71.6%	28.4%
	Grade 10	33.9%	46.6%	69.2%	30.8%
	Grade 11	35.9%	49.3%	72.0%	28.0%
	Grade 12	39.8%	55.3%	74.1%	25.9%
Inhalants					
	All	6.4%	8.7%	16.3%	83.7%
	Grade 7	10.1%	12.3%	20.0%	80.0%
	Grade 8	6.4%	9.6%	18.3%	81.7%
	Grade 9	7.6%	10.3%	18.2%	81.8%
	Grade 10	5.7%	8.0%	15.1%	84.9%
	Grade 11	2.9%	4.5%	12.5%	87.5%
	Grade 12	4.1%	5.9%	11.2%	88.8%
Any Illicit Drug					
	All	12.2%	17.1%	27.1%	72.9%
	Grade 7	4.8%	7.1%	11.7%	88.3%
	Grade 8	8.4%	12.0%	19.8%	80.2%
	Grade 9	13.4%	19.0%	28.1%	71.9%
	Grade 10	14.1%	20.0%	32.0%	68.0%
	Grade 11	17.4%	23.1%	36.9%	63.1%
	Grade 12	17.3%	25.1%	39.6%	60.4%
Marijuana					
	All	11.1%	16.3%	26.2%	73.8%
	Grade 7	4.3%	6.6%	11.1%	88.9%
	Grade 8	7.4%	10.9%	18.6%	81.4%
	Grade 9	12.6%	17.8%	27.1%	72.9%
	Grade 10	12.5%	19.0%	30.9%	69.1%
	Grade 11	16.1%	22.5%	36.2%	63.8%
	Grade 12	16.0%	24.3%	39.0%	61.0%
Marijuana Only					
	All	5.6%	8.9%	15.9%	84.1%
	Grade 7	2.7%	4.3%	7.2%	92.8%
	Grade 8	4.2%	6.7%	12.1%	87.9%
	Grade 9	6.1%	9.8%	16.2%	83.8%
	Grade 10	5.5%	9.4%	18.6%	81.4%
	Grade 11	8.8%	11.7%	21.9%	78.1%
	Grade 12	7.4%	12.9%	22.9%	77.1%

region45
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.5%	2.6%	4.7%	95.3%
	Grade 7	0.7%	1.1%	2.7%	97.3%
	Grade 8	1.1%	1.9%	2.8%	97.2%
	Grade 9	1.6%	2.8%	5.0%	95.0%
	Grade 10	1.8%	3.1%	5.0%	95.0%
	Grade 11	2.0%	3.9%	6.7%	93.3%
	Grade 12	2.1%	3.5%	7.0%	93.0%
Cocaine					
	All	1.2%	2.3%	4.1%	95.9%
	Grade 7	0.4%	0.7%	1.7%	98.3%
	Grade 8	0.9%	1.3%	2.1%	97.9%
	Grade 9	1.3%	2.5%	4.6%	95.4%
	Grade 10	1.4%	2.7%	4.7%	95.3%
	Grade 11	1.5%	3.6%	6.2%	93.8%
	Grade 12	1.7%	3.3%	6.3%	93.7%
Crack					
	All	0.7%	1.0%	2.0%	98.0%
	Grade 7	0.6%	0.9%	2.0%	98.0%
	Grade 8	0.7%	1.1%	1.9%	98.1%
	Grade 9	0.9%	1.2%	2.0%	98.0%
	Grade 10	0.6%	1.0%	1.9%	98.1%
	Grade 11	0.9%	1.2%	2.3%	97.7%
	Grade 12	0.8%	0.8%	2.0%	98.0%
Hallucinogens					
	All	1.1%	1.9%	3.7%	96.3%
	Grade 7	0.2%	0.4%	0.7%	99.3%
	Grade 8	0.6%	1.3%	2.1%	97.9%
	Grade 9	1.4%	2.2%	4.4%	95.6%
	Grade 10	2.4%	3.2%	5.6%	94.4%
	Grade 11	0.8%	2.6%	4.5%	95.5%
	Grade 12	0.9%	2.0%	5.3%	94.7%
Uppers					
	All	2.0%	3.1%	5.1%	94.9%
	Grade 7	0.3%	0.3%	0.7%	99.3%
	Grade 8	0.9%	1.4%	2.7%	97.3%
	Grade 9	1.5%	2.6%	4.5%	95.5%
	Grade 10	3.0%	4.9%	7.4%	92.6%
	Grade 11	3.2%	5.2%	7.4%	92.6%
	Grade 12	3.7%	5.1%	9.6%	90.4%
Downers					
	All	2.1%	3.1%	5.1%	94.9%
	Grade 7	0.1%	0.1%	0.4%	99.6%
	Grade 8	1.0%	1.4%	2.4%	97.6%
	Grade 9	1.8%	3.2%	4.5%	95.5%
	Grade 10	3.2%	4.8%	7.3%	92.7%
	Grade 11	3.0%	4.7%	8.0%	92.0%
	Grade 12	4.5%	5.8%	10.3%	89.7%

region45
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.8%	1.2%	1.9%	98.1%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.6%	1.0%	1.9%	98.1%
	Grade 9	1.4%	1.8%	2.7%	97.3%
	Grade 10	1.1%	1.6%	1.9%	98.1%
	Grade 11	0.8%	1.2%	2.0%	98.0%
	Grade 12	0.2%	0.6%	1.6%	98.4%
Steroids					
	All	0.6%	0.7%	1.4%	98.6%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	0.8%	0.9%	1.6%	98.4%
	Grade 9	0.4%	0.6%	1.0%	99.0%
	Grade 10	0.6%	0.6%	1.7%	98.3%
	Grade 11	0.4%	0.6%	1.2%	98.8%
	Grade 12	1.0%	1.2%	1.3%	98.7%
Ecstasy					
	All	1.2%	2.1%	4.2%	95.8%
	Grade 7	0.3%	0.5%	1.2%	98.8%
	Grade 8	0.9%	1.6%	3.0%	97.0%
	Grade 9	1.8%	2.4%	4.7%	95.3%
	Grade 10	1.7%	3.4%	5.4%	94.6%
	Grade 11	1.0%	1.8%	5.3%	94.7%
	Grade 12	1.8%	3.0%	6.1%	93.9%
Heroin					
	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.5%	0.5%	1.0%	99.0%
	Grade 8	0.6%	0.6%	1.8%	98.2%
	Grade 9	0.7%	0.8%	1.4%	98.6%
	Grade 10	0.7%	0.8%	1.5%	98.5%
	Grade 11	0.2%	0.5%	1.1%	98.9%
	Grade 12	0.4%	0.8%	1.2%	98.8%

region45
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	19.5%	25.4%	40.0%	60.0%
	Grade 7	12.9%	17.7%	30.7%	69.3%
	Grade 8	15.1%	21.4%	37.1%	62.9%
	Grade 9	22.2%	27.7%	43.2%	56.8%
	Grade 10	18.1%	24.3%	38.8%	61.2%
	Grade 11	26.1%	31.2%	46.4%	53.6%
	Grade 12	25.2%	33.7%	47.1%	52.9%
Alcohol					
	All	31.7%	43.3%	65.9%	34.1%
	Grade 7	18.9%	27.7%	53.8%	46.2%
	Grade 8	25.2%	36.6%	62.5%	37.5%
	Grade 9	34.5%	47.3%	71.6%	28.4%
	Grade 10	34.2%	45.1%	66.2%	33.8%
	Grade 11	38.1%	49.5%	69.6%	30.4%
	Grade 12	44.3%	59.5%	74.2%	25.8%
Inhalants					
	All	6.4%	8.7%	17.4%	82.6%
	Grade 7	11.0%	13.0%	21.5%	78.5%
	Grade 8	7.2%	10.2%	18.7%	81.3%
	Grade 9	6.9%	9.3%	18.6%	81.4%
	Grade 10	4.8%	7.0%	15.5%	84.5%
	Grade 11	3.3%	5.4%	15.0%	85.0%
	Grade 12	4.3%	5.9%	13.4%	86.6%
Any Illicit Drug					
	All	13.4%	18.7%	29.0%	71.0%
	Grade 7	5.6%	8.3%	12.8%	87.2%
	Grade 8	9.8%	14.6%	23.0%	77.0%
	Grade 9	14.7%	20.2%	30.1%	69.9%
	Grade 10	14.9%	20.4%	31.0%	69.0%
	Grade 11	20.5%	26.1%	41.8%	58.2%
	Grade 12	16.8%	26.3%	41.8%	58.2%
Marijuana					
	All	12.1%	17.7%	28.4%	71.6%
	Grade 7	5.2%	7.9%	12.3%	87.7%
	Grade 8	8.1%	13.1%	22.0%	78.0%
	Grade 9	13.6%	18.9%	29.8%	70.2%
	Grade 10	13.0%	18.9%	29.9%	70.1%
	Grade 11	19.4%	25.8%	41.7%	58.3%
	Grade 12	15.7%	25.0%	40.8%	59.2%
Marijuana Only					
	All	6.2%	9.6%	17.2%	82.8%
	Grade 7	3.1%	5.0%	8.2%	91.8%
	Grade 8	4.5%	8.0%	14.6%	85.4%
	Grade 9	6.4%	9.4%	16.7%	83.3%
	Grade 10	6.4%	10.3%	17.8%	82.2%
	Grade 11	10.6%	13.4%	25.2%	74.8%
	Grade 12	7.3%	13.6%	24.7%	75.3%

region45
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.8%	3.0%	5.2%	94.8%
	Grade 7	0.8%	1.6%	2.5%	97.5%
	Grade 8	1.3%	1.9%	2.5%	97.5%
	Grade 9	1.8%	3.3%	5.3%	94.7%
	Grade 10	2.7%	3.6%	6.9%	93.1%
	Grade 11	2.4%	4.2%	7.2%	92.8%
	Grade 12	2.1%	4.4%	8.3%	91.7%
Cocaine					
	All	1.4%	2.6%	4.5%	95.5%
	Grade 7	0.3%	0.9%	1.3%	98.7%
	Grade 8	0.8%	1.2%	1.9%	98.1%
	Grade 9	1.6%	2.8%	4.8%	95.2%
	Grade 10	2.2%	3.1%	6.4%	93.6%
	Grade 11	1.9%	4.0%	7.0%	93.0%
	Grade 12	1.8%	4.0%	6.8%	93.2%
Crack					
	All	0.9%	1.3%	2.4%	97.6%
	Grade 7	0.9%	1.2%	2.1%	97.9%
	Grade 8	0.8%	0.9%	1.5%	98.5%
	Grade 9	0.8%	1.4%	2.4%	97.6%
	Grade 10	0.7%	1.5%	3.2%	96.8%
	Grade 11	1.1%	1.3%	2.5%	97.5%
	Grade 12	1.3%	1.4%	3.1%	96.9%
Hallucinogens					
	All	1.4%	2.4%	4.5%	95.5%
	Grade 7	0.2%	0.6%	0.7%	99.3%
	Grade 8	0.7%	1.6%	3.0%	97.0%
	Grade 9	1.7%	2.5%	5.3%	94.7%
	Grade 10	3.2%	4.0%	6.2%	93.8%
	Grade 11	1.5%	3.7%	6.6%	93.4%
	Grade 12	1.0%	2.6%	5.8%	94.2%
Uppers					
	All	1.7%	2.9%	5.0%	95.0%
	Grade 7	0.3%	0.5%	1.1%	98.9%
	Grade 8	1.4%	1.8%	3.9%	96.1%
	Grade 9	1.3%	2.7%	4.6%	95.4%
	Grade 10	2.3%	3.8%	6.8%	93.2%
	Grade 11	3.2%	5.7%	7.6%	92.4%
	Grade 12	2.3%	3.8%	7.5%	92.5%
Downers					
	All	2.0%	2.9%	5.0%	95.0%
	Grade 7	0.2%	0.2%	0.7%	99.3%
	Grade 8	1.1%	1.5%	3.2%	96.8%
	Grade 9	1.5%	3.5%	4.7%	95.3%
	Grade 10	2.8%	3.7%	6.9%	93.1%
	Grade 11	3.7%	5.4%	7.3%	92.7%
	Grade 12	3.3%	3.7%	8.9%	91.1%

region45
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.9%	1.3%	2.1%	97.9%
	Grade 7	0.4%	0.6%	0.8%	99.2%
	Grade 8	0.8%	0.8%	1.9%	98.1%
	Grade 9	1.9%	2.5%	3.9%	96.1%
	Grade 10	0.9%	1.4%	1.8%	98.2%
	Grade 11	1.1%	1.9%	2.3%	97.7%
	Grade 12	0.0%	0.4%	1.5%	98.5%
Steroids					
	All	0.9%	1.0%	1.7%	98.3%
	Grade 7	1.1%	1.2%	1.7%	98.3%
	Grade 8	1.2%	1.2%	2.0%	98.0%
	Grade 9	0.5%	0.6%	0.7%	99.3%
	Grade 10	0.9%	1.0%	2.7%	97.3%
	Grade 11	0.9%	1.2%	2.0%	98.0%
	Grade 12	0.8%	0.8%	1.0%	99.0%
Ecstasy					
	All	1.4%	2.2%	3.9%	96.1%
	Grade 7	0.2%	0.6%	1.0%	99.0%
	Grade 8	0.9%	1.8%	3.0%	97.0%
	Grade 9	2.0%	2.3%	4.4%	95.6%
	Grade 10	2.1%	3.1%	4.9%	95.1%
	Grade 11	0.8%	1.8%	5.3%	94.7%
	Grade 12	2.6%	4.0%	5.8%	94.2%
Heroin					
	All	0.8%	1.0%	1.9%	98.1%
	Grade 7	0.9%	0.9%	1.4%	98.6%
	Grade 8	1.0%	1.0%	2.2%	97.8%
	Grade 9	0.8%	0.8%	1.8%	98.2%
	Grade 10	1.1%	1.4%	2.6%	97.4%
	Grade 11	0.5%	0.8%	1.6%	98.4%
	Grade 12	0.5%	0.9%	1.8%	98.2%

region45
Spring 2006

**Table B3: Prevalence and recency of use of selected substances by grade
Female students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.3%	18.6%	35.4%	64.6%
	Grade 7	6.7%	8.6%	21.8%	78.2%
	Grade 8	9.9%	13.9%	31.2%	68.8%
	Grade 9	13.7%	20.8%	38.2%	61.8%
	Grade 10	15.0%	21.9%	41.5%	58.5%
	Grade 11	16.3%	22.8%	36.4%	63.6%
	Grade 12	21.1%	26.9%	46.4%	53.6%
Alcohol					
	All	29.5%	42.7%	68.5%	31.5%
	Grade 7	19.7%	28.7%	57.0%	43.0%
	Grade 8	25.7%	37.3%	64.2%	35.8%
	Grade 9	30.5%	44.4%	71.7%	28.3%
	Grade 10	33.6%	48.0%	72.2%	27.8%
	Grade 11	33.8%	49.0%	74.1%	25.9%
	Grade 12	36.5%	52.4%	74.5%	25.5%
Inhalants					
	All	6.4%	8.8%	15.4%	84.6%
	Grade 7	9.5%	11.7%	18.8%	81.2%
	Grade 8	5.7%	9.1%	17.9%	82.1%
	Grade 9	8.3%	11.2%	17.9%	82.1%
	Grade 10	6.6%	9.0%	14.8%	85.2%
	Grade 11	2.5%	3.6%	10.3%	89.7%
	Grade 12	4.1%	6.1%	9.6%	90.4%
Any Illicit Drug					
	All	11.0%	15.7%	25.4%	74.6%
	Grade 7	3.9%	5.9%	10.7%	89.3%
	Grade 8	7.0%	9.5%	16.9%	83.1%
	Grade 9	12.2%	17.9%	26.4%	73.6%
	Grade 10	13.4%	19.7%	32.8%	67.2%
	Grade 11	14.3%	20.1%	32.2%	67.8%
	Grade 12	17.9%	24.4%	38.4%	61.6%
Marijuana					
	All	10.2%	15.0%	24.2%	75.8%
	Grade 7	3.5%	5.3%	10.0%	90.0%
	Grade 8	6.6%	8.8%	15.4%	84.6%
	Grade 9	11.8%	16.9%	24.8%	75.2%
	Grade 10	12.0%	19.2%	31.8%	68.2%
	Grade 11	13.0%	19.3%	31.1%	68.9%
	Grade 12	16.4%	24.0%	38.1%	61.9%
Marijuana Only					
	All	5.0%	8.1%	14.8%	85.2%
	Grade 7	2.2%	3.4%	6.3%	93.7%
	Grade 8	3.8%	5.3%	9.7%	90.3%
	Grade 9	5.8%	10.1%	15.8%	84.2%
	Grade 10	4.7%	8.6%	19.4%	80.6%
	Grade 11	6.9%	9.9%	18.6%	81.4%
	Grade 12	7.6%	12.5%	21.7%	78.3%

region45
Spring 2006

Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.2%	2.3%	4.3%	95.7%
	Grade 7	0.6%	0.8%	2.9%	97.1%
	Grade 8	1.0%	1.9%	3.1%	96.9%
	Grade 9	1.5%	2.4%	4.8%	95.2%
	Grade 10	0.9%	2.6%	3.3%	96.7%
	Grade 11	1.6%	3.6%	6.2%	93.8%
	Grade 12	2.1%	2.8%	6.1%	93.9%
Cocaine					
	All	1.0%	2.0%	3.7%	96.3%
	Grade 7	0.5%	0.6%	2.1%	97.9%
	Grade 8	0.9%	1.4%	2.2%	97.8%
	Grade 9	1.1%	2.2%	4.4%	95.6%
	Grade 10	0.7%	2.3%	3.1%	96.9%
	Grade 11	1.1%	3.2%	5.4%	94.6%
	Grade 12	1.7%	2.9%	5.9%	94.1%
Crack					
	All	0.6%	0.8%	1.7%	98.3%
	Grade 7	0.3%	0.6%	2.0%	98.0%
	Grade 8	0.5%	1.2%	2.4%	97.6%
	Grade 9	0.9%	0.9%	1.6%	98.4%
	Grade 10	0.5%	0.5%	0.7%	99.3%
	Grade 11	0.7%	1.1%	2.2%	97.8%
	Grade 12	0.4%	0.4%	1.3%	98.7%
Hallucinogens					
	All	0.7%	1.5%	2.9%	97.1%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.5%	1.0%	1.3%	98.7%
	Grade 9	1.1%	2.0%	3.6%	96.4%
	Grade 10	1.6%	2.4%	5.1%	94.9%
	Grade 11	0.3%	1.6%	2.6%	97.4%
	Grade 12	0.8%	1.6%	5.1%	94.9%
Uppers					
	All	2.2%	3.2%	5.1%	94.9%
	Grade 7	0.2%	0.2%	0.3%	99.7%
	Grade 8	0.5%	1.0%	1.6%	98.4%
	Grade 9	1.6%	2.5%	4.5%	95.5%
	Grade 10	3.7%	5.9%	7.9%	92.1%
	Grade 11	3.2%	4.7%	7.3%	92.7%
	Grade 12	4.8%	6.2%	11.3%	88.7%
Downers					
	All	2.2%	3.4%	5.2%	94.8%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.8%	1.3%	1.7%	98.3%
	Grade 9	2.0%	3.0%	4.3%	95.7%
	Grade 10	3.6%	5.8%	7.6%	92.4%
	Grade 11	2.5%	4.1%	8.6%	91.4%
	Grade 12	5.3%	7.5%	11.5%	88.5%

region45
Spring 2006

Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.7%	1.0%	1.6%	98.4%
	Grade 7	0.5%	0.6%	0.9%	99.1%
	Grade 8	0.4%	1.2%	1.9%	98.1%
	Grade 9	0.9%	1.2%	1.5%	98.5%
	Grade 10	1.3%	1.7%	1.9%	98.1%
	Grade 11	0.5%	0.5%	1.8%	98.2%
	Grade 12	0.4%	0.7%	1.8%	98.2%
Steroids					
	All	0.3%	0.5%	1.0%	99.0%
	Grade 7	0.0%	0.1%	0.9%	99.1%
	Grade 8	0.4%	0.6%	1.4%	98.6%
	Grade 9	0.3%	0.7%	1.2%	98.8%
	Grade 10	0.2%	0.2%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.5%	99.5%
	Grade 12	1.2%	1.5%	1.5%	98.5%
Ecstasy					
	All	1.1%	2.0%	4.4%	95.6%
	Grade 7	0.4%	0.4%	1.4%	98.6%
	Grade 8	0.9%	1.3%	3.0%	97.0%
	Grade 9	1.6%	2.5%	5.0%	95.0%
	Grade 10	1.3%	3.7%	5.7%	94.3%
	Grade 11	1.2%	1.8%	5.4%	94.6%
	Grade 12	1.2%	2.2%	6.4%	93.6%
Heroin					
	All	0.3%	0.4%	0.9%	99.1%
	Grade 7	0.1%	0.1%	0.7%	99.3%
	Grade 8	0.3%	0.3%	1.5%	98.5%
	Grade 9	0.6%	0.7%	1.1%	98.9%
	Grade 10	0.2%	0.2%	0.4%	99.6%
	Grade 11	0.0%	0.2%	0.6%	99.4%
	Grade 12	0.3%	0.8%	0.8%	99.2%

region45
Spring 2006

**Table B4: Prevalence and recency of use of selected substances by grade
White students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	22.1%	29.4%	44.2%	55.8%
Alcohol	All	33.8%	46.6%	68.4%	31.6%
Inhalants	All	5.9%	9.1%	17.5%	82.5%
Any Illicit Drug	All	12.5%	17.8%	27.5%	72.5%
Marijuana	All	11.2%	16.9%	26.4%	73.6%
Marijuana Only	All	3.9%	6.9%	13.5%	86.5%
Cocaine or Crack	All	1.5%	3.0%	5.6%	94.4%
Cocaine	All	1.2%	2.6%	5.0%	95.0%
Crack	All	0.6%	0.9%	2.1%	97.9%
Hallucinogens	All	1.6%	2.9%	5.8%	94.2%
Uppers	All	3.4%	5.0%	8.0%	92.0%
Downers	All	3.5%	4.9%	7.8%	92.2%
Rohypnol	All	1.2%	1.6%	2.4%	97.6%
Steroids	All	0.7%	0.8%	1.4%	98.6%
Ecstasy	All	1.3%	2.5%	5.1%	94.9%
Heroin	All	0.3%	0.5%	1.2%	98.8%

region45
Spring 2006

**Table B5: Prevalence and recency of use of selected substances by grade
Black students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.6%	10.6%	26.0%	74.0%
Alcohol	All	25.1%	37.7%	66.7%	33.3%
Inhalants	All	5.7%	7.0%	12.8%	87.2%
Any Illicit Drug	All	11.4%	15.8%	26.1%	73.9%
Marijuana	All	11.1%	15.5%	25.8%	74.2%
Marijuana Only	All	8.3%	12.0%	20.6%	79.4%
Cocaine or Crack	All	0.6%	1.0%	1.5%	98.5%
Cocaine	All	0.4%	0.8%	1.1%	98.9%
Crack	All	0.3%	0.5%	0.9%	99.1%
Hallucinogens	All	0.4%	0.7%	0.9%	99.1%
Uppers	All	0.3%	0.7%	1.3%	98.7%
Downers	All	0.7%	1.1%	1.7%	98.3%
Rohypnol	All	0.2%	0.4%	0.5%	99.5%
Steroids	All	0.4%	0.6%	1.2%	98.8%
Ecstasy	All	1.2%	1.6%	3.0%	97.0%
Heroin	All	0.3%	0.4%	0.8%	99.2%

region45
Spring 2006

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	15.2%	21.5%	39.6%	60.4%
Alcohol	All	30.8%	41.8%	66.0%	34.0%
Inhalants	All	8.2%	9.9%	17.3%	82.7%
Any Illicit Drug	All	12.1%	16.8%	26.6%	73.4%
Marijuana	All	10.5%	15.5%	25.4%	74.6%
Marijuana Only	All	5.6%	8.5%	14.2%	85.8%
Cocaine or Crack	All	2.4%	3.8%	7.8%	92.2%
Cocaine	All	1.8%	3.1%	6.5%	93.5%
Crack	All	0.9%	1.4%	3.0%	97.0%
Hallucinogens	All	0.6%	1.1%	2.3%	97.7%
Uppers	All	0.6%	1.2%	2.4%	97.6%
Downers	All	0.5%	1.1%	2.3%	97.7%
Rohypnol	All	0.8%	1.4%	2.2%	97.8%
Steroids	All	0.5%	0.8%	1.6%	98.4%
Ecstasy	All	0.9%	1.8%	3.4%	96.6%
Heroin	All	1.0%	1.2%	2.3%	97.7%

**region45
Spring 2006**

The FREQ Procedure

Frequency Missing = 2051.7156542

GENDER		
q1	Frequency	Percent
Female	84113	52.13
Male	77237	47.87

Frequency Missing = 580.82153993

GRADE		
q2	Frequency	Percent
Grade 7	28099	17.35
Grade 8	29311	18.10
Grade 9	33135	20.46
Grade 10	28133	17.37
Grade 11	24153	14.92
Grade 12	19100	11.79

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	73219	45.50
Yes	87690	54.50

Frequency Missing = 1021.1344737

AGE		
q4	Frequency	Percent
11 or younger	107	0.07
12	6851	4.25
13	25105	15.56
14	30347	18.80
15	30900	19.15
16	28277	17.52
17	24083	14.92
18	13934	8.63
19 or older	1780	1.10

Frequency Missing = 547.43266381

ETHNICITY		
q5	Frequency	Percent
African/American	49251	30.81
Asian/American	1621	1.01
Mexican/American	25709	16.08
Native/American	1652	1.03
Other	7378	4.61
White	74267	46.45

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	48358	30.24
Mostly B's	79113	49.47
Mostly C's	28224	17.65
Mostly D's	3006	1.88
Mostly F's	1206	0.75

Frequency Missing = 2022.5381647

LENGTH OF TIME IN THIS DISTRICT		
q7	Frequency	Percent
<1 year	17038	10.65
2-3 years	27049	16.90
>4 years	116E3	72.45

Frequency Missing = 1911.4303478

DO YOU HAVE A JOB		
q8	Frequency	Percent
No	115E3	71.84
Yes	45102	28.16

Frequency Missing = 1794.9670353

DO YOU GET AN ALLOWANCE		
q9	Frequency	Percent
No	96925	60.94
Yes	62120	39.06

Frequency Missing = 2885.6734456

EITHER PARENT COLLEGE GRADUATE		
q10	Frequency	Percent
Don't Know	26856	16.79
No	56855	35.56
Yes	76195	47.65

Frequency Missing = 2024.7419956

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q11	Frequency	Percent
Don't Know	16863	10.55
No	79636	49.82
Yes	63356	39.63

Frequency Missing = 2076.2854883

PARTICIPATE IN SCHOOL ATHLETICS		
q12a	Frequency	Percent
No	70943	47.38
Yes	78786	52.62

Frequency Missing = 12201.533511

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q12b	Frequency	Percent
No	102E3	74.09
Yes	35510	25.91

Frequency Missing = 24876.565975

PARTICIPATE IN SCHOOL CHOIR		
q12c	Frequency	Percent
No	115E3	90.54
Yes	11973	9.46

Frequency Missing = 35298.984673

PARTICIPATE IN DRAMA/SPEECH/ART CLUBS		
q12d	Frequency	Percent
No	105E3	81.07
Yes	24449	18.93

Frequency Missing = 32805.556268

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region45
Spring 2006**

PARTICIPATE IN DRILL TEAM/CHEERLEADING		
q12e	Frequency	Percent
No	112E3	87.27
Yes	16341	12.73

Frequency Missing = 33566.106041

PARTICIPATE IN SCHOOL SERVICE CLUBS		
q12j	Frequency	Percent
No	119E3	87.23
Yes	17478	12.77

Frequency Missing = 25016.24688

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q13b	Frequency	Percent
Very Safe	66713	41.84
Somewhat Safe	69775	43.76
Not Very Safe	14385	9.02
Not Safe At All	4119	2.58
Don't Know	4463	2.80

Frequency Missing = 2475.5697783

PARTICIPATE IN STUDENT GOVERNMENT		
q12f	Frequency	Percent
No	12E4	93.95
Yes	7734	6.05

Frequency Missing = 34027.650173

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q12k	Frequency	Percent
No	103E3	74.55
Yes	35314	25.45

Frequency Missing = 23168.041082

DO YOU FEEL SAFE AT SCHOOL		
q13c	Frequency	Percent
Very Safe	49426	30.97
Somewhat Safe	76227	47.76
Not Very Safe	19660	12.32
Not Safe At All	9390	5.88
Don't Know	4892	3.07

Frequency Missing = 2335.1410994

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK		
q12g	Frequency	Percent
No	121E3	93.22
Yes	8791	6.78

Frequency Missing = 32200.27401

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q12l	Frequency	Percent
No	90239	62.47
Yes	54212	37.53

Frequency Missing = 17479.881805

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q14a	Frequency	Percent
None	9078	5.68
A Few	43572	27.24
Some	36817	23.02
Most	52523	32.84
All	17958	11.23

Frequency Missing = 1982.7300235

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES		
q12h	Frequency	Percent
No	107E3	79.97
Yes	26874	20.03

Frequency Missing = 27787.599095

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q12m	Frequency	Percent
No	95953	66.43
Yes	48479	33.57

Frequency Missing = 17499.38445

PARTICIPATE IN ACADEMIC COMPETITION GROUPS		
q12i	Frequency	Percent
No	112E3	83.51
Yes	22088	16.49

Frequency Missing = 28011.283114

DO YOU FEEL SAFE IN YOUR HOME		
q13a	Frequency	Percent
Very Safe	126E3	78.41
Somewhat Safe	29634	18.46
Not Very Safe	2090	1.30
Not Safe At All	747	0.47
Don't Know	2181	1.36

Frequency Missing = 1409.6494044

HOW MANY FRIENDS CARRY WEAPONS		
q14b	Frequency	Percent
None	92012	58.43
A Few	36101	22.92
Some	18054	11.46
Most	7873	5.00
All	3442	2.19

Frequency Missing = 4447.6823491

**region45
Spring 2006**

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q14c	Frequency	Percent
None	5130	3.31
A Few	22745	14.67
Some	34291	22.12
Most	59794	38.58
All	33035	21.31

Frequency Missing = 6935.5794143

HOW MANY FRIENDS BELONG TO A GANG		
q14d	Frequency	Percent
None	117E3	73.17
A Few	21170	13.29
Some	10478	6.58
Most	6796	4.27
All	4296	2.70

Frequency Missing = 2628.7495929

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q14e	Frequency	Percent
None	93675	58.75
A Few	40429	25.36
Some	14350	9.00
Most	6397	4.01
All	4590	2.88

Frequency Missing = 2488.8033494

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q15	Frequency	Percent
No	90486	60.57
Yes	58909	39.43

Frequency Missing = 12536.703131

EVER INHALED SPRAY PAINT FOR KICKS			
	q16a	Frequency	Percent
Never Heard/Used	147E3	92.79	
In Your Lifetime	7193	4.53	
Since School Began	1771	1.11	
In the Past Month	2489	1.57	

Frequency Missing = 3096.1420888

EVER INHALED WHITEOUT FOR KICKS			
	q16b	Frequency	Percent
Never Heard/Used	147E3	93.05	
In Your Lifetime	6543	4.15	
Since School Began	1447	0.92	
In the Past Month	2961	1.88	

Frequency Missing = 4453.4340194

EVER INHALED GASOLINE FOR KICKS			
	q16c	Frequency	Percent
Never Heard/Used	148E3	94.58	
In Your Lifetime	4632	2.96	
Since School Began	1177	0.75	
In the Past Month	2670	1.71	

Frequency Missing = 5559.4929091

EVER INHALED FREON FOR KICKS			
	q16d	Frequency	Percent
Never Heard/Used	153E3	98.02	
In Your Lifetime	1344	0.86	
Since School Began	717	0.46	
In the Past Month	1019	0.66	

Frequency Missing = 6333.6110107

EVER INHALED POPPERS, ETC. FOR KICKS			
	q16e	Frequency	Percent
Never Heard/Used	152E3	97.90	
In Your Lifetime	1351	0.87	
Since School Began	647	0.42	
In the Past Month	1260	0.81	

Frequency Missing = 6559.3875516

EVER INHALED GLUE FOR KICKS			
	q16f	Frequency	Percent
Never Heard/Used	149E3	95.76	
In Your Lifetime	4059	2.61	
Since School Began	935	0.60	
In the Past Month	1589	1.02	

Frequency Missing = 6553.95619

EVER INHALED PAINT THINNERS FOR KICKS			
	q16g	Frequency	Percent
Never Heard/Used	148E3	95.60	
In Your Lifetime	3751	2.42	
Since School Began	1307	0.84	
In the Past Month	1763	1.14	

Frequency Missing = 6967.3171697

EVER INHALED NITROUS OXIDE FOR KICKS			
	q16h	Frequency	Percent
Never Heard/Used	148E3	95.12	
In Your Lifetime	3902	2.51	
Since School Began	1315	0.84	
In the Past Month	2386	1.53	

Frequency Missing = 6221.6538032

EVER INHALED OCTANE BOOSTER FOR KICKS			
	q16i	Frequency	Percent
Never Heard/Used	153E3	98.53	
In Your Lifetime	811	0.52	
Since School Began	584	0.38	
In the Past Month	885	0.57	

Frequency Missing = 6895.4021771

EVER INHALED OTHER SPRAYS FOR KICKS			
	q16j	Frequency	Percent
Never Heard/Used	15E4	95.68	
In Your Lifetime	3358	2.15	
Since School Began	1336	0.85	
In the Past Month	2064	1.32	

Frequency Missing = 5623.9348867

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region45
Spring 2006**

**EVER INHALED OTHER
INHALANTS FOR KICKS
q16k Frequency Percent**

Never Heard/Used	144E3	91.90
In Your Lifetime	6466	4.12
Since School Began	2276	1.45
In the Past Month	3970	2.53

Frequency Missing = 5045.6882728

**RECENT CIGARETTE USE
q17a Frequency Percent**

Never Heard/Used	103E3	65.38
In Your Lifetime	24813	15.74
Since School Began	8120	5.15
In the Past Month	21655	13.73

Frequency Missing = 4252.4890666

**RECENT SMOKELESS TOBACCO
USE
q17b Frequency Percent**

Never Heard/Used	136E3	86.69
In Your Lifetime	8315	5.30
Since School Began	3917	2.50
In the Past Month	8630	5.50

Frequency Missing = 5157.1604911

**RECENT BEER USE
q17c Frequency Percent**

Never Heard/Used	81174	52.08
In Your Lifetime	30357	19.48
Since School Began	13337	8.56
In the Past Month	30982	19.88

Frequency Missing = 6081.103972

**RECENT WINE COOLER USE
q17d Frequency Percent**

Never Heard/Used	78545	50.23
In Your Lifetime	32502	20.78
Since School Began	17626	11.27
In the Past Month	27711	17.72

Frequency Missing = 5545.9481643

RECENT WINE USE

q17e Frequency Percent

Never Heard/Used	90064	57.61
In Your Lifetime	31300	20.02
Since School Began	14671	9.38
In the Past Month	20287	12.98

Frequency Missing = 5608.7817067

RECENT LIQUOR USE

q17f Frequency Percent

Never Heard/Used	88420	56.02
In Your Lifetime	23725	15.03
Since School Began	14766	9.35
In the Past Month	30935	19.60

Frequency Missing = 4084.683155

RECENT MARIJUANA USE

q18a Frequency Percent

Never Heard/Used	117E3	73.81
In Your Lifetime	15671	9.92
Since School Began	8141	5.15
In the Past Month	17575	11.12

Frequency Missing = 3914.0834115

RECENT COCAINE USE

q18b Frequency Percent

Never Heard/Used	15E4	95.92
In Your Lifetime	2820	1.80
Since School Began	1728	1.10
In the Past Month	1851	1.18

Frequency Missing = 5199.5633127

RECENT CRACK USE

q18c Frequency Percent

Never Heard/Used	152E3	97.97
In Your Lifetime	1549	1.00
Since School Began	483	0.31
In the Past Month	1119	0.72

Frequency Missing = 6365.318603

RECENT HALLUCINOGEN USE

q18e Frequency Percent

Never Heard/Used	149E3	96.33
In Your Lifetime	2691	1.73
Since School Began	1347	0.87
In the Past Month	1664	1.07

Frequency Missing = 6749.4915881

RECENT UPPER USE

q18f Frequency Percent

Never Heard/Used	148E3	94.95
In Your Lifetime	3089	1.99
Since School Began	1726	1.11
In the Past Month	3040	1.95

Frequency Missing = 6379.8082537

RECENT DOWNER USE

q18g Frequency Percent

Never Heard/Used	147E3	94.91
In Your Lifetime	3003	1.94
Since School Began	1645	1.06
In the Past Month	3220	2.08

Frequency Missing = 7256.6562669

RECENT ROHYPNOL USE

q18h Frequency Percent

Never Heard/Used	152E3	98.14
In Your Lifetime	1084	0.70
Since School Began	562	0.36
In the Past Month	1242	0.80

Frequency Missing = 7101.6152677

RECENT STEROID USE

q18i Frequency Percent

Never Heard/Used	152E3	98.64
In Your Lifetime	953	0.62
Since School Began	223	0.14
In the Past Month	913	0.59

Frequency Missing = 7922.843825

**region45
Spring 2006**

RECENT ECSTASY USE

q18j Frequency Percent

Never Heard/Used	149E3	95.83
In Your Lifetime	3284	2.11
Since School Began	1275	0.82
In the Past Month	1931	1.24

Frequency Missing = 6199.941555

RECENT HEROIN USE

q18k Frequency Percent

Never Heard/Used	154E3	98.64
In Your Lifetime	1093	0.70
Since School Began	193	0.12
In the Past Month	846	0.54

Frequency Missing = 5408.2300382

TOBACCO USE IN PAST MONTH

q19a Frequency Percent

Never Heard/Used	135E3	86.26
1-2 times	6213	3.98
3-10 times	4701	3.01
11+ times	10553	6.75

Frequency Missing = 5688.4548306

ALCOHOL USE IN PAST MONTH

q19b Frequency Percent

Never Heard/Used	117E3	75.05
1-2 times	18599	11.96
3-10 times	14070	9.04
11+ times	6151	3.95

Frequency Missing = 6370.2805179

INHALANT USE IN PAST MONTH

q19c Frequency Percent

Never Heard/Used	149E3	95.65
1-2 times	4542	2.92
3-10 times	1727	1.11
11+ times	497	0.32

Frequency Missing = 6492.8649389

MARIJUANA USE IN PAST MONTH

q19d Frequency Percent

Never Heard/Used	139E3	89.31
1-2 times	6405	4.13
3-10 times	4720	3.04
11+ times	5447	3.51

Frequency Missing = 6850.9298276

COCAINE USE IN PAST MONTH

q19e Frequency Percent

Never Heard/Used	154E3	98.89
1-2 times	1174	0.76
3-10 times	471	0.30
11+ times	76	0.05

Frequency Missing = 6486.3203374

CRACK USE IN PAST MONTH

q19f Frequency Percent

Never Heard/Used	155E3	99.29
1-2 times	564	0.36
3-10 times	403	0.26
11+ times	136	0.09

Frequency Missing = 6002.5254232

CLOSE FRIENDS USE

CIGARETTES

q20a Frequency Percent

Never heard/None	72073	46.85
A few	46151	30.00
Some	19363	12.59
Most	13448	8.74
All	2806	1.82

Frequency Missing = 8089.4802713

CLOSE FRIENDS USE SMOKELESS

TOBACCO

q20b Frequency Percent

Never heard/None	99252	65.12
A few	29074	19.07
Some	14374	9.43
Most	7755	5.09
All	1969	1.29

Frequency Missing = 9507.164283

CLOSE FRIENDS USE BEER

q20c Frequency Percent

Never heard/None	58324	38.14
A few	36505	23.87
Some	25151	16.45
Most	23620	15.45
All	9308	6.09

Frequency Missing = 9022.5006756

**CLOSE FRIENDS USE WINE
COOLERS**

q20d Frequency Percent

Never heard/None	67671	44.09
A few	37536	24.46
Some	23086	15.04
Most	17572	11.45
All	7609	4.96

Frequency Missing = 8456.7012808

CLOSE FRIENDS USE WINE

q20e Frequency Percent

Never heard/None	85567	55.88
A few	33956	22.18
Some	17174	11.22
Most	11244	7.34
All	5172	3.38

Frequency Missing = 8818.8110587

CLOSE FRIENDS USE LIQUOR

q20f Frequency Percent

Never heard/None	70609	46.00
A few	30983	20.18
Some	21455	13.98
Most	21497	14.00
All	8956	5.83

Frequency Missing = 8430.6682989

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region45
Spring 2006**

CLOSE FRIENDS USE INHALANTS		
	q20g Frequency	Percent
Never heard/None	133E3	86.27
A few	14242	9.23
Some	4109	2.66
Most	1920	1.24
All	911	0.59

Frequency Missing = 7663.6370005

CLOSE FRIENDS USE MARIJUANA		
	q20h Frequency	Percent
Never heard/None	88081	56.54
A few	28784	18.48
Some	17107	10.98
Most	14516	9.32
All	7283	4.68

Frequency Missing = 6160.0316903

DIFFICULT TO GET CIGARETTES		
	q21a Frequency	Percent
Never heard of	18959	12.33
Impossible	26186	17.03
Very difficult	9862	6.41
Somewhat diff	12892	8.38
Somewhat easy	26129	16.99
Very easy	59776	38.86

Frequency Missing = 8125.5791393

DIFFICULT TO GET SMOKELESS TOBACCO		
	q21b Frequency	Percent
Never heard of	31413	20.63
Impossible	31644	20.78
Very difficult	11752	7.72
Somewhat diff	12293	8.07
Somewhat easy	19689	12.93
Very easy	45484	29.87

Frequency Missing = 9654.8494335

DIFFICULT TO GET BEER		
	q21c Frequency	Percent
Never heard of	16572	10.92
Impossible	21611	14.24
Very difficult	8431	5.55
Somewhat diff	17450	11.50
Somewhat easy	30487	20.08
Very easy	57245	37.71

Frequency Missing = 10135.157626

DIFFICULT TO GET WINE COOLERS		
	q21d Frequency	Percent
Never heard of	20347	13.40
Impossible	22157	14.59
Very difficult	9340	6.15
Somewhat diff	17922	11.80
Somewhat easy	30229	19.91
Very easy	51843	34.14

Frequency Missing = 10092.325644

DIFFICULT TO GET WINE		
	q21e Frequency	Percent
Never heard of	19501	12.82
Impossible	25173	16.55
Very difficult	10817	7.11
Somewhat diff	18621	12.25
Somewhat easy	28280	18.60
Very easy	49671	32.67

Frequency Missing = 9868.9663136

DIFFICULT TO GET LIQUOR		
	q21f Frequency	Percent
Never heard of	19070	12.49
Impossible	27793	18.20
Very difficult	10797	7.07
Somewhat diff	17052	11.17
Somewhat easy	26414	17.30
Very easy	51563	33.77

Frequency Missing = 9240.8798226

DIFFICULT TO GET INHALANTS		
	q21g Frequency	Percent
Never heard of	34784	22.97
Impossible	27579	18.21
Very difficult	7204	4.76
Somewhat diff	8148	5.38
Somewhat easy	14035	9.27
Very easy	59660	39.40

Frequency Missing = 10521.388359

DIFFICULT TO GET MARIJUANA		
	q21h Frequency	Percent
Never heard of	22897	15.08
Impossible	41881	27.58
Very difficult	13959	9.19
Somewhat diff	14222	9.37
Somewhat easy	19505	12.85
Very easy	39377	25.93

Frequency Missing = 10088.616432

DIFFICULT TO GET COCAINE		
	q21i Frequency	Percent
Never heard of	32622	21.52
Impossible	55675	36.73
Very difficult	20399	13.46
Somewhat diff	16252	10.72
Somewhat easy	11762	7.76
Very easy	14852	9.80

Frequency Missing = 10369.088531

DIFFICULT TO GET CRACK		
	q21j Frequency	Percent
Never heard of	33547	22.16
Impossible	56968	37.63
Very difficult	21296	14.07
Somewhat diff	15515	10.25
Somewhat easy	10671	7.05
Very easy	13391	8.85

Frequency Missing = 10542.384811

**region45
Spring 2006**

DIFFICULT TO GET HALLUCINOGENS		
q21i	Frequency	Percent
Never heard of	61531	40.62
Impossible	41583	27.45
Very difficult	16712	11.03
Somewhat diff	11917	7.87
Somewhat easy	8447	5.58
Very easy	11283	7.45

Frequency Missing = 10457.855733

DIFFICULT TO GET UPERS		
q21m	Frequency	Percent
Never heard of	76143	50.33
Impossible	31837	21.04
Very difficult	11315	7.48
Somewhat diff	9773	6.46
Somewhat easy	8942	5.91
Very easy	13279	8.78

Frequency Missing = 10641.589953

DIFFICULT TO GET DOWNERS		
q21n	Frequency	Percent
Never heard of	76943	50.57
Impossible	32040	21.06
Very difficult	11267	7.40
Somewhat diff	9405	6.18
Somewhat easy	9098	5.98
Very easy	13403	8.81

Frequency Missing = 9775.4833634

DIFFICULT TO GET ROHYPNOL		
q21o	Frequency	Percent
Never heard of	81530	53.84
Impossible	33228	21.94
Very difficult	12208	8.06
Somewhat diff	8602	5.68
Somewhat easy	6496	4.29
Very easy	9367	6.19

Frequency Missing = 10500.182982

DIFFICULT TO GET STEROIDS		
q21p	Frequency	Percent
Never heard of	40554	26.66
Impossible	55951	36.78
Very difficult	20163	13.25
Somewhat diff	13793	9.07
Somewhat easy	9462	6.22
Very easy	12208	8.02

Frequency Missing = 9799.5492961

DIFFICULT TO GET ECSTASY		
q21q	Frequency	Percent
Never heard of	50168	32.84
Impossible	47586	31.15
Very difficult	17261	11.30
Somewhat diff	11925	7.81
Somewhat easy	10520	6.89
Very easy	15316	10.03

Frequency Missing = 9153.9825755

DIFFICULT TO GET HEROIN		
q21r	Frequency	Percent
Never heard of	46096	29.63
Impossible	58515	37.61
Very difficult	20365	13.09
Somewhat diff	12253	7.87
Somewhat easy	6939	4.46
Very easy	11429	7.35

Frequency Missing = 6334.4890848

AGE WHEN FIRST USED CIGARETTES		
q22a	Frequency	Percent
9 or younger	11717	20.21
10 years old	5743	9.90
11 years old	5832	10.06
12 years old	8007	13.81
13 years old	8188	14.12
14 years old	7341	12.66
15 years old	5282	9.11
16 years old	3416	5.89
17 years old	1868	3.22
18 or older	587	1.01

Frequency Missing = 103949.89022

AGE WHEN FIRST USED SMOKELESS TOBACCO		
q22b	Frequency	Percent
9 or younger	3138	13.88
10 years old	1488	6.58
11 years old	1623	7.18
12 years old	2894	12.80
13 years old	3953	17.49
14 years old	3277	14.50
15 years old	3245	14.36
16 years old	1623	7.18
17 years old	1112	4.92
18 or older	250	1.11

Frequency Missing = 139328.2912

AGE WHEN FIRST USED BEER		
q22c	Frequency	Percent
9 or younger	21077	26.10
10 years old	7443	9.22
11 years old	6826	8.45
12 years old	9194	11.38
13 years old	11894	14.73
14 years old	9808	12.14
15 years old	7556	9.35
16 years old	4814	5.96
17 years old	1633	2.02
18 or older	523	0.65

Frequency Missing = 81163.847407

AGE WHEN FIRST USED WINE COOLERS		
q22d	Frequency	Percent
9 or younger	13051	16.54
10 years old	7677	9.73
11 years old	7784	9.87
12 years old	10142	12.86
13 years old	13319	16.88
14 years old	11071	14.03
15 years old	8649	10.96
16 years old	4841	6.14
17 years old	1696	2.15
18 or older	658	0.83

Frequency Missing = 83043.622808

region45
Spring 2006

AGE WHEN FIRST USED WINE		
	q22e Frequency	Percent
9 or younger	10445	15.27
10 years old	6547	9.57
11 years old	6621	9.68
12 years old	9696	14.18
13 years old	10791	15.78
14 years old	9639	14.09
15 years old	7463	10.91
16 years old	4662	6.82
17 years old	1936	2.83
18 or older	590	0.86

Frequency Missing = 93540.172372

AGE WHEN FIRST USED MARIJUANA		
	q22h Frequency	Percent
9 or younger	2913	7.40
10 years old	1830	4.65
11 years old	2479	6.30
12 years old	4863	12.35
13 years old	6712	17.05
14 years old	7272	18.47
15 years old	7055	17.92
16 years old	3465	8.80
17 years old	2144	5.45
18 or older	634	1.61

Frequency Missing = 122566.14529

AGE WHEN FIRST USED HALLUCINOGENS		
	q22i Frequency	Percent
9 or younger	84	1.68
10 years old	232	4.64
11 years old	250	5.00
12 years old	563	11.26
13 years old	813	16.27
14 years old	829	16.58
15 years old	990	19.80
16 years old	796	15.92
17 years old	341	6.82
18 or older	102	2.04

Frequency Missing = 156931.60483

AGE WHEN FIRST USED LIQUOR		
	q22f Frequency	Percent
9 or younger	7937	12.01
10 years old	3984	6.03
11 years old	5098	7.71
12 years old	7741	11.71
13 years old	11692	17.69
14 years old	10733	16.24
15 years old	9238	13.98
16 years old	6393	9.67
17 years old	2492	3.77
18 or older	787	1.19

Frequency Missing = 95836.923908

AGE WHEN FIRST USED COCAINE		
	q22i Frequency	Percent
9 or younger	212	3.63
10 years old	156	2.68
11 years old	220	3.77
12 years old	311	5.33
13 years old	678	11.61
14 years old	1120	19.18
15 years old	1209	20.71
16 years old	1045	17.89
17 years old	736	12.61
18 or older	152	2.60

Frequency Missing = 156090.96161

AGE WHEN FIRST USED UPPERS		
	q22m Frequency	Percent
9 or younger	269	3.40
10 years old	80	1.00
11 years old	291	3.67
12 years old	692	8.72
13 years old	1296	16.34
14 years old	1600	20.17
15 years old	1933	24.37
16 years old	1109	13.97
17 years old	577	7.27
18 or older	86	1.09

Frequency Missing = 153997.62702

AGE WHEN FIRST USED INHALANTS		
	q22g Frequency	Percent
9 or younger	2856	19.67
10 years old	1860	12.81
11 years old	1364	9.40
12 years old	2145	14.78
13 years old	2603	17.93
14 years old	1686	11.61
15 years old	1103	7.59
16 years old	633	4.36
17 years old	203	1.40
18 or older	66	0.46

Frequency Missing = 147411.63112

AGE WHEN FIRST USED CRACK		
	q22j Frequency	Percent
9 or younger	148	5.72
10 years old	191	7.40
11 years old	214	8.28
12 years old	262	10.14
13 years old	490	19.00
14 years old	423	16.39
15 years old	441	17.10
16 years old	222	8.60
17 years old	183	7.10
18 or older	7	0.27

Frequency Missing = 159349.8389

AGE WHEN FIRST USED DOWNERS		
	q22n Frequency	Percent
9 or younger	267	3.39
10 years old	151	1.91
11 years old	407	5.16
12 years old	697	8.84
13 years old	1112	14.11
14 years old	1732	21.97
15 years old	1960	24.86
16 years old	950	12.06
17 years old	444	5.64
18 or older	163	2.06

Frequency Missing = 154047.1084

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the district

region45
Spring 2006

AGE WHEN FIRST USED ROHYPNOL		
q22o	Frequency	Percent
9 or younger	289	11.38
10 years old	147	5.79
11 years old	99	3.90
12 years old	373	14.65
13 years old	569	22.38
14 years old	435	17.11
15 years old	251	9.87
16 years old	214	8.42
17 years old	119	4.66
18 or older	47	1.84

Frequency Missing = 159387.26744

AGE WHEN FIRST USED STERIODS		
q22p	Frequency	Percent
9 or younger	412	19.30
10 years old	224	10.51
11 years old	154	7.23
12 years old	383	17.97
13 years old	304	14.28
14 years old	275	12.88
15 years old	137	6.45
16 years old	157	7.37
17 years old	65	3.04
18 or older	21	0.98

Frequency Missing = 159798.51033

AGE WHEN FIRST USED ECSTASY		
q22q	Frequency	Percent
9 or younger	125	2.13
10 years old	190	3.23
11 years old	238	4.03
12 years old	253	4.29
13 years old	678	11.51
14 years old	1403	23.82
15 years old	1125	19.10
16 years old	1208	20.51
17 years old	486	8.25
18 or older	185	3.14

Frequency Missing = 156040.68763

AGE WHEN FIRST USED HEROIN		
q22r	Frequency	Percent
9 or younger	72	4.20
10 years old	141	8.28
11 years old	123	7.25
12 years old	194	11.42
13 years old	352	20.70
14 years old	282	16.57
15 years old	206	12.12
16 years old	274	16.07
17 years old	58	3.40

Frequency Missing = 160227.97196

HOW OFTEN NORMALLY USE CIGARETTES		
q23a	Frequency	Percent
Every day	7458	4.91
Several times/wk	4513	2.97
Several times/mo	5559	3.66
About once/month	7407	4.88
About once/year	7872	5.18
< once/year	14613	9.62
Never used	104E3	68.78

Frequency Missing = 10038.842815

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
q23b	Frequency	Percent
Every day	3221	2.14
Several times/wk	1906	1.27
Several times/mo	2009	1.33
About once/month	2903	1.93
About once/year	3248	2.16
< once/year	6341	4.21
Never used	131E3	86.97

Frequency Missing = 11321.233177

HOW OFTEN NORMALLY USE BEER		
q23c	Frequency	Percent
Every day	874	0.58
Several times/wk	6080	4.04
Several times/mo	14752	9.80
About once/month	16546	11.00
About once/year	14521	9.65
< once/year	16029	10.65
Never used	81657	54.27

Frequency Missing = 11472.320554

HOW OFTEN NORMALLY USE WINE COOLERS		
q23d	Frequency	Percent
Every day	703	0.47
Several times/wk	4021	2.68
Several times/mo	12957	8.62
About once/month	17737	11.80
About once/year	17824	11.86
< once/year	16196	10.78
Never used	80853	53.80

Frequency Missing = 11639.394578

HOW OFTEN NORMALLY USE WINE		
q23e	Frequency	Percent
Every day	484	0.32
Several times/wk	3477	2.33
Several times/mo	9253	6.21
About once/month	12588	8.45
About once/year	18768	12.59
< once/year	16395	11.00
Never used	88076	59.10

Frequency Missing = 12890.895923

HOW OFTEN NORMALLY USE LIQUOR		
q23f	Frequency	Percent
Every day	957	0.64
Several times/wk	4384	2.92
Several times/mo	14507	9.67
About once/month	16347	10.90
About once/year	15141	10.09
< once/year	11404	7.60
Never used	87255	58.17

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region45
Spring 2006**

Frequency Missing = 11936.109443

HOW OFTEN NORMALLY USE INHALANTS		
q23g	Frequency	Percent
Every day	459	0.31
Several times/wk	745	0.50
Several times/mo	1225	0.83
About once/month	2104	1.42
About once/year	2117	1.43
< once/year	4487	3.03
Never used	137E3	92.49

Frequency Missing = 13620.566353

HOW OFTEN NORMALLY USE MARIJUANA		
q23h	Frequency	Percent
Every day	4015	2.71
Several times/wk	4124	2.79
Several times/mo	5266	3.56
About once/month	6555	4.43
About once/year	5741	3.88
< once/year	7874	5.32
Never used	114E3	77.31

Frequency Missing = 13953.766513

HOW OFTEN NORMALLY USE COCAINE		
q23i	Frequency	Percent
Every day	73	0.05
Several times/wk	266	0.18
Several times/mo	761	0.52
About once/month	1064	0.73
About once/year	1193	0.82
< once/year	1796	1.23
Never used	141E3	96.48

Frequency Missing = 15605.488413

HOW OFTEN NORMALLY USE DOWNERS		
q23n	Frequency	Percent
Every day	231	0.16
Several times/wk	658	0.45
Several times/mo	1460	1.00
About once/month	2025	1.38
About once/year	1451	0.99
< once/year	1381	0.94
Never used	139E3	95.09

HOW OFTEN NORMALLY USE CRACK		
q23j	Frequency	Percent
Every day	70	0.05
Several times/wk	287	0.20
Several times/mo	396	0.27
About once/month	263	0.18
About once/year	282	0.19
< once/year	982	0.67
Never used	145E3	98.45

Frequency Missing = 15144.465171

HOW OFTEN NORMALLY USE HALLUCINOGENS		
q23l	Frequency	Percent
Every day	42	0.03
Several times/wk	199	0.13
Several times/mo	332	0.23
About once/month	891	0.60
About once/year	1202	0.81
< once/year	2060	1.40
Never used	143E3	96.80

Frequency Missing = 14342.968046

HOW OFTEN NORMALLY USE UPPERS		
q23m	Frequency	Percent
Every day	215	0.15
Several times/wk	582	0.40
Several times/mo	1307	0.90
About once/month	2040	1.40
About once/year	1483	1.02
< once/year	1625	1.11
Never used	139E3	95.03

Frequency Missing = 16104.272477

HOW OFTEN NORMALLY USE DOWNERS		
q23n	Frequency	Percent
Every day	231	0.16
Several times/wk	658	0.45
Several times/mo	1460	1.00
About once/month	2025	1.38
About once/year	1451	0.99
< once/year	1381	0.94
Never used	139E3	95.09

Frequency Missing = 15264.298092

HOW OFTEN NORMALLY USE ROHYPNOL		
q23o	Frequency	Percent
Every day	176	0.12
Several times/wk	125	0.09
Several times/mo	417	0.29
About once/month	498	0.34
About once/year	517	0.36
< once/year	634	0.44
Never used	143E3	98.37

Frequency Missing = 16802.702038

HOW OFTEN NORMALLY USE STEROIDS		
q23p	Frequency	Percent
Every day	328	0.23
Several times/wk	288	0.20
Several times/mo	48	0.03
About once/month	235	0.16
About once/year	228	0.16
< once/year	808	0.56
Never used	142E3	98.66

Frequency Missing = 17913.101216

HOW OFTEN NORMALLY USE ECSTASY		
q23q	Frequency	Percent
Every day	184	0.13
Several times/wk	351	0.24
Several times/mo	351	0.24
About once/month	999	0.69
About once/year	1341	0.93
< once/year	2110	1.47
Never used	139E3	96.29

Frequency Missing = 17981.641171

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region45
Spring 2006**

**HOW OFTEN NORMALLY USE
HEROIN**

q23r Frequency Percent

Every day	156	0.11
Several times/wk	185	0.13
Several times/mo	91	0.06
About once/month	277	0.19
About once/year	271	0.19
< once/year	675	0.46
Never used	144E3	98.86

Frequency Missing = 16364.388376

**HOW MANY CIGARETTES IN
PAST 30 DAYS**

q24 Frequency Percent

None	131E3	84.10
Less than 1	12559	8.05
> 1 and < 10	8106	5.19
> 10 and < 1pk	2413	1.55
> 1pk and < 2pks	1228	0.79
More than 2pks	510	0.33

Frequency Missing = 5883.4177911

**AMOUNT OF BEER AT ONE
TIME**

q25a Frequency Percent

Never drink this	82444	53.59
12+ drinks	7451	4.84
9-11 drinks	3654	2.37
5-8 drinks	8933	5.81
3-4 drinks	9653	6.27
2 drinks	9063	5.89
1 drink	12451	8.09
< 1 drink	20195	13.13

Frequency Missing = 8086.4816561

**AMOUNT OF WINE COOLERS AT
ONE TIME**

q25b Frequency Percent

Never drink this	77357	50.63
12+ drinks	4805	3.14
9-11 drinks	2941	1.92
5-8 drinks	8169	5.35
3-4 drinks	13839	9.06
2 drinks	13526	8.85
1 drink	16976	11.11
< 1 drink	15187	9.94

Frequency Missing = 9131.4012324

**AMOUNT OF WINE AT ONE
TIME**

q25c Frequency Percent

Never drink this	88146	57.99
12+ drinks	3005	1.98
9-11 drinks	1290	0.85
5-8 drinks	3485	2.29
3-4 drinks	6931	4.56
2 drinks	10458	6.88
1 drink	18140	11.93
< 1 drink	20559	13.52

Frequency Missing = 9917.7996186

**AMOUNT OF LIQUOR AT ONE
TIME**

q25d Frequency Percent

Never drink this	85953	56.25
12+ drinks	5608	3.67
9-11 drinks	3900	2.55
5-8 drinks	8866	5.80
3-4 drinks	11490	7.52
2 drinks	10417	6.82
1 drink	12999	8.51
< 1 drink	13576	8.88

Frequency Missing = 9121.4700205

ALCOHOL

q26a Frequency Percent

Never 5+ at time	67620	43.76
None	53037	34.32
1 day	11054	7.15
2 days	7046	4.56
3 to 5 days	7813	5.06
6 to 9 days	3949	2.56
10 or more days	4001	2.59

Frequency Missing = 7409.9991124

**GET ALCOHOLIC BEVERAGES
FROM HOME**

q27a Frequency Percent

Do not Drink	63653	41.87
Never	41806	27.50
Seldom	32391	21.31
Most of the Time	9705	6.38
Always	4460	2.93

Frequency Missing = 9916.0804873

**GET ALCOHOLIC BEVERAGES
FROM FRIENDS**

q27b Frequency Percent

Do not Drink	57467	38.16
Never	30385	20.18
Seldom	24501	16.27
Most of the Time	25848	17.16
Always	12402	8.23

Frequency Missing = 11328.088119

**GET ALCOHOLIC BEVERAGES
FROM A STORE**

q27c Frequency Percent

Do not Drink	60367	40.43
Never	67212	45.02
Seldom	11537	7.73
Most of the Time	6487	4.34
Always	3702	2.48

Frequency Missing = 12625.788291

**GET ALCOHOLIC BEVERAGES
AT PARTIES**

q27d Frequency Percent

Do not Drink	56884	37.80
Never	32913	21.87
Seldom	18747	12.46
Most of the Time	21743	14.45
Always	20191	13.42

Frequency Missing = 11453.362303

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region45
Spring 2006**

GET ALCOHOLIC BEVERAGES FROM OTHER		
q27e	Frequency	Percent
Do not Drink	59807	39.98
Never	40994	27.40
Seldom	22154	14.81
Most of the Time	13493	9.02
Always	13152	8.79

Frequency Missing = 12330.850694

USE MARIJUANA AS JOINTS		
q28a	Frequency	Percent
Never	125E3	81.49
Seldom	10505	6.87
Half the time	5791	3.79
Most of the time	5890	3.85
Always	4330	2.83
Don't know	1781	1.16

Frequency Missing = 9047.9486157

USE MARIJUANA AS BLUNTS		
q28b	Frequency	Percent
Never	12E4	79.25
Seldom	9406	6.19
Half the time	6004	3.95
Most of the time	6748	4.44
Always	7613	5.01
Don't know	1744	1.15

Frequency Missing = 10049.765425

USE MARIJUANA IN BONGS OR WATER PIPES		
q28c	Frequency	Percent
Never	134E3	88.95
Seldom	7794	5.17
Half the time	2673	1.77
Most of the time	2549	1.69
Always	2379	1.58
Don't know	1254	0.83

Frequency Missing = 11267.376625

USE MARIJUANA IN PIPES		
q28d	Frequency	Percent
Never	134E3	88.57
Seldom	6918	4.59
Half the time	2923	1.94
Most of the time	3557	2.36
Always	2625	1.74
Don't know	1212	0.80

Frequency Missing = 11086.610141

USE MARIJUANA OTHER WAYS		
q28e	Frequency	Percent
Never	137E3	90.76
Seldom	6595	4.38
Half the time	1698	1.13
Most of the time	1520	1.01
Always	1933	1.28
Don't know	2164	1.44

Frequency Missing = 11330.125326

TAKE DXM, TRIPLE C'S, ETC. TO GET HIGH		
q29a	Frequency	Percent
Never heard/used	144E3	96.04
At least once/month	2316	1.54
At least once/year	1562	1.04
At least once/life	2082	1.38

Frequency Missing = 11597.05925

TAKE CODEINE COUGH SYRUP TO GET HIGH		
q29b	Frequency	Percent
Never heard/used	137E3	90.45
At least once/month	5606	3.71
At least once/year	3839	2.54
At least once/life	4977	3.30

Frequency Missing = 10964.484208

DANGEROUS FOR KIDS TO USE TOBACCO		
q30a	Frequency	Percent
Very	74398	50.39
Somewhat	38420	26.02
Not very	19472	13.19
Not at all	6730	4.56
Don't know	8617	5.84

Frequency Missing = 14292.701358

DANGEROUS FOR KIDS TO USE ALCOHOL		
q30b	Frequency	Percent
Very	73819	50.45
Somewhat	41330	28.25
Not very	19317	13.20
Not at all	5156	3.52
Don't know	6690	4.57

Frequency Missing = 15619.848362

DANGEROUS FOR KIDS TO USE INHALANTS		
q30c	Frequency	Percent
Very	11E4	76.74
Somewhat	17903	12.50
Not very	4647	3.25
Not at all	1827	1.28
Don't know	8932	6.24

Frequency Missing = 18749.445889

DANGEROUS FOR KIDS TO USE MARIJUANA		
q30d	Frequency	Percent
Very	96561	66.29
Somewhat	20288	13.93
Not very	11759	8.07
Not at all	9955	6.83
Don't know	7092	4.87

Frequency Missing = 16275.10115

region45
Spring 2006

DANGEROUS FOR KIDS TO USE COCAINE		
q30e	Frequency	Percent
Very	123E3	85.49
Somewhat	9405	6.53
Not very	1941	1.35
Not at all	1583	1.10
Don't know	7961	5.53

Frequency Missing = 18004.360316

DANGEROUS FOR KIDS TO USE CRACK		
q30f	Frequency	Percent
Very	126E3	86.80
Somewhat	8321	5.72
Not very	1430	0.98
Not at all	1358	0.93
Don't know	8098	5.56

Frequency Missing = 16380.788079

DANGEROUS FOR KIDS TO USE ECSTASY		
q30g	Frequency	Percent
Very	122E3	83.46
Somewhat	9923	6.78
Not very	2013	1.37
Not at all	1463	1.00
Don't know	10820	7.39

Frequency Missing = 15479.076661

DANGEROUS FOR KIDS TO USE STEROIDS		
q30h	Frequency	Percent
Very	117E3	78.76
Somewhat	15283	10.28
Not very	4253	2.86
Not at all	2325	1.56
Don't know	9715	6.53

Frequency Missing = 13232.640631

DANGEROUS FOR KIDS TO USE HEROIN		
q30i	Frequency	Percent
Very	131E3	87.04
Somewhat	7312	4.87
Not very	1010	0.67
Not at all	1079	0.72
Don't know	10061	6.70

Frequency Missing = 11789.317644

DAYS SKIPPED SINCE SEPTEMBER		
q31a	Frequency	Percent
None	114E3	75.12
1-3 days	26797	17.59
4-9 days	6840	4.49
10+ days	4259	2.80

Frequency Missing = 9628.6742618

DAYS ILL SINCE SEPTEMBER		
q31b	Frequency	Percent
None	45305	29.80
1-3 days	72810	47.89
4-9 days	26271	17.28
10+ days	7636	5.02

Frequency Missing = 9909.2531619

OTHER DAYS MISSED SINCE SEPTEMBER		
q31c	Frequency	Percent
None	58308	38.82
1-3 days	75427	50.21
4-9 days	12262	8.16
10+ days	4216	2.81

Frequency Missing = 11718.572711

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q31d	Frequency	Percent
None	117E3	77.45
1-3 days	24487	16.15
4-9 days	5174	3.41
10+ days	4538	2.99

Frequency Missing = 10274.749389

SOMEONE CALLED HOME SINCE SEPTEMBER		
q31e	Frequency	Percent
None	128E3	84.74
1-3 days	17958	11.91
4-9 days	3048	2.02
10+ days	2017	1.34

Frequency Missing = 11106.738261

IN TROUBLE FOR DRINKING SINCE SEPTEMBER		
q31f	Frequency	Percent
None	148E3	98.60
1-3 days	1277	0.85
4-9 days	405	0.27
10+ days	433	0.29

Frequency Missing = 11426.84176

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER		
q31g	Frequency	Percent
None	148E3	98.47
1-3 days	1392	0.92
4-9 days	420	0.28
10+ days	493	0.33

Frequency Missing = 11193.553382

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q32a	Frequency	Percent
None	141E3	93.45
1-3 times	8384	5.57
4-9 times	901	0.60
10+ times	564	0.37

Frequency Missing = 11488.310827

**region45
Spring 2006**

**DRIVEN A CAR AFTER A
GOOD BIT TO DRINK**

q32b	Frequency	Percent
None	138E3	91.84
1-3 times	8634	5.76
4-9 times	1762	1.18
10+ times	1824	1.22

Frequency Missing = 12094.34931

**CRITICIZED BY DATE
BECAUSE OF DRINKING**

q32c	Frequency	Percent
None	139E3	93.75
1-3 times	7214	4.86
4-9 times	1221	0.82
10+ times	853	0.57

Frequency Missing = 13356.806884

**TROUBLE WITH POLICE
BECAUSE OF DRINKING**

q32d	Frequency	Percent
None	144E3	96.80
1-3 times	3823	2.57
4-9 times	582	0.39
10+ times	362	0.24

Frequency Missing = 12882.476725

**TROUBLE WITH FRIENDS
BECAUSE OF DRUG USE**

q32e	Frequency	Percent
None	14E4	95.23
1-3 times	5609	3.81
4-9 times	860	0.58
10+ times	554	0.38

Frequency Missing = 14672.271239

**DRIVEN A CAR WHILE
HIGH FROM DRUGS**

q32f	Frequency	Percent
None	137E3	93.23
1-3 times	5530	3.77
4-9 times	1817	1.24
10+ times	2594	1.77

Frequency Missing = 15075.780881

**CRITICIZED BY DATE
BECAUSE OF DRUG USE**

q32g	Frequency	Percent
None	139E3	94.72
1-3 times	5266	3.58
4-9 times	1258	0.85
10+ times	1242	0.84

Frequency Missing = 14714.39896

**TROUBLE WITH POLICE
BECAUSE OF DRUG USE**

q32h	Frequency	Percent
None	145E3	97.78
1-3 times	2278	1.53
4-9 times	488	0.33
10+ times	539	0.36

Frequency Missing = 13305.653962

**CLASS DAYS DRUNK ON
ALCOHOL SINCE SEPT**

q33a	Frequency	Percent
None	136E3	90.21
1-3 days	10774	7.17
4-9 days	2021	1.34
10+ days	1922	1.28

Frequency Missing = 11643.317384

**CLASS DAYS HIGH ON
MARIJUANA SINCE SEPT**

q33b	Frequency	Percent
None	135E3	90.27
1-3 days	7940	5.30
4-9 days	2382	1.59
10+ days	4258	2.84

Frequency Missing = 12144.573074

**CLASS DAYS HIGH ON
INHALANTS SINCE SEPT**

q33c	Frequency	Percent
None	146E3	97.61
1-3 days	2280	1.53
4-9 days	551	0.37
10+ days	740	0.49

Frequency Missing = 12466.17013

**CLASS DAYS HIGH ON
OTHER DRUG(S)**

q33d	Frequency	Percent
None	141E3	94.00
1-3 days	5682	3.78
4-9 days	1791	1.19
10+ days	1559	1.04

Frequency Missing = 11462.098361

**ALCOHOL USE AT PARTIES
THIS SCHOOL YEAR**

q34a	Frequency	Percent
Never	66752	43.97
Seldom	16354	10.77
Half the time	11060	7.29
Most of the time	16767	11.04
Always	20049	13.21
Don't know	3501	2.31
Didn't attend	17336	11.42

Frequency Missing = 10111.202716

**DRUG USE AT PARTIES THIS
SCHOOL YEAR**

q34b	Frequency	Percent
Never	85422	56.34
Seldom	16266	10.73
Half the time	9134	6.02
Most of the time	9109	6.01
Always	10067	6.64
Don't know	4283	2.82
Didn't attend	17346	11.44

Frequency Missing = 10303.228093

**SOUGHT HELP FOR
DRUG/ALCOHOL
PROBLEM**

q35	Frequency	Percent
No	127E3	92.22
Yes	10732	7.78

Frequency Missing = 24021.799433

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region45
Spring 2006**

**WOULD SEEK HELP
FROM SCHOOL
COUNSELOR**

q36a	Frequency	Percent
No	102E3	68.62
Yes	46456	31.38

Frequency Missing = 13878.399631

**WOULD SEEK HELP
OUTSIDE OF SCHOOL**

q36b	Frequency	Percent
No	99796	67.97
Yes	47029	32.03

Frequency Missing = 15105.752902

**WOULD SEEK HELP
FROM OTHER
COUNSELOR**

q36c	Frequency	Percent
No	92232	63.55
Yes	52898	36.45

Frequency Missing = 16800.766399

**WOULD SEEK HELP
FROM PARENTS**

q36d	Frequency	Percent
No	59466	40.61
Yes	86965	59.39

Frequency Missing = 15499.726802

**WOULD SEEK HELP
FROM A MEDICAL
DOCTOR**

q36e	Frequency	Percent
No	84473	58.10
Yes	60915	41.90

Frequency Missing = 16542.412887

**WOULD SEEK HELP
FROM FRIENDS**

q36f	Frequency	Percent
No	48732	33.30
Yes	97618	66.70

Frequency Missing = 15580.754275

**WOULD SEEK HELP
FROM ANOTHER
ADULT**

q36g	Frequency	Percent
No	60594	41.09
Yes	86866	58.91

Frequency Missing = 14470.4826

**WOULD NOT SEEK
HELP**

q36h	Frequency	Percent
No	121E3	83.32
Yes	24308	16.68

Frequency Missing = 16234.628886

**DRUG/ALCOHOL INFO-
-SCHOOL HEALTH
CLASS**

q37a	Frequency	Percent
No	67297	53.70
Yes	58013	46.30

Frequency Missing = 36620.199826

**DRUG/ALCOHOL INFO-
-SCHOOL ASSEMBLY
PROGRAM**

q37b	Frequency	Percent
No	51763	41.53
Yes	72872	58.47

Frequency Missing = 37295.472848

**DRUG/ALCOHOL INFO-
-SCHOOL GUIDANCE
COUNSELOR**

q37c	Frequency	Percent
No	93747	76.59
Yes	28656	23.41

Frequency Missing = 39527.107624

**DRUG/ALCOHOL INFO-
-SCIENCE CLASS**

q37d	Frequency	Percent
No	81629	66.35
Yes	41404	33.65

Frequency Missing = 38896.984896

**DRUG/ALCOHOL INFO-
-SOCIAL STUDIES
CLASS**

q37e	Frequency	Percent
No	105E3	85.19
Yes	18182	14.81

Frequency Missing = 39133.089827

**DRUG/ALCOHOL INFO-
-SCHOOL STUDENT
GROUP OR CLUB**

q37f	Frequency	Percent
No	99217	80.12
Yes	24622	19.88

Frequency Missing = 38092.251662

**DRUG/ALCOHOL INFO-
-INVITED SCHOOL
GUEST**

q37g	Frequency	Percent
No	70190	56.40
Yes	54259	43.60

Frequency Missing = 37482.667876

**DRUG/ALCOHOL INFO-
-ANOTHER SCHOOL
SOURCE**

q37h	Frequency	Percent
No	81258	65.16
Yes	43438	34.84

Frequency Missing = 37234.707313

**region45
Spring 2006**

DRUG/ALCOHOL INFO-- WEBSITE/ONLINE CHAT GROUP		
q38a	Frequency	Percent
No	113E3	78.05
Yes	31748	21.95

Frequency Missing = 17272.750388

DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS	
q38b	Frequency
No	77568
Yes	66770

DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS	
q38b	Percent
No	53.74
Yes	46.26

Frequency Missing = 17593.2326

DRUG/ALCOHOL INFO-- TV/RADIO/OTHER AUDIO/VIDEO		
q38c	Frequency	Percent
No	69100	47.73
Yes	75668	52.27

Frequency Missing = 17162.376537

DRUG/ALCOHOL INFO-- -PARENTS		
q38d	Frequency	Percent
No	74227	51.06
Yes	71150	48.94

Frequency Missing = 16553.377231

PARENTS FEEL ABOUT KIDS SMOKING CIGARET		
q39a	Frequency	Percent
Strong disapprove	107E3	71.83
Mild disapprove	13335	8.92
Neither	11061	7.40
Mildly approve	1961	1.31
Strongly approve	2030	1.36
Don't know	13735	9.19

Frequency Missing = 12420.902978

PARENTS FEEL ABOUT KIDS DRINKING BEER		
q39b	Frequency	Percent
Strong disapprove	95474	64.14
Mild disapprove	18472	12.41
Neither	14776	9.93
Mildly approve	4519	3.04
Strongly approve	2568	1.73
Don't know	13046	8.76

Frequency Missing = 13075.857746

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q39c	Frequency	Percent
Strong disapprove	12E4	80.84
Mild disapprove	5763	3.89
Neither	6417	4.33
Mildly approve	1655	1.12
Strongly approve	2374	1.60
Don't know	12207	8.23

Frequency Missing = 13624.133552

TESTED FOR DRUG USE AT SCHOOL		
q40	Frequency	Percent
No	109E3	72.97
Yes	40538	27.03

Frequency Missing = 11942.190166

PURCHASED LOTTERY TICKET IN PAST YEAR		
q41	Frequency	Percent
No	129E3	86.40
Yes	20340	13.60

Frequency Missing = 12339.322374