

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2018



HHSC REGION 2 REPORT

---

---

Prepared by

The Public Policy Research Institute  
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	29
Miscellaneous . . . . .	33
<b>2 Prevalence Tables</b>	<b>39</b>
Table B-1: All Students . . . . .	40
Table B-2: Male Students . . . . .	44
Table B-3: Female Students . . . . .	48
Table B-4: White Non-Hispanic Students . . . . .	52
Table B-5: African American Non-Hispanic Students . . . . .	56
Table B-6: Hispanic or Latino Students . . . . .	59
Table B-7: Students Reporting A Grades on Average . . . . .	63
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	67
Table B-9: Students Living with 2 Parents . . . . .	71
Table B-10: Students Not Living with 2 Parents . . . . .	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	83
<b>3 Margin Tables</b>	<b>87</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>110</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 2. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	17.7%	22.1%	35.3%	64.7%
Grade 7	5.3%	6.2%	17.2%	82.8%
Grade 8	8.4%	11.2%	23.0%	77.0%
Grade 9	21.4%	25.5%	36.3%	63.7%
Grade 10	21.8%	27.8%	44.0%	56.0%
Grade 11	26.3%	34.0%	48.7%	51.3%
Grade 12	28.1%	34.1%	49.8%	50.2%
<b>Cigarettes?</b>				
All	5.3%	7.6%	17.5%	82.5%
Grade 7	1.5%	2.2%	7.1%	92.9%
Grade 8	1.8%	3.1%	9.2%	90.8%
Grade 9	4.7%	7.2%	16.0%	84.0%
Grade 10	5.8%	8.7%	22.1%	77.9%
Grade 11	9.2%	12.7%	27.4%	72.6%
Grade 12	10.6%	14.0%	27.8%	72.2%
<b>Smokeless Tobacco?</b>				
All	4.2%	6.1%	11.6%	88.4%
Grade 7	1.2%	1.2%	4.1%	95.9%
Grade 8	0.6%	1.1%	4.7%	95.3%
Grade 9	4.6%	7.5%	13.7%	86.3%
Grade 10	6.6%	9.2%	16.1%	83.9%
Grade 11	6.3%	9.1%	16.1%	83.9%
Grade 12	7.6%	10.3%	17.9%	82.1%
<b>Electronic Vapor Products?</b>				
All	12.2%	17.1%	28.7%	71.3%
Grade 7	4.0%	5.1%	13.7%	86.3%
Grade 8	6.0%	9.7%	19.9%	80.1%
Grade 9	15.0%	20.2%	29.2%	70.8%
Grade 10	13.4%	19.6%	33.6%	66.4%
Grade 11	17.7%	25.7%	40.7%	59.3%
Grade 12	19.8%	26.3%	40.1%	59.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 3 of 125

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	80.9%	2.9%	1.3%	2.4%	2.9%	3.3%	6.4%
Grade 7	93.8%	0.3%	0.1%	1.3%	0.5%	1.3%	2.8%
Grade 8	92.2%	0.2%	0.1%	0.8%	1.4%	1.2%	4.2%
Grade 9	79.1%	1.7%	2.3%	2.3%	3.8%	4.5%	6.4%
Grade 10	75.8%	4.6%	1.2%	3.2%	3.3%	4.2%	7.7%
Grade 11	70.3%	4.5%	2.3%	2.9%	5.0%	5.0%	10.1%
Grade 12	69.6%	7.4%	2.2%	4.3%	4.0%	4.3%	8.3%

**Table T-3: Average Age of First Use of Tobacco**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.2	11.0	11.3	12.6	12.6	14.0	14.4

**Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	23.5%	20.1%	6.9%	9.9%	14.3%	25.4%
Grade 7	38.8%	34.3%	5.6%	6.8%	6.1%	8.3%
Grade 8	27.3%	27.6%	9.9%	12.2%	11.3%	11.8%
Grade 9	19.7%	20.4%	9.4%	10.8%	17.9%	21.9%
Grade 10	16.6%	16.9%	6.9%	12.3%	19.2%	28.1%
Grade 11	17.8%	9.7%	5.6%	11.1%	19.6%	36.1%
Grade 12	16.9%	7.1%	3.4%	5.8%	13.3%	53.6%

**Table T-5: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	59.4%	24.0%	9.9%	5.5%	1.2%
Grade 7	88.1%	7.9%	2.8%	1.2%	0.0%
Grade 8	72.7%	18.5%	5.6%	2.9%	0.3%
Grade 9	57.8%	25.4%	10.8%	5.6%	0.4%
Grade 10	47.8%	30.2%	11.6%	9.2%	1.2%
Grade 11	41.3%	35.4%	13.3%	7.4%	2.6%
Grade 12	40.8%	30.2%	17.5%	8.1%	3.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	72.5%	10.0%	8.5%	1.3%	0.9%	6.8%
Grade 7	84.3%	3.0%	2.7%	0.7%	0.2%	9.2%
Grade 8	83.8%	6.7%	3.6%	0.3%	1.0%	4.7%
Grade 9	75.9%	8.8%	8.0%	1.1%	0.3%	5.9%
Grade 10	68.4%	13.1%	10.2%	1.1%	1.2%	5.9%
Grade 11	64.1%	14.7%	11.1%	2.1%	1.1%	6.9%
Grade 12	53.1%	15.6%	17.8%	3.2%	1.9%	8.4%

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Tobacco?</b>					
All	56.4%	26.5%	10.4%	2.0%	4.7%
Grade 7	75.5%	17.3%	3.4%	0.4%	3.3%
Grade 8	67.6%	22.4%	5.5%	0.6%	4.0%
Grade 9	52.3%	29.3%	10.8%	1.8%	5.8%
Grade 10	49.5%	31.4%	13.5%	1.8%	3.8%
Grade 11	46.1%	30.2%	16.2%	2.6%	5.0%
Grade 12	41.5%	30.7%	15.6%	5.7%	6.5%
<b>Electronic Vapor Products?</b>					
All	57.1%	12.3%	14.4%	11.1%	5.0%
Grade 7	76.9%	9.4%	6.4%	3.4%	3.9%
Grade 8	63.2%	13.2%	12.2%	7.7%	3.7%
Grade 9	53.5%	14.7%	13.0%	12.3%	6.5%
Grade 10	52.7%	12.9%	18.0%	12.2%	4.3%
Grade 11	46.6%	12.6%	19.1%	16.4%	5.3%
Grade 12	44.8%	11.3%	20.1%	17.0%	6.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



## Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	28.2%	34.0%	54.6%	45.4%
Grade 7	17.5%	20.0%	38.3%	61.7%
Grade 8	21.0%	24.1%	46.1%	53.9%
Grade 9	29.8%	35.8%	57.2%	42.8%
Grade 10	29.4%	37.4%	60.8%	39.2%
Grade 11	35.7%	44.1%	63.7%	36.3%
Grade 12	39.8%	48.2%	67.4%	32.6%
Beer?				
All	12.1%	18.0%	43.5%	56.5%
Grade 7	5.8%	7.6%	28.4%	71.6%
Grade 8	8.4%	11.8%	38.9%	61.1%
Grade 9	10.5%	16.8%	43.6%	56.4%
Grade 10	15.2%	22.0%	49.8%	50.2%
Grade 11	17.3%	25.4%	52.1%	47.9%
Grade 12	17.5%	28.6%	52.8%	47.2%
Wine Coolers?				
All	8.8%	14.2%	32.8%	67.2%
Grade 7	3.7%	5.6%	18.0%	82.0%
Grade 8	3.6%	6.7%	22.7%	77.3%
Grade 9	8.5%	13.6%	32.1%	67.9%
Grade 10	11.7%	17.6%	38.9%	61.1%
Grade 11	12.3%	20.1%	44.0%	56.0%
Grade 12	15.2%	25.8%	46.6%	53.4%
Wine?				
All	6.3%	10.8%	32.4%	67.6%
Grade 7	4.2%	6.4%	20.3%	79.7%
Grade 8	3.4%	5.7%	26.5%	73.5%
Grade 9	6.2%	9.9%	32.0%	68.0%
Grade 10	8.3%	13.5%	38.5%	61.5%
Grade 11	6.2%	14.1%	38.5%	61.5%
Grade 12	10.5%	17.3%	43.0%	57.0%
Liquor?				
All	11.3%	17.6%	37.6%	62.4%
Grade 7	4.8%	6.7%	18.9%	81.1%
Grade 8	5.4%	7.4%	26.4%	73.6%
Grade 9	10.9%	19.1%	38.3%	61.7%
Grade 10	14.2%	20.3%	44.1%	55.9%
Grade 11	16.4%	25.9%	50.3%	49.7%
Grade 12	18.7%	30.7%	54.4%	45.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 6 of 125

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	58.5%	0.3%	1.7%	6.0%	11.5%	10.8%	11.2%
Grade 7	77.9%	0.0%	0.5%	1.1%	7.0%	4.4%	9.0%
Grade 8	68.0%	0.1%	0.7%	2.9%	8.7%	8.7%	10.9%
Grade 9	57.9%	0.3%	2.6%	5.4%	11.8%	9.9%	12.2%
Grade 10	52.1%	0.7%	2.3%	7.8%	13.4%	12.4%	11.3%
Grade 11	46.6%	0.1%	2.7%	8.8%	14.2%	14.9%	12.6%
Grade 12	42.6%	1.0%	1.7%	11.6%	15.5%	15.9%	11.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	60.8%	39.2%	10.3%	16.9%	12.0%
	Grade 7	74.8%	25.2%	2.7%	11.3%	11.3%
	Grade 8	64.3%	35.7%	5.0%	15.3%	15.4%
	Grade 9	62.2%	37.8%	9.1%	16.7%	12.0%
	Grade 10	56.2%	43.8%	13.2%	19.4%	11.3%
	Grade 11	51.1%	48.9%	16.9%	20.1%	12.0%
	Grade 12	52.1%	47.9%	18.2%	20.4%	9.2%
<b>Wine Coolers</b>						
	All	70.0%	30.0%	7.5%	15.6%	6.9%
	Grade 7	83.7%	16.3%	2.4%	7.7%	6.1%
	Grade 8	78.5%	21.5%	4.8%	9.0%	7.8%
	Grade 9	71.2%	28.8%	5.8%	14.5%	8.4%
	Grade 10	64.9%	35.1%	9.9%	19.2%	6.0%
	Grade 11	60.1%	39.9%	10.1%	23.4%	6.5%
	Grade 12	56.9%	43.1%	14.2%	22.6%	6.3%
<b>Wine</b>						
	All	72.2%	27.8%	3.1%	13.9%	10.8%
	Grade 7	81.9%	18.1%	1.9%	7.0%	9.2%
	Grade 8	77.3%	22.7%	2.3%	11.1%	9.3%
	Grade 9	71.7%	28.3%	2.7%	14.1%	11.5%
	Grade 10	68.1%	31.9%	4.3%	15.8%	11.7%
	Grade 11	67.5%	32.5%	2.9%	17.4%	12.2%
	Grade 12	63.4%	36.6%	5.1%	20.1%	11.4%
<b>Liquor</b>						
	All	65.0%	35.0%	9.5%	16.2%	9.3%
	Grade 7	84.0%	16.0%	2.0%	7.6%	6.4%
	Grade 8	76.0%	24.0%	3.9%	11.0%	9.1%
	Grade 9	64.9%	35.1%	10.1%	14.6%	10.3%
	Grade 10	58.8%	41.2%	11.3%	19.7%	10.2%
	Grade 11	51.6%	48.4%	16.2%	20.9%	11.4%
	Grade 12	48.6%	51.4%	16.1%	26.3%	9.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	88.3%	4.8%	2.2%	1.7%	1.0%	2.0%
Grade 7	94.2%	2.7%	1.3%	0.5%	0.5%	0.9%
Grade 8	92.8%	4.6%	1.0%	0.5%	0.0%	1.1%
Grade 9	88.2%	3.9%	1.7%	1.8%	0.9%	3.5%
Grade 10	86.1%	3.6%	3.6%	3.4%	1.1%	2.1%
Grade 11	82.4%	8.2%	3.1%	2.1%	2.1%	2.1%
Grade 12	84.1%	6.2%	2.7%	2.7%	1.9%	2.5%

**Table A-5: Average Age of First Use of Alcohol**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.0	10.3	11.3	12.6	13.1	14.3	14.8

**Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	19.2%	14.6%	7.7%	12.5%	18.8%	27.2%
Grade 7	32.2%	28.2%	6.7%	9.4%	10.4%	13.2%
Grade 8	23.6%	18.2%	8.2%	14.2%	16.4%	19.6%
Grade 9	16.2%	13.7%	9.8%	12.8%	19.5%	28.0%
Grade 10	12.6%	11.9%	7.5%	12.5%	22.7%	32.8%
Grade 11	14.1%	6.0%	7.4%	13.1%	21.9%	37.6%
Grade 12	13.9%	6.5%	6.6%	13.5%	23.8%	35.8%

**Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.4%	2.8%	0.5%	0.4%
Grade 7	97.5%	2.4%	0.1%	0.0%
Grade 8	96.8%	2.8%	0.1%	0.3%
Grade 9	94.7%	3.4%	0.9%	1.0%
Grade 10	95.1%	3.9%	0.5%	0.5%
Grade 11	97.3%	2.2%	0.3%	0.2%
Grade 12	96.6%	2.0%	1.1%	0.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 9 of 125

**Table A-8: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.4
Alcohol Non-Users	3.5
Average Days Conduct Problems Reported	
Alcohol Users	1.8
Alcohol Non-Users	0.8

**Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	94.3%	4.2%	0.9%	0.6%
Grade 9	96.9%	2.9%	0.1%	0.2%
Grade 10	94.6%	2.8%	2.1%	0.5%
Grade 11	93.2%	5.6%	0.7%	0.5%
Grade 12	92.1%	6.0%	0.7%	1.3%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	95.8%	3.5%	0.4%	0.4%
Grade 7	99.6%	0.4%	0.0%	0.0%
Grade 8	96.8%	2.8%	0.3%	0.1%
Grade 9	95.2%	3.9%	0.3%	0.6%
Grade 10	94.1%	4.1%	0.5%	1.2%
Grade 11	93.5%	5.6%	0.7%	0.2%
Grade 12	94.9%	4.8%	0.3%	0.0%

**Table A-10: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	43.5%	27.9%	13.9%	12.0%	2.6%
Grade 7	75.6%	17.0%	4.3%	2.9%	0.2%
Grade 8	52.0%	27.4%	10.9%	8.1%	1.5%
Grade 9	40.8%	32.3%	12.3%	13.1%	1.5%
Grade 10	32.3%	31.2%	16.7%	15.5%	4.2%
Grade 11	25.3%	33.4%	20.0%	17.0%	4.3%
Grade 12	28.1%	27.5%	22.1%	17.8%	4.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 10 of 125

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	48.1%	6.2%	4.1%	7.5%	9.3%	1.3%	23.4%
Grade 7	70.7%	6.1%	3.7%	2.9%	1.6%	1.4%	13.5%
Grade 8	62.9%	7.3%	2.4%	3.3%	3.1%	1.6%	19.4%
Grade 9	41.6%	6.8%	5.3%	8.8%	8.0%	1.8%	27.7%
Grade 10	37.9%	6.5%	7.2%	9.7%	11.2%	0.9%	26.7%
Grade 11	35.2%	4.1%	3.2%	11.8%	16.5%	1.1%	28.1%
Grade 12	33.9%	6.4%	3.1%	10.1%	18.6%	0.7%	27.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>Home?</b>						
	All	58.3%	18.4%	17.3%	4.0%	2.0%
	Grade 7	72.0%	14.4%	10.4%	1.8%	1.4%
	Grade 8	61.5%	19.0%	16.0%	3.0%	0.6%
	Grade 9	56.2%	19.5%	18.7%	3.9%	1.8%
	Grade 10	54.5%	18.3%	18.6%	5.1%	3.4%
	Grade 11	50.9%	20.0%	21.1%	5.2%	2.8%
	Grade 12	51.3%	19.6%	21.1%	5.8%	2.3%
<b>Friends?</b>						
	All	57.9%	16.9%	12.7%	9.7%	2.7%
	Grade 7	75.7%	16.7%	4.1%	3.0%	0.5%
	Grade 8	63.8%	20.1%	10.4%	4.2%	1.6%
	Grade 9	56.2%	19.8%	12.5%	9.2%	2.3%
	Grade 10	53.4%	14.6%	16.5%	12.0%	3.5%
	Grade 11	47.6%	15.4%	17.9%	14.1%	5.1%
	Grade 12	46.1%	14.0%	17.1%	18.5%	4.3%
<b>A Store?</b>						
	All	61.2%	32.6%	3.6%	1.6%	1.0%
	Grade 7	76.4%	21.5%	1.3%	0.5%	0.4%
	Grade 8	67.3%	29.2%	3.0%	0.5%	0.1%
	Grade 9	58.4%	37.1%	2.4%	1.1%	0.9%
	Grade 10	57.3%	34.3%	4.5%	1.9%	2.0%
	Grade 11	53.4%	38.4%	5.4%	1.9%	0.9%
	Grade 12	50.0%	38.3%	5.7%	4.2%	1.7%
<b>Parties?</b>						
	All	58.2%	17.9%	9.5%	7.8%	6.6%
	Grade 7	72.2%	16.7%	6.0%	4.0%	1.1%
	Grade 8	64.3%	21.7%	7.4%	4.2%	2.3%
	Grade 9	57.4%	19.5%	7.9%	7.4%	7.8%
	Grade 10	54.0%	15.0%	12.3%	9.0%	9.6%
	Grade 11	48.8%	18.3%	12.3%	11.0%	9.5%
	Grade 12	48.2%	15.4%	12.3%	13.2%	10.9%
<b>Other Sources?</b>						
	All	60.5%	22.3%	9.5%	4.4%	3.3%
	Grade 7	73.4%	18.5%	5.6%	1.5%	1.0%
	Grade 8	65.2%	21.6%	10.2%	1.8%	1.2%
	Grade 9	58.3%	23.2%	9.9%	5.2%	3.4%
	Grade 10	57.7%	22.8%	8.3%	5.6%	5.7%
	Grade 11	53.5%	24.6%	11.2%	6.4%	4.4%
	Grade 12	51.2%	23.9%	13.2%	6.9%	4.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	61.4%	15.0%	12.4%	3.4%	1.2%	6.5%
Grade 7	75.8%	8.5%	4.6%	1.8%	0.7%	8.7%
Grade 8	71.6%	12.3%	6.7%	2.3%	1.2%	5.8%
Grade 9	60.7%	16.0%	12.8%	3.9%	0.7%	5.9%
Grade 10	55.8%	17.1%	15.5%	4.9%	1.6%	5.1%
Grade 11	52.9%	17.9%	17.7%	3.1%	1.7%	6.6%
Grade 12	47.0%	20.0%	19.5%	5.2%	1.5%	6.8%

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	51.0%	31.2%	12.0%	2.1%	3.7%
Grade 7	65.7%	21.3%	8.6%	1.1%	3.4%
Grade 8	56.1%	28.5%	9.1%	2.6%	3.7%
Grade 9	46.5%	34.1%	12.6%	2.2%	4.6%
Grade 10	45.2%	34.1%	15.3%	2.8%	2.6%
Grade 11	46.1%	34.7%	13.9%	1.9%	3.4%
Grade 12	43.2%	36.7%	13.7%	2.2%	4.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	9.2%	12.9%	19.7%	80.3%
Grade 7	3.8%	5.3%	7.8%	92.2%
Grade 8	4.4%	7.3%	10.3%	89.7%
Grade 9	10.9%	13.2%	19.4%	80.6%
Grade 10	11.2%	16.3%	25.2%	74.8%
Grade 11	13.0%	18.4%	29.3%	70.7%
Grade 12	13.9%	20.0%	30.9%	69.1%
<b>Marijuana?</b>				
All	9.0%	11.4%	18.6%	81.4%
Grade 7	3.4%	4.2%	6.4%	93.6%
Grade 8	4.4%	5.8%	9.2%	90.8%
Grade 9	10.8%	11.8%	18.4%	81.6%
Grade 10	10.9%	14.5%	23.9%	76.1%
Grade 11	12.9%	17.1%	28.6%	71.4%
Grade 12	13.6%	18.3%	30.5%	69.5%
<b>Cocaine?</b>				
All	0.7%	0.8%	1.7%	98.3%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	1.2%	1.3%	1.6%	98.4%
Grade 10	0.6%	0.6%	2.1%	97.9%
Grade 11	0.6%	0.7%	2.2%	97.8%
Grade 12	1.2%	1.8%	3.0%	97.0%
<b>Crack?</b>				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	0.8%	0.8%	1.1%	98.9%
Grade 12	0.2%	0.2%	0.5%	99.5%
<b>Hallucinogens?</b>				
All	0.6%	0.9%	1.9%	98.1%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	1.0%	1.6%	2.0%	98.0%
Grade 10	1.3%	1.8%	3.6%	96.4%
Grade 11	0.5%	1.1%	3.5%	96.5%
Grade 12	0.4%	0.8%	1.9%	98.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids?				
All	0.4%	0.5%	1.6%	98.4%
Grade 7	0.2%	0.5%	1.7%	98.3%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	0.5%	0.5%	1.4%	98.6%
Grade 10	0.4%	0.5%	2.0%	98.0%
Grade 11	0.6%	1.0%	1.8%	98.2%
Grade 12	0.2%	0.3%	1.6%	98.4%
Ecstasy?				
All	0.2%	0.3%	1.3%	98.7%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.5%	99.5%
Grade 9	0.1%	0.3%	1.1%	98.9%
Grade 10	0.6%	0.9%	2.6%	97.4%
Grade 11	0.2%	0.2%	1.6%	98.4%
Grade 12	0.5%	0.5%	1.7%	98.3%
Heroin?				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.1%	0.1%	0.2%	99.8%
Methamphetamine?				
All	0.3%	0.3%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.0%	0.1%	0.6%	99.4%
Grade 9	0.5%	0.5%	1.1%	98.9%
Grade 10	0.2%	0.3%	1.2%	98.8%
Grade 11	0.3%	0.6%	1.2%	98.8%
Grade 12	0.3%	0.3%	0.4%	99.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.5%	0.9%	2.7%	97.3%
Grade 7	0.1%	0.7%	1.3%	98.7%
Grade 8	0.5%	0.8%	2.1%	97.9%
Grade 9	1.2%	1.9%	3.7%	96.3%
Grade 10	0.1%	1.0%	2.5%	97.5%
Grade 11	0.8%	1.1%	3.4%	96.6%
Grade 12	0.1%	0.1%	3.9%	96.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 16 of 125

**Table D-2: How Often Do You Normally Use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	84.5%	1.6%	1.6%	1.8%	3.0%	3.3%	4.2%
	Grade 7	94.3%	0.2%	0.4%	1.2%	0.8%	1.6%	1.5%
	Grade 8	93.3%	1.0%	0.4%	0.7%	1.8%	1.3%	1.5%
	Grade 9	85.1%	2.4%	1.2%	2.3%	3.1%	2.2%	3.7%
	Grade 10	80.4%	2.1%	2.5%	2.3%	3.0%	5.0%	4.7%
	Grade 11	77.1%	0.8%	2.8%	2.2%	5.8%	5.2%	6.2%
	Grade 12	73.2%	3.6%	2.5%	2.5%	4.2%	5.2%	8.8%
Cocaine?								
	All	98.9%	0.0%	0.0%	0.0%	0.2%	0.2%	0.7%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
	Grade 9	99.1%	0.0%	0.1%	0.0%	0.4%	0.1%	0.4%
	Grade 10	98.3%	0.2%	0.0%	0.0%	0.1%	0.0%	1.3%
	Grade 11	98.5%	0.0%	0.0%	0.2%	0.1%	0.1%	1.2%
	Grade 12	97.4%	0.0%	0.1%	0.1%	1.0%	0.5%	1.0%
Crack?								
	All	99.7%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	99.6%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
	Grade 10	99.6%	0.1%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 11	99.4%	0.1%	0.2%	0.0%	0.2%	0.0%	0.2%
	Grade 12	99.5%	0.2%	0.0%	0.0%	0.0%	0.0%	0.3%
Steroids?								
	All	99.0%	0.1%	0.0%	0.1%	0.1%	0.2%	0.5%
	Grade 7	99.0%	0.2%	0.1%	0.0%	0.0%	0.3%	0.4%
	Grade 8	99.5%	0.0%	0.0%	0.2%	0.0%	0.2%	0.0%
	Grade 9	99.1%	0.0%	0.0%	0.0%	0.2%	0.2%	0.4%
	Grade 10	98.7%	0.1%	0.1%	0.0%	0.2%	0.2%	0.8%
	Grade 11	98.9%	0.2%	0.0%	0.1%	0.4%	0.1%	0.3%
	Grade 12	99.0%	0.0%	0.2%	0.0%	0.1%	0.0%	0.7%
Ecstasy?								
	All	99.1%	0.0%	0.1%	0.0%	0.1%	0.2%	0.5%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 9	99.4%	0.0%	0.1%	0.0%	0.2%	0.0%	0.3%
	Grade 10	97.8%	0.2%	0.2%	0.0%	0.1%	0.7%	1.0%
	Grade 11	98.8%	0.0%	0.2%	0.1%	0.0%	0.1%	0.9%
	Grade 12	98.8%	0.0%	0.0%	0.1%	0.0%	0.5%	0.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.8%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	99.8%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	99.8%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%
	Grade 12	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
Methamphetamine?								
	All	99.5%	0.0%	0.1%	0.0%	0.1%	0.0%	0.3%
	Grade 7	99.6%	0.0%	0.2%	0.0%	0.0%	0.0%	0.3%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 9	99.1%	0.0%	0.4%	0.0%	0.2%	0.0%	0.3%
	Grade 10	99.5%	0.2%	0.1%	0.0%	0.1%	0.0%	0.2%
	Grade 11	99.3%	0.0%	0.2%	0.0%	0.0%	0.0%	0.5%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.2%	0.0%	0.1%
Synthetic Marijuana?								
	All	98.3%	0.1%	0.1%	0.1%	0.3%	0.4%	0.8%
	Grade 7	99.3%	0.0%	0.0%	0.0%	0.1%	0.6%	0.0%
	Grade 8	98.8%	0.2%	0.1%	0.0%	0.1%	0.1%	0.7%
	Grade 9	97.4%	0.2%	0.0%	0.5%	0.5%	0.1%	1.4%
	Grade 10	98.3%	0.1%	0.0%	0.0%	0.4%	0.4%	0.8%
	Grade 11	98.4%	0.0%	0.2%	0.0%	0.5%	0.3%	0.7%
	Grade 12	97.5%	0.0%	0.0%	0.0%	0.1%	0.9%	1.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.0	12.0	12.3	12.9	13.8	14.7	15.4
Cocaine	14.7	8.6	12.5	13.9	14.4	14.3	16.5
Crack	14.3	8.0	N/A	13.5	15.5	15.8	15.3
Steroids	12.7	11.1	9.9	12.5	12.5	14.9	14.8
Ecstasy	14.8	13.6	13.9	13.1	13.9	15.7	17.2
Heroin	12.9	9.9	N/A	11.4	13.8	16.0	14.4
Methamphetamine	13.4	10.5	N/A	13.4	14.0	15.2	14.1
Synthetic Marijuana	13.6	12.6	12.4	13.3	13.8	15.4	13.9

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 19 of 125

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	26.4%	27.0%	8.7%	9.8%	12.0%	16.2%
	Grade 7	40.5%	41.3%	6.1%	3.5%	3.6%	4.9%
	Grade 8	31.2%	36.5%	9.7%	5.9%	7.1%	9.5%
	Grade 9	23.0%	29.6%	10.0%	9.2%	12.2%	16.0%
	Grade 10	18.7%	23.2%	8.9%	15.3%	14.9%	19.0%
	Grade 11	20.8%	14.2%	9.7%	12.4%	17.9%	25.0%
	Grade 12	20.9%	12.4%	7.6%	14.0%	18.5%	26.5%
Cocaine?							
	All	36.1%	37.5%	12.6%	7.1%	3.2%	3.6%
	Grade 7	45.9%	44.0%	4.9%	2.7%	1.6%	0.8%
	Grade 8	35.6%	45.7%	8.9%	4.5%	2.6%	2.6%
	Grade 9	33.6%	39.4%	12.8%	6.6%	3.3%	4.3%
	Grade 10	31.0%	38.3%	16.4%	8.8%	2.8%	2.7%
	Grade 11	34.2%	27.7%	17.9%	9.8%	3.8%	6.5%
	Grade 12	34.5%	26.8%	16.3%	11.4%	5.5%	5.5%
Crack?							
	All	37.4%	38.5%	12.2%	6.4%	2.5%	3.1%
	Grade 7	46.3%	44.0%	4.1%	3.5%	1.4%	0.7%
	Grade 8	36.8%	45.3%	10.1%	4.3%	1.6%	1.8%
	Grade 9	35.3%	39.8%	12.1%	5.7%	3.1%	4.0%
	Grade 10	32.0%	40.2%	15.4%	7.5%	2.3%	2.7%
	Grade 11	36.0%	30.7%	17.0%	8.0%	2.9%	5.4%
	Grade 12	36.7%	27.9%	16.5%	10.6%	3.8%	4.6%
Steroids?							
	All	37.7%	36.8%	11.5%	7.1%	3.3%	3.6%
	Grade 7	47.2%	41.6%	4.9%	3.9%	1.9%	0.5%
	Grade 8	38.4%	42.7%	7.2%	6.8%	2.7%	2.2%
	Grade 9	35.3%	40.1%	10.7%	6.2%	3.4%	4.3%
	Grade 10	31.7%	37.1%	16.5%	7.5%	3.7%	3.5%
	Grade 11	35.5%	30.0%	14.6%	9.6%	4.2%	6.1%
	Grade 12	36.7%	27.1%	16.9%	9.3%	4.4%	5.5%
Ecstasy?							
	All	47.7%	31.8%	10.1%	5.2%	2.1%	3.1%
	Grade 7	62.8%	31.0%	3.0%	1.9%	1.0%	0.3%
	Grade 8	50.0%	36.9%	7.1%	2.3%	1.6%	2.1%
	Grade 9	46.6%	33.6%	9.0%	4.9%	1.7%	4.2%
	Grade 10	39.5%	36.2%	13.1%	6.0%	2.4%	2.7%
	Grade 11	42.5%	26.2%	14.1%	9.5%	2.3%	5.4%
	Grade 12	41.8%	25.3%	16.4%	7.7%	3.9%	4.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	41.7%	38.6%	11.4%	4.2%	1.7%	2.5%
	Grade 7	51.8%	40.3%	4.4%	1.5%	1.5%	0.4%
	Grade 8	42.2%	43.5%	7.3%	4.6%	0.8%	1.7%
	Grade 9	41.1%	40.0%	10.1%	4.0%	1.3%	3.5%
	Grade 10	33.5%	43.0%	15.7%	4.2%	1.6%	2.1%
	Grade 11	39.5%	33.1%	14.7%	5.9%	2.4%	4.4%
	Grade 12	40.2%	29.5%	18.3%	5.6%	2.7%	3.7%
<b>Methamphetamine?</b>							
	All	44.1%	35.7%	9.8%	4.9%	2.4%	3.0%
	Grade 7	56.5%	37.0%	3.6%	1.0%	1.4%	0.5%
	Grade 8	45.1%	40.7%	7.4%	3.4%	1.7%	1.8%
	Grade 9	42.6%	37.8%	9.5%	4.3%	1.9%	3.8%
	Grade 10	36.4%	39.3%	12.6%	6.6%	2.8%	2.4%
	Grade 11	39.9%	31.0%	12.1%	7.4%	3.7%	5.8%
	Grade 12	42.0%	26.8%	15.2%	7.8%	3.5%	4.8%
<b>Synthetic Marijuana?</b>							
	All	46.4%	30.9%	8.9%	5.5%	3.7%	4.6%
	Grade 7	61.2%	32.3%	2.9%	1.2%	1.3%	1.2%
	Grade 8	47.2%	36.7%	6.7%	2.5%	3.2%	3.7%
	Grade 9	46.7%	30.7%	7.3%	5.4%	4.2%	5.6%
	Grade 10	37.4%	35.2%	12.7%	7.8%	3.2%	3.8%
	Grade 11	41.5%	25.2%	12.5%	7.9%	5.3%	7.7%
	Grade 12	42.0%	23.9%	12.7%	9.5%	5.4%	6.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	95.1%	2.7%	0.8%	1.4%
Grade 7	98.2%	1.4%	0.4%	0.0%
Grade 8	97.0%	1.9%	0.5%	0.6%
Grade 9	93.2%	2.7%	1.7%	2.4%
Grade 10	94.1%	3.6%	0.7%	1.6%
Grade 11	95.0%	3.4%	0.6%	1.0%
Grade 12	91.9%	3.7%	1.1%	3.3%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	98.0%	1.4%	0.4%	0.2%
Grade 7	99.1%	0.4%	0.4%	0.1%
Grade 8	98.2%	1.6%	0.1%	0.2%
Grade 9	96.3%	2.5%	0.7%	0.5%
Grade 10	97.7%	1.5%	0.6%	0.3%
Grade 11	98.3%	1.3%	0.1%	0.2%
Grade 12	98.2%	1.1%	0.5%	0.2%

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	5.1
Marijuana Non-Users	3.7
Average Days Conduct Problems Reported	
Marijuana Users	3.1
Marijuana Non-Users	0.9

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	94.7%	3.1%	0.6%	1.5%
Grade 9	97.0%	2.0%	0.4%	0.6%
Grade 10	97.0%	1.2%	0.9%	1.0%
Grade 11	94.3%	3.9%	0.5%	1.2%
Grade 12	90.0%	5.7%	0.7%	3.6%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.4%	2.2%	0.2%	0.2%
Grade 7	99.5%	0.5%	0.0%	0.0%
Grade 8	97.6%	2.1%	0.3%	0.1%
Grade 9	97.6%	2.4%	0.0%	0.1%
Grade 10	96.0%	2.6%	0.7%	0.7%
Grade 11	96.2%	3.3%	0.3%	0.2%
Grade 12	97.1%	2.8%	0.1%	0.0%

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	62.2%	20.3%	8.8%	6.7%	2.1%
Grade 7	86.9%	7.5%	3.5%	1.9%	0.1%
Grade 8	75.4%	13.2%	5.1%	5.5%	0.8%
Grade 9	62.0%	20.2%	7.8%	6.9%	3.1%
Grade 10	50.3%	27.6%	10.8%	8.1%	3.2%
Grade 11	45.1%	30.0%	13.8%	8.1%	3.0%
Grade 12	46.7%	26.5%	13.7%	10.7%	2.4%

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	58.1%	5.3%	3.7%	3.6%	4.1%	1.8%	23.3%
Grade 7	81.0%	2.2%	0.9%	1.0%	0.9%	0.8%	13.2%
Grade 8	72.1%	3.0%	2.1%	1.6%	0.8%	1.1%	19.2%
Grade 9	52.1%	5.2%	5.0%	4.1%	3.9%	2.0%	27.7%
Grade 10	49.5%	6.9%	3.5%	6.5%	4.5%	2.6%	26.5%
Grade 11	43.8%	7.4%	5.6%	4.5%	7.8%	2.6%	28.3%
Grade 12	43.6%	8.5%	6.0%	4.7%	8.0%	1.7%	27.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.1%	6.0%	6.9%	1.5%	1.4%	6.1%
Grade 7	84.7%	3.0%	2.4%	1.1%	0.4%	8.4%
Grade 8	83.7%	5.2%	4.0%	1.0%	1.5%	4.5%
Grade 9	81.1%	4.2%	7.0%	1.2%	1.3%	5.2%
Grade 10	74.4%	7.4%	9.4%	1.3%	2.0%	5.4%
Grade 11	71.8%	8.3%	10.1%	2.4%	1.5%	5.9%
Grade 12	70.6%	8.4%	10.1%	1.8%	2.1%	7.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	61.7%	13.4%	9.9%	10.9%	4.2%
	Grade 7	83.3%	6.7%	3.6%	2.8%	3.6%
	Grade 8	76.7%	10.5%	3.9%	5.7%	3.2%
	Grade 9	60.6%	15.0%	9.4%	9.9%	5.1%
	Grade 10	54.3%	16.2%	11.2%	14.3%	4.0%
	Grade 11	44.9%	16.3%	16.4%	18.3%	4.0%
	Grade 12	43.3%	17.1%	17.3%	16.8%	5.5%
Cocaine?						
	All	90.6%	3.9%	0.6%	0.4%	4.5%
	Grade 7	92.0%	3.8%	0.6%	0.1%	3.5%
	Grade 8	93.2%	3.3%	0.0%	0.0%	3.6%
	Grade 9	86.7%	5.5%	0.8%	1.0%	6.1%
	Grade 10	92.0%	3.1%	0.4%	0.2%	4.3%
	Grade 11	91.4%	3.2%	0.9%	0.9%	3.6%
	Grade 12	87.8%	4.5%	1.1%	0.4%	6.2%
Crack?						
	All	91.3%	3.3%	0.5%	0.5%	4.5%
	Grade 7	92.7%	3.0%	0.4%	0.4%	3.5%
	Grade 8	93.7%	3.1%	0.0%	0.2%	3.0%
	Grade 9	88.0%	5.1%	0.6%	0.8%	5.5%
	Grade 10	92.3%	2.9%	0.4%	0.2%	4.3%
	Grade 11	91.7%	2.4%	0.8%	0.8%	4.4%
	Grade 12	88.8%	3.3%	0.9%	0.4%	6.6%
Ecstasy?						
	All	85.2%	5.6%	1.3%	0.7%	7.2%
	Grade 7	88.0%	3.7%	0.3%	0.6%	7.5%
	Grade 8	89.1%	4.9%	0.2%	0.2%	5.7%
	Grade 9	81.5%	6.6%	1.6%	1.1%	9.3%
	Grade 10	86.1%	6.3%	1.2%	0.5%	6.0%
	Grade 11	84.0%	5.9%	2.2%	1.1%	6.7%
	Grade 12	81.4%	6.8%	2.6%	0.8%	8.3%
Steroids?						
	All	78.6%	11.5%	3.0%	1.0%	5.9%
	Grade 7	85.0%	7.0%	1.6%	0.5%	5.9%
	Grade 8	82.6%	10.0%	2.1%	0.6%	4.7%
	Grade 9	75.7%	13.2%	2.9%	1.6%	6.6%
	Grade 10	77.6%	12.2%	4.3%	0.6%	5.3%
	Grade 11	75.3%	14.2%	3.5%	1.2%	5.9%
	Grade 12	73.6%	13.4%	4.1%	1.4%	7.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Heroin?</b>						
	All	90.6%	3.1%	0.6%	0.5%	5.1%
	Grade 7	91.1%	3.4%	0.5%	0.4%	4.7%
	Grade 8	92.5%	2.9%	0.7%	0.0%	4.0%
	Grade 9	86.8%	5.0%	0.7%	0.9%	6.6%
	Grade 10	92.5%	2.6%	0.6%	0.2%	4.1%
	Grade 11	92.1%	1.6%	0.6%	1.0%	4.8%
	Grade 12	88.6%	3.3%	0.9%	0.4%	6.9%
<b>Methamphetamine?</b>						
	All	90.4%	2.9%	0.7%	0.5%	5.4%
	Grade 7	90.6%	2.9%	0.3%	0.4%	5.8%
	Grade 8	93.4%	2.0%	0.7%	0.2%	3.7%
	Grade 9	86.6%	4.8%	0.9%	0.8%	6.8%
	Grade 10	91.4%	3.1%	0.7%	0.5%	4.3%
	Grade 11	91.6%	2.0%	0.6%	1.0%	4.9%
	Grade 12	88.3%	3.0%	1.1%	0.4%	7.2%
<b>Synthetic Marijuana?</b>						
	All	84.1%	5.9%	1.8%	1.1%	7.1%
	Grade 7	88.8%	3.5%	0.7%	0.7%	6.3%
	Grade 8	87.6%	4.8%	1.3%	0.7%	5.6%
	Grade 9	80.2%	7.3%	2.6%	1.5%	8.5%
	Grade 10	85.0%	6.6%	2.0%	0.6%	5.8%
	Grade 11	81.1%	7.3%	2.3%	1.4%	7.9%
	Grade 12	80.6%	6.7%	2.1%	1.7%	8.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	6.5%	9.7%	18.6%	81.4%
Grade 7	6.9%	9.2%	14.9%	85.1%
Grade 8	5.1%	6.9%	16.4%	83.6%
Grade 9	8.6%	12.4%	21.3%	78.7%
Grade 10	6.0%	10.9%	20.2%	79.8%
Grade 11	4.6%	8.8%	18.6%	81.4%
Grade 12	7.5%	10.3%	21.0%	79.0%
<b>Codeine Cough Syrup?</b>				
All	3.1%	5.2%	12.5%	87.5%
Grade 7	3.6%	5.3%	9.7%	90.3%
Grade 8	2.0%	3.0%	12.0%	88.0%
Grade 9	4.4%	7.5%	15.6%	84.4%
Grade 10	2.6%	5.9%	13.4%	86.6%
Grade 11	2.7%	4.9%	11.0%	89.0%
Grade 12	3.5%	4.8%	13.6%	86.4%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	1.3%	2.1%	4.7%	95.3%
Grade 7	0.5%	0.9%	1.5%	98.5%
Grade 8	0.8%	0.9%	2.9%	97.1%
Grade 9	2.0%	3.0%	5.0%	95.0%
Grade 10	0.9%	2.0%	4.6%	95.4%
Grade 11	0.8%	2.2%	7.3%	92.7%
Grade 12	2.9%	3.7%	7.9%	92.1%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	1.4%	2.0%	5.0%	95.0%
Grade 7	0.7%	1.3%	2.6%	97.4%
Grade 8	0.9%	1.2%	2.9%	97.1%
Grade 9	2.7%	3.9%	5.5%	94.5%
Grade 10	1.1%	1.9%	4.9%	95.1%
Grade 11	1.4%	2.1%	7.9%	92.1%
Grade 12	1.5%	2.0%	7.2%	92.8%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	1.6%	1.9%	4.2%	95.8%
Grade 7	0.5%	0.5%	2.0%	98.0%
Grade 8	0.8%	0.8%	1.8%	98.2%
Grade 9	1.9%	2.3%	3.3%	96.7%
Grade 10	2.0%	2.4%	5.0%	95.0%
Grade 11	1.2%	1.8%	5.6%	94.4%
Grade 12	3.5%	4.1%	8.6%	91.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.0%	4.4%	8.6%	91.4%
Grade 7	4.4%	5.7%	9.6%	90.4%
Grade 8	2.8%	3.5%	8.2%	91.8%
Grade 9	4.8%	6.6%	10.6%	89.4%
Grade 10	2.4%	4.4%	8.2%	91.8%
Grade 11	1.1%	2.4%	7.4%	92.6%
Grade 12	2.4%	3.3%	7.3%	92.7%

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	0.8%	1.1%	3.0%	97.0%
Grade 7	0.9%	1.5%	2.3%	97.7%
Grade 8	1.1%	1.6%	3.6%	96.4%
Grade 9	0.7%	0.9%	2.8%	97.2%
Grade 10	1.0%	1.5%	4.2%	95.8%
Grade 11	0.7%	0.7%	2.5%	97.5%
Grade 12	0.2%	0.5%	2.3%	97.7%

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	80.4%	10.7%	2.6%	0.9%	5.4%
Grade 7	86.8%	6.5%	1.9%	0.8%	4.0%
Grade 8	83.9%	8.4%	1.8%	0.9%	5.0%
Grade 9	75.2%	14.1%	3.0%	1.0%	6.7%
Grade 10	80.8%	10.7%	3.8%	0.6%	4.2%
Grade 11	79.6%	11.7%	2.2%	1.3%	5.2%
Grade 12	74.2%	13.9%	3.3%	0.7%	7.9%

*Percentages have been weighted to reflect proportions within the population.*

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	3.9%	5.7%	12.2%	87.8%
Grade 7	5.6%	7.6%	14.7%	85.3%
Grade 8	5.0%	7.7%	15.3%	84.7%
Grade 9	4.1%	7.0%	12.8%	87.2%
Grade 10	2.3%	3.3%	9.0%	91.0%
Grade 11	3.1%	4.5%	10.8%	89.2%
Grade 12	2.6%	3.3%	9.7%	90.3%
Spray Paint?				
All	0.5%	0.8%	2.3%	97.7%
Grade 7	0.9%	1.5%	2.7%	97.3%
Grade 8	0.2%	0.4%	2.6%	97.4%
Grade 9	0.2%	0.3%	2.4%	97.6%
Grade 10	0.5%	0.6%	1.8%	98.2%
Grade 11	0.5%	0.6%	1.3%	98.7%
Grade 12	1.0%	1.2%	3.2%	96.8%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.0%	1.5%	4.5%	95.5%
Grade 7	2.2%	2.8%	7.0%	93.0%
Grade 8	1.2%	2.1%	6.0%	94.0%
Grade 9	0.6%	1.4%	4.2%	95.8%
Grade 10	0.2%	0.7%	2.5%	97.5%
Grade 11	0.5%	0.7%	2.8%	97.2%
Grade 12	0.8%	0.9%	4.0%	96.0%
Computer Dusting Sprays?				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	0.1%	0.7%	1.6%	98.4%
Grade 9	0.2%	0.2%	1.0%	99.0%
Grade 10	0.2%	0.4%	0.9%	99.1%
Grade 11	0.5%	0.5%	0.8%	99.2%
Grade 12	0.7%	0.9%	2.2%	97.8%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.2%	2.3%	6.7%	93.3%
Grade 7	2.1%	3.2%	7.7%	92.3%
Grade 8	1.5%	2.7%	8.8%	91.2%
Grade 9	0.8%	2.4%	6.6%	93.4%
Grade 10	0.7%	1.5%	4.9%	95.1%
Grade 11	1.1%	2.3%	6.2%	93.8%
Grade 12	1.0%	1.6%	5.6%	94.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 29 of 125



**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.2%	0.5%	1.1%	98.9%
Grade 9	0.4%	0.6%	0.9%	99.1%
Grade 10	0.3%	0.5%	0.7%	99.3%
Grade 11	0.1%	0.2%	0.3%	99.7%
Grade 12	0.4%	0.4%	1.3%	98.7%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.1%	0.3%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.9%	99.1%
Grade 10	0.5%	0.6%	1.1%	98.9%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.4%	0.4%	1.8%	98.2%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.7%	0.9%	2.1%	97.9%
Grade 7	2.0%	2.5%	3.3%	96.7%
Grade 8	0.2%	0.4%	1.9%	98.1%
Grade 9	0.2%	0.6%	2.2%	97.8%
Grade 10	0.5%	0.6%	1.8%	98.2%
Grade 11	0.6%	0.7%	1.4%	98.6%
Grade 12	0.4%	0.4%	1.5%	98.5%
Other Aerosols/Sprays?				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.5%	0.6%	1.3%	98.7%
Grade 8	0.6%	0.9%	1.4%	98.6%
Grade 9	0.6%	0.7%	1.1%	98.9%
Grade 10	0.4%	0.5%	1.2%	98.8%
Grade 11	0.1%	0.2%	0.7%	99.3%
Grade 12	0.4%	0.5%	2.1%	97.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 30 of 125

**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.8%	0.1%	0.2%	0.2%	0.4%	0.6%	1.6%
Grade 7	96.5%	0.1%	0.1%	0.4%	0.9%	0.7%	1.3%
Grade 8	96.2%	0.0%	0.0%	0.3%	0.4%	1.1%	1.9%
Grade 9	96.6%	0.4%	0.2%	0.1%	0.6%	0.2%	1.9%
Grade 10	98.0%	0.1%	0.0%	0.3%	0.5%	0.2%	0.8%
Grade 11	97.3%	0.0%	0.3%	0.0%	0.1%	0.6%	1.8%
Grade 12	96.4%	0.4%	0.4%	0.0%	0.0%	0.6%	2.2%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	89.6%	6.5%	2.8%	1.1%
Grade 7	87.1%	7.4%	4.5%	1.1%
Grade 8	87.0%	9.6%	1.7%	1.7%
Grade 9	89.7%	5.8%	3.8%	0.6%
Grade 10	92.3%	5.0%	1.6%	1.1%
Grade 11	91.0%	6.6%	2.0%	0.5%
Grade 12	91.3%	4.0%	2.9%	1.8%

**Table I-4: Average Age of First Use of Inhalants**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.7	9.8	11.4	11.3	12.7	13.5	12.6

**Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.2%	0.6%	0.1%	0.1%
Grade 7	98.9%	0.7%	0.4%	0.0%
Grade 8	99.1%	0.9%	0.0%	0.0%
Grade 9	98.8%	1.0%	0.2%	0.0%
Grade 10	99.3%	0.3%	0.3%	0.2%
Grade 11	99.6%	0.1%	0.0%	0.2%
Grade 12	99.8%	0.2%	0.0%	0.0%

*Percentages have been weighted to reflect proportions within the population.*

**Table I-6: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	3.5
Inhalant Non-Users	3.8
Average Days Conduct Problems Reported	
Inhalant Users	1.4
Inhalant Non-Users	1.1

**Table I-7: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	92.8%	5.2%	1.4%	0.3%	0.2%
Grade 7	90.1%	7.7%	1.4%	0.7%	0.1%
Grade 8	91.3%	6.0%	2.1%	0.4%	0.3%
Grade 9	92.4%	5.1%	2.0%	0.2%	0.4%
Grade 10	93.3%	4.8%	1.0%	0.3%	0.6%
Grade 11	95.0%	3.2%	1.3%	0.5%	0.0%
Grade 12	95.4%	3.9%	0.6%	0.0%	0.0%

**Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	77.0%	13.0%	3.3%	0.9%	5.8%
Grade 7	80.6%	10.7%	3.2%	0.5%	5.0%
Grade 8	78.2%	11.9%	5.0%	0.5%	4.5%
Grade 9	74.0%	14.8%	4.0%	1.0%	6.2%
Grade 10	78.7%	11.8%	2.1%	1.3%	6.1%
Grade 11	77.6%	13.4%	1.7%	1.5%	5.8%
Grade 12	71.6%	15.9%	3.7%	0.9%	7.8%

**Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	38.7%	18.5%	5.0%	7.1%	9.3%	21.4%
Grade 7	48.9%	26.2%	2.8%	4.3%	6.5%	11.2%
Grade 8	39.6%	22.5%	5.4%	10.0%	7.0%	15.5%
Grade 9	35.4%	19.3%	6.6%	7.2%	9.7%	21.7%
Grade 10	33.6%	18.4%	5.6%	7.1%	11.1%	24.2%
Grade 11	37.4%	11.9%	5.9%	8.0%	9.6%	27.1%
Grade 12	35.8%	10.0%	3.6%	6.1%	12.7%	31.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 32 of 125

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	33.8%
	Grade 7	41.4%
	Grade 8	43.7%
	Grade 9	34.2%
	Grade 10	29.0%
	Grade 11	26.4%
	Grade 12	25.1%
An Assembly Program		
	All	45.4%
	Grade 7	44.3%
	Grade 8	46.3%
	Grade 9	49.7%
	Grade 10	47.6%
	Grade 11	40.8%
	Grade 12	43.0%
Guidance Counselor		
	All	21.9%
	Grade 7	21.6%
	Grade 8	20.5%
	Grade 9	24.3%
	Grade 10	22.3%
	Grade 11	21.6%
	Grade 12	21.1%
School Nurse		
	All	14.6%
	Grade 7	19.0%
	Grade 8	16.1%
	Grade 9	14.0%
	Grade 10	14.9%
	Grade 11	9.3%
	Grade 12	13.6%
Science or Social Studies Class		
	All	25.4%
	Grade 7	33.8%
	Grade 8	27.8%
	Grade 9	28.3%
	Grade 10	22.0%
	Grade 11	19.0%
	Grade 12	19.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 33 of 125

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

		Yes
<b>Student Group or Club Meeting at School</b>		
	All	12.5%
	Grade 7	14.5%
	Grade 8	10.9%
	Grade 9	15.6%
	Grade 10	11.3%
	Grade 11	10.8%
	Grade 12	11.8%
<b>An Invited School Guest</b>		
	All	33.4%
	Grade 7	36.3%
	Grade 8	33.7%
	Grade 9	36.1%
	Grade 10	33.4%
	Grade 11	28.1%
	Grade 12	31.8%
<b>Another Source at School</b>		
	All	28.1%
	Grade 7	31.1%
	Grade 8	29.7%
	Grade 9	32.6%
	Grade 10	27.5%
	Grade 11	24.0%
	Grade 12	22.5%
<b>Any School Source</b>		
	All	63.9%
	Grade 7	67.4%
	Grade 8	68.9%
	Grade 9	66.3%
	Grade 10	62.3%
	Grade 11	58.0%
	Grade 12	58.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	39.0%
	Grade 7	50.2%
	Grade 8	39.8%
	Grade 9	42.3%
	Grade 10	36.9%
	Grade 11	31.5%
	Grade 12	30.6%
<b>School Nurse</b>		
	All	22.3%
	Grade 7	31.5%
	Grade 8	28.8%
	Grade 9	20.2%
	Grade 10	18.8%
	Grade 11	14.9%
	Grade 12	17.2%
<b>Another Adult In School</b>		
	All	42.9%
	Grade 7	48.3%
	Grade 8	45.0%
	Grade 9	42.0%
	Grade 10	42.8%
	Grade 11	39.2%
	Grade 12	38.8%
<b>Counselor/Program Outside-School</b>		
	All	40.9%
	Grade 7	45.6%
	Grade 8	44.6%
	Grade 9	43.2%
	Grade 10	41.7%
	Grade 11	33.1%
	Grade 12	35.3%
<b>Your Parents</b>		
	All	72.4%
	Grade 7	76.5%
	Grade 8	75.1%
	Grade 9	72.4%
	Grade 10	71.9%
	Grade 11	68.1%
	Grade 12	69.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<b>A Medical Doctor</b>		
	All	53.0%
	Grade 7	64.7%
	Grade 8	56.8%
	Grade 9	51.9%
	Grade 10	50.2%
	Grade 11	43.4%
	Grade 12	48.8%
<b>Your Friends</b>		
	All	63.5%
	Grade 7	51.1%
	Grade 8	58.4%
	Grade 9	67.0%
	Grade 10	64.7%
	Grade 11	70.3%
	Grade 12	72.4%
<b>Another Adult</b>		
	All	61.2%
	Grade 7	61.5%
	Grade 8	64.6%
	Grade 9	59.7%
	Grade 10	62.1%
	Grade 11	58.5%
	Grade 12	60.5%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	5.9%
	Grade 7	4.6%
	Grade 8	7.7%
	Grade 9	5.4%
	Grade 10	5.8%
	Grade 11	7.1%
	Grade 12	4.9%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 36 of 125

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	4.4%	19.6%	20.7%	41.0%	14.4%
Grade 7	5.1%	19.4%	17.7%	34.8%	23.1%
Grade 8	5.6%	15.6%	19.9%	43.2%	15.7%
Grade 9	3.6%	23.4%	19.8%	41.9%	11.3%
Grade 10	3.3%	19.0%	23.2%	41.9%	12.6%
Grade 11	4.4%	21.9%	22.8%	39.8%	11.0%
Grade 12	3.9%	18.7%	21.5%	45.2%	10.6%
<b>Sometimes Carry Weapons?</b>					
All	64.1%	21.4%	8.0%	4.8%	1.7%
Grade 7	76.9%	15.0%	3.6%	3.8%	0.7%
Grade 8	73.0%	17.3%	5.1%	3.6%	1.0%
Grade 9	59.8%	23.7%	10.7%	4.3%	1.5%
Grade 10	55.6%	26.2%	9.9%	6.9%	1.4%
Grade 11	58.2%	23.3%	10.5%	4.5%	3.5%
Grade 12	56.9%	24.9%	9.5%	6.1%	2.6%
<b>Care About Making Good Grades?</b>					
All	1.9%	11.9%	23.0%	43.7%	19.5%
Grade 7	2.5%	11.0%	22.8%	36.3%	27.4%
Grade 8	1.4%	11.4%	22.4%	41.3%	23.5%
Grade 9	2.2%	13.4%	25.6%	41.0%	17.7%
Grade 10	2.1%	12.5%	21.2%	48.1%	16.1%
Grade 11	2.1%	11.9%	22.3%	47.4%	16.3%
Grade 12	0.9%	11.2%	24.0%	50.3%	13.5%
<b>Belong/Want to Belong to a Gang?</b>					
All	87.9%	8.1%	2.0%	0.9%	1.1%
Grade 7	86.2%	9.2%	2.0%	1.5%	1.1%
Grade 8	86.5%	9.8%	1.8%	0.9%	1.1%
Grade 9	87.2%	8.8%	2.1%	1.0%	0.9%
Grade 10	86.5%	8.9%	2.7%	0.8%	1.1%
Grade 11	91.5%	6.0%	1.5%	0.3%	0.7%
Grade 12	90.5%	4.8%	2.1%	0.8%	1.8%
<b>Wish They Could Drop Out of School?</b>					
All	47.4%	30.6%	12.6%	5.9%	3.5%
Grade 7	55.8%	25.1%	10.2%	6.3%	2.6%
Grade 8	51.9%	30.2%	9.5%	6.1%	2.4%
Grade 9	43.8%	32.1%	15.1%	6.0%	3.0%
Grade 10	40.8%	37.6%	13.3%	5.6%	2.7%
Grade 11	42.7%	30.6%	13.8%	6.9%	6.0%
Grade 12	48.0%	28.6%	14.6%	4.2%	4.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 37 of 125



**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	87.6%	10.8%	1.0%	0.1%	0.5%
Grade 7	86.4%	11.6%	1.2%	0.2%	0.7%
Grade 8	87.3%	11.1%	1.1%	0.0%	0.5%
Grade 9	85.2%	12.7%	1.3%	0.2%	0.6%
Grade 10	86.6%	12.0%	0.7%	0.2%	0.5%
Grade 11	88.7%	9.1%	1.5%	0.1%	0.7%
Grade 12	92.0%	7.4%	0.4%	0.1%	0.1%
<b>Out In Your Neighborhood?</b>					
All	50.2%	40.3%	5.7%	1.2%	2.6%
Grade 7	42.9%	43.0%	7.6%	1.4%	5.1%
Grade 8	47.4%	42.6%	6.3%	1.2%	2.4%
Grade 9	46.3%	42.1%	6.7%	2.1%	2.8%
Grade 10	50.5%	41.1%	5.0%	0.8%	2.6%
Grade 11	58.4%	34.5%	4.6%	0.8%	1.7%
Grade 12	58.4%	36.9%	3.6%	0.5%	0.6%
<b>At School?</b>					
All	47.0%	40.6%	6.0%	3.4%	3.0%
Grade 7	48.9%	37.9%	5.9%	2.7%	4.5%
Grade 8	47.7%	39.5%	5.8%	3.7%	3.3%
Grade 9	41.2%	45.7%	6.9%	2.9%	3.3%
Grade 10	44.0%	43.0%	6.7%	3.6%	2.7%
Grade 11	47.8%	41.5%	4.9%	3.9%	2.0%
Grade 12	53.3%	35.9%	5.9%	3.4%	1.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.7%	22.1%	35.3%	64.7%
Grade 7	5.3%	6.2%	17.2%	82.8%
Grade 8	8.4%	11.2%	23.0%	77.0%
Grade 9	21.4%	25.5%	36.3%	63.7%
Grade 10	21.8%	27.8%	44.0%	56.0%
Grade 11	26.3%	34.0%	48.7%	51.3%
Grade 12	28.1%	34.1%	49.8%	50.2%
<b>Any Alcohol Product</b>				
All	28.2%	34.0%	54.6%	45.4%
Grade 7	17.5%	20.0%	38.3%	61.7%
Grade 8	21.0%	24.1%	46.1%	53.9%
Grade 9	29.8%	35.8%	57.2%	42.8%
Grade 10	29.4%	37.4%	60.8%	39.2%
Grade 11	35.7%	44.1%	63.7%	36.3%
Grade 12	39.8%	48.2%	67.4%	32.6%
<b>Any Illicit Drug</b>				
All	9.2%	12.9%	19.7%	80.3%
Grade 7	3.8%	5.3%	7.8%	92.2%
Grade 8	4.4%	7.3%	10.3%	89.7%
Grade 9	10.9%	13.2%	19.4%	80.6%
Grade 10	11.2%	16.3%	25.2%	74.8%
Grade 11	13.0%	18.4%	29.3%	70.7%
Grade 12	13.9%	20.0%	30.9%	69.1%
<b>Any Prescription Drug</b>				
All	6.5%	9.7%	18.6%	81.4%
Grade 7	6.9%	9.2%	14.9%	85.1%
Grade 8	5.1%	6.9%	16.4%	83.6%
Grade 9	8.6%	12.4%	21.3%	78.7%
Grade 10	6.0%	10.9%	20.2%	79.8%
Grade 11	4.6%	8.8%	18.6%	81.4%
Grade 12	7.5%	10.3%	21.0%	79.0%
<b>Any Inhalant</b>				
All	3.9%	5.7%	12.2%	87.8%
Grade 7	5.6%	7.6%	14.7%	85.3%
Grade 8	5.0%	7.7%	15.3%	84.7%
Grade 9	4.1%	7.0%	12.8%	87.2%
Grade 10	2.3%	3.3%	9.0%	91.0%
Grade 11	3.1%	4.5%	10.8%	89.2%
Grade 12	2.6%	3.3%	9.7%	90.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 40 of 125

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	12.2%	17.1%	28.7%	71.3%
Grade 7	4.0%	5.1%	13.7%	86.3%
Grade 8	6.0%	9.7%	19.9%	80.1%
Grade 9	15.0%	20.2%	29.2%	70.8%
Grade 10	13.4%	19.6%	33.6%	66.4%
Grade 11	17.7%	25.7%	40.7%	59.3%
Grade 12	19.8%	26.3%	40.1%	59.9%
<b>Marijuana</b>				
All	9.0%	11.4%	18.6%	81.4%
Grade 7	3.4%	4.2%	6.4%	93.6%
Grade 8	4.4%	5.8%	9.2%	90.8%
Grade 9	10.8%	11.8%	18.4%	81.6%
Grade 10	10.9%	14.5%	23.9%	76.1%
Grade 11	12.9%	17.1%	28.6%	71.4%
Grade 12	13.6%	18.3%	30.5%	69.5%
<b>Marijuana Only</b>				
All	5.5%	7.3%	13.4%	86.6%
Grade 7	1.9%	2.6%	4.3%	95.7%
Grade 8	2.2%	3.6%	6.4%	93.6%
Grade 9	5.9%	6.7%	12.8%	87.2%
Grade 10	6.0%	8.8%	17.0%	83.0%
Grade 11	8.6%	11.4%	21.4%	78.6%
Grade 12	9.7%	13.3%	22.5%	77.5%
<b>Cocaine or Crack</b>				
All	0.8%	0.9%	1.8%	98.2%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	0.2%	0.4%	0.8%	99.2%
Grade 9	1.2%	1.3%	1.7%	98.3%
Grade 10	0.6%	0.6%	2.1%	97.9%
Grade 11	1.0%	1.1%	2.6%	97.4%
Grade 12	1.4%	2.0%	3.0%	97.0%
<b>Cocaine</b>				
All	0.7%	0.8%	1.7%	98.3%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	1.2%	1.3%	1.6%	98.4%
Grade 10	0.6%	0.6%	2.1%	97.9%
Grade 11	0.6%	0.7%	2.2%	97.8%
Grade 12	1.2%	1.8%	3.0%	97.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	0.8%	0.8%	1.1%	98.9%
Grade 12	0.2%	0.2%	0.5%	99.5%
Hallucinogens				
All	0.6%	0.9%	1.9%	98.1%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	1.0%	1.6%	2.0%	98.0%
Grade 10	1.3%	1.8%	3.6%	96.4%
Grade 11	0.5%	1.1%	3.5%	96.5%
Grade 12	0.4%	0.8%	1.9%	98.1%
Synthetic Cathinones				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.4%	0.5%	1.6%	98.4%
Grade 7	0.2%	0.5%	1.7%	98.3%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	0.5%	0.5%	1.4%	98.6%
Grade 10	0.4%	0.5%	2.0%	98.0%
Grade 11	0.6%	1.0%	1.8%	98.2%
Grade 12	0.2%	0.3%	1.6%	98.4%
Ecstasy				
All	0.2%	0.3%	1.3%	98.7%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.5%	99.5%
Grade 9	0.1%	0.3%	1.1%	98.9%
Grade 10	0.6%	0.9%	2.6%	97.4%
Grade 11	0.2%	0.2%	1.6%	98.4%
Grade 12	0.5%	0.5%	1.7%	98.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.1%	0.1%	0.2%	99.8%
<b>Synthetic Marijuana</b>				
All	0.5%	0.9%	2.7%	97.3%
Grade 7	0.1%	0.7%	1.3%	98.7%
Grade 8	0.5%	0.8%	2.1%	97.9%
Grade 9	1.2%	1.9%	3.7%	96.3%
Grade 10	0.1%	1.0%	2.5%	97.5%
Grade 11	0.8%	1.1%	3.4%	96.6%
Grade 12	0.1%	0.1%	3.9%	96.1%
<b>Methamphetamine</b>				
All	0.3%	0.3%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.0%	0.1%	0.6%	99.4%
Grade 9	0.5%	0.5%	1.1%	98.9%
Grade 10	0.2%	0.3%	1.2%	98.8%
Grade 11	0.3%	0.6%	1.2%	98.8%
Grade 12	0.3%	0.3%	0.4%	99.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	20.5%	24.9%	37.7%	62.3%
Grade 7	5.5%	6.4%	15.5%	84.5%
Grade 8	8.0%	9.9%	20.8%	79.2%
Grade 9	23.9%	28.6%	39.9%	60.1%
Grade 10	27.1%	32.7%	49.6%	50.4%
Grade 11	29.8%	38.2%	54.3%	45.7%
Grade 12	34.4%	39.9%	53.2%	46.8%
<b>Any Alcohol Product</b>				
All	28.3%	34.2%	54.6%	45.4%
Grade 7	16.7%	19.0%	38.6%	61.4%
Grade 8	21.0%	22.9%	46.1%	53.9%
Grade 9	29.8%	37.3%	59.1%	40.9%
Grade 10	30.7%	38.6%	60.3%	39.7%
Grade 11	35.7%	45.8%	64.7%	35.3%
Grade 12	40.2%	47.4%	63.7%	36.3%
<b>Any Illicit Drug</b>				
All	9.0%	12.6%	20.0%	80.0%
Grade 7	3.9%	4.3%	7.0%	93.0%
Grade 8	2.4%	5.8%	8.4%	91.6%
Grade 9	11.3%	13.0%	21.5%	78.5%
Grade 10	11.5%	15.3%	25.3%	74.7%
Grade 11	11.0%	17.1%	29.5%	70.5%
Grade 12	16.4%	23.1%	33.5%	66.5%
<b>Any Prescription Drug</b>				
All	7.0%	10.4%	18.9%	81.1%
Grade 7	6.9%	9.6%	13.0%	87.0%
Grade 8	4.9%	6.4%	16.7%	83.3%
Grade 9	7.9%	11.4%	22.6%	77.4%
Grade 10	6.8%	12.5%	19.6%	80.4%
Grade 11	5.7%	8.8%	18.4%	81.6%
Grade 12	10.6%	14.0%	25.0%	75.0%
<b>Any Inhalant</b>				
All	3.8%	5.8%	12.1%	87.9%
Grade 7	6.1%	7.9%	14.6%	85.4%
Grade 8	3.4%	6.5%	13.5%	86.5%
Grade 9	4.0%	7.8%	13.9%	86.1%
Grade 10	1.4%	2.8%	7.4%	92.6%
Grade 11	3.6%	5.6%	10.8%	89.2%
Grade 12	4.0%	4.2%	12.1%	87.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.1%	18.0%	29.8%	70.2%
Grade 7	3.7%	5.2%	12.6%	87.4%
Grade 8	5.4%	8.3%	17.6%	82.4%
Grade 9	14.6%	19.6%	31.1%	68.9%
Grade 10	14.8%	21.1%	35.9%	64.1%
Grade 11	18.3%	26.0%	41.6%	58.4%
Grade 12	25.1%	31.6%	44.7%	55.3%
<b>Marijuana</b>				
All	8.8%	11.2%	19.4%	80.6%
Grade 7	3.3%	3.7%	6.1%	93.9%
Grade 8	2.5%	3.8%	7.6%	92.4%
Grade 9	11.3%	11.9%	20.9%	79.1%
Grade 10	11.0%	14.0%	24.6%	75.4%
Grade 11	10.9%	15.7%	29.0%	71.0%
Grade 12	16.4%	21.4%	33.2%	66.8%
<b>Marijuana Only</b>				
All	5.3%	7.1%	13.9%	86.1%
Grade 7	1.4%	1.7%	3.2%	96.8%
Grade 8	1.9%	3.2%	6.5%	93.5%
Grade 9	6.1%	6.6%	15.5%	84.5%
Grade 10	5.9%	8.0%	16.7%	83.3%
Grade 11	7.1%	10.6%	21.8%	78.2%
Grade 12	11.2%	14.9%	23.3%	76.7%
<b>Cocaine or Crack</b>				
All	0.8%	1.0%	2.1%	97.9%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	0.0%	0.2%	0.4%	99.6%
Grade 9	1.0%	1.0%	1.7%	98.3%
Grade 10	0.4%	0.5%	2.8%	97.2%
Grade 11	1.0%	1.2%	2.9%	97.1%
Grade 12	1.9%	2.9%	4.3%	95.7%
<b>Cocaine</b>				
All	0.7%	1.0%	2.0%	98.0%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.0%	0.2%	0.4%	99.6%
Grade 9	1.0%	1.0%	1.7%	98.3%
Grade 10	0.4%	0.5%	2.8%	97.2%
Grade 11	0.9%	1.0%	2.7%	97.3%
Grade 12	1.9%	2.9%	4.3%	95.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 45 of 125



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.5%	99.5%
<b>Hallucinogens</b>				
All	0.6%	1.0%	1.8%	98.2%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.5%	2.5%	2.9%	97.1%
Grade 10	1.2%	1.8%	3.4%	96.6%
Grade 11	0.5%	0.8%	3.0%	97.0%
Grade 12	0.5%	1.1%	1.7%	98.3%
<b>Synthetic Cathinones</b>				
All	0.0%	0.1%	0.1%	99.9%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.4%	0.6%	1.6%	98.4%
Grade 7	0.0%	0.1%	1.4%	98.6%
Grade 8	0.3%	0.3%	1.5%	98.5%
Grade 9	0.8%	1.0%	1.5%	98.5%
Grade 10	0.2%	0.3%	0.8%	99.2%
Grade 11	0.6%	1.2%	2.4%	97.6%
Grade 12	0.5%	0.6%	2.1%	97.9%
<b>Ecstasy</b>				
All	0.3%	0.3%	1.6%	98.4%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.2%	0.3%	1.5%	98.5%
Grade 10	0.6%	0.6%	3.3%	96.7%
Grade 11	0.3%	0.3%	2.3%	97.7%
Grade 12	0.8%	0.8%	2.1%	97.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	1.0%	99.0%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Synthetic Marijuana</b>				
All	0.3%	0.9%	2.3%	97.7%
Grade 7	0.0%	0.8%	1.8%	98.2%
Grade 8	0.2%	0.4%	0.5%	99.5%
Grade 9	0.6%	1.9%	2.7%	97.3%
Grade 10	0.3%	1.2%	2.8%	97.2%
Grade 11	0.4%	1.2%	2.5%	97.5%
Grade 12	0.1%	0.1%	4.0%	96.0%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.4%	0.5%	1.3%	98.7%
Grade 11	0.3%	0.3%	1.0%	99.0%
Grade 12	0.4%	0.4%	0.4%	99.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 47 of 125

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.8%	19.2%	32.8%	67.2%
Grade 7	5.2%	5.9%	18.5%	81.5%
Grade 8	8.8%	12.6%	25.3%	74.7%
Grade 9	18.6%	22.1%	32.6%	67.4%
Grade 10	14.8%	21.4%	36.8%	63.2%
Grade 11	22.8%	29.8%	42.9%	57.1%
Grade 12	21.8%	28.4%	46.7%	53.3%
<b>Any Alcohol Product</b>				
All	27.9%	33.7%	54.7%	45.3%
Grade 7	17.9%	20.6%	37.7%	62.3%
Grade 8	21.1%	25.4%	46.2%	53.8%
Grade 9	29.3%	34.0%	55.2%	44.8%
Grade 10	27.7%	35.9%	61.4%	38.6%
Grade 11	36.1%	42.5%	62.9%	37.1%
Grade 12	39.8%	49.5%	71.7%	28.3%
<b>Any Illicit Drug</b>				
All	9.3%	13.2%	19.3%	80.7%
Grade 7	3.7%	6.4%	8.8%	91.2%
Grade 8	6.3%	8.8%	12.2%	87.8%
Grade 9	10.6%	13.2%	17.3%	82.7%
Grade 10	10.5%	17.2%	24.9%	75.1%
Grade 11	15.2%	20.0%	29.4%	70.6%
Grade 12	11.5%	17.0%	28.6%	71.4%
<b>Any Prescription Drug</b>				
All	5.9%	9.1%	18.2%	81.8%
Grade 7	7.0%	9.0%	16.3%	83.7%
Grade 8	5.4%	7.4%	16.3%	83.7%
Grade 9	9.4%	13.3%	20.0%	80.0%
Grade 10	5.0%	8.9%	21.0%	79.0%
Grade 11	3.4%	8.9%	19.0%	81.0%
Grade 12	4.4%	6.6%	17.2%	82.8%
<b>Any Inhalant</b>				
All	3.9%	5.4%	12.3%	87.7%
Grade 7	4.4%	6.6%	14.2%	85.8%
Grade 8	6.5%	8.8%	17.1%	82.9%
Grade 9	4.2%	6.0%	11.5%	88.5%
Grade 10	3.3%	4.0%	11.0%	89.0%
Grade 11	2.6%	3.3%	10.8%	89.2%
Grade 12	1.3%	2.5%	7.3%	92.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.1%	16.1%	27.5%	72.5%
Grade 7	4.2%	5.0%	14.2%	85.8%
Grade 8	6.6%	11.0%	22.1%	77.9%
Grade 9	14.6%	20.1%	27.0%	73.0%
Grade 10	11.5%	17.5%	30.6%	69.4%
Grade 11	17.1%	25.6%	39.9%	60.1%
Grade 12	14.7%	21.1%	35.7%	64.3%
<b>Marijuana</b>				
All	9.1%	11.6%	17.9%	82.1%
Grade 7	3.5%	4.7%	6.7%	93.3%
Grade 8	6.3%	7.7%	10.7%	89.3%
Grade 9	10.2%	11.6%	15.9%	84.1%
Grade 10	10.5%	14.8%	22.8%	77.2%
Grade 11	15.0%	18.6%	28.4%	71.6%
Grade 12	10.9%	15.3%	28.1%	71.9%
<b>Marijuana Only</b>				
All	5.6%	7.6%	13.0%	87.0%
Grade 7	2.5%	3.5%	5.5%	94.5%
Grade 8	2.6%	3.9%	6.3%	93.7%
Grade 9	5.8%	6.8%	10.3%	89.7%
Grade 10	5.9%	9.6%	17.4%	82.6%
Grade 11	10.1%	12.2%	21.0%	79.0%
Grade 12	8.3%	11.7%	21.9%	78.1%
<b>Cocaine or Crack</b>				
All	0.8%	0.9%	1.5%	98.5%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	1.5%	1.5%	1.8%	98.2%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	1.1%	1.1%	2.4%	97.6%
Grade 12	0.9%	1.0%	1.8%	98.2%
<b>Cocaine</b>				
All	0.6%	0.7%	1.3%	98.7%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.5%	1.1%	98.9%
Grade 9	1.5%	1.5%	1.6%	98.4%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.3%	0.3%	1.7%	98.3%
Grade 12	0.4%	0.6%	1.8%	98.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.5%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.5%	0.5%	0.6%	99.4%
Grade 11	1.1%	1.1%	1.7%	98.3%
Grade 12	0.5%	0.5%	0.5%	99.5%
<b>Hallucinogens</b>				
All	0.5%	0.8%	1.9%	98.1%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.6%	0.9%	1.1%	98.9%
Grade 10	1.4%	1.9%	3.7%	96.3%
Grade 11	0.5%	1.5%	4.1%	95.9%
Grade 12	0.3%	0.6%	2.0%	98.0%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	1.7%	98.3%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.4%	0.5%	1.6%	98.4%
Grade 7	0.4%	0.9%	2.0%	98.0%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	0.1%	0.1%	1.3%	98.7%
Grade 10	0.7%	0.7%	3.6%	96.4%
Grade 11	0.6%	0.8%	1.2%	98.8%
Grade 12	0.0%	0.0%	1.1%	98.9%
<b>Ecstasy</b>				
All	0.1%	0.3%	0.9%	99.1%
Grade 7	0.0%	0.1%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.6%	99.4%
Grade 9	0.0%	0.3%	0.8%	99.2%
Grade 10	0.6%	1.1%	1.7%	98.3%
Grade 11	0.2%	0.2%	0.9%	99.1%
Grade 12	0.1%	0.3%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.1%	0.1%	0.3%	99.7%
<b>Synthetic Marijuana</b>				
All	0.7%	1.0%	3.2%	96.8%
Grade 7	0.2%	0.6%	0.7%	99.3%
Grade 8	0.8%	1.2%	3.6%	96.4%
Grade 9	1.8%	1.9%	4.6%	95.4%
Grade 10	0.0%	0.7%	2.2%	97.8%
Grade 11	1.1%	1.1%	4.4%	95.6%
Grade 12	0.0%	0.0%	3.8%	96.2%
<b>Methamphetamine</b>				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.0%	0.2%	1.2%	98.8%
Grade 9	0.9%	0.9%	1.8%	98.2%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.3%	1.0%	1.4%	98.6%
Grade 12	0.3%	0.3%	0.4%	99.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 51 of 125

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	18.6%	23.6%	37.2%	62.8%
Grade 7	4.5%	5.6%	19.1%	80.9%
Grade 8	7.9%	11.3%	25.9%	74.1%
Grade 9	21.1%	25.0%	34.3%	65.7%
Grade 10	23.1%	30.2%	46.5%	53.5%
Grade 11	26.1%	34.6%	49.4%	50.6%
Grade 12	31.9%	38.0%	51.4%	48.6%
<b>Any Alcohol Product</b>				
All	28.3%	33.9%	54.3%	45.7%
Grade 7	19.3%	21.0%	36.9%	63.1%
Grade 8	17.8%	20.9%	43.7%	56.3%
Grade 9	28.5%	34.0%	55.4%	44.6%
Grade 10	30.2%	37.5%	62.7%	37.3%
Grade 11	38.0%	46.5%	62.6%	37.4%
Grade 12	38.2%	46.5%	67.6%	32.4%
<b>Any Illicit Drug</b>				
All	7.4%	11.1%	18.5%	81.5%
Grade 7	2.1%	4.4%	7.6%	92.4%
Grade 8	3.5%	6.4%	9.3%	90.7%
Grade 9	8.4%	10.1%	16.6%	83.4%
Grade 10	8.1%	12.5%	20.6%	79.4%
Grade 11	11.3%	17.4%	28.9%	71.1%
Grade 12	11.8%	17.3%	30.2%	69.8%
<b>Any Prescription Drug</b>				
All	6.0%	9.3%	17.5%	82.5%
Grade 7	6.8%	9.5%	14.1%	85.9%
Grade 8	4.1%	6.7%	15.3%	84.7%
Grade 9	6.7%	10.1%	19.4%	80.6%
Grade 10	5.0%	9.6%	17.2%	82.8%
Grade 11	4.2%	8.3%	17.3%	82.7%
Grade 12	9.5%	12.1%	22.4%	77.6%
<b>Any Inhalant</b>				
All	3.0%	5.0%	11.2%	88.8%
Grade 7	4.8%	8.1%	14.0%	86.0%
Grade 8	3.7%	6.4%	13.2%	86.8%
Grade 9	2.2%	4.9%	11.0%	89.0%
Grade 10	2.4%	3.4%	7.7%	92.3%
Grade 11	3.2%	4.1%	10.4%	89.6%
Grade 12	1.3%	2.4%	10.4%	89.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.3%	18.5%	30.4%	69.6%
Grade 7	4.5%	5.6%	15.8%	84.2%
Grade 8	6.3%	10.3%	22.6%	77.4%
Grade 9	13.4%	18.4%	27.4%	72.6%
Grade 10	14.6%	21.9%	35.1%	64.9%
Grade 11	19.2%	27.0%	40.8%	59.2%
Grade 12	23.3%	29.3%	42.2%	57.8%
<b>Marijuana</b>				
All	7.3%	9.7%	17.6%	82.4%
Grade 7	2.1%	3.3%	6.3%	93.7%
Grade 8	3.5%	5.0%	8.5%	91.5%
Grade 9	8.4%	9.3%	16.2%	83.8%
Grade 10	7.7%	10.3%	19.2%	80.8%
Grade 11	11.2%	16.1%	27.8%	72.2%
Grade 12	11.7%	15.5%	29.8%	70.2%
<b>Marijuana Only</b>				
All	4.6%	6.3%	12.9%	87.1%
Grade 7	0.8%	1.9%	4.9%	95.1%
Grade 8	2.1%	3.6%	6.4%	93.6%
Grade 9	5.1%	5.7%	12.1%	87.9%
Grade 10	4.7%	6.4%	14.0%	86.0%
Grade 11	7.5%	10.0%	20.1%	79.9%
Grade 12	7.8%	10.9%	21.8%	78.2%
<b>Cocaine or Crack</b>				
All	0.6%	0.7%	1.5%	98.5%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	1.0%	1.0%	1.4%	98.6%
Grade 10	0.4%	0.5%	1.9%	98.1%
Grade 11	0.6%	0.7%	1.8%	98.2%
Grade 12	1.1%	1.9%	3.2%	96.8%
<b>Cocaine</b>				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	1.0%	1.0%	1.2%	98.8%
Grade 10	0.4%	0.5%	1.9%	98.1%
Grade 11	0.5%	0.6%	1.6%	98.4%
Grade 12	1.1%	1.9%	3.2%	96.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Hallucinogens</b>				
All	0.4%	0.9%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.1%	1.6%	1.7%	98.3%
Grade 10	1.1%	1.9%	2.7%	97.3%
Grade 11	0.0%	0.9%	4.2%	95.8%
Grade 12	0.1%	0.9%	2.2%	97.8%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.5%	0.6%	1.6%	98.4%
Grade 7	0.3%	0.7%	2.5%	97.5%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.7%	0.8%	1.6%	98.4%
Grade 11	0.8%	1.2%	1.9%	98.1%
Grade 12	0.3%	0.4%	2.1%	97.9%
<b>Ecstasy</b>				
All	0.2%	0.3%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.4%	0.7%	2.2%	97.8%
Grade 11	0.3%	0.3%	1.4%	98.6%
Grade 12	0.4%	0.6%	2.0%	98.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	0.2%	0.8%	2.2%	97.8%
Grade 7	0.0%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.7%	0.9%	99.1%
Grade 9	0.0%	1.0%	2.8%	97.2%
Grade 10	0.1%	0.8%	1.9%	98.1%
Grade 11	0.9%	1.5%	3.8%	96.2%
Grade 12	0.1%	0.1%	3.3%	96.7%
<b>Methamphetamine</b>				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.8%	99.2%
Grade 12	0.5%	0.5%	0.6%	99.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 55 of 125

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.6%	20.1%	35.6%	64.4%
Grades 7-8	0.0%	0.0%	8.3%	91.7%
Grade 9	17.1%	23.5%	31.4%	68.6%
Grade 10	19.3%	19.3%	50.2%	49.8%
Grade 11	42.7%	47.7%	59.3%	40.7%
Grade 12	22.3%	32.7%	56.0%	44.0%
<b>Any Alcohol Product</b>				
All	23.0%	27.6%	41.5%	58.5%
Grades 7-8	8.0%	8.0%	20.0%	80.0%
Grade 9	23.8%	31.7%	39.6%	60.4%
Grade 10	25.1%	37.2%	53.9%	46.1%
Grade 11	29.0%	29.0%	61.0%	39.0%
Grade 12	45.8%	52.2%	56.0%	44.0%
<b>Any Illicit Drug</b>				
All	15.9%	17.3%	28.7%	71.3%
Grades 7-8	4.2%	4.2%	8.3%	91.7%
Grade 9	17.1%	17.1%	23.5%	76.5%
Grade 10	26.4%	26.4%	44.6%	55.4%
Grade 11	13.4%	13.4%	38.7%	61.3%
Grade 12	28.6%	37.1%	47.6%	52.4%
<b>Any Prescription Drug</b>				
All	5.0%	6.4%	21.5%	78.5%
Grades 7-8	0.0%	0.0%	11.0%	89.0%
Grade 9	12.3%	12.3%	19.6%	80.4%
Grade 10	3.3%	10.7%	36.0%	64.0%
Grade 11	7.6%	7.6%	15.1%	84.9%
Grade 12	8.0%	8.0%	32.7%	67.3%
<b>Any Inhalant</b>				
All	4.8%	4.8%	10.1%	89.9%
Grades 7-8	4.2%	4.2%	8.3%	91.7%
Grade 9	12.4%	12.4%	12.4%	87.6%
Grade 10	0.0%	0.0%	13.5%	86.5%
Grade 11	0.0%	0.0%	9.0%	91.0%
Grade 12	8.5%	8.5%	8.5%	91.5%
<b>Electronic Vapor Products</b>				
All	9.4%	15.8%	28.2%	71.8%
Grades 7-8	0.0%	0.0%	4.3%	95.7%
Grade 9	11.4%	25.1%	25.1%	74.9%
Grade 10	10.7%	14.0%	44.0%	56.0%
Grade 11	26.2%	34.8%	43.4%	56.6%
Grade 12	12.1%	26.4%	49.7%	50.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 56 of 125

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Marijuana</b>				
All	15.9%	17.3%	28.7%	71.3%
Grades 7-8	4.2%	4.2%	8.3%	91.7%
Grade 9	17.1%	17.1%	23.5%	76.5%
Grade 10	26.4%	26.4%	44.6%	55.4%
Grade 11	13.4%	13.4%	38.7%	61.3%
Grade 12	28.6%	37.1%	47.6%	52.4%
<b>Marijuana Only</b>				
All	8.9%	10.1%	20.6%	79.4%
Grades 7-8	0.0%	0.0%	3.8%	96.2%
Grade 9	5.7%	5.7%	11.3%	88.7%
Grade 10	9.4%	9.4%	25.8%	74.2%
Grade 11	12.3%	12.3%	35.5%	64.5%
Grade 12	27.5%	35.6%	45.7%	54.3%
<b>Cocaine or Crack</b>				
All	0.0%	0.0%	0.6%	99.4%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	3.2%	96.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Cocaine</b>				
All	0.0%	0.0%	0.6%	99.4%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	3.2%	96.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Crack</b>				
All	0.0%	0.0%	0.0%	100.0%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	2.2%	2.2%	2.2%	97.8%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grade 9	4.4%	4.4%	4.4%	95.6%
Grade 10	7.1%	7.1%	7.1%	92.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 57 of 125

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.0%	100.0%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.0%	0.0%	0.6%	99.4%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	3.2%	96.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.0%	0.0%	1.1%	98.9%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	6.4%	93.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Heroin</b>				
All	0.0%	0.0%	0.0%	100.0%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.0%	2.5%	2.5%	97.5%
Grades 7-8	0.0%	4.2%	4.2%	95.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	5.8%	5.8%	94.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Methamphetamine</b>				
All	0.0%	0.0%	0.0%	100.0%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.2%	20.0%	32.3%	67.7%
Grade 7	7.2%	7.9%	16.7%	83.3%
Grade 8	7.8%	10.0%	17.7%	82.3%
Grade 9	22.4%	26.7%	38.6%	61.4%
Grade 10	19.5%	24.4%	39.3%	60.7%
Grade 11	25.6%	32.9%	48.7%	51.3%
Grade 12	21.5%	26.9%	45.3%	54.7%
<b>Any Alcohol Product</b>				
All	28.5%	34.8%	56.9%	43.1%
Grade 7	18.3%	21.8%	43.9%	56.1%
Grade 8	24.9%	28.1%	50.8%	49.2%
Grade 9	31.8%	37.6%	60.9%	39.1%
Grade 10	28.2%	37.4%	59.8%	40.2%
Grade 11	33.5%	43.2%	66.5%	33.5%
Grade 12	41.6%	50.5%	68.2%	31.8%
<b>Any Illicit Drug</b>				
All	10.9%	14.9%	20.1%	79.9%
Grade 7	5.3%	6.0%	7.7%	92.3%
Grade 8	5.8%	8.5%	10.8%	89.2%
Grade 9	15.4%	18.7%	23.0%	77.0%
Grade 10	13.7%	20.6%	29.1%	70.9%
Grade 11	15.3%	20.7%	29.5%	70.5%
Grade 12	14.3%	21.3%	29.6%	70.4%
<b>Any Prescription Drug</b>				
All	7.5%	10.9%	20.1%	79.9%
Grade 7	8.4%	10.4%	17.3%	82.7%
Grade 8	6.9%	7.2%	17.2%	82.8%
Grade 9	12.3%	17.3%	26.5%	73.5%
Grade 10	7.7%	13.4%	23.0%	77.0%
Grade 11	4.6%	10.2%	21.4%	78.6%
Grade 12	4.4%	7.3%	16.1%	83.9%
<b>Any Inhalant</b>				
All	4.9%	6.7%	13.7%	86.3%
Grade 7	6.5%	7.3%	15.4%	84.6%
Grade 8	6.1%	8.7%	18.3%	81.7%
Grade 9	6.4%	10.0%	16.0%	84.0%
Grade 10	2.6%	3.6%	9.8%	90.2%
Grade 11	3.2%	5.6%	11.5%	88.5%
Grade 12	3.1%	3.3%	8.3%	91.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.3%	14.9%	25.9%	74.1%
Grade 7	4.2%	5.5%	12.5%	87.5%
Grade 8	4.7%	7.9%	16.0%	84.0%
Grade 9	17.6%	22.3%	31.3%	68.7%
Grade 10	12.5%	16.6%	29.8%	70.2%
Grade 11	13.8%	23.0%	41.6%	58.4%
Grade 12	13.5%	20.2%	33.8%	66.2%
<b>Marijuana</b>				
All	10.5%	13.3%	18.8%	81.2%
Grade 7	4.4%	4.9%	6.3%	93.7%
Grade 8	5.8%	6.7%	9.0%	91.0%
Grade 9	14.8%	16.1%	21.0%	79.0%
Grade 10	13.7%	19.4%	27.9%	72.1%
Grade 11	15.0%	18.9%	29.4%	70.6%
Grade 12	13.6%	19.8%	29.1%	70.9%
<b>Marijuana Only</b>				
All	6.2%	8.4%	12.9%	87.1%
Grade 7	3.4%	3.6%	3.9%	96.1%
Grade 8	2.5%	3.3%	5.1%	94.9%
Grade 9	7.9%	8.9%	13.3%	86.7%
Grade 10	7.4%	12.4%	20.0%	80.0%
Grade 11	9.2%	12.9%	21.9%	78.1%
Grade 12	9.5%	13.3%	19.8%	80.2%
<b>Cocaine or Crack</b>				
All	1.3%	1.4%	2.4%	97.6%
Grade 7	1.1%	1.1%	1.6%	98.4%
Grade 8	0.3%	0.8%	1.0%	99.0%
Grade 9	2.0%	2.0%	2.6%	97.4%
Grade 10	1.1%	1.1%	2.5%	97.5%
Grade 11	1.6%	1.6%	4.5%	95.5%
Grade 12	2.0%	2.3%	2.9%	97.1%
<b>Cocaine</b>				
All	1.0%	1.1%	2.2%	97.8%
Grade 7	0.9%	0.9%	1.4%	98.6%
Grade 8	0.3%	0.8%	1.0%	99.0%
Grade 9	2.0%	2.0%	2.6%	97.4%
Grade 10	1.1%	1.1%	2.5%	97.5%
Grade 11	0.5%	0.5%	3.4%	96.6%
Grade 12	1.3%	1.5%	2.9%	97.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.7%	0.8%	1.1%	98.9%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.0%	0.2%	0.5%	99.5%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	0.6%	0.6%	0.9%	99.1%
Grade 11	1.3%	1.3%	2.3%	97.7%
Grade 12	0.7%	0.7%	0.7%	99.3%
<b>Hallucinogens</b>				
All	0.4%	0.6%	1.7%	98.3%
Grade 7	0.2%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.6%	1.4%	2.2%	97.8%
Grade 10	0.7%	0.7%	3.6%	96.4%
Grade 11	1.1%	1.3%	2.5%	97.5%
Grade 12	0.2%	0.2%	1.0%	99.0%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	1.5%	98.5%
Grade 9	0.3%	0.6%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.3%	0.5%	1.8%	98.2%
Grade 7	0.2%	0.3%	0.9%	99.1%
Grade 8	0.6%	0.6%	1.7%	98.3%
Grade 9	0.6%	0.9%	2.9%	97.1%
Grade 10	0.0%	0.0%	2.7%	97.3%
Grade 11	0.2%	1.0%	2.1%	97.9%
Grade 12	0.2%	0.2%	1.3%	98.7%
<b>Ecstasy</b>				
All	0.3%	0.4%	1.6%	98.4%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.3%	0.8%	2.2%	97.8%
Grade 10	1.0%	1.2%	3.6%	96.4%
Grade 11	0.2%	0.2%	2.0%	98.0%
Grade 12	0.2%	0.2%	1.1%	98.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.8%	1.0%	3.8%	96.2%
Grade 7	0.2%	0.3%	1.5%	98.5%
Grade 8	0.9%	0.9%	4.1%	95.9%
Grade 9	3.6%	4.0%	5.8%	94.2%
Grade 10	0.0%	0.5%	3.0%	97.0%
Grade 11	0.2%	0.2%	3.1%	96.9%
Grade 12	0.0%	0.0%	6.3%	93.7%
<b>Methamphetamine</b>				
All	0.2%	0.4%	1.1%	98.9%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.2%	0.8%	99.2%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	0.0%	0.2%	2.2%	97.8%
Grade 11	0.0%	0.9%	1.8%	98.2%
Grade 12	0.2%	0.2%	0.2%	99.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 62 of 125

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.7%	17.6%	29.7%	70.3%
Grade 7	2.1%	3.4%	13.4%	86.6%
Grade 8	6.8%	11.0%	21.3%	78.7%
Grade 9	13.1%	16.2%	24.7%	75.3%
Grade 10	15.5%	21.5%	37.8%	62.2%
Grade 11	19.7%	28.4%	41.9%	58.1%
Grade 12	20.3%	26.3%	40.3%	59.7%
<b>Any Alcohol Product</b>				
All	23.4%	29.6%	51.3%	48.7%
Grade 7	13.1%	15.4%	31.4%	68.6%
Grade 8	18.1%	22.3%	42.2%	57.8%
Grade 9	22.9%	27.0%	52.7%	47.3%
Grade 10	24.0%	30.8%	56.0%	44.0%
Grade 11	32.1%	42.8%	61.8%	38.2%
Grade 12	31.5%	40.9%	65.2%	34.8%
<b>Any Illicit Drug</b>				
All	5.5%	8.8%	13.9%	86.1%
Grade 7	1.1%	2.9%	4.2%	95.8%
Grade 8	3.4%	5.9%	7.9%	92.1%
Grade 9	4.4%	5.3%	10.2%	89.8%
Grade 10	5.3%	9.2%	15.9%	84.1%
Grade 11	8.7%	13.2%	23.1%	76.9%
Grade 12	10.5%	16.7%	23.1%	76.9%
<b>Any Prescription Drug</b>				
All	4.5%	7.6%	13.9%	86.1%
Grade 7	6.6%	9.8%	13.4%	86.6%
Grade 8	3.5%	5.6%	10.5%	89.5%
Grade 9	4.4%	7.7%	12.5%	87.5%
Grade 10	5.6%	10.6%	17.5%	82.5%
Grade 11	2.4%	6.1%	15.8%	84.2%
Grade 12	4.2%	5.5%	13.6%	86.4%
<b>Any Inhalant</b>				
All	2.6%	4.1%	10.1%	89.9%
Grade 7	4.9%	6.7%	13.1%	86.9%
Grade 8	3.6%	6.8%	14.6%	85.4%
Grade 9	3.4%	4.5%	10.3%	89.7%
Grade 10	1.2%	2.0%	6.2%	93.8%
Grade 11	1.5%	3.0%	10.5%	89.5%
Grade 12	1.1%	1.1%	5.7%	94.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.9%	15.0%	24.4%	75.6%
Grade 7	1.0%	2.3%	8.5%	91.5%
Grade 8	5.8%	10.2%	18.2%	81.8%
Grade 9	11.1%	15.5%	21.8%	78.2%
Grade 10	12.1%	18.4%	29.8%	70.2%
Grade 11	15.4%	23.8%	38.5%	61.5%
Grade 12	14.7%	21.0%	30.9%	69.1%
<b>Marijuana</b>				
All	5.4%	7.6%	13.3%	86.7%
Grade 7	1.0%	2.2%	3.2%	96.8%
Grade 8	3.4%	5.0%	7.7%	92.3%
Grade 9	4.4%	4.7%	9.6%	90.4%
Grade 10	5.3%	7.8%	14.9%	85.1%
Grade 11	8.7%	11.3%	22.3%	77.7%
Grade 12	10.0%	15.0%	22.9%	77.1%
<b>Marijuana Only</b>				
All	3.5%	4.9%	9.8%	90.2%
Grade 7	0.2%	1.3%	2.2%	97.8%
Grade 8	2.7%	4.1%	6.5%	93.5%
Grade 9	3.7%	3.7%	8.0%	92.0%
Grade 10	2.1%	4.3%	10.3%	89.7%
Grade 11	5.0%	5.6%	14.3%	85.7%
Grade 12	7.5%	10.9%	18.2%	81.8%
<b>Cocaine or Crack</b>				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.5%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.1%	0.1%	1.4%	98.6%
Grade 11	1.0%	1.0%	1.5%	98.5%
Grade 12	0.8%	1.2%	1.7%	98.3%
<b>Cocaine</b>				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.5%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.1%	0.1%	1.4%	98.6%
Grade 11	1.0%	1.0%	1.5%	98.5%
Grade 12	0.3%	0.7%	1.7%	98.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.8%	0.8%	0.8%	99.2%
Grade 12	0.5%	0.5%	0.5%	99.5%
<b>Hallucinogens</b>				
All	0.4%	0.8%	1.8%	98.2%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	1.1%	2.0%	2.8%	97.2%
Grade 11	0.4%	1.8%	5.2%	94.8%
Grade 12	0.2%	0.5%	2.2%	97.8%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.2%	0.3%	0.8%	99.2%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	0.4%	0.4%	1.7%	98.3%
Grade 11	1.2%	1.8%	2.5%	97.5%
Grade 12	0.2%	0.2%	0.6%	99.4%
<b>Ecstasy</b>				
All	0.1%	0.2%	0.8%	99.2%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.6%	1.7%	98.3%
Grade 11	0.4%	0.4%	2.7%	97.3%
Grade 12	0.0%	0.0%	0.2%	99.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.3%	0.3%	1.7%	98.3%
Grade 7	0.3%	0.3%	1.0%	99.0%
Grade 8	0.2%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.4%	1.2%	98.8%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.8%	0.8%	3.9%	96.1%
Grade 12	0.0%	0.0%	2.6%	97.4%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.8%	0.8%	1.8%	98.2%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 66 of 125

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	21.2%	25.1%	38.9%	61.1%
Grade 7	7.6%	8.3%	19.6%	80.4%
Grade 8	10.1%	11.8%	24.6%	75.4%
Grade 9	27.1%	32.2%	43.2%	56.8%
Grade 10	26.1%	32.2%	49.7%	50.3%
Grade 11	32.1%	37.8%	53.0%	47.0%
Grade 12	32.1%	38.2%	54.8%	45.2%
<b>Any Alcohol Product</b>				
All	30.9%	36.6%	57.3%	42.7%
Grade 7	19.1%	21.8%	43.2%	56.8%
Grade 8	24.2%	27.2%	50.4%	49.6%
Grade 9	32.8%	39.7%	59.1%	40.9%
Grade 10	33.1%	42.6%	65.2%	34.8%
Grade 11	37.8%	43.3%	65.3%	34.7%
Grade 12	46.3%	54.3%	67.7%	32.3%
<b>Any Illicit Drug</b>				
All	11.8%	16.0%	23.8%	76.2%
Grade 7	4.7%	6.4%	9.5%	90.5%
Grade 8	5.8%	9.3%	13.1%	86.9%
Grade 9	14.7%	17.8%	25.6%	74.4%
Grade 10	15.6%	21.5%	32.1%	67.9%
Grade 11	16.8%	23.0%	33.9%	66.1%
Grade 12	17.1%	23.5%	37.6%	62.4%
<b>Any Prescription Drug</b>				
All	7.7%	11.3%	21.8%	78.2%
Grade 7	6.3%	8.5%	13.9%	86.1%
Grade 8	5.2%	7.0%	20.6%	79.4%
Grade 9	10.5%	14.6%	26.2%	73.8%
Grade 10	7.3%	12.2%	23.7%	76.3%
Grade 11	6.5%	11.0%	21.3%	78.7%
Grade 12	11.6%	16.4%	27.6%	72.4%
<b>Any Inhalant</b>				
All	4.8%	6.8%	13.6%	86.4%
Grade 7	4.7%	6.7%	15.0%	85.0%
Grade 8	6.8%	8.5%	15.2%	84.8%
Grade 9	4.4%	8.7%	13.6%	86.4%
Grade 10	3.4%	4.2%	11.6%	88.4%
Grade 11	5.1%	6.5%	12.1%	87.9%
Grade 12	3.5%	5.1%	13.7%	86.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.6%	18.5%	31.0%	69.0%
Grade 7	5.7%	6.9%	16.6%	83.4%
Grade 8	6.4%	9.5%	20.9%	79.1%
Grade 9	17.7%	23.8%	33.7%	66.3%
Grade 10	14.5%	21.4%	37.1%	62.9%
Grade 11	20.8%	28.4%	42.8%	57.2%
Grade 12	21.3%	27.5%	43.1%	56.9%
<b>Marijuana</b>				
All	11.5%	14.2%	22.4%	77.6%
Grade 7	4.1%	4.8%	7.7%	92.3%
Grade 8	5.8%	7.0%	11.0%	89.0%
Grade 9	14.5%	15.8%	24.2%	75.8%
Grade 10	15.3%	19.7%	30.9%	69.1%
Grade 11	16.5%	22.2%	33.5%	66.5%
Grade 12	17.0%	21.6%	36.8%	63.2%
<b>Marijuana Only</b>				
All	6.7%	8.9%	15.7%	84.3%
Grade 7	1.8%	2.3%	4.5%	95.5%
Grade 8	2.2%	3.4%	7.1%	92.9%
Grade 9	7.6%	8.6%	16.6%	83.4%
Grade 10	8.8%	11.8%	21.7%	78.3%
Grade 11	11.6%	16.1%	26.4%	73.6%
Grade 12	11.9%	15.6%	25.3%	74.7%
<b>Cocaine or Crack</b>				
All	1.2%	1.4%	2.4%	97.6%
Grade 7	1.1%	1.1%	1.4%	98.6%
Grade 8	0.2%	0.4%	0.5%	99.5%
Grade 9	2.1%	2.1%	2.8%	97.2%
Grade 10	1.0%	1.2%	3.0%	97.0%
Grade 11	1.3%	1.5%	4.0%	96.0%
Grade 12	1.9%	2.2%	3.9%	96.1%
<b>Cocaine</b>				
All	1.1%	1.2%	2.3%	97.7%
Grade 7	1.0%	1.0%	1.3%	98.7%
Grade 8	0.1%	0.3%	0.4%	99.6%
Grade 9	2.1%	2.1%	2.8%	97.2%
Grade 10	1.0%	1.2%	3.0%	97.0%
Grade 11	0.5%	0.6%	3.1%	96.9%
Grade 12	1.9%	2.2%	3.9%	96.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.4%	0.6%	1.2%	98.8%
Grade 11	1.0%	1.0%	1.6%	98.4%
Grade 12	0.0%	0.0%	0.6%	99.4%
<b>Hallucinogens</b>				
All	0.8%	1.1%	2.1%	97.9%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	1.4%	2.4%	2.7%	97.3%
Grade 10	1.7%	1.9%	4.8%	95.2%
Grade 11	0.7%	0.9%	2.7%	97.3%
Grade 12	0.7%	1.4%	1.8%	98.2%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	1.7%	98.3%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.4%	0.7%	2.0%	98.0%
Grade 7	0.3%	0.8%	2.1%	97.9%
Grade 8	0.4%	0.4%	1.2%	98.8%
Grade 9	0.9%	1.0%	1.7%	98.3%
Grade 10	0.6%	0.7%	2.8%	97.2%
Grade 11	0.0%	0.5%	1.5%	98.5%
Grade 12	0.4%	0.5%	2.9%	97.1%
<b>Ecstasy</b>				
All	0.3%	0.5%	1.7%	98.3%
Grade 7	0.0%	0.2%	0.7%	99.3%
Grade 8	0.0%	0.1%	0.7%	99.3%
Grade 9	0.2%	0.6%	2.1%	97.9%
Grade 10	0.6%	0.9%	3.3%	96.7%
Grade 11	0.2%	0.2%	1.1%	98.9%
Grade 12	1.1%	1.1%	3.3%	96.7%

*Percentages have been weighted to reflect proportions within the population.*



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	0.7%	1.3%	3.6%	96.4%
Grade 7	0.0%	1.1%	1.8%	98.2%
Grade 8	0.8%	1.3%	3.6%	96.4%
Grade 9	1.8%	2.9%	4.9%	95.1%
Grade 10	0.3%	1.4%	3.5%	96.5%
Grade 11	0.9%	0.9%	2.8%	97.2%
Grade 12	0.1%	0.1%	5.6%	94.4%
<b>Methamphetamine</b>				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.0%	0.1%	1.2%	98.8%
Grade 9	0.9%	0.9%	1.4%	98.6%
Grade 10	0.5%	0.6%	2.2%	97.8%
Grade 11	0.0%	0.6%	1.0%	99.0%
Grade 12	0.3%	0.3%	0.5%	99.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.6%	18.1%	29.4%	70.6%
Grade 7	3.1%	3.5%	12.4%	87.6%
Grade 8	4.7%	6.1%	14.0%	86.0%
Grade 9	18.3%	22.7%	32.0%	68.0%
Grade 10	19.6%	24.8%	41.1%	58.9%
Grade 11	21.3%	27.9%	41.0%	59.0%
Grade 12	26.9%	31.6%	45.9%	54.1%
<b>Any Alcohol Product</b>				
All	23.3%	28.8%	49.2%	50.8%
Grade 7	15.1%	16.9%	35.5%	64.5%
Grade 8	16.3%	19.6%	40.0%	60.0%
Grade 9	24.3%	31.7%	51.6%	48.4%
Grade 10	26.7%	31.9%	56.6%	43.4%
Grade 11	27.9%	38.1%	57.5%	42.5%
Grade 12	34.4%	42.0%	61.3%	38.7%
<b>Any Illicit Drug</b>				
All	5.6%	8.2%	13.1%	86.9%
Grade 7	1.4%	1.7%	3.4%	96.6%
Grade 8	2.4%	4.1%	5.3%	94.7%
Grade 9	8.3%	9.4%	14.4%	85.6%
Grade 10	6.2%	10.2%	18.4%	81.6%
Grade 11	7.8%	12.5%	18.9%	81.1%
Grade 12	10.2%	14.6%	23.3%	76.7%
<b>Any Prescription Drug</b>				
All	5.3%	8.2%	15.4%	84.6%
Grade 7	5.4%	6.7%	11.1%	88.9%
Grade 8	4.0%	4.4%	13.2%	86.8%
Grade 9	7.1%	10.9%	17.4%	82.6%
Grade 10	5.0%	11.1%	18.7%	81.3%
Grade 11	4.5%	8.1%	16.2%	83.8%
Grade 12	6.3%	8.6%	17.1%	82.9%
<b>Any Inhalant</b>				
All	3.5%	5.3%	10.2%	89.8%
Grade 7	5.2%	7.1%	13.5%	86.5%
Grade 8	3.9%	6.5%	11.8%	88.2%
Grade 9	4.2%	7.4%	11.2%	88.8%
Grade 10	2.1%	3.4%	7.6%	92.4%
Grade 11	3.0%	4.4%	9.6%	90.4%
Grade 12	1.8%	2.1%	5.7%	94.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.2%	13.4%	23.9%	76.1%
Grade 7	1.9%	2.6%	9.2%	90.8%
Grade 8	3.4%	4.9%	12.5%	87.5%
Grade 9	14.3%	17.2%	25.6%	74.4%
Grade 10	12.7%	18.2%	32.6%	67.4%
Grade 11	14.9%	19.6%	33.7%	66.3%
Grade 12	18.2%	23.2%	37.0%	63.0%
<b>Marijuana</b>				
All	5.4%	7.0%	12.2%	87.8%
Grade 7	0.8%	1.2%	2.5%	97.5%
Grade 8	2.4%	2.8%	4.9%	95.1%
Grade 9	8.1%	8.5%	13.4%	86.6%
Grade 10	6.0%	8.3%	17.2%	82.8%
Grade 11	7.8%	10.9%	18.1%	81.9%
Grade 12	9.6%	13.2%	22.8%	77.2%
<b>Marijuana Only</b>				
All	3.0%	4.1%	8.5%	91.5%
Grade 7	0.2%	0.5%	1.3%	98.7%
Grade 8	1.5%	1.9%	3.6%	96.4%
Grade 9	4.7%	4.9%	9.6%	90.4%
Grade 10	2.5%	4.4%	11.8%	88.2%
Grade 11	3.4%	5.3%	11.0%	89.0%
Grade 12	7.0%	10.0%	17.4%	82.6%
<b>Cocaine or Crack</b>				
All	0.6%	0.7%	1.1%	98.9%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.1%	0.4%	0.4%	99.6%
Grade 9	1.2%	1.2%	1.3%	98.7%
Grade 10	0.2%	0.2%	1.2%	98.8%
Grade 11	1.0%	1.0%	2.1%	97.9%
Grade 12	1.0%	1.0%	1.2%	98.8%
<b>Cocaine</b>				
All	0.5%	0.5%	1.0%	99.0%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.3%	0.3%	99.7%
Grade 9	1.2%	1.2%	1.3%	98.7%
Grade 10	0.2%	0.2%	1.2%	98.8%
Grade 11	0.6%	0.6%	1.7%	98.3%
Grade 12	0.6%	0.6%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.9%	0.9%	1.4%	98.6%
Grade 12	0.4%	0.4%	0.6%	99.4%
Hallucinogens				
All	0.4%	0.7%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.9%	1.6%	1.7%	98.3%
Grade 10	0.7%	1.2%	2.3%	97.7%
Grade 11	0.3%	1.4%	2.7%	97.3%
Grade 12	0.1%	0.1%	0.7%	99.3%
Synthetic Cathinones				
All	0.0%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.3%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.1%	1.2%	98.8%
Grade 9	0.3%	0.3%	1.6%	98.4%
Grade 10	0.4%	0.5%	1.9%	98.1%
Grade 11	0.3%	0.5%	1.6%	98.4%
Grade 12	0.4%	0.5%	1.5%	98.5%
Ecstasy				
All	0.2%	0.2%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.8%	1.0%	2.5%	97.5%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.3%	99.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.1%	0.1%	0.1%	99.9%
<b>Synthetic Marijuana</b>				
All	0.2%	0.6%	2.1%	97.9%
Grade 7	0.1%	0.6%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.7%	1.7%	2.5%	97.5%
Grade 10	0.0%	0.3%	1.6%	98.4%
Grade 11	0.6%	1.3%	3.9%	96.1%
Grade 12	0.1%	0.1%	3.9%	96.1%
<b>Methamphetamine</b>				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.3%	0.9%	1.5%	98.5%
Grade 12	0.1%	0.1%	0.1%	99.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 74 of 125

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	21.8%	27.5%	43.2%	56.8%
Grade 7	8.9%	10.6%	24.7%	75.3%
Grade 8	14.0%	18.7%	36.2%	63.8%
Grade 9	24.8%	28.7%	41.5%	58.5%
Grade 10	24.9%	32.2%	48.0%	52.0%
Grade 11	31.1%	40.0%	56.6%	43.4%
Grade 12	28.5%	36.4%	53.9%	46.1%
<b>Any Alcohol Product</b>				
All	34.4%	40.7%	61.9%	38.1%
Grade 7	21.2%	24.8%	43.3%	56.7%
Grade 8	28.0%	31.0%	55.1%	44.9%
Grade 9	35.9%	40.1%	63.6%	36.4%
Grade 10	32.9%	45.0%	66.5%	33.5%
Grade 11	44.0%	50.7%	70.6%	29.4%
Grade 12	45.9%	55.5%	75.0%	25.0%
<b>Any Illicit Drug</b>				
All	13.8%	19.1%	28.4%	71.6%
Grade 7	7.7%	11.0%	14.9%	85.1%
Grade 8	6.8%	11.4%	17.2%	82.8%
Grade 9	14.3%	17.9%	25.7%	74.3%
Grade 10	18.1%	24.3%	34.1%	65.9%
Grade 11	18.9%	25.0%	40.8%	59.2%
Grade 12	18.1%	26.6%	39.7%	60.3%
<b>Any Prescription Drug</b>				
All	7.9%	11.8%	22.9%	77.1%
Grade 7	9.0%	12.8%	20.5%	79.5%
Grade 8	7.0%	10.7%	20.8%	79.2%
Grade 9	10.5%	14.2%	26.4%	73.6%
Grade 10	7.4%	10.6%	22.4%	77.6%
Grade 11	4.6%	9.8%	21.4%	78.6%
Grade 12	9.3%	12.8%	26.5%	73.5%
<b>Any Inhalant</b>				
All	4.4%	6.1%	14.8%	85.2%
Grade 7	5.8%	8.0%	16.4%	83.6%
Grade 8	6.7%	9.7%	20.1%	79.9%
Grade 9	3.9%	6.3%	14.6%	85.4%
Grade 10	2.5%	3.0%	11.0%	89.0%
Grade 11	3.2%	4.4%	11.8%	88.2%
Grade 12	3.7%	4.9%	14.2%	85.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	14.5%	21.8%	34.9%	65.1%
Grade 7	7.3%	9.1%	21.0%	79.0%
Grade 8	9.9%	16.5%	30.3%	69.7%
Grade 9	15.3%	23.6%	33.4%	66.6%
Grade 10	14.6%	21.6%	34.8%	65.2%
Grade 11	20.0%	31.8%	47.9%	52.1%
Grade 12	20.7%	29.2%	43.0%	57.0%
<b>Marijuana</b>				
All	13.7%	17.4%	27.0%	73.0%
Grade 7	7.6%	8.9%	12.7%	87.3%
Grade 8	6.9%	9.8%	15.0%	85.0%
Grade 9	14.3%	16.1%	24.7%	75.3%
Grade 10	17.7%	22.6%	32.6%	67.4%
Grade 11	18.4%	23.8%	40.1%	59.9%
Grade 12	18.1%	24.4%	39.4%	60.6%
<b>Marijuana Only</b>				
All	8.6%	11.4%	19.9%	80.1%
Grade 7	4.6%	5.9%	9.1%	90.9%
Grade 8	2.8%	5.6%	9.9%	90.1%
Grade 9	7.6%	9.1%	17.0%	83.0%
Grade 10	10.7%	14.4%	23.7%	76.3%
Grade 11	14.2%	17.9%	32.6%	67.4%
Grade 12	12.5%	16.7%	28.5%	71.5%
<b>Cocaine or Crack</b>				
All	1.1%	1.3%	2.7%	97.3%
Grade 7	0.7%	0.7%	1.2%	98.8%
Grade 8	0.4%	0.4%	1.4%	98.6%
Grade 9	1.3%	1.4%	2.3%	97.7%
Grade 10	1.0%	1.2%	3.4%	96.6%
Grade 11	1.1%	1.2%	3.3%	96.7%
Grade 12	1.9%	3.3%	4.7%	95.3%
<b>Cocaine</b>				
All	1.0%	1.2%	2.5%	97.5%
Grade 7	0.7%	0.7%	1.2%	98.8%
Grade 8	0.4%	0.4%	1.4%	98.6%
Grade 9	1.3%	1.4%	2.0%	98.0%
Grade 10	1.0%	1.2%	3.4%	96.6%
Grade 11	0.6%	0.8%	2.9%	97.1%
Grade 12	1.9%	3.3%	4.7%	95.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 76 of 125

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.3%	0.5%	0.8%	99.2%
Grade 11	0.8%	0.8%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Hallucinogens</b>				
All	0.8%	1.2%	2.8%	97.2%
Grade 7	0.1%	0.3%	0.8%	99.2%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	1.2%	1.7%	2.3%	97.7%
Grade 10	2.0%	2.7%	5.2%	94.8%
Grade 11	0.7%	0.9%	4.4%	95.6%
Grade 12	0.7%	1.8%	3.5%	96.5%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.6%	0.9%	1.9%	98.1%
Grade 7	0.6%	1.3%	4.0%	96.0%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.6%	0.8%	1.1%	98.9%
Grade 10	0.5%	0.5%	2.2%	97.8%
Grade 11	0.9%	1.6%	2.1%	97.9%
Grade 12	0.0%	0.0%	1.0%	99.0%
<b>Ecstasy</b>				
All	0.3%	0.5%	1.9%	98.1%
Grade 7	0.1%	0.3%	0.8%	99.2%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.5%	2.0%	98.0%
Grade 10	0.3%	0.5%	2.6%	97.4%
Grade 11	0.5%	0.5%	2.6%	97.4%
Grade 12	1.1%	1.3%	3.5%	96.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	0.8%	1.4%	3.6%	96.4%
Grade 7	0.1%	0.7%	1.7%	98.3%
Grade 8	1.2%	2.0%	4.0%	96.0%
Grade 9	1.9%	2.2%	5.4%	94.6%
Grade 10	0.3%	2.0%	3.8%	96.2%
Grade 11	1.0%	1.0%	2.9%	97.1%
Grade 12	0.0%	0.0%	4.0%	96.0%
<b>Methamphetamine</b>				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.4%	0.4%	1.3%	98.7%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.8%	0.8%	1.5%	98.5%
Grade 10	0.5%	0.7%	0.9%	99.1%
Grade 11	0.3%	0.3%	0.9%	99.1%
Grade 12	0.6%	0.6%	0.8%	99.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.0%	20.2%	33.4%	66.6%
Grade 7	3.8%	4.6%	14.5%	85.5%
Grade 8	7.0%	9.8%	21.7%	78.3%
Grade 9	18.2%	22.4%	33.5%	66.5%
Grade 10	20.8%	26.3%	42.9%	57.1%
Grade 11	24.1%	32.0%	47.0%	53.0%
Grade 12	26.5%	32.0%	47.1%	52.9%
<b>Any Alcohol Product</b>				
All	26.3%	32.0%	53.7%	46.3%
Grade 7	16.2%	18.7%	36.9%	63.1%
Grade 8	18.3%	22.0%	45.9%	54.1%
Grade 9	26.8%	32.3%	54.2%	45.8%
Grade 10	28.4%	35.8%	60.4%	39.6%
Grade 11	33.7%	41.7%	62.3%	37.7%
Grade 12	38.9%	47.2%	68.0%	32.0%
<b>Any Illicit Drug</b>				
All	8.1%	11.4%	17.6%	82.4%
Grade 7	3.2%	4.7%	6.7%	93.3%
Grade 8	3.4%	6.2%	8.2%	91.8%
Grade 9	7.8%	9.5%	15.0%	85.0%
Grade 10	10.7%	15.2%	23.7%	76.3%
Grade 11	12.8%	17.2%	28.1%	71.9%
Grade 12	12.7%	18.5%	28.4%	71.6%
<b>Any Prescription Drug</b>				
All	5.6%	8.9%	17.2%	82.8%
Grade 7	7.3%	9.8%	15.4%	84.6%
Grade 8	3.7%	5.7%	14.3%	85.7%
Grade 9	6.6%	10.1%	18.1%	81.9%
Grade 10	5.5%	10.6%	19.5%	80.5%
Grade 11	3.4%	7.2%	16.0%	84.0%
Grade 12	7.1%	9.9%	20.6%	79.4%
<b>Any Inhalant</b>				
All	2.9%	4.4%	11.0%	89.0%
Grade 7	4.8%	6.3%	14.3%	85.7%
Grade 8	3.9%	6.8%	14.5%	85.5%
Grade 9	2.4%	4.7%	10.2%	89.8%
Grade 10	2.0%	2.6%	7.8%	92.2%
Grade 11	1.4%	2.2%	8.9%	91.1%
Grade 12	2.2%	2.8%	9.0%	91.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.8%	15.7%	27.0%	73.0%
Grade 7	2.6%	3.7%	11.5%	88.5%
Grade 8	5.6%	8.9%	18.9%	81.1%
Grade 9	12.6%	17.8%	26.7%	73.3%
Grade 10	12.7%	18.5%	32.4%	67.6%
Grade 11	15.6%	24.2%	38.7%	61.3%
Grade 12	18.5%	24.6%	38.8%	61.2%
<b>Marijuana</b>				
All	8.0%	10.1%	16.7%	83.3%
Grade 7	3.1%	3.6%	5.3%	94.7%
Grade 8	3.4%	4.7%	7.5%	92.5%
Grade 9	7.8%	8.4%	14.1%	85.9%
Grade 10	10.6%	13.8%	22.7%	77.3%
Grade 11	12.6%	15.9%	27.7%	72.3%
Grade 12	12.4%	17.0%	28.0%	72.0%
<b>Marijuana Only</b>				
All	5.1%	6.9%	12.7%	87.3%
Grade 7	1.6%	2.1%	3.3%	96.7%
Grade 8	2.2%	3.5%	5.7%	94.3%
Grade 9	4.2%	4.5%	9.9%	90.1%
Grade 10	6.3%	9.3%	17.6%	82.4%
Grade 11	8.7%	10.9%	21.4%	78.6%
Grade 12	9.4%	13.2%	22.4%	77.6%
<b>Cocaine or Crack</b>				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.7%	0.8%	1.1%	98.9%
Grade 10	0.5%	0.5%	1.8%	98.2%
Grade 11	0.4%	0.5%	1.7%	98.3%
Grade 12	1.2%	1.6%	2.0%	98.0%
<b>Cocaine</b>				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.7%	0.8%	1.1%	98.9%
Grade 10	0.5%	0.5%	1.8%	98.2%
Grade 11	0.0%	0.1%	1.2%	98.8%
Grade 12	0.9%	1.3%	2.0%	98.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.4%	0.4%	0.8%	99.2%
Grade 12	0.3%	0.3%	0.5%	99.5%
<b>Hallucinogens</b>				
All	0.4%	0.7%	1.5%	98.5%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.7%	1.2%	1.4%	98.6%
Grade 10	0.8%	1.4%	2.8%	97.2%
Grade 11	0.3%	1.1%	2.9%	97.1%
Grade 12	0.4%	0.6%	1.4%	98.6%
<b>Synthetic Cathinones</b>				
All	0.0%	0.1%	0.1%	99.9%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.2%	0.4%	1.4%	98.6%
Grade 7	0.3%	0.6%	2.1%	97.9%
Grade 8	0.3%	0.3%	1.0%	99.0%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.3%	0.3%	1.9%	98.1%
Grade 11	0.1%	0.6%	1.6%	98.4%
Grade 12	0.1%	0.2%	0.8%	99.2%
<b>Ecstasy</b>				
All	0.1%	0.2%	1.0%	99.0%
Grade 7	0.0%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.9%	99.1%
Grade 10	0.1%	0.4%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.3%	0.4%	1.5%	98.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.3%	0.8%	2.1%	97.9%
Grade 7	0.1%	0.9%	1.5%	98.5%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.8%	1.4%	2.9%	97.1%
Grade 10	0.1%	0.6%	1.6%	98.4%
Grade 11	0.6%	1.1%	3.0%	97.0%
Grade 12	0.1%	0.1%	2.7%	97.3%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.2%	0.2%	1.1%	98.9%
Grade 11	0.0%	0.4%	1.0%	99.0%
Grade 12	0.1%	0.1%	0.2%	99.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 82 of 125

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	27.9%	33.4%	47.6%	52.4%
Grade 7	15.2%	15.2%	32.3%	67.7%
Grade 8	18.0%	22.8%	37.3%	62.7%
Grade 9	38.7%	42.9%	55.2%	44.8%
Grade 10	28.8%	37.2%	48.0%	52.0%
Grade 11	33.6%	40.7%	55.0%	45.0%
Grade 12	32.5%	41.5%	56.9%	43.1%
<b>Any Alcohol Product</b>				
All	39.4%	46.3%	64.1%	35.9%
Grade 7	30.6%	31.7%	51.5%	48.5%
Grade 8	34.8%	35.9%	53.3%	46.7%
Grade 9	49.3%	58.8%	81.4%	18.6%
Grade 10	32.3%	43.8%	61.3%	38.7%
Grade 11	43.8%	53.4%	70.4%	29.6%
Grade 12	43.9%	52.9%	65.9%	34.1%
<b>Any Illicit Drug</b>				
All	16.3%	23.1%	31.5%	68.5%
Grade 7	8.8%	10.9%	15.6%	84.4%
Grade 8	10.7%	14.8%	22.0%	78.0%
Grade 9	26.2%	32.2%	42.2%	57.8%
Grade 10	14.1%	24.0%	34.1%	65.9%
Grade 11	16.3%	27.2%	33.5%	66.5%
Grade 12	21.7%	29.3%	42.5%	57.5%
<b>Any Prescription Drug</b>				
All	11.5%	15.5%	28.3%	71.7%
Grade 7	8.3%	10.6%	16.6%	83.4%
Grade 8	12.0%	12.7%	30.1%	69.9%
Grade 9	18.2%	24.3%	38.8%	61.2%
Grade 10	10.1%	13.8%	26.9%	73.1%
Grade 11	9.8%	17.3%	30.8%	69.2%
Grade 12	10.8%	13.9%	26.5%	73.5%
<b>Any Inhalant</b>				
All	8.4%	12.1%	19.2%	80.8%
Grade 7	8.4%	13.8%	17.2%	82.8%
Grade 8	12.6%	14.7%	23.8%	76.2%
Grade 9	8.7%	14.6%	22.8%	77.2%
Grade 10	2.9%	6.1%	15.9%	84.1%
Grade 11	11.4%	15.4%	20.5%	79.5%
Grade 12	5.2%	6.4%	14.9%	85.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	19.9%	25.8%	39.0%	61.0%
Grade 7	11.9%	11.9%	25.0%	75.0%
Grade 8	10.1%	17.2%	33.9%	66.1%
Grade 9	28.7%	33.8%	46.0%	54.0%
Grade 10	18.8%	26.1%	39.1%	60.9%
Grade 11	25.4%	32.4%	48.5%	51.5%
Grade 12	23.2%	32.0%	40.2%	59.8%
<b>Marijuana</b>				
All	15.9%	20.4%	29.4%	70.6%
Grade 7	7.1%	9.2%	13.9%	86.1%
Grade 8	10.7%	12.9%	17.6%	82.4%
Grade 9	25.5%	29.8%	41.1%	58.9%
Grade 10	14.3%	18.7%	30.4%	69.6%
Grade 11	16.3%	25.3%	31.6%	68.4%
Grade 12	21.3%	26.0%	42.1%	57.9%
<b>Marijuana Only</b>				
All	9.0%	12.0%	18.9%	81.1%
Grade 7	5.0%	7.1%	11.8%	88.2%
Grade 8	3.2%	4.7%	9.4%	90.6%
Grade 9	16.9%	20.6%	30.8%	69.2%
Grade 10	5.3%	7.4%	15.6%	84.4%
Grade 11	9.8%	15.4%	21.2%	78.8%
Grade 12	13.2%	15.5%	23.4%	76.6%
<b>Cocaine or Crack</b>				
All	1.8%	2.2%	4.3%	95.7%
Grade 7	1.8%	1.8%	1.8%	98.2%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	2.1%	2.1%	3.7%	96.3%
Grade 10	0.6%	1.2%	3.8%	96.2%
Grade 11	3.2%	3.2%	7.1%	92.9%
Grade 12	2.4%	4.1%	8.0%	92.0%
<b>Cocaine</b>				
All	1.8%	2.2%	4.1%	95.9%
Grade 7	1.8%	1.8%	1.8%	98.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	2.1%	2.1%	2.8%	97.2%
Grade 10	0.6%	1.2%	3.8%	96.2%
Grade 11	3.2%	3.2%	7.1%	92.9%
Grade 12	2.4%	4.1%	8.0%	92.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.9%	0.9%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	1.5%	1.5%	2.4%	97.6%
Grade 10	0.6%	1.2%	3.2%	96.8%
Grade 11	2.4%	2.4%	2.4%	97.6%
Grade 12	0.0%	0.0%	0.7%	99.3%
<b>Hallucinogens</b>				
All	1.1%	1.7%	3.4%	96.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	2.1%	3.7%	4.1%	95.9%
Grade 10	2.0%	2.5%	6.9%	93.1%
Grade 11	1.4%	1.4%	4.4%	95.6%
Grade 12	0.5%	2.1%	4.1%	95.9%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	7.4%	92.6%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	1.2%	1.3%	3.1%	96.9%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	1.8%	1.8%	1.8%	98.2%
Grade 9	0.0%	0.7%	4.8%	95.2%
Grade 10	0.9%	1.5%	3.6%	96.4%
Grade 11	2.9%	2.9%	3.3%	96.7%
Grade 12	1.0%	1.0%	4.5%	95.5%
<b>Ecstasy</b>				
All	1.0%	1.3%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	1.5%	2.7%	97.3%
Grade 10	3.6%	3.6%	6.5%	93.5%
Grade 11	1.4%	1.4%	2.8%	97.2%
Grade 12	1.5%	1.5%	2.4%	97.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.4%	0.4%	0.9%	99.1%
<b>Synthetic Marijuana</b>				
All	1.2%	1.8%	6.5%	93.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.6%	3.2%	8.7%	91.3%
Grade 9	3.6%	3.6%	7.6%	92.4%
Grade 10	0.0%	2.5%	7.5%	92.5%
Grade 11	1.9%	1.9%	6.3%	93.7%
Grade 12	0.0%	0.0%	9.4%	90.6%
<b>Methamphetamine</b>				
All	0.8%	0.9%	2.1%	97.9%
Grade 7	0.0%	0.0%	2.2%	97.8%
Grade 8	0.0%	0.0%	2.8%	97.2%
Grade 9	0.7%	0.7%	2.2%	97.8%
Grade 10	0.0%	0.6%	1.1%	98.9%
Grade 11	1.9%	1.9%	2.4%	97.6%
Grade 12	1.7%	1.7%	1.7%	98.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	20,510	51.0%
Female	19,691	49.0%
Frequency Missing	159	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	25,922	65.5%
Yes	13,641	34.5%
Frequency Missing	796	

**Grade**

Q2	Frequency	Percent
Grade 7	7,625	19.0%
Grade 8	7,363	18.3%
Grade 9	6,673	16.6%
Grade 10	6,537	16.3%
Grade 11	6,285	15.6%
Grade 12	5,733	14.3%
Frequency Missing	143	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	747	2.0%
Asian American	237	0.6%
African American	2,042	5.4%
Pacific Islander	90	0.2%
White	24,794	65.1%
Other	4,642	12.2%
More Than One Race	5,517	14.5%
Frequency Missing	2,292	

**Live with Both Parents**

Q3	Frequency	Percent
No	17,086	42.8%
Yes	22,849	57.2%
Frequency Missing	424	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	119	0.3%
Mostly D's	444	1.2%
Mostly C's	3,567	9.9%
Mostly B's	15,912	44.3%
Mostly A's	15,854	44.2%
Frequency Missing	4,464	

**Age**

Q4	Frequency	Percent
11 or younger	57	0.1%
12	2,628	6.5%
13	6,901	17.2%
14	7,065	17.6%
15	6,491	16.2%
16	6,661	16.6%
17	6,388	15.9%
18	3,609	9.0%
19 or older	334	0.8%
Frequency Missing	224	

**Do You Have a Job**

Q7	Frequency	Percent
No	27,356	75.7%
Yes	8,785	24.3%
Frequency Missing	4,219	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	12,814	35.8%
Yes	12,302	34.3%
Don't Know	10,712	29.9%
Frequency Missing	4,533	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	26,132	88.1%
Yes	3,530	11.9%
Frequency Missing	10,697	

**Participate in School Athletics (UIL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	11,420	33.4%
Yes	22,813	66.6%
Frequency Missing	6,126	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	18,470	59.9%
Yes	12,379	40.1%
Frequency Missing	9,510	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	21,667	69.6%
Yes	9,482	30.4%
Frequency Missing	9,211	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	21,960	73.1%
Yes	8,080	26.9%
Frequency Missing	10,319	

**Participate in School Choir**

Q9c	Frequency	Percent
No	27,642	93.7%
Yes	1,873	6.3%
Frequency Missing	10,844	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	20,320	66.3%
Yes	10,336	33.7%
Frequency Missing	9,704	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	26,939	90.0%
Yes	2,986	10.0%
Frequency Missing	10,434	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	23,401	78.3%
Yes	6,484	21.7%
Frequency Missing	10,474	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	35,047	87.6%
Somewhat Safe	4,308	10.8%
Not Very Safe	409	1.0%
Not Safe At All	51	0.1%
Don't Know	213	0.5%
Frequency Missing	332	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School or Less	2,210	5.8%
Some High School	3,900	10.2%
Finished High School	8,296	21.6%
Some College	6,463	16.8%
Finished College	9,535	24.8%
Post-Secondary	3,797	9.9%
Don't Know or N/A	4,209	11.0%
Frequency Missing	1,950	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	19,881	50.2%
Somewhat Safe	15,942	40.3%
Not Very Safe	2,272	5.7%
Not Safe At All	463	1.2%
Don't Know	1,037	2.6%
Frequency Missing	764	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	21,203	58.9%
Yes	14,816	41.1%
Frequency Missing	4,341	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	18,664	47.0%
Somewhat Safe	16,104	40.6%
Not Very Safe	2,391	6.0%
Not Safe At All	1,331	3.4%
Don't Know	1,179	3.0%
Frequency Missing	690	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	1,703	4.4%
A Few	7,638	19.6%
Some	8,073	20.7%
Most	15,966	41.0%
All	5,603	14.4%
Frequency Missing	1,376	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School or Less	2,347	6.1%
Some High School	4,493	11.8%
Finished High School	10,661	27.9%
Some College	5,362	14.0%
Finished College	6,394	16.7%
Post-Secondary	2,613	6.8%
Don't Know or N/A	6,337	16.6%
Frequency Missing	2,152	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	735	1.9%
A Few	4,618	11.9%
Some	8,943	23.0%
Most	16,963	43.7%
All	7,576	19.5%
Frequency Missing	1,525	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	18,114	47.4%
A Few	11,688	30.6%
Some	4,812	12.6%
Most	2,252	5.9%
All	1,324	3.5%
Frequency Missing	2,169	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	37,169	95.5%
In Your Lifetime	1,179	3.0%
Since School Began	208	0.5%
In the Past Month	374	1.0%
Frequency Missing	1,428	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	24,753	64.1%
A Few	8,281	21.4%
Some	3,103	8.0%
Most	1,849	4.8%
All	659	1.7%
Frequency Missing	1,715	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	38,212	98.8%
In Your Lifetime	257	0.7%
Since School Began	68	0.2%
In the Past Month	155	0.4%
Frequency Missing	1,667	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	34,165	87.9%
A Few	3,133	8.1%
Some	788	2.0%
Most	346	0.9%
All	429	1.1%
Frequency Missing	1,499	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	36,233	93.3%
In Your Lifetime	1,708	4.4%
Since School Began	432	1.1%
In the Past Month	474	1.2%
Frequency Missing	1,512	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	38,195	97.7%
In Your Lifetime	615	1.6%
Since School Began	95	0.2%
In the Past Month	207	0.5%
Frequency Missing	1,248	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	38,466	99.2%
In Your Lifetime	181	0.5%
Since School Began	57	0.1%
In the Past Month	91	0.2%
Frequency Missing	1,565	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	38,305	99.1%
In Your Lifetime	254	0.7%
Since School Began	24	0.1%
In the Past Month	89	0.2%
Frequency Missing	1,688	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	34,257	88.4%
In Your Lifetime	2,154	5.6%
Since School Began	705	1.8%
In the Past Month	1,644	4.2%
Frequency Missing	1,600	

**Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	38,028	97.9%
In Your Lifetime	443	1.1%
Since School Began	102	0.3%
In the Past Month	256	0.7%
Frequency Missing	1,531	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	23,411	61.3%
In Your Lifetime	7,621	19.9%
Since School Began	2,370	6.2%
In the Past Month	4,802	12.6%
Frequency Missing	2,156	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	27,739	71.8%
In Your Lifetime	5,220	13.5%
Since School Began	2,162	5.6%
In the Past Month	3,493	9.0%
Frequency Missing	1,746	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	38,373	98.7%
In Your Lifetime	279	0.7%
Since School Began	60	0.2%
In the Past Month	168	0.4%
Frequency Missing	1,480	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	27,438	71.6%
In Your Lifetime	6,600	17.2%
Since School Began	1,780	4.6%
In the Past Month	2,490	6.5%
Frequency Missing	2,053	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	32,220	82.5%
In Your Lifetime	3,891	10.0%
Since School Began	898	2.3%
In the Past Month	2,065	5.3%
Frequency Missing	1,286	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	25,668	66.9%
In Your Lifetime	5,729	14.9%
Since School Began	2,479	6.5%
In the Past Month	4,479	11.7%
Frequency Missing	2,005	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	38,894	98.7%
In Your Lifetime	329	0.8%
Since School Began	63	0.2%
In the Past Month	117	0.3%
Frequency Missing	957	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	37,649	96.8%
In Your Lifetime	910	2.3%
Since School Began	122	0.3%
In the Past Month	197	0.5%
Frequency Missing	1,481	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	39,188	99.6%
In Your Lifetime	87	0.2%
Since School Began	6	0.0%
In the Past Month	46	0.1%
Frequency Missing	1,032	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	27,754	71.3%
In Your Lifetime	4,514	11.6%
Since School Began	1,922	4.9%
In the Past Month	4,732	12.2%
Frequency Missing	1,437	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	38,551	98.1%
In Your Lifetime	373	0.9%
Since School Began	144	0.4%
In the Past Month	217	0.6%
Frequency Missing	1,075	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	32,619	82.7%
In Your Lifetime	3,444	8.7%
Since School Began	1,081	2.7%
In the Past Month	2,297	5.8%
Frequency Missing	918	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	39,198	99.7%
In Your Lifetime	82	0.2%
Since School Began	6	0.0%
In the Past Month	16	0.0%
Frequency Missing	1,058	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	38,752	98.6%
In Your Lifetime	351	0.9%
Since School Began	70	0.2%
In the Past Month	115	0.3%
Frequency Missing	1,072	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	38,370	97.8%
In Your Lifetime	540	1.4%
Since School Began	172	0.4%
In the Past Month	139	0.4%
Frequency Missing	1,139	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	38,828	99.0%
In Your Lifetime	280	0.7%
Since School Began	43	0.1%
In the Past Month	69	0.2%
Frequency Missing	1,140	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	33,670	87.5%
In Your Lifetime	2,790	7.3%
Since School Began	814	2.1%
In the Past Month	1,195	3.1%
Frequency Missing	1,890	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	39,269	99.8%
In Your Lifetime	38	0.1%
Since School Began	5	0.0%
In the Past Month	35	0.1%
Frequency Missing	1,013	

**Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	36,464	95.3%
In Your Lifetime	1,015	2.7%
Since School Began	293	0.8%
In the Past Month	495	1.3%
Frequency Missing	2,092	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	39,047	99.2%
In Your Lifetime	172	0.4%
Since School Began	52	0.1%
In the Past Month	79	0.2%
Frequency Missing	1,009	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	36,309	95.0%
In Your Lifetime	1,141	3.0%
Since School Began	262	0.7%
In the Past Month	522	1.4%
Frequency Missing	2,126	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	36,506	95.8%
In Your Lifetime	884	2.3%
Since School Began	119	0.3%
In the Past Month	598	1.6%
Frequency Missing	2,252	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	28,941	75.5%
1-2 times	6,222	16.2%
3-10 times	2,288	6.0%
11+ times	905	2.4%
Frequency Missing	2,003	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	34,761	91.4%
In Your Lifetime	1,599	4.2%
Since School Began	513	1.3%
In the Past Month	1,153	3.0%
Frequency Missing	2,334	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	37,872	98.6%
1-2 times	398	1.0%
3-10 times	80	0.2%
11+ times	43	0.1%
Frequency Missing	1,966	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	37,315	97.0%
In Your Lifetime	698	1.8%
Since School Began	131	0.3%
In the Past Month	308	0.8%
Frequency Missing	1,908	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	35,208	91.6%
1-2 times	1,621	4.2%
3-10 times	595	1.5%
11+ times	996	2.6%
Frequency Missing	1,940	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	34,607	89.6%
1-2 times	1,878	4.9%
3-10 times	769	2.0%
11+ times	1,349	3.5%
Frequency Missing	1,755	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	38,301	99.4%
1-2 times	169	0.4%
3-10 times	22	0.1%
11+ times	22	0.1%
Frequency Missing	1,845	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	38,331	99.7%
1-2 times	58	0.1%
3-10 times	34	0.1%
11+ times	30	0.1%
Frequency Missing	1,907	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	23,753	62.2%
A few	7,749	20.3%
Some	3,379	8.8%
Most	2,548	6.7%
All	784	2.1%
Frequency Missing	2,147	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never heard/None	22,792	59.4%
A few	9,194	24.0%
Some	3,786	9.9%
Most	2,121	5.5%
All	463	1.2%
Frequency Missing	2,004	

**Age When First Used Tobacco**

Q21a	Frequency	Percent
Never used it	30,839	79.6%
8 or younger	632	1.6%
9 years old	356	0.9%
10 years old	453	1.2%
11 years old	303	0.8%
12 years old	936	2.4%
13 years old	1,133	2.9%
14 years old	1,265	3.3%
15 years old	1,340	3.5%
16 years old	900	2.3%
17 years old	417	1.1%
18 or older	155	0.4%
Frequency Missing	1,629	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	16,661	43.5%
A few	10,678	27.9%
Some	5,329	13.9%
Most	4,603	12.0%
All	990	2.6%
Frequency Missing	2,099	

**Age When First Used Alcohol**

Q21b	Frequency	Percent
Never used it	20,798	54.1%
8 or younger	2,119	5.5%
9 years old	533	1.4%
10 years old	956	2.5%
11 years old	951	2.5%
12 years old	1,871	4.9%
13 years old	2,413	6.3%
14 years old	2,601	6.8%
15 years old	2,790	7.3%
16 years old	2,246	5.8%
17 years old	841	2.2%
18 or older	314	0.8%
Frequency Missing	1,928	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	35,411	92.8%
A few	1,995	5.2%
Some	540	1.4%
Most	134	0.3%
All	89	0.2%
Frequency Missing	2,191	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Inhalants**

Q21c	Frequency	Percent
Never used it	37,334	96.6%
8 or younger	243	0.6%
9 years old	71	0.2%
10 years old	100	0.3%
11 years old	187	0.5%
12 years old	193	0.5%
13 years old	213	0.6%
14 years old	94	0.2%
15 years old	80	0.2%
16 years old	81	0.2%
17 years old	18	0.0%
18 or older	24	0.1%
Frequency Missing	1,723	

**Age When First Used Cocaine**

Q21e	Frequency	Percent
Never used it	38,211	98.8%
8 or younger	11	0.0%
9 years old	0	0.0%
10 years old	24	0.1%
11 years old	0	0.0%
12 years old	28	0.1%
13 years old	66	0.2%
14 years old	77	0.2%
15 years old	68	0.2%
16 years old	96	0.2%
17 years old	95	0.2%
18 or older	16	0.0%
Frequency Missing	1,666	

**Age When First Used Marijuana**

Q21d	Frequency	Percent
Never used it	31,854	82.4%
8 or younger	123	0.3%
9 years old	77	0.2%
10 years old	201	0.5%
11 years old	236	0.6%
12 years old	800	2.1%
13 years old	1,125	2.9%
14 years old	1,089	2.8%
15 years old	1,554	4.0%
16 years old	1,045	2.7%
17 years old	449	1.2%
18 or older	117	0.3%
Frequency Missing	1,690	

**Age When First Used Crack**

Q21f	Frequency	Percent
Never used it	38,587	99.7%
8 or younger	11	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	0	0.0%
13 years old	20	0.1%
14 years old	14	0.0%
15 years old	23	0.1%
16 years old	15	0.0%
17 years old	21	0.1%
18 or older	0	0.0%
Frequency Missing	1,667	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Steroids**

Q21h	Frequency	Percent
Never used it	38,178	98.7%
8 or younger	62	0.2%
9 years old	46	0.1%
10 years old	36	0.1%
11 years old	34	0.1%
12 years old	42	0.1%
13 years old	40	0.1%
14 years old	55	0.1%
15 years old	110	0.3%
16 years old	48	0.1%
17 years old	30	0.1%
18 or older	9	0.0%
Frequency Missing	1,671	

**Age When First Used Heroin**

Q21j	Frequency	Percent
Never used it	38,586	99.8%
8 or younger	5	0.0%
9 years old	11	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	11	0.0%
13 years old	8	0.0%
14 years old	28	0.1%
15 years old	4	0.0%
16 years old	14	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	1,692	

**Age When First Used Ecstasy**

Q21i	Frequency	Percent
Never used it	38,166	99.0%
8 or younger	5	0.0%
9 years old	0	0.0%
10 years old	6	0.0%
11 years old	28	0.1%
12 years old	3	0.0%
13 years old	33	0.1%
14 years old	92	0.2%
15 years old	61	0.2%
16 years old	94	0.2%
17 years old	36	0.1%
18 or older	30	0.1%
Frequency Missing	1,805	

**Age When First Used Methamphetamine**

Q21k	Frequency	Percent
Never used it	38,452	99.4%
8 or younger	23	0.1%
9 years old	18	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	4	0.0%
13 years old	35	0.1%
14 years old	90	0.2%
15 years old	24	0.1%
16 years old	32	0.1%
17 years old	12	0.0%
18 or older	0	0.0%
Frequency Missing	1,671	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Synthetic Marijuana**

Q211	Frequency	Percent
Never used it	37,811	97.9%
8 or younger	14	0.0%
9 years old	3	0.0%
10 years old	63	0.2%
11 years old	30	0.1%
12 years old	111	0.3%
13 years old	104	0.3%
14 years old	221	0.6%
15 years old	128	0.3%
16 years old	82	0.2%
17 years old	46	0.1%
18 or older	8	0.0%
Frequency Missing	1,739	

**Difficult to Get Tobacco**

Q22a	Frequency	Percent
Never heard of	9,018	23.5%
Impossible	7,740	20.1%
Very Difficult	2,651	6.9%
Somewhat diff	3,795	9.9%
Somewhat easy	5,500	14.3%
Very easy	9,749	25.4%
Frequency Missing	1,907	

**Difficult to Get Alcohol**

Q22b	Frequency	Percent
Never heard of	7,340	19.2%
Impossible	5,585	14.6%
Very Difficult	2,954	7.7%
Somewhat diff	4,774	12.5%
Somewhat easy	7,175	18.8%
Very easy	10,400	27.2%
Frequency Missing	2,131	

**Difficult to Get Inhalants**

Q22c	Frequency	Percent
Never heard of	14,738	38.7%
Impossible	7,039	18.5%
Very Difficult	1,897	5.0%
Somewhat diff	2,701	7.1%
Somewhat easy	3,531	9.3%
Very easy	8,135	21.4%
Frequency Missing	2,318	

**Difficult to Get Marijuana**

Q22d	Frequency	Percent
Never heard of	10,074	26.4%
Impossible	10,319	27.0%
Very Difficult	3,309	8.7%
Somewhat diff	3,738	9.8%
Somewhat easy	4,573	12.0%
Very easy	6,192	16.2%
Frequency Missing	2,154	

**Difficult to Get Cocaine**

Q22e	Frequency	Percent
Never heard of	13,713	36.1%
Impossible	14,272	37.5%
Very Difficult	4,780	12.6%
Somewhat diff	2,692	7.1%
Somewhat easy	1,211	3.2%
Very easy	1,370	3.6%
Frequency Missing	2,321	

**Difficult to Get Crack**

Q22f	Frequency	Percent
Never heard of	14,224	37.4%
Impossible	14,643	38.5%
Very Difficult	4,650	12.2%
Somewhat diff	2,441	6.4%
Somewhat easy	938	2.5%
Very easy	1,174	3.1%
Frequency Missing	2,290	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Difficult to Get Steroids**

Q22h	Frequency	Percent
Never heard of	14,326	37.7%
Impossible	13,997	36.8%
Very Difficult	4,359	11.5%
Somewhat diff	2,685	7.1%
Somewhat easy	1,261	3.3%
Very easy	1,360	3.6%
Frequency Missing	2,371	

**Difficult to Get Synthetic Marijuana**

Q22l	Frequency	Percent
Never heard of	17,637	46.4%
Impossible	11,758	30.9%
Very Difficult	3,377	8.9%
Somewhat diff	2,088	5.5%
Somewhat easy	1,390	3.7%
Very easy	1,745	4.6%
Frequency Missing	2,365	

**Difficult to Get Ecstasy**

Q22i	Frequency	Percent
Never heard of	18,068	47.7%
Impossible	12,028	31.8%
Very Difficult	3,824	10.1%
Somewhat diff	1,966	5.2%
Somewhat easy	789	2.1%
Very easy	1,191	3.1%
Frequency Missing	2,494	

**How Often Normally Use Tobacco**

Q23a	Frequency	Percent
Every day	1,109	2.9%
Several times/wk	499	1.3%
Several times/mo	906	2.4%
About once/month	1,112	2.9%
About once/year	1,264	3.3%
Less than once/year	2,458	6.4%
Never used	31,209	80.9%
Frequency Missing	1,802	

**Difficult to Get Heroin**

Q22j	Frequency	Percent
Never heard of	15,904	41.7%
Impossible	14,720	38.6%
Very Difficult	4,337	11.4%
Somewhat diff	1,611	4.2%
Somewhat easy	636	1.7%
Very easy	973	2.5%
Frequency Missing	2,180	

**How Often Normally Use Alcohol**

Q23b	Frequency	Percent
Every day	130	0.3%
Several times/wk	647	1.7%
Several times/mo	2,285	6.0%
About once/month	4,392	11.5%
About once/year	4,099	10.8%
Less than once/year	4,283	11.2%
Never used	22,282	58.5%
Frequency Missing	2,242	

**Difficult to Get Methamphetamine**

Q22k	Frequency	Percent
Never heard of	16,847	44.1%
Impossible	13,647	35.7%
Very Difficult	3,734	9.8%
Somewhat diff	1,870	4.9%
Somewhat easy	934	2.4%
Very easy	1,163	3.0%
Frequency Missing	2,164	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**How Often Normally Use Inhalants**

Q23c	Frequency	Percent
Every day	53	0.1%
Several times/wk	59	0.2%
Several times/mo	81	0.2%
About once/month	162	0.4%
About once/year	227	0.6%
Less than once/year	624	1.6%
Never used	37,051	96.8%
Frequency Missing	2,103	

**How Often Normally Use Crack**

Q23f	Frequency	Percent
Every day	27	0.1%
Several times/wk	10	0.0%
Several times/mo	0	0.0%
About once/month	14	0.0%
About once/year	6	0.0%
Less than once/year	60	0.2%
Never used	38,168	99.7%
Frequency Missing	2,075	

**How Often Normally Use Marijuana**

Q23d	Frequency	Percent
Every day	619	1.6%
Several times/wk	598	1.6%
Several times/mo	697	1.8%
About once/month	1,149	3.0%
About once/year	1,258	3.3%
Less than once/year	1,597	4.2%
Never used	32,370	84.5%
Frequency Missing	2,071	

**How Often Normally Use Steroids**

Q23h	Frequency	Percent
Every day	29	0.1%
Several times/wk	19	0.0%
Several times/mo	20	0.1%
About once/month	57	0.1%
About once/year	68	0.2%
Less than once/year	173	0.5%
Never used	37,940	99.0%
Frequency Missing	2,054	

**How Often Normally Use Cocaine**

Q23e	Frequency	Percent
Every day	13	0.0%
Several times/wk	8	0.0%
Several times/mo	14	0.0%
About once/month	91	0.2%
About once/year	63	0.2%
Less than once/year	250	0.7%
Never used	37,844	98.9%
Frequency Missing	2,075	

**How Often Normally Use Ecstasy**

Q23i	Frequency	Percent
Every day	14	0.0%
Several times/wk	28	0.1%
Several times/mo	9	0.0%
About once/month	21	0.1%
About once/year	95	0.2%
Less than once/year	187	0.5%
Never used	37,885	99.1%
Frequency Missing	2,120	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**How Often Normally Use Heroin**

Q23j	Frequency	Percent
Every day	12	0.0%
Several times/wk	16	0.0%
Several times/mo	0	0.0%
About once/month	10	0.0%
About once/year	4	0.0%
Less than once/year	10	0.0%
Never used	38,214	99.9%
Frequency Missing	2,094	

**Amount of Beer at One Time**

Q24a	Frequency	Percent
Never drink this	23,618	60.8%
12+ drinks	1,331	3.4%
9-11 drinks	1,103	2.8%
5-8 drinks	1,577	4.1%
3-4 drinks	1,880	4.8%
2 drinks	1,966	5.1%
1 drink	2,728	7.0%
Less than 1 drink	4,644	12.0%
Frequency Missing	1,511	

**How Often Normally Use Methamphetamine**

Q23k	Frequency	Percent
Every day	10	0.0%
Several times/wk	49	0.1%
Several times/mo	0	0.0%
About once/month	29	0.1%
About once/year	0	0.0%
Less than once/year	105	0.3%
Never used	38,113	99.5%
Frequency Missing	2,053	

**Amount of Wine Coolers at One Time**

Q24b	Frequency	Percent
Never drink this	27,045	70.0%
12+ drinks	856	2.2%
9-11 drinks	707	1.8%
5-8 drinks	1,342	3.5%
3-4 drinks	1,807	4.7%
2 drinks	2,002	5.2%
1 drink	2,204	5.7%
Less than 1 drink	2,647	6.9%
Frequency Missing	1,750	

**How Often Normally Use Synthetic Marijuana**

Q23l	Frequency	Percent
Every day	27	0.1%
Several times/wk	20	0.1%
Several times/mo	30	0.1%
About once/month	98	0.3%
About once/year	150	0.4%
Less than once/year	317	0.8%
Never used	37,497	98.3%
Frequency Missing	2,220	

**Amount of Wine at One Time**

Q24c	Frequency	Percent
Never drink this	27,738	72.2%
12+ drinks	425	1.1%
9-11 drinks	313	0.8%
5-8 drinks	451	1.2%
3-4 drinks	904	2.4%
2 drinks	1,602	4.2%
1 drink	2,843	7.4%
Less than 1 drink	4,153	10.8%
Frequency Missing	1,930	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Amount of Liquor at One Time**

Q24d	Frequency	Percent
Never drink this	25,121	65.0%
12+ drinks	1,249	3.2%
9-11 drinks	716	1.9%
5-8 drinks	1,709	4.4%
3-4 drinks	1,919	5.0%
2 drinks	1,912	4.9%
1 drink	2,416	6.3%
Less than 1 drink	3,601	9.3%
Frequency Missing	1,717	

**Get Alcoholic Beverages from Friends**

Q26b	Frequency	Percent
Do not Drink	22,440	57.9%
Never	6,548	16.9%
Seldom	4,929	12.7%
Most of the Time	3,758	9.7%
Always	1,058	2.7%
Frequency Missing	1,628	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q25a	Frequency	Percent
Never 5+ at time	21,963	57.1%
0 days	11,983	31.2%
1 day	1,827	4.8%
2 days	833	2.2%
3 to 5 days	673	1.7%
6 to 9 days	395	1.0%
10 or more days	764	2.0%
Frequency Missing	1,922	

**Get Alcoholic Beverages from a Store**

Q26c	Frequency	Percent
Do not Drink	23,633	61.2%
Never	12,601	32.6%
Seldom	1,387	3.6%
Most of the Time	611	1.6%
Always	377	1.0%
Frequency Missing	1,751	

**Get Alcoholic Beverages from Home**

Q26a	Frequency	Percent
Do not Drink	22,683	58.3%
Never	7,142	18.4%
Seldom	6,743	17.3%
Most of the Time	1,554	4.0%
Always	768	2.0%
Frequency Missing	1,469	

**Get Alcoholic Beverages at Parties**

Q26d	Frequency	Percent
Do not Drink	22,489	58.2%
Never	6,904	17.9%
Seldom	3,681	9.5%
Most of the Time	3,033	7.8%
Always	2,533	6.6%
Frequency Missing	1,720	

**Get Alcoholic Beverages from Other Sources**

Q26e	Frequency	Percent
Do not Drink	23,246	60.5%
Never	8,570	22.3%
Seldom	3,666	9.5%
Most of the Time	1,680	4.4%
Always	1,256	3.3%
Frequency Missing	1,941	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Dangerous for Kids to Use Tobacco**

Q27a	Frequency	Percent
Very	21,720	56.4%
Somewhat	10,190	26.5%
Not very	4,014	10.4%
Not at all	768	2.0%
Don't know	1,792	4.7%
Frequency Missing	1,875	

**Dangerous for Kids to Use Cocaine**

Q27e	Frequency	Percent
Very	34,613	90.6%
Somewhat	1,483	3.9%
Not very	227	0.6%
Not at all	158	0.4%
Don't know	1,712	4.5%
Frequency Missing	2,166	

**Dangerous for Kids to Use Alcohol**

Q27b	Frequency	Percent
Very	19,506	51.0%
Somewhat	11,918	31.2%
Not very	4,588	12.0%
Not at all	812	2.1%
Don't know	1,398	3.7%
Frequency Missing	2,138	

**Dangerous for Kids to Use Crack**

Q27f	Frequency	Percent
Very	34,870	91.3%
Somewhat	1,260	3.3%
Not very	184	0.5%
Not at all	174	0.5%
Don't know	1,705	4.5%
Frequency Missing	2,165	

**Dangerous for Kids to Use Inhalants**

Q27c	Frequency	Percent
Very	29,323	77.0%
Somewhat	4,938	13.0%
Not very	1,254	3.3%
Not at all	362	0.9%
Don't know	2,217	5.8%
Frequency Missing	2,266	

**Dangerous for Kids to Use Ecstasy**

Q27g	Frequency	Percent
Very	32,563	85.2%
Somewhat	2,147	5.6%
Not very	482	1.3%
Not at all	266	0.7%
Don't know	2,753	7.2%
Frequency Missing	2,149	

**Dangerous for Kids to Use Marijuana**

Q27d	Frequency	Percent
Very	23,565	61.7%
Somewhat	5,102	13.4%
Not very	3,774	9.9%
Not at all	4,151	10.9%
Don't know	1,595	4.2%
Frequency Missing	2,173	

**Dangerous for Kids to Use Steroids**

Q27h	Frequency	Percent
Very	29,995	78.6%
Somewhat	4,385	11.5%
Not very	1,155	3.0%
Not at all	366	1.0%
Don't know	2,256	5.9%
Frequency Missing	2,203	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Dangerous for Kids to Use Heroin**

Q27i	Frequency	Percent
Very	34,650	90.6%
Somewhat	1,193	3.1%
Not very	248	0.6%
Not at all	175	0.5%
Don't know	1,959	5.1%
Frequency Missing	2,133	

**Dangerous for Kids to Use Electronic Vapor Products**

Q27m	Frequency	Percent
Very	21,665	57.1%
Somewhat	4,685	12.3%
Not very	5,482	14.4%
Not at all	4,228	11.1%
Don't know	1,889	5.0%
Frequency Missing	2,410	

**Dangerous for Kids to Use Methamphetamine**

Q27j	Frequency	Percent
Very	34,526	90.4%
Somewhat	1,126	2.9%
Not very	274	0.7%
Not at all	201	0.5%
Don't know	2,067	5.4%
Frequency Missing	2,165	

**Days Skipped Since September**

Q28a	Frequency	Percent
None	31,028	81.5%
1-3 days	5,519	14.5%
4-9 days	1,054	2.8%
10+ days	481	1.3%
Frequency Missing	2,277	

**Dangerous for Kids to Use Synthetic Marijuana**

Q27k	Frequency	Percent
Very	32,117	84.1%
Somewhat	2,265	5.9%
Not very	682	1.8%
Not at all	410	1.1%
Don't know	2,708	7.1%
Frequency Missing	2,177	

**Days Ill Since September**

Q28b	Frequency	Percent
None	12,329	32.5%
1-3 days	18,860	49.8%
4-9 days	5,568	14.7%
10+ days	1,132	3.0%
Frequency Missing	2,471	

**Dangerous for Kids to Use Any Prescription**

Q27l	Frequency	Percent
Very	30,635	80.4%
Somewhat	4,087	10.7%
Not very	995	2.6%
Not at all	339	0.9%
Don't know	2,063	5.4%
Frequency Missing	2,239	

**Other Reason For Days Missed Since September**

Q28c	Frequency	Percent
None	15,145	40.6%
1-3 days	18,071	48.4%
4-9 days	3,009	8.1%
10+ days	1,103	3.0%
Frequency Missing	3,031	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Sent to Principal/Dean Since September**

Q28d	Frequency	Percent
None	33,326	88.1%
1-3 days	3,752	9.9%
4-9 days	435	1.2%
10+ days	333	0.9%
Frequency Missing	2,512	

**Trouble with Friends Because of Drug Use**

Q29c	Frequency	Percent
None	36,635	97.4%
1-3 times	834	2.2%
4-9 times	82	0.2%
10+ times	66	0.2%
Frequency Missing	2,742	

**Someone Called Home Since September**

Q28e	Frequency	Percent
None	34,868	92.3%
1-3 days	2,253	6.0%
4-9 days	367	1.0%
10+ days	288	0.8%
Frequency Missing	2,583	

**Driven a Car While High from Drugs**

Q29d	Frequency	Percent
None	36,281	96.3%
1-3 times	867	2.3%
4-9 times	157	0.4%
10+ times	384	1.0%
Frequency Missing	2,671	

**Trouble with Friends Because of Drinking**

Q29a	Frequency	Percent
None	36,265	95.8%
1-3 times	1,318	3.5%
4-9 times	133	0.4%
10+ times	133	0.4%
Frequency Missing	2,510	

**Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	36,424	96.4%
1-3 days	1,059	2.8%
4-9 days	182	0.5%
10+ days	134	0.4%
Frequency Missing	2,560	

**Driven a Car After a Good Bit to Drink**

Q29b	Frequency	Percent
None	36,161	95.9%
1-3 times	1,143	3.0%
4-9 times	225	0.6%
10+ times	161	0.4%
Frequency Missing	2,670	

**Class Days High on Marijuana Since Sept**

Q30b	Frequency	Percent
None	35,846	95.1%
1-3 days	1,026	2.7%
4-9 days	304	0.8%
10+ days	535	1.4%
Frequency Missing	2,649	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	37,303	99.2%
1-3 days	213	0.6%
4-9 days	54	0.1%
10+ days	27	0.1%
Frequency Missing	2,762	

**Sought Help for Drug/Alcohol Problem**

Q32	Frequency	Percent
No	33,149	94.1%
Yes	2,090	5.9%
Frequency Missing	5,120	

**Class Days High on Other Drug(s)**

Q30d	Frequency	Percent
None	36,824	98.0%
1-3 days	524	1.4%
4-9 days	149	0.4%
10+ days	91	0.2%
Frequency Missing	2,771	

**Would Seek Help from School Counselor**

Q33a	Frequency	Percent
No	22,453	61.0%
Yes	14,328	39.0%
Frequency Missing	3,578	

**Alcohol Use at Parties This School Year**

Q31a	Frequency	Percent
Never	18,219	48.1%
Seldom	2,353	6.2%
Half the time	1,567	4.1%
Most of the Time	2,850	7.5%
Always	3,538	9.3%
Don't Know	485	1.3%
Didn't attend	8,854	23.4%
Frequency Missing	2,494	

**Would Seek Help from School Nurse**

Q33b	Frequency	Percent
No	28,418	77.7%
Yes	8,151	22.3%
Frequency Missing	3,791	

**Would Seek Help from Another Adult in School**

Q33c	Frequency	Percent
No	20,842	57.1%
Yes	15,654	42.9%
Frequency Missing	3,863	

**Drug Use at Parties This School Year**

Q31b	Frequency	Percent
Never	21,904	58.1%
Seldom	2,016	5.3%
Half the time	1,409	3.7%
Most of the Time	1,366	3.6%
Always	1,548	4.1%
Don't Know	672	1.8%
Didn't attend	8,807	23.3%
Frequency Missing	2,637	

**Would Seek Help from Parents**

Q33d	Frequency	Percent
No	10,230	27.6%
Yes	26,803	72.4%
Frequency Missing	3,327	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Would Seek Help from a Medical Doctor**

Q33e	Frequency	Percent
No	17,121	47.0%
Yes	19,326	53.0%
Frequency Missing	3,913	

**Drug/Alcohol Info–School Health Class**

Q34a	Frequency	Percent
No	24,296	66.2%
Yes	12,414	33.8%
Frequency Missing	3,650	

**Would Seek Help from Friends**

Q33f	Frequency	Percent
No	13,341	36.5%
Yes	23,199	63.5%
Frequency Missing	3,820	

**Drug/Alcohol Info–School Assembly Program**

Q34b	Frequency	Percent
No	19,971	54.6%
Yes	16,573	45.4%
Frequency Missing	3,815	

**Would Seek Help from Another Adult**

Q33g	Frequency	Percent
No	14,158	38.8%
Yes	22,349	61.2%
Frequency Missing	3,853	

**Drug/Alcohol Info–School Guidance Counselor**

Q34c	Frequency	Percent
No	28,381	78.1%
Yes	7,954	21.9%
Frequency Missing	4,024	

**Would Seek Help from Counselor or Program Outside School**

Q33h	Frequency	Percent
No	21,602	59.1%
Yes	14,922	40.9%
Frequency Missing	3,836	

**Drug/Alcohol Info–School Nurse**

Q34d	Frequency	Percent
No	31,018	85.4%
Yes	5,320	14.6%
Frequency Missing	4,021	

**Would Not Seek Help**

Q33i	Frequency	Percent
No	29,711	83.5%
Yes	5,858	16.5%
Frequency Missing	4,790	

**Drug/Alcohol Info–Science or Social Studies Class**

Q34e	Frequency	Percent
No	27,054	74.6%
Yes	9,207	25.4%
Frequency Missing	4,098	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Drug/Alcohol Info–School Student Group or Club**

Q34f	Frequency	Percent
No	31,761	87.5%
Yes	4,544	12.5%
Frequency Missing	4,055	

**Drug/Alcohol Info–Invited School Guest**

Q34g	Frequency	Percent
No	24,122	66.6%
Yes	12,071	33.4%
Frequency Missing	4,167	

**Drug/Alcohol Info–Another School Source**

Q34h	Frequency	Percent
No	25,977	71.9%
Yes	10,158	28.1%
Frequency Missing	4,224	

**Parents Feel About Kids Using Tobacco**

Q35a	Frequency	Percent
Strongly disapprove	27,486	72.5%
Mild disapprove	3,779	10.0%
Neither	3,219	8.5%
Mildly approve	511	1.3%
Strongly approve	341	0.9%
Don't know	2,581	6.8%
Frequency Missing	2,443	

**Parents Feel About Kids Drinking Alcohol**

Q35b	Frequency	Percent
Strongly disapprove	23,175	61.4%
Mild disapprove	5,664	15.0%
Neither	4,677	12.4%
Mildly approve	1,302	3.4%
Strongly approve	462	1.2%
Don't know	2,452	6.5%
Frequency Missing	2,628	

**Parents Feel About Kids Using Marijuana**

Q35c	Frequency	Percent
Strongly disapprove	29,451	78.1%
Mild disapprove	2,248	6.0%
Neither	2,613	6.9%
Mildly approve	548	1.5%
Strongly approve	541	1.4%
Don't know	2,297	6.1%
Frequency Missing	2,661	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Appendix:**  
**Reporting Methods for Prevalence & Recency of Use**

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, &amp; electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Steroids (Q21h : steroid_l)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Ecstasy (Q21i : ecstasy_l1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale.1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.



