

State - Grades 4-6
Spring 2002

Table T-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Any tobacco product	All	9.1%	4.8%	4.3%	90.9%
	Grade 4	5.1%	2.7%	2.4%	94.9%
	Grade 5	7.9%	4.0%	3.9%	92.1%
	Grade 6	14.2%	7.6%	6.6%	85.8%
Cigarettes	All	8.2%	4.3%	3.9%	91.8%
	Grade 4	4.2%	2.2%	2.0%	95.8%
	Grade 5	7.2%	3.6%	3.6%	92.8%
	Grade 6	13.1%	6.9%	6.2%	86.9%
Smokeless tobacco	All	1.8%	0.9%	0.9%	98.2%
	Grade 4	1.3%	0.6%	0.7%	98.7%
	Grade 5	1.4%	0.7%	0.7%	98.6%
	Grade 6	2.6%	1.3%	1.3%	97.4%

Table T-2: Average number of times selected tobacco products were used by those who reported use of ...

Any tobacco product

	School Year	Lifetime
All	3.3	3.3
Grade 4	2.8	2.8
Grade 5	3.0	2.9
Grade 6	3.6	3.5

Cigarettes

	School Year	Lifetime
All	3.1	3.0
Grade 4	2.5	2.6
Grade 5	2.8	2.7
Grade 6	3.4	3.3

Smokeless tobacco

	School Year	Lifetime
All	2.8	2.8
Grade 4	2.8	2.9
Grade 5	2.5	2.5
Grade 6	3.0	2.8

State - Grades 4-6
Spring 2002

Table T-3: Average age of first use of tobacco:

	Grade 4	Grade 5	Grade 6
Tobacco	8.3	8.9	9.7

Table T-4: Average age of first use of tobacco by family situation:

Two Parent Family

	Never	7/Under	8	9	10	11	12/Over
All	92.9%	1.7%	0.9%	1.2%	1.5%	1.3%	0.6%
Grade 4	95.8%	1.5%	0.8%	1.2%	0.6%	0.1%	0.0%
Grade 5	93.5%	1.6%	0.9%	1.1%	1.8%	1.0%	0.1%
Grade 6	89.1%	1.9%	1.0%	1.3%	2.2%	2.9%	1.6%

Other Family Situation

	Never	7/Under	8	9	10	11	12/Over
All	85.6%	3.5%	1.8%	2.5%	3.0%	2.5%	1.1%
Grade 4	91.3%	3.4%	1.4%	2.0%	1.4%	0.3%	0.1%
Grade 5	87.8%	3.3%	1.7%	2.6%	2.7%	1.6%	0.3%
Grade 6	78.5%	3.7%	2.3%	3.0%	4.7%	5.2%	2.7%

Table T-5: About how many of your close friends use ...

Any tobacco product?

	Never Heard of	None	Some	Most
All	2.0%	79.6%	16.6%	1.8%
Grade 4	2.9%	84.5%	11.4%	1.2%
Grade 5	1.8%	81.6%	15.3%	1.3%
Grade 6	1.4%	72.8%	23.0%	2.8%

Cigarettes?

	Never Heard of	None	Some	Most
All	3.1%	79.7%	15.7%	1.5%
Grade 4	4.6%	84.1%	10.4%	0.9%
Grade 5	2.7%	81.6%	14.5%	1.2%
Grade 6	1.9%	73.4%	22.1%	2.5%

Smokeless tobacco?

	Never Heard of	None	Some	Most
All	5.4%	89.8%	4.3%	0.5%
Grade 4	9.4%	86.9%	3.2%	0.5%
Grade 5	4.0%	92.1%	3.5%	0.4%
Grade 6	2.8%	90.4%	6.1%	0.7%

State - Grades 4-6
Spring 2002

Table T-6: Have you ever been offered ...

Any tobacco product?

	Never Heard of	Yes	No
All	2.0%	19.7%	78.3%
Grade 4	2.9%	14.4%	82.7%
Grade 5	1.9%	18.5%	79.6%
Grade 6	1.3%	26.0%	72.7%

Cigarettes?

	Never Heard of	Yes	No
All	3.2%	18.2%	78.6%
Grade 4	4.7%	12.8%	82.5%
Grade 5	2.9%	17.1%	79.9%
Grade 6	1.9%	24.6%	73.5%

Smokeless tobacco?

	Never Heard of	Yes	No
All	5.8%	5.4%	88.8%
Grade 4	9.6%	4.0%	86.4%
Grade 5	4.6%	4.7%	90.7%
Grade 6	3.1%	7.6%	89.3%

Table T-7: How dangerous do you think it is for kids your age to use ...

Any tobacco product?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	1.2%	73.4%	19.9%	1.1%	4.4%
Grade 4	1.8%	78.3%	14.6%	0.7%	4.6%
Grade 5	1.0%	74.9%	18.9%	0.9%	4.2%
Grade 6	0.7%	66.9%	26.3%	1.6%	4.5%

Cigarettes?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	2.2%	59.8%	30.4%	1.5%	6.0%
Grade 4	3.5%	67.0%	22.8%	0.8%	5.9%
Grade 5	1.9%	61.2%	29.9%	1.2%	5.7%
Grade 6	1.3%	51.2%	38.5%	2.5%	6.5%

Smokeless tobacco?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	3.9%	65.7%	22.1%	1.5%	6.9%
Grade 4	7.3%	68.3%	16.6%	1.0%	6.7%
Grade 5	2.7%	67.7%	21.5%	1.3%	6.8%
Grade 6	1.7%	61.0%	28.0%	2.1%	7.2%

State - Grades 4-6
Spring 2002

Table A-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Any alcohol product	All	25.2%	15.9%	9.3%	74.8%
	Grade 4	18.5%	11.5%	7.0%	81.5%
	Grade 5	23.1%	14.2%	8.8%	76.9%
	Grade 6	34.1%	22.0%	12.1%	65.9%
Beer	All	15.0%	8.3%	6.7%	85.0%
	Grade 4	11.0%	6.0%	5.0%	89.0%
	Grade 5	13.5%	7.2%	6.3%	86.5%
	Grade 6	20.4%	11.5%	8.9%	79.6%
Wine coolers	All	13.3%	8.1%	5.2%	86.7%
	Grade 4	7.3%	4.5%	2.8%	92.7%
	Grade 5	11.6%	7.1%	4.5%	88.4%
	Grade 6	20.8%	12.7%	8.1%	79.2%
Wine	All	13.1%	7.7%	5.4%	86.9%
	Grade 4	8.5%	5.3%	3.2%	91.5%
	Grade 5	11.3%	6.6%	4.8%	88.7%
	Grade 6	19.5%	11.3%	8.2%	80.5%
Liquor	All	5.9%	3.5%	2.4%	94.1%
	Grade 4	2.6%	1.5%	1.1%	97.4%
	Grade 5	4.5%	2.5%	2.0%	95.5%
	Grade 6	10.4%	6.4%	4.1%	89.6%

Table A-2: Average number of times selected alcohol products were used by those who reported use of ...

Any alcohol product

	School Year	Lifetime
All	4.7	5.2
Grade 4	3.6	3.7
Grade 5	4.1	4.3
Grade 6	5.6	6.3

Beer

	School Year	Lifetime
All	2.8	2.8
Grade 4	2.4	2.4
Grade 5	2.5	2.6
Grade 6	3.1	3.2

Liquor

	School Year	Lifetime
All	2.9	3.0
Grade 4	2.5	2.5
Grade 5	2.7	2.7
Grade 6	3.0	3.2

State - Grades 4-6
Spring 2002

Wine

	School Year	Lifetime
All	2.5	2.6
Grade 4	2.3	2.4
Grade 5	2.3	2.4
Grade 6	2.7	2.8

Wine coolers

	School Year	Lifetime
All	2.9	3.0
Grade 4	2.6	2.5
Grade 5	2.7	2.7
Grade 6	3.1	3.4

Table A-3: In the past year, how many times have you had two or more drinks at one time of ..

Beer?

	Never	1 Time	2 Times	3+ Times	Ever
All	88.0%	7.1%	2.7%	2.2%	12.0%
Grade 4	90.0%	6.4%	2.1%	1.5%	10.0%
Grade 5	89.1%	6.8%	2.4%	1.7%	10.9%
Grade 6	85.0%	8.0%	3.5%	3.5%	15.0%

Wine Coolers?

	Never	1 Time	2 Times	3+ Times	Ever
All	88.4%	6.0%	3.0%	2.6%	11.6%
Grade 4	92.7%	4.2%	1.7%	1.5%	7.3%
Grade 5	89.8%	5.4%	2.7%	2.0%	10.2%
Grade 6	82.8%	8.4%	4.6%	4.3%	17.2%

Wine?

	Never	1 Time	2 Times	3+ Times	Ever
All	89.1%	6.7%	2.5%	1.8%	10.9%
Grade 4	91.6%	5.4%	1.8%	1.2%	8.4%
Grade 5	90.5%	6.1%	2.1%	1.3%	9.5%
Grade 6	85.1%	8.6%	3.5%	2.7%	14.9%

Liquor?

	Never	1 Time	2 Times	3+ Times	Ever
All	95.1%	2.6%	1.1%	1.2%	4.9%
Grade 4	97.6%	1.5%	0.5%	0.5%	2.4%
Grade 5	96.2%	2.1%	0.8%	0.8%	3.8%
Grade 6	91.6%	4.3%	1.8%	2.3%	8.4%

State - Grades 4-6
Spring 2002

Table A-4: Average age of first use of alcohol:

	Grade 4	Grade 5	Grade 6
Alcohol	8.2	8.8	9.5
Beer	8.0	8.6	9.3
Wine Coolers	8.6	9.3	10.0
Wine	8.5	9.3	10.0
Liquor	8.5	9.5	10.2

Table A-5: Average age of first use of alcohol by family situation:

Two Parent Family

	Never	7/Under	8	9	10	11	12/Over
All	78.7%	5.7%	3.2%	3.9%	4.1%	3.2%	1.3%
Grade 4	84.2%	5.8%	3.6%	4.3%	1.9%	0.2%	0.1%
Grade 5	79.9%	5.4%	3.1%	3.6%	5.2%	2.5%	0.3%
Grade 6	71.8%	5.9%	2.8%	3.8%	5.2%	6.9%	3.4%

Other Family Situation

	Never	7/Under	8	9	10	11	12/Over
All	67.5%	8.9%	4.7%	6.0%	6.2%	4.6%	2.1%
Grade 4	76.3%	8.5%	5.2%	6.2%	3.1%	0.5%	0.2%
Grade 5	70.8%	8.5%	4.5%	6.0%	6.4%	3.3%	0.5%
Grade 6	56.8%	9.6%	4.6%	5.8%	8.6%	9.3%	5.3%

Table A-6 a: Lifetime prevalence of use of alcohol by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Alcohol	18.1%	60.8%	41.3%	67.2%

Table A-6 b: Past School Year prevalence of use of alcohol by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Alcohol	11.5%	49.8%	29.2%	55.8%

State - Grades 4-6
Spring 2002

Table A-7: When you drink alcohol, do you get it from ...

Home?

	Don't Drink	Yes	No
All	75.2%	11.3%	13.5%
Grade 4	78.3%	9.0%	12.7%
Grade 5	76.9%	10.2%	12.9%
Grade 6	70.3%	14.8%	14.9%

Friends?

	Don't Drink	Yes	No
All	76.1%	4.3%	19.6%
Grade 4	79.0%	2.0%	19.1%
Grade 5	78.0%	3.2%	18.8%
Grade 6	71.3%	7.7%	21.1%

Somewhere else?

	Don't Drink	Yes	No
All	74.8%	9.3%	15.9%
Grade 4	77.7%	6.3%	16.0%
Grade 5	76.5%	8.4%	15.2%
Grade 6	70.1%	13.3%	16.6%

Table A-8: About how many of your close friends use ...
Any alcohol product?

	Never Heard of	None	Some	Most
All	1.6%	71.1%	22.3%	4.9%
Grade 4	2.3%	77.3%	17.2%	3.2%
Grade 5	1.5%	73.7%	21.2%	3.6%
Grade 6	1.2%	62.4%	28.5%	7.9%

Beer?

	Never Heard of	None	Some	Most
All	1.8%	77.9%	17.3%	2.9%
Grade 4	2.5%	82.3%	13.2%	1.9%
Grade 5	1.6%	80.2%	16.0%	2.1%
Grade 6	1.3%	71.4%	22.6%	4.6%

Wine coolers?

	Never Heard of	None	Some	Most
All	10.7%	73.8%	12.7%	2.8%
Grade 4	15.8%	75.3%	7.4%	1.4%
Grade 5	9.5%	76.7%	11.9%	1.9%
Grade 6	7.0%	69.4%	18.7%	4.9%

State - Grades 4-6
Spring 2002

Wine?

	Never Heard of	None	Some	Most
All	3.0%	83.2%	11.9%	1.9%
Grade 4	4.4%	86.1%	8.2%	1.3%
Grade 5	2.8%	85.4%	10.5%	1.3%
Grade 6	2.0%	78.2%	16.9%	3.0%

Liquor?

	Never Heard of	None	Some	Most
All	8.4%	83.1%	7.1%	1.4%
Grade 4	14.6%	81.1%	3.6%	0.6%
Grade 5	7.0%	86.2%	5.8%	0.9%
Grade 6	3.7%	82.1%	11.7%	2.6%

Table A-9: Have you ever been offered ...

Any alcohol product?

	Never Heard of	Yes	No
All	1.8%	28.1%	70.1%
Grade 4	2.4%	22.8%	74.9%
Grade 5	1.8%	26.1%	72.1%
Grade 6	1.2%	35.3%	63.4%

Beer?

	Never Heard of	Yes	No
All	2.0%	21.9%	76.2%
Grade 4	2.6%	17.5%	79.8%
Grade 5	1.8%	20.3%	77.9%
Grade 6	1.5%	27.6%	70.9%

Wine coolers?

	Never Heard of	Yes	No
All	11.3%	13.4%	75.3%
Grade 4	16.2%	8.1%	75.7%
Grade 5	10.4%	11.9%	77.8%
Grade 6	7.4%	20.2%	72.5%

Wine?

	Never Heard of	Yes	No
All	3.2%	13.3%	83.4%
Grade 4	4.6%	9.4%	86.1%
Grade 5	3.0%	11.7%	85.3%
Grade 6	2.1%	18.8%	79.1%

State - Grades 4-6
Spring 2002

Liquor?

	Never Heard of	Yes	No
All	8.3%	7.8%	83.9%
Grade 4	14.2%	4.0%	81.7%
Grade 5	7.1%	6.3%	86.5%
Grade 6	3.8%	12.8%	83.4%

Table A-10: How do your parents feel about kids your age drinking beer?

	Don't Like It	Don't Care	Think It's OK	Don't Know
All	80.8%	2.3%	0.9%	16.0%
Grade 4	80.8%	1.8%	1.0%	16.4%
Grade 5	81.1%	2.1%	0.8%	15.9%
Grade 6	80.4%	3.1%	1.0%	15.6%

Table A-11: How dangerous do you think it is for kids your age to use ...

Any alcohol product?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	0.9%	69.3%	22.6%	2.5%	4.7%
Grade 4	1.3%	74.9%	16.9%	2.0%	4.8%
Grade 5	0.8%	71.1%	21.5%	2.0%	4.7%
Grade 6	0.6%	61.9%	29.2%	3.6%	4.7%

Beer?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	1.0%	48.0%	37.1%	5.7%	8.3%
Grade 4	1.5%	53.3%	31.8%	4.6%	8.7%
Grade 5	0.8%	49.7%	36.7%	4.5%	8.3%
Grade 6	0.7%	41.1%	42.6%	7.8%	7.8%

Wine coolers?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	9.6%	41.1%	29.2%	8.2%	11.9%
Grade 4	13.7%	47.6%	22.9%	4.7%	11.1%
Grade 5	8.8%	43.0%	29.4%	6.8%	12.0%
Grade 6	6.4%	32.7%	35.1%	13.1%	12.6%

State - Grades 4-6
Spring 2002

Wine?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	1.9%	46.0%	33.4%	7.8%	10.9%
Grade 4	2.9%	53.3%	28.2%	5.2%	10.4%
Grade 5	1.6%	47.6%	33.5%	6.4%	11.0%
Grade 6	1.1%	37.2%	38.6%	11.7%	11.3%

Liquor?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	6.0%	62.8%	21.6%	2.1%	7.5%
Grade 4	10.7%	65.9%	14.9%	1.1%	7.4%
Grade 5	4.9%	65.1%	20.8%	1.9%	7.4%
Grade 6	2.4%	57.5%	29.0%	3.3%	7.7%

State - Grades 4-6
Spring 2002

Table D-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Marijuana	All	2.6%	1.7%	0.9%	97.4%
	Grade 4	0.8%	0.5%	0.4%	99.2%
	Grade 5	1.9%	1.1%	0.8%	98.1%
	Grade 6	5.1%	3.6%	1.5%	94.9%

Table D-2: Average number of times marijuana was used by those reporting usage:

	School Year	Lifetime
All	4.3	4.4
Grade 4	3.7	3.6
Grade 5	3.4	3.5
Grade 6	4.6	4.7

Table D-3: Average age of first use of marijuana:

	Grade 4	Grade 5	Grade 6
Marijuana	8.5	9.7	10.4

Table D-4: Average age of first use of marijuana by family situation:

Two Parent Family

	Never	7/Under	8	9	10	11	12/Over
All	98.3%	0.2%	0.1%	0.2%	0.3%	0.5%	0.3%
Grade 4	99.3%	0.3%	0.1%	0.1%	0.1%	0.0%	0.0%
Grade 5	98.8%	0.2%	0.1%	0.1%	0.3%	0.4%	0.1%
Grade 6	96.9%	0.3%	0.1%	0.3%	0.4%	1.1%	0.9%

Other Family Situation

	Never	7/Under	8	9	10	11	12/Over
All	95.7%	0.5%	0.2%	0.6%	0.8%	1.2%	0.9%
Grade 4	98.9%	0.4%	0.1%	0.3%	0.2%	0.1%	0.0%
Grade 5	97.4%	0.4%	0.2%	0.5%	0.6%	0.6%	0.3%
Grade 6	91.5%	0.8%	0.4%	1.0%	1.5%	2.6%	2.3%

State - Grades 4-6
Spring 2002

Table D-5 a: Lifetime prevalence of use of marijuana by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Marijuana	0.8%	22.4%	6.8%	27.8%

Table D-5 b: Past School Year prevalence of use of marijuana by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Marijuana	0.6%	18.0%	5.0%	22.7%

Table D-6: About how many of your close friends use marijuana?

	Never Heard of	None	Some	Most
All	9.6%	81.5%	7.0%	1.9%
Grade 4	18.6%	77.5%	3.2%	0.7%
Grade 5	6.9%	86.5%	5.5%	1.1%
Grade 6	3.7%	80.4%	12.0%	3.8%

Table D-7: Have you ever been offered marijuana?

	Never Heard of	Yes	No
All	9.3%	7.8%	82.8%
Grade 4	17.9%	3.9%	78.3%
Grade 5	6.9%	6.5%	86.6%
Grade 6	3.5%	12.9%	83.6%

Table D-8: How do your parents feel about kids your age smoking marijuana?

	Don't Like It	Don't Care	Think It's OK	Don't Know
All	83.3%	1.4%	0.4%	14.8%
Grade 4	79.5%	1.3%	0.4%	18.9%
Grade 5	84.4%	1.2%	0.4%	14.0%
Grade 6	86.0%	1.8%	0.6%	11.6%

State - Grades 4-6
Spring 2002

Table D-9: How dangerous do you think it is for kids your age to use marijuana?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	7.2%	77.7%	8.6%	1.3%	5.3%
Grade 4	14.6%	71.6%	7.0%	0.7%	6.1%
Grade 5	4.8%	81.4%	7.9%	1.0%	4.9%
Grade 6	2.2%	79.8%	10.9%	2.3%	4.8%

State - Grades 4-6
Spring 2002

Table I-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Inhalants	All	9.3%	6.5%	2.8%	90.7%
	Grade 4	9.0%	6.2%	2.8%	91.0%
	Grade 5	7.7%	5.3%	2.3%	92.3%
	Grade 6	11.2%	8.0%	3.2%	88.8%

Table I-2: Have you ever sniffed any of the following inhalants to get high?

Correction Fluid/Whiteout

	Not Used	Used
All	96.9%	3.1%
Grade 4	98.0%	2.0%
Grade 5	97.6%	2.4%
Grade 6	95.0%	5.0%

Gasoline

	Not Used	Used
All	97.4%	2.6%
Grade 4	97.1%	2.9%
Grade 5	97.8%	2.2%
Grade 6	97.3%	2.7%

Glue

	Not Used	Used
All	96.8%	3.2%
Grade 4	96.2%	3.8%
Grade 5	97.4%	2.6%
Grade 6	96.8%	3.2%

Paint Thinner

	Not Used	Used
All	98.1%	1.9%
Grade 4	97.8%	2.2%
Grade 5	98.6%	1.4%
Grade 6	98.0%	2.0%

Spray Paint

	Not Used	Used
All	97.3%	2.7%
Grade 4	97.3%	2.7%
Grade 5	97.8%	2.2%
Grade 6	97.0%	3.0%

State - Grades 4-6
Spring 2002

Other Inhalants

	Not Used	Used
All	96.1%	3.9%
Grade 4	96.6%	3.4%
Grade 5	97.0%	3.0%
Grade 6	94.6%	5.4%

Table I-3: Average number of times inhalants were used by those reporting usage:

	School Year	Lifetime
All	3.4	3.3
Grade 4	3.4	3.3
Grade 5	3.1	3.1
Grade 6	3.5	3.5

Table I-4: Number of different kinds of inhalants used:

	0	1	2-3	4+
All	91.4%	4.4%	3.2%	0.9%
Grade 4	91.7%	4.3%	3.2%	0.9%
Grade 5	92.9%	3.7%	2.7%	0.7%
Grade 6	89.5%	5.3%	3.9%	1.3%

Table I-5: Average age of first use of inhalants:

	Grade 4	Grade 5	Grade 6
Inhalants	8.2	9.2	10.1

Table I-6: Average age of first use of inhalants by family situation:

Two Parent Family

	Never	7/Under	8	9	10	11	12/Over
All	95.7%	0.9%	0.5%	0.8%	0.8%	0.8%	0.5%
Grade 4	96.8%	1.3%	0.7%	0.8%	0.4%	0.0%	0.0%
Grade 5	96.7%	0.8%	0.3%	0.7%	0.8%	0.6%	0.0%
Grade 6	93.5%	0.7%	0.6%	0.8%	1.3%	1.9%	1.3%

State - Grades 4-6
Spring 2002

Other Family Situation

	Never	7/Under	8	9	10	11	12/Over
All	94.1%	1.1%	0.7%	0.8%	1.3%	1.3%	0.8%
Grade 4	96.8%	1.2%	0.7%	0.5%	0.7%	0.0%	0.0%
Grade 5	95.4%	0.9%	0.6%	0.6%	1.3%	1.1%	0.2%
Grade 6	90.5%	1.1%	0.8%	1.1%	1.9%	2.5%	2.1%

Table I-7 a: Lifetime prevalence of use of inhalants by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Inhalants	3.0%	23.2%	10.4%	26.8%

Table I-7 b: Past School Year prevalence of use of inhalants by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Inhalants	2.3%	19.3%	7.8%	22.1%

Table I-8: About how many of your close friends use inhalants?

	Never Heard of	None	Some	Most
All	6.9%	83.4%	8.0%	1.7%
Grade 4	12.1%	82.8%	4.1%	1.0%
Grade 5	5.5%	87.0%	6.3%	1.2%
Grade 6	3.2%	80.6%	13.3%	2.9%

Table I-9: Have you ever been offered inhalants?

	Never Heard of	Yes	No
All	6.9%	7.0%	86.1%
Grade 4	11.7%	3.7%	84.6%
Grade 5	5.8%	5.6%	88.6%
Grade 6	3.2%	11.7%	85.1%

State - Grades 4-6
Spring 2002

Table I-10: How dangerous do you think it is for kids your age to use inhalants?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	5.0%	64.9%	19.3%	2.7%	8.1%
Grade 4	9.2%	63.5%	16.0%	2.2%	9.1%
Grade 5	3.8%	66.8%	19.0%	2.4%	8.0%
Grade 6	1.9%	64.3%	23.0%	3.6%	7.1%

State - Grades 4-6
Spring 2002

Table X-1: Since school began in the fall, have you gotten information on drugs or alcohol from ...

An Assembly Program?

	No	Yes
All	39.7%	60.3%
Grade 4	40.0%	60.0%
Grade 5	35.4%	64.6%
Grade 6	43.8%	56.2%

Guidance Counselor?

	No	Yes
All	43.2%	56.8%
Grade 4	36.4%	63.6%
Grade 5	39.3%	60.7%
Grade 6	53.9%	46.1%

Visitor to Class?

	No	Yes
All	39.4%	60.6%
Grade 4	49.3%	50.7%
Grade 5	26.3%	73.7%
Grade 6	43.1%	56.9%

Someone Else at School?

	No	Yes
All	56.6%	43.4%
Grade 4	59.4%	40.6%
Grade 5	55.0%	45.0%
Grade 6	55.5%	44.5%

Your Teacher?

	No	Yes
All	32.6%	67.4%
Grade 4	35.0%	65.0%
Grade 5	33.5%	66.5%
Grade 6	29.5%	70.5%

Any School Source?

	No	Yes
All	9.3%	90.7%
Grade 4	11.9%	88.1%
Grade 5	5.8%	94.2%
Grade 6	10.4%	89.6%

State - Grades 4-6
Spring 2002

Table B1: Prevalence and recency of use of selected substances by grade
--> All Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	9.1%	4.8%	4.3%	90.9%
	Grade 4	5.1%	2.7%	2.4%	94.9%
	Grade 5	7.9%	4.0%	3.9%	92.1%
	Grade 6	14.2%	7.6%	6.6%	85.8%
Alcohol	All	25.2%	15.9%	9.3%	74.8%
	Grade 4	18.5%	11.5%	7.0%	81.5%
	Grade 5	23.1%	14.2%	8.8%	76.9%
	Grade 6	34.1%	22.0%	12.1%	65.9%
Inhalants	All	9.3%	6.5%	2.8%	90.7%
	Grade 4	9.0%	6.2%	2.8%	91.0%
	Grade 5	7.7%	5.3%	2.3%	92.3%
	Grade 6	11.2%	8.0%	3.2%	88.8%
Marijuana	All	2.6%	1.7%	0.9%	97.4%
	Grade 4	0.8%	0.5%	0.4%	99.2%
	Grade 5	1.9%	1.1%	0.8%	98.1%
	Grade 6	5.1%	3.6%	1.5%	94.9%

Table B2: Prevalence and recency of use of selected substances by grade
--> Male Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	10.9%	5.6%	5.2%	89.1%
	Grade 4	6.5%	3.5%	3.0%	93.5%
	Grade 5	9.6%	4.9%	4.7%	90.4%
	Grade 6	16.4%	8.5%	7.9%	83.6%
Alcohol	All	28.5%	17.4%	11.1%	71.5%
	Grade 4	21.8%	13.1%	8.7%	78.2%
	Grade 5	26.3%	15.8%	10.5%	73.7%
	Grade 6	37.2%	23.3%	13.9%	62.8%
Inhalants	All	10.9%	7.4%	3.5%	89.1%
	Grade 4	10.9%	7.3%	3.6%	89.1%
	Grade 5	9.5%	6.5%	3.0%	90.5%
	Grade 6	12.3%	8.6%	3.8%	87.7%
Marijuana	All	3.4%	2.2%	1.2%	96.6%
	Grade 4	1.2%	0.7%	0.6%	98.8%
	Grade 5	2.4%	1.4%	0.9%	97.6%
	Grade 6	6.6%	4.5%	2.1%	93.4%

State - Grades 4-6
Spring 2002

Table B3: Prevalence and recency of use of selected substances by grade
--> Female Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	7.3%	3.9%	3.4%	92.7%
	Grade 4	3.7%	1.9%	1.8%	96.3%
	Grade 5	6.2%	3.0%	3.2%	93.8%
	Grade 6	12.0%	6.8%	5.2%	88.0%
Alcohol	All	22.1%	14.5%	7.6%	77.9%
	Grade 4	15.4%	10.0%	5.4%	84.6%
	Grade 5	19.8%	12.6%	7.2%	80.2%
	Grade 6	31.1%	20.8%	10.3%	68.9%
Inhalants	All	7.7%	5.6%	2.1%	92.3%
	Grade 4	7.1%	5.1%	2.0%	92.9%
	Grade 5	5.8%	4.1%	1.6%	94.2%
	Grade 6	10.1%	7.4%	2.7%	89.9%
Marijuana	All	1.8%	1.3%	0.6%	98.2%
	Grade 4	0.5%	0.3%	0.2%	99.5%
	Grade 5	1.3%	0.8%	0.6%	98.7%
	Grade 6	3.6%	2.7%	0.9%	96.4%

Table B4: Prevalence and recency of use of selected substances by grade
--> White Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	7.7%	3.9%	3.8%	92.3%
	Grade 4	4.5%	2.4%	2.1%	95.5%
	Grade 5	6.5%	3.0%	3.4%	93.5%
	Grade 6	11.9%	6.1%	5.8%	88.1%
Alcohol	All	21.2%	13.4%	7.8%	78.8%
	Grade 4	17.2%	10.4%	6.8%	82.8%
	Grade 5	18.3%	11.4%	6.9%	81.7%
	Grade 6	27.8%	18.1%	9.7%	72.2%
Inhalants	All	8.1%	5.7%	2.4%	91.9%
	Grade 4	9.1%	6.2%	2.9%	90.9%
	Grade 5	6.5%	4.4%	2.0%	93.5%
	Grade 6	8.7%	6.3%	2.4%	91.3%
Marijuana	All	1.6%	1.0%	0.6%	98.4%
	Grade 4	0.5%	0.2%	0.2%	99.5%
	Grade 5	1.2%	0.7%	0.5%	98.8%
	Grade 6	3.1%	2.1%	1.0%	96.9%

State - Grades 4-6
Spring 2002

Table B5: Prevalence and recency of use of selected substances by grade
--> African/American Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	9.4%	4.3%	5.1%	90.6%
	Grade 4	5.8%	3.1%	2.7%	94.2%
	Grade 5	8.5%	4.0%	4.6%	91.5%
	Grade 6	14.0%	5.8%	8.1%	86.0%
Alcohol	All	28.7%	16.7%	12.0%	71.3%
	Grade 4	19.9%	12.7%	7.2%	80.1%
	Grade 5	26.9%	15.6%	11.3%	73.1%
	Grade 6	39.0%	21.6%	17.4%	61.0%
Inhalants	All	7.7%	5.2%	2.5%	92.3%
	Grade 4	8.0%	5.6%	2.4%	92.0%
	Grade 5	6.2%	4.3%	2.0%	93.8%
	Grade 6	8.7%	5.7%	3.0%	91.3%
Marijuana	All	2.2%	1.1%	1.1%	97.8%
	Grade 4	0.8%	0.4%	0.4%	99.2%
	Grade 5	1.4%	0.5%	0.9%	98.6%
	Grade 6	4.4%	2.4%	2.0%	95.6%

Table B6: Prevalence and recency of use of selected substances by grade
--> Mexican/American Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	10.7%	6.0%	4.6%	89.3%
	Grade 4	5.5%	3.0%	2.6%	94.5%
	Grade 5	9.4%	5.1%	4.4%	90.6%
	Grade 6	17.3%	10.2%	7.1%	82.7%
Alcohol	All	28.8%	18.8%	10.0%	71.2%
	Grade 4	19.8%	12.6%	7.2%	80.2%
	Grade 5	27.1%	17.0%	10.1%	72.9%
	Grade 6	39.7%	27.0%	12.8%	60.3%
Inhalants	All	11.0%	7.7%	3.2%	89.0%
	Grade 4	9.2%	6.3%	2.8%	90.8%
	Grade 5	9.1%	6.4%	2.7%	90.9%
	Grade 6	14.8%	10.6%	4.2%	85.2%
Marijuana	All	3.9%	2.8%	1.1%	96.1%
	Grade 4	1.2%	0.7%	0.5%	98.8%
	Grade 5	2.8%	1.8%	1.0%	97.2%
	Grade 6	7.7%	5.8%	1.9%	92.3%

State - Grades 4-6
Spring 2002

Table B7: Prevalence and recency of use of selected substances by grade
--> Students Reporting A and B Grades

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	7.7%	3.9%	3.8%	92.3%
	Grade 4	4.5%	2.3%	2.2%	95.5%
	Grade 5	6.8%	3.2%	3.6%	93.2%
	Grade 6	11.9%	6.1%	5.8%	88.1%
Alcohol	All	23.3%	14.6%	8.8%	76.7%
	Grade 4	17.4%	10.6%	6.8%	82.6%
	Grade 5	21.5%	13.1%	8.3%	78.5%
	Grade 6	31.2%	20.0%	11.2%	68.8%
Inhalants	All	8.2%	5.7%	2.5%	91.8%
	Grade 4	8.2%	5.7%	2.5%	91.8%
	Grade 5	6.7%	4.7%	2.0%	93.3%
	Grade 6	9.6%	6.7%	2.9%	90.4%
Marijuana	All	2.0%	1.3%	0.7%	98.0%
	Grade 4	0.7%	0.4%	0.3%	99.3%
	Grade 5	1.5%	0.8%	0.7%	98.5%
	Grade 6	3.8%	2.7%	1.1%	96.2%

Table B8: Prevalence and recency of use of selected substances by grade
--> Students Reporting C, D, and F Grades

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	15.9%	9.3%	6.6%	84.1%
	Grade 4	8.4%	4.9%	3.5%	91.6%
	Grade 5	13.5%	7.7%	5.7%	86.5%
	Grade 6	24.5%	14.5%	10.0%	75.5%
Alcohol	All	34.7%	22.8%	11.9%	65.3%
	Grade 4	24.8%	16.4%	8.5%	75.2%
	Grade 5	30.3%	19.7%	10.6%	69.7%
	Grade 6	47.0%	31.0%	16.0%	53.0%
Inhalants	All	15.0%	10.6%	4.4%	85.0%
	Grade 4	13.4%	9.0%	4.3%	86.6%
	Grade 5	12.5%	8.6%	3.9%	87.5%
	Grade 6	18.6%	13.7%	4.9%	81.4%
Marijuana	All	5.7%	4.0%	1.7%	94.3%
	Grade 4	1.4%	0.9%	0.5%	98.6%
	Grade 5	3.9%	2.7%	1.2%	96.1%
	Grade 6	11.0%	7.8%	3.2%	89.0%

State - Grades 4-6
Spring 2002

Table B9: Prevalence and recency of use of selected substances by grade
--> Students Living With 2 Parents

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	6.9%	3.5%	3.3%	93.1%
	Grade 4	3.8%	1.9%	1.9%	96.2%
	Grade 5	6.3%	3.2%	3.1%	93.7%
	Grade 6	10.7%	5.7%	5.0%	89.3%
Alcohol	All	21.6%	13.8%	7.8%	78.4%
	Grade 4	16.1%	9.9%	6.2%	83.9%
	Grade 5	20.1%	12.8%	7.3%	79.9%
	Grade 6	29.0%	19.0%	10.0%	71.0%
Inhalants	All	8.7%	6.0%	2.7%	91.3%
	Grade 4	8.8%	6.1%	2.8%	91.2%
	Grade 5	7.2%	5.0%	2.2%	92.8%
	Grade 6	10.1%	7.0%	3.1%	89.9%
Marijuana	All	1.7%	1.2%	0.6%	98.3%
	Grade 4	0.6%	0.3%	0.3%	99.4%
	Grade 5	1.3%	0.8%	0.5%	98.7%
	Grade 6	3.3%	2.4%	0.9%	96.7%

Table B10: Prevalence and recency of use of selected substances by grade
--> Students Not Living With 2 Parents

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	13.7%	7.4%	6.4%	86.3%
	Grade 4	8.1%	4.7%	3.4%	91.9%
	Grade 5	11.3%	5.6%	5.7%	88.7%
	Grade 6	21.1%	11.4%	9.6%	78.9%
Alcohol	All	32.9%	20.5%	12.5%	67.1%
	Grade 4	24.1%	15.2%	8.8%	75.9%
	Grade 5	29.3%	17.4%	11.9%	70.7%
	Grade 6	44.1%	28.0%	16.1%	55.9%
Inhalants	All	10.5%	7.5%	3.0%	89.5%
	Grade 4	9.2%	6.4%	2.8%	90.8%
	Grade 5	8.6%	6.0%	2.6%	91.4%
	Grade 6	13.3%	9.9%	3.5%	86.7%
Marijuana	All	4.4%	2.9%	1.5%	95.6%
	Grade 4	1.3%	0.8%	0.5%	98.7%
	Grade 5	2.9%	1.7%	1.3%	97.1%
	Grade 6	8.6%	5.9%	2.7%	91.4%

State - Grades 4-6
Spring 2002

Table B11: Prevalence and recency of use of selected substances by grade
--> Students Living in Town More Than 3 Years

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	8.9%	4.8%	4.1%	91.1%
	Grade 4	5.0%	2.6%	2.4%	95.0%
	Grade 5	7.7%	3.9%	3.7%	92.3%
	Grade 6	13.6%	7.6%	6.0%	86.4%
Alcohol	All	25.6%	16.4%	9.2%	74.4%
	Grade 4	18.6%	11.8%	6.8%	81.4%
	Grade 5	23.4%	14.6%	8.8%	76.6%
	Grade 6	34.1%	22.3%	11.7%	65.9%
Inhalants	All	9.3%	6.5%	2.8%	90.7%
	Grade 4	9.1%	6.3%	2.8%	90.9%
	Grade 5	7.4%	5.1%	2.3%	92.6%
	Grade 6	11.4%	8.1%	3.3%	88.6%
Marijuana	All	2.7%	1.8%	0.9%	97.3%
	Grade 4	0.9%	0.5%	0.4%	99.1%
	Grade 5	1.9%	1.1%	0.8%	98.1%
	Grade 6	5.1%	3.7%	1.4%	94.9%

Table B12: Prevalence and recency of use of selected substances by grade
--> Students Living in Town 3 Years or Less

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	10.4%	4.9%	5.5%	89.6%
	Grade 4	5.5%	2.8%	2.7%	94.5%
	Grade 5	8.8%	4.0%	4.8%	91.2%
	Grade 6	16.8%	7.9%	8.9%	83.2%
Alcohol	All	25.7%	15.0%	10.7%	74.3%
	Grade 4	19.5%	10.9%	8.6%	80.5%
	Grade 5	22.8%	12.9%	9.9%	77.2%
	Grade 6	34.5%	21.0%	13.5%	65.5%
Inhalants	All	9.2%	6.4%	2.9%	90.8%
	Grade 4	9.0%	5.7%	3.2%	91.0%
	Grade 5	8.3%	5.9%	2.4%	91.7%
	Grade 6	10.4%	7.4%	3.0%	89.6%
Marijuana	All	2.5%	1.5%	1.0%	97.5%
	Grade 4	0.8%	0.5%	0.3%	99.2%
	Grade 5	1.6%	0.8%	0.8%	98.4%
	Grade 6	5.2%	3.3%	1.9%	94.8%

State - Grades 4-6
Spring 2002

The FREQ Procedure

GENDER

Q1	Frequency	Percent
Female	473159.3	50.73
Male	459575.8	49.27

Frequency Missing = 1394.6237143

GRADE LEVEL

Q2	Frequency	Percent
Grade 4	310792.9	33.27
Grade 5	312289.2	33.43
Grade 6	311047.6	33.30

DO YOU LIVE WITH BOTH PARENTS?

Q3	Frequency	Percent
No	295941.8	32.01
Yes	628496.9	67.99

Frequency Missing = 9691.0700287

AGE

Q4	Frequency	Percent
8 or younger	771.4821	0.08
9	92114.41	9.90
10	287264.4	30.86
11	307696	33.06
12	219316.5	23.56
13 or older	23610.2	2.54

Frequency Missing = 3356.8491601

ETHNICITY

Q5	Frequency	Percent
African/American	134426	14.39
Asian/American	24336.82	2.61
Mexican/American	380251.3	40.71
Native/American	2941.41	0.31
Other	14011.49	1.50
White	378162.7	40.48

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 4-6
Spring 2002

The FREQ Procedure

WHAT GRADES DO YOU USUALLY GET

Q6	Frequency	Percent
Mostly A's	341337.3	37.23
Mostly B's	422911.6	46.13
Mostly C's	123675.9	13.49
Mostly D's	18754.91	2.05
Mostly F's	10158.18	1.11

Frequency Missing = 17291.877025

LIVED IN THIS TOWN FOR MORE THAN 3 YEARS

Q7	Frequency	Percent
Don't Know	62447.18	6.73
No	135870.6	14.65
Yes	729221.7	78.62

Frequency Missing = 6590.2846289

EITHER PARENT GRADUATE FROM COLLEGE

Q8	Frequency	Percent
Don't Know	324028.1	35.05
No	180067.6	19.48
Yes	420432.8	45.48

Frequency Missing = 9601.2926517

QUALIFY FOR A FREE/REDUCED PRICE LUNCH?

Q9	Frequency	Percent
Don't Know	259174	28.38
No	292771.9	32.06
Yes	361380.1	39.57

Frequency Missing = 20803.691698

PARENTS ATTEND PTA MEETINGS?

Q10	Frequency	Percent
Don't Know	5072.088	0.55
No	436342.6	47.58
Yes	475611.5	51.86

Frequency Missing = 17103.57979

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 4-6
Spring 2002

The FREQ Procedure

EVER INHALED GASOLINE TO GET HIGH?

Q11a	Frequency	Percent
Not Used	860755.8	97.41
Used	22846.56	2.59

Frequency Missing = 50527.377995

EVER INHALED PAINT THINNER TO GET HIGH?

Q11b	Frequency	Percent
Not Used	854530.9	98.14
Used	16154.41	1.86

Frequency Missing = 63444.471202

EVER INHALED GLUE TO GET HIGH?

Q11c	Frequency	Percent
Not Used	846054.6	96.79
Used	28023.54	3.21

Frequency Missing = 60051.642579

EVER INHALED WHITEOUT TO GET HIGH?

Q11d	Frequency	Percent
Not Used	850320.3	96.86
Used	27590.81	3.14

Frequency Missing = 56218.646875

EVER INHALED SPRAY PAINT TO GET HIGH?

Q11e	Frequency	Percent
Not Used	862777.4	97.34
Used	23574.65	2.66

Frequency Missing = 47777.683007

EVER USED OTHER INHALANTS TO GET HIGH?

Q11f	Frequency	Percent
Not Used	855923	96.06
Used	35138.24	3.94

Frequency Missing = 43068.552448

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 4-6
Spring 2002

The FREQ Procedure

CIGARETTE USE DURING LIFETIME

Q12a	Frequency	Percent
Never heard of	36218.02	4.01
Never used	795465.2	88.05
1-2 times	54580.86	6.04
3-10 times	11465.55	1.27
11+ times	5740.286	0.64

Frequency Missing = 30659.879028

SNUFF/CHEWING TOBACCO USE IN LIFETIME

Q12b	Frequency	Percent
Never heard of	78296.71	8.90
Never used	787284.6	89.45
1-2 times	11964.98	1.36
3-10 times	1608.452	0.18
11+ times	937.6473	0.11

Frequency Missing = 54037.331414

BEER USE DURING LIFETIME

Q12c	Frequency	Percent
Never heard of	15866.53	1.80
Never used	735689.7	83.59
1-2 times	101672.8	11.55
3-10 times	18985.45	2.16
11+ times	7899.113	0.90

Frequency Missing = 54016.135235

WINE COOLER USE DURING LIFETIME

Q12d	Frequency	Percent
Never heard of	131222.6	14.89
Never used	635722.2	72.12
1-2 times	86908.46	9.86
3-10 times	19486.94	2.21
11+ times	8082.545	0.92

Frequency Missing = 52707.015035

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 4-6
Spring 2002

The FREQ Procedure

WINE USE DURING LIFETIME

Q12e	Frequency	Percent
Never heard of	30251.91	3.44
Never used	737134	83.91
1-2 times	91823.54	10.45
3-10 times	14350.97	1.63
11+ times	4967.859	0.57

Frequency Missing = 55601.463955

LIQUOR USE DURING LIFETIME

Q12f	Frequency	Percent
Never heard of	108643.9	12.30
Never used	724361.4	82.04
1-2 times	38190.65	4.33
3-10 times	8579.755	0.97
11+ times	3206.732	0.36

Frequency Missing = 51147.333194

INHALANT USE DURING LIFETIME

Q12h	Frequency	Percent
Never heard of	77780.95	8.81
Never used	760825.8	86.19
1-2 times	32021.29	3.63
3-10 times	7698.209	0.87
11+ times	4369.274	0.49

Frequency Missing = 51434.251673

MARIJUANA USE DURING LIFETIME

Q12i	Frequency	Percent
Never heard of	115831.6	12.92
Never used	758479.4	84.59
1-2 times	13283.86	1.48
3-10 times	4892.696	0.55
11+ times	4148.694	0.46

Frequency Missing = 37493.529639

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 4-6
Spring 2002

The FREQ Procedure

CIGARETTE USE IN PAST SCHOOL YEAR

Q13a	Frequency	Percent
Never heard of	33160.65	3.74
Never used	814737.2	91.84
1-2 times	28624.45	3.23
3-10 times	7294.231	0.82
11+ times	3316.376	0.37

Frequency Missing = 46996.878306

SNUFF/CHEWING TOBACCO USE IN PAST YEAR

Q13b	Frequency	Percent
Never heard of	65803.38	7.61
Never used	791028.7	91.46
1-2 times	6602.347	0.76
3-10 times	1008.575	0.12
11+ times	464.084	0.05

Frequency Missing = 69222.647161

BEER USE IN PAST SCHOOL YEAR

Q13c	Frequency	Percent
Never heard of	13832.66	1.61
Never used	770932.9	89.65
1-2 times	60070.13	6.99
3-10 times	10765.09	1.25
11+ times	4350.88	0.51

Frequency Missing = 74178.134105

WINE COOLER USE IN PAST SCHOOL YEAR

Q13d	Frequency	Percent
Never heard of	120953.7	14.04
Never used	666572.5	77.40
1-2 times	57282.59	6.65
3-10 times	11865.67	1.38
11+ times	4548.781	0.53

Frequency Missing = 72906.479796

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 4-6
Spring 2002

The FREQ Procedure

WINE USE IN PAST SCHOOL YEAR

Q13e	Frequency	Percent
Never heard of	28805.36	3.34
Never used	762310	88.49
1-2 times	59334.54	6.89
3-10 times	7934.012	0.92
11+ times	3040.275	0.35

Frequency Missing = 72705.546792

LIQUOR USE IN PAST SCHOOL YEAR

Q13f	Frequency	Percent
Never heard of	96753.14	11.17
Never used	738059.5	85.18
1-2 times	24546.34	2.83
3-10 times	5075.437	0.59
11+ times	2000.723	0.23

Frequency Missing = 67694.57868

INHALANT USE IN PAST SCHOOL YEAR

Q13h	Frequency	Percent
Never heard of	70744.9	8.13
Never used	766967.5	88.10
1-2 times	23660.73	2.72
3-10 times	6206.727	0.71
11+ times	2994.573	0.34

Frequency Missing = 63555.290782

MARIJUANA USE IN PAST SCHOOL YEAR

Q13i	Frequency	Percent
Never heard of	103452.6	11.81
Never used	756540.2	86.38
1-2 times	9255.798	1.06
3-10 times	3597.933	0.41
11+ times	2947.454	0.34

Frequency Missing = 58335.834413

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 4-6
Spring 2002

The FREQ Procedure

AGE WHEN FIRST USED CIGARETTES

Q14a	Frequency	Percent
7 or younger	17188.59	1.96
8 years old	9232.67	1.05
9 years old	13322.91	1.52
10 years old	16339.76	1.87
11 years old	14223.57	1.62
12 or older	6420.431	0.73
Never heard/used	799016	91.24

Frequency Missing = 58385.777137

AGE WHEN FIRST USED SNUFF/CHEW TOBACCO

Q14b	Frequency	Percent
7 or younger	3861.859	0.45
8 years old	2157.801	0.25
9 years old	2434.646	0.28
10 years old	2857.457	0.33
11 years old	2780.055	0.32
12 or older	1406.817	0.16
Never heard/used	841464	98.19

Frequency Missing = 77167.159417

AGE WHEN FIRST USED BEER

Q14c	Frequency	Percent
7 or younger	44017.02	5.13
8 years old	20901.89	2.44
9 years old	21591.83	2.52
10 years old	22743.07	2.65
11 years old	16539.67	1.93
12 or older	7701.977	0.90
Never heard/used	723816.8	84.43

Frequency Missing = 76817.522577

AGE WHEN FIRST USED WINE COOLERS

Q14d	Frequency	Percent
7 or younger	15220.39	1.78
8 years old	14254.95	1.67
9 years old	21297.8	2.49
10 years old	26309.88	3.08
11 years old	22710.96	2.66
12 or older	11426.33	1.34
Never heard/used	743238.4	86.98

Frequency Missing = 79671.025351

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 4-6
Spring 2002

The FREQ Procedure

AGE WHEN FIRST USED WINE

Q14e	Frequency	Percent
7 or younger	14278.46	1.67
8 years old	14106.5	1.65
9 years old	22106.07	2.59
10 years old	25521.66	2.99
11 years old	20228.36	2.37
12 or older	10809.76	1.27
Never heard/used	747190.4	87.47

Frequency Missing = 79888.520321

AGE WHEN FIRST USED LIQUOR

Q14f	Frequency	Percent
7 or younger	5974.175	0.70
8 years old	4242.137	0.49
9 years old	7576.313	0.88
10 years old	10597.49	1.24
11 years old	10435.62	1.22
12 or older	6764.392	0.79
Never heard/used	811975.2	94.68

Frequency Missing = 76564.463043

AGE WHEN FIRST USED INHALANTS

Q14h	Frequency	Percent
7 or younger	8384.828	0.98
8 years old	5013.182	0.58
9 years old	6519.431	0.76
10 years old	8311.311	0.97
11 years old	8397.976	0.98
12 or older	4947.846	0.58
Never heard/used	816761.7	95.16

Frequency Missing = 75793.458365

AGE WHEN FIRST USED MARIJUANA

Q14i	Frequency	Percent
7 or younger	2880.287	0.33
8 years old	1318.862	0.15
9 years old	2636.152	0.30
10 years old	3884.453	0.45
11 years old	6147.195	0.71
12 or older	4610.246	0.53
Never heard/used	845458.3	97.52

Frequency Missing = 67194.305451

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 4-6
Spring 2002

The FREQ Procedure

CLOSE FRIENDS USE CIGARETTES

Q15a	Frequency	Percent
Never heard of	27397.22	3.10
None	704874.9	79.66
Some	139191.4	15.73
Most	13393.86	1.51

Frequency Missing = 49272.466454

CLOSE FRIENDS USE SNUFF/CHEWING TOBACCO

Q15b	Frequency	Percent
Never heard of	46368.12	5.36
None	777097.9	89.81
Some	37125.93	4.29
Most	4633.102	0.54

Frequency Missing = 68904.680698

CLOSE FRIENDS USE BEER

Q15c	Frequency	Percent
Never heard of	15634.77	1.82
None	671306.1	77.94
Some	149322.9	17.34
Most	25053.88	2.91

Frequency Missing = 72812.139666

CLOSE FRIENDS USE WINE COOLERS

Q15d	Frequency	Percent
Never heard of	91822.9	10.72
None	631571.2	73.77
Some	108878.4	12.72
Most	23915.22	2.79

Frequency Missing = 77942.060484

CLOSE FRIENDS USE WINE

Q15e	Frequency	Percent
Never heard of	25796.88	3.02
None	709414.2	83.19
Some	101471.1	11.90
Most	16114.41	1.89

Frequency Missing = 81333.230757

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 4-6
Spring 2002

The FREQ Procedure

CLOSE FRIENDS USE LIQUOR

Q15f	Frequency	Percent
Never heard of	72045.14	8.39
None	714185.1	83.13
Some	60961.79	7.10
Most	11890.31	1.38

Frequency Missing = 75047.392705

CLOSE FRIENDS USE INHALANTS

Q15h	Frequency	Percent
Never heard of	59343.26	6.89
None	718282.1	83.45
Some	68462.88	7.95
Most	14674.12	1.70

Frequency Missing = 73367.381495

CLOSE FRIENDS USE MARIJUANA

Q15i	Frequency	Percent
Never heard of	83587.37	9.65
None	706176.5	81.50
Some	60253.75	6.95
Most	16411.13	1.89

Frequency Missing = 67701.030161

EVER BEEN OFFERED CIGARETTES

Q16a	Frequency	Percent
Never heard of	28199.4	3.18
No	698286.7	78.65
Yes	161398.4	18.18

Frequency Missing = 46245.29398

EVER BEEN OFFERED SNUFF/CHEWING TOBACCO

Q16b	Frequency	Percent
Never heard of	49638.01	5.76
No	766088.1	88.82
Yes	46761.84	5.42

Frequency Missing = 71641.841625

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 4-6
Spring 2002

The FREQ Procedure

EVER BEEN OFFERED BEER

Q16c	Frequency	Percent
Never heard of	16873.5	1.97
No	652871.7	76.17
Yes	187350.5	21.86

Frequency Missing = 77034.066822

EVER BEEN OFFERED WINE COOLERS

Q16d	Frequency	Percent
Never heard of	95713.54	11.25
No	640646.4	75.31
Yes	114269.7	13.43

Frequency Missing = 83500.06486

EVER BEEN OFFERED WINE

Q16e	Frequency	Percent
Never heard of	27524.27	3.22
No	714289.9	83.44
Yes	114219.3	13.34

Frequency Missing = 78096.265556

EVER BEEN OFFERED LIQUOR

Q16f	Frequency	Percent
Never heard of	71193.48	8.34
No	716535.7	83.89
Yes	66397.89	7.77

Frequency Missing = 80002.721094

EVER BEEN OFFERED INHALANTS

Q16h	Frequency	Percent
Never heard of	58843.94	6.85
No	739598.3	86.10
Yes	60558.85	7.05

Frequency Missing = 75128.667173

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 4-6
Spring 2002

The FREQ Procedure

EVER BEEN OFFERED MARIJUANA

Q16i	Frequency	Percent
Never heard of	81237.42	9.35
No	719956.3	82.84
Yes	67863.16	7.81

Frequency Missing = 65072.848471

IS ALCOHOL OBTAINED FROM HOME

Q17a	Frequency	Percent
Do Not Drink	661371.7	75.16
No	118915.8	13.51
Yes	99664.3	11.33

Frequency Missing = 54178.014471

IS ALCOHOL OBTAINED FROM FRIENDS

Q17b	Frequency	Percent
Do Not Drink	652789.9	76.07
No	168481.4	19.63
Yes	36828.76	4.29

Frequency Missing = 76029.61915

IS ALCOHOL OBTAINED SOMEWHERE ELSE

Q17c	Frequency	Percent
Do Not Drink	648872.2	74.75
No	138215.9	15.92
Yes	80923.23	9.32

Frequency Missing = 66118.449069

DANGEROUS FOR KIDS TO USE CIGARETTES

Q18a	Frequency	Percent
Very dangerous	534070.6	59.78
Dangerous	271971.9	30.44
Not at all	13569.14	1.52
Don't know	53988.12	6.04
Never heard of	19820.9	2.22

Frequency Missing = 40709.03905

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 4-6
Spring 2002

The FREQ Procedure

DANGEROUS TO USE SNUFF/CHEWING TOBACCO

Q18b	Frequency	Percent
Very dangerous	574278.7	65.66
Dangerous	192969.8	22.06
Not at all	12900.18	1.48
Don't know	60737.03	6.94
Never heard of	33698.86	3.85

Frequency Missing = 59545.264351

DANGEROUS FOR KIDS TO USE BEER

Q18c	Frequency	Percent
Very dangerous	417844.1	48.02
Dangerous	322457.5	37.06
Not at all	49262.45	5.66
Don't know	71828.18	8.26
Never heard of	8694.804	1.00

Frequency Missing = 64042.696653

DANGEROUS FOR KIDS TO USE WINE COOLERS

Q18d	Frequency	Percent
Very dangerous	356473.2	41.06
Dangerous	253063.2	29.15
Not at all	71602.59	8.25
Don't know	103223.1	11.89
Never heard of	83712.39	9.64

Frequency Missing = 66055.340604

DANGEROUS FOR KIDS TO USE WINE

Q18e	Frequency	Percent
Very dangerous	399180.1	45.98
Dangerous	290299.6	33.44
Not at all	67736.73	7.80
Don't know	94675.27	10.91
Never heard of	16223.95	1.87

Frequency Missing = 66014.11808

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 4-6
Spring 2002

The FREQ Procedure

DANGEROUS FOR KIDS TO USE LIQUOR

Q18f	Frequency	Percent
Very dangerous	548174.8	62.82
Dangerous	188557.5	21.61
Not at all	18421.23	2.11
Don't know	65404.27	7.49
Never heard of	52119.27	5.97

Frequency Missing = 61452.626467

DANGEROUS FOR KIDS TO USE INHALANTS

Q18h	Frequency	Percent
Very dangerous	566341.8	64.89
Dangerous	168792.2	19.34
Not at all	23909.57	2.74
Don't know	70482.63	8.08
Never heard of	43294.87	4.96

Frequency Missing = 61308.67074

DANGEROUS FOR KIDS TO USE MARIJUANA

Q18i	Frequency	Percent
Very dangerous	686168.5	77.65
Dangerous	75936.09	8.59
Not at all	11677.67	1.32
Don't know	46556.42	5.27
Never heard of	63325.56	7.17

Frequency Missing = 50465.468722

DRUG/ALCOHOL INFO FROM TEACHER

Q19a	Frequency	Percent
No	279483.4	32.63
Yes	577091.4	67.37

Frequency Missing = 77554.948462

DRUG/ALC INFO FROM VISITOR TO CLASS

Q19b	Frequency	Percent
No	334767.3	39.41
Yes	514614.3	60.59

Frequency Missing = 84748.161323

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 4-6
Spring 2002

The FREQ Procedure

DRUG/ALC INFO FROM ASSEMBLY PROGRAM

Q19c	Frequency	Percent
No	335975.2	39.74
Yes	509446	60.26

Frequency Missing = 88708.474392

DRUG/ALC INFO FROM GUIDE COUNSELOR

Q19d	Frequency	Percent
No	365383.4	43.24
Yes	479621.5	56.76

Frequency Missing = 89124.866449

DRUG/ALC INF FROM SOMEONE ELSE AT SCHOOL

Q19e	Frequency	Percent
No	480440.5	56.60
Yes	368380	43.40

Frequency Missing = 85309.219627

BEER, TWO OR MORE AT ONE TIME

Q20a	Frequency	Percent
Never	776992	88.01
1 time	62442.87	7.07
2 times	23545.43	2.67
3+ times	19830.51	2.25

Frequency Missing = 51318.915779

WINE COOLERS, TWO OR MORE AT ONE TIME

Q20b	Frequency	Percent
Never	765648.8	88.39
1 time	52005.77	6.00
2 times	25960.42	3.00
3+ times	22641.1	2.61

Frequency Missing = 67873.639587

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 4-6
Spring 2002

The FREQ Procedure

WINE, TWO OR MORE AT ONE TIME

Q20c	Frequency	Percent
Never	771293.7	89.05
1 time	58304.26	6.73
2 times	21323.02	2.46
3+ times	15176.03	1.75

Frequency Missing = 68032.740616

LIQUOR, TWO OR MORE AT ONE TIME

Q20d	Frequency	Percent
Never	828746.7	95.10
1 time	23015.62	2.64
2 times	9162.999	1.05
3+ times	10561.58	1.21

Frequency Missing = 62642.885425

MISSED SCHOOL WITHOUT PARENT'S CONSENT

Q21	Frequency	Percent
No	878339.7	96.96
Yes	27569.06	3.04

Frequency Missing = 28220.964774

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER

Q22	Frequency	Percent
No	673296.1	74.37
Yes	232003.2	25.63

Frequency Missing = 28830.420257

PARENTS FEEL ABOUT KIDS DRINKING BEER

Q23	Frequency	Percent
Don't like it	730307.4	80.75
Don't care	21175.17	2.34
Think it's O.K.	8317.417	0.92
Don't know	144571	15.99

Frequency Missing = 29758.811934

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 4-6
Spring 2002

The FREQ Procedure

PARENTS FEEL ABOUT KIDS USING MARIJUANA

Q24	Frequency	Percent
Don't like it	752825.9	83.31
Don't care	12942.51	1.43
Think it's O.K.	4030.972	0.45
Don't know	133824.2	14.81

Frequency Missing = 30506.112821

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state